

‘

# Maxwell Equations

Christopher Stricklan

Revised: 'February 21, 2011

## Abstract

This document describes the derivation of Maxwell's Equations from their Curl and Divergent forms to a final Finite Difference Form. A Yee Grid is used to derive the Finite Difference Equations.

## MAXWELL'S EQUATIONS

---

$$\nabla \cdot \vec{D}(t) = \rho_v(t) \quad (1)$$

$$\nabla \cdot \vec{B}(t) = 0 \quad (2)$$

$$\nabla \times \vec{E}(t) = -\frac{\partial \vec{B}(t)}{\partial t} \quad (3)$$

$$\nabla \times \vec{H}(t) = \vec{J} + \frac{\partial \vec{D}(t)}{\partial t} \quad (4)$$

## CONSTITUTIVE RELATIONS

---

$$\vec{D} = [\epsilon(t)] * \vec{E}(t) \quad (5)$$

$$\vec{B} = [\mu(t)] * \vec{H}(t) \quad (6)$$

## ELIMINATE DIVERGENCE

---

Our use of the Yee Grid Scheme allows us to eliminate divergence via equations (7) and (8)

$$\nabla \cdot (\epsilon \vec{E}) = 0 \quad (7)$$

$$\nabla \cdot (\mu \vec{H}) = 0 \quad (8)$$

This also allows for the centering of the fields invoked by the curl equations Figure 1




Figure 1: Yee Grid

## SUBSTITUTION

Because we have satisfied the divergence equations by using the Yee Grid Scheme, we are now able to focus on the curl equations with our constitutive relation equations (5) and (6) substituted in. We are also not injecting a Source.

Where  $\vec{J} = 0$

$$\nabla \times \vec{E}(t) = -[\mu] \frac{\partial \vec{H}(t)}{\partial t} \quad (9)$$

$$\nabla \times \vec{H}(t) = [\epsilon] \frac{\partial \vec{E}(t)}{\partial t} \quad (10)$$

## NORMALIZE MAGNETIC FIELD

The Electric and Magnetic Fields are three orders of magnitude different. Rounding errors can propagate through our simulation, therefore we require that we normalize a Field. In this case we are normalizing the Magnetic Field.

$$\begin{aligned} \vec{\tilde{H}} = \sqrt{\frac{\mu_0}{\epsilon_0}} \vec{H} \implies \nabla \times \vec{E} &= -\frac{[\mu_r]}{c_0} \frac{\partial \vec{\tilde{H}}}{\partial t} \\ \nabla \times \vec{\tilde{H}} &= \frac{[\epsilon_r]}{c_0} \frac{\partial \vec{E}}{\partial t} \end{aligned} \quad (11)$$

## EXPAND CURL EQUATIONS

---

$$\begin{aligned}\nabla \times \vec{E} &= -\frac{[\mu_r]}{c_0} \frac{\partial \vec{H}}{\partial t} \implies \\ \frac{\partial E_z}{\partial y} - \frac{\partial E_y}{\partial z} &= -\frac{1}{c_0} \left( \mu_{xx} \frac{\partial \tilde{H}_x}{\partial t} + \mu_{xy} \frac{\partial \tilde{H}_y}{\partial t} + \mu_{xz} \frac{\partial \tilde{H}_z}{\partial t} \right) \\ \frac{\partial E_x}{\partial z} - \frac{\partial E_z}{\partial x} &= -\frac{1}{c_0} \left( \mu_{yx} \frac{\partial \tilde{H}_x}{\partial t} + \mu_{yy} \frac{\partial \tilde{H}_y}{\partial t} + \mu_{yz} \frac{\partial \tilde{H}_z}{\partial t} \right) \\ \frac{\partial E_y}{\partial x} - \frac{\partial E_x}{\partial y} &= -\frac{1}{c_0} \left( \mu_{zx} \frac{\partial \tilde{H}_x}{\partial t} + \mu_{zy} \frac{\partial \tilde{H}_y}{\partial t} + \mu_{zz} \frac{\partial \tilde{H}_z}{\partial t} \right)\end{aligned}\tag{12}$$

$$\begin{aligned}\nabla \times \vec{H} &= \frac{[\epsilon_r]}{c_0} \frac{\partial \vec{E}}{\partial t} \implies \\ \frac{\partial \tilde{H}_z}{\partial y} - \frac{\partial \tilde{H}_y}{\partial z} &= \frac{1}{c_0} \left( \epsilon_{xx} \frac{\partial E_x}{\partial t} + \epsilon_{xy} \frac{\partial E_y}{\partial t} + \epsilon_{xz} \frac{\partial E_z}{\partial t} \right) \\ \frac{\partial \tilde{H}_x}{\partial z} - \frac{\partial \tilde{H}_z}{\partial x} &= \frac{1}{c_0} \left( \epsilon_{yx} \frac{\partial E_x}{\partial t} + \epsilon_{yy} \frac{\partial E_y}{\partial t} + \epsilon_{yz} \frac{\partial E_z}{\partial t} \right) \\ \frac{\partial \tilde{H}_y}{\partial x} - \frac{\partial \tilde{H}_x}{\partial y} &= \frac{1}{c_0} \left( \epsilon_{zx} \frac{\partial E_x}{\partial t} + \epsilon_{zy} \frac{\partial E_y}{\partial t} + \epsilon_{zz} \frac{\partial E_z}{\partial t} \right)\end{aligned}\tag{13}$$

## CROSS OUT DIAGONAL TENSORS

---

$$\begin{aligned}\nabla \times \vec{E} &= -\frac{[\mu_r]}{c_0} \frac{\partial \vec{H}}{\partial t} \implies \\ \frac{\partial E_z}{\partial y} - \frac{\partial E_y}{\partial z} &= -\frac{1}{c_0} \left( \mu_{xx} \frac{\partial \tilde{H}_x}{\partial t} + \cancel{\mu_{xy} \frac{\partial \tilde{H}_y}{\partial t}} + \cancel{\mu_{xz} \frac{\partial \tilde{H}_z}{\partial t}} \right) \\ \frac{\partial E_x}{\partial z} - \frac{\partial E_z}{\partial x} &= -\frac{1}{c_0} \left( \cancel{\mu_{yx} \frac{\partial \tilde{H}_x}{\partial t}} + \mu_{yy} \frac{\partial \tilde{H}_y}{\partial t} + \cancel{\mu_{yz} \frac{\partial \tilde{H}_z}{\partial t}} \right) \\ \frac{\partial E_y}{\partial x} - \frac{\partial E_x}{\partial y} &= -\frac{1}{c_0} \left( \cancel{\mu_{zx} \frac{\partial \tilde{H}_x}{\partial t}} + \cancel{\mu_{zy} \frac{\partial \tilde{H}_y}{\partial t}} + \mu_{zz} \frac{\partial \tilde{H}_z}{\partial t} \right)\end{aligned}\tag{14}$$

$$\nabla \times \vec{H} = \frac{[\epsilon_r]}{c_0} \frac{\partial \vec{E}}{\partial t} \implies \quad (15)$$

$$\begin{aligned} \frac{\partial \tilde{H}_z}{\partial y} - \frac{\partial \tilde{H}_y}{\partial z} &= \frac{1}{c_0} \left( \epsilon_{xx} \frac{\partial E_x}{\partial t} + \cancel{\epsilon_{xy} \frac{\partial E_y}{\partial t}} + \cancel{\epsilon_{xz} \frac{\partial E_z}{\partial t}} \right) \\ \frac{\partial \tilde{H}_x}{\partial z} - \frac{\partial \tilde{H}_z}{\partial x} &= \frac{1}{c_0} \left( \cancel{\epsilon_{yx} \frac{\partial E_x}{\partial t}} + \epsilon_{yy} \frac{\partial E_y}{\partial t} + \cancel{\epsilon_{yz} \frac{\partial E_z}{\partial t}} \right) \\ \frac{\partial \tilde{H}_y}{\partial x} - \frac{\partial \tilde{H}_x}{\partial y} &= \frac{1}{c_0} \left( \cancel{\epsilon_{zx} \frac{\partial E_x}{\partial t}} + \cancel{\epsilon_{zy} \frac{\partial E_y}{\partial t}} + \epsilon_{zz} \frac{\partial E_z}{\partial t} \right) \end{aligned}$$

## FINAL ANALYTICAL EQUATIONS

---

These equations are our final Maxwell Equations that will be used to derive the Finite-Difference Equations for all dimensions. We have one equation for each dimension for both the magnetic and electric fields. This gives a total of six equations that will need to be tracked.

Magnetic Field Equations

$$\frac{\partial \tilde{H}_z}{\partial y} - \frac{\partial \tilde{H}_y}{\partial z} = \frac{\epsilon_{xx}}{c_0} \frac{\partial E_x}{\partial t} \quad (16)$$

$$\frac{\partial \tilde{H}_x}{\partial z} - \frac{\partial \tilde{H}_z}{\partial x} = \frac{\epsilon_{yy}}{c_0} \frac{\partial E_y}{\partial t} \quad (17)$$

$$\frac{\partial \tilde{H}_y}{\partial x} - \frac{\partial \tilde{H}_x}{\partial y} = \frac{\epsilon_{zz}}{c_0} \frac{\partial E_z}{\partial t} \quad (18)$$

Electric Field Equations

$$\frac{\partial E_z}{\partial y} - \frac{\partial E_y}{\partial z} = -\frac{\mu_{xx}}{c_0} \frac{\partial \tilde{H}_x}{\partial t} \quad (19)$$

$$\frac{\partial E_x}{\partial z} - \frac{\partial E_z}{\partial x} = -\frac{\mu_{yy}}{c_0} \frac{\partial \tilde{H}_y}{\partial t} \quad (20)$$

$$\frac{\partial E_y}{\partial x} - \frac{\partial E_x}{\partial y} = -\frac{\mu_{zz}}{c_0} \frac{\partial \tilde{H}_z}{\partial t} \quad (21)$$

## FINITE-DIFFERENCE DERIVED EQUATIONS

---

Each equation needs to be derived based on the Yee Grid Model. Remember that adjacent cells will need to be used to perform the calculation of the individual finite-difference equations for Magnetic and Electric fields in each direction x,y,z

Hx - Figure 2 Equation (22)




Figure 2: Yee Grid Hx

$$\frac{E_z^{i,j+1,k} |_{t+\frac{\Delta t}{2}} - E_z^{i,j,k} |_{t-\frac{\Delta t}{2}}}{\Delta y} - \frac{E_y^{i,j,k+1} |_{t+\frac{\Delta t}{2}} - E_y^{i,j,k} |_{t-\frac{\Delta t}{2}}}{\Delta z} = -\frac{\mu_{xx}}{c_0} \frac{\partial \tilde{H}_x}{\partial t} \longrightarrow \quad (22)$$

$$\frac{E_z^{i,j+1,k} |_{t+\frac{\Delta t}{2}} - E_z^{i,j,k} |_{t-\frac{\Delta t}{2}}}{\Delta y} - \frac{E_y^{i,j,k+1} |_{t+\frac{\Delta t}{2}} - E_y^{i,j,k} |_{t-\frac{\Delta t}{2}}}{\Delta z} = -\frac{\mu_{xx}^{i,j,k}}{c_0} \frac{\tilde{H}_x^{i,j,k} |_{t+\frac{\Delta t}{2}} - \tilde{H}_x^{i,j,k} |_{t-\frac{\Delta t}{2}}}{\Delta t}$$

Hy - Figure 3 Equation (23)

$$\frac{\partial E_x}{\partial z} - \frac{\partial E_z}{\partial x} = -\frac{\mu_{yy}}{c_0} \frac{\partial \tilde{H}_y}{\partial t} \longrightarrow \quad (23)$$

$$\frac{E_x^{i,j,k+1} |_{t+\frac{\Delta t}{2}} - E_x^{i,j,k} |_{t-\frac{\Delta t}{2}}}{\Delta z} - \frac{E_z^{i+1,j,k} |_{t+\frac{\Delta t}{2}} - E_z^{i,j,k} |_{t-\frac{\Delta t}{2}}}{\Delta x} = -\frac{\mu_{yy}^{i,j,k}}{c_0} \frac{\tilde{H}_y^{i,j,k} |_{t+\frac{\Delta t}{2}} - \tilde{H}_y^{i,j,k} |_{t-\frac{\Delta t}{2}}}{\Delta t}$$

Hz - Figure 4 Equation (24)

$$\frac{\partial E_y}{\partial x} - \frac{\partial E_x}{\partial y} = -\frac{\mu_{zz}}{c_0} \frac{\partial \tilde{H}_z}{\partial t} \longrightarrow \quad (24)$$

$$\frac{E_y^{i+1,j,k} |_{t+\frac{\Delta t}{2}} - E_y^{i,j,k} |_{t-\frac{\Delta t}{2}}}{\Delta x} - \frac{E_x^{i,j+1,k} |_{t+\frac{\Delta t}{2}} - E_x^{i,j,k} |_{t-\frac{\Delta t}{2}}}{\Delta y} = -\frac{\mu_{zz}^{i,j,k}}{c_0} \frac{\tilde{H}_z^{i,j,k} |_{t+\frac{\Delta t}{2}} - \tilde{H}_z^{i,j,k} |_{t-\frac{\Delta t}{2}}}{\Delta t}$$

Ex - Figure 5 Equation (25)




Figure 3: Yee Grid Hy

$$\frac{\tilde{H}_z^{i,j,k} \big|_{t+\frac{\Delta t}{2}} - \tilde{H}_z^{i,j-1,k} \big|_{t+\frac{\Delta t}{2}}}{\Delta y} - \frac{\tilde{H}_y^{i,j,k} \big|_{t+\frac{\Delta t}{2}} - \tilde{H}_y^{i,j,k-1} \big|_{t+\frac{\Delta t}{2}}}{\Delta z} = \frac{\partial \tilde{H}_z}{\partial y} - \frac{\partial \tilde{H}_y}{\partial z} = -\frac{\epsilon_{xx}}{c_0} \frac{\partial E_x}{\partial t} \longrightarrow \quad (25)$$

$$\frac{\tilde{H}_z^{i,j,k} \big|_{t+\frac{\Delta t}{2}} - \tilde{H}_z^{i,j-1,k} \big|_{t+\frac{\Delta t}{2}}}{\Delta y} - \frac{\tilde{H}_y^{i,j,k} \big|_{t+\frac{\Delta t}{2}} - \tilde{H}_y^{i,j,k-1} \big|_{t+\frac{\Delta t}{2}}}{\Delta z} = \frac{\epsilon_{xx}^{i,j,k}}{c_0} \frac{E_x^{i,j,k} \big|_{t+\Delta t} - E_x^{i,j,k} \big|_t}{\Delta t}$$

Ey - Figure 6 Equation (26)

$$\frac{\tilde{H}_x^{i,j,k} \big|_{t+\frac{\Delta t}{2}} - \tilde{H}_x^{i,j,k-1} \big|_{t+\frac{\Delta t}{2}}}{\Delta z} - \frac{\tilde{H}_z^{i,j,k} \big|_{t+\frac{\Delta t}{2}} - \tilde{H}_z^{i-1,j,k} \big|_{t+\frac{\Delta t}{2}}}{\Delta x} = \frac{\partial \tilde{H}_x}{\partial z} - \frac{\partial \tilde{H}_z}{\partial x} = -\frac{\epsilon_{yy}}{c_0} \frac{\partial E_y}{\partial t} \longrightarrow \quad (26)$$

$$\frac{\tilde{H}_x^{i,j,k} \big|_{t+\frac{\Delta t}{2}} - \tilde{H}_x^{i,j,k-1} \big|_{t+\frac{\Delta t}{2}}}{\Delta z} - \frac{\tilde{H}_z^{i,j,k} \big|_{t+\frac{\Delta t}{2}} - \tilde{H}_z^{i-1,j,k} \big|_{t+\frac{\Delta t}{2}}}{\Delta x} = \frac{\epsilon_{yy}^{i,j,k}}{c_0} \frac{E_y^{i,j,k} \big|_{t+\Delta t} - E_y^{i,j,k} \big|_t}{\Delta t}$$

Ez - Figure 7 Equation (27)

$$\frac{\tilde{H}_y^{i,j,k} \big|_{t+\frac{\Delta t}{2}} - \tilde{H}_y^{i-1,j,k} \big|_{t+\frac{\Delta t}{2}}}{\Delta x} - \frac{\tilde{H}_x^{i,j,k} \big|_{t+\frac{\Delta t}{2}} - \tilde{H}_x^{i,j-1,k} \big|_{t+\frac{\Delta t}{2}}}{\Delta y} = \frac{\partial \tilde{H}_y}{\partial x} - \frac{\partial \tilde{H}_x}{\partial y} = -\frac{\epsilon_{zz}}{c_0} \frac{\partial E_z}{\partial t} \longrightarrow \quad (27)$$

$$\frac{\tilde{H}_y^{i,j,k} \big|_{t+\frac{\Delta t}{2}} - \tilde{H}_y^{i-1,j,k} \big|_{t+\frac{\Delta t}{2}}}{\Delta x} - \frac{\tilde{H}_x^{i,j,k} \big|_{t+\frac{\Delta t}{2}} - \tilde{H}_x^{i,j-1,k} \big|_{t+\frac{\Delta t}{2}}}{\Delta y} = \frac{\epsilon_{zz}^{i,j,k}}{c_0} \frac{E_z^{i,j,k} \big|_{t+\Delta t} - E_z^{i,j,k} \big|_t}{\Delta t}$$




Figure 4: Yee Grid Hz

## SUMMARY OF FINITE-DIFFERENCE EQUATIONS

The six sets equations below are our Finite-Difference equations derived from Maxwell's Equations. These equations we will use to derive equations for 1D, 2D, and 3D update equations for our FDTD algorithms.

$$\frac{\partial E_z}{\partial y} - \frac{\partial E_y}{\partial z} = -\frac{\mu_{xx}}{c_0} \frac{\partial \tilde{H}_x}{\partial t}$$

$$\frac{\partial E_x}{\partial z} - \frac{\partial E_z}{\partial x} = -\frac{\mu_{yy}}{c_0} \frac{\partial \tilde{H}_y}{\partial t}$$

$$\frac{\partial E_y}{\partial x} - \frac{\partial E_x}{\partial y} = -\frac{\mu_{zz}}{c_0} \frac{\partial \tilde{H}_z}{\partial t}$$

$$\frac{\partial \tilde{H}_z}{\partial y} - \frac{\partial \tilde{H}_y}{\partial z} = -\frac{\epsilon_{xx}}{c_0} \frac{\partial E_x}{\partial t}$$

$$\frac{\partial \tilde{H}_x}{\partial z} - \frac{\partial \tilde{H}_z}{\partial x} = -\frac{\epsilon_{yy}}{c_0} \frac{\partial E_y}{\partial t}$$

$$\frac{\partial \tilde{H}_y}{\partial x} - \frac{\partial \tilde{H}_x}{\partial y} = -\frac{\epsilon_{zz}}{c_0} \frac{\partial E_z}{\partial t}$$

→






Figure 5: Yee Grid Ex

$$\begin{aligned}
\frac{E_z^{i,j+1,k} \big|_t - E_z^{i,j,k} \big|_t}{\Delta y} - \frac{E_y^{i,j,k+1} \big|_t - E_y^{i,j,k} \big|_t}{\Delta z} &= -\frac{\mu_{xx}^{i,j,k}}{c_0} \frac{\tilde{H}_x^{i,j,k} \big|_{t+\frac{\Delta t}{2}} - \tilde{H}_x^{i,j,k} \big|_{t-\frac{\Delta t}{2}}}{\Delta t} \\
\frac{E_x^{i,j,k+1} \big|_t - E_x^{i,j,k} \big|_t}{\Delta z} - \frac{E_z^{i+1,j,k} \big|_t - E_z^{i,j,k} \big|_t}{\Delta x} &= -\frac{\mu_{yy}^{i,j,k}}{c_0} \frac{\tilde{H}_y^{i,j,k} \big|_{t+\frac{\Delta t}{2}} - \tilde{H}_y^{i,j,k} \big|_{t-\frac{\Delta t}{2}}}{\Delta t} \\
\frac{E_y^{i+1,j,k} \big|_t - E_y^{i,j,k} \big|_t}{\Delta x} - \frac{E_x^{i,j+1,k} \big|_t - E_x^{i,j,k} \big|_t}{\Delta y} &= -\frac{\mu_{zz}^{i,j,k}}{c_0} \frac{\tilde{H}_z^{i,j,k} \big|_{t+\frac{\Delta t}{2}} - \tilde{H}_z^{i,j,k} \big|_{t-\frac{\Delta t}{2}}}{\Delta t} \\
\frac{\tilde{H}_z^{i,j,k} \big|_{t+\frac{\Delta t}{2}} - \tilde{H}_z^{i,j-1,k} \big|_{t+\frac{\Delta t}{2}}}{\Delta y} - \frac{\tilde{H}_y^{i,j,k} \big|_{t+\frac{\Delta t}{2}} - \tilde{H}_y^{i,j,k-1} \big|_{t+\frac{\Delta t}{2}}}{\Delta z} &= \frac{\epsilon_{xx}^{i,j,k}}{c_0} \frac{E_x^{i,j,k} \big|_{t+\Delta t} - E_x^{i,j,k} \big|_t}{\Delta t} \\
\frac{\tilde{H}_x^{i,j,k} \big|_{t+\frac{\Delta t}{2}} - \tilde{H}_x^{i,j,k-1} \big|_{t+\frac{\Delta t}{2}}}{\Delta z} - \frac{\tilde{H}_z^{i,j,k} \big|_{t+\frac{\Delta t}{2}} - \tilde{H}_z^{i-1,j,k} \big|_{t+\frac{\Delta t}{2}}}{\Delta x} &= \frac{\epsilon_{yy}^{i,j,k}}{c_0} \frac{E_y^{i,j,k} \big|_{t+\Delta t} - E_y^{i,j,k} \big|_t}{\Delta t} \\
\frac{\tilde{H}_y^{i,j,k} \big|_{t+\frac{\Delta t}{2}} - \tilde{H}_y^{i-1,j,k} \big|_{t+\frac{\Delta t}{2}}}{\Delta x} - \frac{\tilde{H}_x^{i,j,k} \big|_{t+\frac{\Delta t}{2}} - \tilde{H}_x^{i,j-1,k} \big|_{t+\frac{\Delta t}{2}}}{\Delta y} &= \frac{\epsilon_{zz}^{i,j,k}}{c_0} \frac{E_z^{i,j,k} \big|_{t+\Delta t} - E_z^{i,j,k} \big|_t}{\Delta t}
\end{aligned}$$




Figure 6: Yee Grid Ey




Figure 7: Yee Grid Ez