```
#FILE: World.h

#ifndef WORLD_H
#define WORLD_H
#include "CConsole.h"
#include "Player.h"
#include "Danger.h"
#include <string>

class World
{
public:
	World(int theDelay); //checks all values, sets consolePtr = cc, calls
printBoard
	~World();
	void run(); //runs the game
	void newLevel(); //calls print functions and decreases delay
	void buildTop();//builds the top part of the level
	void printBoard(); //prints the game board
	bool checkDeath(); //compares froggers x,y to corresponding danger, returns
true if frogger is dead
	void printStatus() const; //prints score, lives, and count
private:
	int divWidth, width, delay;
	CConsole *consolePtr;
	Danger *dArr[6];
	Player *plyPtr;
	string newLevelArr;
	int levelCount;
};

#endif
```

```
#FILE: World.cpp

#include "World.h"
#include "SemiTruck.h"
#include "Car.h"
#include "Tractor.h"
#include "FallingLog.h"
#include "Gator.h"
#include "ShortLog.h"

using namespace std;

	World::World(int theDelay) //checks all values, sets consolePtr = cc, calls
printBoard
	{
		width = 39;//change this to the width in 0 based size, ie 40 wide =
39
		delay = theDelay; // sets passed delay equal to private delay
		consolePtr = new CConsole(width+1, 15);
		plyPtr = new Player(consolePtr, width);
		levelCount = 0;
		buildTop();
		printBoard();
		printStatus();
		dArr[0] = new ShortLog(consolePtr, 3, 8, 2, 0, 1, "LL", width);
		dArr[1] = new Gator(consolePtr, 4, 5 , 3, 1, -1, ">==", width);
		dArr[2] = new FallingLog(consolePtr, 3, 4, 4, 3, 1, "======",
width);
		dArr[3] = new SemiTruck(consolePtr, 3, 4, 6, 0, 1, "SSSS", width);
		dArr[4] = new Car(consolePtr, 2, 4, 7, 2, -1, "CC", width);
		dArr[5] = new Tractor(consolePtr, 6, 5, 8, 5, 1, "TTT", width);

	}
	World::~World()
	{}
	void World::run() //runs the game
	{
		char keyPress;
		consolePtr->waitForEnter();
		while(plyPtr->getLives() > 0)
		{
			consolePtr->delay(delay);
			for(int i = 0; i <6; i++)
			{
				if(dArr[i]->move())//moves dangers
				{
					if(plyPtr->getyPos() < 5 &&
plyPtr->getyPos() == i + 2)//if water danger
					{

if(dArr[i]->getChar(plyPtr->getxPos() - dArr[i]->getOffset() - dArr[i]->getDir()) ==
 ' ')//checks

plyPtr->move2(dArr[i]->moveDir());
						else

plyPtr->move(dArr[i]->moveDir());//simulates keypress in proper direction to stay on
danger
						printStatus();
					}
				}
			}
```

```
			if(checkDeath())
				{
					printStatus();//updates lives and count etc
if dead
					consolePtr->printChar(plyPtr->getxPos(), 9,
'@'); //prints @ only after they press enter, in order to allow player to see where
he died
				}
			if(consolePtr->getInput(keyPress) && (keyPress=='2'||
keyPress=='4' || keyPress=='6' || keyPress=='8'))//if frogger moves
			{
				plyPtr->move(keyPress);//moves frogger if key
pressed
				printStatus();
				if(checkDeath())
				{
					printStatus();//updates lives and count etc
if dead
					consolePtr->printChar(plyPtr->getxPos(), 9,
'@'); //prints @ only after they press enter, in order to allow player to see where
he died
				}
			}
			else
				plyPtr->move(0);

		}
	}

	void World::newLevel()
	{
		if(levelCount == 4)//if this is the 5th time reaching the top
		{
			levelCount = 0;
			delay-=30;
			buildTop();
			plyPtr->reachTop(1);
		}
		else
		{
			newLevelArr[plyPtr->getxPos()] = '*';
			levelCount++;
			plyPtr->reachTop();
		}
		consolePtr->printString(0, 12, "Congratulations!");
		consolePtr->printString(0, 13, "Press Enter To Advance...");
		consolePtr->waitForEnter();
		printBoard();
		consolePtr->printStringClearLine(0, 12, " ");
		consolePtr->printStringClearLine(0, 13, " ");
		printStatus();
	}
	void World::buildTop()
	{
		int tick = 0;
		newLevelArr = "";
		divWidth = width/5;
		for(int i = 0; i <= width; i++)
		{
			tick++;
			if(tick == (divWidth))
			{
				tick = 0;
```

```
                                newLevelArr += ' ';
                        }
                        else
                                newLevelArr += '#';
                }
        }

        void World::printBoard()  //prints the game board
        {
                consolePtr->gotoXY(0,0);
                for(int i = 0; i <=width; i++)
                {
                        consolePtr->printChar('#');
                }
                consolePtr->printString(0, 1, newLevelArr);
                consolePtr->gotoXY(0,5);
                consolePtr->setColor(white, brown);
                for(int i = 0; i <=width; i++)
                {
                        consolePtr->printChar(' ');
                }
                consolePtr->setColor(white, black);

                consolePtr->gotoXY(0,10);
                for(int i = 0; i <=width; i++)
                {
                        consolePtr->printChar('#');
                }
        }

        bool World::checkDeath()  //compares froggers x,y to corresponding danger, 
returns true if frogger is dead
        {
                int yPos = plyPtr->getyPos(); //stored value to avoid calling 
function many times
                if(yPos == 1 && (((plyPtr->getxPos()+1)%(divWidth)) == 0))
                {
                        newLevel();
                        return false;
                }
                else if(yPos == 1)
                {
                        plyPtr->killGrogger();
                        printBoard();
                        return true;
                }

                if((yPos) != 9)
                        {
                                if (yPos >= 6 && yPos <= 8)
                                {
                                        if (dArr[yPos - 
3]->getChar(plyPtr->getxPos() - dArr[yPos - 3]->getOffset()) !=  ' ')//gets dangers 
character at players x,y
                                        {
                                                plyPtr->killGrogger();
                                                return true;
                                        }
                                }
                                else if (yPos >= 2 && yPos <= 4)
                                {
                                        if (dArr[yPos - 
2]->getChar(plyPtr->getxPos() - dArr[yPos - 2]->getOffset()) == ' ' || dArr[yPos - 
```

```
2]->getChar(plyPtr->getxPos() - dArr[yPos - 2]->getOffset()) == '>')
                                {
                                        plyPtr->killGrogger();
                                        return true;
                                }
                        }

                }
                return false;
        }

        void World::printStatus() const //prints score, lives, and count
        {
                consolePtr->printString(0,11, "Lives: ");
                consolePtr->printInt(7,11, plyPtr->getLives());
                consolePtr->printString(10,11, "Level: ");
                consolePtr->printInt(17,11, plyPtr->getLevel());
                consolePtr->printString(20,11, "Count: ");
                consolePtr->printInt(27,11, levelCount);
                consolePtr->printString(30,11, "Score: ");
                consolePtr->printInt(37,11, plyPtr->getScore());
        }
```

```
#FILE: CConsole.h

#pragma once
#include <string>
#include <conio.h>
#include <windows.h>

enum Color {black=0, blue=FOREGROUND_BLUE, green=FOREGROUND_GREEN,
red=FOREGROUND_RED,
purple=FOREGROUND_BLUE + FOREGROUND_RED, cyan=FOREGROUND_BLUE+FOREGROUND_GREEN,
brown=FOREGROUND_GREEN+FOREGROUND_RED,
white=FOREGROUND_BLUE+FOREGROUND_GREEN+FOREGROUND_RED};


class CConsole {
public:
    CConsole(int width, int height);
        void setColor(Color fore, Color back) {SetConsoleTextAttribute(m_hConsole,
fore + (back<<4) );}
        bool getInput(char& ch);
        void waitForEnter();// wait until the user presses ENTER
    void gotoXY(int x, int y); //moves cursor to position x (from left), y (from
top)
          //0,0 is upper left corner
        void printChar(int x, int y, char ch); //prints ch at x,y, moves cursor over
1 to right
        void printChar(char ch) {_putch(ch);} //prints ch where current cursor is,
moves cursor over 1 to right
    void printString(int x, int y, const std::string& s);
    void printString(const std::string& s);
    void printStringClearLine(const std::string& s); //clears rest of line after
string printed
    void printStringClearLine(int x, int y, const std::string& s);
        void printInt(int x, int y, int val); //print an integer value at x,y
        void printInt(int val); //print an integer value
        void delay(int amount) {Sleep(amount);}
private:
    HANDLE  m_hConsole;
    int     m_width;
    int     m_height;
};
```

```
#FILE: CConsole.cpp

#include "CConsole.h"

void CConsole::waitForEnter() {// wait until the user presses ENTER
  int ch;
  do {
        ch = _getch();
  } while ( ch != '\n'  &&  ch != '\r');
}

/* The getInput function checks whether the user has hit a key and immediately
 returns (so it does NOT wait for a key to be pressed).  It returns:
    true if the user has hit a key; in this case, the ch variable is set to
          the typed character
    false if the user has not hit any key; in this case, the ch variable
          will be unchanged*/
bool CConsole::getInput(char& ch) {
  if (_kbhit()) {//has key been hit?
    int c = _getch();
    if (c != 0xE0)  // first of the two sent by arrow keys, E0 is escape
        ch = c;
    else {
      c = _getch(); //get second char sent by escape sequence from arrows
      switch (c) {
        case 'K':  /* left  */ ch = '4'; break;
        case 'M':  /* right */ ch = '6'; break;
        case 'H':  /* up    */ ch = '8'; break;
        case 'P':  /* down  */ ch = '2'; break;
        default:               ch = '?'; break;//special character but not arrow
      }
    }
    return true;
  }
  return false;
}

CConsole::CConsole(int width, int height) : m_width(width), m_height(height) {
  m_hConsole = GetStdHandle(STD_OUTPUT_HANDLE);
  CONSOLE_CURSOR_INFO x;
  GetConsoleCursorInfo(m_hConsole, &x);
  x.bVisible=false;
  SetConsoleCursorInfo(m_hConsole, &x);//hides the cursor
}

void CConsole::gotoXY(int x, int y) {//moves cursor to position x (from left), y
(from top)
//0,0 is upper left corner
  if (x < 0  ||  x >= m_width  ||  y < 0  ||  y >= m_height)    //invalid x,y
      return;
  COORD pos = { x, y };//same as pos.X=x; pos.Y=y;
  SetConsoleCursorPosition(m_hConsole, pos);
}

void CConsole::printChar(int x, int y, char ch) {//prints ch at x,y, moves cursor
over 1 to right
  gotoXY(x,y);
  printChar(ch);
}

void CConsole::printString(int x, int y, const std::string& s) {
  gotoXY(x,y);
  printString(s);
```

```
}

void CConsole::printString(const std::string& s) {
  for (size_t i = 0; i < s.length(); i++)
      printChar(s[i]);
}

void CConsole::printStringClearLine(int x, int y, const std::string& s) {//clears
rest of line after string printed
  gotoXY(x,y);
  printStringClearLine(s);
}

void CConsole::printStringClearLine(const std::string& s) {//clears rest of line
after string printed
  printString(s);
  CONSOLE_SCREEN_BUFFER_INFO info;
  GetConsoleScreenBufferInfo(m_hConsole,&info);
  for (int col=info.dwCursorPosition.X; col < m_width; col++)
          printChar(' ');//print spaces for rest of line, console b/c don't know if
we started at 0
}

void CConsole::printInt(int x, int y, int val) {//print an integer value
  gotoXY(x,y);
  printInt(val);
}
void CConsole::printInt(int val) {//print an integer value
  char buf[12]={0};
  _itoa_s(val, buf, 11, 10);//safely convert int to ascii text
  printString(buf);  //constructor for string automatically called for char *
}
```

```
#FILE: Time.h

#ifndef TIME_H
#define TIME_H

class Time {                        //keeps military time, i.e. 00:00:00 to 23:59:59
public:
  Time(int h, int m, int s);    //constructor, initialize time to h:m:s
  void print() const;           //print time in format  hour:min:sec
  void testSeconds(int &m, int &s); //tests the seconds and adjusts
  void testMinutes(int &h, int &m); //test the minutes and adjusts
  void testHours(int &h); //tests the hours and adjusts
  int getHour() const;          //returns current hours
  int getMin() const;           //returns current minutes
  int getSec() const;           //returns current seconds
  void addSec(int secs);    //add secs to current time, update hour and min as
needed //meaning that seconds and minutes should be 0 .. 59,
  void addMin(int mins);        //add mins to current time, update hour as
appropriate
  void addHour(int hours);      //add hours to current time, have 23 wrap to 0.
  bool afternoon() const;       //return true iff in the p.m., at or after noon
private:
        int hours;
        int mins;
        int secs;//as needed, up to you
};

#endif
```

```
#FILE: Time.cpp

#include <iostream>
#include "Time.h"
using namespace std;

Time::Time(int h, int m, int s)         //constructor, initialize time to h:m:s
  {
        testSeconds(m,s);
        hours=h;
        mins=m;
        secs=s;
  }
  void Time::print() const      //print time in format  hour:min:sec
  {
        cout << "The current time is " << hours << ":" << mins << ":" << secs;
  }
  int Time::getHour() const             //returns current hours
  {
        return hours;
  }
  int Time::getMin() const              //returns current minutes
  {
        return mins;
  }
  int Time::getSec() const              //returns current seconds
  {
        return secs;
  }

  void Time::testSeconds(int &m, int &s) //tests the seconds and minutes and adjust
accordingly
  {
        while(s > 59)
        {
                s=s-60;
                m++;
        }
        while(s <0)
        {
                s = s + 60;
                m--;
        }
        testMinutes(hours, mins);
  }

  void Time::testMinutes(int &h, int &m)  //tests the minutes and hours and adjust
accordingly
  {
        while(m > 59)
        {
                m=m-60;
                h++;
        }
        while(m <0)
        {
                m = m + 60;
                h--;
        }
        testHours(hours);
  }

    void Time::testHours(int &h)     //tests the hours in case over or under 23
```

```
  {
          while(h > 23)
          {
                  h=h-24;
          }
          while(h <0)
          {
                  h = h + 24;
          }
  }

  void Time::addSec(int s)    //add secs to current time, update hour and min as
needed //meaning that seconds and minutes should be 0 .. 59,
  {
        secs=secs+s;
        testSeconds(mins, secs);
  }
  void Time::addMin(int m)      //add mins to current time, update hour as
appropriate
   {
        mins=mins+m;
        testMinutes(hours, mins);
  }
  void Time::addHour(int h)     //add hours to current time, have 23 wrap to 0.
  {
          hours=hours+h;
          testHours(hours);
  }
  bool Time::afternoon() const  //return true iff in the p.m., at or after noon
  {
          if(hours >=12)
                  return true;
          else
                  return false;
  }


  void main2()
  {
        Time t(23,92,21);
        t.print();
  }
```

```
#FILE: Player.h

#ifndef PLAYER_H
#define PLAYER_H
#include "CConsole.h"

class Player
{
public:
        Player(CConsole *console, int pWidth); //places grogger on the map, sets
*consolePtr = console
        bool move(char key); //moves grogger, updates score automatically as grogger
advances
        bool move2(char key);//moves grogger without extending dangers
        int getScore() const; //returns score
        int getLives() const; //returns lives
        int getLevel() const; //returns level
        int getxPos() const; //returns xPos
        int getyPos() const; //returns yPos
        void checkPColor(int yVal) const; //checks and changes colors of grogger
        void checkColor(int yVal) const; //checks and changes  color of dangers
        char checkPrint(int yVal) const; //checks previous printing for froggers
movement
        void reachTop(int x = 0); //function called if grogger reaches top
        int killGrogger(); //takes 1 life away from grogger, returns life count
        int increaseScore(int amount); //increases score by amount, returns new
score
private:
        int width, level, lives, score, xPos, yPos, highestY;
        CConsole *consolePtr;
};
#endif
```

```
#FILE: Player.cpp

#include "Player.h"

using namespace std;

Player::Player(CConsole *console, int pWidth) //places grogger on the map, sets
*consolePtr = console
{
	consolePtr=console;
	consolePtr->setColor(white, black);
	width=pWidth;
	xPos=width/2;
	yPos=9;
	score=0;
	highestY=yPos;
	consolePtr->printChar(xPos,yPos,'@');
	lives = 3;
	level = 1;
}

bool Player::move(char key) //moves grogger, updates score automatically as grogger
advances
{
	if(key == '2' && yPos < 9)
	{
		yPos++;
		checkPColor(yPos);
		consolePtr->printChar(xPos, yPos, '@');
		checkColor(yPos-1);
		consolePtr->printChar(xPos, yPos-1, checkPrint(yPos-1));
		consolePtr->setColor(white, black);
		return true;
	}
	if(key == '4')
	{
		if(xPos-1 < 0)
			xPos=width;
		else
			xPos--;
		checkPColor(yPos);
		consolePtr->printChar(xPos, yPos, '@');
		checkColor(yPos);
		if(xPos==width)
			consolePtr->printChar(0, yPos, checkPrint(yPos));
		else
			consolePtr->printChar(xPos+1, yPos, checkPrint(yPos));
		consolePtr->setColor(white, black);
		return true;
	}

	if(key == '6')
	{
		if(xPos+1 > width)//if frogger wraps
		{
			xPos=0;
			if(yPos < 5 && yPos > 2)
			{
				killGrogger();
				return false;
			}
		}
		else
```

```
                xPos++;
            checkPColor(yPos);
            consolePtr->printChar(xPos, yPos, '@');
            checkColor(yPos);
            if(xPos==0)
                consolePtr->printChar(width, yPos, checkPrint(yPos));
            else
                consolePtr->printChar(xPos-1, yPos, checkPrint(yPos));
            consolePtr->setColor(white, black);
            return true;
        }

        if(key== '8')
        {
            yPos--;
            checkPColor(yPos);
            consolePtr->printChar(xPos, yPos, '@');
            checkColor(yPos+1);
            consolePtr->printChar(xPos, yPos+1, checkPrint(yPos+1));
            if(yPos < highestY)
                {
                    increaseScore(5);
                    highestY=yPos;
                }
            consolePtr->setColor(white, black);
            return true;
        }
        checkPColor(yPos);
        consolePtr->printChar(xPos, yPos, '@');
        consolePtr->setColor(white, black);
        return false;
}

bool Player::move2(char key) //moves grogger, updates score automatically as grogger
advances
{
        if(key == '4')
        {
            if(xPos-1 < 0)
                xPos=width;
            else
                xPos--;
            checkPColor(yPos);
            consolePtr->printChar(xPos, yPos, '@');
            checkColor(yPos);
            if(xPos==width)
                consolePtr->printChar(0, yPos, checkPrint(yPos));
            consolePtr->setColor(white, black);
            return true;
        }

        if(key == '6')
        {
            if(xPos+1 > width)//if frogger wraps
            {
                xPos=0;
                if(yPos < 5 && yPos > 2)
                {
                    killGrogger();
                    return false;
                }
            }
            else
```

```
                xPos++;
            checkPColor(yPos);
            consolePtr->printChar(xPos, yPos, '@');
            checkColor(yPos);
            if(xPos==0)
                consolePtr->printChar(width, yPos, checkPrint(yPos));
            consolePtr->setColor(white, black);
            return true;
        }
}

char Player::checkPrint(int yVal) const
{
        if(yVal == 2)
            return 'L';
        if(yVal < 5)
            return '=';
        return ' ';
}

void Player::checkPColor(int yVal) const
{
        if(yVal < 10)
            consolePtr->setColor(white, black);
        if(yVal < 6)
            consolePtr->setColor(white, brown);
        if(yVal < 5)
            consolePtr->setColor(white, cyan);
}

void Player::checkColor(int yVal) const
{
        if(yVal < 10)
                consolePtr->setColor(white, black);
        if(yVal < 6)
            consolePtr->setColor(white, brown);
        if(yVal == 4)
            consolePtr->setColor(purple, cyan);
        if(yVal == 3)
            consolePtr->setColor(blue, cyan);
        if(yVal == 2)
            consolePtr->setColor(brown, cyan);

}
int Player::getScore() const //returns score
{
        return score;
}

int Player::getLives() const //returns lives
{
        return lives;
}

int Player::getLevel() const //returns level
{
        return level;
}

int Player::getxPos() const //returns xPos
{
        return xPos;
}
```

```
int Player::getyPos() const //returns yPos
{
        return yPos;
}

void Player::reachTop(int x)
{
        xPos = width/2;
        yPos = 9;
        highestY=yPos;
        if( x == 1)
        {
                level++;
                score += level*50;
        }
}
int Player::killGrogger() //takes 1 life away from frogger, returns life count
{
        lives--;
        xPos = width/2;
        yPos = 9;
        highestY = yPos;
        consolePtr->printString(0, 12, "You Died!");
        consolePtr->printString(0, 13, "Press Enter To Continue...");
        consolePtr->waitForEnter();
        consolePtr->printStringClearLine(0, 12, " ");
        consolePtr->printStringClearLine(0, 13, " ");
        return lives;
}

int Player::increaseScore(int amount) //increases score by amount, returns new score
{
        score+=amount;
        return score;
}
```

```
#FILE: Danger.h

#ifndef DANGER_H
#define DANGER_H
#include <string>
#include "CConsole.h"
using namespace std;

class Danger
{
public:
	Danger(CConsole *console, int dSpeed, int dCount, int dRow, int dOffset, int
dDirection, string rRep, int dWidth, Color dFore, Color dBack);
	//initializes the danger, sets *consolePtr = console
	bool move(); //moves any object in the direction needed
	void printDanger(int x, int y, Color fore, Color back); //calls CConsole and
prints danger
	char getChar(int x); //returns character value at x
	int getDir(); //returns direction
	char moveDir() const; // returns character to simulate keypress
	int getOffset();
private:
	int speed, width, count, spacing, offset, moveCheck, row, direction;
	CConsole *consolePtr;
	string representation;
	Color fore, back;
	char indvDA[40]; //individual danger arrays
};
#endif
```

```
#FILE: Danger.cpp

#include "Danger.h"
#include "CConsole.h"

using namespace std;

Danger::Danger(CConsole *console, int dSpeed, int dCount, int dRow, int dOffset, int
dDirection, string rRep, int dWidth, Color dFore, Color dBack)
{
        consolePtr = console;
        speed = dSpeed;
        count = dCount;
        row = dRow;
        offset = dOffset;
        direction = dDirection;
        representation = rRep;
        width = dWidth;
        fore = dFore;
        back = dBack;
        spacing = ((width+1) / count) - representation.length();
        moveCheck = 0;
        int setSpace = 0;
        for(int stringIndex = 0; stringIndex<=width; stringIndex++)
        {
                if(setSpace==1)//if we should set spaces
                {
                        for(int i = 0; i <= spacing-1; i++)
                        {
                                indvDA[stringIndex] = ' ';
                                stringIndex++;
                        }
                        stringIndex--;//accomodates for the original for loop
increase
                        setSpace = 0;//end spacing inserts
                }
                else
                {
                        for (int i=0; i < rRep.length(); i++)
                        {
                                indvDA[stringIndex] = rRep[i];
                                stringIndex++;//increases outer for loop in order to
preserve spot
                        }
                        stringIndex--;//accomodates for the original for loop
increase
                        setSpace = 1;//time to set spacing
                }
        }
        printDanger(offset, row, fore, back);
}
//initializes the danger, sets *consolePtr = console

char Danger::moveDir() const //returns char to simulate key press
{
        if(direction == 1)
                return '6';
        else
                return '4';
}

int Danger::getOffset()
{
```

```
        return offset;
}

int Danger::getDir()
{
        return direction;
}

bool Danger::move() //moves any object in the direction needed, made virtual for
special methods such as gators
{
        moveCheck++;
        if (moveCheck == speed)
        {
                moveCheck = 0;
                offset+=direction;
                if(offset <= -1)
                        offset = width;
                else if(offset >= width)
                        offset = 0;
                printDanger(offset, row, fore, back);
                return true;
        }
        return false;
}

char Danger::getChar(int x)
{
        if(x < 0)//check to ensure never checking values of x that are greater than
array amount
                return indvDA[(width+1)+x];//DO NOT REMOVE +1, must be there to
accomadate for starting point 0
        else
                return indvDA[x];

}

void Danger::printDanger(int x, int y, Color fore, Color back)//calls CConsole to
print danger
{
        int cursor = x;
        consolePtr->gotoXY(x,y);
        consolePtr->setColor(fore, back);
        for (int i = 0; i <=width; i++)
        {
                consolePtr->printChar(indvDA[i]);
                if(cursor >= width)
                {
                        x=0;
                        cursor=x;
                        consolePtr->gotoXY(x, y);
                }
                cursor++;
        }
        consolePtr->setColor(white, black);
}
```

```
#FILE: ShortLog.h

#include "Danger.h"

using namespace std;
class ShortLog : public Danger
{
public:
	ShortLog(CConsole *console, int dSpeed, int dCount, int dRow, int dOffset,
int dDirection, string rRep, int dWidth);
	//passes values to Danger Constructor
};
```

```
#FILE: ShortLog.cpp

#include "ShortLog.h"
#include "Danger.h"

using namespace std;

ShortLog::ShortLog(CConsole *console, int dSpeed, int dCount, int dRow, int dOffset,
int dDirection, string rRep, int dWidth)
: Danger(console, dSpeed, dCount, dRow, dOffset, dDirection, rRep, dWidth, brown,
cyan)
{}//passes values to Danger Constructor
```

```
#FILE: Tractor.h

#include "Danger.h"

using namespace std;
class Tractor : public Danger
{
public:
        Tractor(CConsole *console, int dSpeed, int dCount, int dRow, int dOffset,
int dDirection, string rRep, int dWidth);

        //passes values to Danger Constructor
};
```

```
#FILE: Tractor.cpp

#include "Tractor.h"
#include "Danger.h"

using namespace std;

Tractor::Tractor(CConsole *console, int dSpeed, int dCount, int dRow, int dOffset,
int dDirection, string rRep, int dWidth)
: Danger(console, dSpeed, dCount, dRow, dOffset, dDirection, rRep, dWidth, green,
black)
{}//passes values to Danger Constructor
```

```
#FILE: Car.h

#include "Danger.h"

using namespace std;
class Car : public Danger
{
public:
        Car(CConsole *console, int dSpeed, int dCount, int dRow, int dOffset, int
dDirection, string rRep, int dWidth);

        //passes values to Danger Constructor
};
```

```
#FILE: Car.cpp

#include "Car.h"
#include "Danger.h"

using namespace std;

Car::Car(CConsole *console, int dSpeed, int dCount, int dRow, int dOffset, int
dDirection, string rRep, int dWidth)
: Danger(console, dSpeed, dCount, dRow, dOffset, dDirection, rRep, dWidth, red,
black)
{}//passes values to Danger Constructor
```

```
#FILE: FollingLog.h

#include "Danger.h"

using namespace std;
class FallingLog : public Danger
{
public:
	FallingLog(CConsole *console, int dSpeed, int dCount, int dRow, int dOffset,
int dDirection, string rRep, int dWidth);
	//passes values to Danger Constructor
};
```

```
#FILE: FalllingLog.cpp

#include "FallingLog.h"
#include "Danger.h"

using namespace std;

FallingLog::FallingLog(CConsole *console, int dSpeed, int dCount, int dRow, int
dOffset, int dDirection, string rRep, int dWidth)
: Danger(console, dSpeed, dCount, dRow, dOffset, dDirection, rRep, dWidth, purple,
cyan)
{}//passes values to Danger Constructor
```

```
#FILE: SemiTruck.h

#include "Danger.h"

using namespace std;
class SemiTruck : public Danger
{
public:
	SemiTruck(CConsole *console, int dSpeed, int dCount, int dRow, int dOffset,
int dDirection, string rRep, int dWidth);

	//passes values to Danger Constructor
};
```

```
#FILE: SemiTruck.cpp

#include "SemiTruck.h"
#include "Danger.h"

using namespace std;

SemiTruck::SemiTruck(CConsole *console, int dSpeed, int dCount, int dRow, int
dOffset, int dDirection, string rRep, int dWidth)
: Danger(console, dSpeed, dCount, dRow, dOffset, dDirection, rRep, dWidth, blue,
black)
{}//passes values to Danger Constructor
```

```
#FILE: Gator.h

#include "Danger.h"

using namespace std;
class Gator : public Danger
{
public:
        Gator(CConsole *console, int dSpeed, int dCount, int dRow, int dOffset, int
dDirection, string rRep, int dWidth);
        //passes values to Danger Constructor
};
```

```
#FILE: Gator.cpp

#include "Gator.h"
#include "Danger.h"

using namespace std;

Gator::Gator(CConsole *console, int dSpeed, int dCount, int dRow, int dOffset, int
dDirection, string rRep, int dWidth)
: Danger(console, dSpeed, dCount, dRow, dOffset, dDirection, rRep, dWidth, blue,
cyan)
{}//passes values to Danger Constructor
```

# COIN 325: Race Car "Game"
## Grade: 100

**Notes:** This project was designed to simulate a race between 4 cars. It was coded in Java and can be run by simply opening the .html file. It seems to have compatibility issues with newer versions of Java, but worked perfectly when originally coded. On older machines it still runs great.

Screenshots:




2
7
8
12
GO!


2
7
9
12
GO!
Message
Car 4 wins
OK

```
FILE: RaceCar.html
Student Name:Michia Rohrssen
Program Name: RaceCar
Creation Date: 11/25/2008
Last Modified Date:12/02/2008
COIN Course: 325
Grade Received: 100
Comments regarding design: The source code you see in the .java
files was decompiled from the .class files. I no longer have the
original .java files. Because of this, it was compiled in an
older version of java, and appears to have compatibility issues
with the newer versions.

<html>
  <head>
    <title>Live Feedback ImageMap (example 1)</title>
  </head>
  <body>
      <object code=RaceCar.class width=500 height=400>
      </object>
  </body>
</html>
```

```
//FILE: RaceCar.java

import java.awt.*;
import java.awt.event.ActionEvent;
import java.awt.event.ActionListener;
import javax.swing.*;

public class RaceCar extends JApplet
    implements ActionListener
{

    public RaceCar()
    {
        CarSpeed = new int[4];
        RaceCarSpeed = new JTextField[4];
        t = new Timer(100, this);
    }

    public void init()
    {
        setLayout(new FlowLayout());
        setBackground(Color.red);
        newGameJButton = new JButton("GO!");
        newGameJButton.addActionListener(new ActionListener() {

            public void actionPerformed(ActionEvent e)
            {
                for(int i = 0; i < 4; i++)
                {
                    xPos[i] = 400;
                    CarSpeed[i] = Integer.parseInt(RaceCarSpeed[i].getText());
                    start();
                }

            }

            final RaceCar this$0;


            {
                this$0 = RaceCar.this;
                super();
            }
        }
);
        for(int i = 0; i < 4; i++)
        {
            RaceCarSpeed[i] = new JTextField((new StringBuilder()).append("Car
").append(i + 1).append(" speed").toString());
            add(RaceCarSpeed[i]);
        }

        add(newGameJButton);
    }

    public void start()
    {
        t.start();
    }

    public void stop()
    {
        t.stop();
```

```
    }

    public void destroy()
    {
    }

    public void paint(Graphics g)
    {
        super.paint(g);
        ImageIcon img = new ImageIcon("car.gif");
//file must be in same folder as program
        g.drawLine(0, 85, 600, 85);
        g.drawLine(0, 185, 600, 185);
        g.drawLine(0, 285, 600, 285);
        g.drawLine(0, 385, 600, 385);
        for(int i = 0; i < 4; i++)
            img.paintIcon(this, g, xPos[i], yPos[i]);

        for(int i = 0; i < 4; i++)
        {
            xPos[i] = xPos[i] - CarSpeed[i];
            if(xPos[i] < 0)
            {
                stop();
                JOptionPane.showMessageDialog(null, (new
StringBuilder()).append("Car ").append(i + 1).append(" wins").toString());
            }
        }

    }

    public void actionPerformed(ActionEvent e)
    {
        repaint();
    }

    int xPos[] = {
        400, 400, 400, 400
    };
    int yPos[] = {
        50, 150, 250, 350
    };
    int CarSpeed[];
    JTextField RaceCarSpeed[];
    JButton newGameJButton;
    Timer t;
}
```

```
//File: RaceCar$1.java

import java.awt.event.ActionEvent;
import java.awt.event.ActionListener;
import javax.swing.JTextField;

class RaceCar$1
    implements ActionListener
{

    public void actionPerformed(ActionEvent e)
    {
        for(int i = 0; i < 4; i++)
        {
            xPos[i] = 400;
            CarSpeed[i] = Integer.parseInt(RaceCarSpeed[i].getText());
            start();
        }

    }

    final RaceCar this$0;

    RaceCar$1()
    {
        this$0 = RaceCar.this;
        super();
    }
}
```

# COIN 332: OldEgg Electronics Computer Store
# Grade: 100

**Notes:** OldEgg was my project for the final in COIN 332. It was coded in ASP and had a full functional user system, checkout system, and database to store it all including orders. I also created all the graphics, as well as a few innovations such as dynamic checkout buttons.

Screenshots:





THE LOWEST PRICES ON THE NET...GUARANTEED!
REMOVE
Asus Eee PC $399 99
ADD TO CART
Kingston 8GB Micro SDHC $16 99
REMOVE
Optimus Maximus Keyboard $1599 99
ADD TO CART
EVGA GeForce GTX 260 $239 99
ADD TO CART
Apple iPhone $199 99
ADD TO CART
Razer Laser Mouse $79 99
REMOVE
Steel Series SX MousePad $45 00
ADD TO CART
Sony Vaio VGN-CS110E $799 99
REMOVE
AMD Phenom $169 99
CLICK HERE TO CONTINUE


THE LOWEST PRICES ON THE NET...GUARANTEED!
Thank you for your order. Please see your invoice below:
Order ID:#44
Shop Some More?
Product
Price
Asus Eee PC 900
399 99
Optimus Maximus Keyboard
1599 99
Steel Series SX MousePad
45
AMD Phenom 9950 2.6GHz
169 99
Total $2214 97

```
<!--
Student Name:Michia Rohrssen
Program Name: OldEgg Computer Store
Creation Date: 11/27/2008
Last Modified Date:12/01/2008
COIN Course: 332
Grade Received: 100
Comments regarding design: Program has a fully functional user
system as well as complete checkout cart. All graphics were
done by me.

-->

FILE: Default.aspx

<%@ Page Language="VB" AutoEventWireup="false" CodeFile="Default.aspx.vb"
Inherits="_Default" %>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml" >
<head runat="server">
    <title>OldEgg.com - Welcome</title>
</head>
<body>
    <form id="form1" runat="server">
    <TABLE cellSpacing=0 cellPadding=0 width=765 align=center border=0>
  <TBODY>
  <TR>
    <TD><IMG vAlign=Center height=296 src="Header.jpg" width=765></TD></TR>
    <TD vAlign=top background="Background.jpg">
      <div width=560 align=center><span align=center>Welcome to OldEgg.com. Please
login below to Continue...<br />
       </span>
          <asp:Login ID="Login1" runat="server"
DestinationPageUrl="~/User/Order.aspx">
        </asp:Login>

          <span align=center>
        <asp:HyperLink ID="HyperLink2" runat="server"
NavigateUrl="~/Register.aspx">Not a member?</asp:HyperLink>
       </span></div>

        </div>
        </TD>

        <TR><TD><IMG src="Bottom.jpg" width=765></TD></TR>


    </TBODY>
    </TABLE>


    <br />
        <br />
        <br />
    </form>
</body>
</html>
```

FILE: Default.aspx.vb

```
Partial Class _Default
    Inherits System.Web.UI.Page

End Class
```

FILE: Order.aspx

```
<%@ Page Language="VB" AutoEventWireup="false" CodeFile="Order.aspx.vb"
Inherits="Order" %>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml" >
<head runat="server">
    <title>OldEgg.com - Order Page</title>
    <style type="text/css">
        .style1
        {
            width: 28%;
        }
    </style>
</head>
<body>
    <form id="form1" runat="server">
         <TABLE cellSpacing=0 cellPadding=0 width=765 align=center border=0>
  <TBODY>
  <TR><TD colspan="3"><IMG height=296 src="../Header.jpg" width=765></TR>



         <TR background="../Background.jpg">
        <TD width=31%>
                         
                        <img src="../Picture/1.jpg" style="height: 94px; width: 111px"
/><asp:ImageButton ID="ImageButton1" Width="124px" runat="server"
AlternateText="Add"
                            ImageUrl="~/AddButton.jpg" />
                         <br />
                             Asus Eee PC $399.99</TD>

        <TD class="style1">
                        <img src="../Picture/2.jpg" style="height: 90px; width: 110px"
/><asp:ImageButton ID="ImageButton2" Width="124px" runat="server"
AlternateText="Add"
                            ImageUrl="~/AddButton.jpg" />
                        <br />
                        Kingston 8GB Micro SDHC $16.99</TD>

        <TD width=31%>
                        <img src="../Picture/3.jpg" style="height: 94px; width: 125px"
/><asp:ImageButton ID="ImageButton3" Width="124px"
                            runat="server" AlternateText="Add"
                            ImageUrl="~/AddButton.jpg" style="height: 27px" />
                        <br />
                        Optimus Maximus Keyboard $1599.99</TD>

        </TR>

            <TR background="../Background.jpg">
        <TD width=31%>
                         
                        <img src="../Picture/4.jpg" style="height: 94px; width: 116px"
/><asp:ImageButton ID="ImageButton4" Width="124px" runat="server"
AlternateText="Add"
                            ImageUrl="~/AddButton.jpg" />
                        <br />
                        EVGA GeForce GTX 260 $239.99</TD>
```

```
        <TD class="style1">
                    <img src="../Picture/5.jpg" style="height: 93px; width: 111px"
/><asp:ImageButton ID="ImageButton5" Width="124px" runat="server"
AlternateText="Add"
                        ImageUrl="~/AddButton.jpg" />
                    <br />
                    Apple iPhone $199.99</TD>

        <TD width=31%>
                    <img src="../Picture/6.jpg"
                        style="width: 125px; height: 94px" /><asp:ImageButton
ID="ImageButton6" Width="124px" runat="server" AlternateText="Add"
                        ImageUrl="~/AddButton.jpg" />
                    <br />
                    Razer Laser Mouse $79.99</TD>

        </TR>

            <TR background="../Background.jpg">
        <TD width=31%>
                     
                    <img src="../Picture/7.jpg" style="height: 94px; width: 113px"
/><asp:ImageButton ID="ImageButton7" Width="124px" runat="server"
AlternateText="Add"
                        ImageUrl="~/AddButton.jpg" />
                    <br />
                        Steel Series SX MousePad $45.00</TD>

        <TD class="style1">
                    <img src="../Picture/8.jpg" style="height: 93px; width: 111px"
/><asp:ImageButton ID="ImageButton8" Width="124px" runat="server"
AlternateText="Add"
                        ImageUrl="~/AddButton.jpg" />
                    <br />
                    Sony Vaio VGN-CS110E $799.99</TD>

        <TD width=31%>
                    <img src="../Picture/9.jpg" /><asp:ImageButton ID="ImageButton9"
Width="124px" runat="server" AlternateText="Add"
                        ImageUrl="~/AddButton.jpg" />
                    <br />
                                        AMD Phenom $169.99</TD>
</TR>

      <td background="../Background.jpg" colspan=3>
          <div align=center width=560>
              <br />
          <asp:ImageButton ID="ImageButton11" runat="server"
ImageUrl="~/Continue.jpg" />
          </div>
      </td>

      </tr>
      <TR><TD colspan=3><IMG src="../Bottom.jpg" width=765></TD></TR>
    </TBODY>
    </TABLE>

          <asp:SqlDataSource ID="SqlDataSource1" runat="server"
ConnectionString="<%$ ConnectionStrings:ConnectionString %>"
            DeleteCommand="DELETE FROM [Order] WHERE [ID] = @ID"
InsertCommand="INSERT INTO [Order] ([UserID], [Part1], [Part2], [Part3], [Part4],
[Part5], [Part6], [Part7], [Part8], [Part9]) VALUES (@UserID, @Part1, @Part2,
```

```
@Part3, @Part4, @Part5, @Part6, @Part7, @Part8, @Part9)"
            SelectCommand="SELECT * FROM [Order]" UpdateCommand="UPDATE [Order] SET
[UserID] = @UserID, [Part1] = @Part1, [Part2] = @Part2, [Part3] = @Part3, [Part4] =
@Part4, [Part5] = @Part5, [Part6] = @Part6, [Part7] = @Part7, [Part8] = @Part8,
[Part9] = @Part9 WHERE [ID] = @ID">
            <DeleteParameters>
                <asp:Parameter Name="ID" Type="Int32" />
            </DeleteParameters>
            <UpdateParameters>
                <asp:Parameter Name="UserID" Type="Object" />
                <asp:Parameter Name="Part1" Type="Boolean" />
                <asp:Parameter Name="Part2" Type="Boolean" />
                <asp:Parameter Name="Part3" Type="Boolean" />
                <asp:Parameter Name="Part4" Type="Boolean" />
                <asp:Parameter Name="Part5" Type="Boolean" />
                <asp:Parameter Name="Part6" Type="Boolean" />
                <asp:Parameter Name="Part7" Type="Boolean" />
                <asp:Parameter Name="Part8" Type="Boolean" />
                <asp:Parameter Name="Part9" Type="Boolean" />
                <asp:Parameter Name="ID" Type="Int32" />
            </UpdateParameters>
            <InsertParameters>
            </InsertParameters>
        </asp:SqlDataSource>
<%--
                <asp:Parameter Name="UserID" Type="Object" />
                <asp:Parameter Name="Part1" Type="Boolean" />
                <asp:Parameter Name="Part2" Type="Boolean" />
                <asp:Parameter Name="Part3" Type="Boolean" />
                <asp:Parameter Name="Part4" Type="Boolean" />
                <asp:Parameter Name="Part5" Type="Boolean" />
                <asp:Parameter Name="Part6" Type="Boolean" />
                <asp:Parameter Name="Part7" Type="Boolean" />
                <asp:Parameter Name="Part8" Type="Boolean" />
                <asp:Parameter Name="Part9" Type="Boolean" />
--%>

    </form>

          </body>
</html>
```

FILE: Order.aspx.vb

```
Imports System
Imports System.Data
Imports System.Data.SqlClient
Partial Class Order
    Inherits System.Web.UI.Page
    Dim order() As Integer = {0, 0, 0, 0, 0, 0, 0, 0, 0}

    Protected Sub ImageButton1_Click(ByVal sender As Object, ByVal e As
System.Web.UI.ImageClickEventArgs) Handles ImageButton1.Click
        If ImageButton1.ImageUrl = "~/AddButton.jpg" Then
            order(0) = 1
            Session("Order1") = order(0)
            ImageButton1.ImageUrl = "~/RemoveButton.jpg"
        Else
            ImageButton1.ImageUrl = "~/AddButton.jpg"
            order(0) = 0
            Session("Order1") = order(0)
        End If
    End Sub

    Protected Sub ImageButton2_Click(ByVal sender As Object, ByVal e As
System.Web.UI.ImageClickEventArgs) Handles ImageButton2.Click
        If ImageButton2.ImageUrl = "~/AddButton.jpg" Then
            ImageButton2.ImageUrl = "~/RemoveButton.jpg"
            order(1) = 1
            Session("Order2") = order(1)
        Else
            ImageButton2.ImageUrl = "~/AddButton.jpg"
            order(1) = 0
            Session("Order2") = order(1)
        End If
    End Sub

    Protected Sub ImageButton3_Click(ByVal sender As Object, ByVal e As
System.Web.UI.ImageClickEventArgs) Handles ImageButton3.Click
        If ImageButton3.ImageUrl = "~/AddButton.jpg" Then
            ImageButton3.ImageUrl = "~/RemoveButton.jpg"
            order(2) = 1
            Session("Order3") = order(2)
        Else
            ImageButton3.ImageUrl = "~/AddButton.jpg"
            order(2) = 0
            Session("Order3") = order(2)
        End If
    End Sub

    Protected Sub ImageButton4_Click(ByVal sender As Object, ByVal e As
System.Web.UI.ImageClickEventArgs) Handles ImageButton4.Click
        If ImageButton4.ImageUrl = "~/AddButton.jpg" Then
            ImageButton4.ImageUrl = "~/RemoveButton.jpg"
            order(3) = 1
            Session("Order4") = order(3)
        Else
            ImageButton4.ImageUrl = "~/AddButton.jpg"
            order(3) = 0
            Session("Order4") = order(3)
        End If
    End Sub

    Protected Sub ImageButton5_Click(ByVal sender As Object, ByVal e As
System.Web.UI.ImageClickEventArgs) Handles ImageButton5.Click
```

```
        If ImageButton5.ImageUrl = "~/AddButton.jpg" Then
            ImageButton5.ImageUrl = "~/RemoveButton.jpg"
            order(4) = 1
            Session("Order5") = order(4)
        Else
            ImageButton5.ImageUrl = "~/AddButton.jpg"
            order(4) = 0
            Session("Order5") = order(4)
        End If
    End Sub

    Protected Sub ImageButton6_Click(ByVal sender As Object, ByVal e As
System.Web.UI.ImageClickEventArgs) Handles ImageButton6.Click
        If ImageButton6.ImageUrl = "~/AddButton.jpg" Then
            ImageButton6.ImageUrl = "~/RemoveButton.jpg"
            order(5) = 1
            Session("Order6") = order(5)
        Else
            ImageButton6.ImageUrl = "~/AddButton.jpg"
            order(5) = 0
            Session("Order6") = order(5)
        End If
    End Sub

    Protected Sub ImageButton7_Click(ByVal sender As Object, ByVal e As
System.Web.UI.ImageClickEventArgs) Handles ImageButton7.Click
        If ImageButton7.ImageUrl = "~/AddButton.jpg" Then
            ImageButton7.ImageUrl = "~/RemoveButton.jpg"
            order(6) = 1
            Session("Order7") = order(6)
        Else
            ImageButton7.ImageUrl = "~/AddButton.jpg"
            order(6) = 0
            Session("Order7") = order(6)
        End If
    End Sub

    Protected Sub ImageButton8_Click(ByVal sender As Object, ByVal e As
System.Web.UI.ImageClickEventArgs) Handles ImageButton8.Click
        If ImageButton8.ImageUrl = "~/AddButton.jpg" Then
            ImageButton8.ImageUrl = "~/RemoveButton.jpg"
            order(7) = 1
            Session("Order8") = order(7)
        Else
            ImageButton8.ImageUrl = "~/AddButton.jpg"
            order(7) = 0
            Session("Order8") = order(7)
        End If
    End Sub

    Protected Sub ImageButton11_Click(ByVal sender As Object, ByVal e As
System.Web.UI.ImageClickEventArgs) Handles ImageButton11.Click
        Dim DataSource As SqlDataSource = form1.FindControl("SqlDataSource1")
        Response.Write(form1.FindControl("SqlDataSource1"))
        Dim User As MembershipUser = Membership.GetUser()
        Dim UserGUID As Object = User.ProviderUserKey
        ' Dim connString As String = _
        'ConfigurationManager.ConnectionStrings(connStringName).ConnectionString
        Dim i As Integer
        DataSource.InsertParameters.Add("UserID", UserGUID.ToString())
        order(0) = CInt(Session("Order1"))
        order(1) = CInt(Session("Order2"))
        order(2) = CInt(Session("Order3"))
```

```
        order(3) = CInt(Session("Order4"))
        order(4) = CInt(Session("Order5"))
        order(5) = CInt(Session("Order6"))
        order(6) = CInt(Session("Order7"))
        order(7) = CInt(Session("Order8"))
        order(8) = CInt(Session("Order9"))
        'Retrive array values from button sessions
        For i = 1 To 9
            If (order(i - 1) = 1) Then
                DataSource.InsertParameters.Add("Part" & i, TypeCode.Boolean,
"True")
            Else
                DataSource.InsertParameters.Add("Part" & i, TypeCode.Boolean,
"False")
            End If
        Next
        DataSource.Insert()
        Response.Redirect("Invoice.aspx")
    End Sub

    Protected Sub ImageButton9_Click(ByVal sender As Object, ByVal e As
System.Web.UI.ImageClickEventArgs) Handles ImageButton9.Click
        If ImageButton9.ImageUrl = "~/AddButton.jpg" Then
            ImageButton9.ImageUrl = "~/RemoveButton.jpg"
            order(8) = 1
            Session("Order9") = order(8)
        Else
            ImageButton8.ImageUrl = "~/AddButton.jpg"
            order(8) = 0
            Session("Order9") = order(8)
        End If
    End Sub


End Class
```

FILE: Register.aspx

```
<%@ Page Language="VB" AutoEventWireup="false" CodeFile="Register.aspx.vb"
Inherits="Register" %>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml" >
<head runat="server">
    <title>Untitled Page</title>
</head>
<body>
    <form id="form1" runat="server">
        <TABLE cellSpacing=0 cellPadding=0 width=765 align=center border=0>
  <TBODY>
  <TR>
    <TD><IMG vAlign=Center height=296 src="Header.jpg" width=765></TD></TR>
    <TD vAlign=top background="Background.jpg">
      <div width=560 align=center><span align=center>Welcome to OldEgg.com. Please
          Register Below<br />
       </span>
        <asp:CreateUserWizard ID="CreateUserWizard1" runat="server"
ContinueDestinationPageUrl="~/Default.aspx">
            <WizardSteps>
                <asp:CreateUserWizardStep runat="server">
                </asp:CreateUserWizardStep>
                <asp:CompleteWizardStep runat="server">
                </asp:CompleteWizardStep>
            </WizardSteps>
        </asp:CreateUserWizard>
        </div>

        </div>
        </TD>

        <TR><TD><IMG src="Bottom.jpg" width=765></TD></TR>


    </TBODY>
    </TABLE>
    <div>
          

    </div>
    </form>
</body>
</html>
```

FILE: Register.aspx.vb

```
Partial Class Register
    Inherits System.Web.UI.Page


    Protected Sub CreateUserWizard1_CreatedUser(ByVal sender As Object, ByVal e As
System.EventArgs) Handles CreateUserWizard1.CreatedUser
        Dim userInfo As MembershipUser =
Membership.GetUser(CreateUserWizard1.UserName)
        userInfo.IsApproved = True
        Membership.UpdateUser(userInfo)
        Roles.AddUserToRole(CreateUserWizard1.UserName, "User")
    End Sub
End Class
```

FILE: Login.aspx

```
<%@ Page Language="VB" AutoEventWireup="false" CodeFile="Default.aspx.vb"
Inherits="_Default" %>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml" >
<head id="Head1" runat="server">
    <title>OldEgg.com - Please Log In</title>
</head>
<body>
    <form id="form1" runat="server">
    <TABLE cellSpacing=0 cellPadding=0 width=765 align=center border=0>
  <TBODY>
  <TR>
    <TD><IMG vAlign=Center height=296 src="Header.jpg" width=765></TD></TR>
    <TD vAlign=top background="Background.jpg">
      <div width=560 align=center><span align=center>Welcome to OldEgg.com. Please
login below to Continue...<br />
       </span>
          <asp:Login ID="Login1" runat="server"
DestinationPageUrl="~/User/MemberScreen.aspx">
        </asp:Login>

          <span align=center>
        <asp:HyperLink ID="HyperLink2" runat="server"
NavigateUrl="~/Register.aspx">Not a member?</asp:HyperLink>
       </span></div>

        </div>
        </TD>

        <TR><TD><IMG src="Bottom.jpg" width=765></TD></TR>


    </TBODY>
    </TABLE>


    <br />
        <br />
        <br />
    </form>
</body>
</html>
```

```
FILE: Login.aspx.vb

Partial Class Login
    Inherits System.Web.UI.Page

End Class
```

FILE: Invoice.aspx

```
<%@ Page Language="VB" AutoEventWireup="false" CodeFile="Invoice.aspx.vb"
Inherits="User_Invoice" %>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml" >
<head runat="server">
    <title>Invoice Page</title>
</head>
<body>
    <form id="form1" runat="server">
    <div>

    </div>
    </form>
</body>
</html>
```

File: Invoice.aspx.vb

```
Imports System
Imports System.Data
Imports System.Data.SqlClient

Partial Class User_Invoice
    Inherits System.Web.UI.Page

    Protected Sub Page_Load(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Me.Load
        Dim Product() As String = {"Asus Eee PC 900", "Kingston 8GB Micro SDHC",
"Optimus Maximus Keyboard", "EVGA GeForce GTX 260 Core 216", "Apple iPhone", "Razer
Laser Mouse", "Steel Series SX MousePad", "Sony Vaio VGN-CS110E", "AMD Phenom 9950
2.6GHz"}
        Dim Price() As Double = {399.99, 16.99, 1599.99, 239.99, 199.99, 79.99,
45.0, 799.99, 169.99}
        Dim User As MembershipUser = Membership.GetUser()
        Dim UserGUID As Object = User.ProviderUserKey
        Dim OrderID, i As Integer
        Dim myConnection As SqlConnection = New SqlConnection("Data
Source=.\SQLEXPRESS;AttachDbFilename=|DataDirectory|\ASPNETDB.MDF;Integrated
Security=True;User Instance=True")
        myConnection.Open()
        Dim myCommand As SqlCommand = New SqlCommand("Select * From [Order] Where
[UserID]='" + UserGUID.ToString() + "'", myConnection)
        Dim MyDataReader1, MyDataReader2 As SqlDataReader
        Response.Write("<TABLE cellSpacing=0 cellPadding=0 width=765 align=center
border=0><TBODY>")
        Response.Write("<TD><IMG vAlign=Center height=296 src='../Header.jpg'
width=765></TD></TR>")
        Response.Write("<TD vAlign=top background='../Background.jpg'><div width=560
align=center><span align=center>")
        Response.Write("<h1> Thank you for your order. Please see your invoice
below: </h1></span>")
        Try
            MyDataReader1 = myCommand.ExecuteReader()
            'Find Current Users Id
            While (MyDataReader1.Read())
                OrderID = MyDataReader1("ID")
            End While
            MyDataReader1.Close()
            Dim myCommand2 As SqlCommand = New SqlCommand("Select * From [Order]
Where [ID]='" + OrderID.ToString() + "'", myConnection)
            Dim Sum As Double = 0
            Response.Write("<h2> Order ID:#" + OrderID.ToString() + "</h2>")
            MyDataReader2 = myCommand2.ExecuteReader()
            If (MyDataReader2.Read()) Then
                Response.Write("<span align=center><table align='right'
border='1'><tr><td>Product</td><td>Price</td></tr>")
                For i = 1 To 9
                    If (MyDataReader2("Part" + i.ToString())) Then
                        Response.Write("<tr><td>")
                        Response.Write(Product(i - 1))
                        Response.Write("</td>")
                        Response.Write("<td>")
                        Response.Write(Price(i - 1))
                        Response.Write("</td></tr>")
                        Sum += Price(i - 1)
                    End If
                Next
                Response.Write("<tr><td colspan='2' style='text-align:
right'>Total:$" + Sum.ToString() + "</td></tr></span></table>")
```

```
                Response.Write("<a href='Order.aspx'>Shop Some More?</a")
                Response.Write("</span></div></TD><TR><TD><IMG src='../Bottom.jpg'
width=765></TD></TR>")
                Response.Write("</TBODY></TABLE>")
            End If
        Catch ex As Exception

        End Try

        Session("Order1") = 0
        Session("Order2") = 0
        Session("Order3") = 0
        Session("Order4") = 0
        Session("Order5") = 0
        Session("Order6") = 0
        Session("Order7") = 0
        Session("Order8") = 0
        Session("Order9") = 0

    End Sub
End Class
```

# COIN 333: Perl Lab

# Grade: 95

**Notes:** This was one of our projects for perl where we had to create a program that would cycle through an array of months and change it to an array of days of months. I included my test code to print out the months as well.

```
@months = qw(januarary february march april may june july

foreach $month (@months)
{
$cur = uc $month;

if (($cur eq 'APRIL') or ($cur eq 'JUNE') or ($cur eq 'SEP
{
  $month = 30;
}
elsif ($cur eq 'FEBRUARY')
{
  $month = 28;
}
else {
  $month = 31;
}
}

#test code
foreach $month (@months)
{
print "$month\n";
}
```

```
C:\Windows\
31
28
31
30
31
30
31
31
30
31
30
31

C:\Users\Mi
```