Senior Project

Online Grade Book

Author: Joshua Blount
Advisor: Jack Briner
June 18, 2007

Table of Contents

Online Grade Book

A Bridge to a Gap

Joshua Blount

June 18, 2007

Background

- Most schools in the nation today still send report cards home through mail or by giving it to the students at school.
- The current system has report cards sent home every nine weeks.
- The current system also has progress reports sent home in the middle of the nine weeks.
- Most schools today still use papers to keep track of grades even though some now are using excel spreadsheets.
- Many schools today hold PTA meetings every so often to have parents come in and talk with the teacher about their child's work and what they can do to help.

Project Purpose

- Create an online report card database to
  - Provide schools an easy and secure way to store their data.
  - Allow parents to see how their children are doing throughout the entire school year.
  - Allow teachers and parents to communicate on a daily basis about the child's education instead of waiting for PTA meetings or other appointments.
  - Be a bridge to a gap between parents and their children's education by getting them involved and letting them know how their children are doing and what they can do to help.

Project Design

- Database:
  - Microsoft Access Database .mdb
- Languages Used:
  - HTML
  - JavaScript
  - ASP
  - SQL
  - Session

Project Demonstration

- Four types of users allowed to access the system
  - Administrator
  - Teacher
  - Parent
  - Student

Future Work

- Give teachers, parents, and students ability to select a class the student is enrolled in and view all grades.
- Setup teacher parent commenting for classes so they can communicate back and forth.
- Give the year/term significance so parents and students can view just the current year the student is enrolled in and the option to view past years as well.
- Make sure that no classes are scheduled with the same period in the same room or no teacher teaches two classes in the same period.

Future Work Cont.

- Eventually have a better layout as far as the look of the pages based on user feedback.
- Set up grade report forms to print out as well as schedules for students.
- When a new school year starts have it where past year grades cannot be edited and teachers no longer have the option of editing those classes.
- Give the students grade levels such as freshman, sophomore, etc.

Contributors

- Corin Blake
- Dr. Jack Briner
- Gary Underwood

Purpose

To create an online report card database to provide schools an easier way to store their data and get parents involved in their children's educational life.

Background

Most schools in the nation today still send report cards home through mail or by giving it to their children at school. This database system will allow schools to keep track of grades easier and will allow parents to see how their children are doing throughout the entire school year. This also helps the parents get more involved by them having the opportunity to communicate with teachers about their child's education. Speaking from a student's perspective, most parents do not really know how their children are doing in school nor do they know what they can do to help. This database system will hopefully be a bridge to a gap between parents and their children's education by getting them involved and letting them know how their children are doing and what they can do to help.

Page Flow Description:

- Password.Aspx: Page where user's input their user id and their password to log in
    - Amain.aspx: The administrator's main page that allows them to go to the following pages below.
        - chgPwd.aspx: Gives the administrator the ability to change their password.
        - addUser.aspx: Gives the administrator the ability to add a user.
            - addStudent.aspx: Allows the administrator to give parents/legal guardians permission to view student's information.
        - addDivision.aspx: Allows the administrator to add a division to the school such as Math, English, Computers...
        - addCourse.aspx: Allows the administrator to add a course to a division such as EnglishI, MathI, Computer Science.
        - addClass.aspx: Allows the administrator to create a class based upon the courses, teachers, and rooms created.
        - addRoom.aspx: Allows the administrator to add a room number to the database.
        - editInfo.aspx: Gives the user the ability to edit the following below.
            - editUser.aspx: Allows the administrator to edit a user's information.
            - editClass.aspx: Allows the administrator to edit a class' information.
            - addStudent.aspx: Allows the user to edit parent student relationships.
        - logout.aspx: Transfers back to password.aspx and ends the session.
    - Tmain.aspx: The teacher's main page that allows them to go to the following pages below.
        - chgPwd.aspx: Gives the teacher the ability to change their password.
        - addRmvStud.aspx: Allows the teacher to enroll/unenroll students.
        - quizTestPage.aspx: Allows the teacher to create and assignment or select and existing assignment to edit grades for.
            - addEditGrade.aspx: Allows the teacher to change the grades of assigments given to student's.
        - absentTardy.aspx: Allows the teacher to mark a student absent or tardy.
        - QTPerc.aspx: Allows the teacher to setup the weighting scale of assignments.

-classGrade.aspx: Allows the teacher to view the student's grade averages.

-logout.aspx: Transfers back to password.aspx and ends the session.

-Pmain.aspx: The parent's main page that allows them to go to the following pages below.

-chgPwd.aspx: Gives the parent the ability to change their password.

-studentInfo.aspx: Shows the student's classes enrolled in and their averages.

-logout.aspx:Transfers back to password.aspx and ends the session.

-Smain.aspx: The student's main page that shows his/her classes enrolled and averages.

-chgPwd.aspx: Gives the student the ability to change their password.

-logout.aspx:Transfers back to password.aspx and ends the session.

ASCX Files Description:

-passwdHeader.ascx: Header for the password page.

-password.aspx

-adminHeader.ascx: Administrator header that gives the administrator permission to do what is documented above in the Page Flow Descripion.

-aMain.aspx

-userHeader.ascx: Header that gives the teacher, parent, and student the right to change their password and the ability to log out.

-tmain.aspx -pmain.aspx -smain.aspx

-main.ascx: Header that gives users the ability to get back to their main pages from these pages.

-absentTardy.aspx	-addClass.aspx	-addCourse.aspx
-addDivision.aspx	-addEditGrade.aspx	-addRmvStudent.aspx
-addRoom.aspx	-addStudent.aspx	-addUser.aspx
-chgPwd.aspx	-classGrade.aspx	-editClass.aspx
-editInfo.aspx	-editUser.aspx	-QTPerc.aspx
-quizTestPage.aspx	-studentInfo.aspx	

-funcs.ascx: Holds global variables used in the code by all pages.

-all aspx files

-vars.ascx: Holds global functions to be used in the code by all pages.

-all aspx files

Page Flow Diagram
Starts at Password.aspx



SL: Sub Level – See corresponding page.

Administrator Page Flow Diagram
Starts at Amain.aspx



Teacher Page Flow Diagram
Starts At Tmain.aspx



Relationships for applicationDB

Thursday, June 14, 2007



Password.aspx



```
<%@ Page Language="JScript" Debug="true" %>

<%@ Register TagPrefix="Funcs" TagName="FuncsCommon" Src="funcs.ascx" %>
<%@ Register TagPrefix="Vars" TagName="VarsCommon" Src="vars.ascx" %>
<%@ Register TagPrefix="Header" TagName="ImageHeader" Src="passwdHeader.ascx" %>

<%@ Import Namespace="System.Data.OleDb" %>
<%@ Import Namespace="System.Data" %>
<%@ Import Namespace="System" %>

<HTML>
    <HEAD>
        <script language="JScript" runat="server">
       /*
            Page Name:
                password.aspx

            Description:
                Page for users to login.

            Language:  JScript
              ASP Variables:
                  NAME   : TextBox      : User id used to login
                  PASS   : TextBox      : Password to type in to login
                  button : Button       : click to login

              Session Variables
                  Session[vars.passwordField] : used to keep track of users password
                  Session[vars.useridField]   : used to keep track of current user's user id
                  Session[vars.usertype]      : used to keep track of user's usertype

              Functions:
                Funcs:
                    isValidPassword: takes NAME.Text, PASS.Text, vars.userTable and checks to see if this user and
                                     password exist within the user table.
                    getUSERID: takes NAME.Text, vars.userTable to set the Session [vars.useridField] equal to the user's
                               id that is logging in.
                    getPASS: takes PASS.Text, vars.userTable to set the Session[vars.passwordField] equal to the user's
                             password that is logging in.
                    getUSERTYPE: takes Session[vars.useridField] to set the Session [vars.usertype] equal to the user's
                                 type that is logging in.
                Local:
                    Page_Load: Checks to see if session is null, if not it checks the current user's usertype and transfers
                               them to the appropriate page based on that user type. If someone is logging in and hits the login
                               button it will check again and then if under IsPostBack all functions declared about will execute
                               and it will determine who to log in based upon input given

            Database:  Microsoft Access via SQL, applicationDB.mdb (defined via Web.config file)
       */

        </script>
       <Vars:VarsCommon id="vars" runat="server"></Vars:VarsCommon>
       <Funcs:FuncsCommon id="funcs" runat="server"></Funcs:FuncsCommon>
    </HEAD>
    <body>
        <script language="JScript" runat="server">
```

```
    function Page_Load( sender : Object, events : EventArgs )
    {
        if (Session != null && Session[vars.usertype] != undefined ) //determines what page to transfer to
        {
            if (Session[vars.usertype] == vars.studenttype)//if student transfer to student page
            {
                Server.Transfer( vars.studentPage );
            }
            if (Session[vars.usertype] == vars.parenttype)//if parent transfer to parent page
            {
                Server.Transfer( vars.parentPage );
            }
            else if (Session[vars.usertype] == vars.admintype)//if administrator transfer to administrator page
            {
                Server.Transfer( vars.adminPage );
            }
            else if (Session[vars.usertype] == vars.teachertype)//if teacher transfer to teacher page
            {
                 Server.Transfer( vars.teacherPage );
            }
        }
        if ( IsPostBack ) //when you come back to this page
        {
            if (funcs.isValidPassword( NAME.Text, PASS.Text, vars.userTable) )// check for user in database
            {
             Session[vars.useridField] = funcs.getUSERID(NAME.Text, vars.userTable);  // set the session username
             Session[vars.passwordField] = funcs.getPASS(PASS.Text, vars.userTable); // set the session password
             Session[vars.usertype] = funcs.getUSERTYPE(Session[vars.useridField]);   // set the session usertype
             if( Session[vars.usertype] == vars.studenttype )
             {
                     Server.Transfer( vars.studentPage ); // transfer to parent page
             }
             if( Session[vars.usertype] == vars.parenttype )
             {
                     Server.Transfer( vars.parentPage ); // transfer to parent page
             }
             if( Session[vars.usertype] == vars.teachertype )
             {
                     Server.Transfer( vars.teacherPage ); // transfer to teacher page
             }
             if( Session[vars.usertype] == vars.admintype )
             {
                     Server.Transfer( vars.adminPage ); // transfer to admin page
             }
            }//end if isvalidpassword
            else
            {
             Session[vars.passwordField] = vars.fail;    //if person trying to login does not exist fail to login
            }
        }//end ispostback
    } // end Page_Load
```

```
        </script>
        <form runat="server">
            <Header:ImageHeader id="head" PageName="Login Page" runat="server"></Header:ImageHeader>
            <table>
                <tr>
                    <td style="width: 100px">
                        <% =vars.useridLabel %>
                    </td>
                    <td style="width: 100px">
                        <asp:TextBox id="NAME" runat="server" Width="158px" Height="22px"></asp:TextBox>
                    </td>
                </tr>
                <tr>
                    <td style="width: 100px">
                        <% =vars.passwordLabel %>
                    </td>
                    <td style="width: 100px">
                        <asp:TextBox id="PASS" textmode="password" runat="server" Width="158px" Height="22px"></asp:TextBox>
                    </td>
                </tr>
            </table>
            <br>
               <asp:button id="button" text="Login" runat="server"></asp:button>
            <p>
                <%
                    if ( Session != null  && Session[vars.passwordField] == vars.fail )
                       Response.Write( "<b>Incorrect username/password. </b>" );
                %>
            </p>
        </form>
    </body>
</HTML>
```

Amain.aspx



Main Page
Change Password
Add User
Add Division
Add Course
Add Class
Add Room
Edit Info
Logout
Welcome Jack Boner
Have a wonderful day! =)

```
<%@ Page Language="JScript" Debug="true" %>

<%@ Import Namespace="System" %>
<%@ Import Namespace="System.Data" %>
<%@ Import Namespace="System.Data.OleDb" %>

<%@ Register TagPrefix="Header" TagName="ImageHeader" Src="adminHeader.ascx" %>
<%@ Register TagPrefix="Vars" TagName="VarsHeader" Src="vars.ascx" %>
<%@ Register TagPrefix="Funcs" TagName="FuncsCommon" Src="funcs.ascx" %>

<html>
   <head>
      <script language = "JScript" runat = "server">
       /*
            Page Name:
                aMain.aspx

            Description:
                Validate administrator using database.
                Set session key for continued access for the administrator.

            Functions:
                Funcs:
                    getNAME: gets the users name who just logged in using the session user id and the user Table
                Local:
                    Page_Load: executes everytime the page is loaded and checks to see if there is a Session, if not it
                               transfers to the login page.

            Language:  JScript, ASP

       */
       </script>

       <Vars:VarsHeader id = "vars" runat = "server">  </Vars:VarsHeader>
       <Funcs:FuncsCommon id = "funcs" runat = "server">  </Funcs:FuncsCommon>
       </head>

       <body>
       <script language = "JScript" runat = "server">


         function Page_Load( sender : Object, events : EventArgs )
         {
            if ( Session == null || Session[vars.usertype] == undefined )
               Server.Transfer (vars.loginPage);

            /*if ( IsPostBack )
            {

            }*/

         } // end Page_Load


      </script>

      <form id="Form1" runat = "server">

         <Header:ImageHeader id = "head" PageName = "Main Page" runat = "server">  </Header:ImageHeader>

        <br />Welcome
         <%  =funcs.getNAME(Session[vars.useridField], vars.userTable )%>
         <p> <b>Have a wonderful day!  =) </b> <br />
```

```
    </form>
  </body>
</html>
```

ChgPwd.aspx



Change Password
Main
Old Password
New Password
Retype New Pass
Change Password

```
<%@ Page Language="JScript" Debug="true" %>

<%@ Register TagPrefix="Funcs" TagName="FuncsCommon" Src="funcs.ascx" %>
<%@ Register TagPrefix="Vars" TagName="VarsHeader" Src="vars.ascx" %>
<%@ Register TagPrefix="Header" TagName="ImageHeader" Src="main.ascx" %>

<%@ Import Namespace="System.Data.OleDb" %>
<%@ Import Namespace="System.Data" %>
<%@ Import Namespace="System" %>

<HTML>
    <HEAD>
        <script language="JScript" runat="server">
       /*
            Description:
                Allows users ability to change their password.

            Language:  JScript
              ASP Variables:
                  OLDPASS   : TextBox     : Old password to be replaced
                  NEWPASS   : TextBox     : New password they want
                  NEWPASS2  : TextBox     : Retype for assurance
                  button    : Button      : click to change password

              Session Variables
                  Session[vars.passwordField] : used to check old password
                  Session[vars.useridField]   : used to keep track of current user's user id

              Functions:
                Funcs:
                    chgPass: takes Session[vars.useridField] ,NEWPASS.Text, vars.userTable and changes that
                             user's password to be equal to the value of the NEWPASS.Text.
                    getPASS: takes NEWPASS.Text, vars.userTable to get the password of the user and reset the
                             Session[passwordField] to equal the new password just created for the user.
                Local:
                    Page_Load: executes everytime the page is loaded and checks to see if there is a Session, if not it
                               transfers to the login page. In this page the isPostBack method is used for when a user
                               clicks the Change Password button. The Page_Load will execute again and this time all functions
                               within the IsPostBack will execute. Those functions being the ones i defined above. There is also
                               a check to see if the OLDPASS.Text is equal to the current password and if the user's new password
                               in NEWPASS.Text and NEWPASS2.Text are the same so the user doesn't make an accident in updating their
                               password. If either of these checks to be true we use the var resultMessage to tell the user
                               where they messed up so that they can fix their mistake.

            Database:  Microsoft Access via SQL, applicationDB.mdb (defined via Web.config file)

       */

       var resultMessage : String ="";

        </script>

```

```
        <Vars:VarsHeader id="vars" runat="server"></Vars:VarsHeader>
        <Funcs:FuncsCommon id="funcs" runat="server"></Funcs:FuncsCommon>
        </HEAD>
        <body>
        <script language="JScript" runat="server">


         function Page_Load( sender : Object, events : EventArgs )
         {
            if ( Session == null || Session[vars.usertype] == undefined )
               Server.Transfer (vars.loginPage);

            if ( Page.IsPostBack )
            {
                if (Session[vars.passwordField] != OLDPASS.Text)
                {
                      resultMessage = "Old password does not match";
                      return;
                }
                else if (NEWPASS.Text != NEWPASS2.Text)
                {
                      resultMessage = "New Passwords do not match each other";
                      return;
                }
                else if (funcs.chgPass(Session[vars.useridField] ,NEWPASS.Text, vars.userTable))
                {
                    resultMessage = "Password Changed";
                    //have to reset the session[vars.passwordField] now that we have changed password or it will keep the old password
                    Session[vars.passwordField] = funcs.getPASS(NEWPASS.Text, vars.userTable);
                    Server.Transfer( vars.loginPage );
                }
            }

         } // end Page_Load


        </script>
        <form runat="server">
            <Header:ImageHeader id="head" PageName="Change Password" runat="server"></Header:ImageHeader>
            <div style="text-align: left">
                <table>
                    <tr>
                        <td style="width: 100px">
                            <% =vars.oldPassLabel %>
                        </td>
                        <td style="width: 100px">
                            <asp:TextBox id="OLDPASS" textmode="password" runat="server" Width="158px" Height="22px"></asp:TextBox>
                        </td>
                    </tr>
                    <tr>
                        <td style="width: 100px">
                            <% =vars.newPassLabel %>
                        </td>
                        <td style="width: 100px">
                            <asp:TextBox id="NEWPASS" textmode="password" runat="server" Width="158px" Height="22px"></asp:TextBox>
                        </td>
                    </tr>
                    <tr>
                        <td style="width: 110px">
                            <% =vars.newPassLabel2 %>
```

```
                        </td>
                        <td style="width: 100px">
                            <asp:TextBox id="NEWPASS2" textmode="password" runat="server" Width="158px" Height="22px"></asp:TextBox>
                        </td>
                    </tr>
                </table>
            </div>
            <br>
                <asp:button id="button" text="Change Password" runat="server"></asp:button>
            <br>
            <p>
                <%
                Response.Write( "<b>" + resultMessage + "</b>" );
                %>
            </p>
        </form>
    </body>
</HTML>
```

AddUser.aspx



```
<%@ Page Language="JScript" Debug="true" %>

<%@ Register TagPrefix="Funcs" TagName="FuncsCommon" Src="funcs.ascx" %>
<%@ Register TagPrefix="Vars" TagName="VarsHeader" Src="vars.ascx" %>
<%@ Register TagPrefix="Header" TagName="ImageHeader" Src="main.ascx" %>

<%@ Import Namespace="System.Data.OleDb" %>
<%@ Import Namespace="System.Data" %>
<%@ Import Namespace="System" %>

<HTML>
    <HEAD>
        <script language="JScript" runat="server">
        /*
            Page Name:
                addUser.aspx

            Description:
                Add new user to database.

            Language:  JScript
              JScript Variables:
                  resultMessage : var : string that tells administrator wether it added or not.
                  newUID        : var : hold the value of the created user's id to see if they exists first
                                        then if they don't create them and then if they are a student set
                                        the session[vars.studentUID] = newUID
              ASP Variables:
                  USERID     : TextBox     : User ID used to keep tack of individuals
                  PREFIX     : TextBox      : Example: Mr. Ms. Mrs.
                  FN         : TextBox      : First Name
                  MN         : TextBox      : Middle Name
                  LN         : TextBox      : Last Name
                  SUFFIX     : TextBox      : Example: Sr. Jr.  III...
                  ADDRESS    : TextBox      : Address of parent.
                  CITY       : TextBox      : City
                  STATE      : TextBox      : State
                  POSTAL     : TextBox      : Zip code
                  WPHONE     : TextBox      : Work Phone
                  CPHONE     : TextBox      : Cell Phone
                  FAXNUM     : TextBox      : Fax Number
                  ALTPHONE   : TextBox      : Alternate Phone
                  EADD       : TextBox      : E-mail Address
                  PASS       : TextBox      : Password
                  USER       : TextBox      : Their login username
                  userTypeList : CheckBoxList : used to check what type of user they are
                  button     : Button       : Clicked to create the user

              Session Variables:
                  Session[vars.studentUID] : used to keep track of the student's id just created
                  Session[vars.lastname] : will be used to get the parents with the same last name for parent student relationships

              Functions:
                Funcs:
                    userExists: takes FN.Text, MN.Text, LN.Text, SUFFIX.Text, vars.userTable and checks to see
                                if there is already a user that exists with those values in the User Table.
                    createUser: takes PREFIX.Text, FN.Text, MN.Text, LN.Text, SUFFIX.Text, ADDRESS.Text, CITY.Text,
                                STATE.Text, POASTAL.Text, WPHONE.Text, CPHONE.Text,
```

```
FAXNUM.Text, HPHONE.Text, EADD.Text, PASS.Text
                            and inserts them into the User Table as a new record.
                        addStudent: takes the user id of the new user just created and isStudent Table if they are a student and adds their
                            id to the isStudent Table.
                        addParent: takes the user id of the new user just created and isParent Table if they are a parent and adds their
                            id to the isParent Table.
                        addTeacher: takes the user id of the new user just created and isTeacher Table if they are a teacher and adds their
                            id to the isTeacher Table.
                        addAdmin: takes the user id of the new user just created and isAdmin Table if they are a administrator and adds their
                            id to the isAdmin Table.
                    Local:
                        Page_Load: executes everytime the page is loaded and checks to see if there is a Session, if not it
                            transfers to the login page. In this page the isPostBack method is used for when a user
                            clicks the Add User button. The Page_Load will execute again and this time all functions
                            within the IsPostBack will execute. Those functions being the ones i defined above. There is also
                            a check to see if any fields marked with a * have been left blank and if there is at least one phone
                            number give. If either of these return true then we use the var resultMessage to tell the user
                            they must fill in all text boxes with a * by them or they must insert at least one phone number.

                Database:  Microsoft Access via SQL, StudentDB.mdb (defined via Web.config file)
                    Table:   userTable
                        Fields:  UserId (key), Prefix, FirstName, MiddleName, LastName, Suffix, Address, City,
                            State, PostalCode, WorkPhone, CellPhone, FaxNum, AltPhone, EmailAddress, Password, Username
    */

    var resultMessage : String ="";

    </script>

    <Vars:VarsHeader id="vars" runat="server"></Vars:VarsHeader>
    <Funcs:FuncsCommon id="funcs" runat="server"></Funcs:FuncsCommon>
    </HEAD>
    <body>
    <script language="JScript" runat="server">


     function Page_Load( sender : Object, events : EventArgs )
     {
        if ( Session == null || Session[vars.usertype] == undefined )
           Server.Transfer (vars.loginPage);

        if ( IsPostBack )
        {
            if (FN.Text == "" || LN.Text == "" || ADDRESS.Text == "" || CITY.Text == "" || STATE.Text == "" || POASTAL.Text == "" || PASS.Text == "")
            {
                  resultMessage = "You must fill in the boxes with a * by them.";
                  return;
            }

            if ( WPHONE.Text == "" && CPHONE.Text == "" && FAXNUM.Text == "" && HPHONE.Text == "")
```

```
            {
                resultMessage = "You must give at least one phone number for contact purposes.";
                return;
            }

            if (isSTUD.Selected != true && isPARENT.Selected != true && isTEACHER.Selected != true && isADMIN.Selected != true)
            {
                resultMessage = "You must check one of the boxes";
                return;
            }

            var newUID = funcs.userExists(FN.Text, MN.Text, LN.Text, SUFFIX.Text, vars.userTable);
            if (newUID != -1)
            {
                resultMessage = "User already exists: " + newUID;
                return;
            }
            if (funcs.createUser(PREFIX.Text, FN.Text, MN.Text, LN.Text, SUFFIX.Text, ADDRESS.Text, CITY.Text, STATE.Text, POASTAL.Text, WPHONE.Text, CPHONE.Text, FAXNUM.Text, HPHONE.Text, EADD.Text, PASS.Text))
            {
                newUID = funcs.userExists(FN.Text, MN.Text, LN.Text, SUFFIX.Text, vars.userTable)
                if (isSTUD.Selected == true)
                {
                    Session[vars.studentUID] = newUID;     //used to keep track of new student's user id for addStudent.aspx
                    Session[vars.lastname] = LN.Text;
                    if(funcs.addStudent(newUID, vars.isSTable));
                        resultMessage = " Student added. User ID is: " + newUID;
                    Server.Transfer( vars.addStudentPage );
                }
                if (isPARENT.Selected == true)
                {
                    if(funcs.addParent(newUID, vars.isPTable));
                        resultMessage = " Parent added. User ID is: " + newUID;
                }
                if (isTEACHER.Selected == true)
                {
                    if(funcs.addTeacher(newUID, vars.isTTable));
                        resultMessage = " Teacher added. User ID is: " + newUID;
                }
                if (isADMIN.Selected == true)
                {
                    if(funcs.addAdmin(newUID, vars.isATable));
                        resultMessage = " Administrator added. User ID is: " + newUID;
                }

            }
            else
            {
                resultMessage = "Error in creating user.";
            }
        }
    } // end Page_Load


    </script>
    <form id="Form1" runat="server">
```

```
            <Header:ImageHeader id="head" PageName="Add a User Page" runat="server"></Header:ImageHeader>
            <p>Please fill in all the boxes with a * by them, they are required information. Also you need
                at least one phone number for contact in case of emergency, etc... When finished
                filling out the form select what type of user this is and hit create user. </p>
            <table>
                <tr>
                    <td style="width: 100px">
                        <% =vars.prefixLabel %>
                    </td>
                    <td style="width: 100px">
                        <asp:TextBox id="PREFIX" runat="server" Width="158px" Height="22px"></asp:TextBox>
                    </td>
                    <td style="width: 100px">
                        *<% =vars.fnLabel %>
                    </td>
                    <td style="width: 100px">
                        <asp:TextBox id="FN" runat="server" Width="158px" Height="22px"></asp:TextBox>
                    </td>
                </tr>
                <tr>
                    <td style="width: 100px">
                        <% =vars.mnLabel %>
                    </td>
                    <td style="width: 100px">
                        <asp:TextBox id="MN" runat="server" Width="158px" Height="22px"></asp:TextBox>
                    </td>
                    <td style="width: 100px">
                        *<% =vars.lnLabel %>
                    </td>
                    <td style="width: 100px">
                        <asp:TextBox id="LN" runat="server" Width="158px" Height="22px"></asp:TextBox>
                    </td>
                </tr>
                <tr>
                    <td style="width: 100px">
                        <% =vars.suffixLabel %>
                    </td>
                    <td style="width: 100px">
                        <asp:TextBox id="SUFFIX" runat="server" Width="158px" Height="22px"></asp:TextBox>
                    </td>
                    <td style="width: 100px">
                        *<% =vars.addLabel %>
                    </td>
                    <td style="width: 100px">
                        <asp:TextBox id="ADDRESS" runat="server" Width="158px" Height="22px"></asp:TextBox>
                    </td>
                </tr>
                <tr>
                    <td style="width: 100px">
                        *<% =vars.cityLabel %>
                    </td>
                    <td style="width: 100px">
                        <asp:TextBox id="CITY" runat="server" Width="158px" Height="22px"></asp:TextBox>
                    </td>
                    <td style="width: 100px">
```

```
                    *<% =vars.stateLabel %>
                </td>
                <td style="width: 100px">
                    <asp:TextBox id="STATE" runat="server" Width="158px" Height="22px"></asp:TextBox>
                </td>
            </tr>
            <tr>
                <td style="width: 100px">
                    *<% =vars.postalLabel %>
                </td>
                <td style="width: 100px">
                    <asp:TextBox id="POASTAL" runat="server" Width="158px" Height="22px"></asp:TextBox>
                </td>
                <td style="width: 100px">
                    <% =vars.workphoneLabel %>
                </td>
                <td style="width: 100px">
                    <asp:TextBox id="WPHONE" runat="server" Width="158px" Height="22px"></asp:TextBox>
                </td>
            </tr>
            <tr>
                <td style="width: 100px">
                    <% =vars.cellphoneLabel %>
                </td>
                <td style="width: 100px">
                    <asp:TextBox id="CPHONE" runat="server" Width="158px" Height="22px"></asp:TextBox>
                </td>
                <td style="width: 100px">
                    <% =vars.faxnumLabel %>
                </td>
                <td style="width: 100px">
                    <asp:TextBox id="FAXNUM" runat="server" Width="158px" Height="22px"></asp:TextBox>
                </td>
            </tr>
            <tr>
                <td style="width: 100px">
                    <% =vars.homephoneLabel %>
                </td>
                <td style="width: 100px">
                    <asp:TextBox id="HPHONE" runat="server" Width="158px" Height="22px"></asp:TextBox>
                </td>
                <td style="width: 100px">
                    <% =vars.eaddLabel %>
                </td>
                <td style="width: 100px">
                    <asp:TextBox id="EADD" runat="server" Width="158px" Height="22px"></asp:TextBox>
                </td>
            </tr>
            <tr>
                <td style="width: 100px">
                    *<% =vars.passwordLabel %>
                </td>
                <td style="width: 100px">
                    <asp:TextBox id="PASS" runat="server" Width="158px" Height="22px"></asp:TextBox>
                </td>
            </tr>
        </table>
        <br>
```

```
                <asp:CheckBoxList runat="server" id="userTypeList" RepeatColumns="4">
                    <asp:ListItem id="isSTUD" runat="server">Student</asp:ListItem>
                    <asp:ListItem id="isPARENT" runat="server">Parent</asp:ListItem>
                    <asp:ListItem id="isTEACHER" runat="server">Teacher</asp:ListItem>
                    <asp:ListItem id="isADMIN" runat="server">Administrator</asp:ListItem>
                </asp:CheckBoxList>
            <br>
                <asp:button id="button" text="Create User" runat="server"></asp:button>
            <p>
                <%
                Response.Write( "<b>" + resultMessage + "</b>" );
                %>
            </p>
        </form>
    </body>
</HTML>
```

AddStudent.aspx



```
<%@ Page Language="JScript" Debug="true" %>

<%@ Register TagPrefix="Funcs" TagName="FuncsCommon" Src="funcs.ascx" %>
<%@ Register TagPrefix="Vars" TagName="VarsHeader" Src="vars.ascx" %>
<%@ Register TagPrefix="Header" TagName="ImageHeader" Src="main.ascx" %>

<%@ Import Namespace="System.Data.OleDb" %>
<%@ Import Namespace="System.Data" %>
<%@ Import Namespace="System" %>

<HTML>
    <HEAD>
        <script language="JScript" runat="server">
        /*
            Page Name:
                addStudent.aspx

            Description:
              Allows administrator to add parent student relationships.

            Language:  JScript
              JScript Variables:
                  resultMessage : var : string that tells administrator wether it added or not.
                  searchName    : var : string that hold the last name put in the text box
                  li            : var : object used for both lists to get the value selected
                  dataBaseConnection  : var : obect used to get connection to data base
                  queryString1  : var : SQL string used to get parents with same last name as LN
                  queryString   : var : SQL string used to get parents who currently have a relationship
                  dataBaseCommand : var : object used to execute the queryStrings with the current connection
                  dataReader    : var : object used to read the data from the database

              ASP Variables:
                  LN              : TextBox       : parents last name to lookup

                  lookupBtn       : Button        : lookup parents with the same last name in LN.Text
                  addBtn          : Button        : add a parent student relationship
                  rmvBtn          : Button        : remove a parent student relationship
                  lstNames        : ListBox       : shows potential parents to give relationship
                  lstAllowed      : ListBox       : shows parents who already have a relationship

              Session Variables:
                  Session[vars.studentUID] : keeps track of the current student being editted

              Functions:
                Funcs:
                  addParentStudent: takes the parent id, the student id, and the ParentStudent table
                                    and inserts the ids into the ParentStudent Table as a new record.
                  getNAME: used in this page to get the names of both student and parent to display to
                           the administrator in resultMessage who they have given access to.
```

```
                    rmvParentStudent: takes the parent id, the student id, and the ParentStudent table
                                        and removes that record from ParentStudent Table.
                Local:
                    lookup: takes the value of LN.Text and looks for any parents with that last name.
                    lookupButton_Click: used when the lookup button is clicked to call the displayBoxes function
                    getParentsAllowed: uses the Session student id and the session user id in an SQL statement to retrieve
                                        all the parents allowed to view this particular students grades.
                    displayBoxes: calls getParentsAllowed and then will call lookup if the LN.Text value has a value in it and is not blank.
                    addButton_Click: used when the add button is clicked to execute addParentStudent
                    rmvButton_Click: used when the remove button is clicked to execute rmvParentStudent
                    Page_Load: executes everytime the page is loaded and checks to see if there is a Session, if not it
                               transfers to the login page. In this page on the first time in it will only call displayBoxes
                               to display current parents allowed to view this particular student's grades if any.

            Database:  Microsoft Access via SQL, applicationDB.mdb (defined via Web.config file)
                Tables used:
                    userTable, ParentStudent, isParent


    */

    var resultMessage : String ="";

    </script>

    <Vars:VarsHeader id="vars" runat="server"></Vars:VarsHeader>
    <Funcs:FuncsCommon id="funcs" runat="server"></Funcs:FuncsCommon>
    </HEAD>
    <body>
    <script language="JScript" runat="server">

     function addButton_Click( sender : Object, events : EventArgs)
     {
            for (var li in lstNames.Items)
            {
                if (li.Selected)
                {
                    if(funcs.addParentStudent(li.Value, Session[vars.studentUID], vars.PSTable))
                    {
                            resultMessage += funcs.getNAME(li.Value, vars.userTable) + " user ID: " + li.Value +
                            " allowed to view " + funcs.getNAME(Session[vars.studentUID], vars.userTable) +
                            " user ID: " + Session[vars.studentUID] + ".<br>"
                    }
                }
            }
            displayBoxes();
     }

     function rmvButton_Click( sender : Object, events : EventArgs)
     {
        for (var li in lstAllowed.Items)
```

```
                {
                    if (li.Selected)
                    {
                        if(funcs.rmvParentStudent(li.Value, Session[vars.studentUID],
  vars.PSTable))
                        {
                            resultMessage += funcs.getNAME(li.Value, vars.
userTable) + " user ID: " + li.Value +
                            " no longer allowed to view" + funcs.getNAME(Session
[vars.studentUID], vars.userTable) +
                            " user ID: " + Session[vars.studentUID] + ".<br>"
                        }
                    }
                }
                displayBoxes();
            }

        function lookup( searchName )
        {
                var dataBaseConnection: OleDbConnection = new
                OleDbConnection( ConfigurationSettings.AppSettings("ConnectionString"
 ) );

                var queryString1 : System.String = "SELECT userTable.UserID, "
                + "userTable.FirstName + ' ' + userTable.MiddleName + ' ' + userTable
.LastName AS FullName FROM "
                + "userTable INNER JOIN isParent ON userTable.UserID = "
                + "isParent.UserID WHERE (((userTable.LastName)='" + searchName + "')
  AND NOT EXISTS ( SELECT ParentStudent.StudentID FROM ParentStudent "
                + "WHERE ParentStudent.StudentID= " + Session[vars.studentUID] + "
AND ParentStudent.ParentID  = userTable.UserID))";

                dataBaseConnection.Open();

                var dataBaseCommand : OleDbCommand =
                new OleDbCommand( queryString1, dataBaseConnection );

                var dataReader = dataBaseCommand.ExecuteReader();

                lstNames.DataSource = dataReader;
                lstNames.DataBind();
                dataReader.Close()
                dataBaseCommand.Connection.Close()
                dataBaseConnection.Close();
        }

        function lookupButton_Click( sender : Object, events : EventArgs)
        {
            displayBoxes();
        }


        function getParentsAllowed()
        {
            var dataBaseConnection: OleDbConnection = new
            OleDbConnection( ConfigurationSettings.AppSettings("ConnectionString" ) )
;

            var queryString : System.String =
            "SELECT ParentStudent.ParentID, ParentStudent.StudentID, userTable.UserID
, userTable.FirstName + ' ' + "
            + "userTable.MiddleName + ' ' + userTable.LastName AS AllowedNames FROM
userTable INNER JOIN ParentStudent ON "
            + "userTable.UserID = ParentStudent.ParentID "
            + "WHERE (((ParentStudent.ParentID)=[userTable].[UserID]) AND (
(ParentStudent.StudentID)= " + Session[vars.studentUID] + "))";
```

```

            dataBaseConnection.Open();

            var dataBaseCommand : OleDbCommand =
            new OleDbCommand( queryString, dataBaseConnection );

            var dataReader = dataBaseCommand.ExecuteReader();

            lstAllowed.DataSource = dataReader;
            lstAllowed.DataBind();
            dataReader.Close()
            dataBaseCommand.Connection.Close()
            dataBaseConnection.Close();
        }

        function displayBoxes()
        {
            getParentsAllowed();
            if (LN.Text == "")
                lookup(Session[vars.lastname]);
             else
                lookup(LN.Text);
        }

        function Page_Load( sender : Object, events : EventArgs )
        {
           if ( Session == null || Session[vars.usertype] == undefined )
              Server.Transfer (vars.loginPage);

           if ( !IsPostBack )
               displayBoxes()

        } // end Page_Load

       </script>
       <form id="Form1" runat="server">
           <Header:ImageHeader id="head" PageName="Allow Parent Access" runat="server"></Header:ImageHeader>
           <p>Click the parents name
              and hold ctrl and click any others that need access to this student. Then click add to
              allow the parent(s) access to their child's files.</p>
           <p>For parents with different last names or other legal guardians type their last name in the textbox
              then click lookup and follow the instructions above.</p>

           <br>
           <table>
           <tr>
               <td style="width: 106px; height: 52px;">
                   Potential Parents To Add
               </td>
               <td style="width: 101px; height: 52px;"></td>
               <td style="width: 109px; height: 52px;">
                   Parents/Guardians Allowed
               </td>
            </tr>
           <tr>
               <td style="width: 106px; height: 53px;" align="left">
                   <asp:ListBox runat="server" ID="lstNames" SelectionMode="Multiple" DataTextField="FullName" DataValueField="UserID" width="130px"/>
               </td>
               <td style="width: 101px; height: 53px;" align="center">

                       <asp:button id="addBtn" text="Add >>" OnClick="addButton_Click" runat="server" width="100px" align="center"></asp:button>
```

```
                    <br>
                        <asp:button id="rmvBtn" text="Remove <<" OnClick="rmvButton_Click" runat="server" width="100px" align="center"></asp:button>
                </td>
                <td style="width: 109px; height: 53px;" align="left">
                    <asp:ListBox runat="server" ID="lstAllowed" SelectionMode="Multiple" DataTextField="AllowedNames" DataValueField="UserID" width="130px"/>
                </td>
            </tr>
            <tr>
                <td style="width: 106px; height: 62px;" align="center">
                    Highlight to add
                </td>
                <td style="width: 101px; height: 62px;" align="center"></td>
                <td style="width: 109px; height: 62px;" align="center">
                    Highlight to remove
                </td>
            </tr>
            <tr>
                <td style="width: 106px; height: 37px;">
                    <% =vars.lnLabel %>
                </td>
                <td style="width: 101px; height: 37px;">
                    <asp:TextBox id="LN" runat="server" Width="100px" Height="28px"></asp:TextBox>
                </td>
                <td style="width: 101px; height: 37px;">
                    <asp:button id="lookupBtn" text="Lookup" OnClick="lookupButton_Click" runat="server" width="100px" align="center"></asp:button>
                </td>
            </tr>
        </table>
            <p>
                <%
                Response.Write( "<b>" + resultMessage + "</b>" );
                %>
            </p>
        </form>

    </body>
</HTML>
```

AddDivision.aspx



```
<%@ Page Language="JScript" Debug="true" %>

<%@ Register TagPrefix="Funcs" TagName="FuncsCommon" Src="funcs.ascx" %>
<%@ Register TagPrefix="Vars" TagName="VarsHeader" Src="vars.ascx" %>
<%@ Register TagPrefix="Header" TagName="ImageHeader" Src="main.ascx" %>

<%@ Import Namespace="System.Data.OleDb" %>
<%@ Import Namespace="System.Data" %>
<%@ Import Namespace="System" %>

<HTML>
    <HEAD>
        <script language="JScript" runat="server">
        /*
            Page Name:
                addDivision.aspx

            Description:
                Add new division to database.

            Language:  JScript
              JScript Variables:
                  resultMessage : var : string that tells administrator wether it added or not.

              ASP Variables:
                  DIVNAME   : TextBox     : Division Name
                  button    : Button      : clicked to add division

              Functions:
                Funcs:
                    divisionExists: takes the DIV.Text, DIVNAME.Text and checks to see if what the user inputs
                                    already exists in the Division Table.

                    createDivision: takes the values of DIV.Text, DIVNAME.Text
                                    and inserts them as a new record in the Division Table.
                Local:
                    Page_Load: executes everytime the page is loaded and checks to see if there is a Session, if not it
                               transfers to the login page. In this page the isPostBack method is used for when a user
                               clicks the Create Division button. The Page_Load will execute again and this time all functions
                               within the IsPostBack will execute. Those functions being the ones i defined above. There is also
                               a check to see if any have been left blank and if so we use the var resultMessage to tell the user
                               they must fill in all text boxes with correct information.

            Database:  Microsoft Access via SQL, applicationDB.mdb (defined via Web.config file)
              Table:   Division
              Fields:  divisionID (key), DivisionName
        */

        var resultMessage : String ="";

        </script>

        <Vars:VarsHeader id="vars" runat="server"></Vars:VarsHeader>
        <Funcs:FuncsCommon id="funcs" runat="server"></Funcs:FuncsCommon>
        </HEAD>
        <body>
```

```
        <script language="JScript" runat="server">

        function Page_Load( sender : Object, events : EventArgs )
        {
           if ( Session == null || Session[vars.usertype] == undefined )
              Server.Transfer (vars.loginPage);

           if ( IsPostBack )
           {
               if (DIVNAME.Text == "")
               {
                   resultMessage = "You must fill in both boxes on this page.";
                   return;
               }

               if (funcs.divisionExists(DIVNAME.Text))
                  {
                     resultMessage = "Division already exists.";
                     return;
                  }

               if (funcs.createDivision(DIVNAME.Text))
                              resultMessage = resultMessage + " Division added.";
               else
               {
                  resultMessage = "Error in creating division.";
               }
           }

        } // end Page_Load

        </script>
        <form id="Form1" runat="server">
            <Header:ImageHeader id="head" PageName="Add a Division Page" runat="server"></Header:ImageHeader>
            <p>An example of a division would be: Math, English, Computers, Language Arts, etc... Enter
               the division name and hit create division to create that division.</p>
            <div style="text-align: left">
               <table>
                  <tr>
                     <td style="width: 100px">
                        <% =vars.divNameLabel %>
                     </td>
                     <td style="width: 100px">
                        <asp:TextBox id="DIVNAME" runat="server" Width="158px" Height="22px"></asp:TextBox>
                     </td>
                  </tr>
               </table>
            </div>
            <br>
               <asp:button id="button" text="Create Division" runat="server"></asp:button>
            <br>
            <p>
               <%
               Response.Write( "<b>" + resultMessage + "</b>" );
               %>
            </p>
        </form>
    </body>
</HTML>
```

AddCourse.aspx



```
<%@ Page Language="JScript" Debug="true" %>

<%@ Register TagPrefix="Funcs" TagName="FuncsCommon" Src="funcs.ascx" %>
<%@ Register TagPrefix="Vars" TagName="VarsHeader" Src="vars.ascx" %>
<%@ Register TagPrefix="Header" TagName="ImageHeader" Src="main.ascx" %>

<%@ Import Namespace="System.Data.OleDb" %>
<%@ Import Namespace="System.Data" %>
<%@ Import Namespace="System" %>

<HTML>
    <HEAD>
        <script language="JScript" runat="server">
        /*
            Page Name:
                addCourse.aspx

            Description:
                Add new course to database.

            Language:  JScript
              JScript Variables:
                resultMessage : var : string that tells administrator wether it added or not.
                li                : var : object used for the list to get the value selected
                dataBaseConnection  : var : obect used to get connection to data base
                queryString     : var : SQL string used to get the divisions
                dataBaseCommand : var : object used to execute the queryStrings with the current connection
                dataReader      : var : object used to read the data from the database

              ASP Variables:
                COURSENAME    : TextBox     : course name
                lstDiv        : ListBox     : has all division ids of all divisions that exist
                button        : Button      : clicked to add course

              Functions:
                Funcs:
                  courseExists: takes the COURSEID.Text and checks to see
                                if what the user inputs already exists in the Course Table.
                  createCourse: takes the values of COURSENAME.Text, lstDiv Selected
                                and inserts them as a new record in the Course Table.
                Local:
                  createCourse_Click: used when the button is clicked to add a course and uses the funcs functions to
                                      create a course and insert it into the course table as a new record.
                  getDiv: uses an sql querystring to get all the divisions from the division table and bind them to the
                          lstDiv ListBox.
                  Page_Load: executes everytime the page is loaded and checks to see if there is a Session, if not it
                             transfers to the login page. In this page the isPostBack method is used for when a user
                             clicks the Create Course button. There is also a check to see if any have been left blank
                             and if so we use the var resultMessage to tell the
```

```
user they must fill in all text boxes with correct information.

            Database:  Microsoft Access via SQL, applicationDB.mdb (defined via Web.config file)
              Table:   Course
              Fields:  CourseId (key), CourseName, divisionID
    */

    var resultMessage : String ="";

    </script>
    <Vars:VarsHeader id="vars" runat="server"></Vars:VarsHeader>
    <Funcs:FuncsCommon id="funcs" runat="server"></Funcs:FuncsCommon>
    </HEAD>
    <body>
    <script language="JScript" runat="server">

    function createCourse_Click( sender : Object, events : EventArgs )
    {
        if (COURSENAME.Text == "")
        {
                 resultMessage = "You must fill in all boxes on this page.";
                 return;
        }
        for (var li in lstDiv.Items)
            {
                if (li.Selected)
                {

                    if (funcs.courseExists(COURSENAME.Text))
                    {
                        resultMessage = "Course already exists.";
                        return;
                    }
                    if (funcs.createCourse(COURSENAME.Text, li.Value))
                    {
                        resultMessage = resultMessage + " Course added.";
                        return;
                    }
                    else
                    {
                        resultMessage = "Error in creating Course.";
                        return;
                    }
                }
            }
    }

    function getDiv()
     {
        var dataBaseConnection: OleDbConnection = new
        OleDbConnection( ConfigurationSettings.AppSettings("ConnectionString" ) );

        var queryString : System.String = "SELECT Division.DivisionName, Division.divisionID FROM Division";

        dataBaseConnection.Open();

        var dataBaseCommand : OleDbCommand =
        new OleDbCommand( queryString, dataBaseConnection );

        var dataReader = dataBaseCommand.ExecuteReader();

        lstDiv.DataSource = dataReader;
        lstDiv.DataBind();
```

```
            dataReader.Close()
            dataBaseCommand.Connection.Close()
            dataBaseConnection.Close();
         }

         function Page_Load( sender : Object, events : EventArgs )
         {
            if ( Session == null || Session[vars.usertype] == undefined )
               Server.Transfer (vars.loginPage);

            if ( !IsPostBack )
               getDiv()

         } // end Page_Load

      </script>
      <form id="Form1" runat="server">
         <Header:ImageHeader id="head" PageName="Add a Course Page" runat="server"></Header:ImageHeader>
         <p>Here you want to input a course name such as Algebra, Calculus, Computer Science, etc... and select
            what division it falls under and click create course to create that course for that division.</p>
         <div style="text-align: left">
            <table>
               <tr>
                  <td style="width: 100px">
                     <% =vars.courseNameLabel %>
                  </td>
                  <td style="width: 100px">
                     <asp:TextBox id="COURSENAME" runat="server" Width="130px" Height="22px"></asp:TextBox>
                  </td>
               </tr>
               <tr>
                  <td style="width: 100px">
                     <% =vars.divisionidLabel %>
                  </td>
                  <td style="width: 100px">
                     <asp:DropDownList runat="server" ID="lstDiv" DataTextField="DivisionName" DataValueField="divisionID" width="130px"/>
                  </td>
               </tr>
            </table>
         </div>
         <br>
            <asp:button id="button" text="Create Course" runat="server" OnClick="createCourse_Click"></asp:button>
         <br>
         <p>
            <%
            Response.Write( "<b>" + resultMessage + "</b>" );
            %>
         </p>
      </form>
   </body>
</HTML>
```

AddClass.aspx



```
<%@ Page Language="JScript" Debug="true" %>

<%@ Register TagPrefix="Funcs" TagName="FuncsCommon" Src="funcs.ascx" %>
<%@ Register TagPrefix="Vars" TagName="VarsHeader" Src="vars.ascx" %>
<%@ Register TagPrefix="Header" TagName="ImageHeader" Src="main.ascx" %>

<%@ Import Namespace="System.Data.OleDb" %>
<%@ Import Namespace="System.Data" %>
<%@ Import Namespace="System" %>

<HTML>
    <HEAD>
        <script language="JScript" runat="server">
        /*
            Page Name:
                addClass.aspx

            Description:
                Add new class to database.

            Language:  JScript
              JScript Variables:
                resultMessage : var : string that tells administrator wether it added or not.
                li                : var : object used for lstCourse to get the value selected
                li2               : var : object used for lstTeacher to get the value selected
                li3               : var : object used for lstRoom to get the value selected
                dataBaseConnection  : var : obect used to get connection to data base
                queryString     : var : SQL string used in the local get functions
                dataBaseCommand : var : object used to execute the queryStrings with the current connection
                dataReader      : var : object used to read the data from the database

              ASP Variables:
                lstCourse     : ListBox     : holds the course id numbers using the course name
                lstTeacher    : ListBox     : holds the teachers id numbers using the teacher's names
                lstRoom       : ListBox     : holds the room numbers
                YEARTERM      : TextBox     : year class is given
                PERIOD        : TextBox     : time of day class is
                button        : Button      : clicked to add class

              Functions:
                Funcs:
                  createClass: takes the values of li.Value, li2.Value, li3.Value, YEARTERM.Text, PERIOD.Text
                               and inserts them as a new record in the Class Table.
                  classExists: takes li.Value, li2.Value, YEARTERM.Text anc checks to see if this class already
                               exists inside the Class Table.
                Local:
                  CreateClass_Click: used when the button is clicked to add a class and uses the funcs functions to
                                     create a class and insert it into the course table as a new record.
                  getCourse: uses an sql querystring to get all the courses from the Course table and bind them to the
                             lstCourse ListBox.
                  getTeacher: uses an sql querystring to get all the teachers from
```

```
the isTeacher table and userTable and bind them to the
                            lstTeacher ListBox.
                    getRoom: uses an sql querystring to get all the Room numbers from the Room table and bind them to the
                            lstRoom ListBox.
                    Page_Load: executes everytime the page is loaded and checks to see if there is a Session, if not it
                            transfers to the login page. In this page the isPostBack method is used for when a user
                            clicks the Create Class button as well as the createCourse_Click function. There is also
                            a check to see if the text boxes have been left blank and if so we use the var resultMessage to tell the user
                            they must fill in all text boxes with correct information.

            Database:  Microsoft Access via SQL, applicationDB.mdb (defined via Web.config file)
              Table:   Class
              Fields:  ClassId (key), CourseID, Username, rmID, YearTermID, Period
    */

    var resultMessage : String ="";

    </script>

    <Vars:VarsHeader id="vars" runat="server"></Vars:VarsHeader>
    <Funcs:FuncsCommon id="funcs" runat="server"></Funcs:FuncsCommon>
    </HEAD>
    <body>
    <script language="JScript" runat="server">

     function createClass_Click( sender : Object, events : EventArgs )
     {
        if (YEARTERM.Text == "" || PERIOD.Text == "")
        {
            resultMessage = "You must fill in all boxes on this page.";
            return;
        }
        for (var li in lstCourse.Items)
        {
            if(li.Selected)
            {
                for (var li2 in lstTeacher.Items)
                {
                    if(li2.Selected)
                    {
                        for (var li3 in lstRoom.Items)
                        {
                            if(li3.Selected)
                            {
                                if (funcs.classExists(li.Value, li2.Value, YEARTERM.Text))
                                {
                                    resultMessage = resultMessage + " Class already exists.";
                                    return;
                                }
                                if (funcs.createClass(li.Value, li2.Value, li3.Value, YEARTERM.Text, PERIOD.Text))
                                {
                                    resultMessage = resultMessage + " Class added.";
                                    return;
                                }
                                else
```

```
                                    {
                                        resultMessage = "Error in creating class.";
                                        return;
                                    }
                                }
                            }
                        }
                    }
                }
            }
        }

        function getCourse()
        {
            var dataBaseConnection: OleDbConnection = new
            OleDbConnection( ConfigurationSettings.AppSettings("ConnectionString" ) );

            var queryString : System.String = "SELECT Course.CourseName, Course.CourseID FROM Course";

            dataBaseConnection.Open();

            var dataBaseCommand : OleDbCommand =
            new OleDbCommand( queryString, dataBaseConnection );

            var dataReader = dataBaseCommand.ExecuteReader();

            lstCourse.DataSource = dataReader;
            lstCourse.DataBind();
            dataReader.Close()
            dataBaseCommand.Connection.Close()
            dataBaseConnection.Close();
        }

        function getTeacher()
        {
            var dataBaseConnection: OleDbConnection = new
            OleDbConnection( ConfigurationSettings.AppSettings("ConnectionString" ) );

            var queryString : System.String = "SELECT IsTeacher.UserID, userTable.FirstName + ' ' + userTable.LastName AS FullName FROM userTable INNER JOIN IsTeacher ON userTable.UserID = IsTeacher.UserID;";

            dataBaseConnection.Open();

            var dataBaseCommand : OleDbCommand =
            new OleDbCommand( queryString, dataBaseConnection );

            var dataReader = dataBaseCommand.ExecuteReader();

            lstTeacher.DataSource = dataReader;
            lstTeacher.DataBind();
            dataReader.Close()
            dataBaseCommand.Connection.Close()
            dataBaseConnection.Close();
        }

        function getRoom()
        {
            var dataBaseConnection: OleDbConnection = new
            OleDbConnection( ConfigurationSettings.AppSettings("ConnectionString" ) );

            var queryString : System.String = "SELECT Room.rmID FROM Room";
```

```
            dataBaseConnection.Open();

            var dataBaseCommand : OleDbCommand =
            new OleDbCommand( queryString, dataBaseConnection );

            var dataReader = dataBaseCommand.ExecuteReader();

            lstRoom.DataSource = dataReader;
            lstRoom.DataBind();
            dataReader.Close()
            dataBaseCommand.Connection.Close()
            dataBaseConnection.Close();
        }

        function Page_Load( sender : Object, events : EventArgs )
        {
            if ( Session == null || Session[vars.usertype] == undefined )
                Server.Transfer (vars.loginPage);

            if ( !IsPostBack )
            {
                getCourse();
                getTeacher();
                getRoom();
            }

        } // end Page_Load

    </script>
    <form runat="server">
        <Header:ImageHeader id="head" PageName="Add a Class Page" runat="server">
</Header:ImageHeader>
        <p>On this page you select from the three list boxes the correct course,
teacher, and room. Then
            and input the rest of the data in the text boxes and click create
class to create the class.</p>
        <div style="text-align: left">
            <table>
                <tr>
                    <td style="width: 100px">
                        <% =vars.courseidLabel %>
                    </td>
                    <td style="width: 100px">
                        <asp:DropDownList runat="server" ID="lstCourse"
DataTextField="CourseName" DataValueField="CourseID" width="130px"/>
                    </td>
                </tr>
                <tr>
                    <td style="width: 100px">
                        <% =vars.teacheridLabel %>
                    </td>
                    <td style="width: 100px">
                        <asp:DropDownList runat="server" ID="lstTeacher"
DataTextField="FullName" DataValueField="UserID" width="130px"/>
                    </td>
                </tr>
                <tr>
                    <td style="width: 100px">
                        <% =vars.rmidLabel %>
                    </td>
                    <td style="width: 100px">
                        <asp:DropDownList runat="server" ID="lstRoom"
DataTextField="rmID" DataValueField="rmID" width="130px"/>
                    </td>
                </tr>
```

```
                    <tr>
                        <td style="width: 100px">
                            <% =vars.yrtermidLabel %>
                        </td>
                        <td style="width: 100px">
                            <asp:TextBox id="YEARTERM" runat="server" Width="130px" Height="22px"></asp:TextBox>
                        </td>
                    </tr>
                    <tr>
                        <td style="width: 100px">
                            <% =vars.periodLabel %>
                        </td>
                        <td style="width: 100px">
                            <asp:TextBox id="PERIOD" runat="server" Width="130px" Height="22px"></asp:TextBox>
                        </td>
                    </tr>
                </table>
            </div>
            <br>
                <asp:button id="button" text="Create Class" runat="server" OnClick="createClass_Click" ></asp:button>
            <br>
            <p>
                <%
                Response.Write( "<b>" + resultMessage + "</b>" );
                %>
            </p>
        </form>
    </body>
</HTML>
```

AddRoom.aspx



```
<%@ Page Language="JScript" Debug="true" %>

<%@ Register TagPrefix="Funcs" TagName="FuncsCommon" Src="funcs.ascx" %>
<%@ Register TagPrefix="Vars" TagName="VarsHeader" Src="vars.ascx" %>
<%@ Register TagPrefix="Header" TagName="ImageHeader" Src="main.ascx" %>

<%@ Import Namespace="System.Data.OleDb" %>
<%@ Import Namespace="System.Data" %>
<%@ Import Namespace="System" %>

<HTML>
    <HEAD>
        <script language="JScript" runat="server">
        /*
            Page Name:
                addRoom.aspx

            Description:
                Add new room to database.

            Language:  JScript
              JScript Variables:
                  resultMessage : var : string that tells administrator wether it added or not.

              ASP Variables:
                  ROOM            : TextBox      : Room ID number
                  DESCRIPTION     : TextBox      : Room Description
                  button          : Button       : clicked to add room

              Functions:
                Funcs:
                    roomExists: takes the ROOM.Text value and checks to see if room already exists
                                in the Room Table.
                    createRoom: takes the ROOM.Text, DESCRIPTION.Text and inserts them into the Room
                                Table as a new record.
                Local:
                    Page_Load: executes everytime the page is loaded and checks to see if there is a Session, if not it
                               transfers to the login page. In this page the isPostBack method is used for when a user
                               clicks the Create Room button. The Page_Load will execute again and this time all functions
                               within the IsPostBack will execute. Those functions being the ones i defined above. There is also
                               a check to see if any have been left blank and if so we use the var resultMessage to tell the user
                               they must fill in all text boxes with correct information.

            Database:  Microsoft Access via SQL, applicationDB.mdb (defined via Web.config file)
              Table:   Room
              Fields:  rmId (key), Description

        */

         var
            resultMessage : String ="";

         </script>

         <Vars:VarsHeader id="vars" runat="server"></Vars:VarsHeader>
         <Funcs:FuncsCommon id="funcs" runat="server"></Funcs:FuncsCommon>
```

```
        </HEAD>
        <body>
        <script language="JScript" runat="server">


         function Page_Load( sender : Object, events : EventArgs )
         {
            if ( Session == null || Session[vars.usertype] == undefined )
               Server.Transfer (vars.loginPage);

            if ( IsPostBack )
            {
                if (ROOM.Text == "" || DESCRIPTION.Text == "")
                {
                    resultMessage = "You must fill in all boxes on this page.";
                    return;
                }
                if (funcs.roomExists(ROOM.Text))
                   {
                      resultMessage = "Room already exists.";
                      return;
                   }

                if (funcs.createRoom(ROOM.Text, DESCRIPTION.Text))
                              resultMessage = resultMessage + " Room added.";

                else
                {
                   resultMessage = "Error in creating room.";
                }
            }

         } // end Page_Load


        </script>
        <form runat="server">
            <Header:ImageHeader id="head" PageName="Add a Room Page" runat="server"></Header:ImageHeader>
            <p>Please enter the room number in the room id box and a description of the room. Example:
               Room ID: 100, Description: Computer Lab</p>
            <table>
                <tr>
                    <td>
                        <% =vars.rmidLabel %>
                    </td>
                    <td>
                        <asp:TextBox id="ROOM" runat="server" Width="158px" Height="22px"></asp:TextBox>
                    </td>
                </tr>
                <tr>
                    <td>
                        <% =vars.descriptionLabel %>
                    </td>
                    <td>
                        <asp:TextBox id="DESCRIPTION" runat="server" Width="158px" Height="22px"></asp:TextBox>
                    </td>
                </tr>

            </table>
            <asp:button id="button" text="Create Room" runat="server"></asp:button>
            <p>
                <%
```

EditInfo.aspx



```
<%@ Page Language="JScript" Debug="true" %>

<%@ Register TagPrefix="Funcs" TagName="FuncsCommon" Src="funcs.ascx" %>
<%@ Register TagPrefix="Vars" TagName="VarsHeader" Src="vars.ascx" %>
<%@ Register TagPrefix="Header" TagName="ImageHeader" Src="main.ascx" %>

<%@ Import Namespace="System.Data.OleDb" %>
<%@ Import Namespace="System.Data" %>
<%@ Import Namespace="System" %>

<HTML>
    <HEAD>
        <script language="JScript" runat="server">
        /*
            Page Name:
                editInfo.aspx

            Description:
                Allows users ability to edit information.

            Language:  JScript
              Jscript Variables:
                  resultMessage : String      : used to tell when ID put in does not exist

              ASP Variables:
                  EDITID         : TextBox     : Used to input id being editted
                  editInfoBtn    : Button      : Click to edit information about a user
                  editPSBtn      : Button      : Click to edit a parent student relationship
                  editClassBtn   : Button      : Click to edit a class

              Session Variables:
                  Session[vars.editID] : used to keep track of user being edited
                  Session[vars.studentUID] : used to keep track of the student ID for Parent Student Relations
                  Session[vars.lastname] : used so tranfering to addStudent.aspx will work properly without making
                                          any changes to the page or having to create a new page.

              Functions:
                Funcs:
                    getUSERID: takes EDITID.Text, vars.userTable and is used in this page to see if the
                               value of EDITID.Text is an existing user id in the user Table.
                    getLastName: takes Session[vars.editID], vars.userTable to get the last name of the student's id
                                 in order to make the flow from this page to addStudent.aspx work properly.
                    classExists: takes EDITID.Text value to see if the value is an existing class id in the Class Table.
                Local:
                    editInfoButton_Click: used when the edit info button is clicked to execute getUSERID, set the Session[vars.editID]
                                          and transfer to the editUser page.
                    editPSButton_Click: used when the edit PS button is clicked to execute getUSERID, set the Session[vars.studentUID]
                                        and the Session[vars.lastname], and transfer to the addStudent page.
                    editClassButton_Click: used when the edit class button is clicked to execute classExists, set the Session[vars.editID]
                                           and transfer to the editClass page.
                    Page_Load: executes everytime the page is loaded and checks to
```

```
    see if there is a Session, if not it
                            transfers to the login page.

            Database:  Microsoft Access via SQL, applicationDB.mdb (defined via Web.config file)

        */

        var resultMessage : String = "";

        </script>
        <Vars:VarsHeader id="vars" runat="server"></Vars:VarsHeader>
        <Funcs:FuncsCommon id="funcs" runat="server"></Funcs:FuncsCommon>
        </HEAD>
        <body>
        <script language="JScript" runat="server">

         function editInfoButton_Click( sender : Object, events : EventArgs )
         {
            if (EDITID.Text == "" || funcs.getUSERID(EDITID.Text, vars.userTable) == -1)
            {
                EDITID.Text = ""
                resultMessage = "User ID does not exist."
                return;
            }
            else
            {
                Session[vars.editID] = EDITID.Text;
                Server.Transfer( vars.editUserPage );
            }
         }

         function editPSButton_Click( sender : Object, events : EventArgs )
         {

            if (EDITID.Text == "" || funcs.getUSERID(EDITID.Text, vars.userTable) == -1)
            {
                EDITID.Text = ""
                resultMessage = "User ID does not exist."
                return;
            }
            else
            {
                Session[vars.studentUID] = EDITID.Text;
                Session[vars.lastname] = funcs.getLastName(Session[vars.studentUID], vars.userTable)
                Server.Transfer( vars.addStudentPage );
            }
         }

         function editClassButton_Click( sender : Object, events : EventArgs )
         {
            if (EDITID.Text == "" || funcs.getClassID2(EDITID.Text) == -1)
            {
                EDITID.Text = ""
                resultMessage = "Class does not exist."
                return;
            }
            else
            {
                Session[vars.editID] = funcs.getClassID2(EDITID.Text);

                Server.Transfer( vars.editClassPage );
            }
```

```
        }


        function Page_Load( sender : Object, events : EventArgs )
        {
           if ( Session == null || Session[vars.usertype] == undefined )
              Server.Transfer (vars.loginPage);


        } // end Page_Load


       </script>
       <form id="Form1" runat="server">
           <Header:ImageHeader id="head" PageName="Edit Page" runat="server"></Header:ImageHeader>
           <p>If you are wanting to edit user information please put in their user id and click Edit User Info.
              If you are wanting to edit parent student relationships please put the students id number in the
              text box and click Edit PS. If you are wanting to edit a class then please insert the class
              name and click Edit Class.</p>
           <br />
           <div style="text-align: left">
               <table>
                   <tr>
                       <td style="width: 100px">
                           Edit <asp:TextBox id="EDITID" runat="server" Width="158px" Height="22px"></asp:TextBox>
                       </td>
                   </tr>
               </table>
           </div>
           <table>
           <tr>
                  <td style="width: 106px; height: 53px;" align="left">
                     <asp:button id="editInfoBtn" text="Edit User Info" OnClick="editInfoButton_Click" runat="server" width="100px" align="center"></asp:button>
                  </td>
                  <td style="width: 106px; height: 53px;" align="left">
                     <asp:button id="editPSBtn" text="Edit PS" OnClick="editPSButton_Click" runat="server" width="100px" align="center"></asp:button>
                  </td>
                  <td style="width: 106px; height: 53px;" align="left">
                     <asp:button id="editClassBtn" text="Edit Class" OnClick="editClassButton_Click" runat="server" width="100px" align="center"></asp:button>
                  </td>
           </tr>

       </table>
       <p>
           <%
           Response.Write( "<b>" + resultMessage + "</b>" );
           %>
       </p>
       </form>
    </body>
</HTML>
```

EditUser.aspx



```
<%@ Page Language="JScript" Debug="true" %>

<%@ Register TagPrefix="Funcs" TagName="FuncsCommon" Src="funcs.ascx" %>
<%@ Register TagPrefix="Vars" TagName="VarsHeader" Src="vars.ascx" %>
<%@ Register TagPrefix="Header" TagName="ImageHeader" Src="main.ascx" %>

<%@ Import Namespace="System.Data.OleDb" %>
<%@ Import Namespace="System.Data" %>
<%@ Import Namespace="System" %>

<HTML>
    <HEAD>
        <script language="JScript" runat="server">
       /*
            Page Name:
                editUser.aspx

            Description:
                Edit a user already in the database.

            Language:  JScript
              JScript Variables:

              ASP Variables:
                  GridView1 : GridView  : Holds all the information about a user
                  AccessDataSource1 : AccessDataSource : Allows us to get info and update it using SQL

              Session Variables:
                  Session[vars.eidtID] : used to keep track of the user being edited

              Functions:
                Local:
                    Page_Load: executes everytime the page is loaded and checks to see if there is a Session, if not it
                               transfers to the login page. In this page it uses the ASP variable AccessDataSource1.SelectCommand
                               to get all the user's information and store it in GridView1. It also uses the ASP variable
                               AccessDataSource1.UpdateCommand to update any of the fields being updated by the user.

              Database:  Microsoft Access via SQL, applicationDB.mdb (defined via Web.config file)
                  Table:   userTable
                      Fields:  UserId (key), Prefix, FirstName, MiddleName, LastName, Suffix, Address, City,
                               State, PostalCode, WorkPhone, CellPhone, FaxNum, AltPhone, EmailAddress, Password, Username
       */

        </script>

        <Vars:VarsHeader id="vars" runat="server"></Vars:VarsHeader>
        <Funcs:FuncsCommon id="funcs" runat="server"></Funcs:FuncsCommon>
        <link href="stylesheet.css" rel="stylesheet" type="text/css" />
        </HEAD>
        <body>
        <script language="JScript" runat="server">


         function Page_Load( sender : Object, events : EventArgs )
         {
            if ( Session == null || Session[vars.usertype] == undefined )
               Server.Transfer (vars.loginPage);

```

```
            //Select command used to get required data from the database
            AccessDataSource1.SelectCommand = "SELECT userTable.* FROM userTable WHERE (((userTable.UserID) = " + Session[vars.editID] + "))";

            //Update command used to update the users information
            AccessDataSource1.UpdateCommand = "UPDATE userTable SET Prefix = @Prefix, FirstName = @FirstName, MiddleName = @MiddleName, LastName = @LastName, Suffix = @Suffix, Address = @Address, City = @City, State = @State, PostalCode = @PostalCode, WorkPhone = @WorkPhone, CellPhone = @CellPhone, FaxNum = @FaxNum, HomePhone = @HomePhone, EmailAddress = @EmailAddress, Passwd = @Passwd WHERE (((UserID) = " + Session[vars.editID] + "))"

        } // end Page_Load


    </script>
    <form id="Form1" runat="server">
        <Header:ImageHeader id="head" PageName="Edit User Page" runat="server"></Header:ImageHeader>
        <p>To edit the user's information click the edit button on the far left and then go to the proper
           columns needing to be editted and edit it. When finished go back to the far left and click the
           update button to make the changes.</p>
        <asp:GridView ID="GridView1" runat="server" AutoGenerateColumns="False" AutoGenerateEditButton="True" DataKeyNames="UserID"
            DataSourceID="AccessDataSource1">
            <Columns>
                <asp:BoundField DataField="UserID" HeaderText="UserID" InsertVisible="False" ReadOnly="True"
                    SortExpression="UserID" />
                <asp:BoundField DataField="Prefix" HeaderText="Prefix" SortExpression="Prefix" >
                <ItemStyle Wrap="false" /> </asp:BoundField>
                <asp:BoundField DataField="FirstName" HeaderText="FirstName" SortExpression="FirstName" >
                <ItemStyle Wrap="false" /> </asp:BoundField>
                <asp:BoundField DataField="MiddleName" HeaderText="MiddleName" SortExpression="MiddleName" >
                <ItemStyle Wrap="false" /> </asp:BoundField>
                <asp:BoundField DataField="LastName" HeaderText="LastName" SortExpression="LastName" >
                <ItemStyle Wrap="false" /> </asp:BoundField>
                <asp:BoundField DataField="Suffix" HeaderText="Suffix" SortExpression="Suffix" >
                <ItemStyle Wrap="false" /> </asp:BoundField>
                <asp:BoundField DataField="Address" HeaderText="Address" SortExpression="Address" >
                <ItemStyle Wrap="false" /> </asp:BoundField>
                <asp:BoundField DataField="City" HeaderText="City" SortExpression="City" >
                <ItemStyle Wrap="false" /> </asp:BoundField>
                <asp:BoundField DataField="State" HeaderText="State" SortExpression="State" >
                <ItemStyle Wrap="false" /> </asp:BoundField>
                <asp:BoundField DataField="PostalCode" HeaderText="PostalCode" SortExpression="PostalCode" >
                <ItemStyle Wrap="false" /> </asp:BoundField>
                <asp:BoundField DataField="WorkPhone" HeaderText="WorkPhone" SortExpression="WorkPhone" >
                <ItemStyle Wrap="false" /> </asp:BoundField>
                <asp:BoundField DataField="CellPhone" HeaderText="CellPhone" SortExpression="CellPhone">
                <ItemStyle Wrap="false" /> </asp:BoundField>
                <asp:BoundField DataField="FaxNum" HeaderText="FaxNum" SortExpression="FaxNum" >
```

```
                    <ItemStyle Wrap="false" /> </asp:BoundField>
                    <asp:BoundField DataField="HomePhone" HeaderText="HomePhone" SortExpression="HomePhone" >
                    <ItemStyle Wrap="false" /> </asp:BoundField>
                    <asp:BoundField DataField="EmailAddress" HeaderText="EmailAddress" SortExpression="EmailAddress" >
                    <ItemStyle Wrap="false" /> </asp:BoundField>
                    <asp:BoundField DataField="Passwd" HeaderText="Passwd" SortExpression="Passwd" >
                    <ItemStyle Wrap="false" /> </asp:BoundField>
                </Columns>
            </asp:GridView>
            <asp:AccessDataSource ID="AccessDataSource1" runat="server" datafile="E:\iw3htp\School2\applicationDB.mdb">
            </asp:AccessDataSource>
        </form>
    </body>
</HTML>
```

EditClass.aspx



```
<%@ Page Language="JScript" Debug="true" %>

<%@ Register TagPrefix="Funcs" TagName="FuncsCommon" Src="funcs.ascx" %>
<%@ Register TagPrefix="Vars" TagName="VarsHeader" Src="vars.ascx" %>
<%@ Register TagPrefix="Header" TagName="ImageHeader" Src="main.ascx" %>

<%@ Import Namespace="System.Data.OleDb" %>
<%@ Import Namespace="System.Data" %>
<%@ Import Namespace="System" %>

<HTML>
    <HEAD>
        <script language="JScript" runat="server">
       /*
            Page Name:
                editClass.aspx

            Description:
                Edit a class already in the database.

            Language:  JScript
              JScript Variables:

              ASP Variables:
                  GridView1 : GridView  : Holds all the information about a class
                  AccessDataSource1 : AccessDataSource : Allows us to get info and update it using SQL

              Session Variables:
                  Session[vars.editID] : used to keep track of the class being edited

              Functions:
                Local:
                    Page_Load: executes everytime the page is loaded and checks to see if there is a Session, if not it
                               transfers to the login page. In this page it uses the ASP variable AccessDataSource1.SelectCommand
                               to get all the class's information and store it in GridView1. It also uses the ASP variable
                               AccessDataSource1.UpdateCommand to update any of the fields being updated by the user.

              Database:  Microsoft Access via SQL, applicationDB.mdb (defined via Web.config file)
                  Table:   Class
                      Fields:  ClassId (key), CourseID, Username, rmID, YearTermID, Period
       */

        </script>

        <Vars:VarsHeader id="vars" runat="server"></Vars:VarsHeader>
        <Funcs:FuncsCommon id="funcs" runat="server"></Funcs:FuncsCommon>
        <link href="stylesheet.css" rel="stylesheet" type="text/css" />
        <link href="stylesheet.css" rel="stylesheet" type="text/css" />
        </HEAD>
        <body>
        <script language="JScript" runat="server">


         function Page_Load( sender : Object, events : EventArgs )
         {
            if ( Session == null || Session[vars.usertype] == undefined )
               Server.Transfer (vars.loginPage);

            //Select command used to get required data from the database
```

```
            AccessDataSource1.SelectCommand = "SELECT Class.* FROM Class WHERE (((Class.ClassID) = " + Session[vars.editID] + "))";

            //Update command used to update the users information
            AccessDataSource1.UpdateCommand = "UPDATE Class SET TeacherID = @TeacherID, rmID = @rmID, Period = @Period WHERE (((ClassID) = " + Session[vars.editID] + ") AND EXISTS ( SELECT isTeacher.UserID FROM isTeacher WHERE isTeacher.UserID = @TeacherID ) AND EXISTS ( SELECT Room.rmID FROM Room WHERE Room.rmID = @rmID ))"

        } // end Page_Load

    </script>
    <form id="Form1" runat="server">
        <Header:ImageHeader id="head" PageName="Edit Class Page" runat="server"></Header:ImageHeader>
        <p>Here you can edit the class in case of teacher change, room change, or period change. If you input
            an ID for a teacher that does not exist it will not input that ID and will leave the one in there.
            Same goes for the room ID if it does not exist. You may have more than one option so make sure you
            edit the one with the correct teacher id.</p>
        <br />
        <asp:GridView ID="GridView1" runat="server" AutoGenerateColumns="False" AutoGenerateEditButton="True" DataKeyNames="ClassID"
            DataSourceID="AccessDataSource1">
            <Columns>
                <asp:BoundField DataField="ClassID" HeaderText="ClassID" InsertVisible="False" ReadOnly="True"
                    SortExpression="ClassID" />
                <asp:BoundField DataField="CourseID" HeaderText="CourseID" SortExpression="CourseID" ReadOnly="True"/>
                <asp:BoundField DataField="TeacherID" HeaderText="TeacherID" SortExpression="TeacherID" />
                <asp:BoundField DataField="rmID" HeaderText="rmID" SortExpression="rmID" />
                <asp:BoundField DataField="YearTermID" HeaderText="YearTermID" SortExpression="YearTermID" ReadOnly="True"/>
                <asp:BoundField DataField="Period" HeaderText="Period" SortExpression="Period" />
            </Columns>
        </asp:GridView>
        <asp:AccessDataSource ID="AccessDataSource1" runat="server" datafile="E:\iw3htp\School2\applicationDB.mdb">
        </asp:AccessDataSource>
    </form>
</body>
</HTML>
```

Logout.aspx

```
<%@ Page Language="JScript" Debug="true" %>

<%@ Import Namespace="System" %>
<%@ Import Namespace="System.Data" %>
<%@ Import Namespace="System.Data.OleDb" %>

<%@ Register TagPrefix="Vars" TagName="VarsHeader" Src="vars.ascx" %>
<%@ Register TagPrefix="Funcs" TagName="FuncsCommon" Src="funcs.ascx" %>

<html>
   <head>
      <script language = "JScript" runat = "server">
       /*
            Page Name:
                logout.aspx

            Description:
                Logout user.  Delete session information
                I use a meta tag to refresh the logout page because when the user first clicks to log out it will abandon the
                session deleting everything and freeing the memory. This will cause vars.usertype to be undefined which
                when we refresh will cause the page to be transfered to the log in page.

            Functions:
                Local:
                    Page_Load: executes everytime the page is loaded and checks to see if there is a Session, if not it
                               transfers to the login page. In this page we abandon the session when there is one meaning
                               someone is logging out so we abandon the session and in this page ther is a refresh meta tag
                               that refreshed the page to transfer it back to the login page.

            Language:  JScript, ASP
       */

       </script>

         <Vars:VarsHeader id = "vars" runat = "server">  </Vars:VarsHeader>
         <Funcs:FuncsCommon id = "funcs" runat = "server">  </Funcs:FuncsCommon>
         <meta http-equiv="refresh" content="0">
    </head>

    <body>
      <script language = "JScript" runat = "server">
         function Page_Load( sender : Object, events : EventArgs )
         {
            if (Session[vars.usertype] == undefined)//check to see if session has been abandoned
            {
                Server.Transfer( vars.loginPage );//if so transfer login page
            }
            else
            {
                Session.Abandon();//if not abandon session
            }
         } // end Page_Load
      </script>
   </body>
</html>
```