

This is my senior portfolio, completed on November 25, 2008, which contains the following programs, ethics papers, and presentations:

Programs:

COIN 315: Anagram Maker

COIN 325: Bubble Sort

COIN 332: Merchant's Alley (Commercial Website)

COIN 333: Lab 11 (Perl scripting)

Ethics Papers:

COIN 315: Ethical Discussion of Online Gambling

COIN 325: An Analysis of the CSU Code of Conduct as it Relates to the Internet

COIN 333: Ethics of Personal Information Privacy

Presentations:

COIN 497: Senior Project Design Presentation

COIN 497: Senior Project Update Presentation

COIN 315: Anagram Maker

Grade Received: 95

Language Written In: C++

```
// Student Name: Benji Powell
// Project Name: Anagram Maker
// Creation Date: 11/25/2008
// Last Modified Date: 4/19/2008
// COIN Course: COIN 315
// Grade Received: 95

#include <iostream>
#include <fstream>
#include <string>
#include <vector>
using namespace std;

class AnagramMaker {
public:
    AnagramMaker(const std::string &dictionaryFile);
    int findAnagrams(const std::string &input, const bool &print);

private:
    bool AnagramMaker::subtract(string& str1, string str2);
    void findAnagrams(string input, unsigned int i, const bool& print, string& output);
    ifstream in;
    string fileName;
    string out;
    string inputPhrase;
    vector<string> vec;
    vector<string> anagrams;
};
```

```
#include <iostream>
#include <fstream>
#include <string>
#include <vector>
#include "AnagramMaker.h"
using namespace std;

AnagramMaker::AnagramMaker(const std::string &dictionaryFile)
{
    // Open the file.
    fileName = dictionaryFile;
    in.open(dictionaryFile.c_str());

    // Read the file into a vector.
    vec.reserve(1000);
    string temp;
    int index = 0;
    while(!in.eof())
    {
        getline(in, temp);
        vec.push_back(temp);
        index++;
    }
    // Close the file.
    in.close();
}

int AnagramMaker::findAnagrams(const std::string &input, const bool &print)
{
    inputPhrase = input;
    findAnagrams(input, 0, print, out);
    return 0;
}

void AnagramMaker::findAnagrams(string input, unsigned int i, const bool& print, string& out)
{
    // Get rid of spaces.
    for(unsigned int j = 0; j < input.length(); j++)
    {
        if(input[j] == ' ') input.erase(j, 1);
    }

    // Base case; dictionary has been iterated through.
    if(i == vec.size())
    {
        cout << "All valid anagrams found." << endl;
        return;
    }

    // Get next word of the dictionary; "subtract" off the letters in the word from the
    input.
    for(i; i < vec.size(); i++)
    {
        bool subCheck = false;
        subCheck = subtract(input, vec[i]);
        if(subCheck)
        {
            out.append(vec[i]);
            out.append(" ");
            // Recursive case; pick another word and repeat.
            findAnagrams(input, i, print, out);
        }

        // Base case; string is empty, all letters "subtracted."
        if(input.length() == 0 && print == true)
```

```
{
    cout << out << endl;
    input = inputPhrase;
    out = "";
    findAnagrams(input, i, true, out);
}
else if(input.length() == 0)
{
    anagrams.push_back(out);
    input = inputPhrase;
    out = "";
    findAnagrams(input, i, false, out);
}
}

bool AnagramMaker::subtract(string& str1, string str2)
{
    string temp = str1;

    for(unsigned int i = 0; i < str1.length(); i++)
    {
        for(unsigned int j = 0; j < str2.length(); j++)
        {
            if(str1[i] == str2[j])
            {
                str1 = str1.substr(0, i) + str1.substr(i + 1, str1.size() - i);
                str2 = str2.substr(0, j) + str2.substr(j + 1, str2.size() - j);
                i = -1;
                j = -1;
                break;
            }
        }
    }
    if(str2.length() != 0)
    {
        str1 = temp;
        return false;
    }
    else return true;
}
```

```
#include <iostream>
#include <fstream>
#include <string>
#include <vector>
#include "AnagramMaker.h"
using namespace std;

void main()
{
    AnagramMaker am("dict1.txt");

    am.findAnagrams("barbara bush", true);

    cout << endl;
}
```


COIN 325: Bubble Sort

Grade Received: 82

Language Written In: Java


```
// Student Name: Benji Powell
// Program Name: Bubble Sort
// Creation Date: 11/24/2008
// Last Modified Date: 11/18/2007
// COIN Course: COIN 325
// Grade Received: 82

// Exercise 16.5 - BubbleSort.java

import java.util.Random;

public class BubbleSort
{
    Random randomNumbers = new Random();

    int[] array;

    public void sort(int x)
    {
        // create array of size x
        array = new int[x];

        // initialize array values
        for(int i = 0; i < x; i++)
        {
            array[i] = 1 + randomNumbers.nextInt(100);
        }

        // run sort
        for(int i = 0; i < x - 1; i++)
        {
            if(array[i] > array[i + 1])
            {
                swap(i, array[i], array[i + 1]);
                i = 0;
            }
            else
            {
                continue;
            }
            printArray(x);
            System.out.println();
        } // end for

    } // end method sort

    // method to swap numbers
    public void swap(int place, int x, int y)
    {
        int temp = y;
        array[place + 1] = array[place];
        array[place] = temp;
    } // end method swap

    // method to print the array
    public void printArray(int x)
    {
        for(int i = 0; i < x; i++)
        {
            System.out.printf("%d ", array[i]);
        }
    } // end method print
} // end class
```

```
// Exercise 16.5 - BubbleSortTest.java
```

```
import java.util.Scanner;
```

```
public class BubbleSortTest
```

```
{
```

```
    public static void main(String args[])
```

```
    {
```

```
        Scanner input = new Scanner(System.in);
```

```
        int size;
```

```
        System.out.print("Enter the size of the array: ");
```

```
        size = input.nextInt();
```

```
        BubbleSort application = new BubbleSort();
```

```
        application.sort(size);
```

```
    }
```

```
}
```

Administrator: Command Prompt

C:\Users\Administrator\Desktop>java BubbleSortTest

Enter the size of the array: 10

? 34 55 91 35 12 84 49 27 41

? 34 55 35 91 12 84 49 27 41

? 34 35 55 91 12 84 49 27 41

? 34 35 55 12 91 84 49 27 41

? 34 35 12 55 91 84 49 27 41

? 34 12 35 55 91 84 49 27 41

? 12 34 35 55 91 84 49 27 41

? 12 34 35 55 84 91 49 27 41

? 12 34 35 55 84 49 91 27 41

? 12 34 35 55 49 84 91 27 41

? 12 34 35 49 55 84 91 27 41

? 12 34 35 49 55 84 27 91 41

? 12 34 35 49 55 27 84 91 41

? 12 34 35 49 27 55 84 91 41

? 12 34 35 27 49 55 84 91 41

? 12 34 27 35 49 55 84 91 41

? 12 27 34 35 49 55 84 91 41

? 12 27 34 35 49 55 84 41 91

? 12 27 34 35 49 55 41 84 91

? 12 27 34 35 49 41 55 84 91

? 12 27 34 35 41 49 55 84 91

C:\Users\Administrator\Desktop>

COIN 332: Merchant's Alley (Commercial Website)

Grade Received: 70

Language Written In: HTML / Visual Basic

```
<%--Student Name: Benji Powell
Project Name: Merchant's Alley
Created Date: 4/22/2008
Last Modified Date: 4/23/2008
COIN Class: COIN 332
Grade Received: 70 --%>
```

```
<%@ Page Language="VB" AutoEventWireup="false" CodeFile="inventory.aspx.vb" Inherits=
    "_Default" %>
```

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/
    xhtml1/DTD/xhtml1-transitional.dtd">
```

```
<html xmlns="http://www.w3.org/1999/xhtml">
```

```
<head runat="server">
```

```
    <title>Merchant's Alley - Inventory</title>
```

```
    <style type="text/css">
```

```
<!--
```

```
body {background-color: #000000; text-align: center; color: white}
```

```
-->
```

```
</style>
```

```
<script runat="server">
```

```
    Dim total As Double = 0
```

```
    Sub Calculate(ByVal sender As Object, ByVal e As EventArgs)
```

```
        If CheckBox1.Checked Then
```

```
            total += 59.99
```

```
        End If
```

```
        If CheckBox2.Checked Then
```

```
            total += 29.99
```

```
        End If
```

```
        If CheckBox3.Checked Then
```

```
            total += 16.99
```

```
        End If
```

```
        If CheckBox4.Checked Then
```

```
            total += 20.99
```

```
        End If
```

```
        If CheckBox5.Checked Then
```

```
            total += 20.99
```

```
        End If
```

```
        If CheckBox6.Checked Then
```

```
            total += 12.99
```

```
        End If
```

```
        If CheckBox7.Checked Then
```

```
            total += 21.99
```

```
        End If
```

```
        If CheckBox8.Checked Then
```

```
            total += 6.99
```

```
        End If
```

```
        If CheckBox9.Checked Then
```

```
            total += 2.99
```

```
        End If
```

```
        If CheckBox10.Checked Then
```

```
            total += 139.99
```

```
        End If
```

```
        Label1.Text = "$" & FormatCurrency(total, 2)
```

```
        Label2.Text = FormatCurrency("$" & total + (0.06 * total), 2)
```

```
    End Sub
```

```

</script>
</head>
<body>
  <form id="form1" runat="server">
    <div>
      &nbsp;<br />
      <br />
      <asp:Label ID="Label3" runat="server"></asp:Label><br />
      <br />
      <table style="width: 700px">
        <tr>
          <td style="width: 200px; height: 66px;">
            </td>
          <td style="width: 400px; height: 66px;">
            <strong><em>Clouded Horizons</em></strong> (PC only)<br />
            Description: The vaunted first game developed at <em>Flex Designs
, Ltd.</em> arrives
as you explore
in a bid to stop
            at last! Join Angel, Darius, Ben, and a host of other characters
            the fascinating world of Gaia and battle all manner of creatures
            the plans of the Pillars of Fate and Destiny, among others.<br />
            Best played in 1280 x 1024 resolution.</td>
          <td style="width: 100px">
            Price: $59.99<br />
            <br />
            <asp:CheckBox ID="CheckBox1" AutoPostBack="True" oncheckedchanged
="Calculate" runat="server" Text="Buy" /></td>
        </tr>
        <tr>
          <td style="width: 200px">
            </td>
          <td style="width: 400px">
            <strong><em>Clouded Horizons</em></strong> <em><strong>Strategy
Guide<br />
epic game and have
, Ltd.</em>, we're
experience our games. With
handle any situation
guide to <em>cheat</em>,
            </strong></em>Description: Sometimes, you just get stuck in an
            no idea where to go. We understand that. Here at <em>Flex Designs
            dedicated to giving you the best possible opportunity to
            all of the hints, tips, secrets, and sidebars, you'll be ready to
            you are thrown into. After all, it's not like you're using the
            right? Right.</td>
          <td style="width: 100px">
            Price: $29.99<br />
            <br />
            <asp:CheckBox ID="CheckBox2" AutoPostBack="True" oncheckedchanged
="Calculate" runat="server" Text="Buy" /></td>
        </tr>
        <tr>
          <td style="width: 200px">
            </td>
          <td style="width: 400px">
            <strong><em>Clouded Horizons - Tenmei no Senshi<br />
            </em></strong>Description: Music offers a window into the soul.
This character album,
of music seen
both in and out
            dedicated to Ben and his other half, Manes, offers a wide variety
            in <em>Clouded Horizons</em> dedicated to these two characters,
            of combat. Album contains 2 CDs, 24 songs total.</td>
          <td style="width: 100px">

```

```

        Price: $16.99<br />
        <br />
        <asp:CheckBox ID="CheckBox3" AutoPostBack="True" oncheckedchanged✓
="Calculate" runat="server" Text="Buy" /></td>
    </tr>
    <tr>
        <td style="width: 200px">
            </td>
        <td style="width: 400px">
            <strong><em>Clouded Horizons - Journey of the Heart<br />
            </em></strong>Description: Music offers a window into the soul. ✓
This character album,
            dedicated to Ein, Andréa, and Etchel Beoulve, offers a wide ✓
variety of music seen
            in <em>Clouded Horizons</em> dedicated to these characters, both ✓
in and out of combat.
            Album contains 3 CDs, 36 songs total.</td>
        <td style="width: 100px">
            Price: $20.99<br />
            <br />
            <asp:CheckBox ID="CheckBox4" AutoPostBack="True" oncheckedchanged✓
="Calculate" runat="server" Text="Buy" /></td>
    </tr>
    <tr>
        <td style="width: 200px">
            </td>
        <td style="width: 400px">
            <strong><em>Clouded Horizons - Under A Full Moon<br />
            </em></strong>Description: Music offers a window into the soul. ✓
This character album,
            dedicated to Celes Chère, Drante Vego, and Destine, offers a wide✓
variety of music
            seen in <em>Clouded Horizons</em> dedicated to these characters, ✓
both in and out
            of combat. Album contains 3 CDs, 36 songs total.</td>
        <td style="width: 100px">
            Price: $20.99<br />
            <br />
            <asp:CheckBox ID="CheckBox5" AutoPostBack="True" oncheckedchanged✓
="Calculate" runat="server" Text="Buy" /></td>
    </tr>
    <tr>
        <td style="width: 200px">
            </td>
        <td style="width: 400px">
            <strong><em>"Supreme Commander Wants You" T-Shirt<br />
            </em></strong>Description: Attention! The United Ovis Aries have ✓
fallen under attack
            by their eternal oppressors! Call your forces to combat with this✓
rousing T-shirt,
            and watch as the forces of evil flee in terror from the onslaught✓
of wool and teeth.
            Shirt available in S, M, L, and XL with "The Supreme Commander of✓
the United Ovis
            Aries wants <em>you</em>." on front.</td>
        <td style="width: 100px">
            Price: $12.99<br />
            <br />
            <asp:CheckBox ID="CheckBox6" AutoPostBack="True" oncheckedchanged✓
="Calculate" runat="server" Text="Buy" /></td>
    </tr>
    <tr>
        <td style="width: 200px">
            </td>
        <td style="width: 400px">
            <strong><em>Clouded Horizons (Novelization)<br />

```

```

        </em></strong>Description: You've played the game, now enjoy the
world of <em>Clouded
        Horizons </em>in printed format with this full-length novel.
</td>
        <td style="width: 100px">
            Price: $21.99<br />
            <br />
            <asp:CheckBox ID="CheckBox7" AutoPostBack="True" oncheckedchanged
="Calculate" runat="server" Text="Buy" /></td>
        </tr>
        <tr>
            <td style="width: 200px">
                </td>
            <td style="width: 400px">
                <strong><em>Character Poster</em></strong><br />
                Description: When screenshots just aren't enough. Honor the three
main leads of
                <em>Clouded Horizons </em>with this bright poster to adorn your
wall. Poster is
                36" by 15" with images of Angel, Ben and Darius.</td>
            <td style="width: 100px">
                Price: $6.99<br />
                <br />
                <asp:CheckBox ID="CheckBox8" AutoPostBack="True" oncheckedchanged
="Calculate" runat="server" Text="Buy" /></td>
        </tr>
        <tr>
            <td style="width: 200px">
                </td>
            <td style="width: 400px">
                <strong><em>Clouded Horizons Mouse Pad</em></strong><br />
                Description: Tired of old, worn-out mouse pads that impair your
controls to the
                point of frustration? Let this <em>Clouded Horizons</em> mouse
pad solve your problems
                by bringing the power of Alchemy to your computer desk.</td>
            <td style="width: 100px">
                Price: $2.99<br />
                <br />
                <asp:CheckBox ID="CheckBox9" AutoPostBack="True" oncheckedchanged
="Calculate" runat="server" Text="Buy" /></td>
        </tr>
        <tr>
            <td style="width: 200px">
                </td>
            <td style="width: 400px">
                <strong><em>Atma Weapon</em><br />
                </em></strong>Description: You've watched Angel defeat hundreds
of enemies with
                his trusty blade, but now you can have the opportunity to own
this special item
                for yourself. This replica of the Atma Weapon is entirely to
scale, measuring 40"
                long from tip to hilt. This is a display item only and is not
meant for actual combat
                use.</td>
            <td style="width: 100px">
                Price: $139.99<br />
                <br />
                <asp:CheckBox ID="CheckBox10" AutoPostBack="True"
oncheckedchanged="Calculate" runat="server" Text="Buy" /></td>
        </tr>
    </table>
</div>
<br />
<span style="font-size: 20pt">Subtotal:

```



```
        <asp:Label ID="Label1" runat="server"></asp:Label></span>
    <br />
    <span style="font-size: 20pt">Total:
        <asp:Label ID="Label2" runat="server"></asp:Label></span>
</form>
</body>
</html>
```

```
Partial Class _Default
    Inherits System.Web.UI.Page
    Protected Sub Page_Load(ByVal sender As Object, ByVal e As System.EventArgs) Handles Me.Load ✓
        Label3.Text = "Welcome, " & Session("name") & "!"
    End Sub
End Class
```

[illegible]

```
Imports System.Data.OleDb
Imports System.Data
Partial Class _Default
    Inherits System.Web.UI.Page

    Protected Sub Button1_Click(ByVal sender As Object, ByVal e As System.EventArgs) ✓
        Handles Button1.Click
            Dim oConn As OleDbConnection
            Dim oCmd As OleDbCommand
            Dim sConnString As String
            Dim username As String = Request("name")

            sConnString = "Provider=Microsoft.Jet.OLEDB.4.0; Data Source=" & Server.MapPath( ✓
"UserDB.mdb")
            oConn = New OleDbConnection(sConnString)
            oConn.Open()
            oCmd = New OleDbCommand()

            oCmd.Connection = oConn
            oCmd.CommandType = CommandType.Text
            oCmd.CommandText = "UPDATE Users SET Password='" & TextBox1.Text & "' WHERE ✓
Username='" & username & "'"
            Response.Redirect("inventory.aspx?name='" & username & "'")
            oConn.Close()
            oConn = Nothing
        End Sub
    End Class
```

```
<%@ Page Language="VB" AutoEventWireup="false" CodeFile="error.aspx.vb" Inherits=
    "_Default" %> ✓

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/
    xhtml1/DTD/xhtml1-transitional.dtd"> ✓

<html xmlns="http://www.w3.org/1999/xhtml" >
<head runat="server">
    <title>Merchant's Alley - Log In</title>
<style type="text/css">
<!--
body {background-color: #000000; text-align: center; color: white}
-->
</style>
</head>
<body>
    <form id="form1" runat="server">
        <div><img src = "Untitled-1.png" alt = "" />
            <br />
            <br />
            Error: Incorrect username/password. Please re-enter your information and try ✓
            again.
            <br />
            <br />
            Username: &nbsp; &nbsp; &nbsp; &nbsp; &nbsp;
            <asp:TextBox ID="TextBox1" runat="server"></asp:TextBox><br />
            <br />
            Password: &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp;
            <asp:TextBox ID="TextBox2" runat="server"></asp:TextBox><br />
            <br />
            <asp:Button ID="Button1" runat="server" Text="Log In" /></div>
        </form>
    </body>
</html>
```

```
Imports System.Data.OleDb
Imports System.Data
Partial Class _Default
    Inherits System.Web.UI.Page
    Dim Verify As Boolean
    Protected Sub Button1_Click(ByVal sender As Object, ByVal e As System.EventArgs) ✓
        Handles Button1.Click
            Dim oConn As OleDbConnection
            Dim oCmd As OleDbCommand
            Dim sConnString As String
            Dim oDR As OleDbDataReader
            Dim command As String

            sConnString = "Provider=Microsoft.Jet.OLEDB.4.0; Data Source=" & Server.MapPath( ✓
"UserDB.mdb")
            oConn = New OleDbConnection(sConnString)
            oConn.Open()
            command = "SELECT Password FROM Users where Username =" & TextBox1.Text & ""

            oCmd = New OleDbCommand(command, oConn)

            Try
                oDR = oCmd.ExecuteReader()
                While oDR.Read()
                    If (oDR.Item("Password") = TextBox2.Text) Then
                        Verify = True
                        Response.Redirect("inventory.aspx?name=" & TextBox1.Text)
                    Else
                        Response.Redirect("error.aspx")
                        'Response.Write("Invalid username or password. Please re-enter your ✓
information.")
                    End If
                End While
                oDR.Close()
            Catch
                Response.Write("Your information is not in our database. Please register your ✓
account.")
            End Try
            oConn.Close()
            oConn = Nothing
        End Sub
    End Class
```

```
<%@ Page Language="VB" AutoEventWireup="false" CodeFile="login.aspx.vb" Inherits=
    "_Default" %>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/
    xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml" >
<head runat="server">
    <title>Merchant's Alley - Log In</title>
<style type="text/css">
<!--
body {background-color: #000000; text-align: center; color: white}
-->
</style>
</head>
<body>
    <form id="form1" runat="server">
        <div><img src = "Untitled-1.png" alt = "" />
            <br />
            <br />
            Username: &nbsp; &nbsp; &nbsp;
            <asp:TextBox ID="TextBox1" runat="server"></asp:TextBox><br />
            <br />
            Password: &nbsp; &nbsp; &nbsp; &nbsp; &nbsp;
            <asp:TextBox ID="TextBox2" runat="server"></asp:TextBox><br />
            <br />
            <asp:Button ID="Button1" runat="server" Text="Log In" /><br />
            <br />
            New user? Register here!<br />
            <br />
            Username: &nbsp; &nbsp; &nbsp; &nbsp; &nbsp;
            <asp:TextBox ID="TextBox3" runat="server"></asp:TextBox><br />
            <br />
            <asp:Button ID="Button2" runat="server" Text="Register" /></div>
    </form>
</body>
</html>
```

```

Imports System.Data.OleDb
Imports System.Data
Partial Class _Default
    Inherits System.Web.UI.Page
    Dim Verify As Boolean
    Protected Sub Page_Load(ByVal sender As Object, ByVal e As System.EventArgs) Handles Me.Load
        Verify = False
    End Sub
    Protected Sub Button1_Click(ByVal sender As Object, ByVal e As System.EventArgs) Handles Button1.Click
        Dim oConn As OleDbConnection
        Dim oCmd As OleDbCommand
        Dim sConnString As String
        Dim oDR As OleDbDataReader
        Dim command As String

        sConnString = "Provider=Microsoft.Jet.OLEDB.4.0; Data Source=" & Server.MapPath("UserDB.mdb")
        oConn = New OleDbConnection(sConnString)
        oConn.Open()
        command = "SELECT Password FROM Users where Username =" & TextBox1.Text & ""

        oCmd = New OleDbCommand(command, oConn)

        Try
            oDR = oCmd.ExecuteReader()
            While oDR.Read()
                If (oDR.Item("Password") = TextBox2.Text) Then
                    Verify = True
                    Response.Redirect("inventory.aspx?name=" & TextBox1.Text)
                Else
                    Response.Redirect("error.aspx")
                End If
            End While
            oDR.Close()
        Catch
            Response.Write("Your information is not in our database. Please register your account.")
        End Try
        oConn.Close()
        oConn = Nothing
    End Sub
    Protected Sub Button2_Click(ByVal sender As Object, ByVal e As System.EventArgs) Handles Button2.Click
        Dim oConn As OleDbConnection
        Dim oCmd As OleDbCommand
        Dim sConnString As String

        sConnString = "Provider=Microsoft.Jet.OLEDB.4.0; Data Source=" & Server.MapPath("UserDB.mdb")
        oConn = New OleDbConnection(sConnString)
        oConn.Open()
        oCmd = New OleDbCommand()

        oCmd.Connection = oConn
        oCmd.CommandType = CommandType.Text
        oCmd.CommandText = "INSERT INTO Users (Username) VALUES (" & TextBox3.Text & ")"

        oCmd.ExecuteNonQuery()
        Response.Write(oCmd.CommandText & "<br/>")

        oConn.Close()
        oConn = Nothing
        Verify = True
        Session("name") = TextBox3.Text
    End Sub
End Class

```



```
        Response.Redirect("confirmAccount.aspx?name=" & TextBox3.Text)
    End Sub
End Class
```

Merchant's Alley - Inventory - Windows Internet Explorer

http://localhost:10787/Merchant's%20Alley/inventory.aspx

File Edit View Favorites Tools Help

Merchant's Alley - Inventory

Merchant's Alley

Your one stop shop for *Clouded Horizons* merchandise

Welcome, !

Clouded Horizons (PC only)

Description: The vaunted first game developed at *Flex Designs, Ltd.* arrives at last! Join Angel, Darius, Ben, and a host of other characters as you explore the fascinating world of Gai and battle all manner of creatures in a bid to stop the plans of the Pillars of Fate and Destiny, among others.
Best played in 1280 x 1024 resolution.

Price: \$49.99

Clouded Horizons Strategy Guide

Description: Sometimes, you just get stuck in an epic game and have no idea where to go. We understand that. Here at *Flex Designs, Ltd.*, we're dedicated to giving you the best possible opportunity to experience our games. With all of the hints, tips, secrets, and sidebars, you'll be ready to handle any situation you are thrown into. After all, it's not like you're using the guide to cheat, right? Right.

Price: \$29.99

Clouded Horizons - Tenmei no Senshi

Description: Music offers a window into the soul. This character album, dedicated to Ben and his other half, Manes, offers a wide variety of music seen in *Clouded Horizons* dedicated to these two characters, both in and out of combat. Album contains 2 CDs, 24 songs total.

Price: \$16.99

Clouded Horizons - Journey of the Heart

Description: Music offers a window into the soul. This character album, dedicated to Ein, Andrea, and Litchel Droulve, offers a

Price: \$20.99

Internet | Protected Mode: ON

Document | Micro | Merchant's Alley (R...) | Merchant's Alley | Merchant's Alley | 12:01 PM

COIN 333: Lab 11

Grade Received: Unknown

Language Written In: Perl

lab11

```
# Student Name: Benji Powell
# Project Name: Lab 11
# Creation Date: 11/19/2008
# Last Modified Date: 11/19/2008
# COIN Course: COIN 333
# Grade Received:
```

```
#lab11-1
```

```
%daysOfWeek = (
    Sunday => 1,
    Monday => 2,
    Tuesday => 3,
    Wednesday => 4,
    Thursday => 5,
    Friday => 6,
    Saturday => 7,
);

sub byValue {
    return $daysOfWeek{$a} <=> $daysOfWeek{$b};
}

foreach $item (sort byValue keys %daysOfWeek)
{
    print "Key $item has value $daysOfWeek{$item}\n";
}

print "\n";
```

```
#lab 11-2
```

```
@dates = qw ("2/3/2007", "12/4/2006", "9/5/2008", "3/14/2007", "12/1/2006");

foreach $item (sort byDateNumber @dates)
{
    print "$item\n";
}

sub byDateNumber {
    ($monthA, $dayA, $yearA) = $a =~ m#(\d+)/(\d+)/(\d+)#;
    ($monthB, $dayB, $yearB) = $b =~ m#(\d+)/(\d+)/(\d+)#;

    # do the comparison
    if($yearA != $yearB) {return $yearA <=> $yearB;}
    elsif($monthA != $monthB) {return $monthA <=> $monthB;}
    return $dayA <=> $dayB;
}

print "\n";
```

```
#lab 11-3
```

```
@dates2 = ("Feb 3, 2007", "Dec 4, 2006", "Sep 5, 2008", "Mar 14, 2007", "Dec 1, 2006");

%monthsOfYear = (
    Jan => 1,
    Feb => 2,
    Mar => 3,
    Apr => 4,
    May => 5,
    Jun => 6,
```

lab11

```
Jul => 7,
Aug => 8,
Sep => 9,
Oct => 10,
Nov => 11,
Dec => 12,
);

foreach $item (sort byDateWord @dates2)
{
    print "$item\n";
}

sub byDateWord {
    ($monthA, $dayA, $yearA) = $a =~ m#([A-Z a-z]{3}) (\d+), (\d+)#;
    ($monthB, $dayB, $yearB) = $b =~ m#([A-Z a-z]{3}) (\d+), (\d+)#;

    # use the hash to find out what number month each month is
    $monthA = $monthsOfYear{$monthA};
    $monthB = $monthsOfYear{$monthB};

    # do the comparison
    if($yearA != $yearB) {return $yearA <=> $yearB;}
    elsif($monthA != $monthB) {return $monthA <=> $monthB;}
    return $dayA <=> $dayB;
}
```



COIN 315: Ethics Paper – Ethical Discussion of Online Gambling

Grade Received: 80

Ethical Discussion of Online Gambling

Benji Powell

COINS 315

1/30/08

Benji Powell

Gary Underwood

COINS 315

January 30, 2008

Ethical Discussion of Online Gambling

Online gambling is a relatively new industry to the online world, but it is one that appears to be a very lucrative industry – back in 2005, statistics reported that the industry had boasted revenue of \$42.7 million, a number that jumped up to nearly double that at \$77.2 million the following year (GPress 1). The numbers seem incredibly surprising for an industry that has likely been around only a maximum of 15 to 20 years, not to mention regulated and controlled heavily by a number of acts in the United States. There are, as of the year 2007, approximately 12 federal laws that pertain to gambling in some way, shape, or form (GLaw 2).

One of the most recent, signed into law by President Bush on October 13, 2006, is the Unlawful Internet Gambling Enforcement Act of 2006 (GLaw 3). The law adds a fourth subchapter with seven sections, listed as 5361 to 5367, to the existing Title 31 of the United States Code. Of these sections, “Section 5363 bans and Section 5366 criminalizes the acceptance of funds from bettors by operators of most online gambling websites. Section 5364 requires financial institutions to adopt procedures and policies designed to block the flow of prohibited funding to the operators of the affected online gambling websites. Section 5365 gives federal and state attorneys general the power to seek civil remedies to help enforce the other provisions of the Act (GLaw 3).” As can be seen from these sections, this gives the federal government a

great deal of regulating ability when it comes to online gambling and investigations regarding such.

South Carolina has a running total of 21 sections split across two Titles, Titles 16 and 32, regarding gambling both online and in person. Some of these are small and nearly harmless in appearance, such as Section 16-19-70, which states the following: “Whoever shall keep or suffer to be kept any gaming table or permit any game or games to be played in his house on the Sabbath day, on conviction thereof before any court having jurisdiction, shall be fined in the sum of fifty dollars, to be sued for on behalf of, and to be recovered for the use of, the State (GLaw 1).” Others are more severe, such as Section 16-19-40, which can carry a sentence of a maximum of twelve months of jail time and up to a \$2,000 fine for people running gambling operations.

So far, all that has been discussed here is on the lawful side of discussion. However, what about the ethical side of things, as dictated by the Christian Bible? The word “gambling” is never mentioned in the Bible; there was likely not a true word for the idea of gambling at that time. However, the basis and ideas behind gambling, which the Bible refers to as “covetousness,” are openly and clearly condemned by most notably the Tenth Commandment itself, as listed in Exodus 20:17 – “Thou shalt not covet.” Yet, is it really the idea behind gambling that the Bible condemns, or merely the idea of gambling in order to gain some material wealth unfairly? Chance-based games do not have to be played for any monetary or physical gain; nearly every game in existence has some manner of chance involved with it. Take the game of chess, for example. While chess is a highly strategic game involving planning moves well in advance, there is always the element of chance that your opponent may see through those moves and counter them before they have even begun. Some games, such as poker, are nearly all chance – you have

no idea what hand you will be dealt, and the only true skill involved in the game is that of knowing what cards to keep and discard from a dealt hand.

There are several major problems with gambling, however. First and foremost is simple: it is addictive to some. People can often and without warning fall into a trap of spending far too much money on games of chance, online or otherwise, leaving them in a severe financial crisis from which there is sometimes no escape. In the worst cases, this may leave entire families on the streets or worse, as one or more members of the household spend their income on gambling instead of the things needed to support themselves and their families. Compulsive gambling such as this is so widespread that it is now recognized as a mental disorder by the American Psychiatric Association and American Medical Association.

The second is more of a problem with online gambling than gambling in person, but can happen either way. Winners can sometimes be conned out of their winnings by the allure of more gambling, or in some cases simply refused their legitimate winnings. This is almost a non-existent issue in famous casinos such as those in Las Vegas, Nevada, who base their entire business off of legitimized gambling and payouts, but online grants a much larger premise of anonymity, which can often lead to the situations described above in this paragraph.

Many smaller problems exist with gambling, but most, if not all of them, can arguably be tied to the two major problems stated above. Are there ways to fix these problems, so that gambling can be seen as a legalized sport of sorts, rather than a criminal activity condemned by the Bible that may elicit jail time or large fines? Several steps could be taken to make gambling a less serious crime. First, completely eliminate online gambling for physical money. If online gambling could not be done for money, but rather for some standardized “currency” –

essentially, virtual money with no real-world value – then online gambling may potentially then be viewed as simply another software game of sorts, where the main premise is not to make real money but to outdo the other “players” of the game. This, however, is likely not a feasible idea for many reasons, the least of which would be getting online companies running gaming sites to agree to such a move, or forcing them to do so by law.

Alternatively, creating exchange rates between real-world money and some gambling site currency could reduce the desire to gamble if set correctly, as the futility of accruing a considerable amount of site currency to redeem could be a turn-off to some. From personal experience with online games, nothing is more frustrating than having a system in which the only currency is both extremely scarce and always found in minor quantities, leaving players but with no choice but to spend hours gathering it, or having a system in which the currency is so common as to render it worthless, similar to how real-world inflation would take over if money was printed too readily.

Arguably, there is another thing to consider – namely, the premise that gambling is fine as it is, and that the problem lies not within the system, but with moderation. Most problems in society with gambling seem to stem not from the act itself, but from the lack of control that some individuals have regarding their actions. Proponents of gambling may use this in their defense of the gambling trade as a whole, just as opponents of gambling may use this argument as a means to support the restricting or banning of gambling aspects.

As a whole, the gambling system may well be flawed to some extent, as nothing is ever truly perfect in the world. However, it would not truly be right to simply take away the idea of gambling and denounce it as wrong. That would go against the idea of freedom itself, part of

what makes our democratic system work as it does. However, moderating the system of gambling to an extent could provide the first steps in a successful regulation of the trade, rather than simply banning it outright because of issues that have arisen.

Works Cited

GLaw 1: *South Carolina Gambling Laws*. Revised 4/4/07, accessed 1/29/08.

URL: <http://www.gambling-law-us.com/State-Laws/South-Carolina/>

GLaw 2: *United States Federal Gambling Laws*. Accessed 1/29/08.

URL: <http://www.gambling-law-us.com/Federal-Laws/>

GLaw 3: *Analysis of Internet Gambling Funding Ban*. Revised 12/20/07, accessed 1/29/08.

URL: <http://www.gambling-law-us.com/Federal-Laws/internet-gambling-ban.htm>

GPress 1: *The Gambling Press – Playtech Results Show The Business Is Still Strong*. Accessed 1/29/08.

URL: <http://www.gamblingpress.com/archive/2007/03/1126.htm>

COIN 325: Ethics Paper – An Analysis of the CSU Code of
Conduct as it Relates to the Internet

Grade Received: 100

An Analysis of the CSU Code of Conduct as it Relates to the Internet

Comment [1]:
Benji,
1. Well written and thoughtful.
2. Grade is 100.

Information technology is a strong and growing part of the world today, both for business and home use. People may run businesses from their living rooms, do all their finances online with the touch of a button, even shop for items without even leaving their computer. But as information technology has evolved, so too have the methods for college students to find and use information. Universities now have extensive policies for technology and Internet use by students and employees alike, put in place to ensure the safety and stability of the systems being used. Charleston Southern University, along with Clemson University and the University of South Carolina are three major colleges in the state which have these policies in effect, and each college has variety in the way that the policies are enacted.

Charleston Southern University, or CSU, has a fairly small but detailed set of rules for computer use. As taken from the code of conduct, "Charleston Southern University students may access the Internet within limitations to facilitate diversity and personal growth in technology, informational research skills, and communication skills. (CSU 1)" Students are allowed to use the Internet in the labs in three main ways for retrieving information: File Transfer Protocol, or FTP; Hypertext Transfer Protocol, or HTTP, the standard for web browsing; and electronic mail servers, or simply e-mail. Neither Clemson nor USC's policies mention the exact ways that information can be retrieved as CSU's policy does, but it appears to be generally understood that these are the three acceptable methods there as well.

CSU's policy next states that "I (the student) will always use a computer in ways that show consideration and respect for others and are in keeping with CSU's mission. (CSU 1)" This essentially boils down to stating that students must use computers in a logical and respectable manner. USC's policy states nearly the same, saying that "access to computers is a privilege based on the responsible use of computer and network resources. All policies included here are intended to insure a continued tradition of academic freedom, freedom of expression, and freedom to access information in a considerate and responsible manner. (USC 1)" Clemson takes this one step further, stating that "each student is expected to conduct his/her computing needs in a manner that in no way jeopardizes the availability of the campus system or any connected system whether owned by the University or some other entity. (CU 1)" Some may think that this should be common sense to most college students, given the generalized heightened sense of maturity, but there have been many cases where this seemingly mundane and common sense rule has been broken for reasons that seem almost absurd.

The next item on CSU's policy concerns offensive or threatening e-mails or attachments. Another rule that may seem common sense to university students, this rule is one of the rules that need to be stated and enforced firmly. If it is not, students could find themselves the victim of

hazing or other harassment, while the university finds itself unable to deal with the situation because of past offenders slipping free. USC's policy is even stricter, calling into account that students' actions are still subject to civil and criminal laws, showing that the university is willing and able to turn over students engaging in harassment or other illegal activities to the proper authorities. Clemson's policy echoes this, stating that its systems are constantly monitored to prevent this or any illegal activities from happening.

CSU's policy next goes into depth about compromising the integrity of the network. This set of rules encompasses three statements on the list, covering inabilities to "...interfere with the computer work of others or purposely try to disturb the integrity of the network," "...send or receive material containing pornographic material, inappropriate information or text-encoded files that are potentially dangerous to the integrity of the hardware connected to the network," and "...possess or maintain any type of network server for any reason on or from this network. (CSU 1)" Though CSU allows FTP access to the server for students via a shared drive on the network that is accessible from all computers, students are expected to maintain the security of this shared drive, keeping viruses, illegal programs, and other dangers to the network off of the computers and shared drives. USC mirrors this policy as well, though in different words, stating that users may not alter the configuration of computers on campus, nor load unauthorized software. Clemson's policy is a bit different, stating offenses against the policy as attempting to gain unauthorized access to data or disrupt the normal operations of networks either at Clemson or elsewhere on the Internet.

One policy that CSU has listed in their code of conduct is a policy that may be interpreted in more than one way. Number five on the list states that "I (the student) will not copy software or any other media for which I have not paid. (CSU 1)" Now, often is the case that CSU will give copies of software to students who do not have the software in order for the student to complete activities and labs for that class. It is my belief that this statement should be reworded to include this notable exception, or students may find themselves believing that they have no means of attaining software for class other than buying expensive copies of software they may only use for one class only. USC makes the note that no commercial activities are allowed on campus computers, a logical extension of the CSU policy, and Clemson states the same thing in its statement on computer use for personal gain or illegal activities.

All three of the policies listed from these universities are self-explanatory, well-written, and logical. Yet, each of them has many differences, with some universities listing things in a different fashion or even not addressing them at all. Yet, even with these differences, each university still manages to make its stance on computer and Internet use clear. Overall, the policy for Charleston Southern University seems sound and logical, and potentially only requiring a single minor change to improve the understanding by students of their expected conduct and actions.

Works Cited

CSU 1: Charleston Southern University Computer Use Policies – Code of Conduct:
<http://www.charlestonsonthern.edu/adminservices/conduct.asp>

USC 1: University of South Carolina Lancaster Computer Services and Information Technology
– Computer Use Policies: <http://usclancaster.sc.edu/IT/ITpolicy.htm>

CU 1: Clemson University Student Affairs – Computer Misuse Policy:
<http://www.clemson.edu/studentaffairs/multimedia/pdf/ComputerMisusePolicy.pdf>

COIN 333: Ethics Paper – Ethics of Personal Information Privacy

Grade Received: 95

Ethics of Personal Information Privacy

Benji Powell

COIN 333 – Applied Systems – Gary Underwood

September 10, 2008

Privacy is an important part of our modern-day lives. From medical records, banking information, and social security numbers, to online account information and passwords, every little piece of our lives seems to have some sort of private information that only certain officials need to know about. As a result, many laws and regulations have been passed so that only those officials can see the information – a business or official cannot give out personal information without permission except in dire circumstances, like medical information regarding allergies in emergency situations. But how much privacy and security do we actually have in this day and age, versus what we don't or could potentially have?

Consider this scenario. You open a new checking account with a bank in town, giving them information such as your driver's license and social security number for verification purposes. Is that bank legally allowed to give your information to other banks in town? Of course not, as that would be a clear breach of contract. However, the bank could be able to give that information with your permission. Many privacy acts have been set up throughout the years to safeguard information, one of which is the Financial Modernization Act of 1999, or the "Gramm-Leach-Bliley Act." One section of the Act states that "At the time of establishing a customer relationship with a consumer and not less than annually during the continuation of such relationship, a financial institution shall provide a clear and conspicuous disclosure to such consumer...of such financial institution's policies and practices..." (FTC 1). Financial institutions in particular must establish a firm amount of customer privacy and continue to uphold and update that privacy throughout the length of service. If they don't, they could face serious legal trouble – and you could face serious financial trouble.

Another branch of business that must uphold tight measures of security is the telecommunications industry. Just imagine what could happen if your account information was

stolen and misused. Your service could be shut off entirely by someone posing as you, or you could have incredibly expensive bills generated for you to deal with later, not to mention all the side effects of identity theft itself. The United States Code has a section in Chapter 5, Subsection 2 dealing with privacy of customer information. One part deals not with customer information privacy, but privacy of other carrier information, stating that "a telecommunications carrier that receives or obtains proprietary information from another carrier for purposes of providing any telecommunications service shall use such information only for such purpose, and shall not use such information for its own marketing efforts (USCODE 1)." Company privacy is bound by the same standards as consumer privacy in this regard, and is also privy to exceptions based on the situation.

There are many more laws governing privacy acts, more than can be reasonably explained and studied here. With all these laws and regulations, one would think that privacy is a relatively minor concern, but they would be wrong. Privacy – or the lack thereof – is a large issue these days, especially because of the "new" flood of electronic and online information to keep track of. So, what steps should be taken to prevent information leaks in agencies? I believe that most of the laws now seem mostly adequate to cover the needs and wants of society, but they need better and more enforcement in order to do a more effective job. The ability to keep personal, medical, and financial information more or less "classified" is a key part of the privacy issue, allowing only those that need to see the information to see it. Medical information especially is kept under wraps today, and by most standards is the safest and most well-kept information people have. However, one piece of information stands out as seemingly unprotected among all this data – e-mail addresses. Most people likely get tens, maybe hundreds of junk e-mails a day to their inbox or inboxes, and are left unable to trace or stop the problem. E-mail

addresses, when posted anywhere online whether it claims to be confidential or not, appear to almost never fall under the policy of information confidentiality that companies and offices have. Better e-mail protection could make a large difference for some people due to online shopping sites such as EBay and Amazon, due to account hacking and phishing schemes.

All of the discussion of privacy laws is well and good, but one key factor remains to be discussed – who should take responsibility for keeping private information private? Many parties could theoretically be capable of enforcing these issues, including but not limited to the employer, the people who work directly with the information as data storage employees, and both local and federal governments. It is my belief that the employers, in conjunction with the local state or county governments, hold the most potential for keeping these rights enforced. Local governments could target in-state businesses, and potentially even out-of-state companies with relative ease due to jurisdiction and location, and heavy fines or jail time could be given for anyone in breach of privacy laws. Employers could have their business shut down in severe cases, and could also be held responsible for the actions of lesser employees who actually work with the data. As a customer, it is only reasonable to expect a solid and reliable set of protocols for maintaining privacy during transactions, and it will require a hard and continued effort by employers, customers, and government law officials alike to maintain security in the modern world.

Works Cited

- 1) Privacy Initiatives. Revised April 8, 2008. Federal Trade Commission. Accessed September 9, 2008. <http://www.ftc.gov/privacy/privacyinitiatives/glbact.html> (FTC)
- 2) Cornell University Law School US Code Collection. Revised January 2, 2006. Cornell University Law School. Accessed September 9, 2008. <http://www4.law.cornell.edu/uscode/47/222.html> (USCODE)

COIN 497: Senior Project Concept Presentation

Grade Received: None

SENIOR PROJECT: ROLE- PLAYING GAME DESIGN (RPG)

Clouded Horizons

Developed by Benji Powell

September 22, 2008

Storyline

▣A young military officer gets more than he bargained for when he signed up for service upon the arrival of a mysterious girl seeking only his death. As he investigates further, he discovers that not only are several superiors involved in the event, but that higher powers than he was aware of are working behind the scenes...and that a role he wasn't expecting to play is required of him.

Overview

- ▣ Standard RPG elements, such as a mostly-linear storyline; abilities, magic, equipment, item systems; several player characters accessible throughout the game's course.
- ▣ Class -based system, with three different and distinct tiers of power for characters to gain (dubbed Base, Extended, and Transcendence).
- ▣ Sidequests are also available, mostly for high-level abilities and classes.

Class System

- ▣ Characters have both a *character level* and 2 *class levels*, one for the main class and one for the secondary, or subclass.
- ▣ As previously stated, three tiers of power:
 - Base Classes: Standard character classes, lowest tier, mostly accessible at the beginning or very shortly after.
 - Extended Classes: Mid-level classes, some accessible near the beginning, some only accessible later in the game. Require two Base Classes with class levels of 50 to access.

Class System (cont.)

- Transcendence Classes: High-level classes, available mostly near the end of the game, but some are found earlier. Requires not only two Extended Classes with class levels of 100, but two or more special attributes called *Virtues*.
- ▣ Virtues: Attributes available mostly through sidequests (but not exclusively) that both give bonuses to character stats and access to Transcendence Classes.

Equipment/Item Systems

- ▣ Equipment system allows for the equipping of weapons and armor, along with up to two accessories that provide bonuses.
- ▣ Item system allows for both in and out of battle item use, including things such as healing and revival items, damaging items for use only in battle, etc.

Magic System

- ▣ Several different types of magic available, including healing, offensive, and status-afflicting magics.
- ▣ Several “tiers” of power for certain spells; EX: Fire I / II / III, etc.
- ▣ Not all classes have magic naturally, but some NPCs (non-player characters) can teach spells to characters regardless of class choices.

COIN 497: Senior Project Update Presentation

Grade Received: None

CLOUDED HORIZONS

Update: 11/17/08

Benji Powell

Current Status

- ▣ Battle System: Approximately 80-85% done.
Most major formulas and calculations finished and working correctly.
- ▣ Working on finishing up minor changes and inclusions, such as equipment types and job stats.

To-Do List

- ▣ Finish the battle system formulas, all checks and calculations running at 100%.
- ▣ Finish up job information and skill selections/inclusions.
- ▣ Obtain graphics for characters and enemies, as well as world and town maps.
- ▣ Work on the plot and quest layouts (much later).