

Gaming Website

COIN 332 – Applied Networking



Spring 2009

COIN 332 Grade: B+

Programming Language: Aspx / Visual Basic

Compiled Using: Visual Studio 2008

To run this website, make a new website using Visual Studio and add the files. Then run the Website.



```
<%--
Student Name      : Chris Nuhn
Program Name      : Gaming
Creation Date     : Spring 2009
Last Modified Date : Spring 2009
COIN Course       : 332 - Applied Networking
Grade Received    : B+
--%>
<% Page          = "VB"           = "false"           = "Login.aspx.vb"           = "Login"
%>

<!DOCTYPE       = "http://www.w3.org/TR/
xhtml1/DTD/xhtml1-transitional.dtd">

<html           = "http://www.w3.org/1999/xhtml">
<head           = "server">
  <title>Untitled Page</title>
</head>
<body>
  <form          = "form1"         = "server">
    <div>

      <asp:Label  = "Label1"        = "server"         = "X-Large"
      <br />      = "Welcome to the Gaming Center"></asp:Label>
      Please Login<br />
    <br />

    </div>
    <asp:Login    = "Login1"         = "server"
    = "~/LoggedIn/Purchase.aspx">
  </asp:Login>
  <br />
  <asp:HyperLink = "HyperLink1"     = "server"
  Register
  Here</asp:HyperLink>
  </form>
</body>
</html>
```

```

<% Page          = "VB"          = "false"          = "Registration.aspx.vb"
"Registration" %>

<!DOCTYPE       "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/
xhtml1/DTD/xhtml1-transitional.dtd">

<html           = "http://www.w3.org/1999/xhtml">
<head          = "server">
  <title>Untitled Page</title>
</head>
<body>
  <form         = "form1"         = "server">
    <div>

    </div>
    <asp:CreateUserWizard      = "CreateUserWizard1"      = "server"      = "#F7F6F3"
      = "#E6E2D8"      = "Solid"      = "1px"
      = "~/Login.aspx"      = "~/Login.aspx"      = "Verdana"
      = "0.8em">
      <SideBarStyle          = "#5D7B9D"          = "0px"          = "0.9em"
        = "Top" />
      <SideBarButtonStyle    = "0px"              = "Verdana"              = "White" />
      <ContinueButtonStyle    = "#FFFBFF"          = "#CCCCCC"          = "1px"
        = "Solid"          = "Verdana"
        = "#284775" />
      <NavigationButtonStyle  = "#FFFBFF"          = "#CCCCCC"          = "1px"
        = "Solid"          = "Verdana"
        = "#284775" />
      <HeaderStyle           = "#5D7B9D"          = "Solid"          = "True"
        = "0.9em"          = "White"          = "Center" />
      <CreateUserButtonStyle  = "#FFFBFF"          = "#CCCCCC"          = "1px"
        = "Solid"          = "Verdana"
        = "#284775" />
      <TitleTextStyle         = "#5D7B9D"          = "True"          = "White" />
      <StepStyle              = "0px" />
      <WizardSteps>
        <asp:CreateUserWizardStep      = "server" />
        <asp:CompleteWizardStep      = "server" />
      </WizardSteps>
    </asp:CreateUserWizard>
  </form>
</body>
</html>

```

```

<%@ Page Language="VB" Inherits="System.Web.UI.Page" MasterPageFile="~/MasterPage.aspx" Theme="Invoice" Title="LoggedIn Invoice" %>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<title>Untitled Page</title>
</head>
<body>
<form id="form1" runat="server">
<div>

<asp:Label ID="Label1" runat="server" Text="You Have Purchased"></asp:Label>
</div>
<asp:Label ID="Label2" runat="server"></asp:Label>
<br />
<asp:Label ID="Label3" runat="server"></asp:Label>
<br />
<asp:Label ID="Label4" runat="server"></asp:Label>
<br />
<asp:Label ID="Label5" runat="server"></asp:Label>
<br />
<asp:Label ID="Label6" runat="server"></asp:Label>
<br />
<br />
The grand total is:<br />
$<asp:Label ID="Label7" runat="server" Text="0.00"></asp:Label>
<asp:SqlDataSource ID="SqlDataSource1" runat="server" ConnectionString="Data Source=.;Initial Catalog=Coins332;Integrated Security=True" SelectCommand="SELECT * FROM [Table1] WHERE [ID] = @ID" InsertCommand="INSERT INTO [Table1] ([battlefield2], [battlefield2sf], [callofduty], [callofduty2], [callofduty4], [USERID], [total]) VALUES (@battlefield2, @battlefield2sf, @callofduty, @callofduty2, @callofduty4, @USERID, @total)" UpdateCommand="UPDATE [Table1] SET [battlefield2] = @battlefield2, [battlefield2sf] = @battlefield2sf, [callofduty] = @callofduty, [callofduty2] = @callofduty2, [callofduty4] = @callofduty4, [USERID] = @USERID, [total] = @total WHERE [ID] = @ID" DeleteCommand="DELETE FROM [Table1] WHERE [ID] = @ID">
<DeleteParameters>
<asp:Parameter ID="ID" Type="Int32" />
</DeleteParameters>
<UpdateParameters>
<asp:Parameter ID="battlefield2" Type="Boolean" />
<asp:Parameter ID="battlefield2sf" Type="Boolean" />
<asp:Parameter ID="callofduty" Type="Boolean" />
<asp:Parameter ID="callofduty2" Type="Boolean" />
<asp:Parameter ID="callofduty4" Type="Boolean" />
<asp:Parameter ID="USERID" Type="String" />
<asp:Parameter ID="total" Type="Int32" />
<asp:Parameter ID="ID" Type="Int32" />
</UpdateParameters>
<InsertParameters>
<asp:Parameter ID="battlefield2" Type="Boolean" />
<asp:Parameter ID="battlefield2sf" Type="Boolean" />
<asp:Parameter ID="callofduty" Type="Boolean" />
<asp:Parameter ID="callofduty2" Type="Boolean" />
<asp:Parameter ID="callofduty4" Type="Boolean" />
<asp:Parameter ID="USERID" Type="String" />
<asp:Parameter ID="total" Type="Int32" />
</InsertParameters>
</asp:SqlDataSource>
</form>
</body>
</html>

```

```
Imports System
Imports System.Data
Imports System.Data.Sql
Imports System.Data.SqlClient
Partial Class _Default
    Inherits System.Web.UI.Page

    Protected Sub BF2_Click(ByVal sender As Object, ByVal e As System.Web.UI.
        ImageClickEventArgs) Handles BF2.Click
        If battlefield2.Checked = True Then
            battlefield2.Checked = False
        Else
            battlefield2.Checked = True
        End If
    End Sub

    Protected Sub BF2SF_Click(ByVal sender As Object, ByVal e As System.Web.UI.
        ImageClickEventArgs) Handles BF2SF.Click
        If battlefield2sf.Checked = True Then
            battlefield2sf.Checked = False
        Else
            battlefield2sf.Checked = True
        End If
    End Sub

    Protected Sub COD1_Click(ByVal sender As Object, ByVal e As System.Web.UI.
        ImageClickEventArgs) Handles COD1.Click
        If callofduty.Checked = True Then
            callofduty.Checked = False
        Else
            callofduty.Checked = True
        End If
    End Sub

    Protected Sub COD2_Click(ByVal sender As Object, ByVal e As System.Web.UI.
        ImageClickEventArgs) Handles COD2.Click
        If callofduty2.Checked = True Then
            callofduty2.Checked = False
        Else
            callofduty2.Checked = True
        End If
    End Sub

    Protected Sub ImageButton1_Click(ByVal sender As Object, ByVal e As System.Web.UI.
        ImageClickEventArgs) Handles ImageButton1.Click
        If callofduty4.Checked = True Then
            callofduty4.Checked = False
        Else
            callofduty4.Checked = True
        End If
    End Sub

    Protected Sub Button1_Click(ByVal sender As Object, ByVal e As System.EventArgs)
        Handles Button1.Click
        Dim total As Integer = 0
        Dim username As String
        If battlefield2.Checked = True Then
            SqlDataSource1.InsertParameters("battlefield2").DefaultValue = "True"
            total += 60
        ElseIf battlefield2sf.Checked = True Then
            SqlDataSource1.InsertParameters("battlefield2sf").DefaultValue = "True"
            total += 60
        ElseIf callofduty.Checked = True Then
            SqlDataSource1.InsertParameters("callofduty").DefaultValue = "True"
            total += 60
        ElseIf callofduty2.Checked = True Then
```

```
        SqlDataSource1.InsertParameters("callofduty2").DefaultValue = "True"
        total += 60
    ElseIf callofduty4.Checked = True Then
        SqlDataSource1.InsertParameters("callofduty4").DefaultValue = "True"
        total += 60
    End If
    SqlDataSource1.InsertParameters("total").DefaultValue = total
    username = User.Identity.Name
    SqlDataSource1.InsertParameters("USERID").DefaultValue = username
    SqlDataSource1.Insert()
    Response.Redirect("Invoice.aspx")
End Sub
End Class
```



```

<%@ Page Language="VB" Inherits="Purchase.aspx.vb" %>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<title>Untitled Page</title>
</head>
<body>
<form id="form1" runat="server">
<div>
<asp:Label ID="Label1" runat="server" Text="Welcome to the Gaming Center" />
<br />
<asp:Label ID="Label2" runat="server" Text="Please select the games you would like to purchase." />
<br />
<asp:ImageButton ID="BF2" runat="server" ImageUrl="~/Battlefield 2 Box Art.jpg" />
<asp:ImageButton ID="BF2SF" runat="server" ImageUrl="~/Battlefield 2 Special Forces Box Art.jpg" />
<asp:ImageButton ID="COD1" runat="server" ImageUrl="~/Call of Duty Box Art.jpg" />
<br />
<asp:ImageButton ID="COD2" runat="server" ImageUrl="~/Call of Duty 2 Box Art.jpg" />
<br />
<asp:ImageButton ID="ImageButton1" runat="server" ImageUrl="~/Call of Duty 4 Box Art.jpg" />
<br />
<asp:CheckBox ID="battlefield2" runat="server" Text="Battlefield 2" />
<br />
<asp:CheckBox ID="battlefield2sf" runat="server" Text="Battlefield 2 Special Forces" />
<br />
<asp:CheckBox ID="callofduty" runat="server" Text="Call of Duty" />
<br />
<asp:CheckBox ID="callofduty2" runat="server" Text="Call of Duty 2" />
<br />
<asp:CheckBox ID="callofduty4" runat="server" Text="Call of Duty 4 : Modern Warfare" />
</div>
<br />
<asp:Button ID="Button1" runat="server" Text="Purchase" />
<asp:SqlDataSource ID="SqlDataSource1" runat="server"
    ConnectionString="Data Source=.;Initial Catalog=GamePurchase;User ID=sa;Password=;"
    SelectCommand="DELETE FROM [Table1] WHERE [ID] = @ID"
    InsertCommand="INSERT INTO [Table1] ([battlefield2], [battlefield2sf], [callofduty], [callofduty2], [callofduty4], [USERID], [total]) VALUES (@battlefield2, @battlefield2sf, @callofduty, @callofduty2, @callofduty4, @USERID, @total)"
    DeleteCommand="SELECT * FROM [Table1]"
    UpdateCommand="UPDATE [Table1] SET [battlefield2] = @battlefield2, [battlefield2sf] = @battlefield2sf, [callofduty] = @callofduty, [callofduty2] = @callofduty2, [callofduty4] = @callofduty4, [USERID] = @USERID, [total] = @total WHERE [ID] = @ID">
<DeleteParameters>
<asp:Parameter ID="ID" Type="Int32" />
</DeleteParameters>
<UpdateParameters>
<asp:Parameter ID="battlefield2" Type="Boolean" />
<asp:Parameter ID="battlefield2sf" Type="Boolean" />

```



```
<asp:Parameter      ="callofduty"      ="Boolean" />
<asp:Parameter      ="callofduty2"     ="Boolean" />
<asp:Parameter      ="callofduty4"     ="Boolean" />
<asp:Parameter      ="USERID"         ="String" />
<asp:Parameter      ="total"          ="Int32" />
<asp:Parameter      ="ID"             ="Int32" />
</UpdateParameters>
<InsertParameters>
  <asp:Parameter      ="battlefield2"   ="Boolean" />
  <asp:Parameter      ="battlefield2sf" ="Boolean" />
  <asp:Parameter      ="callofduty"     ="Boolean" />
  <asp:Parameter      ="callofduty2"    ="Boolean" />
  <asp:Parameter      ="callofduty4"    ="Boolean" />
  <asp:Parameter      ="USERID"         ="String" />
  <asp:Parameter      ="total"          ="Int32" />
</InsertParameters>
</asp:SqlDataSource>
</form>
</body>
</html>
```

```
Imports System
Imports System.Data
Imports System.Data.Sql
Imports System.Data.SqlClient
```

```
Partial Class LoggedIn_Invoice
    Inherits System.Web.UI.Page
```

```
Protected Sub Page_Load(ByVal sender As Object, ByVal e As System.EventArgs) Handles Me.Load
```

```
    Dim reader As SqlDataReader
    SqlDataSource1.SelectCommand = "SELECT * FROM [Table1] Where [USERID]=''" & User.Identity.Name & "'"
```

```
    reader = SqlDataSource1.Select(DataSourceSelectArguments.Empty)
```

```
    While reader.Read()
```

```
        If reader("battlefield2") = "True" Then
```

```
            Label2.Text = "Battlefield 2"
```

```
        End If
```

```
        If reader("battlefield2sf") = "1" Then
```

```
            Label3.Text = "Battlefield 2 Special Forces"
```

```
        End If
```

```
        If reader("callofduty") = "True" Then
```

```
            Label4.Text = "Call of Duty"
```

```
        End If
```

```
        If reader("callofduty2") = "True" Then
```

```
            Label5.Text = "Call of Duty 2"
```

```
        End If
```

```
        If reader("callofduty4") = "True" Then
```

```
            Label6.Text = "Call of Duty 4"
```

```
        End If
```

```
        Label7.Text = reader("total")
```

```
    End While
```

```
    reader.Close()
```

```
End Sub
```

```
End Class
```

Homework 8

COIN 333 – Applied Systems
Fall 2009
COIN 333 Grade: B+

Programming Language: Perl
Compiled Using: Perl SDK

To run this program, navigate to the folder containing “problem-1.pl” in the command prompt. Then run using the command “perl (name of file)”. However, these programs were not meant to be run.

```
#Student Name      : Chris Nuhn
#Program Name      : Homework8
#Creation Date     : Fall 2009
#Late Modified Date : Fall 2009
#COIN Course       : 333 - Applied Systems
#Grade Received    : B+
```

```
%months = qw (january 31 february 28 march 31 april 30 may 31 june 30 july 31 august 31
              september 30 october 31 november 30 december 31);
@month = qw (January February March April May June July August September October November
             December);
```

```
foreach (@month)
{
    $temp = lc $_;
    $_ = $months[$temp];
}
```

```
#A
splice @blah,3,1;

#B
$blah[-1] = shift @blah;

#C
$blah[2] = 'hello';

#D
splice @blah,2,1,'new','again',4,7;

#E
splice @blah,-1,1;

#F
splice @blah,0,0,'hello','goodbye';

#G
splice @blah,7,0,@arr;

#H
splice @blah,7,$#blah,@arr;

#I
foreach (@arr) {$_++;}
```

```
sub findMin
{
    foreach (@_)
    {
        $temp = $_ unless $temp < $_;
    }
    return $temp;
}
```



```
sub findMinLocation
{
    $count = 0;

    foreach (@_)
    {
        if ($temp[0] > $_)
        {
            $temp[0] = $_;
            $temp[1] = $count;
        }
        $count++;
    }
    return @temp;
}
```

```
foreach (@words) {$word{$_}++;}
foreach (keys %word)
{
    if(@maxword == 0)
    {
        $maxword[0] = $minword[0] = $_;
        $maxnum = 0;
        $minnum = 11110;
    }
    if($maxnum <= $word{$_})
    {
        if($maxnum == $word{$_}) {@maxword[@maxword + 1] = "$_";}
        else {@maxword = "$_";}
        $maxnum = $word{$_};
    }
    if($minnum >= $word{$_})
    {
        if($minnum == $word{$_}) {@minword[@minword + 1] = "$_";}
        else {@minword = "$_";}
        $minnum = $word{$_};
    }
}

print "Most frequent word is @maxword occurring $maxnum times\n";
print "Least frequent word is @minword occurring $minnum times\n";
```

Non-Free Speech

COIN 325 – Java I

Fall 2008

COIN 325 Grade: A

Chris Nuhn

Java II

Dr. Sessions

November 10, 2009

Non-free Speech

“Free speech is a tricky beast: it’s one of the most precious aspects of our civilization, and yet, in many practical day-to-day situations it can turn out to be worthless, contributing nothing but misinformation, spreading rumor and insinuation, and damaging ourselves and others.” As can be seen in the Machado case, free speech can be taken too far. A persons speech becomes an ethical issue once it threatens others livelihood.

Richard Machado sent two identical hateful emails to 59 different people of Asian descent on September 20, 1996. These emails later lead to a conviction of “2 counts of civil rights violations” and a one year prison sentence. Machado sent these messages from a computer lab at the University of California Irvine. After a number of students reported the emails, the University was morally forced to take action. Ethically, the institution was partly responsible once they became aware that their property and technology was being used to harass these students. Although, there would have been absolutely no difference to the case had he not used the schools lab. Now, looking back at the Virginia Tech Massacre, many people felt that the school was partly responsible for not addressing that the gunman had problems.

The constitution states in the First Amendment that “Congress shall make no law respecting an establishment of religion, or prohibiting the free exercise thereof; or

abridging the freedom of speech, or of the press; or the right of the people peaceably to assemble, and to petition the Government for a redress of grievances.” By this statement, one could argue that hateful emails would still be a constitutional right. However, this was not the full intention of the founding fathers. Proof of this can be seen in the later part of the Amendment with the word “peaceably.” The profane language used by Machado was nowhere near “peaceful”!

At Emory University, speech has been targeted and limited. Harassment has been defined as:

“Conduct (oral, written, graphic or physical) directed against any person or, group of persons because of their race, color, national origin, religion, sex, sexual orientation, age, disability, or veteran's status and that has the purpose or reasonably foreseeable effect of creating an offensive, demeaning, intimidating, or hostile environment for that person or group of persons.”

This statement clearly defines that Machado's actions are harassment of race against a group of Asians. And the fact is, that not only did he target a race, he in-fact did select individuals to threaten.

The actions of this former student of the University of California Irvine are clearly unethical and unwanted in the United States. Hate crimes should not be tolerated and the use of technology should not change the laws in any way or fashion. As a Christian University, Charleston Southern should take the same stand as Emory University and target this kind of harassment and eliminate it.

Works Cited

- "An ethics of free speech, from the Bible to Spider-Man". Larvatus Prodeo. November 10, 2009 <<http://larvatusprodeo.net/2008/05/18/an-ethics-of-free-speech-from-the-bible-to-spider-man/>>.
- "U.S. Constitution: First Amendment". November 10, 2009
<<http://caselaw.lp.findlaw.com/data/constitution/amendment01/>>.
- Uelmen , Gerald. "Free Speech: Campus Hate Speech Codes". Santa Clara Univiersity. November 10, 2009
<<http://www.scu.edu/ethics/publications/iie/v5n2/codes.html>>.

Microsoft Not Acting Quite So Soft

COIN 333 – Applied Systems

Fall 2009

COIN 333 Grade: B+

Chris Nuhn

Gary Underwood

COINS 333 Applied Systems

September 9, 2009

Microsoft Not Acting Quite So Soft

Microsoft Not Acting Quite So Soft

On August 11, 2009, a U.S. District Judge ordered Microsoft to stop the sale of certain Microsoft Word produces on grounds of patent infringement. The courts originally gave Microsoft a 60 day window to comply with the injunction. This ruling prevented the sale of “the most common versions of Word on the market now, 2003 and 2007, that both allow users to create custom XML documents.” (Gohring)

The Canadian company i4i holds a patent for the creation and editing of XML documents and templates. “I4i’s patent covers technology that lets end users manipulate document architecture and content.” (Gohring) says Nancy Gohring, of the IDG News Service. I4i’s spokesman, Loudon Owen explains that “custom XML allows people to create forms or templates such that words in certain fields are tagged and then can be managed in a database. Large companies and government agencies, for example, might create such templates.” (Gohring)

Microsoft has not released any information yet regarding the situation, except for saying that they plan to make the correct appeals. In March 2007, this same court ordered Microsoft to pay out \$200 million to i4i for the infringement; however, Microsoft chose not to pay. The total now stands at around \$290 million and Microsoft with only a few alternatives. Shawn Ingram states that “the only other way would be to get a license from i4i or partner with the company to use the Custom XML it has the patent for.” (Ingram) This is however, very unlikely.

In early September, Microsoft successfully appealed the ban from selling their product in the United States. This does not mean that the suit is over, however, it does allow Microsoft to promote its strongest selling product and include it in the upcoming release of Windows 7.

Microsoft has claimed that the ban would "inflict 'irreparable harm' on the company's business by keeping 'the centerpiece of its product line out of the market for months'". (Microsoft)

Even with this ruling, the moral ethics and values of Microsoft's actions still plague the minds of many. Was Microsoft right in their decision to use i4i's patented material? What should be done to punish Microsoft? What about the millions of customers that have purchased or already own a copy of Word? Was the courts to brash in banning their product from the markets?

Theft is the taking of another's property without the correct permission from the rightful owner. This does include, but is not limited to physical and/or intellectual property. Microsoft has crossed the boundary of this definition. The company as a whole has made the mistake of using i4i's property without the proper legal papers. Christians and non-Christians alike can all recite the commandment "Thou shall not steal." This situation is a bit different then normal ones, in that, it is not a criminal act. This situation is the infringement on a patent. Therefore, the "eye-for-an-eye" policy should be the solution. The small Canadian company i4i should be allowed to use some technology of similar status from Microsoft.

One of the other lingering questions that must be answered is what to do with all the previous copies of Word that already have been distributed? Likewise, what should be done about those customers that have purchased the software and are awaiting the product to be processed? Assuming that Microsoft would loose the appeal next month, a recall on Word should go into effect, which would affect only the customers that have not already purchased Word. This would consist of removing the infringing part, and creating a patch for older versions that would allow customer to follow their own morals and values.

Like Internet Explorer, Microsoft Word is a universal standard for software among users. Word is the first choice for most computer users when looking for a word processor. The courts made a poor decision in banning this product without weighing the affects that it might cause. Recently, General Motors filed for bankruptcy and the government realized that this would be devastating to let such a company disappear. During the poor economy, stopping a leading seller, like Word, could cause major heartache for Microsoft and their employees. And with the upcoming release of Windows 7, a large percentage of new word processor licenses will need to be purchased.

There are alternatives for the users, however. Windows does have a basic text editor in WordPad that comes with all releases. Another leader is Corel's Word Perfect, and Ultra Edit claims to be the worlds best selling text editor. Although these are alternatives, consumers like brand names. Microsoft has had a long history of portraying that they are the "best". There is even parties like OpenOffice that provide free software. Take web browsers for instance. Internet Explorer by Microsoft is the most used browsers, however, the best reviews have come from competitors, such as Mozilla Firefox. It is expected that Google's new "Chrome" will do extremely well because of the Google brand name. Even T-Mobile has gone out of their way to advertise that their new "G1" is powered by Google.

The fate of Microsoft Word is in the hands of Microsoft's lawyers in the upcoming appeal court case. The ethical battle, however, will last for years and years to come. Who knows what will happen, maybe their conscience will kick in and they will make Word an open source freeware program.

Work Cited

- Gohring, Nancy. "Injunction on Microsoft Word unlikely to halt sales". September 04, 2009
<http://www.arnnet.com.au/article/314620/injunction_microsoft_word_unlikely_halt_sales>
- Ingram, Shawn. "i4i chairman speaks out on Microsoft Word ban". September 04, 2009
<<http://www.gadgetell.com/tech/comment/i4i-chairman-speaks-out-microsoft-word-ban/>>
- "Microsoft Word sales ban overturned". September 04, 2009
<<http://www.telegraph.co.uk/technology/microsoft/6138568/Microsoft-Word-sales-ban-overturned.html>>

Declining Violence Hits Video Games

COIN 431 – Advanced Operating Systems

Fall 2009

COIN 431 Grade: B

Chris Nuhn

Gary Underwood

COINS 431 Advanced Operating System

September 10, 2009

Declining Violence Hits Video Games

Declining Violence Hits Video Games

Throughout the history of the human race, there has been violence. From David and Goliath to Hitler and Stalin, humans have it in their blood to fight and kill one another. Unlike the Romans and their coliseum, today most of the violence in the West comes from video game violence. Games such as the Call of Duty and Grand Theft Auto display such large amounts of graphic violence that ethical questions are raised all the time.

Currently, the Entertainment Software Rating Board, or ESRB, controls how games are rated and distributed. Every game must undergo a rating process by the ESRB and be assigned a rating. The ratings are Early Childhood, Everyone, Everyone 10+, Teen, Mature, Adult, and Rating Pending. In addition to the rating, games are assigned "Content Descriptors." These descriptors elaborate on the rating, setting games apart that are rated the same. For example, a game may be rated "Mature" and contain "Violence" and "Suggestive Themes".

After a game has been released, it is up to the individual states to create their own laws to regulate who can play certain games. Recently, states such as California and Louisiana have tried to create laws to prohibit minors from buying violent video games, but have been denied by the Supreme Court. The Supreme Court has ruled the outlaw as unconstitutional, due to freedom of speech issues. It is not just the United States that is losing the battle of violence in video games. Switzerland tried to ban the popular game Stranglehold, but did not pass in court.

Most people believe that the world today continues to grow more and more violent. We think about the war in Iraq and Afghanistan, the Cold War, and the World Wars displaying our destructive nature. However, Steven Pinker says that recent studies show that the world we live in today is the most peaceful time in human history. (Pinker) Today we may see a video representation of someone getting hurt or even killed, but back in the time of the Romans, this

was real. "In sixteenth-century Paris, a popular form of entertainment was cat-burning, in which a cat was hoisted in a sling on a stage and slowly lowered into a fire. According to historian Norman Davies, '[T]he spectators, including kings and queens, shrieked with laughter as the animals, howling with pain, were singed, roasted, and finally carbonized.'" (Pinker) Society has come a long way since these times.

After almost every tragedy, there are people that try to make a connection to violent video games and/or rap music. Jack Thompson, a Florida attorney, is almost always in the spotlight when it comes to this. He made numerous reports to news stations following the Virginia Tech Massacre and the Northern Illinois shooting. Following the Virginia Tech Massacre, a "governor-ordered review of that horrific incident found no connection whatsoever with video games." (Benedetti)

One would ask, "what should happen to video game violence in today's world?" The answer to this question seems to be very fuzzy. On one hand, we are teaching kids at a very young age that violence is acceptable. On the other, would it not be better for a kid to play Call of Duty on the computer and not starting real fights at school or in the streets? Some games, like America's Army are even used as a tool to get teenagers interested in joining up with the military. This same technology is used to help our soldiers be more adequately prepared out in the field of battle. The violence in games is on par with how society should work, however, the circumstances in which the violence is used may be suspect. We all want to teach our kids to do the right thing, so why do we have games like Bully that promote violence in school?

Not all violent games are created equal. All games display violence in their own unique way. For instance, World of Warcraft displays creatures that just disappear off the screen, containing no blood. Where as, Solider of Fortune dismembers limbs and shoots blood across

the screen periodically. Then there are games that display a nice medium. Call of Duty displays characters being shot and dieing, however, there is no blood.

Violent video games have proven in study after study to improve reflexes and strengthen the mind. Players do better in school and in the jobs that follow. In a recent study at MIT, violent games create “more memorable moments”. This research discovered that a violent video game caused the player to stimulate their memory of ads in the background of the game. The subjects were able to recall events better in a racing game that ran over pedestrians, causing blood to splatter across the windshield, instead of the same game that hit checkpoints. It will not be long before the advertisement industry exploits this fact.

In conclusion, violence in video games is at a nice level in today’s world. As long as the game displays violence in the correct way, it is just fine. Some games are used as learning tools to help our military troops to survive. At the same time, the same technology inspires our youth to “accelerate their life” as the Navy would say. Violence is present throughout the Bible. It is displayed in almost every book.

Work Cited

Benedetti, Winda. "Playing the blame game". September 09, 2009
<<http://www.msnbc.msn.com/id/23204875/>>

"Entertainment Software Rating Board". September 09, 2009 <<http://www.esrb.org>>

Pinker, Steven. "A History of Violence". September 09, 2009
<http://www.edge.org/3rd_culture/pinker07/pinker07_index.html>

"Violent In-game Ads More Memorable to Players". September 09, 2009
<<http://gamepolitics.com/2009/09/04/study-violent-game-ads-more-memorable-players>>

Anagrams

COIN 315 – Data Structures

Spring 2009

COIN 315 Grade: B+

Anagrams

Chris Nuhn
Data Structures

Preprocess

- ▶ **Data type?**
 - ▶ Linked List(single)
 - ▶ Vector<string>
 - ▶ Array{
 - ▶ ... of ...
 - ▶ Struct
 - ▶ Letter's
 - ▶ Number of particular Letter
 - ▶ String
 - ▶ IA2B3C
 - ▶ String
 - ▶ Words
- ▶ Easier with indexes?
- ▶ A vector may be a little faster than a LL because of the pointer calls.
- ▶ Strings would be more space efficient and still have easy access with indexes, however, math is more heavily involved.

Sorting Idea's

- ▶ **Least used character in English alphabet**
 - ▶ ie. z's & x's before vowels
- ▶ **Number of letters**
 - ▶ ie. Searching for anagrams for 'tea' would eliminate all searches above 3 letters
- ▶ **Maybe a little combination of both theses sorts.**
- ▶ **Eliminating large chunks of the dictionaries is very good, however, finding matches efficiently is just as good if not better.**