


University Relations Website:

Charleston Southern University



Senior Project Defense:

Walter K. Browning, IV

April 27, 2004

University Relations Website:

Charleston Southern University



Senior Project Defense:
Walter K. Browning, IV

April 27, 2004

The Key Participants:

- Walter Browning – Programmer Analyst
- Larry Smith – Academic Advisor
- Rusty Bruns – CIO, Charleston Southern University
- Sarah Huxford – Director of University Relations
- James Whitfield – Technical Advisor
- John Strubel – Webmaster, Charleston Southern University

The Problem(s):

- ❑ University Relations is officially the combination of two entities:
 - Media Relations
 - Creative Services
 - The current website does not reflect this division of University Relations.
- ❑ Ms. Huxford wants the UR* homepage to look different from the general template Mr. Whitfield established for each department at CSU**.

*UR = University Relations

**CSU = Charleston Southern University

The Problem(s):

(cont.)

- ❑ The current way to submit articles to the way is not as efficient as desired.
- ❑ The current way for organizations on campus to request media coverage from University Relations is not as efficient as desired.
 - The current system relies on paper submission forms located in the Publications office.
 - Most of the students at CSU are unaware that this service can be requested.

The Solution(s):

- ❑ Online database driven archival system that will:
 - Store articles
 - Allow public users to access all articles
 - Allow authorized users read/write capabilities
 - Store CSU site links of .pdf publications
 - Reflections
 - Inside CSU
 - CSU Magazine
 - Buc In Print

The Solution(s):

(cont.)

- ❑ A "Press Pass" system that will allow:
 - CSU organizations to electronically request coverage of their events
 - Requests to be sent to Ms. Huxford via e-mail
 - Requests to be stored in an Access database*
- ❑ A new portal page for University Relations that distinguishes itself from the generic departmental template.

* Access database will serve as a backup for e-mail


The Research:

- ❑ Dreamweaver MX / ASP tutorial from Webthang.co.uk:
 - Part One
 - Part Two
 - Part Three
 - Part Four
- ❑ Photoshop 7.0 Basics – James Whitfield

The Analysis & Design:

- ❑ System Context Diagram
- ❑ Entity Relationship Diagram – ERD
- ❑ Automation System Boundaries
- ❑ Activity Diagrams
- ❑ Checklist for Conducting an Interview
- ❑ Discussion and Interview Agenda

System Context Diagram



Entity Relationship Diagram

PressPass	
PK	<u>ID</u>
Organization Event EventDate EventTime Location Email ContactName Phone OnCampus OffCampus Photo	

ExtArticles	
PK	<u>ID</u>
ExtArtDate ExtArtTitle ExtArtText Pic1 Pic2 Pic3	

PressRelease	
PK	<u>ID</u>
PRDate PRTITLE PRTText Pic1 Pic2 Pic3	


Security	
PK	<u>ID</u>
Username Password Security	

CSUMag	
PK	<u>ID</u>
Date Link	

BIP	
PK	<u>ID</u>
Date Link	


InsideCSU	
PK	<u>ID</u>
Date Link	

Reflections	
PK	<u>ID</u>
Date Link	





Event Coverage Request

Activity Diagram*




**See handout for more activity diagrams*





See Handout for:

- Checklist for Conducting an Interview
 - Discussion and Interview Agenda
- 

Checklist for Conducting an Interview

Before

- ☐ Establish the objective for the interview
- ☐ Determine correct user(s) to be involved
- ☐ Determine project team members to participate
- ☐ Build a list of questions and issues to be discussed
- ☐ Review related documents and materials
- ☐ Set the time and location
- ☐ Inform all participants of objective, time, and locations

During

- ☐ Dress appropriately
- ☐ Arrive on time
- ☐ Look for exception and error conditions
- ☐ Probe for details
- ☐ Take thorough notes
- ☐ Identify and document unanswered items or open questions

After

- ☐ Review notes for accuracy, completeness, and understanding
- ☐ Transfer information to appropriate models and documents
- ☐ Identify areas needing further clarification
- ☐ Send thank-you notes if appropriate

Discussion and Interview Agenda	
Setting	
Objective of Interview: Discuss final details and tie up loose ends.	
March 24, 2004 – 4:30 PM – Phone Conference	
User Participants (names and titles/positions)	
□ Ms. Sarah Huxford	

Interview/Discussion
1. What changes need to be made to homepage? 2. Are the admin control functions user-friendly? 3. What to do with Media Relations page and Creative Services?

Follow-Up
Important decisions or answers to questions
Open items not resolved with assignments for solution
Date and time of next meeting or follow-up session
TBA

The Construction:

- ❑ Actually construction of the University Relations website was done on custom-built personal machine *
- ❑ Personal laptop used for completely planning, analysis, design and defense phases of this project.

❑ Software used:

- Macromedia Dreamweaver MX
- Photoshop 7.0
- Microsoft Office Professional 2000
- Microsoft Visio 2002
- Microsoft Project Professional 2002

* Monitor provided by *Administrative Services (CSU)*

The Code:



- See Handout for Code Snippets

ArchivedExtNews.asp*

```
<%@LANGUAGE="VBSCRIPT" CODEPAGE="1252"%>
<!--#include file="..\Connections/UnivRel.asp" -->
<% Dim rsViewExtArt
Set rsViewExtArt = Server.CreateObject("ADODB.Recordset")
rsViewExtArt.ActiveConnection = MM_UnivRel_STRING
rsViewExtArt.Source = "SELECT * FROM ExtArticles ORDER
BY ExtArtDate DESC"

<a href="ArchivedNews.asp">
    </a><br>
    <br>
    

<% While ((Repeat1__numRows < 0) AND (NOT
rsViewExtArt.EOF)) %>
    &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<li><font color="012650" size="2"
face="Arial, Helvetica, sans-serif"><strong><A
HREF="..\UR/ExtArtDetail.asp?<%= MM_keepURL &
MM_joinChar(MM_keepURL) & "ID=" &
rsViewExtArt.Fields.Item("ID").Value %>">
<%= (rsViewExtArt.Fields.Item("Title").Value)%></A></strong></
font><font color="012650"> ~ <font size="2" face="Times New
Roman, Times, serif">
<%= (rsViewExtArt.Fields.Item("ExtArtDate").Value)%>
</font></font>
<% Repeat1__index=Repeat1__index+1
Repeat1__numRows=Repeat1__numRows-1
rsViewExtArt.MoveNext()
Wend %>
```

```
<map name="Map2">
<area shape="rect" coords="4,11,308,54"
href="MediaRelations.asp">
</map>
<map name="Map4">
<area shape="rect" coords="12,5,145,29"
href="ExpertsGuide.asp">
</map>
<map name="Map3">
<area shape="rect" coords="13,7,144,30"
href="ArchivedNews.asp">
</map>

<%
rsViewExtArt.Close()
Set rsViewExtArt = Nothing
%>
```

**ArchivedNews.asp. is virtually the same except for the Record Set name and table the record set is assigned to. To avoid repetition, I have excluded this page from this documentation.*

BIPArchive.asp*

```
rsBIP.Source = "SELECT * FROM BIP ORDER BY Date DESC"

While ((Repeat1_numRows > 0) AND (NOT rsBIP.EOF))
  <%
    <font color="012650" size="3" face="Arial,
    Helvetica, sans-serif"><strong>[<font color="9D8E62">
      <a
        href="<%=rsBIP.Fields.Item("Link").Value%>">
          <%=rsBIP.Fields.Item("Date").Value%></a><font
            color="012650"> ]&nbspnbsp&nbsp&nbsp&nbsp&nbsp&nbsp;</strong></font>
        <%
      Repeat1_index=Repeat1_index+1
      Repeat1_numRows=Repeat1_numRows-1
      rsBIP.MoveNext()
    Wend
  %>
```

****CSUMagArchive.asp and InsideCSUArchive.asp are virtually the same except for the Record Set names and tables the record sets are assigned to. To avoid repetition, I have excluded these pages from this documentation.***

RequestSubmitted.asp

<meta http-equiv="refresh" content="5;URL=PubHome.asp">

ExtArtDetail.asp

[illegible]

****PressReleaseDetail.asp is virtually the same except for the Record Set name and table the record set is assigned to. To avoid repetition, I have excluded this page from this documentation.***

ArchivedExtNews.asp*

```

<%@LANGUAGE="VBSCRIPT" CODEPAGE="1252"%>
<!--#include file="..\Connections/UnivRel.asp" -->
<% Dim rsViewExtArt
Set rsViewExtArt = Server.CreateObject("ADODB.Recordset")
rsViewExtArt.ActiveConnection = MM_UnivRel_STRING
rsViewExtArt.Source = "SELECT * FROM ExtArticles ORDER
BY ExtArtDate DESC"

<a href="ArchivedNews.asp">
    </a><br>
    <br>
    

<% While ((Repeat1__numRows < 0) AND (NOT
rsViewExtArt.EOF)) %>
    &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<li><font color="012650" size="2"
face="Arial, Helvetica, sans-serif"><strong><A
HREF="..\UR/ExtArtDetail.asp?<%= MM_keepURL &
MM_joinChar(MM_keepURL) & "ID=" &
rsViewExtArt.Fields.Item("ID").Value %>">
<%=(rsViewExtArt.Fields.Item("Title").Value)%></A></strong></
font><font color="012650"> ~ <font size="2" face="Times New
Roman, Times, serif">
<%=(rsViewExtArt.Fields.Item("ExtArtDate").Value)%>
</font></font>
<% Repeat1_index=Repeat1_index+1
Repeat1__numRows=Repeat1__numRows-1
rsViewExtArt.MoveNext()
Wend %>

```

```

<map name="Map2">
<area shape="rect" coords="4,11,308,54"
href="MediaRelations.asp">
</map>
<map name="Map4">
<area shape="rect" coords="12,5,145,29"
href="ExpertsGuide.asp">
</map>
<map name="Map3">
<area shape="rect" coords="13,7,144,30"
href="ArchivedNews.asp">
</map>

<%
rsViewExtArt.Close()
Set rsViewExtArt = Nothing
%>

```

** ArchivedNews.asp. is virtually the same except for the Record Set name and table the record set is assigned to. To avoid repetition, I have excluded this page from this documentation.*

AddArticle.asp*

```
' *** Restrict Access To Page: Grant or deny access to this page
MM_authoredUsers="3,2,1"
MM_authFailedURL="AdminLogin.asp"
MM_grantAccess=false
If Session("MM_Username") <> "" Then
  If (false Or CStr(Session("MM_UserAuthorization"))="") Or _
    (InStr(1,MM_authoredUsers,Session("MM_UserAuthorization"))>=1)
  Then
    MM_grantAccess = true
  End If
End If
If Not MM_grantAccess Then
  MM_qsChar = "?"
  If (InStr(1,MM_authFailedURL,"?") >= 1) Then MM_qsChar = "&"
  MM_referrer = Request.ServerVariables("URL")
  If (Len(Request.QueryString) > 0) Then MM_referrer = MM_referrer &
    "?" & Request.QueryString
  MM_authFailedURL = MM_authFailedURL & MM_qsChar &
    "accessdenied=" & Server.URLEncode(MM_referrer)
  Response.Redirect(MM_authFailedURL)
End If
%>

<%
' *** Insert Record: construct a sql insert statement and execute it
Dim MM_tableValues
Dim MM_dbValues
If (CStr(Request("MM_insert")) <> "") Then
  ' create the sql insert statement

  ' execute the insert
  Set MM_editCmd = Server.CreateObject("ADODB.Command")
  MM_editCmd.ActiveConnection = MM_editConnection
  MM_editCmd.CommandText = MM_editQuery
  MM_editCmd.Execute
  MM_editCmd.ActiveConnection.Close
%>
```

* *AddArticle.asp is virtually the same as AddExtArticle.asp, and AddUser.asp*

DeleteExtArticle.asp

' create the sql delete statement
 MM_editQuery = "delete from " & MM_editTable & " where " &
 MM_editColumn & " = " & MM_recorded
 * *DeleteExtArticle.asp is virtually the same as DeletePRArticle.asp and DeleteUser.asp.*

DeleteOldReq.asp

```
<%
While ((Repeat1_numRows <> 0) AND (NOT rsViewAllRequests.EOF))
%>
<tr valign="middle" bgcolor="eeeeee">
<td width="50" align="center" valign="middle" bgcolor="eeeeee">
<div align="center">
  <input name="del" type="checkbox" value=
    "<%=rsViewAllRequests("RequestID")%>">
</div></td><td><strong>
  <font color="012650" size="3" face="Times New Roman, Times, serif">
    <%=(rsViewAllRequests.Fields.Item("EventDate").Value)%>|
    <%=(rsViewAllRequests.Fields.Item("EventTime").Value)%><br>
    <%=(rsViewAllRequests.Fields.Item("Event").Value)%>|
    <%=(rsViewAllRequests.Fields.Item("Location").Value)%></font></strong>
  </td> <tr valign="middle" bgcolor="eeeeee">
  <td height="15" colspan="2"></td></tr>
<%
Repeat1_index=Repeat1_index+1
Repeat1_numRows=Repeat1_numRows-1
rsViewAllRequests.MoveNext()
Wend
%>
```


AddArticle.asp*

```
' *** Restrict Access To Page: Grant or deny access to this page
MM_authAuthorizedUsers="3,2,1"
MM_authFailedURL="AdminLogin.asp"
MM_grantAccess=false
If Session("MM_Username") <> "" Then
  If (false Or CStr(Session("MM_UserAuthorization"))="") Or _
    (InStr(1,MM_authAuthorizedUsers,Session("MM_UserAuthorization"))>=1)
  Then
    MM_grantAccess = true
  End If
End If
If Not MM_grantAccess Then
  MM_qsChar = "?"
  If (InStr(1,MM_authFailedURL,"?") >= 1) Then MM_qsChar = "&"
  MM_referrer = Request.ServerVariables("URL")
  If (Len(Request.QueryString) > 0) Then MM_referrer = MM_referrer &
    "?" & Request.QueryString
  MM_authFailedURL = MM_authFailedURL & MM_qsChar &
    "accessdenied=" & Server.URLEncode(MM_referrer)
  Response.Redirect(MM_authFailedURL)
End If
%>

<%
' *** Insert Record: construct a sql insert statement and execute it
Dim MM_tableValues
Dim MM_dbValues
If (CStr(Request("MM_insert")) <> "") Then
  ' create the sql insert statement

  ' execute the insert
  Set MM_editCmd = Server.CreateObject("ADODB.Command")
  MM_editCmd.ActiveConnection = MM_editConnection
  MM_editCmd.CommandText = MM_editQuery
  MM_editCmd.Execute
  MM_editCmd.ActiveConnection.Close
%>
```

** AddArticle.asp is virtually the same as AddExtArticle.asp, and AddUser.asp*

DeleteExtArticle.asp

' create the sql delete statement
 MM_editQuery = "delete from " & MM_editTable & " where " &
 MM_editColumn & " = " & MM_recorded

**DeleteExtArticle.asp is virtually the same as DeletePRArticle.asp and
 DeleteUser.asp.*

DeleteOldReq.asp

```
<%
While ((Repeat1_numRows <> 0) AND (NOT rsViewAllRequests.EOF))
%>
  <tr valign="middle" bgcolor="eeeeee">
    <td width="50" align="center" valign="middle" bgcolor="eeeeee">
      <div align="center">
        <input name="del" type="checkbox" value=
          "<%=rsViewAllRequests("RequestID")%>">
        </div></td><td><strong>
          <font color="012650" size="3" face="Times New Roman, Times, serif">
            <%=(rsViewAllRequests.Fields.Item("EventDate").Value)%> |
            <%=(rsViewAllRequests.Fields.Item("EventTime").Value)%><br>
            <%=(rsViewAllRequests.Fields.Item("Event").Value)%> |
            <%=(rsViewAllRequests.Fields.Item("Location").Value)%></font></strong>
          </td> <tr valign="middle" bgcolor="eeeeee">
            <td height="15" colspan="2"></td></tr>
          <%
            Repeat1_index=Repeat1_index+1
            Repeat1_numRows=Repeat1_numRows-1
            rsViewAllRequests.MoveNext()
          %>
        </td>
      </tr>
    </td>
  </tr>
%>
```

The Future:

- Mr. Strubel will insert the pages I have created for University Relations into a bordering template that will be included on every page associated with CUU website.

Any questions?

THE DREAMWEAVER **MX** FILES

by Gordon Knapp
THE TRUTH STARTS HERE!

~ PART 1 ~

THE SERVER - THE DATABASE - CONFIGURING YOUR SITE YOUR FIRST DATABASE DRIVEN WEB PAGE

Page 1

INTRODUCTION:

Macromedia's Dreamweaver MX is an incredibly powerful web development application. In this series of tutorials you will learn how to create database driven web pages using DMX's **"ASP / VBScript"** capability coupled with a Microsoft **"Access"** database.

WHAT YOU WILL NEED ON YOUR PC:

In order to develop and display ASP web pages on your computer, you will need to install a **"Web Server"** on your PC. This is not as scary as it sounds. The options depend on the operating system you are using and are as follows.

- **"Windows 95 - 98 - 98SE"**: You must install Microsoft **"Personal Web Server"** (PWS). You will find a copy of it on your operating system CD ROM in a folder named **"Add-Ons"**. You will find a step by step tutorial on how to install **"PWS"** by clicking the following link **"Installing PWS on Windows 95-98-98SE"**
- **"Windows ME"**: You can still install **"PWS"** even though Microsoft does not officially support it. Unfortunately, you will not find a copy of **"PWS"** on the **"ME"** CD. You will have to copy the PWS files from a 95 , 98 or 98SE CD (if you haven't got one laying around in a draw somewhere, borrow one from a friend). If all else fails you can download PWS from the Microsoft Web site. You will also need to download a small **"Patch"** from Microsoft to enable installation. You will find a step by step tutorial on how to install **"PWS"** on Windows ME and links for downloading any files you may need by clicking the following link ... **"Installing PWS on ME"**
- **"NT 4"**: You will find a copy of **"PWS"** on the **"NT 4 Option Pack"**. The Installation procedure is wizard driven and is very straight forward.
- **"Windows 2000"**: You must install Microsoft **"Internet Information Server"** more commonly known as **"IIS"**. You will find a step by step tutorial on how to install **"IIS"** on **"Windows 2000"** by clicking this link .. **"Installing IIS on 2000"**
- **"Windows XP Professional"**: You must install **"IIS"**. You will find a step by step tutorial on installing **"IIS"** on **"XP Pro"** at this link .. **"Installing IIS on XP Pro"**
- **"Windows XP Home Edition"**: Microsoft do not support any of their server technologies on **"XP Home"**. You will have to either upgrade to **"XP Pro"** or, as a cheaper alternative, dual boot your system with an earlier version of Windows that supports **"PWS"** and use that for development. All together now **"Microsoft are a bunch of money grabbing B*****DS!!"**

In addition to **"PWS"** or **"IIS"** you will need a copy of Microsoft **"Access"** (we use Access 2000 but any flavour will do) and of course a copy of **"Dreamweaver MX"**.

WHAT YOUR WEB HOST WILL NEED:

In order to run ASP pages on the Internet you are going to need some server space with a host

who supports ASP. You would be amazed by the number of emails I get from people asking why they can't get their ASP pages to work on GeoCities or Yahoo!

You are going to need to get some hosting space on a server that supports ASP. As a rule, this means that your host should be running "**Internet Information Server**" installed on a Windows 2000 or NT operating system. Some Unix hosting providers offer ASP support but as this is via a third party "plug in" environment certain ASP features may be absent. So... Look for a Windows host.

For experimental purposes Brinkster.com offer a free ASP hosting service. However having tried this service I have found it a bit slow and erratic. You will find a WebThang tutorial on using Brinkster with Dreamweaver MX [HERE](#).

If you live in the UK [DC Hosting](#) offer some high spec but low bandwidth packages from around £25 a year. [NetWeaver](#) have a range of high spec packages starting at around £45 per year.

TO SUMMARISE:

In order to use this series of tutorials and deploy database driven web pages created with Macromedia Dreamweaver MX, you need ***all*** of the following.

- Macromedia Dreamweaver MX
- Microsoft PWS or IIS on your own computer.
- A web host who supports ASP.
- Microsoft Access

REQUIRED EXPERIENCE:

Throughout these tutorials I have assumed that readers have no previous knowledge of PWS, Access or the ASP / database capabilities of Dreamweaver MX, , I have assumed that you have basic skills in the Windows environment and that you know your way around Dreamweavers static web building tools (creating tables, forms etc.).

DOWNLOADS:

You can download the database and files for this tutorial from [HERE](#)

SUPPORT:

For help with this or any other WebThang tutorial please post your questions on the WebThang [FORUM](#) stating clearly which particular tutorial you are working through.

Copyright © Gordon Knapp 2003 all rights reserved

THE DREAMWEAVER **MX** FILES

by Gordon Knapp
THE TRUTH STARTS HERE!

~ PART 1 ~

THE SERVER - THE DATABASE - CONFIGURING YOUR SITE
YOUR FIRST DATABASE DRIVEN WEB PAGE

Page 2

THE DATABASE & DSN:

In this section we will


1. Create the "**Folders**" that will eventually hold the files for our web site.
2. Create the "**Database**" that we will be using on our site.
3. Create a "**DSN**" (Data Source Name). This will be used a bit later to help the web page connect to the database.

FOLDERS:

1/ Right click on the desktop. Select "**New > Folder**" from the menu and name the folder "**dwmx1**".



Now open the "**wwwroot**" folder that lives on your hard drive in the "**Inetpub**" directory. Create a new folder and name it "**dwmx1**" (yes ... the same name as the folder you created on the desktop).




The "**Inetpub**" directory and "**wwwroot**" folder were created when you installed the server onto your computer. If you have not yet installed the server, see [page 1](#) for instructions on installing a server to suit your operating system.


Later, once we have configured the site properly, Dreamweaver MX will refer to the "**dwmx1**" folder on the desktop as "**Local Files**" and the "**dwmx1**" folder in "**wwwroot**" as the "**Remote Site**". We will be building the ASP pages in the Local Files section. Once they are built, we transfer them to the Remote Site section to run and test them. This is because when Dreamweaver builds ASP pages it uses a combination of "**VBScript**" and "**SQL**" (Structured Query Language). Unlike HTML, these languages have to be run on a server. You can not view an ASP page directly in a web browser.

DATABASE:


2/ Open Microsoft Access. Check the radio button next to "**Blank Access database**". Hit the "**OK**" button.



3/ "Access" will now ask where you want to save the newly created database and what you want to call it. In the "Save in" text box browse your way to the "dwmx1" folder stored at "wwwroot" on your server. In the "File name" text box name your new database "dwmx1.mdb". Hit the "Create" button.



If you go and take a look in "wwwroot\dwmx1" you will see the newly created database file.




When working with Dreamweaver MX and ASP you will often want to access the "wwwroot" folder. You will save a lot of time by adding a shortcut to it on your **"Quick Launch"** tool bar.


4/ With the **"Tables"** tag selected, double click on **"Create table in design view"** as shown below.



5/ In the resulting window, enter **"ID"** in the first column under **"Field Name"**. Click in the blank space under the **"Data Type"** heading and select **"AutoNumber"** from the drop down menu that appears. Leave all the other settings alone. This enables an ID number to be generated automatically for each new record added to the database.



6/ Right click on the black arrow next to **"ID"** and select **"Primary Key"** from the menu. A primary key is a field that uniquely identifies each record in a table. We will be using the ID number to uniquely identify each record in the table.



7/ Once you have created the primary key you will see a small key symbol appear next to **"ID"** as shown below.

Field Name
 ID

8/ Time to define the rest of the database fields.

- Click in the blank space below ID and type in **"Name"**. Click in the blank **"Data Type"** box to the right of Name and select **"Text"** from the drop down menu.
- Repeat the process on the next line down. This time typing in **"Address"** and selecting **"Data Type"** Memo.
- On the next line type **"Email"** and **"Data Type"** Text.
- Finally type in **"Job"** and **"Data Type"** Text.


	Field Name	Data Type
	ID	AutoNumber
	Name	Text
	Address	Memo
	Email	Text
	Job	Text
		

9/ Here is a quick tip for you. In later tutorials, you will start building forms that enable visitors to add information to the database. If a visitor should leave form field blank and press the submit button, a rather scary looking error message will be generated by Access. To eliminate this problem, click in the **"Name"** field (just click next to the word **"Name"** in the **"Field Name"** column) and then look down at the **"General"** panel and click in the text box next to **"Allow Zero Length"** Change the default **"No"** to a more agreeable **"Yes"**. Repeat this process with the Address, Email and Job columns.


General Lookup	
Field Size	50
Format	
Input Mask	
Caption	
Default Value	
Validation Rule	
Validation Text	
Required	No
Allow Zero Length	Yes
Indexed	No
Unicode Compression	Yes

While you are playing in the **"General"** panel, take a look at the **"Field Size"** setting. You will see that it is set for **50**. This is the default number of characters that Access lets you use in a **"Text"** column. You can manually change this to a maximum of **250** characters should you wish. If you anticipate using more than 250 characters in a record entry, use the **"Memo"** Data Type as we have done for the address column.


10/ Select **"Save As"** from the **"File"** menu.




11/ Save the table as **"mytable"** by typing the name into the text box and hitting **"OK"**.




Should you ever need to go back and work on the table simply right click on **"mytable"** and choose **"Design View"** from the menu as shown below.




12/ Double clicking on the **"mytable"** icon will **"open"** the database.



Once open, the database should look like this.




13/ Time to "**Populate**" the database. Enter some records as shown below. Note that you can increase the width of the data fields by click and dragging the separating lines in the grey "**headings**" bar. As you can see, I have made the Email field a bit wider for this illustration.




DSN (Data Source Name)


14/ Time to set up the "**DSN**". Open the "**Control Panel**" and double click on the "**ODBC Data Sources**" icon.



15/ Now select the "**System DSN**" tab and hit the "**Add**" button.




16/ Select "**Microsoft Access Driver (*.mdb)**" from the list of available drivers. Hit the "**Finish**" button.




17/ The "**ODBC Microsoft Access Setup**" will now open.

1. In the "**Data Source Name**" field enter "**dwmx1**". This is the name we will be using for the DSN connection.
2. Hit the "**Select**" button. The "Select Database" window will open.
3. Double click on "**c:**" (or whatever your hard drive is called) and browse your way to the "**dwmx1**" folder as held in the "**wwwroot**" directory.
4. Click on "**dwmx.mdb**" to select it and hit the "**Select Database**" windows "**OK**" button.
5. Hit the "**ODBC Microsoft Access Setup**" window "**OK**" button.



18/ Look in the "**System Data Sources**" list and you will see that the "**dwmx1**" DSN has been added to it. Hit the "**OK**" button to close the window.



19/ That's it for all the database stuff. Now we can start configuring Dreamweaver MX to work with the database.

THE DREAMWEAVER MX FILES

by Gordon Knapp
THE TRUTH STARTS HERE!

~ PART 1 ~


THE SERVER - THE DATABASE - CONFIGURING YOUR SITE YOUR FIRST DATABASE DRIVEN WEB PAGE

Page 3

CONFIGURING THE SITE IN MX


Before we can build a data driven web page we must configure our proposed site in **Dreamweaver MX** (hereafter known as **DMX**). This is done in order that the program knows where all the files for the site are kept, what scripting language to use and what server it must run the ASP pages on.

1/ From the "**Site**" menu select "**New Site**".




2/ Click on the "**Advanced**" tab and select "**Local Info**" from the Category list. This is where we tell **DMX** the location of the site we are working on.

- In the "**Site Name**" field type "**dwmx1**"
- In the "**Local Root Folder**" field browse your way to the "**dwmx1**" folder you created on the "**desktop**".
- Leave all the other settings as they are.
- DO NOT CLICK THE OK BUTTON YET.




3/ Now select "**Remote Info**" from the Category list. This is where we let **DMX** know whereabouts the PWS or IIS server is installed on your computer and where the other "**dwmx1**" folder lives.

- Select "**Local / Network**" from the "**Access**" menu.




4/ In the "**Remote Folder**" field, browse your way to the "**dwmx1**" folder in the "**wwwroot**" directory. Double check to make sure that you have browsed to the "**wwwroot**" directory **AND NOT** the "**dwmx1**" folder held on the desktop. Leave all the other settings as they are. **DO NOT CLICK THE OK BUTTON YET.**



5/ Select "**Testing Server**" from the "**Category**" list.

- In the "**Server Model**" menu select "**ASP VBScript**".
- From the "**Access**" menu select "**Local / Network**"


DO NOT CLICK THE OK BUTTON YET.




6/ You will see the "Testing Server Folder" field appear. Browse your way to the "**dwmx1**" folder

in the "**wwwroot**" directory. Double check to make sure that you have browsed to the "**wwwroot**" directory **AND NOT** the "**dwmx1**" folder held on the desktop. Leave all the other settings as they are.


All right All right ...NOW YOU CAN HIT THE OK BUTTON!



7/ If this is the first time you are setting up a site in **DMX** you will get a pop up message telling you that Dreamweaver will now create a cache for your site. Click OK (after you have checked the "Don't show me this message again" check box).




8/ Open the "**Files**" panel by clicking on the word "**Files**". You will see that the newly created "**dwmx1**" site is displayed in the "**Local View**" window. You will note that it also contains a copy of the "**Dwmx1.mdb**" database. To tell you the truth, this particular copy of the database is surplus to our needs. Why? Well, when we set up the "**DSN**" (on page 2 of this tutorial) we directed it to the database held on the server (wwwroot\dwmx1\Dwmx1.mdb). That is the actual database that we will be reading from. We could of course just delete the redundant database from the local folder if desired. I normally stick this copy into a "Spare Parts" folder "Just in case" something nasty happens to the copy on the server.




9/ Time to start working on our view page. In the "**Files**" panel, "**Right Click**" on the little green "**dwmx1**" folder (where *did* they find that colour? Radioactive Frog Green .. ugh).



10/ From the pop up menu that appears, select "**New File**".




11/ You will see a new ASP file appear. Name it "**view.asp**". This is the file that we will be creating our database driven page in (coming soon to a page 4 near you!)




12/


NOTE: There have been reports that sometimes after defining the site as shown in points 1 to 6 Dreamweaver throws a wobbly and does not place a tick next to the "document type" or "testing server" as shown in the picture above. If this ever happens to you simply click on the "document type" or "testing server" link and set it up again.



13/ The "Database" area of the "Application" panel should look like the picture below, with ticks next to items 1, 2 and 3.




14/ Now that **DMX** knows where all the files are, what scripting language we wish to employ and what testing server to use, we can create the actual "**connection**" between the web site and the database. In the "Database" area of the "Application" panel, click on the "+" button. From the resulting menu, select "Data Source Name [DSN]".




15/ The "Data Source Name [DSN]" window will open.

- In the "Connection Name" text field, enter "conDwmx1".
- From the "Data Source Name [DSN]" menu, select "dwmx1".
- Make sure that the "Using Local DSN" radio button is selected.




16/ Hit **"Test"** and you will see a pop up box telling you that the connection was made successfully. Hit **"OK"** to dismiss it, then hit **"OK"** in the **"Data Source Name [DSN]"** window to save you new **"Connection"**.



17/ You will now see a yellow "drum" icon in the database section of the application panel representing the connection between the web site and the database.

Look in the **"Site"** area of the **"Files"** panel and you will see a newly created folder named **"Connections"**. This folder contains the **"conDwm1.asp"** file. This file contains the **"Connection String"** (a line of code that tells your asp pages how to connect to the database). It is used as an **"include file"** by DMX. This **"include file"** is automatically referred to by any page that needs to connect to the database. We will discuss this concept in some detail in later chapters.



Next we build the database driven web page. Grab a coffee and I'll see you on page 4....

Copyright © Gordon Knapp 2003 all rights reserved

THE DREAMWEAVER MX FILES

by Gordon Knapp
THE TRUTH STARTS HERE!

~ PART 1 ~


THE SERVER - THE DATABASE - CONFIGURING YOUR SITE
YOUR FIRST DATABASE DRIVEN WEB PAGE

Page 4


THE DATABASE DRIVEN PAGE:

OK This is where the fun starts


1/ Open the "**view.asp**" page in DMX and insert a table consisting of 6 rows and 2 columns. Configure it as shown in the picture below.



2/ Select the "**Bindings**" tab in the "**Application**" panel and click on the "+" button.



3/ From the pop up menu that appears, select "**Recordset[Query]**". A "**Recordset**" is a set of instructions used to define exactly what data our web page wants to work with and how that data should be presented. We will be exploring recordsets in great detail in later chapters.



4/ When the "**Recordset**" window opens

- In the "**Name**" field, enter "**rsView**".
- In the "**Connection**" field, select "**conDwmx1**" from the menu.
- Select the "**All**" radio button.
- Leave all other settings as they are.
- Hit "**Test**".

Recordset

Name:

Connection:

Table:

Columns: ☒ All ☐ Selected:

ID
Name
Address
Email
Job

Filter: =

URL Parameter:

Sort:

5/ when you hit the "Test" button you will see the "Test SQL Statement" screen appear. Provided you did as you were told on page 2, you will see that all the records in your database are displayed as shown below.

Hit "OK" to close the "Test SQL Statement" screen and then hit "OK" again to close the "Recordset" window.

Test SQL Statement

Record	ID	Name	Address	Email	Job
1	1	Gordon Knapp	3 My Road Manc...	mail@WebThang...	IT Geek
2	2	Noma Knapp	3 My Road Manc...	noma.knapp@ho...	Accounts Geek
3	3	Bill Emerson	2 Bills Road Florida	bill@barnaclebills...	Sailing Instructor
4	4	Walt Corbett	5 Walts Road Kry...	walt@divemaster...	Scuba Instructor

6/ Look in the Bindings panel. You will see that a recordset has been created. Click on the + sign in the checkbox next to the recordset icon. This will "expand" the recordset tree. Note that all of the columns from the database are shown (plus a few extra items which we will not be using just yet).

Application

Database Bindings Server Beh Component


+ - Document Type: ASP VBScript

Source Binding

Recordset (rsView)

- ID
- Name
- Address
- Email
- Job
- [first record index]
- [last record index]
- [total records]

7/ Place the cursor in the table labeled "Name" and click. Now move over to the "Bindings" panel and select "Name" from the list. Finally, click on the "Insert" button.



8/ You will see that "{rsView.Name}" has been inserted into the table. This will be used to pull information from the "Name" column of the database.

VIEW RECORDS


Names and Addresses	
Name	{rsView.Name}

9/ Repeat step 7 for the rest of the table

- Place the cursor in the table labeled "Address" and click. Now move over to the "Bindings" panel and select "Address" from the list. Finally, click on the "Insert" button.
- Place the cursor in the table labeled "Email" and click. Now move over to the "Bindings" panel and select "Email" from the list. Finally, click on the "Insert" button.
- Place the cursor in the table labeled "Job" and click. Now move over to the "Bindings" panel and select "Job" from the list. Finally, click on the "Insert" button.

☺ You can format the appearance of the text displayed in the table by clicking onto the code (as I have done in the Job cell below) and using the text properties tools in the properties panel.


Names	
Name	{rsView.Name}
Address	{rsView.Address}
Email	{rsView.Email}
Job	{rsView.Job}




10/ We now need to apply a "Repeat Region" behavior to our table in order that *all* the

database records are displayed. If we fail to do this, only the first record will show up when we test the page.


- Place the cursor in the **"Name"** cell as indicated by the arrow below.
- Hold down the left mouse button and drag the cursor through all of the cells from "Name" down in order to select them (outlined in black as shown below).
- Now select the **"Server Behaviors"** tab in the **"Application"** panel.
- Hit the **"+"** button and select **"Repeat Region"** from the menu.



11/ The **"Repeat Region"** window will appear. Make sure that **"rsView"** appears in the **"Recordset"** field and then select the **"All Records"** radio button. Hit **"OK"**. This ensures that all of the records from the database will be shown on the **"view.asp"** page.



12/ Time for a quick test. Hit the **"Live Data View"** button and you will see the database records appear on the screen. Hit it again to return to **"Design View"**.



13/ Save your work by going "File > Save".




14/ So far, Dreamweaver MX has created all the new files for us in the "Local Folder". Now it is time to copy them to the server...

- Select the **"Connections"** folder and the **"view.asp"** page as shown below.
- Hit the **"Put Files"** button.
- You may get a pop up box asking if you want to include all dependent files. Best to say **"No"** and to check the **"Don't show me this again"** box. Reason?? Well, at some stage in your Dreamweaver MX career, you are going to want to mess with the raw ASP code contained in files on the server. Allowing DMX to automatically upload anything it considers to be a "dependent" file could well screw up all your hard work. Rather retain full control over what gets loaded to where.



15/ Go look at "**Remote View**". You will see that the new folder and files have been copied to the server. Don't be concerned if you find something called "**dwmx1.ldb**" in the folder. it's just a temporary file that DMX uses when testing in Live Data View etc. and it will eventually go away by itself.



Close Dreamweaver MX and move to page 5.

Copyright © Gordon Knapp 2003 all rights reserved

THE DREAMWEAVER MX FILES

by Gordon Knapp
THE TRUTH STARTS HERE!


~ PART 1 ~

THE SERVER - THE DATABASE - CONFIGURING YOUR SITE
YOUR FIRST DATABASE DRIVEN WEB PAGE

Page 5

TESTING:

1/ Hit the "Start" button and select "Run" from the menu. Type in **http://localhost/dwmx1/view.asp** and hit "OK".



2/ Providing you did everything as explained in the tutorial, as opposed to just following the pictures 🙄, you should see the results of your labours displayed as shown below.

VIEW RECORDS

Names and Addresses	
Name	Gordon Knapp
Address	3 My Road Manchester
Email	mail@WebThang.co.uk
Job	IT Geek
Name	Norma Knapp
Address	3 My Road Manchester
Email	norma.knapp@hotmail.com
Job	Accounts Geek
Name	Bill Emerson
Address	2 Bills Road Florida
Email	bill@barnaclebills.com
Job	Sailing Instructor
Name	Walt Corbett
Address	5 Watts Road Knyener
Email	walt@divemaster.co.za
Job	Scuba Instructor

UPLOADING TO THE WEB:

Make sure that everything works 100% on you local server before you attempt uploading to your host.

3/ Uploading to your host:

You are going to need to get some hosting space on a server that supports ASP. As a rule, this means that your host should be running "**Internet Information Server**" installed on a Windows 2000 or NT operating system. Some Unix hosting providers offer ASP support but as this is via a third party "plug in" environment certain ASP features will be absent. So... Look for a Windows host.

Always use your hosts preferred method of connecting to the database. If you do not know what this is, **check your hosts FAQ's** re database connections, or email their support team.

4/ You will either have to create a "**DSN**" on your hosts server with the **same** name as the "**DSN**" you created locally, or you will have to manually change the connection string in the "**condwmx1.asp**" file (the one in the Connections folder) to what is known as a "**DSNless**" connection.

5/ There is a full tutorial on changing connection strings in "**UltraDev UltraEasy part 6**" I strongly suggest that you read through it.

6/ I would normally change the "**Connections**" file to a "**DSNless**" connection before uploading. The connection file that UltraDev produced for this site looked like this...

```
<%  
' FileName="Connection_odbc_conn_dsn.htm"  
' Type="ADO"
```

```
' DesigntimeType="ADO"  
' HTTP="false"  
' Catalog=""  
' Schema=""  
Dim MM_conDwmx1_STRING  
MM_conDwmx1_STRING = "dsn=dwmx1;"  
%>
```

I would change it (the bold green bit) to this before uploading to the web...

```
<%  
' FileName="Connection_odbc_conn_dsn.htm"  
' Type="ADO"  
' DesigntimeType="ADO"  
' HTTP="false"  
' Catalog=""  
' Schema=""  
Dim MM_conDwmx1_STRING  
MM_conDwmx1_STRING = "Provider=Microsoft.Jet.OLEDB.4.0;Data Source=" &  
Server.MapPath("dwmx1.mdb")  
%>
```

Keep the entire bold green bit on one line. Do not insert any line breaks.

At the end of the day, you must use whatever method your web host recommends.

The above connection string will work fine if your database is located in the same folder as your "view.asp" page.

7/ Wouldn't it be nice if those email addresses were displayed as "Live" links? Hmmm.... Go check page 6 and I'll show you a couple of ways to make it happen!

Copyright © Gordon Knapp 2003 all rights reserved

THE DREAMWEAVER MX FILES

by Gordon Knapp
THE TRUTH STARTS HERE!

~ PART 1 ~

THE SERVER - THE DATABASE - CONFIGURING YOUR SITE
YOUR FIRST DATABASE DRIVEN WEB PAGE

Page 6

HOW TO TRY SOME HAND CODING & INTRODUCING EXTENSIONS:

So, how can we turn all those email addresses into "mailto" links that will open our email program (probably Outlook)? I am going to show you two ways of doing this, and I want you to try both.

Firstly, I am going to show you how to physically write a lump of code into the "**view.asp**" page. Sound scary? Don't worry, it will be good practice for some of the more advanced "**WebThang**" projects you may like to play with.


Secondly, I am going to introduce you to the concept of "**Extensions**". An extension is a small "**add on**" program. They are normally built by dedicated Macromedia enthusiasts and are often available for download free of charge. These "**Extensions**" are incorporated into Dreamweaver MX via the Macromedia "**Extension Manager**". They then become a seamless part of the program, allowing you to do all sorts of things that Macromedia should have thought of in the first place!

1/ Open the "view.asp" page and hit the "Show code and Design View" button. Your screen will split into two. The top half shows the code, the bottom half shows the design view.

Now, in the "**Design View**" section, click on " **{rsView.Email}** " to highlight it. You will see that the code relating to that cell is now highlighted in the "**Code View**" section. Your line numbers will not be the same as the ones shown below so don't worry about them.

☺ You can turn the line numbers on and off, enable "Word Wrap" and do all sorts of other things by accessing the "View Options" menu on the right of the toolbar.





2/ As you can see, the line of code that gets the email address from the database and displays it, is as follows

```
<%= (rsView.Fields.Item("Email").Value) %>
```

In order to turn that into a "mailto" link, we are going to apply a little HTML to the code. Replace the above line with this.....

```

<a href="mailto:<%= (rsView.Fields.Item("Email").Value) %>">
<%= (rsView.Fields.Item("Email").Value) %>
</a>

```

As you can see, I have created a standard HTML "mailto:" link utilising the data pulled from the database.

3/ Try it for yourself. Change the code in "Code View" so that it looks like this

```

53 <td>
54 <font size="2" face="Arial, Helvetica, sans-serif">
55 <a href="mailto:<%= (rsView.Fields.Item("Email").Value) %>">
56 <%= (rsView.Fields.Item("Email").Value) %></a>
57 </font>
58 </td>

```

4/ Now hit "F12" to preview the page. Wow! Live email links.

Names and Addresses	
Name	Gordon Knapp
Address	3 My Road Manchester
Email	mail@WebThang.co.uk
Job	IT Geek
Name	Norma Knapp
Address	3 My Road Manchester
Email	norma.knapp@hotmail.com
Job	Accounts Geek


5/ Now we are going to achieve the same effect with the help of an "Extension".

- Download the extension called "**Auto Hyperlink**" by clicking [HERE](#) .
- You will find that you have downloaded a file named "t3_auto_hyperlink.mxp" as shown below.
- Double click on the file and Macromedia Extension Manager will open and install the extension for you. You will be asked to agree to licensing conditions etc. first.




6/ If, like me, you have several flavours of Dreamweaver knocking around on your computer, it may be better to simply open "Extension Manager" from the start menu, define which particular version of Dreamweaver you want to add the extension to and open the extension from the File menu.

Hit OK when it's done.




7/ This is how it works (delete your hand coded modification first).

- Select **{rsView.Email}**
- Select **"Auto Hyperlink"** from the **"Server Behaviors"** menu.



8/ When the **"Auto Hyperlink"** window pops up, select your **"Recordset"** (rsView) and select **"Email"** from the **"Field"** menu. Hit OK and all your email addresses will become live links.



9/ The **"Auto Hyperlink"** extension does a lot more than this. Read all about it in the T-Cubed site.

OK, In this tutorial we have covered ...

1. Installing a server on your PC.
2. Building a simple database using Access.
3. Setting up a DSN.
4. Configuring your site in DMX.
5. Building your first data driven web page.
6. Customising the code by hand.
7. Downloading, installing and using Dreamweaver extensions.
8. Changing the connection string before uploading to the web.

Phew not bad for part 1 !!

In part 2 we will start building a proper database driven web site for a Yacht Broker.
Have fun..

THE DREAMWEAVER MX FILES

by Gordon Knapp

~ PART 2 ~

BUILDING A DATABASE DRIVEN ONLINE CATALOGUE FOR A YACHT BROKER
STOCK LIST - DETAIL PAGE - ADD RECORD - DELETE RECORD

Page 1

INTRODUCTION:

In this months tutorial we are going to start building a database driven web site for a Yacht Broker trading under the unlikely name of "**The Yot Shop**". This site will form the basis of all future Dreamweaver MX tutorials in this "**Dreamweaver MX Files**" series. Once you become familiar with the techniques used on the "**Yot Shop**" site, you will discover how easily they can be adapted to suit sites for car dealerships, estate agents etc.

Our first task will be to build a "**Stock List**" type page. This page will list all the yachts in stock and will display a thumbnail of each. Next to each entry on the stock list is a "**more details**" link. Clicking this sends the user to a "**Detail Page**" which displays more photographs of the boat and a more detailed description of it. You can take a look at these 2 pages by clicking [HERE](#).

Once we have done that, we will build an "**Add Record**" page which allows the administrator to insert new records into the database.

We will then set up an elementary "**Admin Control Panel**" before building an "**Admin View**" page and a "**Delete Record**" page.

Once all that is done we will do a little housekeeping before testing on our local server and finally uploading to the web.

IN FUTURE TUTORIALS:

In the coming months we will look at ways of editing the records in the database. Search routines for the site. Building a "**Contact**" form for the site and managing prospective clients details in a separate database. Building an updateable "**News**" page with rotating banner ads and a random newsfeed section. Building a decent looking "**Home**" page featuring a "**Boat of the Week**" section that can be updated either manually or automatically. Securing the "**Admin**" section with a log in page and restricting access to certain files.

DOWNLOADS:

The complete set of files for *all* the "**YotShop**" tutorials can be downloaded from [HERE](#). In the download you will also find the database, images and yacht details for the tutorials.

WHAT ELSE YOU WILL NEED:

In order to use this series of tutorials and deploy database driven web pages created with Macromedia Dreamweaver MX, you need *all* of the following.

- Macromedia Dreamweaver MX
- Microsoft PWS or IIS on your own computer.
- A web host who supports ASP.
- Microsoft Access

REQUIRED EXPERIENCE:

If you are new to Dreamweaver MX I strongly recommend that you work through "**Dreamweaver MX Files part 1**" before attempting this tutorial.

Throughout these tutorials I have assumed that readers have no previous knowledge of the ASP / database capabilities of Dreamweaver MX.

I have assumed that you have basic skills in the Windows environment and that you know your way around Dreamweavers static web building tools (creating tables, forms etc.).

SUPPORT:

For help with this or any other WebThang tutorial please post your questions on the WebThang **FORUM** stating clearly which particular tutorial you are working through.

Copyright © Gordon Knapp 2003 all rights reserved

THE DREAMWEAVER MX FILES

by Gordon Knapp

~ PART 2 ~

BUILDING A DATABASE DRIVEN ONLINE CATALOGUE FOR A YACHT BROKER
STOCK LIST - DETAIL PAGE - ADD RECORD - DELETE RECORD

Page 2


THE FILES :

If you have not already done so, download the files for this tutorial from [here](#).

1/ Create a new folder on your desktop (or wherever else you like to work from) and name it "YotShop".



2/ Unzip the downloaded files and copy the "artwork" and "stock" folders into your newly created "YotShop" folder. Also copy the "YotShopText.txt" file to the folder.



3/ When you unzip the "dwmx2.zip" file you will also find a set of ready built ASP pages and a database file. Do not place these in your "YotShop" folder. They are the completed files from this tutorial and are included as a reference should you need them for troubleshooting your work.

Copyright © Gordon Knapp 2003 all rights reserved

THE DREAMWEAVER MX FILES

by Gordon Knapp


~ PART 2 ~

BUILDING A DATABASE DRIVEN ONLINE CATALOGUE FOR A YACHT BROKER
STOCK LIST - DETAIL PAGE - ADD RECORD - DELETE RECORD


Page 3

CREATING THE DATABASE, DSN AND INSERTING THE FIRST DATABASE RECORD:

1/ Open Access and create a new blank database.



2/ Name the database "YotShop.mdb" and save it to the "YotShop" folder on your desktop.



3/ Double click on "Create table in Design View".



4/ Create the database fields as shown below...

- **ysID** = AutoNumber (make this the "**primary key**")
- **design** = Text
- **year** = Text
- **price** = Number
- **construction** = Text
- **laying** = Text
- **brief_description** = Memo
- **full_description** = Memo
- **int_description** = Memo
- **pic_thumb** = Text
- **pic_ext** = Text
- **pic_int** = Text

If you have forgotten how to create a primary key, go back and read "[**Dreamweaver MX Files part 1**](#)"

Note that I have used an "Underscore _" in place of a space wherever a database field contains two words. NEVER use spaces when creating database field names. If you are copy and pasting database field names make sure that there are no spaces at the beginning or end of the word you are pasting. If you use spaces anywhere in a database field name, you will generate error messages when trying to connect to that database.

	Field Name	Data Type
	ysID	AutoNumber
	design	Text
	year	Text
	price	Number
	construction	Text
	laying	Text
	brief_description	Memo
	full_description	Memo
	int_description	Memo
	pic_thumb	Text
	pic_ext	Text
	pic_int	Text

5/ By default, Access sets "**Text**" fields to "**50 characters**". "**Text**" fields can in fact hold up to a maximum of "**255 characters**". Whilst we are unlikely to need 250 characters for the design field, we may need more than 50. Click next to "**design**" in the "**Field Name**" column and then change to "**50**" to "**100**" in the "**Field Size**" line of the "**General**" panel.

Now look further down the "**General**" panel until you see "**Allow Zero Length**". By default, this is set to "**No**". Click next to "design" again to make sure that it is still selected then click in the extreme right hand side of the "**Allow Zero Length**" line and select "**Yes**" from the menu.

Repeat the "**Allow Zero Length**" process for all other "**Text**" and "**Memo**" fields in the database.

Note: Text fields can hold up to 255 characters. Memo fields can hold up to 32,000 characters. So, if you are expecting to use a lot of text in a field, make it a Memo field.

Note: If we do not set the text and memo fields to "Allow Zero Length" an error message will be generated if someone submits a form to the database containing a blank field.

	Field Name	Data Type
🔑	ysID	AutoNumber
▶	design	Text
	year	Text
	price	Number
	construction	Text
	laying	Text
	brief_description	Memo
	full_description	Memo
	int_description	Memo
	pic_thumb	Text
	pic_ext	Text
	pic_int	Text

General	Lookup
Field Size	100
Format	
Input Mask	
Caption	
Default Value	
Validation Rule	
Validation Text	
Required	No
Allow Zero Length	Yes
Indexed	No
Unicode Compression	Yes

6/ Now click next to "price" in the "Field Name" and make sure that "Long Integer" is selected in the "Field size" line of the "General" panel.

Note:

"Long Integer" allows whole numbers between - 2,147,438,648 and 2,147,438,647 to be stored.

"Integer" allows whole numbers between -32,768 and 32,767

"Byte" only allows numbers between 0 and 255.

	Field Name	Data Type
?	ysID	AutoNumber
	design	Text
	year	Text
▶	price	Number
	construction	Text
	laying	Text
	brief_description	Memo
	full_description	Memo
	int_description	Memo
	pic_thumb	Text
	pic_ext	Text
	pic_int	Text

General | Lookup

Field Size: Long Integer

Format:

Decimal Places: Auto

Input Mask:

Caption:

Default Value: 0

Validation Rule:

Validation Text:

Required: No

Indexed: No

7/ Select "**Save As**" from the "**File**" menu and save the table as "**YotStock**"

Save As

Table Name: YotStock

OK

Cancel

8/ Look at the database window. It should look like the picture below. If you want to make changes to the database in "**Design View**" simply right click on the "**YotStock**" icon and select "**Design View**" from the menu.

YotShop : Database

Open Design New

Objects

- Tables
- Queries
- Forms
- Reports

Create table in Design view


Create table by using wizard

Create table by entering data

YotStock

9/ Time to add a record to the database. We will only add one record at this stage. Just enough for testing purposes.

Double click on the "**YotStock**" icon. The database will open as shown (I have split the picture into 3 parts so that you can see all the fields).



10/ Open the "YotShopText.txt" file that you downloaded earlier (inside the DMXF_part2 folder). You will see the following text under the heading "YACHT 1". Copy and paste the details into the relevant database fields.

- Design into the design field
- Year into the year field
- Price into the price field
- Construction into the construction field
- Laying into the laying field
- Brief Description into the brief_description field
- Full Description into the full_description field
- Interior Description into the int_description field
- Thumbnail into the pic_thumb field
- Exterior into the pic_ext field
- Interior into the pic_int field

YACHT 1...

Design: Roberts 43

Brief Description:

The Roberts 43 is an ocean-going cruising yacht, this particular example being professionally built to a high standard, with extensive use of stainless steel in areas where wear and tear is expected. She has internal watertight collision bulkheads.

Full Description:

She is constructed of 6mm steel below the waterline, 5mm on the topsides, and 3mm on deck, with extensive use of stainless steel in way of attachments for fittings, wear points, etc. She was surveyed for insurance purposes on completion, the survey report stating that "the steel plating had been expertly faired and filled, welds ground smooth, and well coated." The open-backed pilot house is fabricated entirely of stainless steel, and is arranged so that sheet winches can be handled from within the shelter. The entire foredeck around the anchor windlass is also stainless. Internally, she has two full watertight collision bulkheads.

Interior Description:

The accommodation consists of a large double berth cabin aft, accessed via an internal walk-through passageway from the saloon, with an en-suite heads compartment with WC, basin and shower. In the

saloon the chart table and U-shaped saloon table and seating are to port, with galley and another settee and pilot berth to starboard. Forward of this is a second heads, also with basin and shower, extensive locker and hanging space, and a forecabin with vee-berth.

Year: 1996/7
Laying: Devon
Construction: Steel
Price: 85,000

Picture Paths ...


Thumbnail: stock/01roberts_thmb.jpg
Exterior: stock/01roberts_ext.jpg
Interior: stock/01roberts_int.jpg

11/ The database should resemble the picture below. Close the database


Microsoft Access - [YotStock : Table]

	design	year	price	construction	laying	brief_descripti
▶	Roberts 43	1996/7	85000	Steel	Devon	he Roberts 43 i
*			0			


12/ Copy the "YotShop" folder and paste the copy into the "wwwroot" folder on your server.




13/ Open the Windows "Control Panel" and double click on the ODBC icon.




14/ Select the "System DSN" tab and hit "Add".




15/ Select the "Microsoft Access Driver (*.mdb)" and hit finish.



16/ Name the DSN "YotShop" and hit the "Select" button.



17/ Browse your way to the "YotShop.mdb" database that is held on the server (not the copy on your desktop) typically at c:\inetpub\wwwroot\YotShop. Hit OK.



18/ Hit "OK" in the remaining windows to close them.

THE DREAMWEAVER MX FILES

by Gordon Knapp


~ PART 2 ~

BUILDING A DATABASE DRIVEN ONLINE CATALOGUE FOR A YACHT BROKER
STOCK LIST - DETAIL PAGE - ADD RECORD - DELETE RECORD


Page 4

CONFIGURE THE SITE IN DREAMWEAVER MX:


1/ Open Dreamweaver MX. From the "Site" menu select "New Site".




2/ Select the "Advanced" tab. Select "Local Info" and name the site "YotShop". In the "Local Root Folder" field, browse your way to the "YotShop" folder on the desktop. Do not hit OK yet.




3/ Select "Remote Info" from the category list. Select "Local/Network" from the "Access" menu. In the "Remote Folder" field, browse your way to the "YotShop" folder held in the "wwwroot" directory. Do not hit OK yet.




4/ Select "**Testing Server**" from the category list. Select "**ASP VBScript**". From the Access menu select "**Local/Network**". The Testing Server Folder should come up as shown below by default. Hit "**OK**".



5/ Open the "**Files**" panel. It should look like the picture below.




6/ Time to set up the "Connection". Open the "Application" panel, select the "Database" tab and click on the "+" button. Select "Data Source Name (DSN)" from the menu.




NOTE: There have been reports that sometimes after defining the site as shown in points 1 to 6 Dreamweaver throws a wobbly and does not place a tick next to the "document type" or "testing server" as shown in the picture above. If this ever happens to you simply click on the "document type" or "testing server" link and set it up again. Early releases of DMX have more bugs than a South African camping holiday 😊


7/ Name the Connection "YotShop" and select the DSN "YotShop" from the "Data Source Name (DSN)" menu as shown below. Hit the "Test" button and the "Connection was made successfully" box will pop up.



8/ Close this box by hitting OK then hit OK in the "Data Source Name (DSN)" window.



9/ Look in the "**Application**" / "**Database**" panel and you will see a representation of your database. If you expand the tree, you will see all your database field names and data types listed. Remember this feature. It will come in handy as a reference if you want to check on a database field name later.



10/ Take a look in the "**Files**" / "**Site**" folder and it should look like the picture below.



THE DREAMWEAVER MX FILES

by Gordon Knapp


~ PART 2 ~

BUILDING A DATABASE DRIVEN ONLINE CATALOGUE FOR A YACHT BROKER
STOCK LIST - DETAIL PAGE - ADD RECORD - DELETE RECORD


Page 5

THE VIEW PAGE (STOCK LIST):


1/ Right Click on the "Site - YotShop" icon.




2/ Select "New File" from the menu.




3/ Name the new file "view.asp".



4/ Double click on "**view.asp**" to open it in Design View.



5/ Right click on the page, select "**Page Properties**" and set the properties up as shown below. Hit Apply and OK.



6/ Insert a table 500 pixels wide with 2 rows and 4 columns.

Insert Table [X]

Rows: Cell Padding:

Columns: Cell Spacing:

Width:

Border:

OK
Cancel
Help

7/ Using the **"merge cells"** function from the property panel configure the table as shown below.

8/ Insert a line break below the first table and insert another table. This one having 5 rows and 4 columns.

Insert Table [X]

Rows: Cell Padding:

Columns: Cell Spacing:

Width:

Border:

OK
Cancel
Help

9/ Configure it as shown below.

10/ Insert the logo from the artwork folder and label the cells of the table as shown below.

The YotShop
online yacht brokers


Home Stock List News Contact

Design:


year: laying: construction:

Price: £ more details

11/ Select the "**Bindings**" tab in the "**Application**" panel and click on the "+" button. Select "**Recordset (Query)**" from the menu.




12/ Name the Recordset "**YotShop**" (you could of course name it anything you wished). Select "**YotShop**" from the "**Connection**" menu and "**YotShop**" from the "**Table**" menu. Ensure that the "**All**" radio button is checked. Leave "**Filter**" at "**None**". Select "**ysID**" and "**Descending**" from the "**Sort**" menu.




13/ Hit **"Test"** and you will see a representation of the record you entered into the database earlier. Hit OK to close the test window and OK again to close the Recordset window.

Test SQL Statement							
Record	yslID	make	year	price	laying	brief ...	full d...
1	1	Rober...	1996/7	£85,0...	Devon	The ...	She is...


14/ Take a look in the **"Bindings"** panel. Click on the + to expand the tree and you will see all your database field names displayed.




15/ Place your cursor next to the heading **"Design:"** (place a space after the heading first) then click on **"design"** in the **"Bindings"** panel to highlight it and hit the **"Insert"** button.




16/ You will see the words " {YotShop.design} " appear next to the Design heading. You can format the appearance of the data by clicking on the highlighted section and changing font - size - colour etc. in the properties panel.



17/ Using the technique from point 15, insert the rest of the data fields to their appropriate headings as shown below. Do not worry about the picture yet ... that gets inserted in point 18.




18/ Click inside the square cell reserved for the thumbnail and then click on the "Image" button on the toolbar.




19/ When the familiar image window pops up, check the "Data sources" radio button so that the view changes as shown below.


Select "**pic_thumb**" from the list and hit "OK".




20/ If you get a pop up warning that the file is outside the root folder etc. dismiss it by clicking "No". The file is exactly where we want it to be trust me.




21/ To prove the point hit **F12** on your keyboard and you will see the beginnings of your page appear in the browser. Hmmm ... nice boat.




22/ We now have to set up a "**Repeat Region**" so that all of the records in the database can be displayed. Place your cursor in the Design cell and carefully drag it down through all the cells to select them.




23/ Open the "**Server Behaviors**" panel, hit the + button and select "**Repeat Region**".



24/ From the "**Repeat Region**" window check the "All" radio button and hit OK



25/ Your table will now look like this.



26/ Save your work. Next we will be building the Add Record page.

Copyright © Gordon Knapp 2003 all rights reserved