

THE DREAMWEAVER **MX** FILES

by Gordon Knapp

~ PART 4~

LOG IN ADMIN USERS - PASSWORD PROTECT ADMIN PAGES DEFINING MULTIPLE ACCESS LEVELS

Page 1

INTRODUCTION:

This month we will tidy up the "**Admin**" section of our site and add some security features. At the moment, our admin section consists of the following.

Admin Files We Have Already Created.

- **admin_control.asp** : This is the main "**control panel**" page from which we select the admin functions we wish to perform.
- **add.asp** : This is the page that allows us to add new yachts to the database.
- **admin_view.asp** : In this page we can view all the yachts held in the database. It also doubles as the page from which we can select database records for updating or deletion.
- **admin_delete1.asp** : This page enables us to delete a record from the database.
- **admin_edit1.asp** : This page enables us to update records in the database.
- **confirm.asp** : This page displays whenever we successfully add, update or delete a record.

Admin Files We Will Create In This Tutorial.

- **admin_login.asp**: Where authorised admin section users log in to the admin section.
- **admin_login_fail.asp** : When someone tries to log in with the wrong information they are sent to this page.
- **admin_view_users.asp** : Allows the administrator to view the usernames and passwords of all registered users. Also doubles as the page from which we can select users for deletion.
- **admin_register_user.asp** : This page allows us to register new admin users and assign them security clearance depending on what department they work in.
- **admin_username_exists.asp** : If the new username you are trying to register already exists, this page will display.
- **admin_delete_user.asp** : Allows us to remove a registered user from the database.
- **admin_access_denied.asp** : Is displayed if someone tries to access any of the admin pages without first logging on.
- **admin_control_2.asp** : This is a second level control panel available to registered admin users who do not have level 1 security clearance.
- **add2.asp** : The "Add Yacht" page for security level 2 users. This is basically just a copy of "**add.asp**" with some changes made to the link back to the control panel.

How it will all work.

- We are going to create 2 levels of access for the admin section.
- Level 1 users (the IT Manager etc.) have access to all the functions of the admin section.
- Level 2 users (the Sales Manager etc.) only have access to the admin section for adding new yachts to the database.
- All the pages in the admin section will be password protected and only available to persons of the appropriate user level.
- The Sales department get their own cut down version of the control panel from which they can add records and view existing stock.

We are only using 2 security levels in this tutorial. However the principle is exactly the same should you wish to build a site with more security levels.

What you should have done already.

In order to complete this tutorial you will need all the files and the database from parts 2 and 3. If you have not got parts 2 and 3 working properly yet, you will not be able to continue with part 4.

DOWNLOADS:

The complete set of files for all the "YotShop" tutorials can be downloaded from [HERE](#).

REQUIRED EXPERIENCE:

If you are new to Dreamweaver MX I strongly recommend that you work through "[Dreamweaver MX Files part 1](#)" before attempting parts 2, 3 and 4.

Throughout these tutorials I have assumed that readers have no previous knowledge of the ASP / database capabilities of Dreamweaver MX.

I have assumed that you have basic skills in the Windows environment and that you know your way around Dreamweaver's static web building tools (creating tables, forms etc.).

SUPPORT:

For help with this or any other WebThang tutorial please post your questions on the WebThang [FORUM](#) stating clearly which particular tutorial you are working through.

Copyright © Gordon Knapp 2003 all rights reserved

THE DREAMWEAVER MX FILES

by Gordon Knapp


~ PART 4~

LOG IN ADMIN USERS - PASSWORD PROTECT ADMIN PAGES
DEFINING MULTIPLE ACCESS LEVELS

Page 2

THE DATABASE:

1/ First we have to create a new table in our existing "YotShop.mdb" database. Open the database and double click on "Create table in design view".




2/ Set up a new table as shown below.


- **userID** --- AutoNumber --- make this the primary key.
- **username** --- text --- I set mine to a Field Size of 50 in the "General" window.
- **password** --- text --- I set mine to a Field Size of 50 in the "General" window.
- **security** --- Number --- I set mine to "Long Integer" in the "General" window.

Table1 : Table		
	Field Name	Data Type
	userID	AutoNumber
	username	Text
	password	Text
	security	Number

3/ Go "File > Save As" and save the table as "login".



4/ Your database should look like this



5/ If you open the login table it will look like this...

login : Table				
	userID	username	password	security
▶	(AutoNumber)			0

6/ Time to enter a couple of users. Type in the following ...

username	password	security
yotshop	admin	1
fred	flintstone	2

(which reflects our respect for the cavemen in the sales department)

login : Table				
	userID	username	password	security
	1	yotshop	admin	1
	2	fred	flintstone	2
▶	(AutoNumber)			0


7/ Next we are going to create new files for all the pages we will be creating in this tutorial. Right click on the Site Files folder and select "New File" from the menu. Name the new file "admin_access_denied.asp".



8/ Repeat the process until you have created all of the following new files ...

- admin_access_denied.asp
- admin_control_2.asp
- admin_delete_user.asp
- admin_login.asp
- admin_login_fail.asp
- admin_register_user.asp
- admin_username_exists.asp
- admin_view_users.asp

Your Files panel should now resemble the picture below.



Next we start work on the "Log In" routine.

Copyright © Gordon Knapp 2003 all rights reserved

THE DREAMWEAVER MX FILES

by Gordon Knapp

~ PART 4 ~

LOG IN ADMIN USERS - PASSWORD PROTECT ADMIN PAGES DEFINING MULTIPLE ACCESS LEVELS

Page 3

THE LOG IN ROUTINE:

1/ Open the "admin_login.asp" page and give it a suitable page heading (like Yot Shop Admin Log In). Insert "Form Delimiters" as shown below.



Yot Shop Admin Log In



2/ Click inside the "Form Delimiter" lines and insert a table configured as below.

Yot Shop Admin Log In

Username	
Password	

3/ In the "Username" cell, insert a single line "Text Field" of 40 characters width. Name the Text Field "username" (exactly as it is spelled in the database please).

Yot Shop Admin Log In

Username	
Password	

Properties

TextField

Char Width 40

Type Single line

Max Chars

Init Val


Wrap

4/ In the "Password" cell, insert a password "Text Field" of 40 characters width. Name the Text

Field "password" (exactly as it is spelled in the database please).




Yet Shop Admin Log In




5/ Stick a button in the bottom cell and label it "Log In".



Yet Shop Admin Log In



6/ Open the "Applications" panel and click on the "Server Behaviors" tab. Hit "+" and select "User Authentication > Log In User" from the menu.



7/ Set up the "Log In User" window as follows...

- Get Input From Form = form1 (when will I ever remember to give forms meaningful names?)
- Username Field = username
- Password Field = password (these first three lines deal with the forms attributes)
- Validate Using Connection = YotShop
- Table = login
- Username Column = username
- Password Column = password (these 4 lines dealt with your database connection and table / column info)
- If Login Succeeds, Go To = admin_control_2.asp
- If Login Fails, Go To = admin_login_fail.asp (yes, we send the visitors to control_2 first. All will be explained)
- Restrict Access Based On = Username Password and Access Level
- Get Level From = security

Log In User

Get Input From Form:

Username Field:

Password Field:

Validate Using Connection:

Table:

Username Column:

Password Column:

If Login Succeeds, Go To:

☐ Go To Previous URL (if it exists)

If Login Fails, Go To:

Restrict Access Based On: ☒ Username and Password
☐ Username, Password, and Access Level

Get Level From:

8/ Time to build that "admin_login_fail.asp" page we were talking about. Simply open "admin_login_fail.asp" and give it a suitable heading and some text as shown below. Insert a text link back to the "admin_login.asp" page.

LOG IN HAS FAILED

You have entered the wrong username or password.

If you are not automatically returned to the log in page within 5 seconds please click on the link below.

[Back to Log In Page](#)

Site Assets


File Edit View Site

YotShop
Local View

confirm.asp
admin_view.asp
admin_control.asp
default.asp
results.asp
admin_login.asp


file-1 admin_login_fail.asp

9/ Now we will get fancy and include a "Refresh" tag to automatically redirect the user to the "admin_login.asp" page. From the "Insert" menu select "Head Tags > Refresh"



10/ In the "Refresh" window set the "Delay" for 5 seconds and set the "Go To URL" as "admin_login.asp". Hit OK. The visitor should now be redirected to the log in page in 5 seconds.

WHY do we set up a text link *and* an auto redirect routine? Well, some browsers do not support the "Refresh" tag so you have to provide an alternative way for visitors to move back to the log in page.




Save your work.


11/ Open the "admin_control_2.asp" page. This will be a cut down version of the main control panel. It gives the Sales department the ability to add a new yacht to the database or to view the stock list.

Set the page up with an appropriate heading and insert a table with links to "add2.asp" (Add New Yacht To Stock) and "view.asp" (View Stock List).

ADMIN CONTROL PANEL 2 (SALES DEPT)




12/ The "Add New Yacht To Stock" link..... We have not created the "add2.asp" page yet so enter the link manually.




13/ The "View Stock List" link. I have set the "Target" to "_Blank" so that the page opens in a new window.



14/ We will now restrict access to this page. From the "Server Behaviors" panel select "User Authentication > Restrict Access To Page".



15/ Check the "Username, Password, and Access Level" radio button. Then select "2" in the "Select Levels" box. In the "If Access Denied, Go To" text field browse your way to "admin_control.asp".



WHAT'S GOING ON?? OK This is the clever bit.

- A user logging in has one of two security levels assigned to his username. Either "1" (full access) or "2" (restricted access).
- Users who log in are directed to the "admin_control_2.asp" first (the page requiring the lowest level of access).
- If they have a security clearance of "2", the "admin_control_2.asp" page opens for them and they can move to pages defined in the links.
- If they have a security clearance of "1" they are not allowed into the "admin_control_2.asp" page. Instead, they are redirected to "admin_control.asp" (the main control panel) which, of course, is where they want to be.

It all sounds a bit complicated, but it is really just a basic "If - Then - Else" situation. IF security level is 2 THEN stay on the admin_control_2 page ELSE go to admin_control page.


If you had 10 security levels, you could just keep bumping the visitor up the line until he came to a page that matches his security level.

Take some time and think it through.

16/ Time to make a quick "add2.asp" page. Simply open the "add.asp" page and change the "Admin Control" link so that it points to "admin_control_2.asp".

ADD NEW RECORD

Admin Control




Design


Year

17/ From the "Server Behaviors" panel select "User Authentication > Restrict Access To Page".


Check the "Username, Password, and Access Level" radio button. Then select "2" in the "Select Levels" box. In the "If Access Denied, Go To" text field browse your way to "admin_access_denied.asp". Hit OK.



18/ From the "File" menu select "Save As".



19/ Save the file as "add2.asp".




20/ Now we set up the "Access Denied" page. This will display if some clever so and so thinks he can guess the URL of one of our restricted pages and enter it directly into his browser. Open the "admin_access_denied.asp" page and give it a suitable heading and some text as shown below. Supply a text link back to the log in page.

ACCESS DENIED

YOU DO NOT HAVE PERMISSION TO VIEW THIS PAGE.

If you are not automatically returned to the log in page within 5 seconds
please click on the link below.

[Back to Log In Page](#)



21/ Add a "Refresh" tag (as you did in points 9 and 10) sending the visitor back to the "admin_login.asp" page.

Refresh

Delay: seconds

Action: ☒ Go To URL:

☐ Refresh This Document

Save your work.

Copyright © Gordon Knapp 2003 all rights reserved

THE DREAMWEAVER MX FILES

by Gordon Knapp


~ PART 4 ~

LOG IN ADMIN USERS - PASSWORD PROTECT ADMIN PAGES DEFINING MULTIPLE ACCESS LEVELS

Page 4

ADD NEW USER ROUTINE:

1/ open the "admin_register_user.asp" page and give it a suitable heading. Then insert "Form Delimiter" lines as shown below.



2/ Click inside the "Form Delimiter" lines and insert a table. Configure the table as shown below.

REGISTER NEW USER

Username	
Password	
Security Clearance	

3/ In the "Username" cell, insert a single line "Text Field" of 40 characters width. Name the Text Field "username" (exactly as it is spelled in the database please).

Insert Common Layout Text Tables Frames Forms Templates Characters Med

Text Field Title REGISTER USER

REGISTER NEW USER

Username	
Password	
Security Clearance	

Properties

TextField

Char Width 30

Max Chars

Type Single line

Init Val

Vgap

username

4/ In the "Password" cell, insert a password "Text Field" of 40 characters width. Name the Text Field "password" (exactly as it is spelled in the database please).

REGISTER NEW USER

Username	
Password	
Security Clearance	

Properties

TextField

Char Width 30

Max Chars


Type Single line

Init Val

Vgap

password

5/ In the "Security Clearance" cell insert a "List / Menu" as shown below and name it "security"



REGISTER NEW

6/ With the **"Menu"** selected, click on **"List Variables"** in the **"Properties"** panel.

- Enter **"Select Level"** as the first **"Item Label"** do not give it a **"Value"**.
- Hit **"+"**
- Enter **"IT Admin"** as the next **"Item Label"** and give it a value of **"1"**.
- Hit **"+"**
- Enter **"Sales"** as the next **"Item Label"** and give it a value of **"2"**
- Hit OK

Item Label	Value
Select Level	
IT Admin	1
Sales	2

7/ Go to the **"Properties"** panel again, and in the **"Initially Selected"** box, select **"Select Level"**

8/ Your form will now look like this.

Username	
Password	
Security Clearance	Select Level ▾
Submit	

9/ From the "Server Behaviors" menu select "Insert Record".

Application

Databases Bindings Server Behaviors Corr

+ - Document Type: ASP VBScript

Recordset (Query)
Command

Repeat Region
Recordset Paging ▶
Show Region ▶
Dynamic Text

Go To Detail Page
Go To Related Page

Insert Record

10/ The "Insert Record" window will open. Set up as below.

- Connection = YotShop.
- Insert Into table = login (your database now has 2 tables so beware!)
- After Inserting Go To = admin_control.asp
- Get Values From = form1 (my famous form1 again)

The "Form Elements" field should look as below. If you see the word "<ignore>" next to anything it is because you have a mismatch in the spelling between a database column and a form text field. Rectify the spelling mistake or redefine the destination column by using the "Column" drop down menu.

Hit OK

Insert Record

Connection: YotShop ▾ Define...

Insert Into Table: login ▾

After Inserting, Go To: admin_control.asp Browse...

Get Values From: form1 ▾ (When Submitted)

Form Elements:

- username inserts into column "username" (Text)
- password inserts into column "password" (Text)
- security inserts into column "security" (Numeric)

Column: username ▾ Submit As: Text ▾

11/ From the "Server Behaviors" menu select "User Authentication > Check New Username"

Log In User	User Authentication
Restrict Access To Page	Charon
Log Out User	T-Cubed
Check New Username	UDzone

12/ In the "Username Field" select "username". In the "If Already Exists Go To" box browse your way to "admin_username_exists.asp". Hit OK.

Check New Username

Username Field:

If Already Exists, Go To:

This checks to see if the username already exists on the database. If it does, the administrator is prompted to enter a different name.

13/ From the "Server Behaviors" menu select "User Authentication > Restrict Access To Page"

Log In User	User Authentication
Restrict Access To Page	Charon
Log Out User	T-Cubed
Check New Username	UDzone

14/ Check the "Username, Password, and Access Level" radio button. Select "1" in the "Select Level" box. Browse to "admin_access_denied.asp" in the "If Access Denied Go To" field.

Restrict Access To Page

Restrict Based On: ☐ Username and Password
☒ Username, Password, and Access Level

Select Level(s):


If Access Denied, Go To:

15/ Your form will now look like this.

REGISTER NEW USER

Username	
Password	
Security Clearance	Select Level
Submit	

16/ Your "Server Behaviors" panel will look like this.



Save your work.

17/ Open the "admin_username_exists.asp" page.



18/ Give it an appropriate heading and some text. Insert a text link back to the registration page "admin_register_user.asp".

USER NAME EXISTS

The user name you have entered already exists.
Please select another.

You will now be returned to the


registration page.

Back To Registration Page


19/ From the "Insert" menu, select "Head Tags > Refresh".



20/ Set the "Delay" at 5 seconds and the URL as "admin_register_user.asp".



21/ From the "Server Behaviors" menu select "User Authentication > Restrict Access To Page"



22/ Check the "Username, Password, and Access Level" radio button. Select "1" in the "Select Level" box. Browse to "admin_access_denied.asp" in the "If Access Denied Go To" field. Hit OK.

Restrict Access To Page

Restrict Based On: ☐ Username and Password
☒ Username, Password, and Access Level

Select Level(s):

If Access Denied, Go To:

Save your work.

Copyright © Gordon Knapp 2003 all rights reserved

THE DREAMWEAVER MX FILES

by Gordon Knapp

~ PART 4~

LOG IN ADMIN USERS - PASSWORD PROTECT ADMIN PAGES
DEFINING MULTIPLE ACCESS LEVELS

Page 5

DELETE USER:

1/ Open the "admin_view_users.asp" page.




2/ Give the page an appropriate heading and insert a text link back to "admin_control.asp"
Insert a table and configure it as shown below.

REGISTERED ADMIN USERS

[back to control panel](#)

Username	delete?
Password	
Security Level	

3/ From either the Server Behaviors or Bindings panel menu, select "Recordset (Query)".



4/ Set up the Recordset as follows....

- Name = rsUserView
- Connection = Yotshop
- Table = login (beware you have 2 tables to choose from now)
- Columns = All
- Filter = None
- Sort = None

Hit OK

Recordset

Name:

Connection: [Define...](#)

Table:

Columns: ☒ All ☐ Selected:

userID
 username
 password
 security

Filter: =

Sort:

5/ Open the "**Bindings**" panel. Click inside the "**Username**" cell, click on "**username**" in the panel and hit the "**Insert**" button.

REGISTERED ADMIN US

[back to control panel](#)

Username	{rsUserView.username}
Password	
Security Level	

Application

Databases Bindings Server Behaviors

Document Type: ASP VBScript

Source

Recordset (rsUserView)

- userID
- username**
- password
- security
- [first record index]

Bind To: [Insert](#)

6/ Repeat the process for the "**Password**" cell and the "**Security Level**" cell.

Username	{rsUserView.username}
Password	{rsUserView.password}
Security Level	{rsUserView.security}

7/ Hit "**Live Data View**" and your table should look like the one below.

Title: VIEW USERS


Ref:

REGISTERED ADMIN

[back to control panel](#)


Username	yotshop
Password	admin
Security Level	1

8/ Highlight the text "**delete?**" then select "**Go to Detail Page**" from the "**Server Behaviors**" menu.




9/ Set the "Go To Detail Page" up as follows

- Link = Selection: "delete?" (reflects the text you highlighted in point 8)
- Detail Page = admin_delete_user.asp (use the browse button to find it)
- Pass URL Parameter = userID (your database primary key)
- Recordset = rsUserView (you only have 1 recordset on this page)
- Column = userID
- Pass Existing Parameters = check "URL Parameters" (this is not a form)
- Hit OK



10/ Now carefully drag your mouse through all the cells of the table to select it. Then select **"Repeat Region"** from the **"Server Behaviors"** panel.



11/ Set up the **"Repeat Region"** box so that **"All records"** are displayed. Hit OK.

Repeat Region

Recordset: rsUserView

Show: ☐ 10 Records at a Time
☒ All Records

OK
Cancel
Help

12/ From the "Server Behaviors" menu select "User Authentication > Restrict Access To Page"

Log In User	User Authentication
Restrict Access To Page	Charon
Log Out User	T-Cubed
Check New Username	UDzone

13/ Check the "Username, Password, and Access Level" radio button. Select "1" in the "Select Level" box. Browse to "admin_access_denied.asp" in the "If Access Denied Go To" field.

Restrict Access To Page

Restrict Based On: ☐ Username and Password
☒ Username, Password, and Access Level

Select Level(s): 2
1

Define...

If Access Denied, Go To: admin_access_denied.asp

Browse...

14/ Your table will now look like this.

REGISTERED ADMIN USERS

[back to control panel](#)

Repeat		
Username	{rsUserView.username}	delete?
Password	{rsUserView.password}	
Security Level	{rsUserView.security}	

15/ Your "Server Behaviors" panel will look like this.

Application


Databases Bindings Server Behaviors Components

+ - Document Type: ASP VBScript


- Restrict Access To Page (1)
- Recordset (rsUserView)
- Repeat Region (rsUserView)
- Dynamic Text (rsUserView.username)
- Go To Detail Page
- Dynamic Text (rsUserView.password)
- Dynamic Text (rsUserView.security)

Save your work.

16/ Open the "admin_delete_user.asp" page.



17/ Give it a suitable heading. Then insert **"Form Delimiter"** lines as shown below.




18/ Click inside the **"Form Delimiter"** lines and insert a table. Configure the table as shown below.

DELETE THIS USER?

Username	
Password	
Security Level	

19/ from the **"Bindings"** menu select **"Recordset (Query)"**.



20/ Set up the recordset as follows.

- Name = rsDelAdmin
- Connection = YotShop
- Table = login
- Columns = All
- Filter = userID = URL Parameter userID (the parameters passed from the go to detail page routine.
- Sort = None
- Hit OK

Recordset

Name:

Connection:

Table:

Columns: ☒ All ☐ Selected:

userID
username
password
security

Filter: =

Sort:

21/ Now insert the data into the appropriate cells (click in cell > click on item in Bindings panel > Hit Insert)

DELETE THIS USER

Username	{rsDelAdmin.username}
Password	{rsDelAdmin.password}
Security Level	{rsDelAdmin.security}

Bindings

Document Type: ASP VBScript

Source:

Recordset (rsDelAdmin)

- userID
- username
- password
- security
- [first record in view]

Bind To:

22/ Insert a form button into the bottom cell and label it "DELETE NOW?"


Username	{rsDelAdmin.username}
Password	{rsDelAdmin.password}
Security Level	{rsDelAdmin.security}
DELETE NOW?	

Properties

Button Name:

Label:

23/ Select "Delete Record" from the "Server Behaviors" menu.



24/ Set up the "Delete Record" window as follows..

- Connection = YotShop
- Delete from Table = login
- Select Record From = rsDelAdmin
- Unique Key Column = userID
- Delete By Submitting = form1 (hmmmm)
- After Deleting go to = admin_control.asp
- Hit OK

Delete Record

Connection:

Delete From Table:

Select Record From:

Unique Key Column: ☒ Numeric

Delete By Submitting:

After Deleting, Go To:

25/ From the "Server Behaviors" menu select "User Authentication > Restrict Access To Page"

Check the "Username, Password, and Access Level" radio button. Select "1" in the "Select Level" box. Browse to "admin_access_denied.asp" in the "If Access Denied Go To" field.

Restrict Access To Page

Restrict Based On: ☐ Username and Password
☒ Username, Password, and Access Level

Select Level(s):

If Access Denied, Go To:

Save all your work.

THE DREAMWEAVER MX FILES

by Gordon Knapp

~ PART 4~

LOG IN ADMIN USERS - PASSWORD PROTECT ADMIN PAGES DEFINING MULTIPLE ACCESS LEVELS

Page 6

PROTECT PAGES FOR MULTI LEVELS:

1/ Throughout this tutorial we have been password protecting our pages according to user level by selecting "User Authentication > restrict Access to Page" from the "Server Behaviors" menu...

Log In User	User Authentication
Restrict Access To Page	Charon
Log Out User	T-Cubed
Check New Username	UDzone

2/ and setting up the appropriate level of access as shown below...

Restrict Access To Page

Restrict Based On: ☐ Username and Password
☒ Username, Password, and Access Level

Select Level(s):

Define...

If Access Denied, Go To: Browse...

3/ It is now time to set the access levels for the rest of the admin pages. The complete list is as follows (some you will have done already)

- add.asp = level 1
- add2.asp = level 2
- admin_access_denied.asp = no protection
- admin_control.asp = level 1
- admin_control_2.asp = level 2
- admin_delete_user = level1
- admin_login.asp = no protection
- admin_login_fail.asp = no protection
- admin_register_user = level 1
- admin_username_exists = level 1
- admin_view.asp = level 1
- admin_view_users.asp = level 1
- confirm.asp = level 1
- delete1.asp = level 1
- edit1.asp = level 1

And that's it for admin security. DMX also features a "LogOut" behavior which never seems to work very well.

4/ Finally, add some extra links to "admin_control.asp" to cater for our new pages.

- View All Admin users = admin_view_users.asp
- Register New Admin User = admin_register_user
- Delete Admin User = admin_view_users.asp (from where they select the delete link)

ADMIN CONTROL

[Add Record](#) | [Delete Record](#) | [Edit Record](#) | [View Records](#)

[View All Admin Users](#) | [Register New Admin User](#) | [Delete Admin User](#)



[Home](#) | [Stock List](#)




5/ Save your work, load it all up to your server and test it.

Copyright © Gordon Knapp 2003 all rights reserved

University Relations Website:

Charleston Southern University



Senior Project Defense:

Walter K. Browning, IV

April 27, 2004

The Key Participants:

- Walter Browning – Programmer Analyst
- Larry Smith – Academic Advisor
- Rusty Bruns – CIO, Charleston Southern University
- Sarah Huxford – Director of University Relations
- James Whitfield – Technical Advisor
- John Strubel – Webmaster, Charleston Southern University

The Problem(s):

□ University Relations is officially the combination of two entities:

- Media Relations
- Creative Services

- The current website does not reflect this division of University Relations.

□ Ms. Huxford wants the UR* homepage to look different from the general template Mr. Whitfield established for each department at CSU**.

**UR = University Relations*

***CSU = Charleston Southern University*

The Problem(s):

(cont.)

- ❑ The current way to submit articles to the way is not as efficient as desired.
- ❑ The current way for organizations on campus to request media coverage from University Relations is not as efficient as desired.
 - The current system relies on paper submission forms located in the Publications office.
 - Most of the students at CSU are unaware that this service can be requested.

The Solution(s):

- ❑ Online database driven archival system that will:
 - Store articles
 - Allow public users to access all articles
 - Allow authorized users read/write capabilities
 - Store CSU site links of .pdf publications
 - Reflections
 - Inside CSU
 - CSU Magazine
 - Buc In Print

The Solution(s):

(cont.)

- ❑ A “Press Pass” system that will allow:
 - CSU organizations to electronically request coverage of their events
 - Requests to be sent to Ms. Huxford via e-mail
 - Requests to be stored in an Access database*
- ❑ A new portal page for University Relations that distinguishes itself from the generic departmental template.

** Access database will serve as a backup for e-mail*


The Research:

❑ Dreamweaver MX / ASP tutorial from Webthang.co.uk:

- Part One
- Part Two
- Part Three
- Part Four


❑ Photoshop 7.0 Basics – James Whitfield

The Analysis & Design:



- ❑ System Context Diagram
- ❑ Entity Relationship Diagram – ERD
- ❑ Automation System Boundaries
- ❑ Activity Diagrams
- ❑ Checklist for Conducting an Interview
- ❑ Discussion and Interview Agenda

System Context Diagram



Entity Relationship Diagram

PressPass	
PK <u>ID</u>	
	Organization Event EventDate EventTime Location Email ContactName Phone OnCampus OffCampus Photo

ExtArticles	
PK <u>ID</u>	
	ExtArtDate ExtArtTitle ExtArtText Pic1 Pic2 Pic3

PressRelease	
PK <u>ID</u>	
	PRDate PRTitle PRText Pic1 Pic2 Pic3


Security	
PK <u>ID</u>	
	Username Password Security

CSUMag	
PK <u>ID</u>	
	Date Link

BIP	
PK <u>ID</u>	
	Date Link


InsideCSU	
PK <u>ID</u>	
	Date Link

Reflections	
PK <u>ID</u>	
	Date Link




Activity Diagram*

Event Coverage Request



**See handout for more activity diagrams*

A decorative graphic consisting of a thin, dark gray curved line starting from the left edge and arching upwards towards the right. A large, dark gray, irregular shape is positioned in the upper right corner, partially overlapping the curve. A solid dark gray horizontal bar is located at the bottom of the slide.

See Handout for:

- Checklist for Conducting an Interview
- Discussion and Interview Agenda

The Construction:


- ❑ Actually construction of the University Relations website was done on custom-built personal machine.*
- ❑ Personal laptop used for completely planning, analysis, design and defense phases of this project.

❑ Software used:

- Macromedia Dreamweaver MX
- Photoshop 7.0
- Microsoft Office Professional 2000
- Microsoft Visio 2002
- Microsoft Project Professional 2002

* Monitor provided by Administrative Services (CSU)

The Code:



➤ See Handout for Code Snippets

The Future:

- Mr. Strubel will be inserting the pages I have created for University Relations into a bordering template that will be included on every page associated with the entire CSU website.

Any questions?