

OG Sportswear

Custom Printing for teams and groups.

[OG Home](#)[Caps](#)[Shirts](#)[Additional Info](#)[Order Now!](#)

Let us provide your complete printing needs.

Complete Team printing available on your uniforms or ours

FOR THE FAN

We can help you show your true colors and spirit by printing your favorite team logos on T-shirts, Sweat shirts, and Caps.

OG Sportswear was founded by Orlinda and Gerald Anderson in 1989, the same year that the infamous Hurricane Hugo graced our presence, and is located in Charleston, SC. We have now been operating here for 12 years supplying many of our local organizations with quality uniforms at a super low price. We would like to offer you the same quality products.

Contact Information

Telephone

843-797-5886

FAX

843-797-3334

Postal Address

396 Princeton Ct., Ladson, S.C. 29456

Electronic Mail

General Information: gerald.c.anderson@att.net

Sales: gerald.c.anderson@att.net

Customer Support: landerson@att.net

Webmaster: ja-3@att.net

TABLE OF CONTENTS

Milestones 1

OG Sportsman Site / Code 2

Development Software Site 3

MQSeries / CrossWorlds Site 4

_____ 5

_____ 6

_____ 7

_____ 8

_____ 9

_____ 10

_____ 11

MILESTONE EVALUATION SHEET

MILESTONE NO.

ALL

DATE: May 2001	COURSE NAME: SENIOR PROJECT
	INSTRUCTOR: Mr. Worthy

TEAM NO. OR NAME	TEAM MEMBERS
Jason's Super Sites (J.S.S.)	
	Jason Anderson

Student comments:
This site will be designed for OG Sportswear

Instructor comments:

Score:

--



A-1 Information Systems

Phone: 797-5886 Fax: 797-6000
Internet: ja-3@att.net

REQUEST FOR INFORMATION SYSTEM SERVICES

DATE OF REQUEST	SERVICE REQUESTED FOR DEPARTMENT(S)
January 10, 2001	Advertising and Sales

SUBMITTED BY (key user contact)	EXECUTIVE SPONSOR (funding authority)
Name Jason Anderson (J.S.S.) Title President Office 396 Princeton Ct. Phone 843-553-0056	Name Gerald Anderson Title President (OG Sportswear) Office 4216, Bldg. 16 Phone 843-797-5886

TYPE OF SERVICE REQUESTED:

- | | |
|---|---|
| ☐ Information Strategy Planning | ☐ Existing Application Enhancement |
| ☐ Business Process Analysis and Redesign | ☐ Existing Application Maintenance (problem fix) |
| ☒ New Application Development | ☐ Not Sure |
| ☐ Other (please specify _____) | |

BRIEF STATEMENT OF PROBLEM, OPPORTUNITY, OR DIRECTIVE (attach additional documentation as necessary)

To Create a website presenting all products of OG Sportswear including prices, samples, policies, and means of ordering. Currently the business customer base is limited to the Charleston area. With the integration of this site we will make the business accessible 24 hours a day/7 days a week for anyone anywhere who has access to the internet and can read English.

BRIEF STATEMENT OF EXPECTED SOLUTION

With the development of a website, OG Sportswear will be able to compete globally in the sportswear industry. This site will be a detailed and interactive means of the company's product presentation and distribution. The integration of this website is expected to increase business exponentially. We will introduce five pages to the site each containing valuable information on the products available and means acquisition.

ACTION (ISS Office Use Only)

☒ Feasibility assessment approved

Assigned to J.S.S.

☐ Feasibility assessment waived

Approved Budget \$ 0.00

Start Date 1-10-01 Deadline 5-1-01

☐ Request delayed

Backlogged until date: _____


☐ Request rejected

Reason: _____

Authorized Signatures:



Chair, ISS Executive Steering Body



Project Executive Sponsor

PROBLEM STATEMENTS

PROJECT: OG Sportswear website	PROJECT MANAGER: Linda Anderson
CREATED BY: J.S.S.	LAST UPDATED BY: J.S.S.
DATE CREATED: January 15, 2001	DATE LAST UPDATED: January 17, 01

Brief Statements of Problem, Opportunity, or Directive	Urgency	Visibility	Annual Benefits	Priority or Rank	Proposed Solution
1. The is no competition for online consumers	ASAP	HIGH	N/A	1	Development of website
2. Access to product information and pricing	ASAP	HIGH	N/A	1	Development of website
3. The only way to order is by phone or fax	ASAP	MEDIUM	N/A	2	Development of order form
4. There is no way for a customer to comment on product or ask about additional information	ASAP	MEDIUM	N/A	3	Added Feature
5. Create opportunity and support for product expansion and customer growth	ASAP	MEDIUM	N/A	4	Added feature to the new development
6.					
7.					

FIGURE 4.8

PROBLEMS, OPPORTUNITIES, OBJECTIVES AND CONSTRAINTS MATRIX

Project:	OG Sportswear Website	Project Manager:	Linda Anderson
Created by:	J.S.S.	Last Updated by:	J.S.S.
Date Created:	February 3, 2001	Date Last Updated:	February 3, 2001

CAUSE AND EFFECT ANALYSIS		SYSTEM IMPROVEMENT OBJECTIVES	
Problem or Opportunity	Causes and Effects	System Objective	System Constraint
1. The business is not exposed to the market effectively. 2. Since the primary product of the business is uniforms, advertising should be concentrated on such areas that have sports organizations and sites selling equipment.	1. There is a large group of potential buyers who are unaware of the business's products and services, hence potential revenue goes uncollected. 2. The business is currently not advertising on the internet. 3. The user friendly interface will allow for quick selection of products and painless order. 4. Customer's will be more inclined to be repeat customers.	1. To create a website that can inform the consumers of all facets of the business and managerial contract. 2. To entice the consumer to want to purchase the product. 3. To set all media in order to reach the customer with the greatest efficiency	1. The business may not be ready for all the traffic it's website is about to receive, making it possible for orders to get backlogged. 2. New employees may be needed to keep up with the additional orders, in turn possibly knocking up the prices of the products.

Project Feasibility Assessment Report

I. Executive Summary

A. Summary of Recommendation

The purpose of this project is to expand the area from which OG Sportswear draws it's customers. Currently it is merely a local company hoping to promote it's products globally through the use of the world wide web.

B. Brief statement of anticipated benefits

The benefits of establishing a web site are exciting. Customer's will now be able to go shopping and choose the uniforms and colors that they would like to purchase from the privacy of their home twenty-four hours a day / seven days a week. The only thing OG Sportswear will be responsible for will be advertising their new web site on various newspapers, magazines, T.V. channels, and other web sites to help get themselves known. With the use of Meta Names on the site, currently not included because the company is not ready to receive this global business, the site will show up in keyword searches, also known as search engines, whenever such words as "hat", "cap", "uniform", etc. are used.

C. Brief explanation of report contents

Section I contains General Information.

Section II contains background Information.

Section III contains our Recommend Solution for the project.

II. Background Information

A. Brief project description

OG Sportswear is currently a small family owned business that supplies hats, shirts, sweatshirts, and uniforms to local organizations and teams at a very low price. The main way this company is by word of mouth. Most customers are repeat customers who have been coming to OG Sportswear for years and the rest of the customers were recommended to OG by those repeat customers. It is getting to be about time for OG to start pulling in more business by advertising more and making itself more accessible via the Internet. This is where J.S.S.'s services come into play.

B. Brief explanation of Survey Phase

To begin with the construction of the site, J.S.S. first consulted with OG Sportswear to find out some of their likes and dislikes as to color schemes, in this case Mrs. Anderson was fond of the teal color so I made the background teal. Next we needed to find out exactly what information the company would like portrayed on their site. This came to be hats, shirts, prices, logos, pictures, and descriptions of each. Also to be included is some personal information about the family and business as to appear more personalized to the consumer so that they don't feel like they are just talking to a machine but the family through the machine that knows what they want at the most reasonable price.

III. Detailed recommendation

A. Narrative Recommendation

1. Immediate Fixes

There are not any immediate fixes to be made. The system to be built has not been built yet therefore no alterations can be made.

2. Quick Fixes

There are not any quick fixes to made either. We are building this site from scratch and are planning in great detail. We plan to take our time and be thorough with all decisions.

3. Enhancements

There is not yet a site to enhance, perhaps in due time when the company has grown and has more products they will need the site altered.

4. New System Development

J.S.S. is developing a new site for OG Sportswear. This application will be used as a first step ordering system for OG to get the most basic of information from the customer before further contact can be made to discuss in more detail the job and payment options. No payment will be available online due to OG Sportswear being new to the e-business community and J.S.S. being new to the encoding of web transactions. We would not want anyone's credit card numbers being stolen from hackers.

B. Project Plan


1. Initial Project Objectives

The initial object is to get OG Sportswear up and running on the web so that they will be able to compete for online customers, local and global. This site would also make OG's regular customers lives a little easier in that they could now process their usual orders whenever it is convenient for them. After


all they too have regular jobs and may be too tired to go driving to a store after work, and they may not want to have to waste a weekend either.

J.S.S. would also like to make this site easily maintainable for us or any other company that OG should happened to pay to edit or alter the site. The company should plan on growing and the site should be ready to accommodate it's growth, as well as any specials or changes in prices or products.


MASTER PROJECT PLAN




SYSTEM DEVELOPMENT LIFE CYCLE



CONTEXT DIAGRAM



DATA FLOW DIAGRAM (DFD)



Partitioned Data Flow Diagram




Fig 3.8

System Diagram - Customer Ordering Sub System






Fig 3

EVENT DECOMPOSITION DIAGRAM



Location Connectivity Diagram




Candidate Matrix

Characteristics	Candidate 1	Candidate 2	Candidate 3
Portion of System Computerized Brief description of that portion of the system that would be computerized in this candidate.	Note Pad will be used to create all pages, and they will be posted on an AT&T web server.	Front Page will be used to create all pages, and they will be posted on an AT&T web server.	Net Objects Fusion will be used to create all pages, and they will be posted on an AT&T web server.
Benefits Brief description of the business benefits that would be realized for this candidate.	An easily understandable and navigable GUI will be used for ordering and information gathering.	An easily understandable and navigable GUI will be used for ordering and information gathering	An easily understandable and navigable GUI will be used for ordering and information gathering
Servers and Workstations A description of the servers and workstations needed to support this candidate.	OG Sportswear is currently a subscriber to the AT&T internet service. All customers will need internet access and preferably Microsoft Internet Explorer over Netscape Navigator.	OG Sportswear is currently a subscriber to the AT&T internet service. All customers will need internet access and preferably Microsoft Internet Explorer over Netscape Navigator.	OG Sportswear is currently a subscriber to the AT&T internet service. All customers will need internet access and preferably Microsoft Internet Explorer over Netscape Navigator.
Software Tools Needed Software tools needed to design and build the candidate (e. g., database management system, emulators, operating systems, languages, etc.). Not generally applicable if applications software packages are to be purchased.	Notepad, Microsoft Internet Explorer, an Image Library for buttons and other graphics.	Microsoft Front Page. The rest same as Candidate 1.	Net Objects Fusion. The rest same as Candidate 1.
Application Software A description of the software to be purchased, built, accessed, or some combination of these techniques.	Custom Solution	Custom Solution	Custom Solution
Method of Data Processing Generally some combination of: on-line, batch, deferred batch, remote batch, and real-time.	World Wide Web Based	World Wide Web Based	World Wide Web Based
Output Devices and Implications A description of output devices that would be used, special output requirements, (e.g. network, preprinted forms, etc.), and output considerations (e.g., timing constraints).	Monitor, and a printer if the user would like to print a copy of their order.	Monitor, and a printer if the user would like to print a copy of their order.	Monitor, and a printer if the user would like to print a copy of their order.
Input Devices and Implications A description of Input methods to be used, input devices (e.g., keyboard, mouse, etc.), special input requirements, (e.g. new or revised forms from which data would be input), and input considerations (e.g., timing of actual inputs).	Keyboard, mouse, Monitor	Keyboard, mouse, Monitor	Keyboard, mouse, Monitor.
Storage Devices and Implications Brief description of what data would be stored, what data would be accessed from existing stores, what storage media would be used, how much storage capacity would be needed, and how data would be organized.	An E-mail account	An E-mail account	An E-mail account

FEASIBILITY MATRIX

Feasibility Criteria	Wt.	Candidate 1	Candidate 2	Candidate 3
Operational Feasibility Functionality. A description of to what degree the candidate would benefit the organization and how well the system would work. Political. A description of how well received this solution would be from both user management, user, and organization perspective.	30%	System is short, concise, and to the point. Leaves little room for user error. Score: 90	System is short, concise, and to the point. Leaves little room for user error. Score: 90	System is short, concise, and to the point. Leaves little room for user error. Score: 90
Technical Feasibility Technology. An assessment of the maturity, availability (or ability to acquire), and desirability of the computer technology needed to support this candidate. Expertise. An assessment to the technical expertise needed to develop, operate, and maintain the candidate system.	30%	Adequate experience using HTML, Java Script, and use of notepad as the editor. With Response –o- matic, no access to a server is required, no need to know PERL, or CGI programming. Score: 95	Same as candidate 1, except I would need to learn PERL & CGI, also would need access to the server's CGI -BIN. Score: 85	Use of a developing software such as Frontpage, Dreamweaver, or Net Objects Fusion, (are expensive to purchase). Score: 80
Economic Feasibility Cost to develop: Payback period (discounted): Net present value: Detailed calculations:	30%	Approximately \$3,000.00 Approximately 2 – 5 weeks Score: 90	Approximately \$5,500.00 Approximately 8– 12 weeks Score: 60	Approximately \$4,500.00 Approximately 2 – 5 weeks Score: 85
Schedule Feasibility An assessment of how long the solution will take to design and implement.	10%	1 month Score: 95	3 months Score: 75	1.5 months Score: 90
Ranking:	100%	92%	78%	85.5%

ORDERING TRANSITION DIAGRAM



OG Sportswear

Custom Printing for teams and groups.

[OG Home](#)[Caps](#)[Shirts](#)[Additional Info](#)[Order Now](#)

Let us provide your complete printing needs.

Complete Team printing available on your uniforms or ours

FOR THE FAN

We can help you show your true colors and spirit by printing your favorite team logos on T-shirts, Sweat shirts, and Caps.

OG Sportswear was founded by Orlinda and Gerald Anderson in 1989, the same year that the infamous Hurricane Hugo graced our presence, and is located in Charleston, SC. We have now been operating here for 12 years supplying many of our local organizations with quality uniforms at a super low price. We would like to offer you the same quality products.

Contact Information

Telephone

843-797-5886

FAX

843-797-3334

Postal Address

396 Princeton Ct., Ladson, S.C. 29456

Electronic Mail

General Information: gerald.c.anderson@att.net

Sales: gerald.c.anderson@att.net

Customer Support: landerson@att.net

Webmaster: ja-3@att.net

index

```
<HTML>
<FRAMESET ROWS="175,*" border="0" framespacing="0" frameborder="0" >
<FRAME nowrap SRC="frame.html" name="index" marginwidth="0" leftmargin
="0" marginheight="0" topmargin="0" scrolling="NO" noresize>
<FRAME SRC="home.html" name="main" marginwidth="0" leftmargin="0" marg
inheight="20" topmargin="0" >
</FRAMESET>

</HTML>
```


OG Sportswear



Custom Printing for teams and groups.

[OG Home](#)[Caps](#)[Shirts](#)[Additional Info](#)[Order Now!!](#)

Let us provide your complete printing needs.
Complete Team printing available on your uniforms or ours

FOR THE FAN

We can help you show your true colors and spirit by printing your favorite team logos on T-shirts, Sweat shirts, and Caps.

OG Sportswear was founded by Orlinda and Gerald Anderson in 1989, the same year that the infamous Hurricane Hugo graced our presence, and is located in Charleston, SC. We have now been operating here for 12 years supplying many of our local organizations with quality uniforms at a super low price. We would like to offer you the same quality products.

Contact Information

Telephone

843-797-5886

FAX

843-797-3334

Postal Address

396 Princeton Ct., Ladson, S.C. 29456

Electronic Mail

General Information: gerald.c.anderson@att.net

Sales: gerald.c.anderson@att.net

Customer Support: landerson@att.net

Webmaster: ja-3@att.net

```
<head><title>OG Home</title></head>
```

```
<center><table border=0 width=97%><tr><td>
```

</center>

 Customer Support:



>landerson@att.net


```
&nbsp;&nbsp;&nbsp;&nbsp; Webmaster: <a href="mailto:ja-3@att.net">ja-3@att.ne  
t</a><br>
```

$\langle P \rangle$

</body>

</html>



Summer Mesh Cap: [Style# SSC] -Poly Form Front with Mesh Back



Twill Golf Cap: [Style# TGCSN] -5 Panel Golf Cap with Snap Back



Twill Mesh Cap: [Style# TGCM] -5 Panel Twill Mesh Back with Snap Back

Price Per Dozen Caps				
Style	1-2 Doz.	3-6 Doz.	7-11 Doz.	12-24 Doz.
# SSC	\$15.95	\$15.50	\$14.95	\$14.00
# TGCSN	\$19.95	\$19.50	\$18.75	\$17.50
# TGCM	\$20.95	\$20.50	\$19.75	\$18.50

We do give Re-Order Discounts to Repeat Customers

No Screen Fees!!

No Set up Fees!!

Cap Printing				
Style	12-23 Caps	24-47 Caps	48-71 Caps	72-144 Caps
1 Color	\$3.95	\$2.50	\$1.80	\$1.25
2 Color	\$6.50	\$4.60	\$3.00	\$2.50
3 Color	\$8.35	\$6.50	\$4.50	\$3.75
4 Color	\$9.50	\$7.50	\$5.50	\$4.50

***Note* The Max Size of the logo is 4.75(w) X 2.75(h) inches**

caps

<html>

<head><title>Caps</title></head>

<body bgcolor=#00FFFF>

<Center><Table border=0 width="96%"><tr><td>

<basefont face="Times New Roman" size=3>

<u>Summer Mesh Cap:</u> [Style# SSC] -Poly
Form Front with Mesh Back

<u>Twill Golf Cap:</u> [Style# TGCSN] -5 P
anel Golf Cap with Snap Back

<u>Twill Mesh Cap:</u> [Style# TGCM] -5 Pa
nel Twill Mesh Back with Snap Back

<center>

<TABLE bgcolor=#FFFFFF BORDER="1">

<TR><TD COLSPAN="5" ALIGN="CENTER">Price Per Dozen Caps
</TD></TR>

<TR><TD bgcolor="gray">Style</TD><TD bgcolor="gray">1-2 Doz.</TD><TD b
gcolor="gray">3-6 Doz.</td><td bgcolor="gray">7-11 Doz.</td><td bgcolo
r="gray">12-24 Doz.</td></tr>

<TR><TD># SSC</TD><TD>\$15.95</TD><TD>\$15.50</TD><TD>\$14.95</TD><TD>\$14
.00</TD></TR>

<TR><TD># TGCSN</TD><TD>\$19.95</TD><TD>\$19.50 </TD><TD>\$18.75</TD><TD>
\$17.50</TD></TR>

<TR><TD># TGCM</TD><TD>\$20.95</TD><TD>\$20.50 </TD><TD>\$19.75</TD><TD>\$
18.50</TD></TR>

</table>

<P>

We do give Re-Order Discounts to Repeat Customers
<font Color="#
FF0000">No Screen Fees!!
No Set up Fees!!

<TABLE bgcolor=#FFFFFF BORDER="1">

<TR><TD COLSPAN="5" ALIGN="CENTER">Cap Printing<
</TD></TR>

<TR><TD bgcolor="gray">Style</TD><TD bgcolor="gray">12-23 Caps</TD><TD
bgcolor="gray">24-47 Caps</td><td bgcolor="gray">48-71 Caps</td><td b
gcolor="gray">72-144 Caps</td></tr>

<TR><TD>1 Color</TD><TD>\$3.95</TD><TD>\$2.50 </TD><TD>\$1.80</TD><TD>\$1.
25</TD></TR>

<TR><TD>2 Color</TD><TD>\$6.50</TD><TD>\$4.60 </TD><TD>\$3.00</TD><TD>\$2.
50</TD></TR>

caps

3	Color	\$8.35	\$6.50	\$4.50	\$3.75
---	-------	--------	--------	--------	--------

4	Color	\$9.50	\$7.50	\$5.50	\$4.50
---	-------	--------	--------	--------	--------

</table>

***Note* The Max Size of the logo is 4.75(w) X 2.75(h) inches**

</center>

</td></tr></table>

</body>

</html>



T-Shirts: All T-Shirts will be Fruit of the Loom 5.3 oz. 50/50 Cotton/Polyester.

Sizes: Youth XS(2-4), SM(6-8), MD(10-12),LG(14-16),
Adult: SM, MD, LG, XL

Colors: Ash, Athletic Heather, Black, Burgandy, Classic Pink, Forest Green, Gold, Kelly, Light Blue, Navy, Orange, Purple, Red, Royal, Yellow, White

Mixing of sizes in an order: You may order any combination of sizes from youth to adult X-Large for the same price. Any sizes over X-Large will have an additional charge.

Quantity Discounts: There will be a 10% discount when shirts are ordered in dozens of the same color and same size.

Screen and Printing Charges: \$6.00 includes a one color imprint of your design or logo in one location on the garment. Any other designs or colors will have an additional screen charge of \$25.00 per Imprint or Color and an additional \$0.50 charge per shirt printed.


```
<head><title>Shirts</title></head>
```


Mixing of sizes in an order: You may order any combination of sizes from youth to adult X-Large for the same price. Any sizes over X-Large will have an additional charge.

Quantity Discounts: There will be a 10% discount when shirts are ordered in dozens of the same color and same size.

Screen and Printing Charges: \$6.00 includes a one color imprint of your design or logo in one location on the garment. Any other designs or colors will have an additional screen charge of \$25.00 per Imprint or Color and an additional \$0.50 charge per shirt.

shirts

t printed.

</TD></TR></TABLE>

</body>

</html>

Authorized Returns: Merchandise found to be incorrect due to our error will be replaced at no charge when returned with-in ten working days from receipt of merchandise. OG Sportswear will provide Return Authorization Numbers to be placed on the returned merchandise and all unauthorized merchandise will be returned to the sender. No Credit will be issued for merchandise not returned to the company.

Payments: Payments can be made with Visa, Master Card, American Express, Discover Card, Cashiers Checks or Postal Money Orders. Production will not begin until Payment and Artwork is received by the company.

Production and Delivery Time: An order can usually be printed and shipped with-in 5 to 7 working days. During our peak season sizes and colors may run out of stock and could take additional time to ship. We will notify you in the event of such an occurrence. **Please allow enough time for your event.**

Non-Fulfillment of Orders: OG Sportswear cannot assume liability for non-fulfillment of any order caused by our inability to obtain raw materials beyond our control.

Multi-Color Imprinting consists of 4 colors printed on one side of a garment. On Dark colored garments however only 3 colors are allowed per side since one color is already included.

Corrections or Changes: A charge of \$20.00 applies to a correction received after die or screen has been made. Corrections is not possible if the order has been printed.

Additional Imprinting Prices will be \$.50 for each additional. color per garment and location. all colors over one which is included in the cost of the garment will have an additional setup charge.

Second Side Printing: charges for 2nd side printing will be \$1.50 for the first color and \$.50 for each additional color. The cost can be reduced by the quantity of garments ordered.

Camera Ready Artwork: There will be no Screen charge on one color imprints. Camera Ready Artwork and Text refers to art submitted in Black on White Glossy Paper. It must be a line drawing and all filled areas must also be done in Black with a line thickness of .01 inches. Artwork must not have any shading or Art for Halftone Screens. All Art must be on a single sheet of paper, **No Cut and Paste Will Be Allowed.** We Use Windows Based computers and Corel Draw Versions up to 9. You can save your art in **PSD, TIFF, EPS, CDR** Formats, and outline your fonts and you can E-Mail your art or send it on a 3.5 disk to the address listed.

Print Areas Available: Your design can be printed in areas of Left Chest, Right Chest, Full Front, Full Back, Right Sleeve, Left Sleeve. The most popular areas for tee shirt printing is the Left Chest and Full Front or Back.

additional

<html>

<head><title>Additional Info</title></head>

<body bgcolor=#00FFFF>

<center><table border=0 width=97%><tr><td>

<basefont face="Times New Roman" size=3>

<u>Authorized Returns:</u> Merchandise found to be incorrect due to our error will be replaced at no charge when returned with-in ten working days from receipt of merchandise. OG Sportswear will provide Return Authorization Numbers to be placed on the returned merchandise and all unauthorized merchandise will be returned to the sender. No Credit will be issued for merchandise not returned to the company.

<hr>

<u>Payments:</u> Payments can be made with Visa, Master Card, American Express, Discover Card, Cashiers Checks or Postal Money Orders. Production will not begin until Payment and Artwork is received by the company.

<u>Production and Delivery Time:</u> An order can usually be printed and shipped with-in 5 to 7 working days. During our peak season sizes and colors may run out of stock and could take additional time to ship. We will notify you in the event of such an occurrence. <u>Please allow enough time for your event.</u>

<u>Non-Fulfillment of Orders:</u> OG Sportswear cannot assume liability for non-fulfillment of any order caused by our inability to obtain raw materials beyond our control.

<hr>

 <u>Multi-Color Imprinting</u> consists of 4 colors printed on one side of a garment. On Dark colored garments however only

are allowed per side since one color is already included. &

Camera Ready Artwork: There will be no Screen charge on one color imprints. Camera Ready Artwork and Text refers to art submitted in Black on White Glossy Paper. It must be a line drawing and all filled areas must also be done in Black with a line thickness of .01 inches. Artwork must not have any shading or Art for Halftone Screens. All Art must be on a single sheet of paper, **No Cut and Paste Will Be Allowed.** We Use Windows Based computers and Corel Draw Versions up to 9. You can save your art in **PSD, TIFF, EPS, CDR** Formats, and outline your fonts and you can E-Mail your art or send it on a 3.5 disk to the address listed.

Print Areas Available: Your design can be

additional

printed in areas of Left Chest, Right Chest, Full Front, Full Back, Right Sleeve, Left Sleeve. The most popular areas for tee shirt printing is the Left Chest and Full Front or Back.

</body>

</html>

Just complete this form. Click on Submit when ready to send.

Your Name:
Email Address:
Phone Number: -
Street Address:
City:
State: Zip Code:

Cap Information

Cap Style: None Quantity: 0 Color: type color/colors here

Logo Printing

How Many Colors per Logo: 1 Which Colors: type color/colors here

Shirt Information

Shirt Colors: type color/colors here

Select Quantity Desired per Size

0 Youth Extra Small	0 Adult Small
0 Youth Small	0 Adult Medium
0 Youth Medium	0 Adult Large
0 Youth Large	0 Adult Extra Large

Logo Printing

How Many Colors per Logo: 1 Which Colors: type color/colors here

Which Print Areas:

☐ Left Chest	☐ Right Chest
☐ Full Front	☐ Full Back
☐ Right Sleeve	☐ Left Sleeve

Please type any additions, questions or comments below.

Submit

Reset

order

```
<HTML>
<HEAD><TITLE>Order Form</TITLE></HEAD>
<BODY BGCOLOR="#00FFFF">
<FORM action="http://www.response-o-matic.com/cgi-bin/rom.pl" method="
POST">

<INPUT TYPE="hidden" NAME="your_email_address" VALUE="ja-3@att.net">
<INPUT TYPE="hidden" NAME="your_name" VALUE="OG Sportswear">
<INPUT TYPE="hidden" NAME="email_subject_line" VALUE="New Order">
<INPUT TYPE="hidden" NAME="required_fields" VALUE="your_email_address"
>
<INPUT TYPE="hidden" NAME="thank_you_title" VALUE="Thanks for your bui
ness! We will be contacting you soon!">
<INPUT TYPE="hidden" NAME="return_link_url" VALUE="http://home.att.net
/~ja-3/home.html">
<INPUT TYPE="hidden" NAME="return_link_name" VALUE="OG Home Page">
<INPUT TYPE="hidden" NAME="background_color" VALUE="#00FFFF">
<INPUT TYPE="hidden" NAME="text_color" VALUE="#000000">
<INPUT TYPE="hidden" NAME="link_color" VALUE="#FF0000">
<INPUT TYPE="hidden" NAME="visited_link_color" VALUE="#FF0000">
<INPUT TYPE="hidden" NAME="active_link_color" VALUE="#FF0000">

<br>
<b>
<CENTER>Just complete this form. Click on Submit when ready to send.</
CENTER>
</b>
<br>
<BLOCKQUOTE><P><TABLE BORDER=0 CELLSPACING=0>

<TR>
<TD WIDTH=116>Your Name:</TD>
<TD><INPUT TYPE="text" NAME="visitor_name" VALUE="" SIZE=35></TD>
</TR>

<TR>
<TD WIDTH=116>Email Address:</TD>
<TD><INPUT TYPE="text" NAME="visitor_email_address" VALUE="" SIZE=35><
/
TD>
</TR>

<TR>
<TD WIDTH=116>Phone Number:</TD>
<TD><INPUT TYPE="text" NAME="Area code" VALUE="" SIZE=3>-
    <INPUT TYPE="TEXT" NAME="Phone number" VALUE="" SIZE=8>
</TD>
</TR>

<TR>
<TD WIDTH=116>Street Address:</TD>
<TD><INPUT TYPE="text" NAME="Street Address" VALUE="" SIZE=35>
```

[illegible]

```
<FONT SIZE="+2"><center><b>Cap Information</b></center></FONT>
<HR WIDTH="75%">
```

```
<BR>
<br>
<CENTER><B><FONT SIZE="+2">Shirt Information</FONT></B></CENTER>
<HR WIDTH="75%">
```

order

[illegible]

order

Please type any additions, questions or comments below.

<TEXTAREA NAME="Comment" ROWS=8 COLS=70></TEXTAREA>

<BLOCKQUOTE>

<INPUT TYPE="submit" NAME="Submit" VALUE="Submit">

<INPUT TYPE="reset" VALUE="Reset"></P>

</BLOCKQUOTE>

</FORM>

</BODY>

</HTML>

Thanks for your buisness! We will be contacting you soon!

OG Home Page

Your response is shown below, following the ad.

A horizontal banner for Shutterfly. On the left, a small circular inset shows a man's face. Next to it is a rounded rectangle containing the text "New digital camera?". To the right of this is the Shutterfly logo, which consists of the word "shutterfly" in a lowercase, sans-serif font with three small circles above the 't'. Below the logo, the tagline "where your pictures live" is written in a smaller, lowercase font. On the right side of the banner is a large photograph of a smiling man holding a digital camera. The camera's LCD screen shows a picture of a young child.

New digital camera?

shutterfly

where your pictures live

Share the joy of spring by creating high-quality prints and gifts using your digital pictures.

And now - get 15 FREE 4 x 6 prints!
It only takes a click to Join Shutterfly and get FREE prints

The following information has been successfully submitted.

Date: Friday, May 4, 2001

Time: 6:40 PM EST

Submitted to: OG Sportswear (ja-3@att.net)

Subject: New Order

Cap Style: None

Cap Colors: type color/colors here

Number: 1

Cap Logo Colors: type color/colors here

Shirt Colors: type color/colors here

Num: 1

Shirt Logo Colors: type color/colors here

[OG Home Page](#)

This form processed by
Response-O-Matic
Free Form Processor

6

rom[1]

```
<html>
  <head>
<title>Thanks for your buisness! We will be contacting you soon!</titl
e>
<META HTTP-EQUIV="Content-type" CONTENT="text/html">
  </head>
  <body bgcolor="#00FFFF" link="#FF0000" vlink="#FF0000" alink="#FF0000
" text="#000000">
<table width=100% border=0 cellpadding=0 cellspacing=15>
<tr><td valign=top align=center>
<center>
  <h1>Thanks for your buisness! We will be contacting you soon!</h1>
</center>
<center>
<a href="http://home.att.net/~ja-3/home.html">OG Home Page</a>
</center>
<font size=+1>Your response is shown below, following the ad.</font></
td> </tr></table>
<HR SIZE=1 WIDTH=95% ALIGN=LEFT NOSHADE>
<center><center><table border=0 align=center cellspacing=2 cellpadding
=2 bgcolor=white>
<tr>
<td colspan=2 bgcolor=white>
<a href="http://new.Response-O-Matic.com/ad/verts/zone/rr_all.pl?banne
r=shutterflyct02r&url=http://click.linksynergy.com/fs-bin/click?id=PMb
8cwIMb3U&offerid=27897.10000013&subid=0&type=4"><IMG
border=0 alt="New Camera Face 468"
src="http://ad.linksynergy.com/fs-bin/show?id=PMb8cwIMb3U&bids=27897.1
0000013&subid=0&type=4"></a>
</td>
</tr>
<tr>
<td bgcolor=white><font face=ARIAL size=2>
<IMG
alt="Shutterfly - where your pictures live" border=0 height=104
src="http://Freedback.com/success/shutterfly/sfly_home_ID.gif" width=2
06><BR>
</td>
<td bgcolor=white><font face=ARIAL size=2>
<img src=http://Freedback.com/success/shutterfly/home_ph_sm.jpg><br>
<IMG
alt="Share the joy of spring by creating high-quality prints and gifts
using your digital pictures."
border=0 height=70 src="http://Freedback.com/success/shutterfly/home_h
igh-quality_T.gif" vspace=11
width=270> <BR>And now - get 15 FREE 4 x 6 prints!
<BR>It only takes a click to
<A
href="http://new.Response-O-Matic.com/ad/verts/zone/rr_all.pl?banner=s
hutterflyct02r&url=http://click.linksynergy.com/fs-bin/click?id=PMb8cw
IMb3U&offerid=27897.10000013&type=3&subid=0">Join
```



```

rom[1]
Shutterfly and get FREE prints</A><removed IMG border=0 height=1
src="shutterfly01rv2_files/show.gif" width=1>
</td>
</tr>
</table></center>
</center>
<HR SIZE=1 WIDTH=95% ALIGN=LEFT NOSHADE>
<H3><CENTER>The following information has been successfully submitted.
</CENTER></H3>
<P><HR SIZE=3 WIDTH=50% ALIGN=LEFT></P>
<P><B>Date: </B>Friday, May 4, 2001<BR>
<B>Time: </B>6:40 PM EST</P>
<B>Submitted to: </B>OG Sportswear (ja-3@att.net)</P>
<P><B>Subject: </B>New Order</p>
<P><HR SIZE=3 WIDTH=50% ALIGN=LEFT></P>
<b>Cap Style:</b> None<p>
<b>Cap Colors:</b> type color/colors here<p>
<b>Number:</b> 1<p>
<b>Cap Logo Colors:</b> type color/colors here<p>
<b>Shirt Colors:</b> type color/colors here<p>
<b>Num:</b> 1<p>
<b>Shirt Logo Colors:</b> type color/colors here<p>
<p><center>
<a href="http://home.att.net/~ja-3/home.html">OG Home Page</a>
</center>
</P>
<P><HR SIZE=1 WIDTH=95% ALIGN=LEFT NOSHADE></P>
<P><TABLE BORDER="0" WIDTH="250"><TR><TD>
<P ALIGN="CENTER"><I><
FONT SIZE="2">This form processed by</FONT></I><A HREF="http://www.res
ponse-o-matic.com" target="_parent"><B><BR></B></A><A HREF="http://www
.response-o-matic.com"><B><FONT SIZE="4">Response-O-Matic</FONT><BR></
B></A><B>Free Form Processor</B></TD></TR></TABLE>&nbsp;</P>
<font size=1>6</font></body>
</html>

```

Development Software

- Change Management
- DBMS
- Development Environment
- Languages
- Middleware
- Project Management
- Testing
- Utilities

Change Management

Recommended/Approved			
Catagory/Product	Version	Notes	Date
CIAO	11.0	Lotus Notes	11/01/2000
Endevor	3.7.2	MVS	11/01/2000
Librarian	5.0	VSE	11/01/2000
Open VMS SMS	8.1	VMS	11/01/2000

Also In Use			
Catagory/Product	Version	Notes	Date
MS Visual SourceSafe	6.0	PC	11/01/2000

<HTML>

<FRAMESET COLS="250,*">

<FRAME SCROLLING="NO" NORESIZE SRC="Software.html" FRAMEBORDER="5"
RESIZE>

<FRAME SRC="Change.html" NAME="main">

</FRAMESET>

</HTML>

Development Software

- Change Management
- DBMS
- Development Environment
- Languages
- Middleware
- Project Management
- Testing
- Utilities

```

<html>

<!-- Page created by Jason Anderson on Friday, March 30, 2001 -->

<head><title>Westvaco Development Software</title></head>

<style>
<!--
A:hover{color:blue}
A{color:white; }
-->
</style>

<body nowrap background="bg2.jpg" >
<br>
<b><font size="4" color="#7F0000">Development Software</font></b>
<hr align="left" width=235>

<br>

&nbsp;&nbsp;&nbsp;<font FACE="ARIAL" size="2"><a href="Change.html" target="main"><U><B>Change Management</b></a></u>
<BR>
</font>
&nbsp;&nbsp;&nbsp;<font FACE="ARIAL" size="2"><U><a href="DBMS.html" target="main"><b>DBMS</b></a></u><BR>
</font>
&nbsp;&nbsp;&nbsp;<font FACE="ARIAL" size="2"><a href="Development.html" target="main"><U><b>Development Environment
</b></u></a><BR>
</font>
&nbsp;&nbsp;&nbsp;<font FACE="ARIAL" size="2"><a href="Languages.html" target="main"><U><b>Languages</b></u></a><BR>
</font>
&nbsp;&nbsp;&nbsp;<font FACE="ARIAL" size="2"><U><a href="Middle.html" target="main"><b>Middleware</b></a></u><BR>
</font>
&nbsp;&nbsp;&nbsp;<font FACE="ARIAL" size="2"><U><a href="Project.html" target="main"><b>Project Management</b></a></u><BR>
</font>
&nbsp;&nbsp;&nbsp;<font FACE="ARIAL" size="2"><a href="Testing.html" target="main"><U><b>Testing</b></u></a><BR>
</font>
&nbsp;&nbsp;&nbsp;<font FACE="ARIAL" size="2"><a href="Utilities.html" target="main"><U><b>Utilities</b></u></a></fo

```

nt>

</body>
</html>

Change Management

Recommended/Approved			
Catagory/Product	Version	Notes	Date
CIAO	11.0	Lotus Notes	11/01/2000
Endevor	3.7.2	MVS	11/01/2000
Librarian	5.0	VSE	11/01/2000
Open VMS SMS	8.1	VMS	11/01/2000

Also In Use			
Catagory/Product	Version	Notes	Date
MS Visual SourceSafe	6.0	PC	11/01/2000

```
<html>
```

```
<!-- Page created by Jason Anderson on Monday, April 02, 2001 -->
```

```
<head><title>Change Management</title></head>
```

```
<body background="bg2.jpg">
```

```
<Center><Font Size="+3" Color="#7F0000">Change Management</Font></Center>
```

```
<br>
```

```
<CENTER>
```

```
<TABLE bgcolor=#FFFFFF BORDER="1" WIDTH="350">
```

```
<TR><TD COLSPAN="4" ALIGN="CENTER"><FONT SIZE="5">Recommended/Approved</FONT></TD></TR>
```

```
<TR><TD bgcolor="gray">Catagory/Product</TD><TD bgcolor="gray">Version</td><td bgcolor="gray">Notes</td><td bgcolor="gray">Date</td></tr>
```

```
<TR><TD>CIAO</TD><TD>11.0</TD><TD>Lotus Notes</TD><TD>11/01/2000</TD></TR>
```

```
<TR><TD>Endevor</TD><TD>3.7.2</TD><TD>MVS</TD><TD>11/01/2000</TD></TR>
```

```
<TR><TD>Librarian</TD><TD>5.0</TD><TD>VSE</TD><TD>11/01/2000</TD></TR>
```

```
<TR><TD>Open VMS SMS</TD><TD>8.1</TD><TD>VMS</TD><TD>11/01/2000</TD></TR>
```

```
</font>
```

```
</table>
```

```
<br>
```

```
<TABLE bgcolor=#FFFFFF BORDER="1" WIDTH="350">
```

```
<TR><TD COLSPAN="4" ALIGN="CENTER"><FONT SIZE="5">Also In Use</FONT></TD></TR>
```

```
<TR><TD bgcolor="gray">Catagory/Product</TD><TD bgcolor="gray">Version</td><td bgcolor="gray">Notes</td><td bgcolor="gray">Date</td></tr>
```

```
<TR><TD>MS Visual SourceSafe</TD><TD>6.0</TD><TD>PC</TD><TD>11/01/2000</TD></TR>
```

```
</TABLE>
```

```
</CENTER>
```

```
</font>
```

```
</body>
```

```
</html>
```


DBMS

- Statement of policy

Recommended/Approved			
Catagory/Product	Version	Notes	Date
Adabas	6.2.1	Restricted-Envelope	11/01/2000
DB2	5.1 or above	MVS	11/01/2000
DB2 UDB	5.2	AIX	11/01/2000
DB2/VSE	5.1	VSE	11/01/2000
Informix on-line	5.08	OptiVISION-Evadale	11/01/2000
Oracle	8.1	SAP R3 support products CrossWorlds repository AIX	11/01/2000
SQL Server	7	NT	11/01/2000

Also In Use			
Catagory/Product	Version	Notes	Date
Borland Database Engine	-	Work-in Progress system	11/01/2000
Informix esql-c	5.08	OptiVISION-Evadale	11/01/2000
Informix esql-c	7.23	VISION, Evadale	11/01/2000
MS Access	8	-	11/01/2000
Natural	2.2.8+	Restricted-Envelope	11/01/2000
Oracle	7.1	-	11/01/2000
Oracle	7.3.4	-	11/01/2000
Oracle	8.1.5	Evaluation	11/01/2000
SQL Server	6.5	-	11/01/2000
Visual Dbase	5.5	-	11/01/2000

```
<html>  
  
<!-- Page created by Jason Anderson on Monday, April 02, 2001 -->  
  
<head><title>DBMS</title></head>  
<style>  
<!--  
A:hover{color:BLUE}  
A{color:white; }  
-->  
</style>  
<body background="bg2.jpg">  
  
<basefont face="Times New Roman" size=3>  
  
<Center><font Size="+3" Color="#7F0000">DBMS</Font></Center>  
  
<TABLE ALIGN="CENTER">  
<CENTER>  
<A HREF="Policy.html"><ul><LI><font face="ARIAL"> Statement of pol  
icy</font></a>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;</UL></TABLE>  
<TABLE bgcolor=#FFFFFF BORDER="1" WIDTH="450">  
<TR><TD COLSPAN="4" ALIGN="CENTER"><FONT SIZE="5">Recommended/Appr  
oved</FONT></TD></TR>  
<TR><TD bgcolor="gray">Catagory/Product</TD><TD bgcolor="gray">Ver  
sion</td><td bgcolor="gray">Notes</td><td bgcolor="gray">Date</td>  
</tr>  
  
<TR><TD>Adabas</TD><TD>6.2.1</TD><TD>Restricted-Envelope</TD><TD>1  
1/01/2000</TD></TR>  
<TR><TD>DB2</TD><TD>5.1 or above </TD><TD>MVS</TD><TD>11/01/2000</  
TD></TR>  
<TR><TD>DB2 UDB</TD><TD>5.2 </TD><TD>AIX</TD><TD>11/01/2000</TD></  
TR>  
<TR><TD>DB2/VSE</TD><TD>5.1</TD><TD>VSE</TD><TD>11/01/2000</TD></T  
R>  
<TR><TD>Informix on-line</TD><TD>5.08 </TD><TD>OptivISION-Evadale<  
/TD><TD>11/01/2000</TD></TR>  
<TR><TD>Oracle</TD><TD>8.1 </TD><TD>SAP R3 support products <br>Cr  
ossWorlds repository<br>AIX</TD><TD>11/01/2000</TD></TR>  
<TR><TD>SQL Server</TD><TD>7 </TD><TD>NT</TD><TD>11/01/2000</TD></  
TR>  
</table>  
<br>  
  
<TABLE bgcolor=#FFFFFF BORDER="1" WIDTH="450">
```

```
<TR><TD COLSPAN="4" ALIGN="CENTER"><FONT SIZE="5">Also In Use</FONT></TD></TR>
```

```
<TR><TD bgcolor="gray">Catagory/Product</TD><TD bgcolor="gray">Version</td><td bgcolor="gray">Notes</td><td bgcolor="gray">Date</td></tr>
```

```
<TR><TD>Borland Database Engine</TD><TD><center>--</center></TD><TD>>Work-in Progress system</TD><TD>11/01/2000</TD></TR>
```

```
<TR><TD>Informix esql-c</TD><TD>5.08</TD><TD>OptiVISION-Evadale</TD><TD>11/01/2000</TD></TR>
```

```
<TR><TD>Informix esql-c</TD><TD>7.23 </TD><TD>VISION, Evadale</TD><TD>11/01/2000</TD></TR>
```

```
<TR><TD>MS Access</TD><TD>8 </TD><TD><center>--</center></TD><TD>11/01/2000</TD></TR>
```

```
<TR><TD>Natural</TD><TD>2.2.8+ </TD><TD>Restricted-Envelope</TD><TD>11/01/2000</TD></TR>
```

```
<TR><TD>Oracle</TD><TD>7.1 </TD><TD><center>--</center></TD><TD>11/01/2000</TD></TR>
```

```
<TR><TD>Oracle</TD><TD>7.3.4 </TD><TD><center>--</center></TD><TD>11/01/2000</TD></TR>
```

```
<TR><TD>Oracle</TD><TD>8.1.5 </TD><TD>Evaluation</TD><TD>11/01/2000</TD></TR>
```

```
<TR><TD>SQL Server</TD><TD>6.5 </TD><TD><center>--</center></TD><TD>11/01/2000</TD></TR>
```

```
<TR><TD>Visual Dbase</TD><TD>5.5 </TD><TD><center>--</center></TD><TD>11/01/2000</TD></TR>
```

```
</TABLE>
</CENTER>
```

```
</body>
```

```
</html>
```

Development Environment/Workbench

Recommended/Approved			
Catagory/Product	Version	Notes	Date
BW Development workbench	1.2	Restricted to R3 BW developers	11/01/2000
Construct Spectrum	4.3.1	Envelope Division	11/01/2000
Fortran PowerStation	-	FS&T	11/01/2000
Lotus Domino	5	-	11/01/2000
SAS (Windows)	8.0	-	11/01/2000
VisualAge for Java	3.0	-	11/01/2000
VisualAge Generator	4.0	-	11/01/2000
WebSphere Studio	3.0	-	11/01/2000

Also In Use			
Catagory/Product	Version	Notes	Date
AS/ASET	-	-	11/01/2000
COAX	-	OptiVISION-Evadale	11/01/2000
ColdFusion	4.5	Web development-Evadale	11/01/2000
Crystal Reports	4,5,6,7	-	11/01/2000
Delphi	3.0	-	11/01/2000
Dream Weaver	4.0	-	11/01/2000
Lotus Notes	4.6	-	11/01/2000
MS VisualStudio	6	VB 6, Vis C++, Vis Interdev 6, Vis SourceSafe 6 (j++)	11/01/2000
Net Objects Fusion	4.0	-	11/01/2000
NetDynamics	3.13	-	11/01/2000
UFO	3.2.0	-	11/01/2000

```
<html>
```

```
<!-- Page created by Jason Anderson on Monday, April 02, 2001 -->
```

```
<head><title>Development Environment/Workbench</title></head>
```

```
<body background="bg2.jpg">
```

```
<basefont face="Times New Roman" size=3>
```

```
<Center><Font Size="+3" Color="#7F0000">Development Environment/Workbench</Font></Center>
```

```
<BR>
```

```
<CENTER>
```

```
<TABLE bgcolor=#FFFFFF BORDER="1" WIDTH="450">
```

```
<TR><TD COLSPAN="4" ALIGN="CENTER"><FONT SIZE="5">Recommended/Approved</FONT></TD></TR>
```

```
<TR><TD bgcolor="gray">Category/Product</TD><TD bgcolor="gray">Version</td><td bgcolor="gray">Notes</td><td bgcolor="gray">Date</td></tr>
```

```
<TR><TD>BW Development workbench</TD><TD>1.2</TD><TD>Restricted to R3 BW developers</TD><TD>11/01/2000</TD></TR>
```

```
<TR><TD>Construct Spectrum</TD><TD>4.3.1 </TD><TD>Envelope Division</TD><TD>11/01/2000</TD></TR>
```

```
<TR><TD>Fortran PowerStation</TD><TD><center>-</center> </TD><TD>FS&T</TD><TD>11/01/2000</TD></TR>
```

```
<TR><TD>Lotus Domino</TD><TD>5 </TD><TD><center>-</center></TD><TD>>11/01/2000</TD></TR>
```

```
<TR><TD>SAS (Windows)</TD><TD>8.0</TD><TD><center>-</center></TD><TD><TD>11/01/2000</TD></TR>
```

```
<TR><TD>VisualAge for Java</TD><TD>3.0 </TD><TD><center>-</center></TD><TD><TD>11/01/2000</TD></TR>
```

```
<TR><TD>VisualAge Generator</TD><TD>4.0 </TD><TD><center>-</center></TD><TD><TD>11/01/2000</TD></TR>
```

```
<TR><TD>WebSphere Studio</TD><TD>3.0 </TD><TD><center>-</center></TD><TD><TD>11/01/2000</TD></TR>
```

```
</table>
```

```
<br>
```

```
<TABLE bgcolor=#FFFFFF BORDER="1" WIDTH="450">
```

```
<TR><TD COLSPAN="4" ALIGN="CENTER"><FONT SIZE="5">Also In Use</FONT></TD></TR>
```

```
<TR><TD bgcolor="gray">Category/Product</TD><TD bgcolor="gray">Version</td><td bgcolor="gray">Notes</td><td bgcolor="gray">Date</td></tr>
```

```
<TR><TD>AS/ASET</TD><TD><center>-</center></TD><TD><center>-</cent
```

```

er></TD><TD>11/01/2000</TD></TR>
<TR><TD>COAX</TD><TD> <center>-</center></TD><TD>OptiVISION-Evadale</TD><TD>11/01/2000</TD></TR>
<TR><TD>ColdFusion</TD><TD>4.5 </TD><TD>Web development-Evadale</TD><TD>11/01/2000</TD></TR>
<TR><TD>Crystal Reports</TD><TD>4,5,6,7</TD><TD><center>-</center></TD><TD>11/01/2000</TD></TR>
<TR><TD>Delphi</TD><TD>3.0 </TD><TD><center>-</center></TD><TD>11/01/2000</TD></TR>
<TR><TD>Dream Weaver</TD><TD>4.0 </TD><TD><center>-</center></TD><TD>11/01/2000</TD></TR>
<TR><TD>Lotus Notes</TD><TD>4.6 </TD><TD><center>-</center></TD><TD>11/01/2000</TD></TR>
<TR><TD>MS VisualStudio</TD><TD>6 </TD><TD>VB 6, Vis C++,Vis Inter dev 6, Vis SourceSafe 6 (j++)</TD><TD>11/01/2000</TD></TR>
<TR><TD>Net Objects Fusion</TD><TD>4.0 </TD><TD><center>-</center></TD><TD>11/01/2000</TD></TR>
<TR><TD>NetDynamics</TD><TD>3.13 </TD><TD><center>-</center></TD><TD>11/01/2000</TD></TR>
<TR><TD>UFO</TD><TD>3.2.0 </TD><TD><center>-</center></TD><TD>11/01/2000</TD></TR>

```

```

</TABLE>
</CENTER>

```

```

</body>

```

```

</html>

```

Languages

Recommended/Approved			
Catagory/Product	Version	Notes	Date
ABAP	-	SAP R2 and R3 only	11/01/2000
Esperant	4.2.03	Restricted to Envelope	11/01/2000
HTML	3	-	11/01/2000
JavaScript	1.2	Web client-side scripting	11/01/2000
RPG 400/IV	-	-	11/01/2000
Sun Java	2.x	Web client-side scripting	11/01/2000

Also In Use			
Catagory/Product	Version	Notes	Date
Assembler	-	FCB creation only, and necessary PC routines	11/01/2000
C	-	-	11/01/2000
C++	-	-	11/01/2000
COBOL	-	-	11/01/2000
MS Visual FoxPro	2.6	Envelope Division	11/01/2000
Perl	5	-	11/01/2000
SuperNatural	3.1.3	Envelope Division	11/01/2000
VBScript	-	Used with any Office 97 product	11/01/2000
Visual Basic	6	Envelope Division	11/01/2000

```
<html>
```

```
<!-- Page created by Jason Anderson on Monday, April 02, 2001 -->
```

```
<head><title>Languages</title></head>
```

```
<body background="bg2.jpg">
```

```
<basefont face="Times New Roman" size=3>
```

```
<Center><Font Size="+3" Color="#7F0000">Languages</Font></Center>
```

```
<BR>
```

```
<CENTER>
```

```
<TABLE bgcolor=#FFFFFF BORDER="1" WIDTH="475">
```

```
<TR><TD COLSPAN="4" ALIGN="CENTER"><FONT SIZE="5">Recommended/Approv</FONT></TD></TR>
```

```
<TR><TD bgcolor="gray">Catagory/Product</TD><TD bgcolor="gray">Ver</td><td bgcolor="gray">Notes</td><td bgcolor="gray">Date</td></tr>
```

```
<TR><TD>ABAP</TD><TD><center>--</center></TD><TD>SAP R2 and R3 only</TD><TD>11/01/2000</TD></TR>
```

```
<TR><TD>Esperant</TD><TD>4.2.03 </TD><TD>Restricted to Envelope</TD><TD>11/01/2000</TD></TR>
```

```
<TR><TD>HTML</TD><TD>3 </TD><TD><center>--</center></TD><TD>11/01/2000</TD></TR>
```

```
<TR><TD>JavaScript</TD><TD>1.2 </TD><TD>Web client-side scripting</TD><TD>11/01/2000</TD></TR>
```

```
<TR><TD>RPG 400/IV</TD><TD><center>--</center></TD><TD><center>--</center></TD><TD>11/01/2000</TD></TR>
```

```
<TR><TD>Sun Java</TD><TD>2.x </TD><TD>Web client-side scripting</TD><TD>11/01/2000</TD></TR>
```

```
</table>
```

```
<br>
```

```
<TABLE bgcolor=#FFFFFF BORDER="1" WIDTH="475">
```

```
<TR><TD COLSPAN="4" ALIGN="CENTER"><FONT SIZE="5">Also In Use</FONT></TD></TR>
```

```
<TR><TD bgcolor="gray">Catagory/Product</TD><TD bgcolor="gray">Ver</td><td bgcolor="gray">Notes</td><td bgcolor="gray">Date</td></tr>
```

```
<TR><TD>Assembler</TD><TD><center>--</center></TD><TD>FCB creation only, and necessary PC routines</TD><TD>11/01/2000</TD></TR>
```

```
<TR><TD>C</TD><TD><center>--</center></TD><TD><center>--</center></TD><TD>11/01/2000</TD></TR>
```

```
<TR><TD>C++</TD><TD><center>--</center></TD><TD><center>--</center></TD><TD><center>--</center></TD></TR>
```



```
/TD><TD>11/01/2000</TD></TR>
<TR><TD>COBOL</TD><TD><center>--</center></TD><TD><center>--</center>
></TD><TD>11/01/2000</TD></TR>
<TR><TD>MS Visual FoxPro</TD><TD>2.6</TD><TD>Envelope Division</TD>
><TD>11/01/2000</TD></TR>
<TR><TD>Perl</TD><TD>5 </TD><TD><center>--</center></TD><TD>11/01/2
000</TD></TR>
<TR><TD>SuperNatural</TD><TD>3.1.3</TD><TD>Envelope Division</TD><
TD>11/01/2000</TD></TR>
<TR><TD>VBScript</TD><TD><center>--</center></TD><TD>Used with any
Office 97 product</TD><TD>11/01/2000</TD></TR>
<TR><TD>Visual Basic</TD><TD>6</TD><TD>Envelope Division</TD><TD>1
1/01/2000</TD></TR>
```

```
</TABLE>
</CENTER>
```

```
</body>
```

```
</html>
```

Middleware

Recommended/Approved			
Catagory/Product	Version	Notes	Date
MQ Series	-	AS/400	11/01/2000
MQ Series	2.1	VSE	11/01/2000
MQ Series	5	AIX	11/01/2000
MQ Series	5	MVS	11/01/2000

Also In Use			
Catagory/Product	Version	Notes	Date
Entire X	-	Envelope Division	11/01/2000

```
<html>
```

```
<!-- Page created by Jason Anderson on Monday, April 02, 2001 -->
```

```
<head><title>Middleware</title></head>
```

```
<body background="bg2.jpg">
```

```
<basefont face="Times New Roman" size=3>
```

```
<Center><Font Size="+3" Color="#7F0000">Middleware</Font></Center>
<br>
```

```
<CENTER>
```

```
<TABLE bgcolor=#FFFFFF BORDER="1" WIDTH="400">
```

```
<TR><TD COLSPAN="4" ALIGN="CENTER"><FONT SIZE="5">Recommended/Approv
ed</FONT></TD></TR>
```

```
<TR><TD bgcolor="gray">Catagory/Product</TD><TD bgcolor="gray">Ver
sion</td><td bgcolor="gray">Notes</td><td bgcolor="gray">Date</td>
</tr>
```

```
<TR><TD>MQ Series</TD><TD><center>-</center></TD><TD>AS/400</TD><T
D>11/01/2000</TD></TR>
```

```
<TR><TD>MQ Series</TD><TD>2.1 </TD><TD>VSE</TD><TD>11/01/2000</TD>
</TR>
```

```
<TR><TD>MQ Series</TD><TD>5 </TD><TD>AIX</TD><TD>11/01/2000</TD></
TR>
```

```
<TR><TD>MQ Series</TD><TD>5 </TD><TD>MVS</TD><TD>11/01/2000</TD></
TR>
```

```
</table>
```

```
<br>
```

```
<TABLE bgcolor=#FFFFFF BORDER="1" WIDTH="400">
```

```
<TR><TD COLSPAN="4" ALIGN="CENTER"><FONT SIZE="5">Also In Use</FON
T></TD></TR>
```

```
<TR><TD bgcolor="gray">Catagory/Product</TD><TD bgcolor="gray">Ver
sion</td><td bgcolor="gray">Notes</td><td bgcolor="gray">Date</td>
</tr>
```

```
<TR><TD>Entire X</TD><TD><center>-</center></TD><TD>Envelope Divis
ion</TD><TD>11/01/2000</TD></TR>
```

```
</TABLE>
```

```
</CENTER>
```

```
</body>
```

```
</html>
```

Project Management

Recommended/Approved			
Catagory/Product	Version	Notes	Date
Microsoft Project 2000	2000	-	11/01/2000

Also In Use			
Catagory/Product	Version	Notes	Date
Estimate PRO	3	-	11/01/2000
Microsoft Project	98	-	11/01/2000

Project

<html>

<!-- Page created by Jason Anderson on Monday, April 02, 2001 -->

<head><title>Project Management</title></head>

<body background="bg2.jpg">
<basefont face="Times New Roman" size=3>

<Center>Project Management</Center>

<CENTER>

<TABLE bgcolor=#FFFFFF BORDER="1" WIDTH="350">

<TR><TD COLSPAN="4" ALIGN="CENTER">Recommended/Approved</TD></TR>

<TR><TD bgcolor="gray">Catagory/Product</TD><TD bgcolor="gray">Version</td><td bgcolor="gray">Notes</td><td bgcolor="gray">Date</td></tr>

<TR><TD>Microsoft Project 2000</TD><TD>2000</TD><TD><center>--</center></TD><TD>11/01/2000</TD></TR>

</table>

<TABLE bgcolor=#FFFFFF BORDER="1" WIDTH="350">

<TR><TD COLSPAN="4" ALIGN="CENTER">Also In Use</TD></TR>

<TR><TD bgcolor="gray">Catagory/Product</TD><TD bgcolor="gray">Version</td><td bgcolor="gray">Notes</td><td bgcolor="gray">Date</td></tr>

<TR><TD>Estimate PRO</TD><TD>3</TD><TD><center>--</center></TD><TD>11/01/2000</TD></TR>

<TR><TD>Microsoft Project</TD><TD>98</TD><TD><center>--</center></TD><TD>11/01/2000</TD></TR>

</TABLE>

</CENTER>

</body>

</html>

Testing

Testing

```
<html>
```

```
<!-- Page created by Jason Anderson on Monday, April 02, 2001 -->
```

```
<head><title>Testing</title></head>
```

```
<body background="bg2.jpg">
```

```
<basefont face="Times New Roman" size=3>
```

```
<Center><Font Size="+3" Color="#7F0000">Testing</Font></Center>
```

```
<BR>
```

```
</body>
```

```
</html>
```

Utilities

Recommended/Approved			
Catagory/Product	Version	Notes	Date
Adobe Acrobat	3,4	-	11/01/2000
Adobe Photoshop	5.5	Graphics Editor	11/01/2000
Gentran	-	EDI	11/01/2000
Jasc Paint Shop Pro	6.0	Graphics Editor	11/01/2000
MS FrontPage	3.x	-	11/01/2000
NetStudio	1.0	Graphics Editor	11/01/2000

Also In Use			
Catagory/Product	Version	Notes	Date
Active X Data Objects	2.1	Envelope Intranet Development	11/01/2000
Adobe Photo deluxe Business Edition	1.1	-	11/01/2000
Allaire HomeSite	4.5	HTML/Javascript Editor	11/01/2000
Clipper	5.3	-	11/01/2000
Entire Connection Script	3.1.2	Data transfers	11/01/2000
Extermin8	-	-	11/01/2000
EZ Print/400	-	-	11/01/2000
FAST	1.8	Resizes Unidata tables MPAC/Simon-Evadale	11/01/2000
InstallShield Express	2	-	11/01/2000
NetRunner	-	-	11/01/2000
Notrix	-	-	11/01/2000
R & R Report Writer	6.5	Envelope Marketing Application	11/01/2000
Resolver	-	FR Div, Expert systems	11/01/2000
ROBOT Scheduler	-	-	11/01/2000
Win Toolkit for Vis C++	6	-	11/01/2000


```
<html>
```

```
<!-- Page created by Jason Anderson on Monday, April 02, 2001 -->
```

```
<head><title>Utilities</title></head>
```

```
<body background="bg2.jpg">
<basefont face="Times New Roman" size=3>
```

```
<Center><Font Size="+3" Color="#7F0000">Utilities</Font></Center>
<BR>
```

```
<CENTER>
```

```
<TABLE bgcolor=#FFFFFF BORDER="1" WIDTH="475">
```

```
<TR><TD COLSPAN="4" ALIGN="CENTER"><FONT SIZE="5">Recommended/Approv
ed</FONT></TD></TR>
```

```
<TR><TD bgcolor="gray">Catagory/Product</TD><TD bgcolor="gray">Ver
sion</td><td bgcolor="gray">Notes</td><td bgcolor="gray">Date</td>
</tr>
```

```
<TR><TD>Adobe Acrobat</TD><TD>3,4</TD><TD><center>--</center></TD><
TD>11/01/2000</TD></TR>
```

```
<TR><TD>Adobe Photoshop</TD><TD>5.5 </TD><TD>Graphics Editor</TD><
TD>11/01/2000</TD></TR>
```

```
<TR><TD>Gentran</TD><TD><center>--</center> </TD><TD>EDI</TD><TD>11
/01/2000</TD></TR>
```

```
<TR><TD>Jasc Paint Shop Pro</TD><TD>6.0</TD><TD>Graphics Editor</T
D><TD>11/01/2000</TD></TR>
```

```
<TR><TD>MS FrontPage</TD><TD>3.x </TD><TD><center>--</center></TD><
TD>11/01/2000</TD></TR>
```

```
<TR><TD>NetStudio</TD><TD>1.0 </TD><TD>Graphics Editor</TD><TD>11/
01/2000</TD></TR>
```

```
</table>
```

```
<br>
```

```
<TABLE bgcolor=#FFFFFF BORDER="1" WIDTH="475">
```

```
<TR><TD COLSPAN="4" ALIGN="CENTER"><FONT SIZE="5">Also In Use</FON
T></TD></TR>
```

```
<TR><TD bgcolor="gray">Catagory/Product</TD><TD bgcolor="gray">Ver
sion</td><td bgcolor="gray">Notes</td><td bgcolor="gray">Date</td>
</tr>
```

```
<TR><TD>Active X Data Objects</TD><TD>2.1</TD><TD>Envelope Intrane
t Development</TD><TD>11/01/2000</TD></TR>
```

```
<TR><TD>Adobe Photo deluxe Business Edition</TD><TD>1.1 </TD><TD><
center>--</center></TD><TD>11/01/2000</TD></TR>
```

```
<TR><TD>Allaire HomeSite</TD><TD>4.5 </TD><TD>HTML/Javascript Edit
```

```

or</TD><TD>11/01/2000</TD></TR>
<TR><TD>Clipper</TD><TD>5.3 </TD><TD><center>-</center></TD><TD>11
/01/2000</TD></TR>
<TR><TD>Entire Connection Script</TD><TD>3.1.2 </TD><TD>Data trans
fers</TD><TD>11/01/2000</TD></TR>
<TR><TD>Extermin8</TD><TD> <center>-</center></TD><TD><center>-</c
enter></TD><TD>11/01/2000</TD></TR>
<TR><TD>EZ Print/400</TD><TD><center>-</center> </TD><TD><center>-
</center></TD><TD>11/01/2000</TD></TR>
<TR><TD>FAST</TD><TD>1.8 </TD><TD>Resizes Unidata tables MPAC/Simo
n-Evadale</TD><TD>11/01/2000</TD></TR>
<TR><TD>InstallShield Express</TD><TD>2 </TD><TD><center>-</center
></TD><TD>11/01/2000</TD></TR>
<TR><TD>NetRunner</TD><TD> <center>-</center></TD><TD><center>-</c
enter></TD><TD>11/01/2000</TD></TR>
<TR><TD>Notrix</TD><TD><center>-</center></TD><TD><center>-</cente
r></TD><TD>11/01/2000</TD></TR>
<TR><TD>R & R Report Writer</TD><TD>6.5 </TD><TD>Envelope Marketin
g Application</TD><TD>11/01/2000</TD></TR>
<TR><TD>Resolver</TD><TD><center>-</center> </TD><TD>FR Div, Exper
t systems</TD><TD>11/01/2000</TD></TR>
<TR><TD>ROBOT Scheduler</TD><TD><center>-</center></TD><TD><center
>-</center></TD><TD>11/01/2000</TD></TR>
<TR><TD>Win Toolkit for Vis C++</TD><TD>6 </TD><TD><center>-</cent
er></TD><TD>11/01/2000</TD></TR>

```

```

</TABLE>
</CENTER>

```

```

</body>


```

```

</html>

```

MQSeries/Crossworlds Production Environment



```

<HTML>
<HEAD>
<TITLE> MQSeries/CrossWorlds Production Enviornment
</TITLE>
<META NAME="GENERATOR" CONTENT="CoffeeCup Image Mapper++">
</HEAD>
<BODY BACKGROUND="bg1.jpg">
<CENTER><TABLE WIDTH="96%"><TR><TD>
<CENTER>
<H1 nowrap>MQSeries/Crossworlds Production Environment</H1>
<!-- Beginning of CSIM -->
<IMG SRC="productions.jpg" USEMAP="#productions" BORDER=0>
<MAP NAME="productions">
  <AREA SHAPE=RECT COORDS="147,36,223,88" HREF="Kraft.html" ALT="
Kraft" OnMouseOut="window.status=''; return true" OnMouseOver="w
indow.status='Kraft'; return true">
  <AREA SHAPE=RECT COORDS="242,36,319,88" HREF="Wickliffe.html" A
LT="Wickliffe" OnMouseOut="window.status=''; return true" OnMous
eOver="window.status='Wickliffe'; return true">
  <AREA SHAPE=RECT COORDS="337,35,414,86" HREF="Luke.html" ALT="L
uke" OnMouseOut="window.status=''; return true" OnMouseOver="win
dow.status='Luke'; return true">
  <AREA SHAPE=RECT COORDS="434,35,511,86" HREF="Tyrone.html" ALT=
"Tyrone" OnMouseOut="window.status=''; return true" OnMouseOver=
"window.status='Tyrone'; return true">
  <AREA SHAPE=RECT COORDS="529,35,606,85" HREF="Covington.html" A
LT="Covington" OnMouseOut="window.status=''; return true" OnMous
eOver="window.status='Covington'; return true">
  <AREA SHAPE=RECT COORDS="147,104,606,138" HREF="MVS.html" ALT="
MVS" OnMouseOut="window.status=''; return true" OnMouseOver="win
dow.status='MVS'; return true">
  <AREA SHAPE=RECT COORDS="352,232,429,291" HREF="NT.html" ALT="N
T" OnMouseOut="window.status=''; return true" OnMouseOver="windo
w.status='NT'; return true">
  <AREA SHAPE=RECT COORDS="662,232,740,284" HREF="AS400.html" ALT
="AS400" OnMouseOut="window.status=''; return true" OnMouseOver=
"window.status='AS400'; return true">
  <AREA SHAPE=RECT COORDS="665,307,742,357" HREF="Evadale.html" A
LT="Evadale" OnMouseOut="window.status=''; return true" OnMouseO
ver="window.status='Evadale'; return true">
</MAP>

</CENTER>
</TD></TR></TABLE></CENTER>
</BODY>
</HTML>

```

Kraft VSE

(WVCOLSX)

Queue Manager:	QMGR.WVCOLSX
Local Queue:	WVCOLSX.WVLCWP1.CSW.PRD
Local Alias Queue(Outbound):	WVCOLSX.SAPSPK5.SAP.PRD
Local Queue:	WVCOLSX.WVLCWP1.CSWCHMW.PRD
Local Alias Queue(Outbound):	WVCOLSX.SAPSPK6.SAP.PRD
Remote Queue:	WVLCWP1.MVSVSE.CSW.PRD
Remote Alias Queue(Inbound):	WVCOLSX.SAPTCOP.SAP.PRD
Dead Letter Queue:	DLQ.WVCOLSX
Really Dead Letter Queue:	REALLY.DEAD.QUEUE

Connectivity from VSE to MVS:

Sender Channel:	WVCOLSX.PQM0.62
Receiver Channel:	PQM0.WVCOLSX.62
Transmission Queue:	WVCOLSX.PQM0.TRN

Connectivity from MVS to CrossWorlds Queue Manager:

Sender Channel:	PQM0.WVLCWP1.IP
Receiver Channel:	WVLCWP1.PQM0.IP
Transmission Queue:	PQM0.WVLCWP1.TRN

```

<html>
<HEAD></HEAD>
<!-- Page created on Monday, April 30, 2001 -->

<head><title>Kraft</title></head>

<body background="bgl.jpg">
<font face="Times New Roman" >
<CENTER><TABLE BORDER="0" WIDTH="98%"><TR><TD>
<CENTER>
<FONT COLOR="F8000" SIZE="6"><B>Kraft VSE</FONT><FONT SIZE="4">
<BR>(WVCOLSX)</FONT></B>
</CENTER>
<HR><BR>
</FONT>
<CENTER>
<FONT FACE="ARIAL">
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Queue Manager:</B></FONT></TD><TD ><FONT SIZE="2">QMGR.WVCOLSX</FONT></TD></TR>
</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Queue:</B></FONT></TD>
><TD ><FONT SIZE="2">WVCOLSX.WVLCWP1.CSW.PRD</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Alias Queue(Outbound)
:</B></FONT></TD><TD ><FONT SIZE="2">WVCOLSX.SAPSPK5.SAP.PRD</FONT>
></TD></TR>
</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Queue:</B></FONT></TD>
><TD><FONT SIZE="2">WVCOLSX.WVLCWP1.CSWCHMW.PRD</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Alias Queue(Outbound)
:</B></FONT></TD><TD><FONT SIZE="2">WVCOLSX.SAPSPK6.SAP.PRD</FONT>
</TD></TR>
</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Queue:</B></FONT></TD>
D><TD><FONT SIZE="2">WVLCWP1.MVSVSE.CSW.PRD</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Alias Queue(Inbound)
:</B></FONT></TD><TD><FONT SIZE="2">WVCOLSX.SAPTCOP.SAP.PRD</FONT>
</TD></TR>
</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Dead Letter Queue:</B></FON

```

```

T></TD><TD><FONT SIZE="2">DLQ.WVCOLSX</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Really Dead Letter Queue:</
B></FONT></TD><TD><FONT SIZE="2">REALLY.DEAD.QUEUE</FONT></TD></TR>
>
</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR align=center><TD BGCOLOR="CC9900" COLSPAN="2"><FONT SIZE="2"><
B>Connectivity from VSE to MVS:</B></FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Sender Channel:</B></FONT><
/ TD><TD><FONT SIZE="2">WVCOLSX.PQM0.62</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Receiver Channel:</B></FONT>
></TD><TD><FONT SIZE="2">PQM0.WVCOLSX.62</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Transmission Queue:</B></FO
NT></TD><TD><FONT SIZE="2">WVCOLSX.PQM0.TRN</FONT></TD></TR>

</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR align=center><TD BGCOLOR="CC9900" COLSPAN="2"><FONT SIZE="2"><
B>Connectivity from MVS to CrossWorlds Queue Manager:</B></FONT></
TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Sender Channel:</B></FONT><
/ TD><TD><FONT SIZE="2">PQM0.WVLCWP1.IP</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Receiver Channel:</B></FONT>
></TD><TD><FONT SIZE="2">WVLCWP1.PQM0.IP</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Transmission Queue:</B></FO
NT></TD><TD><FONT SIZE="2">PQM0.WVLCWP1.TRN</FONT></TD></TR>
</TABLE>

</FONT>
</CENTER>
</TD></TR></TABLE></CENTER>
</body>

</html>

```

Wickliffe VSE

(WVGTEST)

Queue Manager:	WVGTEST.PQM0
Local Queue:	WVGTEST.WWLCWP1.CSW.PRD
Local Alias Queue(Outbound):	WVGTEST.ADSA0071.SAP.PRD
Remote Queue:	WWLCWP1.MVSVSE.CSW.PRD
Remote Alias Queue(Inbound):	WVGTEST.ADSA0070.PRD
Dead Letter Queue:	WVGTEST.QM00.DLQ
Really Dead Letter Queue:	REALLY.DEAD.QUEUE

Connectivity from VSE to MVS:

Sender Channel:	WVGTEST.PQM0.62
Receiver Channel:	PQM0.WVGTEST.62
Transmission Queue:	WVGTEST.PQM0.TRN

Connectivity from MVS to CrossWorlds Queue Manager:

Sender Channel:	PQM0.WWLCWP1.IP
Receiver Channel:	WWLCWP1.PQM0.IP
Transmission Queue:	QPM0.WWLCWP1.TRN


```

<html>
<HEAD></HEAD>
<!-- Page created on Monday, April 30, 2001 -->

<head><title>Wickliffe</title></head>

<body <body background="bgl.jpg">
<font face="Times New Roman" >
<CENTER><TABLE BORDER="0" WIDTH="98%"><TR><TD>
<CENTER>
<FONT COLOR="F8000" SIZE="6"><B>Wickliffe VSE</FONT><FONT SIZE="4"
>
<BR>(WVGTEST)</FONT></B>
</CENTER>
<HR><BR>
</FONT>
<CENTER>
<FONT FACE="ARIAL">
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Queue Manager:</B></FONT><
/ TD><TD ><FONT SIZE="2">WVGTEST.PQM0</FONT></TD></TR>
</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Queue:</B></FONT></TD
><TD ><FONT SIZE="2">WVGTEST.WVLCWP1.CSW.PRD</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Alias Queue (Outbound)
:</B></FONT></TD><TD ><FONT SIZE="2">WVGTEST.ADSA0071.SAP.PRD</FON
T></TD></TR>
</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Queue:</B></FONT></T
D><TD><FONT SIZE="2">WVLCWP1.MVSVSE.CSW.PRD</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Alias Queue (Inbound)
:</B></FONT></TD><TD><FONT SIZE="2">WVGTEST.ADSA0070.PRD</FONT></T
D></TR>
</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Dead Letter Queue:</B></FON
T></TD><TD><FONT SIZE="2">WVGTEST.QM00.DLQ</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Really Dead Letter Queue:</
B></FONT></TD><TD><FONT SIZE="2">REALLY.DEAD.QUEUE</FONT></TD></TR
>
</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">

```

```

<TR align=center><TD BGCOLOR="CC9900" COLSPAN="2"><FONT SIZE="2"><
B>Connectivity from VSE to MVS:</B></FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Sender Channel:</B></FONT><
/ TD><TD><FONT SIZE="2">WVGTEST.PQM0.62</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Receiver Channel:</B></FONT
></TD><TD><FONT SIZE="2">PQM0.WVGTEST.62</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Transmission Queue:</B></FO
NT></TD><TD><FONT SIZE="2">WVGTEST.PQM0.TRN</FONT></TD></TR>
</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR align=center><TD BGCOLOR="CC9900" COLSPAN="2"><FONT SIZE="2"><
B>Connectivity from MVS to CrossWorlds Queue Manager:</B></FONT></
TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Sender Channel:</B></FONT><
/ TD><TD><FONT SIZE="2">PQM0.WVLCWP1.IP</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Receiver Channel:</B></FONT
></TD><TD><FONT SIZE="2">WVLCWP1.PQM0.IP</FONT></TD></TR>

<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Transmission Queue:</B></FO
NT></TD><TD><FONT SIZE="2">QPM0.WVLCWP1.TRN</FONT></TD></TR>
</TABLE>

</FONT>
</CENTER>
</TD></TR></TABLE></CENTER>
</body>

</html>

```

Luke VSE

(WVDOLSV)

Queue Manager:	WVDOLSV.QM00
Local Queue:	WVDOLSV.WWLCWP1.CSW.PRD
Local Alias Queue(Outbound):	WVDOLSA.30071.SAP.PRD
Remote Queue:	WWLCWP1.MVSVSE.CSW.PRD
Remote Alias Queue(Inbound):	WVDOLSA.30070.SAP.PRD
Dead Letter Queue:	WVDOLSA.QM00.DLQ
Really Dead Letter Queue:	REALLY.DEAD.QUEUE

Connectivity from VSE to MVS:

Sender Channel:	WVDOLSV.PQM0.62
Receiver Channel:	PQM0.WVDOLSV.62
Transmission Queue:	WVDOLSV.PQM0.TRN

Connectivity from MVS to CrossWorlds Queue Manager:

Sender Channel:	PQM0.WWLCWP1.IP
Receiver Channel:	WWLCWP1.PQM0.IP
Transmission Queue:	PQM0.WWLCWP1.TRN

```

<html>
<HEAD></HEAD>
<!-- Page created on Monday, April 30, 2001 -->

<head><title>Luke</title></head>

<body background="bg1.jpg">
<font face="Times New Roman" >
<CENTER><TABLE BORDER="0" WIDTH="98%"><TR><TD>
<CENTER>
<FONT COLOR="F8000" SIZE="6"><B>Luke VSE</FONT><FONT SIZE="4">
<BR>(WVDOLSV)</FONT></B>
</CENTER>
<HR><BR>
</FONT>
<CENTER>
<FONT FACE="ARIAL">
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Queue Manager:</B></FONT><
/ TD><TD ><FONT SIZE="2">WVDOLSV.QM00</FONT></TD></TR>
</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Queue:</B></FONT></TD
><TD ><FONT SIZE="2">WVDOLSV.WVLCWP1.CSW.PRD</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Alias Queue(Outbound)
:</B></FONT></TD><TD ><FONT SIZE="2">WVDOLSA.30071.SAP.PRD</FONT><
/ TD></TR>
</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Queue:</B></FONT></T
D><TD><FONT SIZE="2">WVLCWP1.MVSVSE.CSW.PRD</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Alias Queue(Inbound)
:</B></FONT></TD><TD><FONT SIZE="2">WVDOLSA.30070.SAP.PRD</FONT><
/ TD></TR>
</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Dead Letter Queue:</B></FON
T></TD><TD><FONT SIZE="2">WVDOLSA.QM00.DLQ</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Really Dead Letter Queue:</
B></FONT></TD><TD><FONT SIZE="2">REALLY.DEAD.QUEUE</FONT></TD></TR
>
</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR align=center><TD BGCOLOR="CC9900" COLSPAN="2"><FONT SIZE="2"><

```

```

B>Connectivity from VSE to MVS:</B></FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Sender Channel:</B></FONT><
/ TD><TD><FONT SIZE="2">WVDOLSV.PQM0.62</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Receiver Channel:</B></FONT
></TD><TD><FONT SIZE="2">PQM0.WVDOLSV.62</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Transmission Queue:</B></FO
NT></TD><TD><FONT SIZE="2">WVDOLSV.PQM0.TRN</FONT></TD></TR>

```

```

</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR align=center><TD BGCOLOR="CC9900" COLSPAN="2"><FONT SIZE="2"><
B>Connectivity from MVS to CrossWorlds Queue Manager:</B></FONT></
TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Sender Channel:</B></FONT><
/ TD><TD><FONT SIZE="2">PQM0.WVLCWP1.IP</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Receiver Channel:</B></FONT
></TD><TD><FONT SIZE="2">WVLCWP1.PQM0.IP</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Transmission Queue:</B></FO
NT></TD><TD><FONT SIZE="2">PQM0.WVLCWP1.TRN</FONT></TD></TR>
</TABLE>

```

```

</FONT>
</CENTER>
</TD></TR></TABLE></CENTER>
</body>

</html>

```

Tyrone VSE

(WVHICCF)

Queue Manager:	WVHICCF.QM00
Local Queue:	WVHICCF.WVLCWP1.CSW.PRQ
Local Alias Queue(Outbound):	WVHICCF.ADSA0071.SAP.PRQ
Remote Queue:	WVLCWP1.MVSVSE.CSW.PRQ
Remote Alias Queue(Inbound):	WVHICCF.ADSA0070.SAP.PRQ
Dead Letter Queue:	WVHICCF.QM00.DLQ
Really Dead Letter Queue:	REALLY.DEAD.QUEUE

Connectivity from VSE to MVS:

Sender Channel:	WVHICCF.PQM0.62
Receiver Channel:	PQM0.WVHICCF.62
Transmission Queue:	WVHICCF.PQM0.TRN

Connectivity from MVS to CrossWorlds Queue Manager:

Sender Channel:	PQM0.WVLCWP1.IP
Receiver Channel:	WVLCWP1.PQM0.IP
Transmission Queue:	PQM0.WVLCWP1.TRN

```

<html>
<HEAD></HEAD>
<!-- Page created on Monday, April 30, 2001 -->

<head><title>Tyrone</title></head>

<body background="bg1.jpg">
<font face="Times New Roman" >
<CENTER><TABLE BORDER="0" WIDTH="98%"><TR><TD>
<CENTER>
<FONT COLOR="F8000" SIZE="6"><B>Tyrone VSE</FONT><FONT SIZE="4">
<BR>(WVHICCF)</FONT></B>
</CENTER>
<HR><BR>
</FONT>
<CENTER>
<FONT FACE="ARIAL">
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Queue Manager:</B></FONT><
/ TD><TD ><FONT SIZE="2">WVHICCF.QM00</FONT></TD></TR>
</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Queue:</B></FONT></TD
><TD ><FONT SIZE="2">WVHICCF.WVLCWP1.CSW.PRD</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Alias Queue(Outbound)
:</B></FONT></TD><TD ><FONT SIZE="2">WVHICCF.ADSA0071.SAP.PRD</FON
T></TD></TR>
</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Queue:</B></FONT></T
D><TD><FONT SIZE="2">WVLCWP1.MVSVSE.CSW.PRD</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Alias Queue(Inbound)
:</B></FONT></TD><TD><FONT SIZE="2">WVHICCF.ADSA0070.SAP.PRD</FONT
></TD></TR>
</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Dead Letter Queue:</B></FON
T></TD><TD><FONT SIZE="2">WVHICCF.QM00.DLQ</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Really Dead Letter Queue:</
B></FONT></TD><TD><FONT SIZE="2">REALLY.DEAD.QUEUE</FONT></TD></TR
>
</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR align=center><TD BGCOLOR="CC9900" COLSPAN="2"><FONT SIZE="2"><

```

```

B>Connectivity from VSE to MVS:</B></FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Sender Channel:</B></FONT><
/TD><TD><FONT SIZE="2">WVHICCF.PQM0.62</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Receiver Channel:</B></FONT
></TD><TD><FONT SIZE="2">PQM0.WVHICCF.62</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Transmission Queue:</B></FO
NT></TD><TD><FONT SIZE="2">WVHICCF.PQM0.TRN</FONT></TD></TR>

```

```

</TABLE>

```

```

<BR>

```

```

<TABLE CELLPADDING="1" width="500" BORDER="0">

```

```

<TR align=center><TD BGCOLOR="CC9900" COLSPAN="2"><FONT SIZE="2"><
B>Connectivity from MVS to CrossWorlds Queue Manager:</B></FONT></
TD></TR>

```

```

<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Sender Channel:</B></FONT><
/TD><TD><FONT SIZE="2">PQM0.WVLCWP1.IP</FONT></TD></TR>

```

```

<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Receiver Channel:</B></FONT
></TD><TD><FONT SIZE="2">WVLCWP1.PQM0.IP</FONT></TD></TR>

```

```

<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Transmission Queue:</B></FO
NT></TD><TD><FONT SIZE="2">PQM0.WVLCWP1.TRN</FONT></TD></TR>

```

```

</TABLE>

```

```

</FONT>

```

```

</CENTER>

```

```

</TD></TR></TABLE></CENTER>

```

```

</body>

```

```

</html>

```


Covington VSE

(WVFCVTA)

Queue Manager:	WVFCVTA.QM00
Local Queue:	WVFCVTA.WVLCWP1.CSW.PRD
Local Alias Queue(Outbound):	WVFCVTA.SAPOCOP.SAP.PRD
Remote Queue:	WVLCWP1.MVSVSE.CSW.PRD
Remote Alias Queue(Inbound):	WVFCVTA.SAPICOP.SAP.PRD
Dead Letter Queue:	WVFCVTA.QM00.DLQ
Really Dead Letter Queue:	REALLY.DEAD.QUEUE

Connectivity from VSE to MVS:

Sender Channel:	WVFCVTA.PQM0.62
Receiver Channel:	PQM0.WVFCVTA.62
Transmission Queue:	WVFCVTA.PQM0.TRN

Connectivity from MVS to CrossWorlds Queue Manager:

Sender Channel:	PQM0.WVLCWP1.IP
Receiver Channel:	WVLCWP1.PQM0.IP
Transmission Queue:	PQM0.WVLCWP1.TRN

```

<html>
<HEAD></HEAD>
<!-- Page created on Monday, April 30, 2001 -->

<head><title>Covington</title></head>

<body background="bg1.jpg">
<font face="Times New Roman" >
<CENTER><TABLE BORDER="0" WIDTH="98%"><TR><TD>
<CENTER>
<FONT COLOR="F8000" SIZE="6"><B>Covington VSE</FONT><FONT SIZE="4"
>
<BR>(WVFCVTA)</FONT></B>
</CENTER>
<HR><BR>
</FONT>
<CENTER>
<FONT FACE="ARIAL">
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Queue Manager:</B></FONT><
/ TD><TD ><FONT SIZE="2">WVFCVTA.QM00</FONT></TD></TR>
</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Queue:</B></FONT></TD
><TD ><FONT SIZE="2">WVFCVTA.WVLCWP1.CSW.PR</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Alias Queue(Outbound)
:</B></FONT></TD><TD ><FONT SIZE="2">WVFCVTA.SAPOCOP.SAP.PR</FONT
></TD></TR>
</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Queue:</B></FONT></T
D><TD><FONT SIZE="2">WVLCWP1.MVSVSE.CSW.PR</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Alias Queue(Inbound)
:</B></FONT></TD><TD><FONT SIZE="2">WVFCVTA.SAPICOP.SAP.PR</FONT>
</TD></TR>
</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Dead Letter Queue:</B></FON
T></TD><TD><FONT SIZE="2">WVFCVTA.QM00.DLQ</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Really Dead Letter Queue:</
B></FONT></TD><TD><FONT SIZE="2">REALLY.DEAD.QUEUE</FONT></TD></TR
>
</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">

```

```

<TR align=center><TD BGCOLOR="CC9900" COLSPAN="2"><FONT SIZE="2"><
B>Connectivity from VSE to MVS:</B></FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Sender Channel:</B></FONT><
/TD><TD><FONT SIZE="2">WVFCVTA.PQM0.62</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Receiver Channel:</B></FONT
></TD><TD><FONT SIZE="2">PQM0.WVFCVTA.62</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Transmission Queue:</B></FO
NT></TD><TD><FONT SIZE="2">WVFCVTA.PQM0.TRN</FONT></TD></TR>

```

```

</TABLE>

```

```

<BR>

```

```

<TABLE CELLPADDING="1" width="500" BORDER="0">

```

```

<TR align=center><TD BGCOLOR="CC9900" COLSPAN="2"><FONT SIZE="2"><
B>Connectivity from MVS to CrossWorlds Queue Manager:</B></FONT></
TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Sender Channel:</B></FONT><
/TD><TD><FONT SIZE="2">PQM0.WVLCWP1.IP</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Receiver Channel:</B></FONT
></TD><TD><FONT SIZE="2">WVLCWP1.PQM0.IP</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Transmission Queue:</B></FO
NT></TD><TD><FONT SIZE="2">PQM0.WVLCWP1.TRN</FONT></TD></TR>
</TABLE>

```

```

</FONT>

```

```

</CENTER>

```

```

</TD></TR></TABLE></CENTER>

```

```

</body>

```

```

</html>

```

MVS (PQM0)

Queue Manager:	PQM0
Local Queue:	PQM0.EVADALE.EDI.PRD
Local Alias Queue(Outbound):	PQM0.EI112.EVADALE.PRD
Local Queue:	PQM0.WVLCWP1.CSWEXP.PRD
Local Alias Queue(Outbound):	PQM0.EFTOB010.SAP.PRD
Local Queue:	PQM0.WVLCWP1.CSWCBO.PRD
Local Alias Queue(Outbound):	PQM0.CRCOBO10.SAP.PRD
Local Queue:	PQM0.WVLCWP1.CSWARCHIVE.PRD
Local Queue:	PQM0.WVLCWP1.CSWCC.PRD1
Local Queue:	PQM0.WVLCWP1.CSWGL.PRD1
Local Queue:	PQM0.WVLCWP1.CSWMAT.PRD1
Local Queue:	PQM0.WVLCWP1.CSWPRJ.PRD1
Local Queue:	PQM0.WVLCWP1.CSWVEN.PRD1
Remote Queue:	WVLCWP1.MVSVSE.CSW.PRD
Remote Alias Queue(Inbound):	PQM0.SR3TCOP.CORP.SAP.PRD1
Remote Queue:	WVLCWP1.MVSVSE.CSW.PRD
Remote Alias Queue(Inbound):	PQM0.SR3ICOP.ENVL.SAP.PRD3
Remote Queue:	WVLCWP1.PQM0.CSWEXTI.PRD
Remote Alias Queue(Inbound):	PQM0.BRCIB010.SAP.PRD
Remote Queue:	WVLCWP1.PQM0.CSWEXTI.PRD
Remote Alias Queue(Inbound):	PQM0.CRCIB010.SAP.PRD
Remote Queue:	WVLCWP1.PQM0.CSWBAI.PRD
Remote Queue:	WVLCWP1.PQM0.CSWCBI.PRD
Dead Letter Queue:	TQM0.DEAD.QUEUE
Really Dead Letter Queue:	REALLY.DEAD.QUEUE
Connectivity to CrossWorlds Queue Manager:	
Sender Channel:	PQM0.WVLCWP1.IP

Receiver Channel:

EVADALE.PQM0.IP

Receiver Channel:

WWLCWP1.PQM0.IP

Transmission Queue:

PQM0.WWLCWP1.TRN

Transmission Queue:

PQM0.WVCOLSX.TRN

Transmission Queue:

PQM0.WVDOLSV.TRN

Transmission Queue:

PQM0.WWFCVTA.TRN

Transmission Queue:

PQM0.WVGTEST.TRN

Transmission Queue:

PQM0.WVGTEST.TRN

Transmission Queue:

PQM0.EVADALE.TRN

```

<html>
<HEAD></HEAD>
<!-- Page created on Monday, April 30, 2001 -->

<head><title>Laurel</title></head>

<body background="bg1.jpg">
<font face="Times New Roman" >
<CENTER><TABLE BORDER="0" WIDTH="98%"><TR><TD>
<CENTER>
<FONT COLOR="F8000" SIZE="6"><B>MVS</FONT><FONT SIZE="4">
<BR>(PQM0)</FONT></B>
</CENTER>
<HR><BR>
</FONT>
<CENTER>
<FONT FACE="ARIAL">
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Queue Manager:</B></FONT><
/ TD><TD ><FONT SIZE="2">PQM0</FONT></TD></TR>
</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Queue:</B></FONT></TD
><TD ><FONT SIZE="2">PQM0.EVADALE.EDI.PRD</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Alias Queue(Outbound)
:</B></FONT></TD><TD ><FONT SIZE="2">PQM0.EI112.EVADALE.PRD</FONT>
</TD></TR>
</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Queue:</B></FONT></TD
><TD><FONT SIZE="2">PQM0.WVLCWP1.CSWEXP.PRD</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Alias Queue(Outbound)
:</B></FONT></TD><TD><FONT SIZE="2">PQM0.EFTOB010.SAP.PRD</FONT></
TD></TR>
</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Queue:</B></FONT></TD
><TD><FONT SIZE="2">PQM0.WVLCWP1.CSWCBO.PRD</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Alias Queue(Outbound)
:</B></FONT></TD><TD><FONT SIZE="2">PQM0.CRCOBO10.SAP.PRD</FONT></
TD></TR>
</TABLE>

<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">

```

```

<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Queue:</B></FONT></TD
><TD><FONT SIZE="2">PQM0.WVLCWP1.CSWARCHIVE.PRD</FONT></TD</TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Queue:</B></FONT></TD
><TD><FONT SIZE="2">PQM0.WVLCWP1.CSWCC.PRD1</FONT></TD</TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Queue:</B></FONT></TD
><TD><FONT SIZE="2">PQM0.WVLCWP1.CSWGL.PRD1</FONT></TD</TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Queue:</B></FONT></TD
><TD><FONT SIZE="2">PQM0.WVLCWP1.CSWMAT.PRD1</FONT></TD</TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Queue:</B></FONT></TD
><TD><FONT SIZE="2">PQM0.WVLCWP1.CSWPRJ.PRD1</FONT></TD</TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Queue:</B></FONT></TD
><TD><FONT SIZE="2">PQM0.WVLCWP1.CSWVEN.PRD1</FONT></TD</TR>
</TABLE>

```

```

<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Queue:</B></FONT></T
D><TD><FONT SIZE="2">WVLCWP1.MVSVSE.CSW.PRD</FONT></TD</TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Alias Queue(Inbound)
:</B></FONT></TD><TD><FONT SIZE="2">PQM0.SR3TCOP.CORP.SAP.PRD1</FO
NT></TD></TR>
</TABLE>

```

```

<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Queue:</B></FONT></T
D><TD><FONT SIZE="2">WVLCWP1.MVSVSE.CSW.PRD</FONT></TD</TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Alias Queue(Inbound)
:</B></FONT></TD><TD><FONT SIZE="2">PQM0.SR3ICOP.ENVL.SAP.PRD3</FO
NT></TD></TR>
</TABLE>

```

```

<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Queue:</B></FONT></T
D><TD><FONT SIZE="2">WVLCWP1.PQM0.CSWEXTI.PRD</FONT></TD</TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Alias Queue(Inbound)
:</B></FONT></TD><TD><FONT SIZE="2">PQM0.BRCIB010.SAP.PRD</FONT></
TD></TR>
</TABLE>

```

```

<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Queue:</B></FONT></T
D><TD><FONT SIZE="2">WVLCWP1.PQM0.CSWEXTI.PRD</FONT></TD</TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Alias Queue(Inbound)
:</B></FONT></TD><TD><FONT SIZE="2">PQM0.CRCIB010.SAP.PRD</FONT></
TD></TR>
</TABLE>
<BR>

```

```

<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Queue:</B></FONT></T
D><TD><FONT SIZE="2">WVLCWP1.PQM0.CSWBAI.PRD</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Queue:</B></FONT></T
D><TD><FONT SIZE="2">WVLCWP1.PQM0.CSWCBI.PRD</FONT></TD></TR>
</TABLE>

```

```

<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Dead Letter Queue:</B></FON
T></TD><TD><FONT SIZE="2">TQM0.DEAD.QUEUE</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Really Dead Letter Queue:</
B></FONT></TD><TD><FONT SIZE="2">REALLY.DEAD.QUEUE</FONT></TD></TR
>
</TABLE>

```

```

<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR align=center><TD BGCOLOR="CC9900" COLSPAN="2"><FONT SIZE="2"><
B>Connectivity to CrossWorlds Queue Manager:</B></FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Sender Channel:</B></FONT><
/TD><TD><FONT SIZE="2">PQM0.WVLCWP1.IP</FONT></TD></TR>
</TABLE>

```

```

<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Receiver Channel:</B></FONT
></TD><TD><FONT SIZE="2">EVADALE.PQM0.IP</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Receiver Channel:</B></FONT
></TD><TD><FONT SIZE="2">WVLCWP1.PQM0.IP</FONT></TD></TR>
</TABLE>

```

```

<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Transmission Queue:</B></FO
NT></TD><TD><FONT SIZE="2">PQM0.WVLCWP1.TRN</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Transmission Queue:</B></FO
NT></TD><TD><FONT SIZE="2">PQM0.WVCOLSX.TRN</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Transmission Queue:</B></FO
NT></TD><TD><FONT SIZE="2">PQM0.WVDOLSV.TRN</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Transmission Queue:</B></FO
NT></TD><TD><FONT SIZE="2">PQM0.WVFCVTA.TRN</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Transmission Queue:</B></FO
NT></TD><TD><FONT SIZE="2">PQM0.WVGTEST.TRN</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Transmission Queue:</B></FO
NT></TD><TD><FONT SIZE="2">PQM0.WVGTEST.TRN</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Transmission Queue:</B></FO
NT></TD><TD><FONT SIZE="2">PQM0.EVADALE.TRN</FONT></TD></TR>
</TABLE>

```

```

</FONT>

```



```
</CENTER>  
</TD></TR></TABLE></CENTER>  
</body>  
  
</html>
```

AS400

(RICHFOLD)

Queue Manager:	RICHFOLD.QM00
Local Queue:	RICHFOLD.WVLCWP1.CSW.PRD
Local Alias Queue(Outbound):	RICHFOLD.SAP922.SAP.PRD
Remote Queue:	WVLCWP1.RICHFOLD.CSW.PRD
Remote Alias Queue(Inbound):	RICHFOLD.SAP900C.SAP.PRD
Dead Letter Queue:	RICHFOLD.QM00.DLQ
Really Dead Letter Queue:	REALLY.DEAD.QUEUE
Connectivity to CrossWorlds Queue Manager:	
Sender Channel:	RICHFOLD.WVLCWP1.IP
Receiver Channel:	WVLCWP1.RICHFOLD.IP
Transmission Queue:	RICHFOLD.PQM0.TRN

```

<html>
<HEAD></HEAD>
<!-- Page created on Monday, April 30, 2001 -->

<head><title>Richmond</title></head>

<body background="bg1.jpg">
<font face="Times New Roman" >
<CENTER><TABLE BORDER="0" WIDTH="98%"><TR><TD>
<CENTER>
<FONT COLOR="F8000" SIZE="6"><B>AS400</FONT><FONT SIZE="4">
<BR>(RICHFOLD)</FONT></B>
</CENTER>
<HR><BR>
</FONT>
<CENTER>
<FONT FACE="ARIAL">
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Queue Manager:</B></FONT><
/ TD><TD ><FONT SIZE="2">RICHFOLD.QM00</FONT></TD></TR>
</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Queue:</B></FONT></TD
><TD ><FONT SIZE="2">RICHFOLD.WVLCWP1.CSW.PRD</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Alias Queue(Outbound)
:</B></FONT></TD><TD ><FONT SIZE="2">RICHFOLD.SAP922.SAP.PRD</FONT
></TD></TR>
</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Queue:</B></FONT></T
D><TD><FONT SIZE="2">WVLCWP1.RICHFOLD.CSW.PRD</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Alias Queue(Inbound)
:</B></FONT></TD><TD><FONT SIZE="2">RICHFOLD.SAP900C.SAP.PRD</FONT
></TD></TR>
</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Dead Letter Queue:</B></FON
T></TD><TD><FONT SIZE="2">RICHFOLD.QM00.DLQ</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Really Dead Letter Queue:</
B></FONT></TD><TD><FONT SIZE="2">REALLY.DEAD.QUEUE</FONT></TD></TR
>
</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR align=center><TD BGCOLOR="CC9900" COLSPAN="2"><FONT SIZE="2"><

```

```
B>Connectivity to CrossWorlds Queue Manager:</B></FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Sender Channel:</B></FONT><
/TD><TD><FONT SIZE="2">RICHFOLD.WVLCWP1.IP</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Receiver Channel:</B></FONT
></TD><TD><FONT SIZE="2">WVLCWP1.RICHFOLD.IP</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Transmission Queue:</B></FO
NT></TD><TD><FONT SIZE="2">RICHFOLD.PQM0.TRN</FONT></TD></TR>
```

```
</TABLE>
```

```
</FONT>
<CENTER>
</TD></TR></TABLE></CENTER>
</body>

</html>
```

Evadale AIX

(EVADALE)

Queue Manager:	EVADALE.QM00
Local Queue:	EVADALE.WVLCWP1.CSW.PRD
Local Alias Queue(Inbound):	EVADALE.MQTCOP.SAP.PRD
Remote Queue:	PQM0.EVADALE.EDI.PRD
Remote Alias Queue(Outbound):	EVADALE.MQTCOP5.PQM0.PRD
Remote Queue:	WVLCWP1.EVADALE.CSW.PRD
Remote Alias Queue(Outbound):	N/A (This QM will not be receiving data from R3)
Dead Letter Queue:	EVADALE.QM00.DLQ
Really Dead Letter Queue:	REALLY.DEAD.QUEUE
Connectivity:	
Sender Channel:	EVADALE.WVLCWP1.IP
Sender Channel:	EVADALE.PQM0.IP
Receiver Channel:	WVLCWP1.RICHFOLD.IP
Transmission Queue:	EVADALE.WVLCWP1.TRN
Transmission Queue:	EVADALE.PQM0.TRN

```

<html>
<HEAD></HEAD>
<!-- Page created on Monday, April 30, 2001 -->

<head><title>Evadale</title></head>

<body background="bg1.jpg">
<font face="Times New Roman" >
<CENTER><TABLE BORDER="0" WIDTH="98%"><TR><TD>
<CENTER>
<FONT COLOR="F8000" SIZE="6"><B>Evadale AIX</FONT><FONT SIZE="4">
<BR>(EVADALE)</FONT></B>
</CENTER>
<HR><BR>
</FONT>
<CENTER>
<FONT FACE="ARIAL">
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Queue Manager:</B></FONT><
/ TD><TD ><FONT SIZE="2">EVADALE.QM00</FONT></TD></TR>
</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Queue:</B></FONT></TD
><TD ><FONT SIZE="2">EVADALE.WVLCWP1.CSW.PRD</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Alias Queue(Inbound):
</B></FONT></TD><TD ><FONT SIZE="2">EVADALE.MQTCOP.SAP.PRD</FONT><
/ TD></TR>
</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Queue:</B></FONT></T
D><TD><FONT SIZE="2">PQM0.EVADALE.EDI.PRD</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Alias Queue(Outbound
):</B></FONT></TD><TD><FONT SIZE="2">EVADALE.MQTCOP5.PQM0.PRD</FON
T></TD></TR>
</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Queue:</B></FONT></T
D><TD><FONT SIZE="2">WVLCWP1.EVADALE.CSW.PRD</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Alias Queue(Outbound
):</B></FONT></TD><TD><FONT SIZE="2">N/A (This QM will not be rece
iving data from R3)</FONT></TD></TR>
</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Dead Letter Queue:</B></FON

```

```

T></TD><TD><FONT SIZE="2">EVADALE.QM00.DLQ</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Really Dead Letter Queue:</
B></FONT></TD><TD><FONT SIZE="2">REALLY.DEAD.QUEUE</FONT></TD></TR
>
</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR align=center><TD BGCOLOR="CC9900" COLSPAN="2"><FONT SIZE="2"><
B>Connectivity:</B></FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Sender Channel:</B></FONT><
/ TD><TD><FONT SIZE="2">EVADALE.WVLCWP1.IP</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Sender Channel:</B></FONT><
/ TD><TD><FONT SIZE="2">EVADALE.PQM0.IP</FONT></TD></TR>
</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Receiver Channel:</B></FONT
></TD><TD><FONT SIZE="2">WVLCWP1.RICHFOLD.IP</FONT></TD></TR>
</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Transmission Queue:</B></FO
NT></TD><TD><FONT SIZE="2">EVADALE.WVLCWP1.TRN</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Transmission Queue:</B></FO
NT></TD><TD><FONT SIZE="2">EVADALE.PQM0.TRN</FONT></TD></TR>
</TABLE>

</FONT>
</CENTER>
</TD></TR></TABLE></CENTER>
</body>

</html>

```

NT Interchange Server

(WVLCWP1)

Queue Manager:	WVLCWP1.QM00
Local Queue:	WVLCWP1.EVADALE.CSW.PRД
Local Alias Queue(Outbound):	WVLCWP1.SAP3I.EVADALE.PRД
Local Queue:	WVLCWP1.MVSVSE.CSW.PRД
Local Alias Queue(Outbound):	WVLCWP1.SAPR3I.MVSVSE.PRД
Local Queue:	WVLCWP1.RICHFOLD.CSW.PRД
Local Alias Queue(Outbound):	WVLCWP1.SAPR3I.RICHFOLD.PRД
Local Queue:	WVLCWP1.S066.CSWCG.PRД
Local Alias Queue(Outbound):	WVLCWP1.SAPR3O.CGN.PRД
Local Queue:	WVLCWP1.PQM0.CORP.PRД1
Local Alias Queue(Outbound):	NONE
Local Queue:	WVLCWP1.PQM0.CSWBAI.PRД
Local Alias Queue(Outbound):	NONE
Local Queue:	WVLCWP1.PQM0.CSWCBI.PRД
Local Alias Queue(Outbound):	NONE
Local Queue:	WVLCWP1.PQM0.CSWEXTI.PRД
Local Alias Queue(Outbound):	WVLCWP1.SAPR3I.CSWEXTI.PRД
Local Queue:	WVLCWP1.PQM0.ENVL.PRД3
Local Alias Queue(Outbound):	NONE
Local Queue:	WVLCWP1.PQM0.WVCOLSX.CSW.PRД
Local Alias Queue(Outbound):	WVLCWP1.SAPR3O.KRAFT.PRД
Local Queue:	WVLCWP1.PQM0.WVDOLSV.CSW.PRД
Local Alias Queue(Outbound):	WVLCWP1.SAPR3O.LUKE.PRД
Local Queue:	WVLCWP1.PQM0.WVFCVTA.CSW.PRД
Local Alias Queue(Outbound):	WVLCWP1.SAPR3O.COVINGTON.PRД
Local Queue:	WVLCWP1.PQM0.WVGTEST.CSW.PRД
Local Alias Queue(Outbound):	WVLCWP1.SAPR3O.WICKLIFFE.PRД

Local Queue:	WVLCWP1.PQM0.WVHICCF.CSW.PRD
Local Alias Queue(Outbound):	WVLCWP1.SAPR30.TYRONE.PRD
Dead Letter Queue:	WVLCWP1.QM00.DLQ
Remote Queue:	EVADALE.WVLCWP1.CSW.PRD
Remote Alias Queue(Inbound):	NONE
Remote Queue:	RICHFOLD.WVLCWP1.CSW.PRD
Remote Alias Queue(Inbound):	NONE
Remote Queue:	S066.WVLCWP1.CSWCG.PRD
Remote Alias Queue(Inbound):	NONE
Remote Queue:	PQM0.WVLCWP1.CSW.PRD
Remote Alias Queue(Inbound):	NONE
Remote Queue:	PQM0.WVLCWP1.CSWCHMW.PRD
Remote Alias Queue(Inbound):	WVLCWP1.SAPR30.CHMW.PRD
Remote Queue:	PQM0.WVLCWP1.CSWARCHIVE.PRD
Remote Alias Queue(Inbound):	NONE
Remote Queue:	PQM0.WVLCWP1.CSWCBO.PRD
Remote Alias Queue(Inbound):	WVLCWP1.SAPR3.EXTCBO.PRD
Remote Queue:	PQM0.WVLCWP1.CSWCC.PRD1
Remote Alias Queue(Inbound):	WVLCWP1.SAPR3.EXTCC.PRD1
Remote Queue:	PQM0.WVLCWP1.CSWEXP.PRD
Remote Alias Queue(Inbound):	WVLCWP1.SAPR3.EXTEXP.PRD
Remote Queue:	PQM0.WVLCWP1.CSWGL.PRD1
Remote Alias Queue(Inbound):	WVLCWP1.SAPR3.EXTGL.PRD1
Remote Queue:	PQM0.WVLCWP1.CSWMAT.PRD1
Remote Alias Queue(Inbound):	WVLCWP1.SAPR3.EXTMAT.PRD1
Remote Queue:	PQM0.WVLCWP1.CSWPRJ.PRD1
Remote Alias Queue(Inbound):	WVLCWP1.SAPR3.EXTPRJ.PRD1

Remote Queue: PQM0.WWLCWP1.CSWVEN.PRD1
Remote Alias Queue(Inbound): WWLCWP1.SAPR3.EXTVEN.PRD1

Remote Queue: WVCOLSX.WWLCWP1.CSW.PRD
Remote Alias Queue(Inbound): NONE

Remote Queue: WWDOLSV.WWLCWP1.CSW.PRD
Remote Alias Queue(Inbound): NONE

Remote Queue: WWFCVTA.WWLCWP1.CSW.PRD
Remote Alias Queue(Inbound): NONE

Remote Queue: WVGTEST.WWLCWP1.CSW.PRD
Remote Alias Queue(Inbound): NONE

Remote Queue: WWHICCF.WWLCWP1.CSW.PRD
Remote Alias Queue(Inbound): NONE

Connectivity to CrossWorlds:

Local Queue: AP/EMAILCONNECTOR/WWLCWP1
Local Queue: AP/MQCHEMWESTCONNECTOR/WWLCWP1
Local Queue: AP/MQCOGENCONNECTOR/WWLCWP1
Local Queue: AP/MQCOVINGTONAIXCONNECTOR/WWLCWP1
Local Queue: AP/MQCPDAS400CONNECTOR/WWLCWP1
Local Queue: AP/MQEXTERNALCONNECTOR/WWLCWP1
Local Queue: AP/MQKRAFTCONNECTOR/WWLCWP1
Local Queue: AP/MQLUKEMVSVSECONNECTOR/WWLCWP1
Local Queue: AP/MQSERIESCONNECTOR/WWLCWP1
Local Queue: AP/MQTYRONECONNECTOR/WWLCWP1
Local Queue: AP/MQSWICKLIFFECONNECTOR/WWLCWP1
Local Queue: AP/SAP46CONNECTOR/WWLCWP1

Dead Letter Queue: WWLCWP1.QM00.DLQ
Really Dead Letter Queue: REALLY.DEAD.QUEUE

Other CrossWorlds Queues:

Local Queue: WWLCWD1.MQCONNECTOR.ERROR
Local Queue: WWLCWD1.MQCONNECTOR.IN
Local Queue: WWLCWD1.MQCONNECTOR.IN_PROGRESS
Local Queue: WWLCWD1.MQCONNECTOR.OUT
Local Queue: WWLCWD1.MQCONNECTOR.UNSUBSCRIBED

Connectivity to MVS/VSEs:

Sender Channel: WWLCWP1.PQM0.IP
Receiver Channel: PQM0.WWLCWP1.IP

Transmission Queue: WWLCWP1.PQM0.TRN

Connectivity to EVADALE:

Sender Channel: WWLCWP1.EVADALE.IP
Receiver Channel: EVADALE.WWLCWP1.
Transmission Queue: WWLCWP1.EVADALE.TRN

Connectivity to RICHFOLD:

Sender Channel: WWLCWP1.RICHFOLD.IP
Receiver Channel: RICHFOLD.WWLCWP1.
Transmission Queue: WWLCWP1.RICHFOLD.TRN

```

<html>
<HEAD></HEAD>
<!-- Page created on Monday, April 30, 2001 -->

<head><title>NT Interchange Server</title></head>

<body background="bg1.jpg">
<font face="Times New Roman" >
<CENTER><TABLE BORDER="0" WIDTH="98%"><TR><TD>
<CENTER>
<FONT COLOR="F8000" SIZE="6"><B>NT Interchange Server</FONT><FONT
SIZE="4">
<BR>(WVLCWP1)</FONT></B>
</CENTER>
<HR><BR>
</FONT>
<CENTER>
<FONT FACE="ARIAL">
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Queue Manager:</B></FONT><
/TD><TD ><FONT SIZE="2">WVLCWP1.QM00</FONT></TD></TR>
</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Queue:</B></FONT></TD
><TD ><FONT SIZE="2">WVLCWP1.EVADALE.CSW.PRD</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Alias Queue(Outbound)
:</B></FONT></TD><TD ><FONT SIZE="2">WVLCWP1.SAP3I.EVADALE.PRD</FO
NT></TD></TR>
</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Queue:</B></FONT></TD
><TD><FONT SIZE="2">WVLCWP1.MVSVSE.CSW.PRD</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Alias Queue(Outbound)
:</B></FONT></TD><TD><FONT SIZE="2">WVLCWP1.SAPR3I.MVSVSE.PRD</FON
T></TD></TR>
</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Queue:</B></FONT></TD
><TD><FONT SIZE="2">WVLCWP1.RICHFOLD.CSW.PRD</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Alias Queue(Outbound)
:</B></FONT></TD><TD><FONT SIZE="2">WVLCWP1.SAPR3I.RICHFOLD.PRD</F
ONT></TD></TR>
</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">

```

```

<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Queue:</B></FONT></TD
><TD><FONT SIZE="2">WVLCWP1.S066.CSWCG.PRD</FONT></TD</TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Alias Queue (Outbound)
:</B></FONT></TD><TD><FONT SIZE="2">WVLCWP1.SAPR30.CGN.PRD</FONT><
/TD></TR>
</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Queue:</B></FONT></TD
><TD><FONT SIZE="2">WVLCWP1.PQM0.CORP.PRD1</FONT></TD</TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Alias Queue (Outbound)
:</B></FONT></TD><TD><FONT SIZE="2">NONE</FONT></TD></TR>
</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Queue:</B></FONT></TD
><TD><FONT SIZE="2">WVLCWP1.PQM0.CSWBAI.PRD</FONT></TD</TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Alias Queue (Outbound)
:</B></FONT></TD><TD><FONT SIZE="2">NONE</FONT></TD></TR>
</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Queue:</B></FONT></TD
><TD><FONT SIZE="2">WVLCWP1.PQM0.CSWCBI.PRD</FONT></TD</TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Alias Queue (Outbound)
:</B></FONT></TD><TD><FONT SIZE="2">NONE</FONT></TD></TR>
</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Queue:</B></FONT></TD
><TD><FONT SIZE="2">WVLCWP1.PQM0.CSWEXTI.PRD</FONT></TD</TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Alias Queue (Outbound)
:</B></FONT></TD><TD><FONT SIZE="2">WVLCWP1.SAPR3I.CSWEXTI.PRD</FO
NT></TD></TR>
</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Queue:</B></FONT></TD
><TD><FONT SIZE="2">WVLCWP1.PQM0.ENVL.PRD3</FONT></TD</TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Alias Queue (Outbound)
:</B></FONT></TD><TD><FONT SIZE="2">NONE</FONT></TD></TR>
</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Queue:</B></FONT></TD
><TD><FONT SIZE="2">WVLCWP1.PQM0.WVCOLSX.CSW.PRD</FONT></TD</TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Alias Queue (Outbound)
:</B></FONT></TD><TD><FONT SIZE="2">WVLCWP1.SAPR30.KRAFT.PRD</FONT

```

```
></TD></TR>
</TABLE>
```

```
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Queue:</B></FONT></TD>
><TD><FONT SIZE="2">WVLCWP1.PQM0.WVDOLSV.CSW.PRD</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Alias Queue (Outbound)
:</B></FONT></TD><TD><FONT SIZE="2">WVLCWP1.SAPR30.LUKE.PRD</FONT>
</TD></TR>
</TABLE>
```

```
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Queue:</B></FONT></TD>
><TD><FONT SIZE="2">WVLCWP1.PQM0.WVFCVTA.CSW.PRD</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Alias Queue (Outbound)
:</B></FONT></TD><TD><FONT SIZE="2">WVLCWP1.SAPR30.COVINGTON.PRD</
FONT></TD></TR>
</TABLE>
```

```
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Queue:</B></FONT></TD>
><TD><FONT SIZE="2">WVLCWP1.PQM0.WVGTEST.CSW.PRD</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Alias Queue (Outbound)
:</B></FONT></TD><TD><FONT SIZE="2">WVLCWP1.SAPR30.WICKLIFFE.PRD</
FONT></TD></TR>
</TABLE>
```

```
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Queue:</B></FONT></TD>
><TD><FONT SIZE="2">WVLCWP1.PQM0.WVHICCF.CSW.PRD</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Alias Queue (Outbound)
:</B></FONT></TD><TD><FONT SIZE="2">WVLCWP1.SAPR30.TYRONE.PRD</FON
T></TD></TR>
</TABLE>
```

```
<BR><BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Dead Letter Queue:</B></FON
T></TD><TD><FONT SIZE="2">WVLCWP1.QM00.DLQ</FONT></TD></TR>
</TABLE>
```

```
<BR>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Queue:</B></FONT></T
D><TD><FONT SIZE="2">EVADALE.WVLCWP1.CSW.PRD</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Alias Queue (Inbound)
```

```

:</B></FONT></TD><TD><FONT SIZE="2">NONE</FONT></TD></TR>
</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Queue:</B></FONT></T
D><TD><FONT SIZE="2">RICHFOLD.WVLCWP1.CSW.PR</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Alias Queue(Inbound)
:</B></FONT></TD><TD><FONT SIZE="2">NONE</FONT></TD></TR>
</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Queue:</B></FONT></T
D><TD><FONT SIZE="2">S066.WVLCWP1.CSWCG.PR</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Alias Queue(Inbound)
:</B></FONT></TD><TD><FONT SIZE="2">NONE</FONT></TD></TR>
</TABLE><BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Queue:</B></FONT></T
D><TD><FONT SIZE="2">PQM0.WVLCWP1.CSW.PR</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Alias Queue(Inbound)
:</B></FONT></TD><TD><FONT SIZE="2">NONE</FONT></TD></TR>
</TABLE><BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Queue:</B></FONT></T
D><TD><FONT SIZE="2">PQM0.WVLCWP1.CSWCHMW.PR</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Alias Queue(Inbound)
:</B></FONT></TD><TD><FONT SIZE="2">WVLCWP1.SAPR30.CHMW.PR</FONT>
</TD></TR>
</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Queue:</B></FONT></T
D><TD><FONT SIZE="2">PQM0.WVLCWP1.CSWARCHIVE.PR</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Alias Queue(Inbound)
:</B></FONT></TD><TD><FONT SIZE="2">NONE</FONT></TD></TR>
</TABLE><BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Queue:</B></FONT></T
D><TD><FONT SIZE="2">PQM0.WVLCWP1.CSWCBO.PR</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Alias Queue(Inbound)
:</B></FONT></TD><TD><FONT SIZE="2">WVLCWP1.SAPR3.EXTCBO.PR</FONT>
</TD></TR>
</TABLE><BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Queue:</B></FONT></T
D><TD><FONT SIZE="2">PQM0.WVLCWP1.CSWCC.PR</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Alias Queue(Inbound)
:</B></FONT></TD><TD><FONT SIZE="2">WVLCWP1.SAPR3.EXTCC.PR</FONT>

```

```

></TD></TR>
</TABLE><BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Queue:</B></FONT></T
D><TD><FONT SIZE="2">PQM0.WVLCWP1.CSWEXP.PRD</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Alias Queue(Inbound)
:</B></FONT></TD><TD><FONT SIZE="2">WVLCWP1.SAPR3.EXTEXP.PRD</FONT
></TD></TR>
</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Queue:</B></FONT></T
D><TD><FONT SIZE="2">PQM0.WVLCWP1.CSWGL.PRD1</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Alias Queue(Inbound)
:</B></FONT></TD><TD><FONT SIZE="2">WVLCWP1.SAPR3.EXTGL.PRD1</FONT
></TD></TR>
</TABLE><BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Queue:</B></FONT></T
D><TD><FONT SIZE="2">PQM0.WVLCWP1.CSWMAT.PRD1</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Alias Queue(Inbound)
:</B></FONT></TD><TD><FONT SIZE="2">WVLCWP1.SAPR3.EXTMAT.PRD1</FON
T></TD></TR>
</TABLE><BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Queue:</B></FONT></T
D><TD><FONT SIZE="2">PQM0.WVLCWP1.CSWPRJ.PRD1</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Alias Queue(Inbound)
:</B></FONT></TD><TD><FONT SIZE="2">WVLCWP1.SAPR3.EXTPRJ.PRD1</FON
T></TD></TR>
</TABLE><BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Queue:</B></FONT></T
D><TD><FONT SIZE="2">PQM0.WVLCWP1.CSWVEN.PRD1</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Alias Queue(Inbound)
:</B></FONT></TD><TD><FONT SIZE="2">WVLCWP1.SAPR3.EXTVEN.PRD1</FON
T></TD></TR>
</TABLE><BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Queue:</B></FONT></T
D><TD><FONT SIZE="2">WVCOLSX.WVLCWP1.CSW.PRD</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Alias Queue(Inbound)
:</B></FONT></TD><TD><FONT SIZE="2">NONE</FONT></TD></TR>
</TABLE><BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Queue:</B></FONT></T
D><TD><FONT SIZE="2">WVDOLSV.WVLCWP1.CSW.PRD</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Alias Queue(Inbound)

```



```

:</B></FONT></TD><TD><FONT SIZE="2">NONE</FONT></TD></TR>
</TABLE><BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Queue:</B></FONT></T
D><TD><FONT SIZE="2">WVFCVTA.WVLCWP1.CSW.PRD</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Alias Queue(Inbound)
:</B></FONT></TD><TD><FONT SIZE="2">NONE</FONT></TD></TR>
</TABLE><BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Queue:</B></FONT></T
D><TD><FONT SIZE="2">WVGTEST.WVLCWP1.CSW.PRD</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Alias Queue(Inbound)
:</B></FONT></TD><TD><FONT SIZE="2">NONE</FONT></TD></TR>
</TABLE><BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Queue:</B></FONT></T
D><TD><FONT SIZE="2">WVHICCF.WVLCWP1.CSW.PRD</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Remote Alias Queue(Inbound)
:</B></FONT></TD><TD><FONT SIZE="2">NONE</FONT></TD></TR>
</TABLE>

<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR align=center><TD BGCOLOR="CC9900" COLSPAN="2"><FONT SIZE="2"><
B>Connectivity to CrossWorlds:</B></FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Queue:</B></FONT></TD
><TD><FONT SIZE="2">AP/EMAILCONNECTOR/WVLCWP1</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Queue:</B></FONT></TD
><TD><FONT SIZE="2">AP/MQCHEMWESTCONNECTOR/WVLCWP1</FONT></TD></TR
>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Queue:</B></FONT></TD
><TD><FONT SIZE="2">AP/MQCOGENCONNECTOR/WVLCWP1</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Queue:</B></FONT></TD
><TD><FONT SIZE="2">AP/MQCOVINGTONAIXCONNECTOR/WVLCWP1</FONT></TD>
</TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Queue:</B></FONT></TD
><TD><FONT SIZE="2">AP/MQCPDAS400CONNECTOR/WVLCWP1</FONT></TD></TR
>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Queue:</B></FONT></TD
><TD><FONT SIZE="2">AP/MQEXTERNALCONNECTOR/WVLCWP1</FONT></TD></TR
>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Queue:</B></FONT></TD
><TD><FONT SIZE="2">AP/MQKRAFTCONNECTOR/WVLCWP1</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Queue:</B></FONT></TD
><TD><FONT SIZE="2">AP/MQLUKEMVSVSECONNECTOR/WVLCWP1</FONT></TD></
TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Queue:</B></FONT></TD
><TD><FONT SIZE="2">AP/MQSERIESCONNECTOR/WVLCWP1</FONT></TD></TR>

```

```

<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Queue:</B></FONT></TD
><TD><FONT SIZE="2">AP/MQTYRONECONNECTOR/WVLCWP1</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Queue:</B></FONT></TD
><TD><FONT SIZE="2">AP/MQSWICKLIFFECONNECTOR/WVLCWP1</FONT></TD></
TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Queue:</B></FONT></TD
><TD><FONT SIZE="2">AP/SAP46CONNECTOR/WVLCWP1</FONT></TD></TR>
</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Dead Letter Queue:</B></FON
T></TD><TD><FONT SIZE="2">WVLCWP1.QM00.DLQ</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Really Dead Letter Queue:</
B></FONT></TD><TD><FONT SIZE="2">REALLY.DEAD.QUEUE</FONT></TD></TR
>
</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR align=center><TD BGCOLOR="CC9900" COLSPAN="2"><FONT SIZE="2"><
B>Other CrossWorlds Queues:</B></FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Queue:</B></FONT></TD
><TD><FONT SIZE="2">WVLCWD1.MQCONNECTOR.ERROR</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Queue:</B></FONT></TD
><TD><FONT SIZE="2">WVLCWD1.MQCONNECTOR.IN</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Queue:</B></FONT></TD
><TD><FONT SIZE="2">WVLCWD1.MQCONNECTOR.IN_PROGRESS</FONT></TD></T
R>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Queue:</B></FONT></TD
><TD><FONT SIZE="2">WVLCWD1.MQCONNECTOR.OUT</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Local Queue:</B></FONT></TD
><TD><FONT SIZE="2">WVLCWD1.MQCONNECTOR.UNSUBSCRIBED</FONT></TD></
TR>
</TABLE>

```

```

<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR align=center><TD BGCOLOR="CC9900" COLSPAN="2"><FONT SIZE="2"><
B>Connectivity to MVS/VSEs:</B></FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Sender Channel:</B></FONT><
/ TD><TD><FONT SIZE="2">WVLCWP1.PQM0.IP</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Receiver Channel:</B></FON
T></TD><TD><FONT SIZE="2">PQM0.WVLCWP1.IP</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Transmission Queue:</B></FO
NT></TD><TD><FONT SIZE="2">WVLCWP1.PQM0.TRN</FONT></TD></TR>

```

```

</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR align=center><TD BGCOLOR="CC9900" COLSPAN="2"><FONT SIZE="2"><
B>Connectivity to EVADALE:</B></FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Sender Channel:</B></FONT><
/ TD><TD><FONT SIZE="2">WVLCWP1.EVADALE.IP</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Receiver Channel:</B></FONT
></TD><TD><FONT SIZE="2">EVADALE.WVLCWP1.</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Transmission Queue:</B></FO
NT></TD><TD><FONT SIZE="2">WVLCWP1.EVADALE.TRN</FONT></TD></TR>
</TABLE>
<BR>
<TABLE CELLPADDING="1" width="500" BORDER="0">
<TR align=center><TD BGCOLOR="CC9900" COLSPAN="2"><FONT SIZE="2"><
B>Connectivity to RICHFOLD:</B></FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Sender Channel:</B></FONT><
/ TD><TD><FONT SIZE="2">WVLCWP1.RICHFOLD.IP</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Receiver Channel:</B></FONT
></TD><TD><FONT SIZE="2">RICHFOLD.WVLCWP1.</FONT></TD></TR>
<TR ><TD WIDTH="250"><FONT SIZE="2"><B>Transmission Queue:</B></FO
NT></TD><TD><FONT SIZE="2">WVLCWP1.RICHFOLD.TRN</FONT></TD></TR>
</TABLE>
</FONT>
</CENTER>
</TD></TR></TABLE></CENTER>
</body>

</html>

```