


University Relations Website:

Charleston Southern University



Senior Project Defense:

Walter K. Browning, IV

April 27, 2004

University Relations Website:

Charleston Southern University



Senior Project Defense:
Walter K. Browning, IV

April 27, 2004

The Key Participants:

- Walter Browning – Programmer Analyst
- Larry Smith – Academic Advisor
- Rusty Bruns – CIO, Charleston Southern University
- Sarah Huxford – Director of University Relations
- James Whitfield – Technical Advisor
- John Strubel – Webmaster, Charleston Southern University

The Problem(s):

- ❑ University Relations is officially the combination of two entities:
 - Media Relations
 - Creative Services
 - The current website does not reflect this division of University Relations.
- ❑ Ms. Huxford wants the UR* homepage to look different from the general template Mr. Whitfield established for each department at CSU**.

*UR = University Relations

**CSU = Charleston Southern University

The Problem(s): (cont.)

- ❑ The current way to submit articles to the way is not as efficient as desired.
- ❑ The current way for organizations on campus to request media coverage from University Relations is not as efficient as desired.
 - The current system relies on paper submission forms located in the Publications office.
 - Most of the students at CSU are unaware that this service can be requested.

The Solution(s):

- ❑ Online database driven archival system that will:
 - Store articles
 - Allow public users to access all articles
 - Allow authorized users read/write capabilities
 - Store CSU site links of .pdf publications
 - Reflections
 - Inside CSU
 - CSU Magazine
 - Buc In Print

The Solution(s):

(cont.)

- ❑ A "Press Pass" system that will allow:
 - CSU organizations to electronically request coverage of their events
 - Requests to be sent to Ms. Huxford via e-mail
 - Requests to be stored in an Access database*
- ❑ A new portal page for University Relations that distinguishes itself from the generic departmental template.

* Access database will serve as a backup for e-mail


The Research:

- ❑ Dreamweaver MX / ASP tutorial from Webthang.co.uk:
 - Part One
 - Part Two
 - Part Three
 - Part Four
- ❑ Photoshop 7.0 Basics – James Whitfield

The Analysis & Design:

- ❑ System Context Diagram
- ❑ Entity Relationship Diagram – ERD
- ❑ Automation System Boundaries
- ❑ Activity Diagrams
- ❑ Checklist for Conducting an Interview
- ❑ Discussion and Interview Agenda

System Context Diagram



Entity Relationship Diagram

PressPass	
PK <u>ID</u>	
	Organization Event EventDate EventTime Location Email ContactName Phone OnCampus OffCampus Photo

ExtArticles	
PK <u>ID</u>	
	ExtArtDate ExtArtTitle ExtArtText Pic1 Pic2 Pic3

PressRelease	
PK <u>ID</u>	
	PRDate PRTitle PRText Pic1 Pic2 Pic3


Security	
PK <u>ID</u>	
	Username Password Security

CSUMag	
PK <u>ID</u>	
	Date Link

BIP	
PK <u>ID</u>	
	Date Link


InsideCSU	
PK <u>ID</u>	
	Date Link

Reflections	
PK <u>ID</u>	
	Date Link






Event Coverage Request

Activity Diagram*



**See handout for more activity diagrams*



A horizontal dashed line runs across the top of the page. Below it, a thin curved line starts on the left and arcs upwards towards the right. A large, dark, curved shape, resembling a stylized arrow or a piece of a puzzle, points from the top right towards the text below.

See Handout for:

- Checklist for Conducting an Interview
- Discussion and Interview Agenda

Checklist for Conducting an Interview

Before

- ☐ Establish the objective for the interview
- ☐ Determine correct user(s) to be involved
- ☐ Determine project team members to participate
- ☐ Build a list of questions and issues to be discussed
- ☐ Review related documents and materials
- ☐ Set the time and location
- ☐ Inform all participants of objective, time, and locations

During

- ☐ Dress appropriately
- ☐ Arrive on time
- ☐ Look for exception and error conditions
- ☐ Probe for details
- ☐ Take thorough notes
- ☐ Identify and document unanswered items or open questions

After

- ☐ Review notes for accuracy, completeness, and understanding
- ☐ Transfer information to appropriate models and documents
- ☐ Identify areas needing further clarification
- ☐ Send thank-you notes if appropriate

Discussion and Interview Agenda	
Setting	Objective of Interview: Discuss final details and tie up loose ends. March 24, 2004 -- 4:30 PM -- Phone Conference User Participants (names and titles/positions) □ Ms. Sarah Huxford
Interview/Discussion	1. What changes need to be made to homepage? 2. Are the admin control functions user-friendly? 3. What to do with Media Relations page and Creative Services?
Follow-Up	Important decisions or answers to questions Open items not resolved with assignments for solution Date and time of next meeting or follow-up session TBA

The Construction:

- ☐ Actually construction of the University Relations website was done on custom-built personal machine *
- ☐ Personal laptop used for completely planning, analysis, design and defense phases of this project.

☐ Software used:

- Macromedia Dreamweaver MX
- Photoshop 7.0
- Microsoft Office Professional 2000
- Microsoft Visio 2002
- Microsoft Project Professional 2002

* Monitor provided by Administrative Services (CSU)

The Code:



- See Handout for Code Snippets

ArchivedExtNews.asp*

```

<%@LANGUAGE="VBSCRIPT" CODEPAGE="1252"%>
<!--#include file="..\Connections/UnivRel.asp" -->
<% Dim rsViewExtArt
Set rsViewExtArt = Server.CreateObject("ADODB.Recordset")
rsViewExtArt.ActiveConnection = MM_UnivRel_STRING
rsViewExtArt.Source = "SELECT * FROM ExtArticles ORDER
BY ExtArtDate DESC"

<a href="ArchivedNews.asp">
    </a><br>
    <br>
    

<% While ((Repeat1_numRows <> 0) AND (NOT
rsViewExtArt.EOF)) %>
    &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<li><font color="012650" size="2"
face="Arial, Helvetica, sans-serif"><strong><A
HREF="..UR/ExtArtDetail.asp?<%= MM_keepURL &
MM_joinChar(MM_keepURL) & "ID=" &
rsViewExtArt.Fields.Item("ID").Value %>">
<%= (rsViewExtArt.Fields.Item("Title").Value)%></A></strong></
font><font color="012650"> ~ <font size="2" face="Times New
Roman, Times, serif">
<%= (rsViewExtArt.Fields.Item("ExtArtDate").Value)%>
</font></font>
<% Repeat1_index=Repeat1_index+1
Repeat1_numRows=Repeat1_numRows-1
rsViewExtArt.MoveNext()
Wend %>

```

```

<map name="Map2">
<area shape="rect" coords="4,11,308,54"
href="MediaRelations.asp">
</map>
<map name="Map4">
<area shape="rect" coords="12,5,145,29"
href="ExpertsGuide.asp">
</map>
<map name="Map3">
<area shape="rect" coords="13,7,144,30"
href="ArchivedNews.asp">
</map>

<%
rsViewExtArt.Close()
Set rsViewExtArt = Nothing
%>

```

** ArchivedNews.asp. is virtually the same except for the Record Set name and table the record set is assigned to. To avoid repetition, I have excluded this page from this documentation.*

BIPArchive.asp*

```
rsBIP.Source = "SELECT * FROM BIP ORDER BY Date DESC"

While ((Repeat1_numRows <> 0) AND (NOT rsBIP.EOF))

    <%
        <font color="012650" size="3" face="Arial,
        Helvetica, sans-serif"><strong>[<font color="9D8E62">
            <a
                href="<%=rsBIP.Fields.Item("Link").Value)%>">
                    <%=rsBIP.Fields.Item("Date").Value)%></a><font
                        color="012650"> ]&nbsp&nbsp&nbsp&nbsp&nbsp&nbsp</strong> </font>
                    <%
                        Repeat1_index=Repeat1_index+1
                        Repeat1_numRows=Repeat1_numRows-1
                        rsBIP.MoveNext()
                    Wend
                %>
```

**CSUMagArchive.asp and InsideCSUArchive.asp are virtually the same except for the Record Set names and tables the record sets are assigned to. To avoid repetition, I have excluded these pages from this documentation.*

RequestSubmitted.asp

<meta http-equiv="refresh" content="5;URL=PubMed.asp">

ExtArtDetail.asp

```
rsExtArtDetail.Source = "SELECT * FROM ExtArticles  
WHERE ID = " + Replace(rsExtArtDetail_MMColParam, ",",  
""") + """  
  
<%=replace(rsExtArtDetail.Fields.Item("ArticleText").Value,  
chr(13), "<br/>&nbsp;"&nbsp;"&nbsp;"&nbsp;"%>  
  
<%Dim PicShow1  
PicShow1 = rsExtArtDetail.Fields.Item("Pic1").Value  
IF PicShow <>"" THEN%>  
  
<img src=  
"%=(rsExtArtDetail.Fields.Item("Pic1").Value)%">  
    <%ELSE%>   
    <%End If%>  
  
<%Dim PicShow2  
PicShow1 = rsExtArtDetail.Fields.Item("Pic2").Value  
IF PicShow <>"" THEN%> <img src=  
"%=(rsExtArtDetail.Fields.Item("Pic2").Value)%">  
    <%ELSE%>   
    <%End If%>  
  
<%Dim PicShow3  
PicShow1 = rsExtArtDetail.Fields.Item("Pic3").Value  
IF PicShow <>"" THEN%> <img src=  
"%=(rsExtArtDetail.Fields.Item("Pic3").Value)%">  
    <%ELSE%>   
    <%End If%>
```

****PressReleaseDetail.asp. is virtually the same except for the Record Set name and table the record set is assigned to. To avoid repetition, I have excluded this page from this documentation.***

<font face="Arial, Helvetica, sans-

```

name="ArtPR" type="checkbox" id="ArtPR"
value="ArtPR">

<input name="OnCampus" type="checkbox" id="OnCampus"
value="OnCampus">

<input type="hidden" name="MM_insert" value="Form">

    PubHome.asp

Repeat1_numRows = 3

<%
While ((Repeat1_numRows > 0) AND (NOT
rsHomeReleases.EOF))
%>
<i> <strong><A HREF="..UR/PressReleaseDetail.asp?<%=
MM_keepURL & MM_joinChar(MM_keepURL) & "ID=" &
rsHomeReleases.Fields.Item("ID").Value %>"><font size="2"
face="Times New Roman, Times, serif">
<%= (rsHomeReleases.Fields.Item("Title").Value) %></font>
</A><font face="Times New Roman, Times, serif"><br></font>
</strong><font color="012650" size="2" face="Times New Roman,
Times, serif">
<%= (rsHomeReleases.Fields.Item("PressRelDate").Value) %>
</font> <br></font>
<% Repeat1_index=Repeat1_index+1
Repeat1_numRows=Repeat1_numRows-1
rsHomeReleases.MoveNext()
Wend

```

PubHome.asp

```
Repeat1__numRows = 3

<%
While ((Repeat1__numRows > 0) AND (NOT
rsHomeReleases.EOF))
%>
<li> <strong><A HREF="..UR/PressReleaseDetail.asp?<%=
MM_keepURL & MM_joinChar(MM_keepURL) & "ID=" &
rsHomeReleases.Fields.Item("ID").Value %>"><font size="2"
face="Times New Roman, Times, serif">
<%= (rsHomeReleases.Fields.Item("Title").Value)%></font>
</A><font face="Times New Roman, Times, serif"><br></font>
</strong><font color="012650" size="2" face="Times New Roman,
Times, serif">
<%= (rsHomeReleases.Fields.Item("PressRelDate").Value)%>
</font> <br></font>
<% Repeat1__index=Repeat1__index+1
Repeat1__numRows=Repeat1__numRows-1
rsHomeReleases.MoveNext()
Wend
%>
```

AddArticle.asp*

```
' *** Restrict Access To Page: Grant or deny access to this page
MM_authoredUsers="3,2,1"
MM_authFailedURL="AdminLogin.asp"
MM_grantAccess=false
If Session("MM_Username") <> "" Then
If (false Or CStr(Session("MM_UserAuthorization"))="") Or _
(InStr(1,MM_authoredUsers,Session("MM_UserAuthorization"))>=1)
Then
MM_grantAccess = true
End If
End If
If Not MM_grantAccess Then
MM_qsChar = "?"
If (InStr(1,MM_authFailedURL,"?") >= 1) Then MM_qsChar = "&"
MM_referrer = Request.ServerVariables("URL")
if (Len(Request.QueryString()) > 0) Then MM_referrer = MM_referrer &
"?" & Request.QueryString()
MM_authFailedURL = MM_authFailedURL & MM_qsChar &
"accessdenied=" & Server.URLEncode(MM_referrer)
Response.Redirect(MM_authFailedURL)
End If
%>

<%
' *** Insert Record: construct a sql insert statement and execute it
Dim MM_tableValues
Dim MM_dbValues
If (CStr(Request("MM_insert")) <> "") Then
' create the sql insert statement

' execute the insert
Set MM_editCmd = Server.CreateObject("ADODB.Command")
MM_editCmd.ActiveConnection = MM_editConnection
MM_editCmd.CommandText = MM_editQuery
MM_editCmd.Execute
MM_editCmd.ActiveConnection.Close
```

*AddArticle.asp is virtually the same as AddExtArticle.asp, and AddUser.asp

DeleteExtArticle.asp

```
' create the sql delete statement
MM_editQuery = "delete from " & MM_editTable & " where " &
MM_editColumn & " = " & MM_recorded

*DeleteExtArticle.asp is virtually the same as DeletePRArticle.asp and
DeleteUser.asp.
```

DeleteOldReq.asp

```
<%
While ((Repeat1_numRows <> 0) AND (NOT rsViewAllRequests.EOF))
%>
<tr valign="middle" bgcolor="eeeeee">
<td width="50" align="center" valign="middle" bgcolor="eeeeee">
<div align="center">
<input name="del" type="checkbox" value=
"<%=rsViewAllRequests("RequestID")%>">
</div></td><td><strong>
<font color="012650" size="3" face="Times New Roman, Times, serif">
<%=rsViewAllRequests.Fields.Item("EventDate").Value)%> |
<%=rsViewAllRequests.Fields.Item("EventTime").Value)%><br>
<%=rsViewAllRequests.Fields.Item("Event").Value)%> |
<%=rsViewAllRequests.Fields.Item("Location").Value)%></td></td>
<td height="15" colspan="2"></td></tr>
<%
Repeat1_index=Repeat1_index+1
Repeat1_numRows=Repeat1_numRows-1
rsViewAllRequests.MoveNext()
Wend
%>
```


The Future:

- Mr. Strubel will be inserting the pages I have created for University Relations into a bordering template that will be included on every page associated with the entire CSU website.

Any questions?