1º Ejercicio instalar en kali
sudo apt install dconf-editor

```
~/Documents/TRANSCENDED/transcendence/4-GDPR main !10 ?1 ❯ _ apt install dconf-editor
Installing:
  dconf-editor

Summary:
  Upgrading: 0, Installing: 1, Removing: 0, Not Upgrading: 3
  Download size: 637 kB
  Space needed: 3,913 kB / 2,655 MB available

Get:1 http://kali.download/kali kali-rolling/main amd64 dconf-editor amd64 49.0-1 [637 kB]
Fetched 637 kB in 1s (789 kB/s)
Selecting previously unselected package dconf-editor.
(Reading database ... 657768 files and directories currently installed.)
Preparing to unpack .../dconf-editor_49.0-1_amd64.deb ...
Unpacking dconf-editor (49.0-1) ...
Setting up dconf-editor (49.0-1) ...
```



2º EJERCICIO INSTALAR KISMET WINDOWS EN LINUX
IDS DETECCION DE INSTRUSOS

SUDO APT INSTALL KISMET

```
~/Documents/CENEC main ?8 ❯ sudo apt install kismet
kismet is already the newest version (2025.09.R1-0kali3).
Summary:
  Upgrading: 0, Installing: 0, Removing: 0, Not Upgrading: 3
```

```
INFO: Saving datasources to the Kismet database log every 30 seconds
INFO: Launching remote capture server on 127.0.0.1 3501
FATAL: Failed to create IPV4 remote capture server; check your remote_capture_listen= and rem
active_socket_service.hpp:161:5 in function 'boost::system::error_code boost::asio::detail::
error_code&)']
FATAL: Fatal error encountered during startup.

*** KISMET IS SHUTTING DOWN ***

*** KISMET HAS ENCOUNTERED A FATAL ERROR AND CANNOT CONTINUE.  ***
Shutting down plugins...
WARNING: Kismet changes the configuration of network devices.
         In most cases you will need to restart networking for
         your interface (varies per distribution and OS), but
         typically one of:
         sudo service networking restart
         sudo /etc/init.d/networking restart
         or
         nmcli device set [device] managed true

Kismet exiting.

EXITING: Signal service thread complete.
```

3º ETTERCAP LINUX WINDOWS



```
~/Documents/CENEC main ?8 ❯ sudo apt install ettercap-graphical
ettercap-graphical is already the newest version (1:0.8.3.1-15+b1).
ettercap-graphical set to manually installed.
Summary:
  Upgrading: 0, Installing: 0, Removing: 0, Not Upgrading: 3
~/Documents/CENEC main ?8 ❯
```




Ettercap
0.8.3.1 (EB)
Targets
Target 1
127.0.0.1
Target 2
192.168.0.32
Targets
Hosts
View
Filters
Logging
Plugins
Delete
Add
Delete
Add
28230 mac vendor fingerprint
1766 tcp OS fingerprint
2182 known services
Lua: no scripts were specified, not starting up!
Starting Unified sniffing...

4º HOBBIT ESTA ACNTICUADO EL SUSTITUTO ES XYMON

```
~/Documents/CENEC main ?8 ❯ sudo apt install xymon
Installing:
  xymon

Installing dependencies:
  libdbi1t64  librrd8t64  rrdtool  xymon-client

Suggested packages:
  librrds-perl  ntpsec-ntpdig  xymon-plugins  | hobbit-plugin

Summary:
  Upgrading: 0, Installing: 5, Removing: 0, Not Upgrading: 3
  Download size: 3,545 kB
  Space needed: 14.9 MB / 2,648 MB available
```

```
~/Documents/CENEC main ?8 ❯ sudo systemctl status xymon
● xymon.service - Xymon systems and network monitor
     Loaded: loaded (/usr/lib/systemd/system/xymon.service; disabled; preset: disabled)
     Active: active (running) since Tue 2025-11-18 10:01:07 CET; 7s ago
 Invocation: 506b7995661440f5974bc1c3aee39cef
       Docs: man:xymon(7)
             man:xymonlaunch(8)
             man:xymon(1)
    Process: 206420 ExecStartPre=/usr/share/xymon/xymon-server-prepare.sh (code=exited, status=0/SUCCESS)
   Main PID: 206422 (xymonlaunch)
      Tasks: 15 (limit: 9286)
     Memory: 14.1M (peak: 29.4M)
        CPU: 363ms
     CGroup: /system.slice/xymon.service
```



Eventlog Tue Nov

13 events received.

Tue Nov 18 10:02:12 2025	kali	xymongen
Tue Nov 18 10:01:17 2025	kali	memory
Tue Nov 18 10:01:17 2025	kali	files
Tue Nov 18 10:01:17 2025	kali	msgs
Tue Nov 18 10:01:17 2025	kali	ports
Tue Nov 18 10:01:17 2025	kali	procs
Tue Nov 18 10:01:17 2025	kali	inode
Tue Nov 18 10:01:17 2025	kali	disk
Tue Nov 18 10:01:17 2025	kali	cpu
Tue Nov 18 10:01:12 2025	kali	xymonnet
Tue Nov 18 10:01:12 2025	kali	http
Tue Nov 18 10:01:12 2025	kali	bbd
Tue Nov 18 10:01:12 2025	kali	conn

HISTORY

Tue Nov 18 10:06:33 CET 2025 up: 09:14, 1 users, 342 procs, load=0.81

```
System clock is 0 seconds off


top - 10:06:33 up  9:14,  1 user,  load average: 0.56, 0.81, 0.99
Tasks: 342 total,   1 running, 340 sleeping,   0 stopped,   1 zombie
%Cpu(s):  0.0 us,  2.5 sy,  0.0 ni, 97.5 id,  0.0 wa,  0.0 hi,  0.0 si,  0.0 st
MiB Mem :   7944.8 total,   1105.0 free,   5590.5 used,   1720.9 buff/cache
MiB Swap:    953.7 total,    227.0 free,    726.6 used.   2354.4 avail Mem

    PID USER      PR  NI    VIRT    RES    SHR S  %CPU  %MEM     TIME+ COMMAND
 210055 xymon     20   0    7444   4984   2904 R   9.1   0.1   0:00.01 top
      1 root      20   0   25104   9788   6256 S   0.0   0.1   0:07.99 systemd
      2 root      20   0       0      0      0 S   0.0   0.0   0:00.10 kthreadd
      3 root      20   0       0      0      0 S   0.0   0.0   0:00.00 pool_wo+
      4 root       0 -20       0      0      0 I   0.0   0.0   0:00.00 kworker+
      5 root       0 -20       0      0      0 I   0.0   0.0   0:00.00 kworker+
      6 root       0 -20       0      0      0 I   0.0   0.0   0:00.00 kworker+
      7 root       0 -20       0      0      0 I   0.0   0.0   0:00.00 kworker+
      8 root       0 -20       0      0      0 I   0.0   0.0   0:00.00 kworker+
     10 root       0 -20       0      0      0 I   0.0   0.0   0:06.25 kworker+
     13 root       0 -20       0      0      0 I   0.0   0.0   0:00.00 kworker+
     14 root      20   0       0      0      0 S   0.0   0.0   0:01.23 ksoftir+
     15 root      20   0       0      0      0 I   0.0   0.0   0:16.75 rcu_pre+
     16 root      20   0       0      0      0 S   0.0   0.0   0:00.00 rcu_exp+
     17 root      20   0       0      0      0 S   0.0   0.0   0:03.47 rcu_exp+
     18 root      rt   0       0      0      0 S   0.0   0.0   0:01.16 migrati+
     19 root     -51   0       0      0      0 S   0.0   0.0   0:00.00 idle_in+
     20 root      20   0       0      0      0 S   0.0   0.0   0:00.00 cpuhp/0
     21 root      20   0       0      0      0 S   0.0   0.0   0:00.00 cpuhp/1
     22 root     -51   0       0      0      0 S   0.0   0.0   0:00.00 idle_in+
     23 root      rt   0       0      0      0 S   0.0   0.0   0:01.56 migrati+
     24 root      20   0       0      0      0 S   0.0   0.0   0:00.65 ksoftir+
     26 root       0 -20       0      0      0 I   0.0   0.0   0:00.31 kworker+
     27 root      20   0       0      0      0 S   0.0   0.0   0:00.00 cpuhp/2
     28 root     -51   0       0      0      0 S   0.0   0.0   0:00.00 idle_in+
     29 root      rt   0       0      0      0 S   0.0   0.0   0:01.55 migrati+
     30 root      20   0       0      0      0 S   0.0   0.0   0:00.65 ksoftir+
     32 root       0 -20       0      0      0 I   0.0   0.0   0:07.34 kworker+
     33 root      20   0       0      0      0 S   0.0   0.0   0:00.00 cpuhp/3
     34 root     -51   0       0      0      0 S   0.0   0.0   0:00.00 idle_in+
     35 root      rt   0       0      0      0 S   0.0   0.0   0:01.25 migrati+
     36 root      20   0       0      0      0 S   0.0   0.0   0:17.80 ksoftir+
     47 root      20   0       0      0      0 S   0.0   0.0   0:00.02 kdevtmp+
```

Views Reports Administration Help

Xymon

History
kali - cpu

Tue Nov 18 10:10:48 202

Zoom +
Zoom -

1 day summary

Min. duration shown: 0:00:44

100.00%	0.00%	0.00%	0.00%	0.00%	0.00%

Time reset
Zoom reset

Mon Nov 17 10:10:49 2025

Tue Nov 18 10:10:48 2

10	11	12	13	14	15	16	17	18	19	20	21	22	23	00	01	02	03	04	05	06	07	08	0

Zoom +
Zoom -

1 week summary

Min. duration shown: 0:05:14

100.00%	0.00%	0.00%	0.00%	0.00%	0.00%

Time reset
Zoom reset

Tue Nov 11 10:10:49 2025

Tue Nov 18 10:10:48 2

Tue	Wed	Thu	Fri	Sat	Sun	Mon	Tu

HISTORY

Tue Nov 18 10:06:33 CET 2025 - Filesystems NOT ok

/ (98% used) has reached the PANIC level (95%)

```
Filesystem     1024-blocks     Used Available Capacity Mounted on
/dev/sda1         82083148 75636460   2231140      98% /
tmpfs                 1024        0      1024       0% /run/credentials/systemd-journald.service
tmpfs               4067760     4356   4063404       1% /tmp
tmpfs                 1024        0      1024       0% /run/credentials/getty@tty1.service
```

Status unchanged in 0 hours, 9 minutes

Status message received from 127.0.0.1

Client data available

kali Disk Utilization 16/Nov/2025 - 18/Nov/2025

INSTALACIÓN DE XYMON

1️⃣ Preparar el sistema
En Ubuntu (máquina física o VM):
sudo apt update
sudo apt install -y wget gnupg2 apache2

2️⃣ Descargar Xymon (paquete .deb) – opción sencilla
En muchas versiones de Ubuntu hay paquete xymon, pero suele estar viejo. Lo más cómodo suele ser:
cd /tmp
wget https://sourceforge.net/projects/xymon/files/latest/download -O xymon.deb
sudo dpkg -i xymon.deb || sudo apt -f install -y
Esto:
- Descarga el último .deb disponible
- Lo instala
- Si faltan dependencias, apt -f install las corrige

Si te da error raro al instalar, cópialo y lo revisamos.

3️⃣ Verificar que Xymon está corriendo
Comprueba el servicio:
systemctl status xymon
Debería aparecer como active (running).
Si no existe el servicio con ese nombre, prueba:
systemctl status hobbit
(hay versiones viejas que aún se llaman Hobbit).

4️⃣ Acceder a la consola web de Xymon
Por defecto, Xymon instala una interfaz web sobre Apache en el puerto 80.
Desde el propio Ubuntu:
curl http://localhost/xymon/
Desde tu equipo anfitrión (si la VM está en NAT):
- Mira la IP interna de la VM:
- ip a

-> algo tipo 192.168.x.x o 10.0.2.15
- En el navegador del host:
- http://IP_DE_LA_VM/xymon/

Ejemplo: http://10.0.2.15/xymon/
Si usas NAT y no puedes entrar, podemos hacer un port forwarding en VirtualBox, pero primero prueba así.

5️⃣ Ficheros de configuración básicos
Los principales en Ubuntu suelen estar en:

- /etc/xymon/xymonserver.cfg → configuración general
- /etc/xymon/hosts.cfg → aquí añades los equipos a monitorizar

Ejemplo muy simple de entrada en hosts.cfg:
10.0.2.15 mi-servidor # testip conn ssh http
Luego recarga Xymon:
sudo systemctl restart xymon

6️⃣ Comandos útiles

- Ver logs:
- journalctl -u xymon -f
- Reiniciar:
- sudo systemctl restart xymon

Script que funciona

```
#!/usr/bin/env bash
#
# Script para instalar y configurar Xymon + Apache en Ubuntu.
# Úsalo como root: sudo bash instalar_xymon_ubuntu.sh
#

set -e

#--- Comprobaciones básicas ------------------------------------------
if [[ $EUID -ne 0 ]]; then
   echo "Este script debe ejecutarse como root (usa: sudo bash $0)"
   exit 1
fi

if ! command -v apt >/dev/null 2>&1; then
   echo "Este script está pensado para Ubuntu/Debian (no encuentro 'apt')."
   exit 1
fi

echo "=== Instalación de Xymon en Ubuntu ==="

#--- Actualizar paquetes ---------------------------------------------
echo "[1/6] Actualizando lista de paquetes..."
apt update -y

#--- Instalar Apache y Xymon -----------------------------------------
echo "[2/6] Instalando Apache y Xymon (servidor + herramientas necesarias)..."
apt install -y apache2 xymon
```

```
# Nota:
# El paquete xymon incluye el servidor y el cliente para la propia máquina
# según la documentación de Ubuntu y Debian.:contentReference[oaicite:2]{index=2}

#--- Habilitar módulos de Apache que suele necesitar Xymon ------------
echo "[3/6] Habilitando módulos de Apache necesarios (cgi, auth, rewrite)..."
a2enmod cgi || true
a2enmod cgid || true
a2enmod auth_basic || true
a2enmod auth_digest || true
a2enmod authz_groupfile || true
a2enmod rewrite || true

#--- Habilitar configuración de Xymon en Apache -----------------------
# El paquete instala /etc/apache2/conf-available/xymon.conf
echo "[4/6] Habilitando configuración de Xymon en Apache..."
if [[ -f /etc/apache2/conf-available/xymon.conf ]]; then
   a2enconf xymon || true
else
   echo "AVISO: No se ha encontrado /etc/apache2/conf-available/xymon.conf"
   echo "       Revisa la instalación del paquete xymon."
fi

#--- Abrir puertos en UFW (si está activo) ----------------------------
echo "[5/6] Comprobando firewall (ufw)..."
if command -v ufw >/dev/null 2>&1; then
   if ufw status 2>/dev/null | grep -qi "Status: active"; then
      echo "  UFW está activo. Abriendo puertos 80 (HTTP) y 1984 (Xymon)..."
      ufw allow 80/tcp || true
      ufw allow 1984/tcp || true
   else
      echo "  UFW no está activo, no se tocan reglas de firewall."
   fi
else
   echo "  UFW no está instalado, saltando configuración de firewall."
fi

#--- Activar y arrancar servicios -------------------------------------
echo "[6/6] Habilitando y arrancando servicios..."
systemctl enable apache2 xymon >/dev/null 2>&1 || true
systemctl restart apache2
systemctl restart xymon
```

```
#--- Información final ----------------------------------------------
IP=$(hostname -I 2>/dev/null | awk '{print $1}')
[[ -z "$IP" ]] && IP="TU_IP"

cat <<EOF

================================================================
 Xymon debería estar instalado y en ejecución.

  - Servicio Xymon:  systemctl status xymon
  - Servicio Apache: systemctl status apache2

 Acceso web (desde el propio servidor):
    http://localhost/xymon

 Acceso web (desde tu red, si Apache lo permite):
    http://$IP/xymon

 IMPORTANTE:
  * Por defecto, la configuración de Apache para Xymon suele
    permitir solo acceso local. Si quieres permitir acceso
    desde tu red, edita:

      /etc/apache2/conf-available/xymon.conf

    y ajusta los bloques <Require> / 'Require ip ...' según tu
    rango (por ejemplo 192.168.0.0/24) y reinicia Apache:

      systemctl restart apache2

================================================================
EOF
```

nano instalar_xymon_ubuntu.sh
pega el contenido, guarda y sal

Hazlo ejecutable:

```
chmod +x instalar_xymon_ubuntu.sh
```

Ejecútalo como root:

```
sudo ./instalar_xymon_ubuntu.sh
```

MONITORIZACION SERVIDORES, SERVICIOS, HOST

5º INSTALAR CACTI
sudo apt install apache2 mariadb-server php php-mysql php-snmp php-gd php-xml php-ldap php-mbstring \
rrdtool snmp snmpd snmptrapd cacti cacti-spine -y

```
~/Documents/CENEC main ?8 ❯ sudo apt install cacti
Installing:
  cacti

Installing dependencies:
  dbconfig-common           libjs-jquery-ui-theme-smoothness    node
  dbconfig-mysql            libjs-jquery-ui-theme-south-street  node
  fonts-fork-awesome        libjs-jquery-ui-theme-ui-darkness   node
  libjs-chart.js            libjs-jquery-ui-touch-punch         node
  libjs-d3-format           libphp-phpmailer                    node
  libjs-jquery-colorpicker  node-d3                             node
  libjs-jquery-cookie       node-d3-array                       node
  libjs-jquery-hotkeys      node-d3-axis                        node
  libjs-jquery-jstree       node-d3-brush                       node
  libjs-jquery-metadata     node-d3-chord                       node
  libjs-jquery-tablesorter  node-d3-collection                  node
  libjs-jquery-timepicker   node-d3-color                       node
  libjs-jquery-ui           node-d3-contour                     node

Suggested packages:
  cacti-spine  libjs-jquery-ui-docs  php-decomplexity-sendoauth2
  moreutils    mail-transport-agent  php-greew-oauth2-azure-provide

Summary:
```

GENERA GRAFICOS DE RENDIMIENTO, TRAFICO DE REDES EN SWITCHES Y ROUTERS, GESTIONA DISPOSITIVOS DE REDES
SNMP

SCRIPT PARA INSTALAR CACTI

1. Crear el script

En tu Ubuntu:

nano instalar_cacti.sh

Pega esto dentro:

```
#!/bin/bash
# Script de instalación automática de Cacti en Ubuntu + MariaDB
# Ejecutar como root o con sudo: sudo bash instalar_cacti.sh

#########################
# CONFIGURACIÓN INICIAL
#########################

CACTI_DB="cacti"
CACTI_USER="cactiuser"
CACTI_PASS="CactiPass123!"   # CAMBIA ESTA CONTRASEÑA SI QUIERES

CACTI_DIR="/var/www/html/cacti"

echo "========================"
echo "  INSTALACIÓN DE CACTI   "
echo "========================"
sleep 2

#########################
# 1. ACTUALIZAR SISTEMA
#########################

echo "[1/10] Actualizando sistema..."
apt update && apt upgrade -y

#########################
# 2. INSTALAR APACHE, PHP, MARIADB
#########################

echo "[2/10] Instalando Apache, PHP y MariaDB..."
apt install -y apache2 mariadb-server mariadb-client

echo "[3/10] Instalando módulos de PHP necesarios..."
apt install -y php php-mysql php-snmp php-xml php-gd php-mbstring \
php-ldap php-gmp php-json php-cli php-curl libapache2-mod-php

#########################
# 3. INSTALAR SNMP Y RRDTOOL
#########################
```

```
echo "[4/10] Instalando SNMP y RRDtool..."
apt install -y snmp snmpd rrdtool

#########################
# 4. CONFIGURAR MARIADB
#########################

echo "[5/10] Configurando base de datos para Cacti..."

# Cargar info de zonas horarias (requisito de Cacti)
mysql_tzinfo_to_sql /usr/share/zoneinfo | mysql -u root mysql

mysql -u root <<EOF
CREATE DATABASE IF NOT EXISTS ${CACTI_DB} DEFAULT CHARACTER SET utf8mb4 COLLATE
utf8mb4_unicode_ci;
CREATE USER IF NOT EXISTS '${CACTI_USER}'@'localhost' IDENTIFIED BY '${CACTI_PASS}';
GRANT ALL PRIVILEGES ON ${CACTI_DB}.* TO '${CACTI_USER}'@'localhost';
GRANT SELECT ON mysql.time_zone_name TO '${CACTI_USER}'@'localhost';
FLUSH PRIVILEGES;
EOF

echo "Base de datos: ${CACTI_DB}"
echo "Usuario: ${CACTI_USER}"
echo "Contraseña: ${CACTI_PASS}"

#########################
# 5. DESCARGAR CACTI
#########################

echo "[6/10] Descargando Cacti (última versión)..."

cd /tmp
wget https://www.cacti.net/downloads/cacti-latest.tar.gz -O cacti-latest.tar.gz

if [ ! -f cacti-latest.tar.gz ]; then
    echo "ERROR: No se pudo descargar Cacti."
    exit 1
fi

tar -xvzf cacti-latest.tar.gz
CACTI_EXTRACTED=$(ls -d cacti-* | head -n 1)

if [ -z "$CACTI_EXTRACTED" ]; then
```

```
    echo "ERROR: No se pudo extraer el paquete de Cacti."
    exit 1
fi

mv "$CACTI_EXTRACTED" "$CACTI_DIR"

#########################
# 6. IMPORTAR ESQUEMA SQL DE CACTI
#########################

echo "[7/10] Importando esquema de base de datos de Cacti..."

mysql -u root ${CACTI_DB} < ${CACTI_DIR}/cacti.sql

#########################
# 7. CONFIGURAR CONFIG.PHP
#########################

echo "[8/10] Configurando archivo config.php de Cacti..."

cp ${CACTI_DIR}/include/config.php.dist ${CACTI_DIR}/include/config.php

sed -i "s/\$database_type.*/\$database_type = \"mysql\";/g" ${CACTI_DIR}/include/config.php
sed -i "s/\$database_default.*/\$database_default = \"${CACTI_DB}\";/g"
${CACTI_DIR}/include/config.php
sed -i "s/\$database_hostname.*/\$database_hostname = \"localhost\";/g"
${CACTI_DIR}/include/config.php
sed -i "s/\$database_username.*/\$database_username = \"${CACTI_USER}\";/g"
${CACTI_DIR}/include/config.php
sed -i "s/\$database_password.*/\$database_password = \"${CACTI_PASS}\";/g"
${CACTI_DIR}/include/config.php

#########################
# 8. PERMISOS
#########################

echo "[9/10] Ajustando permisos..."

chown -R www-data:www-data ${CACTI_DIR}
chmod -R 755 ${CACTI_DIR}

#########################
# 9. CRON PARA EL POLLER
#########################
```

```
echo "[10/10] Creando tarea cron para el poller de Cacti..."

cat > /etc/cron.d/cacti <<EOL
*/5 * * * * www-data php ${CACTI_DIR}/poller.php > /dev/null 2>&1
EOL

#########################
# 10. REINICIAR SERVICIOS
#########################

echo "Reiniciando Apache y MariaDB..."
systemctl restart apache2
systemctl restart mariadb

echo "==========================================="
echo "  INSTALACIÓN DE CACTI COMPLETADA"
echo "==========================================="
echo "Accede desde un navegador a:"
echo "  http://IP_DE_TU_SERVIDOR/cacti"
echo ""
echo "Usuario por defecto: admin"
echo "Contraseña por defecto: admin (te pedirá cambiarla)"
echo ""
echo "Recuerda cambiar la contraseña del usuario de BD si usas esto en producción."
echo "==========================================="
```

🟢 2. Dar permisos y ejecutar

```
chmod +x instalar_cacti.sh
sudo ./instalar_cacti.sh
```

Cuando termine, en tu navegador (desde la propia VM o desde el anfitrión):

http://IP_DE_TU_UBUNTU/cacti

Usuario: admin

Contraseña: admin (te obligará a cambiarla).

Console | Graphs | Reporting | Logs

View Log

Logged in as adr

Log Filters

File: cacti.log | Tail Lines: 500 Lines | Go | Clear | Purge

Type: All | Display: Newest First | Refresh: 1 Minute

Search: Matches | Enter a regular expression

All 71 Entries

Log [Total Lines: 71 - Admin view - Unfiltered]

2025-11-18 11:38:57 - AUTH LOGIN: User 'admin' authenticated from IP Address '192.168.0.10'

2025-11-18 11:38:41 - AUTH LOGIN FAILED: Local Login Failed for user 'admin' from IP Address '192.168.0.10'.

11/18/2025 11:35:02 - SYSTEM MAINT STATS: Time:0.00

11/18/2025 11:35:01 - SYSTEM STATS: Time:0.2344 Method:cmd.php Processes:1 Threads:1 Hosts:1 HostsPerProcess:1 DataSources:0 RRDsProcessed:0

11/18/2025 11:30:02 - SYSTEM MAINT STATS: Time:0.00

11/18/2025 11:30:01 - SYSTEM STATS: Time:0.2277 Method:cmd.php Processes:1 Threads:1 Hosts:1 HostsPerProcess:1 DataSources:0 RRDsProcessed:0

11/18/2025 11:25:02 - SYSTEM MAINT STATS: Time:0.00

11/18/2025 11:25:02 - SYSTEM STATS: Time:0.2294 Method:cmd.php Processes:1 Threads:1 Hosts:1 HostsPerProcess:1 DataSources:0 RRDsProcessed:0

11/18/2025 11:20:02 - SYSTEM MAINT STATS: Time:0.00

11/18/2025 11:20:01 - SYSTEM STATS: Time:0.2257 Method:cmd.php Processes:1 Threads:1 Hosts:1 HostsPerProcess:1 DataSources:0 RRDsProcessed:0

11/18/2025 11:15:02 - SYSTEM MAINT STATS: Time:0.00

11/18/2025 11:15:01 - SYSTEM STATS: Time:0.2344 Method:cmd.php Processes:1 Threads:1 Hosts:1 HostsPerProcess:1 DataSources:0 RRDsProcessed:0

11/18/2025 11:10:02 - SYSTEM MAINT STATS: Time:0.01

11/18/2025 11:10:02 - SYSTEM STATS: Time:0.2290 Method:cmd.php Processes:1 Threads:1 Hosts:1 HostsPerProcess:1 DataSources:0 RRDsProcessed:0

11/18/2025 11:05:03 - SYSTEM MAINT STATS: Time:0.00

11/18/2025 11:05:02 - SYSTEM STATS: Time:1.2454 Method:cmd.php Processes:1 Threads:1 Hosts:1 HostsPerProcess:1 DataSources:0 RRDsProcessed:0

11/18/2025 11:00:02 - SYSTEM MAINT STATS: Time:0.00

11/18/2025 11:00:01 - SYSTEM STATS: Time:0.2318 Method:cmd.php Processes:1 Threads:1 Hosts:1 HostsPerProcess:1 DataSources:0 RRDsProcessed:0

11/18/2025 10:55:02 - SYSTEM MAINT STATS: Time:0.01

11/18/2025 10:55:02 - SYSTEM STATS: Time:0.2627 Method:cmd.php Processes:1 Threads:1 Hosts:1 HostsPerProcess:1 DataSources:0 RRDsProcessed:0

11/18/2025 10:50:03 - SYSTEM MAINT STATS: Time:0.01

11/18/2025 10:50:02 - SYSTEM STATS: Time:1.2367 Method:cmd.php Processes:1 Threads:1 Hosts:1 HostsPerProcess:1 DataSources:0 RRDsProcessed:0

Console | Graphs | Reporting | Logs

Console > Data Queries

Logged in as a

- Main Console
- Create
- Management
- Data Collection
  - Data Collectors
  - Data Queries
  - Data Input Methods
- Templates
- Automation
- Presets
- Import/Export
- Configuration
- Utilities
- Troubleshooting

Data Queries

Search: Enter a search term | Data Queries: Default | Go | Clear

1 to 30 of 70 [1 2 3]

Data Query Name	ID	Deletable	Graphs Using	Templates Using	Data Input Method
Acme SD Combined Session Stats	2	Yes	0	1	Get SNMP Data (Index
Acme SD Realm Session info	3	Yes	0	2	Get SNMP Data (Index
Acme SD Temperature	4	Yes	0	1	Get SNMP Data (Index
Acme SD Voltage	1	Yes	0	1	Get SNMP Data (Index
AKCP - 4-20 mAmp	8	Yes	0	2	Get Script Data (Index
AKCP - Airflow	7	Yes	0	2	Get Script Data (Index
AKCP - Humidity	6	Yes	0	1	Get Script Data (Index
AKCP - Temperature	5	Yes	0	1	Get Script Server Data (Index
APC - InRow - Group Statistics	9	Yes	0	3	Get SNMP Data (Index
APC - InRow - Unit Statistics	10	Yes	0	5	Get SNMP Data (Index
APC - PDU - Breaker Statistics	11	Yes	0	1	Get SNMP Data (Index
APC - PDU - Phase Statistics	12	Yes	0	7	Get SNMP Data (Index
Aruba controller - Access Point - Stats	22	Yes	0	2	Get SNMP Data (Index
Aruba controller - CPU Load	21	Yes	0	1	Get SNMP Data (Index
Aruba IAP Cluster - AP stats	15	Yes	0	1	Get SNMP Data (Index
Aruba IAP Cluster - Clients on wlan	16	Yes	0	1	Get Script Server Data (Index
Aruba IAP Cluster - Radio stats	14	Yes	0	1	Get SNMP Data (Index
Aruba OSCX 6x00 switch - Fan	17	Yes	0	1	Get Script Server Data (Index
Aruba OSCX 6x00 switch - Power supply	19	Yes	0	1	Get Script Server Data (Index
Aruba OSCX 6x00 switch - Temp. sensor	18	Yes	0	1	Get Script Server Data (Index
Aruba OSCX 6x00 switch - VSF member	20	Yes	0	1	Get Script Server Data (Index
BayTech 3 Phase RPC - Circuits	24	Yes	0	5	Get Script Data (Index
BayTech PDU - RPC	23	Yes	0	6	Get SNMP Data (Index
Cacti Stats - Data Collector Stats	25	Yes	0	4	Get Script Server Data (Index
Cacti Stats - Graph Exports	27	Yes	0	2	Get Script Server Data (Index
Cacti Stats - WebSeer Service Checks	26	Yes	0	4	Get Script Server Data (Index
Cisco - BGP peer status	28	Yes	0	2	Get SNMP Data (Index
Cisco - HSRP State	29	Yes	0	1	Get SNMP Data (Index
Clearpass policy manager - Auth. sources	37	Yes	0	1	Get SNMP Data (Index
Clearpass policy manager - Services	38	Yes	0	1	Get SNMP Data (Index