

# **Medical Dictionary by Specialty**

A Comprehensive Reference of Medical Terminology

Chaman Singh Verma

August 25, 2026

---

## Preface

This dictionary is a concise reference to medical terms, diseases, investigations, treatments, anatomy, physiology, and related clinical concepts. It is intended to help students, healthcare professionals, educators, and general readers understand unfamiliar medical language.

The entries are arranged alphabetically from A to Z, with each letter presented in its own chapter. This arrangement allows a reader to locate a known term quickly while maintaining a consistent structure throughout the book. Related terms and common alternative names are included when they improve clarity or aid searching.

Definitions are written in simple, formal language and are intended to be clear, accurate, and useful for reference. Medical terminology changes as scientific knowledge and clinical guidance develop; therefore, important information should be checked against current textbooks, primary research, professional guidance, and local clinical protocols.

This book is an educational reference, not a substitute for professional medical advice, diagnosis, or treatment. Readers should seek advice from a qualified healthcare professional when making decisions about health.

*Chaman Singh Verma*

## Medical Disclaimer

**Educational and Reference Purpose Only:** This publication, *Medical Dictionary by Specialty*, is prepared and compiled strictly for educational, academic, historical, and reference purposes. It is intended for medical students, healthcare professionals, educators, and researchers.

**No Medical Advice:** The information contained herein does not constitute professional medical advice, clinical diagnosis, treatment protocols, or formal therapeutic recommendations. It should not be used as a substitute for the professional judgment of qualified physicians, surgeons, or certified healthcare providers.

**Clinical Practice Guidelines:** Healthcare practitioners must always consult primary evidence-based medical literature, institutional protocols, manufacturer prescribing information, and national clinical guidelines (such as WHO, CDC, NICE, or national medical councils) when making diagnostic or therapeutic decisions for individual patients.

**Limitation of Liability:** Neither the author nor the publishers accept any legal responsibility or liability for any errors, omissions, or clinical outcomes resulting from the use or application of any information presented in this work.

## A

### 5-Alpha Reductase Inhibitor

A medicine that blocks conversion of testosterone to dihydrotestosterone. It is used mainly to treat benign prostatic hyperplasia and androgen-related hair loss.

**Synonyms:**

### Adaptive Design

A clinical-study design that permits planned changes in response to accumulating data while preserving validity. **Synonyms:**

### ADME

Absorption, distribution, metabolism, and excretion: the processes governing a substance's movement through the body. **Synonyms:** Pharmacokinetics

### Administration Procedure

A procedure used to deliver a medicine, fluid, vaccine, or other intervention to a patient. **Synonyms:**

### Adnexal Dysplasia

Abnormal precancerous or developmental cellular changes in tissue beside the uterus, such as the ovary or tube. **Synonyms:**

### Adopted Child

A child legally brought into a family other than the family of biological origin. **Synonyms:**

### Adoption

The legal process by which a person becomes the parent of a child not biologically theirs. **Synonyms:**

### ADP-Ribosylation

Addition of an ADP-ribose group to a protein or other molecule, altering its activity or interactions.

**Synonyms:**

### Adrenomedullin

A peptide hormone that promotes blood-vessel dilation and helps regulate circulation and fluid balance.

**Synonyms:**

### Adsorption

Attachment of molecules to the surface of a solid or liquid rather than absorption into its interior.

**Synonyms:**

### Adult

A fully grown person who has completed the usual stage of physical development. **Synonyms:**

### Aerobiosis

A state or process requiring the presence of oxygen.

**Synonyms:**

### Aerosol

A suspension of fine solid particles or liquid droplets in a gas. **Synonyms:**

### Affinity Chromatography

A laboratory separation method that isolates a molecule through its specific binding to an immobilized partner. **Synonyms:**

### Agammaglobulinemia

A severe deficiency or absence of immunoglobulins, causing recurrent infections. **Synonyms:**

---

### Aicardi's Syndrome

A rare developmental brain disorder characterized classically by absence of the corpus callosum, seizures, and distinctive retinal lesions. **Synonyms:** Aicardi syndrome

### Ainhum

A rare disorder causing a constricting groove around a toe that may eventually lead to autoamputation. **Synonyms:** Dactylolysis spontanea

### Alarmin

A molecule released by damaged or stressed cells that activates innate immune responses. **Synonyms:**

### Alcoholic Hepatitis

Inflammation and liver injury caused by heavy alcohol use. **Synonyms:**

### Alcoholic Intoxication

Impaired judgment, coordination, or consciousness caused by acute alcohol exposure. **Synonyms:** Alcohol intoxication

### Alcoholism

A chronic disorder characterized by impaired control over alcohol use and continued use despite harm. **Synonyms:** Alcohol use disorder

### Alexithymia

Difficulty identifying, describing, or distinguishing one's emotional experiences. **Synonyms:**

### Alkaptonuria

An inherited disorder of tyrosine metabolism causing homogentisic-acid accumulation and darkening of urine or tissues. **Synonyms:**

### Anger

An emotional response to perceived threat, frustration, injustice, or harm. **Synonyms:**

### Anorectal Infection

Infection involving the anus, rectum, or surrounding

tissues. **Synonyms:**

### Aortopulmonary Window

A congenital opening between the ascending aorta and pulmonary artery. **Synonyms:**

### Aponeurosis

A broad, flat sheet of connective tissue that attaches muscle to bone or other tissues. **Synonyms:**

### Apoptotic Body

A membrane-bound fragment of a cell undergoing programmed cell death. **Synonyms:**

### Arterial Embolization

Intentional blockage of an artery, often to control bleeding or reduce blood supply to a tumor. **Synonyms:**

### Arterial Injury

Damage to an artery that may cause bleeding, narrowing, clotting, or impaired blood flow. **Synonyms:**

### Arterial Stenosis

Abnormal narrowing of an artery. **Synonyms:**

### Arterial Thrombosis

Formation of a blood clot within an artery. **Synonyms:**

### Arteritis

Inflammation of an artery. **Synonyms:**

### Artery Occlusion

Complete or near-complete blockage of an artery. **Synonyms:**

### Arthropod Vector

An arthropod, such as a mosquito or tick, that transmits an infectious agent between hosts. **Synonyms:** Disease vector

---

### Arthus Reaction

A localized immune-complex reaction causing inflammation at the site of antigen exposure. **Synonyms:**

### Artificial Intelligence

Computer systems designed to perform tasks requiring capabilities such as pattern recognition, prediction, or decision support. **Synonyms:** AI

### Artificial Saliva

A product used to moisten the mouth and relieve symptoms of dry mouth. **Synonyms:** Saliva substitute

### Assay

A laboratory procedure used to detect or measure a substance, activity, or biological response. **Synonyms:**

### Asthenozoospermia

Reduced sperm motility, which may contribute to difficulty conceiving. **Synonyms:** Asthenospermia

### Asymptomatic Infections

Infections present without noticeable symptoms. **Synonyms:** Subclinical infections

### Atopic Rhinitis

Allergic inflammation of the nasal lining causing sneezing, itching, congestion, or discharge. **Synonyms:** Allergic rhinitis

### Atrial Ablation

A procedure that destroys selected heart tissue to prevent or control an atrial arrhythmia. **Synonyms:** Cardiac ablation

### Atrophoderma Maculatum

A rare skin condition causing localized, depressed patches of altered pigmentation and tissue thinning. **Synonyms:**

### Attention

The ability to selectively focus mental resources on

particular information or tasks. **Synonyms:**

### Attitude

A person's relatively enduring way of thinking or feeling about a subject, person, or situation. **Synonyms:**

### Atypia Morphology

Abnormal cellular appearance or architecture that may be benign, reactive, precancerous, or cancerous depending on context. **Synonyms:** Cytologic atypia

### Augmentation Mammoplasty

Surgery to increase breast size or alter breast shape, commonly using implants or fat transfer. **Synonyms:** Breast augmentation

### Avoidance Behavior

Deliberate behavior intended to prevent contact with a feared, distressing, or threatening situation. **Synonyms:**

### Axis Vertebra

The second cervical vertebra, which supports rotation of the first cervical vertebra and head. **Synonyms:** C2; axis

### Axolemma

The cell membrane surrounding an axon. **Synonyms:**

### Adherens Junction

A cell-to-cell connection that uses cadherin proteins to link neighboring cells through actin filaments. **Synonyms:**

### Adipocyte

A cell specialized to store and release fat. **Synonyms:** Fat cell

### Adipogenesis

The formation and maturation of fat cells. **Synonyms:**

---

### Adipokine

A signaling molecule released by adipose tissue that influences metabolism or inflammation. **Synonyms:**

### Adjustment Disorders

Emotional or behavioral symptoms occurring in response to an identifiable stressor and causing significant distress or impairment. **Synonyms:** Adjustment disorder

### Adnexal Mass

A growth or enlargement involving structures beside the uterus, such as an ovary or fallopian tube. **Synonyms:**

### Adnexitis

Inflammation of an adnexal structure, usually the fallopian tube or ovary. **Synonyms:** Salpingo-oophoritis

### Adoptive Immunotherapy

Treatment in which immune cells are collected, modified or activated, and returned to the patient. **Synonyms:**

### Adrenal Cancer

Cancer arising in the adrenal gland. **Synonyms:** Adrenocortical cancer

### Adrenal Medulla

The inner part of the adrenal gland that produces epinephrine and norepinephrine. **Synonyms:**

### Adrenergic Agent

A substance that affects receptors responsive to adrenaline-like neurotransmitters. **Synonyms:**

### Adrenergic Agonist

A substance that activates adrenergic receptors. **Synonyms:** Sympathomimetic

### Adrenergic Antagonists

Substances that block the effects of adrenaline-like signaling at adrenergic receptors. **Synonyms:**

Adrenergic blockers

### Adrenergic Receptor

A cell receptor activated by epinephrine or norepinephrine. **Synonyms:**

### Adrenoleukodystrophy

An inherited disorder causing abnormal buildup of very-long-chain fatty acids and progressive nervous-system or adrenal damage. **Synonyms:** ALD

### Adult Rickets

Defective bone mineralization in adulthood, usually called osteomalacia. **Synonyms:** Osteomalacia

### Adventitia

The outer connective-tissue layer of a blood vessel or hollow organ. **Synonyms:** Tunica adventitia

### Adverse Reaction

An unintended, harmful response to a medicine, treatment, or other exposure. **Synonyms:** Adverse drug reaction

### Aerobic Exercise

Physical activity that uses sustained oxygen-dependent energy production, such as walking or cycling. **Synonyms:** Cardio exercise

### Afferent Pathway

A sensory nerve route carrying information from the body toward the brain or spinal cord. **Synonyms:** Sensory pathway

### Afibrinogenemia

A rare inherited or acquired absence of fibrinogen, causing impaired blood clotting. **Synonyms:**

### African Trypanosomiasis

A parasitic infection transmitted by tsetse flies and affecting the blood and nervous system. **Synonyms:** African sleeping sickness

### Agglutination Test

A laboratory test in which particles visibly clump

---

when a specific antibody or antigen is present. **Synonyms:**

### **Agglutinin**

An antibody or other substance that causes cells or particles to clump together. **Synonyms:**

### **AIDS Vaccine**

A vaccine designed to prevent HIV infection or reduce its effects; no generally effective licensed vaccine currently exists. **Synonyms:**

### **Air Pollution**

Harmful gases, particles, or biological material contaminating indoor or outdoor air. **Synonyms:**

### **Air Sac**

A cavity or thin-walled space that contains air, such as a pulmonary alveolus or bird air sac. **Synonyms:** Air space

### **Air Trapping**

Retention of air in the lungs because it cannot be fully exhaled, often from airway obstruction. **Synonyms:**

### **Alanine**

An amino acid used in protein synthesis and glucose metabolism. **Synonyms:**

### **Albumin Clearance**

The removal rate of albumin from blood or another body compartment, used in selected physiologic studies. **Synonyms:**

### **Alveolar Macrophage**

An immune cell in the lung air sacs that removes particles, microbes, and cellular debris. **Synonyms:** Dust cell

### **Alzheimer's**

A progressive neurodegenerative disease causing memory loss and decline in thinking and daily function. **Synonyms:** Alzheimer disease

### **Ambulance**

A vehicle equipped to transport and provide emergency medical care to ill or injured people. **Synonyms:**

### **Amebic Colitis**

Inflammation of the colon caused by infection with *Entamoeba histolytica*. **Synonyms:** Amoebic colitis

### **Amnioscope**

An instrument used to inspect amniotic fluid and the membranes through the cervix. **Synonyms:**

### **Amyloid Protein**

A normally soluble protein that has misfolded into insoluble fibrils and may accumulate in tissues. **Synonyms:** Amyloid

### **Anaerobic**

Able to live, grow, or function without oxygen. **Synonyms:**

### **Anaerobic Bacteria**

Bacteria that grow without oxygen; some are harmed by oxygen. **Synonyms:**

### **Anal Carcinoma**

Cancer arising in the anus or anal canal. **Synonyms:** Anal cancer

### **Anal Mucositis**

Inflammation and ulceration of the anal mucous membrane, often after radiation or chemotherapy. **Synonyms:**

### **Anal Necrosis**

Death of tissue in or around the anus. **Synonyms:**

### **Anal Pain**

Pain felt in or around the anus. **Synonyms:** Proctalgia

---

### Angiogenesis Inhibitor

A treatment or substance that prevents or slows formation of new blood vessels. **Synonyms:** Antiangiogenic agent

### Antinuclear Autoantibody

An autoantibody directed against components of a cell nucleus. **Synonyms:** ANA

### Antisepsis

Use of chemical methods to reduce or eliminate harmful microorganisms on living tissue. **Synonyms:**

### Antiserum

Blood serum containing antibodies against a particular antigen or toxin. **Synonyms:**

### Antisocial Personality

A persistent pattern of disregard for other people's rights, social rules, and responsibilities. **Synonyms:** Antisocial personality disorder

### Antitoxin

An antibody or preparation that neutralizes a toxin. **Synonyms:**

### Alpha-Fetoprotein

A protein produced mainly by the fetal liver; maternal or blood levels can help assess certain fetal and adult conditions. **Synonyms:** AFP

### Alpha-Globulin

A group of blood proteins that includes transport and acute-phase proteins. **Synonyms:**

### Alpha-Synuclein

A neuronal protein that can accumulate abnormally in disorders such as Parkinson disease and Lewy-body dementia. **Synonyms:**

### Alpha-Thalassemia

An inherited disorder in which reduced alpha-globin production impairs hemoglobin formation. **Synonyms:**

### Amniotic Band

A strand of amniotic tissue that can entangle or constrict developing fetal body parts. **Synonyms:** Amniotic band sequence

### Aortic Body

A small group of chemoreceptor cells near the aortic arch that helps sense blood oxygen and carbon dioxide. **Synonyms:**

### Aortic Injury

Damage to the aorta, often caused by severe trauma or a medical procedure. **Synonyms:**

### Aortic Rupture

A life-threatening tear through the wall of the aorta causing internal bleeding. **Synonyms:**

### Anaplastic Astrocytoma

A high-grade astrocytic brain tumor with rapid growth and infiltrative behavior. **Synonyms:**

### Anaplastic Ependymoma

An aggressive, high-grade tumor arising from cells lining the brain's ventricles or spinal canal. **Synonyms:**

### Anatomical Conduit

A natural or surgically created passage that carries fluid, air, tissue, or another structure. **Synonyms:**

### Anatomical Orifice

A natural opening into or through a body structure. **Synonyms:** Body opening

### Anatomist

A specialist who studies the structure of the body. **Synonyms:**

### Androgen Excess

Abnormally high androgen activity or concentration, which can cause acne, excess hair, or menstrual changes. **Synonyms:** Hyperandrogenism



---

### Androgen Insufficiency

Inadequate androgen production or activity for a person's physiologic needs. **Synonyms:** Androgen deficiency

### Androgen Receptor

A cellular protein that binds testosterone or related hormones and mediates their effects. **Synonyms:**

### Androgen Suppression

Reduction of androgen production or action, used in selected hormone-sensitive conditions. **Synonyms:** Androgen deprivation

### Anesthesiologist

A physician who provides anesthesia and manages pain and vital functions during procedures. **Synonyms:**

### Anesthesiology

The medical specialty concerned with anesthesia, perioperative care, and pain management. **Synonyms:**

### Anesthetic

A medicine or technique that causes loss of sensation, with or without loss of consciousness. **Synonyms:**

### Angiocardiology

Imaging of the heart and major vessels after injection of contrast material. **Synonyms:**

### Angiofibroma

A benign tumor composed of blood vessels and fibrous tissue. **Synonyms:**

### Angioid Streak

Breaks in a tissue layer beneath the retina that appear as irregular dark lines. **Synonyms:**

### Ankle

The joint connecting the lower leg to the foot. **Synonyms:**

### Ankyloglossia

An abnormally short or tight lingual frenulum that restricts tongue movement. **Synonyms:** Tongue-tie

### Ankyrin

A structural protein that links membrane proteins to the cell's internal cytoskeleton. **Synonyms:**

### Anomia

Difficulty retrieving or naming familiar words. **Synonyms:**

### Anorectal Fistula

An abnormal channel connecting the anus or rectum with nearby skin or another organ. **Synonyms:** Anal fistula

### Antigen Receptor

A receptor on an immune cell that specifically recognizes an antigen. **Synonyms:**

### Antiplatelet Agent

A medicine that reduces platelet clumping and lowers the risk of arterial clots. **Synonyms:** Antiplatelet medicine

### Aortic Disease

Any disorder affecting the aorta, including aneurysm, dissection, narrowing, or inflammation. **Synonyms:**

### Arthroscope

A small illuminated instrument used to view the inside of a joint. **Synonyms:**

### Articular Ligament

A band of connective tissue that stabilizes a joint by connecting bone to bone. **Synonyms:** Joint ligament

### Artificial Heart

A mechanical device that replaces or supports the pumping function of the heart. **Synonyms:**

---

### Artificial Skin

A biological or synthetic material used to cover wounds and support skin regeneration. **Synonyms:** Skin substitute

### Ascitic Fluid

Excess fluid collected in the abdominal cavity. **Synonyms:** Ascites

### Asphyxia Neonatorum

Failure of a newborn to establish adequate breathing at or shortly after birth. **Synonyms:** Birth asphyxia

### Aspirate (Substance)

Material withdrawn from a body cavity, lesion, or airway by suction. **Synonyms:** Aspirated material

### Assisted Circulation

Mechanical or procedural support used to maintain blood flow when the heart cannot pump adequately. **Synonyms:** Mechanical circulatory support

### Association Cortex

Cerebral cortex involved in integrating information and supporting memory, language, judgment, and complex behavior. **Synonyms:**

### Astringent

A substance that contracts tissue and reduces secretions or minor bleeding. **Synonyms:**

### Astrocyte

A star-shaped glial cell that supports neurons, maintains the blood-brain barrier, and regulates the nervous-system environment. **Synonyms:**

### Asymptomatic

Having a disease or abnormality without noticeable symptoms. **Synonyms:**

### Ataxia Telangiectasia

An inherited disorder causing progressive coordination problems, visible small blood vessels, and immune deficiency. **Synonyms:** A-T

### Atrial Arrhythmia

An abnormal heart rhythm originating in the atria. **Synonyms:**

### Atrial Standstill

Absence of normal electrical and mechanical activity in the atria. **Synonyms:**

### Atrial Thrombosis

Formation of a blood clot within an atrium of the heart. **Synonyms:**

### Atrioventricular Bundle

Conducting fibers that carry electrical impulses from the atrioventricular node to the ventricles. **Synonyms:** Bundle of His

### Attenuated Vaccine

A vaccine made with a weakened microorganism that retains the ability to stimulate immunity. **Synonyms:** Live attenuated vaccine

### Atypical Lymphocyte

A lymphocyte with an unusual appearance, often reflecting immune activation or infection. **Synonyms:**

### Audiology

The science and clinical evaluation of hearing, balance, and related disorders. **Synonyms:**

### Auditory Area

A region of the cerebral cortex that processes sound information. **Synonyms:** Auditory cortex

### Auditory Fatigue

Temporary reduction in hearing sensitivity or listening performance after prolonged or intense sound exposure. **Synonyms:**

### Auditory Ossicle

One of the three small middle-ear bones that transmit sound vibrations. **Synonyms:** Ear ossicle

---

## Auditory Pathway

The neural route carrying sound information from the inner ear to the auditory cortex. **Synonyms:**

## Auditory Threshold

The quietest sound intensity a person can detect at a specified frequency. **Synonyms:** Hearing threshold

## Autism

A neurodevelopmental condition involving persistent differences in social communication and restricted or repetitive patterns of behavior. **Synonyms:** Autism spectrum disorder

## Autoantigen

A normal body molecule mistakenly targeted by the immune system in an autoimmune disease. **Synonyms:**

## Autonomic Disorder

A disorder affecting involuntary functions such as blood pressure, heart rate, sweating, digestion, or bladder control. **Synonyms:** Dysautonomia

## Autonomic Ganglion

A cluster of nerve-cell bodies in the autonomic nervous system that relays signals to organs. **Synonyms:**

## Autoradiography

An imaging technique that uses radioactive labels to show the location of substances in tissue. **Synonyms:**

## Autosome

Any chromosome other than a sex chromosome. **Synonyms:** Non-sex chromosome

## Awareness

Conscious recognition of oneself, surroundings, thoughts, or sensations. **Synonyms:** Consciousness

## Axon Fasciculation

Bundling of developing axons into organized nerve

tracts. **Synonyms:**

## Axon Guidance

The developmental process directing growing axons toward their correct targets. **Synonyms:**

## Axon Hillock

The region of a neuron where action potentials are usually initiated. **Synonyms:**

## Axonal Transport

Movement of proteins, organelles, and other materials along an axon. **Synonyms:**

## Axoneme

The internal microtubule-based structure of a cilium or flagellum. **Synonyms:**

## Addictive Behavior

Repeated substance use or rewarding behavior that becomes difficult to control despite harmful consequences. **Synonyms:**

## AIDS-Associated Nephropathy

Kidney injury associated with advanced HIV infection. **Synonyms:** HIV-associated nephropathy

## Akinetic Mutism

A state of profound lack of movement and speech despite wakefulness and preserved basic alertness. **Synonyms:**

## Allergic Reaction

An immune response to an otherwise harmless substance, ranging from mild symptoms to anaphylaxis. **Synonyms:** Allergy

## Amnioinfusion

Infusion of sterile fluid into the amniotic sac, often to reduce umbilical-cord compression during labor. **Synonyms:**

## Amyloid Neuropathy

Peripheral nerve damage caused by deposition of abnormal amyloid protein. **Synonyms:**

---

### Angiogenesis Inhibition

Suppression of new blood-vessel formation, a strategy used in some cancer treatments. **Synonyms:** Antiangiogenic therapy

### Ankle Fracture

A break in one or more bones forming the ankle joint. **Synonyms:**

### Anterior Chamber

The fluid-filled space between the cornea and iris of the eye. **Synonyms:**

### Anti-Anxiety Agents

Medicines or other treatments used to reduce clinically significant anxiety. **Synonyms:** Anxiolytics

### Antibody Therapy

Treatment using antibodies to block, activate, or target a specific molecule or cell. **Synonyms:** Immunotherapy

### Anticonvulsant

A medicine used to prevent or control seizures; some are also used for nerve pain or mood disorders. **Synonyms:** Antiseizure medicine

### Antigen Presentation

Display of antigen fragments on cell surfaces for recognition by T cells. **Synonyms:**

### Antihypertensive Agent

A medicine or treatment that lowers elevated blood pressure. **Synonyms:** Blood-pressure medicine

### Antipsychotic Agent

A medicine used to treat psychosis and, in some cases, bipolar disorder or severe behavioral symptoms. **Synonyms:** Antipsychotic

### Apathy

Reduced motivation, emotional responsiveness, or interest in activities. **Synonyms:**

### Appetite

The desire or drive to eat. **Synonyms:**

### Arthropathy

Any disease or disorder affecting a joint. **Synonyms:** Joint disease

### Artificial Insemination

Placement of sperm into the reproductive tract by a medical procedure to assist conception. **Synonyms:** Intrauterine insemination

### Aseptic Meningitis

Inflammation of the meninges without evidence of typical bacterial meningitis, often caused by viruses or medicines. **Synonyms:**

### Autoimmune Thyroiditis

Immune-mediated inflammation and damage of the thyroid gland. **Synonyms:** Hashimoto thyroiditis

### Axial Skeleton

The bones of the head, neck, and trunk, including the skull, spine, ribs, and sternum. **Synonyms:**

### Axillary Lymphadenectomy

Surgical removal of lymph nodes from the armpit. **Synonyms:** Axillary node dissection

### Abandoned Lead

A disconnected or no-longer-used wire from an implanted cardiac or other electrical device that remains in the body. **Synonyms:** Retained device lead

### Abdominal Fluid

Fluid within the abdominal cavity; excessive accumulation is called ascites. **Synonyms:** Peritoneal fluid

### Abdominal Neoplasm

An abnormal tissue growth arising in an abdominal organ or structure; it may be benign or malignant. **Synonyms:** Abdominal tumor

---

### Abdominoperineal Resection

Surgery removing the rectum and anus, usually with a permanent colostomy. **Synonyms:** APR

### Ablepharon

A congenital absence or severe underdevelopment of an eyelid. **Synonyms:**

### Abnormal

Not typical of healthy structure, function, or measurement. **Synonyms:**

### Abnormal Color

A color change in skin, mucosa, secretions, or another tissue that differs from the expected appearance. **Synonyms:** Discoloration

### Abnormal Fissure

An unusual crack, groove, or cleft in a tissue or organ. **Synonyms:**

### Abnormal Virilization

Development of masculinizing physical features in a person whose expected sex development does not include them, often from excess androgens. **Synonyms:** Virilization

### Abnormality

A structural, functional, or developmental difference from the usual state. **Synonyms:** Anomaly

### Abomasum

The fourth and glandular compartment of the stomach in ruminant animals. **Synonyms:** True stomach

### Abrin

A highly toxic plant protein from rosary pea seeds that inhibits cellular protein synthesis. **Synonyms:**

### Absence Epilepsy

A generalized epilepsy characterized by brief episodes of impaired awareness, often with staring and subtle movements. **Synonyms:** Absence seizures

### Absent Reflex

Failure of an expected tendon or neurologic reflex to occur when stimulated. **Synonyms:**

### Absenteeism

Repeated absence from work, school, or another expected activity, sometimes related to illness or disability. **Synonyms:**

### Abstract Idea

A nonconcrete concept formed through thought rather than direct sensory experience. **Synonyms:**

### Acalculous Cholecystitis

Inflammation of the gallbladder without gallstones, often occurring during severe illness or after surgery. **Synonyms:**

### Acanthocyte

An abnormally shaped red blood cell with irregular thorn-like projections. **Synonyms:** Spur cell

### Acantholysis

Loss of attachment between epidermal cells, causing cells to separate. **Synonyms:**

### Acanthoma

A benign growth composed of thickened squamous epidermal cells. **Synonyms:**

### Acatalasia

A rare inherited deficiency of catalase, an enzyme that breaks down hydrogen peroxide. **Synonyms:** Catalase deficiency

### Accelerated Growth

Growth occurring faster than expected for a person's age, tissue, or developmental stage. **Synonyms:**

### Accelerometry

Measurement of movement or acceleration, often used to assess activity, gait, or sleep. **Synonyms:**

---

### Accessory Nerve

The eleventh cranial nerve, which controls several neck and shoulder muscles. **Synonyms:** Cranial nerve XI; spinal accessory nerve

### Accident Proneness

A tendency to experience repeated accidents, whether from environmental, behavioral, or health-related factors. **Synonyms:**

### Accidental Death

Death resulting from an unintentional injury or event. **Synonyms:** Unintentional death

### Accidental Fall

An unintentional descent to a lower level or the ground. **Synonyms:** Fall injury

### Acclimatization

Physiological adjustment to a new environment, such as altitude, heat, or cold. **Synonyms:**

### Accreditation

Formal recognition that a health-care organization, program, or laboratory meets defined quality standards. **Synonyms:**

### Acephalostomia

A congenital anomaly involving absence of the head and mouth. **Synonyms:**

### Achondrogenesis

A group of severe inherited disorders in which cartilage and bone development are profoundly impaired. **Synonyms:**

### Achromatopsia

An inherited disorder causing absent or greatly reduced color vision, often with light sensitivity and poor visual acuity. **Synonyms:** Complete color blindness

### Acid Phosphatase

An enzyme that works best in acidic conditions and is found in several tissues, including prostate and

blood cells. **Synonyms:** ACP

### Acinar Cell

A secretory cell arranged in a cluster, such as a pancreatic cell that releases digestive enzymes. **Synonyms:**

### Acne Keloid

A chronic inflammatory condition causing firm scar-like bumps around hair follicles, usually on the back of the neck. **Synonyms:** Acne keloidalis nuchae

### Acquired Feminization

Development of typically female secondary sexual characteristics after birth in a person not expected to develop them, often from hormonal change. **Synonyms:**

### Acquisition Duration

The time required to obtain or record a measurement, image, or physiologic signal. **Synonyms:**

### Acrodermatitis

Inflammation affecting the skin of the hands, feet, or other distal body regions. **Synonyms:**

### Acro-Osteolysis

Resorption or destruction of the ends of the fingers or toes. **Synonyms:**

### Acrosin

An enzyme in sperm that helps it penetrate the egg's surrounding layers. **Synonyms:**

### Acrosome

A cap-like structure on the head of a sperm cell containing enzymes needed for fertilization. **Synonyms:**

### Acrosome Reaction

Release of acrosomal enzymes that enables a sperm cell to penetrate the egg's outer layers. **Synonyms:**

### Actigraphy

Monitoring of movement over time to estimate sleep-

---

wake patterns and activity. **Synonyms:** Actigraphic monitoring

### **Actin Myofilament**

A thin muscle filament made mainly of actin that interacts with myosin during contraction. **Synonyms:** Thin filament

### **Actin-Binding Protein**

A protein that regulates, anchors, or cross-links actin filaments. **Synonyms:**

### **Acting Out**

Expressing emotional conflict or distress through behavior rather than words. **Synonyms:**

### **Acute Disease**

A condition that begins suddenly and generally lasts a limited time. **Synonyms:** Acute illness

### **Acute Onset Pain**

Pain that begins suddenly, often over seconds, minutes, or hours. **Synonyms:** Sudden-onset pain

### **A-a Gradient**

The difference between alveolar and arterial oxygen partial pressure. It helps assess gas exchange; an increased value suggests ventilation-perfusion mismatch, shunt, or impaired diffusion.

**Synonyms:**

### **A1c**

A measure of glycated hemoglobin that estimates average blood glucose over the previous two to three months. It is used to diagnose and monitor diabetes, but some anemias and hemoglobin disorders can affect the result.

**Synonyms:**

### **AAA Repair**

Surgical or endovascular treatment of an abdominal aortic aneurysm to prevent rupture or treat a rupture.

**Synonyms:**

### **Abasia**

Inability to walk despite preserved strength and the ability to move the legs in other circumstances. It usually reflects a neurologic or functional gait disorder rather than paralysis.

**Synonyms:**

### **ABCDE Assessment**

A systematic emergency assessment of airway, breathing, circulation, disability, and exposure. Life-threatening abnormalities are treated as they are identified, with repeated reassessment.

**Synonyms:**

### **ABCDE Rule for Melanoma**

A screening mnemonic for suspicious pigmented lesions: asymmetry, border irregularity, color variation, diameter greater than about 6 mm, and evolution. It does not diagnose melanoma; suspicious lesions require clinical assessment.

**Synonyms:**

### **Abdomen**

The body region between the diaphragm and pelvis. It contains most digestive organs, the kidneys, spleen, pancreas, and major blood vessels and is described clinically by four quadrants or nine regions.

**Synonyms:**

### **Abdominal Abscess**

A localized collection of pus within the abdomen, usually caused by bacterial infection, inflammation, surgery, or organ perforation. It may cause fever and abdominal pain and often requires antibiotics and drainage.

**Synonyms:**

### **Abdominal Aorta**

The portion of the aorta below the diaphragm that extends to its bifurcation into the common iliac arteries. It supplies the abdominal organs, pelvic organs, and lower limbs through its branches.

**Synonyms:**



---

### **Abdominal Aortic Aneurysm**

A localized enlargement of the abdominal aorta, usually defined as an aortic diameter of at least 3 cm or more than 50 percent above normal. Enlargement can progress to rupture.

**Synonyms:**

### **Abdominal Aortic Aneurysm Screening**

Ultrasound examination used to detect an abdominal aortic aneurysm before symptoms occur. Screening recommendations depend on age, sex, smoking history, and clinical risk; follow-up intervals depend on aneurysm size.

**Synonyms:**

### **Abdominal Aortic Ultrasound**

Ultrasound imaging of the abdominal aorta used to detect or monitor an abdominal aortic aneurysm.

**Synonyms:**

### **Abdominal Bloating**

A sensation of fullness or visible enlargement of the abdomen, commonly caused by intestinal gas, constipation, food intolerance, or functional gastrointestinal disorders. Persistent or severe bloating may require evaluation for organic disease.

**Synonyms:**

### **Abdominal Bruit**

An abnormal blowing or whooshing sound heard over the abdomen with a stethoscope, usually caused by turbulent blood flow through a narrowed or enlarged artery. It may occur with renal-artery stenosis or an abdominal aortic aneurysm. Further assessment depends on symptoms and vascular risk factors.

**Synonyms:**

### **Abdominal Cavity**

The cavity between the diaphragm and pelvis containing the stomach, liver, gallbladder, spleen, pancreas, kidneys, and intestines.

**Synonyms:**

### **Abdominal Circumference**

The circumference of the fetal abdomen measured at a standardized level that includes the stomach, portal sinus, and spine. It is used with other ultrasound measurements to estimate fetal size and assess growth.

**Synonyms:**

### **Abdominal Colic**

Cramping abdominal pain caused by contractions or obstruction of a hollow organ, such as the intestine, ureter, or bile duct. Pain often comes in waves and may be accompanied by nausea, vomiting, sweating, or altered bowel or urinary function. Severe or persistent pain requires prompt medical assessment.

**Synonyms:**

### **Abdominal Compartment Syndrome**

Condition defined by sustained intra-abdominal pressure greater than twenty millimeters of mercury associated with new organ dysfunction. Causes include massive ascites, bowel distension from obstruction or ileus, hemorrhage, and post-surgical conditions particularly after large abdominal wall hernia repairs.

**Synonyms:**

### **Abdominal CT**

Computed tomography of the abdomen used to evaluate selected causes of abdominal pain, trauma, bowel obstruction, inflammation, bleeding, and masses. The protocol and use of contrast depend on the suspected condition and the patient's clinical status.

**Synonyms:**

### **Abdominal Distention**

Visible or subjective enlargement, tightness, or fullness of the abdomen caused by gas, fluid, stool, pregnancy, organ enlargement, mass, or bowel obstruction. Acute distention with pain, vomiting, obstipation, fever, haemodynamic instability, or peritoneal signs requires urgent evaluation.

**Synonyms:**



---

### Abdominal Girth

The circumference of the abdomen measured at a standardized level. It is used to monitor abdominal distention, fetal growth, obesity, ascites, and changes in intra-abdominal volume.

**Synonyms:**

### Abdominal Mass

A palpable or imaging-detected abnormal collection, enlargement, or lesion within the abdomen. Causes include distended bowel or bladder, organ enlargement, hernia, inflammatory collection, benign tumour, and malignancy; assessment depends on location, mobility, tenderness, systemic features, and appropriate imaging.

**Synonyms:**

### Abdominal Pain

Discomfort within the abdomen classified as visceral (dull, midline, poorly localized), parietal (sharp, well localized, worsened by movement), or referred from a distant source.

**Synonyms:**

### Abdominal Pregnancy

An ectopic pregnancy implanted in the peritoneal cavity rather than the uterus, fallopian tubes, or ovaries. It is rare and can cause severe internal bleeding. Diagnosis requires specialist imaging and management.

**Synonyms:**

### Abdominal Radiography

Plain projectional X-ray imaging of the abdomen, sometimes obtained in supine, erect, or decubitus positions.

**Synonyms:**

### Abdominal Reflex

Contraction of the abdominal muscles after stimulation of the abdominal skin. An absent or asymmetric reflex may indicate neurologic disease, although it can be absent normally in some people.

**Synonyms:**

### Abdominal Rigidity

Involuntary tensing of the abdominal wall, usually caused by irritation of the peritoneum. It may occur with peritonitis, perforation, severe infection, or intra-abdominal bleeding and requires clinical assessment.

**Synonyms:**

### Abdominal Swelling

Visible or felt enlargement of the abdomen caused by gas, constipation, pregnancy, fluid accumulation, organ enlargement, mass, or abdominal-wall changes. Persistent, progressive, painful, or sudden swelling—especially with vomiting, fever, bleeding, or inability to pass stool or gas—requires medical evaluation.

**Synonyms:**

### Abdominal Wall

The layered muscular, fascial, and skin-covered boundary surrounding the abdominal cavity. It supports and protects abdominal organs and helps with posture, breathing, coughing, and straining. Weakness or defects may produce abdominal or incisional hernias; trauma, infection, and tumors may also affect the wall.

**Synonyms:**

### Abdominal Wall Hernia

Protrusion of abdominal tissue through a weak area or opening in the abdominal wall. Common types include inguinal, umbilical, femoral, and incisional hernias. A painful, firm, or non-reducible bulge with vomiting or abdominal distension may indicate incarceration or strangulation and requires urgent assessment.

**Synonyms:**

### Abdominal X-Ray

A plain radiograph of the abdomen used to assess selected causes of pain, obstruction, perforation, foreign bodies, or urinary stones. It has limited sensitivity for many abdominal disorders.

**Synonyms:**

---

### **Abducens Nerve**

The sixth cranial nerve, a motor nerve that supplies the lateral rectus muscle and abducts the eye. Lesion of the nerve causes failure of lateral gaze and horizontal diplopia.

**Synonyms:**

### **Abduction**

Movement of a limb or other body part away from the median plane of the body.

**Synonyms:**

### **Abetalipoproteinemia**

A rare inherited disorder in which the body cannot produce normal apolipoprotein-B-containing lipoproteins. It causes fat malabsorption, deficiencies of fat-soluble vitamins, abnormal red cells, and possible neurologic or retinal disease.

**Synonyms:**

### **Abfraction**

Loss of tooth structure near the gum line, possibly related to mechanical stress. It may cause tooth sensitivity and may require dental treatment.

**Synonyms:**

### **ABI**

The ankle-brachial index, calculated by dividing ankle systolic blood pressure by arm systolic blood pressure. A low value suggests peripheral arterial disease.

**Synonyms:**

### **Abnormal Uterine Bleeding**

Uterine bleeding that is abnormal in frequency, regularity, duration, or volume, occurring outside of normal menstruation or in women who are not pregnant.

**Synonyms:**

### **ABO Blood Group**

A blood classification based on whether red blood cells carry A antigen, B antigen, both, or neither. The four groups are A, B, AB, and O.

**Synonyms:**

### **ABO Blood Typing**

A laboratory test that determines a person's ABO and Rh blood groups. It is performed before transfusion, transplantation, and some obstetric procedures.

**Synonyms:**

### **ABO Incompatibility**

An immune reaction caused by transfusion or pregnancy involving incompatible A, B, or O blood-group antigens. It can cause acute hemolysis, transfusion reactions, or hemolytic disease of the newborn. See also Hemolytic Disease of the Newborn.

**Synonyms:**

### **Abortion**

The deliberate termination of a pregnancy by medication or a procedure. The method and clinical definition of viability vary by jurisdiction and circumstance.

**Synonyms:**

### **Abrasion**

Superficial loss of tissue caused by friction or scraping. In dentistry, it commonly refers to mechanical loss of tooth structure from external forces.

**Synonyms:**

### **Abruptio Placentae**

Premature separation of the placenta from the uterine wall before delivery. It can cause vaginal bleeding, abdominal pain, uterine tenderness, fetal distress, and maternal shock and requires urgent obstetric assessment.

**Synonyms:**

### **Abscess**

A localized collection of pus within a tissue, organ, or cavity, typically caused by bacterial infection. Abscesses form when bacteria (most commonly *Staphylococcus aureus* including MRSA) invade tissue, triggering an intense inflammatory response with neutrophil accumulation and tissue necrosis.

**Synonyms:**

---

### **Abscessed Tooth**

A collection of pus caused by bacterial infection of the tooth or surrounding tissues, usually arising from untreated dental decay, a cracked tooth, or periodontal disease. Pain, facial swelling, fever, and sensitivity may occur. Dental treatment and drainage are usually required; swelling that affects swallowing or breathing is an emergency.

**Synonyms:**

### **Absence Seizure**

A brief generalized seizure causing sudden impaired awareness and behavioral arrest, usually followed by rapid recovery. Electroencephalography commonly shows generalized three-hertz spike-and-wave activity.

**Synonyms:**

### **Absent Breath Sounds**

Lack of audible air movement over part or all of a lung. Causes include pneumothorax, pleural effusion, or airway obstruction; sudden onset requires urgent assessment.

**Synonyms:**

### **Absolute Neutrophil Count**

The number of circulating neutrophils calculated from the white-cell count and differential. A low ANC indicates neutropenia; severe neutropenia greatly increases the risk of serious infection.

**Synonyms:**

### **Absorption**

The process by which a drug enters the bloodstream from its site of administration, such as the digestive tract, skin, or muscle.

**Synonyms:**

### **Abusive Head Trauma**

Injury to an infant or young child caused by inflicted blunt impact, violent shaking, or both. Findings may include subdural hemorrhage, retinal hemorrhage, encephalopathy, fractures, or other injuries; diagnosis requires careful multidisciplinary assessment because no single finding is diagnostic.

**Synonyms:**

### **Acalculia**

An acquired inability to perform previously learned numerical operations or understand numerical relationships, commonly associated with dominant parietal or other cortical dysfunction.

**Synonyms:**

### **Acalculous Cholecystitis**

Acute inflammation of the gallbladder without gallstones, usually occurring in critically ill, postoperative, traumatised, or fasting patients. Presents with fever, right-upper-quadrant pain, leukocytosis, or unexplained sepsis; diagnosis is supported by ultrasound or cholescintigraphy.

**Synonyms:**

### **Acanthamoeba Keratitis**

A rare but potentially sight-threatening infection of the cornea caused by the free-living amoeba *Acanthamoeba*. It is strongly associated with contaminated contact-lens water or poor lens hygiene and may cause severe eye pain, redness, photophobia, blurred vision, and a ring-shaped corneal infiltrate. Prompt ophthalmic assessment and prolonged anti-amoebic treatment are required.

**Synonyms:**

### **Acanthocytes (Spur Cells)**

Abnormal red blood cells with irregular, spiky, thorn-like membrane projections of varying length and width. Caused by alterations in membrane lipid composition (increased cholesterol-to-phospholipid ratio).

**Synonyms:** Spur Cells

### **Acanthosis Nigricans**

Hyperpigmented, velvety, thickened plaques typically in skin flexures (neck, axillae, groin) and often associated with insulin resistance, obesity, type 2 diabetes mellitus, and metabolic syndrome.

**Synonyms:**

---

### **Acapnia**

An abnormally low partial pressure of carbon dioxide in arterial blood, usually caused by excessive alveolar ventilation. It may accompany respiratory alkalosis, light-headedness, or paresthesias.

**Synonyms:**

### **Acardia**

Absence or severe malformation of the fetal heart, usually occurring in the setting of a rare twin perfusion sequence. The affected fetus cannot sustain independent circulation.

**Synonyms:**

### **Acariasis**

Infestation or disease caused by mites or ticks. Clinical manifestations vary with the organism and may include dermatitis, pruritus, tissue invasion, or transmission of an associated pathogen.

**Synonyms:**

### **Access Needle (Interventional)**

A needle used to enter a vessel, cavity, or tissue under clinical or image guidance for sampling, drainage, infusion, or placement of another device.

**Synonyms:** Interventional

### **Accessory Nerve**

The eleventh cranial nerve, formed by cranial and spinal roots. Its spinal component supplies the sternocleidomastoid and trapezius muscles; injury can cause shoulder droop and weak head rotation.

**Synonyms:**

### **ACE Inhibitor**

A drug that inhibits angiotensin-converting enzyme, reducing formation of angiotensin II and degradation of bradykinin.

**Synonyms:**

### **Acetabular Labrum**

A fibrocartilaginous rim attached to the margin of the acetabulum that deepens the hip socket, helps maintain a fluid seal, and contributes to hip-joint stability.

**Synonyms:**

### **Acetabular Notch**

The indentation in the inferior margin of the acetabulum, bridged by the transverse ligament of the acetabulum and forming a passage for structures entering the hip joint.

**Synonyms:**

### **Acetabuloplasty**

A surgical procedure that reshapes or augments the acetabular rim or socket to improve coverage of the femoral head in selected structural hip disorders.

**Synonyms:**

### **Acetabulum**

The cup-shaped socket of the hip formed by the fused ilium, ischium, and pubis. It articulates with the femoral head and is deepened by the acetabular labrum.

**Synonyms:**

### **Acetaminophen (Paracetamol) Toxicity**

Liver injury caused by an excessive dose of acetaminophen. Its toxic metabolite depletes glutathione and causes hepatic necrosis. N-acetylcysteine is the antidote and should be given promptly when toxicity is suspected.

**Synonyms:** Paracetamol

### **Acetyl-CoA Carboxylase**

An enzyme that converts acetyl-CoA to malonyl-CoA, the first committed step in fatty-acid synthesis. Its activity is regulated by cellular energy status and hormones.

**Synonyms:**

### **Acetyl-Coenzyme A**

A central metabolic intermediate consisting of an acetyl group linked to coenzyme A by a high-energy thioester bond. It enters the citric acid cycle and provides carbon for fatty-acid, cholesterol, and ketone-body synthesis.

**Synonyms:**

---

## Acetylcholine

A major neurotransmitter in both the central and peripheral nervous systems. In the peripheral nervous system, it is released at the neuromuscular junction (nicotinic receptors) to excite skeletal muscle, at all autonomic ganglia (nicotinic receptors), and at parasympathetic postganglionic terminals (muscarinic receptors).

**Synonyms:**

## Achalasia

A disorder in which the lower esophageal sphincter fails to relax normally and esophageal peristalsis is impaired, causing difficulty swallowing and regurgitation.

**Synonyms:**

## Achenbach's syndrome

A benign condition of recurrent, painful, spontaneous hematoma formation in the pulp of a finger or thumb, typically affecting middle-aged women. It presents with sudden onset of throbbing pain and blue-black discoloration of the fingertip, resolving spontaneously over one to two weeks without treatment.

**Synonyms:**

## Achilles Tendinopathy

Pain and structural disorder of the Achilles tendon, usually caused by repeated loading. It causes posterior heel pain and stiffness and is managed with activity modification, rehabilitation, and treatment of contributing factors.

**Synonyms:**

## Achilles Tendon (Calcaneal Tendon)

The thickest and strongest tendon in the human body, connecting the gastrocnemius and soleus (triceps surae) muscles to the calcaneus (heel bone). It plays a crucial role in plantarflexion of the foot, enabling walking, running, and jumping.

**Synonyms:** Calcaneal Tendon

## Achilles Tendon Rupture

A partial or complete tear of the Achilles tendon,

usually caused by sudden force. It causes posterior ankle pain, weakness in plantar flexion, and difficulty walking or standing on tiptoe.

**Synonyms:**

## Achilles Tendonitis

A commonly used term for pain and inflammation or degeneration of the Achilles tendon. It may affect the tendon at its heel insertion or its mid-portion and is often related to repetitive loading.

**Synonyms:**

## Achlorhydria

Absence of hydrochloric acid in gastric secretions. It may result from autoimmune gastritis, long-term acid suppression, or loss of acid-producing stomach cells.

**Synonyms:**

## Achondroplasia

Autosomal dominant skeletal dysplasia (FGFR3 gene). Most common form of dwarfism. Features: short limbs, macrocephaly, frontal bossing, trident hand, spinal stenosis. Homozygous form lethal. Normal intelligence.

**Synonyms:**

## Acid

A substance that donates hydrogen ions or accepts an electron pair. In water, an acid increases hydrogen-ion concentration and lowers pH.

**Synonyms:**

## Acid Base Balance

The physiological regulation of hydrogen ion concentration in body fluids, maintaining arterial pH between 7.35 and 7.45.

**Synonyms:**

## Acid Reflux

Backward flow of stomach contents into the esophagus, which may cause heartburn, regurgitation, or irritation.

**Synonyms:**

---

### Acid-Base Analysis

Evaluation of blood pH, bicarbonate, and carbon dioxide to identify metabolic or respiratory disturbances, including those caused by poisoning.

**Synonyms:**

### Acid-Base Disorder

Disturbance of the body's acid-base balance, classified by primary disturbance and compensation. Respiratory acidosis: hypoventilation, high PaCO<sub>2</sub>, low pH. Respiratory alkalosis: hyperventilation, low PaCO<sub>2</sub>, high pH.

**Synonyms:**

### Acid-Fast Bacillus Smear

Microscopic examination of a specimen, often sputum, for acid-fast organisms using a special stain. A positive result supports mycobacterial infection but does not by itself identify the species or establish drug susceptibility; culture or molecular testing is also required.

**Synonyms:**

### Acidosis

An acid-base disturbance in which the concentration of hydrogen ions increases, tending to lower arterial blood pH below 7.35.

**Synonyms:**

### Acinetobacter baumannii resistance

*Acinetobacter baumannii* is a gram-negative coccobacillus that has emerged as a significant cause of healthcare-associated infections, particularly in intensive care units. The organism has intrinsic and acquired resistance mechanisms, including beta-lactamases, efflux pumps, and porin mutations.

**Synonyms:**

### ACL Injuries

Sprains or tears of the anterior cruciate ligament of the knee, usually caused by twisting, sudden deceleration, or contact trauma. They may cause instability, swelling, and difficulty pivoting; examination and imaging guide management.

**Synonyms:**

### ACL Reconstruction

Surgical reconstruction of the anterior cruciate ligament (ACL) following rupture, one of the most common knee ligament injuries. The ACL is a primary restraint to anterior tibial translation and rotatory instability, and its rupture frequently occurs during non-contact pivoting sports activities (skiing, soccer, basketball).

**Synonyms:**

### Acne

A chronic inflammatory disorder of hair follicles and sebaceous glands. It causes comedones, papules, pustules, or nodules, most often on the face, chest, and back.

**Synonyms:**

### Acne Rosacea Subtypes

Rosacea may present predominantly with facial flushing and persistent redness, papules and pustules, skin thickening, or eye involvement. A person may have more than one pattern.

**Synonyms:**

### Acne Vulgaris

The common form of acne caused by follicular plugging, increased sebum production, microbial activity, and inflammation. It usually affects the face, trunk, and upper arms.

**Synonyms:**

### Acoustic Nerve

The acoustic nerve, more properly called the auditory or vestibulocochlear nerve (cranial nerve VIII), carries hearing and balance information from the inner ear to the brainstem.

**Synonyms:**

### Acoustic Neuroma

A benign, slow-growing tumor of the vestibular portion of the vestibulocochlear nerve. It may cause hearing loss, tinnitus, or balance problems.

**Synonyms:**

### Acoustic Neuroma (Vestibular



---

### Schwannoma)

A usually benign, slow-growing tumor of Schwann cells involving the vestibular portion of cranial nerve VIII. It may cause unilateral sensorineural hearing loss, tinnitus, imbalance, or facial sensory symptoms; MRI of the internal auditory canals is the preferred diagnostic study.

**Synonyms:** Vestibular Schwannoma

### Acoustic Trauma

Acute damage to the auditory system from a brief, intense sound such as an explosion or firearm. It may cause tinnitus, temporary or permanent sensorineural hearing loss, and tympanic or ossicular injury; urgent audiologic assessment is indicated when hearing loss is sudden.

**Synonyms:**

### Acoustic Reflex

An involuntary contraction of the stapedius muscle in response to a loud sound. It can be measured with immittance testing and helps assess the middle-ear muscles, auditory pathways, and facial nerve.

**Synonyms:** Stapedial reflex; stapedius reflex; middle-ear muscle reflex.

### Acquisition Time

The time during which a medical imaging system collects data. The required time depends on the imaging method, body region, protocol, and patient movement.

**Synonyms:**

### Acral lentiginous melanoma

A subtype of melanoma arising on acral skin (palms, soles, or under nails), appearing as a dark, irregularly pigmented patch or plaque. It is more common in people with darker skin tones and often presents at a later stage due to less frequent surveillance of these sites. Prognosis depends on thickness and stage at diagnosis.

**Synonyms:**

### Acrodermatitis Enteropathica

A zinc-deficiency disorder causing periorificial and

acral dermatitis, alopecia, diarrhoea, poor wound healing, and increased susceptibility to infection. It may be inherited from impaired intestinal zinc absorption or acquired through malnutrition, malabsorption, or prolonged parenteral nutrition.

**Synonyms:**

### Acromegaly

Chronic growth hormone (GH) excess in adulthood, typically from a pituitary somatotroph adenoma.

**Synonyms:**

### Acromegaly Complications

Long-term growth-hormone excess may cause diabetes, hypertension, heart disease, sleep apnea, joint disease, nerve compression, visual problems, and other organ complications.

**Synonyms:**

### Acromioclavicular Joint

A plane synovial joint between the acromion of the scapula and the lateral end of the clavicle. It permits gliding movements and is stabilized primarily by the acromioclavicular and coracoclavicular ligaments.

**Synonyms:**

### Acromioclavicular Joint Injuries

Sprains or dislocations of the joint between the acromion and clavicle, usually caused by a fall or direct shoulder impact. Severity ranges from ligament sprain to complete displacement and is assessed clinically and with imaging.

**Synonyms:**

### Acromion

Bony process forming the shoulder's highest point, extending laterally from the scapular spine. Articulates with the clavicle at the acromioclavicular joint and arches over the glenohumeral joint. Attachment for deltoid and trapezius. The subacromial space contains the supraspinatus tendon and subacromial bursa.

**Synonyms:**



---

### ACTH Stimulation Test

A dynamic test of adrenal cortisol reserve using synthetic adrenocorticotrophic hormone, usually cosyntropin. An inadequate cortisol rise supports adrenal insufficiency, although interpretation depends on timing, assay, recent glucocorticoid exposure, and whether disease is acute or chronic.

**Synonyms:**

### Actinic granuloma

A benign granulomatous skin condition arising on sun-damaged skin, presenting as annular or ring-shaped plaques with central atrophy and an elevated, erythematous border. It is thought to represent a foreign-body reaction to degenerated elastic tissue from chronic ultraviolet exposure.

**Synonyms:**

### Actinic Keratosis

A rough, scaly skin lesion caused by chronic ultraviolet exposure, usually on sun-exposed skin. It can progress to squamous-cell carcinoma, so persistent, thickened, or changing lesions require clinical assessment.

**Synonyms:**

### Actinic Keratosis Management

Actinic keratosis management requires field-directed and lesion-directed therapy. Lesion-directed: cryotherapy (liquid nitrogen, 5 to 10 second freeze-thaw cycle), curettage, electrodesiccation.

**Synonyms:**

### Actinic Purpura

Bruising caused by fragile, sun-damaged skin and connective tissue, usually on the backs of the hands and forearms in older adults. The purple patches may appear after minor trauma and are generally harmless, although medicines such as anticoagulants can worsen them. New, widespread, or unexplained bruising warrants assessment.

**Synonyms:**

### Actinomycetoma

A chronic, progressive granulomatous infection of

the skin and subcutaneous tissue caused by aerobic actinomycetes, characterized by swelling, draining sinuses, and dark granules in the discharge. It primarily affects the feet and is endemic in tropical regions. Diagnosis is by culture and histopathology.

**Synonyms:**

### Actinomycosis

A chronic infection caused by branching, gram-positive anaerobic bacteria of the genus *Actinomyces*, which normally colonize the mouth, gastrointestinal tract, and genital tract. It can form infiltrative masses and draining sinuses containing sulfur granules.

**Synonyms:**

### Action Potential

A rapid, all-or-nothing depolarization of the cell membrane that propagates along excitable membranes (neurons, muscle, some endocrine cells).

**Synonyms:**

### Activated Charcoal

A porous form of carbon that adsorbs some substances in the gastrointestinal tract and can reduce their absorption after selected poisonings. It is not effective for every toxin and can cause aspiration or other complications.

**Synonyms:**

### Activated Partial Thromboplastin Time

A blood test that measures clotting through the intrinsic and common coagulation pathways. It may be prolonged by unfractionated heparin, clotting-factor deficiencies, inhibitors, or some liver and systemic disorders.

**Synonyms:**

### Active Caries

Tooth decay that is continuing to progress. The affected surface is often soft, rough, or chalky and requires dental assessment and management.

**Synonyms:**

---

### Active Management of Third Stage

A set of measures used after birth to reduce postpartum hemorrhage, usually including a uterotonic medicine, controlled cord traction when appropriate, and assessment of uterine tone and bleeding.

**Synonyms:**

### Active Phase of Labor

The part of the first stage of labor in which the cervix dilates progressively, generally beginning at about 6 cm and continuing to full dilation. Progress varies between individuals.

**Synonyms:**

### Active Site

The specific three-dimensional region of an enzyme where substrate binding and catalysis occur. Formed by amino acid residues that may be distant in primary sequence but brought together by protein folding.

**Synonyms:**

### Active Surveillance

Close, structured monitoring of a cancer or precancerous condition without immediate treatment. It includes scheduled examinations, laboratory tests, imaging, or biopsies, with treatment started if evidence of progression develops.

**Synonyms:**

### Active Transport

Movement of substances across cell membranes against their concentration gradient, requiring energy input, typically from ATP hydrolysis.

**Synonyms:**

### Activities of Daily Living

Routine tasks required for personal care and independent living, including basic activities and more complex instrumental activities. Performance is assessed to describe functional status and support care planning.

**Synonyms:**

### Acute

Beginning suddenly or developing over a short period. The term may describe symptoms, illnesses, or complications.

**Synonyms:**

### Acute Agitation

A state of heightened motor activity, emotional tension, irritability, and impaired behavioral control that may threaten the patient or others. Management begins with de-escalation and assessment for delirium, intoxication, withdrawal, medical illness, and psychosis.

**Synonyms:**

### Acute Alcohol Intoxication

Neurobehavioral and physiologic impairment caused by recent ethanol exposure. Severity varies with concentration, tolerance, co-ingestants, and comorbidity; dangerous effects include respiratory depression, aspiration, hypoglycemia, hypothermia, trauma, and coma.

**Synonyms:**

### Acute Angle-Closure Glaucoma

An ophthalmic emergency in which sudden closure of the anterior-chamber angle causes a rapid rise in intraocular pressure. Severe eye pain, blurred vision, halos, headache, nausea, vomiting, and a red eye may occur; urgent ophthalmic treatment is required to protect vision.

**Synonyms:**

### Acute Aortic Syndrome

A spectrum of life-threatening conditions involving the thoracic aorta, including aortic dissection, intramural hematoma (IMH), and penetrating aortic ulcer (PAU). See acute aortic syndromes.

**Synonyms:**

### Acute Bacterial Rhinosinusitis

Bacterial infection of the paranasal sinuses suspected when symptoms persist without improvement for at least 10 days, become substantially worse after initial improvement, or are severe with

---

high fever and purulent discharge. Treatment decisions depend on severity, complications, resistance risk, and local guidance.

**Synonyms:**

### **Acute blood loss**

Rapid loss of circulating blood volume that can cause hypovolemic shock, tissue hypoxia, tachycardia, hypotension, and acute anemia.

**Synonyms:**

### **Acute Bronchitis**

Acute inflammation of the tracheobronchial tree, usually caused by a viral respiratory infection and characterized by cough, with or without sputum production, lasting up to several weeks.

**Synonyms:**

### **Acute Caries**

Tooth decay that progresses rapidly, often producing a soft lesion or cavity. Risk is increased by factors such as frequent sugar exposure, reduced saliva, or poor oral hygiene.

**Synonyms:**

### **Acute Cholecystitis**

Acute inflammation of the gallbladder, most often caused by persistent cystic-duct obstruction by a gallstone. It commonly causes sustained right-upper-quadrant pain, fever, nausea, and a positive Murphy sign; ultrasound and timely antimicrobial and surgical assessment are standard.

**Synonyms:**

### **Acute Coronary Syndrome**

A clinical spectrum caused by acute myocardial ischemia from plaque disruption, thrombosis, or less commonly coronary spasm. It includes unstable angina, NSTEMI, and STEMI and requires rapid assessment with symptoms, serial ECGs, and cardiac troponin testing.

**Synonyms:**

### **Acute Cough**

A cough lasting less than three weeks. Common

causes include viral respiratory infection, acute bronchitis, and pneumonia.

**Synonyms:**

### **Acute dacryocystitis**

Acute infection and inflammation of the lacrimal sac, most commonly caused by obstruction of the nasolacrimal duct leading to stasis and secondary bacterial infection. It presents with painful swelling, redness, and tenderness at the medial canthus with purulent discharge.

**Synonyms:**

### **Acute Diarrhea**

Passage of loose or watery stools, usually three or more times daily, lasting less than two weeks. Infection, food-related illness, medicines, and other intestinal disorders can cause it. Oral rehydration is important; blood in stool, severe dehydration, persistent vomiting, or severe pain requires prompt assessment.

**Synonyms:**

### **Acute Disseminated Encephalomyelitis**

An acute, immune-mediated demyelinating disorder, usually occurring days to weeks after an infection and less often after vaccination. It commonly causes encephalopathy with multifocal neurologic deficits, ataxia, or seizures, particularly in children.

**Synonyms:**

### **Acute esophageal necrosis**

Ischemic necrosis of the esophageal mucosa, most commonly caused by low-flow states such as shock, sepsis, or thromboembolism, presenting with hematemesis and chest pain. Endoscopy shows circumferential black necrotic mucosa, typically in the distal esophagus.

**Synonyms:**

### **Acute Exacerbation of Asthma**

A progressive increase in dyspnea, cough, wheezing, or chest tightness with reduced expiratory airflow compared with the patient's baseline. Severe attacks may cause exhaustion, silent chest, hypercapnia,

---

respiratory failure, and need for urgent treatment.

**Synonyms:**

### **Acute Fatty Liver of Pregnancy**

A rare, potentially life-threatening complication of late pregnancy involving liver dysfunction and microvesicular fat accumulation. It may cause nausea, abdominal pain, jaundice, low glucose, coagulopathy, or organ failure.

**Synonyms:**

### **Acute Flaccid Myelitis**

A rare but serious inflammatory disorder of the spinal cord, usually affecting the gray matter and causing sudden flaccid limb weakness, reduced reflexes, and sometimes cranial-nerve or respiratory involvement. MRI and cerebrospinal-fluid studies support the diagnosis; urgent neurologic and respiratory monitoring is required.

**Synonyms:**

### **Acute Generalized Exanthematous Pustulosis**

An acute drug reaction characterised by dozens to thousands of small, sterile, nonfollicular pustules arising on an erythematous base, often with fever and neutrophilia. It usually begins rapidly after exposure to an antibiotic or other medication and resolves after withdrawal of the trigger.

**Synonyms:**

### **Acute glomerulonephritis**

Acute inflammation of the renal glomeruli causing hematuria, proteinuria, reduced glomerular filtration, edema, and often hypertension.

**Synonyms:**

### **Acute Hepatitis**

Acute inflammation and injury of hepatocytes, usually developing over days to months and characterized by elevated aminotransferases, with or without jaundice, nausea, right-upper-quadrant discomfort, or constitutional symptoms.

**Synonyms:**

### **Acute HIV Syndrome**

The acute retroviral syndrome occurring 2-6 weeks after primary HIV infection, corresponding to high-level viremia and immune activation. Presents with fever (most common), lymphadenopathy, pharyngitis, rash (maculopapular, trunk/face), myalgia, arthralgia, headache, nausea, diarrhea, and oral ulcers.

**Synonyms:**

### **Acute Hypercapnic Respiratory Failure**

Inability to eliminate carbon dioxide, producing elevated arterial PaCO<sub>2</sub> and often respiratory acidemia. Causes include COPD exacerbation, severe asthma, neuromuscular weakness, central respiratory depression, and chest-wall restriction.

**Synonyms:**

### **Acute Hypoxemic Respiratory Failure**

Inability of the respiratory system to maintain adequate arterial oxygenation, usually manifested by low arterial oxygen or oxygen saturation despite appropriate inspired oxygen. Causes include pneumonia, pulmonary edema, ARDS, atelectasis, and pulmonary embolism.

**Synonyms:**

### **Acute Inflammation**

A rapid, predominantly non-specific immune response to tissue injury or infection that typically lasts hours to days and involves vascular and cellular reactions. The cardinal signs are redness, heat, swelling, pain, and loss of function, resulting from increased blood flow, vascular permeability, and cellular infiltration.

**Synonyms:**

### **Acute Interstitial Nephritis**

Inflammatory infiltrate in the renal interstitium and tubules most commonly caused by drug reactions including NSAIDs, antibiotics particularly penicillins and cephalosporins, proton pump inhibitors, and diuretics. Also caused by infections and autoimmune diseases.

**Synonyms:**

---

### Acute Ischemic Stroke

Sudden neurologic dysfunction caused by focal cerebral, spinal, or retinal ischemia. Emergency evaluation distinguishes hemorrhage from ischemia and determines eligibility for reperfusion therapy while supporting airway, glucose, temperature, and blood pressure management.

**Synonyms:**

### Acute Kidney Injury

A sudden decline in kidney function over hours or days, causing reduced filtration and possible fluid, electrolyte, or acid-base disturbances. Causes include reduced blood flow, direct kidney injury, and urinary obstruction.

**Synonyms:**

### Acute Kidney Injury Staging

A standardized classification based on changes in serum creatinine and urine output. KDIGO stages 1 through 3 quantify the severity of abrupt kidney-function decline and support prognosis, monitoring, and treatment decisions.

**Synonyms:**

### Acute Leukemia

A leukemia characterized by a rapid onset, clonal proliferation of immature blast cells (>20% of bone marrow cells), and rapid progression without treatment. Subtypes: acute lymphoblastic leukemia (ALL, B-cell or T-cell, most common childhood cancer, peak age 2-5) and acute myeloid leukemia (AML, more common in adults, median age 65-70).

**Synonyms:**

### Acute Limb Ischemia

Sudden reduction in arterial blood flow to a limb that threatens tissue viability, usually caused by embolism, thrombosis, or graft occlusion. The six classic findings are pain, pallor, pulselessness, paresthesia, paralysis, and poikilothermia; urgent vascular assessment and revascularization are required.

**Synonyms:**

### Acute Limb Ischemia Six Ps

The classic findings of acute arterial perfusion loss: pain, pallor, pulselessness, paresthesia, paralysis, and poikilothermia. Motor or sensory deficit indicates threatened limb and requires urgent vascular assessment and revascularization planning.

**Synonyms:**

### Acute Liver Failure

Rapid deterioration of liver function in a previously healthy individual without prior liver disease. Causes include acetaminophen toxicity, viral hepatitis, drug reactions, autoimmune hepatitis, and Wilson disease. Features include coagulopathy, encephalopathy, and multiorgan failure. Presents with jaundice, confusion, and bleeding.

**Synonyms:**

### Acute lymphangitis

Acute inflammation of lymphatic vessels, typically resulting from streptococcal or staphylococcal infection spreading from a distal wound. It presents with red, tender streaks extending proximally from the site of infection, along with fever, malaise, and regional lymphadenopathy. Treatment requires systemic antibiotics.

**Synonyms:**

### Acute Lymphoblastic Leukemia

A clonal malignancy of lymphoid progenitor cells, most common in children (peak age 2-5 years) but also occurring in adults with a worse prognosis with increasing age.

**Synonyms:**

### Acute lymphocytic leukemia

A malignant proliferation of immature lymphoid precursors in the bone marrow and blood, commonly presenting with cytopenias, fever, bone pain, or lymphadenopathy.

**Synonyms:**

### Acute Megakaryoblastic Leukemia

A rare subtype of acute myeloid leukemia characterized by the proliferation of megakaryoblasts in

---

the bone marrow and peripheral blood.

**Synonyms:**

### **Acute mesenteric ischemia**

Occlusion or reduced flow in the mesenteric arteries causing bowel ischemia, most commonly from embolism or atherosclerosis. Presents with severe abdominal pain disproportionate to physical findings. Delayed treatment leads to bowel necrosis, perforation, and high mortality.

**Synonyms:**

### **Acute Mountain Sickness**

A mild altitude illness caused by rapid ascent, usually producing headache with nausea, fatigue, dizziness, or sleep disturbance. Prevention and treatment include gradual acclimatization, descent when symptoms worsen, oxygen, and appropriate medical therapy.

**Synonyms:**

### **Acute Myeloid Leukemia**

A clonal hematologic malignancy characterized by proliferation of immature myeloid blasts that suppress normal hematopoiesis. Diagnosis requires the appropriate blast burden or defining genetic abnormality, and presentation commonly includes anemia, infection, and bleeding from marrow failure.

**Synonyms:**

### **Acute obstructive uropathy**

Sudden impairment of urinary flow caused by obstruction of the urinary tract, potentially producing hydronephrosis, pain, infection, and acute kidney injury.

**Synonyms:**

### **Acute Otitis Media**

Infection of the middle ear space with acute onset of symptoms and signs of middle ear inflammation. Diagnosis requires middle ear effusion plus acute symptoms (ear pain, fever, irritability) or signs (bulging tympanic membrane, erythema). Most common pathogen: *Streptococcus pneumoniae*.

**Synonyms:**

### **Acute Pancreatitis**

Sudden inflammation of the pancreas, most often caused by gallstones or alcohol. It causes upper-abdominal pain and may cause vomiting or systemic complications; severity ranges from mild to life-threatening.

**Synonyms:**

### **Acute Promyelocytic Leukemia**

A distinct subtype of acute myeloid leukemia (AML) characterized by the t(15;17)(q24;q21) translocation, which fuses the promyelocytic leukemia (PML) gene on chromosome 15 with the retinoic acid receptor alpha (RARA) gene on chromosome 17.

**Synonyms:**

### **Acute Rehabilitation**

Multidisciplinary rehabilitation provided during or soon after hospitalization for conditions such as stroke, spinal-cord injury, traumatic brain injury, or major trauma. Treatment is tailored to functional needs.

**Synonyms:**

### **Acute Respiratory Distress Syndrome**

A severe inflammatory lung injury causing acute hypoxemic respiratory failure and diffuse lung opacities not fully explained by heart failure. Common triggers include sepsis, pneumonia, aspiration, trauma, and pancreatitis.

**Synonyms:**

### **Acute Sinusitis**

Acute inflammation of the mucosa of one or more paranasal sinuses, usually following a viral upper-respiratory infection. It causes nasal obstruction, purulent or discoloured discharge, facial pressure or pain, and reduced smell; persistent, severe, or worsening symptoms may indicate acute bacterial rhinosinusitis or a complication.

**Synonyms:**

### **Acute Stress Disorder**

A trauma-related mental-health condition beginning after exposure to actual or threatened death, serious



---

injury, or sexual violence and lasting from three days to one month. Symptoms may include intrusive memories, avoidance, negative mood, dissociation, and increased arousal; professional assessment and support are recommended.

**Synonyms:**

### **Acute Tubular Necrosis**

Most common cause of intrinsic AKI resulting from ischemic or nephrotoxic injury to tubular epithelial cells. Ischemic ATN develops from prolonged prerenal states. Nephrotoxic ATN results from direct injury by aminoglycosides, amphotericin B, cisplatin, contrast, and myoglobin.

**Synonyms:**

### **Acute viral illness**

A short-duration illness caused by a virus. Symptoms depend on the affected organ system and may include fever, fatigue, cough, vomiting, diarrhea, or rash.

**Synonyms:**

### **Acute-on-Chronic Liver Failure**

Acute deterioration of pre-existing chronic liver disease associated with organ failure and high short-term mortality. It is commonly precipitated by infection, alcohol-related hepatitis, bleeding, or other acute insults and requires urgent multidisciplinary management.

**Synonyms:**

### **Adam's Apple**

The common name for the laryngeal prominence, the visible projection at the front of the neck formed by the angle where the two laminae of the thyroid cartilage meet.

**Synonyms:**

### **Adaptive Equipment**

Devices that help individuals with disabilities perform daily activities independently. Examples: reachers, dressing sticks, button hooks, ergonomic utensils, grab bars, shower chairs, wheelchairs, walkers, canes. Selection based on individual needs

and goals. Occupational therapy assessment recommended.

**Synonyms:**

### **Adaptive Immunity**

Antigen-specific immunity mediated principally by B and T lymphocytes. It develops after antigen exposure, generates immunologic memory, and includes humoral responses from B-cell antibodies and cellular responses from T cells.

**Synonyms:**

### **Addiction**

A chronic, relapsing brain disorder characterized by compulsive substance use or behavior despite harmful consequences. It involves changes in brain reward, motivation, and memory circuits, leading to impaired control over the behavior. Treatment often combines medication, behavioral therapy, and social support.

**Synonyms:**

### **Addison Disease**

Primary adrenal insufficiency resulting from destruction or dysfunction of the adrenal cortex, leading to deficiency of cortisol, aldosterone, and adrenal androgens.

**Synonyms:**

### **Addisonian Crisis**

Life-threatening emergency resulting from acute cortisol deficiency in patients with adrenal insufficiency. Precipitated by infection, trauma, surgery, or abrupt discontinuation of chronic glucocorticoid therapy.

**Synonyms:**

### **Adduction**

Movement of a body part toward the body's midline.

**Synonyms:**

### **Adductor Muscles**

A group of muscles on the medial thigh that adduct (pull toward the midline) the hip: adductor longus, adductor brevis, adductor magnus, gracilis, and pectineus. Innervated by the obturator nerve (L2-



---

L4); adductor magnus also receives tibial nerve (sciatic). Adductor longus is a common site of athletic injury ('groin strain').

**Synonyms:**

### Adenocarcinoma

A malignant tumor arising from glandular epithelial tissue, forming gland-like structures. The most common type of carcinoma, occurring in organs such as the colon, breast, lung, pancreas, and prostate.

**Synonyms:**

### Adenocarcinoma of the colon

A malignant gland-forming epithelial tumor of the colon, commonly presenting with altered bowel habits, occult bleeding, anemia, or an obstructing mass.

**Synonyms:**

### Adenoid Cystic Carcinoma

A rare malignant tumor of glandular tissue, most commonly of the salivary glands, characterized by slow growth, perineural spread, and late recurrence.

**Synonyms:**

### Adenoidectomy

The surgical removal of the pharyngeal tonsils (adenoids), which are lymphoid tissue structures located in the nasopharynx, and it is commonly performed in children for obstructive sleep apnea, chronic nasal obstruction, recurrent otitis media, and chronic rhinosinusitis that is refractory to medical management.

**Synonyms:**

### Adenoids

Lymphoid tissue in the posterior wall and roof of the nasopharynx, part of Waldeyer ring of pharyngeal lymphoid tissue. Enlarged adenoids (adenoidal hypertrophy) in children cause nasal obstruction, mouth breathing, snoring, obstructive sleep apnea, serous otitis media (eustachian tube obstruction), and facial changes ('adenoid facies').

**Synonyms:**

### Adenoma

A benign tumour arising from glandular or gland-like epithelial tissue. Some adenomas, particularly certain colorectal adenomas, can develop dysplasia and progress to carcinoma.

**Synonyms:**

### Adenoma-Carcinoma Sequence

Established model of stepwise colorectal carcinogenesis progressing from normal epithelium through adenomas to carcinoma over ten to fifteen years.

**Synonyms:**

### Adenomatous Polyp

A benign gland-forming polyp, most commonly in the colon, that may contain dysplasia and can progress through the adenoma-carcinoma sequence. Tubular, villous, and tubulovillous types are recognized.

**Synonyms:**

### Adenomyosis

A condition in which endometrial glands and stroma are present within the myometrium (uterine muscle). Most common in multiparous women in their 40s and 50s. Presents with heavy menstrual bleeding (menorrhagia), severe dysmenorrhea, chronic pelvic pain, and uterine enlargement.

**Synonyms:**

### Adenovirus

A non-enveloped DNA virus that causes respiratory infections, conjunctivitis, gastroenteritis, and cystitis. Adenoviruses are highly stable in the environment and can cause outbreaks in closed populations. The virus has over 50 serotypes with different tissue tropisms. Diagnosis is made by PCR, antigen detection, or viral culture.

**Synonyms:**

### Adenovirus Infection

Infection with an adenovirus, commonly causing sore throat, cough, fever, conjunctivitis, diarrhea, or vomiting. Most infections are self-limited, but severe respiratory or disseminated disease can oc-

---

cur in infants and people with weakened immunity. Treatment is usually supportive, with medical assessment for breathing difficulty, dehydration, or severe illness.

**Synonyms:**

### **Adenovirus Vaccine**

A vaccine used primarily to prevent adenovirus types 4 and 7 among selected military personnel. It is an oral, live vaccine and is not part of routine vaccination for the general public. Vaccine use and eligibility depend on current public-health recommendations.

**Synonyms:**

### **ADHD**

Attention-deficit/hyperactivity disorder is a neurodevelopmental disorder involving persistent inattention and/or hyperactivity and impulsivity that impair functioning. Symptoms begin in childhood, occur in more than one setting, and are classified as predominantly inattentive, predominantly hyperactive-impulsive, or combined presentation.

**Synonyms:**

### **Adherence**

The extent to which a person follows an agreed treatment plan, including prescribed medicines and other care. Adherence may be affected by cost, adverse effects, treatment complexity, health beliefs, or difficulty accessing care.

**Synonyms:**

### **Adherence (Geriatric)**

Adherence to an agreed treatment plan in an older adult, including medicine use, appointments, and recommended self-care. Cognitive impairment, polypharmacy, adverse effects, cost, and support needs may affect adherence.

**Synonyms:** Geriatric

### **Adhesive Capsulitis**

A condition causing progressive shoulder pain and stiffness due to inflammation and fibrosis of the glenohumeral joint capsule. See Frozen Shoulder.

**Synonyms:**

### **Adhesive Tape**

A material used to secure dressings, devices, or tubing to the skin. It is available in paper, cloth, plastic, and other forms.

**Synonyms:**

### **Adie Tonic Pupil**

Uncommon cause of anisocoria, a benign parasympathetic denervation of the iris sphincter and ciliary muscle, typically unilateral in young women, idiopathic or associated with diabetes, herpes zoster, or autoimmune neuropathy.

**Synonyms:**

### **Adipocere (Grave Wax)**

Waxy, grayish-white substance formed postmortem in warm, moist, anaerobic environments (water, damp soil) by the hydrolysis and hydrogenation of body fat into free fatty acids; retards putrefaction and preserves anatomical details for months to years.

**Synonyms:** Grave Wax

### **Adiponectin**

A hormone produced mainly by adipose tissue that influences fatty-acid metabolism, insulin sensitivity, and inflammatory responses.

**Synonyms:**

### **Adipose Tissue**

A specialized connective tissue composed mainly of adipocytes that store energy as triglycerides. It provides thermal insulation, cushioning for organs, and endocrine regulation through hormones and signaling molecules such as leptin and adiponectin.

**Synonyms:**

### **Adjustment Disorder**

Emotional or behavioral symptoms in response to an identifiable stressor occurring within three months of the onset of the stressor. The symptoms are disproportionate to the severity of the stressor and cause significant distress or impairment. It resolves

---

within six months of the termination of the stressor.

**Synonyms:**

### Adjustment Disorder with Anxiety

An emotional or behavioral response to an identifiable stressor that causes distress or impairment but does not meet criteria for another mental disorder.

**Synonyms:**

### Adjuvant Therapy

Additional treatment after primary treatment to reduce recurrence risk. Examples: chemotherapy after surgery.

**Synonyms:**

### ADL Training

Training for activities of daily living: dressing, bathing, grooming, feeding, toileting. Adaptive techniques, equipment.

**Synonyms:**

### Administered Activity

The measured amount of radioactive material given to a patient for imaging or therapy, usually expressed in becquerels. It should be prescribed and recorded with the radionuclide, radiopharmaceutical, route, date, and time of administration.

**Synonyms:**

### Adolescent Health

The health and wellbeing of young people (10-19 years), addressing the physical, psychological, and social transitions of puberty and adolescence.

**Synonyms:**

### Adolescent Confidentiality and Consent

The principles governing private healthcare discussions with adolescents and their ability to participate in medical decisions. The exact rules for confidentiality, consent, and parental involvement depend on age, capacity, local law, and safeguarding concerns.

**Synonyms:**

### Adoptive Cell Therapy

A personalized cellular immunotherapy in which a patient's own lymphocytes are expanded or engineered ex vivo and reinfused to attack the tumor; examples include tumor-infiltrating lymphocyte (TIL) therapy and chimeric antigen receptor (CAR) T-cell therapy.

**Synonyms:**

### ADP (Adenosine Diphosphate)

A nucleotide composed of adenine, ribose, and two phosphate groups. Formed by hydrolysis of ATP ( $\text{ATP} \rightarrow \text{ADP} + \text{P}_i$ ,  $\Delta G^\circ = -30.5 \text{ kJ/mol}$ ). Serves as the immediate precursor for ATP synthesis via oxidative phosphorylation (mitochondrial ATP synthase), substrate-level phosphorylation (glycolysis, TCA cycle), and photophosphorylation.

**Synonyms:** Adenosine Diphosphate

### Adrenal Cortex Physiology

The adrenal cortex produces steroid hormones in three zones: the zona glomerulosa produces mineralocorticoids, mainly aldosterone; the zona fasciculata produces glucocorticoids, mainly cortisol; and the zona reticularis produces adrenal androgens. Secretion is regulated by the renin-angiotensin system, plasma potassium, and the hypothalamic-pituitary-adrenal axis.

**Synonyms:**

### Adrenal Cortical Carcinoma

A rare malignant tumor arising from the adrenal cortex. It may be functional, producing excess adrenal hormones, or nonfunctional.

**Synonyms:**

### Adrenal Crisis

An acute, life-threatening manifestation of severe adrenal insufficiency. Causes: primary (Addison disease), secondary (pituitary failure), or tertiary (exogenous corticosteroid withdrawal). Precipitants: systemic infection, trauma, surgery, or abrupt steroid cessation.

**Synonyms:**

---

## Adrenal Gland

Paired endocrine glands atop each kidney (suprarenal), composed of cortex and medulla. Cortex (three zones): zona glomerulosa (aldosterone, mineralocorticoids), zona fasciculata (cortisol, glucocorticoids), zona reticularis (androgens). Medulla: chromaffin cells secrete epinephrine and norepinephrine (catecholamines).

**Synonyms:**

## Adrenal Hemorrhage

Bleeding into the adrenal gland most commonly occurring in critically ill patients with sepsis, coagulopathy, or anticoagulation therapy. Bilateral adrenal hemorrhage may cause acute adrenal insufficiency with circulatory collapse. Waterhouse-Friderichsen syndrome: adrenal hemorrhage associated with meningococcal sepsis.

**Synonyms:**

## Adrenal Hyperplasia

Enlargement or overgrowth of adrenal tissue that may increase production of adrenal hormones. Causes include congenital adrenal hyperplasia, chronic stimulation by ACTH, and some adrenal tumors. Symptoms depend on the hormone affected and may include abnormal genital development, early puberty, excess body hair, high blood pressure, or electrolyte disturbances.

**Synonyms:**

## Adrenal Insufficiency

Deficient production of cortisol by the adrenal cortex classified as primary adrenal insufficiency or Addison disease from adrenal gland destruction, secondary from pituitary ACTH deficiency, and tertiary from chronic exogenous glucocorticoid suppression of the hypothalamic-pituitary-adrenal axis.

**Synonyms:**

## Adrenal Medulla Physiology

The adrenal medulla produces catecholamines primarily epinephrine and norepinephrine in response to sympathetic nervous system activation. Epinephrine accounts for approximately eighty percent and norepinephrine approximately twenty per-

cent of catecholamine output.

**Synonyms:**

## Adrenal Myelolipoma

A usually benign adrenal tumor composed of mature fat and blood-forming tissue. It is often found incidentally on imaging and causes no symptoms, but larger lesions may produce mass effect or bleeding. Management depends on size, symptoms, growth, and diagnostic certainty.

**Synonyms:**

## Adrenal Tumors

Tumors arising in the adrenal cortex or medulla may be benign or malignant and may or may not produce hormones. Evaluation uses clinical assessment, hormone testing when indicated, and imaging to assess size and appearance; treatment depends on the diagnosis, hormone secretion, symptoms, growth, and risk of malignancy.

**Synonyms:**

## Adrenal Venous Sampling

Interventional radiology procedure for lateralizing aldosterone secretion in primary hyperaldosteronism. Catheterization of both adrenal veins allows measurement of aldosterone and cortisol levels to calculate selectivity index confirming successful cannulation and lateralization ratio.

**Synonyms:**

## Adrenalectomy

Surgical removal of one or both adrenal glands, performed for selected adrenal tumors, severe hormone excess, or other localized disease. Removal of one gland may leave adequate hormone production; bilateral removal causes permanent adrenal insufficiency and requires lifelong hormone replacement and emergency-steroid planning.

**Synonyms:**

## Adrenocortical Carcinoma

A rare malignant tumor of the adrenal cortex that may secrete cortisol, androgens, or aldosterone or be non-functional. Often large at diagnosis; treatment

---

is en bloc resection, with mitotane for advanced disease.

**Synonyms:**

### **Adrenocorticotrophic Hormone**

ACTH (corticotropin): a peptide hormone from the anterior pituitary (cleaved from POMC) that stimulates the adrenal cortex to produce cortisol (zona fasciculata) and adrenal androgens; regulated by hypothalamic CRH and cortisol negative feedback (circadian).

**Synonyms:**

### **Adult Spinal Deformity**

Abnormal curvature or alignment of the spine in an adult, including scoliosis, kyphosis, or loss of normal sagittal balance. It may cause back pain, nerve compression, difficulty walking, or functional disability.

**Synonyms:**

### **Adult Still's Disease**

A systemic inflammatory disorder characterized by recurrent high fevers, arthritis or joint pain, a transient salmon-colored rash, sore throat, and possible involvement of other organs.

**Synonyms:**

### **Adult-Onset Still Disease**

A systemic inflammatory disorder beginning in adulthood, characterized by high-spiking fevers, arthritis or joint pain, a transient salmon-pink rash, sore throat, and possible liver, spleen, heart, or blood-clotting complications.

**Synonyms:**

### **Advance Care Planning**

A process of discussing and documenting a person's healthcare values and preferences for possible future illness, including designation of a surrogate decision-maker when appropriate.

**Synonyms:**

### **Advance Directive**

Legal document expressing healthcare wishes. Com-

ponents: living will (treatment preferences), durable power of attorney for healthcare (surrogate decision-maker). Should be reviewed periodically, discussed with surrogate and healthcare team.

**Synonyms:**

### **Advanced Cancer**

Cancer that has grown beyond its original site. It may be locally advanced when it has invaded nearby tissues or metastatic when it has spread to distant organs.

**Synonyms:**

### **Advanced Cardiovascular Life Support**

A standardized set of advanced resuscitation measures for cardiac arrest and other life-threatening cardiovascular emergencies. It includes high-quality CPR, defibrillation when indicated, airway management, medicines, and treatment of reversible causes.

**Synonyms:**

### **Advanced Maternal Age**

Maternal age of 35 years or older at the estimated time of delivery. It is associated with increased risks of some chromosomal conditions and pregnancy complications.

**Synonyms:**

### **Adverse Drug Event**

Harm related to the use of a medication, including harm caused by an adverse drug reaction, medication error, overdose, or inappropriate use.

**Synonyms:**

### **Adverse Drug Reaction**

An adverse drug reaction is any noxious or unintended response to a drug that occurs at doses used for prophylaxis, diagnosis, or therapy.

**Synonyms:**

### **Adverse Event**

Any untoward medical occurrence during or after a treatment or intervention, whether or not it is considered causally related to that treatment. Severity, seriousness, expectedness, and relatedness are as-

---

sessed separately.

**Synonyms:**

### **Aerobe**

A microorganism that requires molecular oxygen for growth or uses oxygen efficiently for energy production. Obligate aerobes are unable to grow without oxygen, whereas facultative organisms can grow with or without it.

**Synonyms:**

### **Aerobic**

Requiring or involving molecular oxygen. In microbiology, aerobic organisms use oxygen for growth or energy production, either obligatorily or as one option among several; in physiology, aerobic metabolism uses oxidative phosphorylation in mitochondria to generate ATP from nutrients.

**Synonyms:**

### **Aerophagy**

Excessive swallowing of air, also called aerophagia, which can lead to frequent belching, abdominal bloating, distension, and discomfort.

**Synonyms:** aerophagia, which can lead to frequent.

### **Aesthetic Dentistry**

Dental care intended to improve the appearance of the teeth, gums, or smile. Procedures may include tooth-colored restorations, veneers, whitening, or selected crowns.

**Synonyms:**

### **Affective Flattening**

Markedly reduced outward expression of emotion, including limited facial expression, voice modulation, and gestures. It may occur in schizophrenia and other psychiatric or neurologic conditions.

**Synonyms:**

### **AFP (Alpha-Fetoprotein)**

A protein produced mainly by the fetal liver. Maternal blood AFP is used in prenatal screening, and serum AFP may help evaluate selected liver and germ-cell tumors. Results are not diagnostic by

themselves.

**Synonyms:** Alpha-Fetoprotein

### **Afterload**

The resistance against which the ventricles must eject blood during systole. Left ventricular afterload is primarily determined by systemic vascular resistance (SVR); right ventricular afterload is determined by pulmonary vascular resistance (PVR). Afterload is estimated by blood pressure or calculated as wall stress.

**Synonyms:**

### **Agar**

A gelatinous polysaccharide from red algae used to solidify culture media. Melting near 85°C and solidifying at 35–40°C, it remains solid at incubation temperatures and is largely undegraded by bacteria, enabling isolation of pure colonies on media such as blood, MacConkey, and Sabouraud agars.

**Synonyms:**

### **Age-Related Macular Degeneration**

A degenerative disorder of the macula that can impair central vision in older adults. The dry form involves retinal and pigment-cell changes and may progress gradually; the neovascular form involves abnormal blood-vessel growth and may cause more rapid vision loss. Risk is influenced by age, smoking, family history, and other factors.

**Synonyms:**

### **Age-Standardized Rate**

A rate adjusted to a specified standard population age distribution so that populations with different age structures can be compared more fairly. It is commonly used for mortality, cancer, and disease-incidence comparisons.

**Synonyms:**

### **Ageism**

Stereotyping, prejudice, or discrimination directed at people because of their age, which can impair access to appropriate medical care.

**Synonyms:**



---

## Agenesis of the Corpus Callosum

Complete or partial absence of the corpus callosum, the major commissural fiber bundle connecting the cerebral hemispheres. May be isolated or associated with other CNS anomalies (Dandy-Walker, Chiari, heterotopias) and genetic syndromes (Aicardi, Andermann, acrocallosal syndromes).

**Synonyms:**

## Ageusia

Complete loss of the sense of taste. Causes include viral infections, oral or nasal disease, head injury, damage to the facial or glossopharyngeal nerves, medications, chemotherapy, zinc deficiency, and neurologic disorders.

**Synonyms:**

## Agglutination

The visible clumping of cells or particles caused by antibodies or other binding molecules linking antigens on their surfaces. It is used in blood-grouping and crossmatching, infectious-disease serology, and some laboratory identification tests.

**Synonyms:**

## Aggregation, Platelet

The process by which activated platelets adhere to one another to form a primary platelet plug at a site of vascular injury. Platelet agonists such as ADP, thromboxane A<sub>2</sub>, and thrombin activate glycoprotein IIb/IIIa, which binds fibrinogen and links adjacent platelets.

**Synonyms:**

## Aggression

Verbal or physical behavior intended to threaten, harm, or dominate another person or object. It may occur with mania, psychosis, personality disorders, dementia, delirium, substance intoxication or withdrawal, traumatic brain injury, or severe frustration.

**Synonyms:**

## Aggressive Cancer

A cancer that grows, invades, or spreads rapidly

and may require prompt diagnosis and treatment. Aggressiveness depends on tumour biology, grade, stage, and response to therapy.

**Synonyms:**

## Agility

The ability to move or change direction quickly while maintaining control and balance.

**Synonyms:**

## Aging

Biological process of growing older, involving cumulative changes at molecular, cellular, tissue, organ levels.

**Synonyms:**

## Agitation

A state of excessive motor activity, emotional excitement, and restlessness. In psychiatric settings, it may be a symptom of mania, psychosis, delirium, substance intoxication, or withdrawal.

**Synonyms:**

## Agnathia

A rare congenital absence or severe underdevelopment of the mandible, maxilla, or both. It is usually part of a craniofacial developmental disorder and may cause profound facial deformity, airway obstruction, feeding difficulty, and impaired dentition.

**Synonyms:**

## Agnosia

A higher-order neurological deficit characterized by the inability to recognize or process sensory stimuli (visual, auditory, tactile) despite intact primary sensory organs and pathways. Caused by focal lesions in specific cortical association areas (parietal, temporal, or occipital lobes).

**Synonyms:**

## Agonist

A substance that binds to a receptor and activates it, producing a biological response. A full agonist can produce the receptor's maximum response, whereas a partial agonist produces a lower maximum re-



---

sponse even when it occupies all available receptors.

**Synonyms:**

### **Agonist-Antagonist**

A drug that has mixed pharmacological activity, acting as an agonist at one receptor type and an antagonist at another, or as a partial agonist at a single receptor.

**Synonyms:**

### **Agoraphobia**

Anxiety disorder characterized by fear and avoidance of situations where escape might be difficult or help unavailable during a panic-like episode. Common feared situations include public transportation, open spaces, enclosed spaces, standing in line, being in crowds, and being outside the home alone.

**Synonyms:**

### **Agranulocytosis**

A severe reduction or near-absence of circulating neutrophils, usually defined as an absolute neutrophil count below  $0.5 \times 10^9/L$ . It may be caused by medications, chemotherapy, autoimmune disease, infections, or bone-marrow disorders and presents with fever, sore throat, oral ulcers, or recurrent serious infections.

**Synonyms:**

### **Agraphesthesia**

Inability to recognize numbers or letters traced on the skin, indicating a lesion of the contralateral parietal lobe (somatosensory association cortex, post-central gyrus). Tested with a blunt object on the palm or fingertip while the patient's eyes are closed.

**Synonyms:**

### **Agraphia**

An acquired inability to write or express language in written form despite adequate education and motor ability. It may result from dominant-parietal or language-network lesions, especially stroke, traumatic brain injury, dementia, or brain tumors, and may occur with aphasia, alexia, or acalculia.

**Synonyms:**

### **Aicardi-Goutieres Syndrome**

Rare autosomal recessive inflammatory disorder mimicking congenital viral infection. Characterized by cerebral calcifications, white matter disease, cerebral atrophy, and cerebrospinal fluid lymphocytosis. Presents with severe neurodevelopmental impairment, seizures, and spasticity.

**Synonyms:**

### **AIDS**

Acquired immunodeficiency syndrome: the advanced stage of HIV infection, defined by CD4 count  $<200$  cells/ $\mu L$  or the presence of AIDS-defining illnesses.

**Synonyms:**

### **Air Abrasion**

Minimally invasive caries removal using abrasive particles. Alternative to drilling for small lesions.

**Synonyms:**

### **Air bronchogram**

A radiographic sign showing air-filled bronchi visible against opacified lung parenchyma, indicating that the airways remain patent while the surrounding alveoli are filled with fluid, pus, or cells.

**Synonyms:**

### **Air Contaminants**

Solid, liquid, or gaseous substances in air that may harm health, such as particulate matter, fumes, gases, allergens, or microorganisms. Effects depend on the contaminant, concentration, and duration of exposure.

**Synonyms:**

### **Air Embolism**

Entry of gas into the venous or arterial circulation, where it can obstruct blood flow and injure tissues. It may occur during medical procedures, trauma, or rapid changes in environmental pressure. Symptoms and treatment depend on the amount and location of gas and require urgent clinical assessment when significant embolism is suspected.

**Synonyms:**

---

### **Air Polishing**

Removal of stains using air-abrasive device. Glycine or erythritol powder.

**Synonyms:**

### **Air Quality**

The condition of air as determined by the concentration of pollutants such as particulate matter, ozone, nitrogen dioxide, and sulfur dioxide.

**Synonyms:**

### **Airborne Disease**

An infection that can spread through small suspended particles or aerosols under suitable conditions. Transmission depends on the organism, environment, ventilation, and duration of exposure.

**Synonyms:**

### **Airborne precautions**

Infection control measures used for pathogens transmitted through airborne droplet nuclei. Precautions include negative pressure rooms, N95 respirators, and restricted access. Airborne precautions are used for tuberculosis, measles, varicella, and disseminated herpes zoster.

**Synonyms:**

### **Airway Clearance Techniques**

Physical or mechanical methods used to mobilize and remove airway secretions. Examples include directed coughing, breathing exercises, postural drainage, positive expiratory pressure, and high-frequency chest-wall oscillation. Selection depends on the disease, secretion burden, strength, and ability to cooperate.

**Synonyms:**

### **Airway Management**

Airway management encompasses techniques and devices used to maintain ventilation and oxygenation in patients with compromised airways.

**Synonyms:**

### **Airway Obstruction**

Partial or complete blockage of airflow through the

upper or lower respiratory tract. It may result from a foreign body, secretions, swelling, trauma, tumor, or loss of airway muscle tone and can cause stridor, wheeze, hypoxaemia, respiratory distress, or arrest.

**Synonyms:**

### **Airway Resistance**

The opposition to airflow through the conducting airways, determined largely by airway radius and flow pattern. Bronchoconstriction, mucus, edema, and reduced elastic traction increase resistance; because resistance varies strongly with radius, small changes can markedly affect work of breathing.

**Synonyms:**

### **Akathisia**

Subjective feeling of inner restlessness accompanied by a compulsive need to move, most commonly an extrapyramidal side effect of antipsychotic drugs (typical and atypical neuroleptics), also seen with dopamine antagonists (metoclopramide), selective serotonin reuptake inhibitor withdrawal, and in Parkinson disease.

**Synonyms:**

### **Akinesia**

Impairment or absence of voluntary movement, classically a hypokinetic feature of basal ganglia disorders such as Parkinson disease and related parkinsonian syndromes.

**Synonyms:**

### **Alagille Syndrome**

An inherited disorder of Notch signaling that commonly affects the liver, heart, skeleton, eyes, and characteristic facial features. It is usually caused by a pathogenic variant in JAG1 or, less often, NOTCH2.

**Synonyms:**

### **ALARA Principle**

Radiation-protection principle requiring exposure to be kept as low as reasonably achievable while obtaining the necessary diagnostic or therapeutic information. Justification, optimization, collimation,

---

shielding, time reduction, and increased distance support ALARA.

**Synonyms:**

### **Albinism (Oculocutaneous Albinism)**

A group of inherited disorders that reduce melanin production in the skin, hair, and eyes. It may cause light pigmentation, reduced visual acuity, nystagmus, and increased sensitivity to sunlight; the severity depends on the genetic subtype.

**Synonyms:** Oculocutaneous Albinism

### **Albright's hereditary osteodystrophy**

A group of inherited features associated with abnormalities of GNAS signaling, including short metacarpal bones, a round facial appearance, short stature, and subcutaneous ossification. Some associated disorders also cause resistance to parathyroid hormone or other hormones.

**Synonyms:**

### **Alanine Aminotransferase (ALT)**

An enzyme found mainly in liver cells that is released into the blood when hepatocytes are injured. Serum ALT is widely used to screen for and monitor liver disease and is interpreted together with aspartate aminotransferase, alkaline phosphatase, bilirubin, and the clinical context.

**Synonyms:** ALT

### **Albumin**

The main protein in blood plasma, produced by the liver. It helps maintain oncotic pressure and transports various substances, including hormones, fatty acids, and medications.

**Synonyms:**

### **Albumin-to-Creatinine Ratio**

The urinary albumin concentration standardized to urinary creatinine concentration, usually measured in a spot urine sample. Persistent albuminuria is a marker of kidney damage and is categorized as A1 (<30 mg/g), A2 (30–300 mg/g), or A3 (>300 mg/g) in commonly used CKD classification.

**Synonyms:**

### **Albuminuria**

Abnormally increased excretion of albumin in the urine, indicating disruption of the glomerular filtration barrier or another form of kidney disease. It is commonly detected with a urine albumin-to-creatinine ratio and classified as moderately or severely increased according to the quantity and persistence of excretion.

**Synonyms:**

### **Alcohol**

Ethanol, a psychoactive substance that can impair judgment and coordination and cause intoxication or dependence.

**Synonyms:**

### **Alcohol dependency**

A chronic relapsing disorder characterized by compulsive ethanol use, loss of control over intake, and negative emotional state during withdrawal, leading to tolerance, dependence, and organ damage over time.

**Synonyms:**

### **Alcohol Intoxication**

Acute impairment caused by ethanol, which may produce disinhibition, impaired coordination, slurred speech, vomiting, reduced consciousness, or respiratory depression. Severe intoxication can be life-threatening and requires assessment of breathing, circulation, glucose, trauma, and other substances.

**Synonyms:**

### **Alcohol Swab**

A single-use pad containing alcohol for cleaning intact skin before selected procedures. It should be used according to the product instructions and allowed to dry.

**Synonyms:**

### **Alcohol Use**

Consumption of alcoholic beverages. Health effects depend on amount, frequency, pattern, and individual risk.

---

**Synonyms:**

### **Alcohol Use Disorder**

A problematic pattern of alcohol use leading to significant impairment or distress. Severity is classified as mild (2–3 criteria), moderate (4–5 criteria), or severe (6 or more criteria).

**Synonyms:**

### **Alcohol Withdrawal**

A syndrome that may occur after abrupt cessation or substantial reduction of prolonged heavy alcohol use. Symptoms can include tremor, anxiety, sweating, nausea, hallucinations, seizures, or delirium; onset and severity vary, and severe withdrawal requires urgent medical care.

**Synonyms:**

### **Alcoholic Cardiomyopathy**

Dilated cardiomyopathy caused by chronic excessive alcohol consumption, one of the most common reversible causes of dilated cardiomyopathy. Direct toxic effect of ethanol and its metabolite acetaldehyde on cardiomyocytes. Presentation is identical to other dilated cardiomyopathies.

**Synonyms:**

### **Alcoholic Ketoacidosis**

A high-anion-gap metabolic acidosis caused by prolonged heavy alcohol use, poor nutritional intake, and vomiting. It typically presents with abdominal pain, nausea, vomiting, dehydration, and tachypnea, often with a normal or low blood glucose concentration.

**Synonyms:**

### **Alcoholic Neuropathy**

A length-dependent peripheral neuropathy associated with chronic excessive alcohol use and nutritional deficiency, especially thiamine deficiency. It causes burning pain, numbness, paraesthesia, and weakness, most prominently in the feet and lower legs.

**Synonyms:**

### **Aldosterone**

A mineralocorticoid hormone produced by the zona glomerulosa of the adrenal cortex, the final effector of the renin-angiotensin-aldosterone system (RAAS).

**Synonyms:**

### **Alexia**

An acquired inability to comprehend written language despite intact vision and otherwise preserved language function, usually caused by stroke or other lesions affecting the dominant-hemisphere reading networks. When reading is impaired but writing remains possible, the pattern is called alexia without agraphia.

**Synonyms:**

### **Algor Mortis**

Post-mortem cooling of the body following death until it reaches ambient environmental temperature. Serves as one of the physical estimators of the post-mortem interval (time since death).

**Synonyms:**

### **Aliasing Artifact**

An ultrasound display artifact in which blood flow exceeds the selected velocity scale and appears to reverse direction. It can be reduced by increasing the scale or changing the imaging settings.

**Synonyms:**

### **Alkaline phosphatase**

A group of enzymes that catalyze the hydrolysis of phosphate esters at alkaline pH, found in high concentrations in the liver, bone, placenta, and intestinal mucosa. Elevated serum levels occur in obstructive liver disease, bone disorders including Paget disease and fractures, pregnancy, and certain malignancies.

**Synonyms:**

### **Alkalosis**

A metabolic (elevated bicarbonate) or respiratory (low PaCO<sub>2</sub>) disturbance that raises arterial pH above 7.45. Metabolic alkalosis: vomiting/NG suc-

---

tion (HCl loss), diuretics, mineralocorticoid excess, hypokalemia, and alkali ingestion—compensated by hypoventilation; chloride-responsive vs. chloride-resistant distinguishes causes.

**Synonyms:**

### Allele

Alternative form of a gene at a particular locus. Individuals inherit two alleles for each gene (one from each parent). Alleles can be dominant, recessive, or codominant.

**Synonyms:**

### Allergen

A substance capable of causing an allergic immune response in a susceptible person. Common allergens include proteins in foods, pollens, medicines, animal dander, insect venom, and natural rubber.

**Synonyms:**

### Allergen Immunotherapy

Treatment that gives gradually increasing doses of a specific allergen by injection or under the tongue to reduce allergic sensitivity. It may be used for selected allergic rhinitis, conjunctivitis, asthma, or insect-venom allergy.

**Synonyms:**

### Allergic Bronchopulmonary Aspergillosis

A hypersensitivity reaction to *Aspergillus fumigatus* in asthma or CF patients. Causes central bronchiectasis, elevated total IgE, and eosinophilia. Treatment includes corticosteroids and itraconazole.

**Synonyms:**

### Allergic Conjunctivitis

An inflammatory condition of the conjunctiva mediated by IgE-dependent mast cell degranulation in response to environmental allergens, characterized by bilateral ocular itching, tearing, conjunctival injection, and eyelid edema.

**Synonyms:**

### Allergic Dermatitis

An inflammatory skin reaction caused by an immune

response to an external allergen, most commonly allergic contact dermatitis. It is a delayed, T-cell-mediated hypersensitivity reaction that typically develops after prior sensitization.

**Synonyms:**

### Allergic Reactions

Immune reactions to substances that are usually harmless, such as foods, medicines, pollens, or insect venom. They may be immediate or delayed and can range from localized symptoms to anaphylaxis.

**Synonyms:**

### Allergic Rhinitis

An IgE-mediated inflammatory response of the nasal mucosa to inhaled allergens, causing sneezing, nasal congestion, clear rhinorrhea, nasal itching, and often conjunctival symptoms. Management may include allergen avoidance, intranasal corticosteroids, antihistamines, and allergen immunotherapy when indicated.

**Synonyms:**

### Allergic Rhinitis (Hay Fever)

Allergies occur when the immune system overreacts to harmless environmental substances such as pollen, dust mites, mold, or pet dander. Hay fever (allergic rhinitis) specifically involves nasal symptoms like sneezing, congestion, and itchy eyes triggered by airborne allergens.

**Synonyms:** Hay Fever

### Allergies

Immune reactions to normally harmless substances such as foods, pollens, medicines, insect venom, or animal dander. Reactions range from localized rhinitis or dermatitis to life-threatening anaphylaxis.

**Synonyms:**

### Allergy Testing

Identification of IgE-mediated allergic sensitization. Skin prick test (SPT): allergen extract applied to skin via lancet, read after 15 min (wheal >3mm = positive). Intradermal test: more sensitive, used when SPT negative but suspicion remains.

---

**Synonyms:**

### Allodynia

Pain caused by a stimulus that is normally not painful, such as light touch or gentle pressure. It may occur with neuropathic, nociplastic, or other pain conditions.

**Synonyms:**

### Allograft

Tissue transplanted between genetically different individuals of the same species. Allografts may provoke immune rejection and require appropriate donor screening, processing, and, in some settings, immunosuppression.

**Synonyms:**

### Allosteric Regulation

The regulation of enzyme activity by the binding of an effector molecule at a site other than the active site (allosteric site), causing a conformational change that alters the enzyme's activity. Allosteric enzymes typically have multiple subunits with cooperative binding kinetics (sigmoidal rather than hyperbolic velocity curves).

**Synonyms:**

### Alogia

Poverty of speech or poverty of content of speech, a negative symptom of schizophrenia. It manifests as brief, empty replies to questions, reduced spontaneous speech, and lack of elaboration. It reflects dysfunction in the mesocortical dopamine pathway and is less responsive to antipsychotic medications than positive symptoms.

**Synonyms:**

### Alopecia

Hair loss from any cause. Androgenetic alopecia (male/female pattern hair loss): most common, related to DHT sensitivity. Alopecia areata: autoimmune, patchy hair loss with potential progression to totalis (scalp) or universalis (entire body).

**Synonyms:**

### Alopecia Areata

A common, autoimmune, non-scarring hair loss disorder affecting approximately 1 to 2 percent of the population worldwide, with a lifetime risk of 2 percent, occurring equally across sexes and ethnicities, with peak onset between 15 and 29 years.

**Synonyms:**

### Alpha-1 Antitrypsin Deficiency

An autosomal codominant genetic disorder caused by mutations in the SERPINA1 gene. It predisposes to early-onset panlobular emphysema (lower lobes), liver disease, and panniculitis. PiZZ genotype is most severe. Treatment includes AAT augmentation therapy and smoking avoidance.

**Synonyms:**

### Alpha-Agonists

Medicines that stimulate alpha-adrenergic receptors. Depending on the receptor and tissue, they can constrict blood vessels, alter autonomic activity, or reduce aqueous-humor production in the eye. Their uses and adverse effects depend on the specific medicine and route.

**Synonyms:**

### Alpha-Glucosidase Inhibitors

Oral glucose-lowering medications including acarbose, miglitol, and voglibose that delay carbohydrate digestion and glucose absorption in the small intestine by inhibiting brush border alpha-glucosidase enzymes. Reduce postprandial glucose excursions without affecting fasting glucose significantly.

**Synonyms:**

### Alpha-Ketoglutarate

A five-carbon intermediate of the citric acid cycle formed from isocitrate and converted to succinyl-CoA. It also serves as a carbon skeleton for amino acid metabolism and participates in oxidative deamination and cellular signaling.

**Synonyms:**

### Alport Syndrome

Hereditary nephritis caused by mutations in type



---

four collagen genes leading to progressive sensorineural hearing loss, ocular anomalies, and renal failure. X-linked form from COL4A5 mutations is the most common. Autosomal recessive and dominant forms exist.

**Synonyms:**

### ALS

Amyotrophic lateral sclerosis (motor neuron disease, Lou Gehrig disease): a progressive neurodegenerative disease of upper and lower motor neurons, causing muscle weakness, atrophy, fasciculations, spasticity, and eventually respiratory failure.

**Synonyms:**

### Altitude Illness

Acute mountain sickness (AMS): headache + 1 symptom (nausea, fatigue, dizziness, insomnia) at >2500m. HACE: AMS + ataxia/altered mental status (cerebral edema). HAPE: dyspnea at rest, cough, frothy sputum, crackles, hypoxemia (noncardiogenic pulmonary edema).

**Synonyms:**

### Aluminum Phosphide

A highly toxic fumigant that releases phosphine gas when exposed to moisture or stomach acid. Poisoning can cause severe cardiovascular, respiratory, gastrointestinal, and metabolic effects and requires immediate emergency treatment and supportive intensive care.

**Synonyms:**

### Alvarado Score

Clinical scoring system for acute appendicitis. Components (MANTRELS): Migration of pain (1), Anorexia (1), Nausea/vomiting (1), Tenderness in RLQ (2), Rebound pain (1), Elevated temperature (1), Leukocytosis (2), Left shift (1).

**Synonyms:**

### Alveolar Bone

Bone surrounding and supporting tooth roots. Resorbs with tooth loss. Maintained by function. Bone grafting may be needed for implants.

**Synonyms:**

### Alveolar Gas Equation

$PAO_2 = (FiO_2 \times (P_{atm} - PH_2O)) - (PaCO_2 / R)$ .  
 $P_{atm} = 760$  mmHg,  $PH_2O = 47$  mmHg,  $R = 0.8$ .  
Allows calculation of A-a gradient.

**Synonyms:**

### Alveolar Ventilation

The volume of fresh air reaching the alveoli per minute, representing the portion of minute ventilation that participates in gas exchange. Calculated as (tidal volume - dead space volume) x respiratory rate. Normal alveolar ventilation is approximately 4-5 L/min.

**Synonyms:**

### Alveolar Ventilation Equation

The relationship between alveolar ventilation and arterial carbon-dioxide tension, approximately  $PaCO_2 = 0.863$  times carbon-dioxide production divided by alveolar ventilation. It explains why reduced effective ventilation causes hypercapnia.

**Synonyms:**

### Alveolus

The terminal air sac (200-300 microns) where gas exchange occurs. Approximately 300-500 million per lung, providing 70 m<sup>2</sup> surface area. Wall: type I pneumocytes (95% surface, thin for diffusion), type II pneumocytes (5%, secrete pulmonary surfactant reducing surface tension), alveolar macrophages (dust cells, phagocytosis).

**Synonyms:**

### Alzheimer Disease

A progressive neurodegenerative disorder characterized pathologically by amyloid-beta plaques, tau neurofibrillary pathology, and neuronal loss. It most commonly presents with insidious impairment of episodic memory followed by broader cognitive and functional decline.

**Synonyms:**

---

## Amalgam

Restorative material composed of mercury alloyed with silver, tin, copper, and other metals. Properties: strong, durable, cost-effective. Concerns: mercury toxicity debates, aesthetic limitations. Placement: requires cavity preparation, condensation, carving. Removal: sectioning, cooling to prevent mercury vapor.

**Synonyms:**

## Amaurosis Fugax

Transient monocular vision loss lasting seconds to minutes, classically described as a curtain descending over the field, caused by retinal or optic nerve ischemia.

**Synonyms:**

## Ambiguous Genitalia

External genital anatomy that does not have typical male or female features, usually because of a difference in sex development. Evaluation includes examination, chromosome and hormone testing, pelvic or abdominal imaging, and assessment for congenital adrenal hyperplasia.

**Synonyms:**

## Ambulatory Blood Pressure Monitoring

Measurement of blood pressure at regular intervals, usually over twenty-four hours, with a portable cuff worn during normal activities and sleep. It detects white-coat and masked hypertension, evaluates nighttime blood-pressure patterns, and helps confirm hypertension diagnosed in the clinic.

**Synonyms:**

## Amblyopia

A developmental reduction in vision caused by abnormal visual input during early childhood, without a sufficient structural explanation. It commonly results from misalignment, unequal focusing power, or obstruction of vision in one eye.

**Synonyms:**

## Ambu Bag

A self-inflating manual resuscitation bag used with

a mask or airway device to provide positive-pressure ventilation.

**Synonyms:**

## Amebiasis

Infection with the protozoan parasite *Entamoeba histolytica*, acquired mainly by ingestion of faecally contaminated food or water. It may be asymptomatic or cause amoebic colitis with abdominal pain, diarrhoea, or dysentery, and can spread through the portal circulation to produce a liver abscess.

**Synonyms:**

## Amebic Liver Abscess

A focal collection of necrotic material in the liver caused by *Entamoeba histolytica*, usually following intestinal infection. It commonly causes fever, right-upper-quadrant pain, and tender hepatomegaly; diagnosis is supported by imaging and serology.

**Synonyms:**

## Amelanotic melanoma

A variant of melanoma that lacks significant melanin production, presenting as a pink, red, or flesh-coloured papule or nodule rather than a typical dark lesion. Its paucity of pigment can delay diagnosis, making it a diagnostic challenge. Histopathology with immunohistochemical markers confirms the diagnosis.

**Synonyms:**

## Amelia

A rare congenital anomaly characterized by complete absence of one or more limbs. It may occur alone or as part of a genetic or developmental syndrome. Prenatal imaging can identify the anomaly and help assess associated abnormalities.

**Synonyms:**

## Ameloblastoma

Locally aggressive odontogenic tumor. Multicystic radiolucency in posterior mandible. High recurrence rate. Treatment: surgical resection with margins.

**Synonyms:**

---

## Amelogenesis

The formation and maturation of tooth enamel by ameloblasts during tooth development.

**Synonyms:**

## Amelogenesis Imperfecta

A group of inherited disorders in which enamel formation is abnormal, causing enamel that may be thin, poorly mineralized, weak, or easily worn on most or all teeth.

**Synonyms:**

## Amenorrhea

Absence of menstruation. Primary amenorrhea: no menarche by age 15 with normal secondary sexual development, or by age 13 without. Secondary amenorrhea: absence of menses for three cycles or six months in women with prior menstruation.

**Synonyms:**

## Amino Acid

An organic molecule containing an amino group, a carboxyl group, a hydrogen atom, and a variable side chain attached to a central carbon. Amino acids are the building blocks of proteins; cells use some also in energy metabolism and other biochemical pathways.

**Synonyms:**

## Amino Acid Catabolism

The breakdown of amino acids after protein digestion, with the amino group removed and the carbon skeleton metabolized for energy or gluconeogenesis/ketogenesis. Transamination: amino groups are transferred to alpha-ketoglutarate, forming glutamate, by aminotransferases requiring pyridoxal phosphate (PLP, vitamin B6) as a cofactor.

**Synonyms:**

## Aminoglycoside nephrotoxicity

Kidney damage caused by aminoglycoside antibiotics, characterized by acute tubular necrosis. Nephrotoxicity is caused by accumulation of aminoglycosides in the proximal tubular cells. The risk is increased with prolonged therapy, high doses, con-

current nephrotoxic drugs, and renal impairment.

**Synonyms:**

## Aminoglycoside ototoxicity

Damage to the inner ear caused by aminoglycoside antibiotics, resulting in hearing loss and vestibular dysfunction. Ototoxicity is caused by accumulation of aminoglycosides in the inner ear, damaging hair cells. The risk is increased with prolonged therapy, high doses, concurrent ototoxic drugs, and renal impairment.

**Synonyms:**

## Aminoglycosides

A class of bactericidal antibiotics that bind irreversibly to the 30S ribosomal subunit, causing misreading of messenger RNA and inhibiting protein synthesis. They include gentamicin, tobramycin, amikacin, and streptomycin.

**Synonyms:**

## Amiodarone-induced skin discoloration

A slate-grey to bluish hyperpigmentation of sun-exposed skin caused by long-term amiodarone therapy, due to deposition of the drug and its metabolites in dermal macrophages. It is dose-related, more pronounced in photodistributed areas, and may be partially reversible upon drug cessation.

**Synonyms:**

## Amiodarone-Induced Thyroid Dysfunction

Thyroid abnormalities occurring in approximately fifteen to twenty percent of patients on amiodarone due to the high iodine content of the molecule. Type one results from iodine-induced increased thyroid hormone synthesis in patients with underlying thyroid disease. Type two results from destructive thyroiditis.

**Synonyms:**

## Amiodarone-induced vortex keratopathy

Whorl-like corneal epithelial deposits caused by amiodarone accumulation, appearing as golden-brown verticillata on slit-lamp examination, usually

---

asymptomatic but reversible upon drug discontinuation.

**Synonyms:**

### **Ammonia**

A nitrogen-containing waste product produced during protein metabolism and normally converted to urea by the liver. Elevated blood ammonia may occur with liver failure, urea-cycle disorders, some medicines, or other metabolic conditions.

**Synonyms:**

### **Amnesia**

Loss or impairment of memory that is greater than ordinary forgetting. It may affect the ability to form new memories (anterograde amnesia), recall past events (retrograde amnesia), or both.

**Synonyms:**

### **Amniocentesis**

A procedure in which a needle is used to obtain amniotic fluid for genetic, chromosomal, infectious, or other prenatal testing. It is usually performed after the first trimester when clinically indicated; risks and benefits depend on the reason for testing and gestational age.

**Synonyms:**

### **Amnion**

The innermost fetal membrane, lining the amniotic cavity and containing the amniotic fluid. A thin, avascular membrane composed of a single layer of cuboidal epithelium overlying a basement membrane and connective tissue. The amnion produces and resorbs amniotic fluid. It fuses with the chorion by 12-14 weeks.

**Synonyms:**

### **Amniotic Band Syndrome**

A spectrum of congenital anomalies caused by strands of a ruptured amniotic membrane that constrict or entangle developing fetal parts. Effects range from ring-like limb constrictions, swelling, or loss of digits to facial and body-wall disruptions; severity varies widely, and management depends on

the structures involved.

**Synonyms:**

### **Amniotic Fluid**

The clear to pale-yellow fluid surrounding the fetus within the amniotic sac. Early in pregnancy it is derived largely from maternal plasma; later, fetal urine and lung fluid are major sources, and the fetus continuously swallows and recycles it.

**Synonyms:**

### **Amniotic Fluid Embolism**

A rare obstetric emergency involving sudden respiratory or cardiovascular collapse and often severe coagulopathy during labor, delivery, or shortly afterward. It requires immediate supportive and multidisciplinary treatment.

**Synonyms:**

### **Amniotic Fluid Index**

An ultrasound estimate of amniotic-fluid volume obtained by dividing the uterus into four quadrants, measuring the deepest unobstructed vertical pocket in each quadrant, and adding the measurements. Interpretation uses gestational-age and practice-specific thresholds to identify unusually low or high fluid volume.

**Synonyms:**

### **Amoebiasis**

Infection caused by the protozoan parasite *Entamoeba histolytica*, transmitted via the fecal-oral route (contaminated food or water).

**Synonyms:**

### **Amoxicillin rash in infectious mononucleosis**

A maculopapular, non-allergic rash that develops in up to 90 percent of patients with Epstein-Barr virus infectious mononucleosis who receive amoxicillin or ampicillin. The rash is often widespread and pruritic, and its presence does not indicate true penicillin allergy.

**Synonyms:**

---

### **AMP (Adenosine Monophosphate)**

A nucleotide composed of adenine, ribose, and a single phosphate group. Formed by hydrolysis of ADP ( $\text{ADP} \rightarrow \text{AMP} + \text{Pi}$ ) or directly from ATP via adenylate kinase ( $2 \text{ADP} \rightleftharpoons \text{ATP} + \text{AMP}$ ).

**Synonyms:** Adenosine Monophosphate

### **AMPK**

AMP-activated protein kinase. Energy sensor. Activated by AMP. Inhibits anabolism, stimulates catabolism.

**Synonyms:**

### **Amputation**

Surgical removal of a limb or part of a limb. The level may involve a digit, foot, lower leg, thigh, or hip, or a corresponding part of the upper limb. The level is selected according to tissue viability, function, and potential for rehabilitation.

**Synonyms:**

### **Amputation Stump**

The remaining part of a limb after amputation. It must be monitored for wound healing, infection, poor circulation, neuroma pain, phantom-limb pain, and skin problems caused by prosthetic use. Care includes hygiene, compression or shaping when advised, progressive strengthening, and professional prosthetic and rehabilitation assessment.

**Synonyms:**

### **AMR (Antimicrobial Resistance)**

The ability of a microorganism to survive or grow despite an antimicrobial medicine that would normally inhibit or kill it.

**Synonyms:** Antimicrobial Resistance

### **Amygdala**

Almond-shaped nucleus cluster in the anterior medial temporal lobe, part of the limbic system, primarily processing emotions (especially fear/anxiety). Receives thalamic/cortical sensory input; projects to hypothalamus, brainstem, and cortex for autonomic/behavioral fear responses.

**Synonyms:**

### **Amylase**

An enzyme that breaks down starch and is produced mainly by the salivary glands and pancreas. Blood levels may rise in several conditions, including some pancreatic disorders.

**Synonyms:**

### **Amylase and Lipase**

Digestive enzymes measured in blood when pancreatic disease is suspected. Lipase is generally more specific for pancreatic injury and remains elevated longer than amylase, but neither test alone diagnoses acute pancreatitis; results must be interpreted with symptoms and imaging.

**Synonyms:**

### **Amylin Analogues**

Medicines that mimic amylin, a hormone released with insulin by pancreatic beta cells. Pramlintide slows gastric emptying, reduces post-meal glucagon secretion, and may be used with insulin in selected patients with diabetes.

**Synonyms:**

### **Amyloid PET**

A positron-emission tomography scan using a tracer that binds to amyloid deposits in the brain. It can support evaluation of selected cognitive disorders but is interpreted with clinical assessment and other tests.

**Synonyms:**

### **Amyloid purpura**

Purpuric discoloration of the eyelids and periorbital skin (raccoon eyes) caused by cutaneous amyloid deposition, which weakens vessel walls and leads to extravasation of erythrocytes. It may be a sign of systemic amyloidosis, particularly AL amyloidosis, and warrants further workup including serum free light chains and tissue biopsy.

**Synonyms:**

### **Amyloidosis**

A group of disorders characterized by the extracellular deposition of misfolded proteins that polymerize

---

into insoluble fibrils with a distinctive beta-pleated sheet configuration. These fibrils bind Congo red dye and show characteristic apple-green birefringence under polarized light microscopy.

**Synonyms:**

### **Amyotrophic Lateral Sclerosis**

Progressive neurodegenerative disorder affecting both upper and lower motor neurons, causing weakness, atrophy, fasciculations, and eventually respiratory failure. Most cases are sporadic (90 percent); 10 percent are familial. Average age of onset 55-60 years.

**Synonyms:**

### **Anabolism**

The set of metabolic pathways that construct complex molecules from simpler precursors, requiring energy input (ATP, reducing equivalents NADPH). Examples: protein synthesis from amino acids, glycogen synthesis (glycogenesis), fatty acid synthesis (lipogenesis), cholesterol synthesis, nucleotide synthesis, gluconeogenesis.

**Synonyms:**

### **Anaemia**

A condition in which the number of red blood cells or the hemoglobin concentration is below the normal range, reducing the oxygen-carrying capacity of the blood.

**Synonyms:**

### **Anabolic Steroids**

Synthetic derivatives of testosterone used in selected medical conditions and misused for muscle building or performance enhancement. Nonmedical use can cause acne, infertility, testicular shrinkage, breast enlargement, mood disturbance, and cardiovascular disease, and sudden cessation may produce symptoms of hormone deficiency.

**Synonyms:**

### **Anaerobe**

A microorganism that grows without molecular oxygen. Obligate anaerobes may be injured or killed

by oxygen, while aerotolerant anaerobes tolerate oxygen but do not use it for energy production.

**Synonyms:**

### **Anal Abscess**

Collection of pus in the perianal or ischiorectal space usually from infected anal glands. Presents with throbbing anal pain, swelling, fever, and difficulty sitting. Diagnosed clinically with tenderness and fluctuance. Treatment is incision and drainage under local anesthesia. Antibiotics are not routinely required for simple abscesses.

**Synonyms:**

### **Anal Canal**

The terminal 3-4 cm of the gastrointestinal tract, extending from the anorectal junction (puborectalis/pectinate line) to the anal verge. Above the pectinate line: lined by columnar epithelium, innervated by autonomic nerves, draining to portal system, supplied by superior rectal artery.

**Synonyms:**

### **Anal Cancer**

Malignant tumor of the anal canal or margin, most commonly squamous cell carcinoma associated with high-risk human papillomavirus infection. Presents with bleeding, pain, or a mass; primary treatment is chemoradiation, with surgery reserved for residual or recurrent disease.

**Synonyms:**

### **Anal Fissure**

Linear tear in the distal anal mucosa usually posterior in the midline. Presents with painful defecation and bright red blood on wiping or in the toilet. Associated with constipation, hard stools, and chronic diarrhea. The internal anal sphincter spasm perpetuates the fissure by reducing blood flow to the posterior midline.

**Synonyms:**

### **Anal Fistula**

Abnormal tract connecting the anal canal to the perianal skin usually following a drained abscess.



---

Presents with recurrent drainage, pain, and pruritus. Parks classification categorizes fistulae by relationship to the sphincter muscles. Diagnosed by examination under anesthesia and MRI.

**Synonyms:**

### **Anal Intercourse**

The insertion of the penis into the anus and rectum for sexual pleasure. The anal canal is rich in nerve endings, making it a sensitive erogenous zone. The rectum lacks natural lubrication, so artificial lubricants are essential to prevent mucosal trauma.

**Synonyms:**

### **Anal Itching**

Pruritus around the anus. Common causes include irritation, moisture, dermatitis, hemorrhoids, infections, and occasionally pinworms or other disease. Gentle cleansing, keeping the area dry, and avoiding irritants may help; persistent, severe, bleeding, or painful symptoms require medical evaluation.

**Synonyms:**

### **Analgesic**

A drug that relieves pain without producing loss of consciousness.

**Synonyms:**

### **Analgesic Nephropathy**

Chronic tubulointerstitial renal injury associated with prolonged or excessive use of analgesic medicines. It may cause impaired urinary concentration, sterile pyuria, haematuria, papillary necrosis, hypertension, and progressive chronic kidney disease.

**Synonyms:**

### **Analysis of Urine**

Laboratory examination of urine for cells, blood, protein, glucose, microorganisms, and other substances.

**Synonyms:**

### **Analytic Sensitivity**

The smallest amount or concentration of an ana-

lyte that a laboratory method can reliably detect. It concerns measurement performance and differs from clinical sensitivity, which describes detection of disease in affected patients.

**Synonyms:**

### **Anaphylactic Shock**

A severe, potentially life-threatening systemic hypersensitivity reaction characterized by rapid onset of multisystem involvement, primarily affecting the skin, respiratory tract, cardiovascular system, and gastrointestinal tract. See Anaphylaxis.

**Synonyms:**

### **Anaphylaxis**

A severe, potentially life-threatening systemic hypersensitivity reaction characterized by rapid onset of multisystem involvement, primarily affecting the skin, respiratory tract, cardiovascular system, and gastrointestinal tract.

**Synonyms:**

### **Anaphylaxis During Anesthesia**

A life-threatening systemic hypersensitivity reaction that may cause sudden hypotension, bronchospasm, cardiovascular collapse, and sometimes urticaria or flushing. Common perioperative triggers include neuromuscular-blocking agents, antibiotics, chlorhexidine, and latex.

**Synonyms:**

### **Anaplasia**

A lack of differentiation, describing cells that have reverted to a more primitive, embryonic phenotype with loss of the specialized structural and functional characteristics of their tissue of origin.

**Synonyms:**

### **Anaplastic Thyroid Cancer**

A rare, rapidly growing, and highly aggressive thyroid cancer that often presents as a large fixed neck mass with dysphagia or airway compromise. Prognosis is poor; management is usually palliative.

**Synonyms:**

---

## Anastomosis (Vascular)

A surgical or natural connection between blood vessels that permits blood to flow from one vessel to another.

**Synonyms:** Vascular

## Anastomotic Leak

Breakdown of a surgical anastomosis in the gastrointestinal tract causing spillage of luminal contents into the peritoneal cavity. Presents with fever, tachycardia, abdominal pain, leukocytosis, and peritonitis. Diagnosed by CT with oral or rectal contrast showing extraluminal contrast or fluid collection.

**Synonyms:**

## Anatomical Axis

An imaginary straight line around which a body part moves or rotates.

**Synonyms:**

## Anatomical Planes

Hypothetical flat surfaces that pass through the body in anatomical position, used to slice the body for anatomical descriptions or medical imaging.

**Synonyms:**

## Anatomical Position

The standard reference position of the body used to describe anatomy, defined as standing erect, facing forward, with arms at the sides and palms facing forward.

**Synonyms:**

## Anatomical Snuffbox

Triangular depression on the dorsal wrist, bounded by extensor pollicis longus medially and extensor pollicis brevis/abductor pollicis longus laterally. Floor contains the scaphoid, trapezium, and radial artery. Tenderness after a fall on an outstretched hand suggests scaphoid fracture. The radial artery pulse is palpable here.

**Synonyms:**

## Anatomy

Study of body structure. Regions: head, neck, tho-

rax, abdomen, pelvis, extremities. Systems: skeletal, muscular, nervous, circulatory, respiratory, digestive, urinary, reproductive, endocrine, immune.

**Synonyms:**

## Anatomy Survey (Level II Ultrasound)

A comprehensive fetal ultrasound performed at 18-22 weeks to evaluate fetal anatomy and screen for structural anomalies.

**Synonyms:** Level II ultrasound; anatomy scan.

## Anemia in Pregnancy

Anemia occurring during pregnancy, commonly because of iron deficiency or the normal plasma-volume expansion of pregnancy. Assessment considers hemoglobin, mean corpuscular volume, iron status, folate, vitamin B12, bleeding, and other causes.

**Synonyms:** Gestational anemia; pregnancy-associated anemia.

## Apgar Score

A structured assessment of a newborn's appearance, pulse, grimace, activity, and respiration, usually recorded at 1 and 5 minutes after birth. It describes immediate adaptation after delivery and helps guide resuscitation; it is not a standalone diagnosis or long-term prognostic test.

**Synonyms:** Apgar assessment; newborn Apgar score.

## ANCA-Associated Vasculitis

A group of small-vessel vasculitides associated with antineutrophil cytoplasmic antibodies. Includes granulomatosis with polyangiitis (c-ANCA/PR3), microscopic polyangiitis (p-ANCA/MPO), and eosinophilic granulomatosis with polyangiitis (p-ANCA/MPO with asthma/eosinophilia).

**Synonyms:**

## Ancillary Test (Pathology)

A test performed in addition to routine morphology to refine a pathologic diagnosis. Examples include IHC, flow cytometry, cytogenetics, molecular testing, special stains, and electron microscopy.

---

**Synonyms:** Pathology

### **Ancylostoma (Hookworm)**

Nematode infestation by *Ancylostoma duodenale* (Old World) or *Necator americanus* (New World), common in tropical and subtropical regions where sanitation is poor.

**Synonyms:** Hookworm

### **Androgen Deficiency**

Hypogonadism in males: reduced testosterone production causing symptoms and signs. Causes: primary (testicular—Klinefelter, mumps orchitis, chemotherapy, trauma) and secondary (pituitary/hypothalamic—prolactinoma, iron overload, pituitary lesions, opioids, obesity, aging).

**Synonyms:**

### **Androgen Insensitivity Syndrome**

A difference of sex development in which the cells of a genetically male fetus cannot respond to androgens because of a defect in the androgen receptor. Affected individuals have typical female external genitalia and breast development but no uterus, and testes that may lie in the groin or abdomen; diagnosis and care require specialist endocrine and genetic assessment.

**Synonyms:**

### **Androgenetic Alopecia**

The most common cause of hair loss, caused by progressive miniaturization of genetically susceptible hair follicles under androgen influence. Male pattern commonly affects the frontal hairline and vertex; female pattern commonly causes diffuse crown thinning with relative preservation of the frontal hairline.

**Synonyms:**

### **Andropause**

Age-related testosterone decline in men. Symptoms: fatigue, decreased libido, depression. Treatment controversial.

**Synonyms:**

### **Anejaculation**

Absence of ejaculation. Causes: neurological, surgical, pharmacological, psychological.

**Synonyms:**

### **Anemia**

A reduction in the oxygen-carrying capacity of the blood, defined by a hemoglobin concentration below the normal range for age and sex: less than 13.5 g/dL in adult males, less than 12.0 g/dL in adult females.

**Synonyms:**

### **Anemia (Cancer)**

Anemia occurring in a person with cancer, caused by the cancer itself, bleeding, inflammation, nutritional deficiency, or treatment. Evaluation identifies the cause; management may include treating the underlying problem, iron or other replacement, transfusion, or selected medicines.

**Synonyms:** Cancer

### **Anemia of Chronic Disease**

Anemia of inflammation. Normocytic or microcytic. Low iron, low TIBC, normal/high ferritin.

**Synonyms:**

### **Anencephaly**

A fatal neural tube defect where the cerebral hemispheres and cranial vault fail to develop due to failed closure of the rostral neuropore during the fourth week of gestation. The brainstem and spinal cord are present, and reflex movements may occur, but there is no cognitive function.

**Synonyms:**

### **Anergy**

State of T-lymphocyte non-responsiveness to nominal antigen despite prior sensitization, reflecting functional inactivation rather than cell death.

**Synonyms:**

### **Anesthesia**

The use of medications to prevent sensation, particularly pain, during medical procedures or surgery.

---

**Synonyms:**

### **Anesthesia for Coagulopathy**

Coagulopathy can increase bleeding risk during an operation or invasive procedure. Anesthetic planning considers the cause, bleeding history, platelet count, coagulation tests, fibrinogen, the procedure, and available correction or replacement therapies.

**Synonyms:**

### **Anesthesia for Epilepsy**

Patients with epilepsy generally require continuation of antiseizure medication perioperatively because missed doses increase seizure risk. Propofol and benzodiazepines are anticonvulsant; high concentrations of some volatile agents may produce epileptiform activity.

**Synonyms:**

### **Anesthesia for Hemophilia**

Hemophilia A results from factor VIII deficiency and hemophilia B from factor IX deficiency. Perioperative care is coordinated with hematology and uses factor replacement or, in selected mild hemophilia A cases, desmopressin.

**Synonyms:**

### **Anesthesia for Neurosurgery**

Neuroanesthesia aims to maintain cerebral perfusion pressure (CPP = mean arterial pressure minus intracranial pressure), optimize brain relaxation, and minimize secondary brain injury. Induction agents (propofol, etomidate) reduce cerebral metabolic rate and intracranial pressure.

**Synonyms:**

### **Anesthesia for Pheochromocytoma**

Anesthetic care for pheochromocytoma requires control of catecholamine effects before surgery, careful management of blood pressure and heart rate, and preparation for rapid hemodynamic changes.

**Synonyms:**

### **Anesthesia for Porphyria**

Anesthetic care in acute porphyria requires avoid-

ance of medicines known to precipitate attacks and attention to nutrition, pain, and metabolic stability. The specific drug plan should be checked against a current porphyria-safety reference.

**Synonyms:**

### **Anesthesia Gas Analyzers**

Anesthesia gas analyzers measure delivered and exhaled concentrations of oxygen, carbon dioxide, and volatile anesthetic agents. The oxygen analyzer measures inspired oxygen concentration; pulse oximetry measures peripheral hemoglobin oxygen saturation.

**Synonyms:**

### **Anesthesia Informatics**

Anesthesia informatics integrates electronic health records, decision support systems, and data analytics into clinical practice. Automated documentation reduces charting time. Clinical decision support alerts for drug interactions and dosing errors. Big data analytics identify patterns in anesthesia outcomes.

**Synonyms:**

### **Anesthesia Machine**

The anesthesia machine delivers precise mixtures of oxygen, air, and volatile anesthetics to the patient.

**Synonyms:**

### **Anesthesia Monitoring**

Continuous assessment of vital functions during anesthesia, typically including oxygenation, ventilation, circulation, temperature, and depth of anesthesia as clinically indicated.

**Synonyms:**

### **Anesthesia Pharmacogenomics**

Anesthesia pharmacogenomics studies genetic variations affecting drug response. Pseudocholinesterase deficiency causes prolonged succinylcholine paralysis. CYP2D6 polymorphisms affect codeine metabolism to morphine. Malignant hyperthermia susceptibility is linked to RYR1 gene mutations.

**Synonyms:**

---

## Aneuploidy

The presence of an abnormal number of chromosomes in a cell, with either extra or missing copies of whole chromosomes, such as trisomy 21. It results from errors in cell division and is a major cause of miscarriage, congenital syndromes, and chromosomal disorders identified by prenatal testing.

**Synonyms:**

## Aneurysm

A localized weakening and enlargement of a blood vessel. Aneurysms may occur in arteries or, rarely, veins and may rupture, dissect, or form emboli depending on their location and cause.

**Synonyms:**

## Aneurysm Clip

Surgical clip occluding aneurysm neck. Materials: titanium, stainless steel. Indications: intracranial aneurysm. Placed via craniotomy. Complications: clip migration, vessel occlusion, rebleeding.

**Synonyms:**

## Aneurysm Coils

Flexible coils, often made of platinum, placed inside an aneurysm to promote clotting and reduce blood flow into the aneurysm.

**Synonyms:**

## Aneurysm Repair

Surgical or catheter-based treatment that excludes or replaces a weakened, dilated section of a blood vessel when the risk of rupture or other complications justifies intervention.

**Synonyms:**

## Angelman Syndrome

A genetic disorder caused by loss of function of the UBE3A gene on chromosome 15 (maternal deletion or paternal uniparental disomy). Features: severe intellectual disability, absent speech, seizures, ataxia, and frequent laughter. Characteristic happy demeanor with hand-flapping movements.

**Synonyms:**

## Angina Pectoris

Chest discomfort caused by myocardial ischemia without infarction. Stable angina occurs predictably with exertion and resolves with rest. Unstable angina occurs at rest or with minimal exertion and is an acute coronary syndrome. Prinzmetal (variant) angina occurs at rest due to coronary vasospasm.

**Synonyms:**

## Angiodysplasia

Dilated, fragile blood vessels in the gastrointestinal mucosa or submucosa, often occurring in the right colon of older adults. They may cause intermittent or recurrent gastrointestinal bleeding and anemia.

**Synonyms:**

## Angioedema

Rapid swelling of the deep dermis/subcutaneous and submucosal tissues (lips, eyelids, tongue, throat, hands, GI tract) due to mast cell mediator release (histamine—allergic/idiopathic, urticaria associated) or bradykinin-mediated (hereditary angioedema—C1 esterase inhibitor deficiency; ACE-inhibitor-induced).

**Synonyms:**

## Angiogenesis

Formation of new blood vessels. Tumors induce angiogenesis for growth. Targeted by anti-angiogenic drugs (bevacizumab).

**Synonyms:**

## Angiography

Invasive imaging of blood vessels by injecting contrast material under fluoroscopy. Coronary angiography (cardiac catheterization): assesses coronary artery stenosis, guides PCI. Cerebral angiography: evaluates aneurysms, AVMs, and vasculitis. Peripheral angiography: evaluates PAD and guides intervention.

**Synonyms:**

## Angiomyolipoma

A benign renal tumor composed of blood vessels, smooth muscle, and fat; it is associated with tuber-

---

ous sclerosis and may cause retroperitoneal hemorrhage.

**Synonyms:**

### **Angioplasty**

A procedure that widens a narrowed blood vessel, usually with a balloon and sometimes a stent. It is used most often for coronary or peripheral arterial disease.

**Synonyms:**

### **Angioplasty Balloon (Vascular)**

An inflatable catheter balloon used to widen a narrowed blood vessel or expand a stent.

**Synonyms:** Vascular

### **Angiosarcoma**

A rare, aggressive malignant tumor of blood vessel or lymphatic endothelial cells. Common sites include skin, breast, liver, and bone. Treatment typically involves wide surgical excision with chemotherapy and radiation.

**Synonyms:**

### **Angiotensin converting-enzyme inhibitor**

A class of antihypertensive medications that block the conversion of angiotensin I to angiotensin II by inhibiting the angiotensin-converting enzyme, thereby reducing vasoconstriction and aldosterone secretion. Used to treat hypertension, heart failure, and diabetic nephropathy.

**Synonyms:**

### **Angiotensin Receptor Blockers**

A class of cardiovascular drugs that selectively block the angiotensin II type 1 receptor, preventing the binding of angiotensin II and its effects including vasoconstriction, aldosterone secretion, and sympathetic activation.

**Synonyms:**

### **Anhedonia**

The inability to experience pleasure from activities that were previously enjoyable. It is a core symptom of major depressive disorder and a negative

symptom of schizophrenia. It is mediated by dysfunction in the brain's reward circuitry, particularly the mesolimbic dopamine system.

**Synonyms:**

### **Anhidrosis**

Absent or greatly reduced sweating. It may result from nerve damage, skin disease, dehydration, medications, or inherited conditions. Inability to sweat can cause dangerous overheating, especially during exercise or hot weather.

**Synonyms:**

### **Animal-Assisted Therapy**

A structured intervention in which trained animals are incorporated into care to support defined therapeutic goals. It may be used to support engagement, mood, communication, or activity when appropriate safeguards are in place.

**Synonyms:**

### **Anion Gap**

A calculated estimate of unmeasured serum anions, commonly sodium minus chloride and bicarbonate. An increased anion gap supports the presence of unmeasured acids in metabolic acidosis, but interpretation must account for albumin concentration and laboratory method.

**Synonyms:**

### **Anisocoria**

Unequal pupil size. It may be physiologic or caused by disorders of the eye, autonomic nerves, or brain; sudden anisocoria with headache, eye pain, or neurologic symptoms requires urgent assessment.

**Synonyms:**

### **Anisocytosis**

Increased variation in red blood cell size on a peripheral blood film (e.g., macrocytes with microcytes together), not a diagnosis in itself. Derived from the Greek "anisokytosis" (unequal cells). Quantified by an elevated red cell distribution width (RDW).

**Synonyms:**



---

## Ankle Arthroplasty

Surgical replacement of the ankle joint with a prosthesis, usually for severe symptomatic ankle arthritis. Suitability depends on deformity, bone quality, infection risk, activity level, and the condition of the surrounding joints.

**Synonyms:**

## Ankle Dislocation

Complete displacement of the ankle joint surfaces, usually resulting from a high-energy injury and often accompanied by a fracture, ligament damage, or neurovascular compromise. It causes severe pain, deformity, and inability to bear weight. The joint requires urgent reduction, imaging, and immobilization, with surgical management when instability or associated fractures demand it.

**Synonyms:**

## Ankle Fractures

Ankle fractures: Weber classification (fibular fracture relative to syndesmosis): A (below syndesmosis, stable), B (at syndesmosis, variable stability), C (above syndesmosis, unstable). Lauge-Hansen: supination-external rotation (SER, most common), supination-adduction, pronation-external rotation, pronation-abduction.

**Synonyms:**

## Ankle Joint

Uniaxial hinge synovial joint between distal tibia, lateral malleolus, and superior talus, allowing dorsiflexion/plantarflexion. Medial (deltoid) ligament resists eversion; lateral complex resists inversion. The ankle mortise provides bony stability.

**Synonyms:**

## Ankle Pain

Pain in or around the ankle, commonly caused by sprain, fracture, tendinitis, arthritis, bursitis, or infection. Inability to bear weight, deformity, marked swelling, or fever requires prompt assessment.

**Synonyms:**

## Ankle Sprain

An injury to the ligaments surrounding the ankle joint, most commonly involving the lateral ligament complex (anterior talofibular ligament [ATFL, most commonly injured], calcaneofibular ligament [CFL], and posterior talofibular ligament [PTFL]) from an inversion mechanism.

**Synonyms:**

## Ankle Swelling

Enlargement around the ankle caused by injury, inflammation, infection, venous disease, lymphatic problems, or fluid retention. One-sided sudden swelling with pain, warmth, or shortness of breath may indicate a blood clot or infection and requires urgent assessment; swelling after trauma may require evaluation for fracture.

**Synonyms:**

## Ankle-Brachial Index

The ratio of ankle systolic blood pressure to brachial systolic blood pressure. A low result supports peripheral arterial disease, while a very high result may indicate noncompressible arteries.

**Synonyms:**

## Ankyloglossia (Tongue-Tie)

Short or thick lingual frenulum restricting tongue movement. May cause breastfeeding difficulties, speech problems, oral hygiene issues. Treatment: frenotomy (simple release) or frenuloplasty.

**Synonyms:** Tongue-Tie

## Ankylosing Spondylitis

A chronic, progressive inflammatory disease primarily affecting the axial skeleton (sacroiliac joints and spine), characterized by inflammation at entheses (where tendons, ligaments, and joint capsules insert into bone), leading to new bone formation, syndesmophyte development, and eventual vertebral fusion (bamboo spine).

**Synonyms:**

## Ankylosis

Abnormal stiffness or fusion of a joint. In dentistry,

---

it may refer to fusion of a tooth root to the surrounding bone.

**Synonyms:**

### **Annihilation**

Positron-electron annihilation producing two 511 keV photons in opposite directions.

**Synonyms:**

### **Annular Pancreas**

A congenital anomaly where a ring of pancreatic tissue completely or partially encircles the second portion of the duodenum, causing duodenal obstruction. It results from failure of the ventral pancreatic bud to completely rotate around the duodenum during embryogenesis.

**Synonyms:**

### **Anodontia**

Complete absence of teeth. Rare, associated with ectodermal dysplasia.

**Synonyms:**

### **Anophthalmia**

Congenital absence of the eye due to failure of optic vesicle development, often associated with syndromes (e.g., SOX2 mutations). Diagnosis by absence of globe on imaging or clinical examination; management requires early socket expansion and prosthetic fitting for orbital and facial development.

**Synonyms:**

### **Anorectal Abscess**

A localized collection of pus in the tissues around the anus or rectum, usually caused by infection of an anal gland. It commonly causes severe anal pain, swelling, fever, and difficulty sitting. Prompt incision and drainage is the standard treatment.

**Synonyms:**

### **Anorectal Malformation**

A congenital abnormality in which the anus or rectum does not develop normally or does not connect appropriately to the perineum. Types vary in anatomy and severity and usually require specialist

surgical assessment.

**Synonyms:**

### **Anorectal Manometry**

Measurement of pressures in the anal canal and rectum to assess sphincter function and rectal sensation. A pressure-sensing catheter is inserted into the rectum and slowly withdrawn through the anal canal. Measures resting and squeeze pressures reflecting internal and external sphincter function respectively.

**Synonyms:**

### **Anorexia**

Loss of appetite, distinct from anorexia nervosa (the eating disorder).

**Synonyms:**

### **Anorexia Nervosa**

An eating disorder characterized by restriction of energy intake, intense fear of weight gain, and distorted body image. Highest mortality of any psychiatric disorder. Features: emaciation, lanugo, bradycardia, hypotension, amenorrhea, and electrolyte abnormalities. Diagnosis by DSM-5 criteria.

**Synonyms:**

### **Anorgasmia**

Persistent or recurrent delay in, or absence of, orgasm following a normal sexual excitement phase.

**Synonyms:**

### **Anoscopy**

Examination of the anal canal with a short lighted instrument called an anoscope. It is used to evaluate rectal bleeding, hemorrhoids, fissures, fistulas, and other anorectal disorders.

**Synonyms:**

### **Anosmia**

Complete loss of the sense of smell. Causes include post-viral olfactory dysfunction, chronic rhinosinusitis with polyps, head trauma, neurodegenerative disease, congenital disorders such as Kallmann syndrome, medications, and toxic exposure.

---

**Synonyms:**

### **Anosognosia**

Denial or unawareness of one's own neurologic deficit, classically hemiplegia following a nondominant (right) parietal lobe lesion. Associated with right middle cerebral artery strokes and sometimes with neglect of the left side of space.

**Synonyms:**

### **Anovulation**

Failure to release an egg from the ovary during the menstrual cycle. It may cause irregular or absent periods, infertility, or abnormal bleeding and can result from hormonal disorders, excessive exercise, low body weight, stress, or polycystic ovary syndrome.

**Synonyms:**

### **Anoxia**

Complete absence of oxygen supply to tissues, distinguished from hypoxia (reduced oxygen). Anoxia causes rapid cell death, particularly in highly aerobic tissues (brain, heart, kidneys).

**Synonyms:**

### **Antacids**

Medications that neutralise gastric acid, providing rapid symptomatic relief in dyspepsia, gastroesophageal reflux, and peptic ulcer disease. Commonly contain aluminium hydroxide, magnesium hydroxide, calcium carbonate, or sodium bicarbonate.

**Synonyms:**

### **Antecubital Fossa**

Triangular depression on the anterior elbow, bounded laterally by brachioradialis, medially by pronator teres, and superiorly by a line connecting the epicondyles. Floor formed by brachialis and supinator. Contains biceps tendon, brachial artery, and median nerve. Primary site for venipuncture and blood pressure measurement.

**Synonyms:**

### **Antemortem Injury**

Injury inflicted upon a body prior to death, characterized microscopically and macroscopically by physiological tissue responses including hemorrhage, blood clotting, inflammatory cell infiltration, tissue edema, and active healing reactions (differentiating it from postmortem artifact).

**Synonyms:**

### **Antenatal**

The period before birth, also called prenatal. The medical supervision and screening provided to pregnant women to monitor the health of the mother and fetus, detect complications early, and provide health education.

**Synonyms:** prenatal.

### **Antepartum Fetal Surveillance**

The monitoring of fetal well-being in the third trimester for high-risk pregnancies. Methods: fetal kick counts (daily maternal counting of fetal movements), non-stress test (NST), biophysical profile (BPP, AFI, fetal tone, movement, breathing), and Doppler (umbilical artery, MCA).

**Synonyms:**

### **Antepartum Hemorrhage**

Bleeding from the genital tract after the threshold of fetal viability and before birth. Important causes include placenta previa, placental abruption, vasa previa, and local cervical or vaginal lesions; maternal stabilization and fetal assessment are priorities.

**Synonyms:**

### **Anterior**

Relating to the front of the body or positioned closer to the front.

**Synonyms:**

### **Anterior Chamber Angle**

The anterior chamber angle is the anatomical region where the cornea and iris meet, and it contains the trabecular meshwork, the primary drainage structure for aqueous humor from the eye.

**Synonyms:**

---

### Anterior Cruciate Ligament Injury

Tear of the ACL, a common sports injury (non-contact deceleration, pivoting, or hyperextension). Presents with a pop, immediate swelling (hemarthrosis), and giving way of the knee. Positive Lachman test (most sensitive), anterior drawer test, and pivot shift test.

**Synonyms:**

### Anterior Cruciate Ligament Tear

ACL tear: common knee injury, often non-contact pivoting sports. Symptoms: popping sound, swelling, instability, inability to continue play. Diagnosis: Lachman test, anterior drawer, MRI. Treatment: surgical reconstruction (autograft/allograft), rehabilitation.

**Synonyms:**

### Anterior Pituitary

The glandular portion of the pituitary that secretes ACTH, TSH, growth hormone, prolactin, FSH, and LH in response to hypothalamic releasing hormones. Its hormones regulate adrenal, thyroid, growth, lactation, and reproductive function.

**Synonyms:**

### Anterior Tibial Artery

Arises from the popliteal artery, passes through the anterior intermuscular septum to the anterior compartment, continuing to the ankle as the dorsalis pedis artery. Supplies anterior leg and dorsal foot muscles. Palpable anterior to the lateral malleolus as the dorsalis pedis pulse.

**Synonyms:**

### Anterior Uveitis

Anterior uveitis, also known as iritis or iridocyclitis when the ciliary body is involved, is inflammation of the anterior segment of the eye involving the iris and/or ciliary body, and it is the most common form of uveitis.

**Synonyms:** iritis or iridocyclitis when the ciliary body is.

### Anterior/Posterior Drawer Test

A clinical test of knee stability. Anterior displacement assesses the anterior cruciate ligament, and posterior displacement assesses the posterior cruciate ligament.

**Synonyms:**

### Anthrax

A serious infectious disease caused by the gram-positive bacterium *Bacillus anthracis*, which forms highly resistant spores that can persist in the environment for decades, and it is primarily a zoonotic disease of herbivores (cattle, sheep, goats) that can be transmitted to humans through contact with infected animals or their products.

**Synonyms:**

### Anthropometry

Body measurements: weight, height, BMI, waist, hip, skinfold thickness. Assessment of nutritional status and body composition.

**Synonyms:**

### Anti-CCP

An autoantibody against citrullinated proteins. It supports the diagnosis of rheumatoid arthritis and may be associated with a more erosive disease course, but it must be interpreted with the clinical findings.

**Synonyms:**

### Anti-CCP Antibody

A blood antibody directed against citrullinated proteins. It can support assessment of rheumatoid arthritis and may be detectable before joint symptoms, but a positive or negative result is not diagnostic by itself.

**Synonyms:**

### Anti-citrullinated peptide antibody

An autoantibody against citrullinated proteins that may support a diagnosis of rheumatoid arthritis. Its significance depends on the clinical context.

**Synonyms:**

---

### Anti-dsDNA Antibody

An autoantibody directed against double-stranded DNA. It supports the diagnosis of systemic lupus erythematosus and may be associated with disease activity, particularly kidney involvement; results are interpreted with other findings.

**Synonyms:**

### Anti-GBM Disease

Autoimmune disease with antibodies against alpha-3 chain of type IV collagen in glomerular and alveolar basement membranes. Presents with crescentic GN and pulmonary hemorrhage (Goodpasture syndrome). Linear IgG deposits on immunofluorescence. Treatment requires emergent plasmapheresis, cyclophosphamide, and corticosteroids.

**Synonyms:**

### Anti-IgE Therapy

Omalizumab is a monoclonal antibody that binds free IgE, preventing it from binding to mast cells and basophils. It reduces allergic inflammation and is approved for moderate-to-severe persistent allergic asthma. It reduces exacerbations and the need for oral corticosteroids. It is administered by subcutaneous injection every 2–4 weeks.

**Synonyms:**

### Anti-IL4 Receptor Therapy

Dupilumab is a monoclonal antibody blocking the IL-4 receptor alpha subunit, inhibiting both IL-4 and IL-13 signaling. It is approved for moderate-to-severe asthma with eosinophilic phenotype or oral corticosteroid dependence. It reduces exacerbations and improves lung function.

**Synonyms:**

### Anti-IL5 Therapy

Treatment with monoclonal antibodies that block interleukin-5 signaling or its receptor, thereby reducing eosinophil production or survival. It is used for selected eosinophilic diseases, including some forms of severe asthma.

**Synonyms:**

### Anti-inflammatory

A medicine or other treatment that reduces inflammation.

**Synonyms:**

### Anti-MDA5 dermatomyositis

A clinically distinct subtype of dermatomyositis associated with anti-melanoma differentiation-associated gene 5 antibodies, characterised by skin-predominant disease, mechanic's hands, and a high risk of rapidly progressive interstitial lung disease.

**Synonyms:**

### Anti-Mullerian Hormone

A hormone produced by granulosa cells of ovarian follicles. It is measured in selected fertility and reproductive evaluations, but it does not by itself determine fertility.

**Synonyms:**

### Anti-Reflux Surgery

An operation intended to reduce reflux of stomach contents into the esophagus, usually by reinforcing the gastroesophageal junction. It may be considered for selected patients with gastroesophageal reflux disease or a hiatal hernia.

**Synonyms:**

### Antianginal

A class of medications used to prevent or relieve angina pectoris (chest pain from myocardial ischemia).

**Synonyms:**

### Antiarrhythmic

A drug used to treat or prevent abnormal cardiac rhythms. Drug classes act mainly on sodium channels, sympathetic stimulation, potassium channels, or calcium channels; selection depends on the rhythm and the patient's clinical condition.

**Synonyms:**

### Antibiogram

A periodic summary of antimicrobial susceptibility patterns of bacterial isolates from a hospital or

---

laboratory. Guides empiric antibiotic therapy by showing local resistance patterns (e.g., % of *E. coli* susceptible to TMP-SMX). Updates annually.

**Synonyms:**

### **Antibiotic**

A substance that kills or slows the growth of bacteria.

**Synonyms:**

### **Antibiotic cycling**

A strategy in which the preferred antibiotic for a particular clinical use is changed at planned intervals. It is intended to limit selection of resistant organisms, although its benefit depends on local conditions and implementation.

**Synonyms:**

### **Antibiotic de-escalation**

The process of narrowing antimicrobial spectrum based on microbiological results and clinical response. De-escalation aims to reduce selective pressure for resistance while maintaining therapeutic efficacy.

**Synonyms:**

### **Antibiotic mixing**

A strategy in which different antibiotics are assigned concurrently to different patients with the same indication. It is intended to reduce uniform selection pressure for resistance in a patient population.

**Synonyms:**

### **Antibiotic Resistance**

Bacteria resisting antibiotic effects. Mechanisms: enzymatic degradation, target modification, efflux pumps, membrane permeability. Driven by antibiotic overuse.

**Synonyms:**

### **Antibiotic resistance genes**

Genes that encode mechanisms conferring resistance to antibiotics. These genes can be located on chromosomes, plasmids, or transposons. Major resistance genes include *mecA* (methicillin resistance

in *S. aureus*), *vanA/vanB* (vancomycin resistance in *Enterococcus*), and *blaKPC* (carbapenem resistance).

**Synonyms:**

### **Antibiotic Stewardship**

Coordinated efforts to use antibiotics appropriately by selecting the right medicine, dose, route, and duration while reducing unnecessary treatment and resistance.

**Synonyms:**

### **Antibodies**

Immunoglobulin proteins produced by B cells that bind to specific antigens. There are five classes: IgG (most abundant), IgM (first produced), IgA (mucosal immunity), IgE (allergic responses), and IgD. Antibodies neutralise pathogens, opsonise for phagocytosis, activate complement, and mediate antibody-dependent cellular cytotoxicity.

**Synonyms:**

### **Anticholinergic Burden**

The cumulative effect of taking multiple medications with anticholinergic properties. It can cause dry mouth, constipation, urinary retention, blurred vision, confusion, and delirium, especially in elderly patients. Many psychiatric medications (TCAs, first-generation antipsychotics, some antihistamines) have anticholinergic effects.

**Synonyms:**

### **Anticholinergic Cognitive Burden Scale**

A medication-review tool that estimates the total anticholinergic load of a patient's medicines. It supports risk assessment and deprescribing but does not replace individualized clinical judgment.

**Synonyms:**

### **Anticoagulant Monitoring**

Laboratory assessment used to measure the effect or safety of an anticoagulant. The appropriate test depends on the drug and may include aPTT, anti-Xa activity, INR, or measurements of kidney function and blood counts.



---

**Synonyms:**

### **Anticoagulation**

Treatment that reduces blood clot formation by inhibiting the coagulation system. It is used for conditions such as venous thromboembolism and selected cardiac or vascular disorders.

**Synonyms:**

### **Anticodon**

A three-nucleotide sequence at one end of transfer RNA that base-pairs with a complementary messenger RNA codon during translation, ensuring the correct amino acid is incorporated into the growing polypeptide.

**Synonyms:**

### **Anticonvulsant Mood Stabilizers**

Antiepileptic drugs used as mood stabilizers in bipolar disorder. Valproate (divalproex) is effective for acute mania and rapid cycling. Carbamazepine is effective for acute mania but has numerous drug interactions via CYP3A4 induction. Lamotrigine is effective for bipolar depression prevention but not acute mania.

**Synonyms:**

### **Anticonvulsants**

Medications used to prevent or control seizures in epilepsy and other seizure disorders.

**Synonyms:**

### **Antidiabetic**

A class of medications used to manage diabetes mellitus by lowering blood glucose levels through various mechanisms.

**Synonyms:**

### **Antidiarrheal**

A drug that reduces the frequency or volume of diarrhea. Some antidiarrheals should be avoided when there is bloody diarrhea, high fever, suspected invasive infection, or ileus.

**Synonyms:**

### **Antidiuretic Hormone**

A hypothalamic hormone released from the posterior pituitary in response to increased plasma osmolality or reduced effective circulating volume. It increases collecting-duct water permeability through V2 receptors and promotes vasoconstriction through V1 receptors.

**Synonyms:**

### **Antidiuretic Hormone Physiology**

Antidiuretic hormone also known as vasopressin is synthesized in the supraoptic and paraventricular nuclei of the hypothalamus and stored in the posterior pituitary. Released in response to increased serum osmolality detected by hypothalamic osmoreceptors and decreased blood volume detected by baroreceptors.

**Synonyms:** vasopressin is synthesized in the supraoptic and.

### **Antidiuretic Hormone Resistance**

Impaired renal response to vasopressin, causing excessive production of dilute urine and polydipsia. Causes include lithium, hypercalcemia, hypokalemia, chronic kidney disease, and inherited defects of the vasopressin receptor or aquaporin pathway.

**Synonyms:**

### **Antidote**

Substance that counteracts poison toxicity. Specific: naloxone (opioids), flumazenil (benzodiazepines), N-acetylcysteine (acetaminophen), digoxin immune Fab (digoxin), chelators (EDTA, deferoxamine, dimercaprol), atropine + pralidoxime (organophosphates), methylene blue (methemoglobinemia), cyanide antidote kit (nitrite + thiosulfate).

**Synonyms:**

### **Antiemetic**

A medication that prevents or treats nausea and vomiting.

**Synonyms:**

---

## Antiepileptic Drugs

Medications used to prevent and control seizures by modulating neuronal excitability through various mechanisms. They can be classified by their primary mechanism of action.

**Synonyms:**

## Antifungal

A drug used to treat fungal infections.

**Synonyms:**

## Antifungal drug classes

Major classes of antifungal agents include polyenes (amphotericin B), azoles (fluconazole, voriconazole), echinocandins (caspofungin, micafungin), and allylamines (terbinafine). Polyenes bind to ergosterol in fungal cell membranes. Azoles inhibit ergosterol synthesis. Echinocandins inhibit cell wall synthesis.

**Synonyms:**

## Antifungal prophylaxis

The use of antifungal agents to prevent invasive fungal infections in high-risk patients. Common indications include prolonged neutropenia, hematopoietic stem cell transplantation, and advanced HIV infection. Fluconazole, posaconazole, and micafungin are used for prophylaxis.

**Synonyms:**

## Antifungal resistance

The ability of fungi to withstand the effects of antifungal agents. Resistance can be intrinsic or acquired. Azole resistance occurs through efflux pumps and target mutations. Echinocandin resistance occurs through FKS gene mutations. Amphotericin B resistance is rare.

**Synonyms:**

## Antigen

A molecule or molecular structure specifically recognized by an antibody, B-cell receptor, or T-cell receptor. An immunogen is an antigen capable of inducing an immune response; antigenicity and immunogenicity are related but not synonymous properties.

**Synonyms:**

## Antigen Detection Test

A diagnostic assay that identifies a pathogen-derived antigen in a clinical specimen using a specific antibody or related binding reagent. It is generally rapid but may be less sensitive than nucleic-acid amplification, especially when organism burden is low.

**Synonyms:**

## Antigen-Presenting Cell

Specialized immune cells that process protein antigens and display peptide fragments bound to Major Histocompatibility Complex (MHC) molecules on their surface for recognition by T-cell receptors. Professional APCs: dendritic cells (most potent for naive T cells), macrophages, and B cells.

**Synonyms:**

## Antigenic Drift

The gradual accumulation of point mutations in viral surface antigens (hemagglutinin, neuraminidase) during replication, allowing influenza viruses to evade pre-existing antibodies and cause recurrent seasonal epidemics. Drift is continuous and selected by host immunity; it is why the seasonal vaccine is updated annually.

**Synonyms:**

## Antigenic Shift

A major, abrupt change in the antigenic structure of a virus (especially influenza A) resulting from genetic reassortment between different strains (e.g., human and avian viruses) infecting the same cell.

**Synonyms:**

## Antigenic variation

The process by which pathogens change their surface proteins to evade immune recognition. Antigenic drift: gradual changes in surface proteins. Antigenic shift: major changes through reassortment of genome segments. Influenza virus demonstrates both mechanisms. Trypanosomes and Plasmodium also use antigenic variation.

---

**Synonyms:**

### **Antigout**

A class of medications used to treat gout by reducing uric acid levels or controlling acute inflammation.

**Synonyms:**

### **Antihistamine**

A drug that blocks histamine receptors. H1 antihistamines treat allergic rhinitis, urticaria, pruritus, and (older sedating agents) insomnia and motion sickness. First-generation (diphenhydramine, chlorpheniramine): CNS-penetrant—sedating, anticholinergic (dry mouth, urinary retention, confusion in elderly).

**Synonyms:**

### **Antihypertensive**

A medicine used to lower blood pressure. Classes include ACE inhibitors, angiotensin-receptor blockers, calcium-channel blockers, thiazide-type diuretics, beta-blockers, and other agents. Selection depends on blood pressure, kidney function, cardiovascular disease, pregnancy, and other clinical factors.

**Synonyms:**

### **Antihypertensives in Pregnancy**

Medications used to treat hypertension in pregnancy.

**Synonyms:**

### **Antimicrobial**

A general term for antibiotics and other drugs that fight microscopic organisms in the body, such as bacteria, viruses, fungi, and parasites.

**Synonyms:**

### **Antimicrobial adverse effects**

Side effects associated with antimicrobial agents. Beta-lactams can cause allergic reactions. Fluoroquinolones can cause tendon rupture and QT prolongation. Aminoglycosides can cause nephrotoxicity and ototoxicity. Azole antifungals can cause hepatotoxicity.

**Synonyms:**

### **Antimicrobial desensitization**

A procedure that administers gradually increasing doses of an antimicrobial to temporarily induce tolerance in a person with a documented or strongly suspected immediate allergy. It may be considered when that antimicrobial is clinically necessary and suitable alternatives are not available.

**Synonyms:**

### **Antimicrobial dosing optimization**

Strategies to ensure antimicrobial agents achieve therapeutic concentrations at the site of infection. Optimization includes appropriate drug selection, dosing interval, route of administration, and duration of therapy. Extended or continuous infusion of beta-lactams may improve outcomes. Weight-based dosing is important for many agents.

**Synonyms:**

### **Antimicrobial drug interactions**

Interactions between antimicrobial agents and other medications. Fluoroquinolones chelate divalent cations. Macrolides inhibit CYP3A4. Rifampin is a potent enzyme inducer. Azole antifungals inhibit CYP3A4. Understanding drug interactions is essential for safe prescribing and preventing adverse effects.

**Synonyms:**

### **Antimicrobial hypersensitivity reactions**

Immune-mediated reactions to antimicrobial agents that may range from a mild rash to life-threatening anaphylaxis. The reaction depends on the drug, the patient, and the type of immune response.

**Synonyms:**

### **Antimicrobial pharmacodynamics**

The relationship between antimicrobial drug concentrations and their effect on microorganisms. Time-dependent antibiotics (beta-lactams) are most effective when concentrations remain above the MIC. Concentration-dependent antibiotics (aminoglycosides) are most effective with high peak concentrations.

**Synonyms:**

---

### Antimicrobial pharmacokinetics

The absorption, distribution, metabolism, and elimination of antimicrobial agents. Pharmacokinetics varies by drug class, patient factors, and disease state. Renal impairment affects elimination of many antibiotics. Hepatic impairment affects metabolism of many antifungals.

**Synonyms:**

### Antimicrobial Resistance

Microorganisms becoming resistant to antibiotics. Major global health threat. Prevention: appropriate antibiotic use, infection control.

**Synonyms:**

### Antimicrobial Resistance Mechanisms

Biological processes that allow microorganisms to survive antimicrobial exposure, including drug inactivation, modification of the drug target, reduced permeability, and active drug efflux.

**Synonyms:**

### Antimicrobial resistance surveillance

The systematic monitoring of antimicrobial resistance patterns in clinical isolates. Surveillance programmes track resistance rates over time and guide empiric therapy. National and international networks share resistance data.

**Synonyms:**

### Antimicrobial Stewardship

Coordinated actions that promote appropriate antimicrobial selection, dose, route, and duration to improve patient outcomes and limit resistance, adverse effects, and unnecessary cost.

**Synonyms:**

### Antimicrobial susceptibility testing

Laboratory methods used to estimate how susceptible a microorganism is to antimicrobial agents. Methods include disk diffusion, broth microdilution, and automated systems. Results are interpreted using standardized breakpoints and can help guide antimicrobial therapy.

**Synonyms:**

### Antineoplastic

A medicine or other treatment that inhibits the growth or survival of abnormal cells, especially cancer cells.

**Synonyms:**

### Antinuclear Antibody

ANA: autoantibodies against nuclear components (DNA, histones, ribonucleoproteins, etc.), detected by immunofluorescence (HEp-2 cells), reported with pattern (homogeneous, speckled, nucleolar, centromere) and titer.

**Synonyms:**

### Antioxidant

A substance that limits oxidation by reacting with oxidizing molecules or free radicals.

**Synonyms:**

### Antiparasitic

A drug used to treat infections caused by parasites (protozoa and helminths). Antiprotozoals: metronidazole (Giardia, amebiasis, trichomoniasis), tinidazole, chloroquine and artemisinin combinations (malaria), pyrimethamine (toxoplasmosis), pentamidine, and nifurtimox (Chagas).

**Synonyms:**

### Antiparkinson

A class of medications used to manage Parkinson disease symptoms by restoring dopaminergic activity or modulating other neurotransmitter systems.

**Synonyms:**

### Antiparkinsonian

A drug used to treat Parkinson disease and drug-induced parkinsonism.

**Synonyms:**

### Antiphospholipid Antibodies

Include lupus anticoagulant (prolongs phospholipid-dependent coagulation tests), anticardiolipin antibodies (IgG/IgM), and anti-beta-2-glycoprotein I antibodies. Detected on  $\geq 2$  occasions 12 weeks apart. Clinical criteria: vascular thrombosis or preg-

---

nancy morbidity. Can be transient (infection, drugs) or persistent.

**Synonyms:**

### **Antiphospholipid Antibody**

An autoantibody directed against phospholipid-binding proteins. Persistent antibodies may be associated with thrombosis or pregnancy complications, particularly in antiphospholipid syndrome.

**Synonyms:**

### **Antiphospholipid Syndrome**

A systemic autoimmune thrombophilia characterized by arterial and venous thrombosis, pregnancy morbidity, and persistent antiphospholipid antibody positivity.

**Synonyms:**

### **Antiplatelet Therapy**

Treatment with medicines that reduce platelet activation or aggregation, such as aspirin or clopidogrel, when clinically indicated to reduce arterial clotting.

**Synonyms:**

### **Antipruritic**

A medication that relieves itching (pruritus).

**Synonyms:**

### **Antipsychotic**

A drug used to treat psychotic disorders (schizophrenia, schizoaffective disorder, psychosis in bipolar/manic states and delirium). Typical (first-generation): haloperidol, chlorpromazine—D2 blockade, high EPS/tardive dyskinesia risk, hyperprolactinemia.

**Synonyms:**

### **Antipsychotic-Induced Parkinsonism**

Drug-induced bradykinesia, rigidity, tremor, or postural instability caused by dopamine-receptor blockade, usually from antipsychotic treatment. Management involves reviewing the medication, dose, alternatives, and symptomatic treatment when appropriate.

**Synonyms:**

### **Antipyretic**

A drug that reduces fever by lowering the hypothalamic set point, typically by inhibiting prostaglandin synthesis in the preoptic hypothalamus. Acetaminophen and NSAIDs (ibuprofen, aspirin) are the principal antipyretics.

**Synonyms:**

### **Antiretroviral therapy**

Treatment of HIV infection with combinations of antiretroviral agents. ART targets multiple steps in the viral life cycle including entry, reverse transcription, integration, and maturation. Combination ART suppresses viral replication and restores immune function. ART is lifelong therapy.

**Synonyms:**

### **Antiseptic**

Substances used on wounds to prevent or treat infection; they kill or slow the growth of diseasecausing organisms, such as bacteria, on the surface of the body.

**Synonyms:**

### **Antisocial Personality Disorder**

A pattern of disregard for and violation of the rights of others occurring since age 15 years. At least three of seven criteria: failure to conform to social norms, deceitfulness, impulsivity, irritability and aggressiveness, reckless disregard for safety, consistent irresponsibility, and lack of remorse.

**Synonyms:**

### **Antispasmodic**

A medication that reduces smooth muscle spasm, primarily in the gastrointestinal tract. Anticholinergic agents: hyoscyamine, dicyclomine, atropine — block muscarinic M3 receptors on GI smooth muscle, reducing contractions and peristalsis, used for irritable bowel syndrome and functional dyspepsia.

**Synonyms:**

### **Antistreptolysin O Titer**

A blood test that measures antibodies against streptolysin O, a toxin produced by group A streptococci.

---

Rising or elevated titers support recent streptococcal infection and help evaluate suspected rheumatic fever or poststreptococcal glomerulonephritis, although a single value does not prove active infection.

**Synonyms:**

### Antisynthetase Syndrome

An autoimmune disorder associated with antibodies against aminoacyl-tRNA synthetases, especially anti-Jo-1. It may cause interstitial lung disease, inflammatory muscle disease, arthritis, fever, Raynaud phenomenon, or mechanic's hands.

**Synonyms:**

### Antithrombin

Natural anticoagulant. Inhibits thrombin, factor Xa. Deficiency causes thrombosis.

**Synonyms:**

### Antithrombin Deficiency

A rare (1 in 2,000-5,000), strongly thrombophilic inherited disorder (autosomal dominant). Antithrombin (previously antithrombin III) is a serine protease inhibitor that inactivates thrombin and factors Xa, IXa, XIa, and XIIa. Heterozygous: 10-50 fold increased VTE risk, more severe than factor V Leiden.

**Synonyms:**

### Antithrombin III deficiency

An inherited or acquired thrombophilia caused by reduced antithrombin activity, leading to increased risk of venous thromboembolism.

**Synonyms:**

### Antithyroid

A medicine or treatment that reduces thyroid-hormone production or activity. Examples include thioamides, radioactive iodine, and medicines that reduce the effects of thyroid hormone; the choice depends on the cause and clinical situation.

**Synonyms:**

### Antitubercular Agents

Antimicrobial drugs used to treat *Mycobacterium*

tuberculosis infections.

**Synonyms:**

### Antitussive

A medication that suppresses the cough reflex, used for dry, non-productive cough.

**Synonyms:**

### Antiviral

A class of drugs that inhibit viral replication, used to treat viral infections.

**Synonyms:**

### Antiviral drug classes

Major classes of antiviral agents include nucleoside analogues (acyclovir, tenofovir), protease inhibitors (ritonavir, atazanavir), reverse transcriptase inhibitors (efavirenz, sofosbuvir), and neuraminidase inhibitors (oseltamivir). Each class targets a specific step in the viral replication cycle.

**Synonyms:**

### Antrochoanal polyp

A benign, single nasal polyp originating from the maxillary sinus mucosa and extending through the accessory ostium into the choana and nasopharynx. It is most common in children and young adults, presenting with unilateral nasal obstruction and rhinorrhea. Treatment is endoscopic surgical removal.

**Synonyms:**

### Anuria

Near absence of urine production, often defined in adults as less than about 100 milliliters in 24 hours.

**Synonyms:**

### Anus

The terminal opening of the gastrointestinal tract through which feces are expelled. It is surrounded by the internal smooth-muscle sphincter and external skeletal-muscle sphincter.

**Synonyms:**



---

## Anxiety

A normal emotional response to perceived danger, but anxiety disorders involve excessive, persistent worry that interferes with daily life. Symptoms can include restlessness, rapid heart rate, muscle tension, and avoidance behaviors.

**Synonyms:**

## Anxiety Disorder

A group of psychiatric conditions characterized by excessive fear, anxiety, and related behavioral disturbances. Includes generalized anxiety disorder (GAD), panic disorder, social anxiety disorder, specific phobias, and agoraphobia.

**Synonyms:**

## Anxiolytic

A medicine or other treatment that reduces anxiety. Choice depends on the anxiety disorder, urgency, coexisting conditions, adverse effects, and patient preference; psychological therapies and, when appropriate, antidepressant medicines are commonly used for persistent anxiety.

**Synonyms:**

## Aorta

Largest artery, from the left ventricle distributing oxygenated blood systemically. Approximately 30 cm long, 2.5 cm diameter. Four segments: ascending aorta, aortic arch (brachiocephalic trunk, left common carotid, left subclavian), descending thoracic aorta, descending abdominal aorta (bifurcating into common iliacs at L4).

**Synonyms:**

## Aortic Aneurysm

A permanent, localized enlargement of the aorta caused by weakening of its wall. It may occur in the thoracic or abdominal aorta and can enlarge, dissect, or rupture; management depends on its site, size, growth, symptoms, and the patient's risk.

**Synonyms:**

## Aortic Aneurysm Rupture

Full-thickness failure of an aortic aneurysm with

bleeding into a body cavity or surrounding tissue. Ruptured aneurysm commonly causes sudden pain, shock, and collapse and requires immediate resuscitation and operative or endovascular repair.

**Synonyms:**

## Aortic Aneurysm Screening

Evaluation of selected people for an aortic aneurysm before symptoms develop. Screening may use abdominal ultrasonography or other imaging according to the person's risk.

**Synonyms:**

## Aortic Arch

Curves from second right sternocostal joint superiorly and left, then posteriorly and inferiorly to T4. From right to left: brachiocephalic trunk, left common carotid, left subclavian. Related to left recurrent laryngeal nerve (hooking under it), trachea, esophagus, left phrenic nerve. Arch aneurysms may cause hoarseness and SVC syndrome.

**Synonyms:**

## Aortic Coarctation

Congenital narrowing of the aorta, usually near the insertion of the ductus arteriosus. It causes higher blood pressure and stronger pulses in the arms than in the legs, with a radio-femoral delay; severe neonatal disease may present with shock when the ductus closes.

**Synonyms:**

## Aortic Dissection

A tear in the inner layer of the aorta that allows blood to enter the wall and form a false channel. Stanford type A involves the ascending aorta; type B does not. Treatment depends on the type, symptoms, complications, and overall clinical condition.

**Synonyms:**

## Aortic embolism

Obstruction of a systemic artery by material originating in the aorta, such as thrombus or atheromatous debris, causing distal ischemia.

**Synonyms:**

---

### Aortic Graft Infection

Infection involving a prosthetic or endovascular aortic graft, potentially causing sepsis, pseudoaneurysm, hemorrhage, or aortoenteric fistula. Management usually requires prolonged antimicrobial treatment and individualized surgical or endovascular source control.

**Synonyms:**

### Aortic Regurgitation

Incomplete closure of the aortic valve allowing blood to flow backward from the aorta to the left ventricle during diastole. Causes include bicuspid aortic valve, endocarditis, aortic root dilation, hypertension, and connective tissue disorders. Murmur: early diastolic decrescendo murmur at the left sternal border.

**Synonyms:**

### Aortic Regurgitation Murmur

Early diastolic decrescendo murmur heard best at the left sternal border with the patient sitting up and leaning forward in end-expiration. Wide pulse pressure, water-hammer pulses (Corrigan pulse), de Musset sign (head bobbing with each pulse), and Duroziez sign (femoral bruit with compression).

**Synonyms:**

### Aortic Stenosis

Narrowing of the aortic valve opening, obstructing left ventricular outflow. It is the most common valvular disease in developed countries, usually caused by calcific degeneration. Symptoms include angina, syncope, and heart failure (SAD triad).

**Synonyms:**

### Aortic Stenosis Grading

Severity grading: mild (valve area  $>1.5$  cm<sup>2</sup>, mean gradient  $<20$  mmHg), moderate (valve area 1.0-1.5 cm<sup>2</sup>, mean gradient 20-40 mmHg), severe (valve area  $<1.0$  cm<sup>2</sup>, mean gradient  $>40$  mmHg). Very severe (valve area  $<0.6$  cm<sup>2</sup>, mean gradient  $>60$  mmHg) indicates critical stenosis. Grading guides timing of intervention.

**Synonyms:**

### Aortic Valve

A semilunar valve between the left ventricle and aorta, normally composed of right, left, and non-coronary cusps. It opens during systole and closes during diastole to direct blood flow. Each cusp forms a sinus of Valsalva from which coronary arteries originate. Opens during systole; closes during diastole.

**Synonyms:**

### Aortic Valve Disease

Abnormal narrowing, leakage, or structural change of the valve between the left ventricle and aorta. It may cause chest pain, breathlessness, fatigue, fainting, or no symptoms initially. Evaluation commonly includes examination and echocardiography; severe disease may require specialist treatment.

**Synonyms:**

### Aortography

Contrast imaging of aorta. Evaluates aneurysm, dissection, occlusion. Largely replaced by CTA/MRA.

**Synonyms:**

### APACHE II Score

Severity scoring system for critically ill patients incorporating physiological variables, age, and chronic health status to generate scores from zero to seventy-one. Higher scores indicate greater severity and higher mortality. In acute pancreatitis, scores of eight or greater indicate severe disease.

**Synonyms:**

### APC Tumor Suppressor

The adenomatous polyposis coli protein is a large multidomain tumor suppressor that functions as a critical negative regulator of the canonical Wnt signaling pathway.

**Synonyms:**

### Apert Syndrome

An autosomal dominant craniosynostosis syndrome caused by FGFR2 mutations (most commonly Ser252Trp or Pro253Arg).

**Synonyms:**

---

## APGAR Score

A scoring system developed by Virginia Apgar in 1952 to assess the newborn's immediate condition at 1 and 5 minutes after birth. Five components (each scored 0, 1, or 2): Appearance (skin color), Pulse (heart rate), Grimace (reflex irritability), Activity (muscle tone), and Respiration (breathing effort).

**Synonyms:**

## Aphasia

Impairment of language comprehension or production resulting from brain damage, most commonly from stroke affecting the left hemisphere (dominant) language areas.

**Synonyms:**

## Apheresis

A procedure that removes a selected blood component, such as plasma, platelets, or abnormal cells, and returns the remaining components to the patient or donor.

**Synonyms:**

## Aphonia

Complete loss of the ability to phonate, distinct from dysphonia in which voice is present but abnormal. Causes are organic (bilateral vocal cord paralysis, severe laryngitis, laryngeal trauma, structural lesions) or psychogenic (conversion disorder, muscle tension dysphonia). Whispered speech and cough are usually preserved.

**Synonyms:**

## Aphthous Stomatitis

Recurrent painful ulcers of the oral mucosa with a shallow base and erythematous border, commonly known as canker sores.

**Synonyms:**

## Aphthous Ulcer

A recurrent, painful ulcer of the oral mucosa. See Canker Sore.

**Synonyms:**

## Apicoectomy

Surgical removal of root tip and periapical lesion. Indication: failed root canal therapy.

**Synonyms:**

## Aplastic Anemia

A bone marrow failure syndrome characterized by pancytopenia (anemia, leukopenia, thrombocytopenia) and a hypocellular bone marrow with replacement by fat cells, resulting from immune-mediated destruction of hematopoietic stem cells.

**Synonyms:**

## Apnea

Temporary cessation of breathing. Clinically important apnea may cause low oxygen, carbon-dioxide retention, or bradycardia.

**Synonyms:**

## Apnea of Prematurity

Recurrent pauses in breathing in a premature infant, sometimes accompanied by bradycardia or oxygen desaturation. It may be central, obstructive, or mixed. Management includes monitoring and, when needed, respiratory stimulation or support.

**Synonyms:**

## Apnea-Hypopnea Index

Number of apneas plus hypopneas per hour of sleep. Apnea = airflow cessation > 10 seconds. Hypopnea = partial obstruction with desaturation or arousal. AHI < 5 normal, 5–14 mild, 15–29 moderate, ≥ 30 severe.

**Synonyms:**

## Apneustic Breathing

A breathing pattern characterized by a prolonged inspiratory pause, seen in brainstem lesions (particularly the pons). It indicates damage to the apneustic center and is a poor prognostic sign in neurological injury. It may require mechanical ventilation.

**Synonyms:**

## Apnoea

Temporary cessation of breathing, defined as com-

---

plete cessation of airflow for at least 10 seconds. Obstructive apnea: airway collapse despite respiratory effort (common in obstructive sleep apnea).

**Synonyms:**

### **Apoenzyme**

The protein component of an enzyme without its required cofactor or coenzyme. Inactive or minimally active until the cofactor binds. The complete, catalytically active complex of apoenzyme + cofactor is called the holoenzyme.

**Synonyms:**

### **Apoptosis**

Programmed cell death. Dysregulated in cancer (avoiding death). Pro-apoptotic genes: BAX, P53. Anti-apoptotic: BCL-2.

**Synonyms:**

### **Apoptosis Extrinsic Pathway**

The extrinsic pathway of apoptosis is triggered by extracellular ligands binding to death receptors belonging to the tumor necrosis factor receptor superfamily, including Fas (CD95), TNFR1, and TRAIL receptors DR4 and DR5.

**Synonyms:**

### **Apoptosis Intrinsic Pathway**

The intrinsic, or mitochondrial, pathway of apoptosis is initiated by intracellular stress signals including DNA damage, growth factor withdrawal, endoplasmic reticulum stress, and hypoxia.

**Synonyms:**

### **Apparent Mineralocorticoid Excess**

Rare autosomal recessive disorder caused by deficiency of 11-beta-hydroxysteroid dehydrogenase type 2 normally converting cortisol to cortisone in the collecting duct. Cortisol activates mineralocorticoid receptors causing severe hypertension, hypokalemia, metabolic alkalosis, and low renin with low aldosterone.

**Synonyms:**

### **Appendectomy**

Surgical removal of the appendix, the most common emergency surgical procedure performed worldwide. Appendectomy is indicated for acute appendicitis, the most common surgical emergency with a lifetime risk of 7-8 percent and peak incidence between 10 and 30 years.

**Synonyms:**

### **Appendiceal Tumors**

Neoplasms arising in the appendix, including neuroendocrine tumors, mucinous neoplasms, and adenocarcinoma. Some are found incidentally, whereas others cause pain, obstruction, or abdominal distention. Evaluation and treatment depend on the tumor type, size, spread, and pathologic features.

**Synonyms:**

### **Appendicitis**

Inflammation of the vermiform appendix, often caused by obstruction of its lumen. It may cause abdominal pain that moves to the right lower quadrant, nausea, loss of appetite, and fever; diagnosis and treatment depend on clinical assessment, laboratory tests, imaging, and complications.

**Synonyms:**

### **Appendix**

A blind-ended tubular diverticulum of the cecum, typically 6-10 cm long, rich in lymphoid tissue. Its position is variable (retrocecal, pelvic, or retroileal); the base usually projects near McBurney's point, one-third of the distance from the anterior superior iliac spine to the umbilicus.

**Synonyms:**

### **Appetite Regulation**

Complex control by hormones (leptin, ghrelin, insulin, CCK), neural signals, psychological factors. Leptin signals satiety, ghrelin signals hunger.

**Synonyms:**

### **Applied Behavior Analysis**

A behavioral intervention based on learning principles that uses observation, measurement, and rein-

---

forcement to increase useful behaviors and reduce behaviors that interfere with functioning. It may be used in autism care and other settings, with goals individualized to the person.

**Synonyms:**

### **Apraxia**

Inability to perform learned, skilled motor movements despite intact motor function, sensation, coordination, and comprehension.

**Synonyms:**

### **Aquagenic keratoderma**

Transient, painful whitish thickening and wrinkling of the palms and soles occurring within minutes of water immersion, accompanied by a prickling or burning sensation. It is often associated with cystic fibrosis or other sweat gland disorders but can also be idiopathic or drug-induced. Symptoms resolve shortly after drying the skin.

**Synonyms:**

### **Aquatic Therapy**

Exercise or rehabilitation performed in water, using buoyancy and resistance to support movement and conditioning.

**Synonyms:**

### **Aqueous Humor**

A clear, watery fluid that fills the anterior and posterior chambers of the eye, maintaining intraocular pressure and providing nutrients and oxygen to the avascular cornea and lens while removing metabolic waste products.

**Synonyms:**

### **Arachnoid cyst**

A congenital, benign, cerebrospinal fluid-filled cyst within the arachnoid membrane, most commonly found in the middle cranial fossa. Most are asymptomatic and discovered incidentally on imaging, but large cysts may cause headache, seizures, or focal neurological deficits.

**Synonyms:**

### **Arachnoid Mater**

The middle of the three meninges, a delicate avascular membrane lying between the dura mater and pia mater. The subarachnoid space between arachnoid and pia contains cerebrospinal fluid (CSF) and major vessels. Arachnoid granulations (villi) project into the dural venous sinuses and mediate CSF reabsorption.

**Synonyms:**

### **ARB-Nepriylsin Inhibitor**

Sacubitril/valsartan combines an ARB with a neprilysin inhibitor, increasing natriuretic peptide levels while blocking the renin-angiotensin system. The PARADIGM-HF trial demonstrated superior reduction in cardiovascular death and heart failure hospitalization compared to enalapril.

**Synonyms:**

### **Arbovirus**

A virus transmitted by mosquitoes or other member of the arthropod phylum.

**Synonyms:**

### **ARBs**

Block angiotensin II AT1 receptors providing renoprotection similar to ACE inhibitors. Alternative for ACE inhibitor cough. Do not combine ACE inhibitor and ARB due to increased adverse effects without benefit. Similar renoprotective effects to ACE inhibitors.

**Synonyms:**

### **Arcus Senilis (Corneal Arcus)**

A white, gray, or bluish opaque ring in the peripheral corneal stroma separated from the limbus by a clear zone (lucid interval of Vogt). Caused by lipid (cholesterol) deposition in the peripheral cornea. Common and benign in elderly individuals (>60 years).

**Synonyms:** Corneal Arcus

### **ARDS**

Acute respiratory distress syndrome is a severe inflammatory lung injury causing acute oxygenation

---

failure and bilateral lung opacities that are not fully explained by heart failure or fluid overload. Common causes include sepsis, pneumonia, trauma, and aspiration.

**Synonyms:**

### **Area Under the Concentration-Time Curve**

The integral of a drug's plasma concentration over time. AUC estimates total systemic exposure and is used to compare bioavailability, guide dosing for selected medicines, and characterize pharmacokinetic interactions.

**Synonyms:**

### **Argininosuccinic Aciduria**

Autosomal recessive urea cycle disorder caused by deficiency of argininosuccinate lyase (ASL gene, 7cen-q11.2). Biochemical hallmark: accumulation of argininosuccinic acid in blood, urine, and CSF with hyperammonemia, low citrulline, and elevated argininosuccinic acid.

**Synonyms:**

### **Argyll Robertson Pupil**

A small, irregular pupil that constricts during near focusing but responds poorly or not at all to light. It is classically associated with neurosyphilis but can have other causes; the finding requires clinical evaluation.

**Synonyms:**

### **Armpit Lump**

A lump or swelling in the axilla, commonly caused by an enlarged lymph node, skin infection, cyst, or benign growth. Persistent, hard, fixed, enlarging, or unexplained lumps require medical assessment.

**Synonyms:**

### **Arnold-Chiari Malformation**

Herniation of cerebellar tonsils through the foramen magnum into the upper cervical spinal canal. Type II (myelomeningocele-associated) is the most common form in pediatrics. Associated with hydrocephalus, syringomyelia, and spinal cord dysfunction.

Symptoms include headache, neck pain, and lower cranial nerve palsies.

**Synonyms:**

### **Aromatase Excess Syndrome**

Rare autosomal dominant condition caused by mutations in the CYP19A1 gene leading to overexpression of aromatase enzyme and excessive estrogen production. Presents in males with gynecomastia, advanced bone age, and accelerated linear growth with early epiphyseal closure. In females with precocious puberty, macroclitoris, and virilization.

**Synonyms:**

### **Aromatase Inhibitor**

A class of medications that inhibit aromatase, the enzyme that converts androgens (androstenedione, testosterone) to estrogens (estrone, estradiol) in peripheral tissues (adipose, breast, muscle, bone). Used primarily in hormone receptor-positive breast cancer in postmenopausal women.

**Synonyms:**

### **Arrector Pili Muscle**

A small band of involuntary smooth muscle attached to a hair follicle and the superficial dermis. Sympathetic stimulation causes it to contract, pulling the hair upright and producing temporary piloerection, commonly called goosebumps. Contraction also compresses nearby sebaceous glands and may help release sebum onto the skin.

**Synonyms:** goosebumps.

### **Arrested Caries**

A carious lesion that is no longer progressing, often because the surface has become hard, smooth, and cleansable. Arrested lesions may be monitored and remineralized; treatment depends on activity, cavitation, cleansability, and patient risk.

**Synonyms:**

### **Arrhythmia**

Any abnormality of cardiac rate, rhythm, or site of impulse origin, arising through enhanced automaticity, reentry, or triggered activity. Classified by rate



---

as tachyarrhythmia or bradyarrhythmia and by site as supraventricular or ventricular. Diagnosis rests on the 12-lead ECG and ambulatory monitoring when intermittent.

**Synonyms:**

### **Arrhythmogenic right ventricular cardiomyopathy**

A genetic cardiomyopathy characterized by fibrofatty replacement of the right ventricular myocardium, predisposing to ventricular arrhythmias and sudden cardiac death, particularly during exercise. ECG shows T-wave inversions in V1-V3 and epsilon waves; diagnosis uses echocardiography, cardiac MRI, and genetic testing.

**Synonyms:**

### **Arsenic toxicity**

Systemic poisoning from arsenic exposure causing gastrointestinal distress, cardiac arrhythmias, peripheral neuropathy, and characteristic Mees lines on nails, requiring chelation therapy with dimercaprol or succimer.

**Synonyms:**

### **Art Therapy**

Use of art-making for therapeutic purposes. Emotional expression, coping, self-awareness.

**Synonyms:**

### **Arterial Blood Gas**

Measurement of arterial pH, carbon-dioxide tension, oxygen tension, bicarbonate, and related acid-base variables. It helps assess ventilation, oxygenation, and metabolic or respiratory acid-base disorders.

**Synonyms:**

### **Arterial Blood Gas Analyzer**

An analyzer that measures arterial pH, partial pressures of oxygen and carbon dioxide, and usually bicarbonate or calculated acid-base variables. It is used to assess ventilation, oxygenation, and metabolic or respiratory acid-base disorders.

**Synonyms:**

### **Arterial Catheter**

A catheter placed in an artery, commonly the radial artery, for continuous blood-pressure monitoring and repeated arterial blood sampling. Complications include hemorrhage, thrombosis, infection, and distal ischemia.

**Synonyms:**

### **Arterial Catheterization**

Placement of a catheter in an artery, usually the radial artery, for continuous blood-pressure measurement and repeated arterial blood sampling. It is used when rapid hemodynamic or gas-exchange assessment is clinically necessary and carries risks including bleeding, infection, thrombosis, and ischemia.

**Synonyms:**

### **Arterial Duplex**

Ultrasound technique combining B-mode imaging and Doppler flow assessment. Used for evaluating arterial stenosis, aneurysm, graft patency. Non-invasive, widely available.

**Synonyms:**

### **Arterial insufficiency**

Reduced arterial blood flow to a tissue or limb, causing ischemic symptoms such as claudication, rest pain, cool skin, delayed capillary refill, and diminished pulses. Most commonly caused by atherosclerosis; assessed by ankle-brachial index and duplex ultrasound.

**Synonyms:**

### **Arterial Line**

A catheter inserted into a peripheral artery (most commonly radial, also femoral, brachial, dorsalis pedis) for continuous blood pressure monitoring and arterial blood gas sampling. Allen test: assesses ulnar collateral flow before radial artery cannulation.

**Synonyms:**

### **Arterial Ulcer**

A chronic wound caused by arterial insufficiency (peripheral artery disease). Located on distal ex-

---

tremities: toes, heels, lateral malleolus, and sites of pressure. Presents with punched-out, deep, well-demarcated wound with pale or necrotic base, minimal exudate, and cool, hairless, shiny skin.

**Synonyms:**

### Arteriole

A small artery that delivers blood to a capillary bed. Arteriolar smooth muscle regulates vascular resistance and controls tissue perfusion and systemic blood pressure.

**Synonyms:**

### Arteriosclerosis

Chronic inflammatory disease of medium and large arteries characterized by accumulation of lipids, inflammatory cells, and fibrous tissue within the arterial wall, forming atherosclerotic plaques. See Atherosclerosis.

**Synonyms:**

### Arteriovenous Fistula

A surgically created connection between an artery and a vein, usually for hemodialysis. The increased blood flow enlarges and strengthens the vein for repeated access. The site and time needed for maturation depend on the patient's vessels and clinical circumstances.

**Synonyms:**

### Arteriovenous Graft

Synthetic conduit connecting artery to vein for dialysis. Used when veins inadequate for fistula. Thrombosis and infection more common than AVF. Can be used earlier than fistula. Dec clotting with thrombectomy or angioplasty.

**Synonyms:**

### Arteriovenous Malformation

Abnormal connection between artery and vein without capillary bed. Can bleed or cause symptoms.

**Synonyms:**

### Arthralgia

Pain in one or more joints without objective

evidence of joint inflammation such as swelling, warmth, or structural damage. Common causes include viral infections, overuse, autoimmune disease, and early degenerative change; persistent, severe, or multifocal pain warrants clinical evaluation.

**Synonyms:**

### Artery

A blood vessel that carries oxygenated blood away from the heart to the tissues, except for the pulmonary arteries which carry deoxygenated blood to the lungs. Arteries have thick, elastic, muscular walls that withstand high pressure and distribute blood throughout the body. The aorta is the largest artery.

**Synonyms:**

### Arthritis

Inflammation of one or more joints, characterized by joint pain, swelling, warmth, and stiffness.

**Synonyms:**

### Arthrocentesis

Aspiration of joint fluid for diagnostic or therapeutic purposes. Indications: septic arthritis (urgent, crystals), inflammatory arthritis (gout, pseudogout), hemorrhagic effusion (trauma, coagulopathy), and therapeutic drainage for symptomatic relief.

**Synonyms:**

### Arthrodesis

Surgical fusion of a joint by removing or preparing articular surfaces and stabilizing the bones until osseous union occurs. It relieves pain and provides stability at the cost of joint motion.

**Synonyms:**

### Arthrography

Contrast injected into joint for imaging. Used for shoulder, knee, hip evaluation. MR arthrography more common now.

**Synonyms:**

### Arthrogryposis

A group of congenital disorders characterized by

---

multiple joint contractures present at birth, caused by decreased fetal movement (fetal akinesia) during development.

**Synonyms:**

### Arthroplasty

Surgical reconstruction or replacement of a joint to relieve pain, restore alignment, or improve function. It may be partial or total and is commonly performed for advanced degenerative joint disease, fracture, inflammatory arthritis, or other destructive joint conditions.

**Synonyms:**

### Arthroscopy

Minimally invasive joint visualization and intervention via a rigid arthroscope inserted through small portals, used for meniscal and ligamentous repair, chondroplasty, loose body removal, and synovectomy.

**Synonyms:**

### Articular Cartilage Injuries

Chondral/osteochondral lesions: Outerbridge grading (I: softening, II: fibrillation <50%, III: fibrillation >50%, IV: subchondral bone exposed). OCD (osteochondritis dissecans): subchondral bone necrosis, fragment separation (knee: lateral femoral condyle, elbow: capitellum, ankle: talar dome).

**Synonyms:**

### Artifacts

Image distortions not representing true anatomy. Types: motion, beam hardening, metal, aliasing, partial volume. Recognition important for accurate interpretation.

**Synonyms:**

### Artificial Pacemaker

An implanted device that delivers electrical impulses to maintain an appropriate heart rate when the heart's natural conduction system is inadequate.

**Synonyms:**

### Artificial Rupture of Membranes

The intentional rupture of the amniotic sac with a small hook-like instrument (Amnihook) during a cervical exam to induce or augment labor. Indications: induction or augmentation of labor, placement of internal monitors (fetal scalp electrode, intrauterine pressure catheter), and assessment of amniotic fluid (meconium staining).

**Synonyms:**

### Artificial Ventricle (Total Artificial Heart)

A pulsatile, pneumatically or electrically driven biventricular replacement that removes the native ventricles. Indications: end-stage heart failure bridging to transplant or destination therapy. Requirements: surgical implantation, external power source, anticoagulation.

**Synonyms:** Total Artificial Heart

### Arytenoid Cartilage

The arytenoid cartilages are a pair of small, pyramid-shaped cartilages located on the posterior aspect of the larynx, articulating with the superior border of the cricoid cartilage lamina, and they serve as the attachment points for the vocal cords and the intrinsic laryngeal muscles that control vocal cord movement.

**Synonyms:**

### ASA Physical Status Classification System

A system developed by the American Society of Anesthesiologists to assess and communicate a patient's pre-operative physical status and comorbidities. It ranges from ASA I (a normal healthy patient) to ASA VI (a declared brain-dead patient whose organs are being removed for donor purposes).

**Synonyms:**

### Asbestosis

Diffuse pulmonary fibrosis caused by prolonged inhalation of asbestos fibers. It may cause progressive shortness of breath and increases the risk of lung cancer and mesothelioma.

---

**Synonyms:**

### **Ascariasis**

Infection with the soil-transmitted roundworm *Ascaris lumbricoides*.

**Synonyms:**

### **Ascending Aorta**

From left ventricle at the aortic valve to the sternal angle (approximately 5 cm), enclosed in pericardium. Gives rise to right/left coronary arteries at the aortic sinuses. Most common site of aneurysm and dissection, especially in Marfan syndrome, bicuspid aortic valve, and hypertension.

**Synonyms:**

### **Ascending aortic aneurysm**

Abnormal enlargement of the ascending portion of the aorta. It may be associated with a bicuspid aortic valve, connective-tissue disease, hypertension, or atherosclerosis.

**Synonyms:**

### **Ascending Colon**

Extends from cecum to hepatic flexure below the liver, approximately 15-20 cm, retroperitoneal (fixed to posterior abdominal wall). Anteriorly: abdominal wall. Posteriorly: right kidney. Absorbs water/electrolytes and compacts fecal matter. Tumors may present as a palpable right-sided mass.

**Synonyms:**

### **Ascites**

Pathological accumulation of fluid within the peritoneal cavity representing the most common decompensating event in cirrhosis. The pathogenesis involves splanchnic arterial vasodilation reducing effective arterial blood volume and activating neurohormonal mechanisms leading to sodium and water retention.

**Synonyms:**

### **Aseptic Loosening**

Loss of fixation of an implant without active infection, commonly caused by mechanical stress and a

biologic response to wear particles. It may cause pain, radiographic lucency, instability, and need for revision surgery.

**Synonyms:**

### **Aseptic Technique**

A set of laboratory practices preventing contamination of sterile sites, cultures, and specimens by unwanted microorganisms. Key elements include hand hygiene, sterile fields and instruments, surface disinfection, and minimal exposure of sterile items to air and touch, forming the basis of reliable clinical and culture work.

**Synonyms:**

### **Asherman Syndrome**

Intrauterine adhesions or scar tissue that partially or completely obliterate the uterine cavity, most often after uterine instrumentation or pregnancy-related curettage. It may cause hypomenorrhea or amenorrhea, infertility, recurrent miscarriage, or abnormal placentation.

**Synonyms:**

### **Asperger Syndrome**

A former diagnostic term for a neurodevelopmental condition characterized by persistent social-communication difficulties and restricted or repetitive interests or behaviors, without the intellectual or language impairment traditionally associated with classic autism. Current diagnostic systems generally classify it within autism spectrum disorder; support is individualized.

**Synonyms:**

### **Aspergillosis**

A spectrum of diseases caused by the fungus *Aspergillus* (most commonly *A. fumigatus*). Allergic forms: allergic bronchopulmonary aspergillosis (ABPA, in asthma or cystic fibrosis – wheezing, eosinophilia, pulmonary infiltrates), allergic *Aspergillus* sinusitis.

**Synonyms:**

---

## Asphyxia

A life-threatening lack of oxygen due to drowning, choking, or an obstruction of the airways. Management: remove obstruction, rescue breathing, CPR if needed. Foreign body airway obstruction: Heimlich maneuver (abdominal thrusts) for conscious adults; back blows and chest thrusts for infants.

**Synonyms:**

## Aspiration

The inhalation of foreign material (oropharyngeal secretions, gastric contents, food, liquid, or blood) into the larynx and lower respiratory tract. Aspiration pneumonitis (Mendelson syndrome) is a chemical lung injury caused by acidic gastric fluid.

**Synonyms:**

## Aspiration Pneumonia

Infectious pneumonia from aspiration of oropharyngeal secretions. Risk factors: dysphagia, impaired consciousness, enteral feeding. Common pathogens: anaerobes, gram-negative bacilli. Treatment: antibiotics covering oral flora.

**Synonyms:**

## Aspiration Pneumonitis

Chemical lung injury caused by inhalation of gastric contents, characterized by bronchospasm, hypoxemia, pulmonary edema, and atelectasis. Risk factors include full stomach, emergency surgery, obesity, pregnancy, gastroesophageal reflux, bowel obstruction, and decreased consciousness.

**Synonyms:**

## Aspiration Risk

The likelihood that food, liquid, saliva, or gastric contents will enter the larynx or lower respiratory tract. Risk rises with dysphagia, delirium, stroke, neuromuscular disease, reflux, poor dentition, and reduced consciousness; assessment and prevention are multidisciplinary.

**Synonyms:**

## Acetylsalicylic Acid

The chemical name for aspirin, a salicylate drug

with analgesic, antipyretic, anti-inflammatory, and antiplatelet effects.

**Synonyms:**

## Acrochordon

A benign, soft, flesh-colored skin tag, usually occurring in skin folds such as the neck, axilla, or groin.

**Synonyms:**

## Advanced Cardiac Life Support

A structured set of interventions for cardiac arrest and other life-threatening cardiovascular emergencies, including high-quality CPR, rhythm recognition, defibrillation, airway management, and medications.

**Synonyms:**

## Allen Test

A bedside test of collateral blood flow to the hand through the radial and ulnar arteries, commonly performed before radial-artery puncture or cannulation.

**Synonyms:**

## Anatomic Snuffbox

A triangular depression on the lateral wrist that becomes visible when the thumb is extended. Tenderness there may suggest a scaphoid fracture.

**Synonyms:**

## Ankle-Foot Orthosis

A brace that supports the ankle and foot and helps control alignment, stability, or foot drop.

**Synonyms:**

## Aspirin (Salicylate) Toxicity

Mixed respiratory alkalosis and metabolic acidosis. Early: tinnitus, hyperventilation, respiratory alkalosis. Late: metabolic acidosis, fever, seizures, coma. Treatment: activated charcoal, urine alkalinization (sodium bicarbonate), hemodialysis if severe (renal failure, pulmonary edema, severe acidosis, very high levels).

**Synonyms:** Salicylate

---

### **Aspirin-Exacerbated Respiratory Disease**

A triad of asthma, nasal polyps, and aspirin sensitivity due to COX-1 inhibition. It involves overproduction of cysteinyl leukotrienes. Leukotriene receptor antagonists are specifically effective.

**Synonyms:**

### **Assist-Control Ventilation**

Ventilator delivers a set tidal volume at a set rate. Every breath receives the full set volume. Guarantees minimum rate and minute ventilation. Risk of respiratory alkalosis and auto-PEEP.

**Synonyms:**

### **Assisted Breech Delivery**

Vaginal breech delivery with operator assistance after spontaneous delivery to the umbilicus.

**Synonyms:**

### **Assisted Living**

Residential setting with assistance for ADLs. Less intensive than nursing home.

**Synonyms:**

### **Assisted Reproductive Technology**

ART: fertility treatments involving manipulation of oocytes/sperm/embryos: in vitro fertilization (IVF), intracytoplasmic sperm injection (ICSI), intrauterine insemination (IUI, some definitions), embryo cryopreservation, gamete donation, and surrogacy.

**Synonyms:**

### **Assistive Device**

Equipment that helps a person perform activities, move safely, communicate, or maintain independence.

**Synonyms:**

### **Assistive Device Training**

Instruction in selecting, fitting, using, and maintaining devices such as walkers, canes, or crutches, including safe walking and stair techniques.

**Synonyms:**

### **Association Study**

Comparison of allele frequencies between cases and controls. Genome-wide association studies (GWAS) identify common variants with small effects on complex diseases.

**Synonyms:**

### **Astereognosis**

Inability to identify an object by touch alone despite intact primary somatosensory modalities (touch, vibration, proprioception), indicating dysfunction of the contralateral parietal association cortex (typically the postcentral gyrus region or the dominant inferior parietal lobule).

**Synonyms:**

### **Asterixis**

Brief, irregular, non-rhythmic lapse of sustained posture causing a flapping movement, best elicited by asking the patient to hold the arms extended with wrists dorsiflexed ("hold arms up") for 30 seconds.

**Synonyms:**

### **Asthenopia**

Eye strain or visual fatigue, often experienced as aching, burning, blurred vision, headache, or difficulty focusing after prolonged visual tasks. Refractive errors, dry eye, poor lighting, and extended screen use may contribute.

**Synonyms:**

### **Asthma**

A chronic inflammatory disorder of the airways characterized by recurrent episodes of wheezing, breathlessness, chest tightness, and cough. Airflow limitation is often reversible. It involves eosinophilic inflammation, mucus hypersecretion, and smooth muscle hypertrophy.

**Synonyms:**

### **Asthma exacerbation**

An acute or subacute worsening of asthma symptoms and airflow limitation, typically causing increased wheeze, cough, chest tightness, or breathlessness.



---

**Synonyms:**

### **Asthma-COPD Overlap**

Features of both asthma and COPD in the same patient. Characterized by persistent airflow limitation with features of both diseases: airway inflammation (eosinophilic and neutrophilic), bronchial hyperresponsiveness, and partially reversible obstruction. Treatment: inhaled corticosteroids plus long-acting bronchodilators.

**Synonyms:**

### **Astigmatism**

A refractive error caused by an irregular curvature of the cornea or lens, resulting in light rays being focused at multiple points rather than a single point on the retina, leading to blurred or distorted vision at all distances.

**Synonyms:**

### **Astrocytoma**

A glioma arising from star-shaped cells called astrocytes. Graded I-IV by the WHO; grade IV (glioblastoma) is the most aggressive and common primary malignant brain tumor in adults.

**Synonyms:**

### **Asymptomatic Bacteriuria in Pregnancy**

The presence of significant bacterial growth in a pregnant person's urine without urinary symptoms. It is identified by urine culture and is treated because it increases the risk of symptomatic urinary infection and kidney infection during pregnancy.

**Synonyms:**

### **Asystole**

Complete cessation of cardiac electrical activity, presenting as a flat line on the ECG with no QRS complexes, P waves, or other organized electrical activity.

**Synonyms:**

### **Ataxia**

Lack of voluntary coordination of muscle movements, resulting from dysfunction of the cerebellum,

posterior columns, or peripheral nerves. Types: cerebellar (gait and limb ataxia, dysarthria, nystagmus), sensory (impaired proprioception causing sensory ataxia, positive Romberg sign), and vestibular (vertigo, nystagmus, nausea).

**Synonyms:**

### **Ataxia-Telangiectasia**

An autosomal-recessive disorder usually caused by biallelic ATM variants, characterized by progressive ataxia, telangiectasias, immune deficiency, and increased cancer risk.

**Synonyms:**

### **Ataxic Breathing**

An irregular, unpredictable breathing pattern with random variations in rate and depth, seen in medullary lesions. It is the most dangerous respiratory pattern and often precedes respiratory arrest. It requires mechanical ventilation.

**Synonyms:**

### **Atelectasis**

Complete or partial collapse of lung tissue, resulting in loss of aeration. It may be caused by airway obstruction (resorption atelectasis), pleural disease (compressive atelectasis), surfactant dysfunction (dissolution atelectasis), or scarring (cicatrizatio atelectasis). It impairs gas exchange and may predispose to infection.

**Synonyms:**

### **Atherectomy**

Mechanical removal of atherosclerotic plaque. Types: directional, laser, rotational, orbital. Used for peripheral arterial disease.

**Synonyms:**

### **Atherectomy (Vascular)**

Removal or modification of atherosclerotic plaque from inside a blood vessel, usually with a catheter-based device.

**Synonyms:** Vascular

---

### Atheroembolic Renal Disease

Cholesterol crystal embolization to kidneys after vascular procedures. AKI with livedo reticularis and peripheral eosinophilia. Renal biopsy shows cholesterol clefts. Poor prognosis with progressive renal failure.

**Synonyms:**

### Atherosclerosis

Chronic inflammatory disease of medium and large arteries characterized by accumulation of lipids, inflammatory cells, and fibrous tissue within the arterial wall, forming atherosclerotic plaques. Initiating event is endothelial dysfunction from risk factors (hypertension, smoking, diabetes, dyslipidemia).

**Synonyms:**

### Atherosclerotic Plaque

An atherosclerotic plaque is a lesion within the arterial intima composed of a necrotic lipid core covered by a fibrous cap, representing the pathological substrate of atherosclerotic cardiovascular disease.

**Synonyms:**

### Athetosis

Slow, involuntary, writhing, sinuous movements predominantly of the distal extremities, sometimes also affecting the face, neck, and trunk, arising from dysfunction of the basal ganglia (putamen and globus pallidus).

**Synonyms:**

### Athlete Foot

Tinea pedis: dermatophyte infection (*Trichophyton rubrum*, *T. mentagrophytes*) of the feet, common in those who wear occlusive footwear or use communal showers. Forms: interdigital (scaly, fissured, macerated between toes—most common), moccasin (diffuse plantar scaling), vesicular.

**Synonyms:**

### Athlete's Foot

A superficial fungal infection of the feet, usually affecting the spaces between the toes and causing itching, scaling, maceration, or fissures. It is also

called tinea pedis.

**Synonyms:** tinea.

### Atlanto-occipital dislocation

Traumatic separation of the atlas from the occipital condyles, a highly unstable injury with high mortality often associated with spinal cord injury and requiring emergent immobilization.

**Synonyms:**

### Atlas

First cervical vertebra articulating with occipital condyles at the atlanto-occipital joint for nodding movement. Lacks a body and spinous process; has anterior/posterior arches and lateral masses. Transverse foramina transmit vertebral arteries. The anterior arch has a facet for the axis dens.

**Synonyms:**

### Atopic Dermatitis

A chronic, relapsing inflammatory skin disease characterized by pruritus, xerosis, and eczematous lesions. It reflects epidermal-barrier dysfunction and immune dysregulation, with flares triggered by irritants, allergens, infection, stress, or climate.

**Synonyms:**

### Atopic eruption of pregnancy

Pruritic eczematous skin eruptions occurring in pregnancy, presenting as eczematous patches or pruritic urticarial papules and plaques, typically resolving after delivery.

**Synonyms:**

### Atopy

The genetic predisposition to develop immediate (IgE-mediated, type I) hypersensitivity reactions to common environmental allergens (pollen, dust mites, foods, pet dander).

**Synonyms:**

### Atovaquone–proguanil

An antimalarial combination used for prevention and treatment of *Plasmodium falciparum* malaria and selected travel-related malaria regimens.

---

**Synonyms:**

### **ATP (Adenosine Triphosphate)**

The primary energy currency of the cell, composed of adenine, ribose, and three phosphate groups. Hydrolysis of the terminal phosphoanhydride bond releases  $\Delta G^\circ = -30.5 \text{ kJ/mol}$  ( $-7.3 \text{ kcal/mol}$ ), driving endergonic cellular processes such as muscle contraction, active transport, and biosynthesis.

**Synonyms:** Adenosine Triphosphate

### **ATP Synthase**

Complex V of electron transport chain. Uses proton gradient to synthesize ATP. Rotational catalysis mechanism.

**Synonyms:**

### **Atransferrinemia**

Very rare autosomal recessive disorder of iron transport caused by mutations in the TF gene (3q22.1) leading to absence or severe deficiency of transferrin.

**Synonyms:**

### **Atrial Fibrillation**

The most common sustained cardiac arrhythmia, characterized by rapid, irregular atrial activity (350-600 bpm) with irregular ventricular response. ECG shows absent P waves, irregularly irregular RR intervals, and narrow QRS complexes (unless aberrant conduction).

**Synonyms:**

### **Atrial Fibrillation Ablation**

A catheter-based procedure that creates lesions, usually around the pulmonary veins, to reduce the electrical triggers of atrial fibrillation. It may be considered for symptomatic patients when medicines are ineffective, not tolerated, or not preferred. Results and the need for repeat treatment vary with the type of atrial fibrillation and the person's clinical features.

**Synonyms:**

### **Atrial Flutter**

A rapid, regular atrial rhythm (typically 250-350

bpm) caused by a macro-reentrant circuit, most commonly in the right atrium. ECG shows sawtooth flutter waves best seen in leads II, III, and aVF, with regular or irregular ventricular response depending on AV conduction ratio (commonly 2:1 or 4:1).

**Synonyms:**

### **Atrial Natriuretic Peptide**

A peptide hormone secreted by atrial myocytes in response to atrial stretch from volume expansion. ANP promotes natriuresis and diuresis by increasing glomerular filtration rate, inhibiting sodium reabsorption in the collecting ducts, and reducing renin and aldosterone secretion.

**Synonyms:**

### **Atrial Septal Defect**

Congenital opening in the interatrial secundum allowing left-to-right shunting of blood. Small defects may close spontaneously. Larger defects cause right heart volume overload, right atrial and ventricular dilation, pulmonary hypertension, and eventually right heart failure. Paradoxical embolism may occur with right-to-left shunting.

**Synonyms:**

### **Atrial Tachycardia**

Supraventricular tachycardia arising from an atrial focus outside the sinus node, often focal with rates 100-250 beats per minute with discrete P waves of different morphology from sinus P waves.

**Synonyms:**

### **Atrioventricular Node**

Located in the posterior-inferior region of the interatrial septum near the coronary sinus. It receives impulses from the SA node via internodal pathways and delays them by approximately 120-200 milliseconds before transmitting them to the ventricles. This delay allows atrial contraction to complete before ventricular contraction.

**Synonyms:**

### **Atrium**

One of the two upper chambers of the heart that re-

---

ceive blood returning to the heart. The right atrium receives deoxygenated blood from the superior and inferior venae cavae and the coronary sinus; the left atrium receives oxygenated blood from the four pulmonary veins.

**Synonyms:**

### **Atropine in Organophosphate Poisoning**

A muscarinic antagonist used to reverse bronchorrhea, bronchospasm, bradycardia, and other muscarinic effects of organophosphate toxicity. Treatment is titrated to drying of respiratory secretions and improvement in ventilation, not to pupil size alone.

**Synonyms:**

### **Attachment (Dental)**

Retentive device connecting denture to implant or tooth. Precision attachments preferred over bar attachments.

**Synonyms:** Dental

### **Attack Rate**

The proportion of an at-risk population that develops a specified illness during a defined outbreak or exposure period. It is a cumulative incidence measure commonly used for foodborne and other localized outbreaks.

**Synonyms:**

### **Attention-Deficit/Hyperactivity Disorder**

A neurodevelopmental disorder characterized by persistent patterns of inattention, hyperactivity, and impulsivity that interfere with functioning or development. Three presentations: predominantly inattentive, predominantly hyperactive-impulsive, and combined.

**Synonyms:**

### **Attenuation Correction**

Compensation for photon absorption in tissue. CT-based (PET/CT), transmission source (SPECT), or MR-based (PET/MRI).

**Synonyms:**

### **Attributable Risk**

Difference in risk between exposed and unexposed.  $AR = \text{incidence exposed} - \text{incidence unexposed}$ .

**Synonyms:**

### **Atypia**

Cytologic or architectural abnormality that deviates from the expected appearance of a cell or tissue. Atypia may be reactive, degenerative, premalignant, or malignant and must be interpreted with architecture, clinical context, and ancillary studies.

**Synonyms:**

### **Atypical Antipsychotics**

A class of modern psychiatric medications used to treat schizophrenia and bipolar disorder. They work by balancing dopamine and serotonin levels in the brain, which helps reduce symptoms like hallucinations and delusions with fewer movement-related side effects than older antipsychotics.

**Synonyms:**

### **Atypical Facial Pain**

Chronic facial pain without identifiable cause. Psychological factors may contribute.

**Synonyms:**

### **Atypical Features**

A specifier for depressive episodes characterized by mood reactivity, significant weight gain or increased appetite, hypersomnia, leaden paralysis, and a long-standing pattern of interpersonal rejection sensitivity. Atypical depression often presents in younger patients and may respond preferentially to MAOIs or SSRIs rather than TCAs.

**Synonyms:**

### **Atypical Pneumonia**

Pneumonia with a gradual onset, relatively mild chest findings, and prominent systemic or extrapulmonary symptoms. Common causes include *Mycoplasma pneumoniae*, *Chlamydia pneumoniae*, and respiratory viruses.

**Synonyms:**

---

### **Audiogram**

A chart that shows a person's ability to hear at different pitches or frequencies.

**Synonyms:**

### **Audiologist**

A health professional who assesses hearing and fits hearing aids.

**Synonyms:**

### **Audiometry**

Measurement of hearing sensitivity at different sound frequencies and intensities, usually using headphones or insert earphones.

**Synonyms:**

### **Aural Fullness**

A sensation of pressure, blockage, or plugged feeling in the ear. Causes include eustachian-tube dysfunction, middle-ear fluid, cerumen impaction, inner-ear disorders, and temporomandibular-joint disease.

**Synonyms:** Ear pressure; plugged-ear sensation; blocked-ear sensation.

### **Auer Rods**

Rod-shaped inclusions formed from fused azurophilic granules in myeloid precursor cells. They strongly support a myeloid neoplasm, especially acute myeloid leukemia, but diagnosis requires immunophenotyping, genetic studies, and clinical correlation.

**Synonyms:**

### **Auger Electrons**

Low-energy electrons emitted during electron capture decay. Short range (nanometers), high linear energy transfer. Potential for targeted radiotherapy if localized near DNA.

**Synonyms:**

### **Augmentation of Labor**

The stimulation of spontaneous contractions that are judged to be inadequate to achieve progressive cervical dilatation. Most commonly uses oxytocin (Pitocin) infusion. Also includes artificial rupture

of membranes (AROM, amniotomy).

**Synonyms:**

### **Auricle**

The visible external portion of the ear that projects from the side of the head, designed to collect and channel sound waves into the ear canal.

**Synonyms:**

### **Auricular Hematoma**

A collection of blood between the cartilage of the external ear and its perichondrium, usually after blunt trauma. Without prompt drainage and compression, it may cause cartilage necrosis and permanent cauliflower-ear deformity.

**Synonyms:** Pinna hematoma; subperichondrial auricular hematoma.

### **Auscultation**

The act of listening to sounds produced within the body, typically using a stethoscope. Essential for assessing heart sounds, lung sounds, bowel sounds, and vascular bruits. Normal findings: S1 and S2 heart sounds, vesicular breath sounds, normal bowel sounds. Abnormal: murmurs, crackles, wheezes, rubs, bruits.

**Synonyms:**

### **Auscultatory Gap**

A transient silence between the first and second sounds of blood pressure measurement, sometimes heard in hypertensive patients. Can lead to underestimation of systolic pressure if not recognized.

**Synonyms:**

### **Austin Flint Murmur**

A mid-diastolic, low-pitched rumbling murmur heard at the apex, caused by the regurgitant jet from severe aortic regurgitation striking the anterior mitral leaflet.

**Synonyms:**

### **Autism Spectrum Disorder**

Neurodevelopmental disorder characterized by persistent deficits in social communication and social

---

interaction across multiple contexts, restricted and repetitive patterns of behavior, interests, or activities. Symptoms present in early developmental period and cause clinically significant impairment.

**Synonyms:**

### **Autoantibody**

An immunoglobulin that recognizes and binds an endogenous antigen. Autoantibodies may be pathogenic, as in autoimmune hemolytic anemia, or may serve as laboratory markers of autoimmune disease.

**Synonyms:**

### **Autoclave**

Sterilization device using high-pressure steam. Parameters: 121°C, 15 psi, 15-30 minutes. Essential for infection control.

**Synonyms:**

### **Autogenic Drainage**

A breathing technique using controlled breathing at different lung volumes to mobilize secretions from peripheral to central airways. It involves breathing at low lung volumes (collect), mid lung volumes (loosen), and high lung volumes (evacuate). It requires patient training and cooperation.

**Synonyms:**

### **Autograft**

Tissue transplanted from one site to another within the same individual. Autografts are genetically identical to the recipient and generally avoid alloimmune rejection, although donor-site morbidity may occur.

**Synonyms:**

### **Autoimmune Disease**

Autoimmune diseases result from loss of immunological self-tolerance, leading to immune-mediated attack on the body's own tissues.

**Synonyms:**

### **Autoimmune Disorder**

A disease caused by an abnormal immune response against the body's own cells, tissues, or organs.

Autoimmune disorders may be organ-specific or systemic and can produce inflammation, tissue injury, functional impairment, or circulating autoantibodies.

**Synonyms:**

### **Autoimmune Enteropathy**

Rare immune-mediated disease causing persistent diarrhoea and small-intestinal mucosal injury, usually with villous atrophy and crypt hyperplasia. It may occur in children or adults and can be associated with other autoimmune disorders or immune dysregulation.

**Synonyms:**

### **Autoimmune Gastritis**

Chronic atrophic gastritis caused by antibodies against parietal cells leading to achlorhydria and vitamin B12 deficiency. Associated with pernicious anemia and increased risk of gastric carcinoid tumors and type 1 gastric neuroendocrine tumors. Anti-parietal cell antibodies are present in approximately ninety percent of patients.

**Synonyms:**

### **Autoimmune Hemolytic Anemia**

AIHA: hemolytic anemia due to antibodies directed against red blood cells. Warm AIHA (IgG, 37°C—idiopathic, SLE, CLL, drugs: methyldopa, penicillin): splenic sequestration, spherocytes, positive direct antiglobulin (DAT).

**Synonyms:**

### **Autoimmune Hepatitis**

Chronic hepatitis caused by immune-mediated destruction of hepatocytes characterized by interface hepatitis with lymphoplasmacytic infiltrate, elevated transaminases, hypergammaglobulinemia, and autoantibodies.

**Synonyms:**

### **Autoimmune keratitis**

Corneal inflammation associated with an immune-mediated disorder, sometimes occurring with rheumatoid arthritis, lupus, or granulomatosis with



---

polyangiitis. It may cause pain, redness, corneal opacity, and reduced vision and requires urgent ophthalmic assessment. Treatment is directed at the cause and may include anti-inflammatory or immunosuppressive therapy.

**Synonyms:**

### **Autoimmune Pancreatitis**

Chronic inflammatory condition characterized by dense lymphoplasmacytic infiltrate with IgG4-positive plasma cells representing the pancreatic manifestation of IgG4-related disease. Type 1 is more common affecting older men with elevated serum IgG4 and extrapancreatic involvement.

**Synonyms:**

### **Autoimmune Polyendocrine Syndromes**

APS-1 (APECED, AIRE mutation): autosomal recessive, chronic mucocutaneous candidiasis, hypoparathyroidism, adrenal insufficiency (Addison's), plus type 1 diabetes, autoimmune thyroiditis, vitiligo, alopecia, pernicious anemia, hepatitis, asplenia.

**Synonyms:**

### **Autoimmunity: Mechanisms**

Loss of tolerance: central (thymic negative selection defects, AIRE mutation → APS-1) and peripheral (Treg dysfunction, anergy failure, ignorance loss). Molecular mimicry: cross-reactivity between pathogen and self (rheumatic fever: Strep M protein + cardiac myosin; Guillain-Barre: Campylobacter + GM1 ganglioside; reactive arthritis).

**Synonyms:**

### **Autologous Blood Donation**

Autologous blood donation involves preoperative collection and storage of the patient's own blood for intraoperative or postoperative transfusion. It eliminates risks of alloimmune reactions, transfusion-transmitted infections, and immune modulation.

**Synonyms:**

### **Autonomic Dysreflexia**

Acute, potentially life-threatening sympathetic dis-

charge in a person with spinal-cord injury at or above approximately T6, triggered by a noxious stimulus below the lesion. It causes sudden hypertension, headache, flushing or sweating above the lesion, and reflex bradycardia or other heart-rate changes.

**Synonyms:**

### **Autonomic Nervous System**

The part of the peripheral nervous system that regulates involuntary functions, including heart rate, vascular tone, digestion, sweating, pupil size, and bladder activity.

**Synonyms:**

### **Autonomic Neuropathy**

Damage to nerves that control involuntary functions such as heart rate, blood pressure, digestion, sweating, bladder function, and sexual function. Diabetes is a common cause, but other diseases, toxins, and medicines may contribute. Symptoms depend on the affected organs and require evaluation of the underlying cause.

**Synonyms:**

### **Autophagy**

Cellular self-degradation process delivering cytoplasmic components to lysosomes for recycling. Macroautophagy: phagophore forms, expands to autophagosome (LC3-II on membrane), fuses with lysosome (autolysosome) for degradation. Selective autophagy: mitophagy (damaged mitochondria), xenophagy (pathogens), and aggrephagy (protein aggregates).

**Synonyms:**

### **Autopsy**

A postmortem examination of a body to determine cause and manner of death, performed by a forensic pathologist (medical examiner/coroner) or, for hospital autopsies, a pathologist.

**Synonyms:**

### **Autopsy (Medicolegal)**

Systematic external examination and surgical dis-

---

section of a deceased body performed under legal authority by a forensic pathologist to determine the Cause, Manner, and Mechanism of Death, document injuries, collect evidence, and assist judicial investigations.

**Synonyms:** Medicolegal

### **Autopsy (Post-Mortem Examination)**

Specialized surgical procedure performed on a deceased body to determine the cause of death, mechanism of death, manner of death (natural, accidental, suicide, homicide, or undetermined), state of health prior to death, and to document injuries or disease processes.

**Synonyms:** Post-Mortem Examination

### **Autosomal Dominant PKD**

Most common hereditary kidney disease affecting 1 in 400 to 1000. PKD1 chromosome 16 more severe with earlier ESRD than PKD2 chromosome 4. Progressive cyst growth causes hypertension, pain, hematuria, infections, and eventually ESRD. Screen family members with ultrasound. Tolvaptan may slow cyst growth.

**Synonyms:**

### **Autosomal dominant polycystic kidney disease**

An inherited disorder causing progressive growth of numerous renal cysts that enlarge the kidneys and destroy parenchyma, leading to hypertension, flank pain, and eventual kidney failure. Associated with hepatic cysts and intracranial aneurysms.

**Synonyms:**

### **Autosomal Inheritance**

Transmission of a genetic trait through one of the 22 non-sex chromosomes. Autosomal dominant traits may appear in successive generations, whereas autosomal recessive disease generally requires pathogenic variants on both homologous chromosomes.

**Synonyms:**

### **Autosomal Recessive PKD**

Rare childhood disorder from PKHD1 mutation.

Bilateral enlarged kidneys with fusiform dilation of collecting ducts. Associated with congenital hepatic fibrosis. Severe forms cause pulmonary hypoplasia in utero. Variable severity from perinatal lethal to presentation in childhood or adolescence.

**Synonyms:**

### **Avascular Necrosis**

Death of bone tissue caused by impaired blood supply. It commonly affects the hip or shoulder and may cause pain, collapse of the joint surface, and arthritis. Risk factors include corticosteroid exposure, alcohol use, trauma, sickle-cell disease, and systemic lupus erythematosus. Treatment depends on the site and stage and may include observation, joint-preserving surgery, or joint replacement.

**Synonyms:**

### **Avascular Necrosis (Osteonecrosis)**

Death of bone tissue caused by impaired blood supply. It commonly affects the femoral head and may lead to subchondral collapse, secondary arthritis, and need for joint-preserving surgery or arthroplasty.

**Synonyms:** Osteonecrosis

### **Avian Influenza**

Influenza caused by avian-adapted influenza A viruses, acquired mainly through contact with infected birds or contaminated environments. Human infection can cause severe pneumonia, respiratory failure, and occasionally systemic disease.

**Synonyms:**

### **Avoidant Personality Disorder**

A pattern of social inhibition, feelings of inadequacy, and hypersensitivity to negative evaluation.

**Synonyms:**

### **Avolition**

A severe lack of motivation to initiate and perform self-directed, purposeful activities. It is a negative symptom of schizophrenia and is seen in severe depression. It manifests as neglect of personal hygiene, inability to complete tasks, and social withdrawal.

---

**Synonyms:**

### **Avulsed Tooth**

A tooth completely displaced from its socket by trauma. It is a dental emergency; management depends on patient age, extraoral dry time, storage medium, root development, and periodontal-ligament viability, and may require urgent replantation by a dental professional.

**Synonyms:**

### **Avulsion**

An injury in which tissue is forcibly torn from the body by shearing or pulling. Common forms include dental, fingertip, nail, and degloving avulsions. Management focuses on hemorrhage control, debridement, tissue preservation, and urgent consultation.

**Synonyms:**

### **Avulsion Fracture**

A fracture in which a fragment of bone is pulled away by the tendon or ligament attached to it, usually during sudden forceful contraction or injury. Common sites include the pelvis, ankle, elbow, and fingers; evaluation considers displacement, joint involvement, skeletal maturity, and associated soft-tissue injury.

**Synonyms:**

### **Awake Fiberoptic Intubation**

An intubation technique performed while the patient remains responsive and breathing spontaneously, using topical airway anesthesia and a flexible bronchoscope. It is one option when difficult airway management is anticipated and maintaining oxygenation is important.

**Synonyms:**

### **Awareness Under Anesthesia**

Unintended awareness or recall of events during general anesthesia. It may involve hearing, sensation, or pain and can be associated with significant psychological distress after the procedure.

**Synonyms:**

### **Axilla**

Pyramidal space between the upper lateral thorax and medial arm. Bounded by anterior fold (pectoralis major/minor), posterior fold (latissimus dorsi/teres major), medial wall (ribs/serratus anterior), and lateral wall (humerus). Contains axillary artery/vein, brachial plexus cords, and lymph nodes.

**Synonyms:**

### **Axillary Artery**

The continuation of the subclavian artery, running from the outer border of the first rib to the lower border of teres major, where it becomes the brachial artery. Divided into three parts by the pectoralis minor.

**Synonyms:**

### **Axillary Nerve**

From posterior cord (C5-C6), passing through the quadrangular space with the posterior circumflex humeral artery. Innervates deltoid and teres minor; provides sensation to the regimental badge area (lateral deltoid skin). Vulnerable in anterior shoulder dislocations and surgical neck humeral fractures.

**Synonyms:**

### **Axis**

Second cervical vertebra with the dens (odontoid process) projecting superiorly, serving as a pivot for atlas rotation, allowing approximately 50 percent of cervical rotation. Has a large spinous process and flat superior articular facets.

**Synonyms:**

### **Axon**

The single long process of a neuron that conducts action potentials away from the cell body toward the axon terminal for synaptic transmission.

**Synonyms:**

### **Azole Antifungals**

A class of antifungal agents that inhibit the enzyme lanosterol 14- $\alpha$ -demethylase, a cytochrome P450 enzyme essential for ergosterol synthesis in fungal cell membranes. The depletion of ergosterol and

---

accumulation of toxic methylated sterols disrupt membrane integrity and function.

**Synonyms:**

### **Azoospermia**

Absence of spermatozoa in the ejaculate after appropriate centrifugation and microscopic examination. It may be obstructive, with sperm production preserved but outflow blocked, or nonobstructive, with impaired spermatogenesis.

**Synonyms:**

### **Azygos Vein**

A vein that drains the posterior intercostal veins and empties into the superior vena cava. It forms an important collateral pathway when the SVC is obstructed. On chest imaging, enlargement of the azygos vein may indicate SVC obstruction, heart failure, or portal hypertension.

**Synonyms:**

### **Azygous vein**

A large vein that drains the posterior thoracic wall and mediastinum, ascending along the right side of the vertebral column to empty into the superior vena cava. It provides collateral venous return when the superior or inferior vena cava is obstructed.

**Synonyms:**

### **Aarskog Syndrome**

A rare inherited disorder affecting growth, facial development, the skeleton, and sometimes the genitals.

**Synonyms:**

### **Acute Kidney Failure**

A sudden decline in kidney function that causes waste products and fluid to accumulate in the body.

**Synonyms:**

### **Addison's Disease**

A disorder in which the adrenal glands produce too little cortisol and, often, too little aldosterone.

**Synonyms:**

### **Adrenal Cortex**

The outer part of an adrenal gland that produces steroid hormones, including cortisol and aldosterone.

**Synonyms:**

### **Aortic Valve Insufficiency**

Leakage of the aortic valve that allows blood to flow back into the left ventricle.

**Synonyms:**

### **Aortic Valve Stenosis**

Narrowing of the aortic valve that obstructs blood flow from the left ventricle into the aorta.

**Synonyms:**

### **Aortitis**

Inflammation of the aortic wall.

**Synonyms:**

### **Arachnoiditis**

Inflammation and scarring of the arachnoid membrane and nearby spinal nerves, often causing chronic pain or neurological symptoms.

**Synonyms:**

### **Atrioventricular Block**

Delayed or interrupted electrical conduction between the atria and ventricles of the heart.

**Synonyms:**

### **5-alpha Reductase**

An enzyme that converts testosterone to dihydrotestosterone, a hormone involved in prostate growth and male sexual development.

**Synonyms:**

### **Abdominoplasty**

A surgical procedure that removes excess abdominal skin and may tighten the abdominal wall. It is commonly called a tummy tuck.

**Synonyms:** a tummy tuck.

---

### **Ablation**

Destruction or removal of a small area of abnormal tissue using methods such as heat, cold, chemicals, or electrical energy.

**Synonyms:**

### **Abutment**

A tooth or implant that supports and anchors a dental prosthesis.

**Synonyms:**

### **Accommodation**

The ability of the eye to change the shape of its lens so that near objects can be focused clearly.

**Synonyms:**

### **Acetaldehyde**

A chemical produced when the body metabolizes alcohol. Accumulation may contribute to flushing, nausea, and vomiting.

**Synonyms:**

### **Achilles Tendon**

The strong tendon connecting the calf muscles to the heel bone. It can become inflamed or rupture.

**Synonyms:**

### **Acupressure**

Application of pressure to selected body points, usually to relieve symptoms such as pain or nausea.

**Synonyms:**

### **Acupuncture**

A treatment in which thin needles are inserted into selected points of the body.

**Synonyms:**

### **Acute Pain**

Pain that begins suddenly and usually lasts for a limited period, often because of injury, illness, or a procedure.

**Synonyms:**

### **Acute Urinary Retention**

Sudden inability to empty the bladder, often causing painful lower-abdominal distension and requiring urgent assessment.

**Synonyms:**

### **Adenosine Triphosphate**

A molecule that stores and transfers energy within cells. It is commonly abbreviated ATP.

**Synonyms:**

### **Adhesion**

A band of scar-like tissue that abnormally connects surfaces or organs inside the body.

**Synonyms:**

### **Advance Care Directive**

A legal document stating a person's preferences for medical care if the person later cannot make or communicate decisions.

**Synonyms:**

### **AIDS Dementia**

A disorder of thinking, memory, behavior, or movement caused by advanced HIV-related disease affecting the brain.

**Synonyms:**

### **Accident and Emergency Medicine (A&E Medicine)**

The medical specialty concerned with the immediate assessment, resuscitation, diagnosis, and initial treatment of acute illness and injury.

**Synonyms:** A&E Medicine

### **Acute Abdomen**

Sudden or severe abdominal pain with clinical features suggesting a potentially serious intra-abdominal disorder that may require urgent investigation or surgery.

**Synonyms:**

### **Spontaneous Abortion (Miscarriage)**

Unintentional loss of a pregnancy before fetal via-

---

bility. Causes include chromosomal abnormalities, uterine or cervical problems, infection, and maternal medical conditions.

**Synonyms:** Miscarriage

### **Therapeutic Abortion**

Intentional termination of a pregnancy because of medical, fetal, or other legally recognized indications, according to applicable law and clinical guidance.

**Synonyms:**

### **Acetone**

A volatile ketone body produced during increased fat metabolism. It may contribute to the characteristic breath odor of ketosis and ketoacidosis.

**Synonyms:**

### **Adenitis**

Inflammation of a gland or lymph node, usually caused by infection or an inflammatory disorder. Lymphadenitis is a common form.

**Synonyms:**

### **Adolescence**

The developmental period between childhood and adulthood, involving physical maturation, puberty, and major psychological and social changes.

**Synonyms:**

### **Adrenergic Receptors**

Cell-surface receptors activated by adrenaline and noradrenaline. Alpha and beta subtypes regulate cardiovascular, respiratory, metabolic, and other physiological responses.

**Synonyms:**

### **Aetiology (Etiology)**

The cause or group of causes underlying a disease, injury, or other medical condition.

**Synonyms:** Etiology

### **Afterpains**

Intermittent uterine cramps occurring after child-

birth as the uterus contracts and returns toward its pre-pregnancy size. They may be more noticeable during breastfeeding.

**Synonyms:**

### **Agenesis**

Complete failure of an organ or body structure to develop, usually because of a congenital developmental abnormality.

**Synonyms:**

### **HIV Infection**

Infection with human immunodeficiency virus, which progressively damages CD4 T lymphocytes if untreated and may lead to acquired immunodeficiency syndrome (AIDS).

**Synonyms:**

### **Albinism**

An inherited condition involving reduced or absent melanin production, affecting the skin, hair, and eyes.

**Synonyms:**

### **Alopecia Totalis**

Complete loss of hair from the scalp, usually caused by an autoimmune disorder.

**Synonyms:**

### **Alopecia Universalis**

Loss of hair from the entire body, including the scalp, eyebrows, eyelashes, and other hair-bearing areas.

**Synonyms:**

### **Alpha Blockers**

Medicines that block alpha-adrenergic receptors and may lower blood pressure or improve urine flow in prostate enlargement.

**Synonyms:**

### **Alveoli**

Microscopic air sacs in the lungs where oxygen enters the blood and carbon dioxide leaves it.



---

**Synonyms:**

### **Alzheimer's Disease**

A progressive brain disorder causing deterioration of memory, thinking, behavior, and the ability to perform daily activities.

**Synonyms:**

### **Amsler Grid**

A simple chart used to detect or monitor distortions and missing areas in central vision, especially in macular disease.

**Synonyms:**

### **Amyloid**

An abnormal protein that can accumulate in tissues and impair their function in several diseases.

**Synonyms:**

### **Anagen**

The active growth phase of the hair cycle.

**Synonyms:**

### **Analgesia**

Absence or reduction of pain without necessarily causing loss of consciousness.

**Synonyms:**

### **Androgen**

A sex hormone, such as testosterone, that contributes to male reproductive development and other body functions.

**Synonyms:**

### **Angiotensin I**

An inactive precursor that is converted to angiotensin II in the renin-angiotensin system.

**Synonyms:**

### **Angiotensin II**

A hormone that narrows blood vessels and promotes sodium retention, thereby increasing blood pressure.

**Synonyms:**

### **Antibody**

A protein produced by the immune system that specifically binds to a foreign or abnormal substance.

**Synonyms:**

### **Anticoagulant**

A medicine or substance that reduces the blood's ability to form clots.

**Synonyms:**

### **Antidepressant**

A medicine used to treat depressive disorders and some other conditions involving mood, anxiety, pain, or sleep.

**Synonyms:**

### **Antiplatelet Agents**

Medicines that reduce platelet activation or aggregation and thereby lower the risk of some blood clots.

**Synonyms:**

### **Apolipoproteins**

Proteins associated with lipids in the blood that help transport and metabolize cholesterol and triglycerides.

**Synonyms:**

### **Articular Cartilage**

Smooth cartilage covering the ends of bones within a joint, allowing low-friction movement and distributing load.

**Synonyms:**

### **Atrophy**

Wasting or decrease in the size and function of a tissue, organ, or muscle.

**Synonyms:**

### **Auditory Nerve**

The portion of the vestibulocochlear nerve that carries hearing signals from the inner ear to the brain.

**Synonyms:**

---

### **Aura**

A temporary sensory, visual, or other neurological symptom that may precede a migraine or seizure.

**Synonyms:**

### **Autoantibodies**

Antibodies that mistakenly react with the body's own cells or tissues.

**Synonyms:**

### **Axon Terminal**

The end of a nerve-cell axon that releases chemical messengers to communicate with another cell.

**Synonyms:**

### **Achilles Tendinitis**

Painful inflammation or degeneration of the Achilles tendon, usually caused by repeated loading.

**Synonyms:**

### **ACL Injury**

A sprain or tear of the anterior cruciate ligament in the knee.

**Synonyms:**

### **Acute Myelogenous Leukemia**

A fast-growing cancer of immature myeloid blood cells in the bone marrow and blood; also called acute myeloid leukemia.

**Synonyms:** acute myeloid leukemia.

### **Acute Radiation Sickness**

Illness caused by a high dose of penetrating radiation received over a short time.

**Synonyms:**

### **Airplane Ear**

Ear pain, pressure, or temporary hearing loss caused by unequal air pressure across the eardrum during flight.

**Synonyms:**

### **Alcohol Intolerance**

An unpleasant reaction to alcohol caused by diffi-

culty metabolizing alcohol or one of its components.

**Synonyms:**

### **Alcohol Poisoning**

A life-threatening condition caused by drinking enough alcohol to impair breathing, consciousness, and other vital functions.

**Synonyms:**

### **Alpha-Gal Syndrome**

An allergy to the carbohydrate alpha-gal found in most nonhuman mammalian meat and some products derived from mammals.

**Synonyms:**

### **Ampullary Cancer**

Cancer arising in the ampulla of Vater, where the bile duct and pancreatic duct empty into the small intestine.

**Synonyms:**

### **Appendix Cancer**

Cancer that begins in the appendix, including neuroendocrine tumors, mucinous tumors, and adenocarcinoma.

**Synonyms:**

### **Antibiotic-Associated Diarrhea**

Loose or frequent stools that occur during or soon after antibiotic treatment.

**Synonyms:**

### **Asthma Attack**

A sudden worsening of asthma caused by increased airway narrowing and inflammation.

**Synonyms:**

### **Atrioventricular Canal Defect**

A congenital heart defect involving abnormal development of the septum and atrioventricular valves; also called an atrioventricular septal defect.

**Synonyms:** an atrioventricular septal defect.

### **Atrioventricular Nodal Reentry**

---

### **Tachycardia**

A rapid regular heart rhythm caused by a reentry circuit near the atrioventricular node; commonly abbreviated AVNRT.

**Synonyms:**

### **Atypical Genitalia**

External genital anatomy that does not have typical male or female features, often because of differences in sex development.

**Synonyms:**

### **Atypical Hyperplasia of the Breast**

An overgrowth of abnormal cells in breast tissue that is not cancer but may increase future breast-cancer risk.

**Synonyms:**

### **Atypical Teratoid Rhabdoid Tumor**

A rare, aggressive cancer of the central nervous system that occurs mainly in infants and young children.

**Synonyms:**

### **Autoimmune Encephalitis**

Brain inflammation caused by antibodies or other immune responses directed against neuronal proteins.

**Synonyms:**

### **Autoimmune Epilepsy**

Recurrent seizures caused by an immune attack on the brain or by inflammation associated with an autoimmune disorder.

**Synonyms:**

### **Abdominal Regions**

The nine named areas used to describe locations on the abdominal wall: the right and left hypochondriac, epigastric, right and left lumbar, umbilical, right and left iliac, and hypogastric regions.

**Synonyms:**

### **Abdominopelvic Cavity**

The continuous body cavity below the diaphragm that contains the abdominal and pelvic organs.

**Synonyms:**

### **Abortifacient**

A drug or substance that induces abortion by ending a pregnancy.

**Synonyms:**

### **Acute Rhinitis**

Sudden inflammation of the nasal lining, commonly caused by a viral infection or an irritant, producing congestion, nasal discharge, and sneezing.

**Synonyms:**

### **Adnexa**

Structures adjacent to an organ; in gynecology, the uterine adnexa include the ovaries, fallopian tubes, and supporting tissues.

**Synonyms:**

### **Adrenogenital Syndrome**

A group of disorders, usually caused by congenital adrenal hyperplasia, in which excess adrenal androgens cause atypical genital development or early puberty.

**Synonyms:**

### **Afferent Neuron**

A sensory nerve cell that carries impulses from receptors toward the central nervous system.

**Synonyms:**

### **Agranulocytes**

White blood cells without prominent cytoplasmic granules; the main types are lymphocytes and monocytes.

**Synonyms:**

### **Airway**

A passage through which air moves between the outside environment and the lungs, including the nose, mouth, pharynx, larynx, trachea, and bronchi.

---

**Synonyms:**

### **Anastomosis**

A natural or surgically created connection between two tubular structures, such as blood vessels or segments of the intestine.

**Synonyms:**

### **Allis Clamp**

A toothed surgical clamp used to grasp and hold firm tissue during an operation.

**Synonyms:**

### **Aphagia**

Complete inability to swallow, which may result from neurologic disease, obstruction, severe pain, or loss of swallowing-muscle function.

**Synonyms:**

### **Apical Pulse**

The heart rate measured by listening over the apex of the heart, usually at the left fifth intercostal space near the midclavicular line.

**Synonyms:**

### **Areola**

The pigmented circular area surrounding the nipple. It contains glands that help lubricate and protect the skin during breastfeeding.

**Synonyms:**

### **Asthenia**

Abnormal lack of physical strength or energy. It is a symptom that may occur with illness, malnutrition, or medication effects.

**Synonyms:**

### **Azotemia**

Accumulation of nitrogen-containing waste products in the blood, usually because the kidneys are not filtering adequately.

**Synonyms:**

### **Atrioventricular Valves**

The heart valves between the atria and ventricles: the tricuspid valve on the right and the mitral valve on the left.

**Synonyms:**

### **Antimicrobial Sensitivity Test**

A laboratory test that determines which antimicrobial medicines inhibit or kill a microorganism isolated from a patient.

**Synonyms:**

### **Antideformity Position**

A therapeutic positioning method that places a limb or joint in an alignment that helps prevent or limit a contracture or deformity.

**Synonyms:**

### **Autosomal Dominant Inheritance**

Inheritance in which one pathogenic variant on a non-sex chromosome can cause a trait or disorder. An affected heterozygous parent may transmit it to about half of the children.

**Synonyms:**

### **Autosomal Recessive Inheritance**

Inheritance in which a disorder generally requires pathogenic variants in both copies of a gene. Carrier parents typically have a one-in-four chance of an affected child in each pregnancy.

**Synonyms:**

### **Abdominal Angina**

Postprandial abdominal pain caused by inadequate blood flow through the arteries supplying the intestines, usually because of atherosclerotic disease.

**Synonyms:**

### **Abdominal Binder**

A wide supportive garment placed around the abdomen to provide gentle compression after surgery, injury, or selected abdominal-wall conditions.

**Synonyms:**

---

### Abdominal Migraine

A migraine-related disorder characterized mainly by recurrent episodes of moderate to severe midline abdominal pain, often with nausea or vomiting and little or no headache.

**Synonyms:**

### Abdominocentesis

Surgical or needle puncture of the abdominal wall to enter the peritoneal cavity, commonly for removal or analysis of ascitic fluid.

**Synonyms:**

### Abdominal Hernia

Protrusion of an organ or tissue through a weakness or opening in the abdominal wall. Common types include incisional, umbilical, epigastric, and ventral hernias.

**Synonyms:**

### Ablative Surgery

Surgery that destroys or removes abnormal tissue, often using excision, heat, cold, electrical energy, or other tissue-destructive methods.

**Synonyms:**

### Afferent Loop Syndrome

Obstruction or impaired emptying of the afferent intestinal limb created by some gastric operations, causing bile and pancreatic-secretions to accumulate with pain, nausea, vomiting, or malabsorption.

**Synonyms:**

### Acute Chest Syndrome

A potentially life-threatening pulmonary complication of sickle cell disease characterized by a new lung infiltrate plus fever or respiratory symptoms such as chest pain, cough, hypoxemia, or breathing difficulty.

**Synonyms:**

### Acute Inflammatory Demyelinating Polyradiculoneuropathy

The most common form of Guillain-Barré syndrome, in which immune-mediated demyelination of periph-

eral nerves causes progressive, usually symmetric weakness and reduced reflexes.

**Synonyms:**

### Acute Nephritic Syndrome

A clinical syndrome of glomerular inflammation marked by hematuria, variable proteinuria, edema, hypertension, and reduced kidney function.

**Synonyms:**

### Acute Retroviral Syndrome

The acute illness that may occur shortly after HIV infection, commonly involving fever, rash, sore throat, lymph-node enlargement, muscle aches, or headache.

**Synonyms:**

### Acute Transverse Myelitis

Inflammation across a segment of the spinal cord that can cause rapidly developing weakness, sensory changes, and bladder or bowel dysfunction.

**Synonyms:**

### Adult Polycystic Kidney Disease

An inherited disorder, usually autosomal dominant polycystic kidney disease, in which multiple kidney cysts enlarge over time and may cause hypertension, pain, hematuria, and chronic kidney failure.

**Synonyms:**

### Alcohol Withdrawal Syndrome

A set of symptoms occurring after abrupt reduction or cessation of prolonged heavy alcohol use. Symptoms range from tremor, sweating, anxiety, and nausea to seizures and delirium tremens.

**Synonyms:**

### Anemia of Inflammation

An anemia caused by chronic infection, inflammatory disease, or cancer, involving impaired iron availability, reduced erythropoietin response, and shortened red-cell survival.

**Synonyms:**

---

### Anterior Cord Syndrome

A spinal-cord injury syndrome causing impaired motor function and loss of pain and temperature sensation below the lesion, with relative preservation of vibration and position sense.

**Synonyms:**

### Adhesiolysis

Surgical division or removal of abnormal fibrous adhesions that bind tissues or organs together, often after inflammation, infection, surgery, or trauma.

**Synonyms:**

### Abulia

Marked reduction in motivation, initiative, and spontaneous activity, usually caused by dysfunction of frontal-subcortical brain circuits or related neurologic disease.

**Synonyms:**

### Acrocyanosis

Persistent, usually painless bluish discoloration and coolness of the hands or feet caused by reduced peripheral blood flow, often worsened by cold exposure.

**Synonyms:**

### Adipsia

Absent or markedly reduced thirst, which can impair normal fluid intake and lead to dehydration or hypernatremia.

**Synonyms:**

### Aerophagia

Excessive swallowing of air, which may cause belching, abdominal bloating, distention, or increased intestinal gas.

**Synonyms:**

### Alpha Thalassemia

An inherited blood disorder caused by reduced production of alpha-globin chains of hemoglobin. Severity ranges from mild microcytosis or anemia to severe fetal or newborn disease.

**Synonyms:**

### Anasarca

Severe, generalized edema involving large areas of the body, often associated with heart failure, kidney disease, liver disease, or profound hypoalbuminemia.

**Synonyms:**

### Abdominal Muscles

The muscles forming the front and sides of the abdominal wall. They support the trunk, help with posture and breathing, and increase intra-abdominal pressure during coughing, lifting, and defecation.

**Synonyms:** Abdominal wall muscles.

### Acceptance-Based Therapies

Psychotherapeutic approaches that help a person notice and accept thoughts, feelings, or bodily sensations while reducing unhelpful attempts to control or avoid them.

**Synonyms:** Acceptance-based psychotherapy; acceptance-focused therapy.

### Acquisition

The process by which new information or a skill is learned and initially encoded, especially in discussions of memory and learning.

**Synonyms:** Learning acquisition; memory acquisition.

### Actin

A structural and contractile protein found in many cells. In muscle, actin interacts with myosin to produce contraction; in other cells, it supports shape, movement, and intracellular transport.

**Synonyms:** Actin filament; microfilament protein.

### Adequate Intake

A recommended average daily nutrient intake based on observed or experimentally determined levels in healthy people when evidence is insufficient to establish a recommended dietary allowance.

**Synonyms:** AI; adequate nutrient intake.

### Adult Day Services

Community-based daytime programs providing supervision, social activities, health-related support,



---

or assistance with daily activities for adults who cannot safely remain alone throughout the day.

**Synonyms:** Adult day care; adult day program.

### Aesthetician

A trained skin-care professional who provides non-medical cosmetic skin treatments, such as cleansing, superficial exfoliation, and selected skin-care procedures within the scope of local regulation.

**Synonyms:** Esthetician; skin-care specialist.

### After-Cataract

Clouding of the posterior lens capsule that develops after cataract surgery and may cause blurred or hazy vision. It is also called posterior capsule opacification.

**Synonyms:** Posterior capsule opacification; secondary cataract.

### Age-Related Cognitive Decline

A modest, age-associated change in memory, processing speed, or other cognitive abilities that does not necessarily interfere substantially with independent daily functioning.

**Synonyms:** Age-associated cognitive decline; normal cognitive aging.

### Alcohol Abuse

A nonpreferred older term for a pattern of alcohol use that causes recurrent problems or harm. Current clinical classification generally uses alcohol use disorder and specifies its severity.

**Synonyms:** Problem drinking; harmful alcohol use.

### Alcohol Dehydrogenase

An enzyme, found mainly in the liver, that catalyzes the first major step in ethanol metabolism by converting alcohol to acetaldehyde.

**Synonyms:** ADH; ethanol dehydrogenase.

### Alcohol Dependence

A pattern of alcohol use characterized by impaired control, compulsive use, tolerance, withdrawal, and continued drinking despite harm. In current terminology, it is generally classified under alcohol use

disorder.

**Synonyms:** Alcohol use disorder; alcohol addiction; alcoholism.

### Alendronate

A bisphosphonate that reduces bone resorption and is used to treat or prevent osteoporosis and selected other disorders of excessive bone turnover.

**Synonyms:** Alendronic acid; oral bisphosphonate therapy.

### Alpha Cells

Endocrine cells in the pancreatic islets that produce and release glucagon, a hormone that raises blood glucose during fasting or low-glucose states.

**Synonyms:** Pancreatic alpha cells; glucagon-secreting cells.

### Alpha Hydroxy Acids

A group of organic acids used in dermatology and cosmetics to exfoliate the outer skin layer and improve texture or pigmentation. Examples include glycolic and lactic acid.

**Synonyms:** AHAs; fruit acids.

### Alpha Waves

Rhythmic electroencephalographic waves, typically around 8–13 Hz, most prominent when a relaxed, awake person has the eyes closed.

**Synonyms:** Alpha rhythm; posterior dominant rhythm.

### Alpha-Delta Sleep

A sleep pattern in which alpha-frequency activity intrudes into delta-wave deep sleep and may be associated with nonrestorative sleep or chronic pain.

**Synonyms:** Alpha-delta intrusion; alpha-delta rhythm.

### Amyloid Precursor Protein

A normal transmembrane protein that can be processed into amyloid-beta peptides, which may accumulate in the brain in Alzheimer disease.

**Synonyms:** APP; amyloid-beta precursor protein.

---

### Anterior Myocardial Infarction

A myocardial infarction involving the anterior wall of the left ventricle, usually because of obstruction in the left anterior descending coronary artery.

**Synonyms:** Anterior heart attack; anterior MI.

### Anti-Cyclic Citrullinated Peptide

An autoantibody directed against citrullinated proteins and used, with clinical findings and other tests, to support the diagnosis of rheumatoid arthritis.

**Synonyms:** Anti-CCP antibody; cyclic citrullinated peptide antibody.

### Antileukotriene

A drug class that blocks leukotriene-mediated airway inflammation or bronchoconstriction and is used in selected allergic or respiratory conditions.

**Synonyms:** Leukotriene modifier; leukotriene pathway inhibitor.

### Antispasmodic Drugs

Medicines that reduce smooth-muscle spasm or cramping in selected gastrointestinal, urinary, biliary, or other conditions. Choice and use depend on the cause and clinical context.

**Synonyms:** Antispasmodics; spasmolytics.

### Arterial Resistance

The opposition to blood flow produced mainly by the diameter and tone of small arteries and arterioles. It contributes to systemic vascular resistance and blood pressure.

**Synonyms:** Vascular resistance; systemic vascular resistance.

### Arterioles

Small branches of arteries that regulate blood flow into capillary beds through contraction and relaxation of their smooth muscle.

**Synonyms:** Resistance vessels; small arteries.

### Atheroma

A localized accumulation of lipid, inflammatory cells, and fibrous tissue within an arterial wall, forming part of an atherosclerotic plaque.

**Synonyms:** Atheromatous plaque; arterial plaque.

### Atherothrombotic Stroke

An ischemic stroke caused by thrombosis or artery-to-artery embolism arising from atherosclerotic disease in a large artery supplying the brain.

**Synonyms:** Large-artery atherosclerotic stroke; atherothrombotic ischemic stroke.

### Autologous Fat Transplant

A procedure that removes a person's own fat from one body area and transfers it to another area for soft-tissue volume restoration or contouring.

**Synonyms:** Autologous fat grafting; fat transfer; lipofilling.

### Axillary

Relating to the armpit or to structures located in the axilla, including axillary lymph nodes and vessels.

**Synonyms:** Armpit-related; pertaining to the axilla.

### Elevated Liver Enzymes

Higher-than-expected blood levels of enzymes released by injured or stressed liver cells, commonly including ALT and AST. Causes range from fatty liver disease and medicines to viral hepatitis, alcohol-related injury, and biliary obstruction; interpretation depends on the pattern and clinical context.

**Synonyms:** Abnormal liver enzymes; elevated hepatic enzymes.

### Arm Pain

Pain in the shoulder, upper arm, elbow, forearm, or related tissues. Causes include muscle or tendon injury, nerve compression, arthritis, vascular disease, and referred pain; sudden severe pain with chest discomfort, weakness, or shortness of breath requires urgent assessment.

**Synonyms:** Pain in the arm; upper-limb pain.

### Acute flaccid myelitis (AFM)

A rare neurologic condition causing sudden weakness and loss of muscle tone, usually affecting the arms or legs and sometimes the face or breathing muscles.

---

**Synonyms:**

### **Compulsive gambling**

Persistent gambling behavior that is difficult to control despite harmful personal, financial, or social consequences. **Synonyms:**

### **Nicotine dependence**

A pattern of compulsive nicotine use with cravings, loss of control, tolerance, and withdrawal symptoms when use is reduced or stopped. **Synonyms:**

### **Attention-deficit/hyperactivity disorder (ADHD) in children**

A childhood neurodevelopmental disorder involving persistent inattention, hyperactivity, impulsivity, or combinations of these symptoms that impair functioning. **Synonyms:**

### **Adult attention-deficit/hyperactivity disorder (ADHD)**

ADHD that persists into adulthood, often affecting attention, organization, impulse control, activity level, and daily functioning. **Synonyms:**

### **Adnexal tumors and masses**

Abnormal growths or masses involving the ovary, fallopian tube, or nearby supporting tissues; they may be benign or malignant. **Synonyms:**

### **Childhood schizophrenia**

A rare psychotic disorder beginning in childhood, involving disturbances in thinking, perception, behavior, and emotional functioning. **Synonyms:**

### **Benign adrenal tumors**

Noncancerous growths of an adrenal gland that may be discovered incidentally or may produce excess hormones. **Synonyms:**

### **Adult Still disease**

A systemic inflammatory disorder characterized by fever, joint pain or arthritis, and a transient salmon-colored rash. **Synonyms:**

### **Age spots (liver spots)**

Flat brown, gray, or black skin spots caused by long-term ultraviolet exposure, usually appearing on sun-exposed areas. **Synonyms:**

### **Anaplastic large cell lymphoma**

A rare T-cell non-Hodgkin lymphoma characterized by large abnormal lymphocytes and expression of the CD30 marker; it may be systemic or skin-limited. **Synonyms:**

### **Alcoholic hepatitis (Alcohol-associated hepatitis)**

Inflammation and injury of the liver related to alcohol use, potentially causing jaundice, abdominal pain, fever, and liver failure. **Synonyms:**

### **EGPA (formerly Churg-Strauss syndrome)**

Eosinophilic granulomatosis with polyangiitis, an autoimmune vasculitis associated with asthma, eosinophilia, and inflammation of small and medium blood vessels. **Synonyms:**

### **Dust mite allergy**

An allergic reaction to proteins from household dust mites, commonly causing sneezing, congestion, itchy eyes, or asthma symptoms. **Synonyms:**

### **Milk allergy**

An immune reaction to proteins in cow's milk that may cause skin, gastrointestinal, or respiratory symptoms and, rarely, anaphylaxis. **Synonyms:**

### **Mold allergy**

An allergic response to mold spores that may cause nasal, eye, skin, or lower-respiratory symptoms. **Synonyms:**

### **Pet allergy**

An allergic reaction to proteins in an animal's skin flakes, saliva, or urine, commonly causing rhinitis, conjunctivitis, or asthma. **Synonyms:**

---

### Shellfish allergy

An immune reaction to proteins in crustaceans or mollusks that can cause hives, digestive or respiratory symptoms, or anaphylaxis. **Synonyms:**

### Amyotrophic lateral sclerosis (ALS)

A progressive neurodegenerative disease that damages motor neurons, causing muscle weakness, loss of movement, speech or swallowing difficulty, and eventually respiratory failure. **Synonyms:**

### Lazy eye (amblyopia)

Reduced vision in one or both eyes caused by abnormal visual development during childhood, often related to misalignment, unequal focusing, or visual obstruction. **Synonyms:**

### Transient global amnesia

A temporary episode of sudden inability to form new memories, with repetitive questioning, that usually resolves within 24 hours. **Synonyms:**

### Vitamin deficiency anemia

Anemia caused by inadequate vitamin B-12, folate, or other nutrients needed for normal red blood cell production. **Synonyms:**

### Brain aneurysm

A balloon-like bulge in a weak area of a brain artery that can leak or rupture and cause life-threatening bleeding. **Synonyms:**

### Popliteal artery aneurysm

An abnormal enlargement of the artery behind the knee that may cause limb ischemia, clotting, or embolization. **Synonyms:**

### Aneurysms

Abnormal bulges or enlargements in weakened areas of blood-vessel walls that may enlarge, clot, dissect, or rupture. **Synonyms:**

### Angina

Chest discomfort caused by inadequate oxygen-rich blood flow to the heart muscle, usually from coro-

nary artery disease. **Synonyms:**

### Hives and angioedema

Hives are raised itchy welts; angioedema is deeper swelling of the skin or mucous membranes, often caused by allergy, medicines, or other immune reactions. **Synonyms:**

### Broken ankle

A fracture of one or more bones forming the ankle joint, usually causing pain, swelling, bruising, and difficulty bearing weight. **Synonyms:**

### Sprained ankle

Stretching or tearing of one or more ankle ligaments, commonly after the ankle rolls or twists. **Synonyms:**

### Anorgasmia in women

Persistent or recurrent difficulty achieving orgasm despite adequate sexual stimulation, causing personal distress. **Synonyms:**

### Anterior vaginal prolapse (cystocele)

Bulging of the front wall of the vagina caused by weakening of the tissue supporting the bladder, sometimes producing urinary symptoms. **Synonyms:**

### Social anxiety disorder (social phobia)

Intense fear and avoidance of social or performance situations because of concern about embarrassment, judgment, or scrutiny. **Synonyms:**

### Anxiety disorders

Mental health disorders involving excessive fear, worry, or anxiety that is persistent, difficult to control, and disruptive to daily life. **Synonyms:**

### Aortic valve regurgitation

Backward leakage of blood through an incompletely closing aortic valve, which can make the heart work harder and eventually cause heart failure. **Synonyms:**

---

### **Auditory processing disorder**

Difficulty recognizing or interpreting sounds despite normal or near-normal hearing sensitivity. **Synonyms:**

### **Primary progressive aphasia**

A neurodegenerative disorder causing gradual worsening of language abilities, including speaking, naming, comprehension, reading, or writing. **Synonyms:**

### **Viral hemorrhagic fevers**

Severe viral infections that can cause fever, vascular injury, bleeding, shock, and organ failure. **Synonyms:**

### **Broken arm**

A fracture of one or more bones of the arm, commonly causing pain, swelling, bruising, deformity, or loss of function. **Synonyms:**

### **Heart arrhythmia**

An abnormal heart rate or rhythm caused by altered electrical activity in the heart; it may be too fast, too slow, or irregular. **Synonyms:**

### **Arteriosclerosis / atherosclerosis**

Arteriosclerosis is hardening and thickening of arteries; atherosclerosis is plaque buildup within artery walls that can restrict blood flow. **Synonyms:**

### **Thumb arthritis**

Degeneration or inflammation of a thumb joint, especially the joint at the base of the thumb, causing pain, stiffness, and reduced grip. **Synonyms:**

### **Juvenile idiopathic arthritis (JIA)**

A group of inflammatory arthritides beginning before age 16 and lasting at least six weeks, sometimes affecting the eyes or growth. **Synonyms:**

### **Atrial septal defect (ASD)**

A congenital opening between the heart's upper chambers that permits abnormal blood flow between the atria. **Synonyms:**

### **Childhood asthma**

Asthma beginning during childhood, involving variable airway narrowing and inflammation that cause wheezing, cough, chest tightness, or shortness of breath. **Synonyms:**

### **Atrioventricular nodal reentry tachycardia (AVNRT)**

A rapid regular heart rhythm caused by a reentrant electrical circuit involving or near the atrioventricular node. **Synonyms:**

### **Atypical teratoid rhabdoid tumor (ATRT)**

A rare aggressive cancer of the central nervous system, most often occurring in infants and young children. **Synonyms:**

### **Bird flu (avian influenza)**

Influenza caused by avian influenza viruses, which primarily infect birds but can occasionally infect humans and cause severe respiratory illness. **Synonyms:**

### **A fib**

Alternate Mayo Clinic label; see *Atrial fibrillation*. **Synonyms:**

### **AAT deficiency**

Alternate Mayo Clinic label; see *Alpha-1-antitrypsin deficiency*. **Synonyms:**

### **AATD**

Alternate Mayo Clinic label; see *Alpha-1-antitrypsin deficiency*. **Synonyms:**

### **Abnormally excessive sweating**

Alternate Mayo Clinic label; see *Hyperhidrosis*. **Synonyms:**

### **Abscess, Bartholin's**

Alternate Mayo Clinic label; see *Bartholin's cyst*. **Synonyms:**

---

### Acid reflux, infant

Alternate Mayo Clinic label; see *Infant reflux*. **Synonyms:**

### Acne inversa

Alternate Mayo Clinic label; see *Hidradenitis suppurativa*. **Synonyms:**

### Acquired immunodeficiency syndrome

Alternate Mayo Clinic label; see *HIV/AIDS*. **Synonyms:**

### Acute granulocytic leukemia

Alternate Mayo Clinic label; see *Acute myelogenous leukemia*. **Synonyms:**

### Acute inflammatory demyelinating polyneuropathy

Alternate Mayo Clinic label; see *Guillain-Barre syndrome*. **Synonyms:**

### Acute lymphoid leukemia

Alternate Mayo Clinic label; see *Acute lymphocytic leukemia*. **Synonyms:**

### Acute myeloblastic leukemia

Alternate Mayo Clinic label; see *Acute myelogenous leukemia*. **Synonyms:**

### Acute nonlymphocytic leukemia

Alternate Mayo Clinic label; see *Acute myelogenous leukemia*. **Synonyms:**

### Acute radiation syndrome

Alternate Mayo Clinic label; see *Radiation sickness*. **Synonyms:**

### Acute renal failure

Alternate Mayo Clinic label; see *Acute kidney injury*. **Synonyms:**

### Acute rhinosinusitis

Alternate Mayo Clinic label; see *Acute sinusitis*. **Synonyms:**

### Acute symptomatic seizures secondary to autoimmune encephalitis

Alternate Mayo Clinic label; see *Autoimmune epilepsy*. **Synonyms:**

### Addiction, alcohol

Alternate Mayo Clinic label; see *Alcohol use disorder*. **Synonyms:**

### Addiction, gambling

Alternate Mayo Clinic label; see *Compulsive gambling*. **Synonyms:**

### Addiction, nicotine

Alternate Mayo Clinic label; see *Nicotine dependence*. **Synonyms:**

### Adenitis, mesenteric

Alternate Mayo Clinic label; see *Mesenteric lymphadenitis*. **Synonyms:**

### ADHD in children

Alternate Mayo Clinic label; see *Attention-deficit/hyperactivity disorder (ADHD) in children*. **Synonyms:**

### ADHD, Adult

Alternate Mayo Clinic label; see *Adult attention-deficit/hyperactivity disorder (ADHD)*. **Synonyms:**

### Adolescent schizophrenia

Alternate Mayo Clinic label; see *Childhood schizophrenia*. **Synonyms:**

### Adrenal mass

Alternate Mayo Clinic label; see *Benign adrenal tumors*. **Synonyms:**

### AE

Alternate Mayo Clinic label; see *Autoimmune encephalitis*. **Synonyms:**

### AFM

Alternate Mayo Clinic label; see *Acute flaccid myeli-*



---

*tis (AFM)*. **Synonyms:**

**Age-related macular degeneration, dry**

Alternate Mayo Clinic label; see *Dry macular degeneration*. **Synonyms:**

**Age-related macular degeneration, wet**

Alternate Mayo Clinic label; see *Wet macular degeneration*. **Synonyms:**

**Agnogenic myeloid metaplasia**

Alternate Mayo Clinic label; see *Myelofibrosis*. **Synonyms:**

**AIDP**

Alternate Mayo Clinic label; see *Guillain-Barre syndrome*. **Synonyms:**

**AIDS/HIV**

Alternate Mayo Clinic label; see *HIV/AIDS*. **Synonyms:**

**ALCL**

Alternate Mayo Clinic label; see *Anaplastic large cell lymphoma*. **Synonyms:**

**Alcohol addiction**

Alternate Mayo Clinic label; see *Alcohol use disorder*. **Synonyms:**

**Alcohol-associated hepatitis**

Alternate Mayo Clinic label; see *Alcoholic hepatitis (Alcohol-associated hepatitis)*. **Synonyms:**

**Allergic granulomatosis**

Alternate Mayo Clinic label; see *EGPA (formerly Churg-Strauss syndrome)*. **Synonyms:**

**Allergic granulomatosis and angiitis**

Alternate Mayo Clinic label; see *EGPA (formerly Churg-Strauss syndrome)*. **Synonyms:**

**Allergy, dust mite**

Alternate Mayo Clinic label; see *Dust mite allergy*.

**Synonyms:**

**Allergy, egg**

Alternate Mayo Clinic label; see *Egg allergy*. **Synonyms:**

**Allergy, food**

Alternate Mayo Clinic label; see *Food allergy*. **Synonyms:**

**Allergy, latex**

Alternate Mayo Clinic label; see *Latex allergy*. **Synonyms:**

**Allergy, milk**

Alternate Mayo Clinic label; see *Milk allergy*. **Synonyms:**

**Allergy, mold**

Alternate Mayo Clinic label; see *Mold allergy*. **Synonyms:**

**Allergy, nickel**

Alternate Mayo Clinic label; see *Nickel allergy*. **Synonyms:**

**Allergy, peanut**

Alternate Mayo Clinic label; see *Peanut allergy*. **Synonyms:**

**Allergy, penicillin**

Alternate Mayo Clinic label; see *Penicillin allergy*. **Synonyms:**

**Allergy, pet**

Alternate Mayo Clinic label; see *Pet allergy*. **Synonyms:**

**Allergy, shellfish**

Alternate Mayo Clinic label; see *Shellfish allergy*. **Synonyms:**

**Allergy, wheat**

Alternate Mayo Clinic label; see *Wheat allergy*. **Synonyms:**

---

onyms:

### Alopecia

Alternate Mayo Clinic label; see *Hair loss*. **Synonyms:**

### Alpha 1

Alternate Mayo Clinic label; see *Alpha-1-antitrypsin deficiency*. **Synonyms:**

### ALS

Alternate Mayo Clinic label; see *Amyotrophic lateral sclerosis (ALS)*. **Synonyms:**

### Alveolar osteitis

Alternate Mayo Clinic label; see *Dry socket*. **Synonyms:**

### American trypanosomiasis

Alternate Mayo Clinic label; see *Chagas disease*. **Synonyms:**

### Amnesia, transient global

Alternate Mayo Clinic label; see *Transient global amnesia*. **Synonyms:**

### Amnestic syndrome

Alternate Mayo Clinic label; see *Amnesia*. **Synonyms:**

### Amyloid disease

Alternate Mayo Clinic label; see *Amyloidosis*. **Synonyms:**

### Angiitis

Alternate Mayo Clinic label; see *Vasculitis*. **Synonyms:**

### Angioblastoma

Alternate Mayo Clinic label; see *Hemangioblastoma*. **Synonyms:**

### Angioedema and hives

Alternate Mayo Clinic label; see *Hives and an-*

*gioedema*. **Synonyms:**

### Angiofollicular lymph node hyperplasia

Alternate Mayo Clinic label; see *Castleman disease*. **Synonyms:**

### Anterior vaginal prolapse

Alternate Mayo Clinic label; see *Anterior vaginal prolapse (cystocele)*. **Synonyms:**

### Antibiotic-associated colitis

Alternate Mayo Clinic label; see *Pseudomembranous colitis*. **Synonyms:**

### Anxiety disorder, generalized

Alternate Mayo Clinic label; see *Generalized anxiety disorder*. **Synonyms:**

### Anxiety disorder, social

Alternate Mayo Clinic label; see *Social anxiety disorder (social phobia)*. **Synonyms:**

### Aortic aneurysm, abdominal

Alternate Mayo Clinic label; see *Abdominal aortic aneurysm*. **Synonyms:**

### Aortic insufficiency

Alternate Mayo Clinic label; see *Aortic valve regurgitation*. **Synonyms:**

### APD

Alternate Mayo Clinic label; see *Auditory processing disorder*. **Synonyms:**

### Aphasia, primary progressive

Alternate Mayo Clinic label; see *Primary progressive aphasia*. **Synonyms:**

### Apical ballooning syndrome

Alternate Mayo Clinic label; see *Broken heart syndrome*. **Synonyms:**

### APS

Alternate Mayo Clinic label; see *Antiphospholipid*

---

*syndrome*. **Synonyms:**

**Arenaviruses**

Alternate Mayo Clinic label; see *Viral hemorrhagic fevers*. **Synonyms:**

**Argentine hemorrhagic fever**

Alternate Mayo Clinic label; see *Viral hemorrhagic fevers*. **Synonyms:**

**Arm fracture**

Alternate Mayo Clinic label; see *Broken arm*. **Synonyms:**

**Arteritis, giant cell**

Alternate Mayo Clinic label; see *Giant cell arteritis*. **Synonyms:**

**Arteritis, Takayasu's**

Alternate Mayo Clinic label; see *Takayasu's arteritis*. **Synonyms:**

**Arthritis, basal joint**

Alternate Mayo Clinic label; see *Thumb arthritis*. **Synonyms:**

**Arthritis, degenerative**

Alternate Mayo Clinic label; see *Osteoarthritis*. **Synonyms:**

**Arthritis, gouty**

Alternate Mayo Clinic label; see *Gout*. **Synonyms:**

**Arthritis, infectious**

Alternate Mayo Clinic label; see *Septic arthritis*. **Synonyms:**

**Arthritis, juvenile idiopathic**

Alternate Mayo Clinic label; see *Juvenile idiopathic arthritis (JIA)*. **Synonyms:**

**Arthritis, osteoarthritis**

Alternate Mayo Clinic label; see *Osteoarthritis*. **Synonyms:**

**Arthritis, psoriatic**

Alternate Mayo Clinic label; see *Psoriatic arthritis*. **Synonyms:**

**Arthritis, reactive**

Alternate Mayo Clinic label; see *Reactive arthritis*. **Synonyms:**

**Arthritis, rheumatoid**

Alternate Mayo Clinic label; see *Rheumatoid arthritis*. **Synonyms:**

**Arthritis, septic**

Alternate Mayo Clinic label; see *Septic arthritis*. **Synonyms:**

**Arthritis, thumb**

Alternate Mayo Clinic label; see *Thumb arthritis*. **Synonyms:**

**ASD**

Alternate Mayo Clinic label; see *Atrial septal defect (ASD)*. **Synonyms:**

**Aseptic necrosis**

Alternate Mayo Clinic label; see *Avascular necrosis (osteonecrosis)*. **Synonyms:**

**Asthma, childhood**

Alternate Mayo Clinic label; see *Childhood asthma*. **Synonyms:**

**Asthma, exercise-induced**

Alternate Mayo Clinic label; see *Exercise-induced asthma*. **Synonyms:**

**Asthma, occupational**

Alternate Mayo Clinic label; see *Occupational asthma*. **Synonyms:**

**Atresia of bile ducts**

Alternate Mayo Clinic label; see *Biliary atresia*. **Synonyms:**

---

## ATRT

Alternate Mayo Clinic label; see *Atypical teratoid rhabdoid tumor (ATRT)*. **Synonyms:**

## Atypical teratoid/rhabdoid tumor brain cancer

Alternate Mayo Clinic label; see *Atypical teratoid rhabdoid tumor (ATRT)*. **Synonyms:**

## Attachment disorder

Alternate Mayo Clinic label; see *Reactive attachment disorder*. **Synonyms:**

## Auditory information processing disorder

Alternate Mayo Clinic label; see *Auditory processing disorder*. **Synonyms:**

## Autoimmune associated epilepsy

Alternate Mayo Clinic label; see *Autoimmune epilepsy*. **Synonyms:**

## Autoimmune encephalopathy

Alternate Mayo Clinic label; see *Autoimmune encephalitis*. **Synonyms:**

## AVN

Alternate Mayo Clinic label; see *Avascular necrosis (osteonecrosis)*. **Synonyms:**

## AVNRT

Alternate Mayo Clinic label; see *Atrioventricular nodal reentry tachycardia (AVNRT)*. **Synonyms:**

## A guide to clinical trials for cancer

A guide to clinical trials for cancer addresses care for a guide to clinical trials for cancer, including practical management, warning signs, follow-up, and questions for a clinician.

**Synonyms:**

## A guide to help children understand cancer

A guide to help children understand cancer addresses care for a guide to help children understand cancer , including practical management, warning

signs, follow-up, and questions for a clinician.

**Synonyms:**

## A guide to herbal remedies

A guide to herbal remedies addresses care for a guide to herbal remedies, including practical management, warning signs, follow-up, and questions for a clinician.

**Synonyms:**

## A1C test

A1C test measures glycated hemoglobin, the fraction of hemoglobin with glucose attached, to estimate average blood glucose over roughly the preceding 2 to 3 months.

**Synonyms:**

## Aase syndrome

Aase syndrome is a rare inherited disorder characterized by congenital hypoplastic anemia and distinctive skeletal abnormalities.

**Synonyms:**

## Abdomen - swollen

Abdomen - swollen is the presentation described by abdomen - swollen; onset, severity, associated findings, causes, and need for care guide assessment.

**Synonyms:**

## Abdominal aortic aneurysm repair - open

Abdominal aortic aneurysm repair - open treats or supports abdominal aortic aneurysm repair - open; indication, preparation, complications, and recovery depend on the procedure and patient.

**Synonyms:**

## Abdominal aortic aneurysm repair - open - discharge

Abdominal aortic aneurysm repair - open - discharge treats or supports abdominal aortic aneurysm repair - open - discharge ; indication, preparation, complications, and recovery depend on the procedure and patient.

**Synonyms:**

---

### **Abdominal CT scan**

Abdominal CT scan evaluates abdominal ct scan; interpretation uses the method, specimen or body region, reference range, and clinical question.

**Synonyms:**

### **Abdominal exploration**

Abdominal exploration concerns abdominal exploration; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Abdominal MRI scan**

Abdominal MRI scan evaluates abdominal mri scan; interpretation uses the method, specimen or body region, reference range, and clinical question.

**Synonyms:**

### **Abdominal pain - children under age 12**

Abdominal pain - children under age 12 is the presentation described by abdominal pain - children under age 12; onset, severity, associated findings, causes, and need for care guide assessment.

**Synonyms:**

### **Abdominal radiation - discharge**

Abdominal radiation - discharge evaluates abdominal radiation - discharge; interpretation uses the method, specimen or body region, reference range, and clinical question.

**Synonyms:**

### **Abdominal sounds**

Abdominal sounds concerns abdominal sounds; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Abdominal tap**

Abdominal tap concerns abdominal tap ; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Abdominal thrusts**

Abdominal thrusts concerns abdominal thrusts; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Abdominal ultrasound**

Abdominal ultrasound evaluates abdominal ultrasound; interpretation uses the method, specimen or body region, reference range, and clinical question.

**Synonyms:**

### **Abdominal wall fat pad biopsy**

Abdominal wall fat pad biopsy evaluates abdominal wall fat pad biopsy; interpretation uses the method, specimen or body region, reference range, and clinical question.

**Synonyms:**

### **Abdominal wall surgery**

Abdominal wall surgery treats or supports abdominal wall surgery; indication, preparation, complications, and recovery depend on the procedure and patient.

**Synonyms:**

### **Abnormal hemoglobins testing**

Abnormal hemoglobins testing evaluates abnormal hemoglobins testing; interpretation uses the method, specimen or body region, reference range, and clinical question.

**Synonyms:**

### **Abnormally dark or light skin**

Abnormally dark or light skin is the presentation described by abnormally dark or light skin; onset, severity, associated findings, causes, and need for care guide assessment.

**Synonyms:**

### **Abortion - medication**

Abortion - medication concerns abortion - medication; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

---

### **Abortion - procedure**

Abortion - procedure treats or supports abortion - procedure; indication, preparation, complications, and recovery depend on the procedure and patient.

**Synonyms:**

### **Abortion - procedure - aftercare**

Abortion - procedure - aftercare treats or supports abortion - procedure - aftercare; indication, preparation, complications, and recovery depend on the procedure and patient.

**Synonyms:**

### **Abscess - abdomen or pelvis**

Abscess - abdomen or pelvis concerns abscess - abdomen or pelvis; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Absence of sweating**

Absence of sweating is the presentation described by absence of sweating; onset, severity, associated findings, causes, and need for care guide assessment.

**Synonyms:**

### **Absent menstrual periods - primary**

Absent menstrual periods - primary concerns absent menstrual periods - primary; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Absent menstrual periods - secondary**

Absent menstrual periods - secondary concerns absent menstrual periods - secondary; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Absent pulmonary valve**

Absent pulmonary valve is a congenital heart defect in which the pulmonary valve is missing or severely underdeveloped, often causing pulmonary-artery enlargement and respiratory symptoms.

**Synonyms:**

### **ACE blood test**

ACE blood test measures angiotensin-converting enzyme in serum; it may support evaluation of sarcoidosis and selected granulomatous or liver disorders but is not diagnostic alone.

**Synonyms:**

### **ACE inhibitors**

ACE inhibitors block formation of angiotensin II and are used for hypertension, heart failure, diabetic kidney protection, and selected cardiovascular conditions.

**Synonyms:**

### **Acetaminophen and codeine overdose**

Acetaminophen and codeine overdose involves toxic exposure to acetaminophen and codeine overdose; dose, route, timing, symptoms, and antidote availability guide the clinical response.

**Synonyms:**

### **Acetaminophen dosing for children**

Acetaminophen dosing for children concerns acetaminophen dosing for children; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Acetaminophen overdose**

Acetaminophen overdose involves toxic exposure to acetaminophen overdose; dose, route, timing, symptoms, and antidote availability guide the clinical response.

**Synonyms:**

### **Acetone poisoning**

Acetone poisoning involves toxic exposure to acetone poisoning; dose, route, timing, symptoms, and antidote availability guide the clinical response.

**Synonyms:**

### **Acetylcholine receptor antibody**

Acetylcholine receptor antibody testing detects an-



---

tibodies associated with autoimmune myasthenia gravis and is interpreted with the neurologic examination and other studies.

**Synonyms:**

### **Aches and pains during pregnancy**

Aches and pains during pregnancy is the presentation described by aches and pains during pregnancy; onset, severity, associated findings, causes, and need for care guide assessment.

**Synonyms:**

### **Achilles tendon repair**

Achilles tendon repair reconnects a ruptured Achilles tendon, followed by immobilization and graduated rehabilitation to restore plantar-flexion strength.

**Synonyms:**

### **Achilles tendon rupture - aftercare**

Achilles tendon rupture - aftercare addresses care for achilles tendon rupture - aftercare, including practical management, warning signs, follow-up, and questions for a clinician.

**Synonyms:**

### **Acid loading test (pH)**

Acid loading test (pH) concerns acid loading test (ph); defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Acid mucopolysaccharides**

Acid mucopolysaccharides concerns acid mucopolysaccharides; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Acid soldering flux poisoning**

Acid soldering flux poisoning involves toxic exposure to acid soldering flux poisoning; dose, route, timing, symptoms, and antidote availability guide the clinical response.

**Synonyms:**

### **Acid-fast stain**

Acid-fast stain uses dyes that remain in the cell wall of mycobacteria and some related organisms, helping identify them in clinical specimens.

**Synonyms:**

### **ACL reconstruction - discharge**

ACL reconstruction - discharge treats or supports acl reconstruction - discharge ; indication, preparation, complications, and recovery depend on the procedure and patient.

**Synonyms:**

### **Acne - self-care**

Acne - self-care addresses care for acne - self-care, including practical management, warning signs, follow-up, and questions for a clinician.

**Synonyms:**

### **Acquired platelet function defect**

Acquired platelet function defect concerns acquired platelet function defect; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Acrodysostosis**

Acrodysostosis concerns acrodysostosis; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **ACTH blood test**

ACTH blood test evaluates acth blood test; interpretation uses the method, specimen or body region, reference range, and clinical question.

**Synonyms:**

### **Acute adrenal crisis**

Acute adrenal crisis is life-threatening cortisol deficiency causing hypotension, vomiting, abdominal pain, electrolyte disturbance, hypoglycemia, or shock; urgent glucocorticoid and fluid treatment is required.

**Synonyms:**

---

### **Acute arterial occlusion - kidney**

Acute arterial occlusion of the kidney abruptly reduces renal blood flow and may cause flank pain, hematuria, hypertension, or acute kidney injury.

**Synonyms:**

### **Acute cerebellar ataxia**

Acute cerebellar ataxia concerns acute cerebellar ataxia; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Acute lymphoblastic leukemia (ALL)**

Acute lymphoblastic leukemia is a rapidly progressive cancer of immature lymphoid precursor cells that crowds the bone marrow and can involve blood, lymph nodes, or the central nervous system.

**Synonyms:**

### **Acute myeloid leukemia (AML) - children**

Childhood acute myeloid leukemia is a marrow and blood cancer caused by uncontrolled proliferation of immature myeloid cells, producing anemia, infection, and bleeding risk.

**Synonyms:**

### **Acute myeloid leukemia - adult**

Adult acute myeloid leukemia is an aggressive malignancy of myeloid blood-cell precursors that impairs normal blood-cell production.

**Synonyms:**

### **Adenoid removal**

Adenoid removal treats or supports adenoid removal; indication, preparation, complications, and recovery depend on the procedure and patient.

**Synonyms:**

### **Adolescent development**

Adolescent development is the presentation described by adolescent development; onset, severity, associated findings, causes, and need for care guide assessment.

**Synonyms:**

### **Adolescent test or procedure preparation**

Adolescent test or procedure preparation treats or supports adolescent test or procedure preparation; indication, preparation, complications, and recovery depend on the procedure and patient.

**Synonyms:**

### **Adrenal gland removal**

Adrenal gland removal treats or supports adrenal gland removal; indication, preparation, complications, and recovery depend on the procedure and patient.

**Synonyms:**

### **Adrenal glands**

Adrenal glands sit above the kidneys and produce cortisol, aldosterone, adrenal androgens, and catecholamines that regulate stress, blood pressure, salt balance, and metabolism.

**Synonyms:**

### **Adrenergic bronchodilator overdose**

Adrenergic bronchodilator overdose involves toxic exposure to adrenergic bronchodilator overdose; dose, route, timing, symptoms, and antidote availability guide the clinical response.

**Synonyms:**

### **Adult soft tissue sarcoma**

Adult soft tissue sarcoma concerns adult soft tissue sarcoma; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Advance care directives**

Advance care directives concerns advance care directives; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Aerobic bacteria**

Aerobic bacteria concerns aerobic bacteria; defining findings, causes, severity, and management depend on the affected system and patient.

---

**Synonyms:**

### **Aflatoxin**

Aflatoxin is a toxin produced by certain *Aspergillus* molds in contaminated foods; chronic exposure can injure the liver and increase hepatocellular-carcinoma risk.

**Synonyms:**

### **After a C-section - in the hospital**

After a C-section - in the hospital addresses care for after a c-section - in the hospital, including practical management, warning signs, follow-up, and questions for a clinician.

**Synonyms:**

### **After a fall in the hospital**

After a fall in the hospital addresses care for after a fall in the hospital, including practical management, warning signs, follow-up, and questions for a clinician.

**Synonyms:**

### **After an exposure to sharps or body fluids**

After an exposure to sharps or body fluids concerns after an exposure to sharps or body fluids; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **After chemotherapy - discharge**

After chemotherapy - discharge addresses care for after chemotherapy - discharge, including practical management, warning signs, follow-up, and questions for a clinician.

**Synonyms:**

### **After vaginal delivery - in the hospital**

After vaginal delivery - in the hospital treats or supports after vaginal delivery - in the hospital; indication, preparation, complications, and recovery depend on the procedure and patient.

**Synonyms:**

### **After weight-loss surgery - what to ask your doctor**

After weight-loss surgery - what to ask your doctor treats or supports after weight-loss surgery - what to ask your doctor; indication, preparation, complications, and recovery depend on the procedure and patient.

**Synonyms:**

### **Aftershave poisoning**

Aftershave poisoning involves toxic exposure to aftershave poisoning; dose, route, timing, symptoms, and antidote availability guide the clinical response.

**Synonyms:**

### **Age-related hearing loss**

Age-related hearing loss is the presentation described by age-related hearing loss; onset, severity, associated findings, causes, and need for care guide assessment.

**Synonyms:**

### **Aging changes in body shape**

Aging changes in body shape is the presentation described by aging changes in body shape; onset, severity, associated findings, causes, and need for care guide assessment.

**Synonyms:**

### **Aging changes in hair and nails**

Aging changes in hair and nails is the presentation described by aging changes in hair and nails; onset, severity, associated findings, causes, and need for care guide assessment.

**Synonyms:**

### **Aging changes in hormone production**

Aging changes in hormone production is the presentation described by aging changes in hormone production; onset, severity, associated findings, causes, and need for care guide assessment.

**Synonyms:**

### **Aging changes in immunity**

Aging changes in immunity is the presentation de-

---

scribed by aging changes in immunity; onset, severity, associated findings, causes, and need for care guide assessment.

**Synonyms:**

### **Aging changes in organs, tissue and cells**

Aging changes in organs, tissue and cells is the presentation described by aging changes in organs, tissue and cells; onset, severity, associated findings, causes, and need for care guide assessment.

**Synonyms:**

### **Aging changes in skin**

Aging changes in skin is the presentation described by aging changes in skin; onset, severity, associated findings, causes, and need for care guide assessment.

**Synonyms:**

### **Aging changes in sleep**

Aging changes in sleep is the presentation described by aging changes in sleep; onset, severity, associated findings, causes, and need for care guide assessment.

**Synonyms:**

### **Aging changes in teeth and gums**

Aging changes in teeth and gums is the presentation described by aging changes in teeth and gums; onset, severity, associated findings, causes, and need for care guide assessment.

**Synonyms:**

### **Aging changes in the bones - muscles - joints**

Aging changes in the bones - muscles - joints is the presentation described by aging changes in the bones - muscles - joints; onset, severity, associated findings, causes, and need for care guide assessment.

**Synonyms:**

### **Aging changes in the breast**

Aging changes in the breast is the presentation described by aging changes in the breast; onset, severity, associated findings, causes, and need for care guide assessment.

**Synonyms:**

### **Aging changes in the face**

Aging changes in the face is the presentation described by aging changes in the face; onset, severity, associated findings, causes, and need for care guide assessment.

**Synonyms:**

### **Aging changes in the female reproductive system**

Aging changes in the female reproductive system is the presentation described by aging changes in the female reproductive system; onset, severity, associated findings, causes, and need for care guide assessment.

**Synonyms:**

### **Aging changes in the heart and blood vessels**

Aging changes in the heart and blood vessels is the presentation described by aging changes in the heart and blood vessels; onset, severity, associated findings, causes, and need for care guide assessment.

**Synonyms:**

### **Aging changes in the kidneys and bladder**

Aging changes in the kidneys and bladder is the presentation described by aging changes in the kidneys and bladder; onset, severity, associated findings, causes, and need for care guide assessment.

**Synonyms:**

### **Aging changes in the lungs**

Aging changes in the lungs is the presentation described by aging changes in the lungs; onset, severity, associated findings, causes, and need for care guide assessment.

**Synonyms:**

### **Aging changes in the male reproductive system**

Aging changes in the male reproductive system is the presentation described by aging changes in the male reproductive system; onset, severity, associated findings, causes, and need for care guide assessment.

**Synonyms:**

---

### **Aging changes in the nervous system**

Aging changes in the nervous system is the presentation described by aging changes in the nervous system; onset, severity, associated findings, causes, and need for care guide assessment.

**Synonyms:**

### **Aging changes in the senses**

Aging changes in the senses is the presentation described by aging changes in the senses; onset, severity, associated findings, causes, and need for care guide assessment.

**Synonyms:**

### **Aging changes in vital signs**

Aging changes in vital signs is the presentation described by aging changes in vital signs; onset, severity, associated findings, causes, and need for care guide assessment.

**Synonyms:**

### **Aging spots - should you be concerned?**

Aging spots - should you be concerned? is the presentation described by aging spots - should you be concerned?; onset, severity, associated findings, causes, and need for care guide assessment.

**Synonyms:**

### **Aicardi syndrome**

Aicardi syndrome is a rare developmental brain disorder classically involving agenesis of the corpus callosum, chorioretinal lacunae, and infantile seizures.

**Synonyms:**

### **Alanine transaminase (ALT) blood test**

Alanine transaminase (ALT) blood test evaluates alanine transaminase (alt) blood test; interpretation uses the method, specimen or body region, reference range, and clinical question.

**Synonyms:**

### **Albumin blood (serum) test**

Albumin blood (serum) test evaluates albumin blood (serum) test; interpretation uses the method,

specimen or body region, reference range, and clinical question.

**Synonyms:**

### **Alcohol and pregnancy**

Alcohol and pregnancy concerns alcohol and pregnancy; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Alcohol use and safe drinking**

Alcohol use and safe drinking addresses care for alcohol use and safe drinking, including practical management, warning signs, follow-up, and questions for a clinician.

**Synonyms:**

### **Alcohol use disorder - resources**

Alcohol use disorder - resources addresses care for alcohol use disorder - resources, including practical management, warning signs, follow-up, and questions for a clinician.

**Synonyms:**

### **Alcoholic liver disease**

Alcoholic liver disease includes steatosis, alcohol-associated hepatitis, and cirrhosis caused by sustained alcohol exposure.

**Synonyms:**

### **Aldolase blood test**

Aldolase blood test evaluates aldolase blood test; interpretation uses the method, specimen or body region, reference range, and clinical question.

**Synonyms:**

### **Aldosterone blood test**

Aldosterone blood test evaluates aldosterone blood test; interpretation uses the method, specimen or body region, reference range, and clinical question.

**Synonyms:**

### **Allergic rhinitis - self-care**

Allergic rhinitis - self-care addresses care for allergic

---

rhinitis - self-care, including practical management, warning signs, follow-up, and questions for a clinician.

**Synonyms:**

### **Allergic rhinitis - what to ask your doctor - adult**

Allergic rhinitis - what to ask your doctor - adult addresses care for allergic rhinitis - what to ask your doctor - adult, including practical management, warning signs, follow-up, and questions for a clinician.

**Synonyms:**

### **Allergic rhinitis - what to ask your doctor - child**

Allergic rhinitis - what to ask your doctor - child addresses care for allergic rhinitis - what to ask your doctor - child, including practical management, warning signs, follow-up, and questions for a clinician.

**Synonyms:**

### **Allergies, asthma, and dust**

Allergies, asthma, and dust concerns allergies, asthma, and dust; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Allergies, asthma, and molds**

Allergies, asthma, and molds concerns allergies, asthma, and molds; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Allergies, asthma, and pollen**

Allergies, asthma, and pollen concerns allergies, asthma, and pollen ; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Allergy shots**

Allergy shots concerns allergy shots; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Allergy testing - skin**

Allergy testing - skin evaluates allergy testing - skin; interpretation uses the method, specimen or body region, reference range, and clinical question.

**Synonyms:**

### **Aloe**

Aloe concerns aloe; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **ALP - blood test**

ALP - blood test evaluates alp - blood test; interpretation uses the method, specimen or body region, reference range, and clinical question.

**Synonyms:**

### **ALP isoenzyme test**

ALP isoenzyme test evaluates alp isoenzyme test; interpretation uses the method, specimen or body region, reference range, and clinical question.

**Synonyms:**

### **Alpha-1 antitrypsin blood test**

Alpha-1 antitrypsin blood test evaluates alpha-1 antitrypsin blood test; interpretation uses the method, specimen or body region, reference range, and clinical question.

**Synonyms:**

### **ALS - resources**

ALS - resources addresses care for als - resources, including practical management, warning signs, follow-up, and questions for a clinician.

**Synonyms:**



---

### **Alstrom syndrome**

Alstrom syndrome concerns alstrom syndrome; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Alternative medicine - pain relief**

Alternative medicine - pain relief addresses care for alternative medicine - pain relief, including practical management, warning signs, follow-up, and questions for a clinician.

**Synonyms:**

### **Alveolar abnormalities**

Alveolar abnormalities concerns alveolar abnormalities; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Alzheimer disease - resources**

Alzheimer disease resources provide education about progressive cognitive decline, caregiver support, safety, advance planning, and available treatment and services.

**Synonyms:**

### **Am I in labor?**

Am I in labor? is the presentation described by am i in labor?; onset, severity, associated findings, causes, and need for care guide assessment.

**Synonyms:**

### **Amino acids**

Amino acids are organic molecules that form proteins and also serve as precursors or fuels in human metabolism.

**Synonyms:**

### **Aminoaciduria**

Aminoaciduria is abnormal urinary loss of amino acids caused by renal tubular transport defects, inherited metabolic disease, or generalized tubular injury.

**Synonyms:**

### **Aminophylline overdose**

Aminophylline overdose involves toxic exposure to aminophylline overdose; dose, route, timing, symptoms, and antidote availability guide the clinical response.

**Synonyms:**

### **Amitriptyline and perphenazine overdose**

Amitriptyline and perphenazine overdose involves toxic exposure to amitriptyline and perphenazine overdose; dose, route, timing, symptoms, and antidote availability guide the clinical response.

**Synonyms:**

### **Amitriptyline hydrochloride overdose**

Amitriptyline hydrochloride overdose involves toxic exposure to amitriptyline hydrochloride overdose; dose, route, timing, symptoms, and antidote availability guide the clinical response.

**Synonyms:**

### **Ammonia blood test**

Ammonia blood test evaluates ammonia blood test; interpretation uses the method, specimen or body region, reference range, and clinical question.

**Synonyms:**

### **Ammonia poisoning**

Ammonia poisoning involves toxic exposure to ammonia poisoning; dose, route, timing, symptoms, and antidote availability guide the clinical response.

**Synonyms:**

### **Ammonium hydroxide poisoning**

Ammonium hydroxide poisoning involves toxic exposure to ammonium hydroxide poisoning; dose, route, timing, symptoms, and antidote availability guide the clinical response.

**Synonyms:**

### **Amniotic band sequence**

Amniotic band sequence results when fibrous amniotic strands entangle developing fetal parts, producing constriction rings, limb defects, or craniofacial and body-wall abnormalities.

---

**Synonyms:**

### **Amylase - blood**

Amylase - blood concerns amylase - blood; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Amylase - urine**

Amylase - urine concerns amylase - urine; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Anal itching - self-care**

Anal itching - self-care addresses care for anal itching - self-care, including practical management, warning signs, follow-up, and questions for a clinician.

**Synonyms:**

### **Anemia caused by low iron - children**

Anemia caused by low iron - children concerns anemia caused by low iron - children; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Anemia caused by low iron - infants and toddlers**

Anemia caused by low iron - infants and toddlers concerns anemia caused by low iron - infants and toddlers; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Anesthesia - what to ask your doctor - adult**

Anesthesia - what to ask your doctor - adult addresses care for anesthesia - what to ask your doctor - adult, including practical management, warning signs, follow-up, and questions for a clinician.

**Synonyms:**

### **Anesthesia - what to ask your doctor -**

### **child**

Anesthesia - what to ask your doctor - child addresses care for anesthesia - what to ask your doctor - child, including practical management, warning signs, follow-up, and questions for a clinician.

**Synonyms:**

### **Aneurysm in the brain**

A brain aneurysm is a focal weakness and ballooning of a cerebral-artery wall; rupture causes subarachnoid hemorrhage and sudden severe headache.

**Synonyms:**

### **Angina - discharge**

Angina - discharge addresses care for angina - discharge, including practical management, warning signs, follow-up, and questions for a clinician.

**Synonyms:**

### **Angina - what to ask your doctor**

Angina - what to ask your doctor addresses care for angina - what to ask your doctor , including practical management, warning signs, follow-up, and questions for a clinician.

**Synonyms:**

### **Angina - when you have chest pain**

Angina with chest pain reflects transient myocardial ischemia; new, severe, prolonged, or rest pain may signal acute coronary syndrome and requires emergency assessment.

**Synonyms:**

### **Angiodysplasia of the colon**

Angiodysplasia of the colon concerns angiodysplasia of the colon; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Angioplasty and stent - heart - discharge**

Angioplasty and stent - heart - discharge addresses care for angioplasty and stent - heart - discharge , including practical management, warning signs, follow-up, and questions for a clinician.

---

**Synonyms:**

### **Angioplasty and stent placement - carotid artery**

Angioplasty and stent placement - carotid artery concerns angioplasty and stent placement - carotid artery; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Angioplasty and stent placement - carotid artery - discharge**

Angioplasty and stent placement - carotid artery - discharge addresses care for angioplasty and stent placement - carotid artery - discharge , including practical management, warning signs, follow-up, and questions for a clinician.

**Synonyms:**

### **Angioplasty and stent placement - heart**

Angioplasty and stent placement - heart concerns angioplasty and stent placement - heart; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Angioplasty and stent placement - peripheral arteries**

Angioplasty and stent placement - peripheral arteries concerns angioplasty and stent placement - peripheral arteries; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Angioplasty and stent placement - peripheral arteries - discharge**

Angioplasty and stent placement - peripheral arteries - discharge addresses care for angioplasty and stent placement - peripheral arteries - discharge , including practical management, warning signs, follow-up, and questions for a clinician.

**Synonyms:**

### **Animal bites - self-care**

Animal bites - self-care addresses care for animal bites - self-care, including practical management, warning signs, follow-up, and questions for a clinician.

**Synonyms:**

### **Ankle arthroscopy**

Ankle arthroscopy treats or supports ankle arthroscopy; indication, preparation, complications, and recovery depend on the procedure and patient.

**Synonyms:**

### **Ankle fracture - aftercare**

Ankle fracture - aftercare addresses care for ankle fracture - aftercare, including practical management, warning signs, follow-up, and questions for a clinician.

**Synonyms:**

### **Ankle replacement**

Ankle replacement treats or supports ankle replacement; indication, preparation, complications, and recovery depend on the procedure and patient.

**Synonyms:**

### **Ankle replacement - discharge**

Ankle replacement - discharge treats or supports ankle replacement - discharge ; indication, preparation, complications, and recovery depend on the procedure and patient.

**Synonyms:**

### **Ankle sprain - aftercare**

Ankle sprain - aftercare addresses care for ankle sprain - aftercare, including practical management, warning signs, follow-up, and questions for a clinician.

**Synonyms:**

### **Anomalous left coronary artery from the pulmonary artery**

Anomalous left coronary artery from the pulmonary artery concerns anomalous left coronary artery from the pulmonary artery; defining findings, causes,

---

severity, and management depend on the affected system and patient.

**Synonyms:**

### **Anorchia**

Anorchia concerns anorchia; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Anoscopy and high-resolution anoscopy**

Anoscopy and high-resolution anoscopy evaluates anoscopy and high-resolution anoscopy; interpretation uses the method, specimen or body region, reference range, and clinical question.

**Synonyms:**

### **Anterior cruciate ligament (ACL) injury**

Anterior cruciate ligament (ACL) injury concerns anterior cruciate ligament (acl) injury; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Anterior cruciate ligament (ACL) injury - aftercare**

Anterior cruciate ligament (ACL) injury - aftercare addresses care for anterior cruciate ligament (acl) injury - aftercare, including practical management, warning signs, follow-up, and questions for a clinician.

**Synonyms:**

### **Anterior knee pain**

Anterior knee pain is the presentation described by anterior knee pain; onset, severity, associated findings, causes, and need for care guide assessment.

**Synonyms:**

### **Anterior vaginal wall repair**

Anterior vaginal wall repair treats or supports anterior vaginal wall repair; indication, preparation, complications, and recovery depend on the procedure and patient.

**Synonyms:**

### **Anthrax blood test**

Anthrax blood test evaluates anthrax blood test; interpretation uses the method, specimen or body region, reference range, and clinical question.

**Synonyms:**

### **Anti-DNase B blood test**

Anti-DNase B blood test evaluates anti-dnase b blood test; interpretation uses the method, specimen or body region, reference range, and clinical question.

**Synonyms:**

### **Anti-glomerular basement membrane blood test**

Anti-glomerular basement membrane blood test evaluates anti-glomerular basement membrane blood test; interpretation uses the method, specimen or body region, reference range, and clinical question.

**Synonyms:**

### **Anti-glomerular basement membrane disease**

Anti-glomerular basement membrane disease concerns anti-glomerular basement membrane disease; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Anti-insulin antibody test**

Anti-insulin antibody test evaluates anti-insulin antibody test; interpretation uses the method, specimen or body region, reference range, and clinical question.

**Synonyms:**

### **Anti-reflux surgery - children**

Anti-reflux surgery - children treats or supports anti-reflux surgery - children; indication, preparation, complications, and recovery depend on the procedure and patient.

**Synonyms:**

---

### **Anti-reflux surgery - children - discharge**

Anti-reflux surgery - children - discharge treats or supports anti-reflux surgery - children - discharge ; indication, preparation, complications, and recovery depend on the procedure and patient.

**Synonyms:**

### **Anti-reflux surgery - discharge**

Anti-reflux surgery - discharge treats or supports anti-reflux surgery - discharge ; indication, preparation, complications, and recovery depend on the procedure and patient.

**Synonyms:**

### **Anti-rust product poisoning**

Anti-rust product poisoning involves toxic exposure to anti-rust product poisoning; dose, route, timing, symptoms, and antidote availability guide the clinical response.

**Synonyms:**

### **Anti-smooth muscle antibody**

Anti-smooth muscle antibody concerns anti-smooth muscle antibody; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Antibody titer blood test**

Antibody titer blood test evaluates antibody titer blood test; interpretation uses the method, specimen or body region, reference range, and clinical question.

**Synonyms:**

### **Anticoagulant rodenticides poisoning**

Anticoagulant rodenticides poisoning involves toxic exposure to anticoagulant rodenticides poisoning; dose, route, timing, symptoms, and antidote availability guide the clinical response.

**Synonyms:**

### **Antidiarrheal medicine overdose**

Antidiarrheal medicine overdose involves toxic exposure to antidiarrheal medicine overdose; dose, route,

timing, symptoms, and antidote availability guide the clinical response.

**Synonyms:**

### **Antidiuretic hormone blood test**

Antidiuretic hormone blood test evaluates antidiuretic hormone blood test; interpretation uses the method, specimen or body region, reference range, and clinical question.

**Synonyms:**

### **Antifreeze poisoning**

Antifreeze poisoning involves toxic exposure to antifreeze poisoning; dose, route, timing, symptoms, and antidote availability guide the clinical response.

**Synonyms:**

### **Antihistamines for allergies**

Antihistamines for allergies concerns antihistamines for allergies; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Antimitochondrial antibody**

Antimitochondrial antibody concerns antimitochondrial antibody; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Antinuclear antibody panel**

Antinuclear antibody panel evaluates antinuclear antibody panel; interpretation uses the method, specimen or body region, reference range, and clinical question.

**Synonyms:**

### **Antiparietal cell antibody test**

Antiparietal cell antibody test evaluates antiparietal cell antibody test; interpretation uses the method, specimen or body region, reference range, and clinical question.

**Synonyms:**

---

### **Antiphospholipid syndrome - APS**

Antiphospholipid syndrome is an autoimmune thrombophilia associated with venous or arterial clots and pregnancy morbidity in the presence of persistent antiphospholipid antibodies.

**Synonyms:**

### **Antiplatelet medicines - P2Y12 inhibitors**

Antiplatelet medicines - P2Y12 inhibitors concerns antiplatelet medicines - p2y12 inhibitors; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Antithrombin III blood test**

Antithrombin III blood test evaluates antithrombin iii blood test; interpretation uses the method, specimen or body region, reference range, and clinical question.

**Synonyms:**

### **Antithyroglobulin antibody test**

Antithyroglobulin antibody test evaluates antithyroglobulin antibody test; interpretation uses the method, specimen or body region, reference range, and clinical question.

**Synonyms:**

### **Aortic aneurysm repair - endovascular**

Aortic aneurysm repair - endovascular treats or supports aortic aneurysm repair - endovascular; indication, preparation, complications, and recovery depend on the procedure and patient.

**Synonyms:**

### **Aortic aneurysm repair - endovascular - discharge**

Aortic aneurysm repair - endovascular - discharge treats or supports aortic aneurysm repair - endovascular - discharge; indication, preparation, complications, and recovery depend on the procedure and patient.

**Synonyms:**

### **Aortic angiography**

Aortic angiography evaluates aortic angiography; interpretation uses the method, specimen or body region, reference range, and clinical question.

**Synonyms:**

### **Aortic arch syndrome**

Aortic arch syndrome concerns aortic arch syndrome; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Aortic valve surgery - minimally invasive**

Aortic valve surgery - minimally invasive treats or supports aortic valve surgery - minimally invasive; indication, preparation, complications, and recovery depend on the procedure and patient.

**Synonyms:**

### **Aortic valve surgery - open**

Aortic valve surgery - open treats or supports aortic valve surgery - open; indication, preparation, complications, and recovery depend on the procedure and patient.

**Synonyms:**

### **Aplastic**

Aplastic concerns aplastic; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Apolipoprotein B100**

Apolipoprotein B100 concerns apolipoprotein b100; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Apolipoprotein CII**

Apolipoprotein CII concerns apolipoprotein cii; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**



---

### Apoplexy

Apoplexy concerns apoplexy; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### Appetite - decreased

Appetite - decreased is the presentation described by appetite - decreased; onset, severity, associated findings, causes, and need for care guide assessment.

**Synonyms:**

### Appetite - increased

Appetite - increased is the presentation described by appetite - increased; onset, severity, associated findings, causes, and need for care guide assessment.

**Synonyms:**

### Appropriate for gestational age (AGA)

Appropriate for gestational age (AGA) concerns appropriate for gestational age (aga); defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### Arachnodactyly

Arachnodactyly concerns arachnodactyly; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### Are you getting too much exercise?

Are you getting too much exercise? is the presentation described by are you getting too much exercise?; onset, severity, associated findings, causes, and need for care guide assessment.

**Synonyms:**

### Arm CT scan

Arm CT scan evaluates arm ct scan; interpretation uses the method, specimen or body region, reference range, and clinical question.

**Synonyms:**

### Arm MRI scan

Arm MRI scan evaluates arm mri scan; interpretation uses the method, specimen or body region, reference range, and clinical question.

**Synonyms:**

### Arrhythmias

Arrhythmias concerns arrhythmias; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### Arterial embolism

Arterial embolism concerns arterial embolism; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### Arterial stick

Arterial stick concerns arterial stick; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### Arteriogram

Arteriogram evaluates arteriogram; interpretation uses the method, specimen or body region, reference range, and clinical question.

**Synonyms:**

### Arthritis - resources

Arthritis - resources addresses care for arthritis - resources, including practical management, warning signs, follow-up, and questions for a clinician.

**Synonyms:**

### Artificial urinary sphincter

Artificial urinary sphincter concerns artificial urinary sphincter; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### Aspartate aminotransferase (AST) blood

---

### test

Aspartate aminotransferase (AST) blood test evaluates aspartate aminotransferase (ast) blood test; interpretation uses the method, specimen or body region, reference range, and clinical question.

**Synonyms:**

### Aspartic acid

Aspartic acid concerns aspartic acid; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### Aspergillosis precipitin

Aspergillosis precipitin concerns aspergillosis precipitin; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### Asphalt cement poisoning

Asphalt cement poisoning involves toxic exposure to asphalt cement poisoning; dose, route, timing, symptoms, and antidote availability guide the clinical response.

**Synonyms:**

### Aspirin and heart disease

Aspirin and heart disease concerns aspirin and heart disease; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### Aspirin overdose

Aspirin overdose involves toxic exposure to aspirin overdose; dose, route, timing, symptoms, and antidote availability guide the clinical response.

**Synonyms:**

### Assisted delivery with forceps

Assisted delivery with forceps treats or supports assisted delivery with forceps; indication, preparation, complications, and recovery depend on the procedure and patient.

**Synonyms:**

### Asthma - child - discharge

Asthma - child - discharge addresses care for asthma - child - discharge, including practical management, warning signs, follow-up, and questions for a clinician.

**Synonyms:**

### Asthma - control drugs

Asthma - control drugs concerns asthma - control drugs; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### Asthma - quick-relief drugs

Asthma - quick-relief drugs concerns asthma - quick-relief drugs ; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### Asthma and allergy resources

Asthma and allergy resources addresses care for asthma and allergy resources, including practical management, warning signs, follow-up, and questions for a clinician.

**Synonyms:**

### Asthma and school

Asthma and school concerns asthma and school; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### Asthma in adults - what to ask the doctor

Asthma in adults - what to ask the doctor addresses care for asthma in adults - what to ask the doctor, including practical management, warning signs, follow-up, and questions for a clinician.

**Synonyms:**

### Asthma in children

Asthma in children concerns asthma in children; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

---

### **Asthma in children - what to ask your doctor**

Asthma in children - what to ask your doctor addresses care for asthma in children - what to ask your doctor, including practical management, warning signs, follow-up, and questions for a clinician.

**Synonyms:**

### **Asymptomatic bacteriuria**

Asymptomatic bacteriuria concerns asymptomatic bacteriuria; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Asymptomatic HIV infection**

Asymptomatic HIV infection concerns asymptomatic hiv infection; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Atopic dermatitis - children - homecare**

Atopic dermatitis - children - homecare addresses care for atopic dermatitis - children - homecare, including practical management, warning signs, follow-up, and questions for a clinician.

**Synonyms:**

### **Atopic dermatitis - self-care**

Atopic dermatitis - self-care addresses care for atopic dermatitis - self-care, including practical management, warning signs, follow-up, and questions for a clinician.

**Synonyms:**

### **Atrial fibrillation - discharge**

Atrial fibrillation - discharge addresses care for atrial fibrillation - discharge, including practical management, warning signs, follow-up, and questions for a clinician.

**Synonyms:**

### **Atrial fibrillation and atrial flutter**

Atrial fibrillation and atrial flutter concerns atrial

fibrillation and atrial flutter; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Atrial myxoma**

Atrial myxoma concerns atrial myxoma; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Aural polyps**

Aural polyps concerns aural polyps; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Autism - resources**

Autism - resources addresses care for autism - resources, including practical management, warning signs, follow-up, and questions for a clinician.

**Synonyms:**

### **Autism spectrum disorder - Asperger syndrome**

Autism spectrum disorder - Asperger syndrome concerns autism spectrum disorder - asperger syndrome; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Autism spectrum disorder - childhood disintegrative disorder**

Autism spectrum disorder - childhood disintegrative disorder concerns autism spectrum disorder - childhood disintegrative disorder; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Autoerythrocyte sensitivity**

Autoerythrocyte sensitivity concerns autoerythrocyte sensitivity; defining findings, causes, severity, and management depend on the affected system and patient.

---

**Synonyms:**

### **Autoimmune diseases**

Autoimmune diseases arise when immune responses target the body's own tissues, producing organ-specific or systemic inflammation and damage.

**Synonyms:**

### **Autoimmune liver disease panel**

Autoimmune liver disease panel evaluates autoimmune liver disease panel; interpretation uses the method, specimen or body region, reference range, and clinical question.

**Synonyms:**

### **Autoinflammatory diseases**

Autoinflammatory diseases concerns autoinflammatory diseases; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Autoinoculation**

Autoinoculation concerns autoinoculation; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Automatic dishwasher soap poisoning**

Automatic dishwasher soap poisoning involves toxic exposure to automatic dishwasher soap poisoning; dose, route, timing, symptoms, and antidote availability guide the clinical response.

**Synonyms:**

### **Autosomal dominant**

Autosomal dominant inheritance occurs when one altered copy of a gene can produce a trait or disorder; an affected heterozygous parent may transmit it to about half of offspring.

**Synonyms:**

### **Autosomal dominant tubulointerstitial kidney disease**

Autosomal dominant tubulointerstitial kidney dis-

ease concerns autosomal dominant tubulointerstitial kidney disease; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Autosomal recessive**

Autosomal recessive inheritance generally requires pathogenic variants in both copies of a gene; unaffected carrier parents can have an affected child.

**Synonyms:**

### **Axillary nerve dysfunction**

Axillary nerve dysfunction concerns axillary nerve dysfunction; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**



## B

### B Cell (B Lymphocyte)

A key cellular component of adaptive humoral immunity that matures in the bone marrow. Upon antigen recognition via B-cell receptor (BCR/surface IgM) and T-cell help (CD40/CD40L interaction), B cells proliferate and differentiate into antibody-secreting plasma cells and long-lived memory B cells.

**Synonyms:** B Lymphocyte

### B Chromosome

A supernumerary chromosome that is not part of the standard chromosome complement and is not required for normal development. It may occur in certain plants, animals, or tumors and varies in number between cells.

**Synonyms:**

### B-Cell Receptor

The membrane-bound immunoglobulin complex on a B lymphocyte that recognizes native antigen. BCR signaling, with appropriate co-stimulation, promotes B-cell activation, proliferation, differentiation, and antibody production.

**Synonyms:**

### B-Lynch Suture

A surgical technique for controlling postpartum hemorrhage due to uterine atony unresponsive to medical management. A compressive suture placed around the uterus to mechanically compress the uterine walls and reduce blood flow. The suture creates a brace-like effect. Can be combined with other compression sutures (Cho, Hayman).

**Synonyms:**

### Babesiosis

A tick-borne malaria-like illness caused by *Babesia* species (*B. microti* in the US, *B. divergens* in Europe), transmitted by Ixodes ticks (same vector as Lyme disease). Parasites infect red blood cells, causing hemolytic anemia.

**Synonyms:**

### Babinski Reflex

An extensor plantar response present from birth to approximately 2 years. When the lateral sole is stroked, the great toe dorsiflexes and other toes fan outward. Disappears as the corticospinal tract myelinates. Persistence beyond age 2 may indicate neurologic abnormality.

**Synonyms:**

### Babinski Sign

The Babinski sign is a pathological reflex elicited by stroking the lateral aspect of the sole of the foot from the heel to the metatarsal heads with a blunt object. A normal response (flexor plantar response) is plantar flexion (curling downward) of all toes.

**Synonyms:**

### Bacillary Angiomatosis

A vascular proliferative disease caused by *Bartonella henselae* or *B. quintana*, occurring in immunocompromised patients (HIV/AIDS, transplant). Presents with erythematous papules, nodules, or pedunculated lesions resembling Kaposi sarcoma or pyogenic granuloma. Can involve skin, liver (peliosis hepatis), spleen, bone, and lymph nodes.

**Synonyms:**



---

## Bacilluria

The presence of bacilli in the urine, usually referring to rod-shaped bacteria detected by microscopy or culture. Its clinical significance depends on symptoms, quantitative culture, and the organism identified.

**Synonyms:**

## Back Injury

Damage to the muscles, ligaments, joints, discs, vertebrae, or nerves of the back caused by trauma, lifting, or repetitive strain. Pain and stiffness are common; weakness, numbness, loss of bladder or bowel control, or severe pain after major trauma requires urgent assessment.

**Synonyms:**

## Back Pain

One of the most common medical complaints, affecting up to 80 percent of the population at some point in life, and the leading cause of disability worldwide. Back pain is classified by duration: acute (less than 4 weeks), subacute (4-12 weeks), and chronic (greater than 12 weeks).

**Synonyms:**

## Backache

Pain or discomfort located anywhere in the posterior trunk from neck to buttocks, a symptom rather than a disease. Causes include musculoskeletal strain (most common), disc herniation, spinal stenosis, facet arthropathy, sacroiliac joint dysfunction, and referred pain from renal, pancreatic, or vascular sources.

**Synonyms:**

## Bacteremia

The presence of viable bacteria in the bloodstream, a serious condition that can be transient (after dental procedures, toothbrushing), intermittent (undrained abscess), or continuous (endovascular infection like endocarditis). Bacteremia triggers systemic inflammatory responses ranging from fever and leukocytosis to septic shock.

**Synonyms:**

## Bacteria

Single-celled microscopic organisms lacking a nucleus, which can exist independently or in colonies; some are beneficial to health (microbiome) while others cause infectious disease.

**Synonyms:**

## Bacterial adherence

The process by which bacteria attach to host cell surfaces, a critical first step in colonisation and infection. Adherence is mediated by adhesins, which are surface structures that bind to specific receptors on host cells. Adhesins include pili, fimbriae, outer membrane proteins, and capsules.

**Synonyms:**

## Bacterial biofilms

Structured communities of bacteria attached to surfaces and embedded in a self-produced matrix of extracellular polymeric substances. Biofilms are a major cause of chronic infections, particularly on medical devices including catheters, prosthetic joints, and heart valves.

**Synonyms:**

## Bacterial capsule

A polysaccharide layer surrounding the bacterial cell wall that protects against phagocytosis and complement-mediated killing. Capsules are major virulence factors for many pathogens including *Streptococcus pneumoniae*, *Haemophilus influenzae*, and *Klebsiella pneumoniae*.

**Synonyms:**

## Bacterial cell wall

The rigid outer layer of bacteria that provides structural integrity and determines cell shape. The cell wall is composed primarily of peptidoglycan, a polymer of sugars cross-linked by short peptides.

**Synonyms:**

## Bacterial classification

The organisation of bacteria into taxonomic groups based on genetic, phenotypic, and evolutionary relationships. Bacteria are classified using a hierarchical

---

system: domain, phylum, class, order, family, genus, and species.

**Synonyms:**

### **Bacterial conjugation**

The transfer of genetic material between bacteria through direct cell-to-cell contact via a pilus. Conjugation is mediated by conjugative plasmids that encode the genes for transfer. The donor cell (F+) forms a conjugative pilus that attaches to the recipient cell (F-).

**Synonyms:**

### **Bacterial Conjunctivitis**

An infection of the conjunctival mucous membrane caused by various bacterial pathogens, presenting with a purulent or mucopurulent discharge that causes the eyelids to become matted together, particularly upon waking, conjunctival injection, and a gritty or foreign body sensation.

**Synonyms:**

### **Bacterial dermatitis**

Inflammation of the skin caused by bacterial infection, typically presenting with erythema, edema, warmth, pain, and purulent discharge. Common causative organisms include *Staphylococcus aureus* and *Streptococcus pyogenes*, and the condition may arise de novo or as a superinfection of pre-existing dermatitis.

**Synonyms:**

### **Bacterial dormancy**

A state of reduced metabolic activity that allows bacteria to survive unfavourable conditions. Dormant forms include spores, persisters, and viable but non-culturable cells. Spores are highly resistant structures formed by *Bacillus* and *Clostridium*. Persisters are phenotypic variants that are tolerant to antibiotics.

**Synonyms:**

### **Bacterial Endocarditis**

Infection of the heart's inner lining or valves by bacteria, usually producing fever and a new or changing

heart murmur. It can cause valve damage and embolic complications.

**Synonyms:**

### **Bacterial Endocarditis Vegetations**

Vegetations in bacterial endocarditis are complex masses composed of bacteria, fibrin, and platelets that form on heart valve surfaces or endocardium. The pathogenesis begins with bacteremia seeding a site of endothelial damage or a previously abnormal valve surface.

**Synonyms:**

### **Bacterial endospores**

Highly resistant dormant structures formed by certain gram-positive bacteria including *Bacillus* and *Clostridium* species. Endospores form during nutrient deprivation and can survive for decades. They are resistant to heat, radiation, chemicals, and desiccation.

**Synonyms:**

### **Bacterial flagella**

Thread-like appendages composed of flagellin protein that provide motility to bacteria. Flagella are composed of three parts: the filament, hook, and basal body. The basal body is embedded in the cell wall and functions as a rotary motor.

**Synonyms:**

### **Bacterial Gastroenteritis**

Acute inflammation of the stomach and intestines caused by pathogenic bacteria such as *Salmonella*, *Campylobacter*, *Shigella*, or pathogenic *Escherichia coli*. It commonly causes diarrhea, abdominal cramps, fever, and sometimes bloody stools or vomiting.

**Synonyms:**

### **Bacterial genetics**

The study of genes and genetic processes in bacteria. Bacteria have a single circular chromosome and may contain plasmids, which are extrachromosomal DNA elements. Bacterial genes are organized into operons, which are clusters of genes regulated as a

---

unit.

**Synonyms:**

### **Bacterial growth phases**

The stages of bacterial growth in culture. The lag phase is when bacteria adapt to their environment. The log (exponential) phase is when bacteria multiply at their maximum rate. The stationary phase is when nutrient depletion and waste accumulation limit growth. The death phase is when bacteria die.

**Synonyms:**

### **Bacterial Infections**

Illnesses caused by pathogenic bacteria proliferating in the body, ranging from mild sore throats and ear infections to life-threatening sepsis and meningitis. They are diagnosed through cultures, PCR testing, or other microbiological methods.

**Synonyms:**

### **Bacterial Meningitis**

Infection of the meninges by bacteria, a medical emergency. In neonates: Group B Streptococcus, *E. coli*, *Listeria*. In older children: *Neisseria meningitidis*, *Streptococcus pneumoniae*. Presents with fever, headache, neck stiffness, altered consciousness, and Kernig/Brudzinski signs. Diagnosis by lumbar puncture.

**Synonyms:**

### **Bacterial metabolism**

The chemical processes that occur within bacteria to maintain life. Bacteria have diverse metabolic capabilities including aerobic and anaerobic respiration, fermentation, and photosynthesis. Metabolic pathways are targets for antimicrobial drugs.

**Synonyms:**

### **Bacterial morphology**

The shape and arrangement of bacteria as observed under microscopy. Basic shapes include cocci (spheres), bacilli (rods), and spirilla (spirals). Cocci can be arranged in pairs (diplococci), chains (streptococci), clusters (staphylococci), or tetrads. Bacilli can be single, paired, or arranged in chains.

**Synonyms:**

### **Bacterial Overgrowth**

Excessive proliferation of bacteria in the small intestine, commonly called small-intestinal bacterial overgrowth. It may result from impaired intestinal motility, anatomical stasis, blind loops, strictures, diverticula, or loss of the normal ileocaecal barrier.

**Synonyms:** small-intestinal bacterial overgrowth.

### **Bacterial pathogenesis**

The mechanisms by which bacteria cause disease. Pathogenesis involves adhesion, invasion, toxin production, and immune evasion. Adhesins mediate attachment to host cells. Invasins allow penetration of tissues. Toxins damage host cells. Immune evasion mechanisms include capsules, biofilms, and intracellular survival.

**Synonyms:**

### **Bacterial pili**

Hair-like appendages on the bacterial surface composed of pilin protein. Pili are shorter and thicker than flagella. Type I pili mediate adherence to host cells and are important virulence factors. Type IV pili are involved in twitching motility and DNA uptake during transformation.

**Synonyms:**

### **Bacterial Pneumonia**

Infection of the lung tissue by bacteria, causing inflammation and air-space filling. It may cause fever, cough, sputum, chest pain, and shortness of breath.

**Synonyms:**

### **Bacterial Spore**

A metabolically dormant, highly resistant structure produced by certain bacteria, notably *Bacillus* and *Clostridioides* species, in response to environmental stress. Spores resist desiccation, heat, and many disinfectants and require validated sterilization for reliable destruction.

**Synonyms:**

---

## Bacterial toxins

Substances produced by bacteria that cause damage to host cells. There are two major categories: exotoxins and endotoxins. Exotoxins are proteins secreted by bacteria that have specific toxic effects. Endotoxins are lipopolysaccharide components of gram-negative bacterial outer membranes released during cell lysis.

**Synonyms:**

## Bacterial Tracheitis

Bacterial infection and inflammation of the trachea, often causing fever, a harsh cough, noisy breathing, and potentially rapid airway obstruction.

**Synonyms:**

## Bacterial transduction

The transfer of bacterial DNA from one bacterium to another through bacteriophages (bacterial viruses).

**Synonyms:**

## Bacterial transformation

The uptake of free DNA from the environment by competent bacteria. Transformation occurs naturally in some bacterial species including *Streptococcus pneumoniae*, *Haemophilus influenzae*, and *Neisseria*. Competence is the ability to take up DNA and is regulated by specific genes.

**Synonyms:**

## Bacterial Vaginosis

BV: replacement of normal vaginal lactobacilli by an overgrowth of mixed anaerobes (*Gardnerella vaginalis*, *Mobiluncus*, etc.), the most common cause of vaginal discharge in reproductive-age women. Risk: new/multiple partners, douching, smoking.

**Synonyms:**

## Bacterial virulence factors

Molecules produced by bacteria that contribute to their ability to cause disease. Virulence factors include adhesins, invasins, toxins, capsules, and enzymes. Adhesins mediate attachment to host cells. Toxins damage host cells directly. Capsules protect against phagocytosis. Enzymes degrade host

tissues.

**Synonyms:**

## Bactericide

An agent that kills bacteria rather than merely inhibiting their growth (bacteriostatic). Bactericidal antibiotics include beta-lactams (penicillins, cephalosporins, carbapenems), aminoglycosides, fluoroquinolones, metronidazole, and vancomycin.

**Synonyms:**

## Bacteriology

The branch of microbiology concerned with the study of bacteria, including their morphology, genetics, physiology, ecology, and clinical significance.

**Synonyms:**

## Bacteriophage

A virus that infects and replicates within bacteria.

**Synonyms:**

## Bacteriophage therapy

The investigational use of bacteriophages, viruses that infect bacteria, to treat selected bacterial infections. Their activity is usually limited to susceptible bacterial strains.

**Synonyms:**

## Bacterium

A unicellular prokaryote lacking a nucleus and membrane-bound organelles, possessing a single circular chromosome and typically a peptidoglycan cell wall.

**Synonyms:**

## Bacteriuria

The presence of bacteria in urine, detected by urinalysis or culture. It may occur with urinary symptoms, as in a urinary-tract infection, or without symptoms, as in asymptomatic bacteriuria; interpretation depends on specimen quality, bacterial quantity, patient context, and the presence of inflammation or symptoms.

**Synonyms:**

---

## Bag-Mask Ventilation

Manual ventilation of a non-breathing or inadequately breathing patient using a self-inflating bag (AMBU) attached to a mask sealed over the face. Effective technique: correct mask size, jaw thrust/head extension, two-person technique (two-hand seal), adequate tidal volumes with ETCO<sub>2</sub> monitoring.

**Synonyms:**

## Bagassosis

An occupational hypersensitivity pneumonitis (extrinsic allergic alveolitis) caused by inhalation of dust from moldy bagasse—the fibrous residue of sugarcane after extraction. Caused by thermophilic actinomycetes (*Saccharopolyspora rectivirgula*) that colonize stored bagasse.

**Synonyms:**

## Bainbridge Reflex

An increase in heart rate produced by stretch of the atrial walls, especially during increased venous return. The reflex helps limit venous congestion by adjusting cardiac output.

**Synonyms:**

## Baker Cyst

A fluid-filled cyst in the popliteal fossa, resulting from herniation of the synovial membrane through the posterior knee joint capsule or from a communication between the knee joint and the gastrocnemius-semimembranosus bursa.

**Synonyms:**

## Baker's cyst

A fluid-filled synovial cyst arising from the gastrocnemius-semimembranosus bursa posterior to the knee, typically caused by chronic knee joint effusion from conditions such as osteoarthritis, rheumatoid arthritis, or meniscal tears. It presents as a palpable, tender mass in the popliteal fossa that may rupture causing calf swelling.

**Synonyms:**

## Balamuthia mandrillaris Infection

A rare, usually fatal infection caused by the free-living amoeba *Balamuthia mandrillaris*. It may begin as a skin lesion and progress to granulomatous amoebic encephalitis with headache, confusion, seizures, or focal neurologic deficits. Diagnosis is difficult and requires specialized testing; urgent infectious-disease and neurologic evaluation is essential.

**Synonyms:**

## Balance

The ability to maintain the body's center of mass over its base of support, relying on input from the vestibular system, vision, and proprioception. It is essential for walking, standing, and performing daily activities without falling. Age-related decline, medications, and neurological disorders can impair balance, increasing fall risk.

**Synonyms:**

## Balance Assessment

An evaluation of steadiness and the ability to maintain safe posture during standing and movement. It may include standardized tests and helps identify mobility or fall risk.

**Synonyms:**

## Balance Disorders and Vertigo

Balance disorders encompass conditions that cause dizziness, unsteadiness, or a sensation of motion, often arising from dysfunction in the inner ear, brain, or sensory pathways.

**Synonyms:**

## Balance Impairment

The ability to maintain the body's center of mass over its base of support, relying on input from the vestibular system, vision, and proprioception. See balance.

**Synonyms:**

## Balance Training

Exercises improving postural stability and preventing falls. Components: static balance, dynamic

---

balance, reactive balance. Techniques: weight shifting, tandem stance, single-leg stance, perturbations, balance boards. Essential for elderly, neurological conditions.

**Synonyms:**

### **Balanitis**

Inflammation of the glans penis, often involving the prepuce (balanoposthitis). Causes include poor hygiene, irritants, infection, and dermatologic conditions such as lichen planus, psoriasis, and lichen sclerosus. It may cause erythema, swelling, discharge, pruritus, and discomfort; treatment depends on the cause.

**Synonyms:**

### **Balanoposthitis**

Inflammation of both the glans penis and the prepuce. It may cause pain, erythema, swelling, discharge, or difficulty retracting the foreskin and can result from infection, irritation, or inflammatory skin disease.

**Synonyms:**

### **Baldness**

Commonly used term for substantial hair loss, especially androgenetic alopecia, also called pattern hair loss. In this condition, genetically susceptible hair follicles gradually become smaller under the influence of androgens.

**Synonyms:** pattern.

### **Ballard Score**

Clinical assessment of gestational age in newborns using 6 physical and 6 neuromuscular maturity criteria. Physical parameters: skin texture, ear form and recoil, eye appearance, breast tissue, and genitalia. Neuromuscular: posture, arm and leg recoil, popliteal angle, scarf sign, and heel-to-ear.

**Synonyms:**

### **Ballism**

A hyperkinetic movement disorder characterized by sudden, involuntary, large-amplitude, flinging movements of a limb or limbs. It is often related to

dysfunction of the subthalamic region or connected basal-ganglia circuits.

**Synonyms:**

### **Ballistocardiography**

The graphic recording of repetitive body movements produced by the ejection of blood with each heartbeat. It has been used to study cardiac mechanical activity and circulation.

**Synonyms:**

### **Balloon (Vascular)**

An inflatable catheter component used to widen a narrowed blood vessel or expand a vascular stent.

**Synonyms:** Vascular

### **Balloon Aortic Valvuloplasty**

Catheter-based procedure using balloon inflation to dilate a stenotic aortic valve. Provides temporary hemodynamic improvement in severe AS but restenosis is common within 6-12 months. Used as a bridge to TAVR or surgical AVR in hemodynamically unstable patients, or as palliation in patients not eligible for definitive valve replacement.

**Synonyms:**

### **Balloon Catheter**

A catheter with an inflatable tip used to widen a narrowed vessel, expand a stent, or dilate another body passage.

**Synonyms:**

### **Band Keratopathy**

A horizontal band of calcium deposition in the superficial cornea, typically across the interpalpebral area. It may occur with chronic ocular inflammation, hypercalcemia, renal disease, or longstanding eye disease and can impair vision.

**Synonyms:**

### **Bandage**

Material applied to cover, protect, compress, or support an injured body part. Examples include gauze, adhesive, elastic, and tubular bandages.

**Synonyms:**



---

### **Bandage Scissors**

Blunt-tipped scissors for cutting bandages.

**Synonyms:**

### **Bankart Lesion**

A tear of the anterior-inferior glenoid labrum, usually caused by anterior shoulder dislocation and associated with recurrent instability.

**Synonyms:**

### **Bannayan-Riley-Ruvalcaba Syndrome**

Autosomal dominant PTEN hamartoma tumor syndrome (PHTS) caused by loss-of-function mutations in PTEN (10q23), allelic to Cowden syndrome.

**Synonyms:**

### **Banti Disease**

A historical term for congestive splenomegaly associated with portal hypertension and hypersplenism. Modern evaluation usually identifies the underlying hepatic, portal-venous, or hematologic cause.

**Synonyms:**

### **Banti Syndrome**

A historical term for portal hypertension with splenomegaly and hypersplenism. Modern evaluation usually identifies an underlying hepatic, portal-venous, or hematologic disorder.

**Synonyms:**

### **Barbiturate**

A class of CNS depressants derived from barbituric acid that enhance GABA-A receptor activity by increasing the duration of chloride channel opening (as opposed to benzodiazepines, which increase the frequency). At low doses: anxiolysis and sedation. At moderate doses: hypnosis and anesthesia.

**Synonyms:**

### **Bare Stent (Vascular)**

A metal mesh tube placed inside a narrowed vessel without a drug coating to keep the vessel open.

**Synonyms:** Vascular

### **Bariatric Surgery**

Weight loss procedures and surgery, collectively known as bariatric surgery, are invasive interventions for severe obesity that produce substantial and sustained weight loss by altering gastrointestinal anatomy and physiology.

**Synonyms:**

### **Barium**

A metallic element (atomic number 56, symbol Ba) whose sulfate salt (barium sulfate) is used as a radiocontrast agent due to its high atomic number, which effectively absorbs X-rays.

**Synonyms:**

### **Barium Enema**

Fluoroscopic imaging of the large intestine after retrograde filling with barium contrast. Double-contrast (barium + air) provides better mucosal detail. Indications: colorectal cancer screening (historical, now CT colonography preferred), evaluation of colonic obstruction, diverticulosis, and postsurgical anatomy.

**Synonyms:**

### **Barium Study**

X-ray imaging using barium sulfate contrast. Barium swallow, barium enema, upper GI series. Evaluates GI tract morphology and function.

**Synonyms:**

### **Barium Swallow**

Fluoroscopic examination of the esophagus after ingestion of barium contrast. Used to evaluate esophageal anatomy, motility, strictures, and structural abnormalities. The study demonstrates mucosal detail, filling defects, strictures, and motility disorders. A barium follow-through extends the examination to the small bowel.

**Synonyms:**

### **Barium-133**

Calibration source. Half-life 10.5 years. Used for energy calibration.

**Synonyms:**

---

## Barognosis

The ability to recognize and distinguish the weight of objects by handling them, with intact primary sensation. Impaired barognosis indicates a cortical sensory deficit.

**Synonyms:**

## Baroreceptor Reflex

The rapid neural mechanism for short-term blood pressure regulation, involving baroreceptors (mechanoreceptors) in the carotid sinus (innervated by CN IX) and aortic arch (innervated by CN X). When blood pressure rises, baroreceptors increase their firing rate, signaling the cardiovascular center in the medulla.

**Synonyms:**

## ABO Blood Types

The major blood-group system based on the presence or absence of A and B antigens on red blood cells and corresponding antibodies in plasma.

**Synonyms:**

## Bouchard Nodes

Bony enlargements of the proximal interphalangeal joints, usually associated with osteoarthritis.

**Synonyms:**

## Buffy Coat

The thin layer of white blood cells and platelets that forms between plasma and red blood cells after centrifugation of whole blood.

**Synonyms:**

## Barotrauma

Lung injury from excessive pressure during ventilation, causing alveolar rupture (pneumothorax, pneumomediastinum). Risk factors: high pressures, high PEEP. Prevented by lung-protective ventilation.

**Synonyms:**

## Barrel Chest

A rounded, enlarged appearance of the chest caused by increased lung volume or changes in the chest wall. It may occur with chronic obstructive pul-

monary disease, severe asthma, or other long-standing lung conditions.

**Synonyms:**

## Barrett Esophagus

Metaplastic transformation of the normal stratified squamous epithelium of the distal esophagus to specialized intestinal-type columnar epithelium containing goblet cells, occurring as a consequence of chronic gastroesophageal reflux disease.

**Synonyms:**

## Barrett Esophagus Surveillance

Periodic endoscopic evaluation of Barrett esophagus to detect dysplasia or early esophageal adenocarcinoma. The interval and biopsy protocol depend on the presence and grade of dysplasia and current clinical guidelines.

**Synonyms:**

## Barrier Creams

Topical preparations applied to the skin to create a physical protective layer against irritants, moisture, and pathogens. Common formulations include zinc oxide, petrolatum, dimethicone, and titanium dioxide.

**Synonyms:**

## Barthel Index

A standardized scale that measures assistance needed for activities of daily living, including feeding, bathing, dressing, toileting, transfers, mobility, and stair use. Scores are interpreted according to the version of the scale and the clinical setting.

**Synonyms:**

## Bartholin Cyst

A cyst of the Bartholin gland (paired mucus-secreting glands at the posterolateral introitus) due to obstruction of the duct; if infected, a Bartholin abscess.

**Synonyms:**

## Bartholin Gland

One of two small glands near the vaginal opening

---

that produce lubricating mucus. Blockage of its duct can cause a painless cyst; infection can produce a painful abscess with swelling, redness, and difficulty walking or sitting. Recurrent or atypical masses require gynecologic assessment.

**Synonyms:**

### **Bartonellosis**

A group of infections caused by *Bartonella* species, including cat-scratch disease, bacillary angiomatosis, and, in some regions, bloodstream infection with fever and anemia. The clinical features depend on the species and the patient's immune status.

**Synonyms:**

### **Bartter Syndrome**

Inherited autosomal recessive disorder of the thick ascending limb of the loop of Henle causing salt wasting, hypokalemic metabolic alkalosis, and hypercalciuria. Results from mutations in genes encoding the NKCC2 transporter or its regulatory subunits. Presents in childhood with failure to thrive, polyuria, and polydipsia.

**Synonyms:**

### **Basal Cell Carcinoma**

The most common malignant skin tumor, arising from basal keratinocyte-lineage cells and associated with cumulative ultraviolet exposure and Hedgehog-pathway abnormalities. It commonly presents as a pearly papule or nodule with telangiectasia, ulceration, or a rolled border.

**Synonyms:**

### **Basal Ganglia**

Deep gray matter nuclei in the cerebral hemispheres for motor control, cognition, and emotion. Key structures: caudate nucleus, putamen, globus pallidus (internal/external segments), subthalamic nucleus, substantia nigra. Direct pathway facilitates movement; indirect inhibits it.

**Synonyms:**

### **Basal Ganglia Dysfunction**

Abnormal function of the deep cerebral nuclei that

regulate movement, cognition, and procedural learning. It may cause tremor, rigidity, bradykinesia, chorea, dystonia, or abnormal involuntary movements, as in Parkinson disease and Huntington disease.

**Synonyms:**

### **Basal Metabolic Rate**

Energy expenditure at rest for basic physiological functions. Accounts for 60-75% of total energy expenditure. Affected by age, sex, body composition, thyroid status, genetics. Measured by indirect calorimetry.

**Synonyms:**

### **Base**

A substance that accepts protons (H<sup>+</sup>) or donates electron pairs (Lewis base). In aqueous solution, bases increase OH<sup>-</sup> concentration (pH >7). Strong bases (NaOH, KOH) dissociate completely; weak bases (NH<sub>3</sub>, HCO<sub>3</sub><sup>-</sup>, protein side chains) partially.

**Synonyms:**

### **Base Excision Repair**

The repair pathway for small, non-helix-distorting base lesions including oxidized bases (8-oxoguanine), deaminated bases (uracil from cytosine deamination), alkylated bases, and abasic (AP) sites.

**Synonyms:**

### **Basement Membrane**

A thin, delicate layer of extracellular matrix that anchors epithelial tissue to the underlying connective tissue.

**Synonyms:**

### **Basic Life Support**

Immediate care for a person with cardiac arrest or respiratory failure, including recognition, emergency activation, chest compressions, ventilation, and defibrillation when indicated.

**Synonyms:**

### **Basic Metabolic Panel**

A panel of blood tests measuring serum glucose,

---

sodium, potassium, chloride, bicarbonate, BUN, and creatinine. Also includes calcium in some institutions. Uses: assess hydration status, renal function, acid-base balance, and glucose control.

**Synonyms:**

### **Basic Reproduction Number**

The expected number of secondary infections generated by one typical infectious person in a completely susceptible population, under specified conditions. It is a population and context parameter, not a fixed biological constant.

**Synonyms:**

### **Basilar artery aneurysm**

Dilation of the basilar artery, most commonly fusiform, often associated with atherosclerosis or hypertension. May compress cranial nerves or brain-stem structures causing facial pain, double vision, or hemiparesis. Rupture causes subarachnoid hemorrhage with high morbidity.

**Synonyms:**

### **Basophil**

A rare (<1 percent of leukocytes) granulocyte with large, basophilic granules containing histamine, heparin, and leukotrienes. Basophils bear high-affinity IgE receptors (Fc-epsilon-RI) and, like mast cells, release histamine and mediators during immediate hypersensitivity (allergic) reactions.

**Synonyms:**

### **Bath Salts Abuse and Addiction**

Misuse of synthetic cathinones, stimulant drugs that may cause agitation, paranoia, hallucinations, seizures, dangerously high temperature, cardiovascular complications, and dependence. Severe agitation, chest pain, seizure, hyperthermia, or altered consciousness requires emergency care. Treatment is supportive and may require addiction and mental-health services.

**Synonyms:**

### **Battered Child Syndrome**

A pattern of repeated, non-accidental physical in-

jury inflicted on a child by a caregiver, formally described by Kempe in 1962. Features include fractures of differing ages, subdural and retinal hemorrhages, inconsistent histories, and delayed presentation; mandatory reporting is required in most jurisdictions.

**Synonyms:**

### **Bauhin Valve**

The ileocecal valve, a mucosal sphincter at the junction of the terminal ileum and cecum that helps regulate passage of intestinal contents and limits reflux from the colon.

**Synonyms:**

### **BCG Vaccine**

A live attenuated vaccine derived from *Mycobacterium bovis* that helps prevent severe forms of tuberculosis, especially in children. Its use depends on national tuberculosis-risk policies.

**Synonyms:**

### **Beals Syndrome**

A congenital connective-tissue disorder characterized by congenital contractures, arachnodactyly, kyphoscoliosis, and crumpled ears. It is usually associated with pathogenic variants affecting fibrillin-2.

**Synonyms:**

### **Beam Hardening Artifact**

CT artifact from dense structures. Reduced by beam hardening correction algorithms.

**Synonyms:**

### **Beau Lines**

Transverse depressions or grooves across the nail plate caused by temporary interruption of nail-matrix growth. They may follow severe illness, fever, trauma, malnutrition, chemotherapy, or systemic inflammatory disease.

**Synonyms:**

### **Beau's Lines**

Transverse grooves or depressions across a fingernail or toenail caused by temporary interruption of

---

nail-matrix growth. They may follow severe illness, injury, high fever, nutritional stress, or local trauma; the timing of the groove can help estimate when the event occurred.

**Synonyms:**

### Bechterew Disease

Historical eponym for ankylosing spondylitis (also known as Marie-Strümpell disease), describing the chronic inflammatory arthritis of the axial skeleton first reported by Vladimir Bekhterev (Russian, 1892) and Adolf Strümpell (German, 1884).

**Synonyms:** Marie-Strümpell disease),.

### Beck Triad

Classic diagnostic clinical triad of Cardiac Tamponade: (1) Hypotension, (2) Distended neck veins (elevated JVP), and (3) Muffled / distant heart sounds. See Cardiac Tamponade.

**Synonyms:**

### Becker Muscular Dystrophy

An X-linked recessive neuromuscular disorder caused by mutations in the dystrophin gene, similar to Duchenne muscular dystrophy (DMD), but with in-frame mutations that allow production of some functional dystrophin protein, albeit reduced in quantity or abnormal in size. The result is a milder clinical phenotype compared to DMD.

**Synonyms:**

### Becker's nevus

A benign hamartomatous lesion appearing as a unilateral, hyperpigmented, often hairy patch, typically developing in adolescence on the shoulder or upper trunk of males. It results from a localized androgen-dependent increase in dermal smooth muscle and pigmentation. It is cosmetically concerning but carries no malignant potential.

**Synonyms:**

### Beckwith-Wiedemann Syndrome

An overgrowth disorder associated with 11p15.5 imprinting defects. Features: macrosomia, macroglossia, omphalocele, visceromegaly, and neonatal hy-

poglycemia. Increased risk of embryonal tumors (Wilms tumor, hepatoblastoma).

**Synonyms:**

### Becquerel (Bq)

The SI unit of radioactive activity, equal to one nuclear transformation per second. Administered activity is commonly reported in megabecquerels or gigabecquerels in nuclear medicine.

**Synonyms:** Bq

### Bedbug Bites

Cutaneous reactions to bites of *Cimex lectularius* (bedbugs), nocturnal blood-feeding insects. Bites are painless but cause erythematous, pruritic papules, often in a linear arrangement (breakfast, lunch, dinner sign) or clusters on exposed skin (face, neck, arms, hands). Delayed hypersensitivity develops over days.

**Synonyms:**

### Bedpan

A receptacle used by a person who cannot safely leave bed to urinate or pass stool.

**Synonyms:**

### Bedsore

Pressure ulcer (decubitus): localized skin/soft tissue injury from prolonged pressure over bony prominences (sacrum, heels, occiput, trochanters), usually in immobile patients.

**Synonyms:**

### Bedwetting

Involuntary urination during sleep after the age at which nighttime bladder control is usually established. It may be primary or secondary to urinary infection, constipation, diabetes, sleep disorders, stress, or other medical conditions and should be assessed when persistent, new, or accompanied by daytime symptoms.

**Synonyms:**

### Beers Criteria

A regularly updated list of medicines that may pose

---

increased risks for some older adults. It supports medication review but does not replace individualized clinical judgment.

**Synonyms:**

### **Behavioral Rehabilitation**

Behavioral interventions for chronic conditions: pain management, addiction, adjustment.

**Synonyms:**

### **Behcet Disease**

A chronic, relapsing systemic vasculitis characterized by recurrent oral ulcers, genital ulcers, and ocular inflammation, with a distribution along the ancient Silk Road from the Mediterranean to East Asia.

**Synonyms:**

### **Belching**

The release of swallowed air or gas from the stomach through the mouth. Frequent belching may occur with aerophagia, gastroesophageal reflux, functional dyspepsia, or carbonated-drink consumption.

**Synonyms:**

### **Bell Palsy**

Acute, idiopathic, unilateral facial nerve (CN VII) paralysis of lower motor neuron type, with an incidence of approximately 20-30 per 100,000 person-years.

**Synonyms:**

### **Bell's Palsy**

Acute peripheral facial-nerve weakness of uncertain cause, usually affecting one side of the face. Eye protection and timely clinical assessment are important; treatment is individualized.

**Synonyms:**

### **Bence Jones Protein**

Monoclonal immunoglobulin light chains (free kappa or lambda) detectable in urine of patients with monoclonal gammopathies, most characteristically multiple myeloma but also Waldenstrom macroglobulinemia, MGUS, and primary amyloidosis (AL).

**Synonyms:**

### **Bence-Jones Protein**

A monoclonal immunoglobulin light chain found in urine or blood, classically associated with plasma-cell disorders such as multiple myeloma. Detection contributes to evaluation of monoclonal gammopathy and kidney injury.

**Synonyms:**

### **Bends**

A manifestation of decompression sickness caused by gas bubbles forming in tissues or blood after a rapid reduction in ambient pressure. It commonly produces deep joint or muscle pain but may also involve the nervous system or lungs.

**Synonyms:**

### **Beneficence and Non-Maleficence**

Core biomedical ethical principles guiding clinical practice and medical research. Beneficence requires healthcare providers to act in the best interest of the patient, taking positive steps to promote health, prevent harm, and relieve suffering.

**Synonyms:**

### **Benign Intracranial Hypertension**

An older term for idiopathic intracranial hypertension, a disorder of raised intracranial pressure without an intracranial mass or hydrocephalus. Headache and papilledema are typical, and untreated disease may threaten vision.

**Synonyms:**

### **Benign Mixed Tumor**

A benign salivary-gland tumor containing epithelial and connective-tissue components, usually called a pleomorphic adenoma.

**Synonyms:**

### **Benign Neoplasm**

Benign neoplasms are proliferations of cells that remain confined to their site of origin, grow by expansion rather than invasion, and do not metastasize to distant sites. They typically grow slowly, pushing



---

aside adjacent normal tissue and often becoming enclosed by a fibrous pseudocapsule formed from compressed connective tissue.

**Synonyms:**

### **Benign Paroxysmal Positional Vertigo**

A common peripheral vertigo from dislodged otoliths (canalithiasis) within the semicircular canals, most often the posterior canal. Brief episodes of rotational vertigo lasting under one minute provoked by changes in head position.

**Synonyms:**

### **Benign Positional Vertigo**

Brief episodes of spinning dizziness triggered by changes in head position, usually caused by displaced calcium carbonate crystals in a semicircular canal. It is also called benign paroxysmal positional vertigo or BPPV.

**Synonyms:**

### **Benign Prostatic Hyperplasia**

Noncancerous enlargement of the prostate that may obstruct urine flow and cause hesitancy, weak stream, urgency, frequency, nocturia, or incomplete emptying. Assessment uses the symptoms, examination, and selected tests.

**Synonyms:**

### **Benign Prostatic Obstruction**

Bladder-outlet obstruction caused by benign prostatic enlargement or increased prostatic smooth-muscle tone. It can produce weak stream, hesitancy, intermittency, straining, incomplete emptying, retention, infection, and upper-tract deterioration.

**Synonyms:**

### **Benign Tumor**

Non-cancerous growth, slow-growing, well-differentiated, localized, does not invade or metastasize. Examples: lipoma, fibroma, adenoma. May cause problems by compression or hormone secretion.

**Synonyms:**

### **Bent Spine Syndrome**

A marked, usually reducible forward flexion of the trunk caused by weakness or abnormal contraction of axial extensor muscles. It is also called camptocormia and may accompany neuromuscular or movement disorders.

**Synonyms:** camptocormia and may accompany.

### **Benzene**

Solvent, industrial chemical. Chronic exposure: aplastic anemia, leukemia (especially AML). Acute: CNS depression, arrhythmias. Prevention: substitution, ventilation, monitoring.

**Synonyms:**

### **Benzo(a)pyrene**

Polycyclic aromatic hydrocarbon from combustion. Carcinogenic (lung, skin cancer). Found in tobacco smoke, charred meat, air pollution.

**Synonyms:** a

### **Benzodiazepine Use Disorder**

A problematic pattern of benzodiazepine use leading to significant impairment. Benzodiazepines include alprazolam, clonazepam, diazepam, and lorazepam. Dependence can develop rapidly with regular use. Withdrawal can be life-threatening, presenting with anxiety, insomnia, tremor, seizures, and psychosis.

**Synonyms:**

### **Benzodiazepine Withdrawal**

Symptoms from cessation or reduction of prolonged benzodiazepine use. Early symptoms include anxiety, insomnia, tremor, and diaphoresis. Severe withdrawal can include seizures, psychosis, and delirium. Withdrawal severity depends on the half-life of the benzodiazepine, duration of use, and dose.

**Synonyms:**

### **Benzodiazepines**

A class of drugs that enhance the effect of the inhibitory neurotransmitter gamma-aminobutyric acid at the GABA-A receptor, increasing the frequency of chloride channel opening and producing anxiolytic, sedative, anticonvulsant, and muscle re-

---

laxant effects.

**Synonyms:**

### **Bereavement**

Natural grief response to the death of a loved one, marked by sadness, yearning, and preoccupation with the deceased, experienced in waves that diminish over weeks to months with preserved self-esteem. Distinct from major depression by its wave-like quality and preserved self-worth.

**Synonyms:**

### **Bereavement reaction**

A normal emotional response to the death of a loved one, involving grief that generally follows a variable course without necessarily indicating a mental disorder.

**Synonyms:**

### **Berger Disease**

Historical name for IgA nephropathy named after Jean Berger who first characterized mesangial IgA deposition in 1968. Characterized by recurrent gross hematuria triggered by mucosal infections with intervals of microscopic hematuria and proteinuria. Generally benign course in most patients but subset progresses to CKD.

**Synonyms:**

### **Beriberi**

A nutritional deficiency disease caused by inadequate thiamine (vitamin B1), occurring in two forms. Wet beriberi presents with high-output heart failure, peripheral vasodilation, edema, and tachycardia due to impaired cardiac energy metabolism.

**Synonyms:**

### **Bernard–Soulier syndrome**

An inherited platelet-adhesion disorder caused by deficiency or dysfunction of the glycoprotein Ib-IX-V complex, producing mucocutaneous bleeding and giant platelets.

**Synonyms:**

### **Berry Aneurysm**

A small, rounded saccular aneurysm arising at an arterial branch point in the circle of Willis. Rupture is a major cause of nontraumatic subarachnoid hemorrhage.

**Synonyms:**

### **Berylliosis**

A granulomatous lung disease from beryllium exposure. Chronic berylliosis resembles sarcoidosis. Diagnosis requires beryllium lymphocyte proliferation test.

**Synonyms:**

### **Beta Blockers**

A class of medications that block the effects of adrenaline on the body's beta receptors. They slow down the heart rate and reduce blood pressure, making them widely used for treating heart conditions, high blood pressure, and anxiety.

**Synonyms:**

### **Beta-Adrenergic Blocker**

A drug that antagonizes beta-adrenergic receptors, reducing heart rate, myocardial contractility, and renin release. It is used in selected patients with hypertension, angina, arrhythmias, post-myocardial infarction disease, and heart failure; abrupt withdrawal may worsen ischemia.

**Synonyms:**

### **Beta-Blocker Overdose**

Toxic exposure to a beta-adrenergic blocker that may cause slow heart rate, low blood pressure, low blood glucose, bronchospasm, seizures, or altered consciousness. It requires urgent poison-control and medical management.

**Synonyms:**

### **Beta-Blockers**

Beta-adrenergic blocking agents, commonly known as beta-blockers, are topical medications used in the treatment of glaucoma that lower intraocular pressure by reducing the production of aqueous humor by the ciliary body, primarily through blockade of

---

beta-2 adrenergic receptors.

**Synonyms:**

### **Beta-Lactam Antibiotics**

A large class of antimicrobial agents characterized by a beta-lactam ring in their molecular structure, which is essential for their bactericidal activity.

**Synonyms:**

### **Beta-lactamase inhibitor combinations**

Combinations of beta-lactam antibiotics with beta-lactamase inhibitors that extend activity against beta-lactamase producing organisms. The major combinations include amoxicillin-clavulanate, ampicillin-sulbactam, piperacillin-tazobactam, cefoperazone-sulbactam, and ceftolozane-tazobactam.

**Synonyms:**

### **Beta-Oxidation**

The catabolic process by which fatty acid molecules are broken down in the mitochondria (and peroxisomes) to generate acetyl-CoA, NADH, and FADH<sub>2</sub>.

**Synonyms:**

### **Beta-thalassemia**

An inherited hemoglobin disorder with deficient or absent beta-globin chain synthesis, ranging from mild trait to transfusion-dependent major disease with iron overload, extramedullary hematopoiesis, and skeletal changes.

**Synonyms:**

### **Bezoar**

A mass of indigestible material retained in the gastrointestinal tract, commonly composed of hair, plant fiber, or medication material.

**Synonyms:**

### **BI-RADS**

Breast Imaging-Reporting and Data System. Standardizes mammography reporting. Categories: 0 (incomplete), 1 (negative), 2 (benign), 3 (probably benign), 4 (suspicious), 5 (highly suggestive of malignancy), 6 (known biopsy-proven malignancy).

**Synonyms:**

### **Bicarbonate**

The principal extracellular buffer anion, formed from carbon dioxide and water and regulated chiefly by the lungs and kidneys. The bicarbonate-carbonic-acid system helps maintain arterial pH; serum bicarbonate is commonly used to assess metabolic components of acid-base disorders.

**Synonyms:**

### **Biceps Brachii Muscle**

Two-headed anterior arm muscle. Long head from supraglenoid tubercle, short head from coracoid process, both inserting on the radial tuberosity. Innervated by musculocutaneous nerve (C5-C6). Most powerful elbow flexor in supination; supinates forearm; weakly flexes shoulder. Distal rupture causes Popeye deformity.

**Synonyms:**

### **Biceps Reflex**

A tendon reflex produced by tapping the biceps tendon, causing elbow flexion through the musculocutaneous nerve and predominantly C5-C6 spinal segments. It helps assess the corresponding peripheral and central pathways.

**Synonyms:**

### **Bicipital Groove**

The intertubercular groove of the humerus that transmits the tendon of the long head of the biceps brachii, with the transverse humeral ligament and adjacent rotator-cuff structures contributing to tendon stability.

**Synonyms:**

### **Bicipital Tuberosity**

The radial tuberosity, a roughened prominence on the proximal radius where the biceps brachii tendon inserts and produces flexion and supination of the forearm.

**Synonyms:**

---

### **Bicuspid Aortic Valve**

A congenital aortic valve with two leaflets instead of the usual three. It can lead to aortic stenosis, aortic regurgitation, enlargement of the aorta, or other congenital heart abnormalities.

**Synonyms:**

### **Bicuspid Valve**

A heart valve with two leaflets rather than the usual three. The term most often refers to congenital bicuspid aortic valve, which can cause aortic stenosis, regurgitation, infective endocarditis, or ascending-aortic disease.

**Synonyms:**

### **Bietti's Crystalline Dystrophy**

A rare autosomal recessive chorioretinal dystrophy characterized by tiny crystalline deposits in the retina and cornea with progressive chorioretinal atrophy, presenting with night blindness and progressive visual field loss beginning in early adulthood.

**Synonyms:**

### **Biguanide**

A class of medicines that lower blood glucose by reducing hepatic glucose production and improving insulin sensitivity. Metformin is the principal biguanide in current clinical use; its use depends on kidney function, tolerability, and the person's treatment goals.

**Synonyms:**

### **Bilateral peritonsillar abscesses**

Suppurative infection in the peritonsillar space on both sides, a rare complication of acute tonsillitis presenting with severe sore throat, dysphagia, trismus, and muffled hot potato voice. Bilateral involvement risks acute upper airway obstruction and requires urgent needle aspiration or incision and drainage.

**Synonyms:**

### **Bile Acids**

Substances produced by the liver that aid digestion and absorption of fats and fat-soluble vitamins.

They are also measured when a hepatobiliary disorder, including intrahepatic cholestasis of pregnancy, is suspected.

**Synonyms:**

### **Bile Duct**

A channel that carries bile from the liver and gallbladder to the duodenum. The right and left hepatic ducts unite as the common hepatic duct; union with the cystic duct forms the common bile duct, which usually joins the pancreatic duct before entering the duodenum at the major duodenal papilla.

**Synonyms:**

### **Bile Reflux**

Reflux of duodenal contents (bile acids, lysolecithin, pancreatic enzymes) into the stomach and esophagus, caused by incompetence of the pyloric sphincter, prior gastric surgery (Billroth II, Roux-en-Y, vagotomy with pyloroplasty), cholecystectomy, or functional gastroparesis.

**Synonyms:**

### **Bile Salt Emulsification**

Bile salts (derived from cholesterol in the liver) are amphipathic molecules with hydrophobic and hydrophilic regions that act as biological detergents, emulsifying dietary lipids into smaller droplets (micelles). This increases the surface area of lipid substrate available for pancreatic lipase action.

**Synonyms:**

### **Bile Salt Malabsorption**

Condition characterized by impaired reabsorption of bile acids in the terminal ileum leading to excessive bile acids entering the colon where they stimulate water and electrolyte secretion causing chronic watery diarrhea.

**Synonyms:**

### **Bilharzia**

A parasitic infection caused by *Schistosoma* species. See Schistosomiasis.

**Synonyms:**

---

### **Biliary Atresia**

A progressive, obliterative cholangiopathy of the extrahepatic bile ducts in neonates, leading to biliary obstruction, cholestasis, and ultimately biliary cirrhosis if untreated.

**Synonyms:**

### **Biliary Cirrhosis**

Chronic liver scarring associated with long-standing injury to the bile ducts. The term is often used for primary biliary cholangitis, an autoimmune small-duct disease.

**Synonyms:**

### **Biliary Colic**

Episodic right-upper-quadrant or epigastric pain caused by transient obstruction of the cystic duct, usually by a gallstone. Pain is typically steady, may follow meals, and resolves when the obstruction passes; fever and persistent inflammatory findings suggest a complication.

**Synonyms:**

### **Biliary Dyskinesia**

A functional gallbladder disorder causing biliary-type pain without gallstones or another clear structural cause. A hepatobiliary scan may show abnormal gallbladder emptying, but no single ejection-fraction cutoff establishes the diagnosis; other causes must be considered.

**Synonyms:**

### **Biliary Fever**

Fever associated with infection or inflammation of the biliary tract, classically acute ascending cholangitis. It may occur with right-upper-quadrant pain and jaundice and can progress rapidly to sepsis.

**Synonyms:**

### **Biliary Stent**

A tube placed in a bile duct to maintain drainage when the duct is narrowed or blocked. Stents may be plastic or metal, and complications include migration, blockage, infection, and pancreatitis.

**Synonyms:**

### **Biliary Tract**

The network of ducts that carries bile from the liver and gallbladder to the small intestine. Blockage or inflammation can cause abdominal pain, jaundice, infection, or pancreatitis.

**Synonyms:**

### **Biliary Tract Injuries**

Damage to the gallbladder, bile ducts, or adjacent biliary structures, often occurring after abdominal surgery or trauma. It may cause bile leakage, obstruction, jaundice, infection, or later biliary narrowing.

**Synonyms:**

### **Bilious Vomiting**

Vomiting of green/yellow, bilious material in the newborn or infant, defined as emerald green or yellow vomitus that contains bile.

**Synonyms:**

### **Bilirubin**

A yellow pigment formed mainly from heme breakdown. Unconjugated bilirubin is transported bound to albumin to the liver, where it is conjugated with glucuronic acid and excreted in bile; accumulation causes jaundice.

**Synonyms:**

### **Bilirubin Encephalopathy**

Neurologic injury caused by deposition of unconjugated bilirubin in the brain, especially the basal ganglia. Severe neonatal hyperbilirubinemia can produce acute lethargy, abnormal tone, feeding difficulty, seizures, and permanent kernicterus.

**Synonyms:**

### **Bilirubin Metabolism**

Bilirubin is the breakdown product of heme from senescent red blood cells, metabolized primarily by the liver through a series of enzymatic steps. Heme is converted to biliverdin by heme oxygenase, then to unconjugated bilirubin by biliverdin reductase. Unconjugated bilirubin is lipophilic and transported bound to albumin to the liver.

---

**Synonyms:**

### **Bilirubinuria**

The presence of conjugated bilirubin in urine. It indicates that water-soluble bilirubin has entered the circulation, often because of hepatocellular disease or biliary obstruction.

**Synonyms:**

### **Binet-Simon Scale**

An early developmental assessment used to estimate intellectual functioning in children by comparing performance with age-based tasks. Modern evaluation uses standardized, validated developmental and cognitive instruments.

**Synonyms:**

### **Binge Eating Disorder**

Recurrent episodes of eating large quantities of food with a sense of lack of control, without regular compensatory behavior. Associated with obesity, depression, and anxiety. Diagnosis by DSM-5 criteria. Treatment: cognitive behavioral therapy, interpersonal therapy, and SSRIs. Weight management with dietary counseling and exercise.

**Synonyms:**

### **Binocular visual loss**

Reduction in vision affecting both eyes simultaneously, typically resulting from bilateral optic neuropathy, chiasmal lesions, or diffuse bilateral retinal disease rather than monocular ocular pathology. Evaluation requires neuroimaging and visual field testing to localise the lesion along the visual pathway.

**Synonyms:**

### **Bioabsorbable Stent (Vascular)**

A vascular scaffold designed to provide temporary support and gradually break down after its function is completed.

**Synonyms:** Vascular

### **Bioavailability**

The fraction of an administered drug that reaches

the systemic circulation in its unchanged active form. It is expressed as a percentage and is determined by the route of administration and the extent of first-pass metabolism. For intravenous administration, bioavailability is 100 percent by definition.

**Synonyms:**

### **Bioburden**

The number and type of viable microorganisms contaminating a surface, medical device, tissue, or pharmaceutical product; a measure of contamination. Bioburden testing assesses the level of microbial contamination (total viable count) before sterilization or in quality control.

**Synonyms:**

### **Biochemical Assessment**

Blood tests: albumin, prealbumin, transferrin, electrolytes, vitamins, minerals, glucose, lipids. Reflect nutritional status and metabolic function.

**Synonyms:**

### **Biocompatibility**

Ability of material to function without adverse response. ISO 10993 standards for biocompatibility testing.

**Synonyms:**

### **Biodegradable Implant**

An implant designed to perform a temporary function and then degrade into products that can be metabolized or eliminated by the body. Degradation rate, local tissue response, and mechanical strength must be matched to the intended clinical use.

**Synonyms:**

### **Biodistribution**

The time-dependent distribution of a radiopharmaceutical among organs, tissues, blood, and excretory pathways. It determines image quality, target-to-background contrast, therapeutic delivery, and radiation exposure to normal organs.

**Synonyms:**



---

## Bioequivalence

The property of two drug products (brand-name and generic) that have the same rate and extent of absorption when administered at the same molar dose under similar conditions, resulting in comparable bioavailability and therapeutic effect.

**Synonyms:**

## Bioethics

Interdisciplinary study of the ethical, legal, philosophical, and social implications of advancements in medicine, biology, healthcare technology, and biotechnology.

**Synonyms:**

## Bioethics (Geriatric)

Ethical considerations in elderly care: autonomy vs. paternalism, informed consent capacity, end-of-life decisions, resource allocation, elder abuse. Principles: respect for autonomy, beneficence, non-maleficence, justice. Advance directives: living will, durable power of attorney for healthcare.

**Synonyms:** Geriatric

## Biofilm

An organized community of microorganisms attached to a surface and embedded in a self-produced extracellular polymeric matrix (polysaccharides, proteins, DNA).

**Synonyms:**

## Biofilm-associated infections

Infections caused by bacteria growing in biofilms on medical devices or tissues. Biofilms are structured communities of bacteria embedded in extracellular polymeric substances. Bacteria in biofilms are more resistant to antibiotics and host immune responses.

**Synonyms:**

## Biologic Therapy

Treatment with biologic agents targeting specific immune pathways, used in autoimmune and inflammatory disease.

**Synonyms:**

## Biologic Therapy in Dermatology

Treatment with targeted biological agents, usually monoclonal antibodies or receptor proteins, that inhibit selected immune pathways. Biologics are used for diseases such as psoriasis, atopic dermatitis, hidradenitis suppurativa, and urticaria; infection risk, vaccination status, screening, and monitoring must be considered.

**Synonyms:**

## Biologic Variation

Natural fluctuation in a measurable analyte within an individual over time and variation between individuals. It should be considered when interpreting serial results and deciding whether a change is clinically meaningful.

**Synonyms:**

## Biological Half-Life

Time required for the human body to eliminate half the administered quantity of a drug or radiopharmaceutical through metabolic and excretory processes. Different from physical half-life (radioactive decay) and effective half-life (combined biological and physical elimination). Formula:  $1/T_{\text{effective}} = 1/T_{\text{physical}} + 1/T_{\text{biological}}$ .

**Synonyms:**

## Biomarker

Measurable indicator of disease. Cancer biomarkers: diagnostic, prognostic, predictive.

**Synonyms:**

## Biomarker Testing

Laboratory analysis of biological features, such as genes, proteins, or metabolites, that may help diagnose disease, estimate prognosis, or guide treatment.

**Synonyms:**

## Biomechanics

Study of movement mechanics. Gait analysis, joint forces, muscle activation. Applied to rehabilitation device design.

**Synonyms:**

---

## Biomolecule

Any organic molecule produced by living organisms, essential for structure, function, and regulation of biological processes.

**Synonyms:**

## Biomonitoring

Measurement of substances in body. Examples: blood glucose, drug levels, toxicants.

**Synonyms:**

## Biophysical Profile

A non-stress test combined with ultrasound assessment of five fetal parameters, each scored 0 or 2 for a total of 0-10. Parameters include non-stress test (fetal heart rate reactivity), fetal breathing movements, fetal tone, fetal movement, and amniotic fluid volume.

**Synonyms:**

## Biopsy

Removal of tissue for histological examination to diagnose disease. Types: needle biopsy (fine needle aspiration, core needle), excisional, incisional, punch, endoscopic. Sites: breast, lung, liver, lymph node, bone marrow. Complications: bleeding, infection, seeding (rare).

**Synonyms:**

## Biopsy Needle

A needle designed to obtain cells or tissue for cytologic or histopathologic examination. Fine-needle aspiration retrieves cells, whereas core biopsy obtains a tissue cylinder that preserves architecture.

**Synonyms:**

## Biosensor

A device that combines a biological recognition element with a physical or chemical transducer to detect and measure an analyte. Medical examples include sensors for glucose, pathogens, hormones, and cardiac biomarkers.

**Synonyms:**

## Biosimilar

A biologic medicine highly similar to an approved reference biologic, with no clinically meaningful differences in safety, purity, or potency for its approved uses. Because biologics are complex, biosimilarity is established through a comparative evidence program rather than simple chemical identity.

**Synonyms:**

## Biot Breathing

An irregular breathing pattern with random periods of normal breathing interspersed with apneic episodes, seen in brainstem lesions. It is less organized than Cheyne-Stokes breathing and indicates medullary damage.

**Synonyms:**

## Biotelemetry

The remote measurement and transmission of physiologic data from a person or animal. Clinical applications include ambulatory cardiac rhythm monitoring, temperature monitoring, and intensive-care observation.

**Synonyms:**

## Bioterrorism Agents

Category A: anthrax (*Bacillus anthracis*), smallpox (*variola*), botulism (*Clostridium botulinum*), plague (*Yersinia pestis*), tularemia (*Francisella tularensis*), viral hemorrhagic fevers (Ebola, Marburg, Lassa, Machupo). Anthrax: inhalational (mediastinal widening, hemorrhagic mediastinitis), cutaneous (eschar), GI.

**Synonyms:**

## Biotinidase Deficiency

An autosomal recessive inborn error of biotin recycling caused by BTB gene mutations, resulting in inability to cleave biotin from biocytin (proteolytic degradation product of biotin-dependent carboxylases).

**Synonyms:**

## Biotransformation

The process by which drugs and other xenobiotics

---

are chemically modified by metabolic enzymes, primarily in the liver, to facilitate elimination from the body. Biotransformation occurs in two phases.

**Synonyms:**

### **Biotrauma**

Inflammatory response to ventilator-induced lung injury with systemic cytokine release. Can lead to multi-organ dysfunction. Minimized by lung-protective ventilation strategies.

**Synonyms:**

### **BiPAP**

Bilevel Positive Airway Pressure, a form of non-invasive ventilation delivering two levels of pressure: IPAP (inspiratory) for ventilation and EPAP (expiratory) for alveolar recruitment. It is particularly effective for COPD exacerbations with hypercapnic respiratory failure. It reduces work of breathing and improves gas exchange.

**Synonyms:**

### **BiPAP Machine**

A device that provides two levels of positive airway pressure, commonly a higher pressure during inhalation and a lower pressure during exhalation.

**Synonyms:**

### **Biparietal Diameter**

The transverse diameter of the fetal skull measured at the level of the thalami and cavum septum pellucidum. Used for dating (14-26 weeks,  $\pm 7$ -10 days) and assessing growth. Normal growth: 2-4 mm per week. BPD is less reliable after 26 weeks and in abnormal fetal head shapes (dolichocephaly, brachycephaly).

**Synonyms:**

### **Bipolar Disorder**

A mood disorder characterized by episodes of mania/hypomania and depression. Bipolar I: at least one manic episode (elevated mood, grandiosity, decreased need for sleep, pressured speech, increased goal-directed activity, risky behavior) lasting  $\geq 1$  week or requiring hospitalization.

**Synonyms:**

### **Bipolar I Disorder**

A mood disorder defined by at least one manic episode lasting at least seven days or requiring hospitalization. A manic episode is a distinct period of abnormally elevated, expansive, or irritable mood and increased goal-directed activity or energy.

**Synonyms:**

### **Bipolar II Disorder**

A mood disorder characterized by at least one hypomanic episode and at least one major depressive episode, with no history of a full manic episode. The depressive episodes in bipolar II tend to be more frequent and longer-lasting than in bipolar I, leading to greater cumulative disability.

**Synonyms:**

### **Bird Fancier's Lung**

HP from avian proteins in bird droppings or feathers. Common among pigeon breeders. Chronic exposure leads to progressive fibrosis.

**Synonyms:**

### **Bird Flu**

Influenza caused by avian-adapted influenza A viruses. Human infection is uncommon but may cause severe respiratory disease, and public-health assessment depends on exposure history, testing, and infection-control measures.

**Synonyms:**

### **Birt-Hogg-Dube Syndrome**

Autosomal dominant disorder caused by mutations in the FLCN gene (17p11.2) encoding folliculin.

**Synonyms:**

### **Birth Control**

Methods used to prevent pregnancy, including barrier, hormonal, intrauterine, behavioral, and permanent methods.

**Synonyms:**

---

### **Birthmarks**

Congenital or early-appearing marks on the skin, including vascular lesions such as hemangiomas and port-wine stains and pigmented lesions such as nevi and café-au-lait macules. Most are benign, but changes in appearance warrant assessment.

**Synonyms:**

### **Bishop Score**

A clinical score used before labor induction to describe cervical readiness. It incorporates cervical dilation, effacement, consistency, position, and fetal-head station; a more favorable cervix generally indicates a greater likelihood of successful induction.

**Synonyms:**

### **Bisphenol A**

Endocrine disruptor in plastics. Estrogenic effects, associated with reproductive disorders, obesity, diabetes. Avoid BPA-containing products, especially for children.

**Synonyms:**

### **Bitemporal Hemianopia**

Loss of vision in the temporal (lateral) half of both visual fields due to lesions that cross the optic chiasm, damaging the decussating fibers from the nasal retina of each eye (which carry temporal field information).

**Synonyms:**

### **Bitewing**

A dental radiograph that records the crowns of the upper and lower teeth and the adjacent alveolar bone in one image. It is particularly useful for detecting interproximal caries and assessing crestal bone levels.

**Synonyms:**

### **Bitewing Radiograph**

An intraoral radiograph showing the crowns of the maxillary and mandibular posterior teeth and the alveolar crest. It is particularly useful for detecting interproximal caries and assessing crestal bone levels.

**Synonyms:**

### **Bitot's Spots**

Foamy, whitish, triangular patches on the conjunctiva, usually near the temporal limbus, associated classically with vitamin A deficiency. They may accompany night blindness and xerosis of the conjunctiva or cornea.

**Synonyms:**

### **BK Virus Nephropathy**

Polyomavirus infection in transplant recipients. Viral cytopathic changes on biopsy. Reduce immunosuppression as primary treatment. Can lead to graft loss. Monitor viral loads in blood for early detection.

**Synonyms:**

### **Black Eye**

Bruising and swelling around the eye, usually caused by blunt trauma. Vision may remain normal, but eye pain, double vision, reduced vision, an irregular pupil, severe headache, vomiting, or loss of consciousness can indicate an eye or orbital injury and requires urgent assessment.

**Synonyms:**

### **Black Hairy Tongue**

A benign elongation and dark discoloration of the filiform papillae on the dorsal tongue caused by impaired desquamation and trapping of debris or pigment. Predisposing factors include smoking, poor oral hygiene, dry mouth, and some exposures.

**Synonyms:**

### **Black Lung**

Coal workers' pneumoconiosis caused by prolonged inhalation of coal-mine dust. It ranges from simple anthracosis to progressive massive fibrosis and may cause cough, breathlessness, and permanent lung impairment.

**Synonyms:**

### **Black Stain**

Dark discoloration on the tooth surface, often near

---

the gumline, caused by external deposits or chromogenic bacteria. Dental assessment determines the cause and appropriate removal.

**Synonyms:**

### **Black Triangle**

Triangular space between teeth at gumline. Caused by papilla loss, tooth shape, bone level. Treatment: orthodontics, restorative, papilla reconstruction.

**Synonyms:**

### **Blackheads**

Open comedones formed when a hair follicle becomes blocked with sebum and keratin and the surface material oxidizes. They are a common non-inflammatory lesion of acne, especially on the face, chest, and back.

**Synonyms:**

### **Bladder Cancer**

A malignant tumor arising in the urinary bladder, most often from the urothelial lining. Blood in the urine is a common presenting feature, although symptoms vary.

**Synonyms:**

### **Bladder Carcinoma**

A malignant tumor arising in the urinary bladder, most often from the urothelial lining. Blood in the urine is a common presenting sign; smoking and certain occupational chemical exposures increase risk.

**Synonyms:**

### **Bladder diverticula**

Outpouchings of the bladder mucosa through the muscular wall, often acquired from chronic bladder outlet obstruction or congenital in origin. Acquired diverticula are associated with benign prostatic hyperplasia and may cause urinary stasis, recurrent infections, and stone formation.

**Synonyms:**

### **Bladder Diverticulum**

Outpouching of bladder wall. Congenital or ac-

quired (obstruction). Asymptomatic or causes urinary stasis, stones, infection. Treatment: address obstruction, diverticulectomy if symptomatic.

**Synonyms:**

### **Bladder Exstrophy**

A rare congenital abdominal wall defect where the bladder is exposed on the outside of the body due to failure of the lower abdominal wall and bladder to close during embryonic development. Part of the exstrophy-epispadias complex. Associated with pubic bone diastasis, external genital anomalies, and potential bladder dysfunction.

**Synonyms:**

### **Bladder Fistula**

An abnormal connection between the bladder and another organ or the skin, most often the vagina, bowel, or uterus. It may cause continuous urine leakage, recurrent infections, gas or stool in the urine, or unusual vaginal wetness. Treatment depends on the cause and may require catheter drainage and surgical repair.

**Synonyms:**

### **Bladder Health and Disorders**

Bladder health involves the proper storage and voluntary release of urine through coordinated function of the detrusor muscle and sphincters. Common disorders include urinary tract infections, overactive bladder, stress incontinence, and interstitial cystitis.

**Synonyms:**

### **Bladder Outlet Obstruction**

Blockage of urine flow at the bladder neck or urethra, commonly caused by benign prostatic enlargement, urethral stricture, stones, tumors, or pelvic-organ prolapse. It may cause weak stream, hesitancy, retention, hydronephrosis, infection, and renal impairment.

**Synonyms:**

### **Bladder Pain Syndrome**

Chronic bladder-related pain, pressure, or discomfort associated with urinary symptoms in the ab-

---

sence of infection or another identifiable cause. It is a diagnosis of exclusion and is managed with multimodal, patient-centered treatment.

**Synonyms:**

### **Bladder Perforation**

A tear or hole in the bladder wall caused by trauma, pelvic surgery, instrumentation, severe inflammation, or obstruction. Urine may leak into surrounding tissues, causing abdominal pain, distention, blood in the urine, or infection. It requires urgent medical assessment and may need catheter drainage or surgical repair.

**Synonyms:**

### **Bladder Problems**

A range of conditions affecting urine storage and voiding, including incontinence, overactive bladder, urinary retention, and recurrent infections. Causes may include neurological damage, pelvic floor weakness, prostate enlargement, or bladder outlet obstruction.

**Synonyms:**

### **Bladder Retraining**

Scheduled voiding and gradual increases in the time between voids to improve bladder control.

**Synonyms:**

### **Bladder Spasm**

An involuntary contraction of the bladder muscle that can cause sudden urgency, cramping, urine leakage, or pain. It may occur with infection, catheter use, bladder irritation, neurological conditions, or after surgery. Treatment addresses the cause and may include bladder training or medicines.

**Synonyms:**

### **Bladder Stone**

A mineral deposit formed in or entering the urinary bladder. It may cause painful urination, blood in the urine, interrupted flow, or recurrent infection; treatment addresses the stone and its cause.

**Synonyms:**

### **Blalock-Taussig Operation**

A surgical systemic-to-pulmonary shunt that increases pulmonary blood flow in selected cyanotic congenital heart disease. The modern modified procedure commonly uses a prosthetic conduit rather than direct sacrifice of a subclavian artery.

**Synonyms:**

### **Blast Crisis**

Aggressive, terminal phase of myeloid (chiefly CML) or, less commonly, lymphoid malignancies in which immature blasts dominate the marrow and peripheral blood, behaving like acute leukemia. CML blast crisis is defined by 20% blasts in peripheral blood or bone marrow or by the presence of extramedullary blastic infiltrates (chloromas).

**Synonyms:**

### **Blast Injury**

Tissue injury caused by an explosion, classified as primary injury from the pressure wave, secondary injury from projectiles, tertiary injury from displacement or impact, and quaternary injury from burns, inhalation, toxins, or crush. Multiple mechanisms may coexist.

**Synonyms:**

### **Blastic plasmacytoid dendritic-cell neoplasm**

A rare, aggressive hematologic malignancy derived from plasmacytoid dendritic cells. It often involves skin, bone marrow, lymph nodes, and central nervous system, with a poor prognosis.

**Synonyms:**

### **Blastocyst**

An early stage in embryonic development, consisting of a hollow sphere of cells that implants into the uterine wall.

**Synonyms:**

### **Blastoma**

Generic descriptor for embryonal (primitive) malignant tumors arising from precursor ("blast") cells that fail to differentiate normally.



---

**Synonyms:**

### **Blastomyces dermatitidis**

A dimorphic fungus that causes blastomycosis, a systemic pyogranulomatous infection acquired by inhalation of conidia from soil in endemic regions such as the Ohio and Mississippi River valleys. Cutaneous manifestations include verrucous or ulcerated plaques, and pulmonary involvement is common.

**Synonyms:**

### **Blastomycosis**

A fungal infection caused by *Blastomyces dermatitidis*, endemic to the Ohio and Mississippi River valleys and Great Lakes region. Inhalation of conidia causes pulmonary infection. Pulmonary: acute pneumonia (often misdiagnosed as bacterial), chronic pneumonia with nodules and cavitation.

**Synonyms:**

### **Bleeding**

The escape of blood from the vascular system, which may be external (visible hemorrhage from a wound, orifice, or natural opening) or internal (bleeding into a body cavity, organ, or tissue).

**Synonyms:**

### **Bleeding Disorders**

A heterogeneous group of conditions characterized by abnormal hemostasis, resulting from defects in blood vessels, platelets, or coagulation factors.

**Synonyms:**

### **Bleeding Esophageal Varices**

Life-threatening hemorrhage from dilated submucosal veins in the lower esophagus, occurring as a complication of portal hypertension, most commonly from cirrhosis. Varices form when the portal venous pressure gradient exceeds 10 mmHg (the threshold for variceal development).

**Synonyms:**

### **Bleeding Gums**

Bleeding from the gum tissue, often caused by plaque-related gingivitis, periodontitis, trauma, or

vigorous brushing. It can also occur with blood disorders or medicines that affect clotting. Persistent bleeding, swelling, loose teeth, or spontaneous bleeding requires dental or medical evaluation.

**Synonyms:**

### **Bleeding into a thyroid nodule**

Hemorrhage within a thyroid nodule, presenting with sudden onset of neck pain and rapid enlargement of a pre-existing or new thyroid mass. It may mimic thyroid malignancy clinically and on imaging. Ultrasound shows a complex cystic lesion with internal echoes. Fine needle aspiration confirms the benign nature of the hemorrhagic cyst.

**Synonyms:**

### **Blennorrhea**

A mucopurulent discharge from a mucous membrane, especially the urethra or conjunctiva. The finding requires clinical assessment for infectious and noninfectious causes rather than treatment based on the symptom alone.

**Synonyms:**

### **Blepharitis**

Chronic inflammation of the eyelid margins, one of the most common ophthalmic conditions, classified into anterior blepharitis (affecting the eyelash follicle and base) and posterior blepharitis (affecting the meibomian glands).

**Synonyms:**

### **Blepharoconjunctivitis**

Inflammation involving the eyelid margins and conjunctiva. It may cause crusting, itching, redness, tearing, irritation, and recurrent symptoms associated with infection, allergy, or eyelid-gland dysfunction.

**Synonyms:**

### **Blepharoplasty**

Surgical reconstruction or reshaping of the eyelids, often involving removal or repositioning of excess skin, muscle, or orbital fat. It may be functional, cosmetic, or reconstructive.

---

**Synonyms:**

### **Band Cell**

An immature neutrophil with a curved, unsegmented nucleus. An increased number in blood may occur during acute infection or inflammation.

**Synonyms:**

### **Blepharospasm**

Involuntary spasms of the muscles around the eyes that cause repeated or sustained eyelid closure. It may be primary or associated with eye irritation, medications, or a neurologic disorder.

**Synonyms:**

### **Blind Loop Syndrome**

Malabsorption syndrome due to stasis and bacterial overgrowth (SIBO) in a non-propulsive ("blind") segment of small bowel, classically caused by surgical bypass loops (Billroth II, end-to-side anastomosis), strictures (Crohn disease, radiation, adhesions), diverticulosis, or impaired motility (diabetes, scleroderma).

**Synonyms:**

### **Blinding**

Concealing group assignment. Single-blind: participants. Double-blind: participants and investigators. Triple-blind: participants, investigators, analysts.

**Synonyms:**

### **Blindness**

Severe or complete loss of vision in one or both eyes, caused by disease or injury affecting the cornea, lens, retina, optic nerve, visual pathways, or visual cortex. It may be congenital or acquired, sudden or progressive, and reversible or permanent; sudden visual loss is an ophthalmic emergency.

**Synonyms:**

### **Blood Alcohol Concentration**

The concentration of ethanol in blood, commonly expressed as mass per volume or as a percentage. Interpretation depends on sampling, timing, metabolism, tolerance, co-ingestants, and local standards; clinical

impairment cannot be inferred from a single value without context.

**Synonyms:**

### **Blood Alcohol Level**

Measurement of ethanol concentration in blood. The clinical effects depend on the concentration, timing, tolerance, co-ingestants, and individual factors; a single level does not by itself determine impairment or prognosis.

**Synonyms:**

### **Blood Clot**

A mass of coagulated blood within a blood vessel or body cavity. A clot may be protective when it stops bleeding, but an abnormal thrombus can obstruct blood flow or embolize to the lungs, brain, heart, or other organs.

**Synonyms:**

### **Blood Coagulation**

The cascade of enzymatic reactions converting circulating fibrinogen into an insoluble fibrin clot.

**Synonyms:**

### **Blood Coagulation Disorder**

A disorder in which clot formation is deficient, excessive, or inappropriately regulated, causing abnormal bleeding or thrombosis. Causes include inherited factor deficiencies, platelet disorders, liver disease, vitamin deficiencies, immune conditions, and acquired systemic disease.

**Synonyms:**

### **Blood Culture**

A laboratory test in which blood is placed in culture bottles to detect bacteria or fungi in the bloodstream. It is used when bloodstream infection, sepsis, or infective endocarditis is suspected.

**Synonyms:**

### **Blood Culture Contamination**

Introduction of skin or environmental microorganisms into a blood-culture bottle during collection or handling rather than true bloodstream infection.

---

It can lead to unnecessary antimicrobial treatment and should be assessed using the organism, number of positive sets, time to positivity, and clinical findings.

**Synonyms:**

### **Blood Film (Peripheral Blood Smear)**

A stained microscopic preparation of peripheral blood used to assess erythrocyte, leukocyte, and platelet morphology and to detect abnormal cells, parasites, blasts, and red-cell fragments.

**Synonyms:** Peripheral Blood Smear

### **Blood Flow**

The volume of blood passing through a vessel, organ, or the systemic circulation per unit time, typically expressed in mL/min. Governed by the hemodynamic equivalent of Ohm's law: flow = pressure gradient / resistance. Total cardiac output (5 L/min at rest) equals systemic blood flow.

**Synonyms:**

### **Blood Gas (Venous)**

Sampling of venous blood (typically from a peripheral vein or central line) for pH, PvCO<sub>2</sub>, HCO<sub>3</sub>, and base excess. Less painful than ABG, avoids arterial puncture risks. Limitations: no PaO<sub>2</sub> or SpO<sub>2</sub> data; peripheral venous gases in shock may not reflect arterial pH. VBG pH is typically 0.03-0.05 lower than ABG; PvCO<sub>2</sub> is 3-8 mmHg higher.

**Synonyms:** Venous

### **Blood Glucose Monitoring**

Blood sugar monitoring involves measuring glucose levels in the blood to manage diabetes, typically using a glucometer with finger-stick testing or continuous glucose monitors that track interstitial glucose in real time.

**Synonyms:**

### **Blood Group**

The classification of blood based on the presence or absence of specific antigens (agglutinogens) on the surface of red blood cells. The ABO system has four groups: A (A antigen), B (B antigen), AB (both A

and B), and O (neither A nor B). The Rh system: RhD-positive (85% of population) or RhD-negative (15%).

**Synonyms:**

### **Blood in Semen**

Hematospermia, or the presence of blood in the ejaculate. It is often temporary and related to inflammation, infection, recent urologic procedures, or trauma, but persistent or recurrent bleeding, pain, fever, urinary symptoms, or bleeding in older men warrants medical evaluation.

**Synonyms:**

### **Blood Loss**

The volume of blood lost during surgery or trauma, estimated by weighing swabs, suction contents, and hemodynamic monitoring, guiding fluid and transfusion management.

**Synonyms:**

### **Blood Pressure**

The force exerted by blood against arterial walls, measured in millimeters of mercury (mmHg). Systolic pressure (peak during ventricular ejection, normally approximately 120 mmHg) and diastolic pressure (minimum during ventricular relaxation, normally approximately 80 mmHg).

**Synonyms:**

### **Blood Products**

Components prepared from donated blood for transfusion, including red blood cells, platelets, plasma, and cryoprecipitate. Each component has specific indications, benefits, and risks; selection depends on the patient's clinical condition and laboratory findings.

**Synonyms:**

### **Blood Smear**

Peripheral blood film: a thin blood smear on a slide stained (Wright/Giemsa) and examined microscopically for cell morphology, aiding diagnosis.

**Synonyms:**

---

### **Blood Spatter Analysis**

The forensic interpretation of bloodstain patterns to reconstruct events surrounding a violent incident. Types: passive (drops, pools, flows), transfer (contact patterns), and impact/expirated spatter.

**Synonyms:**

### **Blood Sugar Test**

Measurement of blood glucose to detect or monitor diabetes and other disorders of glucose regulation. Testing may be performed fasting, randomly, or after a glucose load, using a laboratory sample or a point-of-care meter.

**Synonyms:**

### **Blood Transfusion**

The administration of whole blood or blood components (packed red blood cells, platelets, fresh frozen plasma, cryoprecipitate) to restore or maintain adequate circulating blood volume and oxygen-carrying capacity.

**Synonyms:**

### **Blood Urea Nitrogen**

BUN: serum urea, the end product of protein catabolism, filtered and partially reabsorbed by the tubules. Used with creatinine to assess renal function and volume status.

**Synonyms:**

### **Blood Viscosity**

The internal friction of blood that resists flow, determined primarily by hematocrit (red cell concentration), with smaller contributions from plasma proteins and temperature. Normal whole-blood viscosity is approximately 3-4 times that of water.

**Synonyms:**

### **Blood-Borne Disease**

An infection that can spread through contact with infected blood or other body fluids. Examples include HIV and hepatitis B and C.

**Synonyms:**

### **Blood-Brain Barrier**

The blood-brain barrier is a highly selective semipermeable membrane that separates the circulating blood from the brain extracellular fluid, consisting of endothelial cells connected by tight junctions, astrocyte foot processes, and a basement membrane.

**Synonyms:**

### **Bloom Syndrome**

Rare autosomal recessive chromosomal instability syndrome caused by biallelic mutations in BLM (15q26.1) encoding a RecQ helicase.

**Synonyms:**

### **Blount Disease**

A growth disorder of the proximal tibia causing progressive bowing of the legs, usually involving the medial tibial physis. It may occur in infants or adolescents and can lead to gait abnormality, limb-length discrepancy, and early knee degeneration.

**Synonyms:**

### **Blue Baby**

Generic term for an infant with cyanosis (bluish skin, lips, nail beds) from arterial oxygen desaturation.

**Synonyms:**

### **Blue Bloater**

A clinical phenotype of chronic bronchitis in COPD. Patients present with chronic cough, sputum production, cyanosis, right heart failure, and airway-centric inflammation. They tend to be younger, have more hypercapnia, and less emphysema on imaging.

**Synonyms:**

### **Blunt Abdominal Trauma**

Trauma to the abdomen without penetrating injury. Mechanisms: motor vehicle collisions (most common), falls, assaults. Commonly injured organs: spleen (most common, left upper quadrant), liver (right upper quadrant), kidneys (flank), bowel (seatbelt sign, delayed perforation), and pancreas (epigastric).

**Synonyms:**

---

## Blunt Force Trauma

Injury produced when a blunt object strikes the body, or the body strikes a blunt surface, without a sharp edge penetrating the skin. Patterns include abrasions, contusions, lacerations with tissue bridging, and fractures; patterned injuries may reproduce the impacting object.

**Synonyms:**

## BMI (Body Mass Index)

Weight in kg divided by height in meters squared. Screening tool for weight categories: underweight (<18.5), normal (18.5-24.9), overweight (25-29.9), obese ( $\geq 30$ ). Limitations: does not distinguish muscle from fat, may misclassify athletes, elderly, certain ethnic groups.

**Synonyms:** Body Mass Index

## BNP

B-type natriuretic peptide. Marker of heart failure. Released from ventricles in response to stretch.

**Synonyms:**

## Bocavirus Infection

Infection caused by human bocavirus, a respiratory virus that most often affects young children. It may cause cough, wheezing, fever, runny nose, bronchiolitis, or pneumonia and can occur with other respiratory infections. Treatment is generally supportive; breathing difficulty, dehydration, or marked lethargy requires prompt assessment.

**Synonyms:**

## Bochdalek Hernia

A congenital diaphragmatic hernia (CDH) occurring through the posterolateral foramen of Bochdalek, resulting from failure of the pleuroperitoneal membrane to close by the 8th week of gestation. The left side is affected in 85% of cases (the right pleuroperitoneal canal closes earlier).

**Synonyms:**

## Body Aches

Generalized muscle or body pain that may occur with viral infections, fever, exertion, inflammation,

medication effects, or other systemic illness. Severe pain with weakness, dark urine, breathing difficulty, chest pain, or high fever requires prompt medical assessment.

**Synonyms:**

## Body Dysmorphic Disorder

Preoccupation with one or more perceived defects or flaws in physical appearance that are not observable or appear slight to others. The individual performs repetitive behaviors in response to appearance concerns such as mirror checking, excessive grooming, skin picking, reassurance seeking, and comparing.

**Synonyms:**

## Body Identification

The process of establishing the identity of a deceased person, essential in forensic and mass-disaster contexts.

**Synonyms:**

## Body Lice

Infestation of clothing and skin by the human body louse, causing intense itching, excoriations, and sometimes secondary bacterial infection. Treatment requires hygiene, laundering or heat treatment of clothing and bedding, and appropriate antiparasitic measures.

**Synonyms:**

## Body Plethysmography

Technique for measuring lung volumes (TLC, RV, FRC) using a sealed chamber. Gold standard for TLC measurement. Useful for diagnosing restriction and hyperinflation.

**Synonyms:**

## Body Ringworm

Dermatophyte infection of the glabrous skin, also called tinea corporis. It typically produces an expanding annular scaly lesion with a more active border and central clearing.

**Synonyms:** tinea corporis.

---

## Body Temperature

The balance between heat production (metabolism, muscle activity) and heat loss (radiation, conduction, convection, evaporation). See Temperature (Body Temperature).

**Synonyms:**

## Boeck's Sarcoid

An older eponym for sarcoidosis, a multisystem granulomatous disease characterized by noncaseating granulomas and commonly involving the lungs, intrathoracic lymph nodes, skin, or eyes.

**Synonyms:**

## Boerhaave Syndrome

Transmural spontaneous rupture of the esophagus typically occurring after forceful vomiting in the setting of a full stomach. Most commonly involves the left posterolateral wall of the distal esophagus. Presents with severe chest pain, subcutaneous emphysema, mediastinal emphysema, and rapidly progressive sepsis.

**Synonyms:**

## Bohn Nodules

Small, benign keratin-filled cysts on the gums or palate of a newborn that usually resolve without treatment.

**Synonyms:**

## Bohr Effect

The decrease in hemoglobin's oxygen affinity (right shift of the dissociation curve) caused by decreased pH (increased H<sup>+</sup>) and increased PCO<sub>2</sub>. In metabolically active tissues, CO<sub>2</sub> production and lactic acid accumulation lower the local pH, causing hemoglobin to release more oxygen precisely where it is needed most.

**Synonyms:**

## Boil

Furuncle: an acute, deep infection of a hair follicle (folliculitis that extends to the dermis) by *Staphylococcus aureus*, forming a painful, red, swollen nodule with central purulent core that may spontaneously

drain.

**Synonyms:**

## Boil (Furuncle)

A painful, deep-seated infection of a hair follicle caused most commonly by *Staphylococcus aureus*, extending into the surrounding subcutaneous tissue. Presents as a tender, erythematous, fluctuant nodule that eventually discharges pus. When multiple adjacent follicles coalesce, it forms a carbuncle, often with systemic symptoms.

**Synonyms:** Furuncle

## Bone

A rigid, mineralised connective tissue that forms the skeleton, providing structural support, protection of vital organs, hematopoiesis (bone marrow), and mineral storage (calcium, phosphate). Bone composition: organic matrix (90% type I collagen) and inorganic mineral (hydroxyapatite, calcium phosphate).

**Synonyms:**

## Bone Cancer

Cancer that begins in bone, such as osteosarcoma or chondrosarcoma, or cancer that has spread to bone from another organ. Possible features include persistent localized bone pain, swelling, or a fracture after minor trauma. Diagnosis requires imaging and tissue evaluation; treatment depends on the type and extent of disease.

**Synonyms:**

## Bone Cement (Polymethylmethacrylate—PMMA)

Acrylic polymer used to fix prosthetic joints to bone. Mixes as dough, cures exothermically. Used in hip/knee arthroplasty, vertebroplasty, cranial reconstruction. Complications: cement implantation syndrome (hypotension, hypoxia), infection, loosening.

**Synonyms:** Polymethylmethacrylate—PMMA

## Bone Densitometry

Dual-energy X-ray absorptiometry measures bone



---

mineral density at the lumbar spine and hip. Results are expressed as T-score comparing to young adult mean and Z-score comparing to age-matched controls. T-score of minus 1.0 to minus 2.5 indicates osteopenia. T-score of minus 2.5 or less indicates osteoporosis.

**Synonyms:**

### **Bone Density**

The amount of mineral in bone, commonly estimated by dual-energy X-ray absorptiometry. Lower density is associated with increased fracture risk, and interpretation depends on the person's age, sex, and clinical context.

**Synonyms:**

### **Bone Density Screening**

Testing, usually with DXA, that measures bone mineral density and helps estimate fracture risk or assess osteoporosis.

**Synonyms:**

### **Bone Fracture**

A partial or complete break in a bone caused by injury, repeated stress, or weakened bone. Pain, swelling, bruising, deformity, and inability to use the limb may occur. Open fractures, loss of circulation or sensation, or major deformity require emergency care.

**Synonyms:**

### **Bone Graft**

Bone tissue or a bone-substitute material used to fill a defect, promote fusion, support reconstruction, or enhance fracture healing. Autograft provides osteogenic cells and biologic signals; allograft and synthetic substitutes provide variable osteoconductive and osteoinductive properties.

**Synonyms:**

### **Bone Graft (Dental)**

Material placed to augment alveolar bone. Types: autograft, allograft, xenograft, alloplast. Used for implants, ridge preservation.

**Synonyms:** Dental

### **Bone Health**

The strength and condition of the skeleton, influenced by bone density, structure, nutrition, hormones, activity, medicines, and disease.

**Synonyms:**

### **Bone Infection**

Infection of bone, usually caused by bacteria and called osteomyelitis. It may arise from bloodstream spread, nearby tissue, surgery, or an open injury.

**Synonyms:**

### **Bone Marrow**

Vascular tissue within the medullary cavities and cancellous bone. Red marrow produces blood cells, whereas yellow marrow primarily stores fat and can revert to red marrow when demand increases.

**Synonyms:**

### **Bone Marrow Aspiration**

A procedure that withdraws liquid marrow, usually from the posterior iliac crest, for cytologic, flow-cytometric, cytogenetic, molecular, and microbiologic evaluation. It complements the core biopsy, which assesses marrow architecture.

**Synonyms:**

### **Bone Marrow Aspiration and Biopsy**

Sampling of bone marrow, typically from the posterior iliac crest. Aspiration: liquid marrow for cytology (differential, morphology), flow cytometry, cytogenetics, and MRD. Biopsy: core of bone for cellularity, architecture, fibrosis, and infiltrative disease (lymphoma, metastatic cancer, granulomas).

**Synonyms:**

### **Bone Marrow Biopsy**

A procedure sampling bone marrow (typically posterior iliac crest) via aspiration (cytology, flow cytometry, cultures) and trephine core biopsy (histology, architecture, fibrosis, cellularity).

**Synonyms:**

### **Bone Marrow Depression**

Reduced production of blood cells by the bone mar-

---

row, causing anemia, low white-cell counts, low platelet counts, or combinations of these findings.

**Synonyms:**

### **Bone marrow hyperplasia**

Increased cellularity of the bone marrow resulting from accelerated hematopoiesis, typically compensating for chronic hemolytic anemia, hemorrhage, or systemic hypoxia.

**Synonyms:**

### **Bone marrow necrosis**

Death of hematopoietic and stromal cells within the bone marrow, often associated with sickle cell crisis, malignancy, or infections, presenting with severe bone pain and cytopenias.

**Synonyms:**

### **Bone Metastases**

Cancer deposits that have spread to bone from another primary site. They may cause pain, fracture, high blood calcium, or spinal-cord compression.

**Synonyms:**

### **Bone Metastasis**

A deposit of cancer that has spread to bone from another primary site. It may cause pain, fracture, high blood calcium, or spinal-cord compression, and treatment depends on the cancer and clinical context.

**Synonyms:**

### **Bone Scan**

Skeletal imaging using Tc-99m MDP. Detects osteoblastic activity. Sensitivity: high; specificity: low. Used for metastasis detection, fracture, infection, metabolic bone disease. "Hot spots" indicate increased uptake; "cold spots" indicate decreased uptake.

**Synonyms:**

### **Bone Scan (Nuclear Scintigraphy)**

Nuclear medicine imaging using Tc-99m MDP (methylene diphosphonate) that accumulates in areas of increased bone turnover. Three phases: perfu-

sion (immediate), blood pool (5 min), and delayed (2-3 hours).

**Synonyms:** Nuclear Scintigraphy

### **Bone Turnover Markers**

Biochemical markers reflecting the rate of bone remodeling. Formation markers include bone-specific alkaline phosphatase, osteocalcin, and N-terminal and C-terminal propeptides of type I procollagen. Resorption markers include C-terminal and N-terminal telopeptides of type I collagen and deoxypyridinoline.

**Synonyms:**

### **Bones and Joints**

Bones and joints form the skeletal system, providing structural support, protection of organs, and enabling movement through articulations between bones. Joints are classified as fibrous, cartilaginous, or synovial, with synovial joints offering the greatest range of motion.

**Synonyms:**

### **Bony Exostosis**

A benign localized bony protuberance, including torus palatinus of the palate and torus mandibularis of the mandible. Treatment is usually unnecessary unless the lesion causes trauma, interferes with speech or prosthesis, or requires diagnostic clarification.

**Synonyms:**

### **Borderline Personality Disorder**

A pattern of instability in interpersonal relationships, self-image, and affects, with marked impulsivity.

**Synonyms:**

### **Bordetella pertussis**

A Gram-negative coccobacillus and the causative agent of whooping cough, a highly contagious respiratory infection. It produces pertussis toxin, which inhibits G-protein signaling in respiratory epithelial cells, and tracheal cytotoxin, which damages ciliated epithelium.

---

**Synonyms:**

### **Bornholm Disease**

An acute epidemic pleurodynia caused most often by coxsackieviruses. It produces sudden attacks of severe chest or upper-abdominal muscle pain, fever, and sometimes headache or vomiting.

**Synonyms:**

### **Borrelia**

A genus of spiral-shaped bacteria (spirochetes) transmitted by arthropod vectors, most notably ticks and lice. The major human pathogen is *Borrelia burgdorferi* sensu lato, the causative agent of Lyme disease, transmitted by Ixodes ticks.

**Synonyms:**

### ***Borrelia burgdorferi***

A spirochete bacterium transmitted by Ixodes ticks and the principal cause of Lyme disease in North America and Europe.

**Synonyms:**

### **Borreliosis**

Infection caused by bacteria of the genus *Borrelia*. Human disease includes Lyme borreliosis and relapsing fever, with manifestations varying according to species, stage, and organ involvement.

**Synonyms:**

### **Bosniak Classification**

System classifying renal cysts by CT features. Categories I-II benign, IIF follow-up, III-IV likely malignant.

**Synonyms:**

### **Bot fly**

A parasitic fly of the family Oestridae whose larvae cause myiasis in humans and animals. *Dermatobia hominis*, the human bot fly, deposits eggs on blood-sucking insects; larvae penetrate the skin and develop subcutaneously, causing a painful boil-like lesion with a central breathing pore. Treatment is manual extraction of the larva.

**Synonyms:**

### **Botryomycosis**

A chronic bacterial infection characterized by granule-forming lesions that can resemble a fungal infection. It most often affects skin and subcutaneous tissue but may involve viscera in susceptible patients.

**Synonyms:**

### **Botulism**

A rare, potentially fatal neuroparalytic disease caused by botulinum toxin, a potent presynaptic neurotoxin produced by *Clostridium botulinum*, an anaerobic, spore-forming, gram-positive bacillus.

**Synonyms:**

### **Bouchard's Node**

A hard, palpable enlargement of the proximal interphalangeal joint caused by osteoarthritis. It reflects osteophyte formation and may be associated with pain, stiffness, and reduced finger motion.

**Synonyms:**

### **Bougienage**

The use of a bougie to dilate or explore a narrowed tubular structure, such as the esophagus or urethra. It is a procedure that requires assessment of the cause and risks of the stricture.

**Synonyms:**

### **Bourbon Virus**

A rare tick-borne viral infection associated with fever, fatigue, anorexia, nausea, and a low white-cell or platelet count. There is no established specific antiviral treatment or vaccine; management is supportive and requires exclusion of other serious tick-borne infections.

**Synonyms:**

### **Boutonneuse Fever**

A tick-borne rickettsial infection, usually caused by *Rickettsia conorii*, characterized by fever, headache, rash, and often a dark inoculation eschar called a tache noire.

**Synonyms:**

---

### **Bouveret Syndrome**

Rare variant of gallstone ileus where a large gallstone erodes through a cholecystoduodenal fistula and impacts in the duodenum or pylorus causing gastric outlet obstruction. Represents approximately two to three percent of gallstone ileus cases. Presents with nausea, vomiting, epigastric pain, and anorexia.

**Synonyms:**

### **Bovine Spongiform Encephalopathy**

A fatal transmissible prion disease of cattle causing progressive neurologic degeneration. It is related to variant Creutzfeldt–Jakob disease in humans through exposure to contaminated tissue.

**Synonyms:**

### **Bowel Incontinence**

The involuntary loss of solid or liquid stool through the anus, also known as fecal incontinence, affecting approximately 2-15 percent of the general population and increasing in prevalence with age.

**Synonyms:** fecal.

### **Bowel infarction**

Ischemic necrosis of bowel tissue from occlusive or non-occlusive mesenteric ischemia, presenting with severe abdominal pain out of proportion to examination, bloody stools, and peritoneal signs. Causes include mesenteric arterial embolism or thrombosis, venous thrombosis, and low-flow states.

**Synonyms:**

### **Bowel ischemia**

Reduced blood flow to the intestines causing mucosal injury, most commonly from mesenteric atherosclerosis, low-flow states, or mesenteric venous thrombosis. Presents with abdominal pain, bloody stools, and elevated lactate. Severe cases progress to transmural necrosis.

**Synonyms:**

### **Bowel Obstruction**

Blockage of intestinal lumen. X-ray, CT diagnosis. Differentiate small vs. large bowel obstruction. Mechanical vs. paralytic ileus.

**Synonyms:**

### **Bowel Program**

A planned routine using diet, fluids, medicines, and scheduled toileting to promote regular bowel movements and manage constipation or bowel dysfunction.

**Synonyms:**

### **Bowenoid papulosis**

A low-grade squamous intraepithelial neoplasia of the anogenital skin caused by human papillomavirus infection, typically types 16 and 18, presenting as multiple pigmented papules on the genital mucosa. Histologically it resembles squamous cell carcinoma in situ but follows a benign clinical course.

**Synonyms:**

### **Bowlegs**

Outward bowing of the legs causing the knees to remain apart when the feet and ankles are together, also called genu varum. It is common in early childhood but requires assessment when severe, asymmetric, painful, or persistent beyond the expected age.

**Synonyms:** genu varum.

### **Bowman Capsule**

Double-walled epithelial cup surrounding the glomerular capillaries forming the beginning of the nephron. The visceral layer is composed of podocytes whose foot processes interdigitate to form filtration slits. The parietal layer is composed of simple squamous epithelium.

**Synonyms:**

### **Bowman's Gland**

A serous gland in the olfactory mucosa whose secretion helps dissolve odorant molecules and cleanse the olfactory surface. It is located in the lamina propria beneath the olfactory epithelium.

**Synonyms:**

### **Boxed Warning**

The most prominent safety warning required in pre-

---

scribing information for a medicine when there is a serious or life-threatening risk. It communicates major hazards and does not necessarily mean that the medication is never appropriate.

**Synonyms:**

### **BPH**

Abbreviation for benign prostatic hyperplasia, a noncancerous enlargement of the prostate that may obstruct urine flow.

**Synonyms:**

### **Brachial Artery**

The continuation of the axillary artery, running from the lower border of teres major to the cubital fossa, where it divides into radial and ulnar arteries. Lies medial to the biceps; palpated for blood pressure and brachial pulse. Branches: profunda brachii (deep brachial), superior/inferior ulnar collaterals.

**Synonyms:**

### **Brachial Plexopathy**

Dysfunction of the brachial plexus causing pain, weakness, sensory loss, or paralysis in the shoulder and upper limb. Causes include trauma, compression, tumors, inflammation, and radiation injury.

**Synonyms:**

### **Brachial Plexus**

Nerve network (C5-T1) formed by roots, trunks, divisions, and cords, giving rise to upper limb nerves. Roots unite into superior/middle/inferior trunks, dividing into anterior/posterior divisions, recombining into lateral/posterior/medial cords. Major branches: musculocutaneous, axillary, radial, median, ulnar.

**Synonyms:**

### **Brachial Plexus Cords**

Formed by divisions recombining behind the pectoralis minor. Lateral cord (anterior divisions of upper/middle trunks), posterior cord (all three posterior divisions), medial cord (anterior division of lower trunk). Named for relationship to the axillary artery. Lateral cord: lateral pectoral nerve, contributes to median nerve.

**Synonyms:**

### **Brachial Plexus Injuries**

Injuries to the network of nerves supplying the shoulder and upper limb, caused by traction, compression, or penetrating trauma. They may produce pain, weakness, sensory loss, or paralysis; the pattern and severity depend on which roots, trunks, or cords are affected.

**Synonyms:**

### **Brachial Plexus Injury**

Damage to the brachial plexus nerves during birth, most commonly from shoulder dystocia or excessive traction. Erb's palsy (C5-C6) presents with waiter's tip position (arm adducted, elbow extended, forearm pronated). Klumpke's palsy (C8-T1) affects the hand and may cause Horner syndrome. Most cases resolve spontaneously.

**Synonyms:**

### **Brachial Plexus Roots**

Ventral rami of C5-T1 emerging from intervertebral foramina, passing between anterior and middle scalene muscles (interscalene triangle). C5-C6 form the upper trunk, C7 continues as middle trunk, C8-T1 form the lower trunk. Root injuries cause specific dermatome/myotome deficits. C5 avulsion causes loss of deltoid/biceps function.

**Synonyms:**

### **Brachial Plexus Trunks**

Formed in the posterior neck triangle. Upper (C5-C6), middle (C7), and lower (C8-T1) trunks each divide into anterior/posterior divisions behind the clavicle. Upper trunk is most commonly injured in birth injuries (Erb-Duchenne palsy), causing waiter's tip position.

**Synonyms:**

### **Brachialis Muscle**

Flat strong muscle deep to the biceps, from distal anterior humerus to ulnar tuberosity and coronoid process. Innervated by musculocutaneous nerve (C5-C6). Primary elbow flexor regardless of forearm

---

position ("workhorse" of elbow flexion). Less visible than biceps but significantly contributes to arm strength.

**Synonyms:**

### **Brachiocephalic Trunk**

The first and largest branch of the aortic arch. It ascends to the right sternoclavicular joint, where it divides into the right common carotid and right subclavian arteries.

**Synonyms:**

### **Brachytherapy**

Radiation treatment in which a radioactive source is placed inside or near a tumor to deliver a concentrated dose.

**Synonyms:**

### **Brachytherapy Seed**

Radioactive source implanted directly into tumor. I-125 or Pd-103 seeds for prostate cancer. Permanent or temporary implantation.

**Synonyms:**

### **Bradycardia**

A heart rate <60 beats per minute. May be physiologic (athletes) or pathologic due to sinus node dysfunction, AV block, or medication effects. Symptomatic bradycardia causes fatigue, dizziness, syncope, or heart failure. Evaluation includes ECG, Holter monitoring, and assessment of reversible causes.

**Synonyms:**

### **Bradycardia of Prematurity**

Heart rate less than 100 beats per minute in a premature infant, often associated with apnea and oxygen desaturation. May be caused by vagal stimulation, reflux, or immaturity of the cardiac conduction system. Treatment: gentle stimulation, caffeine, and addressing underlying causes.

**Synonyms:**

### **Bradykinesia**

Slowness and reduced amplitude of voluntary move-

ment, often accompanied by difficulty initiating or sustaining repetitive actions. It is a cardinal feature of parkinsonism and may be associated with rigidity, resting tremor, postural instability, reduced arm swing, masked facial expression, and a shuffling gait.

**Synonyms:**

### **Bradypnea**

Abnormally slow respiratory rate (adult <12 breaths/min). Causes: opioid/benzodiazepine/sedative overdose, central nervous system depression (stroke, trauma, increased ICP), hypothyroidism, hypothermia, and metabolic (e.g., hypokalemia). May lead to hypoventilation, hypercapnia, and respiratory failure.

**Synonyms:**

### **Brain**

The central organ of the nervous system, enclosed in the cranial cavity and composed of the cerebrum, cerebellum, and brainstem. The brain receives, processes, and integrates sensory information; initiates and coordinates motor responses; and serves as the seat of cognition, emotion, memory, and consciousness.

**Synonyms:**

### **Brain Abscess**

A focal, purulent infection within the brain parenchyma, most commonly occurring in the frontal or temporal lobes.

**Synonyms:**

### **Brain Concussion**

A mild traumatic brain injury caused by a blow, jolt, or force that temporarily changes brain function. Symptoms may include headache, dizziness, confusion, memory difficulty, nausea, and sensitivity to light or noise, sometimes without loss of consciousness. Worsening headache, repeated vomiting, seizure, weakness, or increasing drowsiness requires urgent assessment.

**Synonyms:**



---

## Brain Death

The irreversible cessation of all brain and brain-stem function, including consciousness and brain-stem reflexes, with absent respiratory drive—a legal definition of death.

**Synonyms:**

## Brain Edema

Swelling caused by excess fluid in brain tissue, which can raise pressure inside the skull. Causes include head injury, stroke, infection, tumor, bleeding, and severe metabolic disturbances. Symptoms may include headache, vomiting, confusion, seizures, weakness, or reduced consciousness; severe cases are medical emergencies.

**Synonyms:**

## Brain Health

Brain health encompasses the ability to perform cognitive functions such as memory, learning, decision-making, and emotional regulation across the lifespan. Key factors include cardiovascular health, nutrition, sleep, social engagement, cognitive stimulation, and management of chronic conditions like hypertension and diabetes.

**Synonyms:**

## Brain Herniation

Displacement of brain tissue across rigid intracranial compartments or through the foramen magnum due to mass effect or raised ICP. It can compress the brainstem and cranial nerves and is a life-threatening neurosurgical emergency.

**Synonyms:**

## Brain Injuries

Brain injuries range from mild concussions to severe traumatic brain injury caused by falls, motor vehicle accidents, sports impacts, or penetrating trauma. Symptoms depend on injury location and severity, including headache, confusion, memory loss, seizures, and altered consciousness.

**Synonyms:**

## Brain Injury

Damage to the brain caused by trauma, lack of oxygen, stroke, infection, toxins, or other disease. Effects depend on the location and severity of injury.

**Synonyms:**

## Brain Metastases

Cancer deposits that have spread to the brain from another primary site. They may cause headache, seizures, or focal neurologic deficits.

**Synonyms:**

## Brain Metastasis

A deposit of cancer that has spread to the brain from another primary site. It may cause headache, seizures, or focal neurologic deficits; treatment depends on the number, location, and biology of the lesions.

**Synonyms:**

## Brain Monitoring

Brain monitoring during anesthesia assesses the depth of hypnosis and neurological function. Bispectral index (BIS) processes the frontal EEG into a number from 0 (isoelectric) to 100 (fully awake), with 40 to 60 recommended for general anesthesia. BIS monitoring reduces awareness risk and may reduce anesthetic requirements.

**Synonyms:**

## Brain Natriuretic Peptide

A hormone released mainly by the heart ventricles in response to myocardial wall stress. BNP and NT-proBNP can support the assessment of suspected heart failure, but results are affected by age, kidney function, body size, rhythm, and other illnesses and must be interpreted with the clinical findings.

**Synonyms:**

## Brain SPECT

Cerebral perfusion imaging using Tc-99m HMPAO or ECD. Used for epilepsy localization, dementia differentiation, cerebrovascular disease.

**Synonyms:**

---

## Brain Tumor

An abnormal growth of cells within the brain or its surrounding structures, classified as primary (originating from brain tissue or its coverings) or secondary/metastatic (spread from a cancer elsewhere in the body, which are more common, accounting for approximately 50 percent of all brain tumors).

**Synonyms:**

## Brain Ventricles

The four interconnected fluid-filled cavities within the brain that produce and contain cerebrospinal fluid (CSF).

**Synonyms:**

## Brainstem

Connects cerebrum to spinal cord, with midbrain (superior), pons (middle), and medulla oblongata (inferior). Contains cranial nerve nuclei (III-XII), ascending/descending tracts, and vital autonomic centers for cardiac, respiratory, and vasomotor function. Reticular formation regulates consciousness and sleep-wake cycles.

**Synonyms:**

## Branchial Arch

One of the paired embryonic arches that contribute to development of facial, pharyngeal, laryngeal, muscular, skeletal, vascular, and neural structures of the head and neck.

**Synonyms:**

## Branchial Cleft

An embryonic groove between adjacent branchial arches. Persistence of cleft remnants can produce congenital branchial cysts, sinuses, or fistulas, most commonly along the lateral neck.

**Synonyms:**

## Branchial Cleft Anomaly

A congenital remnant of the branchial apparatus presenting as a cyst, sinus, or fistula in the head and neck. Recurrent infection or drainage from a persistent opening warrants imaging and specialist management.

**Synonyms:**

## Branchial Cleft Cyst

Congenital cystic mass arising from incomplete obliteration of branchial cleft apparatus during embryogenesis.

**Synonyms:**

## Braxton Hicks Contractions

Irregular, painless uterine contractions occurring throughout pregnancy, becoming more frequent in the third trimester. Usually last 30-60 seconds and are felt as a tightening of the abdomen. Distinguished from true labour contractions by their irregularity, lack of cervical change, and resolution with rest or hydration.

**Synonyms:**

## BRCA

BRCA1 and BRCA2 are tumor-suppressor genes involved in repair of DNA double-strand breaks. Pathogenic variants increase susceptibility to breast, ovarian, fallopian-tube, primary peritoneal, prostate, and pancreatic cancers.

**Synonyms:**

## BRCA1 and BRCA2

Tumor-suppressor genes involved in homologous-recombination DNA repair. Germline pathogenic variants increase susceptibility to breast, ovarian, fallopian-tube, primary peritoneal, prostate, and pancreatic cancers and may guide surveillance and treatment.

**Synonyms:**

## Breakbone Fever

A traditional name for dengue fever, reflecting the severe myalgia and arthralgia that may accompany the acute viral illness.

**Synonyms:**

## Breast Abscess

A localized collection of pus within the breast tissue, most commonly a complication of lactational mastitis. Presents as a fluctuant, painful mass with

---

overlying erythema and systemic symptoms. Diagnosis by ultrasound. Treatment requires incision and drainage plus antibiotics.

**Synonyms:**

### **Breast Cancer**

A malignant tumor arising in breast tissue. Risk, screening, and treatment depend on age, inherited and acquired biology, stage, and the person's circumstances.

**Synonyms:**

### **Breast Density**

The relative proportion of fibroglandular tissue compared with fat in a breast on mammography. Higher density can make small cancers harder to see and is associated with an increased risk of breast cancer.

**Synonyms:**

### **Breast Cancer Genetics**

The study of inherited variants that increase breast-cancer risk. Important genes and syndromes include BRCA1, BRCA2, PALB2, TP53, PTEN, and CHEK2. Genetic counseling can help determine whether testing is appropriate.

**Synonyms:**

### **Breast Cyst**

A fluid-filled sac within breast tissue, usually benign and sometimes tender or larger before menstruation. Examination and imaging distinguish a cyst from a solid lesion; persistent, growing, bloody, or newly discovered breast lumps should be assessed by a clinician.

**Synonyms:**

### **Breast Discharge**

Fluid released from the nipple without breastfeeding. It may be caused by hormonal changes, infection, benign duct disease, or cancer. Bloody, clear, spontaneous, one-sided, or persistent discharge, especially with a lump or skin change, requires prompt breast evaluation.

**Synonyms:**

### **Breast Engorgement**

Overfilling of the breasts with milk, causing bilateral pain, firmness, warmth, and nipple flattening. Occurs 3-5 days postpartum. Pathophysiology: vascular congestion and edema before milk secretion is established.

**Synonyms:**

### **Breast Health**

Breast health involves routine self-awareness, clinical examinations, and mammographic screening to detect abnormalities such as lumps, pain, or skin changes that may indicate benign conditions or breast cancer. Risk factors include genetics, age, hormone exposure, and lifestyle factors.

**Synonyms:**

### **Breast Infection**

Infection and inflammation of breast tissue, most commonly mastitis during breastfeeding. It causes localized pain, warmth, redness, swelling, and sometimes fever; an untreated infection may progress to a breast abscess.

**Synonyms:**

### **Breast Lump**

A localized thickening, mass, or swelling in breast tissue caused by a cyst, fibroadenoma, infection, trauma, or malignancy. New, persistent, hard, fixed, or changing lumps require clinical and often imaging assessment.

**Synonyms:**

### **Breast MRI**

Magnetic resonance imaging used to evaluate breast tissue. Contrast may be administered when clinically indicated.

**Synonyms:**

### **Breast Pain**

Pain or tenderness in one or both breasts, caused by hormonal changes, cysts, infection, trauma, medications, or musculoskeletal disease. Persistent focal pain or an associated lump requires assessment.

**Synonyms:**

---

## Breast Surgery

Breast cancer surgery: breast-conserving therapy (BCT: lumpectomy + radiation) equivalent survival to mastectomy for early stage. Margins: "no ink on tumor" for invasive cancer; 2mm for DCIS.

**Synonyms:**

## Breast Ultrasound

Ultrasound imaging of the breast. Indications: evaluating palpable masses (distinguishing solid vs. cystic), characterizing mammographic abnormalities, guiding biopsy (core needle, fine needle, or vacuum-assisted), evaluating implant integrity, and imaging young/dense breast tissue.

**Synonyms:**

## Breastfeeding

The feeding of an infant with breast milk, recommended exclusively for the first 6 months and continued with complementary foods to 2 years and beyond. Benefits: infant (nutrition, immune protection—IgA, reduced infection/allergy/obesity, bonding) and maternal (uterine involution, contraception, reduced breast/ovarian cancer).

**Synonyms:**

## Breath Sounds

The sounds produced by airflow through the respiratory tract during breathing, assessed by auscultation with a stethoscope over the chest wall.

**Synonyms:**

## Breath Stacking

A technique using a manual resuscitation bag or glosopharyngeal breathing to deliver successive breaths without exhaling, stacking tidal volumes to achieve higher lung volumes. It improves cough effectiveness and secretion clearance in patients with weak respiratory muscles.

**Synonyms:**

## Breath-Holding Spells

A benign paroxysmal phenomenon in young children (6 months to 6 years), provoked by frustration, pain, or fear. Cyanotic type (more common): child cries,

forcefully exhales, becomes cyanotic, and may lose consciousness briefly.

**Synonyms:**

## Breech Delivery

Vaginal delivery of a breech presentation. Types: assisted breech (the baby delivers spontaneously to the umbilicus, then the operator assists delivery of the shoulders and head) and total breech extraction (the operator delivers the entire baby by grasping the feet and pulling).

**Synonyms:**

## Breech Presentation

A fetal presentation where the buttocks or feet are positioned to deliver first. Types include frank breech (hips flexed, knees extended, most common), complete breech (hips and knees flexed), and footling breech (one or both feet presenting). Associated with increased risk of cord prolapse, head entrapment, and birth trauma.

**Synonyms:**

## Bremsstrahlung

Braking radiation produced when beta particles decelerate in matter. Continuous spectrum. Detected in I-131 imaging (poor quality). Used for Y-90 bremsstrahlung SPECT.

**Synonyms:**

## Brenner Tumor

Rare ovarian epithelial neoplasm (1-2% of ovarian tumors) composed of nests of transitional (urothelial-like) epithelial cells embedded in a dense fibromatous stroma. Most are unilateral, small (< 2 cm), benign (90%) and incidental; borderline (proliferative) and malignant variants are uncommon.

**Synonyms:**

## Breslow Thickness

Microstaging measurement of melanoma invasion depth from the top of the granular layer of the epidermis to the deepest point of tumor invasion, in millimeters. Most important prognostic factor in primary cutaneous melanoma, used in the AJCC

---

TNM staging system (T category).

**Synonyms:**

### **Bridge (Dental)**

Fixed prosthetic replacing missing teeth. Retained by adjacent teeth (abutments). Requires preparation of abutments.

**Synonyms:** Dental

### **Brief Psychotic Disorder**

A disturbance characterized by the sudden onset of at least one psychotic symptom: delusions, hallucinations, disorganized speech, or grossly disorganized or catatonic behavior. The disturbance lasts at least one day but less than one month, after which the individual fully returns to premorbid functioning.

**Synonyms:**

### **Brief Resolved Unexplained Event**

A sudden, brief, and now-resolved episode in an infant involving abnormal breathing, skin color, muscle tone, or responsiveness, with no explanation after the initial evaluation. Risk assessment is based on age, history, examination findings, and recurrence; higher-risk events require targeted investigation.

**Synonyms:**

### **Bright's Disease**

A historical term encompassing several forms of kidney disease, particularly glomerular disorders associated with proteinuria, edema, and altered urinary findings. Modern diagnosis specifies the underlying renal lesion.

**Synonyms:**

### **Brill's Disease**

A recrudescent form of epidemic typhus caused by reactivation of latent *Rickettsia prowazekii* infection years after the original illness. It is usually milder than the initial infection but can transmit to body lice.

**Synonyms:**

### **Brittle Asthma**

An uncommon term for severe asthma with unusu-

ally unpredictable and difficult-to-control airflow or attacks despite appropriate treatment. The term is not a universally standardized diagnostic category; specialist assessment is required to identify triggers, alternative diagnoses, and effective management.

**Synonyms:**

### **Brittle Diabetes**

Labile, unstable type 1 diabetes mellitus characterized by unpredictable, large, recurrent swings in blood glucose between severe hyperglycemia and recurrent hypoglycemia (often with ketoacidosis) despite optimal adherence, significantly disrupting quality of life.

**Synonyms:**

### **Broca Aphasia**

Acquired language disorder of expressive speech (motor aphasia) caused by lesion of the posterior inferior frontal gyrus (Broca area, Brodmann area 44/45) of the dominant (usually left) hemisphere, most commonly from middle cerebral artery (MCA) superior division infarction.

**Synonyms:**

### **Broca's Aphasia**

A nonfluent language disorder caused by dysfunction of the dominant inferior frontal language region. Speech is effortful and reduced, while comprehension is relatively preserved compared with repetition and fluent language production.

**Synonyms:**

### **Broca's Area**

A language-related region of the dominant inferior frontal gyrus involved in speech production, language formulation, and aspects of syntax. Lesions may cause expressive aphasia.

**Synonyms:**

### **Broken Finger**

A fracture of one of the finger bones caused by trauma, crushing, or twisting. Pain, swelling, bruising, deformity, and reduced movement may occur. Assessment should check alignment, tendon func-

---

tion, sensation, and circulation; some fractures require reduction, splinting, or surgery.

**Synonyms:**

### **Broken Foot**

A fracture of one or more bones of the foot, commonly caused by a fall, direct impact, twisting injury, or repetitive stress. Pain, swelling, bruising, and difficulty bearing weight are typical. Deformity, an open wound, numbness, or inability to walk requires urgent evaluation and imaging.

**Synonyms:**

### **Broken Heart Syndrome**

A temporary weakening of the heart muscle, often triggered by severe emotional or physical stress. It can resemble a heart attack but usually occurs without an obstructing coronary clot.

**Synonyms:**

### **Broken Toe**

A fracture of a toe bone, usually after direct impact or crushing. Pain, swelling, bruising, and tenderness are common; deformity, an open injury, numbness, or impaired circulation requires prompt assessment. Treatment may include protection and immobilization, with reduction or surgery for displaced or unstable fractures.

**Synonyms:**

### **Bromhidrosis**

Excessive or unpleasant body odor produced when microbial metabolism acts on sweat or skin secretions. It is often prominent in the axillae or feet and may be associated with hyperhidrosis or local skin disease.

**Synonyms:**

### **Bromoderma**

A skin eruption or dermatitis attributed to exposure to bromine or bromide compounds. It may present with acneiform, pustular, or other inflammatory lesions.

**Synonyms:**

### **Bronchi**

The major airways conducting air from the trachea into the lungs. The trachea bifurcates at the carina (T4-T5) into right and left main bronchi. The right main bronchus is wider, shorter, and more vertical—aspirated foreign bodies preferentially lodge here.

**Synonyms:**

### **Bronchial Artery**

An artery arising from the systemic circulation that supplies the walls of the bronchi, connective tissue of the lungs, and visceral pleura. It differs from the pulmonary arteries, which carry blood for gas exchange.

**Synonyms:**

### **Bronchial Biopsy**

Tissue sampling of the bronchial wall during bronchoscopy. It is used to diagnose inflammatory conditions (sarcoidosis, eosinophilic bronchitis), infections, and malignancy. Endobronchial biopsy of visible lesions and transbronchial biopsy of parenchymal lesions provide complementary diagnostic information.

**Synonyms:**

### **Bronchial Carcinoid**

Pulmonary neuroendocrine tumor arising from Kulchitsky cells of the bronchial mucosa; subclassified as typical carcinoid (TC, generally lower grade, with fewer mitoses and no necrosis) and atypical carcinoid (AC, generally higher grade, with more mitoses or necrosis and greater risk of recurrence or metastasis).

**Synonyms:**

### **Bronchial Stenosis**

Narrowing of a bronchus from trauma, infection, inflammation, or prior intervention. It causes localized wheezing, recurrent infections, and impaired secretion clearance. Diagnosis is by bronchoscopy. Treatment includes balloon dilation, stenting, or surgical resection.

**Synonyms:**



---

## Bronchial Tree

The branching airway system formed by the trachea, main bronchi, lobar and segmental bronchi, bronchioles, and terminal airways leading toward the alveoli.

**Synonyms:**

## Bronchial Vein

A vein draining portions of the bronchial walls and larger airways. It empties partly into the azygos system and partly into pulmonary veins, creating a small physiologic venous admixture.

**Synonyms:**

## Bronchiectasis

Permanent, abnormal dilation of bronchi caused by destruction of the bronchial wall from chronic airway inflammation and infection. Causes include CF, immune deficiency, primary ciliary dyskinesia, and post-infectious damage. Features include chronic cough, copious purulent sputum, and recurrent hemoptysis.

**Synonyms:**

## Bronchiole

Small airways (less than 2 mm diameter) without cartilage, branching from segmental bronchi to terminal bronchioles (conducting zone) to respiratory bronchioles (transitional, alveoli bud from walls) to alveolar ducts to alveolar sacs to alveoli.

**Synonyms:**

## Bronchiolectasis

Permanent abnormal dilation of bronchioles, usually caused by chronic inflammation, infection, or obstruction. It may accompany bronchiectasis and contribute to impaired mucus clearance and recurrent infection.

**Synonyms:**

## Bronchiolitis

Lower respiratory tract infection causing inflammation and obstruction of small airways. Most common cause is respiratory syncytial virus. Affects infants under 12 months. Presents with wheezing,

tachypnea, nasal flaring, and retractions. Diagnosis is clinical.

**Synonyms:**

## Bronchiolitis Obliterans

An uncommon, often irreversible obstructive small-airway disease caused by inflammation and fibrotic narrowing or obliteration of the bronchioles. Causes include severe infection, inhalational injury, autoimmune disease, and complications after lung or bone-marrow transplantation.

**Synonyms:**

## Bronchitis

Inflammation of the bronchial mucosa. Acute bronchitis is typically viral, presents with cough (often productive), and resolves spontaneously. Cough with sputum production for at least 3 months in 2 consecutive years, often due to smoking.

**Synonyms:**

## Bronchoalveolar Lavage

Diagnostic procedure during bronchoscopy where saline is instilled and aspirated. Analyzed for cell counts, microbiology, and cytology. Useful for *Pneumocystis pneumonia*, pulmonary alveolar proteinosis, and sarcoidosis diagnosis.

**Synonyms:**

## Bronchodilator Response

The change in spirometric airflow after administration of a short-acting bronchodilator. A significant response can support variable airflow limitation, but a negative response does not exclude asthma and a positive response is not specific to one disease.

**Synonyms:**

## Bronchodilator Reversibility

Improvement in airflow measurements after an inhaled bronchodilator. A measurable increase may support variable airway obstruction, but no single response proves or excludes asthma or chronic obstructive pulmonary disease.

**Synonyms:**

---

### **Bronchoesophageal fistula**

Abnormal communication between the bronchial tree and the esophagus, most commonly acquired from malignancy, mediastinal infection, or tuberculous lymphadenitis. Congenital forms are associated with esophageal atresia.

**Synonyms:**

### **Bronchogenic Cyst**

A congenital cyst derived from abnormal budding of the ventral foregut. It is typically found in the middle mediastinum or near the carina. It is usually asymptomatic but may cause compression of adjacent structures. Treatment is surgical resection if symptomatic.

**Synonyms:**

### **Bronchophony**

Increased transmission of spoken sounds to the stethoscope over consolidated lung tissue. It is normally heard over the central airways. Excessive bronchophony over peripheral lung fields indicates consolidation. It is part of the constellation of physical examination findings in pneumonia.

**Synonyms:**

### **Bronchopleural Fistula**

An abnormal communication between the bronchial tree and pleural space. It is a complication of pneumonectomy, lung surgery, or empyema. It causes persistent air leak, subcutaneous emphysema, and respiratory compromise. Treatment includes chest tube drainage, bronchoscopic intervention, and surgical repair.

**Synonyms:**

### **Bronchopneumonia**

Patchy consolidation centered on bronchioles across multiple lobes. Caused by *S. aureus*, gram-negative bacteria, and *Pseudomonas*.

**Synonyms:**

### **Bronchopulmonary Dysplasia**

A chronic lung disease of premature infants, resulting from lung injury from mechanical ventilation,

oxygen toxicity, and inflammation. Most commonly occurs in infants born at less than 28 weeks gestation with birth weight less than 1500 grams.

**Synonyms:**

### **Bronchoscopy**

Endoscopic examination of the tracheobronchial tree. Flexible bronchoscopy: most common, for diagnosis (lung mass, persistent cough, hemoptysis, suspected infection, ILD) and therapy (foreign body removal, bronchial washing, biopsy, BAL). Rigid bronchoscopy: for massive hemoptysis, large foreign bodies, and stent placement.

**Synonyms:**

### **Bronchospasm**

Involuntary constriction of bronchial smooth muscle causing airway obstruction, wheezing, and increased airway pressures. Triggers include airway manipulation, volatile anesthetics (sevoflurane is bronchodilating; desflurane can cause bronchospasm), histamine-releasing drugs (morphine, atracurium), and reactive airway disease.

**Synonyms:**

### **Bronchostenosis**

Narrowing of a bronchus that restricts airflow. Causes include scarring, tumors, foreign bodies, inflammation, external compression, or postinfectious and postprocedural changes.

**Synonyms:**

### **Bronchus**

One of the two main branches of the trachea that conduct air into the lungs. The right main bronchus is wider, shorter, and more vertical than the left, making it more susceptible to aspiration. Each main bronchus divides into lobar bronchi (secondary), segmental bronchi (tertiary), and progressively smaller branches (bronchioles).

**Synonyms:**

### **Bronze Diabetes**

Historical eponym for hereditary hemochromatosis (HFE-related HH, C282Y homozygous mutation),

---

characterized by the classic triad of skin pigmentation ("bronze"), cirrhosis, and diabetes mellitus from pancreatic iron deposition. Also known as "Troisier syndrome" or pigment cirrhosis.

**Synonyms:** "Troisier syndrome" or pigment cirrhosis.

### **Brow Presentation**

A fetal presentation where the fetal head is in a military position between full flexion (vertex) and hyperextension (face). The presenting diameter is the largest (occipitofrontal, 13.5 cm). Incidence: 1:1000-1:2000. Vaginal delivery is impossible with a persistent brow in a term fetus unless it converts to vertex or face.

**Synonyms:**

### **Brown Lung Disease**

An occupational airway disease associated with inhalation of cotton, flax, or hemp dust, classically causing byssinosis. Symptoms may include chest tightness, cough, wheezing, and work-related airflow limitation.

**Synonyms:**

### **Brown Sequard Syndrome**

Brown-Sequard syndrome (hemisection of the spinal cord) results from a lesion affecting one half of the spinal cord, producing a characteristic pattern of ipsilateral and contralateral neurological deficits.

**Synonyms:**

### **Brown Stain**

Extrinsic staining from chromogenic bacteria, diet, tobacco. Removed by prophylaxis.

**Synonyms:**

### **Brucellosis**

A zoonotic infection caused by *Brucella* bacteria, transmitted through contact with infected animals or consumption of unpasteurized animal products. It commonly causes fever, sweats, fatigue, and joint or muscle pain.

**Synonyms:**

### **Brudzinski Sign**

Flexion of the hips and knees that occurs involuntarily when the neck is passively flexed. It is a meningeal irritation sign that may occur in meningitis but lacks sufficient sensitivity or specificity to establish the diagnosis alone.

**Synonyms:**

### **Brugada Syndrome**

A genetic channelopathy causing abnormal sodium channel function (SCN5A mutation). ECG pattern: coved ST elevation >2mm in V1-V3 (type 1) followed by negative T wave. Patients are at risk for ventricular fibrillation and sudden cardiac death, often at rest or during sleep. More common in young Southeast Asian men.

**Synonyms:**

### **Bruise**

A contusion: localized hemorrhage into tissues due to blunt force trauma rupturing small blood vessels, with intact skin.

**Synonyms:**

### **Bruising**

Ecchymosis/contusion: a purplish-blue discoloration from blood extravasation into skin/subcutaneous tissue following trauma; color changes with age (red-blue purple green/yellow—bilirubin breakdown).

**Synonyms:**

### **Brunner's Gland**

A mucus-secreting gland in the submucosa of the duodenum. Its alkaline secretion helps protect the mucosa from gastric acid and provides conditions favorable for intestinal enzymes.

**Synonyms:**

### **Bruxism**

Grinding or clenching teeth, often during sleep. Causes: stress, occlusion, sleep disorders. Consequences: tooth wear, fractures, muscle pain, TMJ disorders. Treatment: occlusal guard, stress management, behavior modification.

---

**Synonyms:**

### **Buccal Gland**

A minor salivary gland located in the cheek. It secretes mucus into the oral cavity to lubricate the buccal mucosa and assist formation and handling of the food bolus.

**Synonyms:**

### **Budd-Chiari Syndrome**

Obstruction of hepatic venous outflow at any level from small hepatic venules to the inferior vena cava junction with the right atrium. The most common predisposing condition is myeloproliferative disorders accounting for forty to fifty percent of cases. Other risk factors include thrombophilia and oral contraceptive use.

**Synonyms:**

### **Buerger Disease**

An inflammatory disorder of small and medium arteries and veins, strongly associated with tobacco use, that can cause limb ischemia and tissue loss.

**Synonyms:**

### **Buerger's Disease**

Thromboangiitis obliterans, a nonatherosclerotic inflammatory disease of small and medium arteries and veins, strongly associated with tobacco exposure. It causes distal ischemia, pain, ulcers, and sometimes gangrene.

**Synonyms:**

### **Buffer**

A solution that resists pH change upon addition of acid or base, composed of a weak acid and its conjugate base (or weak base and conjugate acid). Buffer capacity is maximal when  $\text{pH} = \text{pK}_a \pm 1$ .

**Synonyms:**

### **Bulbar Conjunctiva**

The bulbar conjunctiva is the portion of the conjunctival membrane that covers the anterior surface of the sclera, extending from the limbus (the junction of the cornea and sclera) to the fornices where it

reflects onto the inner surface of the eyelids.

**Synonyms:**

### **Bulbar Paralysis**

Weakness or paralysis of muscles supplied by the lower cranial nerves, causing dysarthria, dysphagia, impaired gag or cough, and sometimes respiratory compromise. Causes include brainstem disease, motor-neuron disease, and neuromuscular disorders.

**Synonyms:**

### **Bulimia Nervosa**

An eating disorder characterized by recurrent episodes of binge eating followed by compensatory behaviors (purging, laxatives, excessive exercise). Self-esteem overly influenced by body shape and weight.

**Synonyms:**

### **Bullae**

Large, fluid-filled blisters that form within or beneath the skin or mucous membrane. Causes include friction, burns, infection, allergy, and autoimmune disease.

**Synonyms:**

### **Bullet Track**

The path a projectile traverses through the body, defined by the entry wound, internal course (through organs, vessels, bones), and exit wound (or retained bullet).

**Synonyms:**

### **Bullous Impetigo**

A superficial staphylococcal skin infection caused by exfoliative toxins that produce fragile, flaccid bullae and honey-coloured or varnish-like crusts, especially in infants and young children.

**Synonyms:**

### **Bullous Pemphigoid**

An autoimmune subepidermal blistering disease affecting elderly patients. It presents with tense blisters on erythematous or normal-appearing skin, often preceded by pruritic urticarial plaques. Autoan-

---

tibodies target BP180 and BP230 (hemidesmosome proteins).

**Synonyms:**

### **Bumetanide**

A potent loop diuretic inhibiting the Na-K-2Cl co-transporter in the thick ascending limb of the loop of Henle. Used for edema in heart failure, cirrhosis, and renal disease, and for hypertension in renal impairment. Approximately 40 times more potent than furosemide; more bioavailable orally, so equivalent IV-to-oral dosing is possible.

**Synonyms:**

### **Bundle Branch Block**

Delay or block in the electrical conduction through the bundle branches. Left Bundle Branch Block (LBBB): QRS >120 ms, broad notched R waves in lateral leads (I, V5-V6), deep S waves in V1-V2. Right Bundle Branch Block (RBBB): QRS >120 ms, rSR' pattern in V1-V2, wide S waves in I, V5-V6.

**Synonyms:**

### **Bundle of His**

A narrow band of specialized cardiac tissue that conducts electrical impulses from the AV node through the fibrous cardiac skeleton to the interventricular septum. It divides into the right and left bundle branches. The bundle of His is the only electrical connection between atria and ventricles through the fibrous skeleton.

**Synonyms:**

### **Bunion**

A bony prominence (exostosis) at the medial aspect of the first metatarsal head, causing lateral deviation of the great toe (hallux valgus). The deformity is characterized by a structural abnormality at the first metatarsophalangeal joint, with the first metatarsal deviating medially and the proximal phalanx deviating laterally.

**Synonyms:**

### **Bunionectomy**

Surgical correction of hallux valgus (bunion) deformity,

indicated for symptomatic bunions refractory to conservative measures (proper footwear, orthoses, toe spacers, NSAIDs). Procedure chosen based on severity (hallux valgus angle and intermetatarsal angle) and patient factors (age, activity, comorbidities).

**Synonyms:**

### **Buphthalmos**

Enlargement of the eye caused by elevated intraocular pressure during early childhood, when the ocular coats are still distensible. It is classically associated with congenital or infantile glaucoma.

**Synonyms:**

### **Burkitt Lymphoma**

A highly aggressive B-cell lymphoma characterized by MYC translocation (t(8;14) IGH-MYC, t(8;22) IGL-MYC, t(2;8) IGK-MYC) and a "starry sky" morphology (tingible body macrophages). Three variants: endemic (African, EBV+, jaw/facial bones), sporadic (abdominal, ileocecal), immunodeficiency-associated (HIV).

**Synonyms:**

### **Burn**

An injury to skin or deeper tissue caused by heat, chemicals, electricity, radiation, or friction. Severity depends on depth, extent, location, and associated injury.

**Synonyms:**

### **Burn (Oral)**

Thermal or chemical injury to the lining of the mouth, often causing pain, redness, or ulceration. Severity depends on the substance, temperature, depth, and extent of injury.

**Synonyms:** Oral

### **Burn Surgery**

Burn assessment: rule of 9s (adult), Lund-Browder (children). Depth: superficial (epidermis), superficial partial (dermis, blanch, blister, painful), deep partial (deeper dermis, white, sluggish capillary refill, less painful), full thickness (all dermis,

---

white/charred, anesthetic).

**Synonyms:**

### **Burning Mouth Syndrome**

A chronic oral pain disorder characterized by burning, scalding, or tingling discomfort of the mouth, often involving the tongue, lips, or palate, without a sufficient visible mucosal abnormality.

**Synonyms:**

### **Bursectomy**

Surgical excision of a bursa, usually performed for persistent painful bursitis, recurrent infection, or another structural problem that has not responded to appropriate conservative management.

**Synonyms:**

### **Bursitis**

Inflammation of a bursa, a fluid-filled sac that reduces friction between tendons, muscles, bones, and skin. Bursae are lined by synovial cells and normally contain a thin layer of lubricating synovial fluid.

**Synonyms:**

### **Button magnets in the nasal cavity**

Ingestion or insertion of small magnets into the nose, posing a risk of nasal septal perforation or necrosis if multiple magnets are involved, requiring urgent removal.

**Synonyms:**

### **Bypass**

Surgical creation of alternative route around blocked vessel. Uses vein or prosthetic graft.

**Synonyms:**

### **Bypass (Vascular)**

Surgical procedure creating detour around blocked vessel using autologous vein (saphenous) or prosthetic graft (PTFE, Dacron). See Bypass Graft.

**Synonyms:** Vascular

### **Bypass Graft**

Surgical procedure creating detour around blocked

vessel using autologous vein (saphenous) or prosthetic graft (PTFE, Dacron). Indications: peripheral arterial disease, coronary artery disease, aortic aneurysm. Long-term patency depends on graft type, inflow/outflow, patient factors.

**Synonyms:**

### **Bypass Surgery**

A surgical conduit that reroutes flow around an obstructed or diseased segment, applied to coronary arteries (CABG), peripheral arteries (autologous vein or prosthetic bypass), and the gastrointestinal tract (gastric bypass). Principal long-term concerns are conduit patency, graft infection, and anastomotic stenosis.

**Synonyms:**

### **Byssinosis**

An occupational obstructive airway disease caused by inhalation of textile fibers, especially cotton, flax, or hemp dust. It may cause chest tightness and cough that worsen during or after work exposure.

**Synonyms:**

### **Chigger Bites**

Itchy inflammatory skin reactions caused by the larvae of trombiculid mites. Small red bumps or blisters often occur around areas where clothing fits tightly and may itch intensely for several days. Washing the skin and clothing, topical antipruritics, and avoiding scratching can help; persistent or infected lesions require assessment.

**Synonyms:**

### **Dog Bite**

A puncture, laceration, or crush injury caused by a dog. Wounds may damage deeper tissue and become infected with organisms such as *Pasteurella* or *Capnocytophaga*. Thorough cleansing, assessment for repair, tetanus prevention, rabies-risk evaluation, and antibiotics when indicated are important.

**Synonyms:**

### **Sleep-Related Breathing Disorders**

Conditions in which breathing becomes abnormal



---

during sleep, including obstructive or central sleep apnea, sleep-related hypoventilation, and sleep-related hypoxemia. Snoring, witnessed pauses, gasping, morning headache, and daytime sleepiness are common clues. Diagnosis generally requires sleep evaluation and treatment of the specific breathing disorder.

**Synonyms:**

### **Snake Bite**

A bite wound from a snake, which may cause local tissue injury or systemic envenomation with swelling, bruising, bleeding, weakness, paralysis, or respiratory failure. Keep the person still, avoid cutting or sucking the wound, and obtain emergency medical care immediately for assessment and possible antivenom.

**Synonyms:**

### **Baroreflex**

A rapid reflex that helps regulate blood pressure by adjusting heart rate and blood-vessel tone in response to changes in arterial pressure.

**Synonyms:**

### **Bartter Disease**

A group of inherited kidney disorders that cause excessive loss of salt and potassium in the urine.

**Synonyms:**

### **Behcet Syndrome**

A chronic inflammatory disorder that can cause recurrent mouth and genital ulcers, eye inflammation, and other organ involvement.

**Synonyms:**

### **Beta Thalassemia**

An inherited blood disorder in which reduced production of beta-globin causes anemia.

**Synonyms:**

### **Brachial Plexus Neuropathies**

Disorders caused by injury or dysfunction of the network of nerves supplying the shoulder and arm.

**Synonyms:**

### **Brain Stem Glioma**

A tumor arising from glial cells in the brainstem.

**Synonyms:**

### **Breakthrough Pain**

A temporary flare of severe pain that occurs despite otherwise controlled persistent pain.

**Synonyms:**

### **Bundle-Branch Block**

Delayed or interrupted electrical conduction through one of the heart's ventricular bundle branches.

**Synonyms:**

### **Burkitt's Lymphoma**

A rapidly growing type of non-Hodgkin lymphoma arising from B lymphocytes.

**Synonyms:**

### **Beach Chair Position**

A semisitting position in which the patient's back is elevated and the hips and knees are flexed; it is commonly used for shoulder surgery.

**Synonyms:**

### **Balloon Angioplasty**

A procedure that uses an inflatable balloon catheter to widen a narrowed artery, often followed by stent placement.

**Synonyms:**

### **Barrett's Esophagus**

A change in the lower esophageal lining caused by chronic reflux and associated with an increased risk of esophageal adenocarcinoma.

**Synonyms:**

### **Basilar Artery**

The artery formed by the union of the vertebral arteries that supplies the brainstem, cerebellum, and posterior brain.

**Synonyms:**

---

### **Beta Cells**

Pancreatic cells that produce and release insulin.

**Synonyms:**

### **Bile**

A fluid produced by the liver that helps digest and absorb dietary fats.

**Synonyms:**

### **Bilevel Positive Airway Pressure**

Noninvasive ventilation that provides different pressures during inhalation and exhalation to support breathing.

**Synonyms:**

### **Bisphosphonate**

A medicine that reduces bone breakdown and is used to prevent or treat osteoporosis and some other bone disorders.

**Synonyms:**

### **Blood Urea Nitrogen Test**

A blood test that measures urea nitrogen and helps assess kidney function and hydration.

**Synonyms:**

### **Brain Stem**

The lower part of the brain connecting the cerebrum with the spinal cord and controlling essential functions such as breathing and consciousness.

**Synonyms:**

### **Bronchodilator**

A medicine that relaxes airway muscle and widens the airways to improve breathing.

**Synonyms:**

### **Bruit**

An abnormal sound heard over a blood vessel, usually with a stethoscope, caused by turbulent blood flow.

**Synonyms:**

### **Bursa**

A small fluid-filled sac that reduces friction between moving tissues near a joint.

**Synonyms:**

### **Baby Acne**

Small red or white bumps on an infant's skin, usually caused by temporary hormonal effects and often resolving without treatment.

**Synonyms:**

### **Bad Breath**

An unpleasant odor of the breath, medically called halitosis.

**Synonyms:**

### **Bags Under Eyes**

Mild swelling or fullness beneath the eyes, commonly related to aging, fluid retention, or inherited anatomy.

**Synonyms:**

### **Balance Problems**

Difficulty maintaining body stability while standing or moving, often caused by disorders of the inner ear, nervous system, vision, or muscles.

**Synonyms:**

### **Bardet-Biedl Syndrome**

A rare inherited disorder that may cause retinal degeneration, obesity, extra fingers or toes, kidney disease, and reproductive abnormalities.

**Synonyms:**

### **Bartholin's Cyst**

A fluid-filled cyst caused by blockage of a Bartholin gland near the vaginal opening.

**Synonyms:**

### **Bile Duct Cancer**

Cancer arising in the bile ducts; also called cholangiocarcinoma.

**Synonyms:** cholangiocarcinoma.

---

### **Binge-Eating Disorder**

A disorder marked by recurrent episodes of eating unusually large amounts of food with a sense of loss of control and without regular compensatory behaviors.

**Synonyms:**

### **Blastocystis Hominis**

A microscopic organism that can inhabit the intestinal tract; its role in causing gastrointestinal symptoms is variable and sometimes uncertain.

**Synonyms:**

### **Blocked Tear Duct**

Partial or complete blockage of the passage that drains tears from the eye into the nose.

**Synonyms:**

### **Boils and Carbuncles**

Painful skin infections caused by pus-filled inflammation around hair follicles; a carbuncle is a connected group of boils.

**Synonyms:**

### **Bone Spurs**

Bony projections that form along the edges of bones, usually near joints, often because of long-term wear or arthritis.

**Synonyms:**

### **B-Cell Lymphoma**

A group of lymphatic cancers arising from B lymphocytes.

**Synonyms:**

### **Brainstem Tumor**

A tumor arising in the brainstem, the part of the brain that connects the cerebrum with the spinal cord.

**Synonyms:**

### **Knee Bursitis**

Inflammation of a fluid-filled sac near the knee, causing localized pain, swelling, or tenderness.

**Synonyms:**

### **Babcock Clamp**

An atraumatic surgical clamp with fenestrated jaws used to hold delicate tubular tissue.

**Synonyms:**

### **Bone Saw**

A surgical saw used to cut bone during procedures such as amputation or orthopedic reconstruction.

**Synonyms:**

### **Body Surface Area**

An estimate of the total external surface area of the body, calculated from height and weight and used in some medication dosing and physiologic calculations.

**Synonyms:**

### **Bolus**

A discrete amount of medication or fluid given over a short period, usually by injection or infusion. In digestion, a bolus is chewed food ready to be swallowed.

**Synonyms:**

### **Bougie**

A slender, flexible instrument used to examine or gradually dilate a narrowed tubular structure, such as the esophagus or urethra.

**Synonyms:**

### **Bronchoscope**

A thin, lighted instrument used to examine the trachea and bronchi and, when needed, obtain tissue or fluid samples.

**Synonyms:**

### **Bacillary Dysentery**

Acute inflammatory diarrhea caused by *Shigella* species, typically producing fever, abdominal cramps, and frequent stools that may contain blood or mucus.

**Synonyms:**

---

### **Bacillus Anthracis**

The spore-forming bacterium that causes anthrax. Infection may be cutaneous, gastrointestinal, or inhalational.

**Synonyms:**

### **Bacillus Cereus**

A spore-forming bacterium that can cause food poisoning, usually through a rapid-onset vomiting syndrome or a diarrheal syndrome after ingestion of contaminated food.

**Synonyms:**

### **Bacteriostasis**

Inhibition of bacterial growth and reproduction without necessarily killing the bacteria.

**Synonyms:**

### **Bacteriostatic**

Describing an agent or condition that inhibits bacterial growth rather than directly killing bacteria.

**Synonyms:**

### **Bartonella**

A genus of bacteria that includes organisms causing cat-scratch disease, trench fever, bacillary angiomatosis, and other infections.

**Synonyms:**

### **Batten Disease**

An inherited group of neuronal ceroid lipofuscinoses causing progressive neurodegeneration, seizures, vision loss, and cognitive or motor decline, usually beginning in childhood.

**Synonyms:**

### **Bednar Aphthae**

Traumatic ulcers on the posterior palate of an infant, often associated with pressure or irritation during feeding.

**Synonyms:**

### **Balloon Tamponade**

Temporary control of bleeding or obstruction using

an inflatable balloon catheter to apply pressure or occlude a passage. Examples include tamponade of variceal bleeding, postpartum hemorrhage, or selected vascular injuries.

**Synonyms:**

### **Bacterial Pharyngitis**

Infection and inflammation of the pharynx caused by bacteria, most commonly group A Streptococcus. Symptoms may include sore throat, fever, painful swallowing, and tender cervical lymph nodes.

**Synonyms:**

### **Bacterial Peritonitis**

Infection of the peritoneal cavity, which may occur spontaneously in patients with ascites or secondarily after perforation, surgery, or another intra-abdominal infection. It requires prompt evaluation and antimicrobial treatment.

**Synonyms:**

### **Bacillus**

A rod-shaped bacterium. The term may refer broadly to bacterial shape or specifically to members of the genus *Bacillus*, some of which form resistant spores and cause human disease.

**Synonyms:**

### **Baroreceptor**

A pressure-sensitive sensory receptor, mainly in the carotid sinus and aortic arch, that detects arterial-wall stretch and helps regulate blood pressure through autonomic reflexes.

**Synonyms:**

### **Barrier Nursing (Isolation Nursing)**

Nursing care arranged to reduce the spread of infection between a patient, healthcare workers, and other patients by using appropriate hand hygiene, protective equipment, and isolation measures.

**Synonyms:** Isolation Nursing

### **Basilic Vein**

A superficial vein of the upper limb that ascends along the medial side of the arm and joins the

---

brachial veins to form the axillary vein. It is used for venous access in selected settings.

**Synonyms:**

### **Basophilia**

An abnormally increased number of basophils in the blood. It may occur with myeloproliferative disorders, allergic or inflammatory conditions, and some infections.

**Synonyms:**

### **Biochemistry**

The study of the chemical substances and reactions occurring in living organisms. Clinical biochemistry uses laboratory measurements to assess health and disease.

**Synonyms:**

### **Biofeedback**

A technique that provides information about a physiological process, such as muscle activity, heart rate, or breathing, to help a person learn voluntary control of it.

**Synonyms:**

### **Biological Warfare**

The deliberate use of microorganisms, toxins, or other biological agents to cause disease or death in humans, animals, or plants.

**Synonyms:**

### **Birth Defect (Congenital Anomaly)**

A structural, functional, or metabolic abnormality present at birth, caused by genetic, environmental, nutritional, infectious, or multifactorial factors.

**Synonyms:** Congenital Anomaly

### **Birth Asphyxia**

Inadequate oxygenation or ventilation around the time of birth, potentially causing respiratory failure, metabolic acidosis, organ injury, or hypoxic-ischaemic encephalopathy. It requires immediate neonatal assessment and resuscitation.

**Synonyms:**

### **Birth Rate**

The number of live births in a population during a specified period, usually expressed per 1,000 people per year.

**Synonyms:**

### **Blackwater Fever**

A severe form of malaria, classically associated with *Plasmodium falciparum*, characterized by intravascular hemolysis, hemoglobinuria, anemia, and possible kidney failure.

**Synonyms:**

### **Blood Donor**

A person who voluntarily gives blood or blood components for transfusion or medical use. Donors are screened to protect both donor health and recipient safety.

**Synonyms:**

### **Blood Poisoning (Septicaemia)**

An older term commonly used for serious bloodstream infection or sepsis. Sepsis is life-threatening organ dysfunction caused by a dysregulated response to infection.

**Synonyms:** Septicaemia

### **Blood Vessels**

Tubular structures that transport blood through the body, including arteries, arterioles, capillaries, venules, and veins.

**Synonyms:**

### **B-Mode Ultrasound**

Brightness-mode ultrasonography, which produces a two-dimensional image from echoes returning from tissues. It is the standard imaging mode for many organs and soft tissues.

**Synonyms:**

### **Borborygmi**

Rumbling or gurgling sounds produced by the movement of gas and fluid through the intestines. They may be normal or altered in gastrointestinal obstruction and other disorders.

---

**Synonyms:**

### **Bow Legs (Genu Varum)**

Outward curvature of the legs so that the knees remain apart when the ankles are together. It may be a normal developmental stage in young children or result from bone disease.

**Synonyms:** Genu Varum

### **Breast Examination**

Systematic inspection and palpation of the breasts and regional lymph nodes to assess masses, skin or nipple changes, pain, or other abnormalities.

**Synonyms:**

### **Breast Milk**

Milk produced by the mammary glands after childbirth, providing nutrients, immune factors, and other substances important for infant growth and development.

**Synonyms:**

### **Breast Reconstruction**

Surgical restoration of breast shape after mastectomy or trauma, using an implant, the patient's own tissue, or a combination of techniques.

**Synonyms:**

### **Breast Screening**

Examination of people without breast symptoms to detect breast cancer at an earlier stage, most commonly using mammography according to age and risk-based programs.

**Synonyms:**

### **Breathlessness (Dyspnoea)**

The uncomfortable awareness of difficult, labored, or insufficient breathing. Causes include respiratory, cardiac, metabolic, and psychological disorders.

**Synonyms:** Dyspnoea

### **Bubo**

A tender, enlarged lymph node, usually in the groin, armpit, or neck, caused by infection. Buboes are classically associated with plague but occur in other

infections.

**Synonyms:**

### **B Cell**

A lymphocyte that develops in the bone marrow and can differentiate into antibody-producing plasma cells or memory B cells after activation.

**Synonyms:** B lymphocyte; B-cell.

### **Balloon Dilation**

A procedure that widens a narrowed body passage or vessel by inflating a balloon at the affected site.

**Synonyms:** Balloon dilatation; balloon angioplasty when performed in a blood vessel.

### **Baseline EKG**

An electrocardiogram obtained for comparison with later tracings or before a treatment, procedure, or change in clinical status.

**Synonyms:** Baseline ECG; reference electrocardiogram.

### **Benign**

Not malignant and not expected to invade nearby tissue or spread to distant sites, although a benign lesion can still cause problems because of its size or location.

**Synonyms:** Nonmalignant; noncancerous.

### **Benign Orgasmic Headache**

A sudden severe headache occurring during sexual activity or at orgasm after dangerous secondary causes have been excluded.

**Synonyms:** Primary headache associated with sexual activity; sexual-activity headache.

### **Bernstein Test**

A historical provocative test in which acid is introduced into the esophagus to reproduce heartburn symptoms; it has largely been replaced by more direct evaluation of reflux.

**Synonyms:** Acid perfusion test; Bernstein acid perfusion test.



---

## Beta Agonists

Drugs that activate beta-adrenergic receptors, producing effects such as relaxation of airway smooth muscle or increased cardiac stimulation depending on receptor selectivity.

**Synonyms:** Beta-adrenergic agonists; beta-agonist drugs.

## Beta Amyloid

Peptides generated from amyloid precursor protein that can accumulate as plaques in the brain in Alzheimer disease.

**Synonyms:** Amyloid-beta; A-beta peptide.

## Beta Carotene

A carotenoid pigment found in plants that can be converted by the body into vitamin A.

**Synonyms:** Beta-carotene; provitamin A carotenoid.

## Biguanides

A class of glucose-lowering medicines that reduce hepatic glucose production and improve insulin sensitivity; metformin is the principal example.

**Synonyms:** Biguanide drugs; biguanide antidiabetics.

## Binge Drinking

A pattern of consuming enough alcohol over a short period to produce a high blood alcohol concentration and increased risk of injury or acute toxicity.

**Synonyms:** Episodic heavy drinking; heavy episodic drinking.

## Binocular Vision

Vision that uses both eyes together to produce a single image and support depth perception.

**Synonyms:** Two-eyed vision; binocular visual function.

## Binswanger's Dementia

A form of vascular cognitive impairment caused by diffuse small-vessel disease affecting the brain's deep white matter.

**Synonyms:** Subcortical ischemic vascular disease;

subcortical arteriosclerotic encephalopathy.

## Biochanin A

A naturally occurring isoflavone found mainly in legumes and other plants. It is studied for biologic effects but is not established as a treatment for disease.

**Synonyms:** Biochanin A isoflavone; 5,7-dihydroxy-4'-methoxyisoflavone.

## Biochemical Recurrence

A rise in a disease-specific laboratory marker after treatment, suggesting recurrent or persistent disease before clinical or imaging findings become apparent.

**Synonyms:** Biochemical relapse; biochemical failure.

## Biological Variability

Natural variation in a measured biologic quantity within the same person over time or between people, independent of measurement error.

**Synonyms:** Biologic variation; physiologic variability.

## Blackout

A period of partial or complete memory loss, commonly associated with alcohol or other causes of impaired consciousness.

**Synonyms:** Amnestic episode; alcohol-related amnesia when caused by alcohol.

## Bladder Neck

The narrow lower part of the urinary bladder where it connects to the urethra and contributes to urinary continence.

**Synonyms:** Vesical neck; bladder outlet.

## Blister

A fluid-filled elevation between or within layers of skin or mucosa, caused by friction, burns, infection, allergy, or an autoimmune blistering disorder.

**Synonyms:** Bulla; vesicle when small.

## Blocking Agent

A substance that prevents or reduces a biologic

---

process by blocking a receptor, channel, enzyme, or other target.

**Synonyms:** Blocker; antagonist when it acts by receptor antagonism.

### **BMD**

A measurement of bone mineral content adjusted for area, used to assess bone strength and help diagnose osteoporosis.

**Synonyms:** Bone mineral density; bone density.

### **BMI**

A weight-to-height index calculated as weight in kilograms divided by height in meters squared. It is used as a population-level measure related to body size, not as a complete individual health assessment.

**Synonyms:** Body mass index; Quetelet index.

### **Body Mass Index**

A weight-to-height index calculated as weight in kilograms divided by height in meters squared. It is used to classify weight categories in populations and clinical screening.

**Synonyms:** BMI; Quetelet index.

### **Bone Mass**

The amount of mineralized bone tissue in the skeleton or in a specified region.

**Synonyms:** Bone mineral content; skeletal bone mass.

### **Bone Mineral Density**

The concentration of mineral in bone, usually measured by dual-energy X-ray absorptiometry to assess fracture risk and osteoporosis.

**Synonyms:** BMD; bone density.

### **Bouchard's Nodes**

Firm bony enlargements of the proximal interphalangeal joints, most commonly caused by hand osteoarthritis.

**Synonyms:** Proximal interphalangeal osteophytes; PIP-joint nodes.

### **Bowel**

The small and large intestines, which receive digested food, absorb nutrients and water, and form and transport stool.

**Synonyms:** Intestine; intestinal tract.

### **Brain Imaging**

Medical imaging used to examine brain structure or function, including CT, MRI, vascular imaging, and selected nuclear medicine techniques.

**Synonyms:** Neuroimaging; cerebral imaging.

### **Brain Waves**

Electrical activity generated by the coordinated firing of neurons and recorded by electroencephalography.

**Synonyms:** Cerebral electrical activity; EEG rhythms.

### **Breast Augmentation**

Surgery or another procedure intended to increase breast volume or alter breast shape, commonly using an implant or transferred tissue.

**Synonyms:** Breast enlargement; augmentation mammoplasty.

### **Breath Focus**

A mindfulness or relaxation practice that uses attention to breathing to stabilize awareness and reduce physiological or emotional arousal.

**Synonyms:** Breath-focused meditation; breathing-focused mindfulness.

### **Bronchial Tubes**

The right and left main bronchi and their branches that conduct air from the trachea into the lungs.

**Synonyms:** Bronchi; bronchial tree when referring to the branching airway system.

### **Bunionette**

A painful prominence at the outer side of the fifth metatarsophalangeal joint, often associated with footwear pressure or altered foot mechanics.

**Synonyms:** Tailor's bunion; bunion of the fifth toe.

---

## Babesia

Babesia refers to babesia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

## Babesia divergens

Babesia divergens refers to babesia divergens, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

## Babesia microti

Babesia microti refers to babesia microti, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

## Bacillaceae

Bacillaceae refers to bacillaceae, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

## Bacillus lentus

Bacillus lentus is a microorganism or microbial group associated with bacillus lentus; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

## Bacillus licheniformis

Bacillus licheniformis is a microorganism or microbial group associated with bacillus licheniformis; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

## Bacillus megaterium

Bacillus megaterium is a microorganism or microbial group associated with bacillus megaterium; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

## Bacillus mycoides

Bacillus mycoides is a microorganism or microbial group associated with bacillus mycoides; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

## Bacillus pumilus

Bacillus pumilus is a microorganism or microbial group associated with bacillus pumilus; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

## Bacillus subtilis

Bacillus subtilis is a microorganism or microbial group associated with bacillus subtilis; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

## Bacitracin

Bacitracin refers to bacitracin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

## Back

Back refers to back, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

## Baclofen

Baclofen refers to baclofen, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

## Bacteria present

Bacteria present is a microorganism or microbial group associated with bacteria present; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

---

### **Bacterial protein**

Bacterial protein is a microorganism or microbial group associated with bacterial protein; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **Bacterial toxemia**

Bacterial toxemia is a microorganism or microbial group associated with bacterial toxemia; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **Bacterial toxin**

Bacterial toxin is a microorganism or microbial group associated with bacterial toxin; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **Bacterial typing**

Bacterial typing is a microorganism or microbial group associated with bacterial typing; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **Bacterial vaccine**

Bacterial vaccine is a microorganism or microbial group associated with bacterial vaccine; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **Bacteriocin**

Bacteriocin is a microorganism or microbial group associated with bacteriocin; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **Bacteriophage lambda**

Bacteriophage lambda is a microorganism or microbial group associated with bacteriophage lambda;

clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **Bacteriophage t4**

Bacteriophage t4 is a microorganism or microbial group associated with bacteriophage t4; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **Bacteriophages**

Bacteriophages is a microorganism or microbial group associated with bacteriophages; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **Bacteriorhodopsin**

Bacteriorhodopsin is a microorganism or microbial group associated with bacteriorhodopsin; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **Bacteroidaceae**

Bacteroidaceae is a microorganism or microbial group associated with bacteroidaceae; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **Bacteroides**

Bacteroides is a microorganism or microbial group associated with bacteroides; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **Bacteroides caccae**

Bacteroides caccae is a microorganism or microbial group associated with bacteroides caccae; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

---

### **Bacteroides dorei**

*Bacteroides dorei* is a microorganism or microbial group associated with *bacteroides dorei*; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **Bacteroides eggerthii**

*Bacteroides eggerthii* is a microorganism or microbial group associated with *bacteroides eggerthii*; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **Bacteroides faecis**

*Bacteroides faecis* is a microorganism or microbial group associated with *bacteroides faecis*; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **Bacteroides fragilis**

*Bacteroides fragilis* is a microorganism or microbial group associated with *bacteroides fragilis*; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **Bacteroides gingivalis**

*Bacteroides gingivalis* is a microorganism or microbial group associated with *bacteroides gingivalis*; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **Bacteroides heparinolyticus**

*Bacteroides heparinolyticus* is a microorganism or microbial group associated with *bacteroides heparinolyticus*; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **Bacteroides intestinalis**

*Bacteroides intestinalis* is a microorganism or microbial group associated with *bacteroides intestinalis*;

clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **Bacteroides nordii**

*Bacteroides nordii* is a microorganism or microbial group associated with *bacteroides nordii*; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **Bacteroides ovatus**

*Bacteroides ovatus* is a microorganism or microbial group associated with *bacteroides ovatus*; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **Bacteroides pyogenes**

*Bacteroides pyogenes* is a microorganism or microbial group associated with *bacteroides pyogenes*; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **Bacteroides salyersiae**

*Bacteroides salyersiae* is a microorganism or microbial group associated with *bacteroides salyersiae*; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **Bacteroides stercoris**

*Bacteroides stercoris* is a microorganism or microbial group associated with *bacteroides stercoris*; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **Bacteroides thetaiotaomicron**

*Bacteroides thetaiotaomicron* is a microorganism or microbial group associated with *bacteroides thetaiotaomicron*; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

---

### **Bacteroides uniformis**

Bacteroides uniformis is a microorganism or microbial group associated with bacteroides uniformis; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **Bacteroides ureolyticus**

Bacteroides ureolyticus is a microorganism or microbial group associated with bacteroides ureolyticus; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **Bacteroides vulgatus**

Bacteroides vulgatus is a microorganism or microbial group associated with bacteroides vulgatus; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **Bacteroides xylanisolvens**

Bacteroides xylanisolvens is a microorganism or microbial group associated with bacteroides xylanisolvens; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **Bacteroidete**

Bacteroidete is a microorganism or microbial group associated with bacteroidete; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **Baculoviridae**

Baculoviridae identifies baculoviridae, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **Bad protein**

Bad protein denotes bad protein, a biological component or molecular process interpreted through

relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **Bak protein**

Bak protein denotes bak protein, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **Balamuthia**

Balamuthia identifies balamuthia, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **Balamuthia mandrillaris**

Balamuthia mandrillaris identifies balamuthia mandrillaris, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **Balanced study**

Balanced study is used in relation to balanced study during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **Balantidiasis**

Balantidiasis refers to balantidiasis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Balantidium**

Balantidium identifies balantidium, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**



---

### Balantidium coli

Balantidium coli identifies balantidium coli, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### Balbani body

Balbani body refers to balbani body, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

### Balloon brachytherapy

Balloon brachytherapy is used in relation to balloon brachytherapy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### Balloon dilatation

Balloon dilatation refers to balloon dilatation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### Barakat syndrome

Barakat syndrome denotes a clinical condition or finding involving barakat syndrome; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### Barbiturates

Barbiturates is used in relation to barbiturates during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### Barium sulfate

Barium sulfate concerns barium sulfate, a biologic or physiologic concept used in research, laboratory medicine, and the explanation of disease.

**Synonyms:**

### Barlow test

Barlow test is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat barlow test.

**Synonyms:**

### Bartonella elizabethae

Bartonella elizabethae identifies bartonella elizabethae, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### Bartonella henselae

Bartonella henselae identifies bartonella henselae, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### Bartonella infections

Bartonella infections identifies bartonella infections, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### Bartonella quintana

Bartonella quintana identifies bartonella quintana, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### Bartonellaceae

Bartonellaceae identifies bartonellaceae, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### Bart's hemoglobinopathy

Bart's hemoglobinopathy concerns bart's hemoglobinopathy, a biologic or physiologic concept used in research, laboratory medicine, and

---

the explanation of disease.

**Synonyms:**

### **Basal**

Basal refers to basal, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Basal body**

Basal body refers to basal body, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

### **Basal cell**

Basal cell denotes basal cell, an anatomical structure or tissue whose clinical importance depends on location, connections, blood supply, innervation, and function.

**Synonyms:**

### **Basal lamina**

Basal lamina refers to basal lamina, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Basal tear**

Basal tear refers to basal tear, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Base pair**

Base pair concerns base pair, a biologic or physiologic concept used in research, laboratory medicine, and the explanation of disease.

**Synonyms:**

### **Base pairing**

Base pairing concerns base pairing, a biologic or physiologic concept used in research, laboratory medicine, and the explanation of disease.

**Synonyms:**

### **Base sequence**

Base sequence concerns base sequence, a biologic or physiologic concept used in research, laboratory medicine, and the explanation of disease.

**Synonyms:**

### **Baseline**

Baseline concerns baseline, a biologic or physiologic concept used in research, laboratory medicine, and the explanation of disease.

**Synonyms:**

### **Basic fuchsin**

Basic fuchsin refers to basic fuchsin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Basic research**

Basic research is used in relation to basic research during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **Basidiomycota**

Basidiomycota refers to basidiomycota, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Basilar membrane**

Basilar membrane denotes basilar membrane, an anatomical structure or tissue whose clinical importance depends on location, connections, blood supply, innervation, and function.

**Synonyms:**

### **Basiliximab**

Basiliximab concerns basiliximab, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

---

**Synonyms:**

### **Basis pontis**

Basis pontis refers to basis pontis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Basophil adenoma**

Basophil adenoma refers to basophil adenoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Basophilic focus**

Basophilic focus refers to basophilic focus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Basosquamous carcinoma**

Basosquamous carcinoma denotes a neoplastic condition involving basosquamous carcinoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### **Batabulin**

Batabulin refers to batabulin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Batimastat**

Batimastat refers to batimastat, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Batrachotoxin**

Batrachotoxin concerns batrachotoxin, a biologic or physiologic concept used in research, laboratory medicine, and the explanation of disease.

**Synonyms:**

### **Batracylin**

Batracylin refers to batracylin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Batroxobin**

Batroxobin refers to batroxobin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Batley bacillus**

Batley bacillus is a microorganism or microbial group associated with batley bacillus; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **Bax protein**

Bax protein denotes bax protein, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **B-cell activation**

B-cell activation denotes b-cell activation, an anatomical structure or tissue whose clinical importance depends on location, connections, blood supply, innervation, and function.

**Synonyms:**

### **Bcgosis**

Bcgosis refers to bcgosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Beacopp regimen**

Beacopp regimen refers to beacopp regimen, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

---

**Synonyms:**

### **Beat number**

Beat number refers to beat number, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Becaplermin**

Becaplermin concerns becaplermin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **Becatecarin**

Becatecarin refers to becatecarin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Beclomethasone**

Beclomethasone concerns beclomethasone, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **Becquerel**

Becquerel refers to becquerel, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Bed rest**

Bed rest is used in relation to bed rest during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **Behavior**

Behavior is used in relation to behavior during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **Behavior disorder**

Behavior disorder denotes a clinical condition or finding involving behavior disorder; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **Behavior test**

Behavior test is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat behavior test.

**Synonyms:**

### **Behavior therapy**

Behavior therapy is used in relation to behavior therapy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **Behavioral abnormality**

Behavioral abnormality is used in relation to behavioral abnormality during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **Behavioral genetics**

Behavioral genetics denotes behavioral genetics, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **Behavioral medicine**

Behavioral medicine is used in relation to behavioral medicine during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **Behenic acid**

Behenic acid denotes behenic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

---

**Synonyms:**

### **Behr syndrome**

Behr syndrome denotes a clinical condition or finding involving behr syndrome; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **Belinostat**

Belinostat concerns belinostat, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **Belotecan hydrochloride**

Belotecan hydrochloride refers to belotecan hydrochloride, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Benchmarking**

Benchmarking refers to benchmarking, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Bendamustine**

Bendamustine concerns bendamustine, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **Bendamustine hydrochloride**

Bendamustine hydrochloride refers to bendamustine hydrochloride, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Bendiocarb**

Bendiocarb refers to bendiocarb, a medical condi-

tion or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Bendroflumethiazide**

Bendroflumethiazide refers to bendroflumethiazide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Benfuracarb**

Benfuracarb refers to benfuracarb, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Benign ameloblastoma**

Benign ameloblastoma denotes a neoplastic condition involving benign ameloblastoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### **Benign epithelioma**

Benign epithelioma refers to benign epithelioma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Benign hemangiopericytoma**

Benign hemangiopericytoma refers to benign hemangiopericytoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Benign meningioma**

Benign meningioma refers to benign meningioma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### **Benign mesenchymoma**

Benign mesenchymoma refers to benign mesenchymoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Benign myoepithelioma**

Benign myoepithelioma refers to benign myoepithelioma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Benign paraganglioma**

Benign paraganglioma refers to benign paraganglioma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Benign prostate hyperplasia**

Benign prostate hyperplasia refers to benign prostate hyperplasia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Benzaldehyde**

Benzaldehyde concerns benzaldehyde, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **Benzazepines**

Benzazepines concerns benzazepines, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **Benzoates**

Benzoates concerns benzoates, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

anism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **Benzocaine**

Benzocaine concerns benzocaine, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **Benzopyran**

Benzopyran concerns benzopyran, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **Benzopyrene**

Benzopyrene concerns benzopyrene, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **Benzopyrenes**

Benzopyrenes concerns benzopyrenes, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **Benzoyl peroxide**

Benzoyl peroxide is a defined chemical or biologic substance involved in benzoyl peroxide and studied in physiology, pharmacology, laboratory medicine, or treatment.

**Synonyms:**

### **Benzoylphenylurea**

Benzoylphenylurea concerns benzoylphenylurea, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**



---

### **Benzphetamine**

Benzphetamine concerns benzphetamine, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **Benztropine**

Benztropine concerns benztropine, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **Benzydamine**

Benzydamine concerns benzydamine, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **Benzylamines**

Benzylamines concerns benzylamines, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **BEP regimen**

BEP regimen refers to bep regimen, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Berberine**

Berberine refers to berberine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Bergeyella**

Bergeyella refers to bergeyella, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Bergeyella zoohelcum**

Bergeyella zoohelcum refers to bergeyella zoohelcum, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Beryllium**

Beryllium refers to beryllium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Best practice**

Best practice is used in relation to best practice during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **Beta 2-microglobulin**

Beta 2-microglobulin concerns beta 2-microglobulin, a biologic or physiologic concept used in research, laboratory medicine, and the explanation of disease.

**Synonyms:**

### **Beta globulin**

Beta globulin concerns beta globulin, a biologic or physiologic concept used in research, laboratory medicine, and the explanation of disease.

**Synonyms:**

### **Beta particle**

Beta particle concerns beta particle, a biologic or physiologic concept used in research, laboratory medicine, and the explanation of disease.

**Synonyms:**

### **Beta radiation**

Beta radiation concerns beta radiation, a biologic or physiologic concept used in research, laboratory medicine, and the explanation of disease.

**Synonyms:**

---

### **Beta tocopherol**

Beta tocopherol refers to beta tocopherol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Beta-chemokines**

Beta-chemokines refers to beta-chemokines, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Betacoronavirus**

Betacoronavirus is a virus or viral group associated with betacoronavirus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

### **Beta-endorphin**

Beta-endorphin refers to beta-endorphin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Beta-glucans**

Beta-glucans concerns beta-glucans, a biologic or physiologic concept used in research, laboratory medicine, and the explanation of disease.

**Synonyms:**

### **Betaherpesvirinae**

Betaherpesvirinae refers to betaherpesvirinae, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Betaine**

Betaine refers to betaine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Beta-lactamase**

Beta-lactamase refers to beta-lactamase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Beta-mannosidosis**

Beta-mannosidosis refers to beta-mannosidosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Betamethasone**

Betamethasone concerns betamethasone, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **Betamethasone valerate**

Betamethasone valerate concerns betamethasone valerate, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **Betaretrovirus**

Betaretrovirus is a virus or viral group associated with betaretrovirus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

### **Beta-sheet**

Beta-sheet refers to beta-sheet, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Betaxolol**

Betaxolol concerns betaxolol, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

---

### **Betazole**

Betazole concerns betazole, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **Bevacizumab**

Bevacizumab concerns bevacizumab, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **Bexarotene**

Bexarotene refers to bexarotene, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Bezafibrate**

Bezafibrate concerns bezafibrate, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **Bibliotherapy**

Bibliotherapy is used in relation to bibliotherapy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **Bicalutamide**

Bicalutamide refers to bicalutamide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Bicuculline**

Bicuculline refers to bicuculline, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Bicuspid**

Bicuspid refers to bicuspid, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Bid protein**

Bid protein denotes bid protein, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **Bifidobacterium**

Bifidobacterium is a microorganism or microbial group associated with bifidobacterium; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **Bifidobacterium adolescentis**

Bifidobacterium adolescentis is a microorganism or microbial group associated with bifidobacterium adolescentis; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **Bifidobacterium animalis**

Bifidobacterium animalis is a microorganism or microbial group associated with bifidobacterium animalis; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **Bifidobacterium bifidum**

Bifidobacterium bifidum is a microorganism or microbial group associated with bifidobacterium bifidum; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **Bifidobacterium breve**

Bifidobacterium breve is a microorganism or microbial group associated with bifidobacterium breve;

---

clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **Bifidobacterium dentium**

Bifidobacterium dentium is a microorganism or microbial group associated with bifidobacterium dentium; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **Bifidobacterium longum**

Bifidobacterium longum is a microorganism or microbial group associated with bifidobacterium longum; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **Biglycan**

Biglycan refers to biglycan, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Bilateral**

Bilateral refers to bilateral, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Bilateral microphthalmos**

Bilateral microphthalmos refers to bilateral microphthalmos, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Bilateral oophorectomy**

Bilateral oophorectomy is used in relation to bilateral oophorectomy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **Bile pigment**

Bile pigment concerns bile pigment, a biologic or physiologic concept used in research, laboratory medicine, and the explanation of disease.

**Synonyms:**

### **Biliary**

Biliary refers to biliary, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Biliary calculi**

Biliary calculi refers to biliary calculi, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Biliary fistula**

Biliary fistula refers to biliary fistula, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Bilophila**

Bilophila refers to bilophila, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Bilophila wadsworthia**

Bilophila wadsworthia refers to bilophila wadsworthia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Bimatoprost**

Bimatoprost concerns bimatoprost, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

---

### **Binder excipient**

Binder excipient refers to binder excipient, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Binding protein**

Binding protein denotes binding protein, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **Binding site**

Binding site refers to binding site, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Binomial distribution**

Binomial distribution refers to binomial distribution, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Binswanger disease**

Binswanger disease denotes a clinical condition or finding involving binswanger disease; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **Bioaccumulation**

Bioaccumulation refers to bioaccumulation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Bioassay**

Bioassay is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat bioassay.

**Synonyms:**

### **Biochemical reaction**

Biochemical reaction refers to biochemical reaction, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Bioengineering**

Bioengineering refers to bioengineering, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Bio-informatics**

Bio-informatics refers to bio-informatics, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Biological**

Biological refers to biological, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Biological availability**

Biological availability refers to biological availability, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Biological clock**

Biological clock refers to biological clock, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Biological model**

Biological model refers to biological model, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### **Biological process**

Biological process refers to biological process, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Biological relative**

Biological relative refers to biological relative, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Biological therapy**

Biological therapy is used in relation to biological therapy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **Biological transport**

Biological transport refers to biological transport, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Biology**

Biology refers to biology, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Bioluminescence**

Bioluminescence refers to bioluminescence, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Biomaterial**

Biomaterial refers to biomaterial, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Biomechanical compliance**

Biomechanical compliance refers to biomechanical compliance, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Biomedical cement**

Biomedical cement refers to biomedical cement, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Biomedical research**

Biomedical research is used in relation to biomedical research during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **Biomedical tape**

Biomedical tape refers to biomedical tape, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Biomedicine**

Biomedicine refers to biomedicine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Biometry**

Biometry refers to biometry, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Biomimetics**

Biomimetics refers to biomimetics, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**



---

### **Biomphalaria**

Biomphalaria refers to biomphalaria, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Biophysics**

Biophysics refers to biophysics, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Biopolymer**

Biopolymer concerns biopolymer, a biologic or physiologic concept used in research, laboratory medicine, and the explanation of disease.

**Synonyms:**

### **Biopsy lung**

Biopsy lung refers to biopsy lung, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Biopsy site**

Biopsy site refers to biopsy site, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Biopsy specimen**

Biopsy specimen refers to biopsy specimen, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Bioreactor**

Bioreactor refers to bioreactor, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Biospecimen**

Biospecimen refers to biospecimen, a medical condi-

tion or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Biotechnology**

Biotechnology refers to biotechnology, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Biotin**

Biotin refers to biotin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Biotinylation**

Biotinylation refers to biotinylation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Bipartite ossification**

Bipartite ossification refers to bipartite ossification, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Biphenyl compounds**

Biphenyl compounds concerns biphenyl compounds, a biologic or physiologic concept used in research, laboratory medicine, and the explanation of disease.

**Synonyms:**

### **Bipolar neuron**

Bipolar neuron refers to bipolar neuron, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Bipolaris**

Bipolaris identifies bipolaris, a biological taxon or infectious-disease concept whose clinical importance

---

depends on the organism, host, and site involved.

**Synonyms:**

### **Birth**

Birth refers to birth, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Birth injury**

Birth injury denotes a clinical condition or finding involving birth injury; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **Birth order**

Birth order is used in relation to birth order during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **Birth weight**

Birth weight is used in relation to birth weight during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **Bisacodyl**

Bisacodyl concerns bisacodyl, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **Bisbenzimidazole**

Bisbenzimidazole concerns bisbenzimidazole, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **Bisexuality**

Bisexuality refers to bisexuality, a medical condition

or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Bismuth**

Bismuth concerns bismuth, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **Bisoprolol**

Bisoprolol concerns bisoprolol, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **Bizelesin**

Bizelesin refers to bizelesin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **BK virus**

BK virus is a virus or viral group associated with bk virus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

### **Bladder neoplasm**

Bladder neoplasm denotes a neoplastic condition involving bladder neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### **Bladder pain**

Bladder pain refers to bladder pain, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

---

### **Blast cell**

Blast cell denotes blast cell, an anatomical structure or tissue whose clinical importance depends on location, connections, blood supply, innervation, and function.

**Synonyms:**

### **Blast phase**

Blast phase refers to blast phase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Blastocystis**

Blastocystis identifies blastocystis, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **Blautia producta**

Blautia producta refers to blautia producta, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Bleeding tendency**

Bleeding tendency is used in relation to bleeding tendency during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **Bleeding time**

Bleeding time is used in relation to bleeding time during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **Bleomycin**

Bleomycin concerns bleomycin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **Bleomycin sulfate**

Bleomycin sulfate concerns bleomycin sulfate, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **Blepharophimosis**

Blepharophimosis refers to blepharophimosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Blepharoptosis**

Blepharoptosis refers to blepharoptosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Blinded**

Blinded refers to blinded, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Bloating**

Bloating refers to bloating, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Blocking antibody**

Blocking antibody refers to blocking antibody, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

### **Blood**

Blood refers to blood, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

---

### **Blood bank**

Blood bank refers to blood bank, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

### **Blood cell**

Blood cell denotes blood cell, an anatomical structure or tissue whose clinical importance depends on location, connections, blood supply, innervation, and function.

**Synonyms:**

### **Blood circulation**

Blood circulation refers to blood circulation, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

### **Blood glucose**

Blood glucose refers to blood glucose, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

### **Blood preservation**

Blood preservation refers to blood preservation, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

### **Blood product**

Blood product refers to blood product, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

### **Blood protein**

Blood protein denotes blood protein, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **Blood sedimentation**

Blood sedimentation refers to blood sedimentation, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

### **Blood substitutes**

Blood substitutes refers to blood substitutes, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

### **Blood treatment**

Blood treatment refers to blood treatment, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

### **Blood vessel**

Blood vessel denotes blood vessel, an anatomical structure or tissue whose clinical importance depends on location, connections, blood supply, innervation, and function.

**Synonyms:**

### **Blood volume**

Blood volume refers to blood volume, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

### **Blue nevus**

Blue nevus refers to blue nevus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Blunted affect**

Blunted affect refers to blunted affect, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### **Blurred vision**

Blurred vision is used in relation to blurred vision during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **B-lymphocyte**

B-lymphocyte refers to b-lymphocyte, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Bocavirus**

Bocavirus is a virus or viral group associated with bocavirus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

### **Bodily secretion**

Bodily secretion refers to bodily secretion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Body cavity**

Body cavity refers to body cavity, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

### **Body composition**

Body composition refers to body composition, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

### **Body fluid**

Body fluid refers to body fluid, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

### **Body height**

Body height refers to body height, an anatomical or

physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

### **Body image**

Body image refers to body image, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

### **Body odor**

Body odor refers to body odor, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

### **Body piercing**

Body piercing refers to body piercing, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

### **Body position**

Body position refers to body position, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

### **Body region**

Body region refers to body region, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

### **Body space**

Body space refers to body space, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

### **Body substance**

Body substance refers to body substance, an anatomical or physiologic concept used to describe a body structure, process, or function.

---

**Synonyms:**

### **Body surface**

Body surface refers to body surface, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

### **Body wall**

Body wall refers to body wall, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

### **Body weight**

Body weight refers to body weight, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

### **Bohring syndrome**

Bohring syndrome denotes a clinical condition or finding involving bohring syndrome; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **Bolt device**

Bolt device refers to bolt device, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Bolus infusion**

Bolus infusion refers to bolus infusion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Bombesin**

Bombesin refers to bombesin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Bombesin receptor**

Bombesin receptor denotes bombesin receptor, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **Bone callus**

Bone callus denotes bone callus, an anatomical structure or tissue whose clinical importance depends on location, connections, blood supply, innervation, and function.

**Synonyms:**

### **Bone cement**

Bone cement denotes bone cement, an anatomical structure or tissue whose clinical importance depends on location, connections, blood supply, innervation, and function.

**Synonyms:**

### **Bone cyst**

Bone cyst denotes bone cyst, an anatomical structure or tissue whose clinical importance depends on location, connections, blood supply, innervation, and function.

**Synonyms:**

### **Bone development**

Bone development denotes bone development, an anatomical structure or tissue whose clinical importance depends on location, connections, blood supply, innervation, and function.

**Synonyms:**

### **Bone disease**

Bone disease denotes a clinical condition or finding involving bone disease; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **Bone marrow disorder**

Bone marrow disorder denotes a clinical condition or finding involving bone marrow disorder; evalua-



---

tion identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **Bone marrow transplantation**

Bone marrow transplantation denotes bone marrow transplantation, an anatomical structure or tissue whose clinical importance depends on location, connections, blood supply, innervation, and function.

**Synonyms:**

### **Bone matrix**

Bone matrix denotes bone matrix, an anatomical structure or tissue whose clinical importance depends on location, connections, blood supply, innervation, and function.

**Synonyms:**

### **Bone necrosis**

Bone necrosis denotes bone necrosis, an anatomical structure or tissue whose clinical importance depends on location, connections, blood supply, innervation, and function.

**Synonyms:**

### **Bone neoplasm**

Bone neoplasm denotes a neoplastic condition involving bone neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### **Bone pain**

Bone pain denotes bone pain, an anatomical structure or tissue whose clinical importance depends on location, connections, blood supply, innervation, and function.

**Synonyms:**

### **Bone plate**

Bone plate denotes bone plate, an anatomical structure or tissue whose clinical importance depends on location, connections, blood supply, innervation, and function.

**Synonyms:**

### **Bone regeneration**

Bone regeneration denotes bone regeneration, an anatomical structure or tissue whose clinical importance depends on location, connections, blood supply, innervation, and function.

**Synonyms:**

### **Bone remodeling**

Bone remodeling denotes bone remodeling, an anatomical structure or tissue whose clinical importance depends on location, connections, blood supply, innervation, and function.

**Synonyms:**

### **Bone resorption**

Bone resorption denotes bone resorption, an anatomical structure or tissue whose clinical importance depends on location, connections, blood supply, innervation, and function.

**Synonyms:**

### **Bone screws**

Bone screws denotes bone screws, an anatomical structure or tissue whose clinical importance depends on location, connections, blood supply, innervation, and function.

**Synonyms:**

### **Bone transplantation**

Bone transplantation denotes bone transplantation, an anatomical structure or tissue whose clinical importance depends on location, connections, blood supply, innervation, and function.

**Synonyms:**

### **Bony labyrinth**

Bony labyrinth refers to bony labyrinth, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

### **Boranes**

Boranes refers to boranes, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

---

**Synonyms:**

**Border definition**

Border definition is used in relation to border definition during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

**Borderline**

Borderline is used in relation to borderline during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

**Bordetella**

Bordetella identifies bordetella, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**Bordetella avium**

Bordetella avium identifies bordetella avium, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**Bordetella bronchiseptica**

Bordetella bronchiseptica identifies bordetella bronchiseptica, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**Bordetella hinzii**

Bordetella hinzii identifies bordetella hinzii, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**Bordetella parapertussis**

Bordetella parapertussis identifies bordetella parapertussis, a biological taxon or infectious-disease concept whose clinical importance depends on the

organism, host, and site involved.

**Synonyms:**

**Bordetella petrii**

Bordetella petrii identifies bordetella petrii, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**Boric acid**

Boric acid denotes boric acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**Boron**

Boron refers to boron, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**Borrelia infection**

Borrelia infection identifies borrelia infection, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**Borrelia miyamotoi**

Borrelia miyamotoi identifies borrelia miyamotoi, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**Bortezomib**

Bortezomib concerns bortezomib, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

---

### **Bosentan**

Bosentan concerns bosentan, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **Botany**

Botany refers to botany, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Bottle feeding**

Bottle feeding is used in relation to bottle feeding during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **Botulinum toxin**

Botulinum toxin concerns botulinum toxin, a biologic or physiologic concept used in research, laboratory medicine, and the explanation of disease.

**Synonyms:**

### **Bouin's solution**

Bouin's solution refers to bouin's solution, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Bovine anaplasmosis**

Bovine anaplasmosis refers to bovine anaplasmosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Bovine papillomavirus**

Bovine papillomavirus is a virus or viral group associated with bovine papillomavirus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

### **Bowel burn**

Bowel burn refers to bowel burn, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Bowel urgency**

Bowel urgency refers to bowel urgency, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

### **Bowen's disease**

Bowen's disease denotes a clinical condition or finding involving bowen's disease; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **Bowman membrane**

Bowman membrane denotes bowman membrane, an anatomical structure or tissue whose clinical importance depends on location, connections, blood supply, innervation, and function.

**Synonyms:**

### **Brachycephaly**

Brachycephaly refers to brachycephaly, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Brachydactyly**

Brachydactyly refers to brachydactyly, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Bradykinin**

Bradykinin refers to bradykinin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### Brain disorder

Brain disorder denotes a clinical condition or finding involving brain disorder; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### Brain fornix

Brain fornix refers to brain fornix, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

### Brain mapping

Brain mapping refers to brain mapping, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

### Brain neoplasm

Brain neoplasm denotes a neoplastic condition involving brain neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### Brain wave

Brain wave refers to brain wave, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

### Branchioma

Branchioma refers to branchioma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### Branchio-Oto-Renal syndrome

Branchio-Oto-Renal syndrome denotes a clinical condition or finding involving branchio-oto-renal syndrome; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### Brassicasterol

Brassicasterol refers to brassicasterol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### Brassicidic acid

Brassicidic acid denotes brassidic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### Breast

Breast refers to breast, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

### Breast carcinoma

Breast carcinoma denotes a neoplastic condition involving breast carcinoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### Breast duct

Breast duct refers to breast duct, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

### Breast feed

Breast feed refers to breast feed, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

### Breast finding

Breast finding refers to breast finding, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

---

### Breast lobe

Breast lobe refers to breast lobe, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

### Breast lobule

Breast lobule refers to breast lobule, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

### Breast neoplasm

Breast neoplasm denotes a neoplastic condition involving breast neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### Breast self-examination

Breast self-examination refers to breast self-examination, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

### Breath test

Breath test is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat breath test.

**Synonyms:**

### Brefeldin A

Brefeldin A refers to brefeldin a, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### Bretylium tosylate

Bretylium tosylate refers to bretylium tosylate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### Brevibacillus

Brevibacillus is a microorganism or microbial group associated with brevibacillus; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### Brevibacterium

Brevibacterium is a microorganism or microbial group associated with brevibacterium; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### Brevibacterium casei

Brevibacterium casei is a microorganism or microbial group associated with brevibacterium casei; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### Brevundimonas

Brevundimonas identifies brevundimonas, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### Brevundimonas diminuta

Brevundimonas diminuta identifies brevundimonas diminuta, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### Brevundimonas vesicularis

Brevundimonas vesicularis identifies brevundimonas vesicularis, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### Brimonidine tartrate

Brimonidine tartrate concerns brimonidine tartrate, a pharmacologic or chemical agent; clinical use de-

---

depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **Brivanib**

Brivanib concerns brivanib, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **Brivanib alaninate**

Brivanib alaninate concerns brivanib alaninate, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **Brivudine**

Brivudine concerns brivudine, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **Broad ligament**

Broad ligament denotes broad ligament, an anatomical structure or tissue whose clinical importance depends on location, connections, blood supply, innervation, and function.

**Synonyms:**

### **Bromelain**

Bromelain concerns bromelain, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **Bromhexine**

Bromhexine concerns bromhexine, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **Bromine**

Bromine concerns bromine, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **Bromobenzenes**

Bromobenzenes concerns bromobenzenes, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **Bromocriptine**

Bromocriptine concerns bromocriptine, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **Bromodeoxyuridine**

Bromodeoxyuridine concerns bromodeoxyuridine, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **Bromophos**

Bromophos concerns bromophos, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **Bromouracil**

Bromouracil concerns bromouracil, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **Bromovirus**

Bromovirus is a virus or viral group associated with bromovirus; disease risk depends on strain, trans-



---

mission route, host, and tissue tropism.

**Synonyms:**

### **Bromthymol blue**

Bromthymol blue concerns bromthymol blue, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **Bronchial**

Bronchial refers to bronchial, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

### **Bronchial fistula**

Bronchial fistula refers to bronchial fistula, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

### **Bronchial hemorrhage**

Bronchial hemorrhage refers to bronchial hemorrhage, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

### **Bronchial obstruction**

Bronchial obstruction refers to bronchial obstruction, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

### **Bronchial stricture**

Bronchial stricture refers to bronchial stricture, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

### **Bronchoconstriction**

Bronchoconstriction refers to bronchoconstriction, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

### **Bronchoconstrictor agents**

Bronchoconstrictor agents refers to bronchoconstrictor agents, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

### **Bronchogenic carcinoma**

Bronchogenic carcinoma denotes a neoplastic condition involving bronchogenic carcinoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### **Bronchomalacia**

Bronchomalacia refers to bronchomalacia, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

### **Bronchus disease**

Bronchus disease denotes a clinical condition or finding involving bronchus disease; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **Bronchus neoplasm**

Bronchus neoplasm denotes a neoplastic condition involving bronchus neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### **Brown fat**

Brown fat concerns brown fat, a biologic or physiologic concept used in research, laboratory medicine, and the explanation of disease.

**Synonyms:**

### **Brucella**

Brucella identifies brucella, a biological taxon or infectious-disease concept whose clinical importance

---

depends on the organism, host, and site involved.

**Synonyms:**

### **Brucella abortus**

Brucella abortus identifies brucella abortus, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **Brucella canis**

Brucella canis identifies brucella canis, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **Brucella melitensis**

Brucella melitensis identifies brucella melitensis, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **Brucella suis**

Brucella suis identifies brucella suis, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **Brucellaceae**

Brucellaceae identifies brucellaceae, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **Brunner gland**

Brunner gland denotes brunner gland, an anatomical structure or tissue whose clinical importance depends on location, connections, blood supply, innervation, and function.

**Synonyms:**

### **Brush**

Brush refers to brush, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Bryostatin**

Bryostatin concerns bryostatin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **Buccal mucosa**

Buccal mucosa refers to buccal mucosa, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

### **Buccalmucosa**

Buccalmucosa refers to buccalmucosa, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

### **Budesonide**

Budesonide concerns budesonide, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **Budvicia**

Budvicia refers to budvicia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Budvicia aquatica**

Budvicia aquatica refers to budvicia aquatica, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

## **Bufonidae**

Bufonidae refers to bufonidae, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

## **Buformin**

Buformin refers to buformin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

## **Bulbourethral glands**

Bulbourethral glands denotes bulbourethral glands, an anatomical structure or tissue whose clinical importance depends on location, connections, blood supply, innervation, and function.

**Synonyms:**

## **Bulimia**

Bulimia refers to bulimia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

## **Bulla**

Bulla refers to bulla, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

## **Bully**

Bully refers to bully, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

## **Bungarotoxins**

Bungarotoxins concerns bungarotoxins, a biologic or physiologic concept used in research, laboratory medicine, and the explanation of disease.

**Synonyms:**

## **Bunyaviridae**

Bunyaviridae identifies bunyaviridae, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

## **Bupivacaine**

Bupivacaine concerns bupivacaine, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

## **Bupivacaine hydrochloride**

Bupivacaine hydrochloride concerns bupivacaine hydrochloride, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

## **Buprenorphine**

Buprenorphine concerns buprenorphine, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

## **Bupropion**

Bupropion concerns bupropion, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

## **Burkholderia**

Burkholderia identifies burkholderia, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

## **Burkholderia cenocepacia**

Burkholderia cenocepacia identifies burkholderia cenocepacia, a biological taxon or infectious-disease

---

concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **Burkholderia cepacia**

Burkholderia cepacia identifies burkholderia cepacia, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **Burkholderia gladioli**

Burkholderia gladioli identifies burkholderia gladioli, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **Burkholderia mallei**

Burkholderia mallei identifies burkholderia mallei, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **Burkholderia pseudomallei**

Burkholderia pseudomallei identifies burkholderia pseudomallei, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **Burkholderiaceae**

Burkholderiaceae identifies burkholderiaceae, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **Bursa of fabricius**

Bursa of fabricius refers to bursa of fabricius, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Buruli ulcer**

Buruli ulcer refers to buruli ulcer, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Buserelin**

Buserelin concerns buserelin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **Buspirone**

Buspirone refers to buspirone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Busulfan**

Busulfan concerns busulfan, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **Butanol**

Butanol refers to butanol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Buthionine sulfoximine**

Buthionine sulfoximine refers to buthionine sulfoximine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Butocarboxim**

Butocarboxim refers to butocarboxim, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

## Buttiauxella

Buttiauxella identifies buttiauxella, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

## Buttiauxella agrestis

Buttiauxella agrestis identifies buttiauxella agrestis, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

## Buttiauxella ferragutiae

Buttiauxella ferragutiae identifies buttiauxella ferragutiae, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

## Buttiauxella gaviniae

Buttiauxella gaviniae identifies buttiauxella gaviniae, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

## Buttiauxella noackiae

Buttiauxella noackiae identifies buttiauxella noackiae, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

## Buttocks

Buttocks refers to buttocks, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

## Back pain: Symptom

Pain felt anywhere in the back, from the upper back through the lower back; common causes include strain, disc disease, arthritis, fracture, infection, or

referred visceral pain. Urgent assessment is needed for weakness or numbness, bowel or bladder changes, fever, trauma, or severe sudden pain.

**Synonyms:**

## Bent penis

Curvature of the penis that may be congenital or acquired, often from Peyronie disease; it can cause pain or difficulty with sexual intercourse.

**Synonyms:**

## Vaginal bleeding after sex

Bleeding after vaginal intercourse; causes include cervical ectropion, infection, polyps, trauma, vaginal dryness, pregnancy-related conditions, or cancer. Persistent or recurrent bleeding needs evaluation.

**Synonyms:**

## Bleeding during pregnancy

Vaginal bleeding during pregnancy; its significance varies with gestational age and amount. Urgent evaluation is needed for heavy bleeding, pain, dizziness, or bleeding later in pregnancy.

**Synonyms:**

## Blood clots

Clumps of blood formed during clotting; abnormal clots can obstruct veins or arteries and cause deep vein thrombosis, pulmonary embolism, stroke, or other ischemia.

**Synonyms:**

## Brain lesions

Areas of abnormal brain tissue caused by tumors, stroke, infection, inflammation, trauma, demyelination, or vascular disease; symptoms depend on the lesion's location and size.

**Synonyms:**

## Breast calcifications

Small calcium deposits in breast tissue seen on mammography; they are often benign, but some patterns require additional imaging or biopsy.

**Synonyms:**

---

### Breast lumps

Localized breast swelling or a mass; causes include cysts, fibroadenoma, infection, trauma, or cancer. Persistent or new lumps need clinical evaluation.

**Synonyms:**

### Breast rash

A rash affecting breast skin; causes include dermatitis, infection, irritation, or, less commonly, inflammatory breast cancer. Persistent one-sided changes require evaluation.

**Synonyms:**

### Burning feet

Burning, tingling, or painful sensations in the feet, commonly related to peripheral neuropathy, diabetes, nutritional deficiency, alcohol, medicines, or nerve compression.

**Synonyms:**

### NF2-related schwannomatosis (neurofibromatosis type 2)

A genetic disorder characterized by tumors involving nerves, especially bilateral vestibular schwannomas, with possible hearing loss, balance problems, and other nerve tumors. **Synonyms:**

### Bardet-Biedl syndrome (BBS)

A rare inherited disorder that may cause retinal degeneration, obesity, extra fingers or toes, kidney disease, and developmental or reproductive problems. **Synonyms:**

### Bedbugs

Small blood-feeding insects that cause itchy bites and skin reactions and can spread through bedding, clothing, and furniture. **Synonyms:**

### Bedsore (pressure ulcer)

Injuries to skin and underlying tissue caused by prolonged pressure, usually over bony areas in people with limited mobility. **Synonyms:**

### Bee sting

A skin injury caused by a bee's stinger that may

cause local pain and swelling or, in allergic people, a serious systemic reaction. **Synonyms:**

### Benign brain tumor

A noncancerous growth in or around the brain that can still cause symptoms by pressing on brain tissue, nerves, or fluid pathways. **Synonyms:**

### Benign paroxysmal positional vertigo (BPPV)

Brief episodes of spinning dizziness triggered by changes in head position, usually caused by displaced inner-ear crystals. **Synonyms:**

### Benign peripheral nerve tumor

A noncancerous tumor arising from or near a peripheral nerve, potentially causing a lump, pain, tingling, numbness, or weakness. **Synonyms:**

### Benign prostatic hyperplasia (BPH)

Noncancerous enlargement of the prostate that can obstruct urine flow and cause urinary frequency, urgency, weak stream, or incomplete emptying. **Synonyms:**

### IgA nephropathy (Berger disease)

A kidney disease caused by deposits of immunoglobulin A in the kidney filters, potentially leading to blood in urine, protein loss, high blood pressure, or kidney failure. **Synonyms:**

### Cholangiocarcinoma (bile duct cancer)

Cancer arising in the bile ducts, which may cause jaundice, itching, abdominal discomfort, weight loss, or impaired bile flow. **Synonyms:**

### Bladder stones

Hard mineral deposits that form in the bladder and may cause painful urination, blood in urine, urinary frequency, or difficulty emptying the bladder. **Synonyms:**

### Blood in urine (hematuria)

Visible or microscopic blood in the urine, which may result from infection, stones, injury, kidney disease,



---

medicines, or urinary tract cancer. **Synonyms:**

### **Sweating and body odor**

Excess perspiration or noticeable odor produced when skin bacteria break down sweat; it may be influenced by hygiene, diet, medicines, hormones, or disease. **Synonyms:**

### **Brain AVM (arteriovenous malformation)**

An abnormal tangle of brain arteries and veins that can disrupt blood flow and may bleed or cause seizures, headaches, or neurologic deficits. **Synonyms:**

### **Embolic stroke (brain embolism)**

A stroke caused by a clot or other material traveling to and blocking an artery supplying the brain. **Synonyms:**

### **Breast cysts**

Fluid-filled sacs within breast tissue that may be tender or palpable and are usually benign. **Synonyms:**

### **Subconjunctival hemorrhage (broken blood vessel in eye)**

A small blood vessel broken beneath the clear surface of the eye, causing a sharply demarcated red patch that usually resolves without treatment. **Synonyms:**

### **Broken collarbone**

A fracture of the clavicle, usually caused by a fall, direct impact, or contact injury and associated with shoulder pain and reduced arm movement. **Synonyms:**

### **Broken hand**

A fracture of one or more bones of the hand, causing pain, swelling, bruising, deformity, or impaired movement. **Synonyms:**

### **Broken leg**

A fracture of one or more bones in the leg, commonly causing pain, swelling, bruising, deformity,

or inability to bear weight. **Synonyms:**

### **Broken nose**

A fracture of one or more nasal bones that may cause pain, swelling, bleeding, deformity, or difficulty breathing through the nose. **Synonyms:**

### **Broken ribs**

Fractures of one or more ribs, usually causing localized chest pain that worsens with breathing, coughing, or movement. **Synonyms:**

### **Broken wrist**

A fracture involving one or more bones near the wrist, often causing pain, swelling, bruising, deformity, or reduced hand function. **Synonyms:**

### **Bunions**

A bony prominence and deformity at the base of the big toe caused by shifting of the joint, often producing pain and footwear difficulty. **Synonyms:**

### **Burns**

Tissue injuries caused by heat, chemicals, electricity, radiation, or friction, with severity determined by depth, size, and location. **Synonyms:**

### **BANF**

Alternate index label; see *NF2-related schwannomatosis (neurofibromatosis type 2)*. **Synonyms:**

### **Barber's itch**

Alternate index label; see *Folliculitis*. **Synonyms:**

### **Barlow's syndrome**

Alternate index label; see *Mitral valve prolapse*. **Synonyms:**

### **Barotitis media**

Alternate index label; see *Airplane ear*. **Synonyms:**

### **Basal joint arthritis**

Alternate index label; see *Thumb arthritis*. **Synonyms:**

---

**BBS**

Alternate index label; see *Bardet-Biedl syndrome (BBS)*. **Synonyms:**

**BDD**

Alternate index label; see *Body dysmorphic disorder*. **Synonyms:**

**Benign migratory glossitis**

Alternate index label; see *Geographic tongue*. **Synonyms:**

**Berger's disease**

Alternate index label; see *IgA nephropathy (Berger disease)*. **Synonyms:**

**Bilateral acoustic neurofibromatosis**

Alternate index label; see *NF2-related schwannomatosis (neurofibromatosis type 2)*. **Synonyms:**

**Bladder calculi**

Alternate index label; see *Bladder stones*. **Synonyms:**

**Bladder control, loss of**

Alternate index label; see *Urinary incontinence*. **Synonyms:**

**Bladder infection**

Alternate index label; see *Cystitis*. **Synonyms:**

**Bladder inflammation**

Alternate index label; see *Interstitial cystitis*. **Synonyms:**

**Bladder prolapse**

Alternate index label; see *Anterior vaginal prolapse (cystocele)*. **Synonyms:**

**Blastocystosis**

Alternate index label; see *Blastocystis hominis*. **Synonyms:**

**Blocked ureter**

Alternate index label; see *Ureteral obstruction*. **Synonyms:**

**Body odor and sweating**

Alternate index label; see *Sweating and body odor*. **Synonyms:**

**Bradycardia-tachycardia syndrome**

Alternate index label; see *Sick sinus syndrome*. **Synonyms:**

**Brain arteriovenous malformation**

Alternate index label; see *Brain AVM (arteriovenous malformation)*. **Synonyms:**

**Brain embolism**

Alternate index label; see *Embolic stroke (brain embolism)*. **Synonyms:**

**Brain tumor, child**

Alternate index label; see *Pediatric brain tumors*. **Synonyms:**

**Breast cancer, inflammatory**

Alternate index label; see *Inflammatory breast cancer*. **Synonyms:**

**Breast cancer, male**

Alternate index label; see *Male breast cancer*. **Synonyms:**

**Broken blood vessel in eye**

Alternate index label; see *Subconjunctival hemorrhage (broken blood vessel in eye)*. **Synonyms:**

**Broken clavicle**

Alternate index label; see *Broken collarbone*. **Synonyms:**

**Broken hip**

Alternate index label; see *Hip fracture*. **Synonyms:**

---

## Burn injury

Alternate index label; see *Burns*. **Synonyms:**

## Burning thigh pain

Alternate index label; see *Meralgia paresthetica*.

**Synonyms:**

## Bunyaviruses

Alternate index label; see *Viral hemorrhagic fevers*.

**Synonyms:**

## Burkitt's tumor

Alternate index label; see *Burkitt lymphoma*. **Synonyms:**

## Bursitis of the knee

Alternate index label; see *Knee bursitis*. **Synonyms:**

## B and T cell screen

B and T cell screen uses immunophenotyping to measure and characterize circulating B lymphocytes and T lymphocytes, supporting evaluation of immune deficiency, leukemia, and lymphoma.

**Synonyms:**

## B-cell leukemia/lymphoma panel

B-cell leukemia/lymphoma panel uses flow cytometry and antibody markers to identify abnormal B-cell populations in blood, marrow, or tissue.

**Synonyms:**

## Babies and heat rashes

Babies and heat rashes is the presentation described by babies and heat rashes; onset, severity, associated findings, causes, and need for care guide assessment.

**Synonyms:**

## Babies and shots

Babies and shots concerns babies and shots; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

## Baby supplies you need

Baby supplies you need concerns baby supplies you need; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

## Bacitracin overdose

Bacitracin overdose involves toxic exposure to bacitracin overdose; dose, route, timing, symptoms, and antidote availability guide the clinical response.

**Synonyms:**

## Bacitracin zinc overdose

Bacitracin zinc overdose involves toxic exposure to bacitracin zinc overdose; dose, route, timing, symptoms, and antidote availability guide the clinical response.

**Synonyms:**

## Back pain - returning to work

Back pain - returning to work is the presentation described by back pain - returning to work; onset, severity, associated findings, causes, and need for care guide assessment.

**Synonyms:**

## Back pain - when you see the doctor

Back pain - when you see the doctor is the presentation described by back pain - when you see the doctor; onset, severity, associated findings, causes, and need for care guide assessment.

**Synonyms:**

## Back pain and sports

Back pain and sports is the presentation described by back pain and sports; onset, severity, associated findings, causes, and need for care guide assessment.

**Synonyms:**

## Bacterial vaginosis - aftercare

Bacterial vaginosis - aftercare addresses recovery from bacterial vaginosis - aftercare, including activity, medicines, warning signs, and follow-up.

**Synonyms:**

---

### **BAER - brainstem auditory evoked response**

BAER records electrical responses from the auditory nerve and brainstem after sound stimulation, helping assess hearing pathways when behavioral testing is difficult.

**Synonyms:**

### **Baking powder overdose**

Baking powder overdose involves toxic exposure to baking powder overdose; dose, route, timing, symptoms, and antidote availability guide the clinical response.

**Synonyms:**

### **Baking soda overdose**

Baking soda overdose involves toxic exposure to baking soda overdose; dose, route, timing, symptoms, and antidote availability guide the clinical response.

**Synonyms:**

### **Barbiturate intoxication and overdose**

Barbiturate intoxication and overdose involves toxic exposure to barbiturate intoxication and overdose; dose, route, timing, symptoms, and antidote availability guide the clinical response.

**Synonyms:**

### **Bartholin cyst or abscess**

Bartholin cyst is a blocked gland duct near the vaginal opening; infection can produce a painful abscess requiring drainage and sometimes antibiotics.

**Synonyms:**

### **Basal cell skin cancer**

Basal cell skin cancer is a usually slow-growing skin malignancy arising from basal keratinocytes; it rarely metastasizes but can destroy nearby tissue if untreated.

**Synonyms:**

### **Bassen-Kornzweig syndrome**

Bassen-Kornzweig syndrome, or abetalipoproteinemia, is an inherited disorder of lipoprotein assembly causing fat malabsorption, acanthocytosis, vitamin

E deficiency, and neurologic disease.

**Synonyms:**

### **Bathing a patient in bed**

Bathing a patient in bed addresses practical care for bathing a patient in bed, including safe technique, common concerns, and when to seek advice.

**Synonyms:**

### **Bathing an infant**

Bathing an infant addresses practical care for bathing an infant, including safe technique, common concerns, and when to seek advice.

**Synonyms:**

### **Bathroom safety - children**

Bathroom safety - children focuses on preventing or responding to bathroom safety - children, including risk reduction and signs requiring urgent help.

**Synonyms:**

### **Bathroom safety for adults**

Bathroom safety for adults focuses on preventing or responding to bathroom safety for adults, including risk reduction and signs requiring urgent help.

**Synonyms:**

### **Bed rest during pregnancy**

Bed rest during pregnancy concerns bed rest during pregnancy; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Bedtime habits for infants and children**

Bedtime habits for infants and children addresses practical care for bedtime habits for infants and children, including safe technique, common concerns, and when to seek advice.

**Synonyms:**

### **Bee, wasp, hornet, or yellow jacket sting**

Bee, wasp, hornet, or yellow jacket sting concerns bee, wasp, hornet, or yellow jacket sting; defining

---

findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Beeswax poisoning**

Beeswax poisoning involves toxic exposure to beeswax poisoning; dose, route, timing, symptoms, and antidote availability guide the clinical response.

**Synonyms:**

### **Before weight-loss surgery - what to ask your doctor**

Before weight-loss surgery - what to ask your doctor treats or supports before weight-loss surgery - what to ask your doctor; indication, preparation, complications, and recovery depend on the procedure and patient.

**Synonyms:**

### **Being active after your heart attack**

Being active after your heart attack discusses guidance for being active after your heart attack, balancing expected benefits, personal limits, and professional advice.

**Synonyms:**

### **Being active when you have heart disease**

Being active when you have heart disease discusses guidance for being active when you have heart disease, balancing expected benefits, personal limits, and professional advice.

**Synonyms:**

### **Benefits of breastfeeding**

Benefits of breastfeeding addresses practical care for benefits of breastfeeding, including safe technique, common concerns, and when to seek advice.

**Synonyms:**

### **Benefits of quitting tobacco**

Benefits of quitting tobacco discusses guidance for benefits of quitting tobacco, balancing expected benefits, personal limits, and professional advice.

**Synonyms:**

### **Benign ear cyst or tumor**

Benign ear cyst or tumor concerns benign ear cyst or tumor; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Benign positional vertigo - aftercare**

Benign positional vertigo aftercare covers activity, fall prevention, recurrence, and vestibular exercises after treatment for brief vertigo caused by displaced inner-ear otoconia.

**Synonyms:**

### **Benign prostate hyperplasia (BPH) - resources**

Benign prostate hyperplasia (BPH) - resources summarizes care planning for benign prostate hyperplasia (bph) - resources, including options, safety, support, and questions for a clinician.

**Synonyms:**

### **Benzene poisoning**

Benzene poisoning involves toxic exposure to benzene poisoning; dose, route, timing, symptoms, and antidote availability guide the clinical response.

**Synonyms:**

### **Beta-blockers overdose**

Beta-blockers overdose involves toxic exposure to beta-blockers overdose; dose, route, timing, symptoms, and antidote availability guide the clinical response.

**Synonyms:**

### **Beta-carotene blood test**

Beta-carotene blood test evaluates beta-carotene blood test; interpretation uses the method, specimen or body region, reference range, and clinical question.

**Synonyms:**

### **Bicycle safety**

Bicycle safety focuses on preventing or responding to bicycle safety, including risk reduction and signs

---

requiring urgent help.

**Synonyms:**

### **Bilateral hydronephrosis**

Bilateral hydronephrosis is enlargement of both renal collecting systems from impaired urine drainage, with causes including obstruction, reflux, stones, or bladder dysfunction.

**Synonyms:**

### **Bilateral tonic-clonic seizure**

Bilateral tonic-clonic seizure concerns bilateral tonic-clonic seizure; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Bile acid sequestrants for cholesterol**

Bile acid sequestrants for cholesterol concerns bile acid sequestrants for cholesterol; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Bile culture**

Bile culture evaluates bile culture; interpretation uses the method, specimen or body region, reference range, and clinical question.

**Synonyms:**

### **Bile duct obstruction**

Bile duct obstruction concerns bile duct obstruction; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Bile duct stricture**

Bile duct stricture concerns bile duct stricture; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Bili lights**

Bili lights concerns bili lights; defining findings,

causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Biliary system**

Biliary system concerns biliary system; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Bilirubin - urine**

Bilirubin - urine concerns bilirubin - urine; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Bilirubin blood test**

Bilirubin blood test evaluates bilirubin blood test; interpretation uses the method, specimen or body region, reference range, and clinical question.

**Synonyms:**

### **Biopsy - biliary tract**

Biopsy - biliary tract evaluates biopsy - biliary tract; interpretation uses the method, specimen or body region, reference range, and clinical question.

**Synonyms:**

### **Birth control - slow release methods**

Birth control - slow release methods concerns birth control - slow release methods; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Birth control and family planning**

Birth control and family planning concerns birth control and family planning; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Birth control pill overdose**

Birth control pill overdose involves toxic exposure



---

to birth control pill overdose; dose, route, timing, symptoms, and antidote availability guide the clinical response.

**Synonyms:**

### **Birth control pills**

Birth control pills concerns birth control pills; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Birth control pills - combination**

Birth control pills - combination concerns birth control pills - combination; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Birth control pills - progestin only**

Birth control pills - progestin only concerns birth control pills - progestin only; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Birthmarks - pigmented**

Birthmarks - pigmented concerns birthmarks - pigmented; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Black nightshade poisoning**

Black nightshade poisoning involves toxic exposure to black nightshade poisoning; dose, route, timing, symptoms, and antidote availability guide the clinical response.

**Synonyms:**

### **Black or tarry stools**

Black or tarry stools is the presentation described by black or tarry stools; onset, severity, associated findings, causes, and need for care guide assessment.

**Synonyms:**

### **Black widow spider**

Black widow spider concerns black widow spider; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Bladder biopsy**

Bladder biopsy evaluates bladder biopsy; interpretation uses the method, specimen or body region, reference range, and clinical question.

**Synonyms:**

### **Bladder exstrophy repair**

Bladder exstrophy repair reconstructs the exposed bladder and lower abdominal and genital structures present in this congenital defect, often through staged surgery.

**Synonyms:**

### **Bland diet**

Bland diet concerns bland diet; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Bleeding during cancer treatment**

Bleeding during cancer treatment is the presentation described by bleeding during cancer treatment; onset, severity, associated findings, causes, and need for care guide assessment.

**Synonyms:**

### **Bleeding into the skin**

Bleeding into the skin is the presentation described by bleeding into the skin; onset, severity, associated findings, causes, and need for care guide assessment.

**Synonyms:**

### **Blindness - resources**

Blindness - resources summarizes care planning for blindness - resources, including options, safety, support, and questions for a clinician.

**Synonyms:**

---

### **Blindness and vision loss**

Blindness and vision loss concerns blindness and vision loss; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Blockage of upper airway**

Blockage of upper airway concerns blockage of upper airway; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Blood differential test**

Blood differential test evaluates blood differential test; interpretation uses the method, specimen or body region, reference range, and clinical question.

**Synonyms:**

### **Blood donation before surgery**

Blood donation before surgery treats or supports blood donation before surgery; indication, preparation, complications, and recovery depend on the procedure and patient.

**Synonyms:**

### **Blood gases**

Blood gases concerns blood gases; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Blood in the semen**

Blood in the semen is the presentation described by blood in the semen; onset, severity, associated findings, causes, and need for care guide assessment.

**Synonyms:**

### **Blood pressure measurement**

Blood pressure measurement evaluates blood pressure measurement; interpretation uses the method, specimen or body region, reference range, and clinical question.

**Synonyms:**

### **Blood pressure monitors for home**

Blood pressure monitors for home concerns blood pressure monitors for home; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Blood transfusions**

Blood transfusions treats or supports blood transfusions; indication, preparation, complications, and recovery depend on the procedure and patient.

**Synonyms:**

### **Blood typing**

Blood typing concerns blood typing; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Bloodborne pathogens**

Bloodborne pathogens are infectious agents transmitted through blood or certain body fluids, including HIV, hepatitis B virus, and hepatitis C virus.

**Synonyms:**

### **Blue discoloration of the skin**

Blue discoloration of the skin is the presentation described by blue discoloration of the skin; onset, severity, associated findings, causes, and need for care guide assessment.

**Synonyms:**

### **Blue nightshade poisoning**

Blue nightshade poisoning involves toxic exposure to blue nightshade poisoning; dose, route, timing, symptoms, and antidote availability guide the clinical response.

**Synonyms:**

### **Body temperature norms**

Body temperature norms concerns body temperature norms; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

---

## **Boils**

Boils is the presentation described by boils; onset, severity, associated findings, causes, and need for care guide assessment.

**Synonyms:**

## **Bonding with your newborn**

Bonding with your newborn addresses practical care for bonding with your newborn, including safe technique, common concerns, and when to seek advice.

**Synonyms:**

## **Bone lesion biopsy**

Bone lesion biopsy evaluates bone lesion biopsy; interpretation uses the method, specimen or body region, reference range, and clinical question.

**Synonyms:**

## **Bone marrow (stem cell) donation**

Bone marrow (stem cell) donation concerns bone marrow (stem cell) donation; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

## **Bone marrow culture**

Bone marrow culture evaluates bone marrow culture; interpretation uses the method, specimen or body region, reference range, and clinical question.

**Synonyms:**

## **Bone marrow transplant**

Bone marrow transplant treats or supports bone marrow transplant; indication, preparation, complications, and recovery depend on the procedure and patient.

**Synonyms:**

## **Bone marrow transplant - discharge**

Bone marrow transplant - discharge treats or supports bone marrow transplant - discharge; indication, preparation, complications, and recovery depend on the procedure and patient.

**Synonyms:**

## **Bone marrow transplant in children - discharge**

Bone marrow transplant in children - discharge treats or supports bone marrow transplant in children - discharge; indication, preparation, complications, and recovery depend on the procedure and patient.

**Synonyms:**

## **Bone mineral density test**

Bone mineral density test evaluates bone mineral density test; interpretation uses the method, specimen or body region, reference range, and clinical question.

**Synonyms:**

## **Bone pain or tenderness**

Bone pain or tenderness is the presentation described by bone pain or tenderness; onset, severity, associated findings, causes, and need for care guide assessment.

**Synonyms:**

## **Bone tumor**

Bone tumor concerns bone tumor; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

## **Bone x-ray**

Bone x-ray evaluates bone x-ray; interpretation uses the method, specimen or body region, reference range, and clinical question.

**Synonyms:**

## **Boric acid poisoning**

Boric acid poisoning involves toxic exposure to boric acid poisoning; dose, route, timing, symptoms, and antidote availability guide the clinical response.

**Synonyms:**

## **Botulinum toxin injection - larynx**

Botulinum toxin injection - larynx treats or supports botulinum toxin injection - larynx; indication, preparation, complications, and recovery depend on

---

the procedure and patient.

**Synonyms:**

### **Bowel retraining**

Bowel retraining is the presentation described by bowel retraining; onset, severity, associated findings, causes, and need for care guide assessment.

**Synonyms:**

### **Bowel transit time**

Bowel transit time is the presentation described by bowel transit time; onset, severity, associated findings, causes, and need for care guide assessment.

**Synonyms:**

### **Brachial plexus injury in newborns**

Brachial plexus injury in newborns concerns brachial plexus injury in newborns; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Brain aneurysm repair**

Brain aneurysm repair treats or supports brain aneurysm repair; indication, preparation, complications, and recovery depend on the procedure and patient.

**Synonyms:**

### **Brain aneurysm repair - discharge**

Brain aneurysm repair - discharge treats or supports brain aneurysm repair - discharge; indication, preparation, complications, and recovery depend on the procedure and patient.

**Synonyms:**

### **Brain injury - discharge**

Brain injury - discharge addresses recovery from brain injury - discharge, including activity, medicines, warning signs, and follow-up.

**Synonyms:**

### **Brain natriuretic peptide test**

Brain natriuretic peptide test evaluates brain natri-

uretic peptide test; interpretation uses the method, specimen or body region, reference range, and clinical question.

**Synonyms:**

### **Brain PET scan**

Brain PET scan evaluates brain pet scan; interpretation uses the method, specimen or body region, reference range, and clinical question.

**Synonyms:**

### **Brain radiation - discharge**

Brain radiation - discharge addresses recovery from brain radiation - discharge, including activity, medicines, warning signs, and follow-up.

**Synonyms:**

### **Brain surgery**

Brain surgery treats or supports brain surgery; indication, preparation, complications, and recovery depend on the procedure and patient.

**Synonyms:**

### **Brain surgery - discharge**

Brain surgery - discharge treats or supports brain surgery - discharge; indication, preparation, complications, and recovery depend on the procedure and patient.

**Synonyms:**

### **Brain tumor - children**

Brain tumor - children concerns brain tumor - children; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Brain tumor - primary - adults**

Brain tumor - primary - adults concerns brain tumor - primary - adults; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

---

### **BRCA1 and BRCA2 gene testing**

BRCA1 and BRCA2 gene testing evaluates brca1 and brca2 gene testing; interpretation uses the method, specimen or body region, reference range, and clinical question.

**Synonyms:**

### **Break the bonds of emotional eating**

Break the bonds of emotional eating concerns break the bonds of emotional eating; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Breast augmentation surgery**

Breast augmentation surgery treats or supports breast augmentation surgery; indication, preparation, complications, and recovery depend on the procedure and patient.

**Synonyms:**

### **Breast biopsy - stereotactic**

Breast biopsy - stereotactic evaluates breast biopsy - stereotactic; interpretation uses the method, specimen or body region, reference range, and clinical question.

**Synonyms:**

### **Breast biopsy - ultrasound**

Breast biopsy - ultrasound evaluates breast biopsy - ultrasound; interpretation uses the method, specimen or body region, reference range, and clinical question.

**Synonyms:**

### **Breast cancer in men**

Breast cancer in men concerns breast cancer in men; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Breast cancer screening**

Breast cancer screening evaluates breast cancer screening; interpretation uses the method, specimen or body region, reference range, and clinical

question.

**Synonyms:**

### **Breast cancer staging**

Breast cancer staging concerns breast cancer staging; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Breast enlargement in males**

Breast enlargement in males is the presentation described by breast enlargement in males; onset, severity, associated findings, causes, and need for care guide assessment.

**Synonyms:**

### **Breast external beam radiation - discharge**

Breast external beam radiation - discharge addresses recovery from breast external beam radiation - discharge, including activity, medicines, warning signs, and follow-up.

**Synonyms:**

### **Breast lift**

Breast lift concerns breast lift; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Breast lump removal**

Breast lump removal treats or supports breast lump removal; indication, preparation, complications, and recovery depend on the procedure and patient.

**Synonyms:**

### **Breast milk - pumping and storing**

Breast milk - pumping and storing treats or supports breast milk - pumping and storing; indication, preparation, complications, and recovery depend on the procedure and patient.

**Synonyms:**

---

### Breast MRI scan

Breast MRI scan evaluates breast mri scan; interpretation uses the method, specimen or body region, reference range, and clinical question.

**Synonyms:**

### Breast reconstruction - implants

Breast reconstruction - implants treats or supports breast reconstruction - implants; indication, preparation, complications, and recovery depend on the procedure and patient.

**Synonyms:**

### Breast reconstruction - natural tissue

Breast reconstruction - natural tissue treats or supports breast reconstruction - natural tissue; indication, preparation, complications, and recovery depend on the procedure and patient.

**Synonyms:**

### Breast reduction

Breast reduction concerns breast reduction; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### Breast self-exam

Breast self-exam concerns breast self-exam; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### Breast skin and nipple changes

Breast skin and nipple changes concerns breast skin and nipple changes; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### Breastfeeding - resources

Breastfeeding - resources summarizes care planning for breastfeeding - resources, including options, safety, support, and questions for a clinician.

**Synonyms:**

### Breastfeeding - self-care

Breastfeeding - self-care addresses recovery from breastfeeding - self-care, including activity, medicines, warning signs, and follow-up.

**Synonyms:**

### Breastfeeding - skin and nipple changes

Breastfeeding - skin and nipple changes addresses practical care for breastfeeding - skin and nipple changes, including safe technique, common concerns, and when to seek advice.

**Synonyms:**

### Breastfeeding vs. formula feeding

Breastfeeding vs. formula feeding addresses practical care for breastfeeding vs. formula feeding, including safe technique, common concerns, and when to seek advice.

**Synonyms:**

### Breath alcohol test

Breath alcohol test evaluates breath alcohol test; interpretation uses the method, specimen or body region, reference range, and clinical question.

**Synonyms:**

### Breath odor

Breath odor is the presentation described by breath odor; onset, severity, associated findings, causes, and need for care guide assessment.

**Synonyms:**

### Breath-holding spell

Breath-holding spell is the presentation described by breath-holding spell; onset, severity, associated findings, causes, and need for care guide assessment.

**Synonyms:**

### Breathing - slowed or stopped

Breathing - slowed or stopped is the presentation described by breathing - slowed or stopped; onset, severity, associated findings, causes, and need for care guide assessment.

**Synonyms:**



---

### **Breathing difficulties - first aid**

Breathing difficulties - first aid focuses on preventing or responding to breathing difficulties - first aid, including risk reduction and signs requiring urgent help.

**Synonyms:**

### **Breathing difficulty**

Breathing difficulty is the presentation described by breathing difficulty; onset, severity, associated findings, causes, and need for care guide assessment.

**Synonyms:**

### **Breathing difficulty - lying down**

Breathing difficulty - lying down is the presentation described by breathing difficulty - lying down; onset, severity, associated findings, causes, and need for care guide assessment.

**Synonyms:**

### **Breech birth**

Breech birth concerns breech birth; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Brief resolved unexplained event - BRUE**

Brief resolved unexplained event - BRUE concerns brief resolved unexplained event - brue; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Bringing your child to visit a very ill sibling**

Bringing your child to visit a very ill sibling concerns bringing your child to visit a very ill sibling; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Broad nasal bridge**

Broad nasal bridge concerns broad nasal bridge; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Broken bone**

Broken bone concerns broken bone; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Broken collarbone - aftercare**

Broken collarbone - aftercare addresses recovery from broken collarbone - aftercare, including activity, medicines, warning signs, and follow-up.

**Synonyms:**

### **Broken kneecap - aftercare**

Broken kneecap - aftercare addresses recovery from broken kneecap - aftercare, including activity, medicines, warning signs, and follow-up.

**Synonyms:**

### **Broken or dislocated jaw**

Broken or dislocated jaw concerns broken or dislocated jaw; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Broken or knocked out tooth**

Broken or knocked out tooth concerns broken or knocked out tooth; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Broken toe - self-care**

Broken toe - self-care addresses recovery from broken toe - self-care, including activity, medicines, warning signs, and follow-up.

**Synonyms:**

### **Brompheniramine overdose**

Brompheniramine overdose involves toxic exposure to brompheniramine overdose; dose, route, timing, symptoms, and antidote availability guide the clinical response.

---

**Synonyms:**

### **Bronchiolitis - discharge**

Bronchiolitis - discharge addresses recovery from bronchiolitis - discharge, including activity, medicines, warning signs, and follow-up.

**Synonyms:**

### **Bronchoscopic culture**

Bronchoscopic culture examines respiratory specimens collected through bronchoscopy for bacteria, fungi, or mycobacteria when ordinary samples are inadequate.

**Synonyms:**

### **Bronchoscopy - aftercare**

Bronchoscopy aftercare includes observation for breathing difficulty, bleeding, fever, chest pain, and swallowing recovery after an airway examination or sampling procedure.

**Synonyms:**

### **Brown recluse spider**

Brown recluse spider concerns brown recluse spider; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Bruised rib care**

Bruised rib care is the presentation described by bruised rib care; onset, severity, associated findings, causes, and need for care guide assessment.

**Synonyms:**

### **Brushing Your Child's Teeth**

Brushing Your Child's Teeth concerns brushing your child's teeth; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Bubble bath soap poisoning**

Bubble bath soap poisoning involves toxic exposure to bubble bath soap poisoning; dose, route, timing, symptoms, and antidote availability guide the

clinical response.

**Synonyms:**

### **Buccal smear**

Buccal smear evaluates buccal smear; interpretation uses the method, specimen or body region, reference range, and clinical question.

**Synonyms:**

### **Bug repellent safety**

Bug repellent safety focuses on preventing or responding to bug repellent safety, including risk reduction and signs requiring urgent help.

**Synonyms:**

### **Bug spray poisoning**

Bug spray poisoning involves toxic exposure to bug spray poisoning; dose, route, timing, symptoms, and antidote availability guide the clinical response.

**Synonyms:**

### **BUN - blood test**

BUN - blood test evaluates bun - blood test; interpretation uses the method, specimen or body region, reference range, and clinical question.

**Synonyms:**

### **Bunion removal**

Bunion removal treats or supports bunion removal; indication, preparation, complications, and recovery depend on the procedure and patient.

**Synonyms:**

### **Bunion removal - discharge**

Bunion removal - discharge treats or supports bunion removal - discharge; indication, preparation, complications, and recovery depend on the procedure and patient.

**Synonyms:**

### **Burns - resources**

Burns - resources summarizes care planning for burns - resources, including options, safety, support, and questions for a clinician.

---

**Synonyms:**

### **Bursitis of the heel**

Heel bursitis is inflammation of a fluid-filled bursa near the heel, producing localized tenderness and pain with pressure or walking.

**Synonyms:**

### **Butazolidin overdose**

Butazolidin overdose involves toxic exposure to butazolidin overdose; dose, route, timing, symptoms, and antidote availability guide the clinical response.

**Synonyms:**

### **Butter, margarine, and cooking oils**

Butter, margarine, and cooking oils concerns butter, margarine, and cooking oils; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Button batteries**

Button batteries concerns button batteries; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

### **Buying and caring for baby bottles and nipples**

Buying and caring for baby bottles and nipples concerns buying and caring for baby bottles and nipples; defining findings, causes, severity, and management depend on the affected system and patient.

**Synonyms:**

## C

### C-Peptide

A peptide released in equimolar amounts with endogenous insulin when proinsulin is cleaved. Measurement helps estimate endogenous beta-cell insulin secretion and distinguish endogenous from injected insulin, with interpretation affected by renal function and glucose level.

**Synonyms:**

### C. diff

Alternate index label; see *C. difficile infection*. **Synonyms:**

### C. difficile colitis

Alternate index label; see *Pseudomembranous colitis*. **Synonyms:**

### Cancer of unknown origin

Alternate index label; see *Carcinoma of unknown primary*. **Synonyms:**

### Cancer, carcinoid tumors

Alternate index label; see *Carcinoid tumors*. **Synonyms:**

### Cancer, chronic lymphocytic leukemia

Alternate index label; see *Chronic lymphocytic leukemia*. **Synonyms:**

### Cancer, chronic myelogenous leukemia

Alternate index label; see *Chronic myelogenous leukemia*. **Synonyms:**

### Cancer, colon

Alternate index label; see *Colon cancer*. **Syn-**

**onyms:**

### Cancer, endometrial

Alternate index label; see *Endometrial cancer*. **Synonyms:**

### Cancer, esophageal

Alternate index label; see *Esophageal cancer*. **Synonyms:**

### Cancer, eye melanoma

Alternate index label; see *Eye melanoma*. **Synonyms:**

### Cancer, floor of the mouth

Alternate index label; see *Floor of the mouth cancer*. **Synonyms:**

### Cancer, gallbladder

Alternate index label; see *Gallbladder cancer*. **Synonyms:**

### Cancer, gastric

Alternate index label; see *Stomach cancer*. **Synonyms:**

### Cancer, hairy cell leukemia

Alternate index label; see *Hairy cell leukemia*. **Synonyms:**

### Cancer, Hodgkin lymphoma

Alternate index label; see *Hodgkin lymphoma (Hodgkin disease)*. **Synonyms:**

---

**Cancer, Hurthle cell**

Alternate index label; see *Hurthle cell cancer*. **Synonyms:**

**Cancer, inflammatory breast**

Alternate index label; see *Inflammatory breast cancer*. **Synonyms:**

**Cancer, kidney**

Alternate index label; see *Kidney cancer*. **Synonyms:**

**Cancer, liver**

Alternate index label; see *Liver cancer*. **Synonyms:**

**Cancer, lung**

Alternate index label; see *Lung cancer*. **Synonyms:**

**Cancer, Merkel cell**

Alternate index label; see *Merkel cell carcinoma*. **Synonyms:**

**Cancer, mouth**

Alternate index label; see *Mouth cancer*. **Synonyms:**

**Cancer, multiple myeloma**

Alternate index label; see *Multiple myeloma*. **Synonyms:**

**Cancer, nasopharyngeal**

Alternate index label; see *Nasopharyngeal carcinoma*. **Synonyms:**

**Cancer, neuroblastoma**

Alternate index label; see *Neuroblastoma*. **Synonyms:**

**Cancer, neuroendocrine**

Alternate index label; see *Neuroendocrine tumors*. **Synonyms:**

**Cancer, non-Hodgkin lymphoma**

Alternate index label; see *Non-Hodgkin lymphoma*.

**Synonyms:**

**Cancer, ovarian**

Alternate index label; see *Ovarian cancer*. **Synonyms:**

**Cancer, pancreatic**

Alternate index label; see *Pancreatic cancer*. **Synonyms:**

**Cancer, paraneoplastic syndromes**

Alternate index label; see *Paraneoplastic syndromes of the nervous system*. **Synonyms:**

**Cancer, prostate**

Alternate index label; see *Prostate cancer*. **Synonyms:**

**Cancer, rectal**

Alternate index label; see *Rectal cancer*. **Synonyms:**

**Cancer, retinoblastoma**

Alternate index label; see *Retinoblastoma*. **Synonyms:**

**Cancer, skin**

Alternate index label; see *Skin cancer*. **Synonyms:**

**Cancer, soft tissue sarcoma**

Alternate index label; see *Soft tissue sarcoma*. **Synonyms:**

**Cancer, squamous cell**

Alternate index label; see *Squamous cell carcinoma of the skin*. **Synonyms:**

**Cancer, stomach**

Alternate index label; see *Stomach cancer*. **Synonyms:**

**Cancer, testicular**

Alternate index label; see *Testicular cancer*. **Synonyms:**

---

**Cancer, throat**

Alternate index label; see *Throat cancer*. **Synonyms:**

**Cancer, thyroid**

Alternate index label; see *Thyroid cancer*. **Synonyms:**

**Cancer, uterine**

Alternate index label; see *Endometrial cancer*. **Synonyms:**

**Cancer, vagina**

Alternate index label; see *Vaginal cancer*. **Synonyms:**

**Cancer, vulvar**

Alternate index label; see *Vulvar cancer*. **Synonyms:**

**Cancer, Wilms' tumor**

Alternate index label; see *Wilms tumor*. **Synonyms:**

**Candidiasis, oral**

Alternate index label; see *Oral thrush*. **Synonyms:**

**Candidiasis, vaginal**

Alternate index label; see *Yeast infection (vaginal)*. **Synonyms:**

**Carbuncles and boils**

Alternate index label; see *Boils and carbuncles*. **Synonyms:**

**Cardiac arrest, sudden**

Alternate index label; see *Sudden cardiac arrest*. **Synonyms:**

**Cardiac ischemia**

Alternate index label; see *Myocardial ischemia*. **Synonyms:**

**Cardiomyopathy, dilated**

Alternate index label; see *Dilated cardiomyopathy*. **Synonyms:**

**Cardiomyopathy, hypertrophic**

Alternate index label; see *Hypertrophic cardiomyopathy*. **Synonyms:**

**Carotid artery stenosis**

Alternate index label; see *Carotid artery disease*. **Synonyms:**

**Carotid insufficiency**

Alternate index label; see *Carotid artery disease*. **Synonyms:**

**CAS**

Alternate index label; see *Childhood apraxia of speech*. **Synonyms:**

**Central neurofibromatosis**

Alternate index label; see *NF2-related schwannomatosis (neurofibromatosis type 2)*. **Synonyms:**

**Cercarial dermatitis**

Alternate index label; see *Swimmer's itch*. **Synonyms:**

**Cerebral embolism**

Alternate index label; see *Embolic stroke (brain embolism)*. **Synonyms:**

**Cervical osteoarthritis**

Alternate index label; see *Cervical spondylosis*. **Synonyms:**

**Cervical pain**

Alternate index label; see *Neck pain*. **Synonyms:**

**CF**

Alternate index label; see *Cystic fibrosis*. **Synonyms:**



---

**CHD**

Alternate index label; see *Hip dysplasia*. **Synonyms:**

**Chemical dependency**

Alternate index label; see *Drug addiction (substance use disorder)*. **Synonyms:**

**Chest wall pain**

Alternate index label; see *Costochondritis*. **Synonyms:**

**Child maltreatment**

Alternate index label; see *Child abuse*. **Synonyms:**

**Cholangitis, primary sclerosing**

Alternate index label; see *Primary sclerosing cholangitis (PSC)*. **Synonyms:**

**Chorea, Huntington's**

Alternate index label; see *Huntington's disease*. **Synonyms:**

**Chronic acid reflux**

Alternate index label; see *Gastroesophageal reflux disease (GERD)*. **Synonyms:**

**Chronic adrenal insufficiency**

Alternate index label; see *Addison's disease*. **Synonyms:**

**Chronic compartment syndrome**

Alternate index label; see *Chronic exertional compartment syndrome*. **Synonyms:**

**Chronic kidney failure**

Alternate index label; see *Chronic kidney disease*. **Synonyms:**

**Chronic lymphocytic thyroiditis**

Alternate index label; see *Hashimoto's disease*. **Synonyms:**

**Chronic renal failure**

Alternate index label; see *Chronic kidney disease*. **Synonyms:**

**Chronic vulvar pain**

Alternate index label; see *Vulvodynia*. **Synonyms:**

**CJD**

Alternate index label; see *Creutzfeldt-Jakob disease*. **Synonyms:**

**Click-murmur syndrome**

Alternate index label; see *Mitral valve prolapse*. **Synonyms:**

**CLL**

Alternate index label; see *Chronic lymphocytic leukemia*. **Synonyms:**

**Cold allergy**

Alternate index label; see *Cold urticaria*. **Synonyms:**

**Cold exposure**

Alternate index label; see *Hypothermia*. **Synonyms:**

**Cold, common**

Alternate index label; see *Common cold*. **Synonyms:**

**Colitis, ischemic**

Alternate index label; see *Ischemic colitis*. **Synonyms:**

**Colitis, microscopic**

Alternate index label; see *Microscopic colitis*. **Synonyms:**

**Colitis, pseudomembranous**

Alternate index label; see *Pseudomembranous colitis*. **Synonyms:**

---

**Colitis, ulcerative**

Alternate index label; see *Ulcerative colitis*. **Synonyms:**

**Collapsed arch**

Alternate index label; see *Flatfeet*. **Synonyms:**

**Columnar epithelium lined lower esophagus**

Alternate index label; see *Barrett's esophagus*. **Synonyms:**

**Complicated bereavement**

Alternate index label; see *Complicated grief*. **Synonyms:**

**Compressed nerve**

Alternate index label; see *Pinched nerve*. **Synonyms:**

**Compulsive overeating**

Alternate index label; see *Binge-eating disorder*. **Synonyms:**

**Compulsive stealing**

Alternate index label; see *Kleptomania*. **Synonyms:**

**Condylomata acuminata**

Alternate index label; see *Genital warts*. **Synonyms:**

**Congenital biliary atresia**

Alternate index label; see *Biliary atresia*. **Synonyms:**

**Congenital plagiocephaly**

Alternate index label; see *Craniosynostosis*. **Synonyms:**

**Conversion disorder**

Alternate index label; see *Functional neurologic disorder/conversion disorder*. **Synonyms:**

**Cooley's anemia**

Alternate index label; see *Thalassemia*. **Synonyms:**

**Coronary microvascular disease**

Alternate index label; see *Small vessel disease*. **Synonyms:**

**Costosternal chondrodynia**

Alternate index label; see *Costochondritis*. **Synonyms:**

**Costosternal syndrome**

Alternate index label; see *Costochondritis*. **Synonyms:**

**COVID-19**

Alternate index label; see *Coronavirus disease 2019 (COVID-19)*. **Synonyms:**

**Crabs**

Alternate index label; see *Pubic lice (crabs)*. **Synonyms:**

**Cramp, muscle**

Alternate index label; see *Muscle cramp*. **Synonyms:**

**Cramps, menstrual**

Alternate index label; see *Menstrual cramps*. **Synonyms:**

**Crib death**

Alternate index label; see *Sudden infant death syndrome (SIDS)*. **Synonyms:**

**Cyst, Bartholin's**

Alternate index label; see *Bartholin's cyst*. **Synonyms:**

**Cyst, ganglion**

Alternate index label; see *Ganglion cyst*. **Synonyms:**

---

### Cyst, kidney

Alternate index label; see *Kidney cysts*. **Synonyms:**

### Cyst, ovarian

Alternate index label; see *Ovarian cysts*. **Synonyms:**

### Cyst, pancreatic

Alternate index label; see *Pancreatic cysts*. **Synonyms:**

### Cyst, pilonidal

Alternate index label; see *Pilonidal cyst*. **Synonyms:**

### Cyst, spermatic

Alternate index label; see *Spermatocele*. **Synonyms:**

### Cystitis, interstitial

Alternate index label; see *Interstitial cystitis*. **Synonyms:**

### Cysts, epidermoid

Alternate index label; see *Epidermoid cysts*. **Synonyms:**

### Cysts, sebaceous

Alternate index label; see *Epidermoid cysts*. **Synonyms:**

### C-Reactive Protein

An acute-phase reactant produced by the liver in response to inflammation (IL-6). CRP rises within 4-6 hours of inflammatory stimulus and peaks at 36-50 hours. Uses: monitoring inflammatory disease activity (RA, vasculitis), detecting infection post-operatively, and cardiovascular risk stratification (hs-CRP: high-sensitivity).

**Synonyms:**

### C-Section

Cesarean section, surgical delivery of a fetus through incisions in the abdominal wall and uterus.

**Synonyms:**

### C. difficile

*Clostridioides difficile*, a gram-positive, spore-forming bacterium that causes antibiotic-associated diarrhea and colitis. *C. difficile* produces toxins A and B that cause colonic inflammation. Risk factors include antibiotic exposure, proton pump inhibitor use, and advanced age. Treatment includes vancomycin or fidaxomicin.

**Synonyms:**

### C282Y Mutation

Most common genetic cause of hereditary hemochromatosis, a C to T transition in the HFE gene resulting in cysteine to tyrosine substitution at position 282. Homozygosity occurs in approximately one in two hundred individuals of Northern European descent.

**Synonyms:**

### CA 19-9

A blood marker that may be elevated in pancreatic and other gastrointestinal cancers as well as in benign biliary or inflammatory conditions. It is not sufficiently specific for cancer screening or diagnosis by itself.

**Synonyms:**

### CA-125

A blood marker used mainly to assess some ovarian cancers and to monitor selected patients. It can also rise in benign gynecologic, inflammatory, liver, and other malignant conditions, so it is not sufficient by itself to screen for or diagnose ovarian cancer.

**Synonyms:**

### CA125

Cancer Antigen 125, a protein tumor marker used primarily in the evaluation of ovarian cancer.

**Synonyms:**

### CABG (Coronary Artery Bypass Grafting)

Open heart surgery to bypass stenotic coronary

---

arteries using autologous grafts. On-pump: cardiopulmonary bypass, cardioplegic arrest. Off-pump (OPCAB): beating heart, no bypass machine.

**Synonyms:** Coronary Artery Bypass Grafting

### **Cabot Ring**

A threadlike or ring-shaped inclusion in a red blood cell, sometimes seen in severe anemia or disorders of erythropoiesis. It represents residual nuclear material or mitotic spindle remnants.

**Synonyms:**

### **Cachexia**

A multifactorial syndrome of involuntary weight loss, skeletal-muscle wasting, and systemic inflammation associated with chronic diseases such as cancer, heart failure, COPD, and advanced kidney disease.

**Synonyms:**

### **Cacosmia**

A distorted or unpleasant perception of smell, in which odors may seem foul or disagreeable. It can occur with sinonasal disease, infection, seizures, trauma, or other neurologic disorders.

**Synonyms:**

### **Cadaver**

A dead human body used for anatomical dissection, surgical training, and medical research. Cadavers are preserved through embalming (arterial injection of formaldehyde-based fixatives) to prevent decomposition and maintain tissue integrity.

**Synonyms:**

### **Cadaveric Spasm**

Rare form of instantaneous post-mortem stiffening of a specific group of voluntary muscles at the exact moment of death, without an intervening period of muscle relaxation.

**Synonyms:**

### **Caecitis**

Inflammation of the cecum. Causes include infection, inflammatory bowel disease, ischemia, neu-

tropenic enterocolitis, and extension of adjacent inflammatory disease.

**Synonyms:**

### **Caecopexy**

Surgical fixation of the cecum to the abdominal wall or retroperitoneum, performed to prevent or treat abnormal cecal mobility or recurrent cecal volvulus.

**Synonyms:**

### **Caecostomy**

Surgical creation of an opening from the cecum to the abdominal wall for decompression or diversion of intestinal contents. It may be temporary or part of treatment for selected distal obstruction.

**Synonyms:**

### **Caecotomy**

Surgical incision into the cecum, usually to remove a foreign body, access the bowel, or facilitate another abdominal procedure.

**Synonyms:**

### **Caesarean Birth**

An operative procedure in which a baby is delivered through an incision in the abdominal wall and uterus. Indications: fetal distress, failure to progress in labor, breech presentation, placenta praevia, multiple pregnancy, previous cesarean, and maternal request.

**Synonyms:**

### **Cafe-au-lait Macules**

Flat, uniformly hyperpigmented, light-brown to dark-brown (cafe-au-lait, "coffee with milk") macules, > 5 mm in prepubertal children or > 15 mm in postpubertal individuals.

**Synonyms:**

### **Caffeine**

A naturally occurring xanthine alkaloid and central nervous system stimulant found in coffee, tea, chocolate, and many soft drinks and energy beverages. Mechanism: adenosine receptor antagonist (primarily A1 and A2A subtypes), increasing neu-

---

ronal activity and promoting catecholamine release.

**Synonyms:**

### **Caffeine Withdrawal**

A syndrome occurring after abrupt cessation or reduction of caffeine use. Symptoms include headache, fatigue, depressed mood, difficulty concentrating, and flu-like symptoms. Onset is typically 12–24 hours after last caffeine intake, peak at 20–51 hours, and duration of 2–9 days.

**Synonyms:**

### **Café au Lait Spot**

A flat, sharply demarcated, light-brown skin macule caused by increased melanin. Multiple lesions may be a feature of neurofibromatosis type 1 or other genetic disorders.

**Synonyms:**

### **Caisson Disease**

Decompression sickness caused by formation of inert-gas bubbles after a rapid reduction in ambient pressure. It can cause joint pain, neurologic injury, respiratory symptoms, or circulatory collapse.

**Synonyms:**

### **Calcaneus**

Largest tarsal bone forming the heel. Articulates with talus proximally and cuboid anteriorly. Lever for the calf muscles via the Achilles tendon on its posterior tuberosity. Predominantly trabecular bone, the most commonly fractured tarsal bone from falls from height. Bohler's angle assesses fractures on lateral radiographs.

**Synonyms:**

### **Calciferol**

Vitamin D is a fat-soluble vitamin (actually a pro-hormone) essential for calcium and phosphorus homeostasis and bone health. See Vitamin D: Calcitriol.

**Synonyms:**

### **Calcific Uremic Arteriolopathy**

A rare disorder, usually associated with advanced

kidney disease, in which small blood vessels calcify and cause painful skin and soft-tissue injury or necrosis.

**Synonyms:**

### **Calcification**

Calcification is abnormal deposition of calcium salts in tissue; its significance depends on the site, pattern, underlying injury, and associated disease. calcium or phosphate metabolism is abnormal.

**Synonyms:**

### **Calcinosis**

Cutaneous calcinosis, the deposition of insoluble calcium phosphate salts within the skin and subcutaneous tissues, occurring in connective tissue diseases such as scleroderma and dermatomyositis, or as a localized phenomenon. Lesions present as firm, white, subcutaneous nodules that may ulcerate and extrude chalky material.

**Synonyms:**

### **Calcinosis**

The pathological deposition of calcium salts in cutaneous and subcutaneous tissues, presenting as firm, white to yellowish nodules or plaques that may ulcerate and extrude chalky material.

**Synonyms:**

### **Calciphylaxis**

Calcific uremic arteriopathy causing painful skin necrosis in CKD. Risk factors include warfarin use, elevated calcium-phosphorus product, and obesity. High mortality rate. Treat with sodium thiosulfate, wound care, and discontinuation of warfarin. Avoid calcium-based binders.

**Synonyms:**

### **Calcitonin**

A 32-amino-acid peptide hormone secreted by the parafollicular C-cells of the thyroid gland in response to elevated serum calcium. It lowers blood calcium by inhibiting osteoclast-mediated bone resorption and increasing renal calcium excretion.

**Synonyms:**

---

## Calcitriol and Analogues

Active vitamin D forms suppressing PTH. Calcitriol, paricalcitol, doxercalciferol. Monitor calcium and phosphorus to avoid hypercalcemia and hyperphosphatemia. Part of CKD-MBD management.

**Synonyms:**

## Calcium

A mineral and intracellular second messenger required for bone mineralization, muscle contraction, neurotransmitter release, blood coagulation, and enzyme regulation. Plasma calcium is present as ionized, protein-bound, and complexed fractions.

**Synonyms:**

## Calcium Blood Test

Measurement of calcium in the blood, usually reported as total calcium and interpreted with albumin; ionized calcium may be measured directly when the biologically active fraction is needed. It helps evaluate parathyroid disorders, bone disease, kidney disease, and abnormal calcium levels.

**Synonyms:**

## Calcium Channel Blocker Overdose

Toxic exposure to a calcium-channel blocker that may cause low blood pressure, slow heart rate, conduction abnormalities, high blood glucose, or shock. It requires urgent medical and poison-control management.

**Synonyms:**

## Calcium Channel Blockers

Agents that block L-type calcium channels, reducing calcium influx into cardiac and smooth muscle cells. Dihydropyridines (amlodipine, nifedipine) cause vasodilation and are used for hypertension and angina.

**Synonyms:**

## Calcium phosphate

The principal mineral constituent of bone and teeth, existing as hydroxyapatite crystals. In pathological states, calcium phosphate deposits form in soft tissues through dystrophic calcification in damaged tissue or metastatic calcification in hypercalcemic

conditions.

**Synonyms:**

## Calcium Pyrophosphate Arthritis

Acute or chronic inflammatory arthritis caused by deposition of calcium pyrophosphate crystals in cartilage and joints. Acute attacks, often called pseudogout, commonly affect the knee or wrist and are diagnosed by identifying weakly positively birefringent crystals in synovial fluid.

**Synonyms:**

## Calcium Pyrophosphate Deposition Disease

A crystal arthropathy caused by deposition of calcium pyrophosphate dihydrate crystals in articular cartilage (chondrocalcinosis). Presents with acute pseudogout (most common): acute monoarticular inflammation of the knee or wrist, mimicking gout but less painful.

**Synonyms:**

## Calcium Sensing Receptor

G-protein coupled receptor expressed primarily on parathyroid glands and renal tubular cells that senses extracellular ionized calcium levels. On parathyroid glands activation suppresses PTH secretion. On renal tubular cells activation increases calcium excretion and decreases phosphate reabsorption.

**Synonyms:**

## Calcium Stones

Most common kidney stone type composed of calcium oxalate or calcium phosphate. Risk factors include hypercalciuria, hyperoxaluria, hypocitraturia, and low urine volume. Treat with thiazides for hypercalciuria, dietary modification, and hydration. Potassium citrate for hypocitraturia.

**Synonyms:**

## Calculus (Tartar)

Mineralized dental plaque. Cannot be removed by brushing. Requires professional scaling. Retains plaque, promotes inflammation.



---

**Synonyms:** Tartar

### **Calculus Removal**

Professional cleaning to remove hardened plaque. Scaling and root planing. Ultrasonic and hand instruments.

**Synonyms:**

### **Caldwell-Luc Operation**

A surgical approach to the maxillary sinus through the canine fossa of the anterior maxilla. It is used selectively for access to maxillary sinus disease, lesions, or foreign bodies.

**Synonyms:**

### **Caloric Restriction**

Reduced calorie intake without malnutrition. Associated with longevity, reduced chronic disease risk. Requires careful planning.

**Synonyms:**

### **Calorie**

A unit of energy measurement used in nutrition to quantify the energy content of foods and energy expenditure of the body. One kilocalorie (kcal, commonly called a Calorie with capital C) equals the energy required to raise 1 kilogram of water by 1 degree Celsius.

**Synonyms:** a Calorie.

### **Cambridge Classification**

ERCP-based grading system for chronic pancreatitis severity evaluating the main pancreatic duct, branches, and common bile duct. Normal pancreas shows smooth duct without abnormalities. Equivocal shows fewer than three abnormal side branches. Mild shows three or more abnormal side branches. Moderate shows abnormal main duct.

**Synonyms:**

### **Cameron Lesions**

Linear gastric erosions or ulcers found on the mucosal folds at the diaphragmatic hiatus in patients with large hiatal hernias. They result from mechanical trauma as the gastric mucosa prolapses

through the diaphragmatic crura during respiration and movement.

**Synonyms:**

### **Campimetry**

Measurement and mapping of the visual field, usually by presenting stimuli at different locations while the patient maintains fixation. It helps detect and characterize defects from retinal, optic-nerve, or retrochiasmal disease.

**Synonyms:**

### **Camptocormia**

A marked forward flexion of the trunk that increases while standing or walking and improves when lying down. It can occur with axial myopathy, Parkinsonian disorders, dystonia, or other neuromuscular disease.

**Synonyms:**

### **Camptodactyly**

A congenital or acquired flexion deformity of one or more fingers, usually caused by shortening or abnormality of tendons, muscles, fascia, or joints. It often affects the proximal interphalangeal joints.

**Synonyms:**

### **Campylobacter Infection**

Bacterial gastroenteritis caused most often by *Campylobacter jejuni* or *C. coli*, usually acquired from contaminated poultry, food, water, or unpasteurized milk. It causes fever, abdominal cramps, and diarrhea that may be bloody and can rarely precede Guillain-Barre syndrome.

**Synonyms:**

### **Campylobacteriosis**

Infection caused by *Campylobacter* species, commonly producing fever, abdominal pain, and inflammatory diarrhea that may be bloody. Complications can include dehydration, bacteremia, reactive arthritis, or Guillain-Barré syndrome.

**Synonyms:**

---

### Canal of Schlemm

A circular endothelial-lined channel at the corneoscleral junction that drains aqueous humor from the anterior chamber into the episcleral venous circulation. Impaired outflow contributes to glaucoma.

**Synonyms:**

### Canalith Repositioning Maneuver

A series of head movements used to move displaced inner-ear crystals out of a semicircular canal, commonly to treat posterior-canal benign positional vertigo.

**Synonyms:**

### Canavan Disease

An autosomal-recessive leukodystrophy caused by aspartoacylase deficiency, leading to accumulation of N-acetylaspartate and progressive spongy degeneration of cerebral white matter. It typically presents in infancy with hypotonia followed by developmental impairment and macrocephaly.

**Synonyms:**

### Cancer

Cancer is uncontrolled growth of abnormal cells that can invade nearby tissue and spread to distant organs; behavior and treatment depend on its tissue of origin and molecular features. or spread to distant sites. Cancer may arise in any tissue and is classified by its site and cell type. Early detection and treatment improve outcomes.

**Synonyms:**

### Cancer Care Team

The multidisciplinary group of health professionals involved in cancer care, which may include oncologists, surgeons, radiologists, pathologists, nurses, pharmacists, rehabilitation specialists, psychologists, and palliative-care professionals.

**Synonyms:**

### Cancer Cell

A cell that has acquired genetic and epigenetic abnormalities allowing uncontrolled growth, impaired normal differentiation, resistance to cell death, in-

vasion of surrounding tissues, or spread to distant sites.

**Synonyms:**

### Cancer Genetics

Inherited cancer syndromes. Examples: BRCA1/2 (breast, ovarian), Lynch syndrome (colon), Li-Fraumeni (various).

**Synonyms:**

### Cancer Nutrition

Malnutrition common in cancer. Hypermetabolism, cachexia, treatment side effects. Nutritional support improves outcomes. High protein, high calorie.

**Synonyms:**

### Cancer of Unknown Primary

Metastatic cancer in which the primary site cannot be identified despite investigation. Workup includes histology, immunohistochemistry, and molecular profiling to guide treatment.

**Synonyms:**

### Cancer Pain

Pain caused by a tumor, its spread, or cancer treatment. It may be continuous or episodic and can involve bone, nerves, or internal organs. Management may include treating the cancer, non-opioid medicines, opioids, nerve-directed treatments, and supportive care.

**Synonyms:**

### Cancer Registry

System for collecting cancer data. Used for epidemiology, quality improvement, research.

**Synonyms:**

### Cancer Screening

Testing people without symptoms to detect certain cancers or precancerous changes early, when treatment may be more effective.

**Synonyms:**

---

### Cancer Staging

Classification of cancer extent. TNM system: T (tumor size/extent), N (nodal involvement), M (metastasis). Stages: 0 (in situ), I (early), II-III (advanced), IV (metastatic). Guides treatment and prognosis.

**Synonyms:**

### Cancer Surveillance

The systematic, ongoing collection and analysis of information about cancer incidence, stage, treatment, survival, recurrence, and mortality for patient follow-up, research, and public-health planning.

**Synonyms:**

### Cancer Survivor

Person living with cancer from diagnosis through end of life and beyond.

**Synonyms:**

### Cancer Susceptibility Genes

Genes in which inherited pathogenic variants increase a person's risk of developing one or more cancers. Examples include BRCA1, BRCA2, APC, and mismatch-repair genes; a susceptibility variant does not guarantee that cancer will develop.

**Synonyms:**

### Cancer Vaccine

A vaccine intended either to prevent cancer-causing infections or to stimulate an immune response against cancer cells. Preventive examples target oncogenic infections, while therapeutic vaccines are designed for selected established cancers.

**Synonyms:**

### Cancer-Associated Thrombosis

Venous or arterial thrombosis occurring in the setting of active malignancy or its treatment. Tumor biology, immobilization, surgery, central venous devices, and systemic therapy contribute to risk; anticoagulation is individualized according to bleeding risk and cancer factors.

**Synonyms:**

### Cancrum Oris

Noma, a rapidly destructive gangrenous infection of the mouth and face that occurs mainly in severely malnourished or immunocompromised children. It begins with gingival or mucosal necrosis and can extend through facial tissues.

**Synonyms:**

### Candida albicans infection

Infection caused by the yeast *Candida albicans*, ranging from mucosal disease to invasive bloodstream or organ infection in vulnerable patients.

**Synonyms:**

### Candida Auris

A multidrug-resistant yeast that can colonize skin and cause invasive bloodstream, wound, or ear infections, especially in hospitalized or immunocompromised patients. It spreads readily in healthcare settings and requires laboratory identification and strict infection-control measures.

**Synonyms:**

### Candidal Intertrigo

A *Candida* infection of skin folds (axillae, inframammary, inguinal, intergluteal, pannus) characterized by erythematous, macerated plaques with satellite pustules at the periphery. Most common in obese, diabetic, and immunocompromised patients, and with prolonged antibiotic use. Presents with itching, burning, and soreness.

**Synonyms:**

### Candidemia

The presence of *Candida* species in the bloodstream. It is an invasive fungal infection associated with intravascular devices, surgery, intensive care, immunosuppression, and substantial risk of organ dissemination.

**Synonyms:**

### Candidiasis

Fungal infection caused by *Candida* species, most commonly *C. albicans*. Mucocutaneous: oral thrush (white plaques on oral mucosa), esophagitis, vul-

---

vovaginitis (itching, discharge), and intertrigo. Invasive candidiasis: candidemia and deep organ infection, typically in immunocompromised or ICU patients. Diagnosis: culture, histopathology.

**Synonyms:**

### **Cane**

Walking aid for balance. Types: quad (four-base), single-point. Held on opposite side of injury.

**Synonyms:**

### **Canicola Fever**

A form of leptospirosis associated particularly with *Leptospira interrogans* serovar canicola. It may cause fever, headache, myalgia, conjunctival suffusion, and renal or hepatic involvement.

**Synonyms:**

### **Canker Sore**

A common aphthous ulcer of the oral mucosa, appearing as a painful, shallow, round or oval ulcer with an erythematous border. Most heal spontaneously, but recurrent, severe, or atypical ulcers require assessment.

**Synonyms:**

### **Cannabis Use Disorder**

A problematic pattern of cannabis use leading to significant impairment. Criteria include tolerance and withdrawal (irritability, anger, decreased appetite, restlessness, anxiety, sleep disturbance). Cannabis intoxication includes euphoria, impaired judgment, and time distortion.

**Synonyms:**

### **Cannot Intubate Cannot Oxygenate**

The most critical airway emergency — inability to intubate the trachea and inability to oxygenate the patient by face mask or supraglottic airway despite optimal efforts. CICO is a life-threatening situation requiring immediate surgical airway access. Signs: SpO<sub>2</sub> decreasing despite 100% O<sub>2</sub>, absent end-tidal CO<sub>2</sub>, no chest rise.

**Synonyms:**

### **Cannulation**

The insertion of a cannula into a blood vessel, body cavity, duct, or other anatomical passage to permit drainage, infusion, monitoring, sampling, or access for a procedure.

**Synonyms:**

### **Cantlie Line**

Functional liver division extending from the gallbladder fossa to the IVC, corresponding to the middle hepatic vein plane. Unlike the falciform ligament (anatomical division), it represents the true functional blood supply/biliary drainage division. Right hepatic artery and portal vein supply the right half; left supply the left.

**Synonyms:**

### **Capacity**

Autonomous voluntary authorization given by a competent patient to undergo a specific medical intervention, procedure, or clinical trial. See informed consent.

**Synonyms:**

### **Capacity and Competence**

Decision-making capacity is a clinical evaluation performed by a physician to determine whether a patient understands the nature, consequences, risks, and alternatives of a specific proposed medical decision at a given time.

**Synonyms:**

### **Capgras Syndrome**

A delusional misidentification syndrome in which a person believes that someone familiar has been replaced by an identical impostor. It can occur in neurodegenerative disease, psychosis, brain injury, or other neurologic conditions.

**Synonyms:**

### **Capillaroscopy**

Examination of the small vessels in the nail-fold or another accessible surface using magnification. It can reveal capillary dilation, hemorrhage, avascular areas, and abnormal architecture in connective-

---

tissue and microvascular disease.

**Synonyms:**

### Capillary

The smallest blood vessel in the body, forming a microscopic network (capillary bed) that connects arterioles to venules.

**Synonyms:**

### Capillary Bed

A network of interconnected capillaries that links arterioles to venules within a tissue. It provides a large surface area for exchange of oxygen, carbon dioxide, nutrients, hormones, and metabolic waste between blood and interstitial fluid.

**Synonyms:**

### Capillary Leak Syndrome

A disorder of increased capillary permeability in which plasma and proteins move from the intravascular space into surrounding tissues. It may cause hypotension, haemoconcentration, hypoalbuminaemia, oedema, and shock; causes include severe infection, immune-mediated disease, toxins, and rare idiopathic episodes.

**Synonyms:**

### Capillary Refill

A bedside assessment of peripheral perfusion performed by briefly pressing a nail bed or skin and measuring the time for normal color to return. Delayed refill may indicate poor circulation, shock, hypothermia, or vascular disease.

**Synonyms:**

### Capillary Refill Time

The time required for color to return after pressure briefly blanches a nail bed or area of skin. A delayed result may suggest impaired peripheral perfusion, but interpretation depends on age, temperature, technique, and the clinical setting.

**Synonyms:**

### Capitate

Largest carpal bone, centrally located in the distal

row as the carpal keystone. Rounded head articulates with scaphoid and lunate; distal surface with the third metacarpal. Last carpal bone to ossify. Wrist joint axis, bearing significant axial load. Avascular necrosis may occur with fractures similar to scaphoid injuries.

**Synonyms:**

### Capnocytophaga canimorsus

A Gram-negative, capnophilic bacillus found in the oral flora of dogs and cats that causes severe sepsis, meningitis, and cellulitis in humans, particularly the immunocompromised, asplenic, or elderly. Infection typically follows dog or cat bites. It is a fastidious organism requiring prolonged incubation for culture.

**Synonyms:**

### Capnography

Continuous measurement and graphical display of exhaled carbon dioxide during anesthesia and sedation. The waveform and end-tidal value help assess ventilation, airway patency, circulation, and confirmation of tracheal tube placement.

**Synonyms:**

### Capsular Contracture

Abnormal tightening and hardening of the fibrous capsule around an implanted device, especially a breast implant. It may cause pain, distortion, firmness, or displacement.

**Synonyms:**

### Capsule Endoscopy

Non-invasive diagnostic technique using a swallowable wireless endoscopic device to capture images of the small intestinal mucosa. The capsule contains a miniature video camera and transmitter that sends images to a receiver worn on the patient's belt.

**Synonyms:**

### Capsule of Glisson

The connective-tissue capsule surrounding the liver, which sends fibrous septa inward along portal tracts and supports the organ's vessels, ducts, and nerves.

**Synonyms:**

---

### Capsule of Tenon

A fascial sheath surrounding the globe of the eye and separating it from orbital fat. It contributes to eye movement and forms a potential space used in some ophthalmic procedures.

**Synonyms:**

### Capsulectomy

Surgical removal of part or all of a fibrous capsule surrounding an organ, implant, or other structure. The indication depends on contracture, infection, pathology, or the need to revise a reconstruction.

**Synonyms:**

### Caput Medusae

Dilated periumbilical veins radiating outward from the umbilicus, seen in portal hypertension with recanalization of the umbilical vein. Not strictly a cardiac finding but relevant in right heart failure causing hepatic congestion and portal hypertension. It must be distinguished from caval collateral circulation.

**Synonyms:**

### Caput Succedaneum

Edema of the scalp presenting as a soft, boggy swelling that crosses suture lines. Caused by pressure of the vaginal walls on the fetal head during labor. Resolves within hours to days. Differentiated from cephalohematoma (subperiosteal, does not cross suture lines) and subgaleal hemorrhage (life-threatening, crosses suture lines).

**Synonyms:**

### CAR T-Cell

Chimeric antigen receptor T-cells. Engineered immune cells targeting cancer.

**Synonyms:**

### Carbapenem-Resistant Enterobacteriaceae Infection

Infection caused by Enterobacteriaceae bacteria resistant to carbapenem antibiotics, often involving the urinary tract, lungs, bloodstream, or wounds. These infections are difficult to treat and may spread

in healthcare settings. Culture and susceptibility testing guide therapy, with strict infection-control measures needed to prevent transmission.

**Synonyms:**

### Carbapenem-resistant organisms

Bacteria that are resistant to carbapenem antibiotics, typically through production of carbapenemases. The most important carbapenemases include KPC (Klebsiella pneumoniae carbapenemase), NDM (New Delhi metallo-beta-lactamase), and OXA-48-like enzymes. CRO are a major public health threat due to limited treatment options.

**Synonyms:**

### Carbidopa

A peripheral dopa decarboxylase inhibitor that does not cross the blood-brain barrier; combined with levodopa to prevent its peripheral conversion to dopamine, reducing side effects (nausea, hypotension) and increasing CNS levodopa delivery.

**Synonyms:**

### Carbohydrate

A class of organic compounds composed of carbon, hydrogen, and oxygen (general formula  $C_m(H_2O)_n$ ), serving as the primary energy source for the body.

**Synonyms:**

### Carbohydrate Counting

Method for diabetes management. Matching insulin to carbohydrate intake. Education essential.

**Synonyms:**

### Carbolic Acid (Phenol)

An aromatic organic compound ( $C_6H_5OH$ ) with antiseptic, disinfectant, and caustic properties. Historically significant as the first surgical antiseptic introduced by Joseph Lister in 1867, dramatically reducing post-operative infection and mortality. Mechanism: denatures bacterial proteins and disrupts cell membranes.

**Synonyms:** Phenol



---

### Carbon Dioxide Absorber

A safety device used in anesthesia breathing circuits that filters out carbon dioxide from a patient's exhaled breath, allowing the remaining anesthetic gases to be safely recycled and rebreathed.

**Synonyms:**

### Carbon Dioxide Transport

The movement of CO<sub>2</sub> from tissues to lungs. CO<sub>2</sub> is carried in blood in three forms: dissolved (approximately 10 percent), bound to hemoglobin as carbamino compounds (approximately 20 percent), and as bicarbonate (approximately 70 percent).

**Synonyms:**

### Carbon Ion Therapy

Radiation using carbon ions. Higher biological effectiveness. Limited availability.

**Synonyms:**

### Carbon Monoxide Poisoning

Inhibits hemoglobin oxygen binding (affinity 200x oxygen). Causes headache, dizziness, nausea, cherry-red skin, syncope, death. Diagnosis: carboxyhemoglobin level (not routine). Treatment: 100% oxygen, hyperbaric oxygen if severe (neurological symptoms, COHb >25%, pregnancy).

**Synonyms:**

### Carbonic Anhydrase Inhibitors

Medicines that inhibit carbonic anhydrase and reduce formation of aqueous humor. They are used mainly to lower intraocular pressure and, in some circumstances, to treat edema or metabolic disorders.

**Synonyms:**

### Carboxyhemoglobin

Toxicity from inhalation of carbon monoxide (CO), a colorless, odorless gas binding hemoglobin 200-300 times more avidly than oxygen, forming carboxyhemoglobin (COHb) and reducing oxygen delivery. See carbon monoxide poisoning.

**Synonyms:**

### Carbuncle

Carbuncle concerns carbuncle; its medical significance is established from the defining features, setting, associated findings, and clinical question. aureus (usually MRSA), forming a larger, swollen, erythematous, painful mass with multiple draining sinuses, most often on the neck, back, or thighs; more serious than a furuncle, commonly with fever, malaise, and systemic infection.

**Synonyms:**

### Carcinogen

Substance causing cancer. Types: chemical (benzene, asbestos, aflatoxin), physical (radiation), biological (HPV, HBV, HCV). Mechanisms: DNA damage, mutations, epigenetic changes. IARC classifications: Group 1 (carcinogenic), Group 2A (probably carcinogenic), Group 2B (possibly carcinogenic), Group 3 (not classifiable).

**Synonyms:**

### Carcinoid Heart Disease

Cardiac complication of carcinoid syndrome occurring in approximately fifty percent of patients with hepatic metastases. Serotonin and other vasoactive substances bypass hepatic metabolism and cause endocardial fibrosis affecting the right-sided heart valves particularly the tricuspid and pulmonary valves.

**Synonyms:**

### Carcinoid Syndrome

Serotonin-secreting neuroendocrine tumor causing flushing, diarrhea, bronchospasm, and right-sided heart disease. Occurs when vasoactive substances bypass hepatic metabolism through venous drainage or liver metastases. Diagnosis is with twenty-four hour urine 5-hydroxyindoleacetic acid or serum chromogranin A.

**Synonyms:**

### Carcinoid Tumor

Carcinoid tumors are well-differentiated neuroendocrine neoplasms that arise from enterochromaffin cells throughout the gastrointestinal tract and bronchial system. The most common primary sites

---

are the appendix, small intestine, and rectum.

**Synonyms:**

### **Carcinoma**

Malignant tumor of epithelial origin. Types: squamous cell carcinoma, adenocarcinoma, basal cell carcinoma, transitional cell carcinoma. Most common cancer type (80-90% of malignancies). Examples: lung carcinoma, breast carcinoma, colon carcinoma.

**Synonyms:**

### **Carcinoma en cuirasse**

An unusual form of breast cancer characterized by diffuse, firm, indurated skin that resembles armor. It results from extensive dermal lymphatic invasion by tumor cells.

**Synonyms:**

### **Carcinoma in Situ**

Full-thickness dysplasia without invasion through basement membrane. Stage 0 cancer.

**Synonyms:**

### **Carcinosarcoma**

A malignant tumor containing both carcinomatous and sarcomatous elements, most commonly of the uterus (malignant mixed Müllerian tumor), with an aggressive course.

**Synonyms:**

### **Cardiac allograft**

A donor heart transplanted into a recipient with end-stage heart failure. The procedure requires lifelong immunosuppression to prevent rejection. Complications include rejection, cardiac allograft vasculopathy, infection, and malignancy; monitored by endomyocardial biopsy and echocardiography.

**Synonyms:**

### **Cardiac Amyloidosis**

Deposition of amyloid protein in the heart, causing stiff ventricular walls, impaired filling, arrhythmias, or heart failure. Important types include immunoglobulin light-chain (AL) and transthyretin (ATTR) amyloidosis; treatment depends on the type

and organ involvement.

**Synonyms:**

### **Cardiac Amyloidosis Diagnosis**

Diagnosis involves a combination of clinical suspicion, imaging, and tissue biopsy. Non-invasive diagnosis using Tc-99m pyrophosphate (PYP) or DPD scintigraphy for ATTR cardiac amyloidosis (with negative serum/urine free light chains to exclude AL amyloidosis).

**Synonyms:**

### **Cardiac Amyloidosis Staging**

Mayo Clinic staging system for ATTR cardiac amyloidosis: Stage I (NT-proBNP <3000 pg/mL), Stage II (NT-proBNP 3000-8499), Stage III (NT-proBNP ≥8500). Median survival: Stage I: 69 months, Stage II: 47 months, Stage III: 14 months. Treatment with tafamidis (TTR stabilizer) improves survival and functional capacity.

**Synonyms:**

### **Cardiac Arrest**

Sudden loss of effective heart pumping, causing unresponsiveness, absent normal breathing, and no detectable pulse. Initial rhythms may be shockable or nonshockable; treatment requires immediate cardiopulmonary resuscitation, defibrillation when indicated, and advanced resuscitation care.

**Synonyms:**

### **Cardiac Arrest Survival**

Outcome after cardiac arrest depends on the cause, location, initial rhythm, time to CPR and defibrillation, and post-arrest care. Early recognition, high-quality CPR, rapid defibrillation when indicated, advanced life support, and appropriate post-arrest treatment improve the chance of survival.

**Synonyms:**

### **Cardiac Axis**

The mean direction of ventricular depolarization in the frontal plane, estimated from the QRS complex on a 12-lead ECG. Left or right axis deviation may reflect conduction disease, ventricular hypertrophy,

---

infarction, or altered cardiac position.

**Synonyms:**

### **Cardiac Biomarkers**

Blood measurements used to assess myocardial injury. Cardiac troponins I and T are the preferred specific biomarkers; CK-MB may assist in selected situations, while myoglobin is sensitive but nonspecific. Results must be interpreted with symptoms, electrocardiography, and serial testing.

**Synonyms:**

### **Cardiac Catheterization**

Invasive procedure involving insertion of catheters into the heart via peripheral arteries or veins. Diagnostic catheterization measures intracardiac pressures, saturations, and performs coronary angiography. Indications include evaluation of CAD, valvular disease, cardiomyopathy, and congenital heart disease.

**Synonyms:**

### **Cardiac Conduction System**

The specialized tissue responsible for generating and conducting electrical impulses through the heart. Components include the sinoatrial (SA) node, internodal pathways, atrioventricular (AV) node, bundle of His, right and left bundle branches, and Purkinje fibers.

**Synonyms:**

### **Cardiac CT**

CT imaging of heart and coronary arteries. Coronary calcium scoring, coronary CT angiography, cardiac function assessment.

**Synonyms:**

### **Cardiac CT Angiography**

Noninvasive imaging using CT to visualize coronary arteries and cardiac structures. It has high negative predictive value for excluding coronary artery disease, making it useful for low-to-intermediate risk patients with chest pain. Calcium scoring quantifies coronary artery calcification as a marker of atherosclerosis.

**Synonyms:**

### **Cardiac Cycle**

The sequence of events occurring during one complete heartbeat, consisting of systole (contraction) and diastole (relaxation). During diastole, the ventricles fill with blood; during systole, they contract and eject blood.

**Synonyms:**

### **Cardiac Defibrillation**

Delivery of an unsynchronized electrical shock for ventricular fibrillation or pulseless ventricular tachycardia. It is combined with high-quality CPR and advanced life support according to the cardiac-arrest rhythm and protocol.

**Synonyms:**

### **Cardiac Device Infections**

Infection involving a pacemaker, implantable defibrillator, generator pocket, or lead. Findings may include local inflammation, drainage, bacteremia, or endocarditis. Evaluation uses clinical examination, blood cultures, and imaging when indicated; treatment may require antimicrobial therapy and removal of infected hardware.

**Synonyms:**

### **Cardiac Diet**

A dietary pattern emphasizing vegetables, fruits, whole grains, legumes, fish, unsaturated fats, and limited sodium, added sugars, and saturated or trans fats. It supports cardiovascular risk reduction but should be individualized for heart failure, kidney disease, diabetes, and nutritional adequacy.

**Synonyms:**

### **Cardiac Gated SPECT**

SPECT imaging synchronized with ECG. Assess ventricular function, wall motion, viability.

**Synonyms:**

### **Cardiac Index**

Cardiac output normalized to body surface area (BSA), calculated as CO / BSA. Normal cardiac

---

index is 2.5-4.2 L/min/m<sup>2</sup>. It provides a more accurate assessment of cardiac function than cardiac output alone, accounting for body size. A cardiac index below 2.2 L/min/m<sup>2</sup> indicates cardiogenic shock.

**Synonyms:**

### Cardiac Metastases

More common than primary cardiac tumors. Most frequent sources: lung cancer, breast cancer, melanoma, lymphoma, and renal cell carcinoma. Most commonly involve the pericardium (effusion, tamponade), but can affect myocardium and endocardium.

**Synonyms:**

### Cardiac MRI

Magnetic-resonance imaging of the heart that characterizes ventricular function, myocardial tissue, perfusion, scar, edema, infiltration, and congenital anatomy without ionizing radiation. Gadolinium contrast is avoided or used cautiously in selected patients with severe renal dysfunction.

**Synonyms:**

### Cardiac Muscle

Involuntary, striated muscle forming the myocardium. Cardiac muscle cells are electrically connected by intercalated discs, allowing coordinated contraction of the heart.

**Synonyms:**

### Cardiac Output

The volume of blood pumped by the heart per minute, calculated as the heart rate multiplied by the stroke volume.

**Synonyms:**

### Cardiac Output Measurement

Methods include: thermodilution via pulmonary artery catheter (bolus of cold saline and temperature change measurement), Fick principle (O<sub>2</sub> consumption / arteriovenous O<sub>2</sub> difference), echocardiographic Doppler (flow velocity time integral x valve area x heart rate), and non-invasive cardiac

output monitors (bioimpedance, bioreactance).

**Synonyms:**

### Cardiac Pacemaker Types

Single-chamber: pacing one chamber (atrium or ventricle). Dual-chamber (DDD): paces and senses both atrium and ventricle, maintaining AV synchrony. Biventricular (CRT): paces both ventricles for resynchronization in heart failure.

**Synonyms:**

### Cardiac PET

Viability, perfusion, amyloidosis. Quantitative perfusion measurement.

**Synonyms:**

### Cardiac PET Imaging

Positron emission tomography using radiotracers (Rb-82, N-13 ammonia, O-15 water) for quantitative myocardial perfusion assessment. Advantages over SPECT: superior resolution, shorter scan time, attenuation correction, and absolute myocardial blood flow quantification (mL/g/min).

**Synonyms:**

### Cardiac Radiation Injury

Late complication of mediastinal radiation therapy (Hodgkin lymphoma, breast cancer, lung cancer). Manifestations include pericardial disease (constrictive pericarditis, effusion), coronary artery disease (accelerated atherosclerosis), valvular disease (fibrosis), myocardial fibrosis, and conduction abnormalities.

**Synonyms:**

### Cardiac Rehab Outcomes

Cardiac rehabilitation can improve exercise capacity, cardiovascular risk-factor control, quality of life, and psychological well-being after selected cardiac conditions. The benefits and participation rates vary among populations and programs.

**Synonyms:**

### Cardiac Rehabilitation

Supervised program for cardiac patients post-MI,

---

PCI, CABG, heart failure. Phases: inpatient (early mobilization), outpatient (supervised exercise, education), maintenance. Components: exercise training, risk factor modification, psychological support, return to work counseling. Reduces mortality, hospitalizations.

**Synonyms:**

### Cardiac Resynchronization Therapy

Biventricular pacing that synchronizes contraction of the left and right ventricles in patients with heart failure, reduced EF, and prolonged QRS duration (especially LBBB). CRT improves symptoms, exercise capacity, and quality of life, and reduces heart failure hospitalizations and mortality.

**Synonyms:**

### Cardiac Sarcoidosis

Infiltrative disease characterized by non-caseating granulomas in the myocardium, affecting 25-30% of patients with systemic sarcoidosis. Presentation includes conduction abnormalities (AV block), ventricular arrhythmias, and heart failure.

**Synonyms:**

### Cardiac Skeleton

A dense connective tissue framework composed of four fibrous rings that surround the heart valves and provide structural support. The cardiac skeleton includes the annuli fibrosi (valve rings), the membranous septum, and the left and right fibrous trigones.

**Synonyms:**

### Cardiac SPECT

A nuclear-imaging method that evaluates myocardial perfusion and can help identify ischemia, infarction, or viable myocardium. When synchronized with the heartbeat, gated images can also assess ventricular motion and function.

**Synonyms:**

### Cardiac Stress Test

Evaluation of cardiac function and ischemia under increased cardiac workload. Exercise stress test

(treadmill, Bruce protocol): ECG monitoring for ST-segment changes, symptoms, BP response, and arrhythmias. Sensitivity 65-75% for CAD.

**Synonyms:**

### Cardiac Stress Testing

Assessment of cardiac function under physiological or pharmacological stress to detect ischemia. Exercise stress testing involves treadmill or bicycle exercise with continuous ECG monitoring. Pharmacological stress (dobutamine, adenosine, regadenoson) is used when patients cannot exercise.

**Synonyms:**

### Cardiac tamponade

Cardiac tamponade occurs when fluid or blood under pressure around the heart restricts filling, reducing cardiac output and potentially causing obstructive shock. and causing reduced circulation. It is a medical emergency.

**Synonyms:**

### Cardiac Tamponade Physiology

Accumulation of pericardial fluid causing compression of cardiac chambers, impairing diastolic filling and reducing cardiac output. Hemodynamic consequences include equalization of diastolic pressures (RA = RV diastolic = PCWP), pulsus paradoxus, and decreased cardiac output.

**Synonyms:**

### Cardiac Tumors

Tumors involving the heart may be primary or metastatic. Primary tumors are rare; myxoma is a common benign primary tumor and angiosarcoma is a recognized malignant type. Symptoms and treatment depend on the tumor's location, tissue type, obstruction, embolic risk, and spread.

**Synonyms:**

### Cardiac Tumors Management

Myxoma: surgical excision is curative, with low recurrence rate. Benign tumors (rhabdomyoma, fibroma) may be observed if asymptomatic but require surgery if causing obstruction or arrhythmia.



---

Malignant tumors: prognosis is poor; treatment may include surgery, chemotherapy, and radiation depending on tumor type.

**Synonyms:**

### Cardio-Oncology

The subspecialty focusing on cardiovascular care of cancer patients, addressing cancer therapy-related cardiac dysfunction, prevention, and management. Key concerns include anthracycline cardiotoxicity, trastuzumab-related cardiomyopathy, immune checkpoint inhibitor myocarditis, and radiation-induced heart disease.

**Synonyms:**

### Cardiogenic Shock

A state of inadequate tissue perfusion caused by severe cardiac dysfunction. It may produce low blood pressure, altered mental status, cool extremities, reduced urine output, metabolic acidosis, or other signs of organ hypoperfusion.

**Synonyms:**

### Cardiogenic Shock Management

Emergency management of shock caused by severe cardiac dysfunction. It includes support of oxygenation and circulation, treatment of the underlying cause, and selected use of vasopressors, inotropes, mechanical support, or revascularization.

**Synonyms:**

### Cardiology

The branch of medicine devoted to the study, diagnosis, and treatment of disorders of the heart and circulatory system. Cardiologists manage conditions including coronary artery disease, heart failure, valvular heart disease, arrhythmias, cardiomyopathy, pericardial disease, congenital heart disease, and hypertension.

**Synonyms:**

### Cardiomegaly

Abnormal enlargement of the heart, identified clinically, on chest radiography, or with cardiac imaging. It may reflect chamber dilatation, myocardial hy-

pertrophy, pericardial effusion, or a combination of these; causes include hypertension, valvular disease, cardiomyopathy, congenital heart disease, and high-output states.

**Synonyms:**

### Cardiomyopathy

Cardiomyopathy is disease of the heart muscle that can impair contraction, relaxation, rhythm, or valve function and may lead to heart failure or sudden death. disease, valvular disease, and congenital heart disease as primary causes. The three main types are dilated, hypertrophic, and restrictive cardiomyopathy.

**Synonyms:**

### Cardiomyopathy Classification

The MOGE(S) classification system provides phenotypic and genotypic description: M (morphofunctional phenotype), O (organ/system involvement), G (genetic inheritance), E (etiology), S (functional status/NYHA class).

**Synonyms:**

### Cardioplegia

Deliberate temporary arrest and protection of the heart during cardiac surgery, usually achieved with a cold or blood-based solution that alters myocardial electrical and metabolic activity.

**Synonyms:**

### Cardiopulmonary Exercise Testing

Comprehensive assessment of cardiovascular and pulmonary function during graded exercise on a treadmill or cycle ergometer. Measures: VO<sub>2</sub> max, anaerobic threshold, ventilatory efficiency (VE/VCO<sub>2</sub> slope), and hemodynamic responses.

**Synonyms:**

### Cardiopulmonary Resuscitation

A sequence of chest compressions, ventilation, defibrillation when indicated, and advanced life-support interventions for cardiac arrest. Its purpose is to maintain circulation and oxygen delivery until spontaneous circulation is restored or definitive treat-



---

ment is provided.

**Synonyms:**

### **Cardiorenal Syndrome**

Dysfunction of the heart and kidneys where acute or chronic failure of one organ contributes to dysfunction of the other. Type 1: acute cardiac dysfunction causing acute kidney injury (e.g., cardiogenic shock). Type 2: chronic cardiac dysfunction causing progressive CKD. Type 3: acute kidney injury causing cardiac dysfunction.

**Synonyms:**

### **Cardioselective Beta-Blockers**

Cardioselective beta-blockers selectively block beta-1 adrenergic receptors, which are predominant in the heart, while having minimal effects on beta-2 receptors in the bronchial smooth muscle and peripheral vasculature at therapeutic doses. Common cardioselective beta-blockers include metoprolol, atenolol, bisoprolol, and nebivolol.

**Synonyms:**

### **Cardiospasm**

Spasm or impaired relaxation of the lower esophageal sphincter, historically used as a term for achalasia. It causes dysphagia, regurgitation, and sometimes chest discomfort.

**Synonyms:**

### **Cardiotocography**

A continuous electronic recording of the fetal heart rate and uterine contractions used to assess fetal well-being during pregnancy and labor. The CTG machine uses two transducers placed on the maternal abdomen: an ultrasound transducer records the fetal heart rate, and a tocodynamometer records uterine contractions.

**Synonyms:**

### **Cardiotoxicity**

Injury or functional impairment of the heart caused by a toxic exposure, systemic disease, or treatment. Manifestations include arrhythmia, myocardial dysfunction, ischemia, or heart failure.

**Synonyms:**

### **Cardiotoxicity from Chemotherapy**

Chemotherapy agents that damage the myocardium, most commonly anthracyclines (doxorubicin, daunorubicin). Cardiotoxicity presents as dilated cardiomyopathy with reduced ejection fraction. Risk is dose-dependent (doxorubicin cumulative dose >550 mg/m<sup>2</sup>).

**Synonyms:**

### **Cardiovascular Changes in Pregnancy**

Plasma volume increases 40-50% (total volume 5 L), red cell mass increases 20-30% (physiologic anemia of pregnancy due to dilution). Cardiac output increases 30-50% by 32 weeks (stroke volume increases initially, then heart rate).

**Synonyms:**

### **Cardiovascular disease**

Disease affecting the heart or blood vessels, including coronary artery disease, heart failure, arrhythmias, valvular disease, and vascular disorders.

**Synonyms:**

### **Cardiovascular Health**

Cardio is shorthand for cardiovascular health or exercise that elevates heart rate and respiratory effort to strengthen the heart, lungs, and circulatory system. Aerobic activities such as walking, running, cycling, and swimming improve cardiac output, lower blood pressure, and enhance metabolic efficiency.

**Synonyms:**

### **Cardiovascular Screening**

Evaluation of cardiovascular risk or disease in people with or without symptoms. It may include blood-pressure measurement, lipid testing, diabetes assessment, and targeted testing based on age and risk.

**Synonyms:**

### **Cardiovascular System**

The organ system comprising the heart and blood vessels (arteries, arterioles, capillaries, venules,

---

veins) responsible for circulating blood throughout the body.

**Synonyms:**

### Cardioversion

Cardioversion concerns cardioversion; its medical significance is established from the defining features, setting, associated findings, and clinical question. shock or, in some contexts, a planned pharmacologic intervention. Synchronized shock avoids delivery during vulnerable ventricular repolarization.

**Synonyms:**

### Cardioversion (Synchronized)

Delivery of an electrical shock synchronized with the QRS complex to restore a more organized cardiac rhythm. It is used for selected tachyarrhythmias, with energy, sedation, anticoagulation, and monitoring determined by the rhythm and the patient's clinical condition.

**Synonyms:** Synchronized

### Carditis

Inflammation of the heart or one of its layers, including the myocardium, endocardium, or pericardium. It may result from infection, immune-mediated disease, or systemic inflammation.

**Synonyms:**

### Care Coordination

Deliberate organization and communication of healthcare activities among professionals, services, patients, and caregivers to support safe, continuous, and appropriate care across settings.

**Synonyms:**

### Caregiver

A person who provides assistance with another person's health care, daily activities, or support. A caregiver may be a family member, friend, or paid professional.

**Synonyms:**

### Caregiver Burden

The emotional, physical, social, or financial strain

associated with providing ongoing care for another person.

**Synonyms:**

### Caregiver Stress

Emotional, physical, social, or financial strain associated with providing ongoing care for another person.

**Synonyms:**

### Caries

Progressive destruction of calcified tooth tissue caused by acid-producing microbial biofilm acting on fermentable carbohydrates. Untreated disease can extend from enamel into dentin and pulp.

**Synonyms:**

### Caries (Dental)

A biofilm-mediated, sugar-driven, multifactorial disease causing net demineralization of enamel, dentin, or cementum. Risk is influenced by fermentable-carbohydrate frequency, fluoride exposure, saliva, oral hygiene, tooth anatomy, and previous disease.

**Synonyms:** Dental

### Caries Risk Assessment

Systematic evaluation of an individual's likelihood of developing dental caries. Low risk: no active caries, good oral hygiene, regular fluoride exposure. Moderate risk: one or more active lesions in past 3 years, fair oral hygiene.

**Synonyms:**

### Carina

The ridge at the base of the trachea where it bifurcates into the right and left main bronchi. It is a landmark for endotracheal tube placement and bronchoscopy. The right main bronchus is wider, shorter, and more vertical than the left, making it the preferred path for aspirated foreign bodies.

**Synonyms:**

### Cariogenic

Capable of promoting dental caries, especially by producing acid from fermentable carbohydrates or

---

supporting a plaque environment that demineralizes tooth structure.

**Synonyms:**

### **Cariogram**

A computer-based program that illustrates the interaction of caries-related factors and provides an overall caries risk assessment. Factors: diet (content, frequency), bacteria (mutans streptococci, lactobacilli), fluoride exposure, saliva (flow rate, buffering capacity), plaque amount, and clinical/social history.

**Synonyms:**

### **Carney Complex**

Autosomal dominant multiple endocrine neoplasia syndrome (NAME syndrome / LAMB syndrome), caused by PRKAR1A (17q22-24, protein kinase A regulatory subunit type 1A, 70% of cases) or PRKACA locus.

**Synonyms:**

### **Carnitine**

Transports long-chain fatty acids into mitochondria for beta-oxidation. Deficiency causes hypoketotic hypoglycemia.

**Synonyms:**

### **Caroli Disease**

Congenital, autosomal recessive fibropolycystic liver disease (PKHD1 gene, encodes fibrocystin/polyductin; same gene as infantile polycystic kidney disease) characterized by non-obstructive, segmental, saccular dilation of the larger intrahepatic bile ducts.

**Synonyms:**

### **Carotid Artery**

The paired arterial system supplying the head and neck. Each common carotid artery divides into internal and external carotid arteries; the internal carotid supplies the brain and orbit, while the external carotid supplies most external head and neck structures.

**Synonyms:**

### **Carotid Artery Disease**

Narrowing or blockage of the carotid arteries, most often caused by atherosclerotic plaque. It can reduce cerebral blood flow or release emboli and is an important cause of transient ischemic attack and ischemic stroke.

**Synonyms:**

### **Carotid Artery Stenting**

Endovascular placement of a stent across a carotid stenosis, usually with embolic-protection strategies, to improve cerebral blood flow and reduce stroke risk in selected patients. Antiplatelet therapy and peri-procedural neurologic monitoring are required.

**Synonyms:**

### **Carotid Bruit**

An audible sound over a carotid artery caused by turbulent blood flow. It may occur with carotid atherosclerosis but does not reliably indicate the severity of stenosis; suspected disease is assessed with appropriate vascular imaging and risk evaluation.

**Synonyms:**

### **Carotid cavernous fistula**

An abnormal communication between the carotid artery or its branches and the cavernous sinus, most commonly traumatic but also spontaneous. Clinical features include pulsatile proptosis, chemosis, bruit over the orbit, and cranial nerve palsies. Diagnosis is by CT or MR angiography.

**Synonyms:**

### **Carotid cavernous sinus fistula**

An abnormal connection between the carotid arterial system and the cavernous sinus, which may cause eye redness, pulsation, proptosis, or impaired vision.

**Synonyms:**

### **Carotid Duplex**

Ultrasound combining B-mode and Doppler imaging of carotid arteries. Assesses stenosis, plaque characterization.

**Synonyms:**

---

### **Carotid Duplex Ultrasound**

Ultrasound evaluation of the carotid arteries for atherosclerotic plaque and stenosis. Measures peak systolic velocity (PSV) and end-diastolic velocity (EDV) in the internal carotid artery (ICA).

**Synonyms:**

### **Carotid Endarterectomy**

Surgical removal of atherosclerotic plaque from a carotid artery to reduce stroke risk in selected patients. Suitability depends on symptoms, degree of narrowing, operative risk, life expectancy, and current clinical guidance.

**Synonyms:**

### **Carotid Stenosis**

Narrowing of a carotid artery, usually caused by atherosclerosis. It can reduce blood flow to the brain or serve as a source of emboli. Evaluation and treatment depend on symptoms, degree of narrowing, imaging, and overall stroke risk.

**Synonyms:**

### **Carpal Tunnel**

Narrow passageway on the palmar wrist, bounded by carpal bones dorsally and the flexor retinaculum as the roof. Transmits the median nerve and flexor tendons. Carpal tunnel syndrome causes numbness in the lateral 3.5 digits and thenar weakness.

**Synonyms:**

### **Carpal Tunnel Syndrome**

The most common entrapment neuropathy, caused by compression of the median nerve as it passes through the carpal tunnel, a narrow fibro-osseous canal bounded by the carpal bones and the flexor retinaculum (transverse carpal ligament) at the wrist.

**Synonyms:**

### **Carpal Tunnel Syndrome Tests**

Provocative tests for diagnosing carpal tunnel syndrome. Tinel sign: percuss over median nerve at the carpal tunnel tingling in median distribution. Phalen sign: hold wrists in full flexion for 60 sec-

onds reproduces symptoms. Durkan test (carpal compression): direct compression over carpal tunnel for 30 seconds paresthesias.

**Synonyms:**

### **Carrier**

Individual heterozygous for a recessive genetic disorder. Typically asymptomatic but can pass mutant allele to offspring. Carrier screening recommended for certain populations (e.g., Ashkenazi Jewish for Tay-Sachs).

**Synonyms:**

### **Carrier State**

Asymptomatic infection with pathogen capable of transmission. Examples: typhoid carrier, hepatitis B carrier, meningococcal carrier. Importance: public health control, screening, treatment.

**Synonyms:**

### **Cartilage**

A tough, flexible avascular connective tissue found in joints, the ear, nose, rib cage, and intervertebral discs. Composed of chondrocytes embedded in an extracellular matrix of collagen fibers, proteoglycans, and water, providing resilience and compressive strength.

**Synonyms:**

### **Carvedilol**

A nonselective beta-blocker with additional alpha-1 adrenergic blockade and antioxidant properties, producing vasodilation with balanced reduction of heart rate, contractility, and afterload.

**Synonyms:**

### **Case Definition**

Standardized clinical, laboratory, and epidemiologic criteria used to classify a person as a suspected, probable, or confirmed case for surveillance or outbreak investigation. It may differ from the criteria used for individual clinical diagnosis.

**Synonyms:**

---

### Case Fatality Rate

Proportion of cases dying from disease. Measures severity.

**Synonyms:**

### Case Management

Coordinated planning and follow-up of health and social services to help a person obtain appropriate care, avoid duplication, and meet clinical and functional goals.

**Synonyms:**

### Case-Control Study

Observational study comparing cases with disease to controls without. Looks back at exposures.

**Synonyms:**

### Case-Fatality Rate

Proportion of cases dying from disease. Formula: deaths / cases. Measures severity.

**Synonyms:**

### Caseous Necrosis

A distinctive form of cell death that characteristically occurs in granulomatous infections, most notably tuberculosis. The term derives from the cheese-like, friable, whitish-yellow appearance of the necrotic tissue on gross examination.

**Synonyms:**

### Castleman Disease

Heterogeneous group of lymphoproliferative disorders (angiofollicular lymph node hyperplasia, giant lymph node hyperplasia) sharing lymph node histopathology.

**Synonyms:**

### Cat Scratch Disease

A regional lymphadenitis caused by *Bartonella henselae*, a gramnegative bacillus transmitted to humans through cat scratches, bites, or licks on broken skin, particularly from kittens (which carry higher bacterial loads).

**Synonyms:**

### Cat-Scratch Disease

An infection caused by *Bartonella henselae*, usually transmitted by a scratch or bite from an infected cat. It commonly causes a papule followed by regional lymph-node enlargement, fever, and fatigue; atypical disease may affect the eye, liver, spleen, or nervous system.

**Synonyms:**

### Cat-Scratch Fever

A usually self-limited infection caused by *Bartonella henselae*, commonly producing a papule at the inoculation site and regional lymph-node enlargement.

**Synonyms:**

### Catabolism

The set of metabolic pathways that break down complex molecules into simpler units, releasing energy captured as ATP, NADH, FADH<sub>2</sub>, NADPH. Examples: glycolysis, beta-oxidation, proteolysis, glycogenolysis, nucleotide catabolism.

**Synonyms:**

### Catalepsy

A state of markedly reduced movement and responsiveness in which a person may maintain an imposed posture. It can occur in catatonia and other neurologic or psychiatric conditions.

**Synonyms:**

### Catalyst

A substance that increases the rate of a chemical reaction without being consumed, by lowering the activation energy (providing an alternative reaction pathway). Enzymes are biological catalysts (proteins or ribozymes). Catalysts do not alter the reaction equilibrium ( $\Delta G$ ), only the kinetics.

**Synonyms:**

### Cataract

A cataract is an opacity or clouding of the crystalline lens that impairs the transmission of light to the retina, resulting in blurred vision, glare, decreased contrast sensitivity, and progressive vision loss, and it is the leading cause of preventable blind-

---

ness worldwide.

**Synonyms:**

### **Catastrophic Aging**

Rapid functional decline after stressor (illness, surgery, fall). Elderly have decreased reserve, less ability to recover. Prevention: comprehensive assessment, optimization, early intervention.

**Synonyms:**

### **Catatonia**

A neuropsychiatric syndrome characterized by motor abnormalities including immobility, mutism, posturing, waxy flexibility, stereotypy, mannerisms, grimacing, echolalia, and echopraxia. It can occur in mood disorders, psychotic disorders, medical conditions, or as catatonia due to another medical condition.

**Synonyms:**

### **Catch-Up Immunization**

Vaccination of a person who is behind the recommended schedule using age- and risk-appropriate intervals. Doses generally do not need to be restarted because of delay, but minimum ages and intervals must be respected.

**Synonyms:**

### **Catecholamine Crisis**

Acute life-threatening elevation of catecholamines causing severe hypertension, tachycardia, and multi-organ dysfunction. Occurs in pheochromocytoma and paraganglioma precipitated by anesthesia, surgery, trauma, or medications that stimulate catecholamine release.

**Synonyms:**

### **Catecholamines (Urine/Plasma)**

Measurement of catecholamines or their metabolites in blood or urine. These tests help evaluate suspected pheochromocytoma or paraganglioma, but results must be interpreted with medications, stress, sampling conditions, and clinical findings.

**Synonyms:** Urine/Plasma

### **Category I Fetal Heart Tracing**

A normal fetal heart rate tracing by NICHD 2008 criteria. All three characteristics present: baseline 110-160 bpm, moderate variability (6-25 bpm), and no late or variable decelerations. May have accelerations. Category I tracings are associated with normal fetal acid-base status.

**Synonyms:**

### **Category II Fetal Heart Tracing**

An indeterminate fetal heart rate tracing that falls between Category I and III.

**Synonyms:**

### **Category III Fetal Heart Tracing**

An abnormal fetal heart rate tracing indicating potential fetal hypoxia or acidosis. Two specific patterns: (1) absent baseline variability with recurrent late decelerations, (2) absent baseline variability with recurrent variable decelerations, and (3) sinusoidal pattern.

**Synonyms:**

### **Catheter**

Flexible tube for drainage or infusion. Types: urinary (Foley), intravenous, central venous, arterial. Materials: silicone, latex, PVC.

**Synonyms:**

### **Catheter-Associated UTI**

Urinary tract infection related to indwelling urinary catheter. Most common healthcare-associated infection. Risk: prolonged catheterization, female sex, diabetes, immunosuppression. Prevention: avoid unnecessary catheters, aseptic insertion, closed drainage, daily hygiene, early removal.

**Synonyms:**

### **Catheter-Related Infections**

Infections caused by microorganisms entering along or contaminating an intravascular or other indwelling catheter. They may cause local inflammation or bloodstream infection; removal or replacement and antimicrobial treatment depend on the catheter and severity.



---

**Synonyms:**

### **Catheterization (Urinary)**

Insertion of a flexible tube (catheter) through the urethra or suprapubically into the urinary bladder to drain urine. Types: Foley catheter (indwelling balloon catheter), intermittent (in-out) catheter, and suprapubic catheter.

**Synonyms:** Urinary

### **Cauda Equina Syndrome**

A neurosurgical emergency caused by compression of the cauda equina nerve roots below the level of the conus medullaris (typically at L1-L2 and below), resulting in bilateral lower extremity weakness, sensory loss, and bladder and bowel dysfunction.

**Synonyms:**

### **Caudal**

Positioned toward the tail or lower part of the body.

**Synonyms:**

### **Cauliflower Ear**

A permanent deformity of the outer ear caused by blood or fluid collecting between the cartilage and its covering, usually after blunt trauma or repeated friction. Untreated separation can deprive cartilage of blood supply and produce a thickened, irregular ear. Prompt drainage and compression reduce the risk of deformity.

**Synonyms:**

### **Cause of Death**

The specific disease, injury, or toxic agent responsible for initiating the lethal physiological sequence leading directly to death (e.g., Gunshot wound to the head, Acute myocardial infarction).

**Synonyms:**

### **Cavernous Sinus Thrombosis**

Life-threatening septic thrombosis of the cavernous sinus, usually a complication of mid-face, nasal, paranasal sinus (sphenoid, ethmoid), dental, or orbital infection spreading through the valveless ophthalmic veins.

**Synonyms:**

### **CD4 Count**

The number of CD4-positive T-helper lymphocytes in a blood sample. It helps assess immune function and risk of opportunistic infection in people with HIV, but interpretation depends on trends, viral load, clinical findings, and current treatment guidance.

**Synonyms:**

### **CD4-Positive T Cell**

A T lymphocyte that recognizes peptide presented by major histocompatibility complex class II molecules. Its differentiated subsets coordinate immune responses, including macrophage activation, B-cell help, mucosal defense, and immune regulation.

**Synonyms:**

### **CD8-Positive T Cell**

A T lymphocyte that recognizes peptide presented by major histocompatibility complex class I molecules. Cytotoxic CD8-positive cells can induce apoptosis in infected, malignant, or otherwise altered target cells.

**Synonyms:**

### **CEA (Carcinoembryonic Antigen)**

A blood tumor marker used mainly to monitor selected colorectal and other cancers. Levels can be affected by smoking, benign disease, and other malignancies; changes are interpreted with imaging, symptoms, and the clinical context rather than a single cutoff.

**Synonyms:** Carcinoembryonic Antigen

### **Cecal volvulus**

Axial twisting of the cecum and ascending colon around its mesentery, accounting for approximately one-third of colonic volvulus cases. It presents with acute or subacute large bowel obstruction, abdominal pain, and distension. Diagnosis is by CT scan showing the characteristic whirl sign and a massively dilated cecum.

---

**Synonyms:**

### **Cecum**

First and widest large intestinal part in the right iliac fossa below the ileocecal valve, a blind-ended pouch approximately 6 cm long. Appendix arises from its posteromedial wall approximately 2 cm below the valve, containing abundant lymphoid tissue. Cecal volvulus causes large bowel obstruction.

**Synonyms:**

### **Ceftazidime-avibactam**

A combination of the third-generation cephalosporin ceftazidime with the non-beta-lactam beta-lactamase inhibitor avibactam. Avibactam inhibits class A, class C, and some class D beta-lactamases, including KPC carbapenemases. This combination has activity against many carbapenem-resistant Enterobacteriaceae and *Pseudomonas aeruginosa*.

**Synonyms:**

### **Celiac Artery**

The first major ventral branch of the abdominal aorta at T12, arising from the aorta just below the diaphragm and supplying the foregut (stomach, proximal duodenum, liver, gallbladder, spleen, pancreas). It trifurcates into the left gastric, splenic, and common hepatic arteries, with rich collateral circulation between these branches.

**Synonyms:**

### **Celiac Crisis**

Acute life-threatening presentation of celiac disease characterized by severe dehydration, electrolyte imbalances, metabolic acidosis, hypocalcemic tetany, and hypovolemic shock. Most commonly occurs in infants and young children after a viral illness or introduction of gluten-containing foods.

**Synonyms:**

### **Celiac Disease**

An immune-mediated enteropathy triggered by gluten ingestion in genetically predisposed individuals (HLA-DQ2/DQ8). Gliadin peptides from wheat, barley, and rye activate an autoimmune response

against tissue transglutaminase (tTG), causing villous atrophy, crypt hyperplasia, and intraepithelial lymphocytosis in the small intestine.

**Synonyms:**

### **Celiac Trunk**

First major abdominal aortic branch at T12-L1, the foregut artery. Divides into left gastric (lesser curvature), splenic (spleen, pancreas, greater curvature), and common hepatic (proper hepatic/gastroduodenal) arteries. Surrounded by the celiac plexus.

**Synonyms:**

### **Celiac Trunk Stenosis**

Narrowing of the celiac trunk typically caused by extrinsic compression from the median arcuate ligament of the diaphragm, known as median arcuate ligament syndrome or celiac artery compression syndrome. Causes chronic abdominal pain particularly after eating and weight loss due to postprandial mesenteric ischemia.

**Synonyms:**

### **Cell**

The fundamental structural and functional unit of all living organisms. Human cells are eukaryotic, characterized by a nucleus containing DNA and membrane-bound organelles.

**Synonyms:**

### **Cell-Free Fetal DNA Screening**

A prenatal screening test that analyzes placental cell-free DNA in maternal blood to estimate the chance of selected chromosomal conditions. It is usually offered from early pregnancy onward. It is a screening test, not a diagnostic test, and a positive or inconclusive result requires appropriate counseling and follow-up.

**Synonyms:**

### **Cell-mediated immunity**

An immune response mediated mainly by T lymphocytes and other cells rather than by antibodies. It is important in defense against intracellular pathogens

---

and in immune surveillance.

**Synonyms:**

### **Cellular Adaptation**

Cellular adaptations are reversible changes in cell morphology and function that occur in response to altered physiological demands or mild pathological conditions.

**Synonyms:**

### **Cellular Swelling**

An early manifestation of reversible injury caused by failure of ATP-dependent ion pumps and intracellular accumulation of sodium and water. It is also called hydropic change and is often most apparent in cells exposed to ischemia or toxins.

**Synonyms:** hydropic change.

### **Cellulitis**

Cellulitis is a bacterial infection of the deeper skin and subcutaneous tissue, causing expanding redness, warmth, swelling, and tenderness with possible systemic illness. commonly caused by beta-hemolytic streptococci (particularly *Streptococcus pyogenes*) or *Staphylococcus aureus*.

**Synonyms:**

### **Cemento-Enamel Junction**

Junction between enamel and cementum. Three relationships: butt junction, enamel overlapping cementum, cementum overlapping enamel.

**Synonyms:**

### **Cementum**

A mineralized connective tissue covering the tooth root. It provides attachment for periodontal-ligament fibers and is thinner near the cemento-enamel junction and thicker toward the root apex.

**Synonyms:**

### **Centenarian**

Person aged 100 or older. 100,000 worldwide. More women than men (4:1). Often maintain functional independence, cognitive function. Models for healthy aging research.

**Synonyms:**

### **Central**

Located near or toward the middle of the body or an organ.

**Synonyms:**

### **Central Auditory Processing Disorder**

Impaired processing of auditory information by the central nervous system despite adequate peripheral hearing. It may cause difficulty understanding speech, especially in noise, and can affect learning and communication.

**Synonyms:**

### **Central Deafness**

Loss or severe impairment of hearing caused by disease of the auditory pathways or auditory cortex in the brain, rather than by a disorder of the external, middle, or inner ear.

**Synonyms:**

### **Central Diabetes Insipidus**

Excessive urination and thirst caused by deficient secretion of antidiuretic hormone from the hypothalamus or posterior pituitary. The kidneys cannot appropriately concentrate urine, producing hypernatremia if water intake is insufficient.

**Synonyms:**

### **Central Line Placement**

Insertion of a catheter into a central vein (internal jugular, subclavian, or femoral), with the tip in the superior (or inferior) vena cava. Ultrasound guidance is standard. Indications: administration of vasopressors, TPN, chemotherapy, long-term antibiotics, central venous pressure monitoring, hemodialysis, and plasmapheresis.

**Synonyms:**

### **Central Line-Associated Bloodstream Infection**

Bloodstream infection associated with central venous catheter. Prevention: maximal sterile barriers, chlorhexidine skin preparation, optimal site selec-

---

tion (subclavian preferred), daily review of line necessity. Diagnosis: paired blood cultures (peripheral and line). Treatment: antibiotics, catheter removal if possible.

**Synonyms:**

### Central Nervous System

The part of the nervous system comprising the brain and spinal cord, enclosed within the skull and vertebral column.

**Synonyms:**

### Central pontine myelinolysis

A form of osmotic demyelination syndrome caused by overly rapid correction of hyponatremia, leading to demyelination of the central pons. Clinical features include flaccid quadriparesis, pseudobulbar palsy, dysarthria, dysphagia, and in severe cases locked-in syndrome.

**Synonyms:**

### Central Retinal Artery Occlusion

Acute obstruction of the central retinal artery causing sudden, usually painless, severe monocular visual loss. It is an ocular stroke and requires urgent systemic and vascular evaluation because it may signal a high risk of cerebral ischemia.

**Synonyms:**

### Central Serous Chorioretinopathy

Accumulation of serous fluid beneath the neurosensory retina, usually in the macular region, due to altered choroidal vascular permeability and retinal pigment-epithelium dysfunction. It often causes acute or subacute central visual distortion and may be associated with corticosteroid exposure.

**Synonyms:**

### Central Sleep Apnea

Apneas from variability in respiratory effort without airway obstruction. Associated with heart failure (Cheyne-Stokes respiration), high altitude, and opioid use.

**Synonyms:**

### Central Venous Catheter

A catheter whose tip terminates in a central vein, usually the lower superior vena cava or cavoatrial junction. It provides reliable access for vasoactive drugs, irritating infusions, hemodynamic monitoring, and prolonged therapy, but may cause bloodstream infection, thrombosis, or mechanical complications.

**Synonyms:**

### Central Venous Pressure

Pressure measured in or near the right atrium, usually through a central venous catheter. It reflects right-sided filling conditions but is affected by ventilation, heart function, vascular tone, and measurement technique; it should not be used alone to guide fluid treatment.

**Synonyms:**

### Centriacinar Emphysema

A subtype of emphysema in which destruction begins in the respiratory bronchioles and extends peripherally. It predominantly affects the upper lobes and is strongly associated with cigarette smoking. It is the most common form of emphysema and often coexists with chronic bronchitis.

**Synonyms:**

### Centrifuge

Spins samples to separate components by density. Used for blood processing, urine analysis, tissue preparation. Speed: RPM or RCF.

**Synonyms:**

### Cephalalgia

Headache or pain in the head, including pain arising from cranial or related structures. It is a symptom with many possible primary and secondary causes.

**Synonyms:**

### Cephalhaematoma

A collection of blood between the periosteum and the skull bone, caused by rupture of blood vessels during childbirth, most commonly associated with ventouse (vacuum) delivery. Unlike caput succeda-

---

neum, a cephalhaematoma does not cross suture lines and is limited by the periosteal attachments.

**Synonyms:**

### Cephalohematoma

A collection of blood beneath the periosteum of a newborn's skull, usually caused by birth trauma. It is confined by suture lines and generally resolves gradually.

**Synonyms:**

### Cephalopelvic Disproportion

A mismatch between the size or shape of the maternal pelvis and the fetal head that prevents or impedes vaginal delivery. It may be suspected from clinical assessment but cannot always be diagnosed reliably before labor.

**Synonyms:**

### Cephalosporin

A class of beta-lactam antibiotics derived from the fungus *Cephalosporium acremonium*, with a mechanism identical to penicillins — inhibition of bacterial cell wall synthesis by binding to penicillin-binding proteins and inhibiting transpeptidase. Cephalosporins are classified into five generations based on their antimicrobial spectrum.

**Synonyms:**

### Ceramide

A sphingolipid composed of a sphingoid base linked to a fatty acid. Ceramides are structural components of cell membranes and the epidermal permeability barrier and also participate in cell signaling.

**Synonyms:**

### Cerclage

A surgical placement of a suture around the cervix to prevent preterm delivery in patients with cervical insufficiency. Types include transvaginal (McDonald or Shirodkar) and transabdominal. Usually placed at 12-14 weeks gestation and removed at 36-37 weeks.

**Synonyms:**

### Cerebellar Ataxia

A neurological sign characterized by impaired coordination of voluntary movements, resulting from dysfunction of the cerebellum or its connections. The cerebellum coordinates the timing, force, and accuracy of movements, and cerebellar dysfunction produces a characteristic constellation of findings.

**Synonyms:**

### Cerebellar tumor

A neoplasm involving the cerebellum that may cause ataxia, dysmetria, nystagmus, vomiting, or hydrocephalus.

**Synonyms:**

### Cerebellitis

Inflammation of the cerebellum, often after infection and sometimes associated with an autoimmune response. It may produce ataxia, dysarthria, nystagmus, headache, and altered consciousness.

**Synonyms:**

### Cerebellopontine Angle

The angle-shaped region at the junction of the cerebellum, pons, and petrous temporal bone. Lesions in this space may affect cranial nerves and commonly include vestibular schwannoma.

**Synonyms:**

### Cerebellopontine Angle Tumor

Lesion at the cerebellopontine angle (CPA), an anatomic space between the cerebellum and pons, medial to the temporal lobe and lateral to the brainstem, containing CN V (trigeminal), VII (facial), VIII (vestibulocochlear), and the anterior inferior cerebellar artery (AICA).

**Synonyms:**

### Cerebellum

Largest brain portion (approximately 10 percent of volume but over 50 percent of neurons) in the posterior cranial fossa behind the brainstem. Two hemispheres and a vermis, divided into vestibulocerebellum (balance, eye movements), spinocerebellum (posture, gait, coordination), and cerebrocerebellum

---

(motor planning, cognition).

**Synonyms:**

### **Cerebral Amyloid Angiopathy**

Deposition of amyloid beta in the walls of small and medium cerebral and leptomeningeal arteries. It commonly causes recurrent lobar intracerebral hemorrhage in older adults and may also cause transient focal neurological episodes or cognitive decline.

**Synonyms:**

### **Cerebral Aneurysm**

An abnormal focal enlargement of an artery in or around the brain. It may remain asymptomatic or rupture and cause subarachnoid hemorrhage. Risk factors include hypertension, smoking, certain inherited disorders, and family history.

**Synonyms:**

### **Cerebral Angiography**

Contrast imaging of cerebral vessels. Evaluates aneurysms, AVMs, stenosis. Invasive procedure.

**Synonyms:**

### **Cerebral Arteriovenous Malformation**

An abnormal direct connection between cerebral arteries and veins without a normal capillary bed. It may cause intracranial hemorrhage, seizures, headache, or focal neurological deficits and is evaluated with brain imaging and angiography.

**Synonyms:**

### **Cerebral Autoregulation**

The intrinsic ability of cerebral arterioles to maintain relatively stable cerebral blood flow across a range of perfusion pressures. It may be impaired by severe brain injury, ischemia, hypercapnia, or anesthetic and vasoactive drugs.

**Synonyms:**

### **Cerebral cavernous malformations**

Low-flow vascular malformations composed of dilated, thin-walled capillaries without intervening brain parenchyma, often multiple and familial (au-

tosomal dominant with mutations in CCM1, CCM2, or CCM3 genes). They may present with seizures, focal neurological deficits, or intracerebral hemorrhage.

**Synonyms:**

### **Cerebral Cortex**

The outermost layer of the cerebrum, composed of gray matter (neuronal cell bodies) folded into gyri (ridges) and sulci (grooves), greatly increasing surface area.

**Synonyms:**

### **Cerebral Edema**

The accumulation of excess fluid within the brain parenchyma, leading to increased intracranial pressure and potentially fatal brain herniation. There are three main types with different pathophysiological mechanisms.

**Synonyms:**

### **Cerebral Hemorrhage**

Bleeding within the brain parenchyma, a type of hemorrhagic stroke causing mass effect, edema, and neurological deficits. Causes: hypertension (most common—basal ganglia, thalamus), cerebral amyloid angiopathy (lobar, elderly), arteriovenous malformation, aneurysm, anticoagulants, trauma, tumors.

**Synonyms:**

### **Cerebral Hypoxia**

Insufficient oxygen delivery to the brain, caused by cardiac arrest, respiratory failure, severe hypotension, or another interruption of oxygen supply. Prolonged hypoxia can produce permanent neuronal injury and hypoxic-ischemic encephalopathy.

**Synonyms:**

### **Cerebral Infarction**

Cerebral infarction, or ischemic stroke, results from occlusion of a cerebral artery causing irreversible neuronal damage. The most common cause is thromboembolism from atherosclerotic carotid or intracranial arteries, or cardioembolism from atrial fibrilla-



---

tion or cardiac thrombus.

**Synonyms:**

### **Cerebral Lobes**

Four lobes divided by sulci. Frontal (anterior to central sulcus): executive function, motor control (precentral gyrus), Broca's area. Parietal (between central and parieto-occipital sulci): somatosensory (postcentral gyrus), spatial awareness. Temporal (below lateral sulcus): auditory processing, memory (hippocampus), Wernicke's area.

**Synonyms:**

### **Cerebral Palsy**

A group of permanent disorders of movement and posture development causing activity limitation, attributed to non-progressive disturbances occurring in the developing fetal or infant brain. It is the most common motor disability in childhood, affecting approximately 1 in 500 live births.

**Synonyms:**

### **Cerebral Peduncle**

Paired structures of the ventral midbrain carrying descending motor tracts (corticospinal, corticobulbar, corticopontine) connecting the cerebrum to the pons and below. Lesions produce contralateral hemiparesis; Weber syndrome (peduncle + CN III) causes ipsilateral CN III palsy with contralateral hemiparesis.

**Synonyms:**

### **Cerebral Perfusion Pressure**

The pressure gradient driving blood flow through the brain, approximated as mean arterial pressure minus intracranial pressure. CPP falls when systemic pressure decreases or ICP rises and must be interpreted with the clinical context.

**Synonyms:**

### **Cerebral Salt Wasting**

Renal sodium wasting causing hyponatremia and volume depletion occurring after intracranial surgery or in setting of intracranial disease. Distinguished from SIADH by the presence of volume depletion

with negative sodium balance and compensatory elevation of renin and aldosterone.

**Synonyms:**

### **Cerebral tumor**

A neoplasm arising within or involving the brain, producing symptoms according to its location, growth rate, and effect on intracranial pressure.

**Synonyms:**

### **Cerebral Venous Sinus Thrombosis**

Thrombosis of the cerebral venous sinuses (most commonly the superior sagittal sinus; also transverse, sigmoid, straight; or cortical veins), with resultant venous hypertension, intracranial hypertension, hemorrhagic cortical infarcts, and venous congestion.

**Synonyms:**

### **Cerebral Visual Impairment**

Visual impairment caused by damage to the brain's visual pathways or occipital cortex rather than the eye itself; the leading cause of childhood visual impairment in developed countries. Features include poor visual attention, difficulty recognizing faces or objects, and variable vision; management is educational and rehabilitative.

**Synonyms:**

### **Cerebriiform nevus sebaceous**

A variant of nevus sebaceous presenting as a soft, cerebriiform (brain-like), pedunculated or sessile nodule, often found on the scalp or face. It is a benign adnexal hamartoma composed of sebaceous glands, but like other nevus sebaceous lesions, it carries a low risk of secondary neoplasms and may warrant monitoring or excision.

**Synonyms:**

### **Cerebritis**

Inflammatory process in brain parenchyma without abscess formation. May precede abscess. Causes: bacterial, fungal, parasitic infections. Diagnosis: MRI with contrast showing enhancement. Treatment: antibiotics/antifungals, surgical drainage if

---

abscess forms.

**Synonyms:**

### Cerebroplacental Ratio

The ratio of the middle cerebral artery (MCA) pulsatility index to the umbilical artery (UA) pulsatility index. CPR <5th percentile (or <1.0-1.1) suggests fetal brain-sparing effect (vasodilation of cerebral vessels in response to hypoxemia) due to placental insufficiency.

**Synonyms:**

### Cerebrospinal Fluid

A clear, colorless fluid that fills the ventricles of the brain, the central canal of the spinal cord, and the subarachnoid space around the brain and spinal cord. Produced primarily by the choroid plexus of the lateral, third, and fourth ventricles ( 500 mL/day, total volume 150 mL in adults).

**Synonyms:**

### Cerebrospinal Fluid Analysis

Laboratory examination of cerebrospinal fluid, usually obtained by lumbar puncture. It may assess infection, bleeding, inflammation, demyelinating disease, or malignant cells. Analysis can include opening pressure, appearance, cell counts, protein, glucose, microbiology, and other tests selected for the clinical question.

**Synonyms:**

### Cerebrovascular Accident

An acute neurological deficit caused by interruption of blood flow to the brain or bleeding within the brain. See Stroke.

**Synonyms:**

### Cerebrovascular Accident (Stroke)

Sudden brain dysfunction caused by interrupted blood flow or bleeding in the brain. See Stroke.

**Synonyms:** Stroke

### Cerebrum

The largest part of the brain, comprising two cerebral hemispheres connected by the corpus callosum.

Each hemisphere has four lobes: frontal (executive function, motor, Broca's area), parietal (somatosensory, spatial awareness), temporal (auditory, memory, Wernicke's area), occipital (visual processing).

**Synonyms:**

### Ceruloplasmin

The principal copper-carrying protein in blood, synthesized mainly by the liver. Its concentration and copper-binding function are clinically relevant in disorders such as Wilson disease.

**Synonyms:**

### Cerumen

A substance that helps keep dirt out of the ear and lubricates the skin in the ear. More commonly known as earwax.

**Synonyms:**

### Cerumen Impaction

Accumulation of earwax in the external auditory canal that causes symptoms or prevents visualization of the tympanic membrane. It may cause aural fullness, conductive hearing loss, tinnitus, itching, or pain.

**Synonyms:**

### Cervical Cancer

A malignant tumour arising from the cervix, most commonly caused by persistent infection with high-risk human papillomavirus. It may be asymptomatic early or cause abnormal vaginal bleeding, discharge, or pelvic pain; prevention and early detection rely on HPV vaccination, screening, and assessment of abnormal results.

**Synonyms:**

### Cervical carcinoma

A malignant tumor of the uterine cervix, most commonly associated with persistent high-risk human papillomavirus infection.

**Synonyms:**

### Cervical Cerclage

Surgical placement of a non-absorbable suture

---

around the cervix to provide mechanical support and prevent preterm delivery in patients with cervical insufficiency.

**Synonyms:**

### **Cervical Dilatation**

Progressive opening of the cervical os during labor, measured in centimeters from 0 (closed) to 10 cm (fully dilated). The cervix must also efface (thin out) before significant dilatation occurs. Cervical status assessed by digital vaginal examination during labor.

**Synonyms:**

### **Cervical Dilation**

The opening of the cervical canal during labor, measured in centimeters from closed (0 cm) to fully dilated (10 cm); required for vaginal delivery. Occurs with effacement (thinning/shortening of the cervix) during the first stage of labor, driven by effective uterine contractions.

**Synonyms:**

### **Cervical Disc Herniation**

A common cause of neck pain and radiculopathy, occurring when the nucleus pulposus of an intervertebral disc in the cervical spine herniates through the annulus fibrosus, compressing adjacent nerve roots or the spinal cord.

**Synonyms:**

### **Cervical Dysplasia**

Abnormal growth of cervical epithelial cells, representing a premalignant condition that may progress to cervical cancer if untreated. Also known as cervical intraepithelial neoplasia (CIN). CIN is caused by persistent infection with high-risk human papillomavirus (HPV) types, most commonly HPV 16 and 18.

**Synonyms:** cervical intraepithelial.

### **Cervical Dystonia**

A focal movement disorder causing involuntary contractions of neck muscles and abnormal positioning of the head. It may produce pain, tremor, and sustained or intermittent twisting of the neck.

**Synonyms:**

### **Cervical Effacement**

Thinning and shortening of the cervix during labor, measured as a percentage from 0% (thick, normal length) to 100% (paper thin). Effacement precedes and accompanies cervical dilatation. Nulliparous women often efface before dilating; multiparous women may efface and dilate simultaneously.

**Synonyms:**

### **Cervical Exam in Labor**

A digital vaginal examination used to assess cervical dilation, effacement, consistency, and position, together with the station and position of the fetal head. Serial examinations help assess labor progress.

**Synonyms:**

### **Cervical Incompetence**

The inability of the cervix to maintain pregnancy in the second trimester due to painless cervical dilatation. Results in recurrent second trimester pregnancy loss or preterm delivery. Risk factors include prior cervical trauma, cone biopsy, and congenital anomalies.

**Synonyms:**

### **Cervical Length Screening**

Transvaginal ultrasound measurement of the cervix between 18-24 weeks to assess risk of spontaneous preterm birth. Normal cervix measures greater than 25 mm. Short cervix (less than 25 mm) increases preterm delivery risk. Cervical funneling and dilatation are additional concerning findings.

**Synonyms:**

### **Cervical Mucus**

Secretions from the cervical glands that change throughout the menstrual cycle under hormonal influence. Estrogen produces thin, clear, stretchy mucus favorable for sperm transport around ovulation (spinnbarkeit). Progesterone produces thick, sticky, opaque mucus that forms a plug in the cervical canal during pregnancy.

**Synonyms:**

---

## Cervical Polyps

Usually benign, finger-like growths arising from the endocervical canal or cervix. They may cause irregular bleeding, postcoital bleeding, or vaginal discharge and are often found during a pelvic examination. Symptomatic or atypical polyps are removed and sent for pathology.

**Synonyms:**

## Cervical Pregnancy

A rare ectopic pregnancy (0.1-1%) implanted in the cervical canal. Presents with painless vaginal bleeding in the first trimester. Diagnosis: ultrasound (hourglass-shaped uterus, gestational sac in the cervix with absent sliding sign, empty uterine cavity). High risk of severe hemorrhage.

**Synonyms:**

## Cervical Radiculopathy

A condition caused by compression, irritation, or inflammation of a spinal nerve root in the cervical spine, resulting in pain, numbness, tingling, and weakness in the distribution of the affected nerve root.

**Synonyms:**

## Cervical Rib

An extra rib arising from a cervical vertebra, usually the seventh. It may be asymptomatic or contribute to thoracic outlet syndrome by compressing the brachial plexus or subclavian vessels.

**Synonyms:**

## Cervical Ripening Agents

Medicines or mechanical devices used to soften and prepare the cervix before labor induction. Options include prostaglandins and cervical balloons; selection and dosing depend on the cervix, pregnancy, contraindications, and local obstetric protocol.

**Synonyms:**

## Cervical Screening (Pap Smear)

Screening for cervical cancer by collecting cells from the transformation zone of the cervix. Liquid-based cytology (ThinPrep) or conventional Pap smear.

HPV co-testing (high-risk HPV 16, 18, others) improves sensitivity.

**Synonyms:** Pap Smear

## Cervical Spine

The upper segment of the vertebral column consisting of seven cervical vertebrae, C1 through C7, supporting the head and protecting the cervical spinal cord. It permits substantial flexion, extension, rotation, and lateral flexion while transmitting the vertebral arteries through the transverse foramina of C1-C6.

**Synonyms:**

## Cervical Spine Trauma

Injury to the cervical spine that may affect the vertebrae, discs, ligaments, spinal cord, or nerve roots. Evaluation includes the mechanism, examination, and appropriate imaging; classification systems can help guide treatment, which depends on stability and neurologic findings.

**Synonyms:**

## Cervical spondyloarthropathy

A degenerative condition of the cervical spine involving disc degeneration, osteophyte formation, and facet joint arthropathy that may compress nerve roots or the spinal cord. It can cause neck pain, radiculopathy, or myelopathy, and is a common cause of cervical spinal stenosis in older adults.

**Synonyms:**

## Cervical Spondylosis

Age-related degenerative changes of the cervical spine—disc degeneration, osteophyte formation, facet joint arthritis, and ligament hypertrophy—affecting the intervertebral discs, vertebrae, and joints.

**Synonyms:**

## Cervical Vertebrae

The seven vertebrae of the neck. Typical cervical vertebrae have small bodies, bifid spinous processes, and transverse foramina transmitting the vertebral vessels; C1, C2, and C7 are specialized.

---

**Synonyms:**

### **Cervicitis**

Cervicitis is a medical condition involving cervicitis; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. infections (Chlamydia trachomatis and Neisseria gonorrhoeae) but also by other organisms (Mycoplasma genitalium, Trichomonas vaginalis, herpes simplex virus), or non-infectious causes (chemical irritation, foreign body, allergy).

**Synonyms:**

### **Cervix**

Cervix concerns cervix, a body structure, substance, or physiologic concept whose clinical meaning depends on location, function, and patient context. approximately 3-4 cm long in the non-pregnant state and consists of two parts: the ectocervix (visible portion protruding into the vagina, covered by stratified squamous epithelium) and the endocervical canal (lined by columnar epithelium).

**Synonyms:**

### **Cesarean Delivery**

Surgical delivery of the fetus through abdominal and uterine incisions. Performed when vaginal delivery is contraindicated or fails. Indications include malpresentation, placenta previa, previous cesarean, fetal distress, and failed induction. Most common uterine incision is low transverse (classical for very preterm or transverse lie).

**Synonyms:**

### **Cesarean Section**

C-section: surgical delivery of the infant through incisions in the abdominal wall and uterus. Indications: fetal distress, failure to progress, malpresentation (breech, transverse), placenta previa, abruption, previous cesarean (some), multiple pregnancy, preeclampsia, cord prolapse, and maternal conditions.

**Synonyms:**

### **Cesarean Section (C-section)**

Surgical delivery of a fetus through incisions in the abdominal wall (laparotomy) and uterus (hysterotomy).

**Synonyms:** C-section

### **Cestodiasis**

Infection or infestation caused by cestodes, commonly called tapeworms. Disease may involve the intestine or tissues, depending on the species and life-cycle stage.

**Synonyms:** tapeworms.

### **CFTR Modulator Therapy**

Targeted therapies correcting the defective CFTR protein. Elexacaftor-tezacaftor-ivacaftor (Trikafta) is the most effective combination for patients with at least one F508del mutation. These therapies have dramatically changed CF prognosis.

**Synonyms:**

### **Chagas Disease**

A parasitic infection caused by Trypanosoma cruzi, transmitted by reduviid bugs (kissing bugs), endemic in Latin America. Acute phase: fever, swelling at bite site (chagoma), Romana sign (peri-orbital edema). Chronic phase (years later): Chagas cardiomyopathy (most common and serious), megasophagus, and megacolon.

**Synonyms:**

### **Chagoma**

A localized inflammatory lesion at the site where Trypanosoma cruzi enters the body. It is an early manifestation of Chagas disease and may be accompanied by regional lymphadenopathy.

**Synonyms:**

### **Chain of Custody**

Meticulous paper trail and chronological documentation tracking the seizure, custody, control, transfer, analysis, and disposition of physical and electronic evidence in medico-legal investigations (e.g., blood samples for toxicology, bullets, sexual assault kits, biological fluids).

---

**Synonyms:**

### **Chalazion**

Chalazion concerns chalazion; its medical significance is established from the defining features, setting, associated findings, and clinical question. obstruction. Presents as a firm, painless, well-circumscribed nodule in the eyelid, usually away from the lid margin. Different from a sty (which is acute and tender). Most resolve spontaneously over weeks to months.

**Synonyms:**

### **Chancre**

A usually painless ulcer at the site of inoculation of an infection, especially the primary lesion of syphilis. It may be accompanied by regional lymph-node enlargement and heals without treatment, although infection persists.

**Synonyms:**

### **Chancroid**

Chancroid concerns chancroid; its medical significance is established from the defining features, setting, associated findings, and clinical question. genital ulcers and tender inguinal lymphadenopathy (bubo). Ulcers are ragged, non-indurated, with purulent exudate and surrounding erythema. More common in men and in resource-limited settings. Associated with increased HIV transmission.

**Synonyms:**

### **Channelopathy**

A disorder caused by abnormal structure or function of an ion channel or its regulatory proteins. Channelopathies can affect excitable tissues and cause neurologic, muscular, or cardiac disease.

**Synonyms:**

### **Charcoal**

Fine black powder produced by controlled pyrolysis of organic materials, processed to yield a massive micro-porous surface area (500-1500 m<sup>2</sup>/g). See activated charcoal.

**Synonyms:**

### **Charcot Arthropathy**

Progressive destruction and deformity of a joint caused by loss of protective pain or proprioceptive sensation. It is most often associated with peripheral neuropathy, particularly diabetic neuropathy.

**Synonyms:**

### **Charcot Foot**

A progressive destructive arthropathy of the foot and ankle, usually occurring in people with peripheral neuropathy, especially diabetes. Repeated unnoticed trauma causes warmth, swelling, deformity, instability, and an increased risk of ulceration and amputation.

**Synonyms:**

### **Charcot Joint**

Progressive, neurotrophic arthropathy caused by loss of sensation (proprioception and pain) leading to joint destruction with bone fragmentation, joint dislocation, deformity, and loss of normal pain and proprioceptive sensation in the affected limb.

**Synonyms:**

### **Charcot Triad**

Clinical constellation of fever, right upper quadrant pain, and jaundice representing the classic presentation of ascending cholangitis, infection of the biliary tree from common bile duct obstruction by a gallstone. The full triad is found in approximately fifty to seventy percent of patients.

**Synonyms:**

### **Charcot Triad (Cholangitis)**

Classic diagnostic triad of acute ascending cholangitis: (1) Fever, (2) Right Upper Quadrant abdominal pain, and (3) Jaundice. Reynolds Pentad adds Hypotension and Altered Mental Status. See Acute Cholangitis.

**Synonyms:** Cholangitis

### **Charcot-Marie-Tooth Disease**

Group of inherited peripheral neuropathies (hereditary motor and sensory neuropathy, HMSN), the most common inherited neuromuscular disorder



---

(prevalence 1 in 2,500). More than 100 causative genes (PMP22, MPZ, GJB1, MFN2, NEFL).

**Synonyms:**

### **CHARGE Syndrome**

A genetic disorder caused by CHD7 gene mutations (autosomal dominant, most cases de novo) affecting multiple organ systems.

**Synonyms:**

### **Checkpoint Inhibitor**

A medicine that blocks an inhibitory immune-checkpoint pathway, helping selected immune cells recognize and attack tumor cells. Examples target PD-1, PD-L1, or CTLA-4.

**Synonyms:**

### **Checkpoints**

Immune regulatory molecules. Cancer exploits checkpoints. Inhibitors block checkpoints.

**Synonyms:**

### **Chediak-Higashi Syndrome**

Autosomal recessive (LYST mutation, lysosomal trafficking regulator). Giant lysosomal granules in neutrophils, melanocytes, neurons. Partial oculocutaneous albinism, silvery hair, photophobia, nystagmus.

**Synonyms:**

### **Cheilectropion**

An eversion deformity of the lip, usually involving the lower lip. It may result from scarring, congenital malformation, or loss of tissue support.

**Synonyms:**

### **Cheilitis**

Inflammation of one or both lips, causing dryness, scaling, fissuring, erythema, swelling, pain, or ulceration. Causes include irritant or allergic contact exposure, infection, nutritional deficiency, chronic sun exposure, and inflammatory skin disease; persistent lesions require evaluation for premalignant or malignant change.

**Synonyms:**

### **Cheiloplasty**

Plastic or reconstructive surgery of the lip, performed to repair congenital clefting, trauma, tumors, scars, or other deformity.

**Synonyms:**

### **Cheiloschisis**

Cleft lip, a congenital fissure of the upper lip caused by incomplete fusion of facial processes during embryonic development. It may occur alone or with cleft palate.

**Synonyms:**

### **Cheilosis**

A disorder of the lips characterized by dryness, scaling, fissuring, or inflammation. Causes include irritation, nutritional deficiency, infection, and systemic disease.

**Synonyms:**

### **Cheiopompholyx**

A form of dyshidrotic eczema affecting the hands, with intensely itchy small vesicles on the palms or sides of the fingers.

**Synonyms:**

### **Chelation**

The formation of a stable complex between a metal ion and a molecule with multiple binding sites. In medicine, chelation can be used under supervision to bind and promote elimination of selected toxic metals.

**Synonyms:**

### **Chelation Study**

Nuclear medicine study using chelating agents. Evaluates renal function, obstruction.

**Synonyms:**

### **Chelation Therapy**

Use of chelating agents to bind metals for excretion. Agents: EDTA (lead), deferoxamine (iron), dimercaprol (arsenic, mercury, gold), DMSA (lead, mercury), penicillamine (copper, lead). Complications: nephrotoxicity, electrolyte disturbances,

---

redistribution of metals.

**Synonyms:**

### **Chemical Eye Injury**

Ocular damage caused by exposure to an acidic or alkaline substance. Immediate copious irrigation, removal of particulate material, measurement of ocular-surface pH, and urgent ophthalmic assessment are required; alkali injuries may penetrate deeply and continue to worsen after exposure.

**Synonyms:**

### **Chemical Injury**

Tissue damage from corrosive substances. Acid burns: coagulation necrosis, eschar formation. Alkali burns: liquefaction necrosis, deeper penetration. Management: copious irrigation, remove contaminated clothing, assess for airway involvement.

**Synonyms:**

### **Chemical Peels**

Chemical peels use acids to exfoliate skin layers. Superficial peels (glycolic acid 20 to 70 percent, salicylic acid 20 to 30 percent) affect the epidermis. Medium peels (trichloroacetic acid 35 to 50 percent) reach the papillary dermis. Deep peels (phenol 88 percent) reach the reticular dermis.

**Synonyms:**

### **Chemical Pneumonitis**

Inflammation and lung injury caused by inhalation or aspiration of irritating chemicals, gastric contents, hydrocarbons, or other toxic substances. It may cause cough, dyspnea, hypoxemia, wheezing, and diffuse pulmonary infiltrates.

**Synonyms:**

### **Chemodectoma**

A tumor arising from paraganglionic tissue, especially a carotid-body tumor. It is usually slow-growing and may compress nearby cranial nerves or vessels.

**Synonyms:**

### **Chemoembolization**

A procedure that combines delivery of an antineoplastic agent with embolization of the blood supply to a tumor, most commonly for selected liver cancers.

**Synonyms:**

### **Chemokine**

A family of small secreted cytokines that direct leukocyte migration (chemotaxis) to sites of infection, inflammation, and tissue repair. Classified by cysteine motif: CXC (e.g., IL-8/CXCL8, recruit neutrophils), CC (e.g., MCP-1/CCL2, attract monocytes), C, and CX3C.

**Synonyms:**

### **Chemokinesis**

Nonspecific stimulation of cell movement by a chemical substance, without directional movement toward or away from a concentration gradient.

**Synonyms:**

### **Chemophobia**

An excessive or irrational fear of chemicals, sometimes associated with anxiety or obsessive concerns about contamination or toxicity.

**Synonyms:**

### **Chemoprevention**

The use of drugs or natural agents to prevent, delay, or reverse cancer development, e.g., tamoxifen or raloxifene in high-risk breast cancer, HPV and hepatitis B vaccination, and aspirin in colorectal cancer.

**Synonyms:**

### **Chemoradiation**

The concurrent combination of chemotherapy and radiation therapy, used to treat locoregionally advanced cancers such as anal, cervical, head and neck, esophageal, and limited-stage small cell lung cancer.

**Synonyms:**

### **Chemoreceptor**

A sensory receptor that responds to changes in blood

---

or CSF chemistry, involved in respiratory and cardiovascular regulation.

**Synonyms:**

### **Chemoreceptor Trigger Zone**

A region near the floor of the fourth ventricle that detects emetic stimuli in blood and cerebrospinal fluid and helps initiate vomiting.

**Synonyms:**

### **Chemoresistance**

Reduced or absent responsiveness of cells, especially tumor cells, to a chemical treatment that would ordinarily inhibit or destroy them.

**Synonyms:**

### **Chemosensitivity**

The degree to which cells or a tumor respond to a chemical treatment. Testing may be used experimentally or clinically to help characterize treatment response.

**Synonyms:**

### **Chemosis**

Chemosis is a medical condition involving chemosis; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. appearance. It may occur with allergy, infection, inflammation, trauma, or orbital disease.

**Synonyms:**

### **Chemotaxis**

Directed movement of a cell or organism toward or away from a chemical stimulus. It is important in immune-cell recruitment and inflammatory responses.

**Synonyms:**

### **Chemotherapy**

Chemotherapy concerns chemotherapy; its medical significance is established from the defining features, setting, associated findings, and clinical question. antimetabolite action. Common agents: alkylating agents, anthracyclines, taxanes, platins, antimetabolites. Side effects: myelosuppression, nausea, alope-

cia.

**Synonyms:**

### **Chemotherapy Extravasation**

Leakage of an intravenous anticancer drug into surrounding tissue. Vesicant extravasation can cause severe local injury, so infusion must stop immediately while the catheter is managed and drug-specific antidote and surgical guidance are obtained.

**Synonyms:**

### **Cherry Angioma**

A common benign proliferation of small dermal blood vessels that appears as a bright-red to purple papule, usually on the trunk or limbs. Lesions may bleed after trauma but generally require no treatment unless diagnosis is uncertain or removal is desired.

**Synonyms:**

### **Cherry Eye**

Prolapse of the gland of the third eyelid, producing a rounded red mass at the inner corner of the eye. The term is used especially in veterinary ophthalmology.

**Synonyms:**

### **Cherry-Red Spot**

A striking fundoscopic finding in which the macula appears bright red against a pale, ischemic, or lipid-laden surrounding retina. Mechanism: the fovea centralis lacks inner retinal layers and receives blood supply from the underlying choroid, preserving its natural red color while adjacent edematous retina turns opaque white.

**Synonyms:**

### **Cherubism**

A rare inherited disorder characterized by bilateral enlargement of the jaws from expansile giant-cell lesions, usually beginning in childhood and often regressing after puberty.

**Synonyms:**

### **Chest Pain**

A cardinal symptom with cardiac and non-cardiac

---

causes requiring urgent distinction. Cardiac: acute coronary syndrome (angina, MI), pericarditis, aortic dissection, myocarditis. Pulmonary: pulmonary embolism, pneumothorax, pneumonia, pleurisy. GI: GERD, esophageal spasm, peptic ulcer. Musculoskeletal and psychogenic causes also common.

**Synonyms:**

### Chest Physiotherapy

Techniques to mobilize and clear secretions from the lungs, including postural drainage, percussion, vibration, and huffing. It is used in bronchiectasis, CF, and post-operative patients. Positive expiratory pressure devices and oscillating PEP devices are also used.

**Synonyms:**

### Chest Tube Insertion

Placement of a thoracostomy tube in the safe triangle (latissimus dorsi, pectoralis major, nipple level) to drain air, fluid, or blood from the pleural space. Connected to underwater seal drainage.

**Synonyms:**

### Chest Tube Thoracostomy

Insertion of a tube into the pleural space to drain air, fluid, or blood. Indications: pneumothorax (large, tension, or on mechanical ventilation), hemothorax, pleural effusion (empyema, malignant, transudative), and postoperative (cardiac, thoracic surgery).

**Synonyms:**

### Chest Wall

The musculoskeletal boundary of the thoracic cavity, formed by the skin, fascia, muscles, ribs, costal cartilages, sternum, thoracic vertebrae, and associated neurovascular structures. It protects the thoracic organs and participates in breathing through coordinated movement of the ribs and respiratory muscles.

**Synonyms:**

### Chest Wall Deformity

Abnormalities of the chest wall that can affect lung function. Pectus excavatum (sunken sternum) may compress the heart and lungs. Pectus carinatum

(protruding sternum) is usually cosmetic. Scoliosis can cause restrictive lung disease. These may require surgical correction if severe.

**Synonyms:**

### Chest X-ray

Initial imaging for respiratory symptoms. PA and lateral views. Evaluates pneumonia, pneumothorax, pleural effusion, heart size, mediastinal masses. Limited sensitivity for early disease.

**Synonyms:**

### Chewing

Mastication of food. Teeth, muscles, joints coordinated. Difficulties: dental pain, missing teeth, TMJ disorder.

**Synonyms:**

### Cheyne-Stokes Respiration

Crescendo-decrescendo breathing pattern with periods of apnea, seen in heart failure and stroke. It is a form of central sleep apnea.

**Synonyms:**

### Chiari I malformation

Downward displacement of the cerebellar tonsils through the foramen magnum, which may cause headache, neck pain, balance problems, or no symptoms.

**Synonyms:**

### Chiari Malformation

Chiari malformations are structural abnormalities of the posterior fossa and cerebellum characterized by downward displacement of the cerebellar tonsils through the foramen magnum. Type I is the most common variant, defined as cerebellar tonsillar ectopia of five millimeters or more below the foramen magnum.

**Synonyms:**

### Chiari-Frommel Syndrome

Persistent postpartum secretion of milk with absence of menstruation, associated with hyperprolactinemia after pregnancy. It is a form of

---

galactorrhea-amenorrhea syndrome.

**Synonyms:**

### **Chickenpox**

Chickenpox is a contagious varicella-zoster virus infection characterized by an itchy vesicular rash; complications are more likely in adults, pregnancy, immunosuppression, and some infants. in different stages (macules, papules, vesicles, crusts). Highly contagious via respiratory droplets and contact with lesions. Incubation 10-21 days. Complications include secondary bacterial infection, pneumonia, encephalitis, and Reye syndrome.

**Synonyms:**

### **Chignon**

A temporary swelling (edema) on the baby's scalp caused by the vacuum cap used during ventouse (vacuum) assisted delivery. The chignon forms as the vacuum creates negative pressure pulling the scalp tissue into the cup. It settles within 24-48 hours after birth without any treatment.

**Synonyms:**

### **Chikungunya**

An acute mosquito-borne viral infection characterized by fever and often severe joint pain, with rash and other systemic symptoms in some patients.

**Synonyms:**

### **Chikungunya Fever**

An acute febrile illness caused by chikungunya virus and transmitted primarily by Aedes mosquitoes. It typically causes abrupt fever, severe symmetrical polyarthralgia, myalgia, headache, and rash; joint symptoms may persist for months or longer, especially in older adults or people with pre-existing rheumatic disease.

**Synonyms:**

### **Chikungunya virus**

Chikungunya virus is a mosquito-borne alphavirus that causes abrupt fever and severe joint pain, with arthralgia sometimes persisting for months. severe joint pain. The virus is transmitted by Aedes

mosquitoes. Symptoms include fever, rash, and polyarthralgia that can be debilitating. Most patients recover fully, but some develop chronic joint pain lasting months to years.

**Synonyms:**

### **Chilblain**

An inflammatory skin lesion caused by an abnormal response to cold and damp conditions. It produces itchy, red or violaceous swollen areas, usually on fingers, toes, ears, or nose.

**Synonyms:**

### **Child Abuse**

Physical, sexual, or emotional harm or neglect of a child by a caregiver. Recognized by inconsistent histories, injury patterns inconsistent with mechanism, and behavioral indicators. Types: physical abuse, sexual abuse, neglect, and emotional abuse. Mandatory reporting requirements for healthcare providers.

**Synonyms:**

### **Child Neglect**

The failure of a caregiver to provide adequate food, shelter, clothing, supervision, education, or medical care. The most common form of child maltreatment. Types: physical neglect, educational neglect, emotional neglect, and medical neglect. May result in failure to thrive, developmental delay, and chronic illness.

**Synonyms:**

### **Child Poisoning**

Exposure of a child to a medicine, chemical, or other substance that may cause harm. Suspected poisoning requires prompt expert assessment.

**Synonyms:**

### **Child-Pugh Classification**

Clinical scoring system assessing prognosis of chronic liver disease by evaluating five parameters: total bilirubin, serum albumin, international normalized ratio, ascites, and hepatic encephalopathy. Each parameter is scored one to three points.

---

**Synonyms:**

### **Childbirth**

The process of giving birth, encompassing three stages: (1) First stage: from the onset of regular uterine contractions (cervical effacement and dilation) to full dilation (10 cm). See Parturition (Childbirth).

**Synonyms:**

### **Childhood Absence Epilepsy**

An epilepsy syndrome beginning in childhood with frequent brief absence seizures, characterized by sudden impairment of awareness and a typical generalized spike-and-wave EEG pattern.

**Synonyms:**

### **Childhood Obesity**

Excess body fat in a child or adolescent, assessed using age- and sex-specific body-mass-index percentiles. It reflects interacting genetic, behavioral, environmental, and medical factors and increases later cardiometabolic risk. Evaluation should be non-stigmatizing and include growth pattern, nutrition, activity, sleep, and comorbidities.

**Synonyms:**

### **Chills**

Chills concerns chills; its medical significance is established from the defining features, setting, associated findings, and clinical question. by hypothalamic thermoregulatory responses. Chills commonly occur during fever or infection but may also accompany exposure, endocrine or metabolic disturbance, medication effects, or acute systemic illness.

**Synonyms:**

### **Chimerism**

The presence in one individual of cell populations derived from genetically different zygotes or sources. It may occur naturally, after transplantation, or through exchange of cells between a pregnant person and fetus.

**Synonyms:**

### **Chionablepsia**

Temporary visual impairment caused by exposure to intense reflected light from snow or ice, commonly called snow blindness. It is usually related to ultraviolet injury of the cornea.

**Synonyms:** snow blindness.

### **Chlamydia**

Chlamydia concerns chlamydia; its medical significance is established from the defining features, setting, associated findings, and clinical question. asymptomatic in women, causing cervicitis, urethritis, and pelvic inflammatory disease. Complications include tubal factor infertility and ectopic pregnancy. Diagnosis by nucleic acid amplification test. Treatment: azithromycin or doxycycline.

**Synonyms:**

### **Chlamydia trachomatis infection**

A bacterial infection transmitted mainly through sexual contact. It may cause urethritis, cervicitis, pelvic inflammatory disease, proctitis, or no symptoms.

**Synonyms:**

### **Chlamydial pneumonia**

Pneumonia caused by Chlamydia species, usually producing a gradual cough, fever, and malaise.

**Synonyms:**

### **Chlamydiosis**

Infection caused by bacteria of the genus Chlamydia. Depending on the species and site, it may cause sexually transmitted infection, conjunctivitis, pneumonia, or other disease.

**Synonyms:**

### **Chlamydophila Pneumonia**

Atypical pneumonia with mild presentation: sore throat, hoarseness, cough. Treatment is macrolides or tetracyclines.

**Synonyms:**

### **Chloasma**

Patchy brown hyperpigmentation, especially of the



---

face, associated with pregnancy, hormones, sun exposure, or other causes. It is commonly called melasma.

**Synonyms:** melasma.

### **Chloracne**

An acne-like eruption caused by exposure to certain halogenated aromatic compounds, such as dioxins and related industrial chemicals.

**Synonyms:**

### **Chloramphenicol**

A broad-spectrum antibiotic with activity against gram-positive and gram-negative organisms, as well as Rickettsia. Chloramphenicol inhibits bacterial protein synthesis by binding to the 50S ribosomal subunit. It is indicated for serious infections when other agents are not appropriate, including bacterial meningitis and typhoid fever.

**Synonyms:**

### **Chloranemia**

Anemia in which the red blood cells are abnormally pale, usually because of reduced hemoglobin content, as in iron deficiency.

**Synonyms:**

### **Chloroleukemia**

A rare form of myeloid leukemia associated with greenish tumor masses composed of myeloid cells, also called granulocytic sarcoma or chloroma.

**Synonyms:** granulocytic sarcoma or chloroma.

### **Chloroma**

A greenish extramedullary mass of immature myeloid cells, usually associated with acute myeloid leukemia. It is also called granulocytic sarcoma or myeloid sarcoma.

**Synonyms:** granulocytic sarcoma or myeloid sarcoma.

### **Chloropsia**

A visual disturbance in which objects appear green or have a greenish tint. It can occur with retinal disease, medication or toxin exposure, or other

visual-pathway disorders.

**Synonyms:**

### **Choanal Atresia**

A congenital obstruction of the posterior nasal passage (choana) due to failure of the bucconasal membrane to rupture during embryogenesis. Bilateral choanal atresia presents as a respiratory emergency in the newborn, who is an obligate nasal breather — cyclic cyanosis that improves with crying.

**Synonyms:**

### **Choking**

Airway obstruction caused by an object lodged in the pharynx or larynx, producing impaired ventilation. Complete obstruction can cause hypoxic brain injury and death within minutes; treatment depends on the patient's age, consciousness, and effectiveness of coughing.

**Synonyms:**

### **Cholangiitis**

Inflammation of the bile ducts. It may be caused by infection, obstruction, autoimmune disease, or other biliary disorders.

**Synonyms:**

### **Cholangiocarcinoma**

Cholangiocarcinoma is a medical condition involving cholangiocarcinoma; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. location as intrahepatic, perihilar, or distal extrahepatic.

**Synonyms:**

### **Cholangiography**

Contrast imaging of bile ducts. Intraoperative, percutaneous, or ERCP approach. Evaluates biliary obstruction, stones, strictures.

**Synonyms:**

### **Cholangitis**

Cholangitis is a medical condition involving cholangitis; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

---

(common bile duct stones) obstructing bile flow, but also from biliary strictures, stent occlusion, and malignancy. The classic clinical presentation is Charcot triad: fever, right upper quadrant pain, and jaundice (present in 50-70 percent of cases).

**Synonyms:**

### **Cholecystectomy**

Surgical removal of the gallbladder, usually by a laparoscopic approach when appropriate. It may be performed for symptomatic gallstones, acute cholecystitis, selected gallstone pancreatitis, or other gallbladder disease.

**Synonyms:**

### **Cholecystitis**

Inflammation of the gallbladder, most commonly caused by obstruction of the cystic duct by a gallstone, which occurs in approximately 95 percent of cases. The obstruction leads to bile stasis, increased intraluminal pressure, and ischemia of the gallbladder wall, which may progress to bacterial infection.

**Synonyms:**

### **Cholecystography**

Radiographic examination of the gallbladder, usually after administration of a contrast substance, to assess its filling, concentration, and emptying.

**Synonyms:**

### **Cholecystokinin**

CCK is a peptide hormone produced by I-cells in the duodenal and jejunal mucosa in response to fatty acids (long-chain fatty acids are the most potent stimuli) and amino acids in the chyme.

**Synonyms:**

### **Choledochal Cyst**

Congenital dilatation of the biliary tree classified into five types according to the Todani classification. Type I involving dilation of the common bile duct is the most common. Presents with the classic triad of abdominal pain, jaundice, and palpable mass though all three are present in less than twenty

percent of cases.

**Synonyms:**

### **Choledocholithiasis**

Choledocholithiasis concerns choledocholithiasis; its medical significance is established from the defining features, setting, associated findings, and clinical question. percent of patients with cholelithiasis.

**Synonyms:**

### **Cholelithiasis**

The presence of stones in the gallbladder or biliary tract. Stones may contain cholesterol, pigment, or mixed material and may cause no symptoms or lead to biliary pain and complications.

**Synonyms:**

### **Cholera**

Cholera concerns cholera; its medical significance is established from the defining features, setting, associated findings, and clinical question. flagellated bacterium, serogroups O1 and O139, that produces cholera toxin, an enterotoxin that irreversibly activates adenylate cyclase in intestinal epithelial cells, causing massive secretion of isotonic fluid into the intestinal lumen.

**Synonyms:**

### **Cholestasis**

Cholestasis concerns cholestasis; its medical significance is established from the defining features, setting, associated findings, and clinical question. cholesterol in the blood and tissues.

**Synonyms:**

### **Cholesteatoma**

Cholesteatoma concerns cholesteatoma; its medical significance is established from the defining features, setting, associated findings, and clinical question. nearby bone. It may cause hearing loss, chronic ear discharge, dizziness, or facial-nerve problems.

**Synonyms:**

### **Chronic Suppurative Otitis Media**

Persistent inflammation and infection of the middle

---

ear with recurrent or continuous ear discharge, usually through a perforated tympanic membrane. It can cause conductive hearing loss and may lead to cholesteatoma or other complications.

**Synonyms:** CSOM; chronic otitis media with discharge; chronic suppurative middle-ear infection.

### **Cholesterol and Lipids**

Fatty substances in the blood, including LDL cholesterol, HDL cholesterol, and triglycerides, that play critical roles in cellular function and energy metabolism. Abnormal lipid levels, particularly high LDL and triglycerides with low HDL, promote atherosclerosis and increase the risk of heart attack and stroke.

**Synonyms:**

### **Cholesterol crystal embolization**

Atheroembolic disease caused by cholesterol crystal fragments dislodging from proximal atherosclerotic plaques into distal small arteries, often after vascular procedures. Presents with livedo reticularis, blue-toe syndrome, renal failure, and eosinophilia. Diagnosis by skin, kidney, or muscle biopsy.

**Synonyms:**

### **Cholesterol crystals**

Needle-shaped, cleft-like spaces seen in histological sections representing dissolved cholesterol esters, commonly found in atherosclerotic plaques, atheroembolic disease, and cholesterol-rich effusions. In atheroembolic disease, cholesterol crystals embolize from ruptured plaques to distal organs causing tissue ischemia.

**Synonyms:**

### **Cholesterol emboli**

Cholesterol crystals released from an atherosclerotic plaque that lodge in small arteries and cause ischemia or inflammation in downstream tissues.

**Synonyms:**

### **Cholesterol embolism**

Blockage of small arteries by cholesterol crystals, often after vascular instrumentation or plaque dis-

ruption.

**Synonyms:**

### **Cholesterol embolization**

Release and downstream lodging of cholesterol crystals from an atherosclerotic arterial plaque.

**Synonyms:**

### **Cholesterol Synthesis**

Occurs in all nucleated cells (primarily liver and intestine, approximately 1 g/day production), using acetyl-CoA as the precursor through approximately 30 enzymatic steps.

**Synonyms:**

### **Cholesterolemia**

The presence and concentration of cholesterol in the blood. Abnormal elevation is a risk factor for atherosclerotic cardiovascular disease.

**Synonyms:**

### **Cholinergic Crisis**

Excess acetylcholine from organophosphate or carbamate poisoning. SLUDGE syndrome: salivation, lacrimation, urination, defecation, GI upset, emesis. Miosis, bradycardia, bronchospasm, muscle fasciculations. Treatment: atropine, pralidoxime.

**Synonyms:**

### **Cholinesterase Inhibitor**

A class of medications that inhibit acetylcholinesterase, the enzyme that breaks down acetylcholine in the synaptic cleft, thereby increasing cholinergic neurotransmission in the central nervous system and peripheral tissues.

**Synonyms:**

### **Chondritis**

Inflammation of cartilage, such as the cartilage of the ear, nose, ribs, or larynx. It may result from infection, trauma, or immune-mediated disease.

**Synonyms:**

---

### Chondroblastic osteosarcoma

A variant of osteosarcoma in which the malignant cells produce a cartilaginous matrix. It typically affects the long bones of adolescents and young adults, with a predilection for the metaphyseal regions.

**Synonyms:**

### Chondrocalcinosis

Calcification of cartilage visible on X-ray. Associated with CPPD disease. Found in knees, wrists, pubic symphysis. May be incidental or symptomatic.

**Synonyms:**

### Chondrodysplasia

A disorder of cartilage and bone development that causes abnormal skeletal growth and, in some forms, disproportionate short stature.

**Synonyms:**

### Chondroma

Benign cartilage-forming tumor composed of mature hyaline cartilage, most often intramedullary (enchondroma) or subperiosteal (juxtacortical / periosteal chondroma).

**Synonyms:**

### Chondromalacia

Softening and degeneration of cartilage, especially articular cartilage. The term is often used for changes affecting the patella and causing anterior knee pain.

**Synonyms:**

### Chondrosarcoma

The second most common primary malignant bone tumor (after osteosarcoma) and the most common primary malignant bone tumor in adults (peak age 40-70 years).

**Synonyms:**

### Chopart's Joint

The transverse tarsal joint, consisting of the talonavicular and calcaneocuboid joints, between the hindfoot and the midfoot.

**Synonyms:**

### Chordae Tendineae

Thin tendinous cords connecting the papillary muscles to the free edges of the atrioventricular valve leaflets (mitral and tricuspid). They tether the leaflets and, with papillary muscle contraction during ventricular systole, prevent valve prolapse and regurgitation.

**Synonyms:**

### Chordoma

Slow-growing, locally aggressive malignant bone tumor originating from embryonic remnants of the notochord along the axial skeleton. Three anatomic locations: (1) sacrococcygeal ( 50% of cases, most common), (2) spheno-occipital/clival ( 35%, base of skull), (3) vertebral (cervical thoracolumbar, 15%).

**Synonyms:**

### Chorea

Involuntary, irregular, brief, non-repetitive jerky movements flowing randomly from one body part to another ('dance-like'), due to basal ganglia (striatal) dysfunction.

**Synonyms:**

### Chorioamnionitis

Infection of the chorion and amnion, typically due to ascending bacterial infection from the genital tract. Risk factors include prolonged rupture of membranes, multiple vaginal exams, and preterm labor. Presents with maternal fever, uterine tenderness, and fetal tachycardia. Diagnosis is clinical; amniocentesis for confirmation.

**Synonyms:**

### Chorioamnionitis (Intraamniotic Infection)

Infection or inflammation of the amniotic fluid, membranes, placenta, or decidua, usually due to ascending polymicrobial infection. Maternal fever, uterine tenderness, fetal tachycardia, and maternal leukocytosis may occur; treatment requires broad-spectrum antibiotics and delivery planning.

**Synonyms:** Intraamniotic Infection

---

## Choriocarcinoma

Choriocarcinoma is a medical condition involving choriocarcinoma; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. cytotrophoblast, the most aggressive form of gestational trophoblastic disease (GTD).

**Synonyms:**

## Chorion

The outermost fetal membrane, derived from the trophoblast. The chorion frondosum (villous chorion) develops into the fetal portion of the placenta. The chorion laeve (smooth chorion) is the non-villous portion. Chorionic villi contain fetal blood vessels and are bathed in maternal blood.

**Synonyms:**

## Chorionic Villus Sampling

Prenatal diagnostic test at 10-13 weeks gestation, earlier than amniocentesis. Transabdominal or transcervical biopsy of chorionic villi (placental tissue). Indications: advanced maternal age, abnormal first-trimester screen, carrier screening, or family history of genetic disorders. Analyzed for karyotype, FISH, and microarray.

**Synonyms:**

## Chorioretinitis

Inflammation involving the choroid and retina, often caused by infection, autoimmune disease, or systemic inflammatory illness. It can produce floaters and impaired vision.

**Synonyms:**

## Choroid

Choroid concerns choroid; its medical significance is established from the defining features, setting, associated findings, and clinical question. (with ciliary body and iris). Contains dense capillary network (choriocapillaris) supplying outer retina (photoreceptors). Pigmented (melanin) to absorb stray light. Bruchs membrane separates choroid from retinal pigment epithelium.

**Synonyms:**

## Choroid Plexus Cyst

A fluid-filled cyst within the choroid plexus of a fetal cerebral ventricle. An isolated cyst with otherwise reassuring prenatal assessment is usually benign, but its significance depends on other ultrasound findings and screening results.

**Synonyms:**

## Choroid Plexus Tumor

A papillary neoplasm of the choroid plexus, occurring most often in children, and frequently presenting with hydrocephalus from excessive cerebrospinal fluid production.

**Synonyms:**

## Choroidal Neovascularization

The pathological growth of new, fragile blood vessels from the choroid through Bruch membrane into the subretinal or sub-retinal pigment epithelium space, and it is the hallmark of wet age-related macular degeneration and the primary cause of severe central vision loss in this condition.

**Synonyms:**

## Christmas Disease

Hemophilia B, an inherited bleeding disorder caused by deficiency or dysfunction of coagulation factor IX.

**Synonyms:**

## Chromaffinoma

A tumor of chromaffin cells, usually a pheochromocytoma of the adrenal medulla or a related extra-adrenal paraganglioma. It may secrete catecholamines and cause episodic hypertension.

**Synonyms:**

## Chromatin

The complex of DNA, histone proteins, and associated molecules that packages the genome in the nucleus. Its organization and chemical modification regulate DNA accessibility, replication, repair, and transcription.

**Synonyms:**

---

## Chromatopsia

A visual disturbance in which objects appear abnormally colored. It may result from retinal disease, toxic exposure, medication effects, or other disorders of the visual system.

**Synonyms:**

## Chromhidrosis

A rare condition in which sweat is abnormally colored, often yellow, green, blue, or black, because of pigment in the sweat glands or on the skin surface.

**Synonyms:**

## Chromoblastomycosis

A chronic fungal infection of skin and subcutaneous tissue that produces slowly enlarging warty or scaly lesions, usually after traumatic implantation of the fungus.

**Synonyms:**

## Chromosomal Abnormality

Change in chromosome number or structure. Numerical: aneuploidy (abnormal number, e.g., trisomy 21), polyploidy (extra sets). Structural: deletion, duplication, inversion, translocation.

**Synonyms:**

## Chromosome

Chromosome concerns chromosome, a body structure, substance, or physiologic concept whose clinical meaning depends on location, function, and patient context. information. Humans have 46 chromosomes (23 pairs): 22 pairs of autosomes, 1 pair of sex chromosomes (XX female, XY male). Chromosomes condense during cell division for visualization.

**Synonyms:**

## Chronic

Chronic concerns chronic; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

## Chronic Allograft Nephropathy

Progressive transplant kidney function decline over

months to years. Interstitial fibrosis and tubular atrophy on histology. Can be immunologic or non-immunologic. Optimize immunosuppression and manage risk factors including hypertension and recurrent disease.

**Synonyms:**

## Chronic autoimmune Hashimoto thyroiditis

An autoimmune inflammatory disease of the thyroid that progressively destroys thyroid tissue and commonly causes hypothyroidism.

**Synonyms:**

## Chronic autoimmune thyroiditis

Hashimoto thyroiditis, an autoimmune destruction of the thyroid that commonly causes hypothyroidism and may be associated with anti-thyroid antibodies.

**Synonyms:**

## Chronic Bronchitis

Defined clinically as a productive cough for at least three months in each of two consecutive years, after excluding other causes. It is characterized by hypertrophy of mucus-secreting glands in the bronchi (Reid index > 0.5), goblet cell hyperplasia, and chronic airway inflammation.

**Synonyms:**

## Chronic Caries

Tooth decay that progresses slowly and may produce a firm, darkened lesion.

**Synonyms:**

## Chronic Cough

Cough lasting > 8 weeks. Top 3 causes in non-smokers with normal CXR: upper airway cough syndrome, asthma, GERD. ACE inhibitor use is another common cause.

**Synonyms:**

## Chronic Eosinophilic Leukaemia

A clonal myeloid neoplasm characterized by persistent eosinophilia, increased or dysplastic eosinophils,



---

and evidence of an underlying clonal process or organ injury. Symptoms may include fatigue, fever, weight loss, rash, respiratory symptoms, splenomegaly, or cardiac and neurological complications.

**Synonyms:**

### **Chronic eosinophilic pneumonia**

An idiopathic inflammatory lung disease characterized by eosinophilic infiltration of the pulmonary parenchyma, presenting with fever, cough, dyspnea, and peripheral airspace opacities on imaging.

**Synonyms:**

### **Chronic Fatigue Syndrome**

A complex, debilitating disorder characterized by profound fatigue lasting >6 months that is not relieved by rest and is worsened by physical or mental exertion (post-exertional malaise). Associated symptoms: unrefreshing sleep, cognitive impairment (brain fog), orthostatic intolerance, joint pain, headaches, and sore throat.

**Synonyms:**

### **Chronic Granulomatous Disease**

A primary immunodeficiency caused by defects in the NADPH oxidase complex in phagocytes (neutrophils, monocytes, macrophages), impairing the respiratory burst and killing of catalase-positive organisms.

**Synonyms:**

### **Chronic Hypertension in Pregnancy**

Hypertension that predates pregnancy or is diagnosed early in pregnancy. It increases the risk of preeclampsia, fetal growth problems, preterm birth, and placental complications and requires ongoing maternal and fetal monitoring.

**Synonyms:**

### **Chronic Inflammation**

A prolonged inflammatory response characterized by simultaneous tissue destruction and attempts at repair, lasting weeks to years. Unlike acute inflammation, it is predominantly mononuclear, involving

macrophages, lymphocytes, and plasma cells rather than neutrophils.

**Synonyms:**

### **Chronic Inflammatory Demyelinating Polyneuropathy**

An acquired, immune-mediated peripheral neuropathy with a relapsing-remitting or progressive course. Presents with symmetric proximal and distal weakness, sensory loss, areflexia, and elevated CSF protein. Distinguishing from Guillain-Barre: progressive course >8 weeks (vs. rapid onset in GBS).

**Synonyms:**

### **Chronic Inflammatory Response Syndrome**

A proposed multisystem illness involving persistent inflammatory symptoms after an exposure such as certain water-damaged building environments. Reported symptoms are nonspecific and may include fatigue, headache, cognitive difficulty, and respiratory complaints. Symptoms require a careful medical evaluation for established infectious, allergic, toxic, autoimmune, and other causes.

**Synonyms:**

### **Chronic Intestinal Pseudo-Obstruction**

Chronic condition of recurrent episodes of intestinal obstruction without mechanical blockage due to neuromuscular dysfunction of the gastrointestinal tract. May involve the small bowel, colon, or both. Causes include systemic sclerosis, diabetes, Parkinson disease, amyloidosis, and paraneoplastic syndromes.

**Synonyms:**

### **Chronic Kidney Disease**

Chronic kidney disease is the progressive loss of kidney function over months to years, typically from diabetes, hypertension, or glomerular diseases. It is staged by estimated glomerular filtration rate and albuminuria, with end-stage renal disease requiring dialysis or transplantation.

**Synonyms:**

---

### Chronic Kidney Disease Staging

Classification of kidney disease by cause, eGFR category, and albuminuria category. G1 through G5 represent eGFR from normal or high to kidney failure; staging is applied when abnormalities persist for at least 3 months and helps estimate progression and complications.

**Synonyms:**

### Chronic lead poisoning

Prolonged low-level lead exposure causing abdominal pain, anemia with basophilic stippling, peripheral neuropathy, and nephropathy, requiring chelation therapy and removal of the exposure source.

**Synonyms:**

### Chronic Leukemia

A leukemia characterized by an insidious onset, clonal proliferation of relatively mature blood cells, and a more indolent clinical course.

**Synonyms:**

### Chronic Limb-Threatening Ischemia

The most severe clinical form of peripheral arterial disease, characterized by chronic ischemic rest pain, nonhealing ulceration, or gangrene attributable to arterial insufficiency. It carries high risks of limb loss and cardiovascular mortality and requires vascular evaluation for revascularization and wound management.

**Synonyms:**

### Chronic Liver Disease

Persistent hepatic injury and structural change lasting at least 6 months, caused by viral, metabolic, alcohol-related, autoimmune, cholestatic, vascular, or drug-related disease. Progressive fibrosis can lead to cirrhosis, portal hypertension, liver failure, and hepatocellular carcinoma.

**Synonyms:**

### Chronic Lymphocytic Leukemia

The most common leukemia in Western countries, characterized by the clonal proliferation of mature-appearing but functionally incompetent B lympho-

cytes that accumulate in blood, bone marrow, and lymphoid tissues.

**Synonyms:**

### Chronic Mesenteric Ischemia

Recurrent abdominal pain occurring after eating resulting from insufficient blood flow to meet the metabolic demands of the gastrointestinal tract. Most commonly caused by atherosclerotic stenosis of at least two of the three major mesenteric arteries.

**Synonyms:**

### Chronic Migraine

A migraine disorder with headache on at least 15 days per month for more than three months, with migraine features on at least eight days per month. Symptoms may include throbbing pain, nausea, vomiting, and light or sound sensitivity; frequent or disabling headaches require clinical evaluation.

**Synonyms:**

### Chronic Mucocutaneous Candidiasis

Persistent/recurrent *Candida* infections of skin, nails, mucosa (oral, esophageal, vaginal) without systemic dissemination. Autosomal dominant (STAT1 gain-of-function) or recessive (IL17F, IL17RA, ACT1, RORC). Associated with autoimmunity (hypothyroidism, AIHA, ITP, alopecia), endocrinopathies, Staph infections.

**Synonyms:**

### Chronic myelogenous leukemia

A myeloproliferative neoplasm associated with the BCR-ABL1 fusion gene, usually producing marked leukocytosis and splenomegaly.

**Synonyms:**

### Chronic Myeloid Leukemia

A myeloproliferative neoplasm characterized by the Philadelphia chromosome [t(9;22)(q34;q11.2)], which creates the BCR-ABL1 fusion gene encoding a constitutively active tyrosine kinase.

**Synonyms:**

---

### **Chronic Myelomonocytic Leukemia**

A rare myelodysplastic/myeloproliferative neoplasm characterized by persistent monocytosis (absolute monocyte count greater than 1,000 per microliter and greater than 10 percent of white blood cells) in the peripheral blood and bone marrow, with dysplastic features and variable blast count.

**Synonyms:**

### **Chronic Neutrophilic Leukaemia**

A rare clonal myeloproliferative neoplasm characterized by sustained mature neutrophilic leukocytosis without a primary infectious or inflammatory cause. It may cause fatigue, fever, weight loss, splenomegaly, and progressive constitutional symptoms.

**Synonyms:**

### **Chronic Obstructive Pulmonary Disease**

COPD is a preventable lung disease characterized by persistent respiratory symptoms and airflow limitation due to airway and/or alveolar abnormalities, usually caused by significant exposure to noxious particles or gases (primarily tobacco smoke). Includes emphysema and chronic bronchitis.

**Synonyms:**

### **Chronic Pain**

Pain persisting longer than three months or beyond normal tissue healing time, often lacking an ongoing identifiable cause. It involves complex interactions between biological, psychological, and social factors that can amplify pain signaling in the nervous system.

**Synonyms:**

### **Chronic Pain Management**

Chronic pain management extends beyond the perioperative period. Opioid therapy for chronic pain requires careful patient selection, informed consent, and regular reassessment.

**Synonyms:**

### **Chronic Pancreatitis**

Progressive irreversible inflammatory condition

characterized by permanent structural damage causing exocrine and endocrine impairment. The most common cause is chronic alcohol consumption. Other causes include hereditary pancreatitis, autoimmune pancreatitis, and metabolic factors.

**Synonyms:**

### **Chronic Rhinitis**

Persistent inflammation or irritation of the nasal lining causing congestion, runny nose, sneezing, itching, or postnasal drainage. Allergic, nonallergic, medication-related, and structural causes are possible. Management depends on the cause and may include trigger avoidance, saline irrigation, and clinician-directed nasal treatment.

**Synonyms:**

### **Chronic Rhinosinusitis**

Persistent inflammation of the nose and paranasal sinuses lasting at least 12 weeks, usually with nasal obstruction or discharge and sometimes facial pressure or reduced smell. It may occur with or without nasal polyps.

**Synonyms:**

### **Chronic sinusitis**

Persistent inflammation of the paranasal sinuses for at least 12 weeks, causing nasal obstruction, discharge, facial pressure, and reduced smell.

**Synonyms:**

### **Chronic Tension-Type Headache**

A recurring headache occurring on at least 15 days per month for more than three months, usually causing bilateral pressing or tightening pain rather than throbbing. It may be associated with scalp or neck tenderness but typically lacks prominent nausea; a new or changing pattern requires clinical assessment.

**Synonyms:**

### **Chronic Thromboembolic Pulmonary Hypertension**

Pulmonary hypertension caused by organized, persistent thromboembolic obstruction and secondary

---

pulmonary-vessel remodeling after pulmonary embolism. It is potentially curable in selected patients by pulmonary endarterectomy or balloon pulmonary angioplasty.

**Synonyms:**

### Chronic Toxicity

Adverse effects from repeated or prolonged exposure to low doses. Cumulative damage may be irreversible. Examples: heavy metals (lead, mercury), asbestos, alcohol, solvent exposure. Monitoring: biomarkers, organ function tests.

**Synonyms:**

### Chronic Venous Disease

A spectrum of venous outflow disorders caused by reflux, obstruction, or calf-muscle-pump dysfunction. Findings range from edema and varicose veins to skin changes, lipodermatosclerosis, and venous ulceration.

**Synonyms:**

### Chronic Venous Insufficiency

Impaired venous return from the lower extremities due to venous valve incompetence or obstruction. Leads to venous hypertension, edema, skin changes (lipodermatosclerosis, hyperpigmentation), and venous stasis ulcers (medial malleolus). Risk factors: varicose veins, DVT, obesity, prolonged standing.

**Synonyms:**

### Chronic venous stasis

Persistent pooling of blood in the lower limbs caused by impaired venous return. It can produce edema, skin discoloration, dermatitis, and venous ulcers.

**Synonyms:**

### Churg-Strauss Syndrome

Eosinophilic granulomatosis with polyangiitis, a necrotizing inflammation of small and medium blood vessels associated with asthma, eosinophilia, and possible injury to the lungs, nerves, skin, heart, or kidneys.

**Synonyms:**

### Chvostek Sign

A clinical sign of latent tetany caused by hypocalcemia (ionized  $\text{Ca}^{2+} < 4.4 \text{ mg/dL}$ ). Elicited by tapping the facial nerve over the parotid gland just anterior to the ear canal. Positive response: involuntary twitching or contraction of ipsilateral facial muscles (lip twitching or facial spasm).

**Synonyms:**

### Chylangioma

A benign malformation or tumor-like lesion of lymphatic vessels containing chyle or lymph. It may occur in the neck, mediastinum, or other tissues.

**Synonyms:**

### Chylomicron

Transports dietary lipids. Largest, least dense lipoprotein.

**Synonyms:**

### Chylothorax

Pleural effusion with chyle from thoracic duct disruption. Triglycerides  $> 110 \text{ mg/dL}$ . Treatment includes dietary modification, octreotide, and surgical ligation if refractory.

**Synonyms:**

### Chyluria

Passage of lymphatic fluid into the urine, giving it a milky appearance. It usually results from an abnormal communication between lymphatic vessels and the urinary tract.

**Synonyms:**

### Ciclopia

A rare severe congenital malformation in which the eyes are fused or a single median eye develops, usually as part of holoprosencephaly.

**Synonyms:**

### CIDP

Chronic inflammatory demyelinating polyneuropathy (CIDP) is a chronic, immune-mediated, peripheral neuropathy characterized by progressive or relapsing symmetrical weakness and sensory loss in

---

all four limbs, with areflexia or hyporeflexia, lasting for more than eight weeks.

**Synonyms:**

### **Ciguatera**

Food poisoning caused by eating reef fish containing ciguatoxins. It may cause gastrointestinal illness followed by neurologic symptoms such as paresthesias and temperature-sensation disturbance.

**Synonyms:**

### **Ciliary Body**

Circumferential structure between iris and choroid, with ciliary muscle (accommodation control via zonular fibers) and ciliary processes (aqueous humor production). Part of the uveal tract (iris, ciliary body, choroid).

**Synonyms:**

### **Ciliopathy**

A disorder caused by abnormal structure or function of cellular cilia. Ciliopathies may affect development, vision, kidney function, respiration, or multiple organ systems.

**Synonyms:**

### **Cineangiocardiology**

Radiographic recording of the heart and blood vessels during passage of contrast material, used to visualize cardiac chambers, valves, and coronary or great vessels.

**Synonyms:**

### **Cinefluorography**

Motion-picture recording of fluoroscopic images, used to document movement of organs or contrast material during a diagnostic examination.

**Synonyms:**

### **Cineplasty**

Surgical creation of a muscle-controlled stump or related reconstruction, historically used to improve control of a prosthetic limb.

**Synonyms:**

### **Cingulotomy**

Surgical interruption of selected fibers of the cingulum, sometimes performed as a psychosurgical treatment for severe, treatment-resistant psychiatric illness or chronic pain.

**Synonyms:**

### **Circadian Rhythm**

The approximately 24-hour endogenous biological cycle regulating sleep-wake behavior, hormone secretion, body temperature, metabolism, and other physiological processes. Generated by the suprachiasmatic nucleus of the hypothalamus, which is entrained to the environment primarily by light via the retinohypothalamic tract.

**Synonyms:**

### **Circle of Willis**

A ring-like arterial anastomosis at the base of the brain that provides collateral blood flow between the anterior (internal carotid) and posterior (vertebrobasilar) circulations. It is formed by the anterior cerebral, anterior communicating, internal carotid, posterior cerebral, and posterior communicating arteries.

**Synonyms:**

### **Circulating Tumor DNA**

Fragments of tumor-derived DNA detectable in blood, enabling molecular profiling, treatment monitoring, and detection of minimal residual disease without tissue biopsy (liquid biopsy).

**Synonyms:**

### **Circumcision**

Circumcision is a procedure for circumcision; indication, preparation, risks, technical details, and recovery depend on the patient and treatment goal. medical reasons such as severe phimosis, recurrent balanoposthitis, paraphimosis, or lichen sclerosus (balanitis xerotica obliterans); elective infant circumcision for religious, cultural, or preventive health reasons.

**Synonyms:**

---

### **Circumflex Artery**

A branch of the left coronary artery that travels in the left atrioventricular groove. It supplies the lateral wall of the left ventricle, the left atrium, and in left-dominant systems, the inferior wall and posteromedial papillary muscle.

**Synonyms:**

### **Cirrhosis**

Cirrhosis is advanced liver scarring with regenerative nodules that distorts blood flow and liver function, potentially causing portal hypertension, jaundice, ascites, and liver failure. distortion of the hepatic architecture and formation of regenerative nodules. The most common causes include chronic hepatitis C infection, alcoholic liver disease, non-alcoholic steatohepatitis, chronic hepatitis B infection, and autoimmune hepatitis.

**Synonyms:**

### **Citrate Synthase**

First enzyme of TCA cycle. Condenses oxaloacetate and acetyl-CoA to citrate.

**Synonyms:**

### **Citric Acid Cycle (Krebs Cycle)**

A central metabolic pathway occurring in the mitochondrial matrix that oxidizes acetyl-CoA (derived from carbohydrates, lipids, and proteins) into CO<sub>2</sub>, generating 3 NADH, 1 FADH<sub>2</sub>, and 1 GTP (ATP) per turn. Rate-limiting enzyme: isocitrate dehydrogenase (inhibited by ATP and NADH; activated by ADP).

**Synonyms:** Krebs Cycle

### **CKD**

Abbreviation for Chronic Kidney Disease: a progressive loss of kidney function over months to years, defined by a glomerular filtration rate (GFR) less than 60 mL/min/1.73m<sup>2</sup> or markers of kidney damage (albuminuria, haematuria, structural abnormalities) persisting for at least 3 months.

**Synonyms:**

### **CKD-Mineral Bone Disorder**

Systemic disorder of mineral and bone metabolism in CKD. Includes calcium, phosphorus, PTH, and vitamin D abnormalities with vascular calcification and bone disease. Renal osteodystrophy encompasses osteitis fibrosa, osteomalacia, adynamic bone disease, and mixed uremic osteodystrophy.

**Synonyms:**

### **Class IA Antiarrhythmics**

Sodium channel blockers that slow phase 0 depolarization and prolong the action potential duration and refractory period. Examples include quinidine, procainamide, and disopyramide. Used for atrial and ventricular arrhythmias. Quinidine can cause QT prolongation and torsades de pointes.

**Synonyms:**

### **Class IB Antiarrhythmics**

Sodium channel blockers that shorten the action potential duration and are preferentially taken up by ischemic tissue. Examples include lidocaine and mexiletine. Lidocaine is used for ventricular tachycardia and ventricular fibrillation, particularly in the setting of acute myocardial infarction.

**Synonyms:**

### **Class IC Antiarrhythmics**

Sodium channel blockers that significantly slow phase 0 depolarization without affecting action potential duration. Examples include flecainide and propafenone. Used for supraventricular arrhythmias in patients without structural heart disease.

**Synonyms:**

### **Class III Antiarrhythmics**

Potassium channel blockers that prolong the action potential duration and refractory period. Examples include amiodarone, sotalol, dofetilide, and ibutilide. Amiodarone is the most commonly used but has significant toxicity. Sotalol has additional beta-blocking properties and can cause torsades de pointes.

**Synonyms:**



---

### **Claudication**

Muscle pain or cramping brought on by exertion and relieved by rest, usually because of reduced arterial blood flow to a limb.

**Synonyms:**

### **Claudication Distance**

The distance a person can walk before exertional limb pain begins. It is used to describe symptoms and monitor change.

**Synonyms:**

### **Claustrophobia**

An intense fear of enclosed or confined spaces that may cause anxiety, panic, or avoidance. Symptoms can occur in places such as elevators, tunnels, or MRI scanners.

**Synonyms:**

### **Clavicle**

Only horizontally oriented long bone, serving as a shoulder-trunk strut. Medial end articulates with the manubrium (sternoclavicular joint); lateral end with the acromion (acromioclavicular joint). Most common fracture at the middle-lateral third junction from falls on an outstretched hand.

**Synonyms:**

### **Clavicle Fracture**

A break in the collarbone that may occur during birth or after trauma. A newborn may show asymmetric arm movement or tenderness; older children and adults may have pain, swelling, or deformity. Diagnosis is usually made by examination and imaging.

**Synonyms:**

### **Clavicle Fracture (Intentional)**

Intentional fracture of the fetal clavicle as a last resort to reduce the bisacromial diameter in shoulder dystocia. The operator applies upward pressure on the midportion of the anterior fetal clavicle with a finger, fracturing it. The clavicle heals without long-term sequelae.

**Synonyms:** Intentional

### **Claw Foot**

A deformity in which the toes are hyperextended at the metatarsophalangeal joints and flexed at the interphalangeal joints. It may result from muscle imbalance or neurologic disease.

**Synonyms:**

### **Claw Hand**

A hand deformity with hyperextension at the metacarpophalangeal joints and flexion at the interphalangeal joints, classically caused by ulnar-nerve palsy or lower brachial-plexus injury.

**Synonyms:**

### **Claw Toe**

A toe deformity characterized by extension at the metatarsophalangeal joint and flexion at the proximal and distal interphalangeal joints.

**Synonyms:**

### **Clear Margins**

A histological finding indicating that no abnormal cells (e.g., cervical intraepithelial neoplasia or cancer cells) are present at the edge of a tissue specimen removed during a procedure such as LLETZ, cone biopsy, or surgical excision.

**Synonyms:**

### **Clearance**

The volume of plasma from which a drug is completely removed per unit time, typically expressed in milliliters per minute or liters per hour. Total clearance is the sum of all clearance mechanisms, primarily hepatic and renal clearance.

**Synonyms:**

### **Cleft Lip**

A congenital malformation: incomplete fusion of the lip (and often palate) during embryologic development, causing a facial cleft; cleft lip and/or cleft palate are the most common craniofacial birth defects.

**Synonyms:**

---

## Cleft Lip and Palate

A congenital anomaly caused by failure of fusion of the facial prominences during embryonic development (4-10 weeks gestation). Cleft lip: failure of maxillary and medial nasal processes to fuse. Cleft palate: failure of palatal shelves to fuse. Can occur together or separately.

**Synonyms:**

## Cleft Palate

A congenital malformation characterized by an opening (cleft) in the palate (roof of the mouth) due to failure of fusion of the palatal shelves during embryonic development (weeks 6–9 of gestation). Incidence: 1 in 1,500–2,500 live births. Cleft palate may occur in isolation or with cleft lip (cleft lip and palate—CLP).

**Synonyms:**

## Cleidocranial Dysplasia

An inherited skeletal disorder characterized by defective development or ossification of the clavicles and skull, delayed closure of cranial sutures, dental abnormalities, and short stature.

**Synonyms:**

## Climacteric

The period of physiologic change around the end of reproductive capacity, including the menopausal transition. It may involve changes in menstruation, vasomotor symptoms, and other endocrine effects.

**Synonyms:**

## Clinical Communication

Exchange of information between healthcare professionals, patients, and caregivers to support diagnosis, treatment, safety, and informed decisions.

**Synonyms:**

## Clinical Counseling

Guidance provided in healthcare to help patients make informed decisions about health, prevention, treatment, and self-management.

**Synonyms:**

## Clinical Depression

A depressive disorder marked by persistent depressed mood or loss of interest with associated cognitive, emotional, or physical symptoms that cause clinically significant distress or impairment.

**Synonyms:**

## Clinical Deterioration

Worsening of physiologic function or symptoms that increases risk of organ failure, disability, or death. Changes in mental status, respiratory effort, perfusion, urine output, and vital signs may precede overt collapse.

**Synonyms:**

## Clinical Documentation

Recording of patient history, examination, assessment, treatment, and follow-up in the medical record.

**Synonyms:**

## Clinical Frailty Scale

A clinician-rated scale that summarizes frailty from very fit to severely frail or terminally ill using activity, function, and disease burden. It supports communication and prognostic assessment but should be interpreted in the patient's clinical context.

**Synonyms:**

## Clinical Guideline

Systematically developed statements to assist practice. Examples: CDC guidelines, WHO guidelines, specialty society guidelines.

**Synonyms:**

## Clinical Handover

Transfer of responsibility and relevant patient information from one healthcare professional or team to another. Effective handover communicates diagnosis, current status, risks, pending tasks, contingency plans, and accountability.

**Synonyms:**

## Clinical Practice Guideline

Evidence-informed recommendations intended to

---

help healthcare professionals and patients make decisions about a specific clinical condition or situation.

**Synonyms:**

### **Clinical Presentation**

Signs and symptoms of disease. Varies by disease, severity, patient factors.

**Synonyms:**

### **Clinical Reasoning**

The cognitive process of collecting, weighting, and integrating clinical information to formulate diagnostic and management decisions. It includes problem representation, differential diagnosis, probability assessment, and recognition of cognitive bias.

**Synonyms:**

### **Clinical Research**

Research involving people or human health data to study disease, diagnosis, prevention, treatment, or healthcare delivery.

**Synonyms:**

### **Clinical Research Bias**

Systematic error in clinical study design or analysis, including selection bias, information bias, and confounding.

**Synonyms:**

### **Clinical Trial**

A planned study in which people receive or are observed for an intervention to evaluate its safety, effects, or outcomes. Trials may be conducted in phases and for many types of health interventions.

**Synonyms:**

### **Clinical Trial Phases**

Stages used to study a medical intervention. Phase I primarily evaluates initial safety and dosing, Phase II evaluates preliminary efficacy and safety, Phase III compares treatment with standard care in larger groups, and Phase IV monitors use after approval.

**Synonyms:**

### **Clinicopathologic Correlation**

Integration of clinical history, examination, imaging, laboratory data, and pathologic findings to reach a diagnosis. It is essential when tissue findings are limited, nonspecific, or potentially affected by sampling or artifact.

**Synonyms:**

### **Clinodactyly**

A congenital or developmental lateral curvature of a finger or toe, most often affecting the fifth finger and resulting from abnormal shape of a phalanx.

**Synonyms:**

### **Clinoid Process**

One of several bony projections of the sphenoid bone that form part of the cranial base and support structures around the optic canal and cavernous sinus.

**Synonyms:**

### **Clip (Vascular)**

A small device used to close, occlude, or secure a blood vessel during a procedure.

**Synonyms:** Vascular

### **Clitoridectomy**

Surgical removal of part or all of the clitoris. In medicine it may be performed for selected tumors or severe disease; nonmedical removal is a harmful practice with no health benefit.

**Synonyms:**

### **Clitoris**

A small, sensitive erectile organ located at the anterior junction of the labia minora, beneath the clitoral hood (prepuce). The clitoris is the primary source of female sexual pleasure and is homologous to the male penis.

**Synonyms:**

### **Cloacal Exstrophy**

The most severe congenital anomaly of the ventral abdominal wall, also called the OEIS complex (Omphalocele, Exstrophy of the bladder, Imperforate

---

anus, Spinal defects). Incidence 1 in 200,000-400,000 births.

**Synonyms:** the OEIS.

### **Cloacitis**

Inflammation of a cloaca or cloacal region, particularly in disorders affecting the common terminal outlet of the urinary, genital, and intestinal tracts.

**Synonyms:**

### **Clonal Evolution**

The selection and expansion of tumor-cell subclones with biologic or treatment-related advantages over time. It contributes to progression, metastasis, and acquired resistance to anticancer therapy.

**Synonyms:**

### **Clonic Seizure**

A seizure characterized by rhythmic, repetitive jerking caused by recurrent involuntary muscle contractions. It may be focal or generalized, with or without impaired awareness, and is classified using the clinical pattern, electroencephalography, and the underlying cause.

**Synonyms:**

### **Clonorchiasis**

Infection with the Chinese liver fluke, *Clonorchis sinensis*. It affects the biliary tract and may cause inflammation, obstruction, and long-term hepatobiliary complications.

**Synonyms:**

### **Clonus**

A rhythmic, involuntary oscillation of a muscle (usually ankle or patellar) produced by sustained stretch, indicating upper motor neuron (UMN) disease—hyperreflexia. Elicited by rapid dorsiflexion of the foot (sustained clonus—5 or more beats) or tapping. Associated with spasticity, hyperreflexia, and UMN signs (Babinski).

**Synonyms:**

### **Closed Comedo**

A small skin lesion formed when a follicular opening

is blocked by sebum and keratin but remains covered by the epidermis. It is commonly called a whitehead.

**Synonyms:** a whitehead.

### **Closed Fracture**

A fracture in which the broken bone does not communicate through a wound with the external environment.

**Synonyms:**

### **Closed Reduction**

Nonoperative realignment of a fractured or dislocated bone or joint by manipulation without surgically opening the site.

**Synonyms:**

### **Closed-Angle Glaucoma**

Glaucoma caused by obstruction of the drainage angle of the anterior chamber, preventing aqueous humor outflow and producing potentially rapid elevation of intraocular pressure.

**Synonyms:**

### **Closed-Loop Insulin Delivery**

Automated insulin delivery systems that combine continuous glucose monitoring with an insulin pump and control algorithm. The algorithm adjusts basal insulin delivery based on sensor glucose values in real time. Hybrid closed-loop systems require user-initiated meal boluses but automatically manage basal rates.

**Synonyms:**

### **Clostridioides difficile**

An anaerobic, spore-forming, toxin-producing gram-positive bacillus causing antibiotic-associated diarrhea and pseudomembranous colitis. Risk factors: antibiotics (especially clindamycin, fluoroquinolones, cephalosporins), hospitalization, age >65, PPIs, and immunosuppression. Toxins A and B damage colonic epithelium.

**Synonyms:**

### **Clostridioides difficile infection**

An infectious diarrhea caused by the bacterium

---

*Clostridioides difficile*, typically occurring after disruption of normal gastrointestinal flora by antibiotics. *C. difficile* produces toxins A and B that cause colonic inflammation and diarrhea. Risk factors include antibiotic exposure, proton pump inhibitor use, and advanced age.

**Synonyms:**

### **Clostridioides difficile pathogenesis**

The mechanisms by which *C. difficile* causes disease. Antibiotic disruption of the normal gut flora allows the organism to colonize; its toxins injure the colonic mucosa and cause inflammation and diarrhea. Spores persist in the environment and facilitate transmission.

**Synonyms:**

### **Clostridium**

A genus of anaerobic, usually spore-forming bacteria that includes species capable of causing diseases such as tetanus, botulism, gas gangrene, and antibiotic-associated colitis.

**Synonyms:**

### **Clostridium botulinum**

A gram-positive, spore-forming, anaerobic rod that produces botulinum toxin, the most potent toxin known. The toxin causes flaccid paralysis by blocking acetylcholine release at neuromuscular junctions. Infant botulism occurs from ingestion of spores in honey or soil. Wound botulism occurs from injection of contaminated heroin.

**Synonyms:**

### **Clostridium Difficile**

*Clostridioides difficile* infection (CDI): a toxin-producing anaerobic gram-positive rod causing antibiotic-associated diarrhea and pseudomembranous colitis, most commonly after broad-spectrum antibiotics (clindamycin, cephalosporins, fluoroquinolones).

**Synonyms:**

### **Clostridium difficile Infection**

An anaerobic, spore-forming, toxin-producing gram-

positive bacillus causing antibiotic-associated diarrhea and pseudomembranous colitis. See *Clostridioides difficile*.

**Synonyms:**

### **Clostridium perfringens**

A gram-positive, spore-forming, anaerobic rod that causes gas gangrene (clostridial myonecrosis) and food poisoning. The organism produces alpha-toxin, which causes tissue necrosis. Gas gangrene presents with crepitus, tissue necrosis, and systemic toxicity. Food poisoning presents with acute onset of diarrhea and abdominal cramps.

**Synonyms:**

### **Clostridium tetani**

A gram-positive, spore-forming, anaerobic rod that causes tetanus. The organism produces tetanospasmin, a neurotoxin that causes spastic paralysis. Spores are found in soil and enter through wound contamination. The toxin blocks inhibitory neurotransmitters causing uncontrolled muscle contractions.

**Synonyms:**

### **Clotting**

The cascade of enzymatic reactions converting circulating fibrinogen into an insoluble fibrin clot. See Blood Coagulation.

**Synonyms:**

### **Clubbing**

Bulbous enlargement of the distal fingers or toes with increased nail curvature and loss of the normal nail-fold angle. It reflects proliferation of connective tissue in the distal digits and may be associated with chronic pulmonary disease, cyanotic heart disease, inflammatory bowel disease, or malignancy.

**Synonyms:**

### **Clubfoot**

Clubfoot concerns clubfoot; its medical significance is established from the defining features, setting, associated findings, and clinical question. adduction, and cavus; the medical term is congenital talipes

---

equinovarus. It is usually idiopathic but may be associated with neuromuscular or syndromic conditions and requires early orthopaedic assessment.

**Synonyms:**

### **Clubfoot (Talipes Equinovarus)**

A congenital foot deformity with an incidence of approximately 1 in 1,000 live births, characterized by four components: equinus (ankle plantarflexion), varus (hindfoot inversion), adductus (forefoot adduction), and cavus (high arch).

**Synonyms:** Talipes Equinovarus

### **Clubhand**

A congenital deformity of the hand in which the wrist and hand deviate toward the radial or ulnar side, often associated with deficiency or abnormal development of forearm bones.

**Synonyms:**

### **Cluster Headache**

A primary headache disorder causing severe one-sided orbital or periorbital pain in attacks lasting about 15–180 minutes, often with tearing, conjunctival redness, nasal symptoms, eyelid swelling, or facial sweating on the same side.

**Synonyms:**

### **Clutton's Joints**

Painless bilateral swelling of the knees or other large joints associated with congenital syphilis, caused by chronic synovitis.

**Synonyms:**

### **CMV**

Cytomegalovirus, a common herpesvirus that may cause mild or asymptomatic infection but can cause serious disease in fetuses and people with weakened immunity.

**Synonyms:**

### **CMV Colitis**

Colonic inflammation caused by cytomegalovirus reactivation in immunocompromised patients including those with HIV and organ transplant recipients.

Presents with bloody diarrhea and abdominal pain. Diagnosed by colonoscopy with biopsy showing characteristic owl-eye intranuclear inclusions in enlarged cells.

**Synonyms:**

### **CO Poisoning**

Toxicity from inhalation of carbon monoxide (CO), a colorless, odorless gas binding hemoglobin 200–300 times more avidly than oxygen, forming carboxy-hemoglobin (COHb) and reducing oxygen delivery. See carbon monoxide poisoning.

**Synonyms:**

### **Coagulation Cascade**

The coagulation cascade is a series of enzymatic reactions leading to fibrin clot formation, involving serine protease activation cascades. The intrinsic pathway is initiated by contact activation when factor XII binds exposed collagen, sequentially activating factors XI, IX, and the cofactor VIII.

**Synonyms:**

### **Coagulation Factor Deficiencies**

Inherited or acquired disorders in which one or more clotting factors are reduced or function abnormally, causing excessive bleeding. The clinical pattern and laboratory findings depend on the affected factor.

**Synonyms:**

### **Coagulation Profile**

Panel of tests assessing the coagulation cascade. PT (prothrombin time, 11–14 sec): measures extrinsic and common pathways; elevated in vitamin K deficiency, warfarin, liver disease, DIC. INR standardizes PT for warfarin monitoring.

**Synonyms:**

### **Coagulative Necrosis**

The most common form of necrosis, typically resulting from ischemic injury or infarction in most solid organs except the brain. The fundamental process involves denaturation of both structural proteins and enzymatic proteins, which prevents the immediate liquefaction of the dead tissue.



---

**Synonyms:**

### **Coagulopathy**

A disorder of haemostasis that impairs normal clot formation or regulation and predisposes to abnormal bleeding or thrombosis. It may result from coagulation-factor deficiency, platelet dysfunction, anticoagulant exposure, liver disease, consumptive coagulopathy, or systemic illness.

**Synonyms:**

### **Coal Worker's Pneumoconiosis**

Pneumoconiosis from coal dust. Simple CWP shows upper lobe macules. Complicated CWP (progressive massive fibrosis) involves coalescent macules. May be associated with Caplan syndrome.

**Synonyms:**

### **Coarctation**

A localized narrowing of a tubular anatomical structure, especially coarctation of the aorta, which obstructs blood flow and produces characteristic pressure differences.

**Synonyms:**

### **Coarctation of the Aorta**

A congenital narrowing of the aorta, typically near the ductus arteriosus. Presents with upper extremity hypertension, diminished femoral pulses, and a blood pressure gradient between arms and legs. Associated with bicuspid aortic valve and other congenital heart defects.

**Synonyms:**

### **Coarse Crackles**

Lower-pitched, longer-duration crackles heard throughout inspiration, caused by fluid or secretions in larger airways. They are heard in COPD, bronchiectasis, pneumonia, and pulmonary edema. They are less specific than fine crackles.

**Synonyms:**

### **Coats Disease**

An uncommon retinal disorder characterized by abnormal retinal blood vessels, leakage, exudation,

and sometimes retinal detachment, usually affecting one eye in childhood.

**Synonyms:**

### **Cobalamin Deficiency**

Deficiency of vitamin B12 (cobalamin), a cofactor for methionine synthase (methylcobalamin) and methylmalonyl-CoA mutase (adenosylcobalamin).

**Synonyms:**

### **Cobalt-57**

Calibration source for gamma cameras. Half-life 271 days. Used for quality control.

**Synonyms:**

### **Cobalt-Chromium**

Base metal alloy for cast restorations. Strong, corrosion-resistant. Used for partial dentures, crowns.

**Synonyms:**

### **Cocaine Cardiotoxicity**

Cocaine blocks norepinephrine and dopamine reuptake, causing sympathomimetic effects: tachycardia, hypertension, and coronary vasospasm. Acute myocardial infarction can occur even with normal coronary arteries due to vasospasm, accelerated atherosclerosis, and prothrombotic effects. Treatment: benzodiazepines for sympatholysis.

**Synonyms:**

### **Cocaine Toxicity**

A toxic state caused by cocaine, often producing agitation, high blood pressure, rapid heart rate, hyperthermia, seizures, coronary vasospasm, myocardial infarction, or stroke. Treatment is supportive and may include sedation, temperature control, and management of cardiovascular or neurologic complications.

**Synonyms:**

### **Coccidioidomycosis**

A fungal infection caused by *Coccidioides* species, usually acquired by inhaling spores. See Valley Fever.

---

**Synonyms:**

### **Coccidiosis**

Infection by coccidian protozoa. In humans it may cause intestinal disease or, in immunocompromised patients, infection of other organs.

**Synonyms:**

### **Coccydynia**

Pain in the region of the coccyx, often worsened by sitting. Causes include trauma, childbirth, degenerative change, and less commonly infection or tumor.

**Synonyms:**

### **Coccygectomy**

Surgical removal of the coccyx, reserved for selected cases of severe persistent coccygeal pain or a lesion that has not responded to conservative treatment.

**Synonyms:**

### **Coccyx**

Terminal vertebral column part with 3-5 fused vertebrae. Articulates with the sacrum, allowing limited flexion important during childbirth. Provides attachment for gluteus maximus, coccygeus, and levator ani (pelvic floor). A common site of pain (coccydynia) following falls, direct trauma, and prolonged sitting.

**Synonyms:**

### **Cochlea**

Snail-shaped hearing organ in the inner ear, coiled approximately 2.5 turns around the modiolus. Three fluid-filled chambers: scala vestibuli (perilymph), scala media (endolymph, organ of Corti), scala tympani (perilymph).

**Synonyms:**

### **Cochlear Implant**

A cochlear implant is an electronic medical device that bypasses damaged or absent inner ear hair cells to provide direct electrical stimulation of the auditory nerve, restoring a perception of sound in individuals with severe to profound sensorineural

hearing loss who derive limited benefit from hearing aids.

**Synonyms:**

### **Cockayne Syndrome**

A rare inherited disorder of DNA repair characterized by progressive neurologic dysfunction, growth failure, developmental impairment, photosensitivity, and a prematurely aged appearance.

**Synonyms:**

### **Code Blue**

A hospital emergency signal indicating that a person may be in cardiopulmonary arrest and requires immediate resuscitation response.

**Synonyms:**

### **Codman Triangle**

A characteristic periosteal reaction seen on plain radiographs, formed when an aggressive bone lesion elevates the periosteum away from the bone cortex, creating a triangular area of new reactive bone at the angle between the raised periosteum and underlying cortex.

**Synonyms:**

### **Codon**

Sequence of three nucleotides coding for one amino acid or stop signal. 64 possible codons: 61 code for amino acids, 3 are stop codons (UAA, UAG, UGA). Degeneracy: multiple codons code for same amino acid.

**Synonyms:**

### **Coenzyme**

A non-protein organic molecule that binds to an enzyme (apoenzyme) and is required for its catalytic activity. Coenzymes often act as transient carriers of specific chemical groups or electrons.

**Synonyms:**

### **Coenzyme Q**

A lipid-soluble molecule in mitochondrial membranes that transfers electrons during cellular energy production.

---

**Synonyms:**

### **Cofactor**

A non-protein chemical compound or metallic ion required for an enzyme's catalytic activity. Cofactors include: (1) Metal ions ( $Mg^{2+}$ ,  $Zn^{2+}$ ,  $Fe^{2+}/Fe^{3+}$ ,  $Cu^{2+}$ ,  $Mn^{2+}$ ,  $Ca^{2+}$ , Mo, Se) that stabilize structure, participate in redox, or act as Lewis acids; (2) Coenzymes (organic cofactors, often vitamin-derived).

**Synonyms:**

### **Cogan's syndrome**

An autoimmune vasculitis characterized by interstitial keratitis and vestibular dysfunction including vertigo, hearing loss, and tinnitus. May involve large vessels including the aorta, causing aortic aneurysm or regurgitation. Treatment includes corticosteroids and immunosuppressive agents.

**Synonyms:**

### **Cognitive Behavioral Therapy**

A structured, time-limited psychotherapy that identifies and modifies maladaptive thought patterns (cognitive distortions) and behaviors. It is based on the cognitive model that thoughts, feelings, and behaviors are interconnected. CBT uses techniques including cognitive restructuring, behavioral activation, exposure, and skills training.

**Synonyms:**

### **Cognitive Behavioral Therapy for Insomnia**

Cognitive behavioral therapy for insomnia is a structured, evidence-based program that targets the thoughts and behaviors perpetuating poor sleep. Components include sleep restriction, stimulus control, cognitive restructuring, and sleep hygiene education.

**Synonyms:**

### **Cognitive Decline**

A reduction over time in one or more cognitive abilities, such as memory, attention, language, reasoning, or visuospatial function.

**Synonyms:**

### **Cognitive Distortions**

Systematic errors in thinking that perpetuate negative emotional states and maladaptive behaviors. Common distortions include all-or-nothing thinking, catastrophizing, mind reading, overgeneralization, emotional reasoning, and should statements. CBT focuses on identifying and modifying these patterns.

**Synonyms:**

### **Cognitive Fitness**

The active maintenance of mental sharpness and brain health through stimulating activities, physical exercise, social engagement, and proper nutrition. Regular challenges such as learning new skills, puzzles, reading, and social interaction support neuroplasticity and cognitive reserve.

**Synonyms:**

### **Cognitive Health and Memory**

Cognitive health encompasses the ability to think clearly, learn, remember, and make decisions, with memory being a core component that involves encoding, storing, and retrieving information. Age-related changes in processing speed and recall are normal, but persistent decline may signal mild cognitive impairment or dementia.

**Synonyms:**

### **Cognitive Impairment**

Decline in one or more cognitive domains: memory, attention, language, visuospatial, executive function. Types: subjective cognitive decline, mild cognitive impairment (MCI), dementia. MCI: functional independence preserved, impairment on testing. Dementia: functional impairment.

**Synonyms:**

### **Cognitive Rehabilitation**

Structured therapy to improve cognitive function or help a person compensate for difficulties with memory, attention, language, or executive skills after illness or injury.

**Synonyms:**

---

### Cognitive Screening

A brief assessment used to identify possible problems with memory, attention, language, or other cognitive functions. It does not by itself diagnose dementia or another disorder.

**Synonyms:**

### Cohort Study

Follows exposed and unexposed groups over time. Prospective or retrospective. Measures incidence, relative risk.

**Synonyms:**

### Coil (Vascular)

A catheter-delivered wire device used to block selected blood vessels, often to treat aneurysms or bleeding.

**Synonyms:** Vascular

### Coincidence Detection

Principle of PET imaging. Two 511 keV photons detected simultaneously (within nanoseconds) by opposing detectors. Line of response defined. Time-of-flight PET improves localization.

**Synonyms:**

### Cold Abscess

An abscess that develops slowly with little heat, redness, or acute inflammation, classically in tuberculosis or other chronic infections.

**Synonyms:**

### Cold Agglutinin

An antibody that causes red blood cells to agglutinate at relatively low temperatures. Pathologic cold agglutinins can cause autoimmune hemolytic anemia.

**Synonyms:**

### Cold Agglutinin Disease

Autoimmune hemolytic anemia caused by IgM autoantibodies directed against the I/i antigens on RBC membranes (maximum reactivity at  $< 30^{\circ}\text{C}$ , optimal  $4^{\circ}\text{C}$ ).

**Synonyms:**

### Cold agglutinin syndrome

An immune-mediated disorder in which antibodies react with red blood cells at low temperatures, potentially causing hemolytic anemia or circulation-related symptoms.

**Synonyms:**

### Cold agglutinins

IgM autoantibodies that bind red blood cell antigens at temperatures below  $37^{\circ}\text{C}$ , causing agglutination and potentially complement-mediated hemolysis in cooler peripheral circulation.

**Synonyms:**

### Cold Injury

Tissue or systemic injury caused by exposure to low temperature, including hypothermia, frostbite, chilblains, and non-freezing cold injury. Severity depends on temperature, exposure duration, moisture, wind, and perfusion; affected patients require assessment for core-temperature disturbance and local tissue damage.

**Synonyms:**

### Cold intolerance

Cold intolerance concerns cold intolerance; its medical significance is established from the defining features, setting, associated findings, and clinical question. anemia, vascular disease, or other systemic conditions.

**Synonyms:**

### Cold Sore

Herpes labialis: recurrent herpes simplex virus type 1 (HSV-1) infection of the lips/around mouth, presenting as prodromal tingling, then grouped vesicles that crust and heal in 7-14 days. Triggered by stress, fever, sunlight, immunosuppression, illness. Recurrence due to reactivation of latent virus in the trigeminal ganglion.

**Synonyms:**

### Colectomy

Surgical resection of part or all of the colon. Right hemicolectomy: for cecal/ascending colon cancer.

---

Left hemicolectomy: for descending/sigmoid cancer. Sigmoidectomy: for diverticulitis or sigmoid cancer. Total colectomy: for FAP, UC, or Lynch syndrome.

**Synonyms:**

### **Colibacillosis**

Disease caused by pathogenic strains of *Escherichia coli*, which may produce intestinal infection, urinary-tract infection, sepsis, or other illness.

**Synonyms:**

### **Colic**

Sudden, severe, often cramping pain caused by contraction or obstruction of a hollow organ. The term is also used for recurrent unexplained crying in an otherwise healthy infant.

**Synonyms:**

### **Colitis**

Colitis is a medical condition involving colitis; causes, affected organs, severity, complications, and treatment are determined by clinical assessment, or other conditions. Symptoms may include diarrhea, abdominal pain, blood in the stool, urgency, and tenesmus; evaluation depends on severity and suspected cause.

**Synonyms:**

### **Collagen**

The major structural protein of connective tissue, composed of three polypeptide chains arranged in a triple helix. Different collagen types provide tensile strength to skin, bone, cartilage, tendons, blood vessels, and basement membranes.

**Synonyms:**

### **Collagen Disease**

A systemic disorder involving connective tissue and often immune-mediated injury to collagen-rich structures. The term has historically included diseases such as systemic lupus erythematosus and systemic sclerosis.

**Synonyms:**

### **Collagen Implant**

Biocompatible scaffold for tissue engineering. Types: bovine, porcine, synthetic. Used for hernia repair, soft tissue augmentation.

**Synonyms:**

### **Collagenous Colitis**

Chronic inflammatory bowel disease characterized by thickening of the subepithelial collagen band in the colonic mucosa to greater than ten micrometers normally less than five micrometers with preservation of the epithelial surface. Presents with chronic watery non-bloody diarrhea primarily in middle-aged women.

**Synonyms:**

### **Collapsed Lung**

A common description of pneumothorax, in which air enters the pleural space and partially or completely collapses the lung. It may cause sudden chest pain and shortness of breath and can be life-threatening when tension develops. See also Pneumothorax.

**Synonyms:**

### **Collateral Circulation**

Alternative vascular pathways that develop when coronary arteries become chronically narrowed. Collaterals connect different coronary artery territories and can partially compensate for stenosis. They develop gradually in response to ischemia and are more prominent in patients with chronic coronary artery disease.

**Synonyms:**

### **Collateral Ligament Injury**

MCL (medial) or LCL (lateral) knee ligament injury. MCL more common, often from valgus stress. Treatment: braces, physical therapy, surgical repair if severe.

**Synonyms:**

### **Collecting Duct**

Final segment of the nephron where fine-tuning of urine concentration and composition occurs. Prin-

---

cipal cells respond to antidiuretic hormone by inserting aquaporin-2 water channels into the luminal membrane, enabling water reabsorption and urine concentration.

**Synonyms:**

### Colles Fracture

A fracture of the distal radius with dorsal displacement and angulation of the distal fragment, usually caused by falling on an outstretched hand.

**Synonyms:**

### Collimator

Lead device with holes to define gamma ray direction. Types: parallel-hole, pinhole, converging, diverging. Resolution vs. sensitivity trade-off.

**Synonyms:**

### Colloids

Solutions containing large molecules that remain in the intravascular space, providing greater volume expansion per milliliter than crystalloids. Albumin (5 percent, 25 percent) is a natural plasma protein used for volume expansion and specific indications (cirrhosis with paracentesis, nephrotic syndrome).

**Synonyms:**

### Coloboma

A congenital defect caused by failure of the optic fissure to close during embryonic development, resulting in a keyhole-shaped gap in any ocular structure including the iris, retina, choroid, or optic nerve. Iris colobomas are the most common and appear as a comma-shaped defect in the inferior iris.

**Synonyms:**

### Colocolonic intussusception

telescoping of a segment of colon into an adjacent segment, less common in adults than the ileocolic type and usually associated with a pathological lead point such as a polyp, tumor, or lipoma. Adults typically present with intermittent abdominal pain, bloating, and change in bowel habits.

**Synonyms:**

### Colon

The largest part of the large intestine, extending from the cecum to the rectum. Anatomically divided into ascending colon (right side), transverse colon (across the abdomen), descending colon (left side), and sigmoid colon (S-shaped, leading to the rectum).

**Synonyms:**

### Colon cancer

Malignant neoplasm arising from the colonic epithelium, the third most common cancer worldwide and a leading cause of cancer-related mortality. Most arise from adenomatous polyps through the adenoma-carcinoma sequence over ten to fifteen years.

**Synonyms:**

### Colonic Ischemia

Decreased blood flow to the colon causing mucosal or transmural injury. Most commonly affects watershed areas particularly the splenic flexure and rectosigmoid junction. Causes include non-occlusive hypoperfusion from cardiogenic shock, vasoconstrictive medications, and vasculitis.

**Synonyms:**

### Colonization

Presence and multiplication of microorganisms on or in a body site without tissue invasion or clinical disease. Colonization may precede infection but does not by itself establish that symptoms are caused by the organism.

**Synonyms:**

### Colonoscopy

Colonoscopy concerns colonoscopy, a body structure, substance, or physiologic concept whose clinical meaning depends on location, function, and patient context. visualization, biopsy, and removal of some lesions. It is one option for colorectal-cancer screening and is often used to evaluate suspected colonic disease; bowel preparation is usually required.

**Synonyms:**



---

### Colony-Forming Unit

A unit used to estimate the number of viable microorganisms in a sample, derived from counting colonies grown on agar after plating a diluted sample. Each colony is assumed to arise from a single viable microorganism (or a cluster); results are reported as CFU/mL or CFU/g.

**Synonyms:**

### Color Blindness

Reduced or absent ability to distinguish certain colors under normal lighting. It is often inherited, especially through X-linked variants, but may also result from eye disease, neurologic disease, aging, or medicines.

**Synonyms:**

### Color Doppler

An ultrasound method that displays the direction and relative speed of blood flow in color over a grayscale image.

**Synonyms:**

### Color Vision Deficiency

Color vision deficiency, commonly known as color blindness, is a condition in which the ability to perceive and discriminate certain colors is reduced or absent, most commonly affecting the perception of red and green hues, and it is caused by abnormalities in the cone photoreceptors responsible for color vision.

**Synonyms:**

### Colorado Tick Fever

An acute viral infection transmitted by ticks and characterized by fever, headache, myalgia, and sometimes leukopenia or rash.

**Synonyms:**

### Colorectal Adenocarcinoma

The third most common cancer worldwide and the second leading cause of cancer death, arising from the colonic epithelium through the adenoma-carcinoma sequence over 10 to 15 years. The pathogenesis involves sequential accumulation of genetic

mutations beginning with APC loss, followed by KRAS activation, TP53 loss, and other alterations.

**Synonyms:**

### Colorectal Cancer

A malignant tumor of the colon or rectum. It may cause bleeding, altered bowel habits, anemia, abdominal pain, or no early symptoms; evaluation and treatment depend on the tumor's location and stage.

**Synonyms:**

### Colorectal Cancer Genetics

The study of inherited variants that increase the risk of colorectal cancer. Important inherited syndromes include Lynch syndrome, involving DNA mismatch-repair genes, and familial adenomatous polyposis, involving the APC gene.

**Synonyms:**

### Colorectal Cancer Screening

Public health strategy to detect colorectal cancer and precancerous polyps in asymptomatic individuals. Current guidelines recommend screening beginning at age forty-five.

**Synonyms:**

### Colorectal Cancer Screening Tests

Tests used to detect colorectal cancer or precancerous polyps in people without symptoms. They include stool-based tests and examinations that visualize the colon, such as colonoscopy, CT colonography, and flexible sigmoidoscopy. The appropriate test and interval depend on age, risk, and local guidance.

**Synonyms:**

### Colorectal Surgery

Surgical treatment of diseases of the colon, rectum, and anus. Procedures may include segmental bowel resection, restorative reconstruction, stoma formation, or local procedures, depending on the disease and its extent.

**Synonyms:**

---

## Colostomy

Colostomy concerns colostomy; its medical significance is established from the defining features, setting, associated findings, and clinical question. diversion, indicated for distal obstruction, trauma, perforation, or abdominoperineal resection. Types include end, loop, and double-barrel. Complications include parastomal hernia, prolapse, retraction, and high-output dehydration.

**Synonyms:**

## Colostrum

The thick, yellowish fluid produced by the mammary glands in late pregnancy and the first few days postpartum. Rich in immunoglobulins (especially IgA), proteins, leukocytes, and growth factors.

**Synonyms:**

## Colpitis

Inflammation of the vagina, often due to infection, altered vaginal flora, irritation, or hormonal change.

**Synonyms:**

## Colposcopy

Magnified visualization of the cervix, vagina, and vulva after application of acetic acid. Indication: abnormal Pap smear (ASCUS with high-risk HPV, LSIL, HSIL, AGC). Acetic acid causes acetowhite lesions in dysplastic epithelium. Lugol iodine (Schiller test): normal glycogenated epithelium stains brown; abnormal epithelium does not.

**Synonyms:**

## Coma

A state of profound unresponsiveness in which a person cannot be awakened and does not show purposeful responses. It is a medical emergency with many possible causes.

**Synonyms:**

## Coma Scale

A standardized tool for describing level of consciousness using eye opening, verbal response, and motor response.

**Synonyms:**

## Combination Inhalers

Inhalers containing both an inhaled corticosteroid and a long-acting beta-2 agonist. Examples include fluticasone/salmeterol (Advair), budesonide/formoterol (Symbicort), and fluticasone furoate/vilanterol (Breo Ellipta). They simplify asthma and COPD maintenance therapy and improve adherence.

**Synonyms:**

## Combination Therapy

Use of two or more treatments together to address a disease or mechanism. The benefits and risks depend on the condition and the specific combination.

**Synonyms:**

## Combined Spinal-Epidural Analgesia

A neuraxial analgesia technique for labor that combines a spinal injection (short-acting opioid or opioid + low-dose local anesthetic) with an epidural catheter. Advantages: rapid onset of pain relief (3-5 minutes from the spinal component), minimal motor block, and the ability to dose through the epidural catheter for prolonged labor.

**Synonyms:**

## Comedocarcinoma

A form of ductal carcinoma in situ of the breast characterized by central necrosis within malignant ducts, which may produce a comedo-like appearance.

**Synonyms:**

## Comfort Measures Only

A care plan focused on relief of pain, breathlessness, distress, and other symptoms rather than treatments intended to prolong life.

**Synonyms:**

## Comminuted

Describing a fracture in which a bone is broken into multiple fragments.

**Synonyms:**

## Comminuted Fracture

A fracture in which the bone is broken into three

---

or more fragments. It may result from high-energy trauma and can be associated with soft-tissue injury, instability, and impaired healing.

**Synonyms:**

### **Commissurotomy**

Surgical incision or separation of a commissure, especially a fused cardiac valve commissure, to relieve obstruction.

**Synonyms:**

### **Commode**

A portable toilet or chair placed near a bed for a person who cannot easily reach a bathroom.

**Synonyms:**

### **Common Bile Duct**

The duct formed by union of the common hepatic and cystic ducts. It conveys bile to the duodenum, usually joining the pancreatic duct at the hepatopancreatic ampulla.

**Synonyms:**

### **Common Cold**

An acute, self-limited viral infection of the upper respiratory tract, one of the most frequent illnesses in humans, with adults experiencing 2-4 episodes annually and children 6-8 episodes.

**Synonyms:**

### **Common Iliac Arteries**

Terminal abdominal aortic branches at L4, each approximately 4 cm long, dividing into internal and external iliac arteries. They supply the pelvis and lower extremities. The right common iliac artery crosses anterior to the right common iliac vein.

**Synonyms:**

### **Common Peroneal Nerve**

Sciatic division (L4-S2) winding around the fibular neck, the body's most vulnerable major nerve to external compression. Divides into superficial peroneal (peroneus longus/brevis, dorsal foot sensation) and deep peroneal (tibialis anterior, extensors, first web space sensation).

**Synonyms:**

### **Common peroneal neuropathy**

A peripheral nerve disorder causing weakness of ankle dorsiflexion and eversion, sensory loss over the anterolateral leg and dorsum of the foot, and possible foot drop.

**Synonyms:**

### **Common Variable Immunodeficiency**

The most common symptomatic primary immunodeficiency in adults, affecting approximately 1 in 25,000 individuals. It is characterized by hypogammaglobulinemia (low IgG with low IgA and/or IgM), impaired antibody response to vaccines, and increased susceptibility to infections.

**Synonyms:**

### **Common wart**

A benign epidermal proliferation caused by human papillomavirus, presenting as a rough hyperkeratotic papule, commonly on the hands or fingers.

**Synonyms:**

### **Commotio Cordis**

Sudden cardiac arrest caused by a blunt, nonpenetrating impact to the chest at a vulnerable moment in the cardiac cycle, without structural heart injury.

**Synonyms:**

### **Communicable disease**

Any disease caused by bacteria, viruses, or other pathogens that is spread from person to person.

**Synonyms:**

### **Communicating Hydrocephalus**

A type of hydrocephalus in which there is free flow of cerebrospinal fluid (CSF) between the ventricles, but impaired absorption of CSF at the arachnoid granulations or increased CSF production. The ventricles are uniformly dilated, including the fourth ventricle.

**Synonyms:**

---

### Community Acquired Infection

An infection present or incubating at hospital admission, or developing within 48 hours of admission without recent healthcare exposure. Common examples include pneumonia, urinary tract infection, and meningitis caused by organisms such as *Streptococcus pneumoniae* and *Escherichia coli*, generally susceptible to narrow-spectrum antibiotics.

**Synonyms:**

### Community Health Worker

A trained member of a community who helps connect people with health services, education, prevention, and social support.

**Synonyms:**

### Community Rehabilitation

Rehabilitation delivered in community settings to improve a person's participation, independence, and daily functioning.

**Synonyms:**

### Community Reintegration

Return to community roles: work, leisure, social. Vocational rehabilitation, accessibility modifications.

**Synonyms:**

### Community-Acquired

Acquired outside a healthcare facility or before a person has been exposed to healthcare-associated conditions.

**Synonyms:**

### Community-Acquired Pneumonia

CAP: acquired outside hospital. CURB-65 (confusion, uremia  $>7$ , respiratory rate  $\geq 30$ , BP  $<90/60$ , age  $\geq 65$ ) and PSI/PORT score for severity/site of care. Outpatient: amoxicillin 1g TID, doxycycline 100 mg BID, or macrolide (if resistance  $<25$  percent); respiratory fluoroquinolone (levofloxacin, moxifloxacin) as alternative.

**Synonyms:**

### Comorbidity

Presence of two or more chronic conditions in same individual. Common in elderly: hypertension, diabetes, arthritis, COPD, depression. Increases complexity of care, polypharmacy risk, functional decline. Comprehensive assessment needed for each condition and interactions.

**Synonyms:**

### Comparison

A reference in an imaging report to earlier studies used to assess whether a finding has changed.

**Synonyms:**

### Compartment Pressure

The pressure within a closed osteofascial compartment. Markedly elevated pressure can impair capillary perfusion and cause acute compartment syndrome; pressure measurements support but do not replace clinical assessment.

**Synonyms:**

### Compartment Syndrome

A surgical emergency caused by increased pressure within a closed osteofascial compartment, leading to tissue ischemia, necrosis, and permanent functional loss. The lower leg (anterior, lateral, deep posterior, and superficial posterior compartments) and forearm (flexor and extensor compartments) are the most commonly affected sites.

**Synonyms:**

### Competence

Autonomous voluntary authorization given by a competent patient to undergo a specific medical intervention, procedure, or clinical trial. See informed consent.

**Synonyms:**

### Competitive Antagonist

A competitive antagonist is a drug that binds to the same receptor site as an agonist and competes for binding, reducing the effect of the agonist without producing an effect of its own.

**Synonyms:**

---

## Competitive Inhibition

A type of enzyme inhibition where the inhibitor (I) competes with the substrate (S) for binding to the enzyme's active site. The inhibitor structurally resembles the substrate and binds reversibly to the free enzyme (E), forming an EI complex that cannot proceed to product.

**Synonyms:**

## Complement C1q Deficiency

Autosomal recessive (C1QA, C1QB, C1QC). C1q essential for classical pathway activation and immune complex clearance. 85-90% develop SLE-like disease (malar rash, photosensitivity, nephritis, anti-nuclear antibodies). Recurrent infections with encapsulated bacteria. Low CH50, low C1q, normal C3/C4.

**Synonyms:**

## Complement C2/C4 Deficiency

C2 deficiency: most common early complement deficiency (1:20,000 Caucasians). SLE-like disease (10-30%), recurrent sinopulmonary infections. C4 deficiency: similar, strong SLE association (C4A/C4B null alleles). Low CH50, low C2 or C4, normal C3. Treatment: SLE management, prophylactic antibiotics, IVIG for recurrent infections.

**Synonyms:**

## Complement C3

The central complement component cleaved into C3a and C3b during activation of the classical, lectin, or alternative pathway. C3b promotes opsonization and formation of downstream convertases; severe C3 deficiency causes recurrent severe infections, especially with encapsulated bacteria.

**Synonyms:**

## Complement Cascade

The ordered activation of 30 serum and membrane proteins (complement) that opsonize pathogens, lyse microbes (membrane attack complex), and promote inflammation.

**Synonyms:**

## Complement Deficiencies

Rare primary immunodeficiencies caused by genetic defects in complement pathway proteins, increasing susceptibility to specific infections and autoimmune diseases.

**Synonyms:**

## Complete Blood Count

A panel measuring red blood cells, white blood cells, platelets, hemoglobin, hematocrit, red-cell indices, and often a white-cell differential. Results are interpreted using age-, sex-, and laboratory-specific reference ranges.

**Synonyms:**

## Complete Denture

Removable prosthesis replacing all teeth in arch. Maxillary and mandibular. Stability challenging in edentulous patients.

**Synonyms:**

## Complete Response

Disappearance of all detectable signs of a cancer after treatment. It does not necessarily mean that every cancer cell has been eliminated.

**Synonyms:**

## Complex Carbohydrates

Carbohydrates made up of longer chains of sugars, chiefly starches and dietary fiber, found in foods such as whole grains, legumes, vegetables, and potatoes. Fiber is not fully digested and supports bowel function, satiety, and metabolic health, while starch is digested into glucose at a rate that depends on food structure and processing.

**Synonyms:**

## Complex Regional Pain Syndrome

A chronic pain condition characterized by regional pain and sensory changes disproportionate to the inciting event. Type I (reflex sympathetic dystrophy): no identifiable nerve injury. Type II (causalgia): follows a major nerve injury.

**Synonyms:**

---

## Compliance

The extent to which a person follows a treatment recommendation; adherence is generally preferred because it emphasizes an agreed plan.

**Synonyms:**

## Complicated Grief

Persistent, intense grief that substantially interferes with daily functioning and lasts longer than expected for the person's cultural and social context.

**Synonyms:**

## Complicated Urinary Tract Infection

A urinary infection associated with functional or structural abnormality, obstruction, catheterization, renal impairment, male anatomy, pregnancy, or another factor increasing treatment failure or complication risk. Management requires culture-directed therapy and correction of the underlying problem when possible.

**Synonyms:**

## Complication

Any adverse event arising during or after a surgical procedure, graded by the Clavien-Dindo classification from minor deviation (Grade I) through organ failure (Grade IV) to death (Grade V). Common types include surgical site infection, hemorrhage, wound dehiscence, anastomotic leak, ileus, and venous thromboembolism.

**Synonyms:**

## Complications (Vascular)

Post-procedural issues: bleeding, infection, thrombosis, embolism, limb ischemia.

**Synonyms:** Vascular

## Composite Resin

Tooth-colored restorative material. Bis-GMA or UDMA resin matrix with silica filler. Adhesive bonding. Esthetic but less durable than ceramic.

**Synonyms:**

## Compound Presentation

A fetal presentation where an extremity (hand, arm,

foot) presents alongside the vertex or breech. Most common: hand alongside the head. Incidence: 1:300-1:1000. Fetal prognosis is generally good; the prolapsed extremity often retracts as labor progresses. Management: expectant management in most cases.

**Synonyms:**

## Compounding

Preparation, mixing, or altering of a medicine to meet an individual patient's needs when an appropriate approved product is unavailable.

**Synonyms:**

## Comprehensive Geriatric Assessment

A multidimensional assessment of an older person's medical conditions, medicines, function, cognition, mood, and social support, used to develop an individualized care plan.

**Synonyms:**

## Comprehensive Metabolic Panel

Extended version of BMP including albumin, total protein, alkaline phosphatase, ALT, AST, and bilirubin (total and direct). Evaluates liver function, kidney function, electrolytes, glucose, calcium, and protein status. Uses: preoperative assessment, medication monitoring, and liver/kidney disease evaluation.

**Synonyms:**

## Compression Therapy

Use of external pressure, usually from garments or bandages, to support venous or lymphatic flow and reduce swelling in selected conditions.

**Synonyms:**

## Compression Ultrasound

An ultrasound technique in which gentle pressure is applied to assess whether a vein collapses. Failure of a vein to compress may suggest thrombosis.

**Synonyms:**

## Compressive Atelectasis

Atelectasis caused by external compression of the lung by pleural fluid, air, or a mass. The lung



---

volume is reduced by the external force. It is reversible when the compressing force is relieved (e.g., drainage of pleural effusion).

**Synonyms:**

### Compton Scattering

An interaction in which a photon transfers part of its energy to an electron and changes direction. It contributes to scattered radiation in imaging.

**Synonyms:**

### Compulsions

Repetitive behaviors or mental acts that the individual feels driven to perform in response to an obsession or according to rigid rules. They are aimed at preventing or reducing anxiety or preventing some dreaded event, but are not connected in a realistic way with what they are designed to neutralize.

**Synonyms:**

### Computed Tomography

Cross-sectional imaging using rotating X-ray tube and detectors. Produces axial images, reconstructable into sagittal, coronal, 3D. CT number measured in Hounsfield units (HU): water = 0, air = -1000, bone = +1000. Contrast: iodine-based, enhances vascular structures and perfused organs. Speed: seconds.

**Synonyms:**

### Computed Tomography Scan

Cross-sectional imaging using X-rays and computer processing. Emergency uses: head trauma (hemorrhage, fracture), chest (pulmonary embolism, aortic dissection), abdomen (appendicitis, bowel obstruction), CT pulmonary angiography (CTPA), CT angiography (CTA). Fast, widely available, high sensitivity for acute conditions.

**Synonyms:**

### Concato's Disease

A historical term for primary polycythemia, now generally called polycythemia vera, a myeloproliferative neoplasm causing increased red-cell mass and often elevated blood viscosity.

**Synonyms:**

### Concealed Pregnancy

Pregnancy that is hidden or not recognized until delivery, often by denial (psychogenic) or deliberate concealment; a medicolegal concept relevant to infanticide.

**Synonyms:**

### Concentration

Amount of substance per unit volume. Units: mg/dL, mmol/L, mEq/L, ppm. Conversion: molecular weight needed. Critical for toxicity assessment.

**Synonyms:**

### Conception (Fertilization)

The fusion of a sperm and an ovum in the ampulla of the fallopian tube, forming a zygote. The sperm penetrates the corona radiata and zona pellucida (acrosome reaction). After fertilization, the zygote undergoes cleavage (mitotic division) as it travels toward the uterus. Implantation occurs approximately 6-10 days after ovulation.

**Synonyms:** Fertilization

### Conchae

Curved bony structures covered by mucosa inside the nasal cavity that warm, humidify, and filter inhaled air.

**Synonyms:**

### Conclusion

The part of a report that summarizes the main findings and their clinical significance or recommended next steps.

**Synonyms:**

### Concomitant

Concomitant concerns concomitant; its medical significance is established from the defining features, setting, associated findings, and clinical question. treatment.

**Synonyms:**

---

### Concordance

Probability both twins have same trait. Monozygotic (identical) twins > dizygotic (fraternal) for genetic traits. High concordance suggests genetic influence.

**Synonyms:**

### Concrescence

Union of adjacent teeth by cementum only. Usually posterior teeth.

**Synonyms:**

### Concretio Cordis

Abnormal adhesion or fusion of structures within or around the heart, including adhesion of the pericardial surfaces or fusion of cardiac components.

**Synonyms:**

### Concussion

A form of mild traumatic brain injury caused by a biomechanical force (direct blow to the head, face, neck, or elsewhere on the body with impulsive force transmitted to the head), resulting in a transient disturbance of brain function without structural damage visible on conventional neuroimaging.

**Synonyms:**

### Condition

A general term for a state of bodily health or, in medical usage, a specific deviation from normal in structure or function that may or may not constitute a disease, including complaints lacking a discrete pathologic basis and overt diagnoses.

**Synonyms:**

### Conduct Disorder

A childhood or adolescent disorder involving a persistent pattern of behavior that violates the rights of others or major age-appropriate rules. Examples include aggression, property destruction, deceitfulness, theft, and serious rule violations.

**Synonyms:**

### Conduction Deafness

Hearing loss caused by impaired transmission of

sound through the external or middle ear, with the inner ear and neural auditory pathways relatively preserved.

**Synonyms:**

### Conductive Deafness

Hearing loss resulting from a problem in the external auditory canal, tympanic membrane, or middle ear that reduces conduction of sound to the inner ear.

**Synonyms:**

### Conductive Hearing Loss

Hearing loss caused by impaired transmission of sound through the outer or middle ear. Audiometry commonly shows an air-bone gap, and causes include earwax, middle-ear fluid, perforation, otosclerosis, and ossicular disease.

**Synonyms:**

### Condylar Process

The rounded articular projection of a bone, especially the mandibular process that articulates with the temporal bone to form the temporomandibular joint.

**Synonyms:**

### Condyloma Acuminata

Soft, wart-like genital or perianal growths caused by certain human papillomavirus types.

**Synonyms:**

### Condyloma acuminatum

A benign, exophytic, papillomatous growth of the anogenital skin caused by human papillomavirus, most commonly types 6 and 11. They present as soft, flesh-colored, verrucous papules or plaques in the genital and perianal region. Condylomata are sexually transmitted and may be associated with cervical dysplasia.

**Synonyms:**

### Condyloma Latum

Mucocutaneous lesion of secondary syphilis caused by *Treponema pallidum*, distinct from condyloma acuminata (genital wart).

---

**Synonyms:**

### **Condylomata lata**

Broad, flat, moist, grayish-white papules occurring in secondary syphilis, typically found in the anogenital region and other intertriginous areas. They are highly infectious and contain abundant *Treponema pallidum* organisms. Diagnosis is by darkfield microscopy or serological testing for syphilis.

**Synonyms:**

### **Cone-Beam Computed Tomography**

Three-dimensional dental imaging using a cone-shaped X-ray beam and a rotating detector. It provides high-resolution views of teeth and maxillofacial bone with generally less radiation than conventional medical CT, but should be used only when the additional information affects care.

**Synonyms:**

### **Confabulation**

Production of false or inaccurate statements or memories without conscious intent to deceive, often associated with memory impairment or frontal-lobe dysfunction.

**Synonyms:**

### **Confidentiality**

The ethical and legal duty of healthcare professionals to protect patient information from unauthorized disclosure. Founded on the principle of respect for patient autonomy and trust, confidentiality is a core requirement of medical ethics (GMC guidelines) and law (GDPR, Data Protection Act, Caldicott principles).

**Synonyms:**

### **Confirmatory Test**

A test used to verify a preliminary or screening result, often with a different method or greater specificity. Confirmation should be selected according to the condition, specimen, timing, and accepted clinical guidelines.

**Synonyms:**

### **Confounding**

Distortion of association by third variable. Examples: age confounding relationship between exposure and disease. Controlled by matching, stratification, regression.

**Synonyms:**

### **Confusion (Delirium)**

Acute onset fluctuating disturbance in attention and awareness. Usually reversible. Precipitants: infection, medications, metabolic derangement, pain, constipation, urinary retention. Differentiate from dementia (chronic, progressive). Treatment: identify and treat underlying cause, environmental modification, avoid anticholinergics.

**Synonyms:** Delirium

### **Confusion Assessment Method**

A standardized bedside algorithm for detecting delirium. It identifies acute or fluctuating change, inattention, disorganized thinking, and altered level of consciousness; delirium requires the first two features plus either of the latter two.

**Synonyms:**

### **Congenital Adrenal Hyperplasia**

Group of autosomal recessive disorders caused by enzyme deficiencies in the adrenal steroidogenesis pathway. Twenty-one hydroxylase deficiency is the most common accounting for approximately ninety-five percent of cases.

**Synonyms:**

### **Congenital Cataract**

Opacification of the crystalline lens present at birth, a leading cause of treatable childhood blindness worldwide.

**Synonyms:**

### **Congenital CMV**

Cytomegalovirus infection acquired in utero, the most common congenital viral infection. Maternal primary infection poses highest risk of fetal transmission and disease. Can cause microcephaly, sensorineural hearing loss, chorioretinitis,

---

hepatosplenomegaly, and petechiae. Diagnosis by CMV PCR in urine or saliva.

**Synonyms:**

### **Congenital Contractural Arachnodactyly**

An inherited connective-tissue disorder characterized by long slender fingers and toes, congenital flexion contractures, muscular hypoplasia, and sometimes kyphoscoliosis.

**Synonyms:**

### **Congenital cytomegalovirus infection**

Cytomegalovirus infection acquired before birth. It may cause hearing loss, developmental problems, microcephaly, or no symptoms.

**Synonyms:**

### **Congenital Diaphragmatic Hernia**

A defect in the diaphragm allowing abdominal organs to herniate into the thoracic cavity, causing pulmonary hypoplasia and respiratory distress at birth. Most commonly a posterolateral (Bochdalek) defect on the left side. Presents with cyanosis, scaphoid abdomen, and bowel sounds in the chest.

**Synonyms:**

### **Congenital Disorder**

A medical condition or structural abnormality present in an individual from birth, which may be caused by genetic factors or environmental influences in the womb.

**Synonyms:**

### **Congenital Glaucoma**

A rare form of glaucoma (1 in 10,000-20,000 births) caused by developmental anomalies of the trabecular meshwork and anterior chamber angle, impairing aqueous humor outflow. Most cases are sporadic; familial forms are autosomal recessive (CYP1B1 gene mutations).

**Synonyms:**

### **Congenital Heart Disease**

Structural or functional abnormalities of the heart or great vessels present at birth. Examples include

septal defects, patent ductus arteriosus, tetralogy of Fallot, transposition of the great arteries, coarctation of the aorta, and hypoplastic left-heart syndrome.

**Synonyms:**

### **Congenital Heart Murmur**

A heart murmur heard in a newborn or infant. It may be innocent or may indicate a structural heart defect; assessment considers the murmur's characteristics and associated symptoms or examination findings.

**Synonyms:**

### **Congenital Hip Dislocation**

Abnormal development or displacement of the hip joint present at birth or developing in infancy, now generally called developmental dysplasia of the hip.

**Synonyms:**

### **Congenital Hyperinsulinism**

Condition of inappropriate insulin secretion in neonates and infants causing severe hypoglycemia. Most commonly caused by mutations in the KATP channel genes ABCC8 and KCNJ11. Histologically classified into focal and diffuse forms. Presents with severe symptomatic hypoglycemia in the first days of life.

**Synonyms:**

### **Congenital Hyperthyroidism**

Thyrotoxicosis present at birth most commonly caused by maternal Graves disease with transplacental passage of thyroid-stimulating immunoglobulins. Presents with tachycardia, irritability, poor feeding, weight loss, and goiter. Transient neonatal hyperthyroidism resolves as maternal antibodies are cleared over weeks to months.

**Synonyms:**

### **Congenital Hypothyroidism**

Thyroid hormone deficiency present at birth occurring in approximately one in two thousand to four thousand live births. Most common cause is thyroid dysgenesis including aplasia, ectopia, and hypopla-

---

sia. Universal newborn screening with TSH or T4 allows early detection and treatment preventing intellectual disability.

**Synonyms:**

### **Congenital Megacolon**

Hirschsprung disease, a congenital absence of enteric ganglion cells in a segment of the bowel that causes functional obstruction and enlargement of the proximal colon.

**Synonyms:**

### **Congenital melanocytic nevus**

A melanocytic nevus present at birth or appearing within the first few weeks of life, ranging from small (< 1.5 cm) to giant lesions covering large body surface areas. It results from proliferation of melanocytes during embryonic development and carries a small but important risk of melanoma, which is higher in larger lesions.

**Synonyms:**

### **Congenital nevus**

A melanocytic mole present at birth or developing soon afterward. It is composed of melanocytes in the epidermis and dermis. Size, location, and changes over time determine the need for clinical assessment and surveillance.

**Synonyms:**

### **Congenital Pneumonia**

Lung infection acquired in utero, often from ascending chorioamnionitis. Presents with respiratory distress, fever or hypothermia, and sepsis. Common organisms include Group B Streptococcus, E. coli, and Ureaplasma. Diagnosis by chest X-ray showing infiltrates and blood culture.

**Synonyms:**

### **Congenital Rubella Syndrome**

Fetal infection with rubella virus, particularly dangerous in the first trimester. Classic triad: congenital heart disease (patent ductus arteriosus, pulmonary stenosis), cataracts, and sensorineural hearing loss. Also causes hepatosplenomegaly, thrombo-

cytopenia, and blueberry muffin rash.

**Synonyms:**

### **Congenital Scoliosis**

A lateral curvature of the spine caused by congenital vertebral anomalies that arise during embryogenesis (failure of formation or segmentation). Failure of formation: hemivertebra (wedge-shaped vertebra causing progressive curvature). Failure of segmentation: unilateral unsegmented bar (block of bone on one side).

**Synonyms:**

### **Congenital Syphilis**

Treponema pallidum infection acquired transplacentally. Can cause stillbirth, prematurity, hepatosplenomegaly, rash, snuffles, osteochondritis, and Hutchinson teeth. Diagnosed by darkfield microscopy, VDRL/RPR in neonatal serum, or PCR.

**Synonyms:**

### **Congenital Zika Syndrome**

Fetal brain infection with Zika virus, causing microcephaly, brain abnormalities, eye defects, hearing loss, and limb contractures. Transmission occurs via mosquito bite or sexual contact. Diagnosis by Zika virus PCR in maternal serum or amniotic fluid. No specific treatment. Prevention by avoiding endemic areas during pregnancy.

**Synonyms:**

### **Congestion**

A passive vascular phenomenon of engorgement of a tissue or organ with blood from impaired venous or lymphatic drainage. Chronic venous congestion produces stasis, hypoxia, dilated vessels, edema, hemorrhage, and hemosiderin-laden macrophages, exemplified by the lungs (heart failure cells) and liver (nutmeg liver).

**Synonyms:**

### **Congestive Heart Failure**

A historical term for heart failure with clinical fluid congestion. Current terminology is heart failure, which may occur with or without congestion and is

---

classified by left-ventricular ejection fraction, symptoms, and disease stage.

**Synonyms:**

### Conization

Surgical removal of a cone-shaped portion of the cervix for diagnosis or treatment of cervical dysplasia or selected early cervical cancers.

**Synonyms:**

### Conjoined Twins

Monozygotic, monochorionic, monoamniotic twins who are physically connected at birth, resulting from incomplete fission of the fertilized ovum after day 13 of fertilization. Incidence: 1 in 50,000-100,000 births.

**Synonyms:**

### Conjunctiva

Conjunctiva examines conjunctiva; interpretation depends on the specimen or body region, test method, reference range, and clinical question. the eyelids (palpebral conjunctiva) and covers the anterior surface of the sclera (bulbar conjunctiva), forming a continuous sheet that protects the eye and facilitates smooth eyelid movement.

**Synonyms:**

### Conjunctival squamous-cell carcinoma

A malignant tumor of the conjunctival epithelium, typically arising from the limbal area. It is associated with UV radiation exposure and can invade locally if not treated promptly.

**Synonyms:**

### Conjunctivitis

Inflammation of the conjunctiva, the thin, transparent mucous membrane lining the inner surface of the eyelids and the anterior surface of the sclera. Conjunctivitis is the most common cause of red eye and is classified by etiology.

**Synonyms:**

### Conjunctivoplasty

Plastic or reconstructive surgery of the conjunctiva,

performed to repair defects, scarring, adhesions, or other abnormalities of the ocular surface.

**Synonyms:**

### Conn's Syndrome

Primary hyperaldosteronism caused by autonomous secretion of aldosterone, leading to hypertension and often low serum potassium.

**Synonyms:**

### Connective Tissue

A diverse type of tissue that supports, binds, protects, and insulates organs and structures throughout the body.

**Synonyms:**

### Connective Tissue Disease

Autoimmune diseases affecting connective tissue. Examples: SLE, scleroderma, RA, Sjogren syndrome, mixed connective tissue disease. Overlap syndromes common.

**Synonyms:**

### Conscious Sedation

A drug-induced depression of consciousness in which patients respond purposefully to verbal or tactile stimulation, maintain a patent airway, and retain protective reflexes. Typical agents include midazolam, fentanyl, or low-dose propofol. Indications include endoscopic and minor surgical procedures.

**Synonyms:**

### Consolidation

An area of lung in which air spaces are filled with fluid, cells, or other material, increasing its density on imaging. Causes include pneumonia, edema, hemorrhage, and tumor.

**Synonyms:**

### Consolidation Therapy

Additional treatment given after remission to eliminate residual disease and reduce the risk of relapse.

**Synonyms:**



---

## Constipation

Infrequent or difficult passage of stools, often with hard stools, straining, incomplete evacuation, or a sensation of blockage. Causes include diet, medicines, functional disorders, and structural or systemic disease.

**Synonyms:**

## Constitutional delay in puberty

A normal variant in which pubertal development is delayed but eventually progresses normally; growth and bone age are typically delayed.

**Synonyms:**

## Constraint-Induced Movement Therapy

Rehabilitation that limits use of a less-affected limb while providing structured practice with an affected limb to improve functional use in selected people.

**Synonyms:**

## Constrictive Pericarditis

Thickening and fibrosis of the pericardium restricting diastolic ventricular filling. Presents with jugular venous distension, peripheral edema, hepatomegaly, and Kussmaul sign. Causes include idiopathic, post-viral, radiation, and tuberculosis. Pericardiectomy is the definitive treatment.

**Synonyms:**

## Consultation-Liaison Psychiatry

The subspecialty of psychiatry focused on the interface between psychiatry and general medical illness. Psychiatrists provide consultation on medical-surgical wards for patients with psychiatric symptoms arising from or coexisting with medical conditions.

**Synonyms:**

## Contact Allergen Testing

Patch testing identifies allergens causing allergic contact dermatitis. Standard panel includes 35 common allergens (nickel, fragrance mix, balsam of Peru, formaldehyde, rubber accelerators, topical antibiotics, preservatives). Patches are applied to the back for 48 hours and read at 48, 72, and 96 hours.

**Synonyms:**

## Contact Dermatitis

An inflammatory skin reaction caused by contact with an external substance. It may be allergic, involving delayed immune sensitization, or irritant, caused by direct chemical or physical injury.

**Synonyms:**

## Contact precautions

Infection control measures used for patients colonised or infected with multidrug-resistant organisms. Precautions include gown and glove use, patient placement in single rooms, and dedicated equipment. Contact precautions are used for MRSA, VRE, CRE, and other resistant organisms.

**Synonyms:**

## Contact Tracing

Identifying and monitoring persons exposed to infectious disease. Critical for outbreak control. Examples: COVID-19, Ebola, TB.

**Synonyms:**

## Contagious Disease

An infectious disease that can be transmitted directly or indirectly from one person, animal, or source to another.

**Synonyms:**

## Contamination

Accidental presence of microorganisms in a specimen, on a surface, or in a normally sterile material without true infection of the host. Contamination can produce misleading culture results and must be distinguished from colonization and invasive disease.

**Synonyms:**

## Continuing Medical Education

Postgraduate education that maintains and updates a clinician's knowledge, skills, and professional competence.

**Synonyms:**

---

### Continuity of Care

Consistent and coordinated care over time and across clinicians or settings, integrating the patient's history, current needs, treatment plan, and preferences. It supports safety, adherence, prevention, and chronic-disease outcomes.

**Synonyms:**

### Continuous Electronic Fetal Monitoring

The continuous recording of fetal heart rate (FHR) and uterine contractions using external transducers (Doppler ultrasound and tocodynamometer) or internal devices (fetal scalp electrode and intrauterine pressure catheter). Used intrapartum to detect fetal hypoxia.

**Synonyms:**

### Continuous Glucose Monitoring

Technology measuring interstitial glucose levels continuously providing real-time glucose data, trends, and alerts. Sensors are inserted subcutaneously typically in the abdomen or arm and measure glucose every five minutes. Devices include Dexcom, FreeStyle Libre, and Medtronic Guardian systems.

**Synonyms:**

### Continuous Kidney Replacement Therapy

A prolonged extracorporeal blood-purification therapy, usually delivered continuously in an intensive-care setting. It provides gradual fluid and solute removal and is useful for hemodynamically unstable patients with severe AKI.

**Synonyms:**

### Continuous Murmurs

Murmurs that persist throughout systole and diastole without interruption, produced by blood flowing continuously through an abnormal connection. The most common cause is patent ductus arteriosus (PDA), where blood flows from the aorta to pulmonary artery throughout the cardiac cycle.

**Synonyms:**

### Continuous Positive Airway Pressure

Noninvasive respiratory support that delivers a con-

stant positive pressure throughout the breathing cycle to keep the upper airway or alveoli open.

**Synonyms:**

### Contraception

Methods to prevent pregnancy.

**Synonyms:**

### Contraception and Birth Control

Contraception encompasses methods used to prevent pregnancy, including hormonal options like oral contraceptives, patches, rings, injections, and implants, as well as non-hormonal methods like copper IUDs, barrier methods, diaphragms, and permanent sterilization.

**Synonyms:**

### Contraception for Adolescents

Methods to prevent unintended pregnancy. Options: combined oral contraceptives, progestin-only pills, depot medroxyprogesterone acetate, contraceptive implant (Nexplanon), intrauterine devices (IUDs), condoms, and abstinence.

**Synonyms:**

### Contracted Pelvis

A pelvis whose size or shape is reduced or abnormal enough to interfere with passage of the fetus during labor.

**Synonyms:**

### Contraction Stress Test

An antepartum test that evaluates the fetal heart rate response to uterine contractions. Contractions are induced with oxytocin or nipple stimulation (until 3 contractions in 10 minutes). Negative (normal): no late or significant variable decelerations. Positive (abnormal): late decelerations with  $\geq 50\%$  of contractions.

**Synonyms:**

### Contractions

Rhythmic uterine muscular contractions of labor that produce cervical dilation and effacement, driving descent of the fetus. Characterized by frequency,

---

duration, and intensity; progress is monitored by partogram and tocography (CTG). Braxton Hicks contractions: irregular, non-progressive, painless prelabor contractions.

**Synonyms:**

### **Contracture**

Permanent or semi-permanent limitation of passive joint range of motion caused by shortening or structural change in muscle, tendon, capsule, fascia, skin, or other periarticular tissue. Prevention and treatment depend on cause and stage.

**Synonyms:**

### **Contracture Prevention**

Measures such as positioning, stretching, exercise, splinting, orthoses, and serial casting that help preserve joint movement in people at risk of fixed shortening.

**Synonyms:**

### **Contraindication**

Contraindication concerns contraindication; its medical significance is established from the defining features, setting, associated findings, and clinical question. inadvisable. Absolute contraindication: condition where intervention should never be performed. Relative contraindication: risks outweigh benefits but may be acceptable in specific circumstances.

**Synonyms:**

### **Contralateral**

Located on the opposite side of the body.

**Synonyms:**

### **Contrast Agent**

Substance enhancing image visibility. X-ray/CT: iodine-based (positive contrast). MRI: gadolinium-based (shortens T1, bright on T1). Ultrasound: microbubble agents. Barium sulfate for GI studies.

**Synonyms:**

### **Contrast Echocardiography**

Use of microbubble contrast agents to enhance endo-

cardial border definition and assess myocardial perfusion. Indicated for suboptimal non-contrast echo images and assessment of myocardial viability. Microbubbles remain entirely within the intravascular space, making them ideal for perfusion assessment.

**Synonyms:**

### **Contrast Reaction**

Adverse reaction to contrast agent. Mild: nausea, urticaria. Severe: anaphylaxis, bronchospasm. Pre-medication for prior reactions.

**Synonyms:**

### **Contrast-Associated Acute Kidney Injury**

Acute worsening of kidney function occurring after administration of contrast, whether or not contrast is causal. Risk assessment includes baseline kidney function, hemodynamic status, diabetes, nephrotoxins, urgency, and the need to avoid unnecessary contrast exposure.

**Synonyms:**

### **Contrast-Enhanced Ultrasound**

Ultrasound using microbubble contrast agents. Improves lesion characterization, perfusion assessment.

**Synonyms:**

### **Contrast-Induced Nephropathy**

Acute kidney injury after iodinated contrast administration. Risk factors: pre-existing renal impairment, diabetes, dehydration. Prevention: hydration, lowest contrast volume, N-acetylcysteine controversial.

**Synonyms:**

### **Contrecoup**

An injury occurring on the side of an organ opposite the site of impact, especially a brain injury produced when the brain moves within the skull after trauma.

**Synonyms:**

### **Control Group**

The comparison group in a study, which may receive usual care, a placebo, or no intervention according to the study design.

---

**Synonyms:**

### **Controlled Cord Traction**

A technique for active management of third-stage labor: gentle, steady traction on the umbilical cord with one hand while the other hand applies suprapubic counter-pressure (to prevent uterine inversion). Performed after signs of placental separation. The Brandt-Andrews maneuver and the Finocchietti technique are CCT methods.

**Synonyms:**

### **Controlled Substance**

A drug or chemical whose manufacture, possession, and use are regulated by government authorities due to its potential for abuse, dependence, or harm.

**Synonyms:**

### **Contusion**

A closed soft-tissue injury caused by blunt force, producing bleeding into tissues without an open wound. It commonly causes pain, swelling, and ecchymosis; severe contusions may involve muscle necrosis, compartment syndrome, internal bleeding, or associated bone and organ injury.

**Synonyms:**

### **Conus Medullaris Syndrome**

A clinical condition resulting from damage to the conus medullaris, the tapered, terminal end of the spinal cord located at approximately the L1-L2 vertebral level.

**Synonyms:**

### **Convergence Insufficiency**

Inability to maintain binocular convergence on near objects, causing eyestrain, headaches, blurred near vision, and transient diplopia during reading. Common in children and young adults; treated with convergence exercises and base-in prism, with surgery rarely needed.

**Synonyms:**

### **Coombs Test**

A laboratory test that detects antibodies or com-

plement attached to red blood cells, or antibodies in serum that can react with red cells. It is used in evaluating immune hemolysis and blood compatibility.

**Synonyms:**

### **Cooper's Ligament**

Fibrous connective-tissue septa extending from the deep surface of the breast toward the skin and pectoral fascia. Tumor invasion or fibrosis may cause skin retraction.

**Synonyms:**

### **Coordination**

Smooth, efficient movement. Tests: finger-to-nose, heel-to-shin, rapid alternating movements.

**Synonyms:**

### **COPD**

Chronic obstructive pulmonary disease is a progressive, largely irreversible airflow limitation caused by chronic bronchitis, emphysema, or both, most commonly due to cigarette smoking. It presents with chronic cough, sputum production, and exertional dyspnea. Spirometry shows a reduced FEV1/FVC ratio.

**Synonyms:**

### **COPD Exacerbation**

Acute worsening of respiratory symptoms beyond normal day-to-day variation in a patient with COPD that leads to additional therapy. Common triggers include viral or bacterial infection, air pollution, and cardiopulmonary comorbidity.

**Synonyms:**

### **COPD Rehabilitation**

Comprehensive intervention for COPD patients including exercise training, education, behavior change. Components: aerobic exercise, strength training, breathing techniques, nutrition, psychosocial support. Improves exercise capacity, quality of life, reduces hospitalizations.

**Synonyms:**

---

## Copper

An essential trace element required for iron transport, connective-tissue cross-linking, energy metabolism, neurotransmitter synthesis, and antioxidant enzymes. Deficiency can cause anemia, neutropenia, impaired neurologic function, and bone abnormalities; excess is toxic and accumulates in Wilson disease.

**Synonyms:**

## copy number variation

Deletions or duplications of DNA segments >1 kb. Contribute to genetic diversity and disease. Examples: 22q11.2 deletion, Williams syndrome (7q11.23 deletion).

**Synonyms:**

## Cor Pulmonale

Right ventricular hypertrophy and dilation from pulmonary hypertension due to lung disease. Features include peripheral edema, JVD, and hepatomegaly.

**Synonyms:**

## Cor Triatriatum

A rare congenital heart defect where the left atrium is divided into two chambers by a fibromuscular membrane, separating the pulmonary venous chamber (posterior) from the true left atrium (anterior) containing the left atrial appendage and mitral valve. The membrane obstructs pulmonary venous return, mimicking mitral stenosis.

**Synonyms:**

## Coracoid Process

Hook-like scapular projection extending anteriorly and laterally. Attachment for 3 muscles (pectoralis minor, coracobrachialis, short head of biceps) and 3 ligaments. Important surgical landmark. Fractures uncommon but may occur with direct trauma or shoulder dislocations.

**Synonyms:**

## Cord Presentation

The presence of the umbilical cord between the presenting fetal part and the cervix, with intact

membranes. Risk factors: malpresentation, unstable lie, low-lying placenta, and long cord. If the membranes rupture, the cord may prolapse (umbilical cord prolapse).

**Synonyms:**

## Cordocentesis

A prenatal diagnostic procedure in which fetal blood is sampled from the umbilical cord, usually under ultrasound guidance.

**Synonyms:**

## Cordotomy

Surgical division of selected nerve fibers, especially a spinal cord tract, to interrupt transmission of severe chronic pain.

**Synonyms:**

## Core Biopsy

Removal of a cylindrical sample of tissue with a hollow cutting needle for microscopic examination, commonly used for breast, liver, prostate, and other lesions.

**Synonyms:**

## Core Needle Biopsy

Biopsy using core needle. CT, ultrasound, or MRI guidance.

**Synonyms:**

## Cori Cycle

Lactate produced by muscles transported to liver, converted to glucose via gluconeogenesis, returned to muscles.

**Synonyms:**

## Cornea

Transparent, avascular, dome-shaped anterior eye surface providing approximately two-thirds of total refractive power. Five layers: epithelium (stratified squamous, rapidly regenerating), Bowman's membrane, stroma (thickest, regular collagen), Descemet's membrane, endothelium (single cell layer maintaining transparency).

**Synonyms:**

---

### Corneal Abrasion

Loss of corneal epithelium caused by mechanical trauma — contact with fingernail, makeup brush, foreign body, contact lens overwear, dry eye, sports injury, paper edge, or surgical instrumentation. Most common eye injury presenting to emergency departments.

**Synonyms:**

### Corneal Cross-Linking

Corneal collagen cross-linking is a minimally invasive therapeutic procedure that strengthens the corneal stroma by creating additional chemical bonds between collagen fibrils, thereby stiffening the cornea and halting or slowing the progression of corneal ectatic disorders, particularly keratoconus and post-refractive surgery ectasia.

**Synonyms:**

### Corneal Edema

Excess fluid within the corneal stroma or epithelium causing corneal thickening, reduced transparency, glare, and blurred vision. Causes include endothelial dysfunction, acute glaucoma, inflammation, trauma, and postoperative injury.

**Synonyms:**

### Corneal Implant

An implanted device or tissue substitute placed in or on the cornea to restore vision, replace diseased tissue, or alter corneal shape.

**Synonyms:**

### Corneal Ulcer

A corneal ulcer is a defect in the corneal epithelium with associated stromal inflammation and necrosis, typically caused by infectious or non-infectious mechanisms, and it is a sight-threatening condition that requires prompt diagnosis and treatment.

**Synonyms:**

### Corneitis

Inflammation of the cornea, often producing pain, photophobia, tearing, and impaired vision. It may be infectious, immune-mediated, traumatic, or re-

lated to exposure.

**Synonyms:**

### Cornelia de Lange Syndrome

A genetic disorder caused by mutations in genes of the cohesin complex (NIPBL 60%, SMC1A, SMC3, RAD21, HDAC8).

**Synonyms:**

### Corns and Calluses

Corns (heloma) are focal areas of hyperkeratosis caused by pressure and friction, typically on toes. Hard corns (heloma durum) occur on dorsal toes; soft corns (heloma molle) occur between toes. Calluses (tyloma) are diffuse hyperkeratosis on weight-bearing surfaces.

**Synonyms:**

### Coronal Caries

Caries on clinical crown. Smooth surface or pits/fissures.

**Synonyms:**

### Coronal Plane

A vertical plane that divides the body or an organ into front (anterior) and back (posterior) portions.

**Synonyms:**

### Coronary Angiography

Invasive imaging of the coronary arteries using catheter-delivered contrast and X-ray fluoroscopy. It shows coronary anatomy and stenosis and can support treatment planning; noninvasive tests may be appropriate in other clinical settings.

**Synonyms:**

### Coronary Arteries

The right and left arteries arising from the aortic sinuses that supply the myocardium. Their branches include the right coronary, anterior interventricular, and circumflex arteries.

**Synonyms:**



---

## Coronary Artery

One of the blood vessels branching from the aorta that supplies oxygen-rich blood directly to the heart muscle.

**Synonyms:**

## Coronary Artery Aneurysm

A localized dilatation of a coronary artery exceeding the normal vessel diameter by approximately 1.5 times. It may be caused by atherosclerosis, Kawasaki disease, connective-tissue disorders, infection, trauma, or an iatrogenic procedure, and can lead to thrombosis, distal embolization, myocardial ischemia, or rupture.

**Synonyms:**

## Coronary Artery Bypass

A surgical procedure that creates a new route for blood flow around a narrowed or blocked coronary artery using a vascular graft.

**Synonyms:**

## Coronary Artery Bypass Grafting

A surgical revascularization procedure for severe coronary artery disease (CAD). Grafts, most commonly the left internal mammary artery (LIMA) and saphenous vein grafts (SVG), are used to bypass stenotic coronary arterial segments. Indicated for multi-vessel CAD, left main coronary artery stenosis, or severe CAD in diabetic patients.

**Synonyms:**

## Coronary Artery Disease

Narrowing or occlusion of coronary arteries, usually due to atherosclerosis, reducing blood flow to the myocardium. Risk factors include hypertension, diabetes, hyperlipidemia, smoking, family history, and obesity. CAD can present as stable angina, acute coronary syndromes (unstable angina, NSTEMI, STEMI), or sudden cardiac death.

**Synonyms:**

## Coronary Artery Spasm

Transient intense constriction of an epicardial coronary artery that reduces myocardial blood flow. It

may cause rest angina and transient ST-segment elevation and can be triggered by smoking, stimulants, or endothelial dysfunction; calcium-channel blockers and nitrates are commonly used for prevention and relief.

**Synonyms:**

## Coronary Calcium Score

A CT-based measurement of coronary artery calcification, quantified as the Agatston score. A score of 0 indicates very low risk of cardiovascular events; >400 indicates high burden and significant atherosclerosis. It is used for cardiovascular risk stratification in asymptomatic individuals and may guide statin therapy decisions.

**Synonyms:**

## Coronary Calcium Scoring

Non-contrast CT measuring calcified plaque in coronary arteries. Agatston score predicts cardiovascular risk.

**Synonyms:**

## Coronary Circulation

The vascular system supplying blood to the myocardium. The left coronary artery (LCA) divides into the left anterior descending (LAD) and circumflex (LCx) arteries. The right coronary artery (RCA) supplies the right ventricle, SA node (in 60% of people), and inferior left ventricular wall.

**Synonyms:**

## Coronary Dominance

Determined by which artery gives rise to the posterior descending artery (PDA). Right coronary dominance (85% of people): RCA gives rise to PDA. Left coronary dominance (8%): LCx gives rise to PDA. Codominance (7%): both RCA and LCx contribute.

**Synonyms:**

## Coronary Heart Disease

Disease caused by reduced blood flow through the coronary arteries, usually due to atherosclerotic plaque. It may cause angina, myocardial infarction, heart failure, or sudden cardiac death. Also called

---

coronary artery disease.

**Synonyms:** coronary artery disease.

### **Coronary Insufficiency**

Inadequate blood flow through the coronary circulation to meet myocardial oxygen demand, usually because of coronary artery disease.

**Synonyms:**

### **Coronary Microvascular Dysfunction**

Impairment of the small coronary arteries and arterioles causing impaired coronary flow reserve despite normal epicardial coronary arteries. Common in women, patients with diabetes, and hypertension. Causes chest pain (angina equivalent) and may contribute to heart failure with preserved ejection fraction.

**Synonyms:**

### **Coronary Occlusion**

Obstruction of a coronary artery, commonly by atherosclerotic plaque and thrombus, that can cause myocardial ischemia or infarction.

**Synonyms:**

### **Coronary Sinus**

A large vein on the back of the heart that collects deoxygenated blood from the heart muscle and drains it into the right atrium.

**Synonyms:**

### **Coronary Stent**

Mesh tube keeping coronary artery open after angioplasty. Types: bare-metal (higher restenosis), drug-eluting (releases antiproliferative drug, lower restenosis but prolonged DAPT). Complications: stent thrombosis, restenosis, bleeding (from DAPT).

**Synonyms:**

### **Coronary Thrombosis**

Formation of a blood clot in a coronary artery, potentially obstructing blood flow and causing myocardial infarction.

**Synonyms:**

### **Coronavirus Disease 2019**

A respiratory and systemic infectious disease caused by SARS-CoV-2. Illness ranges from asymptomatic infection to pneumonia, respiratory failure, and multisystem complications.

**Synonyms:**

### **Corpse**

The dead body of a human being; the subject of medicolegal examination. Forensic assessment of a corpse includes identification, determination of death and time of death (rigor mortis, livor mortis, algor mortis, vitreous potassium, gastric emptying), external and internal examination, and collection of evidence.

**Synonyms:**

### **Corpus Callosum**

Brain's largest white matter tract with approximately 200 million axons connecting left and right hemispheres. Four parts: rostrum, genu, body, splenium. Facilitates interhemispheric communication for sensory, motor, and cognitive integration.

**Synonyms:**

### **Corrected Age**

The age of a preterm infant calculated by subtracting the number of weeks born before 40 weeks of gestation from chronological age. Corrected age helps interpret growth and developmental milestones during early childhood, commonly until about 2 years of age.

**Synonyms:**

### **Corrigan Pulse**

A forceful, rapidly rising and collapsing arterial pulse, classically associated with aortic regurgitation.

**Synonyms:**

### **Corrosive**

Substance causing tissue destruction by chemical action. Acids: coagulation necrosis, eschar. Alkalis: liquefaction necrosis, deep penetration. Ingestion: avoid emesis, endoscopy, surgical consultation.

---

**Synonyms:**

### **Corti's Ganglion**

The spiral ganglion of the cochlea, containing the cell bodies of sensory neurons that transmit auditory information from the organ of Corti.

**Synonyms:**

### **Cortical Cataract**

A type of age-related lens opacity that begins in the peripheral lens cortex as wedge-shaped or spoke-like opacities that extend centripetally toward the visual axis, caused by disruption of the normally orderly arrangement of lens fibers and the accumulation of fluid between them.

**Synonyms:**

### **Corticobasal Degeneration**

A rare, progressive neurodegenerative disorder characterized by asymmetric cortical and basal ganglia dysfunction. Presents with asymmetric parkinsonism (rigidity, bradykinesia), apraxia (loss of learned motor skills), alien limb phenomenon (involuntary, purposeless movements), cortical sensory loss, myoclonus, and dystonia.

**Synonyms:**

### **Corticosteroids**

Synthetic glucocorticoids with potent anti-inflammatory and immunosuppressive effects. Examples include prednisone, prednisolone, methylprednisolone, dexamethasone, and hydrocortisone. They suppress inflammatory gene expression and inhibit immune cell function.

**Synonyms:**

### **Corticosteroids Mechanism**

Corticosteroids exert their anti-inflammatory and immunosuppressive effects primarily by binding to intracellular glucocorticoid receptors, which then translocate to the nucleus and modulate gene transcription.

**Synonyms:**

### **Cortisol**

The primary glucocorticoid produced by the adrenal cortex (zona fasciculata) under ACTH control; essential for stress response, metabolism, and homeostasis. Functions: gluconeogenesis, glycogenolysis, protein catabolism, lipolysis, anti-inflammatory/immunosuppressive effects, and maintenance of vascular tone.

**Synonyms:**

### **Coryza**

Acute inflammation of the nasal mucous membranes with nasal discharge and obstruction, commonly occurring in the common cold or other upper-respiratory infection.

**Synonyms:**

### **Cosmetic Dermatology**

Cosmetic dermatology encompasses aesthetic procedures. Botulinum toxin injections (Botox, Dysport, Xeomin) relax facial muscles reducing wrinkles. Dermal fillers (hyaluronic acid, calcium hydroxylapatite, poly-L-lactic acid, polymethylmethacrylate) restore volume.

**Synonyms:**

### **Cost-Effectiveness**

Comparison of costs and outcomes of interventions. Used for resource allocation.

**Synonyms:**

### **Costochondritis**

Costochondritis is a medical condition involving costochondritis; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. chest wall pain. Presents with sharp, reproducible tenderness on palpation of the anterior chest, usually unilateral involving the 2nd to 5th ribs. May follow respiratory infection, trauma, or vigorous coughing, but often idiopathic.

**Synonyms:**

### **Cot Death**

Sudden infant death syndrome, the sudden unexplained death of an apparently healthy infant, usu-

---

ally during sleep, that remains unexplained after investigation.

**Synonyms:**

## Cough

Cough is a protective reflex that clears the airways; its duration, triggers, sputum, associated symptoms, and examination findings help distinguish infectious, inflammatory, cardiac, and other causes. foreign material from the tracheobronchial tree.

**Synonyms:**

## Cough Augmentation

Techniques to improve cough effectiveness in patients with neuromuscular disease or chest wall weakness. Methods include manually assisted cough (abdominal thrust timed with cough), mechanical insufflation-exsufflation (CoughAssist device), and breath stacking with a resuscitation bag.

**Synonyms:**

## Count Rate

Number of detected events per second. Dead time losses at high count rates.

**Synonyms:**

## Countercurrent Multiplication

The renal medullary process in which opposing tubular fluid flow and selective permeability along the loop of Henle generate a corticomedullary osmotic gradient. This gradient permits collecting-duct water reabsorption when antidiuretic hormone is present.

**Synonyms:**

## Countertransference

The therapist's emotional reactions to the patient, which may be influenced by the therapist's own unresolved conflicts or may be a response to the patient's transference. Awareness of countertransference is essential for effective therapy and can provide valuable clinical information about the patient's interpersonal style.

**Synonyms:**

## Coup-Contrecoup Injury

Brain injury from acceleration-deceleration trauma. Coup: injury at site of impact. Contrecoup: injury on opposite side. Common in falls, motor vehicle accidents.

**Synonyms:**

## Courvoisier Sign

Clinical finding of a palpable non-tender gallbladder in obstructive jaundice suggesting malignant biliary obstruction. In gallstone disease, the gallbladder is typically fibrotic and not palpable, whereas in malignant obstruction it is distended because the wall is initially normal and compliant.

**Synonyms:**

## Covered Stent (Vascular)

A vascular stent lined with a graft material that supports the vessel and excludes a leak or aneurysm from the bloodstream.

**Synonyms:** Vascular

## COVID Toe

A chilblain-like skin lesion reported in association with COVID-19, usually affecting the toes or fingers and appearing red, purple, or swollen.

**Synonyms:**

## COVID-19

Coronavirus disease 2019 caused by SARS-CoV-2, first identified in December 2019. Ranges from asymptomatic to severe respiratory failure and death. Common symptoms: fever, cough, dyspnea, loss of taste/smell (anosmia), myalgia, and fatigue. Severe disease: pneumonia, ARDS, hyperinflammatory state, and thromboembolic complications.

**Synonyms:**

## COVID-19 in Pregnancy

Pregnant women with COVID-19 are at increased risk of severe illness (ICU admission, mechanical ventilation, death) compared to non-pregnant women. Risks to the fetus: preterm birth, cesarean delivery, and possibly stillbirth. Vertical transmission is rare but possible.

---

**Synonyms:**

### COVID-19 Test

A test that detects SARS-CoV-2 infection. Nucleic-acid amplification tests, including RT-PCR, detect viral genetic material, while rapid antigen tests detect viral proteins. Test performance depends on timing, specimen quality, and the amount of virus present.

**Synonyms:**

### Cowden Syndrome

Autosomal dominant PTEN hamartoma tumor syndrome (PHTS), caused by loss-of-function mutations in PTEN (10q23) — a negative regulator of the PI3K/AKT/mTOR pathway. Multiple hamartomas and increased risk of benign and malignant tumors.

**Synonyms:**

### Cowper's Gland

One of a pair of small male accessory sex glands below the prostate. Its secretion contributes mucus and fluid to the urethra before ejaculation.

**Synonyms:**

### Cowpox

A zoonotic viral infection caused by cowpox virus or related orthopoxviruses, producing localized pustular or ulcerative skin lesions and sometimes systemic illness.

**Synonyms:**

### COX Inhibitor

A class of drugs that inhibit cyclooxygenase enzymes (COX-1 and COX-2), which catalyze the conversion of arachidonic acid to prostaglandins and thromboxanes. COX-1 is constitutively expressed in most tissues, producing prostaglandins that protect the gastric mucosa, maintain renal blood flow, and support platelet aggregation.

**Synonyms:**

### Coxa Vara

A deformity in which the angle between the femoral

neck and shaft is abnormally reduced, potentially causing a limp, shortened limb, or altered hip mechanics.

**Synonyms:**

### Coxalgia

Pain in the hip or hip joint.

**Synonyms:**

### Coxiella burnetii

An obligate intracellular bacterium that causes Q fever, a zoonotic infection transmitted from animals to humans. The organism is transmitted through inhalation of contaminated aerosols or ingestion of contaminated dairy products. Acute Q fever presents with fever, headache, and pneumonia. Chronic Q fever can cause endocarditis.

**Synonyms:**

### Coxsackie virus type A16

A member of the Enterovirus genus and the most common cause of hand, foot, and mouth disease, a mild, self-limited viral illness affecting children. It presents with fever, oral vesicles and ulcers, and a maculopapular or vesicular rash on the hands and feet. Complications are rare but may include aseptic meningitis.

**Synonyms:**

### Coxsackievirus

A group of enteroviruses that cause a range of human diseases. Group A viruses commonly cause hand-foot-and-mouth disease and herpangina, whereas group B viruses are associated with myocarditis, pericarditis, pleurodynia, and aseptic meningitis.

**Synonyms:**

### CPAP

Continuous positive airway pressure delivered through a mask to splint open the upper airway during sleep. It is commonly used for obstructive sleep apnea and can reduce apneas and related symptoms when used consistently.

**Synonyms:**

---

### **CPAP Machine**

Continuous positive airway pressure for sleep apnea.

**Synonyms:**

### **Cracked Tooth Syndrome**

Incomplete fracture of tooth causing pain on biting. Diagnosis difficult. Treatment: crown, root canal if pulpal involvement.

**Synonyms:**

### **Crackles (Rales)**

Discontinuous, non-musical adventitious lung sounds produced by the sudden explosive opening of collapsed small airways and alveoli during inspiration or the bubbling of air through fluid in the bronchioles.

**Synonyms:** Rales

### **Cradle Cap**

A common form of seborrheic dermatitis in infants, causing greasy or flaky scales on the scalp with mild redness. It is usually harmless and improves with gentle scalp care; persistent inflammation or signs of infection require assessment.

**Synonyms:**

### **Cranial Arteritis**

Giant-cell arteritis, an inflammatory disease of medium and large arteries, especially branches of the external carotid artery, that can cause headache, visual loss, and systemic symptoms.

**Synonyms:**

### **Cranial Cavity**

The hollow space inside the skull that contains and protects the brain.

**Synonyms:**

### **Cranial Implant**

An artificial device placed in or on the skull or cranial cavity for reconstruction, protection, drainage, stimulation, or treatment.

**Synonyms:**

### **Cranial Nerve**

Twelve paired nerves (CN I-XII) emerging directly from the brain/brainstem, primarily serving head and neck.

**Synonyms:**

### **Cranial Nerve Palsy**

Weakness or paralysis of one or more cranial nerves, causing deficits such as impaired eye movement, facial weakness, hearing loss, swallowing difficulty, or tongue weakness. The cause may be vascular, traumatic, compressive, inflammatory, infectious, or metabolic.

**Synonyms:**

### **Craniectomy**

Surgical removal of part of the skull without immediate replacement, performed to relieve intracranial pressure or provide access to the brain.

**Synonyms:**

### **Craniocerebral Injury**

An injury involving the scalp, skull, brain, or more than one of these structures.

**Synonyms:**

### **Craniofacial Dysostosis**

A congenital disorder involving premature fusion of cranial sutures and characteristic abnormalities of the face and skull, such as those seen in Crouzon syndrome.

**Synonyms:**

### **Craniopharyngioma**

Craniopharyngioma concerns craniopharyngioma; its medical significance is established from the defining features, setting, associated findings, and clinical question. from Rathke pouch remnants; the most common supratentorial non-glial pediatric brain tumor (peak 5-14 years, second peak 50-74 years); bimodal age distribution.

**Synonyms:**

### **Cranioplasty**

Surgical repair or reconstruction of a skull defect



---

using bone, an implant, or another suitable material.

**Synonyms:**

### **Craniosynostosis**

Craniosynostosis is a medical condition involving craniosynostosis; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. to the affected suture. Presents with abnormal head shape (scaphocephaly from sagittal fusion, plagiocephaly from coronal fusion). May increase intracranial pressure. Diagnosis by physical examination and CT with 3D reconstruction.

**Synonyms:**

### **Craniotomy**

Surgical opening of the skull (bone flap) for access to intracranial contents. Indications: brain tumor resection (glioblastoma, meningioma, mets), hematoma evacuation (SDH, EDH, ICH), aneurysm clipping, AVM resection, and epilepsy surgery (lobectomy).

**Synonyms:**

### **Crazy Paving Pattern**

A HRCT finding characterized by ground-glass opacification with superimposed interlobular septal thickening and intralobular lines. It is seen in pulmonary alveolar proteinosis, lipid pneumonia, ARDS, pulmonary hemorrhage, and Pneumocystis pneumonia. Despite its name, it is not specific to any single diagnosis.

**Synonyms:**

### **CRE**

Carbapenem-resistant Enterobacteriaceae, resistant to carbapenem antibiotics through production of carbapenemases including KPC, NDM, and OXA-48-like enzymes. CRE are a major public health threat due to limited treatment options. Infections are associated with high mortality rates.

**Synonyms:**

### **Cream**

A semisolid emulsion (oil in water or water in oil) for

topical application, containing a drug in an emulsion base. Creams are lighter, less greasy, and easier to spread than ointments, and are preferred for moist or oozing skin lesions. They penetrate less deeply than ointments and are cosmetically acceptable.

**Synonyms:**

### **Creatine Kinase**

An enzyme found in muscle, brain, and heart. CK-MB: cardiac isoenzyme (used historically for MI diagnosis, largely replaced by troponin). CK-MM: skeletal muscle (elevated in rhabdomyolysis, trauma, statins, myopathy). Total CK: elevated in muscle injury, myocardial infarction, seizures, hypothyroidism, and statin myopathy.

**Synonyms:**

### **Creatinine**

A breakdown product of muscle creatine phosphate produced at a constant rate, filtered by the glomerulus and minimally reabsorbed; serum creatinine is the most used marker of kidney function.

**Synonyms:**

### **CREST Syndrome**

A limited cutaneous form of systemic sclerosis characterized by calcinosis, Raynaud phenomenon, esophageal dysmotility, sclerodactyly, and telangiectasia. It may involve pulmonary vascular disease and other systemic complications.

**Synonyms:**

### **Cretinism**

An outdated term for severe congenital or early-childhood hypothyroidism causing impaired physical and intellectual development; modern clinical language uses congenital hypothyroidism.

**Synonyms:**

### **Creutzfeldt-Jakob disease**

A rapidly progressive neurodegenerative disease caused by abnormal prion proteins, leading to cognitive decline, ataxia, myoclonus, and death.

**Synonyms:**

---

### Creutzfeldt Jakob Disease

Creutzfeldt-Jakob disease (CJD) is a rare, fatal, transmissible spongiform encephalopathy caused by the accumulation of misfolded prion protein (PrP<sup>Sc</sup>) in the brain, leading to rapid, progressive dementia and myoclonus.

**Synonyms:**

### Creutzfeldt-Jakob Disease

A rapidly progressive fatal neurodegenerative disease caused by abnormal prion protein, characterized by dementia, myoclonus, ataxia, and other neurologic signs.

**Synonyms:**

### Cri du Chat Syndrome

A congenital genetic disorder caused by deletion of part of the short arm of chromosome 5, characterized in infancy by a high-pitched cry, developmental delay, and characteristic facial features.

**Synonyms:**

### Cri-du-Chat Syndrome

A genetic disorder caused by a deletion of the short arm of chromosome 5 (5p-), with the size of the deletion correlating with severity. Incidence 1 in 15,000-50,000.

**Synonyms:**

### Cricoid Cartilage

The cricoid cartilage is a complete, ring-shaped cartilage located at the base of the larynx, directly above the trachea and below the thyroid cartilage, and it is the only complete cartilaginous ring in the airway, providing structural support and maintaining airway patency.

**Synonyms:**

### Cricoid Pressure

Cricoid pressure (Sellick maneuver) applies posterior displacement of the cricoid cartilage against the cervical vertebrae, occluding the esophagus and reducing aspiration risk during rapid sequence intubation.

**Synonyms:**

### Cricothyrotomy

An emergency airway procedure that creates an opening through the cricothyroid membrane to provide oxygenation and ventilation when a patient cannot be intubated and cannot be oxygenated by less invasive methods.

**Synonyms:**

### Criminal Abortion

Abortion performed illegally, outside permitted legal indications and procedures (e.g., unsafe methods, unqualified practitioners, or non-medical settings), carrying high maternal risk.

**Synonyms:**

### CRISPR-Cas9

Genome editing tool derived from bacterial immune system. Cas9 enzyme guided by RNA to specific DNA sequence, creating double-strand break. Repaired by non-homologous end joining (NHEJ) or homology-directed repair (HDR). Applications: research, therapy.

**Synonyms:**

### Critical Care

Specialized care for people with life-threatening illness or injury who need close monitoring and support for failing organs.

**Synonyms:**

### Critical Findings

Findings requiring immediate communication. Examples: pneumothorax, brain herniation, aortic dissection.

**Synonyms:**

### Critical Limb Ischemia

Severe chronic reduction in limb blood flow causing ischemic rest pain, nonhealing wounds, or gangrene. It requires urgent vascular assessment.

**Synonyms:**

### Critical Results

Test results indicating a potentially life-threatening condition that require prompt communication and

---

clinical action.

**Synonyms:**

### Critical Value

A laboratory result indicating a potentially life-threatening condition that requires prompt communication to a responsible clinician or care team. The threshold is test- and laboratory-specific and should be defined by institutional policy.

**Synonyms:**

### Crohn Disease

Chronic transmural inflammatory condition that can affect any segment of the gastrointestinal tract from the oral cavity to the perianal region, though the terminal ileum and ileocolonic region are most commonly involved.

**Synonyms:**

### Crohn Disease Cobblestoning

Endoscopic appearance of the colonic or small bowel mucosa in Crohn disease characterized by a bumpy, irregular surface resembling cobblestones. This distinctive appearance results from intersecting lines of deep linear and serpiginous ulceration that surround areas of relatively preserved or edematous but intact mucosa.

**Synonyms:**

### Cross-Sectional Study

Measures exposure and outcome at same time. Prevalence study. Cannot establish temporality.

**Synonyms:**

### Cross-Tolerance

Tolerance to one substance that extends to another substance with a similar mechanism of action. For example, tolerance to one benzodiazepine extends to all benzodiazepines, and tolerance to alcohol extends partially to benzodiazepines due to shared GABA-A receptor mechanisms.

**Synonyms:**

### Croup

Croup concerns croup; its medical significance is

established from the defining features, setting, associated findings, and clinical question. children 6 months to 3 years. Presents with barking cough, stridor, hoarseness, and inspiratory distress, worse at night. Diagnosis is clinical; X-ray shows subglottic narrowing (steeple sign).

**Synonyms:**

### Crouzon Syndrome

An autosomal dominant craniosynostosis syndrome caused by mutations in the FGFR2 or FGFR3 genes, leading to premature fusion of multiple cranial sutures. Features: brachycephaly (short, broad head from bilateral coronal synostosis), proptosis (shallow orbits), hypertelorism, midface hypoplasia, beaked nose, and Class III malocclusion.

**Synonyms:**

### Crown (Dental)

Cap covering damaged tooth. Materials: metal, porcelain-fused-to-metal, all-ceramic, zirconia. Indications: large caries, fractured tooth, root canal treated tooth.

**Synonyms:** Dental

### Crown Lengthening

Surgical procedure exposing more tooth structure. Involves gingivectomy and bone removal. For restorative or aesthetic purposes.

**Synonyms:**

### Crown-Rump Length

The measurement from the top of the fetal head (crown) to the bottom of the buttocks (rump), the most accurate method for establishing gestational age in the first trimester. Measured at 7-13 weeks. Accuracy:  $\pm 3$ -5 days. The EDD is set using CRL if the difference from LMP dating exceeds 7 days. CRL growth: approximately 1 mm per day.

**Synonyms:**

### Crowning

The stage of the second stage of labor when the fetal head (widest diameter) distends the perineum and becomes visible at the introitus and is no longer

---

receding between contractions.

**Synonyms:**

### **CRP**

C-reactive protein. Acute phase reactant. Marker of inflammation.

**Synonyms:**

### **Crush Syndrome**

Systemic manifestations of prolonged muscle crush injury (rhabdomyolysis) following trauma — typically from collapsed buildings, landslides, entrapment under debris, or excessive compression of limbs. Bywaters syndrome.

**Synonyms:**

### **Crushing Injury**

Damage caused when a body part is compressed between heavy objects. It can produce fractures, nerve and blood-vessel injury, tissue death, and rhabdomyolysis. Severe limb compression or sudden release after prolonged entrapment requires emergency treatment.

**Synonyms:**

### **Crusted scabies**

A severe, highly contagious form of scabies (Norwegian scabies) characterised by thick, hyperkeratotic crusts teeming with enormous numbers of *Sarcoptes scabiei* mites, typically occurring in immunocompromised, elderly, or neurologically impaired individuals.

**Synonyms:**

### **Crutches**

Walking aids. Types: axillary, forearm (Loftstrand). Axillary: under arm. Forearm: through loop.

**Synonyms:**

### **Cryoablation**

A procedure that freezes and destroys selected tissue, often using imaging to guide the treatment.

**Synonyms:**

### **Cryobiopsy**

A bronchoscopic technique using rapid freezing to obtain larger lung tissue samples than conventional transbronchial biopsy. It provides better histopathological specimens for diagnosing interstitial lung diseases. It requires general anesthesia and bronchoscopic expertise. It is less invasive than surgical lung biopsy.

**Synonyms:**

### **Cryoglobulinemic vasculitis**

Systemic vasculitis caused by cryoglobulin-containing immune complexes that deposit in small and medium vessels, classically presenting with purpura, arthralgia, and glomerulonephritis. Most cases are associated with hepatitis C virus infection.

**Synonyms:**

### **Cryoglobulins**

Cryoglobulins concerns cryoglobulins; its medical significance is established from the defining features, setting, associated findings, and clinical question. Types: Type I (monoclonal IgM, in MGUS, Waldenstrom, myeloma), Type II (mixed: monoclonal + polyclonal, in HCV infection), Type III (mixed polyclonal, in autoimmune disease).

**Synonyms:**

### **Cryopexy**

A procedure that uses controlled freezing to destroy or seal abnormal tissue, especially retinal breaks or small retinal detachments.

**Synonyms:**

### **Cryoprecipitate**

A plasma fraction rich in fibrinogen, factor VIII, von Willebrand factor, and factor XIII, used selectively to treat certain bleeding disorders.

**Synonyms:**

### **Cryopreservation**

Preservation of cells, tissues, or embryos by cooling them to very low temperatures, usually with protective substances that limit ice-related injury.

**Synonyms:**

---

### **Cryopyrin-Associated Periodic Syndromes**

Autosomal dominant autoinflammatory disorders (NLRP3 mutations, gain-of-function) causing constitutive inflammasome activation and IL-1beta overproduction.

**Synonyms:**

### **Cryosurgery**

Surgery that destroys abnormal tissue by controlled freezing, used in selected skin lesions, tumors, and other conditions.

**Synonyms:**

### **Cryotherapy**

The therapeutic application of extreme cold (typically using liquid nitrogen at  $-196^{\circ}\text{C}$ ) to destroy abnormal or diseased tissue.

**Synonyms:**

### **Cryptitis**

Inflammation of a crypt or small anatomical recess, especially inflammation of the anal glands and crypts.

**Synonyms:**

### **Cryptococcal meningitis**

Infection of the meninges by *Cryptococcus*, usually in people with impaired immunity, causing headache, fever, altered mental status, or other neurologic symptoms.

**Synonyms:**

### **Cryptococcosis**

Cryptococcosis is a medical condition involving cryptococcosis; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. immunocompromised patients (HIV/AIDS, organ transplant, hematologic malignancy). Pulmonary cryptococcosis: cough, dyspnea, pulmonary nodules. Meningoencephalitis: fever, headache, altered mental status, and elevated intracranial pressure.

**Synonyms:**

### **Cryptococcus neoformans**

An encapsulated yeast that can cause pulmonary or central nervous system infection, especially in people with impaired immunity.

**Synonyms:**

### **Cryptogenic Organizing Pneumonia**

An inflammatory lung disease with granulation tissue within alveolar ducts. May be idiopathic or secondary to infection, drugs, or connective tissue disease. Responds well to corticosteroids.

**Synonyms:**

### **Cryptorchidism**

Failure of one or both testes to descend into the scrotum, the most common congenital genitourinary anomaly in boys (3% at birth, 1% at 1 year). 70% of undescended testes are palpable (inguinal), 30% non-palpable (intra-abdominal, absent, or atrophic). Spontaneous descent by 6 months occurs in about one-third.

**Synonyms:**

### **Cryptosporidiosis**

A diarrhoeal disease caused by the protozoan parasite *Cryptosporidium parvum* (zoonotic) or *C. hominis* (anthroponotic), transmitted via contaminated water (chlorine-resistant oocysts), food, or direct contact. Presents with watery diarrhea, abdominal cramps, nausea, and low-grade fever, lasting 1-2 weeks.

**Synonyms:**

### **Crystal Arthropathy**

Joint disease caused by crystal deposition. Gout (monosodium urate) and pseudogout (calcium pyrophosphate). Diagnosis by joint aspiration and polarized microscopy.

**Synonyms:**

### **Crystalloids**

Aqueous solutions of mineral salts that distribute between intravascular and interstitial compartments. Normal saline (0.9 percent NaCl) has 154 mEq/L each of sodium and chloride, pH 5.4, and is asso-

---

ciated with hyperchloremic metabolic acidosis at large volumes.

**Synonyms:**

### **Crystalluria**

The presence of crystals in urine, which may reflect precipitation of salts, medication effects, metabolic disease, or a tendency to form urinary stones.

**Synonyms:**

### **CSF Analysis**

Laboratory examination of cerebrospinal fluid obtained by lumbar puncture. Tests may assess cells, protein, glucose, microorganisms, and other markers of infection, inflammation, bleeding, or malignancy.

**Synonyms:**

### **CSF Rhinorrhea**

Cerebrospinal fluid rhinorrhea is the leakage of cerebrospinal fluid from the subarachnoid space through a defect in the skull base into the nasal cavity or paranasal sinuses, resulting in a clear, watery nasal discharge that may be mistaken for allergic rhinitis or sinusitis.

**Synonyms:**

### **CT Angiography**

CT imaging with IV contrast timed to visualize arteries. Coronary CTA: assesses coronary artery stenosis and plaque, calcium scoring (Agatston). CTA chest: pulmonary embolism (PE protocol), aortic dissection. CTA head/neck: stroke evaluation, aneurysm, dissection, and vasculitis.

**Synonyms:**

### **CT Chest**

Detailed lung and mediastinal imaging. High-resolution CT (HRCT) for interstitial lung disease. CT pulmonary angiography (CTPA) for pulmonary embolism. Lung cancer screening with low-dose CT.

**Synonyms:**

### **CT Colonography**

CT imaging of the colon after bowel preparation and insufflation with air or carbon dioxide. Used

for colorectal cancer screening in patients unable to undergo optical colonoscopy and for evaluating complete colonoscopy when the cecum was not reached. Detects polyps greater than six millimeters with high sensitivity.

**Synonyms:**

### **CT Colonography (Virtual Colonoscopy)**

CT imaging of the colon after bowel preparation and air insufflation. Indications: colorectal cancer screening (alternative to colonoscopy), incomplete colonoscopy due to obstructing mass, and patients unable to undergo colonoscopy. Sensitivity >90% for polyps >10mm. Requires same bowel prep as colonoscopy.

**Synonyms:** Virtual Colonoscopy

### **CT Contrast**

A substance administered during computed tomography to make selected tissues, vessels, or body spaces more visible.

**Synonyms:**

### **CT Coronary Angiography**

CT imaging of coronary arteries after contrast. Detects stenosis, plaque. Alternative to invasive angiography in low-intermediate risk.

**Synonyms:**

### **CT Dose-Length Product**

A CT dose metric calculated from the volume CT dose index and scan length. It estimates the total scanner output for an examination and is used for protocol optimization and dose monitoring, not as a direct patient-specific risk estimate.

**Synonyms:**

### **CT Enterography**

CT imaging of the small bowel after administration of large volumes of neutral oral contrast distending the small bowel with IV contrast. Excellent for evaluating Crohn disease, small bowel tumors, and obscure gastrointestinal bleeding.

**Synonyms:**



---

### **CT Perfusion**

A CT technique that estimates blood flow and related perfusion parameters in tissue, commonly to assess selected cases of acute stroke or tumors.

**Synonyms:**

### **CT Pulmonary Angiography**

CT imaging performed after intravenous contrast to show the pulmonary arteries and evaluate suspected pulmonary embolism or other vascular abnormalities.

**Synonyms:**

### **CT Scan**

Computed tomography, an imaging method that uses X-rays and computer processing to produce cross-sectional images of the body.

**Synonyms:**

### **CT Scan (Computed Tomography)**

Cross-sectional imaging using X-rays and computer reconstruction. Non-contrast: evaluate hemorrhage, stones, and bone. IV contrast (iodinated): evaluate inflammation, infection, tumor, and vascular structures. Oral contrast: opacify bowel.

**Synonyms:** Computed Tomography

### **Cubital Tunnel Syndrome**

Cubital tunnel syndrome: ulnar nerve compression at elbow (cubital tunnel: Osborne's ligament, FCU aponeurosis, medial epicondyle, olecranon). Clinical: paresthesias ulnar 1.5 digits, nocturnal, Tinel at elbow, Froment sign (IP flexion of thumb with key pinch), Wartenberg sign (abduction of small finger), thenar/hypothenar wasting late.

**Synonyms:**

### **Cubitus Valgus**

An abnormal outward angulation of the forearm relative to the upper arm when the elbow is extended.

**Synonyms:**

### **Cubitus Varus**

An abnormal inward angulation of the forearm relative to the upper arm when the elbow is extended,

often developing after a childhood elbow fracture.

**Synonyms:**

### **Cuboid**

Cube-shaped lateral foot tarsal bone articulating with calcaneus proximally and 4th/5th metatarsals distally. Attachment for the long plantar ligament and peroneus longus tendon. Keystone of the lateral longitudinal arch. Cuboid syndrome (subluxation) is a common lateral foot pain cause in athletes from excessive pronation.

**Synonyms:**

### **Culdocentesis**

Surgical puncture of the posterior vaginal fornix to sample or drain fluid from the rectouterine pouch.

**Synonyms:**

### **Cullen's Sign**

Bluish or violaceous periumbilical ecchymosis caused by blood tracking through the fascial planes to the umbilicus. It is a sign of intra-abdominal or retroperitoneal haemorrhage, classically severe haemorrhagic pancreatitis, and is associated with serious underlying disease.

**Synonyms:**

### **Cultural Psychiatry**

The study and clinical practice of how cultural factors influence mental health, illness expression, diagnosis, and treatment. Cultural concepts of distress, idioms of distress, and cultural syndromes must be considered. The DSM-5 includes a Cultural Formulation Interview.

**Synonyms:**

### **Culture and Sensitivity**

Microbiological culture of a clinical specimen (blood, urine, sputum, wound swab, CSF) to identify pathogens and determine antimicrobial susceptibility. Culture media: blood agar (most bacteria), MacConkey (Gram-negative), chocolate agar (fastidious: *N. gonorrhoeae*, *H. influenzae*), and selective media.

**Synonyms:**

---

### Culture Media

Nutrient preparations used to grow microorganisms in the laboratory, classified by composition and purpose.

**Synonyms:**

### Culture Swab

Swab for microbial culture. Types: bacterial, viral, fungal.

**Synonyms:**

### Cumulative Dose

Total amount of substance received over time. Important for carcinogens, teratogens, cumulative toxins.

**Synonyms:**

### Cumulative Trauma Disorder

A disorder caused by repeated forceful or awkward movements that progressively injure muscles, tendons, nerves, or other soft tissues.

**Synonyms:**

### Cup-to-Disc Ratio

The cup-to-disc ratio is a clinical measurement used to assess the severity of glaucomatous optic nerve damage, comparing the diameter of the optic cup (the central depression within the optic nerve head where neural tissue is absent) to the diameter of the optic disc (the entire optic nerve head).

**Synonyms:**

### CURB-65 Score

One point each for: Confusion, Urea > 7 mmol/L, RR > 30, BP < 90/60, age ≥ 65. 0–1: outpatient. 2: consider hospitalization. 3–5: severe.

**Synonyms:**

### Curettage

Removal of tissue from a body cavity or surface with a curette, used for diagnosis, treatment, or removal of abnormal tissue.

**Synonyms:**

### Curettage Specimen

Tissue obtained by scraping or scooping a surface or cavity, such as the endometrium or a bone lesion, for histologic examination. The limited and fragmented nature of the specimen may restrict assessment of invasion or architecture.

**Synonyms:**

### Curette

Spoon-shaped instrument for scraping tissue.

**Synonyms:**

### Curling Ulcer

Stress ulceration of the stomach or duodenum associated with severe burns. Part of the Curling triad with hypovolemia and sepsis. The pathogenesis involves reduced mucosal blood flow during the systemic inflammatory response to burn injury.

**Synonyms:**

### Curling's Ulcer

An acute peptic ulcer associated with severe burns, often occurring in the duodenum or stomach during physiologic stress.

**Synonyms:**

### Curvularia alcornii

A dematiaceous fungal species causing phaeohyphomycosis, an opportunistic infection of the skin, sinuses, and occasionally the central nervous system in immunocompromised patients. It produces dark, septate hyphae in tissue. Diagnosis is by culture and histopathology showing pigmented fungal elements.

**Synonyms:**

### Cushing Disease

Cushing syndrome caused by an adrenocorticotrophic hormone (ACTH)-secreting pituitary tumor. Excess cortisol can cause central weight gain, rounded facial features, skin changes, muscle weakness, high blood pressure, high blood glucose, and menstrual or mood changes.

**Synonyms:**

---

## Cushing Syndrome

Clinical state resulting from chronic exposure to excess glucocorticoids regardless of cause. Most common endogenous cause is Cushing disease from pituitary ACTH-secreting adenoma accounting for approximately seventy percent.

**Synonyms:**

## Cushing Syndrome Complications

Untreated Cushing syndrome carries significant morbidity and mortality from cardiovascular disease, infections, thromboembolic events, and metabolic derangements. Cardiovascular complications include accelerated atherosclerosis, hypertension, and dyslipidemia. Infection risk is increased from immunosuppression.

**Synonyms:**

## Cushing Ulcer

Stress ulceration associated with central nervous system disease, trauma, or surgery. Caused by vagally mediated gastric acid hypersecretion, distinguishing it from Curling ulcer which results from mucosal ischemia. The ulcers are typically solitary, located in the stomach or duodenum, and present with gastrointestinal bleeding.

**Synonyms:**

## Cushing's Disease

Hypercortisolism caused specifically by an adrenocorticotrophic-hormone-secreting pituitary adenoma.

**Synonyms:**

## Cushing's Syndrome

The clinical state caused by prolonged excessive exposure to cortisol, from endogenous overproduction or exogenous corticosteroid use.

**Synonyms:**

## Cusp Fracture

Breakage of tooth cusp. Often due to large restoration weakening tooth. Treatment: crown or onlay.

**Synonyms:**

## Cutaneous diphtheria

A skin infection caused by toxigenic or nontoxigenic *Corynebacterium diphtheriae*, producing chronic ulcers or a gray membrane.

**Synonyms:**

## Cutaneous Drug Eruptions

a spectrum of reactions. Exanthematous (maculopapular) is the most common, appearing 4 to 14 days after drug initiation. Urticarial appears within hours. Photoallergic occurs at sun-exposed sites. Lichenoid resembles lichen planus. Pigmented purpuric dermatosis presents as cayenne pepper spots.

**Synonyms:**

## Cutaneous larva migrans

A creeping eruption caused by hookworm larvae (*Ancylostoma braziliense*, *A. caninum*) from dog/cat feces penetrating the skin, typically in tropical/subtropical regions (walking barefoot on contaminated sand). Larvae migrate erratically under the skin causing intensely pruritic, serpiginous, erythematous tracks.

**Synonyms:**

## Cutaneous leishmaniasis

A skin infection caused by *Leishmania* parasites transmitted by sandflies, usually producing one or more chronic ulcers.

**Synonyms:**

## Cutaneous lupus

A form of lupus erythematosus limited to the skin, manifesting as discoid lesions, subacute cutaneous plaques, or acute malar erythema. It may occur in isolation or as a feature of systemic lupus erythematosus.

**Synonyms:**

## Cutaneous Lupus Erythematosus

Autoimmune skin disease associated with lupus-spectrum illness and characterized by inflammatory lesions that may scar, alter pigmentation, or cause photosensitivity. Subacute and chronic forms have different morphologies and systemic associations;

---

evaluation may include biopsy, direct immunofluorescence, and autoimmune testing.

**Synonyms:**

### Cutaneous Lymphoma

Cutaneous lymphomas are heterogeneous group of T-cell and B-cell malignancies primarily involving the skin. Primary cutaneous B-cell lymphomas include marginal zone lymphoma, follicle center lymphoma, and diffuse large B-cell lymphoma leg type. Primary cutaneous T-cell lymphomas include mycosis fungoides and Sézary syndrome.

**Synonyms:**

### Cutaneous metastases

Secondary deposits of cancer in the skin, originating from a primary tumor elsewhere in the body. They may present as nodules, plaques, or ulcers, and often indicate advanced or recurrent disease.

**Synonyms:**

### Cutaneous Small-Vessel Vasculitis

Inflammation and destruction of small dermal blood vessels, commonly presenting as palpable purpura on dependent areas. Causes include infections, medications, autoimmune disease, and systemic vasculitis; skin biopsy with appropriate specimen handling is central to diagnosis.

**Synonyms:**

### Cutaneous T-Cell Lymphoma

A malignancy of skin-homing T lymphocytes. Mycosis fungoides is the most common subtype, presenting as patches, plaques, and tumors in a clothing distribution. Sézary syndrome is the leukemic variant with erythroderma, lymphadenopathy, and circulating malignant cells.

**Synonyms:**

### Cutting Balloon (Vascular)

A balloon catheter with small blades or scoring elements that create controlled incisions in plaque during vessel dilation.

**Synonyms:** Vascular

### CVA

An abbreviation for cerebrovascular accident, meaning a stroke caused by interruption of blood flow to the brain or bleeding within the brain. It may cause sudden neurologic deficits.

**Synonyms:**

### Cyanide Poisoning

Toxicity from cyanide compounds (hydrogen cyanide, potassium/sodium cyanide) that inhibit cytochrome oxidase (complex IV), blocking oxidative phosphorylation and cellular respiration despite adequate oxygen—histotoxic hypoxia. Sources: smoke inhalation (fires—plastic/acrylic), ingestion (industrial, suicidal), occupational exposure.

**Synonyms:**

### Cyanosis

A bluish discoloration of the skin and mucous membranes resulting from excessive amounts of deoxygenated hemoglobin in the capillary blood. It becomes clinically apparent when the concentration of deoxygenated hemoglobin exceeds 5 grams per deciliter, which corresponds to an oxygen saturation of approximately 85 percent.

**Synonyms:**

### Cephalgia

Headache or pain in the head. It may result from primary headache disorders or from an underlying illness or injury.

**Synonyms:**

### Cycle Time

Time for complete image acquisition. PET: minutes. SPECT: 20-30 minutes.

**Synonyms:**

### Cyclothymic Disorder

A chronic mood disorder characterized by numerous periods of hypomanic symptoms and periods of depressive symptoms over at least two years (one year in children and adolescents). The hypomanic and depressive symptoms do not meet criteria for a hypomanic or major depressive episode.

---

**Synonyms:**

### **CYP2C19 Polymorphism**

CYP2C19 is a cytochrome P450 enzyme involved in the metabolism of approximately 10 percent of drugs, including the antiplatelet agent clopidogrel, proton pump inhibitors, some antidepressants, and the antiepileptic drug phenytoin.

**Synonyms:**

### **CYP2D6 Polymorphism**

CYP2D6 is a cytochrome P450 enzyme responsible for the metabolism of approximately 25 percent of commonly prescribed drugs, including codeine, tamoxifen, many antidepressants, and antipsychotics.

**Synonyms:**

### **CYP450 System**

A family of enzymes, found mainly in the liver, that metabolize many medications and other foreign substances. Differences in these enzymes and their inhibition or induction can alter drug effects and toxicity.

**Synonyms:**

### **Cyst**

Cyst is a medical condition involving cyst; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. gaseous material, and distinguished from an abscess (which contains pus) and a pseudocyst (which lacks an epithelial lining).

**Synonyms:**

### **Cystadenoma**

A usually benign glandular epithelial tumor that forms cystic spaces or cyst-like structures.

**Synonyms:**

### **Cystic echinococcosis**

Hydatid disease: infection with larval cysts of *Echinococcus granulosus* (dog tapeworm), transmitted by ingestion of eggs from dog feces. Cysts grow slowly in liver (most common, 60-70 percent), lungs (20-30 percent), and other organs. Hepatic:

RUQ pain, hepatomegaly, biliary obstruction. Pulmonary: cough, chest pain, hemoptysis.

**Synonyms:**

### **Cystic Fibrosis**

Autosomal recessive disorder caused by CFTR gene mutations (most common: F508). Defective chloride channel causes thick mucus in lungs, pancreas, liver, reproductive tract. Symptoms: chronic sinusitis, bronchiectasis, pancreatic insufficiency, male infertility (absent vas deferens), meconium ileus.

**Synonyms:**

### **Cystic Hygroma**

Congenital lymphatic malformation composed of thin-walled lymphatic cysts, manifesting as a soft, fluid-filled, painless, translucent (transilluminates brilliantly) mass, typically in the posterior triangle of the neck (75%, left-sided), axilla (20%), mediastinum, retroperitoneum, or groin.

**Synonyms:**

### **Cysticercosis**

Cysticercosis is a medical condition involving cysticercosis; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. acquired by ingestion of tapeworm eggs (not by eating pork itself) from contaminated food, water, or fecal-oral autoinfection.

**Synonyms:**

### **Cystine and triple phosphate (struvite) crystals**

Crystalline substances that may be found in urine sediment. Hexagonal cystine crystals support cystinuria in the appropriate setting, while struvite crystals may occur in infection-related alkaline urine; microscopy is interpreted with clinical and laboratory findings.

**Synonyms:** struvite

### **Cystine Stones**

Rare stones from inherited cystinuria with defective cystine transport. Hexagonal crystals on urine microscopy. Difficult to dissolve. Treat with aggres-

---

sive hydration, urine alkalinization to pH greater than 7.5, and thiol agents including tiopronin and D-penicillamine that form soluble complexes with cystine.

**Synonyms:**

### **Cystinuria**

Cystinuria is a medical condition involving cystinuria; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. the urine. Cystine stones may form in the urinary tract and cause pain, obstruction, or recurrent infection.

**Synonyms:**

### **Cystitis**

Inflammation of the urinary bladder, typically from bacterial infection, one of the most common bacterial infections in women.

**Synonyms:**

### **Cystocele**

Anterior vaginal wall prolapse: herniation of the bladder into the anterior vaginal wall due to weakening of the pubocervical fascia, most commonly after childbirth and menopause.

**Synonyms:**

### **Cystography**

Contrast imaging of bladder. Evaluates trauma, fistulas, vesicoureteral reflux.

**Synonyms:**

### **Cystometrogram**

Suite of diagnostic procedures designed to evaluate the physiological function of the lower urinary tract (bladder and urethral sphincter) during filling, storage, and emptying phases. See urodynamic testing.

**Synonyms:**

### **Cystometry**

A urodynamic test that measures bladder pressure and function during filling and emptying.

**Synonyms:**

### **Cystoscopy**

Cystoscopy is a medical condition involving cystoscopy; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. cystoscopy: office-based, local anesthesia. Rigid cystoscopy: OR, allows larger instruments for interventions.

**Synonyms:**

### **Cystostomy**

Surgical creation of an opening from the urinary bladder to the skin or another structure to permit drainage of urine.

**Synonyms:**

### **Cystourethrography**

Radiographic imaging of the urinary bladder and urethra, usually during filling and voiding after contrast has been introduced.

**Synonyms:**

### **Cytochrome c**

Mobile electron carrier between Complex III and IV. Also involved in apoptosis.

**Synonyms:**

### **Cytochrome P450**

The cytochrome P450 system is a superfamily of heme-containing monooxygenase enzymes primarily located in the endoplasmic reticulum of hepatocytes, responsible for Phase I drug metabolism through oxidation, reduction, and hydrolysis reactions.

**Synonyms:**

### **Cytogenetics**

Study of chromosomes. Detects abnormalities in cancer.

**Synonyms:**

### **Cytogenetics (Karyotype)**

Visualization of chromosomes under light microscopy from dividing cells (bone marrow, blood, amniotic fluid, tissue). Staining: G-banding (Giemsa, light and dark bands). Resolution: 400-550 bands per haploid genome.



---

**Synonyms:** Karyotype

### **Cytokine**

Small signaling proteins (5-25 kDa) mediating cell-to-cell communication in immunity, inflammation, and hematopoiesis.

**Synonyms:**

### **Cytokine Release Syndrome**

CRS: systemic inflammatory response from massive cytokine release (IL-6, IFN-gamma, TNF, IL-10) after T cell engaging therapies (CAR-T, bispecific antibodies, TGN1412).

**Synonyms:**

### **Cytokine Storm**

A severe, dysregulated systemic inflammatory response involving excessive cytokine release that can cause tissue injury, organ dysfunction, and shock.

**Synonyms:**

### **Cytology**

The microscopic study of individual cells, distinct from histology in that tissue architecture is not examined, used for screening and diagnosis of neoplastic and infectious disease. Specimens are exfoliative (cervical smears, sputum) or aspirated (fine needle aspiration, body fluids), interpreted with Papanicolaou or special stains.

**Synonyms:**

### **Cytomegalovirus**

A herpesvirus that causes significant disease in immunocompromised patients including transplant recipients and HIV-infected individuals. CMV infects a wide range of cell types and establishes latent infections in myeloid progenitor cells. Primary infection is usually asymptomatic in immunocompetent individuals.

**Synonyms:**

### **Cytomegalovirus Infection**

A widespread herpesvirus infection. Primary infection in immunocompetent individuals is usually asymptomatic or causes mononucleosis-like syn-

drome. Congenital CMV: most common congenital infection, causes sensorineural hearing loss, microcephaly, and developmental delay.

**Synonyms:**

### **Cytopathology**

The branch of pathology using cytologic examination of cells to diagnose disease, particularly neoplastic and infectious processes, built on standardized reporting systems that guide management.

**Synonyms:**

### **Cytopenia**

A reduction in the number of one or more circulating blood-cell lineages: red cells, white cells, or platelets.

**Synonyms:**

### **Cytoreductive Surgery**

Surgical removal of as much visible tumor as possible to reduce disease burden, a cornerstone of ovarian cancer management and combined with hyperthermic intraperitoneal chemotherapy for peritoneal carcinomatosis.

**Synonyms:**

### **Cytoskeleton**

Dynamic protein filament network providing structural support, cell shape, intracellular transport, and cell division. Three main components: (1) Microfilaments (actin, 7 nm): cell cortex, stress fibers, contractile ring (cytokinesis), lamellipodia/filopodia (motility), myosin interaction (muscle contraction).

**Synonyms:**

### **Cytotoxic T Cell**

The effector cells of cell-mediated immunity that kill virus-infected cells and tumor cells. Recognize antigenic peptides presented on MHC class I molecules via the T-cell receptor; co-stimulation by CD4+ helper cells and cytokines (IL-2) is needed for activation.

**Synonyms:**

### **Cytotoxicity**

The capacity of an immune effector cell or immune

---

mediator to injure or kill a target cell. T lymphocytes and natural killer cells commonly use perforin-granzyme pathways or death-receptor signaling to induce target-cell apoptosis.

**Synonyms:**

### **CADASIL Syndrome**

An inherited disorder of small brain arteries that can cause migraine with aura, strokes, mood symptoms, and cognitive decline.

**Synonyms:**

### **Capnocytophaga Infection**

An infection caused by *Capnocytophaga* bacteria, sometimes transmitted through dog or cat bites or scratches.

**Synonyms:**

### **Carcinomatosis**

Widespread dissemination of carcinoma to multiple surfaces or organs.

**Synonyms:**

### **Cardiac Ablation**

A procedure that destroys a small area of heart tissue causing an abnormal rhythm.

**Synonyms:**

### **Cavernous Hemangioma**

A cluster of enlarged, thin-walled blood vessels that may occur in the skin, brain, or other tissues.

**Synonyms:**

### **Cecostomy**

A surgically created opening from the cecum to the abdominal wall to allow decompression or stool removal.

**Synonyms:**

### **Central Hypothyroidism**

An inadequate thyroid-hormone state caused by insufficient stimulation from the pituitary gland or hypothalamus.

**Synonyms:**

### **Chemoradiotherapy**

Treatment that combines chemotherapy with radiation therapy, often to improve cancer control.

**Synonyms:**

### **Chlamydial Disease**

Infection caused by bacteria of the genus *Chlamydia*, including sexually transmitted and respiratory infections.

**Synonyms:**

### **Chronic Atrophic Gastritis**

Long-term inflammation of the stomach lining that causes loss of gastric glands and may impair vitamin B12 absorption.

**Synonyms:**

### **Ciliary Dyskinesia**

Abnormal movement of cilia that impairs clearance of mucus from the airways and can cause recurrent respiratory infections.

**Synonyms:**

### **Citrullinemia**

An inherited metabolic disorder in which citrulline and ammonia accumulate because of impaired urea-cycle function.

**Synonyms:**

### **Cognitive Behavior Therapy**

A structured psychotherapy that identifies and changes unhelpful thoughts and behaviors.

**Synonyms:**

### **Colonic Inertia**

Markedly slow movement of contents through the colon, causing severe or persistent constipation.

**Synonyms:**

### **Colonic Stenosis**

Narrowing of the colon that may obstruct passage of intestinal contents.

**Synonyms:**

---

### **Complement Deficiency**

Reduced or absent activity of one or more complement proteins, increasing susceptibility to some infections or autoimmune disease.

**Synonyms:**

### **Complete Cystectomy**

Surgical removal of the entire urinary bladder.

**Synonyms:**

### **Coronary Aneurysm**

Abnormal widening or ballooning of a coronary artery.

**Synonyms:**

### **Crescentic Glomerulonephritis**

A rapidly progressive kidney inflammation in which crescent-shaped lesions form in the glomeruli.

**Synonyms:**

### **Cryoglobulinemia**

Cryoglobulinemia is a medical condition involving cryoglobulinemia; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Cyclic Neutropenia**

Recurrent episodes of abnormally low neutrophil counts occurring at regular intervals.

**Synonyms:**

### **Cyclooxygenase Inhibitor**

A medicine that reduces production of prostaglandins and may relieve pain and inflammation.

**Synonyms:**

### **Callus**

A localized area of thickened, hardened skin caused by repeated pressure or friction.

**Synonyms:**

### **Cancellous Bone**

Porous, trabecular bone found inside many bones, especially near joints and in the vertebrae.

**Synonyms:**

### **Capillaries**

The smallest blood vessels, where oxygen, nutrients, and waste products move between blood and tissues.

**Synonyms:**

### **Capsaicin**

A compound from chili peppers used in some topical medicines to reduce certain types of pain.

**Synonyms:**

### **Carbon Monoxide**

A colorless, odorless gas that can prevent blood from carrying oxygen and cause life-threatening poisoning.

**Synonyms:**

### **Carcinogenesis**

The process by which normal cells acquire changes that lead to cancer.

**Synonyms:**

### **Cardiac Myocytes**

Muscle cells of the heart that generate force for cardiac contraction.

**Synonyms:**

### **Cardiopulmonary Bypass**

A technique that temporarily circulates and oxygenates blood during some heart operations.

**Synonyms:**

### **Cardiovascular**

Cardiovascular concerns cardiovascular; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Carotid Duplex Doppler Scanning**

An ultrasound examination that assesses the struc-

---

ture and blood flow of the carotid arteries.

**Synonyms:**

### **Cartilaginous Joint**

A joint in which bones are connected by cartilage and allow limited movement.

**Synonyms:**

### **Cataplexy**

Sudden temporary loss of muscle tone triggered by strong emotion, commonly associated with narcolepsy.

**Synonyms:**

### **Celiac Plexus**

A network of nerves in the upper abdomen that supplies abdominal organs and may be targeted for pain treatment.

**Synonyms:**

### **Chronic Pain Syndrome**

Persistent pain accompanied by significant physical, emotional, or social effects that interfere with daily life.

**Synonyms:**

### **Cilia**

Small hair-like structures on cells that move fluid, particles, or mucus across a tissue surface.

**Synonyms:**

### **Classic Migraine**

A migraine associated with an aura, such as temporary visual or sensory symptoms.

**Synonyms:**

### **Clot Buster**

A medicine that dissolves a blood clot; the medical term is thrombolytic.

**Synonyms:**

### **Cognitive Reserve**

The brain's ability to use alternative strategies or networks to maintain function despite injury or

disease.

**Synonyms:**

### **Colorectal Adenoma**

A gland-forming growth in the colon or rectum that may develop into colorectal cancer.

**Synonyms:**

### **Complement System**

A group of blood proteins that supports immune defense by destroying microbes and promoting inflammation and phagocytosis.

**Synonyms:**

### **Compression Fracture**

Collapse of a vertebra or other bone because of compression, often related to osteoporosis or trauma.

**Synonyms:**

### **Conception**

The beginning of pregnancy, usually referring to fertilization and the subsequent establishment of pregnancy.

**Synonyms:**

### **Condyle**

A rounded projection at the end of a bone that contributes to a joint.

**Synonyms:**

### **Crohn's Disease**

A chronic inflammatory bowel disease that can affect any part of the gastrointestinal tract and often causes abdominal pain and diarrhea.

**Synonyms:**

### **Crystalline Lens**

The transparent flexible structure inside the eye that focuses light onto the retina.

**Synonyms:**

### **Cystoid Macular Edema**

Swelling of the macula caused by fluid collecting in small cyst-like spaces within the retina.

---

**Synonyms:**

### **C. Difficile Infection**

Infection with *Clostridioides difficile* bacteria, often causing antibiotic-associated diarrhea and colitis.

**Synonyms:**

### **Carcinoma of Unknown Primary**

Cancer that has spread but whose original site cannot be identified despite evaluation.

**Synonyms:**

### **Cavernous Malformations**

Abnormally enlarged, thin-walled blood-vessel clusters that can bleed or cause neurological symptoms.

**Synonyms:**

### **Cavities and Tooth Decay**

Progressive destruction of tooth enamel and deeper tooth tissues by acids produced by oral bacteria.

**Synonyms:**

### **Central Nervous System Lymphoma**

A lymphoma that begins in the brain, spinal cord, eye, or cerebrospinal fluid.

**Synonyms:**

### **Central Nervous System Vascular Malformations**

Abnormal blood-vessel formations in or around the brain or spinal cord.

**Synonyms:**

### **Chronic Daily Headaches**

Headaches occurring on at least 15 days each month for more than three months.

**Synonyms:**

### **Chronic Hives**

Recurrent itchy welts that occur on most days for more than six weeks.

**Synonyms:**

### **Chronic Pelvic Pain**

Persistent or recurrent pain in the lower abdomen or pelvis lasting at least six months.

**Synonyms:**

### **Chronic Traumatic Encephalopathy**

A progressive brain disorder associated with repeated head impacts and characterized by cognitive, mood, or behavioral changes.

**Synonyms:**

### **Cold Urticaria**

Hives or swelling triggered by exposure of the skin to cold.

**Synonyms:**

### **Colon Polyps**

Growths arising from the inner lining of the colon; some types can develop into colorectal cancer.

**Synonyms:**

### **Common Cold in Babies**

A viral infection of an infant's upper respiratory tract that commonly causes a runny nose, congestion, and cough.

**Synonyms:**

### **Compulsive Sexual Behavior**

Recurrent sexual thoughts or behaviors that are difficult to control and cause significant distress or impairment.

**Synonyms:**

### **Congenital Heart Defects in Children**

Structural abnormalities of the heart or major blood vessels present at birth.

**Synonyms:**

### **Congenital Heart Disease in Adults**

A heart defect present from birth that persists into adulthood or causes complications later in life.

**Synonyms:**

---

### **Congenital Mitral Valve Anomalies**

Structural abnormalities of the mitral valve that are present at birth and may impair blood flow.

**Synonyms:**

### **Congenital Myasthenic Syndromes**

A group of inherited disorders that impair communication between nerves and muscles, causing fatigable weakness.

**Synonyms:**

### **Constipation in Children**

Infrequent, hard, or painful bowel movements in a child.

**Synonyms:**

### **Cough Headaches**

Headaches triggered by coughing, sneezing, straining, or other sudden increases in pressure in the head.

**Synonyms:**

### **Cutaneous B-Cell Lymphoma**

A type of non-Hodgkin lymphoma that primarily affects B lymphocytes in the skin.

**Synonyms:**

### **Cyclic Vomiting Syndrome**

Recurrent episodes of severe vomiting separated by symptom-free intervals.

**Synonyms:**

### **Cyclosporiasis**

Cyclosporiasis concerns cyclosporiasis; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Cyclothymia**

A long-term mood disorder with repeated periods of hypomanic and depressive symptoms that do not meet criteria for full episodes.

**Synonyms:**

### **Cholestasis of Pregnancy**

A liver disorder of pregnancy in which impaired bile flow causes itching and elevated bile acids.

**Synonyms:**

### **Choroid Plexus Carcinoma**

A malignant tumor arising from the choroid plexus, the tissue that produces cerebrospinal fluid.

**Synonyms:**

### **Chemo Brain**

Subjective difficulties with memory, attention, or thinking that occur during or after cancer treatment.

**Synonyms:**

### **Chest Tube**

A flexible tube inserted into the pleural space to remove air, blood, or fluid and help the lung re-expand.

**Synonyms:**

### **Culture**

A laboratory test in which a clinical specimen is placed in conditions that allow microorganisms to grow and be identified; susceptibility testing may help guide treatment.

**Synonyms:**

### **Calvaria**

The dome-shaped upper portion of the skull that protects the brain.

**Synonyms:**

### **Calyx**

A cup-shaped structure that collects fluid or supports an organ. In the kidney, renal calyces collect urine from the renal pyramids and convey it to the renal pelvis.

**Synonyms:**

### **Cannula**

A hollow tube inserted into a blood vessel, body cavity, or tissue to deliver or remove fluids or to provide access for instruments.



---

**Synonyms:**

### **Canthotomy**

A surgical incision through the outer canthus of the eyelids, usually performed urgently to relieve pressure in the orbit.

**Synonyms:**

### **Canthus**

The angle where the upper and lower eyelids meet.

**Synonyms:**

### **Carbon Dioxide**

A colorless gas produced by cellular metabolism and removed mainly by the lungs during exhalation.

**Synonyms:**

### **Cardia**

The part of the stomach surrounding the opening where the esophagus joins the stomach.

**Synonyms:**

### **Cast**

A rigid or semi-rigid device applied around an injured limb or joint to immobilize it while bone or soft tissue heals.

**Synonyms:**

### **Cauterization**

The deliberate destruction or sealing of tissue using heat, electricity, chemicals, or another energy source to control bleeding or remove abnormal tissue.

**Synonyms:**

### **Chlamydia trachomatis**

A bacterium that commonly causes sexually transmitted infection of the urogenital tract and can also cause conjunctivitis or pneumonia.

**Synonyms:**

### **Clamp**

A surgical instrument used to grasp, compress, occlude, or hold tissue, blood vessels, tubing, or other structures.

**Synonyms:**

### **Clean-Catch Specimen**

A urine sample collected after cleansing the surrounding area and beginning urination, with the middle portion collected in a sterile container to reduce contamination.

**Synonyms:**

### **Colposcope**

A lighted, magnifying instrument used to examine the cervix, vagina, or vulva in detail.

**Synonyms:**

### **Continuous Bladder Irrigation**

Continuous instillation of sterile fluid through a urinary catheter to keep the bladder catheter patent and remove blood clots or debris.

**Synonyms:**

### **Continuous Subcutaneous Insulin Infusion**

Delivery of rapid-acting insulin through a pump and a subcutaneous infusion set to provide basal insulin and mealtime doses.

**Synonyms:**

### **Convergence**

The inward movement of both eyes so that they are directed toward the same nearby object.

**Synonyms:**

### **Creatine**

A nitrogen-containing compound stored mainly in skeletal muscle that helps supply energy for short, high-intensity activity.

**Synonyms:**

### **Cross-Matching**

A laboratory test that checks donor and recipient blood for compatibility before transfusion.

**Synonyms:**

---

### **Cystoscope**

A thin, lighted instrument used to examine the urethra and bladder and, when needed, perform procedures.

**Synonyms:**

### **Cystotome**

A surgical instrument used to make an incision in the capsule of the lens during selected eye procedures.

**Synonyms:**

### **Cancer Grading**

Assessment of how abnormal cancer cells appear under a microscope and how aggressively the tumor is likely to behave. It differs from cancer staging, which describes the extent of spread.

**Synonyms:**

### **C1 Esterase Inhibitor**

A plasma protein that regulates the complement, kallikrein-kinin, and coagulation pathways. Deficiency or dysfunction can cause hereditary angioedema.

**Synonyms:**

### **C1q Nephropathy**

A glomerular disease characterized by dominant or codominant deposits of the complement component C1q in glomeruli, with variable proteinuria and kidney dysfunction.

**Synonyms:**

### **Café Coronary**

Sudden airway obstruction by food, usually occurring while eating and sometimes causing collapse or death if the airway is not rapidly cleared.

**Synonyms:**

### **Calcific Tendinitis**

Deposition of calcium hydroxyapatite crystals within a tendon, most often the rotator cuff, causing acute pain and restricted movement.

**Synonyms:**

### **Callosotomy**

Surgical division of the corpus callosum to reduce the spread of certain severe, treatment-resistant seizures between the cerebral hemispheres.

**Synonyms:**

### **Candidal Vaginitis**

Inflammation of the vagina caused by overgrowth of *Candida* yeast, usually producing itching, soreness, and a thick white discharge.

**Synonyms:**

### **Caffeine Intoxication**

A toxic state caused by excessive caffeine exposure, characterized by symptoms such as restlessness, nervousness, insomnia, rapid heartbeat, tremor, gastrointestinal upset, or agitation.

**Synonyms:**

### **Café-au-Lait Macules**

Flat, light-brown skin patches with relatively uniform pigmentation. Multiple lesions may be associated with genetic disorders such as neurofibromatosis type 1.

**Synonyms:**

### **Cerebral Vasospasm**

Abnormal narrowing of cerebral arteries that can reduce brain perfusion and cause delayed cerebral ischemia, especially after aneurysmal subarachnoid hemorrhage.

**Synonyms:**

### **Cervical Myelopathy**

Dysfunction of the spinal cord caused by compression in the cervical spine, often producing hand clumsiness, gait disturbance, weakness, sensory changes, or abnormal reflexes.

**Synonyms:**

### **Cardiac Arrhythmias**

Abnormalities of the heart rate or rhythm caused by disturbances in impulse formation or conduction. They include tachycardia, bradycardia, and irregular rhythms.

---

**Synonyms:**

### **Cerebral Thrombosis**

Formation of a blood clot within a cerebral artery, reducing blood flow and potentially causing an ischemic stroke.

**Synonyms:**

### **Cervical Intraepithelial Neoplasia (CIN)**

Abnormal precancerous changes in the squamous cells of the cervix, usually associated with persistent high-risk human papillomavirus infection. CIN is graded by the severity of dysplasia.

**Synonyms:** CIN

### **Chilblains (Pernio)**

Itchy, painful, red or purplish inflammatory lesions caused by an abnormal response of small blood vessels to cold and subsequent rewarming.

**Synonyms:** Pernio

### **Cognition**

The mental processes involved in acquiring, storing, retrieving, and using information, including attention, memory, language, reasoning, and judgment.

**Synonyms:**

### **Compound Fracture (Open Fracture)**

A fracture associated with a wound that communicates between the fracture site and the external environment. It carries increased risks of infection and tissue damage.

**Synonyms:** Open Fracture

### **Conversion Disorder (Functional Neurological Symptom Disorder)**

A condition in which neurological symptoms, such as weakness, abnormal movements, sensory loss, or seizures, are not explained by a recognized structural neurological disease and cause significant impairment.

**Synonyms:** Functional Neurological Symptom Disorder

### **Corneal Graft (Corneal Transplant)**

Surgical replacement of part or all of a diseased or damaged cornea with donor corneal tissue to restore vision or relieve pain.

**Synonyms:** Corneal Transplant

### **Coronary Care Unit (CCU)**

A specialized hospital unit providing continuous monitoring and treatment for patients with serious acute cardiac conditions.

**Synonyms:** CCU

### **Crepitation (Crepitus)**

A crackling, grating, or popping sensation or sound produced by movement of tissues, air, or bone. Causes include fractures, joint disease, subcutaneous air, and lung disease.

**Synonyms:** Crepitus

### **CABG**

Coronary artery bypass grafting, a surgical procedure that creates a route around a narrowed or blocked coronary artery to improve blood flow to heart muscle.

**Synonyms:** Coronary artery bypass grafting; coronary bypass surgery.

### **Cardiac**

Relating to the heart.

**Synonyms:** Heart-related; cardiac-related.

### **Cardiopulmonary**

Relating to the heart and lungs or to their combined function.

**Synonyms:** Cardiorespiratory.

### **Cardiopulmonary Bypass Machine**

A machine that temporarily circulates and oxygenates blood during selected heart or major-vessel operations while the heart and lungs are not performing their usual functions.

**Synonyms:** Heart-lung machine; cardiopulmonary bypass pump.

---

### Cardiorespiratory Endurance

The ability of the heart, lungs, and circulation to deliver oxygen during sustained physical activity.

**Synonyms:** Cardiorespiratory fitness; aerobic endurance.

### Carminative

A substance traditionally used to reduce intestinal gas or discomfort by promoting passage of gas through the digestive tract.

**Synonyms:** Antiflatulent; gas-relieving agent.

### Carotenoids

Plant pigments, including beta-carotene, that contribute yellow, orange, or red color and may have antioxidant or provitamin-A activity.

**Synonyms:** Carotenoid pigments; provitamin-A pigments.

### Catagen

The transitional phase of the hair-growth cycle between active growth and resting.

**Synonyms:** Catagen phase; regression phase of hair growth.

### Catastrophic Reaction

A disproportionately intense emotional or behavioral response to a situation that may appear minor to others, often occurring with cognitive impairment or neurologic disease.

**Synonyms:** Catastrophic response; catastrophic emotional reaction.

### Cathartic

An agent that promotes bowel evacuation, usually by increasing stool water, intestinal motility, or both.

**Synonyms:** Purgative; laxative.

### Cation

An ion with a positive electrical charge, such as sodium, potassium, calcium, or hydrogen.

**Synonyms:** Positively charged ion.

### Cauda Equina

The bundle of lumbar, sacral, and coccygeal nerve roots below the end of the spinal cord.

**Synonyms:** Cauda equina nerve roots; horse-tail nerve bundle.

### Causalgia

Severe persistent burning pain and sensory disturbance caused by injury to a peripheral nerve, now commonly classified within complex regional pain syndrome type II.

**Synonyms:** Complex regional pain syndrome type II; causalgic pain.

### Cavity

A localized hole or structural defect in a tooth caused by dental caries.

**Synonyms:** Dental cavity; carious lesion.

### CBC

A blood test that measures red cells, white cells, hemoglobin, hematocrit, and platelets.

**Synonyms:** Complete blood count; full blood count.

### CCU

A hospital unit providing continuous monitoring and specialized treatment for people with serious acute cardiac disease.

**Synonyms:** Coronary care unit; cardiac care unit.

### Cell Senescence

A state in which a cell remains metabolically active but permanently stops dividing, often in response to aging, stress, or cellular damage.

**Synonyms:** Cellular senescence; replicative senescence.

### Central (Brain) Fatigue

A sense of reduced mental energy, concentration, alertness, or motivation arising primarily from central nervous-system processes.

**Synonyms:** Central fatigue; mental fatigue.

---

## Cerebrovascular

Relating to the blood vessels and circulation of the brain.

**Synonyms:** Brain-vascular; cerebral vascular.

## Cervicogenic Headache

A headache caused by a disorder of the cervical spine or its soft tissues, with pain referred from the neck to the head.

**Synonyms:** Cervical headache; neck-related headache.

## CFS

Chronic fatigue syndrome, a condition involving substantial persistent fatigue with post-exertional worsening and associated symptoms that are not explained by another disorder.

**Synonyms:** Chronic fatigue syndrome; myalgic encephalomyelitis/chronic fatigue syndrome.

## Challenge Testing

A controlled exposure to a suspected trigger, such as a food or medication, to assess whether it produces a reproducible reaction.

**Synonyms:** Provocation testing; challenge test.

## Chemical Peel

Application of a chemical solution to the skin to produce controlled exfoliation and regeneration of superficial or deeper skin layers.

**Synonyms:** Chemexfoliation; chemical resurfacing.

## Chemonucleolysis

An intradiscal treatment intended to dissolve part of a herniated intervertebral disk, historically using an enzyme preparation.

**Synonyms:** Enzymatic disk dissolution; chemonucleolysis procedure.

## Chiropractor

A healthcare practitioner who provides manual or manipulative treatment, especially for musculoskeletal conditions, according to the practitioner's training and local regulation.

**Synonyms:** Chiropractic practitioner; chiropractic

clinician.

## Chlorophyllin

A water-soluble, copper-containing derivative of chlorophyll used in some products and studied for effects such as odor control; clinical uses depend on evidence and context.

**Synonyms:** Chlorophyllin copper complex; sodium copper chlorophyllin.

## Chlorosis

An outdated term for a greenish or pale complexion historically associated with severe iron-deficiency anemia, especially in young women.

**Synonyms:** Green sickness; hypochromic anemia, historical usage.

## Cholagogue

A substance that promotes emptying of the gallbladder into the intestine.

**Synonyms:** Gallbladder stimulant; biliary evacuant.

## Choleretic

A substance that promotes production or secretion of bile by the liver.

**Synonyms:** Bile-secretory agent; bile-flow stimulant.

## Cholesterol

A lipid required for cell membranes and synthesis of steroid hormones and bile acids. Excess atherogenic cholesterol can contribute to arterial plaque.

**Synonyms:** Serum cholesterol; blood cholesterol.

## Cholinergic Neuron

A nerve cell that releases acetylcholine as its principal neurotransmitter.

**Synonyms:** Acetylcholine-releasing neuron; cholinergic nerve cell.

## Chondrocyte

A mature cartilage cell that produces and maintains the cartilage extracellular matrix.

---

**Synonyms:** Cartilage cell.

### Chronic Paroxysmal Hemicrania

A primary headache disorder causing frequent, short-lasting, severe one-sided headaches with autonomic symptoms and a characteristic response to indomethacin.

**Synonyms:** CPH; chronic paroxysmal hemicrania syndrome.

### Chyme

A semifluid mixture of partially digested food and gastric or intestinal secretions that passes from the stomach into the small intestine.

**Synonyms:** Digestive chyme; gastric chyme.

### Cicatricial Alopecia

Hair loss caused by destruction and scarring of hair follicles, usually leading to permanent loss in affected areas.

**Synonyms:** Scarring alopecia; cicatricial hair loss.

### CK

Creatine kinase, an enzyme found in skeletal muscle, heart muscle, and brain whose blood level may rise after tissue injury.

**Synonyms:** Creatine phosphokinase; creatine kinase enzyme.

### Clonal Expansion

Rapid multiplication of genetically or immunologically related cells derived from a single precursor after activation.

**Synonyms:** Clonal proliferation; clone expansion.

### Coagulate

To change from a liquid to a semisolid or solid state, especially the formation of a blood clot through coagulation.

**Synonyms:** Clot; clot formation.

### Cognitive Function

The mental processes involved in attention, memory, language, reasoning, learning, judgment, and problem solving.

**Synonyms:** Cognition; cognitive ability.

### Collagenase

An enzyme that breaks down collagen in connective tissue.

**Synonyms:** Collagen-digesting enzyme; collagen-degrading enzyme.

### Combined Hormone Therapy

Hormone therapy containing both estrogen and a progestogen, generally used when endometrial protection is needed in a person with a uterus.

**Synonyms:** Estrogen-progestogen therapy; combined menopausal hormone therapy.

### Combined Hyperlipidemia

A lipid disorder characterized by elevated cholesterol and triglycerides, often with increased atherogenic lipoproteins.

**Synonyms:** Mixed hyperlipidemia; combined hyperlipoproteinemia.

### Common Migraine

A migraine without a preceding aura.

**Synonyms:** Migraine without aura; migraine without neurologic aura.

### Compact Bone

Dense outer bone tissue organized into osteons that provides strength and structural support.

**Synonyms:** Cortical bone; dense bone.

### Complicated Migraine

An older, nonspecific term for migraine accompanied by prolonged or prominent neurologic symptoms; the specific syndrome should be identified when possible.

**Synonyms:** Migraine with prolonged neurologic symptoms; complex migraine, historical usage.

### Compounding Pharmacy

A pharmacy that prepares customized formulations for an individual patient when a suitable commercially manufactured product is unavailable or unsuitable.



---

**Synonyms:** Compounding pharmacy practice; extemporaneous pharmacy.

### **Cones**

Retinal photoreceptor cells responsible for color vision and detailed vision in relatively bright light.

**Synonyms:** Cone photoreceptors; cone cells.

### **Conjugate Vaccine**

A vaccine in which a poorly immunogenic polysaccharide antigen is linked to a carrier protein to improve the immune response, especially in infants and young children.

**Synonyms:** Protein-conjugate vaccine; conjugated polysaccharide vaccine.

### **Conjugated Equine Estrogens**

A mixture of estrogenic compounds historically derived from the urine of pregnant mares and used in some hormone-therapy formulations.

**Synonyms:** CEE; conjugated estrogens.

### **Continuous Combined Hormone Therapy**

A hormone regimen in which estrogen and progesterone are taken continuously rather than sequentially.

**Synonyms:** Continuous combined HRT; continuous estrogen-progesterone therapy.

### **Contractile Proteins**

Proteins, especially actin and myosin, that interact to generate force and shorten muscle cells.

**Synonyms:** Muscle contractile proteins; actomyosin proteins.

### **Contrast Medium**

A substance administered or placed in the body to make tissues, organs, or body spaces more visible during imaging.

**Synonyms:** Contrast agent; radiographic contrast material.

### **Controllers**

Long-term asthma medicines taken regularly to reduce airway inflammation and prevent symptoms or exacerbations.

**Synonyms:** Controller medicines; maintenance asthma therapy.

### **Convulsion**

A sudden episode of involuntary, often rhythmic muscle contractions that may occur with a seizure or other disturbance of brain function.

**Synonyms:** Convulsive episode; seizure-related motor activity.

### **Corn**

A localized thickening of skin caused by repeated pressure or friction, often occurring on the toes or feet.

**Synonyms:** Clavus; heloma.

### **Coronary**

Relating to the arteries or circulation that supply the heart muscle.

**Synonyms:** Cardiac blood-vessel-related; heart-coronary.

### **Coronary Artery Bypass Surgery**

Surgery that uses a graft to route blood around a narrowed or blocked coronary artery.

**Synonyms:** CABG; coronary bypass surgery.

### **Coronary Endarterectomy**

Surgical removal of atherosclerotic plaque from the inner lining of a coronary artery.

**Synonyms:** Coronary plaque endarterectomy; coronary endarterectomy procedure.

### **Coronary Spasm**

Temporary contraction of a coronary artery that reduces blood flow to the heart muscle and may cause angina or infarction.

**Synonyms:** Vasospastic angina mechanism; coronary artery spasm.

### **Coronary Care Unit**

A hospital unit providing continuous monitoring and specialized care for acute cardiac illness.

**Synonyms:** CCU; cardiac care unit.

---

### Corpus Cavernosum

One of two columns of erectile tissue in the penis that fill with blood during erection.

**Synonyms:** Cavernous body; penile corpus cavernosum.

### Corpus Luteum

The temporary endocrine structure formed from an ovarian follicle after ovulation; it produces progesterone during the luteal phase and early pregnancy.

**Synonyms:** Yellow body; luteal body.

### Corpus Spongiosum

A column of erectile tissue surrounding the penile urethra and expanding distally to form the glans.

**Synonyms:** Spongy body; corpus spongiosum penis.

### Corrugator Muscle

A small facial muscle that draws the eyebrows downward and inward, contributing to frowning.

**Synonyms:** Corrugator supercilii; glabellar muscle.

### Cortex

The outer layer of an organ or structure, such as the cerebral cortex, adrenal cortex, or outer layer of a hair shaft.

**Synonyms:** Cortical layer; outer cortex.

### Cortical Bone

Dense bone forming the outer shell of most bones and providing much of the skeleton's mechanical strength.

**Synonyms:** Compact bone; cortical tissue.

### Corticotropin-Releasing Factor

A hypothalamic hormone that stimulates the pituitary gland to release adrenocorticotrophic hormone and helps coordinate the stress response.

**Synonyms:** Corticotropin-releasing hormone; CRH.

### COX-2 Inhibitors

Medicines that inhibit cyclooxygenase-2, an enzyme

involved in prostaglandin production and inflammation.

**Synonyms:** Cyclooxygenase-2 inhibitors; selective COX-2 inhibitors.

### CPR

CPR concerns cpr; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:** Cardiopulmonary resuscitation; basic life support measure.

### Craving

A strong, often difficult-to-control desire for a substance, behavior, or experience, commonly seen in substance-use disorders.

**Synonyms:** Strong urge; compulsive desire.

### Creatinine Test

A blood or urine test measuring creatinine to help assess kidney filtration and muscle-related creatinine production.

**Synonyms:** Creatinine measurement; renal function creatinine test.

### Crepitus

A crackling, grating, or popping sensation or sound caused by movement of tissue, bone, joint surfaces, or air in soft tissue.

**Synonyms:** Crepitation; crackling sensation.

### Crohn's Disease

A chronic inflammatory bowel disease that can affect any part of the gastrointestinal tract and commonly causes abdominal pain, diarrhea, weight loss, or systemic inflammation.

**Synonyms:** Crohn disease; regional enteritis.

### Crown

The visible part of a tooth above the gum line, or a dental restoration that covers and protects a damaged tooth.

**Synonyms:** Dental crown; anatomic tooth crown.

---

## CT

Computed tomography, an imaging method that uses multiple X-ray measurements and computer reconstruction to produce cross-sectional images.

**Synonyms:** Computed tomography; CAT scan.

## Cupping

An abnormal enlargement or depression of the optic-disc cup, often assessed in evaluating glaucoma.

**Synonyms:** Optic-disc cupping; glaucomatous cupping.

## Cushing's Syndrome

A disorder caused by prolonged exposure to excessive cortisol, producing features such as central weight gain, hypertension, skin changes, and muscle weakness.

**Synonyms:** Hypercortisolism; cortisol excess syndrome.

## Cuticle

The thin outermost layer of a hair shaft formed by overlapping cells that protect the inner cortex.

**Synonyms:** Hair cuticle; cuticular layer.

## Cyclic Guanosine Monophosphate

A cellular signaling molecule involved in smooth-muscle relaxation, phototransduction, and other physiologic processes.

**Synonyms:** cGMP; cyclic GMP.

## Cyclic Hormone Therapy

Hormone therapy in which estrogen is given continuously or for part of a cycle and progestogen is added for a defined number of days.

**Synonyms:** Sequential hormone therapy; cyclic estrogen-progestogen therapy.

## Cyclooxygenase

An enzyme family that helps convert arachidonic acid into prostaglandins and related mediators involved in pain, inflammation, and platelet function.

**Synonyms:** COX enzyme; prostaglandin-endoperoxide synthase.

## Cytokines

Small signaling proteins released by immune and other cells that regulate inflammation, immunity, blood-cell production, and tissue responses.

**Synonyms:** Immune signaling proteins; cytokine mediators.

## Cytotoxic Alopecia

Hair loss caused by exposure to a cytotoxic treatment or other toxic injury to actively growing hair follicles.

**Synonyms:** Drug-induced alopecia; chemotherapy-related hair loss.

## C fiber

C fiber concerns c fiber, a biologic or physiologic concept used in research, laboratory medicine, and the explanation of disease. **Synonyms:**

## Cabazitaxel

Cabazitaxel concerns cabazitaxel, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

## Cabergoline

Cabergoline concerns cabergoline, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

## Cadherin

Cadherin refers to cadherin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

## Cadmium

Cadmium refers to cadmium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

## Cadmium chloride

Cadmium chloride concerns cadmium chloride, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interac-

---

tions, and adverse effects. **Synonyms:**

### **Cadusafos**

Cadusafos refers to cadusafos, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Caenorhabditis elegans**

Caenorhabditis elegans identifies caenorhabditis elegans, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved. **Synonyms:**

### **Cafe-au-lait spot**

Cafe-au-lait spot refers to cafe-au-lait spot, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Caffeic acid**

Caffeic acid denotes caffeic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Calbindin**

Calbindin refers to calbindin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Calcifediol**

Calcifediol refers to calcifediol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Calcineurin**

Calcineurin refers to calcineurin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Calcitriol**

Calcitriol concerns calcitriol, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Calcium carbonate**

Calcium carbonate concerns calcium carbonate, a biologic or physiologic concept used in research, laboratory medicine, and the explanation of disease. **Synonyms:**

### **Calcium channel**

Calcium channel concerns calcium channel, a biologic or physiologic concept used in research, laboratory medicine, and the explanation of disease. **Synonyms:**

### **Calcium chloride**

Calcium chloride concerns calcium chloride, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Calcium citrate**

Calcium citrate concerns calcium citrate, a biologic or physiologic concept used in research, laboratory medicine, and the explanation of disease. **Synonyms:**

### **Calcium gluconate**

Calcium gluconate concerns calcium gluconate, a biologic or physiologic concept used in research, laboratory medicine, and the explanation of disease. **Synonyms:**

### **Calcium signaling**

Calcium signaling concerns calcium signaling, a biologic or physiologic concept used in research, laboratory medicine, and the explanation of disease. **Synonyms:**

### **Calculation**

Calculation is used in relation to calculation during assessment, diagnosis, treatment, monitoring, or patient support. **Synonyms:**

### **Calculi**

Calculi refers to calculi, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

---

### Calibration

Calibration is used in relation to calibration during assessment, diagnosis, treatment, monitoring, or patient support. **Synonyms:**

### Caliciviridae

Caliciviridae identifies caliciviridae, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved. **Synonyms:**

### Calmodulin

Calmodulin refers to calmodulin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Calnexin

Calnexin refers to calnexin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Calories

Calories refers to calories, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Calorimetry

Calorimetry is used in relation to calorimetry during assessment, diagnosis, treatment, monitoring, or patient support. **Synonyms:**

### Calpain

Calpain is used in relation to calpain during assessment, diagnosis, treatment, monitoring, or patient support. **Synonyms:**

### Calponin

Calponin refers to calponin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Calreticulin

Calreticulin refers to calreticulin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Calretinin

Calretinin refers to calretinin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Calvarium

Calvarium refers to calvarium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Campesterol

Campesterol refers to campesterol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Camphor

Camphor refers to camphor, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Campomelic dysplasia

Campomelic dysplasia refers to campomelic dysplasia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Camptothecin

Camptothecin refers to camptothecin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Camptothecin analogue

Camptothecin analogue refers to camptothecin analogue, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Campylobacter

Campylobacter is a microorganism or microbial group associated with campylobacter; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

---

### **Campylobacter coli**

Campylobacter coli is a microorganism or microbial group associated with campylobacter coli; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### **Campylobacter concisus**

Campylobacter concisus is a microorganism or microbial group associated with campylobacter concisus; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### **Campylobacter curvus**

Campylobacter curvus is a microorganism or microbial group associated with campylobacter curvus; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### **Campylobacter fetus**

Campylobacter fetus is a microorganism or microbial group associated with campylobacter fetus; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### **Campylobacter gracilis**

Campylobacter gracilis is a microorganism or microbial group associated with campylobacter gracilis; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### **Campylobacter jejuni**

Campylobacter jejuni is a microorganism or microbial group associated with campylobacter jejuni; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### **Campylobacter lari**

Campylobacter lari is a microorganism or microbial group associated with campylobacter lari; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### **Campylobacter rectus**

Campylobacter rectus is a microorganism or microbial group associated with campylobacter rectus; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### **Campylobacter upsaliensis**

Campylobacter upsaliensis is a microorganism or microbial group associated with campylobacter upsaliensis; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### **Campylobacteraceae**

Campylobacteraceae is a microorganism or microbial group associated with campylobacteraceae; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### **Canagliflozin**

Canagliflozin concerns canagliflozin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Canarypox virus**

Canarypox virus is a virus or viral group associated with canarypox virus; disease risk depends on strain, transmission route, host, and tissue tropism. **Synonyms:**

### **Cancell**

Cancell denotes cancell, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Cancer cluster**

Cancer cluster denotes a neoplastic condition involving cancer cluster; evaluation establishes tissue of origin, extent, biologic behavior, and treatment. **Synonyms:**



---

### Cancer immunotherapy

Cancer immunotherapy is used in relation to cancer immunotherapy during assessment, diagnosis, treatment, monitoring, or patient support. **Synonyms:**

### Cancer prevention

Cancer prevention denotes a neoplastic condition involving cancer prevention; evaluation establishes tissue of origin, extent, biologic behavior, and treatment. **Synonyms:**

### Cancer risk

Cancer risk denotes a neoplastic condition involving cancer risk; evaluation establishes tissue of origin, extent, biologic behavior, and treatment. **Synonyms:**

### Candela

Candela refers to candela, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Candida

Candida is a microorganism or microbial group associated with candida; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### Candida albicans

Candida albicans is a microorganism or microbial group associated with candida albicans; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### Candida boidinii

Candida boidinii is a microorganism or microbial group associated with candida boidinii; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### Candida dubliniensis

Candida dubliniensis is a microorganism or microbial group associated with candida dubliniensis; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### Candida esophagitis

Candida esophagitis is a microorganism or microbial group associated with candida esophagitis; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### Candida famata

Candida famata is a microorganism or microbial group associated with candida famata; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### Candida glabrata

Candida glabrata is a microorganism or microbial group associated with candida glabrata; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### Candida inconspicua

Candida inconspicua is a microorganism or microbial group associated with candida inconspicua; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### Candida intermedia

Candida intermedia is a microorganism or microbial group associated with candida intermedia; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### Candida orthopsilosis

Candida orthopsilosis is a microorganism or microbial group associated with candida orthopsilosis; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### Candida parapsilosis

Candida parapsilosis is a microorganism or microbial group associated with candida parapsilosis; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### Candida sake

Candida sake is a microorganism or microbial group

---

associated with candida sake; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### **Candida tropicalis**

Candida tropicalis is a microorganism or microbial group associated with candida tropicalis; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### **Candida zeylanoides**

Candida zeylanoides is a microorganism or microbial group associated with candida zeylanoides; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### **Canertinib dihydrochloride**

Canertinib dihydrochloride concerns canertinib dihydrochloride, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Canfosfamide hcl**

Canfosfamide hcl refers to canfosfamide hcl, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Cannabidiol**

Cannabidiol refers to cannabidiol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Cannabinoid**

Cannabinoid refers to cannabinoid, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Cannabinoid receptor**

Cannabinoid receptor denotes cannabinoid receptor, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Cannabinol**

Cannabinol refers to cannabinol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Cannula hub**

Cannula hub refers to cannula hub, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Canola oil**

Canola oil refers to canola oil, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Canrenone**

Canrenone refers to canrenone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Canthaxanthin**

Canthaxanthin refers to canthaxanthin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Cantuzumab ravtansine**

Cantuzumab ravtansine concerns cantuzumab ravtansine, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Capecitabine**

Capecitabine refers to capecitabine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Capillaria**

Capillaria refers to capillaria, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Capillaria philippinensis**

Capillaria philippinensis refers to capillaria philippinensis, a medical condition or clinical finding de-

---

defined by its features, causes, affected system, and patient context. **Synonyms:**

### Capillary electrophoresis

Capillary electrophoresis refers to capillary electrophoresis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Capillary plasma

Capillary plasma refers to capillary plasma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Capillary vessel

Capillary vessel refers to capillary vessel, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Capnocytophaga

Capnocytophaga identifies capnocytophaga, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved. **Synonyms:**

### Capnocytophaga gingivalis

Capnocytophaga gingivalis identifies capnocytophaga gingivalis, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved. **Synonyms:**

### Capnocytophaga ochracea

Capnocytophaga ochracea identifies capnocytophaga ochracea, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved. **Synonyms:**

### Capnocytophaga sputigena

Capnocytophaga sputigena identifies capnocytophaga sputigena, a biological taxon or infectious-disease concept whose clinical importance depends

on the organism, host, and site involved. **Synonyms:**

### Capreomycin

Capreomycin concerns capreomycin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Capromab pendetide

Capromab pendetide concerns capromab pendetide, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Capsid

Capsid refers to capsid, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Capsid proteins

Capsid proteins denotes capsid proteins, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### Capsule

Capsule refers to capsule, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Capsule endoscope

Capsule endoscope refers to capsule endoscope, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Captopril

Captopril concerns captopril, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Carbachol

Carbachol refers to carbachol, a medical condition

---

or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Carbadox**

Carbadox refers to carbadox, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Carbamate**

Carbamate refers to carbamate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Carbamazepine**

Carbamazepine concerns carbamazepine, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Carbapenem**

Carbapenem concerns carbapenem, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Carbaryl**

Carbaryl refers to carbaryl, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Carbazilquinone**

Carbazilquinone refers to carbazilquinone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Carbenicillin**

Carbenicillin concerns carbenicillin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Carbofuran**

Carbofuran refers to carbofuran, a medical condition or clinical finding defined by its features, causes,

affected system, and patient context. **Synonyms:**

### **Carbogen**

Carbogen refers to carbogen, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Carbohydrate metabolism**

Carbohydrate metabolism is used in relation to carbohydrate metabolism during assessment, diagnosis, treatment, monitoring, or patient support. **Synonyms:**

### **Carbon**

Carbon refers to carbon, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Carbon tetrachloride**

Carbon tetrachloride concerns carbon tetrachloride, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Carbonate**

Carbonate refers to carbonate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Carbophenothion**

Carbophenothion refers to carbophenothion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Carboplatin**

Carboplatin concerns carboplatin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Carboprost**

Carboprost concerns carboprost, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse

---

effects. **Synonyms:**

### **Carbosulfan**

Carbosulfan refers to carbosulfan, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Carboxyl group**

Carboxyl group refers to carboxyl group, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Carboxylesterase**

Carboxylesterase refers to carboxylesterase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Carboxylic acid**

Carboxylic acid denotes carboxylic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Carboxy-lyases**

Carboxy-lyases refers to carboxy-lyases, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Carboxypeptidase h**

Carboxypeptidase h refers to carboxypeptidase h, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Carbutamide**

Carbutamide refers to carbutamide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Carcinoembryonal antigen**

Carcinoembryonal antigen refers to carcinoembryonal antigen, a medical condition or clinical finding

defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Carcinogen testing**

Carcinogen testing is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat carcinogen testing. **Synonyms:**

### **Cardiac care**

Cardiac care refers to cardiac care, an anatomical or physiologic concept used to describe a body structure, process, or function. **Synonyms:**

### **Cardiac catheter**

Cardiac catheter refers to cardiac catheter, an anatomical or physiologic concept used to describe a body structure, process, or function. **Synonyms:**

### **Cardiac fibroma**

Cardiac fibroma refers to cardiac fibroma, an anatomical or physiologic concept used to describe a body structure, process, or function. **Synonyms:**

### **Cardiac glycoside**

Cardiac glycoside refers to cardiac glycoside, an anatomical or physiologic concept used to describe a body structure, process, or function. **Synonyms:**

### **Cardiac hemangioma**

Cardiac hemangioma refers to cardiac hemangioma, an anatomical or physiologic concept used to describe a body structure, process, or function. **Synonyms:**

### **Cardiac myocyte**

Cardiac myocyte refers to cardiac myocyte, an anatomical or physiologic concept used to describe a body structure, process, or function. **Synonyms:**

### **Cardiac perforation**

Cardiac perforation refers to cardiac perforation, an anatomical or physiologic concept used to describe a body structure, process, or function. **Synonyms:**

---

### Cardiac rhabdomyoma

Cardiac rhabdomyoma refers to cardiac rhabdomyoma, an anatomical or physiologic concept used to describe a body structure, process, or function. **Synonyms:**

### Cardiac sarcoma

Cardiac sarcoma denotes a neoplastic condition involving cardiac sarcoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment. **Synonyms:**

### Cardiac ventriculography

Cardiac ventriculography refers to cardiac ventriculography, an anatomical or physiologic concept used to describe a body structure, process, or function. **Synonyms:**

### Cardiac volume

Cardiac volume refers to cardiac volume, an anatomical or physiologic concept used to describe a body structure, process, or function. **Synonyms:**

### Cardiac wall

Cardiac wall refers to cardiac wall, an anatomical or physiologic concept used to describe a body structure, process, or function. **Synonyms:**

### Cardinal body part

Cardinal body part refers to cardinal body part, an anatomical or physiologic concept used to describe a body structure, process, or function. **Synonyms:**

### Cardinal cell part

Cardinal cell part denotes cardinal cell part, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### Cardiobacteriaceae

Cardiobacteriaceae is a microorganism or microbial group associated with cardiobacteriaceae; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### Cardiobacterium

Cardiobacterium is a microorganism or microbial group associated with cardiobacterium; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### Cardiobacterium hominis

Cardiobacterium hominis is a microorganism or microbial group associated with cardiobacterium hominis; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### Cardiolipin

Cardiolipin refers to cardiolipin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Cardiologist

Cardiologist refers to cardiologist, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Cardiotonic agent

Cardiotonic agent refers to cardiotonic agent, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Cardiotoxin

Cardiotoxin concerns cardiotoxin, a biologic or physiologic concept used in research, laboratory medicine, and the explanation of disease. **Synonyms:**

### Cardiovascular agents

Cardiovascular agents refers to cardiovascular agents, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Cardiovascular infection

Cardiovascular infection denotes an infectious or toxic condition involving cardiovascular infection; diagnosis considers exposure or pathogen, affected



---

site, severity, and host response. **Synonyms:**

### Cardiovascular injury

Cardiovascular injury denotes a clinical condition or finding involving cardiovascular injury; evaluation identifies mechanism, affected system, severity, complications, and management. **Synonyms:**

### Cardiovascular neoplasm

Cardiovascular neoplasm denotes a neoplastic condition involving cardiovascular neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment. **Synonyms:**

### Cardiovascular pharmacology

Cardiovascular pharmacology refers to cardiovascular pharmacology, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Cardiovascular surgery

Cardiovascular surgery is used in relation to cardiovascular surgery during assessment, diagnosis, treatment, monitoring, or patient support. **Synonyms:**

### Cardiovirus

Cardiovirus is a virus or viral group associated with cardiovirus; disease risk depends on strain, transmission route, host, and tissue tropism. **Synonyms:**

### Carisoprodol

Carisoprodol refers to carisoprodol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Carmine

Carmine refers to carmine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Carmustine

Carmustine concerns carmustine, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse

effects. **Synonyms:**

### Carney triad

Carney triad refers to carney triad, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Carnobacteriaceae

Carnobacteriaceae is a microorganism or microbial group associated with carnobacteriaceae; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### Carnosine

Carnosine refers to carnosine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Carnosinemia

Carnosinemia refers to carnosinemia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Carotene

Carotene refers to carotene, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Carotenoid

Carotenoid refers to carotenoid, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Carotid artery stenosis

Carotid artery stenosis denotes carotid artery stenosis, an anatomical structure or tissue whose clinical importance depends on location, connections, blood supply, innervation, and function. **Synonyms:**

### Carotid body

Carotid body refers to carotid body, an anatomical or physiologic concept used to describe a body structure, process, or function. **Synonyms:**

---

### **Carpal bones**

Carpal bones denotes carpal bones, an anatomical structure or tissue whose clinical importance depends on location, connections, blood supply, innervation, and function. **Synonyms:**

### **Carpal joints**

Carpal joints refers to carpal joints, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Carpometacarpal joint**

Carpometacarpal joint refers to carpometacarpal joint, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Carrageenan**

Carrageenan refers to carrageenan, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Carrier excipient**

Carrier excipient refers to carrier excipient, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Carry-over effect**

Carry-over effect refers to carry-over effect, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Carteolol**

Carteolol concerns carteolol, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Cartilage disease**

Cartilage disease denotes a clinical condition or finding involving cartilage disease; evaluation identifies mechanism, affected system, severity, complications, and management. **Synonyms:**

### **Carubicin**

Carubicin concerns carubicin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Carvedilol phosphate**

Carvedilol phosphate concerns carvedilol phosphate, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Carzelesin**

Carzelesin refers to carzelesin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Casanthranol**

Casanthranol refers to casanthranol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Case study**

Case study is used in relation to case study during assessment, diagnosis, treatment, monitoring, or patient support. **Synonyms:**

### **Case-control studies**

Case-control studies refers to case-control studies, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Casein**

Casein refers to casein, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Casein kinase**

Casein kinase refers to casein kinase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

---

## Caspase

Caspase refers to caspase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

## Caspase activation

Caspase activation refers to caspase activation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

## Caspase inhibitor

Caspase inhibitor refers to caspase inhibitor, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

## Caspofungin

Caspofungin refers to caspofungin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

## Caspofungin acetate

Caspofungin acetate refers to caspofungin acetate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

## Castor oil

Castor oil refers to castor oil, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

## Castration

Castration refers to castration, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

## Catalase

Catalase refers to catalase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

## Catalog

Catalog refers to catalog, a medical condition or clinical

finding defined by its features, causes, affected system, and patient context. **Synonyms:**

## Catalog number

Catalog number refers to catalog number, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

## Cataract surgery

Cataract surgery is used in relation to cataract surgery during assessment, diagnosis, treatment, monitoring, or patient support. **Synonyms:**

## Catechin

Catechin refers to catechin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

## Catechol

Catechol refers to catechol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

## Catecholamine

Catecholamine refers to catecholamine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

## Catenin

Catenin refers to catenin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

## Cathepsin

Cathepsin refers to cathepsin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

## Cathepsin d

Cathepsin d refers to cathepsin d, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

---

### Cathepsin h

Cathepsin h refers to cathepsin h, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Cathepsin k

Cathepsin k refers to cathepsin k, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Cathepsin l

Cathepsin l refers to cathepsin l, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Cathepsin z

Cathepsin z refers to cathepsin z, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Cathepsins b

Cathepsins b refers to cathepsins b, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Catheterization

Catheterization refers to catheterization, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Cathexis

Cathexis refers to cathexis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Caucasian

Caucasian refers to caucasian, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Caudal dysplasia

Caudal dysplasia refers to caudal dysplasia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### Caudal vein

Caudal vein refers to caudal vein, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Caudate nucleus

Caudate nucleus refers to caudate nucleus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Caulobacter

Caulobacter is a microorganism or microbial group associated with caulobacter; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### Caulobacteraceae

Caulobacteraceae is a microorganism or microbial group associated with caulobacteraceae; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### Cautery device

Cautery device refers to cautery device, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Caveola

Caveola refers to caveola, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Caveolins

Caveolins refers to caveolins, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Cd antigens

Cd antigens refers to cd antigens, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

---

### CEA assay

CEA assay is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat cea assay. **Synonyms:**

### Cebocephaly

Cebocephaly refers to cebocephaly, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Cecal hemorrhage

Cecal hemorrhage denotes a clinical condition or finding involving cecal hemorrhage; evaluation identifies mechanism, affected system, severity, complications, and management. **Synonyms:**

### Cecal infection

Cecal infection denotes an infectious or toxic condition involving cecal infection; diagnosis considers exposure or pathogen, affected site, severity, and host response. **Synonyms:**

### Cecal neoplasm

Cecal neoplasm denotes a neoplastic condition involving cecal neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment. **Synonyms:**

### Cedecea

Cedecea refers to cedecea, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Cedecea davisae

Cedecea davisae refers to cedecea davisae, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Cedecea lapagei

Cedecea lapagei refers to cedecea lapagei, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Cedecea neteri

Cedecea neteri refers to cedecea neteri, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Cediranib maleate

Cediranib maleate refers to cediranib maleate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Cefaclor

Cefaclor concerns cefaclor, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Cefadroxil

Cefadroxil concerns cefadroxil, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Cefamandole

Cefamandole concerns cefamandole, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Cefatrizine

Cefatrizine concerns cefatrizine, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Cefazolin

Cefazolin concerns cefazolin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Cefdinir

Cefdinir concerns cefdinir, a pharmacologic or chemical agent; clinical use depends on its mechanism,

---

indication, dose, interactions, and adverse effects.

**Synonyms:**

### **Cefepime**

Cefepime concerns cefepime, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Cefixime**

Cefixime concerns cefixime, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Cefmenoxime**

Cefmenoxime concerns cefmenoxime, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Cefmetazole**

Cefmetazole concerns cefmetazole, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Cefonicid**

Cefonicid concerns cefonicid, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Cefoperazone**

Cefoperazone concerns cefoperazone, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Cefotaxime**

Cefotaxime concerns cefotaxime, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Cefotetan**

Cefotetan concerns cefotetan, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Cefotiam**

Cefotiam concerns cefotiam, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Cefoxitin**

Cefoxitin concerns cefoxitin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Cefsulodin**

Cefsulodin concerns cefsulodin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Ceftazidime**

Ceftazidime concerns ceftazidime, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Ceftibuten**

Ceftibuten concerns ceftibuten, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Ceftizoxime**

Ceftizoxime concerns ceftizoxime, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Ceftriaxone**

Ceftriaxone concerns ceftriaxone, a pharmacologic or chemical agent; clinical use depends on its mech-



---

anism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Cefuroxime**

Cefuroxime concerns cefuroxime, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Celecoxib**

Celecoxib refers to celecoxib, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Cell adhesion**

Cell adhesion denotes cell adhesion, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Cell aggregation**

Cell aggregation denotes cell aggregation, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Cell body**

Cell body denotes cell body, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Cell count**

Cell count denotes cell count, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Cell culture**

Cell culture denotes cell culture, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Cell cycle**

Cell cycle denotes cell cycle, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Cell death**

Cell death denotes cell death, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Cell dedifferentiation**

Cell dedifferentiation denotes cell dedifferentiation, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Cell density**

Cell density denotes cell density, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Cell differentiation**

Cell differentiation denotes cell differentiation, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Cell division**

Cell division denotes cell division, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Cell fusion**

Cell fusion denotes cell fusion, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Cell growth**

Cell growth denotes cell growth, a biological component or molecular process interpreted through

---

relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Cell maturation**

Cell maturation denotes cell maturation, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Cell migration**

Cell migration denotes cell migration, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Cell motility**

Cell motility denotes cell motility, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Cell movement**

Cell movement denotes cell movement, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Cell nucleus**

Cell nucleus denotes cell nucleus, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Cell pellet**

Cell pellet denotes cell pellet, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Cell physiology**

Cell physiology denotes cell physiology, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Cell polarity**

Cell polarity denotes cell polarity, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Cell proliferation**

Cell proliferation denotes cell proliferation, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Cell secretion**

Cell secretion denotes cell secretion, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Cell sorting**

Cell sorting denotes cell sorting, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Cell structure**

Cell structure denotes cell structure, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Cell surface**

Cell surface denotes cell surface, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Cell survival**

Cell survival denotes cell survival, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Cell therapy**

Cell therapy denotes cell therapy, a biological component or molecular process interpreted through

---

relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### Cell transplantation

Cell transplantation denotes cell transplantation, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### Cell wall

Cell wall denotes cell wall, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### Cell-cell junction

Cell-cell junction denotes cell-cell junction, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### Cell-cell signaling

Cell-cell signaling denotes cell-cell signaling, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### Cell-free system

Cell-free system denotes cell-free system, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### Cell-matrix junction

Cell-matrix junction denotes cell-matrix junction, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### Cellular

Cellular denotes cellular, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### Cellular immunity

Cellular immunity denotes cellular immunity, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### Cellular metabolic process

Cellular metabolic process denotes cellular metabolic process, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### Cellular respiration

Cellular respiration denotes cellular respiration, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### Cellular vesicle

Cellular vesicle denotes cellular vesicle, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### Cellulomonas

Cellulomonas denotes cellulomonas, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### Cellulomonas hominis

Cellulomonas hominis denotes cellulomonas hominis, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### Cellulose

Cellulose denotes cellulose, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### Cellulosimicrobium

Cellulosimicrobium denotes cellulosimicrobium, a bi-

---

ological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Cellulosome**

Cellulosome denotes cellulosome, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Celosomy**

Celosomy refers to celosomy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Cementoma**

Cementoma refers to cementoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Centigram**

Centigram refers to centigram, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Centimeter**

Centimeter is used in relation to centimeter during assessment, diagnosis, treatment, monitoring, or patient support. **Synonyms:**

### **Centipoise**

Centipoise refers to centipoise, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Central apnea**

Central apnea refers to central apnea, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Centrifugation**

Centrifugation refers to centrifugation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Syn-**

**onyms:**

### **Centriole**

Centriole refers to centriole, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Centromere**

Centromere refers to centromere, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Centrosome**

Centrosome refers to centrosome, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Cephacetrile**

Cephacetrile refers to cephacetrile, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Cephalexin**

Cephalexin refers to cephalexin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Cephaloglycin**

Cephaloglycin refers to cephaloglycin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Cephalometry**

Cephalometry refers to cephalometry, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Cephaloridine**

Cephaloridine refers to cephaloridine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

---

### Cephalothin

Cephalothin refers to cephalothin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Cephapirin

Cephapirin refers to cephapirin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Cephradine

Cephradine refers to cephradine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Cerebellar cortex

Cerebellar cortex refers to cerebellar cortex, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Cerebellar disease

Cerebellar disease denotes a clinical condition or finding involving cerebellar disease; evaluation identifies mechanism, affected system, severity, complications, and management. **Synonyms:**

### Cerebellar dysmetria

Cerebellar dysmetria refers to cerebellar dysmetria, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Cerebellar hemangioblastoma

Cerebellar hemangioblastoma denotes a neoplastic condition involving cerebellar hemangioblastoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment. **Synonyms:**

### Cerebellar hypoplasia

Cerebellar hypoplasia refers to cerebellar hypoplasia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Cerebellar neoplasm

Cerebellar neoplasm denotes a neoplastic condition involving cerebellar neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment. **Synonyms:**

### Cerebellar nuclei

Cerebellar nuclei refers to cerebellar nuclei, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Cerebellar vermis

Cerebellar vermis refers to cerebellar vermis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Cerebral aqueduct

Cerebral aqueduct refers to cerebral aqueduct, an anatomical or physiologic concept used to describe a body structure, process, or function. **Synonyms:**

### Cerebral artery

Cerebral artery denotes cerebral artery, an anatomical structure or tissue whose clinical importance depends on location, connections, blood supply, innervation, and function. **Synonyms:**

### Cerebral atrophy

Cerebral atrophy refers to cerebral atrophy, an anatomical or physiologic concept used to describe a body structure, process, or function. **Synonyms:**

### Cerebral calcification

Cerebral calcification refers to cerebral calcification, an anatomical or physiologic concept used to describe a body structure, process, or function. **Synonyms:**

### Cerebral crus

Cerebral crus refers to cerebral crus, an anatomical or physiologic concept used to describe a body structure, process, or function. **Synonyms:**

---

### Cerebral hemisphere

Cerebral hemisphere refers to cerebral hemisphere, an anatomical or physiologic concept used to describe a body structure, process, or function. **Synonyms:**

### Cerebral ischemia

Cerebral ischemia refers to cerebral ischemia, an anatomical or physiologic concept used to describe a body structure, process, or function. **Synonyms:**

### Cerebral malaria

Cerebral malaria refers to cerebral malaria, an anatomical or physiologic concept used to describe a body structure, process, or function. **Synonyms:**

### Cerebral ventricle

Cerebral ventricle refers to cerebral ventricle, an anatomical or physiologic concept used to describe a body structure, process, or function. **Synonyms:**

### Cerebral ventriculography

Cerebral ventriculography refers to cerebral ventriculography, an anatomical or physiologic concept used to describe a body structure, process, or function. **Synonyms:**

### Cerebral ventriculomegaly

Cerebral ventriculomegaly refers to cerebral ventriculomegaly, an anatomical or physiologic concept used to describe a body structure, process, or function. **Synonyms:**

### Cerebrosides

Cerebrosides refers to cerebrosides, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Cerebrovascular disorder

Cerebrovascular disorder denotes a clinical condition or finding involving cerebrovascular disorder; evaluation identifies mechanism, affected system, severity, complications, and management. **Synonyms:**

### Cerium

Cerium refers to cerium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Certification

Certification refers to certification, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Certolizumab pegol

Certolizumab pegol concerns certolizumab pegol, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Ceruminous adenocarcinoma

Ceruminous adenocarcinoma denotes a neoplastic condition involving ceruminous adenocarcinoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment. **Synonyms:**

### Cervical

Cervical refers to cervical, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Cervical arthritis

Cervical arthritis refers to cervical arthritis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Cervical atlas

Cervical atlas refers to cervical atlas, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Cervical change

Cervical change refers to cervical change, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**



---

### Cervical dislocation

Cervical dislocation refers to cervical dislocation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Cervical endometriosis

Cervical endometriosis refers to cervical endometriosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Cervical ganglion

Cervical ganglion refers to cervical ganglion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Cervical insufficiency

Cervical insufficiency refers to cervical insufficiency, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Cervical lymphadenopathy

Cervical lymphadenopathy refers to cervical lymphadenopathy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Cervix carcinoma

Cervix carcinoma denotes a neoplastic condition involving cervix carcinoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment. **Synonyms:**

### Cervix disease

Cervix disease denotes a clinical condition or finding involving cervix disease; evaluation identifies mechanism, affected system, severity, complications, and management. **Synonyms:**

### Cervix neoplasm

Cervix neoplasm denotes a neoplastic condition involving cervix neoplasm; evaluation establishes tis-

sue of origin, extent, biologic behavior, and treatment. **Synonyms:**

### Cesium

Cesium refers to cesium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Cestoda

Cestoda refers to cestoda, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Cetirizine

Cetirizine refers to cetirizine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Cetoleic acid

Cetoleic acid denotes cetoleic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### Cetrorelix

Cetrorelix concerns cetrorelix, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Cetuximab

Cetuximab concerns cetuximab, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Cevimeline

Cevimeline refers to cevimeline, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Cevimeline hydrochloride

Cevimeline hydrochloride concerns cevimeline hydrochloride, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose,

---

interactions, and adverse effects. **Synonyms:**

### **Chaetomium**

Chaetomium refers to chaetomium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Chagas cardiomyopathy**

Chagas cardiomyopathy refers to chagas cardiomyopathy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Challenge agent**

Challenge agent refers to challenge agent, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Chamomile extract**

Chamomile extract refers to chamomile extract, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Chaplain**

Chaplain refers to chaplain, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Cheek**

Cheek refers to cheek, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Cheek pouch**

Cheek pouch refers to cheek pouch, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Cheilodysplasia**

Cheilodysplasia refers to cheilodysplasia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Cheilognathopalatoschisis**

Cheilognathopalatoschisis refers to cheilognathopalatoschisis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Cheilognathoschisis**

Cheilognathoschisis refers to cheilognathoschisis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Cheilomegalia**

Cheilomegalia refers to cheilomegalia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Chelating agent**

Chelating agent refers to chelating agent, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Chemexfoliation**

Chemexfoliation refers to chemexfoliation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Chemical**

Chemical refers to chemical, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Chemical ablation**

Chemical ablation refers to chemical ablation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Chemical burn**

Chemical burn refers to chemical burn, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

---

onyms:

### **Chemical carcinogenesis**

Chemical carcinogenesis denotes chemical carcinogenesis, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Chemical cleavage**

Chemical cleavage refers to chemical cleavage, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Chemical cofactor**

Chemical cofactor refers to chemical cofactor, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Chemical fractionation**

Chemical fractionation refers to chemical fractionation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Chemical impurity**

Chemical impurity refers to chemical impurity, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Chemistry**

Chemistry refers to chemistry, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Chemokine receptor**

Chemokine receptor denotes chemokine receptor, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Chemoreceptor cell**

Chemoreceptor cell denotes chemoreceptor cell, a bi-

ological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Chemosensitivity assay**

Chemosensitivity assay is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat chemosensitivity assay. **Synonyms:**

### **Chemosensitization**

Chemosensitization refers to chemosensitization, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Chemotactic factors**

Chemotactic factors refers to chemotactic factors, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Chemotherapy regimen**

Chemotherapy regimen is used in relation to chemotherapy regimen during assessment, diagnosis, treatment, monitoring, or patient support. **Synonyms:**

### **Chest tightness**

Chest tightness refers to chest tightness, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Chick embryo**

Chick embryo refers to chick embryo, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Child behavior**

Child behavior is used in relation to child behavior during assessment, diagnosis, treatment, monitoring, or patient support. **Synonyms:**

---

### Child care

Child care refers to child care, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Child development

Child development refers to child development, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Child psychiatry

Child psychiatry refers to child psychiatry, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Child psychology

Child psychology refers to child psychology, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Child welfare

Child welfare refers to child welfare, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Childhood angiosarcoma

Childhood angiosarcoma denotes a neoplastic condition involving childhood angiosarcoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment. **Synonyms:**

### Childhood ependymoma

Childhood ependymoma refers to childhood ependymoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Childhood fibrosarcoma

Childhood fibrosarcoma denotes a neoplastic condition involving childhood fibrosarcoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment. **Synonyms:**

### Childhood ganglioglioma

Childhood ganglioglioma refers to childhood ganglioglioma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Childhood leiomyosarcoma

Childhood leiomyosarcoma denotes a neoplastic condition involving childhood leiomyosarcoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment. **Synonyms:**

### Childhood leukemia

Childhood leukemia denotes a neoplastic condition involving childhood leukemia; evaluation establishes tissue of origin, extent, biologic behavior, and treatment. **Synonyms:**

### Childhood liposarcoma

Childhood liposarcoma denotes a neoplastic condition involving childhood liposarcoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment. **Synonyms:**

### Childhood osteosarcoma

Childhood osteosarcoma denotes a neoplastic condition involving childhood osteosarcoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment. **Synonyms:**

### Childhood rhabdomyosarcoma

Childhood rhabdomyosarcoma denotes a neoplastic condition involving childhood rhabdomyosarcoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment. **Synonyms:**

### Children

Children refers to children, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Chilomastix mesnili

Chilomastix mesnili refers to chilomastix mesnili, a medical condition or clinical finding defined by its features, causes, affected system, and patient

---

context. **Synonyms:**

### **Chimera**

Chimera refers to chimera, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Chin**

Chin refers to chin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Chironomidae**

Chironomidae refers to chironomidae, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Chiropractic**

Chiropractic refers to chiropractic, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Chitin**

Chitin refers to chitin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Chitosan**

Chitosan refers to chitosan, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Chlamydiaceae**

Chlamydiaceae identifies chlamydiaceae, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved. **Synonyms:**

### **Chlamydomona**

Chlamydomona refers to chlamydomona, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Chlamydomphila**

Chlamydomphila refers to chlamydomphila, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Chlamydomphila pneumoniae**

Chlamydomphila pneumoniae refers to chlamydomphila pneumoniae, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Chlamydomphila psittaci**

Chlamydomphila psittaci refers to chlamydomphila psittaci, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Chloral hydrate**

Chloral hydrate concerns chloral hydrate, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Chlorambucil**

Chlorambucil concerns chlorambucil, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Chlordane**

Chlordane concerns chlordane, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Chlordecone**

Chlordecone concerns chlordecone, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Chlordiazepoxide**

Chlordiazepoxide is a defined chemical or biologic substance involved in chlordiazepoxide and studied

---

in physiology, pharmacology, laboratory medicine, or treatment. **Synonyms:**

### **Chlorethoxyfos**

Chlorethoxyfos concerns chlorethoxyfos, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Chlorfenvinphos**

Chlorfenvinphos concerns chlorfenvinphos, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Chlorhexidine**

Chlorhexidine concerns chlorhexidine, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Chloride channel**

Chloride channel concerns chloride channel, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Chloride ion**

Chloride ion concerns chloride ion, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Chlorine**

Chlorine concerns chlorine, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Chlormadinone acetate**

Chlormadinone acetate concerns chlormadinone acetate, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Chlormerodrin**

Chlormerodrin concerns chlormerodrin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Chlorodeoxyadenosine**

Chlorodeoxyadenosine concerns chlorodeoxyadenosine, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Chloroform**

Chloroform concerns chloroform, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Chlorogenic acid**

Chlorogenic acid is a defined chemical or biologic substance involved in chlorogenic acid and studied in physiology, pharmacology, laboratory medicine, or treatment. **Synonyms:**

### **Chlorophyll**

Chlorophyll concerns chlorophyll, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Chlorophyta**

Chlorophyta concerns chlorophyta, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Chloropicrin**

Chloropicrin concerns chloropicrin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Chloroplast**

Chloroplast concerns chloroplast, a pharmacologic or chemical agent; clinical use depends on its mech-



---

anism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Chloroplast DNA**

Chloroplast DNA concerns chloroplast dna, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Chloroprene**

Chloroprene concerns chloroprene, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Chloroquine**

Chloroquine concerns chloroquine, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Chlorothiazide**

Chlorothiazide concerns chlorothiazide, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Chlorotoxin**

Chlorotoxin concerns chlorotoxin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Chlorotrianisene**

Chlorotrianisene concerns chlorotrianisene, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Chlorpheniramine**

Chlorpheniramine concerns chlorpheniramine, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Chlorphentermine**

Chlorphentermine concerns chlorphentermine, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Chlorpromazine**

Chlorpromazine concerns chlorpromazine, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Chlorpropamide**

Chlorpropamide concerns chlorpropamide, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Chlorpyrifos**

Chlorpyrifos concerns chlorpyrifos, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Chlorthalidone**

Chlorthalidone concerns chlorthalidone, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Chlorzoxazone**

Chlorzoxazone concerns chlorzoxazone, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **CHO cell**

CHO cell denotes cho cell, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Choice behavior**

Choice behavior is used in relation to choice behavior during assessment, diagnosis, treatment, moni-

---

toring, or patient support. **Synonyms:**

### **Choke**

Choke refers to choke, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Cholate**

Cholate refers to cholate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Cholecalciferol**

Cholecalciferol refers to cholecalciferol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Cold hands**

Hands that feel unusually cold, which may result from environmental exposure, reduced blood flow, Raynaud phenomenon, anemia, thyroid disease, or other medical conditions. **Synonyms:**

### **Coughing up blood**

Coughing up blood concerns coughing up blood; its medical significance is established from the defining features, setting, associated findings, and clinical question. **Synonyms:**

### **Carcinoid tumors**

Slow-growing neuroendocrine tumors that can release hormones and arise in organs such as the digestive tract or lungs. **Synonyms:**

### **Hodgkin lymphoma (Hodgkin disease)**

A cancer of the lymphatic system characterized by abnormal lymphocytes and often presenting with painless lymph-node enlargement, fever, sweats, or weight loss. **Synonyms:**

### **Hurthle cell cancer**

A rare thyroid cancer arising from Hurthle cells, with behavior ranging from indolent to aggressive. **Synonyms:**

### **Mouth cancer**

Cancer arising in the lips, gums, tongue, cheeks, floor of the mouth, palate, or other oral tissues. **Synonyms:**

### **Neuroendocrine tumors**

Tumors arising from cells that receive signals from the nervous system and produce hormones; they may be benign or malignant. **Synonyms:**

### **Paraneoplastic syndromes of the nervous system**

Neurologic disorders caused by an immune response to cancer rather than by direct tumor invasion or metastasis. **Synonyms:**

### **Squamous cell carcinoma of the skin**

A skin cancer arising from squamous cells, often appearing as a scaly, crusted, wart-like, or ulcerated growth. **Synonyms:**

### **Oral thrush**

A fungal infection of the mouth, usually caused by Candida, producing creamy white patches, soreness, or altered taste. **Synonyms:**

### **Yeast infection (vaginal)**

An overgrowth of Candida in the vagina causing itching, irritation, redness, and thick white discharge. **Synonyms:**

### **Sudden cardiac arrest**

An abrupt loss of effective heart activity, causing unresponsiveness and absent or abnormal breathing; it is a medical emergency. **Synonyms:**

### **Myocardial ischemia**

Reduced blood flow and oxygen supply to heart muscle, usually from narrowed coronary arteries, potentially causing chest pain or heart damage. **Synonyms:**

### **Enlarged heart**

An increase in heart size caused by conditions such as high blood pressure, valve disease, anemia, or

---

cardiomyopathy. **Synonyms:**

### **Childhood apraxia of speech**

A speech-sound disorder in which a child has difficulty planning and coordinating the movements needed for clear speech. **Synonyms:**

### **Cataracts**

Clouding of the eye's natural lens that causes blurred vision, glare, faded colors, or difficulty seeing at night. **Synonyms:**

### **Congenital diaphragmatic hernia (CDH)**

A birth defect in which an opening in the diaphragm allows abdominal organs to move into the chest and interfere with lung development. **Synonyms:**

### **Median arcuate ligament syndrome (MALS)**

Compression of the celiac artery and nearby nerves by the median arcuate ligament, potentially causing post-meal abdominal pain and weight loss. **Synonyms:**

### **Cellulite**

Cellulite concerns cellulite, a body structure, substance, or physiologic concept whose clinical meaning depends on location, function, and patient context. **Synonyms:**

### **Central nervous system (CNS) lymphoma**

A lymphoma involving the brain, spinal cord, cerebrospinal fluid, or eye that can cause neurologic or visual symptoms. **Synonyms:**

### **Swimmer's itch**

An itchy rash caused by an allergic reaction to microscopic parasites released by infected snails in freshwater or saltwater. **Synonyms:**

### **CSF leak (Cerebrospinal fluid leak)**

Escape of cerebrospinal fluid through a tear in the membranes surrounding the brain or spinal cord, often causing positional headache. **Synonyms:**

### **Drug addiction (substance use disorder)**

A chronic disorder involving compulsive substance use despite harmful consequences, with impaired control, cravings, tolerance, or withdrawal. **Synonyms:**

### **Chilblains**

Painful, itchy, swollen skin lesions caused by an abnormal response to cold and damp conditions. **Synonyms:**

### **Primary sclerosing cholangitis (PSC)**

A chronic liver disease in which inflammation and scarring narrow the bile ducts, causing impaired bile flow and progressive liver injury. **Synonyms:**

### **Gastroesophageal reflux disease (GERD)**

Frequent backward flow of stomach contents into the esophagus, causing heartburn, regurgitation, or related complications. **Synonyms:**

### **Chronic exertional compartment syndrome**

Exercise-related increased pressure within a muscle compartment that causes predictable pain, tightness, or neurologic symptoms during activity. **Synonyms:**

### **Myalgic encephalomyelitis/chronic fatigue syndrome (ME/CFS)**

A complex illness involving severe activity-related worsening, unrefreshing sleep, cognitive impairment, and other persistent symptoms. **Synonyms:**

### **Hashimoto's disease**

An autoimmune disorder in which the immune system attacks the thyroid, often leading to hypothyroidism. **Synonyms:**

### **Cleft lip and cleft palate**

Birth defects in which the lip, roof of the mouth, or both fail to fuse completely during development. **Synonyms:**

---

### **Depression (major depressive disorder)**

A mood disorder causing persistent depressed mood or loss of interest along with cognitive, physical, and functional symptoms. **Synonyms:**

### **Common warts**

Small, rough skin growths caused by infection with human papillomavirus, commonly affecting the hands and fingers. **Synonyms:**

### **Pinched nerve**

Compression or irritation of a nerve that can cause pain, tingling, numbness, or weakness along the nerve's distribution. **Synonyms:**

### **Pink eye (conjunctivitis)**

Inflammation or infection of the conjunctiva causing eye redness, discharge, irritation, itching, or tearing. **Synonyms:**

### **Functional neurologic disorder/conversion disorder**

Neurologic symptoms such as weakness, abnormal movement, seizures, or sensory changes that are not explained by structural neurologic disease. **Synonyms:**

### **Small vessel disease**

Disease affecting small blood vessels, which can impair blood flow and contribute to brain, heart, kidney, or other organ problems. **Synonyms:**

### **Coronavirus disease 2019 (COVID-19)**

Coronavirus disease 2019 is an infection caused by SARS-CoV-2, ranging from asymptomatic illness to pneumonia, respiratory failure, thrombosis, and persistent post-infectious symptoms. **Synonyms:**

### **Multisystem inflammatory syndrome in children (MIS-C)**

A serious inflammatory condition occurring after SARS-CoV-2 infection, affecting multiple organs and sometimes causing shock or cardiac dysfunction. **Synonyms:**

### **Pubic lice (crabs)**

Infestation of coarse body hair by lice, usually causing intense itching and requiring treatment and contact precautions. **Synonyms:**

### **Sudden infant death syndrome (SIDS)**

The unexplained sudden death of an apparently healthy infant, usually during sleep and before one year of age. **Synonyms:**

### **Self-injury/cutting**

Deliberate injury to one's own body, often used to cope with overwhelming emotions and requiring compassionate assessment of safety and mental health. **Synonyms:**

### **Cyclosporiasis (cyclospora)**

An intestinal infection caused by Cyclospora parasites, typically producing prolonged watery diarrhea, cramps, nausea, and fatigue. **Synonyms:**

### **Cyclothymia (cyclothymic disorder)**

A chronic mood disorder involving repeated periods of hypomanic and depressive symptoms that do not meet criteria for full episodes. **Synonyms:**

### **Kidney cysts**

Fluid-filled sacs in or on the kidneys that are often harmless but may occasionally cause pain, infection, bleeding, or impaired kidney function. **Synonyms:**

### **Ovarian cysts**

Fluid-filled sacs or other cystic structures in an ovary, often benign and temporary but sometimes painful or complicated by rupture or torsion. **Synonyms:**

### **Epidermoid cysts**

Slow-growing benign cysts beneath the skin filled with keratin, commonly presenting as a movable lump. **Synonyms:**

### **Cytomegalovirus (CMV) infection**

Cytomegalovirus infection is caused by a herpesvirus that is often mild in healthy people but can cause

---

congenital disease or severe organ infection in immunocompromised patients. **Synonyms:**

### **CA-125 blood test**

CA-125 blood test examines ca-125 blood test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Caffeine in the diet**

Caffeine in the diet addresses care related to caffeine in the diet, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Caffeine overdose**

Caffeine overdose can cause agitation, tremor, vomiting, rapid heartbeat, abnormal rhythm, seizures, and dangerous metabolic disturbances.

**Synonyms:**

### **Caladium plant poisoning**

Caladium plant poisoning involves toxic exposure to caladium plant poisoning; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach.

**Synonyms:**

### **Calcitonin blood test**

Calcitonin blood test examines calcitonin blood test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Calcium - ionized**

Calcium - ionized concerns calcium - ionized, a body structure, substance, or physiologic concept whose clinical meaning depends on location, function, and patient context.

**Synonyms:**

### **Calcium - urine**

Calcium - urine concerns calcium - urine, a body

structure, substance, or physiologic concept whose clinical meaning depends on location, function, and patient context.

**Synonyms:**

### **Calcium and bones**

Calcium and bones concerns calcium and bones, a body structure, substance, or physiologic concept whose clinical meaning depends on location, function, and patient context.

**Synonyms:**

### **Calcium carbonate overdose**

Calcium carbonate overdose involves toxic exposure to calcium carbonate overdose; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach.

**Synonyms:**

### **Calcium carbonate with magnesium overdose**

Calcium carbonate with magnesium overdose involves toxic exposure to calcium carbonate with magnesium overdose; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach.

**Synonyms:**

### **Calcium hydroxide poisoning**

Calcium hydroxide poisoning involves toxic exposure to calcium hydroxide poisoning; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach.

**Synonyms:**

### **Calcium in diet**

Calcium in diet addresses care related to calcium in diet, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Calcium supplements**

Calcium supplements concerns calcium supplements, a body structure, substance, or physiologic concept whose clinical meaning depends on location, func-

---

tion, and patient context.

**Synonyms:**

### **Calcium, vitamin D, and your bones**

Calcium, vitamin D, and your bones concerns calcium, vitamin d, and your bones, a body structure, substance, or physiologic concept whose clinical meaning depends on location, function, and patient context.

**Synonyms:**

### **Calla lily poisoning**

Calla lily poisoning involves toxic exposure to calla lily poisoning; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach.

**Synonyms:**

### **Caloric stimulation**

Caloric stimulation concerns caloric stimulation; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Calorie count - Alcoholic beverages**

Calorie count - Alcoholic beverages examines calorie count - alcoholic beverages; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Calorie count - fast food**

Calorie count - fast food examines calorie count - fast food; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Calorie count - sodas and energy drinks**

Calorie count - sodas and energy drinks examines calorie count - sodas and energy drinks; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Campho-Phenique overdose**

Campho-Phenique overdose involves toxic exposure to campho-phenique overdose; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach.

**Synonyms:**

### **Camphor overdose**

Camphor overdose involves toxic exposure to camphor overdose; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach.

**Synonyms:**

### **Campylobacter serology test**

Campylobacter serology test examines campylobacter serology test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Can you boost your metabolism?**

Can you boost your metabolism? concerns can you boost your metabolism?; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Can't sleep? Try these tips**

Can't sleep? Try these tips addresses care related to can't sleep? try these tips, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Cancer - resources**

Cancer - resources addresses care related to cancer - resources, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Cancer and lymph nodes**

Cancer and lymph nodes is a medical condition involving cancer and lymph nodes; causes, affected



---

organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Cancer prevention: take charge of your lifestyle**

Cancer prevention: take charge of your lifestyle addresses care related to cancer prevention: take charge of your lifestyle, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Cancer treatment - dealing with pain**

Cancer treatment - dealing with pain is a medical condition involving cancer treatment - dealing with pain; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Cancer treatment - early menopause**

Cancer treatment - early menopause is a medical condition involving cancer treatment - early menopause; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Cancer treatment - preventing infection**

Cancer treatment - preventing infection examines cancer treatment - preventing infection; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Cancer treatment: dealing with hot flashes and night sweats**

Cancer treatment: dealing with hot flashes and night sweats is a medical condition involving cancer treatment: dealing with hot flashes and night sweats; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Cancer treatment: fertility and sexual side effects in women**

Cancer treatment: fertility and sexual side effects in women examines cancer treatment: fertility and sexual side effects in women; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Cancer treatments**

Cancer treatments is a medical condition involving cancer treatments; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Candida auris infection**

Candida auris infection is an invasive or colonizing yeast infection notable for healthcare transmission and frequent resistance to antifungal medicines.

**Synonyms:**

### **Candida infection of the skin**

Candida infection of the skin examines candida infection of the skin; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Candles poisoning**

Candles poisoning involves toxic exposure to candles poisoning; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach.

**Synonyms:**

### **Capillary nail refill test**

Capillary nail refill test examines capillary nail refill test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Capillary sample**

Capillary sample concerns capillary sample; its med-

---

ical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Carbohydrates**

Carbohydrates concerns carbohydrates; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Carbolic acid poisoning**

Carbolic acid poisoning involves toxic exposure to carbolic acid poisoning; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach.

**Synonyms:**

### **Cardiac ablation procedures**

Cardiac ablation procedures is a procedure for cardiac ablation procedures; indication, preparation, risks, technical details, and recovery depend on the patient and treatment goal.

**Synonyms:**

### **Cardiac catheterization - discharge**

Cardiac catheterization - discharge addresses care related to cardiac catheterization - discharge, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Cardiac event monitors**

Cardiac event monitors concerns cardiac event monitors; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Cardiac glycoside overdose**

Cardiac glycoside overdose involves toxic exposure to cardiac glycoside overdose; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach.

**Synonyms:**

### **Cardiac intravascular ultrasound**

Cardiac intravascular ultrasound examines cardiac intravascular ultrasound; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Caregiving - medication management**

Caregiving - medication management addresses care related to caregiving - medication management, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Caregiving - resources - older adults**

Caregiving - resources - older adults addresses care related to caregiving - resources - older adults, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Caregiving - taking your loved one to the doctor**

Caregiving - taking your loved one to the doctor examines caregiving - taking your loved one to the doctor; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Caring for muscle spasticity or spasms**

Caring for muscle spasticity or spasms concerns caring for muscle spasticity or spasms, a body structure, substance, or physiologic concept whose clinical meaning depends on location, function, and patient context.

**Synonyms:**

### **Carotid artery stenosis - self-care**

Carotid artery stenosis - self-care addresses care related to carotid artery stenosis - self-care, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

---

### **Carotid artery surgery - discharge**

Carotid artery surgery - discharge is a procedure for carotid artery surgery - discharge; indication, preparation, risks, technical details, and recovery depend on the patient and treatment goal.

**Synonyms:**

### **Carotid artery surgery - open**

Carotid artery surgery - open is a procedure for carotid artery surgery - open; indication, preparation, risks, technical details, and recovery depend on the patient and treatment goal.

**Synonyms:**

### **Carpal tunnel biopsy**

Carpal tunnel biopsy examines carpal tunnel biopsy; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Carpal tunnel release**

Carpal tunnel release is a procedure for carpal tunnel release; indication, preparation, risks, technical details, and recovery depend on the patient and treatment goal.

**Synonyms:**

### **Castor oil overdose**

Castor oil overdose involves toxic exposure to castor oil overdose; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach.

**Synonyms:**

### **Cataract - adult**

An adult cataract is clouding of the eye lens that progressively reduces visual acuity, contrast, or glare tolerance; definitive treatment is lens-replacement surgery when function is impaired.

**Synonyms:**

### **Cataract removal**

Cataract removal examines cataract removal; interpretation depends on the specimen or body region,

test method, reference range, and clinical question.

**Synonyms:**

### **Cataracts - what to ask your doctor**

Cataracts - what to ask your doctor examines cataracts - what to ask your doctor; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Catecholamine blood test**

Catecholamine blood test examines catecholamine blood test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Catecholamines - urine**

Catecholamines - urine concerns catecholamines - urine; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Caterpillars**

Caterpillars concerns caterpillars; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Catheter-related UTI**

Catheter-related UTI concerns catheter-related uti; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Caulking compound poisoning**

Caulking compound poisoning involves toxic exposure to caulking compound poisoning; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach.

**Synonyms:**

---

### **Causes and risks for obesity in children**

Causes and risks for obesity in children concerns causes and risks for obesity in children; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **CBC blood test**

CBC blood test examines cbc blood test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **CEA blood test**

CEA blood test examines cea blood test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Cedar leaf oil poisoning**

Cedar leaf oil poisoning involves toxic exposure to cedar leaf oil poisoning; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach.

**Synonyms:**

### **Celiac disease - nutritional considerations**

Celiac disease - nutritional considerations addresses care related to celiac disease - nutritional considerations, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Celiac disease - resources**

Celiac disease - resources addresses care related to celiac disease - resources, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Celiac disease - sprue**

Celiac disease is an immune-mediated reaction to gluten that damages small-intestinal villi and can cause malabsorption, anemia, diarrhea, weight loss, or extraintestinal disease.

**Synonyms:**

### **Cell phones and cancer**

Cell phones and cancer is a medical condition involving cell phones and cancer; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Centipede**

Centipede concerns centipede; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Central line infections - hospitals**

Central line infections - hospitals examines central line infections - hospitals; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Central serous choroidopathy**

Central serous choroidopathy is a medical condition involving central serous choroidopathy; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Central venous catheter - dressing change**

Central venous catheter - dressing change concerns central venous catheter - dressing change; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Central venous catheter - flushing**

Central venous catheter - flushing concerns central venous catheter - flushing; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

---

### Central venous catheters - ports

Central venous catheters - ports concerns central venous catheters - ports; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### Central venous line - infants

Central venous line - infants concerns central venous line - infants; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### Cerebral palsy - resources

Cerebral palsy - resources addresses care related to cerebral palsy - resources, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### Cerebrospinal fluid (CSF) collection

Cerebrospinal fluid (CSF) collection examines cerebrospinal fluid (csf) collection; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### Cerebrospinal fluid (CSF) culture

Cerebrospinal fluid (CSF) culture examines cerebrospinal fluid (csf) culture; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### Certified nurse-midwife

Certified nurse-midwife concerns certified nurse-midwife; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### Ceruloplasmin blood test

Ceruloplasmin blood test examines ceruloplasmin blood test; interpretation depends on the specimen

or body region, test method, reference range, and clinical question.

**Synonyms:**

### Cervical cancer - screening and prevention

Cervical cancer - screening and prevention examines cervical cancer - screening and prevention; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### Cervical MRI scan

Cervical MRI scan examines cervical mri scan; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### Cervical spine CT scan

Cervical spine CT scan examines cervical spine ct scan; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### Cervix cryosurgery

Cervix cryosurgery is a procedure for cervix cryosurgery; indication, preparation, risks, technical details, and recovery depend on the patient and treatment goal.

**Synonyms:**

### Chafing

Chafing concerns chafing; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### Changes in the newborn at birth

Changes in the newborn at birth concerns changes in the newborn at birth; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

---

### **Changing your ostomy pouch**

Changing your ostomy pouch concerns changing your ostomy pouch; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Changing your sleep habits**

Changing your sleep habits concerns changing your sleep habits; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Changing your urostomy pouch**

Changing your urostomy pouch concerns changing your urostomy pouch; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Chapped hands**

Chapped hands concerns chapped hands; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Chapped lips**

Chapped lips concerns chapped lips; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Charley horse**

Charley horse concerns charley horse; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Chemical burn or reaction**

Chemical burn or reaction examines chemical burn or reaction; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Chemical dependence - resources**

Chemical dependence - resources addresses care related to chemical dependence - resources, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Chemotherapy - what to ask your doctor**

Chemotherapy - what to ask your doctor examines chemotherapy - what to ask your doctor; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Chest CT**

Chest CT examines chest ct; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Chest MRI**

Chest MRI examines chest mri; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Chest radiation - discharge**

Chest radiation - discharge addresses care related to chest radiation - discharge, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Chicken soup and sickness**

Chicken soup and sickness concerns chicken soup and sickness; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Chiggers**

Chiggers concerns chiggers; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**



---

### **Child neglect and emotional abuse**

Child neglect and emotional abuse examines child neglect and emotional abuse; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Child physical abuse**

Child physical abuse concerns child physical abuse; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Child safety seats**

Child safety seats addresses care related to child safety seats, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Children and grief**

Children and grief concerns children and grief; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Children's cancer centers**

Children's cancer centers is a medical condition involving children's cancer centers; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Chin augmentation**

Chin augmentation concerns chin augmentation; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Chiropractic care for back pain**

Chiropractic care for back pain examines chiropractic care for back pain; interpretation depends on

the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Chiropractor profession**

Chiropractor profession examines chiropractor profession; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Chlamydia infections in women**

Chlamydia infections in women examines chlamydia infections in women; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Chlamydial infections - male**

Chlamydial infections - male examines chlamydial infections - male; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Chlordiazepoxide overdose**

Chlordiazepoxide overdose involves toxic exposure to chlordiazepoxide overdose; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach.

**Synonyms:**

### **Chloride - urine test**

Chloride - urine test examines chloride - urine test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Chloride in diet**

Chloride in diet addresses care related to chloride in diet, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

---

### **Chloride test - blood**

Chloride test - blood examines chloride test - blood; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Chlorinated lime poisoning**

Chlorinated lime poisoning involves toxic exposure to chlorinated lime poisoning; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach.

**Synonyms:**

### **Chlorine poisoning**

Chlorine poisoning involves toxic exposure to chlorine poisoning; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach.

**Synonyms:**

### **Chlorophyll poisoning**

Chlorophyll poisoning involves toxic exposure to chlorophyll poisoning; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach.

**Synonyms:**

### **Chlorpromazine overdose**

Chlorpromazine overdose involves toxic exposure to chlorpromazine overdose; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach.

**Synonyms:**

### **Choking - adult or child over 1 year**

Choking - adult or child over 1 year concerns choking - adult or child over 1 year; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Choking - infant under 1 year**

Choking - infant under 1 year concerns choking - infant under 1 year; its medical significance is established from the defining features, setting, associated findings, and clinical question.

lished from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Choking - unconscious adult or child over 1 year**

Choking - unconscious adult or child over 1 year concerns choking - unconscious adult or child over 1 year; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Cholesterol - drug treatment**

Cholesterol - drug treatment concerns cholesterol - drug treatment; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Cholesterol - what to ask your doctor**

Cholesterol - what to ask your doctor examines cholesterol - what to ask your doctor; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Cholesterol and lifestyle**

Cholesterol and lifestyle addresses care related to cholesterol and lifestyle, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Cholesterol testing and results**

Cholesterol testing and results examines cholesterol testing and results; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Cholinesterase - blood**

Cholinesterase - blood concerns cholinesterase - blood; its medical significance is established from the defining features, setting, associated findings, and clinical question.

---

and clinical question.

**Synonyms:**

### **Choosing a doctor and hospital for your cancer treatment**

Choosing a doctor and hospital for your cancer treatment examines choosing a doctor and hospital for your cancer treatment; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Choosing a primary care provider**

Choosing a primary care provider concerns choosing a primary care provider; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Choosing a skilled nursing and rehabilitation facility**

Choosing a skilled nursing and rehabilitation facility concerns choosing a skilled nursing and rehabilitation facility; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Choosing effective patient education materials**

Choosing effective patient education materials examines choosing effective patient education materials; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Choosing the right health care provider for pregnancy and childbirth**

Choosing the right health care provider for pregnancy and childbirth concerns choosing the right health care provider for pregnancy and childbirth; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Choroidal dystrophies**

Choroidal dystrophies concerns choroidal dystrophies; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Chromatography**

Chromatography concerns chromatography; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Chromium - blood test**

Chromium - blood test examines chromium - blood test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Chromium in diet**

Chromium in diet addresses care related to chromium in diet, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Chronic cholecystitis**

Chronic cholecystitis is a medical condition involving chronic cholecystitis; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Chronic fatigue syndrome - resources**

Chronic fatigue syndrome - resources addresses care related to chronic fatigue syndrome - resources, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

---

### **Chronic lymphocytic leukemia (CLL)**

Chronic lymphocytic leukemia (CLL) is a medical condition involving chronic lymphocytic leukemia (cll); causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Chronic motor or vocal tic disorder**

Chronic motor or vocal tic disorder is a medical condition involving chronic motor or vocal tic disorder; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Chronic myelogenous leukemia (CML)**

Chronic myelogenous leukemia (CML) is a medical condition involving chronic myelogenous leukemia (cml); causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Chronic obstructive pulmonary disease - adults - discharge**

Chronic obstructive pulmonary disease - adults - discharge examines chronic obstructive pulmonary disease - adults - discharge; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Chronic obstructive pulmonary disease (COPD)**

Chronic obstructive pulmonary disease is persistent airflow limitation from airway and alveolar injury, commonly causing exertional breathlessness, cough, sputum, and exacerbations.

**Synonyms:**

### **Chronic pain - resources**

Chronic pain - resources addresses care related to chronic pain - resources, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Chronic subdural hematoma**

Chronic subdural hematoma concerns chronic subdural hematoma; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Chronic thyroiditis (Hashimoto disease)**

Chronic thyroiditis (Hashimoto disease) is a medical condition involving chronic thyroiditis (hashimoto disease); causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Chylomicronemia syndrome**

Chylomicronemia syndrome is a medical condition involving chylomicronemia syndrome; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Cirrhosis - discharge**

Cirrhosis - discharge addresses care related to cirrhosis - discharge, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Citric acid urine test**

Citric acid urine test examines citric acid urine test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Clean catch urine sample**

Clean catch urine sample concerns clean catch urine sample; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

---

### **Cleaning supplies and equipment**

Cleaning supplies and equipment concerns cleaning supplies and equipment; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Cleaning to prevent the spread of germs**

Cleaning to prevent the spread of germs concerns cleaning to prevent the spread of germs; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Clear liquid diet**

Clear liquid diet addresses care related to clear liquid diet, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Cleft lip and palate repair**

Cleft lip and palate repair is a procedure for cleft lip and palate repair; indication, preparation, risks, technical details, and recovery depend on the patient and treatment goal.

**Synonyms:**

### **Cleft lip and palate repair - discharge**

Cleft lip and palate repair - discharge is a procedure for cleft lip and palate repair - discharge; indication, preparation, risks, technical details, and recovery depend on the patient and treatment goal.

**Synonyms:**

### **Cleft palate - resources**

Cleft palate - resources addresses care related to cleft palate - resources, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Cleidocranial dysostosis**

Cleidocranial dysostosis is a medical condition involving cleidocranial dysostosis; causes, affected or-

gans, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Closed reduction of a fractured bone**

Closed reduction of a fractured bone examines closed reduction of a fractured bone; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Closed reduction of a fractured bone - aftercare**

Closed reduction of a fractured bone - aftercare examines closed reduction of a fractured bone - aftercare; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Closed suction drain with bulb**

Closed suction drain with bulb examines closed suction drain with bulb; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Cloth dye poisoning**

Cloth dye poisoning involves toxic exposure to cloth dye poisoning; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach.

**Synonyms:**

### **Cloudy cornea**

Cloudy cornea concerns cloudy cornea; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Clubbing of the fingers or toes**

Clubbing of the fingers or toes concerns clubbing of the fingers or toes; its medical significance is established from the defining features, setting, associated findings, and clinical question.

---

**Synonyms:**

### **Clubfoot repair**

Clubfoot repair is a procedure for clubfoot repair; indication, preparation, risks, technical details, and recovery depend on the patient and treatment goal.

**Synonyms:**

### **CMV - gastroenteritis/colitis**

CMV - gastroenteritis/colitis is a medical condition involving cmv - gastroenteritis/colitis; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **CMV blood test**

CMV blood test examines cmv blood test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **CMV pneumonia**

CMV pneumonia is a medical condition involving cmv pneumonia; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **CMV retinitis**

CMV retinitis is a medical condition involving cmv retinitis; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **CO2 blood test**

CO2 blood test examines co2 blood test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Cobalt poisoning**

Cobalt poisoning involves toxic exposure to cobalt poisoning; dose, route, timing, symptoms, and antidote availability determine the urgency and treat-

ment approach.

**Synonyms:**

### **Cocaine intoxication**

Cocaine intoxication involves toxic exposure to cocaine intoxication; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach.

**Synonyms:**

### **Cocaine withdrawal**

Cocaine withdrawal concerns cocaine withdrawal; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Coccidioides complement fixation**

Coccidioides complement fixation concerns coccidioides complement fixation, a body structure, substance, or physiologic concept whose clinical meaning depends on location, function, and patient context.

**Synonyms:**

### **Coccidioides precipitin test**

Coccidioides precipitin test examines coccidioides precipitin test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Codeine overdose**

Codeine overdose involves toxic exposure to codeine overdose; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach.

**Synonyms:**

### **Cognitive behavioral therapy for back pain**

Cognitive behavioral therapy for back pain is a medical condition involving cognitive behavioral therapy for back pain; causes, affected organs, severity, complications, and treatment are determined by clinical



---

assessment.

**Synonyms:**

### **Cold medicines and children**

Cold medicines and children concerns cold medicines and children; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Cold wave lotion poisoning**

Cold wave lotion poisoning involves toxic exposure to cold wave lotion poisoning; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach.

**Synonyms:**

### **Colds and flu - antibiotics**

Colds and flu - antibiotics concerns colds and flu - antibiotics; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Colds and the flu - what to ask your doctor - adult**

Colds and the flu - what to ask your doctor - adult examines colds and the flu - what to ask your doctor - adult; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Colds and the flu - what to ask your doctor - child**

Colds and the flu - what to ask your doctor - child examines colds and the flu - what to ask your doctor - child; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Colic and crying - self-care**

Colic and crying - self-care addresses care related to colic and crying - self-care, including practical

measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Collagen vascular disease**

Collagen vascular disease is a medical condition involving collagen vascular disease; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Collapsed lung (pneumothorax)**

Collapsed lung (pneumothorax) concerns collapsed lung (pneumothorax), a body structure, substance, or physiologic concept whose clinical meaning depends on location, function, and patient context.

**Synonyms:**

### **Collateral ligament (CL) injury - aftercare**

Collateral ligament (CL) injury - aftercare addresses care related to collateral ligament (cl) injury - aftercare, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **College students and the flu**

College students and the flu concerns college students and the flu; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Colles wrist fracture - aftercare**

Colles wrist fracture - aftercare examines colles wrist fracture - aftercare; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Coloboma of the iris**

Coloboma of the iris concerns coloboma of the iris; its medical significance is established from the defining features, setting, associated findings, and clinical question.

---

**Synonyms:**

### **Cologne poisoning**

Cologne poisoning involves toxic exposure to cologne poisoning; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach.

**Synonyms:**

### **Cologuard**

Cologuard concerns cologuard; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Colon cancer screening**

Colon cancer screening examines colon cancer screening; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Colonoscopy discharge**

Colonoscopy discharge addresses care related to colonoscopy discharge, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Color vision test**

Color vision test examines color vision test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Colorectal cancer - resources**

Colorectal cancer - resources examines colorectal cancer - resources; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Colorectal polyps**

Colorectal polyps examines colorectal polyps; interpretation depends on the specimen or body region,

test method, reference range, and clinical question.

**Synonyms:**

### **Colposcopy - directed biopsy**

Colposcopy - directed biopsy examines colposcopy - directed biopsy; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Comedones**

Comedones concerns comedones; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Common peroneal nerve dysfunction**

Common peroneal nerve dysfunction examines common peroneal nerve dysfunction; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Common symptoms during pregnancy**

Common symptoms during pregnancy concerns common symptoms during pregnancy; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Communicating with patients**

Communicating with patients concerns communicating with patients; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Communicating with someone with aphasia**

Communicating with someone with aphasia concerns communicating with someone with aphasia; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

---

### **Communicating with someone with dysarthria**

Communicating with someone with dysarthria concerns communicating with someone with dysarthria; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Community-acquired pneumonia in adults**

Community-acquired pneumonia in adults is a medical condition involving community-acquired pneumonia in adults; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Complement**

Complement concerns complement, a body structure, substance, or physiologic concept whose clinical meaning depends on location, function, and patient context.

**Synonyms:**

### **Complement component 3 (C3)**

Complement component 3 (C3) concerns complement component 3 (c3), a body structure, substance, or physiologic concept whose clinical meaning depends on location, function, and patient context.

**Synonyms:**

### **Complement component 4**

Complement component 4 concerns complement component 4, a body structure, substance, or physiologic concept whose clinical meaning depends on location, function, and patient context.

**Synonyms:**

### **Complement fixation test for C burnetii**

Complement fixation test for C burnetii examines complement fixation test for c burnetii; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Compression fractures of the back**

Compression fractures of the back examines compression fractures of the back; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Compression stockings**

Compression stockings concerns compression stockings; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Compulsive gambling**

Compulsive gambling concerns compulsive gambling; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Concussion in adults - discharge**

Concussion in adults - discharge addresses care related to concussion in adults - discharge, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Concussion in adults - what to ask your doctor**

Concussion in adults - what to ask your doctor examines concussion in adults - what to ask your doctor; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Concussion in children - discharge**

Concussion in children - discharge addresses care related to concussion in children - discharge, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Concussion in children - what to ask your**

---

## doctor

Concussion in children - what to ask your doctor examines concussion in children - what to ask your doctor; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

## Condoms - male

Condoms - male concerns condoms - male; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

## Cone biopsy

Cone biopsy examines cone biopsy; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

## Confusion

Confusion concerns confusion; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

## Congenital antithrombin III deficiency

Congenital antithrombin III deficiency is a medical condition involving congenital antithrombin iii deficiency; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

## Congenital cytomegalovirus

Congenital cytomegalovirus is a medical condition involving congenital cytomegalovirus; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

## Congenital diaphragmatic hernia repair

Congenital diaphragmatic hernia repair is a procedure for congenital diaphragmatic hernia repair;

indication, preparation, risks, technical details, and recovery depend on the patient and treatment goal.

**Synonyms:**

## Congenital fibrinogen deficiency

Congenital fibrinogen deficiency is a medical condition involving congenital fibrinogen deficiency; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

## Congenital heart defect - corrective surgery

Congenital heart defect - corrective surgery examines congenital heart defect - corrective surgery; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

## Congenital nephrotic syndrome

Congenital nephrotic syndrome is a medical condition involving congenital nephrotic syndrome; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

## Congenital platelet function defects

Congenital platelet function defects examines congenital platelet function defects; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

## Congenital protein C or S deficiency

Congenital protein C or S deficiency is a medical condition involving congenital protein c or s deficiency; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

## Congenital rubella

Congenital rubella concerns congenital rubella; its medical significance is established from the defining features, setting, associated findings, and clinical

---

question.

**Synonyms:**

### **Congenital toxoplasmosis**

Congenital toxoplasmosis is a medical condition involving congenital toxoplasmosis; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Conjunctivitis or pink eye**

Conjunctivitis or pink eye examines conjunctivitis or pink eye; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Conscious sedation for surgical procedures**

Conscious sedation for surgical procedures is a procedure for conscious sedation for surgical procedures; indication, preparation, risks, technical details, and recovery depend on the patient and treatment goal.

**Synonyms:**

### **Considering plastic surgery after a large weight loss**

Considering plastic surgery after a large weight loss is a procedure for considering plastic surgery after a large weight loss; indication, preparation, risks, technical details, and recovery depend on the patient and treatment goal.

**Synonyms:**

### **Constipation - self-care**

Constipation - self-care addresses care related to constipation - self-care, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Constipation - what to ask your doctor**

Constipation - what to ask your doctor examines constipation - what to ask your doctor; interpretation depends on the specimen or body region, test

method, reference range, and clinical question.

**Synonyms:**

### **Constipation in infants and children**

Constipation in infants and children concerns constipation in infants and children; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Consumer rights and protections**

Consumer rights and protections examines consumer rights and protections; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Contac overdose**

Contac overdose involves toxic exposure to contac overdose; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach.

**Synonyms:**

### **Contracture deformity**

Contracture deformity examines contracture deformity; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Controlling your high blood pressure**

Controlling your high blood pressure concerns controlling your high blood pressure; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Cooking utensils and nutrition**

Cooking utensils and nutrition addresses care related to cooking utensils and nutrition, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

---

### **Cooking without salt**

Cooking without salt concerns cooking without salt; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **COPD - control drugs**

COPD - control drugs concerns copd - control drugs; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **COPD - managing stress and your mood**

COPD - managing stress and your mood concerns copd - managing stress and your mood; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **COPD - quick-relief drugs**

COPD - quick-relief drugs concerns copd - quick-relief drugs; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **COPD - what to ask your doctor**

COPD - what to ask your doctor examines copd - what to ask your doctor; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **COPD and other health problems**

COPD and other health problems concerns copd and other health problems; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **COPD flare-ups**

COPD flare-ups concerns copd flare-ups; its medical significance is established from the defining features,

setting, associated findings, and clinical question.

**Synonyms:**

### **Coping with cancer - finding the support you need**

Coping with cancer - finding the support you need is a medical condition involving coping with cancer - finding the support you need; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Coping with cancer - hair loss**

Coping with cancer - hair loss is a medical condition involving coping with cancer - hair loss; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Coping with cancer - looking and feeling your best**

Coping with cancer - looking and feeling your best is a medical condition involving coping with cancer - looking and feeling your best; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Coping with cancer - managing fatigue**

Coping with cancer - managing fatigue is a medical condition involving coping with cancer - managing fatigue; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Copper in diet**

Copper in diet addresses care related to copper in diet, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Copper poisoning**

Copper poisoning involves toxic exposure to copper poisoning; dose, route, timing, symptoms, and anti-



---

dote availability determine the urgency and treatment approach.

**Synonyms:**

### **Cord blood testing**

Cord blood testing examines cord blood testing; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Corneal injury**

Corneal injury is a medical condition involving corneal injury; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Corneal transplant**

Corneal transplant is a procedure for corneal transplant; indication, preparation, risks, technical details, and recovery depend on the patient and treatment goal.

**Synonyms:**

### **Corneal transplant - discharge**

Corneal transplant - discharge is a procedure for corneal transplant - discharge; indication, preparation, risks, technical details, and recovery depend on the patient and treatment goal.

**Synonyms:**

### **Corneal ulcers and infections**

Corneal ulcers and infections examines corneal ulcers and infections; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Coronary artery fistula**

Coronary artery fistula concerns coronary artery fistula, a body structure, substance, or physiologic concept whose clinical meaning depends on location, function, and patient context.

**Synonyms:**

### **Coronavirus**

Coronavirus is a medical condition involving coronavirus; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Corticosteroids overdose**

Corticosteroids overdose involves toxic exposure to corticosteroids overdose; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach.

**Synonyms:**

### **Cortisol blood test**

Cortisol blood test examines cortisol blood test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Cortisol urine test**

Cortisol urine test examines cortisol urine test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Cosmetic breast surgery - discharge**

Cosmetic breast surgery - discharge is a procedure for cosmetic breast surgery - discharge; indication, preparation, risks, technical details, and recovery depend on the patient and treatment goal.

**Synonyms:**

### **Cosmetic ear surgery**

Cosmetic ear surgery is a procedure for cosmetic ear surgery; indication, preparation, risks, technical details, and recovery depend on the patient and treatment goal.

**Synonyms:**

### **Could you have low testosterone?**

Could you have low testosterone? examines could you have low testosterone?; interpretation depends on the specimen or body region, test method, refer-

---

ence range, and clinical question.

**Synonyms:**

### **Counting carbohydrates**

Counting carbohydrates examines counting carbohydrates; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **COVID-19 – what to do when you are sick**

COVID-19 – what to do when you are sick concerns covid-19 – what to do when you are sick; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **COVID-19 antibody test**

COVID-19 antibody test examines covid-19 antibody test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **COVID-19 symptoms**

COVID-19 symptoms concerns covid-19 symptoms; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **COVID-19 vaccine - what you need to know**

COVID-19 vaccine - what you need to know concerns covid-19 vaccine - what you need to know; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **COVID-19 vaccines**

COVID-19 vaccines concerns covid-19 vaccines; its medical significance is established from the defining features, setting, associated findings, and clinical

question.

**Synonyms:**

### **COVID-19 vaccines for children ages 6 months and older**

COVID-19 vaccines for children ages 6 months and older concerns covid-19 vaccines for children ages 6 months and older; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **COVID-19 virus test**

COVID-19 virus test examines covid-19 virus test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Cow's milk - infants**

Cow's milk - infants concerns cow's milk - infants; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Cow's milk and children**

Cow's milk and children concerns cow's milk and children; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **CPK isoenzymes test**

CPK isoenzymes test examines cpk isoenzymes test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **CPR - adult and child after onset of puberty**

CPR - adult and child after onset of puberty concerns cpr - adult and child after onset of puberty; its medical significance is established from the defining

---

features, setting, associated findings, and clinical question.

**Synonyms:**

### **CPR - infant**

CPR - infant concerns cpr - infant; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **CPR - young child (age 1 year to onset of puberty)**

CPR - young child (age 1 year to onset of puberty) concerns cpr - young child (age 1 year to onset of puberty); its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Cranial mononeuropathy III**

Cranial mononeuropathy III is a medical condition involving cranial mononeuropathy iii; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Cranial mononeuropathy III - diabetic type**

Cranial mononeuropathy III - diabetic type is a medical condition involving cranial mononeuropathy iii - diabetic type; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Cranial mononeuropathy VI**

Cranial mononeuropathy VI is a medical condition involving cranial mononeuropathy vi; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Cranial sutures**

Cranial sutures concerns cranial sutures; its medical significance is established from the defining features,

setting, associated findings, and clinical question.

**Synonyms:**

### **Craniosynostosis repair**

Craniosynostosis repair is a procedure for craniosynostosis repair; indication, preparation, risks, technical details, and recovery depend on the patient and treatment goal.

**Synonyms:**

### **Craniosynostosis repair - discharge**

Craniosynostosis repair - discharge is a procedure for craniosynostosis repair - discharge; indication, preparation, risks, technical details, and recovery depend on the patient and treatment goal.

**Synonyms:**

### **Craniotabes**

Craniotabes concerns craniotabes; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Creatine phosphokinase test**

Creatine phosphokinase test examines creatine phosphokinase test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Creating a family health history**

Creating a family health history concerns creating a family health history; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Creatinine blood test**

Creatinine blood test examines creatinine blood test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

---

### **Creatinine clearance test**

Creatinine clearance test examines creatinine clearance test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Creatinine urine test**

Creatinine urine test examines creatinine urine test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Creeping eruption**

Creeping eruption concerns creeping eruption; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Cribs and crib safety**

Cribs and crib safety addresses care related to cribs and crib safety, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Crigler-Najjar syndrome**

Crigler-Najjar syndrome is a medical condition involving crigler-najjar syndrome; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Crohn disease - children - discharge**

Crohn disease - children - discharge addresses care related to crohn disease - children - discharge, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Crohn disease - discharge**

Crohn disease - discharge addresses care related to crohn disease - discharge, including practical

measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Croup - discharge**

Croup - discharge addresses care related to croup - discharge, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Crush injury**

Crush injury is a medical condition involving crush injury; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Crutches and children - proper fit and safety tips**

Crutches and children - proper fit and safety tips addresses care related to crutches and children - proper fit and safety tips, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Crutches and children - sitting and getting up from a chair**

Crutches and children - sitting and getting up from a chair concerns crutches and children - sitting and getting up from a chair; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Crutches and children - stairs**

Crutches and children - stairs concerns crutches and children - stairs; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Crutches and children - standing and**

---

## walking

Crutches and children - standing and walking concerns crutches and children - standing and walking; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

## Crying in childhood

Crying in childhood concerns crying in childhood; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

## Crying in infancy

Crying in infancy concerns crying in infancy; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

## Cryotherapy for prostate cancer

Cryotherapy for prostate cancer is a procedure for cryotherapy for prostate cancer; indication, preparation, risks, technical details, and recovery depend on the patient and treatment goal.

**Synonyms:**

## Cryotherapy for the skin

Cryotherapy for the skin is a procedure for cryotherapy for the skin; indication, preparation, risks, technical details, and recovery depend on the patient and treatment goal.

**Synonyms:**

## Cryptosporidium enteritis

Cryptosporidium enteritis is a medical condition involving cryptosporidium enteritis; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

## CSF cell count

CSF cell count examines csf cell count; interpreta-

tion depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

## CSF coccidioides complement fixation test

CSF coccidioides complement fixation test examines csf coccidioides complement fixation test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

## CSF glucose test

CSF glucose test examines csf glucose test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

## CSF leak

CSF leak concerns csf leak; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

## CSF myelin basic protein

CSF myelin basic protein concerns csf myelin basic protein, a body structure, substance, or physiologic concept whose clinical meaning depends on location, function, and patient context.

**Synonyms:**

## CSF oligoclonal banding

CSF oligoclonal banding concerns csf oligoclonal banding; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

## CSF smear

CSF smear concerns csf smear; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

---

### **CSF total protein**

CSF total protein concerns csf total protein, a body structure, substance, or physiologic concept whose clinical meaning depends on location, function, and patient context.

**Synonyms:**

### **CSF-VDRL test**

CSF-VDRL test examines csf-vdrl test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **CT angiography – chest**

CT angiography – chest examines ct angiography – chest; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **CT angiography - abdomen and pelvis**

CT angiography - abdomen and pelvis examines ct angiography - abdomen and pelvis; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **CT angiography - arms and legs**

CT angiography - arms and legs examines ct angiography - arms and legs; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **CT angiography - head and neck**

CT angiography - head and neck examines ct angiography - head and neck; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Culture - colonic tissue**

Culture - colonic tissue examines culture - colonic tissue; interpretation depends on the specimen or body region, test method, reference range, and clinical

question.

**Synonyms:**

### **Culture - duodenal tissue**

Culture - duodenal tissue examines culture - duodenal tissue; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Culture-negative endocarditis**

Culture-negative endocarditis examines culture-negative endocarditis; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Curvature of the penis**

Curvature of the penis concerns curvature of the penis; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Cushing syndrome due to adrenal tumor**

Cushing syndrome due to adrenal tumor is a medical condition involving cushing syndrome due to adrenal tumor; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Cutaneous skin tag**

Cutaneous skin tag concerns cutaneous skin tag, a body structure, substance, or physiologic concept whose clinical meaning depends on location, function, and patient context.

**Synonyms:**

### **Cuticle remover poisoning**

Cuticle remover poisoning involves toxic exposure to cuticle remover poisoning; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach.

**Synonyms:**



---

### Cuts and puncture wounds

Cuts and puncture wounds examines cuts and puncture wounds; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### Cyanoacrylates poisoning

Cyanoacrylates poisoning involves toxic exposure to cyanoacrylates poisoning; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach.

**Synonyms:**

### Cyanotic heart disease

Cyanotic heart disease is a medical condition involving cyanotic heart disease; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### Cyproheptadine overdose

Cyproheptadine overdose involves toxic exposure to cyproheptadine overdose; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach.

**Synonyms:**

### Cystic fibrosis - nutrition

Cystic fibrosis - nutrition addresses care related to cystic fibrosis - nutrition, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### Cystic fibrosis - resources

Cystic fibrosis - resources addresses care related to cystic fibrosis - resources, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### Cystitis - acute

Cystitis - acute is a medical condition involving cystitis - acute; causes, affected organs, severity,

complications, and treatment are determined by clinical assessment.

**Synonyms:**

### Cystitis - noninfectious

Cystitis - noninfectious examines cystitis - noninfectious; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### Cystometric study

Cystometric study is a medical condition involving cystometric study; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### Cytochrome b5 reductase

Cytochrome b5 reductase examines cytochrome b5 reductase; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### Cytologic evaluation

Cytologic evaluation concerns cytologic evaluation; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### Cytology exam of pleural fluid

Cytology exam of pleural fluid concerns cytology exam of pleural fluid; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### Cytology exam of urine

Cytology exam of urine concerns cytology exam of urine; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

## D

### D and C

D and C concerns d and c; its medical significance is established from the defining features, setting, associated findings, and clinical question. from the uterine cavity for diagnosis, treatment, or management of pregnancy-related conditions.

**Synonyms:**

### D and E

Dilation and evacuation, a surgical procedure in which the cervix is dilated and uterine contents are removed by suction and instruments.

**Synonyms:**

### D-Dimer

A blood marker produced when cross-linked fibrin is broken down. It may be elevated in thrombosis and in many other conditions. A negative result can help exclude venous thromboembolism in appropriately selected patients with a low or intermediate pretest probability; the cutoff depends on the assay and clinical setting.

**Synonyms:**

### D&C Instruments

Instruments used to dilate the cervix and remove tissue from the uterus during dilation and curettage.

**Synonyms:**

### Dacrocytes (Teardrop Cells)

Teardrop-shaped red blood cells formed as erythrocytes are squeezed and deformed while exiting a fibrotic or infiltrated bone marrow space. Characteristic feature of Primary Myelofibrosis (JAK2 V617F mutation), bone marrow infiltration (myelophthasic anemia from metastatic cancer, granulomas, or

leukemia), and severe thalassemia.

**Synonyms:** Teardrop Cells

### Dacryoadenitis

Dacryoadenitis is inflammation of a tear-producing lacrimal gland, causing painful swelling near the outer upper eyelid from infection, inflammation, or systemic disease. aspect of the upper eyelid with characteristic S-shaped ptosis. It can be acute or chronic in presentation.

**Synonyms:**

### Dacryocystitis

Inflammation of the lacrimal sac, most commonly caused by obstruction of the nasolacrimal duct leading to stagnation of tears and secondary bacterial infection (*Staphylococcus aureus*, *Streptococcus pneumoniae*, *Haemophilus influenzae*).

**Synonyms:**

### Dacryocystography

An imaging study in which contrast material is introduced into the lacrimal drainage system to identify narrowing or obstruction.

**Synonyms:**

### Dacryocystorhinostomy

A surgical procedure creating a passage between the lacrimal sac and the nasal cavity to bypass an obstructed nasolacrimal duct.

**Synonyms:**

### Dacryostenosis

Narrowing or obstruction of the lacrimal drainage passages, which can cause excessive tearing and

---

recurrent infection of the lacrimal sac.

**Synonyms:**

### **Dactylitis**

Inflammation of an entire digit (finger or toe), producing a diffuse, fusiform swelling often described as sausage-shaped.

**Synonyms:**

### **Dactylosymphysis**

Abnormal fusion or webbing of adjacent digits, usually present from birth.

**Synonyms:**

### **Daily Value**

A reference amount of a nutrient used on food labels to help compare a serving with usual daily nutrient needs. Values are based on a 2,000-calorie diet unless otherwise stated.

**Synonyms:**

### **Daltonism**

Color-vision deficiency, especially difficulty distinguishing certain colors because of abnormal or absent retinal cone function.

**Synonyms:**

### **DALY**

Disability-adjusted life year, a measure combining years of healthy life lost because of premature death and disability.

**Synonyms:**

### **Damage-Control Resuscitation**

A trauma strategy prioritizing rapid hemorrhage control, permissive approaches to blood pressure when appropriate, prevention of hypothermia, correction of coagulopathy, and balanced blood-product resuscitation rather than large-volume crystalloid administration.

**Synonyms:**

### **Damage-Control Surgery**

A staged operative strategy for critically ill or

severely injured patients in whom definitive repair is unsafe because of hypothermia, acidosis, coagulopathy, or physiologic instability. Initial surgery controls hemorrhage and contamination, followed by resuscitation and later definitive reconstruction.

**Synonyms:**

### **Dandruff**

Scaling and shedding of the scalp skin, commonly associated with seborrheic dermatitis or dry skin.

**Synonyms:**

### **Dandruff and Scalp Conditions**

Dandruff is a common scalp condition presenting as flaking, itching, and mild inflammation caused by overgrowth of the yeast *Malassezia*, dry skin, or seborrheic dermatitis. Other scalp conditions include psoriasis, contact dermatitis, ringworm tinea capitis, and head lice.

**Synonyms:**

### **Dandy Fever**

Dengue fever, an acute mosquito-borne viral illness causing fever, headache, severe muscle or joint pain, and sometimes hemorrhage or shock.

**Synonyms:**

### **Dandy-Walker Malformation**

A congenital hindbrain malformation characterized by hypoplasia or aplasia of the cerebellar vermis, cystic dilation of the fourth ventricle, and posterior fossa enlargement with upward displacement of the tentorium, transverse sinuses, and torcular herophili.

**Synonyms:**

### **Dandy-Walker Syndrome**

A congenital abnormality involving the cerebellum and the fluid spaces around it, often causing hydrocephalus or developmental problems.

**Synonyms:**

### **Dane Particle**

The complete infectious particle of hepatitis B virus, consisting of the viral core and envelope.

---

**Synonyms:**

### **Daptomycin resistance**

Resistance to daptomycin can develop through mutations in genes encoding cell membrane phospholipid synthesis. The mechanism involves changes in the bacterial cell membrane that reduce daptomycin binding. Resistance is more common in VRE than MRSA. Resistance can emerge during therapy, particularly in endocarditis and bacteremia.

**Synonyms:**

### **Darier's Disease**

An inherited skin disorder characterized by abnormal keratinization, greasy crusted papules, and nail changes, often worsened by heat and sweating.

**Synonyms:**

### **Dark Adaptation**

The process by which the eyes become increasingly sensitive to dim light after moving from bright illumination into darkness.

**Synonyms:**

### **Dartos**

A layer of smooth muscle and connective tissue beneath the skin of the scrotum that wrinkles the scrotal skin in response to temperature and other stimuli.

**Synonyms:**

### **Darwin's Tubercle**

A variable small thickening or projection on the rim of the external ear, regarded as a remnant of an ancestral mammalian ear form.

**Synonyms:**

### **DASH Diet**

Dietary Approaches to Stop Hypertension. Emphasizes: fruits, vegetables, whole grains, low-fat dairy, reduced saturated fat, sodium <2300 mg/day. Lowers blood pressure effectively.

**Synonyms:**

### **Daubenton's Plane**

An anatomical reference plane extending from the lower margin of the orbit to the upper margin of the external auditory opening, used in describing skull orientation.

**Synonyms:**

### **Dawn Phenomenon**

Physiological increase in blood glucose occurring in the early morning hours between approximately three and eight AM driven by counter-regulatory hormone surges including growth hormone, cortisol, and catecholamines. More pronounced in patients with diabetes who lack the compensatory insulin response.

**Synonyms:**

### **De Novo Variant**

A genetic variant present in an affected individual that was not detected in either biological parent, usually arising in a parental gamete or early embryogenesis. It may cause a dominant disorder and can have implications for recurrence risk in future pregnancies.

**Synonyms:**

### **De Quervain Tendinitis**

Painful stenosing inflammation of the tendons of the abductor pollicis longus and extensor pollicis brevis in the first dorsal wrist compartment. It causes radial wrist pain worsened by thumb movement or grasping and is assessed clinically.

**Synonyms:**

### **De Quervain Tenosynovitis**

De Quervain tenosynovitis: first dorsal compartment (APL, EPB) stenosis. Clinical: radial wrist pain, Finkelstein test (thumb in palm, ulnar deviation), swelling over radial styloid.

**Synonyms:**

### **De-Escalation**

A set of verbal and nonverbal techniques used to reduce agitation and prevent violence while preserving dignity and safety. It includes calm communication,

---

appropriate personal space, clear limits, environmental modification, and offering choices.

**Synonyms:**

### Dead Space

The volume of ventilated air that does not participate in gas exchange. Anatomic dead space: the conducting airways (nose, pharynx, trachea, bronchi, terminal bronchioles) that warm, humidify, and filter inspired air but contain no alveoli for gas exchange. Approximately 150 mL in a 70 kg adult.

**Synonyms:**

### Dead Space Ventilation

Ventilation of alveoli without perfusion ( $V/Q = \text{infinity}$ ). Anatomic dead space is the conducting airways (150 mL). Physiologic dead space includes alveoli without perfusion. Increased in PE, hypotension, and emphysema. Measured by the Bohr equation.

**Synonyms:**

### Dead Time

The brief period after an event during which a detector or recording system cannot register another event, limiting the measured count rate.

**Synonyms:**

### Deafferentation

Loss or interruption of sensory nerve input from a body region to the central nervous system, which may produce abnormal sensation or deafferentation pain.

**Synonyms:**

### Deafness

Complete or severe loss of hearing. Hearing loss may be conductive, sensorineural, or mixed, depending on whether the problem affects sound transmission, the inner ear or auditory nerve, or both.

**Synonyms:**

### Death

The permanent end of the functions that maintain a living organism.

**Synonyms:**

### Deauville Criteria

A five-point visual scale that compares fluorodeoxyglucose uptake on PET with reference tissues to assess treatment response in lymphoma.

**Synonyms:**

### Debridement

The surgical removal of dead, damaged, or infected tissue from a wound to promote healing and prevent infection.

**Synonyms:**

### Debulking

Surgical removal of as much tumor as possible when complete resection is not feasible, aiming to reduce tumor burden (cytoreduction) and improve response to subsequent therapy; central to ovarian cancer management.

**Synonyms:**

### Decapitation

Separation of the head from the body, seen in severe trauma (vehicle accidents, train injuries, explosions), industrial accidents, hanging with judicial execution, or homicide. Complete decapitation is almost always rapidly fatal due to exsanguination and brain ischemia.

**Synonyms:**

### Decay Correction

Mathematical adjustment for radioactive decay during imaging. Essential for quantitative comparison between studies.

**Synonyms:**

### Decerebrate Posture

Abnormal extension of the arms and legs caused by severe dysfunction of the brainstem below the red nucleus. It is a sign of serious neurologic injury and may occur with traumatic brain injury, hemorrhage, or raised intracranial pressure.

**Synonyms:**

---

### **Decerebrate Posturing**

Abnormal extension of the arms and legs, often with inward rotation of the arms, caused by severe dysfunction below the cerebral hemispheres. It indicates serious neurologic injury, but posture alone does not determine outcome.

**Synonyms:**

### **Decerebration**

Severe loss of cerebral function, often with extension and rigid posturing of the limbs from brainstem dysfunction; it may result from major injury or increased intracranial pressure.

**Synonyms:**

### **Decibel**

A logarithmic unit (dB) used to measure the intensity of sound. The decibel scale compares a given sound pressure level to a reference level (0 dB = 20 micropascals, the threshold of normal hearing at 1 kHz). The scale is logarithmic: an increase of 10 dB represents a tenfold increase in sound intensity. Normal conversation: 60 dB.

**Synonyms:**

### **Decidua**

The transformed endometrium of pregnancy, shed after delivery. Three regions: decidua basalis (under the placenta, site of trophoblast invasion), decidua capsularis (over the gestational sac, covering the embryo), and decidua parietalis (the remainder of the uterine lining).

**Synonyms:**

### **Deciduitis**

Inflammation of the decidua, the specialized uterine lining of pregnancy.

**Synonyms:**

### **Deciduosis**

The presence of extensive or ectopic decidual tissue, usually associated with pregnancy and sometimes involving the cervix, peritoneum, or other sites.

**Synonyms:**

### **Decision-Making Capacity**

The clinical ability to understand relevant information, appreciate its consequences, reason about options, and communicate a stable choice regarding a specific decision. Capacity is decision-specific and may fluctuate; it is distinct from legal competence.

**Synonyms:**

### **Decompensated Cirrhosis**

Cirrhosis complicated by clinically significant liver dysfunction or portal hypertension, commonly manifested by ascites, variceal hemorrhage, hepatic encephalopathy, or jaundice. It carries substantially higher mortality than compensated cirrhosis and warrants assessment for transplant and complication prevention.

**Synonyms:**

### **Decomposition**

Postmortem breakdown of the body through autolysis and putrefaction. It begins within 24 to 72 hours at ambient temperature, producing green ce-cal discoloration, venous marbling, gas distension, skin slippage, and purge fluid.

**Synonyms:**

### **Decompression sickness**

A systemic illness caused by nitrogen bubble formation in tissues during rapid decompression, presenting with joint pain, skin mottling, and neurological deficits, treated with hyperbaric oxygen therapy.

**Synonyms:**

### **Deconditioning**

Physiological decline from reduced activity or immobilization. Effects: muscle atrophy, weakness, decreased cardiorespiratory fitness, balance impairment, increased fall risk. Preventable with early mobilization, exercise. Reversible with rehabilitation.

**Synonyms:**

### **Decontamination**

Measures that reduce continued absorption of a toxic substance from the skin, eyes, gastrointesti-



---

nal tract, or clothing. Interventions are exposure-specific and may include removal from the source, irrigation, washing, activated charcoal, or specialist procedures.

**Synonyms:**

### **Decorticate Posture**

Abnormal flexion of the arms with extension of the legs, indicating severe damage affecting the cerebral hemispheres, internal capsule, or thalamus. It is a sign of major brain injury and impaired consciousness.

**Synonyms:**

### **Decorticate Posturing**

Abnormal flexion of the arms with extension of the legs, caused by severe dysfunction of the brain. It indicates serious neurologic injury, but posture alone does not determine outcome.

**Synonyms:**

### **Decreased Breath Sounds**

Diminished air movement heard on auscultation, indicating decreased ventilation. Causes include pneumothorax, pleural effusion, atelectasis, and mucus plugging. Unilateral decreased breath sounds may indicate tension pneumothorax or large effusion.

**Synonyms:**

### **Decubitus Ulcer**

Localized damage to the skin and/or underlying soft tissue caused by prolonged pressure, shear, or friction, most commonly over bony prominences. See pressure injury.

**Synonyms:**

### **Deep**

Located further inward from the surface of the body.

**Synonyms:**

### **Deep Tendon Reflex**

The monosynaptic stretch reflex elicited by tapping a tendon with a reflex hammer, testing the integrity of the reflex arc (sensory afferent, spinal cord, motor

efferent). Common reflexes: biceps (C5-6), triceps (C7), brachioradialis (C5-6), knee/patellar (L3-4), ankle/Achilles (S1). Graded 0 (absent) to 4+ (hyperactive, clonus).

**Synonyms:**

### **Deep Vein Thrombosis**

A clot in a deep vein, usually of the lower limb, caused by a combination of reduced blood flow, increased clotting tendency, or vessel-wall injury. Anticoagulant treatment is used when indicated.

**Synonyms:**

### **Deep Vein Thrombosis Ultrasound**

Venous duplex ultrasound used to evaluate suspected deep-vein thrombosis. The test assesses vein compressibility and blood flow; an abnormal result is interpreted with the clinical probability and, when needed, repeat or additional testing.

**Synonyms:**

### **Deep Venous Reflux**

Retrograde flow through incompetent venous valves in the deep venous system. It contributes to chronic venous hypertension, edema, skin changes, and venous ulcer formation.

**Synonyms:**

### **Deep venous thrombosis**

Formation of a blood clot in a deep vein, most often in the leg.

**Synonyms:**

### **Defecation**

The process of eliminating feces from the body. Filling of the rectum triggers stretch receptors that initiate the defecation reflex via the sacral spinal cord (S2-S4), causing contraction of the rectal wall and relaxation of the internal anal sphincter.

**Synonyms:**

### **Defecography**

Dynamic imaging of the rectum and pelvic floor during defecation using fluoroscopy or MRI. The rectum is filled with contrast paste and the pa-

---

tient performs defecation while images are captured. Evaluates rectal prolapse, intussusception, rectocele, enterocele, and pelvic floor dyssynergia.

**Synonyms:**

### Defense Mechanisms

Psychological processes, often outside conscious awareness, that help a person manage distress or conflict. Examples include denial, projection, repression, humor, and sublimation.

**Synonyms:**

### Defense Mechanisms (Forensic)

Physical evidence patterns on a body demonstrating active resistance against an assailant prior to incapacitation.

**Synonyms:** Forensic

### Defense Wounds

Injuries sustained by a victim attempting to ward off an attack, typically found on the flexor surfaces of hands, palms, wrists, and forearms (incised/stab wounds from knives or contusions/abrasions from blunt force).

**Synonyms:**

### Defense Wounds (Inscribed)

Cuts or other injuries on the hands or forearms that may occur when a person attempts to protect against an attack. The distribution and morphology of defensive injuries may help reconstruct an assault but are not independently proof of a particular event.

**Synonyms:** Inscribed

### Defibrillation

Delivery of an unsynchronized electrical shock to terminate ventricular fibrillation or pulseless ventricular tachycardia by depolarizing a critical mass of myocardium. It is distinct from synchronized cardioversion, which times the shock to the QRS complex.

**Synonyms:**

### Defibrillator

Device delivering electric shock to heart. Types: external (AED, manual), internal (implantable). Used for ventricular fibrillation, pulseless ventricular tachycardia. Energy: biphasic 120-200 J.

**Synonyms:**

### Defibrillator Implant

An implanted cardioverter-defibrillator that detects and treats dangerous ventricular rhythms with electrical pacing or shock.

**Synonyms:**

### Degenerative Spine Disease

Lumbar spinal stenosis: central (neurogenic claudication: bilateral leg pain with walking, relieved by sitting/flexion), lateral recess, foraminal. Imaging: MRI (central canal AP diameter <10mm, cross-sectional area <70mm<sup>2</sup>).

**Synonyms:**

### Dehydration

Dehydration occurs when body water loss exceeds intake, causing thirst, reduced urination, dizziness, tachycardia, electrolyte abnormalities, or shock when severe. proportional), hypotonic (sodium loss > water). Causes: vomiting, diarrhea, fever, inadequate intake, diabetes insipidus. Treatment: oral rehydration or IV fluids.

**Synonyms:**

### Dehydration in Children

A deficit of total body water, usually caused by gastrointestinal losses, inadequate intake, fever, or renal losses. Clinical assessment includes mental status, heart rate, mucous membranes, tears, capillary refill, urine output, weight change, and perfusion rather than a single sign.

**Synonyms:**

### Delayed Cord Clamping

The practice of delaying umbilical cord clamping for  $\geq 30$ –60 seconds after delivery, allowing placental transfusion of blood to the newborn. Benefits: increases neonatal blood volume by 30%, im-

---

proves iron stores (ferritin, hemoglobin) for the first 6 months, reduces anemia, and improves transitional circulation.

**Synonyms:**

### Delayed Ejaculation

A sexual dysfunction characterized by a persistent or recurrent delay in, infrequency of, or absence of ejaculation during partnered sexual activity, lasting  $\geq 6$  months and causing marked distress. Prevalence: 1-5% of men. Lifelong vs. acquired.

**Synonyms:**

### Delayed Emergence

Prolonged time to regain consciousness after discontinuation of anesthetic agents. Failure to regain consciousness within 30-60 minutes of completing surgery.

**Synonyms:**

### Delayed Hypersensitivity

A delayed immune reaction, usually mediated by T cells rather than antibodies, that develops hours to days after exposure. Examples include contact dermatitis, the tuberculin reaction, and some drug eruptions.

**Synonyms:**

### Delayed Puberty

Failure to develop secondary sexual characteristics by age thirteen in girls and age fourteen in boys. Causes include constitutional delay which is the most common, chronic illness, malnutrition, hypogonadotropic hypogonadism from Kallmann syndrome or pituitary disease, and hypergonadotropic hypogonadism from gonadal failure.

**Synonyms:**

### Deletion

Loss of chromosomal segment. Terminal deletion: loss from end. Interstitial deletion: loss from middle. Microdeletion syndromes: 22q11.2 deletion (DiGeorge), 5p deletion (Cri-du-chat).

**Synonyms:**

### Delirium

Delirium is an acute fluctuating disturbance of attention and awareness caused by an underlying medical, medication-related, toxic, or environmental factor.

**Synonyms:**

### Delirium in Anesthesia

Delirium is an acute confusional state characterized by fluctuating consciousness, inattention, disorganized thinking, and altered level of awareness. Postoperative delirium occurs in 15 to 50 percent of elderly surgical patients, with higher rates in hip fracture and cardiac surgery.

**Synonyms:**

### Delirium Tremens

A severe, potentially life-threatening form of alcohol withdrawal characterized by fluctuating confusion, agitation, hallucinations, and marked autonomic overactivity. It usually occurs after cessation or major reduction of prolonged heavy alcohol use and requires urgent medical treatment.

**Synonyms:**

### Delivery

The process of childbirth: vaginal delivery (spontaneous vertex most common; assisted—vacuum, forceps) or cesarean delivery (abdominal). Stages of labor culminate in delivery of the infant and placenta.

**Synonyms:**

### Delivery of Posterior Arm

A shoulder dystocia maneuver: the operator's hand enters the posterior vagina along the fetal chest, finds the fetal hand, grasps the forearm, sweeps it across the chest and face, and delivers the posterior arm and hand over the perineum. This reduces the bisacromial diameter by 20% and is often highly effective.

**Synonyms:**

### Deltoid Muscle

Large triangular muscle forming the shoulder contour, from lateral clavicle, acromion, and scapular

---

spine to the deltoid tuberosity. Innervated by the axillary nerve (C5-C6). Anterior fibers flex/medially rotate, middle fibers abduct (primary abductor beyond 15 degrees), posterior fibers extend/laterally rotate.

**Synonyms:**

### **Delusion**

A fixed belief that is not consistent with available evidence or the person's sociocultural context and is not readily changed by reasoned discussion. Delusions may be persecutory, grandiose, referential, somatic, nihilistic, or erotomanic.

**Synonyms:**

### **Delusional Disorder**

A disorder characterized by the presence of one or more delusions lasting one month or more in the context of relatively preserved functioning. The delusions are non-bizarre (involving real-life situations that could conceivably occur, such as being followed, infected, loved from afar, or conspired against).

**Synonyms:**

### **Dementia**

Dementia is acquired decline in one or more cognitive domains that interferes with independent function; causes include neurodegenerative, vascular, metabolic, infectious, and other disorders. Alzheimer disease, vascular disease, Lewy body disease, frontotemporal disorders, and other conditions. Evaluation is important because some causes of cognitive decline may be treatable.

**Synonyms:**

### **Dementia (Major Neurocognitive Disorder)**

Dementia is the common clinical term for an acquired syndrome of decline in one or more cognitive domains that interferes with independence in daily activities. Major neurocognitive disorder is the preferred diagnostic classification term.

**Synonyms:** Major Neurocognitive Disorder

### **Demyelinating Disease**

A disease in which the myelin sheath surrounding nerve fibres is damaged, slowing or blocking neural conduction.

**Synonyms:**

### **Dendrite**

The branched, tapering neuronal processes that receive synaptic input from other neurons and conduct graded potentials toward the cell body. Dendrites contain receptors, ion channels, and postsynaptic densities.

**Synonyms:**

### **Dendritic Cell**

The most potent professional antigen-presenting cell, capturing antigens in tissues and migrating to lymph nodes to present peptides on MHC molecules to T cells, initiating adaptive immunity.

**Synonyms:**

### **Dendritic Ulcer**

A branching epithelial ulcer of the cornea, classically caused by herpes simplex virus. It may cause a red eye, pain, light sensitivity, tearing, or reduced vision and requires ophthalmic assessment.

**Synonyms:**

### **Dengue**

A mosquito-borne viral infection that commonly causes fever, headache, muscle pain, joint pain, and rash. Severe disease can cause bleeding or shock.

**Synonyms:**

### **Dengue fever**

Dengue fever is a mosquito-borne viral illness causing fever, headache, muscle and joint pain, rash, and sometimes plasma leakage, bleeding, or shock. flavivirus transmitted primarily by *Aedes aegypti* mosquitoes.

**Synonyms:**

### **Dengue virus**

A positive-sense RNA virus belonging to the Flaviviridae family that causes dengue fever. The virus

---

has four serotypes, and infection with one serotype provides lifelong immunity to that serotype but only temporary cross-protection against others.

**Synonyms:**

### **Denial**

A defense mechanism in which a person refuses to accept an unpleasant reality. It is a common initial response to traumatic events and terminal illness diagnoses. While adaptive in the short term, chronic denial can prevent appropriate medical treatment and psychological processing.

**Synonyms:**

### **Denosumab for Osteoporosis**

Fully human monoclonal antibody targeting RANK ligand preventing osteoclast formation activation and survival. Reduces fracture risk at the spine hip and non-vertebral sites. Administered as subcutaneous injection every six months. Advantages include no renal dose adjustment and effectiveness even with oral bisphosphonate intolerance.

**Synonyms:**

### **Dens**

The tooth-like projection of the second cervical vertebra that forms a pivot for rotation of the first vertebra.

**Synonyms:**

### **Dens Evaginatus**

An extra cusp or tubercle on a tooth, most often a premolar. It may contain an extension of the dental pulp and may fracture or become affected by caries.

**Synonyms:**

### **Dens Invaginatus**

An inward folding of enamel and dentin that may extend toward or into the dental pulp, allowing debris to collect and increasing the risk of caries and pulpal infection.

**Synonyms:**

### **Dental Abscess**

A localized collection of pus arising from infection

of a tooth or the surrounding periodontal tissues. It may cause toothache, percussion tenderness, gingival swelling, facial swelling, fever, trismus, or regional lymphadenopathy; spread into deep facial spaces can threaten the airway and requires urgent assessment.

**Synonyms:**

### **Dental Age**

An estimate of developmental age based on the formation, mineralization, and eruption of the teeth. It is useful in children but is not an exact measure of chronological age.

**Synonyms:**

### **Dental Anesthesia**

The use of local anesthetic, sedation, or, when necessary, general anesthesia to control pain and anxiety during dental care.

**Synonyms:**

### **Dental Caries**

A disease in which bacterial acids progressively demineralize and damage the teeth. See Dental Cavities.

**Synonyms:**

### **Dental Cavities**

Permanent areas of tooth decay caused by acid-producing bacteria acting on dietary carbohydrates. Cavities progress from enamel demineralization to dentin and pulp involvement, causing sensitivity, pain, or infection.

**Synonyms:**

### **Dental Ceramic**

A ceramic material used to make dental restorations such as crowns, veneers, and bridges. Examples include feldspathic ceramic, lithium disilicate, and zirconia.

**Synonyms:**

### **Dental Disease**

Disorders affecting the teeth, gums, or supporting tissues, including tooth decay, gum disease, oral infections, and tooth loss. Prevention includes fluo-

---

ride, regular brushing and flossing, limiting frequent sugar exposure, and routine dental examinations.

**Synonyms:**

### **Dental Extraction**

Removal of a tooth from its alveolar socket. Indications include unrestorable disease, advanced periodontal destruction, impaction, orthodontic treatment, or selected prosthodontic needs; risks include bleeding, infection, nerve injury, fracture, and alveolar osteitis.

**Synonyms:**

### **Dental Implant**

A biocompatible fixture placed in the jawbone to support a replacement tooth. The fixture may become integrated with surrounding bone and is restored with a crown, bridge, or denture.

**Synonyms:**

### **Dental Plaque**

Biofilm of bacteria on tooth surfaces. Initiated by acquired pellicle. Maturation leads to disease if not removed. Disrupted by mechanical cleaning.

**Synonyms:**

### **Dental Pulp Necrosis**

Death of the dental pulp, usually following untreated inflammation, trauma, or loss of blood supply. The tooth generally fails sensibility testing and may develop apical periodontitis or a periapical abscess.

**Synonyms:**

### **Dental Pulpitis**

Inflammation of the dental pulp caused by caries, trauma, restorative procedures, cracks, or other irritation. Reversible pulpitis produces brief provoked pain, whereas irreversible pulpitis causes spontaneous or lingering pain and may require pulpal treatment or extraction.

**Synonyms:**

### **Dental Radiographs**

Imaging for dental diagnosis. Intraoral: periapical (tooth root and surrounding bone), bitewing (inter-

proximal caries detection, crestal bone level), and occlusal (larger area, localization).

**Synonyms:**

### **Dental Radiography**

Imaging techniques for dental diagnosis: bitewing (caries, bone levels), periapical (root, periapical tissues), panoramic (full mouth overview), CBCT (3D imaging). Radiation dose: dental radiography low exposure. ALARA principle applies.

**Synonyms:**

### **Dental Restorative Materials**

Materials used to restore teeth: amalgam, composite resin, glass ionomer, ceramic, gold alloy. Selection based on location, aesthetics, strength, cost, patient factors. Composite: tooth-colored, adhesive, conservative preparation. Ceramic: excellent aesthetics, brittle, expensive. Gold: durable, biocompatible, aesthetic concern.

**Synonyms:**

### **Dental Screening**

Examination of the teeth, gums, and mouth to identify dental disease or risk before serious symptoms develop.

**Synonyms:**

### **Dental Sealant**

Thin protective coating applied to chewing surfaces of molars. Prevents caries by sealing pits and fissures.

**Synonyms:**

### **Dental Traumatology**

Management of dental injuries. Types: enamel fractures, enamel-dentin fractures, pulp exposure, root fractures, avulsion. Immediate care critical for avulsed teeth.

**Synonyms:**

### **Dentin**

Calcified tissue beneath enamel forming bulk of tooth. Contains dentinal tubules with fluid and processes. Sensitive to stimuli when exposed. Repara-



---

tive dentin formed in response to irritation.

**Synonyms:**

### **Dentinogenesis Imperfecta**

An inherited disorder of dentin formation that can cause translucent blue-gray or amber teeth that fracture, wear, or become discolored easily. Some forms occur with osteogenesis imperfecta.

**Synonyms:**

### **Dentistry (Geriatric)**

Oral health challenges in elderly: xerostomia, root caries, periodontal disease, denture problems, oral cancer, medication side effects. Assessment: complete oral exam, cancer screening, denture fit, caries risk. Prevention: fluoride, oral hygiene, regular dental visits. Adaptations: handholds, magnification, positioning.

**Synonyms:** Geriatric

### **Dentition**

The teeth present in the mouth, including their number, arrangement, development, and eruption.

**Synonyms:**

### **Denture**

A removable dental prosthesis that replaces some or all missing teeth and associated oral tissues. Partial dentures replace selected teeth while complete dentures replace an entire dental arch; fit, oral hygiene, tissue health, and regular review are important for function and prevention of mucosal injury.

**Synonyms:**

### **Dependence**

A state in which repeated exposure to a substance produces physiologic adaptation, so that stopping or reducing it may cause withdrawal. In substance-use disorders, dependence may occur with or without addiction.

**Synonyms:**

### **Dependent Personality Disorder**

A pattern of submissive and clinging behavior related to an excessive need to be taken care of.

**Synonyms:**

### **Depersonalization-Derealization Disorder**

A disorder involving persistent or recurrent feelings of detachment from one's thoughts, feelings, body, or surroundings, while reality testing remains intact. Symptoms cause clinically significant distress or impairment.

**Synonyms:**

### **Depolarization**

The change in membrane potential toward a less negative (more positive) value, typically caused by inward sodium or calcium current. In neurons, depolarization to threshold triggers an action potential.

**Synonyms:**

### **Depot Implant**

An implant designed to release a medicine gradually over an extended period after placement in the body.

**Synonyms:**

### **Deprescribing**

A planned, supervised process of reducing the dose or stopping a medication for which harms, burden, or lack of benefit outweigh expected benefit. It requires review of indication, withdrawal risk, disease recurrence, and patient goals.

**Synonyms:**

### **Depression**

Depression is a mood disorder involving persistent depressed mood or loss of interest with cognitive, physical, and behavioral symptoms that impair functioning. persistent sadness and loss of interest or pleasure in activities, affecting approximately 7 percent of adults worldwide annually.

**Synonyms:**

### **Depression (Geriatric)**

Mood disorder common in elderly, often underdiagnosed. Symptoms: sad mood, anhedonia, sleep/appetite changes, fatigue, guilt, concentration difficulty, suicidal ideation. May present as cognitive impairment ("pseudodementia"). Risk fac-

---

tors: chronic illness, social isolation, bereavement, medications.

**Synonyms:** Geriatric

### Depression Screening

Major depressive disorder is a common, disabling mood disorder characterized by persistent sadness and loss of interest or pleasure in activities, affecting approximately 7 percent of adults worldwide annually. See depression.

**Synonyms:**

### Dermal Structure

The dermis has two layers: papillary dermis (superficial, thin, containing capillaries, lymphatics, and Meissner corpuscles) and reticular dermis (deep, thick, containing dense irregular connective tissue, collagen, elastin, hair follicles, sweat glands, and sebaceous glands).

**Synonyms:**

### Dermatitis

Inflammation of the skin, often used interchangeably with eczema. Atopic dermatitis: chronic pruritic inflammation in flexural areas, associated with asthma and allergies, driven by skin barrier dysfunction and type 2 inflammation. Contact dermatitis: allergic (type IV hypersensitivity) or irritant (direct toxicity).

**Synonyms:**

### Dermatitis Herpetiformis

A chronic, intensely pruritic, autoimmune blistering skin condition characterized by grouped, symmetric erythematous papules, urticarial plaques, and vesicles occurring primarily on extensor surfaces (elbows, knees, buttocks, scalp). It is a cutaneous manifestation of gluten-sensitive enteropathy (celiac disease).

**Synonyms:**

### Dermatofibroma

A common benign dermal nodule, typically on the lower extremities of young adults. It presents as a firm, hyperpigmented papule that dimples when

pinched (Fitzpatrick sign). It is thought to result from reactive fibrosis following minor trauma or insect bites. Dermatofibromas are asymptomatic and require no treatment.

**Synonyms:**

### Dermatofibrosarcoma

Dermatofibrosarcoma protuberans is a locally aggressive fibrohistiocytic tumor of the skin. It typically presents as a slowly enlarging, indurated plaque on the trunk, which may develop nodules over time. It has a high local recurrence rate (up to 50 percent with simple excision) but low metastatic potential.

**Synonyms:**

### Dermatofibrosarcoma Protuberans

A rare locally aggressive cutaneous sarcoma arising from dermal fibroblasts. It presents as a slow-growing, firm, reddish-purple plaque or nodule, typically on the trunk. It has a high local recurrence rate but low metastatic potential. Treatment is wide local excision with Mohs micrographic surgery or imatinib for unresectable disease.

**Synonyms:**

### Dermatographism

Urticaria factitia: the development of linear wheals (hives) within minutes of stroking or scratching the skin, the most common form of physical urticaria. Mast cell hyper-reactivity releases histamine after minor mechanical pressure. Associated with chronic spontaneous urticaria and atopy.

**Synonyms:**

### Dermatomyositis

Dermatomyositis is an autoimmune inflammatory myopathy characterized by proximal muscle weakness and distinctive skin findings, with possible lung, swallowing, or cancer associations. knuckles), heliotrope rash (purple periorbital), shawl/V sign erythema, and proximal muscle weakness; associated with interstitial lung disease, and in adults an increased risk of malignancy (ovary, lung, GI).

**Synonyms:**

---

## Dermatopathology

The study of skin disease through examination of tissue specimens, usually with microscopy and related laboratory methods. It helps identify inflammatory, infectious, benign, and malignant skin disorders.

**Synonyms:**

## Dermatophytosis

A superficial infection of keratinized skin, hair, or nails caused by dermatophyte fungi, producing conditions such as tinea corporis, tinea pedis, and onychomycosis.

**Synonyms:**

## Dermis

Thick connective tissue layer beneath the epidermis providing structural support, elasticity, and nourishment. Two layers: papillary (superficial, loose connective tissue with dermal papillae interdigitating with epidermal ridges) and reticular (deep, dense irregular connective tissue).

**Synonyms:**

## Dermoid

A benign cystic teratoma containing elements derived from ectoderm, including skin, hair follicles, sebaceous glands, and sometimes teeth. Ovarian dermoid cysts are the most common germ cell tumor of the ovary, typically occurring in young women. They are usually asymptomatic but may cause torsion, rupture, or malignant transformation.

**Synonyms:**

## Dermoid Cyst

A usually benign cyst lined by tissue resembling skin and sometimes containing hair, glands, or other skin structures.

**Synonyms:**

## Dermoscopy

Noninvasive examination of skin lesions with magnification and polarized or nonpolarized illumination that reveals structures not visible to the unaided eye. It improves assessment of pigmented lesions and selected inflammatory or infectious conditions

but does not replace biopsy when malignancy is suspected.

**Synonyms:**

## Descending Colon

From the splenic flexure to the left iliac fossa, approximately 25-30 cm, and mostly retroperitoneal and fixed to the posterior abdominal wall. The phrenicocolic ligament supports the splenic flexure. Anteriorly it is related to small intestine; posteriorly to the left kidney. It absorbs water and electrolytes and compacts fecal matter.

**Synonyms:**

## Descending Thoracic Aorta

The portion of the aorta extending from the aortic arch to the diaphragm. It lies in the posterior mediastinum and gives branches to the thoracic wall and organs.

**Synonyms:**

## Desmoid Tumor

A locally aggressive but non-metastasizing fibrous tumor (fibromatosis), associated with familial adenomatous polyposis. Treatment includes surgery, radiation, and systemic therapy; recurrence after resection is common.

**Synonyms:**

## Desquamative Interstitial Pneumonia

A rare ILD characterized by uniform filling of alveoli with macrophages containing brown pigment (hemosiderin-laden). It is strongly associated with smoking. HRCT shows bilateral ground-glass opacities with lower lobe predominance. Smoking cessation and corticosteroids are the main treatments.

**Synonyms:**

## Detached Retina

Separation of the neurosensory retina from the underlying retinal pigment epithelium (RPE), a medical emergency requiring prompt surgical repair to prevent permanent vision loss.

**Synonyms:**

---

### **Deterministic Effects**

Tissue reactions caused by radiation that generally occur only above a threshold dose, with severity increasing as the dose rises. Examples include skin injury, cataracts, and tissue damage after substantial exposure.

**Synonyms:**

### **Detoxification**

Removal of toxic substance from body. Methods: activated charcoal, gastric lavage (rarely used), whole bowel irrigation, hemodialysis, hemoperfusion, chelation, supportive care.

**Synonyms:**

### **Developmental Dysplasia of the Hip**

A spectrum of hip abnormalities in infants and children, ranging from mild acetabular dysplasia to complete hip dislocation. The femoral head is partially or completely displaced from the acetabulum due to capsular laxity and acetabular underdevelopment.

**Synonyms:**

### **Developmental Milestones**

Skills and abilities that children typically acquire at predictable ages. Examples: social smile at 2 months, rolling over at 4-6 months, sitting independently at 6-8 months, walking at 12 months, and speaking two-word phrases at 2 years. Delays in reaching milestones may indicate developmental delay, autism, or neurologic impairment.

**Synonyms:**

### **Developmental Regression**

Loss of previously acquired developmental skills. Regression is a neurologic red flag requiring prompt evaluation for genetic, metabolic, neurodegenerative, epileptic, infectious, or structural causes.

**Synonyms:**

### **Developmental Surveillance**

The ongoing process of eliciting caregiver concerns, observing the child, documenting developmental history, and monitoring milestones during routine

care. It differs from formal developmental screening, which uses standardized instruments at specified ages.

**Synonyms:**

### **Deviated Septum**

Displacement of the nasal septum from the midline, congenital or acquired from trauma, and present to some degree in most adults. Significant deviation narrows one nasal cavity, impairing airflow and sinus drainage and producing obstruction, congestion, recurrent sinusitis, epistaxis, and sleep disturbance.

**Synonyms:**

### **Devic Disease**

Neuromyelitis optica spectrum disorder, an autoimmune disease that primarily affects the optic nerves and spinal cord.

**Synonyms:**

### **DEXA (Dual-Energy X-ray Absorptiometry)**

Measures bone mineral density (BMD) at spine and hip. T-score compares to young adult reference. Osteoporosis: T-score  $\leq -2.5$ . Osteopenia: -1.0 to -2.5. Low radiation dose.

**Synonyms:** Dual-Energy X-ray Absorptiometry

### **Dexamethasone Suppression Test**

A dynamic test used to assess cortisol regulation. In normal physiology, dexamethasone suppresses ACTH and cortisol; failure of suppression supports endogenous hypercortisolism but requires interpretation with medication, absorption, and comorbidity considerations.

**Synonyms:**

### **Dextrocardia**

Dextrocardia concerns dextrocardia; its medical significance is established from the defining features, setting, associated findings, and clinical question. hemithorax with the apex pointing to the right.

**Synonyms:**

---

## Diabetes

Diabetes is chronic hyperglycemia caused by inadequate insulin secretion, insulin resistance, or both, with long-term risks to the eyes, kidneys, nerves, heart, and blood vessels. inadequate insulin secretion, impaired insulin action, or both. Chronic hyperglycemia can damage the eyes, kidneys, nerves, heart, and blood vessels. Major forms include type 1, type 2, and gestational diabetes.

**Synonyms:**

## Diabetes and Metabolic Health

Closely linked through insulin resistance, obesity, dyslipidemia, and hypertension, collectively known as the metabolic syndrome. Poor metabolic health increases the risk of developing type 2 diabetes and worsens glycemic control in existing diabetes.

**Synonyms:**

## Diabetes Complications

Diabetes complications arise from chronic hyperglycemia damaging blood vessels and nerves over time. Microvascular complications include diabetic retinopathy leading to vision loss, nephropathy progressing to kidney failure, and neuropathy causing pain and loss of sensation.

**Synonyms:**

## Diabetes insipidus

Diabetes insipidus is a medical condition involving diabetes insipidus; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. hours) and polydipsia due to deficient secretion of antidiuretic hormone (ADH, vasopressin) from the posterior pituitary (central diabetes insipidus) or renal resistance to ADH action (nephrogenic diabetes insipidus).

**Synonyms:**

## Diabetes Management

The coordinated use of nutrition, physical activity, medicines when indicated, glucose monitoring, and screening for complications to maintain health and reduce diabetes-related risk.

**Synonyms:**

## Diabetes Medications

Diabetes medications lower blood glucose through various mechanisms: metformin reduces hepatic glucose production; sulfonylureas stimulate insulin secretion; SGLT2 inhibitors increase urinary glucose excretion; GLP-1 receptor agonists enhance incretin effects; and insulin replaces deficient hormone.

**Synonyms:**

## Diabetes Mellitus

A metabolic disorder characterized by chronic hyperglycemia resulting from insufficient insulin production, insulin resistance, or both. Type 1 diabetes results from autoimmune destruction of pancreatic beta cells, while type 2 is driven by genetic and lifestyle factors leading to insulin resistance.

**Synonyms:**

## Diabetes Mellitus Type 1

An autoimmune disease characterized by destruction of pancreatic beta cells leading to absolute insulin deficiency. Usually presents in childhood or young adulthood with acute onset of polyuria, polydipsia, weight loss, and diabetic ketoacidosis (DKA) at diagnosis in many.

**Synonyms:**

## Diabetes Mellitus Type 2

A progressive metabolic disorder characterized by insulin resistance and relative insulin deficiency, strongly associated with obesity and physical inactivity. Typically presents in adults but increasingly seen in younger populations. Diagnosis: fasting glucose  $\geq 126$  mg/dL, HbA1c  $\geq 6.5\%$ , or OGTT  $\geq 200$  mg/dL.

**Synonyms:**

## Diabetes Prevention

Preventing diabetes focuses on reducing the risk of developing type 2 diabetes through lifestyle interventions and risk factor management. Maintaining a healthy body weight, engaging in regular physical activity, and following a balanced diet low in refined sugars and saturated fats are cornerstone strategies.

**Synonyms:**

---

### Diabetic Autonomic Neuropathy

Dysfunction of autonomic nerves caused by diabetes, affecting cardiovascular, gastrointestinal, genitourinary, sudomotor, and pupillary systems. Manifestations include orthostatic hypotension, resting tachycardia, gastroparesis, bladder dysfunction, erectile dysfunction, and impaired hypoglycemia awareness.

**Synonyms:**

### Diabetic Cardiomyopathy

Damage to the heart muscle associated with diabetes that occurs independently of coronary artery disease or hypertension. It may cause impaired relaxation, reduced pumping function, heart failure, and rhythm problems; glucose and cardiovascular risk control can reduce risk.

**Synonyms:**

### Diabetic Complications

The chronic and acute consequences of diabetes mellitus. Microvascular: retinopathy (leading cause of blindness), nephropathy (leading cause of ESRD—albuminuria, declining GFR), neuropathy (peripheral—stocking-glove, autonomic—gastroparesis, erectile dysfunction, postural hypotension, cardiac autonomic).

**Synonyms:**

### Diabetic Diet

An individualized eating plan that considers carbohydrate amount and timing, overall nutrition, cultural preferences, and treatment goals to support blood-glucose control.

**Synonyms:**

### Diabetic Foot

Foot problems associated with diabetes, including neuropathy, deformity, ulcers, infection, and impaired healing.

**Synonyms:**

### Diabetic Foot Disease

Complex multifactorial condition resulting from the combination of peripheral neuropathy, peripheral arterial disease, and impaired immune function in

diabetes. Neuropathy leads to loss of protective sensation and foot deformities. Peripheral arterial disease impairs healing. Minor trauma progresses to ulceration and infection.

**Synonyms:**

### Diabetic Foot Ulcer

A chronic wound of the foot in a patient with diabetes, resulting from peripheral neuropathy, peripheral artery disease, and impaired wound healing. Neuropathic ulcers: painless, at pressure points (plantar metatarsal heads, heel), punched-out appearance, surrounded by callus.

**Synonyms:**

### Diabetic Hyperosmolar Hyperglycemic State

A severe complication of diabetes marked by extreme hyperglycemia, increased serum osmolality, and dehydration with little or no ketoacidosis. It can cause altered consciousness and requires urgent hospital treatment.

**Synonyms:**

### Diabetic Ketoacidosis

An acute, life-threatening diabetes complication characterized by ketone production and metabolic acidosis, usually with elevated blood glucose. It may be triggered by infection, insufficient insulin, myocardial infarction, pancreatitis, or other physiologic stress.

**Synonyms:**

### Diabetic Ketoacidosis Monitoring

Monitoring during DKA management includes hourly blood glucose measurement, serum electrolytes every two to four hours, venous blood gas assessment, beta-hydroxybutyrate levels, and fluid balance.

**Synonyms:**

### Diabetic Macular Edema

The accumulation of fluid within the macula due to breakdown of the blood-retinal barrier in diabetic retinopathy, resulting in thickening of the macula



---

and central vision loss, and it can occur at any stage of diabetic retinopathy, from mild non-proliferative to proliferative disease.

**Synonyms:**

### Diabetic Nephropathy

Kidney disease caused by diabetes mellitus, the leading cause of ESRD worldwide. Pathophysiology: hyperglycemia-induced glomerular hyperfiltration, basement membrane thickening, mesangial expansion, and glomerulosclerosis. Presents with progressive albuminuria (microalbuminuria macroalbuminuria) and declining GFR.

**Synonyms:**

### Diabetic Neuropathy

Nerve dysfunction caused by diabetes. It may cause distal sensory loss and pain or affect autonomic functions such as digestion, blood pressure, sweating, bladder function, or sexual function.

**Synonyms:**

### Diabetic Peripheral Neuropathy

The most common complication of diabetes mellitus, affecting approximately fifty percent of patients with long-standing disease. It is a length-dependent, sensorimotor polyneuropathy that affects the distal lower extremities first, in a glove-and-stocking distribution, and progresses proximally over time.

**Synonyms:**

### Diabetic Retinopathy

A microvascular complication of diabetes mellitus and a leading cause of blindness in working-age adults. Non-proliferative DR (NPDR): microaneurysms, dot-blot hemorrhages, exudates (hard and cotton-wool spots), and venous beading. Proliferative DR (PDR): retinal neovascularization, vitreous hemorrhage, and tractional retinal detachment.

**Synonyms:**

### Diagnosis

The identification of a disease or other health condition through clinical history, examination, and appropriate investigations. A differential diagnosis

considers alternative explanations for the findings.

**Synonyms:**

### Diagnostic microbiology

The laboratory identification of microorganisms causing disease. Methods include microscopy, culture, biochemical testing, serology, and molecular methods. Rapid diagnostic tests provide same-day results. MALDI-TOF mass spectrometry revolutionized bacterial identification.

**Synonyms:**

### Diagnostic Radiology

The medical specialty that uses imaging methods to diagnose and characterize disease, including X-ray, ultrasound, computed tomography, magnetic resonance imaging, and nuclear medicine.

**Synonyms:**

### Diagnostic Test

A test used to evaluate a person with symptoms, signs, or an abnormal screening result to establish, exclude, or characterize a disease. Its usefulness depends on analytic validity, clinical performance, and the consequences of the result.

**Synonyms:**

### Diagnostic Uncertainty

The state in which available information does not establish a single diagnosis with sufficient confidence. It should be communicated transparently and managed with safety-netting, planned reassessment, and targeted additional evaluation.

**Synonyms:**

### Dialectical Behavior Therapy

A comprehensive cognitive-behavioral treatment originally developed for borderline personality disorder. It combines cognitive-behavioral techniques with mindfulness and acceptance strategies. Core modules include mindfulness, distress tolerance, emotion regulation, and interpersonal effectiveness.

**Synonyms:**

---

## Dialysis

Removal of excess fluid and waste products from the blood when kidney function is inadequate, using hemodialysis or peritoneal dialysis.

**Synonyms:**

## Dialysis Access

A vascular route used for hemodialysis, such as an arteriovenous fistula, arteriovenous graft, or central venous catheter. Each option has different benefits and risks.

**Synonyms:**

## Dialysis Adequacy

The degree to which a dialysis prescription removes uremic solutes and controls fluid, electrolyte, and acid-base balance while meeting patient-centered treatment goals. Measures such as Kt/V and urea reduction ratio are used for hemodialysis, but clinical status remains essential.

**Synonyms:**

## Dialysis Disequilibrium Syndrome

Neurological complications during hemodialysis in severely uremic patients. Headache, nausea, confusion, seizures, and coma. Results from rapid solute removal causing cerebral edema. Prevent with gradual dialysis initiation and shorter initial sessions.

**Synonyms:**

## Diaper Rash

Irritant inflammation of the skin covered by a diaper, commonly caused by prolonged contact with urine or stool, friction, moisture, or *Candida* infection. It causes redness and soreness; persistent, severe, or spreading rash requires evaluation for infection or another skin condition.

**Synonyms:**

## Diaphragm

Dome-shaped musculotendinous partition separating thoracic/abdominal cavities, primary inspiration muscle. Central tendon with muscular periphery from xiphoid, lower six costal cartilages, and lumbar vertebrae via crura and arcuate ligaments. In-

nervated by phrenic nerves (C3-C5). Contraction flattens the dome increasing thoracic volume.

**Synonyms:**

## Diaphragmatic Hernia

Protrusion of abdominal contents through a defect or opening in the diaphragm into the thoracic cavity. It may be congenital or acquired after trauma and can cause respiratory compromise, bowel obstruction, or strangulation; diagnosis is based on imaging and management depends on symptoms, contents, and the risk of organ compromise.

**Synonyms:**

## Diaphragmatic rupture

A tear in the diaphragm most commonly caused by blunt or penetrating thoracoabdominal trauma, with the left side affected in approximately 75 percent of cases due to the protective effect of the liver on the right. Herniation of abdominal viscera into the thorax may cause respiratory distress, bowel obstruction, or strangulation.

**Synonyms:**

## Diaphysis

The shaft of a long bone, comprising thick cortical (compact) bone surrounding the medullary cavity, which contains bone marrow in children and is largely yellow (fatty) marrow in adults. Enclosed by periosteum; the nutrient artery enters here. Fractures of the diaphysis heal by callus formation (enchondral and intramembranous).

**Synonyms:**

## Diarrhea

Diarrhea is passage of loose or watery stools more frequently than usual; duration, blood, fever, dehydration, exposures, and associated symptoms guide evaluation. Medicines, dietary factors, inflammation, malabsorption, or other conditions. Associated symptoms and the need for testing or treatment depend on severity, duration, and the person's clinical features.

**Synonyms:**

---

## Diarrhea, Constipation, Gas, and Bloating

These common gastrointestinal symptoms arise from disruptions in normal digestive function caused by diet, infections, medications, or underlying conditions like irritable bowel syndrome. Diarrhea involves increased stool frequency and water content, while constipation involves infrequent or difficult passage of stool.

**Synonyms:**

## Diastasis Recti

Separation and thinning of the linea alba between the two rectus abdominis muscles, commonly occurring during or after pregnancy. It produces a midline abdominal bulge that becomes prominent with raised intra-abdominal pressure.

**Synonyms:**

## Diastole

The phase of the cardiac cycle when the heart muscle relaxes, allowing the chambers to fill with blood.

**Synonyms:**

## Diastolic Dysfunction

Impaired relaxation, compliance, or filling of the left or right ventricle during diastole. It can raise filling pressures and cause exertional dyspnoea, pulmonary congestion, or heart failure with preserved ejection fraction; echocardiography assesses relaxation, chamber structure, and estimated filling pressure.

**Synonyms:**

## Diathermy

The use of high-frequency electrical current to generate heat for surgical purposes, including cutting tissue, coagulating blood vessels to stop bleeding (hemostasis), and destroying abnormal tissue (electrocautery, electrocoagulation).

**Synonyms:**

## Diatom Test

Forensic technique used to support the diagnosis of drowning; microscopic silica-shelled diatoms present

in drowning water enter lungs, penetrate alveolar capillaries, and circulate to distant closed organs (femur bone marrow, brain) only if active circulation was present at time of submersion.

**Synonyms:**

## Dichorionic Twins

Twins that each have a separate chorion and amnion. All dizygotic twins are dichorionic, and some monozygotic twins are as well. Each fetus usually has a separate placental circulation, although the placentas may appear fused; complications include preterm birth and growth disturbance.

**Synonyms:**

## DICOM

Digital Imaging and Communications in Medicine. Standard for medical image exchange.

**Synonyms:**

## Dietary Assessment

The systematic evaluation of a person's food and nutrient intake, using methods such as a food diary, 24-hour recall, or food-frequency questionnaire.

**Synonyms:**

## Dietary Fat

A macronutrient composed mainly of triglycerides and fatty acids that provides approximately 9 kcal per gram. Fat supports cell membranes, energy storage, absorption of vitamins A, D, E, and K, and synthesis of signaling molecules; the type of fat affects cardiometabolic risk.

**Synonyms:**

## Dietary Reference Intakes

Reference values for nutrient intake: RDA (Recommended Dietary Allowance), AI (Adequate Intake), UL (Tolerable Upper Intake Level), EAR (Estimated Average Requirement).

**Synonyms:**

## Dieulafoy Lesion

Large caliber persistent submucosal artery in the stomach wall that can cause massive gastrointesti-

---

nal bleeding. The artery is abnormally large and superficial, lacking the normal tapering into smaller arterioles. Presents with hematemesis or melena without a visible ulcer.

**Synonyms:**

### Differential Diagnosis

The process of distinguishing a particular disease or condition from others that present with similar symptoms. Systematic approach: consider life-threatening conditions first, use pretest probability, apply diagnostic criteria, and order targeted tests.

**Synonyms:**

### Differentiation

The process by which cells develop specialized structures and functions. In pathology, the term also describes how closely tumor cells resemble the normal tissue from which they arose.

**Synonyms:**

### Difficult Airway

A clinical situation in which a trained clinician has difficulty with oxygenation, ventilation, supraglottic airway placement, laryngoscopy, or tracheal intubation. It may result from anatomical features, illness, trauma, or limited equipment and requires an appropriate airway plan.

**Synonyms:**

### Difficult Intubation

Difficulty placing an endotracheal tube despite appropriate technique and equipment. Risk may be increased by limited mouth opening or neck movement, abnormal airway anatomy, facial trauma, obesity, or a previous difficult airway. Preparation includes assessment, preoxygenation, and backup airway plans.

**Synonyms:**

### Diffuse Axonal Injury

Widespread injury to nerve fibers caused by acceleration or deceleration of the brain. It may produce prolonged impaired consciousness, and MRI can show characteristic lesions.

**Synonyms:**

### Diffuse Esophageal Spasm

A motility disorder characterised by premature, uncoordinated esophageal contractions, causing intermittent chest pain and dysphagia for liquids and solids. Endoscopy excludes structural disease; high-resolution manometry confirms premature contractions.

**Synonyms:**

### Diffusing Capacity

Ability of lungs to transfer gas from alveoli to blood. Reduced in emphysema, ILD, and anemia. Increased in pulmonary hemorrhage and left-to-right shunts.

**Synonyms:**

### Diffusing Capacity of the Lung

The capacity of the respiratory membrane to transfer gas from alveolar air into pulmonary capillary blood. It depends on surface area, membrane thickness, gas properties, hemoglobin, and pulmonary capillary blood volume and is commonly measured with carbon monoxide as DLCO.

**Synonyms:**

### Diffusion

The net movement of molecules from an area of higher concentration to lower concentration due to random thermal motion (Brownian motion).

**Synonyms:**

### Diffusion Restriction

Reduced movement of water molecules detected by diffusion-sensitive MRI sequences, usually appearing bright on DWI with corresponding low ADC. It may indicate acute ischemia but can also occur with abscess, hypercellular tumor, seizure, and other processes.

**Synonyms:**

### Diffusion-Weighted Imaging

An MRI technique that detects differences in the movement of water molecules within tissue. Restricted diffusion may occur in acute stroke, abscess, hypercellular tumors, and other conditions.

---

**Synonyms:**

### DiGeorge Syndrome

A disorder usually caused by a deletion of part of chromosome 22 that can affect development of the thymus, parathyroid glands, heart, palate, and immune system. It is also called 22q11.2 deletion syndrome.

**Synonyms:** 22q11.

### Digestion

The process by which the body breaks down ingested food into smaller molecules that can be absorbed and utilized. Digestion begins in the mouth (mechanical–mastication; enzymatic–salivary amylase for starch, lingual lipase).

**Synonyms:**

### Digestive Health

The efficient functioning of the gastrointestinal tract in breaking down food, absorbing nutrients, and eliminating waste. Digestive health depends on factors such as diet, hydration, gut microbiome balance, and the integrity of the digestive mucosa.

**Synonyms:**

### Digital Clubbing

Bulbous enlargement of distal phalanges with loss of nail-bed angle ( $> 180$  degrees). Associated with lung cancer, ILD, bronchiectasis, and cyanotic heart disease.

**Synonyms:**

### Digital ischemia

Reduced arterial blood flow to the fingers causing pain, pallor, coolness, and potential tissue necrosis. Causes include Raynaud phenomenon, thromboangiitis obliterans, cholesterol emboli, and arterial thrombosis. Severe cases may require amputation of affected digits.

**Synonyms:**

### Digital Mucous Cyst

A benign ganglion cyst arising from the distal interphalangeal joint, presenting as a translucent, dome-

shaped nodule on the dorsal aspect of the finger near the nail fold. It is associated with osteoarthritis of the DIP joint.

**Synonyms:**

### Digital Subtraction Angiography

An imaging technique that subtracts precontrast images from contrast-enhanced images to show blood vessels more clearly. It can also guide selected vascular procedures.

**Synonyms:**

### Digitalis (Digoxin) Toxicity

Nausea, vomiting, visual changes (yellow halos), arrhythmias. Risk: narrow therapeutic index, renal impairment, hypokalemia. Treatment: digoxin immune Fab, cardiac monitoring, correct electrolytes.

**Synonyms:** Digoxin

### Digitalis toxicity

Digitalis toxicity involves toxic exposure to digitalis toxicity; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach. digitoxin) characterized by a narrow therapeutic index (0.5-2.0 ng/mL for digoxin).

**Synonyms:**

### Digoxin Immune Fab

Antibody fragments that bind free digoxin and related cardiac glycosides, reducing their tissue activity. Indications include life-threatening dysrhythmia, severe hyperkalemia from acute toxicity, or a potentially massive ingestion.

**Synonyms:**

### Dilated Cardiomyopathy

A disease of the heart muscle in which one or more chambers enlarge and contract poorly, usually causing reduced ejection fraction. Causes include inherited disease, infection, toxins, medicines, pregnancy, and ischemic or inflammatory injury.

**Synonyms:**

### Dilated Cardiomyopathy Prognosis

Prognosis varies widely and depends on ventricular

---

function, symptoms, cause, arrhythmias, comorbidities, and response to treatment. Guideline-directed therapy can improve cardiac function in some people, while severe disease may lead to heart failure, arrhythmia, or the need for advanced therapies.

**Synonyms:**

### **Dilation and Curettage**

Surgical dilation of the cervix and curettage (scraping) of the uterine lining. Indications: incomplete or missed abortion (miscarriage management), therapeutic abortion, endometrial sampling (abnormal uterine bleeding, postmenopausal bleeding, endometrial hyperplasia/cancer), and removal of retained products of conception (RPOC).

**Synonyms:**

### **Dilator**

An instrument or device used to gradually widen a body opening or passage.

**Synonyms:**

### **Dilute Russell Viper Venom Time**

A phospholipid-dependent clotting assay used mainly to detect lupus anticoagulant. It is commonly performed as part of laboratory evaluation for antiphospholipid syndrome, with confirmatory testing required because anticoagulants and other factor abnormalities can affect the result.

**Synonyms:**

### **Dimercaprol**

Chelating agent for arsenic, mercury, gold. Given IM. Side effects: hypertension, tachycardia, nausea, pain at injection site.

**Synonyms:**

### **Dinoprostone (Cervidil, Prepidil)**

A prostaglandin E2 medicine used to soften the cervix and help initiate labor. It is available in several formulations, and administration requires obstetric monitoring because it can cause excessive uterine activity or fetal effects.

**Synonyms:** Cervidil, Prepidil

### **Dipeptidyl Peptidase-4 Inhibitors**

Oral glucose-lowering medications including sitagliptin, saxagliptin, linagliptin, and alogliptin that inhibit the enzyme degrading incretin hormones GLP-1 and GIP. Resulting increase in active incretin levels enhances glucose-dependent insulin secretion and suppresses glucagon. Neutral effect on weight and low hypoglycemia risk.

**Synonyms:**

### **Diphtheria**

Diphtheria is a toxin-producing *Corynebacterium* infection that can form a pharyngeal pseudomembrane and cause airway obstruction, myocarditis, and neuropathy. gram-positive aerobic bacillus that produces a potent exotoxin that inhibits protein synthesis via ADP-ribosylation of elongation factor 2, causing local tissue necrosis and systemic toxicity.

**Synonyms:**

### **Diphtheria Vaccine**

Toxoid vaccine containing formalin-inactivated diphtheria toxin, providing immunity against the exotoxin produced by *Corynebacterium diphtheriae* rather than the bacterium itself.

**Synonyms:**

### **Diphylobothrium latum**

The fish tapeworm, a large cestode infecting humans through consumption of raw or undercooked freshwater fish. It can grow up to 10 meters in length and absorbs vitamin B12 in the intestine, potentially causing megaloblastic anemia. Diagnosis is by identification of eggs or proglottids in stool. Treatment is with praziquantel.

**Synonyms:**

### **Diplopia**

Double vision, in which one object is perceived as two. It may result from ocular misalignment, nerve disease, muscle disease, or a brain disorder.

**Synonyms:**

### **Diplopia (Double Vision)**

The perception of two images of a single object, clas-



---

sified by onset, duration, and whether it resolves with covering one eye. Monocular diplopia (persists with one eye covered): caused by ocular surface abnormalities (dry eye, irregular astigmatism, cataract, corneal scar, lens dislocation)—usually benign.

**Synonyms:** Double Vision

### Direct Antiglobulin Test

An immunohematologic test that detects immunoglobulin and/or complement bound to the surface of a patient's erythrocytes. A positive result supports in-vivo red-cell coating, as in autoimmune hemolytic anemia, hemolytic transfusion reactions, and hemolytic disease of the fetus and newborn.

**Synonyms:**

### Direct Coombs Test

Direct antiglobulin test: detects antibodies or complement (C3) bound to the surface of RBCs in vivo. Positive in: autoimmune hemolytic anemia (warm: IgG, cold: C3), drug-induced hemolytic anemia, hemolytic transfusion reaction, and hemolytic disease of the newborn (HDN). Grading: 1+ to 4+.

**Synonyms:**

### Direct Oral Anticoagulants

DOACs directly inhibit specific coagulation factors. Direct thrombin inhibitors: dabigatran. Factor Xa inhibitors: rivaroxaban, apixaban, edoxaban, betrixaban. They have predictable pharmacokinetics, fixed dosing, and routine monitoring is not required. They have fewer drug interactions than warfarin.

**Synonyms:**

### Direct Veneer

Composite restoration placed chairside for aesthetic improvement. Conservative alternative to laboratory veneer.

**Synonyms:**

### Directly Observed Therapy

Supervision of medication ingestion to ensure adherence. Standard of care for TB treatment. Ensures completion of the full treatment course and reduces development of drug resistance.

**Synonyms:**

### Dirofilaria repens

A filarial nematode transmitted by mosquitoes that causes subcutaneous or ocular dirofilariasis in humans, an accidental dead-end host. It presents as a solitary, migratory subcutaneous nodule, often on the trunk or extremities, or as a conjunctival or periorbital mass.

**Synonyms:**

### Disability

A limitation in body function or structure, activity, or participation that results from a health condition and interaction with the person's environment.

**Synonyms:**

### Disability Evaluation

Assessment of functional limitations for legal, insurance, or benefits purposes. Objective measures, standardized tests.

**Synonyms:**

### Disability-Adjusted Life Year

A population-health measure combining years of life lost because of premature mortality with years lived with disability. One DALY represents one lost year of healthy life under the chosen methods and disability weights.

**Synonyms:**

### Disaster Preparedness

Planning and organizing resources, training, and procedures to reduce harm and support effective response and recovery during disasters.

**Synonyms:**

### Discectomy

Surgical removal of a herniated intervertebral disc fragment compressing a nerve root. Microscopic discectomy (most common): small incision, microscope, minimal muscle dissection.

**Synonyms:**

---

## Discharge Planning

A multidisciplinary process that prepares a patient for safe transition from hospital or facility care to the next setting. It includes medication review, follow-up, education, equipment, self-management support, and communication of pending results.

**Synonyms:**

## Discitis

Inflammation or infection of an intervertebral disc, often involving adjacent vertebral endplates. It may cause severe localized back or neck pain, stiffness, fever, and reduced mobility; causes include haematogenous infection, postoperative infection, and inflammatory disease, with MRI being the preferred imaging study.

**Synonyms:**

## Discography

An imaging procedure in which contrast material is injected into an intervertebral disc to assess disc structure and reproduce pain. Its diagnostic value is limited and its use is selective.

**Synonyms:**

## Disease

Abnormal condition affecting body. Can be infectious, degenerative, neoplastic, etc.

**Synonyms:**

## Disease Reporting

Mandatory notification of specified diseases or health events to public-health authorities.

**Synonyms:**

## Disease-Free Survival

The length of time after treatment during which a patient remains alive without detectable evidence of the disease. The precise definition depends on the cancer and the study protocol.

**Synonyms:**

## Disease-Modifying Antirheumatic Drug

A medication that reduces inflammatory disease activity and helps prevent structural damage or

disability rather than providing only symptomatic relief. Conventional synthetic, biologic, and targeted synthetic DMARDs are used according to disease and patient factors.

**Synonyms:**

## Disinfection

The elimination of most pathogenic microorganisms on inanimate surfaces. Disinfection does not eliminate all forms of microbial life, particularly spores. High-level disinfection eliminates all microorganisms except spores. Intermediate-level disinfection eliminates mycobacteria, most viruses, and bacteria.

**Synonyms:**

## Disk Diffusion Susceptibility Test

A standardized method in which antimicrobial-impregnated disks are placed on an inoculated agar surface and zones of growth inhibition are measured. Zone diameters are interpreted using validated organism- and drug-specific breakpoints.

**Synonyms:**

## Diskectomy

Diskectomy examines diskectomy; interpretation depends on the specimen or body region, test method, reference range, and clinical question. roots or the spinal cord, causing radiculopathy or myelopathy. Indicated in severe disk herniation causing unremitting pain, progressive motor weakness, or cauda equina syndrome.

**Synonyms:**

## Diskitis

Diskitis is a medical condition involving diskitis; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. usually caused by bacterial infection. It causes localized back pain, stiffness, fever, and reluctance to move, particularly in children.

**Synonyms:**

## Dislocation

Dislocation concerns dislocation; its medical significance is established from the defining features,

---

setting, associated findings, and clinical question. bony alignment and often associated with ligamentous, capsular, and neurovascular injury.

**Synonyms:**

### **Dislocation of the lens**

Partial or complete displacement of the crystalline lens from its normal position within the pupillary axis due to disruption or weakness of the zonular fibers. Causes include Marfan syndrome, homocystinuria, trauma, and prior intraocular surgery; it may cause acute angle-closure glaucoma or blurred vision.

**Synonyms:**

### **Disofenin Scan**

Hepatobiliary imaging using Tc-99m disofenin. Similar to mebrofenin scan.

**Synonyms:**

### **Disorder**

A disturbance of normal structure or function that causes symptoms, impairment, or clinically important risk. The term does not necessarily indicate a particular level of severity.

**Synonyms:**

### **Disorientation**

Difficulty knowing one's time, place, situation, or identity. It may occur with delirium, infection, metabolic disturbances, intoxication or withdrawal, brain injury, or dementia. Sudden disorientation is an urgent medical symptom.

**Synonyms:**

### **Dissection**

A tear in the inner layer of a blood vessel that allows blood to track between the vessel-wall layers and create a false channel. In the aorta, this is called aortic dissection.

**Synonyms:**

### **Disseminated coccidioidomycosis**

Coccidioides infection that spreads beyond the lungs to skin, bone, meninges, or other organs.

**Synonyms:**

### **Disseminated cutaneous blastomycosis**

Blastomyces infection involving multiple areas of skin, usually after spread from a pulmonary infection.

**Synonyms:**

### **Disseminated Intravascular Coagulation**

A pathological state of simultaneous systemic activation of coagulation and fibrinolysis, leading to widespread microvascular thrombosis that causes organ ischemia and dysfunction, paradoxically accompanied by consumptive coagulopathy and increased bleeding risk.

**Synonyms:**

### **Disseminated Mycobacterium avium–intracellulare infection**

Widespread infection with Mycobacterium avium complex, usually occurring in people with severe immune suppression.

**Synonyms:**

### **Disseminated varicella infection**

Varicella-zoster virus infection that spreads beyond the skin and may involve the lungs, brain, liver, or other organs.

**Synonyms:**

### **Dissociation**

A disruption in the normal integration of consciousness, memory, identity, emotion, perception, behavior, and sense of self. It exists on a spectrum from normal (daydreaming) to pathological (DID, depersonalization-derealization).

**Synonyms:**

### **Dissociative Amnesia**

Inability to recall important autobiographical information, usually of a traumatic or stressful nature, that is inconsistent with ordinary forgetting. The amnesia may be localized, selective, generalized, or continuous.

**Synonyms:**

---

### **Dissociative Disorder**

DSM-5 category comprising disruption of the normally integrated functions of consciousness, memory, identity, perception, and behaviour, including dissociative amnesia, dissociative identity disorder, and depersonalization-derealization disorder. Strongly associated with severe early-life trauma.

**Synonyms:**

### **Dissociative Identity Disorder**

The presence of two or more distinct personality states or an experience of possession involving marked discontinuity in sense of self, agency, affect, behavior, memory, perception, cognition, and/or sensory-motor functioning.

**Synonyms:**

### **Distal**

Distal concerns distal, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context.

**Synonyms:**

### **Distal Radius Fractures**

The most common upper extremity fracture. Classification: AO/OTA: A (extra-articular), B (partial articular), C (complete articular); Frykman. Colles fracture: dorsal angulation/displacement (fall on outstretched hand). Smith fracture: volar angulation (fall on flexed wrist).

**Synonyms:**

### **Distal Tubule**

Segment of the nephron extending from the thick ascending limb of the loop of Henle to the collecting duct. The early distal tubule reabsorbs sodium and chloride through the NCC cotransporter, which is the target of thiazide diuretics.

**Synonyms:**

### **Distraction Osteogenesis**

Surgical bone lengthening by gradual distraction. Used for jaw deformities, trauma.

**Synonyms:**

### **Distributive Shock**

Shock caused by pathologic vasodilation and maldistribution of blood flow, producing inadequate effective circulating volume despite variable cardiac output. Causes include sepsis, anaphylaxis, neurogenic shock, and some toxic syndromes.

**Synonyms:**

### **Diuresis**

Increased urine production. Can be physiological (fluid overload) or pharmacological (diuretics). Osmotic diuresis (hyperglycemia), water diuresis (DI), saline diuresis (hypertonic saline).

**Synonyms:**

### **Diuretic**

A drug that increases urine production, used for edema (heart failure, cirrhosis, renal disease), hypertension, and electrolyte disorders.

**Synonyms:**

### **Diverticular Disease**

Condition characterized by the presence of diverticula, which are outpouchings of the colonic mucosa and submucosa through defects in the muscularis propria at sites where vasa recta penetrate the bowel wall.

**Synonyms:**

### **Diverticulitis**

Diverticulitis is inflammation or infection of a diverticulum, usually in the colon, causing localized abdominal pain, fever, altered bowel habits, or complications such as abscess. diverticulosis affecting 10-25 percent of individuals with diverticula. The pathophysiology involves microperforation of a diverticulum with fecal contents entering the pericolic tissues, inciting inflammation and potential abscess formation.

**Synonyms:**

### **Diverticulosis**

Diverticulosis is a medical condition involving diverticulosis; causes, affected organs, severity, complications, and treatment are determined by clinical

---

assessment. sites of vascular penetration, most commonly in the sigmoid colon (90 percent of cases). Prevalence increases with age, affecting over 50 percent of individuals older than 60 years and nearly 70 percent by age 85.

**Synonyms:**

### **Diverticulosis and Diverticulitis**

Diverticulosis is a condition in which small, bulging pouches (diverticula) form in the lining of the digestive tract, most commonly in the colon. Diverticulitis occurs when these pouches become inflamed or infected, causing abdominal pain, fever, and changes in bowel habits.

**Synonyms:**

### **Dix-Hallpike Maneuver**

The Dix-Hallpike maneuver is a diagnostic test used to identify benign paroxysmal positional vertigo by detecting the characteristic nystagmus and vertigo that occur when displaced otoconia within the posterior semicircular canal move in response to gravity during specific head positioning.

**Synonyms:**

### **Dizziness**

Dizziness is a subjective sensation that may represent vertigo, lightheadedness, imbalance, or nonspecific disequilibrium; history and examination distinguish vestibular, cardiovascular, neurologic, and other causes. include disorders of the vestibular system, cardiovascular system, nervous system, vision, medications, or metabolism.

**Synonyms:**

### **DMFT Index**

An epidemiologic index recording the number of permanent teeth that are decayed, missing because of caries, or filled. It estimates cumulative caries experience but does not measure current lesion activity or distinguish all causes of tooth loss.

**Synonyms:**

### **DMSA Scan**

A nuclear-medicine study using technetium-labeled

dimercaptosuccinic acid to show renal cortical function and areas of cortical injury or scarring.

**Synonyms:**

### **DNA**

Deoxyribonucleic acid, the hereditary material in humans and most organisms. Double helix of two antiparallel strands (sugar-phosphate backbone, nitrogenous bases: A-T, G-C). Human genome: 3 billion base pairs, 20,000 protein-coding genes.

**Synonyms:**

### **DNA (Deoxyribonucleic Acid)**

Double-stranded helical molecule carrying genetic information. Composed of nucleotides (sugar-phosphate backbone with bases adenine, thymine, guanine, cytosine). Replication is semi-conservative. Genes are specific sequences encoding proteins or functional RNAs. Chromosomes are highly condensed DNA-protein complexes.

**Synonyms:** Deoxyribonucleic Acid

### **DNA Double Helix**

The molecular structure of DNA described by Watson and Crick in 1953, consisting of two antiparallel polynucleotide chains wound around each other in a right-handed helix. The sugar-phosphate backbone is on the exterior; nitrogenous bases project inward.

**Synonyms:**

### **DNA Profiling**

Analysis of polymorphic DNA markers, commonly short tandem repeats, to compare biological samples for human identification or kinship assessment. Results are statistical associations and require validated laboratory procedures, appropriate controls, and documented sample integrity.

**Synonyms:**

### **DNA Repair**

The cellular processes that detect and correct damage or copying errors in DNA. Major pathways include base-excision, nucleotide-excision, mismatch, and double-strand-break repair.

**Synonyms:**

---

## DNA Repair Mechanisms

Cellular processes that correct DNA damage caused by replication errors, chemicals, radiation, and reactive oxygen species. Mismatch repair (MMR): corrects base-base mismatches and insertion-deletion loops that escape proofreading during replication.

**Synonyms:**

## DNA Replication

The semi-conservative process by which DNA duplicates before cell division, producing two identical daughter molecules each containing one original and one new strand.

**Synonyms:**

## DNA Sequencing

Determination of the nucleotide order in DNA. Sanger sequencing uses chain termination and is useful for selected small targets. Next-generation sequencing (NGS) uses massively parallel sequencing, whole genome, whole exome, targeted panels.

**Synonyms:**

## Do Not Resuscitate

DNR: order not to perform CPR. Can be combined with DNI (do not intubate).

**Synonyms:**

## DOACs

Direct oral anticoagulants are a class of anticoagulant drugs that directly inhibit specific coagulation factors, providing an alternative to warfarin with more predictable pharmacokinetics and no routine monitoring.

**Synonyms:**

## Dobutamine Stress Echocardiography

Pharmacological stress test using dobutamine (beta-1 agonist) to increase heart rate, contractility, and myocardial oxygen demand. New or worsening wall motion abnormalities indicate ischemia. Preferred when patients cannot exercise. Beta-blockers should be held before testing.

**Synonyms:**

## Docusate

A stool softener (surfactant laxative) that increases water and fat incorporation into stool by lowering surface tension, facilitating defecation in patients who should avoid straining (post-MI, post-surgery, hemorrhoids) and for opioid-related constipation. Onset 12-72 hours.

**Synonyms:**

## Domestic Violence

A pattern of coercive control and physical, sexual, psychological, or economic abuse by one intimate partner or household member against another. Forensic evaluation documents patterned injuries, defensive wounds, strangulation signs, burns, and injuries of differing ages.

**Synonyms:**

## Dominant

Allele whose phenotype is expressed in heterozygotes. Autosomal dominant disorders: Huntington disease, marfan syndrome, achondroplasia. Requires only one copy for expression.

**Synonyms:**

## Donor Insemination

A fertility treatment in which sperm from a donor (anonymous or known) is placed into a woman's vagina, cervix, or uterus to achieve pregnancy. Indications: male factor infertility (azoospermia, severe oligospermia), genetic disorders in the male partner, single women, and same-sex female couples.

**Synonyms:**

## Donovanosis

A chronic, progressive, ulcerative genital infection caused by the intracellular gram-negative bacterium *Klebsiella granulomatis* (formerly *Calymmatobacterium granulomatis*). Also known as granuloma inguinale.

**Synonyms:** granuloma inguinale.

## Dopamine Agonist

A class of medications that stimulate dopamine receptors (D1-D5), mimicking the effects of endoge-



---

nous dopamine.

**Synonyms:**

### **Doppler Ultrasound**

Ultrasound technique using the Doppler effect to evaluate blood flow. Color Doppler: direction and velocity of flow (red = toward transducer, blue = away). Spectral Doppler: waveform analysis (arterial: pulsatile; venous: continuous). Pulsed-wave: measures flow at a specific depth.

**Synonyms:**

### **Doppler Velocimetry**

Ultrasound measuring blood flow velocity in umbilical and fetal vessels. Assesses fetal well-being.

**Synonyms:**

### **Doravirine**

A non-nucleoside reverse transcriptase inhibitor (NNRTI) used in combination antiretroviral therapy for HIV-1 infection. Doravirine binds to the HIV reverse transcriptase enzyme and inhibits its activity through a unique mechanism that maintains activity against strains resistant to first-generation NNRTIs.

**Synonyms:**

### **Dorsal**

Relating to the back side of the body; synonym for posterior in human anatomy.

**Synonyms:**

### **Dorsal Root Ganglion**

A swelling on the dorsal root of a spinal nerve containing the cell bodies of primary sensory neurons. Its pseudounipolar neurons convey peripheral sensory information to the spinal cord.

**Synonyms:**

### **Dosage**

The amount and frequency of a drug administered to achieve a therapeutic effect while minimizing toxicity. Components: dose (amount, e.g., mg), dosing interval (frequency), route, and duration.

**Synonyms:**

### **Dose**

Amount of substance administered. Factors: weight, age, renal/hepatic function, drug interactions. Toxic dose varies by substance and individual.

**Synonyms:**

### **Dose-Limiting Toxicity**

An adverse effect of an anticancer treatment severe enough to prevent further dose escalation or require dose reduction according to a predefined protocol. DLTs are used in early-phase clinical trials to estimate a tolerable dose.

**Synonyms:**

### **Dose-Response Curve**

A graphical representation of the relationship between the dose of a drug and the magnitude of its biological effect. The x-axis represents dose (typically on a logarithmic scale), and the y-axis represents the response (as percentage of maximum effect).

**Synonyms:**

### **Dose-Response Relationship**

The dose-response relationship describes the quantitative relationship between the dose of a drug and the magnitude of the pharmacological response it produces. This relationship is typically represented as a sigmoidal curve when response is plotted against the log of the dose.

**Synonyms:**

### **Dosimetry**

Measurement and calculation of radiation dose. Patient dosimetry for therapy.

**Synonyms:**

### **DOTATATE**

Somatostatin analog labeled with Ga-68 for PET imaging of neuroendocrine tumors.

**Synonyms:**

### **Double Outlet Right Ventricle**

A congenital heart defect where more than 50% of both great arteries arise from the right ventricle, with a VSD as the only outlet from the left ventricle.

---

**Synonyms:**

### **Double-Balloon Enteroscopy**

Advanced endoscopic technique using an enteroscope equipped with balloons at the tip of both the endoscope and an overtube allowing systematic advancement and visualization of the entire small bowel. The balloons are alternately inflated and deflated to anchor the bowel wall and advance the endoscope.

**Synonyms:**

### **Douche**

A stream of water or solution directed into a body cavity, most commonly the vagina, for cleansing, therapeutic, or contraceptive purposes.

**Synonyms:**

### **Down Syndrome**

Trisomy 21, most common viable trisomy. Features: intellectual disability, characteristic facies (flat face, upslanting palpebral fissures), hypotonia, heart defects, increased risk of leukemia, Alzheimer disease. Maternal age is major risk factor.

**Synonyms:**

### **DPP-4 Inhibitors**

Dipeptidyl peptidase-4 inhibitors that prevent degradation of endogenous GLP-1 and GIP, enhancing incretin effects on insulin secretion. Examples include sitagliptin, saxagliptin, linagliptin, and alogliptin. They are well-tolerated with low hypoglycemia risk and weight neutrality. They have modest glucose-lowering effects.

**Synonyms:**

### **Drain (Surgical)**

Tube for fluid evacuation. Types: closed suction (Jackson-Pratt, Hemovac), open (Penrose), pigtail. Indications: abscess, hematoma, seroma, biliary, urinary. Complications: infection, blockage, migration.

**Synonyms:** Surgical

### **Drainage Procedures**

Image-guided drainage of fluid collections. Abscess, hematoma, biloma, urinoma. CT or ultrasound guidance.

**Synonyms:**

### **Dreams (Geriatric)**

Sleep disturbances common. Nightmares, insomnia. Evaluate for delirium, depression, medications.

**Synonyms:** Geriatric

### **DRESS Syndrome**

Drug Reaction with Eosinophilia and Systemic Symptoms, a severe, potentially life-threatening adverse drug reaction. Typically occurs 2-8 weeks after drug initiation (latency longer than SJS/TEN). Causative drugs: anticonvulsants (phenytoin, carbamazepine, lamotrigine), allopurinol, sulfonamides, dapsone, minocycline.

**Synonyms:**

### **Dressler Syndrome**

A delayed pericarditis occurring 2-10 weeks after myocardial infarction or cardiac surgery. It is an autoimmune-mediated inflammation caused by antibodies against myocardial antigens released during tissue injury. Symptoms include fever, pleuritic chest pain, and pericardial friction rub. ECG may show diffuse ST elevation.

**Synonyms:**

### **Drift (Sit-to-Stand)**

A functional assessment of lower-limb strength, balance, and mobility. Timed sit-to-stand, chair-rise, and timed-up-and-go tests may be used; results are interpreted according to the person's age, baseline function, assistive devices, and clinical purpose.

**Synonyms:** Sit-to-Stand

### **Driving Evaluation**

Assess driving fitness after neurological, musculoskeletal conditions. On-road testing, vehicle modifications.

**Synonyms:**

---

## Driving Rehabilitation

Training for adaptive driving: hand controls, left-foot accelerator, other modifications.

**Synonyms:**

## Drooling

Drooling concerns drooling; its medical significance is established from the defining features, setting, associated findings, and clinical question. swallowing, or inability to keep saliva in the mouth. It may occur with neurologic disease, oral disorders, medication effects, or developmental conditions.

**Synonyms:**

## Droplet precautions

Infection control measures used for pathogens transmitted through respiratory droplets. Precautions include surgical masks, patient placement in single rooms, and spatial separation. Droplet precautions are used for influenza, pertussis, and meningococcal infections. The distance for spatial separation is typically 3-6 feet.

**Synonyms:**

## Drowning

Respiratory impairment from submersion/immersion in liquid. Drowning can be fatal or non-fatal. Pathophysiology: laryngospasm followed by aspiration of fluid, surfactant washout, pulmonary edema, and hypoxemia. Fresh water: washes out surfactant, causes alveolar collapse. Salt water: draws fluid into alveoli (pulmonary edema).

**Synonyms:**

## Drowning (Dry/Wet Signs)

Respiratory impairment caused by submersion or immersion in liquid. So-called dry and wet signs are unreliable for determining the cause of death.

**Synonyms:** Dry/Wet Signs

## Drowsiness

Drowsiness concerns drowsiness; its medical significance is established from the defining features, setting, associated findings, and clinical question. to difficulty staying awake. Causes include inadequate

sleep, medical illness, sleep disorders, substance use, and medication effects; sudden or severe drowsiness may indicate an urgent neurologic or metabolic problem.

**Synonyms:**

## Drug Allergy

An adverse immune-mediated reaction to a medication, representing a hypersensitivity response that is distinct from side effects, toxicities, and idiosyncratic reactions.

**Synonyms:**

## Drug Antagonism

An interaction where one drug blocks or decreases the effectiveness of another, such as when an antidote blocks a poison.

**Synonyms:**

## Drug Bioavailability

The fraction of an administered drug that reaches systemic circulation unchanged. Oral bioavailability is affected by first-pass metabolism, absorption, and drug formulation. IV administration has 100% bioavailability. Bioavailability influences drug dosing and route selection.

**Synonyms:**

## Drug Classification Systems

Systems that group medicines according to properties such as their chemical structure, mechanism of action, therapeutic use, or effects on the body.

**Synonyms:**

## Drug Clearance

The volume of plasma completely cleared of drug per unit time. Hepatic clearance depends on hepatic blood flow and enzyme activity; renal clearance depends on glomerular filtration, tubular secretion, and reabsorption. Total clearance determines maintenance dose.

**Synonyms:**

## Drug Dependence

A state of physiological or psychological adaptation

---

to a drug, characterized by a withdrawal syndrome upon discontinuation or dose reduction. Physical dependence: the body has adapted to the presence of the drug, and abrupt cessation produces a predictable withdrawal syndrome specific to the drug class.

**Synonyms:**

### Drug Hypersensitivity Reactions

Immune-mediated adverse reactions to medicines. They may be immediate or delayed and can range from a mild rash to severe systemic illness.

**Synonyms:**

### Drug Hypersensitivity Syndrome

A severe delayed drug reaction occurring 2 to 8 weeks after drug initiation. It presents with fever, rash (morbilliform, facial edema, exfoliative dermatitis), lymphadenopathy, eosinophilia, and internal organ involvement (hepatitis most common, also nephritis, pneumonitis, myocarditis).

**Synonyms:**

### Drug Interaction

A change in the effect or concentration of one medicine caused by another medicine, food, substance, or disease.

**Synonyms:**

### Drug Metabolism Pharmacogenomics

Pharmacogenomics of drug metabolism examines how genetic variations affect individual responses to drugs, enabling personalized medicine approaches to prescribing.

**Synonyms:**

### Drug Overdose

Excessive ingestion of medication. Common: opioids, benzodiazepines, acetaminophen, salicylates, tricyclic antidepressants. Management: ABCs, activated charcoal, specific antidotes (naloxone, flumazenil, N-acetylcysteine), supportive care.

**Synonyms:**

### Drug Overdose Management

Management of poisoning begins with assessment and support of airway, breathing, circulation, and neurologic status. Decontamination, enhanced elimination, and specific antidotes are considered only when appropriate for the substance, timing, and patient.

**Synonyms:**

### Drug reaction with eosinophilia and systemic symptoms

A severe hypersensitivity syndrome characterized by fever, rash, lymphadenopathy, and multiorgan involvement triggered by medications, requiring prompt drug cessation and systemic corticosteroids.

**Synonyms:**

### Drug Resistance

The ability of microorganisms, cancer cells, or parasites to survive and proliferate despite exposure to drugs that were previously effective.

**Synonyms:**

### Drug Screening

Urine, blood, hair testing for substances of abuse. Panels: opiates, cocaine, amphetamines, cannabinoids, PCP, benzodiazepines, barbiturates. False positives possible. Confirmation by GC/MS or LC-MS/MS.

**Synonyms:**

### Drug Testing

Laboratory analysis of biological specimens to detect drugs, metabolites, or poisons, used in clinical, workplace, sports, and forensic contexts. Specimens include blood, urine, oral fluid, hair, and postmortem tissues.

**Synonyms:**

### Drug Therapeutics

The use of medicines to prevent, diagnose, or treat disease while balancing expected benefit and potential harm.

**Synonyms:**

---

### **Drug Tolerance**

A decreased pharmacological response to a drug after repeated administration, requiring dose escalation to achieve the same effect.

**Synonyms:**

### **Drug Toxicity**

Harmful effects caused by a medicine or its metabolites. Toxicity may result from excessive exposure, accumulation, interactions, or an unpredictable individual reaction.

**Synonyms:**

### **Drug Withdrawal**

A clinically significant syndrome or return of symptoms caused by abrupt reduction or cessation of a drug after physiologic adaptation or dependence has developed. Tapering is required for some medications to reduce withdrawal and rebound effects.

**Synonyms:**

### **Drug-Drug Interactions**

When one drug alters the pharmacokinetics or pharmacodynamics of another. Pharmacokinetic interactions affect absorption, distribution, metabolism, or excretion (e.g., CYP inhibitors increasing warfarin levels).

**Synonyms:**

### **Drug-Eluting Balloon (Vascular)**

A vascular balloon catheter that delivers a medicine to the vessel wall during dilation, without leaving a permanent implant.

**Synonyms:** Vascular

### **Drug-Eluting Stent**

A vascular stent that slowly releases a medicine to reduce tissue growth and the risk of restenosis after angioplasty.

**Synonyms:**

### **Drug-Eluting Stent (Vascular)**

A vascular stent coated with medicine that is released gradually to reduce tissue growth and recurrent narrowing.

**Synonyms:** Vascular

### **Drug-Facilitated Sexual Assault**

Sexual contact occurring when a person's capacity to consent or resist is impaired by alcohol, medication, or another drug, whether administered covertly or knowingly consumed. Medical care includes urgent safety assessment, treatment of injuries, toxicology sampling when indicated, prophylaxis, and trauma-informed support.

**Synonyms:**

### **Drug-Induced Autoimmunity**

Drug-induced lupus (DIL): procainamide, hydralazine, isoniazid, minocycline, TNF inhibitors, anti-TNF; anti-histone antibodies, positive ANA, negative anti-dsDNA/anti-Sm; symptoms resolve after drug cessation.

**Synonyms:**

### **Drug-Induced Liver Injury**

Liver damage caused by a medicine, herbal product, or dietary supplement. It may produce abnormal liver tests, hepatitis, cholestasis, or liver failure; evaluation requires considering the exposure, timing, competing causes, and severity.

**Synonyms:**

### **Drusen**

Yellowish-white deposits of extracellular material that accumulate beneath the retinal pigment epithelium between the retinal pigment epithelium basement membrane and Bruch membrane, and they are the hallmark clinical finding in dry age-related macular degeneration.

**Synonyms:**

### **Dry Eye Disease**

Dry eye disease, also known as keratoconjunctivitis sicca, is a multifactorial disorder of the ocular surface characterized by loss of homeostasis of the tear film, resulting in symptoms of ocular discomfort, visual disturbance, and tear film instability, with potential damage to the ocular surface.

**Synonyms:** keratoconjunctivitis sicca, is a multi-

---

factorial disorder.

### **Dry Eye Syndrome**

A multifactorial disease of the ocular surface characterized by tear film instability, hyperosmolarity, and inflammation. Aqueous-deficient dry eye: Sjogren syndrome (autoimmune), non-Sjogren (lacrimal gland dysfunction, age). Evaporative dry eye: meibomian gland dysfunction (most common), incomplete blink, environmental factors.

**Synonyms:**

### **Dry Powder Inhaler**

A breath-actuated inhaler delivering powdered medication. Does not require hand-breath coordination. Requires adequate inspiratory flow. Examples include Advair Diskus and Spiriva HandiHaler.

**Synonyms:**

### **Dry Skin**

Abnormally dry, rough, or scaly skin caused by reduced moisture and disruption of the skin barrier. It is common with aging, low humidity, frequent washing, and eczema and may cause itching or fissuring.

**Synonyms:**

### **Dry Socket (Alveolar Osteitis)**

A painful postoperative complication of tooth extraction, most commonly occurring after the removal of mandibular third molars (wisdom teeth). It is caused by the premature dissolution or loss of the blood clot in the extraction socket, exposing the underlying alveolar bone and nerve endings to the oral cavity.

**Synonyms:** Alveolar Osteitis

### **DTaP Vaccine**

Diphtheria, Tetanus, and acellular Pertussis vaccine given at 2, 4, 6, and 15-18 months, and 4-6 years. Protects against three serious bacterial diseases. Diphtheria causes respiratory and cardiac complications. Tetanus causes lockjaw and muscle rigidity. Pertussis causes whooping cough, most severe in young infants.

**Synonyms:**

### **Dual Antiplatelet Therapy**

The combination of aspirin and a P2Y<sub>12</sub> inhibitor (clopidogrel, prasugrel, or ticagrelor) for prevention of thrombotic events after acute coronary syndrome and percutaneous coronary intervention. Duration varies: 1 month after bare-metal stent, 6-12 months after drug-eluting stent, and 12 months after ACS.

**Synonyms:**

### **Dual-Energy CT**

CT using two different energy spectra. Material differentiation, virtual non-contrast images, gout detection.

**Synonyms:**

### **Dubin-Johnson syndrome**

Dubin-Johnson syndrome is a medical condition involving dubin-johnson syndrome; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. mutations in the ABCC2 gene encoding the multidrug resistance-associated protein 2 (MRP2), which transports conjugated bilirubin from hepatocytes into bile.

**Synonyms:**

### **Duchenne Muscular Dystrophy**

An X-linked recessive neuromuscular disorder caused by mutations in the dystrophin gene (DMD gene) on chromosome Xp21.2, resulting in absent or severely reduced dystrophin protein, which is essential for maintaining the structural integrity of the sarcolemma during muscle contraction.

**Synonyms:**

### **Ductal-Dependent Lesions**

Congenital heart defects that require the ductus arteriosus to remain patent for adequate systemic or pulmonary blood flow. Includes pulmonary atresia, critical aortic stenosis, coarctation, hypoplastic left heart syndrome, and transposition of the great arteries.

**Synonyms:**



---

## Ductus Arteriosus

A fetal blood vessel connecting the pulmonary artery to the descending aorta, allowing blood to bypass the non-functioning fetal lungs. In utero, the ductus arteriosus is kept patent by prostaglandin E2 and low oxygen tension.

**Synonyms:**

## Dumping Syndrome

Rapid gastric emptying of hypertonic contents into the small bowel after gastrectomy or gastric bypass surgery. Early dumping occurs within thirty minutes with vasomotor symptoms including flushing, palpitations, diarrhea, and dizziness from fluid shifts into the intestinal lumen.

**Synonyms:**

## Duodenal Atresia

A congenital obstruction of the duodenum caused by failure of recanalization during the 8th-10th week of gestation. Associated with Down syndrome (30%), polyhydramnios (due to impaired fetal swallowing of amniotic fluid), and other anomalies (VACTERL, congenital heart disease, annular pancreas, malrotation).

**Synonyms:**

## Duodenal perforation

Full-thickness breach of the duodenal wall, most commonly caused by penetrating peptic ulcer disease, trauma, or iatrogenic injury during endoscopy. Presents with sudden severe epigastric pain, board-like abdominal rigidity, and peritonitis. Free air under the diaphragm on upright chest radiograph is diagnostic.

**Synonyms:**

## Duodenal Ulcer

Peptic ulcer in the duodenal mucosa strongly associated with *H. pylori* infection. Presents with epigastric pain relieved by food typically occurring several hours after meals and at night. Complications include hemorrhage, perforation, and gastric outlet obstruction. Diagnosis is by upper endoscopy.

**Synonyms:**

## Duodenitis

Inflammation of the duodenal mucosa, caused by *Helicobacter pylori* infection, acid-related disease, non-steroidal anti-inflammatory drugs, infection, coeliac disease, or inflammatory bowel disease. Symptoms may include epigastric pain, nausea, vomiting, and gastrointestinal bleeding.

**Synonyms:**

## Duodenum

Duodenum concerns duodenum, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context. Four parts. Descending part has the major duodenal papilla for bile/pancreatic duct entry via the hepatopancreatic ampulla. Brunner's glands produce alkaline mucus. Most common peptic ulcer site. Primary iron and calcium absorption site.

**Synonyms:**

## Duplex Surveillance

Scheduled clinical and ultrasound monitoring of an artery, vein, graft, stent, aneurysm, or dialysis access to detect restenosis, thrombosis, endoleak, or other failure before symptoms or limb threat develop.

**Synonyms:**

## Duplex Ultrasound

An ultrasound examination that combines grayscale imaging of anatomy with Doppler assessment of blood flow. It can evaluate vessels, organs, and selected soft tissues.

**Synonyms:**

## Duplication

Presence of extra copy of chromosomal segment. Can cause gene dosage effects. Examples: Charcot-Marie-Tooth disease type 1A (PMP22 duplication).

**Synonyms:**

## Dupuyten's contracture

A fibrosing disorder of the palm that causes progressive flexion contractures of one or more fingers.

**Synonyms:**

---

### Dupuytren contracture

Dupuytren contracture is progressive shortening of palmar fascia that pulls one or more fingers into flexion and can limit hand function. cords, and contractures of the fingers, most commonly affecting the ring and small fingers.

**Synonyms:**

### Dura Mater

The outermost, thickest meningeal layer, a tough fibrous membrane. In the cranium it is two layers: periosteal (outer, adherent to skull) and meningeal (inner), which separate to form dural venous sinuses (e.g., superior sagittal, cavernous). Dural folds: falx cerebri, tentorium cerebelli, falx cerebelli.

**Synonyms:**

### Durable Power of Attorney

A legal authorization allowing a designated person to act or make decisions for another person when specified conditions are met. In healthcare, it may appoint a healthcare proxy.

**Synonyms:**

### Dural Venous Sinuses

Venous channels between dural layers, draining brain blood and CSF from the subarachnoid space into the internal jugular veins. Major sinuses: superior sagittal, transverse, sigmoid, cavernous, straight. Valveless with bidirectional flow possible.

**Synonyms:**

### DVT

Deep venous thrombosis, the formation of a blood clot in a deep vein, most commonly in the lower extremities.

**Synonyms:**

### DVT Prevention

Measures used to reduce the risk of deep venous thrombosis, such as early movement, mechanical compression, and anticoagulant medicine when clinically appropriate.

**Synonyms:**

### Dwarfism

Short stature resulting from a medical condition, most commonly achondroplasia (the most common form of skeletal dysplasia, caused by gain-of-function mutation in FGFR3, presenting with rhizomelic limb shortening, macrocephaly, frontal bossing, and trident hands).

**Synonyms:**

### DWI FLAIR Mismatch

Diffusion-weighted imaging (DWI) and fluid-attenuated inversion recovery (FLAIR) MRI sequences are used together to estimate the age of an ischemic stroke lesion and guide treatment decisions.

**Synonyms:**

### Dx

A common abbreviation for diagnosis or diagnostic assessment.

**Synonyms:**

### DXA Scan (Dual-Energy X-ray Absorptiometry)

An imaging test that estimates bone mineral density, commonly at the lumbar spine and hip. It is used to assess fracture risk and osteoporosis. T-scores are generally used for postmenopausal women and older men, whereas Z-scores and clinical context are important in younger people.

**Synonyms:** Dual-Energy X-ray Absorptiometry

### Dying

The process of progressive physical decline that occurs as a person approaches death, often accompanied by psychological, social, and spiritual changes.

**Synonyms:**

### Dysarthria

Dysarthria is a medical condition involving dysarthria; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. components of speech production, including the lips, tongue, palate, vocal cords, and respiratory muscles.

**Synonyms:**

---

## Dysautonomia

Dysfunction of the autonomic nervous system that can affect blood pressure, heart rate, sweating, temperature regulation, digestion, bladder function, or sexual function. It may be primary or secondary to another disease, medication, or injury.

**Synonyms:**

## Dysbiosis

An alteration in microbiome composition, diversity, or function relative to a healthy state, permitting overgrowth of pathobionts or loss of beneficial microbes. Causes include antibiotics, dietary change, stress, and infection. It is associated with inflammatory bowel disease, obesity, allergy, and *Clostridioides difficile* colitis.

**Synonyms:**

## Dyscalculia

A persistent difficulty with understanding or manipulating numerical quantities and performing arithmetic that is not explained by inadequate instruction alone. It may occur as a developmental learning disorder or result from acquired brain injury, particularly involving dominant parietal networks.

**Synonyms:**

## Dyscrasia

An historic term broadly referring to any abnormal condition of the blood or bone marrow, now used primarily in the context of plasma cell dyscrasias (also called monoclonal gammopathies).

**Synonyms:** monoclonal gammopathies).

## Dysentery

Severe diarrheal illness with blood and mucus in stool, typically caused by *Shigella*, *Salmonella*, *Campylobacter*, or *Entamoeba histolytica*. Presents with frequent bloody stools, abdominal cramps, tenesmus, and fever. Diagnosis: stool culture, microscopy, PCR.

**Synonyms:**

## Dysesthesia

An unpleasant, abnormal sensation produced by a

normally non-painful stimulus, or an unpleasant, exaggerated response to a normal stimulus. It is distinguished from paresthesia (which is simply an abnormal sensation that may or may not be unpleasant) by its consistently unpleasant quality.

**Synonyms:**

## Dysgeusia

Distortion, reduction, or loss of the normal sense of taste. It may result from oral or nasal disease, viral infection, neurological injury, nutritional deficiency, systemic illness, or medication exposure and may occur with altered smell, dry mouth, or mucosal inflammation.

**Synonyms:**

## Dysgraphia

Dysgraphia is a medical condition involving dysgraphia; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. spelling, written composition, or the motor and language processes required for writing. It may occur alone or with other learning, language, attention, or neurological disorders.

**Synonyms:**

## Dyslexia

A specific learning disorder with neurobiological origin, characterized by difficulties with accurate and fluent word recognition, spelling, and decoding ability, despite adequate intelligence, motivation, and educational opportunity. Affects approximately 5–10% of the population.

**Synonyms:**

## Dyslipidemia

An abnormal concentration or composition of circulating lipoproteins, including elevated low-density lipoprotein cholesterol, elevated triglycerides, reduced high-density lipoprotein cholesterol, or mixed abnormalities.

**Synonyms:**

## Dysmenorrhea

Painful menstruation, often causing cramping pelvic

---

pain. See Menstrual Cramps.

**Synonyms:**

### **Dactylomegaly**

Abnormal enlargement of a finger or toe, which may occur as an isolated finding or as part of an endocrine, skeletal, vascular, or inflammatory disorder.

**Synonyms:**

### **Dracunculosis**

Infection caused by the parasitic nematode *Dracunculus medinensis*, acquired by drinking water containing infected copepods. It classically produces a painful blister and emergence of a long adult worm through the skin.

**Synonyms:**

### **Diapedesis**

Movement of blood cells, especially leukocytes, through intact vessel walls into surrounding tissue.

**Synonyms:**

### **Dorsal Blocking Splint**

A hand splint that holds the wrist and fingers in a protective position, often used after flexor-tendon repair to limit extension and protect healing tendons.

**Synonyms:**

### **Dysmenorrhoea**

Painful menstruation, classified as primary (no identifiable pelvic pathology) or secondary (underlying structural or inflammatory condition).

**Synonyms:**

### **Dyspareunia**

Painful sexual intercourse.

**Synonyms:**

### **Dyspepsia**

Chronic or recurrent pain or discomfort centered in the upper abdomen. Organic causes: peptic ulcer disease, GERD, gastritis, gastric cancer. Functional

dyspepsia is diagnosed after exclusion of organic pathology with normal upper endoscopy. Rome IV criteria define subtypes: epigastric pain syndrome and postprandial distress syndrome.

**Synonyms:**

### **Dysphagia**

Difficulty swallowing, classified as oropharyngeal (difficulty initiating a swallow, choking, coughing, nasal regurgitation) or esophageal (sensation of food sticking retrosternally).

**Synonyms:**

### **Dysphagia (Geriatric)**

Difficulty swallowing, common in elderly. Causes: neurological (stroke, Parkinson's), structural (cancer, stricture), muscular (presbyesophagus), medications. Symptoms: coughing with eating, choking, pocketing food, weight loss, aspiration. Assessment: clinical exam, videofluoroscopy, endoscopy.

**Synonyms:** Geriatric

### **Dysphagia Diet**

A texture- and consistency-modified diet prescribed after assessment of swallowing safety. Liquids and foods may be thickened or altered to reduce aspiration risk while maintaining adequate energy, protein, hydration, and patient acceptability.

**Synonyms:**

### **Dysphagia Rehabilitation**

Therapy to improve safe swallowing and nutrition in a person with dysphagia. It may include swallow exercises, compensatory techniques, diet modification, and education based on the cause and swallowing assessment.

**Synonyms:**

### **Dysphasia**

A language disorder caused by damage to the language-dominant hemisphere of the brain (typically left), involving difficulty with expression, comprehension, reading, or writing. Dysphasia (often used interchangeably with aphasia): partial loss of language function.

---

**Synonyms:**

### **Dysphonia**

An abnormal voice quality encompassing hoarseness, breathiness, roughness, vocal fatigue, pitch breaks, and strained or whispered speech. It is organic when due to structural laryngeal pathology (nodules, polyps, laryngitis, laryngeal cancer) and functional when due to voice misuse, muscle tension dysphonia, or psychogenic causes.

**Synonyms:**

### **Dysplasia**

Disordered cellular growth and maturation characterized by structural abnormalities within a tissue, representing a pre-neoplastic condition that may progress to invasive carcinoma.

**Synonyms:**

### **Dysplastic Nevus**

Atypical nevus: a melanocytic lesion with clinical and histologic atypia, larger (>5-6 mm), with irregular borders, variable color (pink-tan-brown), and a macular/papular component; often multiple in the dysplastic nevus syndrome (familial atypical mole-melanoma, FAMMM).

**Synonyms:**

### **Dyspnea**

The subjective sensation of difficult or uncomfortable breathing. See Shortness of Breath. It may result from cardiopulmonary, metabolic, neuromuscular, or psychological causes.

**Synonyms:**

### **Dyspnea on Exertion**

Shortness of breath precipitated by physical activity, a cardinal symptom of cardiac and pulmonary disease. Cardiac causes: heart failure, coronary artery disease (angina equivalent), valvular disease; pulmonary: COPD, asthma, ILD, anemia, deconditioning. Quantified by NYHA functional class (heart failure) and mMRC scale (dyspnea).

**Synonyms:**

### **Dyspnoea**

The subjective sensation of difficult or labored breathing. See Shortness of Breath.

**Synonyms:**

### **Dysthymia (Persistent Depressive Disorder)**

A chronic form of depression with depressed mood for most of the day, more days than not, for  $\geq 2$  years ( $\geq 1$  year in children/adolescents). Symptoms: poor appetite or overeating, insomnia or hypersomnia, low energy, low self-esteem, poor concentration, and hopelessness.

**Synonyms:** Persistent Depressive Disorder

### **Dystonia**

A movement disorder characterized by sustained or intermittent muscle contractions causing abnormal, often repetitive, movements and postures.

**Synonyms:**

### **Dystrophic Calcification**

The deposition of calcium phosphate salts in damaged, necrotic, or degenerating tissues despite normal serum calcium levels. It occurs in areas of tissue injury, inflammation, or chronic degeneration where the local tissue environment favors calcium precipitation.

**Synonyms:**

### **Dysuria**

Painful, burning, or uncomfortable sensation experienced during urination. Most commonly indicates inflammation or infection of the lower urinary tract. Causes in females: acute cystitis, urethritis (Chlamydia trachomatis, Neisseria gonorrhoeae), vaginitis (Candida, Trichomonas), and vulvar atrophy.

**Synonyms:**

### **Dacryocystocele**

A cystic swelling caused by blockage and dilation of the tear-duct system, usually near the inner corner of the eye.

**Synonyms:**

---

### **Demyelination**

Loss or damage of the myelin sheath that normally insulates nerve fibers and speeds nerve signaling.

**Synonyms:**

### **Dental Calculus**

Hardened dental plaque formed when mineral salts accumulate on teeth.

**Synonyms:**

### **Denys-Drash Syndrome**

A rare genetic disorder associated with abnormal kidney development, nephropathy, and an increased risk of Wilms tumor.

**Synonyms:**

### **Dermatographic Urticaria**

A form of hives in which scratching or pressure causes raised, itchy lines on the skin.

**Synonyms:**

### **Deuteranopia**

Red-green color blindness caused by absence or severe dysfunction of green-sensitive cone photopigments.

**Synonyms:**

### **Diabetic Angiopathy**

Blood-vessel damage caused by diabetes, affecting small or large vessels.

**Synonyms:**

### **Diastolic Murmur**

A heart murmur heard while the heart relaxes between contractions.

**Synonyms:**

### **Distal Pancreatectomy**

Surgical removal of the body or tail of the pancreas, usually with preservation of the pancreatic head.

**Synonyms:**

### **DNA Damage**

A chemical or structural change in DNA that can

interfere with gene function or replication.

**Synonyms:**

### **Duane Retraction Syndrome**

A congenital eye-movement disorder in which abnormal eye-muscle innervation limits horizontal movement and may cause the eye to retract.

**Synonyms:**

### **Duodenal Obstruction**

Partial or complete blockage that prevents contents from passing through the duodenum.

**Synonyms:**

### **Dysfibrinogenemia**

An inherited or acquired disorder in which fibrinogen is abnormal and blood clotting may be impaired or excessive.

**Synonyms:**

### **D2 Receptor**

A dopamine receptor involved in movement, motivation, reward, and some psychiatric disorders.

**Synonyms:**

### **De Quervain's Tendonitis**

Painful inflammation or narrowing of the tendons on the thumb side of the wrist.

**Synonyms:**

### **Declarative Memory**

Memory for facts and events that can be consciously recalled.

**Synonyms:**

### **Decongestant**

A medicine that reduces swelling of the nasal lining and relieves nasal congestion.

**Synonyms:**

### **Deep Sleep**

The deepest stage of non-rapid-eye-movement sleep, during which arousal is difficult and physical restoration occurs.



---

**Synonyms:**

### **Delayed Sleep Phase Syndrome**

A circadian-rhythm disorder in which sleep and waking occur substantially later than desired.

**Synonyms:**

### **Dementia Pugilistica**

A progressive brain disorder associated with repeated head trauma, historically described in some professional boxers.

**Synonyms:**

### **Demineralization**

Loss of mineral from a tissue, such as tooth enamel or bone, which may weaken the tissue.

**Synonyms:**

### **Dermal Papilla**

A structure at the base of a hair follicle that supplies signals and nutrients important for hair growth.

**Synonyms:**

### **Detrusor Instability**

Involuntary bladder-muscle contractions that can cause urgency and urge incontinence.

**Synonyms:**

### **Detrusor Muscle**

The smooth muscle in the bladder wall that contracts to expel urine.

**Synonyms:**

### **Detumescence**

The return of an erectile tissue to its non-erect state.

**Synonyms:**

### **Diastolic Blood Pressure**

The pressure in the arteries while the heart relaxes between contractions.

**Synonyms:**

### **Diastolic Heart Failure**

Heart failure in which impaired ventricular relax-

ation or increased stiffness limits filling of the heart.

**Synonyms:**

### **Dietary Fiber**

Plant material that is not fully digested and supports bowel function and other aspects of health.

**Synonyms:**

### **Digital Rectal Examination**

Examination of the rectum and nearby structures using a lubricated, gloved finger.

**Synonyms:**

### **Digitalis**

A group of cardiac glycosides, including digoxin, that can increase cardiac contraction and affect heart rhythm.

**Synonyms:**

### **Dihydrotestosterone**

A potent androgen formed from testosterone that contributes to prostate growth and male sexual development.

**Synonyms:**

### **Direct Transmission**

Spread of an infectious organism through immediate contact or short-range respiratory droplets from an infected source.

**Synonyms:**

### **Discoid Lupus Erythematosus**

A chronic form of cutaneous lupus that causes persistent, inflamed skin plaques that may scar.

**Synonyms:**

### **Diverticulum**

A pouch-like projection from the wall of a hollow organ, especially the intestine.

**Synonyms:**

### **Dorsal Kyphosis**

Excessive forward curvature of the upper spine, often associated with vertebral fractures or degeneration.

---

tive change.

**Synonyms:**

### **Double-Blind Study**

A clinical study in which neither participants nor the investigators assessing outcomes know the assigned treatment group.

**Synonyms:**

### **Dry-Powder Inhaler**

A device that delivers powdered medicine to the lungs when the user inhales through it.

**Synonyms:**

### **Dual-Energy X-Ray Absorptiometry**

An imaging test that measures bone mineral density, commonly abbreviated DEXA or DXA.

**Synonyms:**

### **Dupuytren's Disease**

Thickening and shortening of tissue in the palm that progressively bends one or more fingers toward the palm.

**Synonyms:**

### **Delayed Sleep Phase**

A circadian-rhythm disorder in which a person falls asleep and wakes later than desired; also called delayed sleep-wake phase disorder.

**Synonyms:** delayed sleep-wake phase disorder.

### **Dermatographia**

A form of physical urticaria in which scratching or pressure causes raised, red, itchy lines on the skin.

**Synonyms:**

### **Desmoplastic Small Round Cell Tumors**

Rare aggressive tumors that usually arise in the abdomen or pelvis and primarily affect children and young adults.

**Synonyms:**

### **Diabetic Coma**

A state of profound unconsciousness caused by a

severe diabetes-related disturbance in blood glucose or metabolism.

**Synonyms:**

### **Diabetic Hypoglycemia**

An abnormally low blood glucose level in a person with diabetes, often caused by insulin or other glucose-lowering medicines.

**Synonyms:**

### **Diffuse Large B-Cell Lymphoma**

A fast-growing cancer of B lymphocytes and the most common type of non-Hodgkin lymphoma.

**Synonyms:**

### **Diffuse Midline Glioma**

An aggressive brain or spinal-cord tumor arising in midline structures, often in children.

**Synonyms:**

### **Dislocated Shoulder**

Displacement of the upper arm bone from the shoulder joint.

**Synonyms:**

### **Double Uterus**

A congenital condition in which the uterus develops as two separate cavities or two uteruses.

**Synonyms:**

### **Double-Outlet Right Ventricle**

A congenital heart defect in which both major arteries arise mainly from the right ventricle.

**Synonyms:**

### **Dry Macular Degeneration**

The more common form of age-related macular degeneration, involving gradual damage to the macula without abnormal blood-vessel growth.

**Synonyms:**

### **Dry Eyes**

Irritation or discomfort caused by inadequate tear production or excessive tear evaporation.

---

**Synonyms:**

### **Dry Mouth**

A condition in which the mouth does not produce enough saliva; also called xerostomia.

**Synonyms:** xerostomia.

### **Dural Arteriovenous Fistulas**

Abnormal connections between arteries and veins in the dura mater surrounding the brain or spinal cord.

**Synonyms:**

### **Dyshidrosis**

A skin disorder causing small, intensely itchy blisters on the palms, sides of the fingers, or soles.

**Synonyms:**

### **Dysthymia**

A former term for persistent depressive disorder, a chronic condition with long-lasting depressive symptoms.

**Synonyms:**

### **Ductal Carcinoma In Situ**

A noninvasive breast cancer in which abnormal cells remain within the milk ducts; commonly abbreviated DCIS.

**Synonyms:**

### **Dermabrasion**

Dermabrasion concerns dermabrasion; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Dermatology**

The medical specialty concerned with the diagnosis and treatment of diseases of the skin, hair, nails, and mucous membranes.

**Synonyms:**

### **Dermatome**

A surgical instrument used to remove a thin layer

of skin for grafting. The term also describes a band of skin supplied by one spinal nerve.

**Synonyms:**

### **Dermatoplasty**

Surgical repair or reconstruction of the skin, often using tissue rearrangement or a skin graft.

**Synonyms:**

### **Desensitization**

A treatment that gradually reduces an abnormal immune response by giving increasing or controlled exposure to a specific allergen.

**Synonyms:**

### **Diaphoresis**

Excessive sweating, which may occur with heat, exertion, fever, pain, low blood sugar, or other medical conditions.

**Synonyms:**

### **Diarthrosis**

A freely movable joint, usually a synovial joint, in which the bones are separated by a joint cavity.

**Synonyms:**

### **Diencephalon**

The part of the brain between the cerebrum and brainstem that includes the thalamus and hypothalamus.

**Synonyms:**

### **Digestive System**

The organs that digest food, absorb nutrients and water, and eliminate solid waste, including the gastrointestinal tract and accessory organs.

**Synonyms:**

### **Digit**

A finger or toe.

**Synonyms:**

### **Dilation and Evacuation**

A procedure in which the cervix is dilated and preg-

---

nancy tissue is removed from the uterus using suction and surgical instruments.

**Synonyms:**

### **Diopter**

A unit of optical power equal to the reciprocal of the focal length in meters.

**Synonyms:**

### **Doppler Echocardiography**

Echocardiographic imaging that uses Doppler ultrasound to assess the direction and speed of blood flow through the heart and great vessels.

**Synonyms:**

### **Duodenal Bulb**

The first, expanded portion of the duodenum immediately beyond the pylorus.

**Synonyms:**

### **Duodenal Papilla**

A mucosal projection in the duodenum where the bile duct and pancreatic duct, usually through the major papilla, empty into the intestine.

**Synonyms:**

### **Dukes Classification**

An older staging system for colorectal cancer based mainly on how far the tumor has extended through the bowel wall and into lymph nodes or distant sites.

**Synonyms:**

### **Dynamometer**

An instrument used to measure force, commonly hand-grip strength or muscle strength.

**Synonyms:**

### **Dysmetria**

Inability to control the range, force, or speed of a voluntary movement, commonly caused by cerebellar dysfunction.

**Synonyms:**

### **Dacryolithiasis**

Formation of a stone or concretion within the lacrimal drainage system, which may cause excessive tearing, discharge, recurrent dacryocystitis, or obstruction.

**Synonyms:**

### **Dakin Solution**

A dilute sodium hypochlorite solution used as a topical antiseptic for selected contaminated or infected wounds. Concentration and exposure time must be controlled because stronger solutions can injure viable tissue.

**Synonyms:**

### **Danon Disease**

A rare X-linked lysosomal storage disorder caused by LAMP2 mutations, characterized by cardiomyopathy, skeletal-muscle weakness, and variable intellectual or retinal involvement.

**Synonyms:**

### **Decannulation**

Removal of a cannula or tube, especially a tracheostomy tube, after the patient can maintain a safe airway and adequate breathing, secretion clearance, and oxygenation.

**Synonyms:**

### **Deep Brain Stimulation**

A treatment in which implanted electrodes deliver controlled electrical impulses to selected brain regions. It is used for conditions such as Parkinson disease, essential tremor, and some forms of dystonia.

**Synonyms:**

### **Deiodinase**

An enzyme that removes iodine atoms from thyroid hormones, thereby activating or inactivating thyroxine and triiodothyronine and regulating local thyroid-hormone action.

**Synonyms:**

---

### Dejerine-Roussy Syndrome

Central post-stroke pain caused by a lesion of the thalamus or related sensory pathways. It may produce persistent contralateral pain, burning, abnormal sensation, or pain from normally nonpainful stimuli.

**Synonyms:**

### De Lange Syndrome

A congenital developmental disorder, also called Cornelia de Lange syndrome, involving characteristic facial features, growth and developmental delay, limb abnormalities of variable severity, and intellectual disability.

**Synonyms:** Cornelia de Lange syndrome, involving characteristic facial features, growth and developmental delay, limb abnormalities of variable severity, and intellectual disability.

### Dry Socket

Painful inflammation of a tooth socket caused by loss or failure of the blood clot after tooth extraction. Also called alveolar osteitis.

**Synonyms:** alveolar osteitis.

### Death Rattle

Noisy, rattling breathing caused by secretions accumulating in the throat or upper airways, often occurring near the end of life when swallowing and coughing weaken.

**Synonyms:**

### Decalcification

Loss of calcium salts from bone, teeth, or other mineralized tissue. In teeth it may weaken enamel; in bone it can contribute to reduced strength.

**Synonyms:**

### Deglutition (Swallowing)

The coordinated process of moving food, liquid, or saliva from the mouth through the pharynx and esophagus into the stomach.

**Synonyms:** Swallowing

### Dehiscence

Separation or reopening of the edges of a wound or surgical closure. Wound dehiscence may be superficial or involve deeper tissues and requires clinical assessment.

**Synonyms:**

### Diathesis

A predisposition or susceptibility to developing a particular disease, symptom, or physiological response, such as a bleeding diathesis.

**Synonyms:**

### Diplegia

Paralysis or marked weakness affecting corresponding parts on both sides of the body, classically the legs more than the arms in spastic diplegia.

**Synonyms:**

### Disarticulation

Amputation performed through a joint rather than by cutting through the shaft of a bone.

**Synonyms:**

### Dressing

Material applied to a wound to protect it, absorb exudate, maintain a suitable healing environment, or deliver local treatment.

**Synonyms:**

### Drip (Intravenous Infusion)

Controlled administration of fluid, blood, nutrients, or other substances directly into a vein through a cannula or catheter.

**Synonyms:** Intravenous Infusion

### Dyskinesia

Abnormal, often involuntary movement that may be excessive, repetitive, irregular, or purposeless. Causes include neurological disease and medication effects.

**Synonyms:**

### Dyspraxia (Developmental Coordination

---

## Disorder)

Difficulty planning and coordinating voluntary movements that interferes with daily activities, learning, or motor skills and is not explained by a primary muscle or sensory disorder.

**Synonyms:** Developmental Coordination Disorder

## Dysreflexia (Autonomic Dysreflexia)

A potentially life-threatening episode of uncontrolled autonomic activity, usually in people with spinal-cord injury above T6, triggered by stimuli such as bladder or bowel distension.

**Synonyms:** Autonomic Dysreflexia

## Dystocia

Difficult or abnormal labor caused by problems with uterine contractions, the fetus, or the maternal pelvis and soft tissues.

**Synonyms:**

## Dystrophy

Abnormal development, growth, or maintenance of a tissue or organ. The term is used in conditions such as muscular dystrophy and corneal dystrophy.

**Synonyms:**

## Dating Ultrasound

An ultrasound examination, usually performed in early pregnancy, used to estimate gestational age and calculate the expected date of delivery. First-trimester crown-rump length is generally the most accurate ultrasound measurement for dating.

**Synonyms:** Pregnancy dating scan; gestational-age ultrasound.

## Daidzein

A naturally occurring isoflavone found in soy and other legumes that can be converted by intestinal bacteria into related compounds.

**Synonyms:**

## Debility

A state of weakness or loss of strength, often associated with illness, aging, or prolonged inactivity.

**Synonyms:** Weakness

## Decoction

A preparation made by simmering plant material in water to extract soluble substances.

**Synonyms:**

## Defenses

The body's protective mechanisms against infection, injury, and other threats, including physical barriers and immune responses.

**Synonyms:** Body defenses

## Degenerative Disease

A disorder in which the structure or function of tissues progressively deteriorates.

**Synonyms:** Degenerative disorder

## Degenerative Disk Disease

Age-related or injury-related deterioration of an intervertebral disk that may cause back or neck pain.

**Synonyms:** Degenerative disc disease

## Degenerative Joint Disease

Progressive loss of cartilage and changes in a joint, commonly referring to osteoarthritis.

**Synonyms:** Osteoarthritis

## Degenerative Spondylolisthesis

Forward displacement of one vertebra over another caused by degenerative changes in the spine.

**Synonyms:**

## Delta Waves

Large, slow brain waves associated with deep non-REM sleep.

**Synonyms:** Delta rhythm

## Demulcent

A substance that soothes irritated or inflamed mucous membranes by forming a protective coating.

**Synonyms:**

## Dendrites

Branching extensions of nerve cells that receive sig-



---

nals from other neurons or sensory receptors.

**Synonyms:**

### **Dendritic Cells**

Immune cells that capture foreign material and present antigens to T cells, helping initiate an adaptive immune response.

**Synonyms:**

### **Deoxyribonucleic Acid**

The molecule that stores hereditary genetic information in cells.

**Synonyms:** DNA

### **Desiccated Thyroid**

A thyroid-hormone preparation made from dried animal thyroid tissue and containing thyroid hormones.

**Synonyms:** Desiccated thyroid extract; natural desiccated thyroid

### **Dietary Supplements**

Products such as vitamins, minerals, herbs, or other substances taken to supplement the diet.

**Synonyms:** Nutritional supplements

### **Digestive Tract**

The continuous hollow passage from the mouth through the throat, esophagus, stomach, intestines, and anus.

**Synonyms:** Gastrointestinal tract; alimentary canal

### **Dilate**

To become wider or cause a passage, vessel, or opening to become wider.

**Synonyms:** Expand; enlarge

### **Disk**

A flat, round structure; in the spine, an intervertebral disk separates adjacent vertebrae and cushions movement.

**Synonyms:** Disc

### **Dithiolethione**

A sulfur-containing compound studied for its ability to activate cellular protective and detoxification pathways.

**Synonyms:**

### **D-Limonene**

A citrus-derived compound found in the oils of orange, lemon, and other citrus fruits.

**Synonyms:** Limonene

### **DNR**

An abbreviation for do-not-resuscitate, indicating that cardiopulmonary resuscitation should not be attempted if breathing or heartbeat stops.

**Synonyms:** Do-not-resuscitate

### **Do-Not-Resuscitate Order**

A medical order instructing clinicians not to perform CPR if a person's breathing or heartbeat stops.

**Synonyms:** DNR order

### **Dopamine**

A neurotransmitter involved in movement, motivation, reward, attention, and regulation of several hormonal functions.

**Synonyms:**

### **Double Blind**

A study design in which neither participants nor the researchers assessing outcomes know who receives each intervention during the blinded phase.

**Synonyms:** Double-masked

### **Double-Contrast Barium Enema**

An imaging examination of the colon using barium and air to outline the bowel wall on X-rays.

**Synonyms:** Air-contrast barium enema

### **Dowager's Hump**

An exaggerated upper-back curvature, usually caused by vertebral compression fractures or osteoporosis.

**Synonyms:** Kyphosis

---

## Doxazosin

An alpha-1 blocker used to relax smooth muscle and treat high blood pressure or urinary symptoms from an enlarged prostate.

**Synonyms:**

## Dressler's Syndrome

Inflammation of the pericardium that develops weeks after heart-muscle injury, such as a heart attack or cardiac surgery.

**Synonyms:** Post-myocardial-infarction syndrome

## DRI

A set of nutrient reference values used to plan and assess dietary intake for healthy people.

**Synonyms:** Dietary Reference Intakes

## Dry Eye

A condition in which the eyes do not produce enough tears or tears evaporate too quickly, causing irritation and visual discomfort.

**Synonyms:** Dry-eye disease; keratoconjunctivitis sicca

## Dual Energy X-Ray Absorptiometry

A low-dose imaging test that measures bone mineral density and can help assess fracture risk.

**Synonyms:** DXA; DEXA

## Dual-Photon Absorptiometry

An older bone-density measurement technique that uses two photon energies to estimate bone mineral content.

**Synonyms:**

## Duct

A tube or channel that carries a fluid, such as bile, pancreatic juice, or secretions from a gland.

**Synonyms:**

## Duplex Doppler Ultrasound Scanning

An ultrasound test that combines structural imaging with Doppler measurement of blood flow through vessels.

**Synonyms:** Duplex ultrasound

## Dacarbazine

Dacarbazine concerns dacarbazine, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

## Dacetuzumab

Dacetuzumab concerns dacetuzumab, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

## Daclizumab

Daclizumab concerns daclizumab, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

## Dacomitinib

Dacomitinib concerns dacomitinib, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

## Dacryocyte analysis

Dacryocyte analysis is used in relation to dacryocyte analysis during assessment, diagnosis, treatment, monitoring, or patient support. **Synonyms:**

## Dactinomycin

Dactinomycin concerns dactinomycin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

## Dalotuzumab

Dalotuzumab concerns dalotuzumab, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

## Dalteparin

Dalteparin concerns dalteparin, a pharmacologic or

---

chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Dalteparin sodium**

Dalteparin sodium concerns dalteparin sodium, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Danazol**

Danazol concerns danazol, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Dance therapy**

Dance therapy is used in relation to dance therapy during assessment, diagnosis, treatment, monitoring, or patient support. **Synonyms:**

### **Dantrolene**

Dantrolene concerns dantrolene, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Danuserib**

Danuserib concerns danuserib, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Dapsone**

Dapsone concerns dapsone, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Daptomycin**

Daptomycin concerns daptomycin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Darbepoetin alfa**

Darbepoetin alfa concerns darbepoetin alfa, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Darunavir**

Darunavir concerns darunavir, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Dasatinib**

Dasatinib concerns dasatinib, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Data collection**

Data collection is used in relation to data collection during assessment, diagnosis, treatment, monitoring, or patient support. **Synonyms:**

### **Data management**

Data management is used in relation to data management during assessment, diagnosis, treatment, monitoring, or patient support. **Synonyms:**

### **Data traceability**

Data traceability is used in relation to data traceability during assessment, diagnosis, treatment, monitoring, or patient support. **Synonyms:**

### **Daunorubicin**

Daunorubicin concerns daunorubicin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Daunorubicin hydrochloride**

Daunorubicin hydrochloride concerns daunorubicin hydrochloride, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

---

### Dav regimen

Dav regimen refers to dav regimen, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dcc gene

Dcc gene denotes dcc gene, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### Dcmp deaminase

Dcmp deaminase refers to dcmp deaminase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### De novo

De novo refers to de novo, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Debrisoquin

Debrisoquin refers to debrisoquin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Decanoic acid

Decanoic acid denotes decanoic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### Decenoic acid

Decenoic acid denotes decenoic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### Decerebrate state

Decerebrate state is used in relation to decerebrate state during assessment, diagnosis, treatment, monitoring, or patient support. **Synonyms:**

### Deciduoma

Deciduoma refers to deciduoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Deciduous tooth

Deciduous tooth refers to deciduous tooth, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Decision making

Decision making refers to decision making, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Decitabine

Decitabine refers to decitabine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Declopramide

Declopramide refers to declopramide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Decorin

Decorin refers to decorin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Decreased concentration

Decreased concentration refers to decreased concentration, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Decreased dentin

Decreased dentin refers to decreased dentin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

---

### Decreased libido

Decreased libido refers to decreased libido, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Defective virus

Defective virus is a virus or viral group associated with defective virus; disease risk depends on strain, transmission route, host, and tissue tropism. **Synonyms:**

### Defense mechanism

Defense mechanism refers to defense mechanism, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Defensin

Defensin refers to defensin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Deferasirox

Deferasirox refers to deferasirox, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Deferiprone

Deferiprone refers to deferiprone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Deferoxamine

Deferoxamine refers to deferoxamine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Defined observation

Defined observation refers to defined observation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Deformity

Deformity refers to deformity, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Degarelix

Degarelix concerns degarelix, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Degenerative disorder

Degenerative disorder denotes degenerative disorder, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### Deglutition

Deglutition refers to deglutition, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Degranulation

Degranulation refers to degranulation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Degrees fahrenheit

Degrees fahrenheit refers to degrees fahrenheit, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dehydroascorbic acid

Dehydroascorbic acid denotes dehydroascorbic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### Dehydroepiandrosterone

Dehydroepiandrosterone concerns dehydroepiandrosterone, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

---

**Synonyms:**

### **Deinstitutionalize**

Deinstitutionalize refers to deinstitutionalize, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Deja vu**

Deja vu refers to deja vu, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Delavirdine**

Delavirdine refers to delavirdine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Delayed orgasm**

Delayed orgasm refers to delayed orgasm, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Deletion mutation**

Deletion mutation refers to deletion mutation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Delftia**

Delftia refers to delftia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Delftia acidovorans**

Delftia acidovorans denotes delftia acidovorans, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Delphi technique**

Delphi technique refers to delphi technique, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Deltacoronavirus**

Deltacoronavirus is a virus or viral group associated with deltacoronavirus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

### **Deltaretrovirus**

Deltaretrovirus is a virus or viral group associated with deltaretrovirus; disease risk depends on strain, transmission route, host, and tissue tropism. **Synonyms:**

### **Delta-tocopherol**

Delta-tocopherol refers to delta-tocopherol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Deltoid**

Deltoid refers to deltoid, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Demeclocycline**

Demeclocycline concerns demeclocycline, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Demecolcine**

Demecolcine refers to demecolcine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Demethylation**

Demethylation refers to demethylation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Demographics domain**

Demographics domain refers to demographics domain, a medical condition or clinical finding defined



---

by its features, causes, affected system, and patient context. **Synonyms:**

### **Denaturant**

Denaturant refers to denaturant, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Dendrimer**

Dendrimer refers to dendrimer, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Dendritic spine**

Dendritic spine refers to dendritic spine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Denervation**

Denervation refers to denervation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Denileukin diftitox**

Denileukin diftitox denotes an infectious or toxic condition involving denileukin diftitox; diagnosis considers exposure or pathogen, affected site, severity, and host response. **Synonyms:**

### **Denominator**

Denominator refers to denominator, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Denosumab**

Denosumab concerns denosumab, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Densitometry**

Densitometry refers to densitometry, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Syn-**

**onyms:**

### **Density**

Density is used in relation to density during assessment, diagnosis, treatment, monitoring, or patient support. **Synonyms:**

### **Dent disease**

Dent disease denotes a clinical condition or finding involving dent disease; evaluation identifies mechanism, affected system, severity, complications, and management. **Synonyms:**

### **Dental alloy**

Dental alloy refers to dental alloy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Dental alveolus**

Dental alveolus refers to dental alveolus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Dental amalgam**

Dental amalgam refers to dental amalgam, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Dental anxiety**

Dental anxiety refers to dental anxiety, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Dental arch**

Dental arch refers to dental arch, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Dental articulator**

Dental articulator refers to dental articulator, a medical condition or clinical finding defined by its features, causes, affected system, and patient con-

---

text. **Synonyms:**

### **Dental cement**

Dental cement refers to dental cement, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Dental clasp**

Dental clasp refers to dental clasp, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Dental deposit**

Dental deposit refers to dental deposit, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Dental dysplasia**

Dental dysplasia refers to dental dysplasia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Dental fissure**

Dental fissure refers to dental fissure, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Dental hygiene**

Dental hygiene refers to dental hygiene, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Dental impression material**

Dental impression material refers to dental impression material, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Dental inlay**

Dental inlay refers to dental inlay, a medical condi-

tion or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Dental material**

Dental material refers to dental material, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Dental occlusion**

Dental occlusion refers to dental occlusion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Dental overjet**

Dental overjet refers to dental overjet, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Dental papilla**

Dental papilla refers to dental papilla, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Dental pellicle**

Dental pellicle refers to dental pellicle, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Dental porcelain**

Dental porcelain refers to dental porcelain, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Dental procedure**

Dental procedure is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat dental procedure. **Synonyms:**

---

### Dental prosthesis

Dental prosthesis refers to dental prosthesis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dental pulp

Dental pulp refers to dental pulp, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dental sac

Dental sac refers to dental sac, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dentate gyrus

Dentate gyrus refers to dentate gyrus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dentifrice

Dentifrice refers to dentifrice, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dentigerous cyst

Dentigerous cyst refers to dentigerous cyst, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dentin sensitivity

Dentin sensitivity refers to dentin sensitivity, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dentinogenesis

Dentinogenesis denotes dentinogenesis, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### Dentist

Dentist refers to dentist, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dentistry

Dentistry refers to dentistry, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Denture base

Denture base refers to denture base, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Denturist

Denturist refers to denturist, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Deoxycoformycin

Deoxycoformycin concerns deoxycoformycin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Deoxycytidine

Deoxycytidine refers to deoxycytidine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Deoxycytidine kinase

Deoxycytidine kinase refers to deoxycytidine kinase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Deoxyglucose

Deoxyglucose refers to deoxyglucose, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

---

### Deoxyguanosine

Deoxyguanosine refers to deoxyguanosine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Deoxyribonuclease

Deoxyribonuclease refers to deoxyribonuclease, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Deoxyribonucleosides

Deoxyribonucleosides refers to deoxyribonucleosides, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Deoxyribonucleotides

Deoxyribonucleotides refers to deoxyribonucleotides, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Deoxyuridine

Deoxyuridine refers to deoxyuridine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dependovirus

Dependovirus is a virus or viral group associated with dependovirus; disease risk depends on strain, transmission route, host, and tissue tropism. **Synonyms:**

### Depersonalization

Depersonalization refers to depersonalization, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dephosphorylation

Dephosphorylation refers to dephosphorylation, a medical condition or clinical finding defined by its

features, causes, affected system, and patient context. **Synonyms:**

### Depressive disorder

Depressive disorder denotes a clinical condition or finding involving depressive disorder; evaluation identifies mechanism, affected system, severity, complications, and management. **Synonyms:**

### Depth perception

Depth perception refers to depth perception, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Depurination

Depurination refers to depurination, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Derealization

Derealization refers to derealization, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dermabacter

Dermabacter is a microorganism or microbial group associated with dermabacter; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### Dermabacter hominis

Dermabacter hominis is a microorganism or microbial group associated with dermabacter hominis; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### Dermatan sulfate

Dermatan sulfate refers to dermatan sulfate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

---

### Dermatologic disorder

Dermatologic disorder denotes a clinical condition or finding involving dermatologic disorder; evaluation identifies mechanism, affected system, severity, complications, and management. **Synonyms:**

### Dermatologist

Dermatologist refers to dermatologist, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dermatomycosis

Dermatomycosis refers to dermatomycosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Desflurane

Desflurane refers to desflurane, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Desipramine

Desipramine refers to desipramine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Deslorelin

Deslorelin refers to deslorelin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Desmin

Desmin refers to desmin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Desmoid tumors

Desmoid tumors denotes a neoplastic condition involving desmoid tumors; evaluation establishes tissue of origin, extent, biologic behavior, and treatment. **Synonyms:**

### Desmoplastic

Desmoplastic refers to desmoplastic, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Desmoplastic fibroma

Desmoplastic fibroma refers to desmoplastic fibroma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Desmopressin

Desmopressin refers to desmopressin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Desmosine

Desmosine refers to desmosine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Desmosome

Desmosome refers to desmosome, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Desogestrel

Desogestrel refers to desogestrel, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Desonide

Desonide refers to desonide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Desoximetasone

Desoximetasone concerns desoximetasone, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

---

### Desoxycorticosterone

Desoxycorticosterone concerns desoxycorticosterone, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Desulfovibrio

Desulfovibrio refers to desulfovibrio, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Desulfovibrio desulfuricans

Desulfovibrio desulfuricans refers to desulfovibrio desulfuricans, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Desulfovibrio piger

Desulfovibrio piger refers to desulfovibrio piger, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Desulfovibrionaceae

Desulfovibrionaceae refers to desulfovibrionaceae, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Desvenlafaxine succinate

Desvenlafaxine succinate refers to desvenlafaxine succinate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Detached

Detached refers to detached, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Detergent

Detergent refers to detergent, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Deubiquitinating enzymes

Deubiquitinating enzymes denotes deubiquitinating enzymes, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### Deubiquitination

Deubiquitination refers to deubiquitination, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Deuterium

Deuterium refers to deuterium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Deuterium oxide

Deuterium oxide refers to deuterium oxide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Developmental disabilities

Developmental disabilities refers to developmental disabilities, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Developmental process

Developmental process refers to developmental process, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Developmental psychology

Developmental psychology refers to developmental psychology, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Developmental stage

Developmental stage refers to developmental stage, a medical condition or clinical finding defined by its features, causes, affected system, and patient



---

context. **Synonyms:**

### Device embolisation

Device embolisation refers to device embolisation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dexamethasone

Dexamethasone concerns dexamethasone, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Dexlansoprazole

Dexlansoprazole concerns dexlansoprazole, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Dexmedetomidine

Dexmedetomidine refers to dexmedetomidine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dexmethylphenidate

Dexmethylphenidate refers to dexmethylphenidate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dexrazoxane

Dexrazoxane refers to dexrazoxane, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dexrazoxane hydrochloride

Dexrazoxane hydrochloride refers to dexrazoxane hydrochloride, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dextroamphetamine

Dextroamphetamine refers to dextroamphetamine,

a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dextromethorphan

Dextromethorphan refers to dextromethorphan, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dextrothyroxine

Dextrothyroxine refers to dextrothyroxine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Diabetic cardiomyopathies

Diabetic cardiomyopathies refers to diabetic cardiomyopathies, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Diacetoxyscirpenol

Diacetoxyscirpenol denotes an infectious or toxic condition involving diacetoxyscirpenol; diagnosis considers exposure or pathogen, affected site, severity, and host response. **Synonyms:**

### Diacylglycerol

Diacylglycerol refers to diacylglycerol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Diagnostic procedure

Diagnostic procedure is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat diagnostic procedure. **Synonyms:**

### Diagnostic service

Diagnostic service refers to diagnostic service, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

---

### Diagnostic trial

Diagnostic trial refers to diagnostic trial, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Diakinesis

Diakinesis refers to diakinesis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dialister micraerophilus

Dialister micraerophilus refers to dialister micraerophilus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dialister pneumosintes

Dialister pneumosintes refers to dialister pneumosintes, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dialysis solutions

Dialysis solutions refers to dialysis solutions, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dialysis therapy

Dialysis therapy is used in relation to dialysis therapy during assessment, diagnosis, treatment, monitoring, or patient support. **Synonyms:**

### Diamine

Diamine refers to diamine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dianhydrogalactitol

Dianhydrogalactitol refers to dianhydrogalactitol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dianisidine

Dianisidine refers to dianisidine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Diapause

Diapause refers to diapause, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Diaphoretic

Diaphoretic refers to diaphoretic, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Diaphragmatic eventration

Diaphragmatic eventration refers to diaphragmatic eventration, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Diastematomyelia

Diastematomyelia refers to diastematomyelia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Diastolic murmurs

Diastolic murmurs refers to diastolic murmurs, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Diatomaceous earth

Diatomaceous earth refers to diatomaceous earth, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Diatrizoate meglumine

Diatrizoate meglumine refers to diatrizoate meglumine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

---

### Diazepam

Diazepam concerns diazepam, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Diazinon

Diazinon refers to diazinon, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Diaziquone

Diaziquone refers to diaziquone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Diazonium compounds

Diazonium compounds concerns diazonium compounds, a biologic or physiologic concept used in research, laboratory medicine, and the explanation of disease. **Synonyms:**

### Diazooxonorleucine

Diazooxonorleucine refers to diazooxonorleucine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Diazoxide

Diazoxide refers to diazoxide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dibekacin

Dibekacin refers to dibekacin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dibucaine

Dibucaine concerns dibucaine, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Dicarboxylic acid

Dicarboxylic acid denotes dicarboxylic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### Dichlorophen

Dichlorophen refers to dichlorophen, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dichlorvos

Dichlorvos refers to dichlorvos, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dickeya dadantii

Dickeya dadantii refers to dickeya dadantii, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Diclofenac

Diclofenac concerns diclofenac, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Diclofenac sodium

Diclofenac sodium concerns diclofenac sodium, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Dicloxacillin

Dicloxacillin concerns dicloxacillin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Dicrotophos

Dicrotophos refers to dicrotophos, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

---

### Dictyostelium

Dictyostelium refers to dictyostelium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dicumarol

Dicumarol refers to dicumarol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dicyclomine

Dicyclomine refers to dicyclomine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Didanosine

Didanosine refers to didanosine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dientamoeba

Dientamoeba identifies dientamoeba, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved. **Synonyms:**

### Dientamoeba fragilis

Dientamoeba fragilis identifies dientamoeba fragilis, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved. **Synonyms:**

### Diestrus

Diestrus refers to diestrus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Diet

Diet refers to diet, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Diet therapy

Diet therapy is used in relation to diet therapy

during assessment, diagnosis, treatment, monitoring, or patient support. **Synonyms:**

### Dietary calcium

Dietary calcium concerns dietary calcium, a biologic or physiologic concept used in research, laboratory medicine, and the explanation of disease. **Synonyms:**

### Dietary carbohydrate

Dietary carbohydrate is used in relation to dietary carbohydrate during assessment, diagnosis, treatment, monitoring, or patient support. **Synonyms:**

### Dietary fats

Dietary fats refers to dietary fats, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dietary iron

Dietary iron refers to dietary iron, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dietary phospholipid

Dietary phospholipid denotes dietary phospholipid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### Dietary phosphorus

Dietary phosphorus refers to dietary phosphorus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dietary protein

Dietary protein denotes dietary protein, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### Dietary steroid

Dietary steroid refers to dietary steroid, a medical condition or clinical finding defined by its features,

---

causes, affected system, and patient context. **Synonyms:**

### **Dietary sterol**

Dietary sterol refers to dietary sterol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Dietary supplement**

Dietary supplement refers to dietary supplement, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Dietary supplementation**

Dietary supplementation refers to dietary supplementation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Dietetics**

Dietetics refers to dietetics, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Diethylhexylphthalate**

Diethylhexylphthalate refers to diethylhexylphthalate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Diethylnitrosamine**

Diethylnitrosamine refers to diethylnitrosamine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Diethylpropion**

Diethylpropion refers to diethylpropion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Diethylstilbestrol**

Diethylstilbestrol refers to diethylstilbestrol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Dietitian**

Dietitian refers to dietitian, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Differentiation antigens**

Differentiation antigens refers to differentiation antigens, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Difficulty walking**

Difficulty walking refers to difficulty walking, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Diffuse**

Diffuse refers to diffuse, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Diffuse astrocytoma**

Diffuse astrocytoma refers to diffuse astrocytoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Diffuse scleroderma**

Diffuse scleroderma refers to diffuse scleroderma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Diffusion anisotropy**

Diffusion anisotropy refers to diffusion anisotropy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

---

### Diflunisal

Diflunisal refers to diflunisal, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Digastric muscle

Digastric muscle refers to digastric muscle, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Digestive disorder

Digestive disorder denotes a clinical condition or finding involving digestive disorder; evaluation identifies mechanism, affected system, severity, complications, and management. **Synonyms:**

### Digital mammography

Digital mammography refers to digital mammography, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Digitalis preparation

Digitalis preparation refers to digitalis preparation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Digitonin

Digitonin refers to digitonin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Digitoxin

Digitoxin concerns digitoxin, a biologic or physiologic concept used in research, laboratory medicine, and the explanation of disease. **Synonyms:**

### Digoxin

Digoxin concerns digoxin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Dihydroxyacetone

Dihydroxyacetone refers to dihydroxyacetone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dilatation

Dilatation refers to dilatation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dilation

Dilation refers to dilation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Diltiazem

Diltiazem concerns diltiazem, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Dimenhydrinate

Dimenhydrinate refers to dimenhydrinate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dimesna

Dimesna refers to dimesna, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dimethoate

Dimethoate refers to dimethoate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dimethoxon

Dimethoxon refers to dimethoxon, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dimethyl fumarate

Dimethyl fumarate concerns dimethyl fumarate, a



---

pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Dimethyl sulfoxide

Dimethyl sulfoxide is a defined chemical or biologic substance involved in dimethyl sulfoxide and studied in physiology, pharmacology, laboratory medicine, or treatment. **Synonyms:**

### Dimethylbenzanthracene

Dimethylbenzanthracene concerns dimethylbenzanthracene, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Dimethylhydrazines

Dimethylhydrazines concerns dimethylhydrazines, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Dimethylnitrosamine

Dimethylnitrosamine concerns dimethylnitrosamine, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Dimetilan

Dimetilan refers to dimetilan, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dinaciclib

Dinaciclib refers to dinaciclib, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dinitrochlorobenzene

Dinitrochlorobenzene refers to dinitrochlorobenzene, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dinitrofluorobenzene

Dinitrofluorobenzene refers to dinitrofluorobenzene, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dinophyceae

Dinophyceae refers to dinophyceae, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dinoprost

Dinoprost concerns dinoprost, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Dinoprostone

Dinoprostone refers to dinoprostone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dinucleoside phosphates

Dinucleoside phosphates refers to dinucleoside phosphates, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dinutuximab

Dinutuximab concerns dinutuximab, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Dioxin

Dioxin refers to dioxin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dipeptide

Dipeptide is a defined chemical or biologic substance involved in dipeptide and studied in physiology, pharmacology, laboratory medicine, or treatment. **Synonyms:**

---

### Dipetalonema

Dipetalonema refers to dipetalonema, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dipetalonema infection

Dipetalonema infection denotes an infectious or toxic condition involving dipetalonema infection; diagnosis considers exposure or pathogen, affected site, severity, and host response. **Synonyms:**

### Diphenoxylate

Diphenoxylate refers to diphenoxylate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Diphenylhydramine

Diphenylhydramine refers to diphenylhydramine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Diphosphate

Diphosphate refers to diphosphate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Diphosphonate

Diphosphonate refers to diphosphonate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Diphtheria toxin

Diphtheria toxin identifies diphtheria toxin, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved. **Synonyms:**

### Diphyllbothriasis

Diphyllbothriasis refers to diphyllbothriasis, a medical condition or clinical finding defined by its features, causes, affected system, and patient con-

text. **Synonyms:**

### Diploid cell

Diploid cell denotes diploid cell, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### Diploidy

Diploidy refers to diploidy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dipstick device

Dipstick device refers to dipstick device, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Diptera

Diptera refers to diptera, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Diptheroid bacillus

Diptheroid bacillus is a microorganism or microbial group associated with diptheroid bacillus; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### Dipylidium caninum

Dipylidium caninum refers to dipylidium caninum, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dipyridamole

Dipyridamole refers to dipyridamole, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dirty necrosis

Dirty necrosis refers to dirty necrosis, a medical condition or clinical finding defined by its features,

---

causes, affected system, and patient context. **Synonyms:**

### Disaccharide

Disaccharide refers to disaccharide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Disclosure

Disclosure refers to disclosure, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Discriminant analysis

Discriminant analysis is used in relation to discriminant analysis during assessment, diagnosis, treatment, monitoring, or patient support. **Synonyms:**

### Discrimination learning

Discrimination learning refers to discrimination learning, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Disease progression

Disease progression denotes a clinical condition or finding involving disease progression; evaluation identifies mechanism, affected system, severity, complications, and management. **Synonyms:**

### Disease reservoir

Disease reservoir denotes a clinical condition or finding involving disease reservoir; evaluation identifies mechanism, affected system, severity, complications, and management. **Synonyms:**

### Disease response

Disease response denotes a clinical condition or finding involving disease response; evaluation identifies mechanism, affected system, severity, complications, and management. **Synonyms:**

### Disease susceptibility

Disease susceptibility denotes a clinical condition or finding involving disease susceptibility; evaluation

identifies mechanism, affected system, severity, complications, and management. **Synonyms:**

### Disease vector

Disease vector denotes a clinical condition or finding involving disease vector; evaluation identifies mechanism, affected system, severity, complications, and management. **Synonyms:**

### Disfigurement

Disfigurement refers to disfigurement, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Disinfectant

Disinfectant refers to disinfectant, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Disopyramide

Disopyramide refers to disopyramide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dispensed amount

Dispensed amount refers to dispensed amount, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Disruption

Disruption refers to disruption, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Disseminate

Disseminate refers to disseminate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Disseminated neuroblastoma

Disseminated neuroblastoma denotes a neoplastic condition involving disseminated neuroblastoma;

---

evaluation establishes tissue of origin, extent, biologic behavior, and treatment. **Synonyms:**

### **Dissociative hysteria**

Dissociative hysteria refers to dissociative hysteria, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Distamycins**

Distamycins concerns distamycins, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Distant**

Distant refers to distant, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Distended**

Distended refers to distended, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Distress**

Distress refers to distress, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Disulfiram**

Disulfiram refers to disulfiram, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Disulfoton**

Disulfoton refers to disulfoton, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Diterpenes**

Diterpenes refers to diterpenes, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Ditiocarb**

Ditiocarb refers to ditiocarb, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Diutina rugosa**

Diutina rugosa refers to diutina rugosa, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Divorce**

Divorce refers to divorce, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Dizygotic twin**

Dizygotic twin refers to dizygotic twin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **DNA adduct**

DNA adduct denotes dna adduct, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **DNA alkylation**

DNA alkylation denotes dna alkylation, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **DNA binding**

DNA binding denotes dna binding, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **DNA demethylation**

DNA demethylation denotes dna demethylation, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

---

### DNA fingerprinting

DNA fingerprinting denotes dna fingerprinting, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### DNA footprinting

DNA footprinting denotes dna footprinting, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### DNA fragmentation

DNA fragmentation denotes dna fragmentation, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### DNA gyrase

DNA gyrase denotes dna gyrase, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### DNA integration

DNA integration denotes dna integration, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### DNA ligases

DNA ligases denotes dna ligases, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### DNA ligation

DNA ligation denotes dna ligation, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### DNA methylation

DNA methylation denotes dna methylation, a biological component or molecular process interpreted

through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### DNA packaging

DNA packaging denotes dna packaging, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### DNA primase

DNA primase denotes dna primase, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### DNA primers

DNA primers denotes dna primers, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### DNA probe

DNA probe denotes dna probe, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### DNA virus

DNA virus is a virus or viral group associated with dna virus; disease risk depends on strain, transmission route, host, and tissue tropism. **Synonyms:**

### Dobutamine

Dobutamine refers to dobutamine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Docetaxel

Docetaxel concerns docetaxel, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Doconexent

Doconexent refers to doconexent, a medical condi-

---

tion or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Docosadienoic acid**

Docosadienoic acid denotes docosadienoic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Docosahexaenoic acid**

Docosahexaenoic acid denotes docosahexaenoic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Docosapentaenoic acid**

Docosapentaenoic acid denotes docosapentaenoic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Docosatrienoic acid**

Docosatrienoic acid denotes docosatrienoic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Dodecenoic acid**

Dodecenoic acid denotes dodecenoic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Dolasetron**

Dolasetron concerns dolasetron, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Dolasetron mesylate**

Dolasetron mesylate refers to dolasetron mesylate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Dolichol**

Dolichol refers to dolichol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Dolosigranulum pigrum**

Dolosigranulum pigrum refers to dolosigranulum pigrum, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Domperidone**

Domperidone refers to domperidone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Donepezil**

Donepezil concerns donepezil, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Donohue syndrome**

Donohue syndrome denotes a clinical condition or finding involving donohue syndrome; evaluation identifies mechanism, affected system, severity, complications, and management. **Synonyms:**

### **Dopa**

Dopa refers to dopa, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Dopamine antagonist**

Dopamine antagonist concerns dopamine antagonist, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Dopamine receptor**

Dopamine receptor is a defined chemical or biologic substance involved in dopamine receptor and studied in physiology, pharmacology, laboratory medicine, or treatment. **Synonyms:**



---

### Dopamine transporter

Dopamine transporter concerns dopamine transporter, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Dopaminergic neuron

Dopaminergic neuron concerns dopaminergic neuron, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Dorea

Dorea refers to dorea, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Doripenem

Doripenem concerns doripenem, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Dorsal funiculus

Dorsal funiculus refers to dorsal funiculus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dorsolateral

Dorsolateral refers to dorsolateral, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dosage forms

Dosage forms refers to dosage forms, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dose rate

Dose rate is used in relation to dose rate during assessment, diagnosis, treatment, monitoring, or patient support. **Synonyms:**

### Double-blind method

Double-blind method refers to double-blind method, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Doxapram

Doxapram refers to doxapram, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Doxazosin mesylate

Doxazosin mesylate refers to doxazosin mesylate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Doxepin

Doxepin refers to doxepin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Doxercalciferol

Doxercalciferol refers to doxercalciferol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Doxorubicin

Doxorubicin concerns doxorubicin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Doxorubicin hydrochloride

Doxorubicin hydrochloride concerns doxorubicin hydrochloride, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Doxycycline

Doxycycline concerns doxycycline, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

---

### Doxycycline hyclate

Doxycycline hyclate concerns doxycycline hyclate, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Doxylamine

Doxylamine refers to doxylamine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dracunculiasis

Dracunculiasis refers to dracunculiasis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dracunculus medinensis

Dracunculus medinensis refers to dracunculus medinensis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Drainage

Drainage refers to drainage, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dream

Dream refers to dream, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dried specimen

Dried specimen refers to dried specimen, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Drinking water

Drinking water refers to drinking water, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dronabinol

Dronabinol refers to dronabinol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Drool

Drool refers to drool, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Droperidol

Droperidol refers to droperidol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dropper bottle

Dropper bottle refers to dropper bottle, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Drosophila proteins

Drosophila proteins denotes drosophila proteins, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### Drosophilidae

Drosophilidae refers to drosophilidae, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Drug abuse

Drug abuse refers to drug abuse, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Drug administration route

Drug administration route refers to drug administration route, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

---

### Drug emulsion

Drug emulsion refers to drug emulsion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Drug eruption

Drug eruption refers to drug eruption, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Drug implant

Drug implant refers to drug implant, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Drug implants

Drug implants refers to drug implants, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Drug metabolism

Drug metabolism refers to drug metabolism, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Drug packaging

Drug packaging refers to drug packaging, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Drug vehicle

Drug vehicle refers to drug vehicle, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dry cough

Dry cough refers to dry cough, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dry ice

Dry ice refers to dry ice, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dubowitz syndrome

Dubowitz syndrome denotes a clinical condition or finding involving dubowitz syndrome; evaluation identifies mechanism, affected system, severity, complications, and management. **Synonyms:**

### Dull pain

Dull pain is used in relation to dull pain during assessment, diagnosis, treatment, monitoring, or patient support. **Synonyms:**

### Duloxetine hydrochloride

Duloxetine hydrochloride concerns duloxetine hydrochloride, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Dumbbell ossification

Dumbbell ossification refers to dumbbell ossification, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Duocarmycins

Duocarmycins concerns duocarmycins, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Duodenal adenocarcinoma

Duodenal adenocarcinoma denotes a neoplastic condition involving duodenal adenocarcinoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment. **Synonyms:**

### Duodenal disease

Duodenal disease denotes a clinical condition or finding involving duodenal disease; evaluation identifies mechanism, affected system, severity, complications, and management. **Synonyms:**

---

### Duodenal fistula

Duodenal fistula refers to duodenal fistula, an anatomical or physiologic concept used to describe a body structure, process, or function. **Synonyms:**

### Duodenal hemorrhage

Duodenal hemorrhage refers to duodenal hemorrhage, an anatomical or physiologic concept used to describe a body structure, process, or function. **Synonyms:**

### Duodenal infection

Duodenal infection denotes an infectious or toxic condition involving duodenal infection; diagnosis considers exposure or pathogen, affected site, severity, and host response. **Synonyms:**

### Duodenal neoplasm

Duodenal neoplasm denotes a neoplastic condition involving duodenal neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment. **Synonyms:**

### Duodenal stenosis

Duodenal stenosis refers to duodenal stenosis, an anatomical or physiologic concept used to describe a body structure, process, or function. **Synonyms:**

### Duodenoscope

Duodenoscope refers to duodenoscope, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Duodenostomy

Duodenostomy refers to duodenostomy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Durapatite

Durapatite refers to durapatite, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dust

Dust refers to dust, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dutasteride

Dutasteride concerns dutasteride, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Dye

Dye refers to dye, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dye lasers

Dye lasers refers to dye lasers, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dynamin gtpase

Dynamin gtpase refers to dynamin gtpase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dynein atpase

Dynein atpase refers to dynein atpase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dynorphin

Dynorphin refers to dynorphin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dyphylline

Dyphylline refers to dyphylline, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Dysbarism

Dysbarism refers to dysbarism, a medical condition

---

or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Dysgammaglobulinemia**

Dysgammaglobulinemia concerns dysgammaglobulinemia, a biologic or physiologic concept used in research, laboratory medicine, and the explanation of disease. **Synonyms:**

### **Dysgerminoma**

Dysgerminoma refers to dysgerminoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Dyskeratosis congenita**

Dyskeratosis congenita refers to dyskeratosis congenita, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Dyslipidemias**

Dyslipidemias denotes dyslipidemias, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Dysostoses**

Dysostoses refers to dysostoses, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Dyssomnias**

Dyssomnias refers to dyssomnias, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Dysthymic disorder**

Dysthymic disorder denotes a clinical condition or finding involving dysthymic disorder; evaluation identifies mechanism, affected system, severity, complications, and management. **Synonyms:**

### **Dystonia disorder**

Dystonia disorder denotes a clinical condition or

finding involving dystonia disorder; evaluation identifies mechanism, affected system, severity, complications, and management. **Synonyms:**

### **Dystonin**

Dystonin concerns dystonin, a biologic or physiologic concept used in research, laboratory medicine, and the explanation of disease. **Synonyms:**

### **Dystrophia unguium**

Dystrophia unguium refers to dystrophia unguium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Dystrophin**

Dystrophin concerns dystrophin, a biologic or physiologic concept used in research, laboratory medicine, and the explanation of disease. **Synonyms:**

### **Dangerous Abbreviations**

Dangerous Abbreviations refers to dangerous abbreviations, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Ductal carcinoma in situ (DCIS)**

A noninvasive breast cancer in which abnormal cells are confined to the milk ducts and have not spread into surrounding breast tissue. **Synonyms:**

### **Deep vein thrombosis (DVT)**

A blood clot in a deep vein, usually in the leg, that can cause swelling and pain and may travel to the lungs as a pulmonary embolism. **Synonyms:**

### **Atopic dermatitis (eczema)**

A chronic inflammatory skin condition causing itchy, dry, irritated, or rash-covered skin, often associated with an atopic tendency. **Synonyms:**

### **Neurodermatitis**

A chronic itchy skin condition in which repeated scratching or rubbing causes thickened, irritated patches. **Synonyms:**

---

### **Dermatographia (Dermatographism)**

A condition in which light scratching or pressure causes temporary raised red lines or welts on the skin. **Synonyms:**

### **Type 1 diabetes**

An autoimmune disease in which pancreatic beta cells are destroyed, causing little or no insulin production and requiring insulin replacement. **Synonyms:**

### **Type 1 diabetes in children**

Type 1 diabetes diagnosed during childhood, causing high blood sugar and requiring insulin, monitoring, nutrition planning, and education. **Synonyms:**

### **Type 2 diabetes**

A metabolic disorder in which insulin resistance and inadequate insulin production cause persistently high blood sugar. **Synonyms:**

### **Type 2 diabetes in children**

Type 2 diabetes beginning during childhood or adolescence, often involving insulin resistance and requiring lifestyle and medical management. **Synonyms:**

### **Diabetic nephropathy (kidney disease)**

Kidney damage caused by diabetes, often beginning with protein in the urine and potentially progressing to chronic kidney disease. **Synonyms:**

### **Voice disorders**

Conditions affecting voice quality, pitch, loudness, or ease of speaking because of problems involving the vocal folds, airway, nerves, or voice use. **Synonyms:**

### **Diffuse midline glioma (DMG)**

An aggressive central nervous system tumor arising in midline brain structures, most often affecting children. **Synonyms:**

### **DiGeorge syndrome (22q11.2 deletion syndrome)**

A genetic disorder caused by deletion of part of chro-

sosome 22, potentially affecting the heart, immune system, calcium regulation, palate, and development. **Synonyms:**

### **Dissociative disorders**

Mental health disorders involving disruption in the normal integration of identity, memory, consciousness, emotion, perception, or behavior. **Synonyms:**

### **Painful intercourse (dyspareunia)**

Persistent or recurrent genital pain before, during, or after sexual intercourse, with physical, hormonal, emotional, or relationship-related causes. **Synonyms:**

### **Daytime sleepiness**

Alternate index label; see *Narcolepsy*. **Synonyms:**

### **DCIS**

Alternate index label; see *Ductal carcinoma in situ (DCIS)*. **Synonyms:**

### **DDH**

Alternate index label; see *Hip dysplasia*. **Synonyms:**

### **Decreased tear production**

Alternate index label; see *Dry eyes*. **Synonyms:**

### **Deficient color vision**

Alternate index label; see *Color blindness*. **Synonyms:**

### **Degenerative arthritis**

Alternate index label; see *Osteoarthritis*. **Synonyms:**

### **Delayed gastric emptying**

Alternate index label; see *Gastroparesis*. **Synonyms:**

### **Delayed sleep-wake phase sleep disorder**

Alternate index label; see *Delayed sleep phase*. **Synonyms:**



---

### **Dementia, frontotemporal**

Alternate index label; see *Frontotemporal dementia*.

**Synonyms:**

### **Dementia, Lewy body**

Alternate index label; see *Lewy body dementia*. **Synonyms:**

### **Dementia, vascular**

Alternate index label; see *Vascular dementia*. **Synonyms:**

### **Dengue hemorrhagic fever**

Alternate index label; see *Dengue fever*. **Synonyms:**

### **Dependence, nicotine**

Alternate index label; see *Nicotine dependence*. **Synonyms:**

### **Depression, postpartum**

Alternate index label; see *Postpartum depression*. **Synonyms:**

### **Depression, teen**

Alternate index label; see *Teen depression*. **Synonyms:**

### **Dermatitis, atopic**

Alternate index label; see *Atopic dermatitis (eczema)*. **Synonyms:**

### **Dermatitis, cercarial**

Alternate index label; see *Swimmer's itch*. **Synonyms:**

### **Dermatitis, contact**

Alternate index label; see *Contact dermatitis*. **Synonyms:**

### **Dermatitis, scratch**

Alternate index label; see *Neurodermatitis*. **Synonyms:**

### **Dermatitis, seborrheic**

Alternate index label; see *Seborrheic dermatitis*.

**Synonyms:**

### **Devic's disease**

Alternate index label; see *Neuromyelitis optica*. **Synonyms:**

### **DFSP**

Alternate index label; see *Dermatofibrosarcoma protuberans*. **Synonyms:**

### **Diabetes, gestational**

Alternate index label; see *Gestational diabetes*. **Synonyms:**

### **Diabetes, type 1**

Alternate index label; see *Type 1 diabetes*. **Synonyms:**

### **Diabetes, type 1 in children**

Alternate index label; see *Type 1 diabetes in children*. **Synonyms:**

### **Diabetes, type 2**

Alternate index label; see *Type 2 diabetes*. **Synonyms:**

### **Diabetes, type 2 in children**

Alternate index label; see *Type 2 diabetes in children*. **Synonyms:**

### **Diarrhea, antibiotic-associated**

Alternate index label; see *Antibiotic-associated diarrhea*. **Synonyms:**

### **Diarrhea, traveler's**

Alternate index label; see *Traveler's diarrhea*. **Synonyms:**

### **Difficulty speaking**

Alternate index label; see *Voice disorders*. **Synonyms:**

---

### Difficulty swallowing

Alternate index label; see *Dysphagia*. **Synonyms:**

### DMG

Alternate index label; see *Diffuse midline glioma (DMG)*. **Synonyms:**

### Dissecting aneurysm

Alternate index label; see *Aortic dissection*. **Synonyms:**

### Drop foot

Alternate index label; see *Foot drop*. **Synonyms:**

### Dry age-related macular degeneration

Alternate index label; see *Dry macular degeneration*. **Synonyms:**

### Dry AMD

Alternate index label; see *Dry macular degeneration*. **Synonyms:**

### DSPS

Alternate index label; see *Delayed sleep phase*. **Synonyms:**

### DSRCT

Alternate index label; see *Desmoplastic small round cell tumors*. **Synonyms:**

### DSWPD

Alternate index label; see *Delayed sleep phase*. **Synonyms:**

### Dunbar syndrome

Alternate index label; see *Median arcuate ligament syndrome (MALs)*. **Synonyms:**

### Dysrhythmias

Alternate index label; see *Heart arrhythmia*. **Synonyms:**

### Dystonia, cervical

Alternate index label; see *Cervical dystonia*. **Syn-**

**onyms:**

### D-dimer test

D-dimer testing measures a fibrin-degradation product; an elevated result can support evaluation for thrombosis but is nonspecific and must be interpreted with pretest probability.

**Synonyms:**

### D-xylose absorption

D-xylose absorption examines d-xylose absorption; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### Daily bowel care program

Daily bowel care program is a treatment or care intervention for daily bowel care program; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### Dance your way to fitness

Dance your way to fitness concerns dance your way to fitness; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### DASH diet to lower high blood pressure

DASH diet to lower high blood pressure addresses care related to dash diet to lower high blood pressure, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### Day care health risks

Day care health risks addresses care related to day care health risks, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

---

### **Day to day with COPD**

Day to day with COPD concerns day to day with copd; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Dealing with chronic cancer**

Dealing with chronic cancer is a medical condition involving dealing with chronic cancer; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Death among children and adolescents**

Death among children and adolescents concerns death among children and adolescents; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Deciding about an IUD**

Deciding about an IUD concerns deciding about an iud; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Deciding about hormone therapy**

Deciding about hormone therapy is a treatment or care intervention for deciding about hormone therapy; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Deciding about treatments that prolong life**

Deciding about treatments that prolong life concerns deciding about treatments that prolong life; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Deciding to have knee or hip replacement**

Deciding to have knee or hip replacement is a treatment or care intervention for deciding to have knee or hip replacement; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Deciding to quit drinking alcohol**

Deciding to quit drinking alcohol addresses care related to deciding to quit drinking alcohol, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Decreased alertness**

Decreased alertness is reduced awareness or responsiveness that may result from metabolic illness, intoxication, infection, seizure, stroke, trauma, or sleep-related causes.

**Synonyms:**

### **Deep breathing after surgery**

Deep breathing after surgery is a treatment or care intervention for deep breathing after surgery; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Deep vein thrombosis - discharge**

Deep vein thrombosis - discharge addresses care related to deep vein thrombosis - discharge, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Defining overweight and obesity in children**

Defining overweight and obesity in children concerns defining overweight and obesity in children; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

---

### **Delayed growth**

Delayed growth concerns delayed growth; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Delayed puberty in boys**

Delayed puberty in boys concerns delayed puberty in boys; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Delayed puberty in girls**

Delayed puberty in girls concerns delayed puberty in girls; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Delivery presentations**

Delivery presentations is a treatment or care intervention for delivery presentations; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Delta-ALA urine test**

Delta-ALA urine test examines delta-ala urine test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Dementia - behavior and sleep problems**

Dementia - behavior and sleep problems is a medical condition involving dementia - behavior and sleep problems; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Dementia - daily care**

Dementia - daily care addresses care related to de-

mentia - daily care, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Dementia - home care**

Dementia - home care addresses care related to dementia - home care, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Dementia - keeping safe in the home**

Dementia - keeping safe in the home is a medical condition involving dementia - keeping safe in the home; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Dementia - what to ask your doctor**

Dementia - what to ask your doctor examines dementia - what to ask your doctor; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Dementia and driving**

Dementia and driving addresses care related to dementia and driving, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Dementia due to metabolic causes**

Dementia due to metabolic causes is a medical condition involving dementia due to metabolic causes; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Dental care - adult**

Dental care - adult addresses care related to dental care - adult, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

---

**Synonyms:**

### **Dental care - child**

Dental care - child addresses care related to dental care - child, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Dental crowns**

Dental crowns concerns dental crowns; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Dental plaque identification at home**

Dental plaque identification at home concerns dental plaque identification at home; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Dental sealants**

Dental sealants concerns dental sealants; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Dental x-rays**

Dental x-rays examines dental x-rays; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Denture problems**

Denture problems concerns denture problems; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Deodorant poisoning**

Deodorant poisoning involves toxic exposure to deodorant poisoning; dose, route, timing, symptoms, and antidote availability determine the urgency and

treatment approach.

**Synonyms:**

### **Depilatory poisoning**

Depilatory poisoning involves toxic exposure to depilatory poisoning; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach.

**Synonyms:**

### **Depression - resources**

Depression - resources addresses care related to depression - resources, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Depression - stopping your medicines**

Depression - stopping your medicines is a medical condition involving depression - stopping your medicines; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Depression in older adults**

Depression in older adults is a medical condition involving depression in older adults; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Dermal melanocytosis**

Dermal melanocytosis is a medical condition involving dermal melanocytosis; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Dermatoses - systemic**

Dermatoses - systemic concerns dermatoses - systemic; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

---

### **Desipramine hydrochloride overdose**

Desipramine hydrochloride overdose involves toxic exposure to desipramine hydrochloride overdose; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach.

**Synonyms:**

### **Detergent poisoning**

Detergent poisoning involves toxic exposure to detergent poisoning; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach.

**Synonyms:**

### **Developmental coordination disorder**

Developmental coordination disorder is a medical condition involving developmental coordination disorder; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Developmental differences of the female genital tract**

Developmental differences of the female genital tract examines developmental differences of the female genital tract; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Developmental expressive language disorder**

Developmental expressive language disorder is a medical condition involving developmental expressive language disorder; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Developmental milestones record**

Developmental milestones record concerns developmental milestones record; its medical significance is established from the defining features, setting,

associated findings, and clinical question.

**Synonyms:**

### **Developmental milestones record - 12 months**

Developmental milestones record - 12 months concerns developmental milestones record - 12 months; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Developmental milestones record - 18 months**

Developmental milestones record - 18 months concerns developmental milestones record - 18 months; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Developmental milestones record - 2 months**

Developmental milestones record - 2 months concerns developmental milestones record - 2 months; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Developmental milestones record - 2 years**

Developmental milestones record - 2 years concerns developmental milestones record - 2 years; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Developmental milestones record - 3 years**

Developmental milestones record - 3 years concerns developmental milestones record - 3 years; its medical significance is established from the defining features, setting, associated findings, and clinical



---

question.

**Synonyms:**

### **Developmental milestones record - 4 months**

Developmental milestones record - 4 months concerns developmental milestones record - 4 months; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Developmental milestones record - 4 years**

Developmental milestones record - 4 years concerns developmental milestones record - 4 years; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Developmental milestones record - 5 years**

Developmental milestones record - 5 years concerns developmental milestones record - 5 years; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Developmental milestones record - 6 months**

Developmental milestones record - 6 months concerns developmental milestones record - 6 months; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Developmental milestones record - 9 months**

Developmental milestones record - 9 months concerns developmental milestones record - 9 months; its medical significance is established from the defining features, setting, associated findings, and clinical

question.

**Synonyms:**

### **Developmental reading disorder**

Developmental reading disorder is a medical condition involving developmental reading disorder; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Devices for hearing loss**

Devices for hearing loss concerns devices for hearing loss; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Dextromethorphan overdose**

Dextromethorphan overdose involves toxic exposure to dextromethorphan overdose; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach.

**Synonyms:**

### **DHEA-sulfate test**

DHEA-sulfate test examines dhea-sulfate test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Diabetes - foot ulcers**

Diabetes - foot ulcers is a medical condition involving diabetes - foot ulcers; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Diabetes - insulin therapy**

Diabetes - insulin therapy is a treatment or care intervention for diabetes - insulin therapy; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

---

### **Diabetes - keeping active**

Diabetes - keeping active examines diabetes - keeping active; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Diabetes - preventing heart attack and stroke**

Diabetes - preventing heart attack and stroke is a medical condition involving diabetes - preventing heart attack and stroke; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Diabetes - resources**

Diabetes - resources addresses care related to diabetes - resources, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Diabetes - taking care of your feet**

Diabetes - taking care of your feet addresses care related to diabetes - taking care of your feet, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Diabetes - when you are sick**

Diabetes - when you are sick is a medical condition involving diabetes - when you are sick; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Diabetes and alcohol**

Diabetes and alcohol is a medical condition involving diabetes and alcohol; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Diabetes and exercise**

Diabetes and exercise addresses care related to diabetes and exercise, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Diabetes and eye disease**

Diabetes and eye disease is a medical condition involving diabetes and eye disease; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Diabetes and kidney disease**

Diabetes and kidney disease is a medical condition involving diabetes and kidney disease; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Diabetes and nerve damage**

Diabetes and nerve damage is a medical condition involving diabetes and nerve damage; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Diabetes eye care**

Diabetes eye care addresses care related to diabetes eye care, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Diabetes eye exams**

Diabetes eye exams examines diabetes eye exams; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Diabetes myths and facts**

Diabetes myths and facts examines diabetes myths and facts; interpretation depends on the specimen

---

or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Diabetes tests and checkups**

Diabetes tests and checkups examines diabetes tests and checkups; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Diabetes type 2 - meal planning**

Diabetes type 2 - meal planning is a medical condition involving diabetes type 2 - meal planning; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Diabetic hyperglycemic hyperosmolar syndrome**

Diabetic hyperglycemic hyperosmolar syndrome is a medical condition involving diabetic hyperglycemic hyperosmolar syndrome; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Diagnostic laparoscopy**

Diagnostic laparoscopy concerns diagnostic laparoscopy; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Dialysis - hemodialysis**

Dialysis - hemodialysis is a treatment or care intervention for dialysis - hemodialysis; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Dialysis - peritoneal**

Dialysis - peritoneal is a treatment or care intervention for dialysis - peritoneal; indication, preparation, risks, technical details, and recovery depend on the

patient and goal.

**Synonyms:**

### **Dialysis centers - what to expect**

Dialysis centers - what to expect examines dialysis centers - what to expect; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Diarrhea - what to ask your doctor - child**

Diarrhea - what to ask your doctor - child examines diarrhea - what to ask your doctor - child; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Diarrhea - what to ask your health care provider - adult**

Diarrhea - what to ask your health care provider - adult addresses care related to diarrhea - what to ask your health care provider - adult, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Diarrhea in infants**

Diarrhea in infants concerns diarrhea in infants; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Diazepam overdose**

Diazepam overdose involves toxic exposure to diazepam overdose; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach.

**Synonyms:**

### **Diazinon poisoning**

Diazinon poisoning involves toxic exposure to diazinon poisoning; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach.

---

**Synonyms:**

### **Diclofenac sodium overdose**

Diclofenac sodium overdose involves toxic exposure to diclofenac sodium overdose; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach.

**Synonyms:**

### **Dieffenbachia poisoning**

Dieffenbachia poisoning involves toxic exposure to dieffenbachia poisoning; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach.

**Synonyms:**

### **Diesel oil**

Diesel oil involves toxic exposure to diesel oil; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach.

**Synonyms:**

### **Diet - chronic kidney disease**

Diet - chronic kidney disease addresses care related to diet - chronic kidney disease, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Diet - liver disease**

Diet - liver disease addresses care related to diet - liver disease, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Diet after gastric banding**

Diet after gastric banding addresses care related to diet after gastric banding, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Diet and cancer**

Diet and cancer addresses care related to diet and

cancer, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Diet and eating after esophagectomy**

Diet and eating after esophagectomy examines diet and eating after esophagectomy; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Diet for rapid weight loss**

Diet for rapid weight loss addresses care related to diet for rapid weight loss, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Diet myths and facts**

Diet myths and facts examines diet myths and facts; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Diet-boosting foods**

Diet-boosting foods addresses care related to diet-boosting foods, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Diet-busting foods**

Diet-busting foods addresses care related to diet-busting foods, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Dietary fat and children**

Dietary fat and children addresses care related to dietary fat and children, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

---

### **Dietary fats explained**

Dietary fats explained addresses care related to dietary fats explained, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Dietary Guidelines for Americans 2025 - 2030**

Dietary Guidelines for Americans 2025 - 2030 addresses care related to dietary guidelines for americans 2025 - 2030, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Differences of sex development**

Differences of sex development concerns differences of sex development; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Digestive diseases**

Digestive diseases is a medical condition involving digestive diseases; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Digital anorectal exam - DARE**

Digital anorectal exam - DARE examines digital anorectal exam - dare; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Digital rectal exam**

Digital rectal exam examines digital rectal exam; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Digoxin test**

Digoxin test examines digoxin test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Dilantin overdose**

Dilantin overdose involves toxic exposure to dilantin overdose; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach.

**Synonyms:**

### **Dimenhydrinate overdose**

Dimenhydrinate overdose involves toxic exposure to dimenhydrinate overdose; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach.

**Synonyms:**

### **Diphenhydramine overdose**

Diphenhydramine overdose involves toxic exposure to diphenhydramine overdose; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach.

**Synonyms:**

### **Dirt - swallowing**

Dirt - swallowing involves toxic exposure to dirt - swallowing; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach.

**Synonyms:**

### **Discipline in children**

Discipline in children concerns discipline in children; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Disk replacement - lumbar spine**

Disk replacement - lumbar spine is a treatment or care intervention for disk replacement - lumbar spine; indication, preparation, risks, technical de-

---

tails, and recovery depend on the patient and goal.

**Synonyms:**

### **Dislocated shoulder - aftercare**

Dislocated shoulder - aftercare addresses care related to dislocated shoulder - aftercare, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Dissect**

Dissect examines dissect; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Disseminated intravascular coagulation (DIC)**

Disseminated intravascular coagulation is uncontrolled systemic coagulation activation with consumption of platelets and clotting factors, producing simultaneous thrombosis and bleeding.

**Synonyms:**

### **Disseminated tuberculosis**

Disseminated tuberculosis is a medical condition involving disseminated tuberculosis; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Distal median nerve dysfunction**

Distal median nerve dysfunction examines distal median nerve dysfunction; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Distal renal tubular acidosis**

Distal renal tubular acidosis is a medical condition involving distal renal tubular acidosis; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Distal splenorenal shunt**

Distal splenorenal shunt concerns distal splenorenal shunt, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context.

**Synonyms:**

### **Distracted driving**

Distracted driving examines distracted driving; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Diverticulitis - what to ask your doctor**

Diverticulitis - what to ask your doctor examines diverticulitis - what to ask your doctor; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Diverticulitis and diverticulosis - discharge**

Diverticulitis and diverticulosis - discharge addresses care related to diverticulitis and diverticulosis - discharge, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Dizziness and vertigo - aftercare**

Dizziness and vertigo - aftercare addresses care related to dizziness and vertigo - aftercare, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Do you have a drinking problem?**

Do you have a drinking problem? concerns do you have a drinking problem?; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Doctor of medicine profession (MD)**

Doctor of medicine profession (MD) examines doc-



---

tor of medicine profession (md); interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Doctor of osteopathic medicine**

Doctor of osteopathic medicine examines doctor of osteopathic medicine; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Donath-Landsteiner test**

Donath-Landsteiner test examines donath-landsteiner test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Donovanosis (granuloma inguinale)**

Donovanosis (granuloma inguinale) is a medical condition involving donovanosis (granuloma inguinale); causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Doppler ultrasound exam of an arm or leg**

Doppler ultrasound exam of an arm or leg examines doppler ultrasound exam of an arm or leg; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Double aortic arch**

Double aortic arch concerns double aortic arch; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Double inlet left ventricle**

Double inlet left ventricle concerns double inlet left ventricle; its medical significance is established from the defining features, setting, associated findings,

and clinical question.

**Synonyms:**

### **Doxepin overdose**

Doxepin overdose involves toxic exposure to doxepin overdose; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach.

**Synonyms:**

### **Drain cleaner poisoning**

Drain cleaner poisoning involves toxic exposure to drain cleaner poisoning; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach.

**Synonyms:**

### **Drain opener poisoning**

Drain opener poisoning involves toxic exposure to drain opener poisoning; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach.

**Synonyms:**

### **Drainpipe cleaners**

Drainpipe cleaners involves toxic exposure to drainpipe cleaners; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach.

**Synonyms:**

### **Drawing medicine out of a vial**

Drawing medicine out of a vial concerns drawing medicine out of a vial; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Drinking water safely during cancer treatment**

Drinking water safely during cancer treatment is a medical condition involving drinking water safely during cancer treatment; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

---

**Synonyms:**

### **Driving and older adults**

Driving and older adults addresses care related to driving and older adults, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Drug allergies**

Drug allergies are immune-mediated reactions to a medicine, ranging from rash to anaphylaxis; they must be distinguished from predictable side effects and nonimmune intolerance.

**Synonyms:**

### **Drug use first aid**

Drug use first aid concerns drug use first aid; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Drug-induced diarrhea**

Drug-induced diarrhea concerns drug-induced diarrhea; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Drug-induced immune hemolytic anemia**

Drug-induced immune hemolytic anemia is a medical condition involving drug-induced immune hemolytic anemia; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Drug-induced low blood sugar**

Drug-induced low blood sugar concerns drug-induced low blood sugar; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Drug-induced lupus erythematosus**

Drug-induced lupus erythematosus concerns drug-induced lupus erythematosus; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Drug-induced pulmonary disease**

Drug-induced pulmonary disease is a medical condition involving drug-induced pulmonary disease; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Drug-induced thrombocytopenia**

Drug-induced thrombocytopenia concerns drug-induced thrombocytopenia; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Drug-induced tremor**

Drug-induced tremor concerns drug-induced tremor; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Drugs that may cause erection problems**

Drugs that may cause erection problems examines drugs that may cause erection problems; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Dry cell battery poisoning**

Dry cell battery poisoning involves toxic exposure to dry cell battery poisoning; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach.

**Synonyms:**

### **Dry hair**

Dry hair concerns dry hair; its medical significance is established from the defining features, setting,

---

associated findings, and clinical question.

**Synonyms:**

### **Dry mouth during cancer treatment**

Dry mouth during cancer treatment is a medical condition involving dry mouth during cancer treatment; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Dry skin - self-care**

Dry skin - self-care addresses care related to dry skin - self-care, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **DTaP (diphtheria, tetanus, and pertussis) vaccine - what you need to know**

DTaP (diphtheria, tetanus, and pertussis) vaccine - what you need to know concerns dtap (diphtheria, tetanus, and pertussis) vaccine - what you need to know; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Dye remover poisoning**

Dye remover poisoning involves toxic exposure to dye remover poisoning; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach.

**Synonyms:**

### **Dyscrasias**

Dyscrasias is a medical condition involving dyscrasias; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

## E

### E Coli Enteritis

Intestinal infection caused by pathogenic strains of *Escherichia coli*. Depending on the strain, it may cause watery or bloody diarrhea, abdominal cramps, vomiting, or systemic complications such as hemolytic uremic syndrome.

**Synonyms:**

### EBCT

Electron-beam computed tomography, a rapid imaging method used especially to assess the heart and calcium in coronary arteries.

**Synonyms:** Electron-beam computed tomography

### Eccentric Action

Muscle action in which a muscle produces force while lengthening.

**Synonyms:** Eccentric contraction

### ECG

A recording of the heart's electrical activity used to evaluate rhythm and other cardiac problems.

**Synonyms:** Electrocardiogram; EKG

### ED

Erectile dysfunction: inability to obtain or maintain an erection adequate for sexual activity.

**Synonyms:** Erectile dysfunction

### EEG

An EEG records electrical activity generated by the brain through scalp electrodes and helps evaluate seizures, encephalopathy, and selected sleep or neurologic disorders.

**Synonyms:** Electroencephalogram

### Eighth Cranial Nerve

The vestibulocochlear nerve, which carries hearing and balance signals from the inner ear to the brain.

**Synonyms:** Vestibulocochlear nerve; auditory nerve

### EKG

A recording of the heart's electrical activity.

**Synonyms:** Electrocardiogram; ECG

### Elastin

A flexible connective-tissue protein that allows skin, blood vessels, and other tissues to stretch and recoil.

**Synonyms:**

### Electrolysis

Permanent hair removal using electrical energy delivered through a fine probe into a hair follicle.

**Synonyms:**

### Electrolyte

A mineral that carries an electrical charge in body fluids, such as sodium, potassium, or calcium.

**Synonyms:**

### Electron-Beam Computed Tomography

A rapid computed-tomography technique used to image the heart and detect calcium deposits in arteries.

**Synonyms:** EBCT

### Elimination Diets

Diets in which suspected foods are removed and later reintroduced to help identify food-related symptoms.

---

**Synonyms:** Elimination diet

### **Ellagic Acid**

A plant-derived polyphenol found in foods such as berries and nuts.

**Synonyms:**

### **Emetic**

A substance that induces vomiting.

**Synonyms:**

### **EMG**

A test that evaluates muscle activity and the nerves controlling muscles.

**Synonyms:** Electromyography

### **Emmenagogue**

A substance traditionally used to stimulate menstrual flow.

**Synonyms:**

### **Encoding**

The process by which sensory or cognitive information is converted into a form that can be stored in memory.

**Synonyms:**

### **Endogenous Opioids**

Pain-relieving opioid peptides produced naturally by the body.

**Synonyms:** Endogenous opioid peptides

### **Endorphins**

Natural opioid peptides that reduce pain and can contribute to feelings of well-being.

**Synonyms:** Endogenous opioids

### **Endothelins**

Peptides made by vascular endothelium that constrict blood vessels and can raise blood pressure.

**Synonyms:**

### **Endothelium-Derived Relaxing Factor**

A substance released by the endothelium that re-

laxes blood vessels; it is largely identified with nitric oxide.

**Synonyms:** EDRF; Nitric oxide

### **Enkephalin**

An endogenous opioid peptide involved in reducing pain.

**Synonyms:** Endogenous opioid

### **Enteropathic**

Relating to disease of the intestine.

**Synonyms:**

### **Eosinophils**

White blood cells involved in allergic inflammation and defense against some parasites.

**Synonyms:** Eosinophil granulocytes

### **Epicondylitis**

Painful inflammation or degeneration of a tendon attachment near a joint epicondyle, commonly at the elbow.

**Synonyms:** Tennis elbow; golfer's elbow

### **Epidemiological Study**

A population-based investigation of disease occurrence, causes, risks, or health outcomes.

**Synonyms:** Epidemiologic study

### **Epinephrine**

A hormone and neurotransmitter that increases heart activity and narrows many blood vessels during stress.

**Synonyms:** Adrenaline

### **Epithelial Cells**

Cells that cover body surfaces and line organs, cavities, and glands.

**Synonyms:** Epithelial tissue cells

### **Erector Spinae**

A group of muscles running along the back that extend and stabilize the spine.

**Synonyms:** Erector spinae muscles

---

### **Ergots**

Compounds derived from a fungus and used in some treatments, including certain headache disorders.

**Synonyms:**

### **Eructation**

The release of swallowed or stomach gas through the mouth.

**Synonyms:** Belching; burping

### **Essential Fats**

Fatty acids that the body cannot make in sufficient amounts and must obtain from food.

**Synonyms:** Essential fatty acids

### **Esterified Estrogens**

Estrogen compounds used in some hormone treatments.

**Synonyms:**

### **Esthetician**

A person trained in nonmedical skin-care and cosmetic treatments.

**Synonyms:** Aesthetician

### **Estradiol**

The principal biologically active estrogen hormone during the reproductive years.

**Synonyms:** 17 $\beta$ -estradiol

### **Estrogen Receptor**

A cellular protein that binds estrogen and mediates its effects on target tissues.

**Synonyms:**

### **Estrogen-Replacement Therapy**

Treatment using estrogen to replace hormone lost during menopause or because of ovarian failure.

**Synonyms:** Estrogen therapy

### **Etidronate**

A bisphosphonate used in selected conditions involving abnormal bone remodeling.

**Synonyms:**

### **Euthyroid**

Having normal thyroid function.

**Synonyms:**

### **Excitatory Neurotransmitter**

A chemical messenger that increases the likelihood that a receiving neuron will generate a signal.

**Synonyms:**

### **Excitotoxin**

A substance that overstimulates neurons and can injure or kill them.

**Synonyms:**

### **Executive Functions**

Mental abilities used to plan, organize, make decisions, control impulses, and adapt behavior.

**Synonyms:** Executive control

### **Exercise**

Planned physical activity performed to improve or maintain fitness and health.

**Synonyms:** Physical exercise

### **Exostosis**

A benign bony growth; in the ear canal, repeated cold-water exposure can cause surfer's ear.

**Synonyms:** Surfer's ear

### **Experience Sampling**

A research method that collects brief reports about a person's activities or feelings at randomly selected times.

**Synonyms:** Ecological momentary assessment

### **Expression Hopping**

A shift from one manifestation of an addiction to another, such as from substance use to compulsive gambling.

**Synonyms:**

### **Expression of Addiction**

The particular behavior or substance through which an addiction is manifested.



---

**Synonyms:**

### **Extend**

To straighten a joint or increase the angle between bones.

**Synonyms:** Extension

### **Extracapsular Cataract Surgery**

Cataract surgery that removes the cloudy lens while leaving the lens capsule largely in place.

**Synonyms:**

### **Extract**

A concentrated preparation made by drawing active substances from a plant, herb, or other source.

**Synonyms:** Extractive

### **Extrinsic Factor**

An outside influence that affects a person, tissue, or biological process.

**Synonyms:** External factor

### **E Coli Infection**

Infections caused by *Escherichia coli*, a gram-negative enteric bacillus. Causes: UTI (most common—cystitis, pyelonephritis), diarrhea (enterotoxigenic ETEC—traveler's diarrhea; enteropathogenic; enterohemorrhagic EHEC O157:H7—bloody diarrhea, HUS; enteroinvasive), neonatal meningitis, sepsis, and intra-abdominal infections.

**Synonyms:**

### **Ear**

Organ of hearing and balance, divided into external, middle, and inner ear. External: auricle (pinna), external auditory canal, tympanic membrane. Middle: air-filled cavity in temporal bone, auditory ossicles (malleus, incus, stapes), Eustachian tube (to nasopharynx).

**Synonyms:**

### **Ear Barotrauma**

Injury to the ear caused by a pressure difference between the middle ear and the surrounding environment, commonly during air travel or diving. It

may cause ear pain, fullness, hearing loss, tinnitus, vertigo, or tympanic-membrane rupture.

**Synonyms:**

### **Ear canal**

A tube leading from the eardrum to the outer ear.

**Synonyms:**

### **Ear Diseases**

Any disorder affecting the structures of the ear—external ear (pinna, ear canal), middle ear (tympanic membrane, ossicles, Eustachian tube), or inner ear (cochlea, vestibular apparatus).

**Synonyms:**

### **Ear Infection**

Infection or inflammation of the ear, commonly involving the external canal or middle ear. It may cause ear pain, fever, reduced hearing, discharge, or irritability in children. Also called otitis.

**Synonyms:** otitis.

### **Ear Wax**

Cerumen, a mixture of secretions and shed skin that protects and cleans the ear canal. Impacted wax may cause hearing loss, fullness, tinnitus, itching, or discomfort. Cotton swabs and inserted objects can worsen impaction or injure the ear; removal should use safe clinician-recommended methods, particularly when an eardrum perforation is possible.

**Synonyms:**

### **Ear, Nose, and Throat**

A medical specialty (otolaryngology) focused on the diagnosis and treatment of disorders affecting the ears, nose, throat, head, and neck. Conditions managed include hearing loss, sinusitis, tonsillitis, voice disorders, and head and neck cancers.

**Synonyms:**

### **Earache**

Earache concerns earache, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context. temporomandibular-joint disorders, or re-

---

ferred throat pathology. Persistent, severe, or discharge-associated pain requires evaluation.

**Synonyms:**

### **Earache (Otalgia)**

Pain originating from the ear, a common symptom with diverse causes. Otalgia is classified as primary (originating within the ear itself) or secondary/referred (pain perceived in the ear but arising from another site).

**Synonyms:** Otalgia

### **Eardrum**

A thin membrane separating the ear canal and middle ear.

**Synonyms:**

### **Ear Foreign Body**

An object lodged in the external auditory canal, commonly occurring in children. It may cause pain, hearing reduction, discharge, or canal injury and should be removed with appropriate visualization and technique.

**Synonyms:** External auditory-canal foreign body; ear-canal foreign body.

### **Early Decelerations**

A fetal heart rate pattern with a gradual decrease (onset to nadir >30 seconds) that mirrors the contraction and returns to baseline as the contraction ends. Caused by fetal head compression during contractions (vagal response). A benign, physiologic finding associated with normal fetal acid-base status. No intervention required.

**Synonyms:**

### **Early Detection**

Identification of a disease at an early stage, when treatment may be more effective. It may result from screening or prompt evaluation of symptoms.

**Synonyms:**

### **Early Intervention**

Services provided to infants and young children with developmental delays or disabilities to support

development, function, and participation.

**Synonyms:**

### **Earwax**

Cerumen, a waxy secretion produced by the ceruminous glands in the outer third of the external auditory canal. Earwax lubricates and protects the skin of the ear canal, trapping dust, debris, and microorganisms to prevent them from reaching the tympanic membrane.

**Synonyms:**

### **Eating Disorder**

A group of conditions characterized by abnormal eating habits and distorted body image, including anorexia nervosa, bulimia nervosa, binge eating disorder, and avoidant/restrictive food intake disorder (ARFID). Anorexia: severe calorie restriction, intense fear of weight gain, and body image disturbance with dangerously low weight.

**Synonyms:**

### **Ebola**

Ebola virus disease (EVD): a severe, often fatal viral hemorrhagic fever caused by Ebola virus (Filoviridae, RNA), transmitted by direct contact with blood/body fluids of infected humans/animals. Incubation 2-21 days.

**Synonyms:**

### **Ebola virus**

A filovirus that causes Ebola virus disease, a severe hemorrhagic fever. The virus is transmitted through contact with infected body fluids. The incubation period is 2-21 days. Symptoms include fever, headache, myalgia, and hemorrhage. Diagnosis is made by PCR and antigen detection.

**Synonyms:**

### **Ebola Virus Disease**

A severe viral infection caused by Ebola viruses, characterized by fever and systemic illness that may progress to bleeding, shock, or organ failure.

**Synonyms:**

---

## **Ebstein Anomaly**

A rare congenital heart defect accounting for less than 1 percent of all congenital heart disease, characterized by apical displacement of the septal and posterior leaflets of the tricuspid valve into the right ventricle, resulting in atrialization of the proximal right ventricle and a small functional right ventricular chamber.

**Synonyms:**

## **Ecchymosis**

An ecchymosis is a flat, purple or blue discoloration of the skin larger than 10 millimeters caused by extravasation of blood from damaged blood vessels into the subcutaneous tissue. Unlike petechiae, which result from platelet disorders, ecchymoses may result from coagulopathies, trauma, or vascular fragility.

**Synonyms:**

## **Eccrine Gland**

A coiled sweat gland distributed throughout the skin that secretes a watery fluid directly onto the skin surface through a duct. Eccrine sweating supports thermoregulation and is stimulated by sympathetic cholinergic fibres; the glands are especially numerous on the palms, soles, and forehead.

**Synonyms:**

## **ECG/EKG Machine**

Records electrical activity of heart. 12-lead ECG standard. Components: electrodes, leads, amplifier, recorder. Essential for cardiac diagnosis.

**Synonyms:**

## **Echinocandins**

A class of antifungal agents that inhibit beta-1,3-glucan synthase, an enzyme essential for synthesis of beta-1,3-glucan, a major component of the fungal cell wall. This unique mechanism targets a structure absent in mammalian cells, resulting in favorable toxicity profiles.

**Synonyms:**

## **Echinococcal cysts**

Fluid-filled parasitic cysts caused by larval *Echinococcus* tapeworms, usually occurring in the liver or lungs.

**Synonyms:**

## **Echinococcosis**

Echinococcosis is a medical condition involving echinococcosis; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. liver or lungs.

**Synonyms:**

## **Echinococcus granulosus**

A tapeworm that causes hydatid disease (cystic echinococcosis). The adult worm infects dogs, and humans are accidental intermediate hosts. Infection occurs through ingestion of eggs from dog feces. Larval cysts form in the liver and lungs, causing space-occupying lesions.

**Synonyms:**

## **Echinocytes (Burr Cells)**

Red blood cells with uniform, small, evenly spaced serrated or spiky membrane projections along the entire erythrocyte circumference. Most commonly caused by End-Stage Renal Disease (Uremia), pyruvate kinase deficiency, severe hypokalemia, or in vitro artifact (crenation due to glass slides or prolonged storage).

**Synonyms:** Burr Cells

## **Echo**

A common abbreviation for echocardiography, an ultrasound examination used to assess the heart's structure and function.

**Synonyms:**

## **Echocardiogram**

An echocardiogram uses ultrasound to assess cardiac chambers, valves, wall motion, blood flow, and ventricular function without ionizing radiation. blood flow. It is used to evaluate heart failure, valve disease, congenital defects, and other cardiac disorders.

**Synonyms:**

---

## Echocardiography

Ultrasound imaging of the heart, the primary modality for assessing cardiac structure and function. Transthoracic echocardiography (TTE) is the most common approach; transesophageal echocardiography (TEE) provides better views of posterior structures (left atrium, mitral valve, aorta).

**Synonyms:**

## Echogenic Bowel

An ultrasound finding in which the fetal bowel appears unusually bright, sometimes as bright as nearby bone. It may be a normal variant or may be associated with infection, chromosomal conditions, cystic fibrosis, or other fetal abnormalities.

**Synonyms:**

## Echogenic Intracardiac Focus

A small bright area, usually in a papillary muscle of the fetal heart, seen on ultrasound. It is commonly an incidental variant when isolated and the remainder of the examination is normal. Its significance depends on prior screening, other ultrasound findings, and the clinical context.

**Synonyms:**

## Echolalia

The involuntary, automatic repetition of words or phrases spoken by another person, a speech phenomenon observed in various neurologic and psychiatric conditions. Immediate echolalia involves repeating sounds immediately after hearing them; delayed echolalia involves repeating phrases heard hours, days, or weeks earlier.

**Synonyms:**

## Echovirus

A group of enteroviruses that commonly cause asymptomatic or mild infection but may also cause aseptic meningitis, encephalitis, rash, respiratory illness, myocarditis, or neonatal sepsis. Transmission is mainly faecal-oral or respiratory, and diagnosis is usually by nucleic-acid testing or viral culture in selected cases.

**Synonyms:**

## Eclampsia

Eclampsia is new-onset seizure in a person with preeclampsia or pregnancy-related hypertensive disease and requires urgent stabilization, seizure prevention, and delivery planning, representing a medical emergency. Complications include aspiration, placental abruption, disseminated intravascular coagulation, and maternal/fetal death.

**Synonyms:**

## ECOG Performance Status

A five-point scale describing functional impairment, from 0 for fully active to 5 for death. It is widely used in clinical trials, prognostic assessment, and decisions about systemic anticancer treatment.

**Synonyms:**

## Ecthyma gangrenosum

A severe cutaneous infection caused by *Pseudomonas aeruginosa*, characterized by painless, hemorrhagic vesicles that rapidly progress to necrotic ulcers with black eschars. It occurs almost exclusively in immunocompromised or neutropenic patients and results from bacterial invasion of blood vessel walls.

**Synonyms:**

## Ectoderm

The outermost of the three primary germ layers in an embryo, which develops into the skin, nervous system, and sensory organs.

**Synonyms:**

## Ectodermal Dysplasia

A group of inherited disorders affecting tissues derived from the embryonic ectoderm, including hair, teeth, nails, skin, and sweat glands. Findings vary but may include sparse hair, abnormal teeth, reduced sweating, heat intolerance, and recurrent infections.

**Synonyms:**

## Ectopia lentis

Displacement or malposition of the crystalline lens from its normal position, most commonly due to trauma but also associated with systemic conditions

---

including Marfan syndrome (superior displacement), homocystinuria (inferior displacement), and Weill-Marchesani syndrome.

**Synonyms:**

### **Ectopic ACTH Syndrome**

Adrenocorticotrophic hormone secretion by non-pituitary tumors causing Cushing syndrome. Most commonly caused by small cell lung cancer and bronchial carcinoid tumors. Other sources include thymic carcinoid, pancreatic neuroendocrine tumors, and medullary thyroid carcinoma.

**Synonyms:**

### **Ectopic Cushing Syndrome**

Hypercortisolism caused by an extrapituitary tumor producing adrenocorticotrophic hormone or, rarely, corticotropin-releasing hormone. It may cause hypertension, diabetes, hypokalemia, muscle weakness, infection risk, and rapid features of cortisol excess.

**Synonyms:**

### **Ectopic Heartbeat**

A heartbeat originating outside the normal sinoatrial-node rhythm. Premature atrial or ventricular beats may feel like a skipped beat, flutter, or sudden thump and can occur in healthy people or with structural heart disease.

**Synonyms:**

### **Ectopic Pregnancy**

Implantation of a fertilized ovum outside the uterine cavity, most commonly in the fallopian tube (95%). Risk factors: prior ectopic, PID, tubal surgery, IUD, smoking, and assisted reproductive technology. Presents with lower abdominal pain, amenorrhea, and vaginal bleeding. Rupture causes hemodynamic instability.

**Synonyms:**

### **Ectopic thyroid**

Thyroid tissue located outside its normal pretracheal position, most commonly along the path of thyroid descent from the foramen cecum to the normal cervical location. The most common site is the

base of the tongue (lingual thyroid).

**Synonyms:**

### **Ectopic Thyroid Tissue**

Thyroid tissue located outside the normal pretracheal position resulting from failure of normal thyroid descent during embryological development. Most commonly found at the base of the tongue termed lingual thyroid. May be the only functioning thyroid tissue. Symptoms include dysphagia, dysphonia, and upper airway obstruction.

**Synonyms:**

### **Ectrodactyly**

A congenital limb malformation characterized by a deep median cleft of the hand or foot with missing central digits, resulting in a claw-like or lobster-claw appearance. Also known as split hand/foot malformation (SHFM). Most cases are autosomal dominant with incomplete penetrance, linked to mutations in TP63, DLX5, or WNT10B genes.

**Synonyms:**

### **Ectropion**

Ectropion examines ectropion; interpretation depends on the specimen or body region, test method, reference range, and clinical question. and causing tearing, irritation, dryness, and incomplete eyelid closure. It may be involutional, paralytic, cicatricial, or mechanical; persistent exposure can damage the cornea.

**Synonyms:**

### **Eczema**

A group of inflammatory skin conditions characterized by pruritic, erythematous, scaly patches. Atopic dermatitis is the most common form. Nummular eczema presents as coin-shaped lesions. Dyshidrotic eczema affects palms and soles with vesicles. Eczema herpeticum is a disseminated HSV infection in eczema patients, a medical emergency.

**Synonyms:**

### **Eczema (Atopic Dermatitis)**

A chronic inflammatory skin condition character-

---

ized by dry, itchy, and inflamed patches of skin. It is driven by a combination of genetic predisposition, immune system dysfunction, and environmental triggers.

**Synonyms:** Atopic Dermatitis

### **Eczema herpeticum**

A widespread viral skin infection caused by herpes simplex virus occurring in patients with pre-existing skin barrier defects, most commonly atopic dermatitis. It presents with monomorphic, umbilicated vesicles, pustules, and hemorrhagic crusted erosions, often with fever and lymphadenopathy.

**Synonyms:**

### **Edema**

Swelling caused by excess fluid trapped in body tissues. Types: pitting (press leaves indentation), non-pitting (myxedema, lymphedema). Causes: heart failure, kidney disease, liver cirrhosis, venous insufficiency, lymphatic obstruction, medications (calcium channel blockers, NSAIDs).

**Synonyms:**

### **Edema (historically Dropsy)**

An historic term for edema, referring to the abnormal accumulation of serous fluid in the tissues or body cavities.

**Synonyms:** historically Dropsy

### **Edentulism**

Complete or partial absence of natural teeth. It can impair mastication, speech, nutrition, facial support, and quality of life and may be managed with removable, fixed, or implant-supported prostheses.

**Synonyms:**

### **Edward Syndrome**

Trisomy 18. Features: severe intellectual disability, clenched hands, rocker-bottom feet, cardiac defects, feeding difficulties. Most die within first year.

**Synonyms:**

### **Edwards Syndrome**

Trisomy 18, the second most common autosomal tri-

somy in live births (1 in 5,000). Caused by complete trisomy 18 (94%), mosaicism, or partial trisomy (translocation).

**Synonyms:**

### **EFAST Examination**

Extended focused assessment with sonography in trauma, a bedside ultrasound examination for intraperitoneal or pericardial free fluid and pneumothorax or hemothorax. It rapidly informs trauma resuscitation but does not exclude all internal injuries when negative.

**Synonyms:**

### **Effacement**

Thinning (shortening) of the cervix during labor, expressed as a percentage (0-100 percent), as the cervix is taken up into the lower uterine segment, enabling dilation. Occurs with cervical dilation in the first stage of labor, driven by contractions and the presenting part.

**Synonyms:**

### **Effective Dose**

A radiation-protection quantity that estimates the population-averaged stochastic health risk from nonuniform exposure by weighting absorbed doses to different organs and tissues. It is not a patient-specific prediction of cancer risk.

**Synonyms:**

### **Effective Half-Life**

The time required for the activity of a radionuclide in a tissue or body to fall by one half through both physical radioactive decay and biologic elimination. It determines the duration of radiation exposure in that compartment.

**Synonyms:**

### **Effective Reproduction Number (Rt)**

The average number of secondary infections caused by an infectious person at a particular time, accounting for existing immunity, behavior, interventions, and population structure. Sustained transmission generally requires Rt above 1.



---

**Synonyms:** Rt

### **Efficacy**

The maximum therapeutic effect a drug or intervention can produce under ideal conditions (e.g., in a clinical trial). Efficacy is determined by the drug's mechanism of action and the receptor-effector system; it is measured by the Emax (maximal effect) on the dose-response curve.

**Synonyms:**

### **EGD**

Esophagogastroduodenoscopy is an examination of the esophagus, stomach, and duodenum with a flexible endoscope. It can evaluate symptoms or bleeding, obtain biopsies, and provide selected treatments such as hemostasis or removal of a lesion.

**Synonyms:**

### **EGFR inhibition**

A targeted cancer therapy using monoclonal antibodies or small-molecule tyrosine kinase inhibitors that block the epidermal growth factor receptor signaling pathway, inhibiting tumor cell proliferation, survival, and metastasis. Used in colorectal cancer, non-small cell lung cancer, and head and neck squamous cell carcinoma.

**Synonyms:**

### **Eggshell Nail**

A nail that becomes unusually thin, soft, flexible, and sometimes whitish or concave. It may be associated with nutritional deficiency, chronic illness, aging, or repeated trauma; persistent nail changes should be evaluated with the skin and other symptoms in mind.

**Synonyms:**

### **Egophony**

An abnormal vocal sound heard during auscultation in which spoken "E" sounds are heard as "A" (the "E-to-A" change). It is a sign of lung consolidation, as in lobar pneumonia. The consolidated lung tissue conducts high-frequency sounds better than air-filled lung.

**Synonyms:**

### **Ehlers-Danlos Syndrome**

A group of hereditary connective tissue disorders caused by defects in collagen synthesis or processing.

**Synonyms:**

### **EHR**

Electronic health record, a digital record of a person's health information that can include data from multiple clinicians and care settings.

**Synonyms:**

### **Ehrlichia and Anaplasma**

Obligate intracellular bacteria transmitted by ticks that cause ehrlichiosis and anaplasmosis. Ehrlichia chaffeensis causes human monocytic ehrlichiosis. Anaplasma phagocytophilum causes human granulocytic anaplasmosis. The organisms infect white blood cells (Ehrlichia) or granulocytes (Anaplasma).

**Synonyms:**

### **Ehrlichiosis**

Ehrlichiosis is a tick-borne infection caused by Ehrlichia bacteria, commonly producing fever, headache, malaise, low blood counts, and elevated liver enzymes. ehrlichiosis) and E. ewingii (granulocytic). Endemic in the southeastern and south-central US. Presents with fever, headache, myalgia, malaise, and thrombocytopenia/leukopenia. Rash less common than RMSF.

**Synonyms:**

### **Eisenmenger Syndrome**

Reversal of a left-to-right cardiac shunt due to irreversible pulmonary hypertension, resulting in right-to-left shunting and cyanosis. It occurs in untreated congenital heart defects with large left-to-right shunts (VSD, ASD, PDA) that cause progressive pulmonary vascular disease.

**Synonyms:**

### **Eisenmenger's syndrome**

Pulmonary vascular disease caused by a long-standing congenital heart shunt, eventually revers-

---

ing the shunt and causing cyanosis.

**Synonyms:**

### Ejaculation

The expulsion of seminal fluid from the male urethra during sexual climax, a reflex coordinated by the sympathetic nervous system (T10-L2) and involving contraction of the epididymis, vas deferens, seminal vesicles, prostate, and bulbospongiosus muscle.

**Synonyms:**

### Ejection Click

A high-pitched sound occurring at the beginning of systole, caused by opening of a stenotic semilunar valve. Aortic ejection click is heard in bicuspid aortic valve and aortic stenosis with pliable leaflets. Pulmonary ejection click is heard in pulmonary stenosis and disappears as the valve becomes more calcified and immobile.

**Synonyms:**

### Ejection Fraction

The percentage of blood in a ventricle that is ejected during contraction, calculated from stroke volume and end-diastolic volume. It is used to describe cardiac function, but interpretation depends on the imaging method, clinical findings, and applicable heart-failure definitions.

**Synonyms:**

### Elastic Cartilage

Flexible cartilage containing abundant elastic fibers in its matrix. It supports structures that require shape retention with flexibility, including the external ear, epiglottis, and auditory tube.

**Synonyms:**

### Elastography

Imaging tissue stiffness. Used for liver fibrosis assessment, breast lesion characterization, thyroid nodule evaluation.

**Synonyms:**

### Elbow Joint

A synovial hinge complex comprising the humeroulnar and humeroradial joints.

It primarily permits flexion and extension, while the proximal radioulnar component permits forearm rotation.

**Synonyms:**

### Elder Abuse

Intentional or neglectful act causing harm to older person. Types: physical, emotional, sexual, financial, neglect. Risk factors: social isolation, caregiver stress, cognitive impairment, dependency. Mandatory reporting required. Assessment: direct question, observation, collateral history.

**Synonyms:**

### Elderly

Person aged 65 or older. Divisions: young-old (65-74), middle-old (75-84), old-old (85+). Heterogeneous population with varying health status, needs, preferences.

**Synonyms:**

### Electrical Cardioversion

Delivery of a synchronized electrical shock timed to the R wave to terminate selected tachyarrhythmias, such as atrial fibrillation, atrial flutter, or certain supraventricular tachycardias. Sedation, thromboembolic risk, and the patient's hemodynamic status must be assessed.

**Synonyms:**

### Electrical Injury

Tissue damage caused by passage of electrical current through the body. Severity depends on voltage, current (alternating vs. direct), pathway, duration, and resistance. High-voltage (>1000V): extensive internal tissue damage (muscle necrosis, compartment syndrome, rhabdomyolysis) with relatively small skin burns (entry/exit wounds).

**Synonyms:**

### Electrical Stimulation

The therapeutic application of controlled electrical currents to nerves or muscles. Examples include transcutaneous electrical nerve stimulation for pain and neuromuscular stimulation for selected muscle

---

or movement problems.

**Synonyms:**

### **Electrocardiogram**

An electrocardiogram records the heart's electrical signals and helps identify rhythm disturbances, conduction disease, ischemia, infarction, and chamber strain.

**Synonyms:** ECG or EKG.

### **Electrocoagulation**

A surgical technique using high-frequency electrical current to destroy tissue or stop bleeding by coagulating proteins, also known as diathermy or cauterization.

**Synonyms:** diathermy or cauterization.

### **Electroconvulsive Therapy**

A neuromodulation treatment involving the induction of a generalized seizure under general anesthesia using electrical current applied to the scalp. It is the most effective treatment for severe depression, especially with psychotic features, catatonia, or suicidal ideation.

**Synonyms:**

### **Electrocution**

Injury from electrical current. Types: low voltage (<1000V), high voltage (>1000V). Effects: cardiac arrhythmias, muscle contractions, burns, neurological damage. Management: ABCs, cardiac monitoring, tetanus prophylaxis, wound care, check for compartment syndrome.

**Synonyms:**

### **Electroencephalogram**

EEG: a recording of electrical activity of the brain via scalp electrodes, reflecting cortical neuronal activity. Uses: diagnosis and classification of seizures/epilepsy (interictal epileptiform discharges, spikes/waves), status epilepticus monitoring, assessment of encephalopathy, sleep disorders, and determination of brain death.

**Synonyms:**

### **Electroencephalography**

A non-invasive neurophysiological test that records the electrical activity of the brain using electrodes placed on the scalp according to the international 10-20 system.

**Synonyms:**

### **Electrolyte Balance**

Homeostasis of sodium, potassium, calcium, magnesium, chloride, phosphate. Regulated by kidneys, hormones (aldosterone, ADH, PTH). Imbalance causes neuromuscular, cardiac, metabolic dysfunction.

**Synonyms:**

### **Electrolyte Imbalance**

Abnormal serum concentration of electrolytes (sodium, potassium, calcium, magnesium, phosphate, chloride). Hyponatremia (<135 mEq/L): most common electrolyte disorder; causes include SIADH, heart failure, hypovolemia, and polydipsia. Hypernatremia (>145 mEq/L): free water deficit from poor intake, diabetes insipidus, or diuretics.

**Synonyms:**

### **Electrolytes**

Electrolytes examines electrolytes; interpretation depends on the specimen or body region, test method, reference range, and clinical question. physiologic function.

**Synonyms:**

### **Electromagnetic Navigation Bronchoscopy**

A guidance system for bronchoscopy that uses electromagnetic fields to navigate to peripheral lung lesions. It allows biopsy of lesions not visible on standard bronchoscopy. It is more accurate than conventional transbronchial biopsy for peripheral lesions. It may reduce the need for CT-guided biopsy.

**Synonyms:**

### **Electromyography**

Electromyography examines electromyography; interpretation depends on the specimen or body re-

---

gion, test method, reference range, and clinical question. lower urinary tract (bladder and urethral sphincter) during filling, storage, and emptying phases. See urodynamic testing.

**Synonyms:**

### **Electron Transport Chain**

Series of protein complexes (I-IV) and mobile carriers (ubiquinone, cytochrome c) in the inner mitochondrial membrane that transfer electrons from NADH and FADH<sub>2</sub> to oxygen, pumping protons to create electrochemical gradient used by ATP synthase. Complex I (NADH dehydrogenase): NADH → ubiquinone.

**Synonyms:**

### **Electrophysiology Study**

Invasive cardiac catheterization with multielectrode catheters placed in the heart to map the cardiac conduction system. Measures: sinus node function (SNRT, SACT), AV node function (AH interval, HV interval), and inducibility of arrhythmias (programmed electrical stimulation).

**Synonyms:**

### **Electrosurgical Unit**

A generator that delivers high-frequency electrical energy through an active electrode to cut tissue or achieve hemostasis. Monopolar and bipolar configurations differ in current pathway and safety considerations; burns, unintended tissue injury, and interference with implanted devices are possible complications.

**Synonyms:**

### **Elephantiasis**

Massive enlargement of a body part, typically a limb or the scrotum, caused by chronic lymphedema from obstruction of lymphatic vessels. The most common cause worldwide is lymphatic filariasis, a mosquito-borne parasitic infection by *Wuchereria bancrofti*, *Brugia malayi*, or *Brugia timori*.

**Synonyms:**

### **Elevation**

Superior movement of a body part, such as raising the mandible or shoulder girdle.

**Synonyms:**

### **Elimination Half-Life**

Time for plasma concentration to decrease by 50%. Determines dosing interval, accumulation, withdrawal from exposure. Affected by renal/hepatic function, age, drug interactions.

**Synonyms:**

### **Embolectomy**

Surgical removal of embolus from blood vessel. Indications: acute arterial occlusion, pulmonary embolism. Techniques: Fogarty catheter, open surgical extraction. Often combined with thrombolysis.

**Synonyms:**

### **Embolectomy (Vascular)**

Removal of an embolus from a blood vessel by surgery or a catheter-based procedure.

**Synonyms:** Vascular

### **Embolism**

An embolism is the occlusion of a blood vessel by a detached mass that has traveled through the bloodstream from its site of origin. The most common form is thromboembolism, where a fragment of a thrombus dislodges and travels to a distant site through the venous or arterial circulation.

**Synonyms:**

### **Embolization**

Deliberate occlusion of a blood vessel or vascular malformation using materials such as coils, particles, glue, or plugs. It is used to control hemorrhage, treat aneurysms or malformations, reduce tumor vascularity, or induce organ infarction in selected therapies.

**Synonyms:**

### **Embolization (Vascular)**

Intentional blockage of a blood vessel using a catheter-delivered material to control bleeding, re-

---

duce blood flow, or treat a vascular lesion.

**Synonyms:** Vascular

### **Embolization Therapy**

Image-guided occlusion of vessels. Used for hemorrhage control, tumor devascularization, aneurysm treatment, varices.

**Synonyms:**

### **Embryo**

The developing human organism from fertilization through the end of the eighth week after fertilization. From the ninth week after fertilization, it is termed a fetus.

**Synonyms:**

### **Emergence Agitation**

A state of confusion, restlessness, and inconsolable crying during emergence from anesthesia, occurring in 10 to 80 percent of pediatric patients and 5 to 10 percent of adults. Risk factors include sevoflurane induction, short procedures, parental separation, and preexisting behavioral disorders.

**Synonyms:**

### **Emergency Contraception**

Contraception used after unprotected intercourse or contraceptive failure to reduce the chance of pregnancy. Options include oral medicines and a copper intrauterine device; effectiveness depends on the method, timing, medical history, and access to care.

**Synonyms:**

### **Emergency Department**

Hospital department providing immediate medical care for acute illnesses and injuries. Staffed by emergency physicians and supported by specialists. Key principles: triage (prioritize by severity), stabilization, diagnosis, treatment, disposition.

**Synonyms:**

### **Emergency Procedures**

Planned actions for responding to urgent events such as spills, contamination, equipment failure, or

radiation exposure while protecting patients and staff.

**Synonyms:**

### **Emerging Infectious Disease**

New or reemerging infectious diseases. Examples: COVID-19, Zika, Ebola, MERS.

**Synonyms:**

### **Emesis**

The forceful expulsion of gastric contents through the mouth, a complex reflex coordinated by the vomiting center in the medulla oblongata.

**Synonyms:**

### **Emetics**

Substances that induce vomiting. They are generally not used to treat poisoning because vomiting may cause aspiration or additional injury.

**Synonyms:**

### **Emission**

The discharge or release of a substance, usually a fluid. In male reproduction, emission refers to the movement of semen into the posterior urethra in preparation for ejaculation.

**Synonyms:**

### **Emotional Eating**

Eating in response to emotions such as stress, boredom, or sadness rather than primarily in response to physical hunger. Cognitive behavioral therapy may help.

**Synonyms:**

### **Emphysema**

A form of COPD characterized by permanent, abnormal enlargement of airspaces distal to the terminal bronchioles, accompanied by destruction of their walls. Centriacinar emphysema affects the respiratory bronchioles and is associated with smoking.

**Synonyms:**

### **Emphysematous aortitis due to**

---

### **Clostridium septicum**

A rare, life-threatening infection of the aortic wall by *Clostridium septicum*, characterized by gas formation within the aortic wall visible on imaging. It typically occurs in immunocompromised patients and may present with sepsis, back pain, or aortoenteric fistula.

**Synonyms:**

### **Emphysematous cholecystitis**

A severe, gas-forming infection of the gallbladder wall caused by anaerobic organisms, most commonly *Clostridium* species and *Escherichia coli*, occurring predominantly in diabetic men. Gas within the gallbladder wall or lumen is visible on imaging. It is a surgical emergency requiring urgent cholecystectomy and broad-spectrum antibiotics.

**Synonyms:**

### **Emphysematous hepatitis**

A rare, life-threatening gas-forming infection of the liver parenchyma, most commonly caused by *Clostridium* species or mixed enteric organisms in immunocompromised or diabetic patients. Imaging reveals gas within the liver parenchyma.

**Synonyms:**

### **Emphysematous prostatitis**

A rare, severe gas-forming infection of the prostate gland, most commonly caused by *Escherichia coli* in diabetic or immunocompromised patients. It presents with fever, perineal pain, urinary retention, and sepsis. Imaging shows gas within the prostatic parenchyma.

**Synonyms:**

### **Emphysematous Pyelonephritis**

Severe necrotizing infection of renal parenchyma with gas formation. Almost exclusively in diabetic patients. Presents with high fever, flank pain, and sepsis. CT shows gas within renal parenchyma. A urological emergency requiring aggressive antibiotics and usually nephrectomy. Mortality is high even with treatment.

**Synonyms:**

### **Empty Calories**

A nontechnical term for foods or drinks that provide substantial energy but relatively few vitamins, minerals, fiber, or other beneficial nutrients.

**Synonyms:**

### **Empty Sella Syndrome**

Herniation of subarachnoid space into the sella turcica, compressing the pituitary gland and flattening it against the sellar floor. Primary: due to congenital weakness of the diaphragma sella. Secondary: post-surgery, post-radiation, or pituitary apoplexy (Sheehan syndrome). Most are asymptomatic.

**Synonyms:**

### **Empyema**

Empyema concerns empyema; its medical significance is established from the defining features, setting, associated findings, and clinical question. requires chest tube drainage, intrapleural fibrinolytics, or VATS decortication.

**Synonyms:**

### **Empyema Necessitans**

Extension of pleural empyema through the chest wall. Presents as a painful, fluctuant mass. Requires drainage and antibiotics.

**Synonyms:**

### **EMR**

Electronic medical record, a digital record of health information maintained within a particular health-care organization or practice.

**Synonyms:**

### **Enamel**

Hard, highly mineralized outer layer of tooth crown. Avascular, aneural, cannot regenerate. Enamel hypoplasia causes defects. Dental caries begins in enamel. Fluoride strengthens enamel.

**Synonyms:**

### **Enamel Hypoplasia**

Defective enamel quantity due to systemic disturbance during development. Pits, grooves, or thin



---

enamel.

**Synonyms:**

### Enamel Pearl

Small mound of enamel on root surface. Usually bifurcation area of molars. May interfere with periodontal attachment.

**Synonyms:**

### Encapsulating peritoneal sclerosis

Rare condition characterized by a thick fibro-collagenous membrane encasing the small intestine, leading to recurrent bowel obstruction. Most commonly associated with long-term peritoneal dialysis but also seen after abdominal surgery, radiation, and beta-blocker use.

**Synonyms:**

### Encephalitis

Encephalitis is inflammation of brain tissue, often infectious or autoimmune, causing altered mental status, seizures, fever, focal deficits, or movement abnormalities. fever, headache, altered mental status, seizures, or focal neurologic deficits and requires urgent medical evaluation.

**Synonyms:**

### Encephalocele

A neural tube defect where brain tissue and meninges herniate through a skull defect, most commonly in the occipital region. The herniated sac contains cerebrospinal fluid, meninges, and often brain tissue. Associated with other CNS anomalies including hydrocephalus and Chiari malformation. Presents as a visible, pulsatile midline mass.

**Synonyms:**

### Encephalopathy

Any diffuse disease of the brain that alters its structure or function, presenting with a global change in mental status (confusion, lethargy, personality change, coma) rather than focal neurologic deficits.

**Synonyms:**

### Encopresis

Encopresis concerns encopresis; its medical significance is established from the defining features, setting, associated findings, and clinical question. enough for bowel control. It is commonly associated with chronic constipation and fecal retention, with overflow soiling around impacted stool.

**Synonyms:**

### End-of-Life Care

Care focused on comfort, symptom control, communication, and support for a person with advanced illness and for their family or caregivers.

**Synonyms:**

### End-Stage Kidney Disease

The advanced stage of chronic kidney disease in which the kidneys can no longer adequately maintain fluid, electrolyte, and waste balance. Treatment requires dialysis or kidney transplantation, together with management of complications.

**Synonyms:**

### End-Stage Renal Disease

The final stage of chronic kidney disease (CKD stage 5), defined by GFR  $<15$  mL/min/1.73 m<sup>2</sup> or the need for renal replacement therapy. Uremia develops with accumulation of toxins causing nausea, anorexia, pruritus, pericarditis, encephalopathy, and bleeding diathesis.

**Synonyms:**

### Endemic

Endemic concerns endemic; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### Endemic fungi

Fungi that occur naturally in particular geographic regions and can cause infection in people who inhale their spores.

**Synonyms:**

---

### Endobronchial Foreign Body

A foreign object lodged in a bronchus, causing partial or complete airway obstruction. It may cause localized wheezing, atelectasis, and post-obstructive pneumonia. It is most common in children and may be initially misdiagnosed as asthma. Bronchoscopy is both diagnostic and therapeutic.

**Synonyms:**

### Endobronchial Tumor

A tumor growing within the bronchial lumen, causing obstruction, atelectasis, and post-obstructive pneumonia. It may be malignant (lung cancer, carcinoid tumor) or benign (hamartoma, papilloma). Symptoms include cough, hemoptysis, and wheezing. Treatment is bronchoscopic removal or debulking plus definitive therapy.

**Synonyms:**

### Endobronchial Ultrasound

Bronchoscopy with ultrasound guidance for trans-bronchial needle aspiration of mediastinal and hilar lymph nodes. Essential for lung cancer staging. Less invasive than mediastinoscopy.

**Synonyms:**

### Endobronchial Valve

A one-way valve placed bronchoscopically in a target airway to achieve lobar atelectasis in emphysema. It allows air and secretions to exit but prevents air from entering. It is used for bronchoscopic lung volume reduction in selected patients with heterogeneous emphysema and intact fissures.

**Synonyms:**

### Endocardial Cushion Defect

A congenital heart defect caused by abnormal development of the atrioventricular cushions, producing an atrioventricular septal defect with abnormal atrioventricular valves. It is strongly associated with Down syndrome and may cause heart failure and pulmonary hypertension.

**Synonyms:**

### Endocarditis

Endocarditis is infection or inflammation of the endocardium, usually involving heart valves, and may cause fever, emboli, valve destruction, and heart failure. Acute bacterial endocarditis: *Staph aureus* (most common in IV drug users and prosthetic valves), rapid destruction. Subacute: viridans group streptococci (pre-existing valve disease).

**Synonyms:**

### Endocarditis Prophylaxis

Infective endocarditis prophylaxis with antibiotics is recommended for patients at highest risk of adverse outcomes from endocarditis who are undergoing dental procedures that involve manipulation of gingival tissue, the periapical region of teeth, or perforation of the oral mucosa.

**Synonyms:**

### Endocarditis Surgical Indications

Surgery indicated for: heart failure from valve dysfunction, uncontrolled infection (abscess, fistula, vegetation >10 mm with persistent emboli), fungal endocarditis, prosthetic valve dehiscence, and large vegetations (>15 mm) with embolic events.

**Synonyms:**

### Endocardium

The innermost layer of the heart wall, a thin membrane of endothelial cells and underlying connective tissue that lines the cardiac chambers and covers the heart valves. The endocardium is continuous with the endothelium of blood vessels and provides a smooth, non-thrombogenic surface.

**Synonyms:**

### Endocrine Disrupting Chemicals

Environmental chemicals that interfere with endocrine function including bisphenol A, phthalates, pesticides, and polychlorinated biphenyls. Potential associations with diabetes, obesity, thyroid dysfunction, reproductive disorders, and hormone-sensitive cancers. Evidence is strongest for associations with type two diabetes and obesity.

**Synonyms:**

---

## Endocrine Disruptor

Chemical interfering with hormone systems. Examples: BPA, phthalates, DDT, PCBs. Effects: reproductive disorders, developmental problems, cancer.

**Synonyms:**

## Endocrine Glands

Ductless glands that secrete hormones directly into the bloodstream to regulate distant target organs.

**Synonyms:**

## Endocrine Therapy

Systemic treatment that manipulates hormones or their receptors in hormone-sensitive cancers, including tamoxifen, aromatase inhibitors, luteinizing hormone-releasing hormone agonists, and antiandrogens.

**Synonyms:**

## Endocrinology

The branch of medicine concerned with the study, diagnosis, and treatment of disorders of the endocrine system—the network of glands that secrete hormones regulating metabolism, growth and development, tissue function, sexual function, reproduction, sleep, and mood.

**Synonyms:**

## Endocytosis

Process by which cells internalize extracellular material by engulfing it with the cell membrane, forming intracellular vesicles. Phagocytosis ("cell eating") involves engulfing large particles (>0.5 micrometers) such as bacteria or debris, forming a phagosome that fuses with lysosomes for digestion.

**Synonyms:**

## Endoderm

The innermost germ layer in an embryo, which develops into the linings of the digestive and respiratory tracts, as well as the liver and pancreas.

**Synonyms:**

## Endodontic Therapy (Root Canal)

Treatment of dental pulp disease or necrosis. Indica-

tions: irreversible pulpitis, pulp necrosis, periapical abscess. Procedure: access cavity, locate canals, clean and shape, obturate with gutta-percha, seal. Success rate: >90%. Alternative: extraction.

**Synonyms:** Root Canal

## Endoleak

Persistent blood flow into an aneurysm sac after endovascular aneurysm repair. Type I and III endoleaks reflect inadequate sealing or device failure and generally require urgent correction; other types are managed according to sac expansion and risk.

**Synonyms:**

## Endometrial Cancer

The most common gynecologic malignancy in developed countries, arising from the lining of the uterine cavity, typically in postmenopausal women.

**Synonyms:**

## Endometrial Hyperplasia

Abnormal overgrowth of the lining of the uterus, often related to prolonged estrogen exposure without enough progesterone. It may cause heavy, irregular, or postmenopausal bleeding; atypical forms can precede endometrial cancer and require gynecologic evaluation, often including endometrial sampling.

**Synonyms:**

## Endometrioma

A chocolate cyst of the ovary formed by ectopic endometrial tissue that hemorrhages cyclically, appearing as a homogenous low-level echo mass on ultrasound and associated with chronic pelvic pain and infertility.

**Synonyms:**

## Endometriosis

Endometriosis is growth of endometrial-like tissue outside the uterus, commonly causing pelvic pain, painful periods, pain with intercourse, infertility, or bowel and bladder symptoms. endometrial-like tissue (glands and stroma) outside the uterine cavity, most commonly implanted on the pelvic peritoneum, ovaries, uterosacral ligaments, and rectovaginal sep-

---

tum.

**Synonyms:**

### **Endometritis**

Endometritis is a medical condition involving endometritis; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. delivery. Risk factors include prolonged labor, multiple vaginal examinations, premature rupture of membranes, and cesarean section. Presents with fever, uterine tenderness, foul-smelling lochia, and leukocytosis.

**Synonyms:**

### **Endometrium**

The lining of the uterus.

**Synonyms:**

### **Endophthalmitis**

Endophthalmitis is a medical condition involving endophthalmitis; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. aqueous humor, and adjacent structures, representing an ophthalmologic emergency.

**Synonyms:**

### **Endoplasmic Reticulum**

Interconnected network of membranous tubules and sacs continuous with the nuclear envelope. Rough ER: studded with ribosomes, site of synthesis of secretory, membrane, and lysosomal proteins; co-translational insertion into ER lumen.

**Synonyms:**

### **Endoprosthesis**

Internal prosthetic device. Vascular stent-grafts, airway stents.

**Synonyms:**

### **Endorphin**

Endogenous opioid peptides (beta-endorphin, enkephalins, dynorphins) produced by the pituitary, hypothalamus, and immune cells that bind opioid receptors (mu, delta, kappa) to produce analgesia,

euphoria, and modulation of pain perception and stress responses.

**Synonyms:**

### **Endoscope**

Endoscope is a treatment or care intervention for endoscopy; indication, preparation, risks, technical details, and recovery depend on the patient and goal. bronchoscope, colonoscope, gastroscope, arthroscope, cystoscope. Essential for diagnosis and intervention.

**Synonyms:**

### **Endoscopic Mucosal Resection**

Advanced endoscopic technique for removal of superficial gastrointestinal neoplasms by lifting the lesion through submucosal injection and resecting with an electrosurgical snare.

**Synonyms:**

### **Endoscopic Retrograde Cholangiopancreatography**

Combined endoscopic and fluoroscopic procedure used to visualize and treat disorders of the biliary and pancreatic ducts. A duodenoscope is advanced to the second portion of the duodenum and the ampulla of Vater is cannulated. Contrast dye is injected under fluoroscopic guidance creating cholangiograms and pancreatograms.

**Synonyms:**

### **Endoscopic Submucosal Dissection**

Advanced endoscopic technique for en bloc resection of large gastrointestinal neoplasms using specialized electrosurgical knives to dissect through the submucosa. The technique allows complete histological assessment and is particularly valuable for early gastric and colorectal cancers.

**Synonyms:**

### **Endoscopic Ultrasound**

Combined endoscopy and ultrasound for high-resolution imaging of the GI wall and adjacent structures. Linear echoendoscope: allows FNA of mediastinal, pancreatic, and peripancreatic lesions.

---

Radial echoendoscope: 360-degree view for staging GI cancers (TNM staging).

**Synonyms:**

### Endoscopy

Endoscopy is a treatment or care intervention for endoscopy; indication, preparation, risks, technical details, and recovery depend on the patient and goal. endoscopes. Upper endoscopy examines the esophagus, stomach, and duodenum. Colonoscopy examines the colon and terminal ileum. Both allow direct visualization, biopsy, and therapeutic interventions including polypectomy, hemostasis, and dilation.

**Synonyms:**

### Endosteum

The thin connective tissue membrane lining the inner surface of bone, including the medullary cavity, Haversian canals, and trabeculae. Contains osteoprogenitor cells and osteoblasts, contributing to bone formation, remodeling, and repair (fracture healing).

**Synonyms:**

### Endothelin Receptor Antagonists

Medications that block endothelin-1, a potent vasoconstrictor implicated in pulmonary arterial hypertension. Bosentan (dual ERA), ambrisentan (selective ETA), and macitentan are used for PAH. Side effects include hepatotoxicity (bosentan), anemia, and teratogenicity.

**Synonyms:**

### Endotracheal Intubation

Placement of a cuffed tube through the mouth or nose into the trachea to maintain airway patency, deliver positive-pressure ventilation, administer inhaled anesthetics, and protect the airway in selected patients. Correct position must be confirmed clinically and with exhaled carbon dioxide when circulation is present.

**Synonyms:**

### Endotracheal Tube

A tube placed through the mouth or nose into the trachea to maintain an airway and support ventilation. A cuff may seal the airway around the tube.

**Synonyms:**

### Endovascular

Located within or performed through the interior of a blood vessel, usually using a catheter-based technique.

**Synonyms:**

### Endovascular Aneurysm Repair

Minimally invasive technique for abdominal aortic aneurysm repair using stent graft. Accessed via femoral arteries. Advantages: lower perioperative mortality, faster recovery. Disadvantages: need for surveillance, endoleak risk, may require reintervention.

**Synonyms:**

### Endovascular Graft

A fabric-covered vascular prosthesis placed through a catheter to reinforce a diseased vessel or exclude an aneurysm. It is used in selected aortic and peripheral vascular conditions; anatomy, symptoms, operative risk, and imaging surveillance determine suitability and follow-up.

**Synonyms:**

### Endovascular Repair

A minimally invasive procedure that uses a catheter-delivered graft or other device to repair a blood vessel from inside its lumen.

**Synonyms:**

### Endurance

Aerobic capacity, muscular endurance. Cardiorespiratory fitness testing.

**Synonyms:**

### Enema

The introduction of fluid into the rectum and colon through the anus for diagnostic or therapeutic pur-

---

poses.

**Synonyms:**

### **Energy Conservation**

Strategies that reduce unnecessary energy expenditure and fatigue during daily activities, such as pacing, prioritizing, planning, positioning, and using adaptive equipment.

**Synonyms:**

### **Energy Resolution**

The ability of a radiation detector to distinguish photons with different energies, commonly expressed as the width of a photopeak relative to its energy.

**Synonyms:**

### **Energy Window**

The selected range of photon energies accepted by a gamma camera or other radiation detector for image formation. Appropriate selection helps limit scattered radiation.

**Synonyms:**

### **Engagement**

The descent of the fetal presenting part into the pelvis, typically occurring 2-3 weeks before labor in nulliparas or at the onset of labor in multiparas.

**Synonyms:**

### **Enhanced Recovery After Surgery**

A multimodal, evidence-based perioperative pathway that reduces surgical stress and supports early recovery through preoperative counseling, appropriate fasting, opioid-sparing analgesia, early mobilization, early nutrition, and prevention of complications.

**Synonyms:**

### **Enhancement Artifact**

Ultrasound artifact from fluid-filled structures. Enhanced by harmonic imaging.

**Synonyms:**

### **Enhancer**

DNA sequence increasing transcription of target gene, can be distant from gene, orientation-independent. Binds activator proteins. Examples: LCR (locus control region) for beta-globin.

**Synonyms:**

### **Enrichment**

Restoration of nutrients lost during processing. Examples: enriched flour, restored B vitamins.

**Synonyms:**

### **Entamoeba histolytica**

A protozoan parasite that causes amoebiasis, a gastrointestinal and extra-intestinal infection transmitted via the fecal-oral route. The organism exists in two forms: the infectious cyst (transmitted in contaminated food or water) and the invasive trophozoite.

**Synonyms:**

### **Enteral Formula**

A nutritionally complete or modular liquid preparation delivered into the gastrointestinal tract. Formulas may be polymeric, semi-elemental, or elemental and are selected according to digestion, absorption, fluid, renal, hepatic, and metabolic requirements.

**Synonyms:**

### **Enteral Nutrition**

Delivery of nutrients via gastrointestinal tract. Routes: nasogastric, nasoduodenal, gastrostomy (PEG), jejunostomy. Indications: dysphagia, neurological disease, head/neck cancer, prolonged inability to eat. Complications: aspiration, diarrhea, tube displacement, sinusitis.

**Synonyms:**

### **Enteric duplication cyst**

A congenital, smooth-muscle-lined cyst arising from the gastrointestinal tract, most commonly in the ileum, containing ectopic gastric or intestinal mucosa. It may present in childhood with abdominal pain, obstruction, or gastrointestinal bleeding from ectopic gastric acid secretion.



---

**Synonyms:**

### **Enteritis**

Enteritis is a medical condition involving enteritis; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. bacterial, or parasitic). Viral enteritis (norovirus, rotavirus, adenovirus, astrovirus) presents with acute onset of watery diarrhea, nausea, vomiting, and abdominal cramps, typically self-limited over 2–7 days.

**Synonyms:**

### **Enterobacteriaceae carbapenem resistance**

Resistance to carbapenem antibiotics in Enterobacteriaceae, primarily through production of carbapenemases. The most important carbapenemases include KPC, NDM, and OXA-48-like enzymes. Carbapenem-resistant Enterobacteriaceae (CRE) are a major public health threat due to limited treatment options.

**Synonyms:**

### **Enterobiasis**

Intestinal infection with the pinworm *Enterobius vermicularis*, commonly causing nighttime itching around the anus.

**Synonyms:**

### **Enterobius vermicularis**

A small intestinal nematode commonly called the pinworm or threadworm.

**Synonyms:** the pinworm or threadworm.

### **Enterocolitis**

Inflammation of both the small intestine and colon, caused by infection, immune-mediated disease, reduced blood flow, toxins, or other injury. It may produce abdominal pain, diarrhoea, fever, vomiting, bleeding, dehydration, or systemic illness; diagnosis and management depend on the cause and severity.

**Synonyms:**

### **Enterohepatic Circulation**

Recycling of toxins between liver and intestine via bile. Prolonged exposure, increased toxicity. Interrupted by activated charcoal, cholestyramine. Examples: morphine, digoxin, estrogen, thyroxine.

**Synonyms:**

### **Enteropathic Arthritis**

Inflammatory arthritis associated with inflammatory bowel disease, including Crohn disease and ulcerative colitis. It may affect the spine, sacroiliac joints, or peripheral joints.

**Synonyms:**

### **Enterovirus D68**

Enterovirus D68 concerns enterovirus d68; its medical significance is established from the defining features, setting, associated findings, and clinical question. severe respiratory disease and, rarely, acute flaccid myelitis. Children with asthma or other respiratory conditions are at increased risk of severe illness.

**Synonyms:**

### **Enthesis**

The site at which a tendon, ligament, or joint capsule attaches to bone.

**Synonyms:**

### **Enthesitis**

Inflammation at the site where a tendon, ligament, or joint capsule inserts into bone (enthesitis), a hallmark of spondyloarthritis (ankylosing spondylitis, psoriatic arthritis, reactive arthritis, IBD-associated). Affects Achilles tendon, plantar fascia, patellar, and costochondral junctions.

**Synonyms:**

### **Entrance Wound**

A skin defect created where a projectile enters the body, distinguished from an exit wound by smaller size, rounded shape, and abraded inward margin. Contact wounds show a muzzle imprint and soot; close-range wounds show soot and powder tattooing; intermediate-range wounds show stippling; distant

---

wounds show a clean abrasion ring.

**Synonyms:**

### Entropion

Entropion concerns entropion; its medical significance is established from the defining features, setting, associated findings, and clinical question. skin to rub against the ocular surface, resulting in corneal irritation, conjunctival injection, tearing, photophobia, and a foreign body sensation. The condition most commonly affects the lower eyelid and is classified into four types.

**Synonyms:**

### Enuresis

Repeated involuntary urination, usually during sleep in a child who is developmentally expected to remain dry. It may be primary or secondary and requires assessment for constipation, urinary infection, diabetes, sleep or developmental disorders, psychosocial stressors, and lower-urinary-tract dysfunction when clinically indicated.

**Synonyms:**

### Enuresis (Bedwetting)

Repeated involuntary urination during sleep in a child who is developmentally expected to remain dry. It may be primary or secondary; assessment considers constipation, urinary infection, diabetes, sleep disorders, and developmental or psychosocial factors.

**Synonyms:** Bedwetting

### Environmental Health

Study of environmental factors affecting health. Examples: air pollution, water quality, occupational hazards, climate change.

**Synonyms:**

### Enzyme

Enzyme concerns enzyme, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context. activation energy. Specificity: lock-and-key or induced fit models. Kinetics: Michaelis-Menten equation

( $V_{max}$ ,  $K_m$ ). Regulation: allosteric control, covalent modification (phosphorylation), proteolytic activation, feedback inhibition.

**Synonyms:**

### Enzyme Induction

A process by which a drug or xenobiotic increases the synthesis or activity of drug-metabolizing enzymes, primarily cytochrome P450 enzymes in the liver, accelerating the metabolism of itself (autoinduction) or other drugs. Enzyme induction typically occurs over days to weeks as it requires new protein synthesis.

**Synonyms:**

### Enzyme Inhibition

A process by which a drug inhibits the activity of drug-metabolizing enzymes, leading to increased plasma concentrations of co-administered drugs that are metabolized by the same enzyme. Enzyme inhibition occurs rapidly (hours to days) as it does not require new protein synthesis.

**Synonyms:**

### Enzyme Kinetics

The study of enzyme-catalyzed reaction rates and the factors that affect them. Important concepts include substrate concentration, maximum reaction rate, binding affinity, inhibitors, and the relationship between enzyme activity and temperature or pH.

**Synonyms:**

### Enzyme-Linked Immunosorbent Assay

An immunoassay that uses an enzyme-labeled antibody or antigen and a substrate-generated signal to detect or quantify a target analyte. It is used for measurement of antibodies, antigens, hormones, cytokines, and infectious disease markers.

**Synonyms:**

### Eosinophil

A granulocyte (1-4 percent of leukocytes) with bilobed nucleus and eosinophilic granules containing major basic protein, eosinophil cationic protein, and peroxidase. Roles: defense against parasitic

---

(helminth) infections and modulation of allergic inflammation; contain histaminase and aryl sulfatase.

**Synonyms:**

### Eosinophilia

An absolute eosinophil count exceeding 500 cells per microliter in peripheral blood, most commonly caused by parasitic infections, allergic disorders, drug reactions, and autoimmune diseases. Hypereosinophilia, with counts above 1500 per microliter, may cause end-organ damage to the heart, lungs, skin, and nervous system.

**Synonyms:**

### Eosinophilic Bronchitis

A cause of chronic cough in which eosinophilic inflammation affects the airways without the variable airflow obstruction typical of asthma. Cough-variant asthma and reflux may mimic it; diagnosis relies on clinical assessment and airway inflammation testing.

**Synonyms:**

### Eosinophilic Esophagitis

Chronic immune-mediated condition characterized by dense eosinophilic infiltration of the esophageal mucosa defined as fifteen or more eosinophils per high-power field, in the absence of other causes of esophageal eosinophilia.

**Synonyms:**

### Eosinophilic fasciitis

Eosinophilic fasciitis is a medical condition involving eosinophilic fasciitis; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. thickening of the deep fascia and adjacent muscle, presenting with painful swelling and induration of the extremities and a peau d'orange skin appearance. Peripheral eosinophilia and elevated inflammatory markers are typical.

**Synonyms:**

### Eosinophilic Gastroenteritis

Rare chronic inflammatory condition characterized

by eosinophilic infiltration of the gastrointestinal tract beyond the esophagus involving any segment from stomach to rectum and extending beyond the mucosa to involve the muscularis propria or serosa.

**Synonyms:**

### Eosinophilic Granulomatosis with Polyangiitis

EGPA (formerly Churg-Strauss syndrome): an ANCA-associated vasculitis characterized by asthma, peripheral and tissue eosinophilia, and necrotizing vasculitis.

**Synonyms:**

### Ependymoma

A glioma arising from the ependymal cells lining the ventricles and spinal canal; more common in children and frequently associated with hydrocephalus.

**Synonyms:**

### Epicardium

The outermost layer of the heart wall, which is the visceral layer of the serous pericardium. It consists of a single layer of mesothelial cells and underlying connective tissue containing blood vessels, nerves, and adipose tissue. The epicardium produces pericardial fluid that lubricates the heart surface.

**Synonyms:**

### Epidemic

Sudden increase in disease cases above expected level. Examples: cholera outbreak, measles outbreak.

**Synonyms:**

### Epidemiology

Study of distribution and determinants of health-related states in populations. Branches: descriptive (who, when, where), analytic (why, how), experimental (intervention trials). Measures: incidence, prevalence, mortality rates, case-fatality rate.

**Synonyms:**

### Epidermal Inclusion Cyst

A common benign cyst lined by stratified squamous

---

epithelium with keratin debris. It presents as a firm, mobile, subcutaneous nodule, typically on the face, neck, and back. A central punctum is characteristic. It may become inflamed or infected. Treatment includes complete excision (including the cyst wall) to prevent recurrence.

**Synonyms:**

### Epidermal Layers

From deep to superficial, the epidermis consists of the basal, spinous, granular, lucid, and cornified layers. The lucid layer is present mainly in thick skin such as the palms and soles.

**Synonyms:**

### Epidermis

Outermost skin layer, stratified squamous keratinized epithelium approximately 0.1 mm thick, with five layers (superficial to deep): stratum corneum (dead keratinized cells), lucidum (clear layer, thick skin only), granulosum (keratinization begins), spinosum (spiny layer, Langerhans cells), basale (stem cells, melanocytes, Merkel cells).

**Synonyms:**

### Epidermoid Cyst

A benign, slow-growing cyst lined by squamous epithelium and filled with keratin, usually presenting as a firm subcutaneous nodule. Rupture can cause inflammation, tenderness, and a foul-smelling discharge.

**Synonyms:**

### Epidermolysis Bullosa

A group of genetic disorders causing skin fragility and blistering with minimal trauma. Simplex (intraepidermal blistering), junctional (blistering at lamina lucida), dystrophic (sublamina densa blistering), and Kindler syndrome (mixed). Dystrophic EB can cause scarring, contractures, and squamous cell carcinoma.

**Synonyms:**

### Epididymal Cyst

A usually benign, fluid-filled cyst arising in the

epididymis. It may be painless and may require treatment only if it causes significant symptoms or complications.

**Synonyms:**

### Epididymis

Coiled duct approximately 6 meters long on the posterolateral aspect of each testis, divided into head (caput, receiving efferent tubules from the testis), body (corpus), and tail (cauda, continuing as the vas deferens). Functions include sperm maturation (gaining motility over approximately 12 days), storage (in the tail), and transport.

**Synonyms:**

### Epididymitis

Epididymitis is a medical condition involving epididymitis; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. typically resulting from infection. In sexually active men under 35 years, the most common pathogens are sexually transmitted: Chlamydia trachomatis (most common) and Neisseria gonorrhoeae, with epididymitis often accompanied by urethritis.

**Synonyms:**

### Epidural

Regional analgesia (or anesthesia) delivering local anesthetic/opioid via a catheter in the epidural space (lumbar), used for pain relief during labor and for cesarean (higher dose) anesthesia. Provides excellent analgesia while allowing maternal mobility and pushing; reduces catecholamine stress.

**Synonyms:**

### Epidural Abscess

A collection of infected material between the dura mater and the skull or vertebral canal, capable of compressing the brain, spinal cord, or nerve roots. Spinal epidural abscess may cause severe focal back pain, fever, neurological deficit, or sphincter dysfunction and requires urgent imaging and specialist assessment.

**Synonyms:**

---

## Epidural Analgesia

Segmental pain relief produced by delivering a local anesthetic, sometimes with an opioid, through a catheter into the epidural space. It may be used during labor or selected operations; the medicines and concentrations depend on the patient and clinical setting.

**Synonyms:**

## Epidural Analgesia for Labor

A neuraxial technique for labor analgesia: a catheter is placed in the epidural space (L3-L4 or L2-L3 interspace) and local anesthetic (bupivacaine 0.0625-0.125%) with opioid (fentanyl 2 µg/mL) is infused continuously or in patient-controlled epidural analgesia (PCEA) boluses.

**Synonyms:**

## Epidural Anesthesia

A regional anesthetic technique involving injection of local anesthetic and/or opioid into the epidural space (the potential space between the dura mater and the ligamentum flavum within the spinal canal), producing segmental analgesia and sympathetic blockade.

**Synonyms:**

## Epidural Blood Patch

A minimally invasive procedure used to treat post-dural puncture headache (PDPH) resulting from accidental dural puncture during epidural placement or spinal anesthesia. It involves injecting a small volume of the patient's autologous blood (typically 15-20 mL) into the epidural space at or near the site of the previous puncture.

**Synonyms:**

## Epidural Hematoma

Accumulation of blood between the skull and the dura mater, typically from arterial bleeding (middle meningeal artery) following temporal bone fracture. Presents with loss of consciousness, then a lucid interval (hours), followed by rapid neurological deterioration due to mass effect.

**Synonyms:**

## Epigastric Region

Central superior region between the hypochondriac regions and above the umbilical region. Overlies the stomach, duodenum, pancreas, and portions of the liver. The aorta and inferior vena cava pass through it. Epigastric pain associates with gastric ulcers, pancreatitis, GERD, and aortic aneurysms.

**Synonyms:**

## Epigenetics

Heritable changes in gene expression without DNA sequence alteration. Mechanisms: DNA methylation, histone modification, non-coding RNA. Influenced by environment, diet, stress. Reversible.

**Synonyms:**

## Epiglottis

A leaf-shaped elastic cartilage at the base of the tongue that covers the laryngeal inlet during swallowing, directing food and liquid into the esophagus and preventing aspiration into the airway. Elevates during swallowing (with the larynx) under glossopharyngeal/vagal innervation.

**Synonyms:**

## Epiglottitis

Epiglottitis is potentially life-threatening inflammation and swelling around the epiglottis that can rapidly obstruct the airway, especially in children. *Haemophilus influenzae* type b (now rare due to vaccination). Presents with high fever, drooling, dysphagia, tripod position, and rapid progression to airway obstruction. Do not examine the throat.

**Synonyms:**

## Epilepsy

Epilepsy is a disorder of recurrent unprovoked seizures caused by abnormal brain electrical activity; classification guides medication, safety counseling, and other treatment. electrical activity in the brain. Classification includes focal, generalized, and unknown onset seizures. Etiology: genetic, structural, metabolic, infectious, immune. Diagnosis: clinical history, EEG, neuroimaging.

**Synonyms:**

---

## Epilepsy Surgery

Indicated for patients with drug-resistant epilepsy who have a concordant, resectable seizure focus identified on comprehensive presurgical evaluation. Failure of two or more appropriately chosen and adequately dosed antiepileptic drugs to achieve sustained seizure freedom.

**Synonyms:**

## Epinephrin (Adrenaline)

An alternate spelling of epinephrine, a catecholamine hormone and medicine that increases heart rate and airway diameter and constricts blood vessels.

**Synonyms:** Adrenaline

## Epinephrine (Adrenaline)

A catecholamine hormone and neurotransmitter produced by the adrenal medulla and sympathetic nerve terminals, acting on alpha-1, alpha-2, beta-1, beta-2, and beta-3 adrenergic receptors.

**Synonyms:** Adrenaline

## Epiphora

Excessive tearing caused by impaired tear drainage or reflex hypersecretion. Causes: nasolacrimal duct obstruction (most common in infants and elderly), punctal stenosis, eyelid malposition (ectropion, entropion), and reflex tearing from dry eye or ocular surface irritation.

**Synonyms:**

## Epiphyseal Plate

A layer of hyaline cartilage, also called the growth plate or physis, located between the epiphysis and metaphysis of a growing long bone. It permits longitudinal bone growth through endochondral ossification, progressing from resting cartilage through proliferation and hypertrophy to calcification and replacement by bone.

**Synonyms:** the growth plate or physis, located between.

## Epiphysis

The expanded end of a long bone, usually covered

by articular cartilage where it forms a synovial joint. It contains spongy (trabecular) bone with a thin outer shell of compact bone and contributes to the shape and function of the joint.

**Synonyms:**

## Episcleritis

Episcleritis is a medical condition involving episcleritis; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. connective tissue between the sclera and conjunctiva.

**Synonyms:**

## Episiotomy

Episiotomy concerns episiotomy; its medical significance is established from the defining features, setting, associated findings, and clinical question. types: mediolateral (most common worldwide) and median/midline. Previously performed routinely; current evidence supports selective use. Indications include operative vaginal delivery, fetal distress requiring expedited delivery, and shoulder dystocia.

**Synonyms:**

## Episiotomy Repair

Surgical repair of an episiotomy incision after delivery. Technique: continuous suturing of the vaginal mucosa (2-0 chromic), interrupted sutures for the perineal muscles, and subcuticular closure of the perineal skin. The rectum should be examined after repair (suture inadvertently through the rectal mucosa).

**Synonyms:**

## Epispadias

Epispadias concerns epispadias; its medical significance is established from the defining features, setting, associated findings, and clinical question. penis in boys or in a split, open position on the clitoral hood in girls. Caused by abnormal development of the genital tubercle and cloacal membrane.

**Synonyms:**



---

### Epistasis

Interaction between genes where one gene masks or modifies expression of another. Examples: coat color in mice, ABO blood group modifications.

**Synonyms:**

### Epistaxis

Bleeding from the nasal mucosa that may range from minor bleeding to a medical emergency. See Nosebleed.

**Synonyms:**

### Epithelial Tissue

The tissue that covers external body surfaces, lines internal cavities and pathways, and forms glands.

**Synonyms:**

### Epithelium

Epithelium concerns epithelium, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context. body (skin, mucous membranes, serous membranes) and form glands.

**Synonyms:**

### Epley Maneuver

A sequence of head and body movements used to move displaced otoconia from the posterior semicircular canal into the utricle. It is commonly used to treat posterior-canal benign paroxysmal positional vertigo.

**Synonyms:**

### Epstein Pearls

Small, white keratin-filled cysts on the palate of a newborn that usually disappear without treatment.

**Synonyms:**

### Epstein-Barr Virus

EBV (human herpesvirus 4): ubiquitous virus causing infectious mononucleosis, transmitted via saliva ('kissing disease').

**Synonyms:**

### Erb's Palsy

Upper brachial plexus injury (C5-C6) causing weakness or paralysis of the shoulder and arm muscles. Presents with the characteristic waiter's tip position: arm adducted, elbow extended, forearm pronated, wrist flexed. Most commonly caused by shoulder dystocia during delivery. See also Brachial Plexus Injury.

**Synonyms:**

### Erdheim-Chester disease

A rare, non-Langerhans cell histiocytosis characterized by xanthogranulomatous infiltration of multiple organ systems, most commonly the long bones, retroperitoneum, and cardiovascular system. It causes symmetric osteosclerosis of the diaphyses and metaphyses of long bones, exophthalmos, and xanthelasma.

**Synonyms:**

### Erectile Disorder

A sexual dysfunction characterized by persistent or recurrent difficulty achieving or maintaining an erection sufficient for sexual activity, or a marked decrease in erectile rigidity, lasting  $\geq 6$  months and causing marked distress. Prevalence: 10-20% of men under 60, rising to 40-70% over age 70.

**Synonyms:**

### Erectile Dysfunction

The persistent inability to achieve or maintain an erection sufficient for satisfactory sexual performance. Affects up to 50% of men aged 40-70. Etiology: organic (vascular disease, diabetes, hypogonadism, neurological disorders, medications, Peyronie disease) and psychogenic (anxiety, depression, relationship issues).

**Synonyms:**

### Ergonomics

The design of tasks, tools, and environments to fit human capabilities and reduce discomfort, error, and injury.

**Synonyms:**

---

### Ergotism

A toxidrome caused by prolonged exposure to ergot alkaloids from the fungus *Claviceps purpurea* contaminating rye and other grains, or from ergot-derived medications.

**Synonyms:**

### Erosion

Erosion concerns erosion; its medical significance is established from the defining features, setting, associated findings, and clinical question. and therefore usually heals without scarring. It may result from trauma, blister rupture, maceration, or inflammatory disease.

**Synonyms:**

### Erosion (Tooth)

Chemical wear without bacterial involvement. Causes: acidic foods/drinks, gastric acid (GERD, bulimia), environmental acids. Management: dietary modification, fluoride, restoration.

**Synonyms:** Tooth

### Erosive Gastritis

Inflammation of the stomach lining with superficial erosions but no full-thickness ulceration. Commonly caused by NSAIDs, alcohol, or critical illness. May present with epigastric pain or gastrointestinal bleeding. Diagnosis is by upper endoscopy showing erosions and erythema.

**Synonyms:**

### Eruption Cyst

A fluid-filled swelling over a tooth that is about to erupt, often appearing blue or purple and usually resolving when the tooth emerges.

**Synonyms:**

### Eruptive xanthomas

Sudden eruption of numerous small, yellow-orange papules with an erythematous halo, typically on the buttocks, elbows, knees, and trunk, caused by severe hypertriglyceridemia. They represent lipid-laden macrophages in the dermis and are a marker of significantly elevated serum triglycerides, often

exceeding 1000 mg/dL.

**Synonyms:**

### Erysipelas

Erysipelas concerns erysipelas; its medical significance is established from the defining features, setting, associated findings, and clinical question. most commonly caused by *Streptococcus pyogenes*. It presents as a bright red, well-demarcated, raised plaque with sharp borders, typically on the face or lower extremities. Fever and chills precede the rash.

**Synonyms:**

### Erythema

Redness of the skin or mucous membranes caused by increased blood flow to dilated superficial capillaries, often associated with inflammation, infection, or another underlying condition. It commonly blanches with pressure, unlike purpura.

**Synonyms:**

### Erythema ab igne

A reticulated, hyperpigmented erythematous patch caused by chronic, repeated exposure to moderate heat or infrared radiation, such as from heating pads, laptops, or fireplaces. Histologically it shows increased melanin and dermal amyloid deposition.

**Synonyms:**

### Erythema gyratum repens

A distinctive, rapidly moving, concentric erythematous eruption with a wood-grain or serpiginous pattern. It is often associated with an underlying malignancy, especially lung cancer, and should prompt an appropriate evaluation while other causes are considered.

**Synonyms:**

### Erythema Infectiosum

A common childhood exanthem caused by parvovirus B19, also called fifth disease. A mild prodrome is followed by a slapped-cheek facial eruption and a lacy rash on the trunk and limbs.

**Synonyms:** fifth disease.

---

### **Erythema marginatum**

A migratory, non-pruritic, erythematous rash with a serpiginous or annular pattern that blanches centrally, occurring as a major Jones criterion in acute rheumatic fever. It typically appears on the trunk and proximal extremities and may come and go over days or weeks.

**Synonyms:**

### **Erythema Migrans**

The expanding annular skin lesion of early Lyme disease, appearing days to weeks after infection with *Borrelia* transmitted by Ixodes ticks. It may be uniformly erythematous rather than a classic bull's-eye lesion and is usually diagnosed clinically.

**Synonyms:**

### **Erythema Multiforme**

An acute, self-limited immune-mediated reaction, most commonly triggered by herpes simplex virus (90 percent of cases) and *Mycoplasma pneumoniae*. It presents as target lesions (iris lesions with three zones: central dusky, middle pale edematous ring, outer erythematous halo) on extremities.

**Synonyms:**

### **Erythema Nodosum**

The most common form of panniculitis, characterized by painful, erythematous, tender nodules and plaques on the bilateral shins, representing an inflammatory reaction of the subcutaneous fat.

**Synonyms:**

### **Erythrasma**

Erythrasma concerns erythrasma; its medical significance is established from the defining features, setting, associated findings, and clinical question. areas, producing well-demarcated reddish-brown patches with fine scale and sometimes mild pruritus. Wood-lamp examination may show coral-red fluorescence.

**Synonyms:**

### **Erythrocyte**

A mature red blood cell specialized to transport

oxygen and carbon dioxide through the circulation. Its biconcave, anucleate form maximizes surface area and flexibility; haemoglobin provides the principal oxygen-binding capacity.

**Synonyms:**

### **Erythrocyte Sedimentation Rate**

A non-specific inflammatory marker measuring the rate at which erythrocytes settle in 1 hour. Normals: males age/2, females (age+10)/2. Markedly elevated >100 mm/hr: suggests infection (endocarditis), autoimmune (giant cell arteritis, polymyalgia rheumatica, SLE, RA), malignancy (multiple myeloma), and chronic kidney disease.

**Synonyms:**

### **Erythrocytosis**

An increased red-cell mass, usually reflected by elevated haemoglobin and haematocrit. It may be relative because of reduced plasma volume or absolute because of increased erythropoiesis, which can be primary from a marrow disorder or secondary to hypoxia, erythropoietin production, or other causes.

**Synonyms:**

### **Erythrodermic psoriasis**

A severe, life-threatening variant of psoriasis characterised by widespread erythema and scaling involving more than 90% of the body surface area, often with systemic symptoms including fever, chills, and hemodynamic instability.

**Synonyms:**

### **Erythromelalgia**

Episodic burning pain, redness, and warmth of the extremities triggered by warmth or exercise and relieved by cooling, caused by arteriolar inflammation and platelet-mediated microvascular occlusion.

**Synonyms:**

### **Erythromycin Ophthalmic Prophylaxis**

Application of ophthalmic erythromycin to a newborn soon after birth to reduce the risk of gonococcal ophthalmia neonatorum. Use, timing, and alternatives depend on local policy, availability, and the

---

mother's infection-risk assessment.

**Synonyms:**

### **Erythroplakia**

A persistent red patch of mucosa, especially in the mouth, that may represent a premalignant or malignant lesion and requires clinical evaluation, often including biopsy.

**Synonyms:**

### **Erythropoiesis**

The process by which haematopoietic stem and progenitor cells develop into mature red blood cells. It occurs primarily in adult bone marrow and is regulated chiefly by erythropoietin in response to tissue oxygenation; maturation requires iron, vitamin B12, folate, and appropriate marrow function.

**Synonyms:**

### **Erythropoiesis-Stimulating Agents**

Medicines such as epoetin alfa and darbepoetin alfa that stimulate red-cell production, often used for selected forms of anemia in chronic kidney disease or cancer treatment. Use requires appropriate assessment of iron status, risks, and treatment targets.

**Synonyms:**

### **Erythropoietin**

A glycoprotein hormone (EPO) that regulates erythropoiesis—the production of red blood cells in the bone marrow. Produced primarily by interstitial peritubular cells in the kidney ( 90%) and hepatocytes ( 10%) in response to tissue hypoxia.

**Synonyms:**

### **ESBL**

Extended-spectrum beta-lactamase, enzymes that hydrolyse penicillins, cephalosporins, and monobactams. ESBLs are common in Enterobacteriaceae, particularly *Klebsiella pneumoniae* and *E. coli*. ESBL production confers resistance to most beta-lactam antibiotics except carbapenems.

**Synonyms:**

### **ESBL-producing organisms**

Bacteria that produce extended-spectrum beta-lactamases (ESBLs), enzymes that hydrolyze penicillins, cephalosporins, and monobactams. ESBLs are common in Enterobacteriaceae, particularly *Klebsiella pneumoniae* and *E. coli*. ESBL production confers resistance to most beta-lactam antibiotics except carbapenems.

**Synonyms:**

### **Escherichia coli**

A gram-negative bacterium that normally lives in the intestine but can cause urinary, intestinal, bloodstream, and other infections. Different strains produce different clinical syndromes, including traveler's diarrhea, bloody diarrhea, and hemolytic uremic syndrome.

**Synonyms:**

### **Escherichia coli O157:H7 Infection**

Infection with a Shiga-toxin-producing strain of *E. coli*, usually acquired from contaminated food, water, or contact with infected animals or people. It commonly causes severe abdominal cramps and bloody diarrhea and can lead to hemolytic uremic syndrome, especially in children. Medical advice is important; antibiotics and antidiarrheal medicines may be inappropriate in suspected cases.

**Synonyms:**

### **ESKD**

End-stage kidney disease defined as GFR less than 15 or need for dialysis. Medicare eligibility at GFR less than 15 or on dialysis. Palliative care option for those not wanting renal replacement therapy. Comprehensive advance care planning essential.

**Synonyms:**

### **Esophageal Achalasia**

Primary esophageal motility disorder characterized by failure of the lower esophageal sphincter to relax during swallowing and absent peristalsis in the distal esophagus, resulting from selective loss of inhibitory neurons in the myenteric plexus.

**Synonyms:**

---

### Esophageal Atresia

A congenital anomaly where the esophagus ends in a blind pouch, often with a tracheoesophageal fistula connecting the distal esophagus to the trachea. Presents with drooling, inability to pass a nasogastric tube, and choking with feedings. The 3 Es association: Esophageal atresia, Esophageal anomalies, and Extremity anomalies.

**Synonyms:**

### Esophageal Cancer

Malignant tumor of the esophagus. Squamous cell carcinoma predominates in the upper and middle third (smoking, alcohol); adenocarcinoma of the lower third arises from Barrett esophagus. Presents with progressive dysphagia and weight loss; treatment depends on stage and includes surgery, chemoradiation, and systemic therapy.

**Synonyms:**

### Esophageal Candidiasis

Fungal infection of the esophagus caused by *Candida* species common in immunocompromised patients including those with HIV, organ transplant recipients, and patients on inhaled corticosteroids. Presents with odynophagia and dysphagia. Diagnosed by endoscopy showing white adherent plaques and biopsy confirming fungal hyphae.

**Synonyms:**

### Esophageal Dilation

Endoscopic passage of bougies or balloons to widen esophageal strictures. Used for symptomatic strictures from peptic disease, radiation, caustic injury, or eosinophilic esophagitis. Savary bougies are passed over a guidewire with progressive dilation. Through-the-scope balloons allow controlled radial dilation under direct visualization.

**Synonyms:**

### Esophageal Diverticulum

Outpouching of the esophageal wall classified by location. Zenker diverticulum occurs in the hypopharynx and is the most common esophageal diverticulum. Mid-esophageal diverticula are traction diverticula caused by extrinsic inflammatory

disease including tuberculosis and histoplasmosis.

**Synonyms:**

### Esophageal Foreign Body

An object or food bolus lodged in the esophagus, causing difficulty swallowing, pain, drooling, or breathing symptoms. Batteries, sharp objects, complete obstruction, and perforation require urgent assessment and removal.

**Synonyms:**

### Esophageal Intramural Pseudodiverticulosis

Condition characterized by multiple small outpouchings of the esophageal submucosal glands seen on barium swallow as flask-shaped contrast collections oriented longitudinally along the esophagus. The pseudodiverticula are not true diverticula but rather dilated excretory ducts of submucosal glands.

**Synonyms:**

### Esophageal Leukoplakia

White plaques on the esophageal mucosa representing squamous cell hyperplasia with hyperkeratosis. Similar to oral leukoplakia it is considered a potentially premalignant condition. Associated with chronic irritation from smoking, alcohol, and gastroesophageal reflux.

**Synonyms:**

### Esophageal Manometry

Diagnostic test measuring esophageal motor function by recording intraluminal pressures during swallowing. A catheter with pressure sensors is passed through the nose into the stomach and withdrawn to record pressures at multiple levels. High-resolution manometry using closely spaced sensors provides a spatiotemporal color plot.

**Synonyms:**

### Esophageal Perforation

Full-thickness rupture of the esophageal wall, most commonly Boerhaave syndrome from forceful vomiting occurring on the left posterolateral distal esophagus. Iatrogenic perforation during endoscopy is



---

another common cause. Presents with chest pain, subcutaneous emphysema, and mediastinitis.

**Synonyms:**

### Esophageal pH Monitoring

24-hour ambulatory monitoring of esophageal acid exposure. Catheter-based (transnasal pH probe placed 5 cm above LES) or wireless (Bravo capsule endoscopically attached to esophageal mucosa). Measures: % time pH <4 (total, upright, supine), DeMeester score (>14.7 abnormal), and symptom-reflux correlation.

**Synonyms:**

### Esophageal Spasm

Esophageal motility disorder characterized by uncoordinated or excessive contractions impairing bolus transport. Diffuse esophageal spasm shows simultaneous contractions on manometry. Jackhammer esophagus features extremely high-amplitude peristaltic contractions.

**Synonyms:**

### Esophageal Stent

Self-expanding metal stent for esophageal obstruction. Palliative for malignancy. Migration, tumor ingrowth common complications.

**Synonyms:**

### Esophageal Stricture

Narrowing of the esophageal lumen from chronic gastroesophageal reflux disease, caustic ingestion, or eosinophilic esophagitis. Presents with progressive dysphagia initially to solids then liquids. Diagnosed by upper endoscopy and barium swallow.

**Synonyms:**

### Esophageal Surgery

Operations on the esophagus or its junction with the stomach, including procedures for reflux, stricture, cancer, perforation, or motility disorders. The operation is selected according to the disease, anatomy, symptoms, and surgical risk.

**Synonyms:**

### Esophageal Varices

Dilated, tortuous submucosal veins in the lower esophagus, most commonly caused by portal hypertension (cirrhosis—hepatic fibrosis with increased portal venous pressure >10 mmHg). They develop as portosystemic collaterals connecting the portal venous system (left gastric vein) to the systemic venous system (azygos vein).

**Synonyms:**

### Esophageal Web

Thin mucosal fold protruding into the esophageal lumen most commonly in the postcricoid region or upper esophagus. Webs may be asymptomatic or cause dysphagia particularly to solids. Multiple webs can occur in association with iron deficiency anemia as part of Plummer-Vinson syndrome or Paterson-Kelly syndrome.

**Synonyms:**

### Esophagitis

Esophagitis is inflammation or injury of the esophageal lining caused by reflux, infection, medication, allergy, radiation, or other mechanisms.

**Synonyms:**

### Esophagogastric bypass

Surgical creation of a conduit between the esophagus and stomach to restore gastrointestinal continuity, most commonly performed as part of esophagectomy or to palliate unresectable esophageal malignancy. Techniques include gastric pull-up with esophagogastrostomy and jejunal interposition.

**Synonyms:**

### Esophagogastroduodenoscopy

Upper endoscopy: flexible endoscopic examination of the esophagus, stomach, and duodenum.

**Synonyms:**

### Esophagus

A muscular tube that transports food and liquids from the pharynx (throat) to the stomach.

**Synonyms:**



---

## Esophagus (esophagus)

A muscular tube approximately 25 cm long connecting the pharynx to the stomach, extending from the cricopharyngeus muscle (at the level of C6) to the gastroesophageal junction (T11).

**Synonyms:** esophagus

## Esotropia

A type of strabismus in which one eye deviates inward (toward the nose). Congenital/infantile esotropia: large-angle, constant, onset before 6 months; requires early surgical correction. Accommodative esotropia: associated with hyperopia, onset age 2-3 years; treatment with corrective glasses improves alignment.

**Synonyms:**

## ESR

ESR concerns esr; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

## Essential Hypertension

Persistent elevation of systemic arterial blood pressure without an identifiable single secondary cause. It results from interacting genetic, vascular, renal, metabolic, and environmental factors and increases the risk of stroke, coronary disease, heart failure, kidney disease, and retinopathy.

**Synonyms:**

## Essential Medicines

Drugs that satisfy the priority healthcare needs of a population, as defined by the WHO Model List of Essential Medicines. Selection criteria include efficacy, safety, comparative cost-effectiveness, and suitability for use in resource-limited settings.

**Synonyms:**

## Essential Mixed Cryoglobulinemia

A disorder in which circulating immunoglobulins precipitate in cooler temperatures and deposit in small blood vessels, causing vasculitis. Symptoms may include purpura, joint pain, weakness, nerve

problems, kidney disease, and cold sensitivity. Evaluation includes cryoglobulin testing and assessment for infections, autoimmune disease, and lymphoproliferative disorders.

**Synonyms:**

## Essential Nutrient

Nutrient that cannot be synthesized by body, must be obtained from diet. Essential amino acids, fatty acids, vitamins, minerals.

**Synonyms:**

## Essential Thrombocythemia

A chronic myeloproliferative neoplasm characterized by sustained platelet count elevation (greater than 450,000 per microliter) due to clonal megakaryocytic proliferation, with a risk of both thrombotic and hemorrhagic complications.

**Synonyms:**

## Essential Tremor

The most common movement disorder, characterized by a bilateral, symmetrical, postural and kinetic tremor predominantly affecting the upper extremities, with a frequency of four to twelve hertz. It typically begins insidiously in the second or third decade of life and slowly progresses over years.

**Synonyms:**

## Estimated Due Date

The expected date of delivery, calculated as 40 weeks (280 days) from the first day of the last menstrual period. Confirmed or adjusted by first-trimester ultrasound crown-rump length measurement (most accurate  $\pm 5-7$  days). Second-trimester ultrasound is less accurate ( $\pm 10-14$  days). Third-trimester is least accurate ( $\pm 21-30$  days).

**Synonyms:**

## Estimated Fetal Weight

An ultrasound-derived estimate of fetal weight, calculated using formulas that combine BPD, HC, AC, and FL. The Hadlock formula (using HC, AC, FL) is the most commonly used. Accuracy:  $\pm 10-15\%$ . Indications: assess fetal growth, determine size for

---

gestational age, and plan delivery. EFW <10th percentile: SGA/IUGR.

**Synonyms:**

### Estimated Glomerular Filtration Rate

An estimate of glomerular filtration derived from serum creatinine and, depending on the validated equation, age and sex. It is used to stage chronic kidney disease and guide medication dosing, but is less reliable when creatinine is changing rapidly or in unusual body composition.

**Synonyms:**

### Estrogen

A group of steroid hormones involved in reproductive development, menstrual regulation, bone health, and other physiologic functions.

**Synonyms:**

### Ethmoid Bone

Delicate bone between the orbits forming parts of the nasal septum and orbital/nasal roofs. Has the cribriform plate (olfactory nerve filaments), perpendicular plate (superior nasal septum), and labyrinths (nasal conchae, ethmoid air cells). The crista galli provides falx cerebri attachment.

**Synonyms:**

### Ethmoidal Air Cells

Air-filled spaces in the ethmoid bone that form part of the paranasal sinus system.

**Synonyms:**

### Ethmoidal Sinus

The ethmoidal sinuses, also known as ethmoidal air cells, are a collection of multiple small, thin-walled, air-containing cavities within the ethmoid bone between the orbits and above the nasal cavity, and they are divided into anterior and posterior groups based on their drainage sites.

**Synonyms:** ethmoidal air cells, are a collection of multiple.

### Ethylene Glycol

A toxic alcohol found in some antifreeze and indus-

trial products. Ingestion can cause severe metabolic acidosis, neurologic impairment, kidney injury, and death.

**Synonyms:**

### Ethylene Glycol Poisoning

Toxicity from ingestion of ethylene glycol, often found in antifreeze. Its metabolites can cause severe metabolic acidosis, neurologic impairment, kidney injury, and calcium-oxalate deposition. It requires urgent toxicology assessment and antidotal or extracorporeal treatment when indicated.

**Synonyms:**

### Etiology

Etiology concerns etiology; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### Euphoria

An intense feeling of well-being, elation, or happiness, which can be a normal emotional response or a pathologic symptom.

**Synonyms:**

### Eustachian Tube

Auditory/pharyngotympanic tube connecting the middle ear to the nasopharynx, approximately 36 mm long in adults. Cartilaginous medial two-thirds and bony lateral third. Functions: equalizing middle ear/atmospheric pressure, draining middle ear secretions, and protecting from nasopharyngeal pathogens.

**Synonyms:**

### Eustachian-Tube Dysfunction

Failure of the auditory tube to equalize middle-ear pressure or clear secretions. It can cause aural fullness, popping, conductive hearing loss, and retracted tympanic membrane and is common with upper-respiratory infection, allergic rhinitis, or craniofacial disorders.

**Synonyms:**

---

## Euthanasia

The deliberate act of ending a person's life to relieve suffering, typically performed by a physician. Active euthanasia involves directly administering a lethal substance (e.g., barbiturate overdose followed by neuromuscular blockade) at the patient's explicit request.

**Synonyms:**

## Euthanasia and Assisted Dying

Ethical and legal concepts regarding intentional termination of life to relieve intractable pain and suffering. Active Euthanasia: deliberate administration of a lethal agent (e.g., lethal dose of barbiturates) by a physician to terminate a patient's life upon their explicit request.

**Synonyms:**

## Euthyroid Sick Syndrome

Abnormal thyroid function tests in patients with non-thyroidal illness (critical illness, starvation, major surgery) without intrinsic thyroid disease. Pattern: low T3 (most common), low T4, reverse T3 elevated, normal or low TSH. The severity correlates with illness severity.

**Synonyms:**

## Event Monitor

A portable device that records heart rhythm intermittently or when activated during symptoms over an extended period.

**Synonyms:**

## Event-Free Survival

The time from randomization or treatment start to a specified event such as disease progression, relapse, or death from any cause.

**Synonyms:**

## Eversion

Turning the sole of the foot laterally, so that it faces away from the median plane.

**Synonyms:**

## Evidence-Based Medicine

Integration of best research evidence with clinical expertise and patient values. Foundation for clinical guidelines.

**Synonyms:**

## Evidence-Based Practice

Integration of best research evidence, clinical expertise, patient values. Rehabilitation guidelines based on systematic reviews.

**Synonyms:**

## Evisceration

Protrusion of viscera through a dehiscence abdominal wound, typically occurring 5-8 days postoperatively and constituting a surgical emergency. Risk factors include obesity, wound infection, and inadequate fascial closure. Management requires sterile coverage, broad-spectrum antibiotics, and emergent operative reclosure.

**Synonyms:**

## Evoked Potentials (VEP, BAER, SSEP)

Electrophysiologic tests measuring the CNS electrical response to specific sensory stimuli. Visual evoked potentials (VEP): checkboard pattern reversal, measures P100 latency; delayed in optic neuritis/MS. Brainstem auditory evoked responses (BAER): click stimuli, waves I-V; delayed in acoustic neuroma, MS, brainstem stroke.

**Synonyms:** VEP, BAER, SSEP

## Ewart Sign

Dullness to percussion, decreased breath sounds, and bronchial breathing at the left infrascapular region caused by compressive atelectasis from a large pericardial effusion. It is a physical examination finding of pericardial effusion. The effusion compresses the adjacent left lower lobe, creating a zone of consolidation.

**Synonyms:**

## Ewing Sarcoma

A highly malignant small round blue cell tumor of bone and soft tissue, representing the second most

---

common primary bone malignancy in children and adolescents (peak age 10-20 years), with a strong predilection for males and Caucasian populations.

**Synonyms:**

### **Exacerbation of COPD**

An acute worsening of respiratory symptoms beyond normal day-to-day variations, requiring change in medication. It is commonly triggered by respiratory infections (viral, bacterial), air pollution, or non-compliance. Treatment includes increased bronchodilators, systemic corticosteroids, antibiotics if indicated, and oxygen therapy.

**Synonyms:**

### **Examination**

Systematic assessment of a patient's health status. Components: inspection, palpation, percussion, auscultation (IPPA). General survey: appearance, posture, gait, vital signs. Focused examination based on chief complaint.

**Synonyms:**

### **Exanthema**

A widespread skin eruption, usually macular or papular, associated with an acute systemic illness. Viral infections are common causes, but drug reactions, bacterial disease, immune disorders, and other systemic conditions may also produce exanthema; fever, mucosal involvement, blistering, or skin pain may indicate a severe process.

**Synonyms:**

### **Exanthematous pustulosis**

An acute drug-related skin eruption with numerous small, sterile, non-follicular pustules on reddened skin. Fever and neutrophilia may occur. It often improves after the causative medicine is withdrawn, but severe cases require medical assessment.

**Synonyms:**

### **Exchange Transfusion**

Emergent procedure to rapidly lower severe hyperbilirubinemia by removing small volumes of the infant's blood and replacing with compatible donor

blood. Used when phototherapy fails or bilirubin approaches toxic levels (greater than 25 mg/dL in term infants or above exchange threshold on Bhutani curve).

**Synonyms:**

### **Excision**

The surgical removal of a piece of tissue, an organ, or a lesion. Excisional biopsy removes the entire lesion with a margin of normal tissue, used for definitive diagnosis and treatment of small tumors (suspected melanoma, breast lump, lymph node).

**Synonyms:**

### **Excisional Biopsy**

Surgical removal of entire lesion. Diagnosis and treatment.

**Synonyms:**

### **Excitation-Contraction Coupling**

The sequence of events linking an action potential to muscle contraction. In skeletal muscle: the action potential travels down the T-tubule, triggering calcium release from the sarcoplasmic reticulum via ryanodine receptors (calcium-induced calcium release mediated by voltage-gated dihydropyridine receptors).

**Synonyms:**

### **Excoriation Disorder**

Recurrent skin picking resulting in skin lesions. The individual has made repeated attempts to decrease or stop the skin picking. The skin picking causes clinically significant distress or impairment. It is not attributable to a medical condition or substance. Common sites include face, arms, and hands.

**Synonyms:**

### **Excretion**

Removal of substance from body. Routes: renal (urine), hepatic (bile), pulmonary (gas), sweat, breast milk. Important for toxicity and drug clearance.

**Synonyms:**

---

### Exercise Intolerance

Reduced ability to perform physical activity at the expected level because of exertional fatigue, breathlessness, chest discomfort, leg pain, or other symptoms. Causes include cardiac, pulmonary, vascular, metabolic, neuromuscular, haematological, and deconditioning states.

**Synonyms:**

### Exercise Stress Test

A noninvasive cardiac diagnostic test that evaluates the cardiovascular response to graded physical exertion, primarily used to diagnose coronary artery disease, assess functional capacity, and guide prognosis.

**Synonyms:**

### Exercise-Induced Arrhythmias

Catecholamine-sensitive ventricular tachycardia and right ventricular outflow tract VT can be triggered by exercise. HCM-related sudden death risk increases during vigorous exercise. Exercise-induced myocardial ischemia may trigger ventricular arrhythmias in CAD.

**Synonyms:**

### Exercise-Induced Asthma

Bronchoconstriction occurring during or shortly after physical exertion, causing cough, wheezing, chest tightness, or shortness of breath. It is associated with airway hyperresponsiveness and may occur in people with or without persistent asthma.

**Synonyms:**

### Exercise-Induced Bronchoconstriction

Airway narrowing during or after exercise, presenting with cough, wheeze, and dyspnea. It occurs in up to 90% of asthmatics and is triggered by heat and water loss from the airways. Prevention includes pre-exercise SABA.

**Synonyms:**

### Exhaled Nitric Oxide

A non-invasive measure of airway eosinophilic inflammation. FeNO > 25 ppb in adults suggests

eosinophilic airway inflammation and predicts response to inhaled corticosteroids. It is useful for diagnosing eosinophilic asthma, monitoring treatment response, and differentiating asthma from other causes of cough.

**Synonyms:**

### Exhibitionistic Disorder

A paraphilic disorder involving recurrent, intense sexual arousal from exposing one's genitals to an unsuspecting person. The individual has acted on these urges or they cause marked distress or interpersonal difficulty. Duration  $\geq$  6 months. Onset typically before age 18. Treatment: CBT and SSRIs.

**Synonyms:**

### Exhumation

The lawful disinterment and removal of a buried body or remains for re-examination, re-testing, or identification. Indications: new evidence, suspicion of poisoning or foul play, DNA testing, paternity/maternity testing, exhumation of a wrongly buried body, or repatriation.

**Synonyms:**

### Existential Distress

Emotional suffering related to questions of meaning, identity, freedom, mortality, or purpose, often occurring during serious illness.

**Synonyms:**

### Exit Wound

A skin defect produced where a projectile leaves the body, typically larger, irregular, and stellate, with everted edges, no abrasion ring or soot. Size depends on deformation, yaw, and fragmentation; small non-deformed bullets may produce shored exits, and an exit may be absent if the projectile is retained.

**Synonyms:**

### Exocytosis

Process by which intracellular vesicles fuse with the plasma membrane, releasing their contents into

---

the extracellular space and incorporating membrane proteins/lipids into the cell membrane. The SNARE complex (v-SNARE on vesicles and t-SNARE on target membrane) mediates vesicle docking and fusion.

**Synonyms:**

### Exon

A segment of a DNA or RNA molecule containing information coding for a protein or peptide sequence.

**Synonyms:**

### Exophthalmos

Abnormal protrusion of the eyeball (globe) from the orbit, most commonly caused by thyroid eye disease (Graves ophthalmopathy—an autoimmune condition associated with hyperthyroidism). The proptosis results from inflammation, edema, and fibrosis of the extraocular muscles and proliferation of orbital fat within the fixed bony orbit.

**Synonyms:**

### Exotropia

A type of strabismus in which one eye deviates outward (toward the temple). Intermittent exotropia: most common type, often noticed when tired or daydreaming, can be controlled with fusion. Constant exotropia: requires treatment to prevent amblyopia. Congenital exotropia: rare, requires early evaluation.

**Synonyms:**

### Expectorants

Medications that promote the clearance of mucus from the respiratory tract by increasing sputum volume and reducing its viscosity, facilitating productive cough. The most common expectorant is guaifenesin (glyceryl guaiacolate), which increases respiratory tract fluid secretion and reduces sputum adhesiveness.

**Synonyms:**

### Expectoration

The act of coughing up and spitting out mucus, sputum, or phlegm from the respiratory tract; sputum

production.

**Synonyms:**

### Expiratory Grunting

A forced exhalation against a partially closed glottis, creating an audible sound. It is an end-expiratory maneuver that generates intrinsic PEEP, helping to maintain alveolar recruitment and improve oxygenation. It is commonly seen in children with respiratory distress.

**Synonyms:**

### Explantation

Surgical removal of an implanted device or prosthesis. It may be required for infection, malfunction, intolerance, migration, fracture, tissue injury, or completion of a temporary therapy.

**Synonyms:**

### Exploratory Laparotomy

Open surgical entry into the abdominal cavity to diagnose or treat suspected intra-abdominal pathology, such as hemorrhage, perforation, ischemia, or obstruction, when less invasive evaluation is inadequate or inappropriate.

**Synonyms:**

### Exposure Route

Path by which substance enters body. Routes: inhalation, ingestion, dermal, injection, ocular. Determines absorption rate and toxicity.

**Synonyms:**

### Expressivity

Degree to which a genotype is expressed in phenotype. Variable expressivity: same genotype produces different phenotypic severity in different individuals. Examples: neurofibromatosis type 1, Marfan syndrome.

**Synonyms:**

### Extension

Movement that increases the angle between two bones or straightens a joint.

**Synonyms:**



---

### **Extensively Drug-Resistant TB**

TB resistant to isoniazid, rifampin, fluoroquinolones, and at least one injectable agent. Very limited treatment options and poor outcomes.

**Synonyms:**

### **Extensor Digitorum**

Posterior forearm muscle from lateral epicondyle via the common extensor tendon, dividing into 4 tendons inserting on extensor expansions of digits 2-5. Innervated by posterior interosseous nerve (C7-C8). Extends MCP joints, assists PIP/DIP extension. Lateral epicondylitis (tennis elbow) is an overuse injury of its common origin.

**Synonyms:**

### **External Auditory Canal**

Tube from the concha to the tympanic membrane, approximately 2.5 cm long in adults. Lateral third is cartilaginous; medial two-thirds are bony (temporal bone). Skin-lined with ceruminous glands (producing cerumen/earwax) and hair follicles. Cerumen has antimicrobial and insect-repellent properties.

**Synonyms:**

### **External Beam Radiation Therapy**

Radiation delivered from a machine outside the body to a planned treatment area. Techniques include three-dimensional conformal therapy, intensity-modulated therapy, and stereotactic therapy.

**Synonyms:**

### **External Cephalic Version**

A procedure that uses external pressure to turn a breech or transverse fetus into a head-down position. Timing, eligibility, monitoring, and contraindications depend on gestational age, placental and fetal factors, and the clinical setting.

**Synonyms:**

### **External Fixation**

Stabilization of a fracture or limb using pins or wires attached to an external frame. It may provide temporary damage-control stabilization or definitive treatment, particularly when soft-tissue injury or

contamination limits internal fixation.

**Synonyms:**

### **External Iliac Artery**

Larger common iliac terminal branch, continuing as the femoral artery below the inguinal ligament. Gives off inferior epigastric and deep circumflex iliac arteries. Related to external iliac vein medially and ureter anteriorly. Commonly used for cardiac catheterization and endovascular access.

**Synonyms:**

### **External Jugular Vein**

Formed by posterior auricular and retromandibular vein divisions, crossing the sternocleidomastoid superficially to drain into the subclavian vein. Visible through the skin; used for peripheral IV access when other sites are unavailable. Distended in right heart failure and SVC obstruction. A useful physical examination landmark.

**Synonyms:**

### **External Oblique Muscle**

Most superficial flat abdominal muscle from outer lower eight ribs to linea alba, pubic tubercle, and iliac crest. Innervated by T7-T12. Contralateral trunk rotation and flexion; compresses abdomen. Forms the inguinal ligament from its free inferior border. Superficial inguinal ring is an opening in its aponeurosis.

**Synonyms:**

### **External Resorption**

Loss of tooth structure from outside. Inflammatory, replacement, surface, cervical resorption. Treatment depends on type and extent.

**Synonyms:**

### **Extracellular Fluid**

The fluid outside cells, including plasma and interstitial fluid. Sodium, chloride, and bicarbonate are its principal effective solutes; ECF volume and composition are regulated by the kidneys, cardiovascular system, and endocrine mechanisms.

**Synonyms:**

---

## Extracellular Matrix

A complex network of proteins and carbohydrates secreted by cells that provides structural and chemical support to surrounding cells.

**Synonyms:**

## Extracellular pathogens

Microorganisms that survive and replicate outside host cells. Extracellular bacteria include Streptococcus, Staphylococcus, and Escherichia coli. These pathogens are typically killed by antibodies and complement. They produce toxins and enzymes to damage host tissues.

**Synonyms:**

## Extracorporeal Membrane Oxygenation

A temporary mechanical circulatory support system that provides cardiac and/or respiratory support. VA-ECMO (veno-arterial) provides both cardiac and respiratory support; VV-ECMO (veno-venous) provides respiratory support only.

**Synonyms:**

## Extracorporeal Shock Wave Lithotripsy

Non-invasive treatment method for urinary calculi that uses focused acoustic shock waves generated outside the body to fragment kidney or ureteral stones into smaller gravel-like pieces (dust/sand) that pass spontaneously in urine.

**Synonyms:**

## Extranodal natural killer T-cell lymphoma

An aggressive lymphoma arising from natural killer cells, most commonly involving the nasal cavity and upper aerodigestive tract. It is strongly associated with Epstein-Barr virus infection.

**Synonyms:**

## Extraocular Muscle Function Testing

Assessment of the six extraocular muscles innervated by CN III (medial rectus: adduction; superior rectus: elevation; inferior rectus: depression; inferior oblique: extorsion), CN IV (superior oblique: intorsion and depression), and CN VI (lateral rectus:

abduction).

**Synonyms:**

## Extraocular Muscles

Six muscles controlling eye movement: four rectus (superior, inferior, medial, lateral) and two oblique (superior, inferior).

**Synonyms:**

## Extrapulmonary manifestation of tuberculosis

Tuberculosis occurring outside the lungs, such as in lymph nodes, bone, kidneys, meninges, or the abdomen.

**Synonyms:**

## Extrapyramidal Symptoms

Drug-induced movement disorders caused by D2 receptor blockade in the nigrostriatal pathway.

**Synonyms:**

## Extrauterine Pregnancy

A pregnancy in which the fertilized ovum implants outside the uterine cavity, an alternative term for ectopic pregnancy. By far the most common site is the fallopian tube (ampulla 70%, isthmus 12%, fimbria 11%, cornual/interstitial 2–4%).

**Synonyms:**

## Extravasation

Leakage of urine outside urinary tract. Causes: trauma, surgery, obstruction. Pseudovesical extravasation (rectus sheath), extraperitoneal, intraperitoneal. Treatment: catheter drainage, surgical repair.

**Synonyms:**

## Extubation Criteria

Clinical findings used to determine whether a patient can safely have an endotracheal tube removed. They include adequate spontaneous breathing, oxygenation, airway protection, cough, neuromuscular recovery, and hemodynamic stability.

**Synonyms:**

---

## Exudate

Exudate concerns exudate; its medical significance is established from the defining features, setting, associated findings, and clinical question. resulting from increased vascular permeability during inflammation. Exudates are typically caused by bacterial infections, autoimmune diseases, viral infections, or malignancy.

**Synonyms:**

## Exudative Pleural Effusion

From local pleural disease. Causes include pneumonia, malignancy, TB, and PE. Elevated protein, LDH, and cell count.

**Synonyms:**

## Eye

The organ of vision, a spherical structure (approximately 24 mm diameter) in the bony orbit. Three layers: fibrous (sclera, cornea), vascular/uveal (choroid, ciliary body, iris), neural (retina). Anterior segment: cornea, anterior chamber (aqueous humor), iris/pupil, lens.

**Synonyms:**

## Eye Disorders

The sensory ability to perceive light and interpret visual information processed by the eyes and brain, enabling recognition of shapes, colors, depth, and motion. See Vision.

**Synonyms:**

## Eye Floaters

Spots, threads, or cobweb-like shapes that move across the visual field, usually caused by opacities in the vitreous. Sudden new floaters, flashes, or a curtain-like shadow require urgent evaluation for retinal tear or detachment. See also Floaters.

**Synonyms:**

## Eye Health

The maintenance of optimal vision and prevention of ocular disease through regular eye examinations, protective measures, and timely treatment. Common conditions affecting eye health include refrac-

tive errors, cataracts, glaucoma, diabetic retinopathy, and age-related macular degeneration.

**Synonyms:**

## Eye Irritation

Chemical injury to eye. Immediate irrigation with water or saline for 15-20 minutes. Alkali burns more dangerous than acid. Ophthalmology consultation.

**Synonyms:**

## Eye Pain

Pain in or around the eye caused by surface irritation, infection, trauma, inflammation, glaucoma, or orbital disease. Severe pain with vision loss, photophobia, trauma, or nausea requires urgent assessment.

**Synonyms:**

## Eye Redness

Red discoloration of the eye caused by dilation or inflammation of conjunctival or deeper ocular blood vessels. Causes range from irritation and conjunctivitis to keratitis, uveitis, and acute glaucoma.

**Synonyms:**

## Eye Trauma

Ocular injuries ranging from corneal abrasions to globe rupture. Chemical burns: irrigate immediately with saline or water for 30 minutes. Penetrating injuries: shield eye, no pressure, emergent ophthalmology consultation. Foreign bodies: remove superficial items; embedded objects require surgical removal.

**Synonyms:**

## Ectopia Cordis

A rare congenital defect in which the heart is located partly or completely outside the chest.

**Synonyms:**

## Eisenmenger Complex

Severe pulmonary hypertension caused by a long-standing congenital heart defect with abnormal blood flow between the heart chambers or vessels.

**Synonyms:**

---

### **Electroretinography**

Electroretinography examines electroretinography; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Elliptocytosis**

A condition in which many red blood cells have an oval or elliptical shape.

**Synonyms:**

### **Encephalomalacia**

Softening or loss of brain tissue, usually after an injury, stroke, or infection.

**Synonyms:**

### **Encephalomyelitis**

Inflammation of the brain and spinal cord.

**Synonyms:**

### **Endocardial Fibroelastosis**

Abnormal thickening of the inner lining of the heart caused by excess fibrous and elastic tissue, usually in infants or children.

**Synonyms:**

### **Endometrial Biopsy**

Removal of a small sample of uterine lining for microscopic examination.

**Synonyms:**

### **Endomyocardial Fibrosis**

Scarring and thickening of the inner heart lining and underlying heart muscle that can impair filling.

**Synonyms:**

### **Enophthalmos**

Abnormal backward displacement of an eyeball within the eye socket.

**Synonyms:**

### **Enterovesical Fistula**

An abnormal connection between the intestine and

urinary bladder.

**Synonyms:**

### **Eosinophilic Granuloma**

A localized form of Langerhans cell histiocytosis that commonly affects bone or skin.

**Synonyms:**

### **Epiretinal Membrane**

A thin layer of scar-like tissue that forms on the surface of the retina and may distort vision.

**Synonyms:**

### **Episodic Ataxia**

An inherited disorder causing recurrent brief attacks of impaired coordination and balance.

**Synonyms:**

### **Erythroblastosis Fetalis**

Fetal or newborn red-cell destruction caused by maternal antibodies against fetal blood-cell antigens.

**Synonyms:**

### **Esophagectomy**

Surgical removal of part or all of the esophagus.

**Synonyms:**

### **Esophagram**

An imaging study of the esophagus performed after the patient swallows a contrast material.

**Synonyms:**

### **Euthyroid Goiter**

An enlarged thyroid gland with thyroid-hormone levels that remain within the normal range.

**Synonyms:**

### **Evans Syndrome**

An autoimmune disorder in which antibodies destroy red blood cells and platelets, separately or together.

**Synonyms:**

### **Evoked Potential**

An electrical response recorded from the nervous

---

system after a specific sensory stimulus.

**Synonyms:**

### **Excessive Tearing**

Abnormally increased production or inadequate drainage of tears, causing watery eyes.

**Synonyms:**

### **Exfoliative Dermatitis**

Widespread redness, scaling, and shedding of the skin.

**Synonyms:**

### **Exsanguination**

Life-threatening loss of blood from severe bleeding.

**Synonyms:**

### **Extrahepatic Cholestasis**

Impaired bile flow caused by blockage or disease outside the liver.

**Synonyms:**

### **Extrapyramidal Disorder**

A movement disorder caused by dysfunction of brain circuits that regulate posture and involuntary movement.

**Synonyms:**

### **Effusion**

Abnormal accumulation of fluid in a body space, such as a joint, pleural cavity, or pericardial sac.

**Synonyms:**

### **Electrophysiologic Testing**

A procedure that records or provokes electrical activity in the heart to investigate suspected arrhythmias.

**Synonyms:**

### **Embolic Stroke**

An ischemic stroke caused by a clot or other material that travels from elsewhere and blocks a brain artery.

**Synonyms:**

### **Enteric Nervous System**

The network of nerve cells in the gastrointestinal tract that regulates movement, secretion, and local blood flow.

**Synonyms:**

### **Epidural Space**

The space outside the dura mater around the spinal cord, where local anesthetic may be injected.

**Synonyms:**

### **External Otitis**

Inflammation or infection of the outer ear canal, commonly called swimmer's ear.

**Synonyms:** swimmer's ear.

### **E. Coli Infection**

An infection caused by *Escherichia coli* bacteria, which may cause diarrhea, urinary infection, or more serious illness.

**Synonyms:**

### **Earwax Blockage**

A buildup of earwax that blocks the ear canal and may cause hearing loss, pain, or ringing.

**Synonyms:**

### **Egg Allergy**

An immune reaction to proteins in eggs that may cause skin, digestive, or breathing symptoms.

**Synonyms:**

### **Exercise Headaches**

Headaches triggered by strenuous physical activity.

**Synonyms:**

### **Eye Melanoma**

A cancer that develops in the pigment-producing cells of the eye.

**Synonyms:**

### **Eyestrain**

Eye discomfort, fatigue, or blurred vision caused by prolonged visual effort.

---

**Synonyms:**

### **Electrocautery**

Use of heat produced by an electrical current to cut tissue or control bleeding.

**Synonyms:**

### **Ejaculatory Duct**

A duct formed by the union of the vas deferens and the duct of a seminal vesicle. It passes through the prostate and opens into the urethra.

**Synonyms:**

### **Electronystagmography**

Electronystagmography examines electronystagmography; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Electrophoresis**

A laboratory method that separates charged molecules according to their movement through a medium in an electric field.

**Synonyms:**

### **Elevator**

A surgical instrument used to lift, separate, or strip tissue, bone, or a tooth from surrounding structures.

**Synonyms:**

### **Emmetropia**

The normal refractive state of the eye, in which parallel light focuses on the retina without accommodation.

**Synonyms:**

### **Endocrine System**

The network of glands and hormone-producing tissues that regulate body functions by releasing hormones into the blood.

**Synonyms:**

### **Endocrine Tissues**

Cells or groups of cells that produce and release hormones into the blood or nearby tissues.

**Synonyms:**

### **Endometrial Ablation**

A procedure that destroys the uterine lining to reduce heavy menstrual bleeding. It is not a method of contraception and is not intended for people planning pregnancy.

**Synonyms:**

### **Enucleation**

Surgical removal of the eyeball while leaving the eyelid, eye muscles, and most orbital tissues in place.

**Synonyms:**

### **Epicondyle**

A bony projection near a condyle that provides attachment for muscles and ligaments.

**Synonyms:**

### **Epigastrium**

The upper middle region of the abdomen, located between the right and left hypochondriac regions.

**Synonyms:**

### **Equilibrium Receptors**

Sensory receptors in the vestibular system that detect head position and movement and help maintain balance.

**Synonyms:**

### **Erosive Esophagitis**

Inflammation of the esophagus with visible breaks or erosions in its lining, most commonly caused by gastroesophageal reflux.

**Synonyms:**

### **Escharotomy**

An incision through rigid eschar from a deep circumferential burn to relieve constriction and restore chest expansion or blood flow.

**Synonyms:**



---

## Expiration

The movement of air out of the lungs, usually caused by relaxation of the diaphragm and elastic recoil of the lungs.

**Synonyms:**

## Excoriation

A superficial loss of skin caused by scratching, rubbing, or another form of mechanical trauma.

**Synonyms:**

## Extubation

Removal of an endotracheal tube after the patient can maintain an open airway and adequate spontaneous breathing.

**Synonyms:**

## Ependyma

A specialized epithelial lining of the brain ventricles and spinal-cord central canal that is involved in cerebrospinal-fluid circulation and, in some regions, production.

**Synonyms:**

## Erythroderma

Erythroderma concerns erythroderma; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

## Eschar

Eschar concerns eschar; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

## Eales Disease

An uncommon retinal vasculopathy characterized by inflammation and obliteration of peripheral retinal veins, often followed by retinal ischemia, neovascularization, and recurrent vitreous hemorrhage.

**Synonyms:**

## Ecthyma

Ecthyma examines ecthyma; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

## Efferent Neuron

A nerve cell that carries motor or autonomic signals away from the central nervous system to muscles, glands, or other target tissues.

**Synonyms:**

## Erdheim-Chester Disease

A rare non-Langerhans-cell histiocytosis caused by clonal histiocyte proliferation, commonly producing symmetrical long-bone pain or sclerosis and possible cardiovascular, renal, neurologic, or retroperitoneal involvement.

**Synonyms:**

## Edentulousness

Complete or partial absence of natural teeth. It may result from dental disease, trauma, developmental abnormalities, or tooth extraction and can impair chewing, speech, and oral function.

**Synonyms:**

## Eustachian Tube Dysfunction

Failure of the eustachian tube to open or close normally, causing ear pressure, muffled hearing, pain, or recurrent middle-ear fluid. It may follow an upper-respiratory infection, allergy, or rapid pressure changes.

**Synonyms:**

## Exocrine Pancreatic Insufficiency

Inadequate secretion of pancreatic digestive enzymes, causing maldigestion and malabsorption, often with weight loss, bloating, and greasy or difficult-to-flush stools. Common causes include chronic pancreatitis, cystic fibrosis, and pancreatic surgery.

**Synonyms:**

---

### **Ectasia**

Abnormal widening or dilation of a tubular structure, vessel, duct, or organ. The term is used in conditions such as vascular ectasia and duct ectasia.

**Synonyms:**

### **Emaciation**

Extreme wasting and loss of body mass, especially muscle and fat, caused by severe illness, malnutrition, or other chronic conditions.

**Synonyms:**

### **Embolus**

A detached intravascular mass, such as a blood clot, fat droplet, air bubble, or other material, that travels through the circulation and may obstruct a vessel.

**Synonyms:**

### **Embryology**

The study of development from fertilization through the embryonic and fetal stages, including the formation of organs and body structures.

**Synonyms:**

### **Emollient**

A substance applied to the skin to soften and moisturize it by reducing water loss and improving the skin barrier. Emollients are commonly used in eczema and dry skin.

**Synonyms:**

### **Endarterectomy**

Surgical removal of atherosclerotic plaque and diseased inner lining from an artery to improve blood flow, commonly performed in the carotid arteries.

**Synonyms:**

### **Enteropathy**

A disease or disorder affecting the intestine. Causes include infection, inflammation, gluten sensitivity, impaired blood flow, toxins, and inherited conditions.

**Synonyms:**

### **Exhalation**

The process of breathing air out of the lungs. It is normally passive at rest but becomes active during exercise or respiratory distress.

**Synonyms:**

### **Extrapyramidal System**

Neural pathways and brain structures, including the basal ganglia, that help regulate movement, muscle tone, posture, and automatic motor activity.

**Synonyms:**

### **Extremity**

A limb of the body, including the upper extremity (shoulder, arm, forearm, wrist, and hand) or lower extremity (hip, thigh, leg, ankle, and foot).

**Synonyms:**

### **Extrinsic Allergic Alveolitis (Hypersensitivity Pneumonitis)**

An immune-mediated inflammation of the lung caused by repeated inhalation of sensitizing organic particles, such as moulds, animal proteins, or contaminated agricultural dust.

**Synonyms:** Hypersensitivity Pneumonitis

### **Eyeball (Globe)**

The roughly spherical organ of vision, consisting of the cornea, sclera, uveal tract, lens, retina, and internal chambers and fluids.

**Synonyms:** Globe

### **Eyebrow**

A strip of hair above the orbit that helps protect the eye from sweat, moisture, and particles.

**Synonyms:**

### **Eye Drops**

Liquid preparations instilled into the conjunctival sac for diagnosis, lubrication, or treatment of eye conditions. They should be used according to clinical or product instructions.

**Synonyms:**

---

## Eyelashes

Short, curved hairs arising from the eyelid margins that help protect the ocular surface from foreign particles and excessive light.

**Synonyms:**

## Eyelids

Mobile folds of skin and muscle that protect the eyes, spread the tear film, and help regulate the amount of light entering the eye.

**Synonyms:**

## Eyesight (Vision)

The ability to perceive and interpret light, form, color, movement, and detail through the eyes and visual pathways of the nervous system.

**Synonyms:** Vision

## Ear cartilage

Ear cartilage denotes ear cartilage, an anatomical structure or tissue whose clinical importance depends on location, connections, blood supply, innervation, and function. **Synonyms:**

## Ear disease

Ear disease denotes a clinical condition or finding involving ear disease; evaluation identifies mechanism, affected system, severity, complications, and management. **Synonyms:**

## Ear neoplasm

Ear neoplasm denotes a neoplastic condition involving ear neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment. **Synonyms:**

## Early diagnosis

Early diagnosis refers to early diagnosis, an anatomical or physiologic concept used to describe a body structure, process, or function. **Synonyms:**

## Early endosome

Early endosome refers to early endosome, an anatomical or physiologic concept used to describe a body structure, process, or function. **Synonyms:**

## Eat

Eat refers to eat, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

## Ebolavirus

Ebolavirus is a virus or viral group associated with ebolavirus; disease risk depends on strain, transmission route, host, and tissue tropism. **Synonyms:**

## Eccentrocyte count

Eccentrocyte count refers to eccentrocyte count, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

## Eccrine porocarcinoma

Eccrine porocarcinoma denotes a neoplastic condition involving eccrine porocarcinoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment. **Synonyms:**

## Eccrine poroma

Eccrine poroma refers to eccrine poroma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

## Ecdysone

Ecdysone concerns ecdysone, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

## Echinacea

Echinacea refers to echinacea, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

## Echinococcus multilocularis

Echinococcus multilocularis is a microorganism or microbial group associated with echinococcus multilocularis; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

---

### Echinococcus vogeli

Echinococcus vogeli is a microorganism or microbial group associated with echinococcus vogeli; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### Echinodermata

Echinodermata refers to echinodermata, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Echinomycin

Echinomycin concerns echinomycin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Echolocation

Echolocation refers to echolocation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Echothiophate iodide

Echothiophate iodide refers to echothiophate iodide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Ecology

Ecology refers to ecology, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Econazole

Econazole concerns econazole, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Ecotoxicology

Ecotoxicology denotes an infectious or toxic condition involving ecotoxicology; diagnosis considers exposure or pathogen, affected site, severity, and host response. **Synonyms:**

### Ectomesenchymoma

Ectomesenchymoma refers to ectomesenchymoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Ectopic tissue

Ectopic tissue denotes ectopic tissue, an anatomical structure or tissue whose clinical importance depends on location, connections, blood supply, innervation, and function. **Synonyms:**

### Ectoplasm

Ectoplasm refers to ectoplasm, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Ectromelia

Ectromelia refers to ectromelia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Eculizumab

Eculizumab concerns eculizumab, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Edatrexate

Edatrexate concerns edatrexate, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Edema trunk

Edema trunk denotes a clinical condition or finding involving edema trunk; evaluation identifies mechanism, affected system, severity, complications, and management. **Synonyms:**

### Edetic acid

Edetic acid denotes edetic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

---

### Edodekin alfa

Edodekin alfa refers to edodekin alfa, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Edotecarin

Edotecarin refers to edotecarin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Edrecolomab

Edrecolomab concerns edrecolomab, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Educational psychology

Educational psychology is used in relation to educational psychology during assessment, diagnosis, treatment, monitoring, or patient support. **Synonyms:**

### Edwardsiella

Edwardsiella identifies edwardsiella, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved. **Synonyms:**

### Edwardsiella hoshinae

Edwardsiella hoshinae identifies edwardsiella hoshinae, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved. **Synonyms:**

### Edwardsiella ictaluri

Edwardsiella ictaluri identifies edwardsiella ictaluri, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved. **Synonyms:**

### Edwardsiella tarda

Edwardsiella tarda identifies edwardsiella tarda, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host,

and site involved. **Synonyms:**

### Efalizumab

Efalizumab concerns efalizumab, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Efaproxiral

Efaproxiral refers to efaproxiral, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Efavirenz

Efavirenz concerns efavirenz, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Effectiveness

Effectiveness refers to effectiveness, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Efferent nerve

Efferent nerve refers to efferent nerve, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Efferent pathway

Efferent pathway refers to efferent pathway, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Eflornithine

Eflornithine concerns eflornithine, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Egg shell

Egg shell refers to egg shell, a medical condition or clinical finding defined by its features, causes,

---

affected system, and patient context. **Synonyms:**

### **Eggerthella**

Eggerthella identifies eggerthella, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved. **Synonyms:**

### **Eggerthella lenta**

Eggerthella lenta identifies eggerthella lenta, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved. **Synonyms:**

### **Ehrlichia**

Ehrlichia identifies ehrlichia, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved. **Synonyms:**

### **Eicosadienoic acid**

Eicosadienoic acid denotes eicosadienoic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Eicosanoid**

Eicosanoid refers to eicosanoid, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Eicosanoid degradation**

Eicosanoid degradation refers to eicosanoid degradation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Eicosanoid metabolism**

Eicosanoid metabolism refers to eicosanoid metabolism, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Eicosanoid receptor**

Eicosanoid receptor denotes eicosanoid receptor, a

biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Eicosapentaenoic acid**

Eicosapentaenoic acid denotes eicosapentaenoic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Eicosatetraenoic acid**

Eicosatetraenoic acid denotes eicosatetraenoic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Eicosatrienoic acid**

Eicosatrienoic acid denotes eicosatrienoic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Eicosenoic acid**

Eicosenoic acid denotes eicosenoic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Eikenella**

Eikenella identifies eikenella, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved. **Synonyms:**

### **Eikenella corrodens**

Eikenella corrodens identifies eikenella corrodens, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved. **Synonyms:**

### **Elastic fiber**

Elastic fiber refers to elastic fiber, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**



---

### Elastic tissue

Elastic tissue denotes elastic tissue, an anatomical structure or tissue whose clinical importance depends on location, connections, blood supply, innervation, and function. **Synonyms:**

### Elasticity

Elasticity refers to elasticity, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Elastics

Elastics refers to elastics, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Elastofibroma

Elastofibroma refers to elastofibroma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Elastomer

Elastomer refers to elastomer, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Elastosis

Elastosis refers to elastosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Elbow

Elbow refers to elbow, an anatomical or physiologic concept used to describe a body structure, process, or function. **Synonyms:**

### Elbow extensor

Elbow extensor refers to elbow extensor, an anatomical or physiologic concept used to describe a body structure, process, or function. **Synonyms:**

### Elbow flexors

Elbow flexors refers to elbow flexors, an anatomical or physiologic concept used to describe a body

structure, process, or function. **Synonyms:**

### Elective abortion

Elective abortion refers to elective abortion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Electric impedance

Electric impedance refers to electric impedance, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Electric organ

Electric organ denotes electric organ, an anatomical structure or tissue whose clinical importance depends on location, connections, blood supply, innervation, and function. **Synonyms:**

### Electrical alternans

Electrical alternans denotes electrical alternans, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### Electrical conductance

Electrical conductance refers to electrical conductance, an anatomical or physiologic concept used to describe a body structure, process, or function. **Synonyms:**

### Electrical synapse

Electrical synapse refers to electrical synapse, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Electroacupuncture

Electroacupuncture is used in relation to electroacupuncture during assessment, diagnosis, treatment, monitoring, or patient support. **Synonyms:**

### Electrocardiogram lead

Electrocardiogram lead is used in relation to elec-

---

trocardiogram lead during assessment, diagnosis, treatment, monitoring, or patient support. **Synonyms:**

### Electrocardiography

Electrocardiography is used in relation to electrocardiography during assessment, diagnosis, treatment, monitoring, or patient support. **Synonyms:**

### Electrochemistry

Electrochemistry is used in relation to electrochemistry during assessment, diagnosis, treatment, monitoring, or patient support. **Synonyms:**

### Electrochemotherapy

Electrochemotherapy is used in relation to electrochemotherapy during assessment, diagnosis, treatment, monitoring, or patient support. **Synonyms:**

### Electrocorticography

Electrocorticography is used in relation to electrocorticography during assessment, diagnosis, treatment, monitoring, or patient support. **Synonyms:**

### Electrode

Electrode is used in relation to electrode during assessment, diagnosis, treatment, monitoring, or patient support. **Synonyms:**

### Electrodesiccation

Electrodesiccation is used in relation to electrodesiccation during assessment, diagnosis, treatment, monitoring, or patient support. **Synonyms:**

### Electrofocusing

Electrofocusing is used in relation to electrofocusing during assessment, diagnosis, treatment, monitoring, or patient support. **Synonyms:**

### Electron

Electron is used in relation to electron during assessment, diagnosis, treatment, monitoring, or patient support. **Synonyms:**

### Electron microscopy

Electron microscopy is used in relation to electron microscopy during assessment, diagnosis, treatment, monitoring, or patient support. **Synonyms:**

### Electron transport

Electron transport is used in relation to electron transport during assessment, diagnosis, treatment, monitoring, or patient support. **Synonyms:**

### Electrooculography

Electrooculography is used in relation to electrooculography during assessment, diagnosis, treatment, monitoring, or patient support. **Synonyms:**

### Electro-osmosis

Electro-osmosis is used in relation to electro-osmosis during assessment, diagnosis, treatment, monitoring, or patient support. **Synonyms:**

### Electrophysiology

Electrophysiology is used in relation to electrophysiology during assessment, diagnosis, treatment, monitoring, or patient support. **Synonyms:**

### Electroporation

Electroporation is used in relation to electroporation during assessment, diagnosis, treatment, monitoring, or patient support. **Synonyms:**

### Element

Element refers to element, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Elesclomol sodium

Elesclomol sodium refers to elesclomol sodium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Eligibility determination

Eligibility determination is used in relation to eligibility determination during assessment, diagnosis, treatment, monitoring, or patient support. **Syn-**

---

onyms:

### Eligible

Eligible refers to eligible, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Elinafide

Elinafide refers to elinafide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Elixir

Elixir refers to elixir, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Elizabethkingia

Elizabethkingia identifies elizabethkingia, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved. **Synonyms:**

### Elliptocyte count

Elliptocyte count refers to elliptocyte count, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Elongin

Elongin refers to elongin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Elotuzumab

Elotuzumab concerns elotuzumab, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Eltrombopag

Eltrombopag refers to eltrombopag, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Eltrombopag olamine

Eltrombopag olamine refers to eltrombopag olamine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Embryo neoplasm

Embryo neoplasm denotes a neoplastic condition involving embryo neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment. **Synonyms:**

### Embryogenesis

Embryogenesis denotes embryogenesis, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### Embryonal carcinoma

Embryonal carcinoma denotes a neoplastic condition involving embryonal carcinoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment. **Synonyms:**

### Embryonal rhabdomyosarcoma

Embryonal rhabdomyosarcoma denotes a neoplastic condition involving embryonal rhabdomyosarcoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment. **Synonyms:**

### Embryonic

Embryonic refers to embryonic, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Embryonic cell

Embryonic cell denotes embryonic cell, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### Embryonic induction

Embryonic induction refers to embryonic induction, an anatomical or physiologic concept used to describe a body structure, process, or function. **Syn-**

---

onyms:

### Embryonic mosaic

Embryonic mosaic refers to embryonic mosaic, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Embryonic stage

Embryonic stage refers to embryonic stage, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Emergency care

Emergency care refers to emergency care, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Emergency treatment

Emergency treatment is used in relation to emergency treatment during assessment, diagnosis, treatment, monitoring, or patient support. **Synonyms:**

### Emitefur

Emitefur refers to emitefur, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Emodin

Emodin refers to emodin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Emotion

Emotion refers to emotion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Emotional adjustment

Emotional adjustment refers to emotional adjustment, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Emotional dependency

Emotional dependency refers to emotional dependency, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Empathy

Empathy refers to empathy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Empedobacter

Empedobacter is a microorganism or microbial group associated with empedobacter; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### Empedobacter brevis

Empedobacter brevis is a microorganism or microbial group associated with empedobacter brevis; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### Empedobacter falsenii

Empedobacter falsenii is a microorganism or microbial group associated with empedobacter falsenii; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### Employee

Employee refers to employee, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Employment status

Employment status refers to employment status, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Emtricitabine

Emtricitabine refers to emtricitabine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Syn-**

---

onyms:

### **Emulsion**

Emulsion refers to emulsion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Enalapril**

Enalapril concerns enalapril, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Enalaprilat**

Enalaprilat concerns enalaprilat, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Enamel organ**

Enamel organ denotes enamel organ, an anatomical structure or tissue whose clinical importance depends on location, connections, blood supply, innervation, and function. **Synonyms:**

### **Enanthema**

Enanthema refers to enanthema, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Encephalitis virus**

Encephalitis virus is a virus or viral group associated with encephalitis virus; disease risk depends on strain, transmission route, host, and tissue tropism. **Synonyms:**

### **Encephalitozoon**

Encephalitozoon identifies encephalitozoon, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved. **Synonyms:**

### **Enchondroma**

Enchondroma refers to enchondroma, a medical condition or clinical finding defined by its features,

causes, affected system, and patient context. **Synonyms:**

### **Enchondromatosis**

Enchondromatosis refers to enchondromatosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Enclomiphene**

Enclomiphene refers to enclomiphene, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **End point**

End point refers to end point, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Endarteritis**

Endarteritis refers to endarteritis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Endemic diseases**

Endemic diseases denotes a clinical condition or finding involving endemic diseases; evaluation identifies mechanism, affected system, severity, complications, and management. **Synonyms:**

### **Endemic goiter**

Endemic goiter refers to endemic goiter, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Endocannabinoid**

Endocannabinoid refers to endocannabinoid, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Endocervical**

Endocervical refers to endocervical, a medical condi-

---

tion or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Endocrine**

Endocrine refers to endocrine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Endocrine disease**

Endocrine disease denotes a clinical condition or finding involving endocrine disease; evaluation identifies mechanism, affected system, severity, complications, and management. **Synonyms:**

### **Endocrine finding**

Endocrine finding refers to endocrine finding, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Endocrine function**

Endocrine function refers to endocrine function, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Endocrine gland**

Endocrine gland denotes endocrine gland, an anatomical structure or tissue whose clinical importance depends on location, connections, blood supply, innervation, and function. **Synonyms:**

### **Endocrine neoplasm**

Endocrine neoplasm denotes a neoplastic condition involving endocrine neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment. **Synonyms:**

### **Endocrinologists**

Endocrinologists refers to endocrinologists, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Endodontics**

Endodontics refers to endodontics, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Endodontist**

Endodontist refers to endodontist, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Endogenous opiates**

Endogenous opiates refers to endogenous opiates, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Endogenous retrovirus**

Endogenous retrovirus is a virus or viral group associated with endogenous retrovirus; disease risk depends on strain, transmission route, host, and tissue tropism. **Synonyms:**

### **Endolimax**

Endolimax refers to endolimax, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Endolimax nana**

Endolimax nana refers to endolimax nana, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Endolymph**

Endolymph refers to endolymph, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Endometrial**

Endometrial refers to endometrial, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Endometrial adenocarcinoma**

Endometrial adenocarcinoma denotes a neoplastic



---

condition involving endometrial adenocarcinoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment. **Synonyms:**

### **Endometrial carcinoma**

Endometrial carcinoma denotes a neoplastic condition involving endometrial carcinoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment. **Synonyms:**

### **Endometrial disorder**

Endometrial disorder denotes a clinical condition or finding involving endometrial disorder; evaluation identifies mechanism, affected system, severity, complications, and management. **Synonyms:**

### **Endometrial neoplasm**

Endometrial neoplasm denotes a neoplastic condition involving endometrial neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment. **Synonyms:**

### **Endometrial polyp**

Endometrial polyp refers to endometrial polyp, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Endopeptidase**

Endopeptidase refers to endopeptidase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Endoribonuclease**

Endoribonuclease refers to endoribonuclease, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Endosome**

Endosome refers to endosome, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Endothelial cell**

Endothelial cell denotes endothelial cell, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Endothelin**

Endothelin concerns endothelin, a biologic or physiologic concept used in research, laboratory medicine, and the explanation of disease. **Synonyms:**

### **Endothelium**

Endothelium refers to endothelium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Endotoxin**

Endotoxin concerns endotoxin, a biologic or physiologic concept used in research, laboratory medicine, and the explanation of disease. **Synonyms:**

### **Energy increased**

Energy increased refers to energy increased, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Energy intake**

Energy intake refers to energy intake, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Energy metabolism**

Energy metabolism refers to energy metabolism, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Enflurane**

Enflurane refers to enflurane, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

---

### Enfuvirtide

Enfuvirtide concerns enfuvirtide, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Enhanced pause

Enhanced pause refers to enhanced pause, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Eniluracil

Eniluracil refers to eniluracil, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Enoxaparin

Enoxaparin concerns enoxaparin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Enrollment

Enrollment refers to enrollment, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Entamoeba

Entamoeba identifies entamoeba, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved. **Synonyms:**

### Entamoeba coli

Entamoeba coli identifies entamoeba coli, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved. **Synonyms:**

### Entamoeba hartmanni

Entamoeba hartmanni identifies entamoeba hartmanni, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved. **Synonyms:**

### Entamoeba polecki

Entamoeba polecki identifies entamoeba polecki, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved. **Synonyms:**

### Enteric bacteria

Enteric bacteria is a microorganism or microbial group associated with enteric bacteria; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### Enterobacter

Enterobacter is a microorganism or microbial group associated with enterobacter; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### Enterobacter aerogenes

Enterobacter aerogenes is a microorganism or microbial group associated with enterobacter aerogenes; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### Enterobacter asburiae

Enterobacter asburiae is a microorganism or microbial group associated with enterobacter asburiae; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### Enterobacter cancerogenus

Enterobacter cancerogenus is a microorganism or microbial group associated with enterobacter cancerogenus; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### Enterobacter cloacae

Enterobacter cloacae is a microorganism or microbial group associated with enterobacter cloacae; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

---

### **Enterobacter hormaechei**

Enterobacter hormaechei is a microorganism or microbial group associated with enterobacter hormaechei; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### **Enterobacteriaceae**

Enterobacteriaceae is a microorganism or microbial group associated with enterobacteriaceae; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### **Enterobius**

Enterobius refers to enterobius, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Enterococcaceae**

Enterococcaceae refers to enterococcaceae, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Enterococcus**

Enterococcus is a microorganism or microbial group associated with enterococcus; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### **Enterococcus avium**

Enterococcus avium is a microorganism or microbial group associated with enterococcus avium; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### **Enterococcus dispar**

Enterococcus dispar is a microorganism or microbial group associated with enterococcus dispar; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### **Enterococcus durans**

Enterococcus durans is a microorganism or microbial group associated with enterococcus durans; clinical

relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### **Enterococcus faecalis**

Enterococcus faecalis is a microorganism or microbial group associated with enterococcus faecalis; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### **Enterococcus faecium**

Enterococcus faecium is a microorganism or microbial group associated with enterococcus faecium; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### **Enterococcus gallinarum**

Enterococcus gallinarum is a microorganism or microbial group associated with enterococcus gallinarum; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### **Enterococcus hirae**

Enterococcus hirae is a microorganism or microbial group associated with enterococcus hirae; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### **Enterococcus malodoratus**

Enterococcus malodoratus is a microorganism or microbial group associated with enterococcus malodoratus; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### **Enterococcus mundtii**

Enterococcus mundtii is a microorganism or microbial group associated with enterococcus mundtii; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

---

### Enterococcus pseudoavium

Enterococcus pseudoavium is a microorganism or microbial group associated with enterococcus pseudoavium; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### Enterococcus raffinosus

Enterococcus raffinosus is a microorganism or microbial group associated with enterococcus raffinosus; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### Enterococcus thailandicus

Enterococcus thailandicus is a microorganism or microbial group associated with enterococcus thailandicus; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### Enterocyte

Enterocyte refers to enterocyte, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Enterocytozoon

Enterocytozoon refers to enterocytozoon, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Enteroendocrine cell

Enteroendocrine cell denotes enteroendocrine cell, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### Enteromonas hominis

Enteromonas hominis refers to enteromonas hominis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Enterostomy procedure

Enterostomy procedure is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat enterostomy procedure. **Synonyms:**

### Enterotoxin

Enterotoxin concerns enterotoxin; its medical significance is established from the defining features, setting, associated findings, and clinical question. **Synonyms:**

### Enterovirus

Enterovirus is a virus or viral group associated with enterovirus; disease risk depends on strain, transmission route, host, and tissue tropism. **Synonyms:**

### Entinostat

Entinostat refers to entinostat, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Entorhinal cortex

Entorhinal cortex refers to entorhinal cortex, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Enucleation procedure

Enucleation procedure is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat enucleation procedure. **Synonyms:**

### Environment

Environment refers to environment, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Environmental exposure

Environmental exposure refers to environmental exposure, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

---

### Environmental illness

Environmental illness refers to environmental illness, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Enzyme activity

Enzyme activity denotes enzyme activity, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### Enzyme deficiency

Enzyme deficiency denotes enzyme deficiency, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### Enzyme inhibitor

Enzyme inhibitor denotes enzyme inhibitor, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### Enzyme precursors

Enzyme precursors denotes enzyme precursors, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### Enzyme therapy

Enzyme therapy denotes enzyme therapy, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### Eosine yellowish

Eosine yellowish refers to eosine yellowish, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Ependymal cell

Ependymal cell denotes ependymal cell, a biological component or molecular process interpreted through

relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### Ependymal tumor

Ependymal tumor denotes a neoplastic condition involving ependymal tumor; evaluation establishes tissue of origin, extent, biologic behavior, and treatment. **Synonyms:**

### Ependymblastoma

Ependymblastoma denotes a neoplastic condition involving ependymblastoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment. **Synonyms:**

### Ephedrine

Ephedrine refers to ephedrine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Ephrins

Ephrins refers to ephrins, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Epiblast

Epiblast refers to epiblast, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Epichlorohydrin

Epichlorohydrin refers to epichlorohydrin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Epidemiologic method

Epidemiologic method refers to epidemiologic method, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Epidemiologic studies

Epidemiologic studies refers to epidemiologic studies, a medical condition or clinical finding defined

---

by its features, causes, affected system, and patient context. **Synonyms:**

### **Epidemiologist**

Epidemiologist refers to epidemiologist, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Epidermal acanthosis**

Epidermal acanthosis refers to epidermal acanthosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Epidermal cells**

Epidermal cells denotes epidermal cells, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Epidermal growth factor**

Epidermal growth factor refers to epidermal growth factor, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Epidermophyton**

Epidermophyton identifies epidermophyton, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved. **Synonyms:**

### **Epidermophyton floccosum**

Epidermophyton floccosum identifies epidermophyton floccosum, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved. **Synonyms:**

### **Epididymal neoplasm**

Epididymal neoplasm denotes a neoplastic condition involving epididymal neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment. **Synonyms:**

### **Epidural neoplasm**

Epidural neoplasm denotes a neoplastic condition involving epidural neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment. **Synonyms:**

### **Epigallocatechin gallate**

Epigallocatechin gallate refers to epigallocatechin gallate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Epigastric**

Epigastric refers to epigastric, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Epigastric artery**

Epigastric artery denotes epigastric artery, an anatomical structure or tissue whose clinical importance depends on location, connections, blood supply, innervation, and function. **Synonyms:**

### **Epigenome**

Epigenome refers to epigenome, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Epigenomics**

Epigenomics refers to epigenomics, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Epipodophyllotoxin**

Epipodophyllotoxin concerns epipodophyllotoxin, a biologic or physiologic concept used in research, laboratory medicine, and the explanation of disease. **Synonyms:**

### **Epirubicin**

Epirubicin concerns epirubicin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**



---

### Epirubicin hydrochloride

Epirubicin hydrochloride concerns epirubicin hydrochloride, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Epithalamic

Epithalamic refers to epithalamic, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Epithelial

Epithelial refers to epithelial, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Epithelial cyst

Epithelial cyst refers to epithelial cyst, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Epithelioid cell

Epithelioid cell denotes epithelioid cell, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### Epithelioma

Epithelioma refers to epithelioma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Epitope

Epitope concerns epitope, a biologic or physiologic concept used in research, laboratory medicine, and the explanation of disease. **Synonyms:**

### Epitope mapping

Epitope mapping concerns epitope mapping, a biologic or physiologic concept used in research, laboratory medicine, and the explanation of disease. **Synonyms:**

### Eplerenone

Eplerenone concerns eplerenone, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Epoetin alfa

Epoetin alfa concerns epoetin alfa, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Epoetin beta

Epoetin beta concerns epoetin beta, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Epoprostenol

Epoprostenol refers to poprostenol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Epothilon

Epothilon refers to epothilon, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Epothilone B

Epothilone B refers to epothilone b, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Epothilone D

Epothilone D refers to epothilone d, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Epoxide hydrolase

Epoxide hydrolase refers to epoxide hydrolase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

---

### **Epoxy compounds**

Epoxy compounds concerns epoxy compounds, a biologic or physiologic concept used in research, laboratory medicine, and the explanation of disease. **Synonyms:**

### **Eptifibatide**

Eptifibatide concerns eptifibatide, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### **Equilin**

Equilin refers to equilin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Equine morbillivirus**

Equine morbillivirus is a virus or viral group associated with equine morbillivirus; disease risk depends on strain, transmission route, host, and tissue tropism. **Synonyms:**

### **Equinovarus deformity**

Equinovarus deformity refers to equinovarus deformity, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Equipment safety**

Equipment safety refers to equipment safety, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Equivalence trial**

Equivalence trial refers to equivalence trial, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **ErbB receptors**

ErbB receptors denotes erbB receptors, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory

findings. **Synonyms:**

### **Erbium**

Erbium refers to erbium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Ergocalciferol**

Ergocalciferol refers to ergocalciferol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Ergolines**

Ergolines refers to ergolines, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Ergosterol**

Ergosterol refers to ergosterol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Ergotamine**

Ergotamine refers to ergotamine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Eribulin mesylate**

Eribulin mesylate refers to eribulin mesylate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Erlotinib hydrochloride**

Erlotinib hydrochloride refers to erlotinib hydrochloride, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Erosion lesion**

Erosion lesion refers to erosion lesion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

---

### Erratic results

Erratic results refers to erratic results, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Ertapenem

Ertapenem concerns ertapenem, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Erucic acid

Erucic acid denotes erucic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### Erucic acids

Erucic acids denotes erucic acids, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### Eryptosis

Eryptosis refers to eryptosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Erysipelothrix

Erysipelothrix refers to erysipelotheix, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Erythroblast

Erythroblast refers to erythroblast, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Erythrocyte membrane

Erythrocyte membrane denotes erythrocyte membrane, an anatomical structure or tissue whose clinical importance depends on location, connections, blood supply, innervation, and function. **Syn-**

**onyms:**

### Erythrodysplasia

Erythrodysplasia refers to erythrodysplasia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Erythroid hyperplasia

Erythroid hyperplasia refers to erythroid hyperplasia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Erythroleukoplakia

Erythroleukoplakia refers to erythroleukoplakia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Erythromycin

Erythromycin concerns erythromycin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Erythromycin estolate

Erythromycin estolate concerns erythromycin estolate, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Erythroplasia

Erythroplasia refers to erythroplasia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Erythropoietin receptor

Erythropoietin receptor denotes erythropoietin receptor, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

---

### Erythrosine

Erythrosine refers to erythrosine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Escape reaction

Escape reaction refers to escape reaction, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Escherichia

Escherichia identifies escherichia, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved. **Synonyms:**

### Escherichia albertii

Escherichia albertii identifies escherichia albertii, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved. **Synonyms:**

### Escherichia blattae

Escherichia blattae identifies escherichia blattae, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved. **Synonyms:**

### Escherichia coli infection

Escherichia coli infection identifies escherichia coli infection, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved. **Synonyms:**

### Escherichia fergusonii

Escherichia fergusonii identifies escherichia fergusonii, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved. **Synonyms:**

### Escherichia hermannii

Escherichia hermannii identifies escherichia hermannii, a biological taxon or infectious-disease concept whose clinical importance depends on the organism,

host, and site involved. **Synonyms:**

### Escherichia vulneris

Escherichia vulneris identifies escherichia vulneris, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved. **Synonyms:**

### Escitalopram

Escitalopram refers to escitalopram, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Esomeprazole

Esomeprazole concerns esomeprazole, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Esomeprazole magnesium

Esomeprazole magnesium concerns esomeprazole magnesium, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

### Esophageal

Esophageal refers to esophageal, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Esophageal bleeding

Esophageal bleeding denotes a clinical condition or finding involving esophageal bleeding; evaluation identifies mechanism, affected system, severity, complications, and management. **Synonyms:**

### Esophageal carcinoma

Esophageal carcinoma denotes a neoplastic condition involving esophageal carcinoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment. **Synonyms:**

### Esophageal duplication

Esophageal duplication refers to esophageal duplication, a medical condition or clinical finding defined

---

by its features, causes, affected system, and patient context. **Synonyms:**

### **Esophageal fistula**

Esophageal fistula refers to esophageal fistula, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Esophageal infection**

Esophageal infection denotes an infectious or toxic condition involving esophageal infection; diagnosis considers exposure or pathogen, affected site, severity, and host response. **Synonyms:**

### **Esophageal necrosis**

Esophageal necrosis refers to esophageal necrosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Esophageal stenosis**

Esophageal stenosis denotes a clinical condition or finding involving esophageal stenosis; evaluation identifies mechanism, affected system, severity, complications, and management. **Synonyms:**

### **Esophageal ulceration**

Esophageal ulceration refers to esophageal ulceration, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Esophagogastric junction**

Esophagogastric junction refers to esophagogastric junction, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Esophagoscope**

Esophagoscope refers to esophagoscope, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Esophagoscopy**

Esophagoscopy refers to esophagoscopy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Esophagus disease**

Esophagus disease denotes a clinical condition or finding involving esophagus disease; evaluation identifies mechanism, affected system, severity, complications, and management. **Synonyms:**

### **Esophagus neoplasm**

Esophagus neoplasm denotes a neoplastic condition involving esophagus neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment. **Synonyms:**

### **Essiac**

Essiac refers to essiac, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Estazolam**

Estazolam refers to estazolam, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Ester**

Ester refers to ester, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Esterase**

Esterase refers to esterase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Esterification**

Esterification refers to esterification, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

---

## Esthesia

Esthesia refers to esthesia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

## Esthesiometer

Esthesiometer refers to esthesiometer, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

## Estivation

Estivation refers to estivation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

## Estramustine

Estramustine concerns estramustine, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

## Estriol

Estriol refers to estriol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

## Estrogen inhibitor

Estrogen inhibitor refers to estrogen inhibitor, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

## Estrone

Estrone refers to estrone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

## Estrous cycle

Estrous cycle refers to estrous cycle, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

## Estrus

Estrus refers to estrus, a medical condition or clinical

finding defined by its features, causes, affected system, and patient context. **Synonyms:**

## Eszopiclone

Eszopiclone refers to eszopiclone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

## Etanercept

Etanercept refers to etanercept, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

## Etanidazole

Etanidazole concerns etanidazole, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

## Etaracizumab

Etaracizumab concerns etaracizumab, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

## Ethacrynic acid

Ethacrynic acid denotes ethacrynic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

## Ethambutol

Ethambutol refers to ethambutol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

## Ethane

Ethane refers to ethane, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

## Ethanol

Ethanol refers to ethanol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**



---

### Ethanol metabolism

Ethanol metabolism refers to ethanol metabolism, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Ethanolamine

Ethanolamine refers to ethanolamine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Ethchlorvynol

Ethchlorvynol refers to ethchlorvynol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Ethers

Ethers refers to ethers, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Ethics

Ethics refers to ethics, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Ethidium

Ethidium refers to ethidium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Ethinyl estradiol

Ethinyl estradiol refers to ethinyl estradiol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Ethiodized oil

Ethiodized oil refers to ethiodized oil, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Ethion

Ethion refers to ethion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Ethionamide

Ethionamide refers to ethionamide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Ethmocephaly

Ethmocephaly refers to ethmocephaly, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Ethmoid sinus

Ethmoid sinus refers to ethmoid sinus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Ethmoid sinusitis

Ethmoid sinusitis refers to ethmoid sinusitis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Ethnicity

Ethnicity refers to ethnicity, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Ethoglucid

Ethoglucid refers to ethoglucid, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Ethosuximide

Ethosuximide refers to ethosuximide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

---

### Ethoxzolamide

Ethoxzolamide refers to ethoxzolamide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Ethyl ether

Ethyl ether refers to ethyl ether, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Ethyl methanesulfonate

Ethyl methanesulfonate refers to ethyl methane-sulfonate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Ethylene

Ethylene refers to ethylene, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Ethylene chlorohydrin

Ethylene chlorohydrin refers to ethylene chlorohydrin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Ethylene dibromide

Ethylene dibromide refers to ethylene dibromide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Ethylene oxide

Ethylene oxide refers to ethylene oxide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Ethylenethiourea

Ethylenethiourea refers to ethylenethiourea, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Ethylnitrosourea

Ethylnitrosourea refers to ethylnitrosourea, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Ethynodiol diacetate

Ethynodiol diacetate refers to ethynodiol diacetate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Etidronic acid

Etidronic acid denotes etidronic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### Etilefrine

Etilefrine refers to etilefrine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Etiocholanolone

Etiocholanolone refers to etiocholanolone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Etioplast

Etioplast refers to etioplast, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Etodolac

Etodolac refers to etodolac, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Etomidate

Etomidate refers to etomidate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

---

### Etoposide

Etoposide refers to etoposide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Etoposide phosphate

Etoposide phosphate refers to etoposide phosphate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Etoricoxib

Etoricoxib refers to etoricoxib, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Etretinate

Etretinate refers to etretinate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Eubacterium

Eubacterium is a microorganism or microbial group associated with eubacterium; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### Eubacterium limosum

Eubacterium limosum is a microorganism or microbial group associated with eubacterium limosum; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### Eubacterium rectale

Eubacterium rectale is a microorganism or microbial group associated with eubacterium rectale; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### Eubacterium ventriosum

Eubacterium ventriosum is a microorganism or microbial group associated with eubacterium ventriosum; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

**onyms:**

### Eucalyptus oil

Eucalyptus oil refers to eucalyptus oil, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Euchromatin

Euchromatin concerns euchromatin, a biologic or physiologic concept used in research, laboratory medicine, and the explanation of disease. **Synonyms:**

### Euglena

Euglena refers to euglena, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Eukaryote

Eukaryote refers to eukaryote, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Eukaryotic cell

Eukaryotic cell denotes eukaryotic cell, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### Europium

Europium refers to europium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Eurotium

Eurotium refers to eurotium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Everolimus

Everolimus refers to everolimus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

---

## Evolution

Evolution refers to evolution, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

## Ewingella

Ewingella refers to ewingella, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

## Ewingella americana

Ewingella americana refers to ewingella americana, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

## Ewings sarcoma

Ewings sarcoma denotes a neoplastic condition involving ewings sarcoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment. **Synonyms:**

## Exacerbation

Exacerbation refers to exacerbation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

## Examination table

Examination table refers to examination table, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

## Exatecan mesylate

Exatecan mesylate refers to exatecan mesylate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

## Excessive bruising

Excessive bruising refers to excessive bruising, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

## Excision biopsy

Excision biopsy refers to excision biopsy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

## Excitatory synapse

Excitatory synapse refers to excitatory synapse, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

## Executive function

Executive function refers to executive function, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

## Exemestane

Exemestane refers to exemestane, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

## Exenatide

Exenatide concerns exenatide, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects. **Synonyms:**

## Exencephaly

Exencephaly refers to exencephaly, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

## Exenteration

Exenteration refers to exenteration, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

## Exercise tolerance

Exercise tolerance refers to exercise tolerance, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

---

### Exfoliation syndrome

Exfoliation syndrome denotes a clinical condition or finding involving exfoliation syndrome; evaluation identifies mechanism, affected system, severity, complications, and management. **Synonyms:**

### Exhibitionism

Exhibitionism refers to exhibitionism, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Exiguobacterium

Exiguobacterium is a microorganism or microbial group associated with exiguobacterium; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility. **Synonyms:**

### Exocervix

Exocervix refers to exocervix, an anatomical or physiologic concept used to describe a body structure, process, or function. **Synonyms:**

### Exocrine gland

Exocrine gland denotes exocrine gland, an anatomical structure or tissue whose clinical importance depends on location, connections, blood supply, innervation, and function. **Synonyms:**

### Exocrine pancreas

Exocrine pancreas refers to exocrine pancreas, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Exodeoxyribonuclease

Exodeoxyribonuclease refers to exodeoxyribonuclease, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Exonuclease

Exonuclease refers to exonuclease, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Exopeptidase

Exopeptidase refers to exopeptidase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Exophiala

Exophiala refers to exophiala, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Exophiala dermatitidis

Exophiala dermatitidis refers to exophiala dermatitidis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Expectorant

Expectorant refers to expectorant, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Experience

Experience refers to experience, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Expiratory time

Expiratory time is used in relation to expiratory time during assessment, diagnosis, treatment, monitoring, or patient support. **Synonyms:**

### Exploratory behavior

Exploratory behavior is used in relation to exploratory behavior during assessment, diagnosis, treatment, monitoring, or patient support. **Synonyms:**

### Exposure

Exposure refers to exposure, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Exserohilum

Exserohilum refers to exserohilum, a medical condi-

---

tion or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Extent**

Extent refers to extent, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **External capsule**

External capsule denotes external capsule, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **External ear**

External ear denotes external ear, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **External nose**

External nose denotes external nose, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Extraamniotic**

Extraamniotic refers to extraamniotic, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Extracellular exosome**

Extracellular exosome denotes extracellular exosome, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Extracellular region**

Extracellular region denotes extracellular region, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Extracellular space**

Extracellular space denotes extracellular space, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Extracellular vesicle**

Extracellular vesicle denotes extracellular vesicle, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings. **Synonyms:**

### **Extracorporeal circulation**

Extracorporeal circulation refers to extracorporeal circulation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Extraction**

Extraction refers to extraction, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Extranodal**

Extranodal refers to extranodal, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Extraocular**

Extraocular refers to extraocular, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Extraocular muscle**

Extraocular muscle refers to extraocular muscle, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### **Extrapleural pneumonectomy**

Extrapleural pneumonectomy is used in relation to extrapleural pneumonectomy during assessment, diagnosis, treatment, monitoring, or patient support. **Synonyms:**



---

### Extraskkeletal osteosarcoma

Extraskkeletal osteosarcoma denotes a neoplastic condition involving extraskkeletal osteosarcoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment. **Synonyms:**

### Extrinsic

Extrinsic refers to extrinsic, a medical condition or clinical finding defined by its features, causes, affected system, and patient context. **Synonyms:**

### Eye development

Eye development refers to eye development, an anatomical or physiologic concept used to describe a body structure, process, or function. **Synonyms:**

### Eye disorder

Eye disorder denotes a clinical condition or finding involving eye disorder; evaluation identifies mechanism, affected system, severity, complications, and management. **Synonyms:**

### Eye hemorrhage

Eye hemorrhage refers to eye hemorrhage, an anatomical or physiologic concept used to describe a body structure, process, or function. **Synonyms:**

### Eye infection

Eye infection denotes an infectious or toxic condition involving eye infection; diagnosis considers exposure or pathogen, affected site, severity, and host response. **Synonyms:**

### Eye injury

Eye injury refers to eye injury, an anatomical or physiologic concept used to describe a body structure, process, or function. **Synonyms:**

### Eye movement

Eye movement refers to eye movement, an anatomical or physiologic concept used to describe a body structure, process, or function. **Synonyms:**

### Eye neoplasm

Eye neoplasm denotes a neoplastic condition in-

volving eye neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment. **Synonyms:**

### Eye prosthesis

Eye prosthesis refers to eye prosthesis, an anatomical or physiologic concept used to describe a body structure, process, or function. **Synonyms:**

### Eyeglass

Eyeglass refers to eyeglass, an anatomical or physiologic concept used to describe a body structure, process, or function. **Synonyms:**

### Eyelash

Eyelash refers to eyelash, an anatomical or physiologic concept used to describe a body structure, process, or function. **Synonyms:**

### Eyelid

Eyelid refers to eyelid, an anatomical or physiologic concept used to describe a body structure, process, or function. **Synonyms:**

### Eyelid coloboma

Eyelid coloboma refers to eyelid coloboma, an anatomical or physiologic concept used to describe a body structure, process, or function. **Synonyms:**

### Eyelid disorder

Eyelid disorder denotes a clinical condition or finding involving eyelid disorder; evaluation identifies mechanism, affected system, severity, complications, and management. **Synonyms:**

### Eyelid neoplasm

Eyelid neoplasm denotes a neoplastic condition involving eyelid neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment. **Synonyms:**

### Ezetimibe

Ezetimibe concerns ezetimibe, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse

---

effects. **Synonyms:**

### **Elbow pain**

Elbow pain is a medical condition involving elbow pain; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. **Synonyms:**

### **High red blood cell count**

An increased number or concentration of red blood cells in the blood, which may thicken the blood and result from dehydration, low oxygen, smoking, medications, or a bone marrow disorder. **Synonyms:**

### **Excessive sweating**

Sweating more than needed for temperature control, either generally or in specific areas; causes include hyperhidrosis, medicines, infection, hormonal changes, or other medical conditions. **Synonyms:**

### **Eye twitching**

Repeated involuntary spasms of an eyelid or muscles around the eye, commonly associated with fatigue, stress, caffeine, irritation, or eye strain. **Synonyms:**

### **E. coli**

A group of bacteria that normally inhabit the intestines, some strains of which cause diarrheal illness, urinary infections, or other infections. **Synonyms:**

### **Ear infection (middle ear)**

Infection or inflammation in the space behind the eardrum, often causing ear pain, fever, hearing changes, or irritability in children. **Synonyms:**

### **Swimmer's ear**

Infection or inflammation of the outer ear canal, commonly associated with water exposure and causing pain, itching, or discharge. **Synonyms:**

### **Ruptured eardrum (perforated eardrum)**

A hole or tear in the eardrum that may cause pain, drainage, hearing loss, or ringing and can result from infection, injury, or pressure changes. **Synonyms:**

### **Eating disorders**

Serious mental and physical health conditions involving disturbed eating behaviors, body image, and relationships with food and weight. **Synonyms:**

### **Premature ventricular contractions (PVCs)**

Early extra heartbeats originating in the heart's ventricles, often felt as fluttering, skipped beats, or pounding and frequently benign. **Synonyms:**

### **Ehrlichiosis and anaplasmosis**

Tick-borne bacterial infections that commonly cause fever, headache, muscle aches, and low blood-cell counts. **Synonyms:**

### **Elevated blood pressure**

Blood pressure consistently above the healthy range, increasing long-term risk of heart, brain, kidney, and vascular disease. **Synonyms:**

### **Embryonal tumors**

Cancers that arise from cells resembling developing embryonic tissue, often occurring in children and commonly affecting the nervous system. **Synonyms:**

### **Uterine polyps**

Growths arising from the inner lining of the uterus that may cause irregular bleeding, heavy periods, or fertility problems. **Synonyms:**

### **Enlarged breasts in men (gynecomastia)**

Enlargement of male breast tissue caused by hormonal imbalance, medicines, substance use, or an underlying illness. **Synonyms:**

### **Enlarged liver**

Enlarged liver concerns enlarged liver, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context. **Synonyms:**

### **Enlarged spleen (splenomegaly)**

An increase in spleen size associated with infection,

---

liver disease, blood disorders, inflammation, or malignancy. **Synonyms:**

### **Extranodal marginal zone lymphoma of mucosa-associated lymphoid tissue (MALT)**

A usually slow-growing B-cell lymphoma arising in mucosal tissues such as the stomach, salivary glands, thyroid, or lungs. **Synonyms:**

### **Frontal lobe seizures**

Seizures beginning in the frontal lobes of the brain, often causing brief unusual movements, behaviors, sensations, or impaired awareness. **Synonyms:**

### **Epithelioid sarcoma**

A rare soft-tissue cancer that often begins in the skin or tissues of the hands, forearms, or lower limbs. **Synonyms:**

### **Esophageal spasms**

Uncoordinated or forceful contractions of the esophagus that can cause chest pain and difficulty swallowing. **Synonyms:**

### **Esthesioneuroblastoma**

A rare cancer arising from specialized nerve tissue in the upper nasal cavity, potentially causing nasal obstruction, bleeding, or loss of smell. **Synonyms:**

### **Ear infection, outer ear**

Alternate index label; see *Swimmer's ear*. **Synonyms:**

### **Eardrum, ruptured**

Alternate index label; see *Ruptured eardrum (perforated eardrum)*. **Synonyms:**

### **Early puberty**

Alternate index label; see *Precocious puberty*. **Synonyms:**

### **Eating disorders, anorexia**

Alternate index label; see *Anorexia nervosa*. **Synonyms:**

### **Eating disorders, binge eating**

Alternate index label; see *Binge-eating disorder*. **Synonyms:**

### **Eating disorders, bulimia**

Alternate index label; see *Bulimia nervosa*. **Synonyms:**

### **Eczema, dyshidrotic**

Alternate index label; see *Dyshidrosis*. **Synonyms:**

### **Edema, pulmonary**

Alternate index label; see *Pulmonary edema*. **Synonyms:**

### **Epicondylitis, lateral**

Alternate index label; see *Tennis elbow*. **Synonyms:**

### **Epilepsy, frontal lobe**

Alternate index label; see *Frontal lobe seizures*. **Synonyms:**

### **Excess facial hair in women**

Alternate index label; see *Hirsutism*. **Synonyms:**

### **Excessive daytime sleepiness**

Alternate index label; see *Narcolepsy*. **Synonyms:**

### **Excessive menstrual bleeding**

Alternate index label; see *Heavy menstrual bleeding*. **Synonyms:**

### **Extrahepatic biliary atresia**

Alternate index label; see *Biliary atresia*. **Synonyms:**

### **Extranodal marginal zone lymphoma**

Alternate index label; see *Extranodal marginal zone lymphoma of mucosa-associated lymphoid tissue (MALT)*. **Synonyms:**

### **Extrasystole**

Alternate index label; see *Premature ventricular*

---

*contractions (PVCs)*. **Synonyms:**

### **Eyelid inflammation**

Alternate index label; see *Blepharitis*. **Synonyms:**

### **E-cigarettes and E-hookahs**

E-cigarettes and E-hookahs concerns e-cigarettes and e-hookahs; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Ear - blocked at high altitudes**

Ear - blocked at high altitudes concerns ear - blocked at high altitudes, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context.

**Synonyms:**

### **Ear discharge**

Ear discharge addresses care related to ear discharge, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Ear drainage culture**

Ear drainage culture examines ear drainage culture; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Ear emergencies**

Ear emergencies concerns ear emergencies, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context.

**Synonyms:**

### **Ear examination**

Ear examination examines ear examination; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Ear infection - acute**

Ear infection - acute examines ear infection - acute; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Ear infection - chronic**

Ear infection - chronic examines ear infection - chronic; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Ear tag**

Ear tag concerns ear tag, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context.

**Synonyms:**

### **Ear tube insertion**

Ear tube insertion is a treatment or care intervention for ear tube insertion; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Ear tube surgery - what to ask your doctor**

Ear tube surgery - what to ask your doctor examines ear tube surgery - what to ask your doctor; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Eardrum repair**

Eardrum repair is a treatment or care intervention for eardrum repair; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Earlobe creases**

Earlobe creases concerns earlobe creases, a body

---

structure, substance, or clinical concept whose meaning depends on location, function, and patient context.

**Synonyms:**

### **Eating disorders - resources**

Eating disorders - resources addresses care related to eating disorders - resources, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Eating extra calories when sick - adults**

Eating extra calories when sick - adults addresses care related to eating extra calories when sick - adults, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Eating extra calories when sick - children**

Eating extra calories when sick - children addresses care related to eating extra calories when sick - children, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Eating habits and behaviors**

Eating habits and behaviors addresses care related to eating habits and behaviors, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Eating out**

Eating out addresses care related to eating out, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Eating right during pregnancy**

Eating right during pregnancy addresses care related to eating right during pregnancy, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Echocardiogram - children**

Echocardiogram - children examines echocardiogram - children; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Ectodermal dysplasias**

Ectodermal dysplasias examines ectodermal dysplasias; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **EGD - esophagogastroduodenoscopy**

EGD - esophagogastroduodenoscopy concerns egd - esophagogastroduodenoscopy; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **EGD discharge**

EGD discharge addresses care related to egd discharge, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Eight ways to cut your health care costs**

Eight ways to cut your health care costs addresses care related to eight ways to cut your health care costs, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Elbow replacement**

Elbow replacement is a treatment or care intervention for elbow replacement; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Elbow replacement - discharge**

Elbow replacement - discharge is a treatment or care intervention for elbow replacement - discharge; indication, preparation, risks, technical details, and

---

recovery depend on the patient and goal.

**Synonyms:**

### **Elbow sprain - aftercare**

Elbow sprain - aftercare addresses care related to elbow sprain - aftercare, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Elder care - resources**

Elder care - resources addresses care related to elder care - resources, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Electrocauterization**

Electrocauterization examines electrocauterization; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Electrolytes - urine**

Electrolytes - urine examines electrolytes - urine; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Elephant ear poisoning**

Elephant ear poisoning involves toxic exposure to elephant ear poisoning; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach.

**Synonyms:**

### **Elimination patterns**

Elimination patterns concerns elimination patterns; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **ELISA blood test**

ELISA blood test examines elisa blood test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Ellis-van Creveld syndrome**

Ellis-van Creveld syndrome is a medical condition involving ellis-van creveld syndrome; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Emergency airway puncture**

Emergency airway puncture examines emergency airway puncture; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Ending pregnancy with medicines**

Ending pregnancy with medicines is a medical condition involving ending pregnancy with medicines; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Endocarditis - children**

Endocarditis - children is a medical condition involving endocarditis - children; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Endocervical culture**

Endocervical culture examines endocervical culture; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Endocervical Gram stain**

Endocervical Gram stain concerns endocervical gram stain; its medical significance is established from the defining features, setting, associated find-



---

ings, and clinical question.

**Synonyms:**

### **Endometrial polyps**

Endometrial polyps concerns endometrial polyps; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Endoscopic thoracic sympathectomy**

Endoscopic thoracic sympathectomy examines endoscopic thoracic sympathectomy; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Endovascular embolization**

Endovascular embolization is a treatment or care intervention for endovascular embolization; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Enlarged adenoids**

Enlarged adenoids concerns enlarged adenoids; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Enlarged prostate**

Enlarged prostate concerns enlarged prostate; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Enlarged prostate - after care**

Enlarged prostate - after care addresses care related to enlarged prostate - after care, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Enlarged prostate - what to ask your doctor**

Enlarged prostate - what to ask your doctor examines enlarged prostate - what to ask your doctor; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Enteral nutrition - child - managing problems**

Enteral nutrition - child - managing problems addresses care related to enteral nutrition - child - managing problems, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Enteroclysis**

Enteroclysis concerns enteroclysis; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Enteroscopy**

Enteroscopy concerns enteroscopy; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Enzyme markers**

Enzyme markers concerns enzyme markers, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context.

**Synonyms:**

### **Eosinophil count - absolute**

Eosinophil count - absolute examines eosinophil count - absolute; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

---

### **Epicanthal folds**

Epicanthal folds concerns epicanthal folds; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Epidural block - pregnancy**

Epidural block - pregnancy is a medical condition involving epidural block - pregnancy; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Epidural injections for back pain**

Epidural injections for back pain examines epidural injections for back pain; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Epilepsy - resources**

Epilepsy - resources addresses care related to epilepsy - resources, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Epilepsy in adults - what to ask your doctor**

Epilepsy in adults - what to ask your doctor examines epilepsy in adults - what to ask your doctor; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Epilepsy in children**

Epilepsy in children concerns epilepsy in children; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Epilepsy in children - discharge**

Epilepsy in children - discharge addresses care related to epilepsy in children - discharge, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Epilepsy in children - what to ask your doctor**

Epilepsy in children - what to ask your doctor examines epilepsy in children - what to ask your doctor; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Epilepsy or seizures - discharge**

Epilepsy or seizures - discharge addresses care related to epilepsy or seizures - discharge, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Episiotomy - aftercare**

Episiotomy - aftercare addresses care related to episiotomy - aftercare, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Epstein-Barr virus antibody test**

Epstein-Barr virus antibody test examines epstein-barr virus antibody test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **ERCP**

ERCP concerns ercp; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Erection problems**

Erection problems examines erection problems; in-

---

interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Erection problems - aftercare**

Erection problems - aftercare examines erection problems - aftercare; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Eruptive xanthomatosis**

Eruptive xanthomatosis is a medical condition involving eruptive xanthomatosis; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Erysipeloid**

Erysipeloid concerns erysipeloid; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Erythema toxicum**

Erythema toxicum involves toxic exposure to erythema toxicum; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach.

**Synonyms:**

### **Erythroplasia of Queyrat**

Erythroplasia of Queyrat concerns erythroplasia of queyrat; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Erythropoietin test**

Erythropoietin test examines erythropoietin test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Esophageal culture**

Esophageal culture examines esophageal culture; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Esophageal stricture - benign**

Esophageal stricture - benign examines esophageal stricture - benign; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Esophagectomy - discharge**

Esophagectomy - discharge examines esophagectomy - discharge; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Esophagectomy - minimally invasive**

Esophagectomy - minimally invasive examines esophagectomy - minimally invasive; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Esophagectomy - open**

Esophagectomy - open examines esophagectomy - open; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Estimated average glucose (eAG)**

Estimated average glucose (eAG) concerns estimated average glucose (eag); its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Estradiol blood test**

Estradiol blood test examines estradiol blood test; interpretation depends on the specimen or body

---

region, test method, reference range, and clinical question.

**Synonyms:**

### **Estrogen overdose**

Estrogen overdose involves toxic exposure to estrogen overdose; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach.

**Synonyms:**

### **Ethanol poisoning**

Ethanol poisoning involves toxic exposure to ethanol poisoning; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach.

**Synonyms:**

### **Ethmoiditis**

Ethmoiditis is a medical condition involving ethmoiditis; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Ethylene glycol blood test**

Ethylene glycol blood test examines ethylene glycol blood test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Eucalyptus oil overdose**

Eucalyptus oil overdose involves toxic exposure to eucalyptus oil overdose; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach.

**Synonyms:**

### **Eugenol oil overdose**

Eugenol oil overdose involves toxic exposure to eugenol oil overdose; dose, route, timing, symptoms, and antidote availability determine the urgency and treatment approach.

**Synonyms:**

### **Eustachian tube patency**

Eustachian tube patency concerns eustachian tube patency; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Excessive carrying angle of the elbow**

Excessive carrying angle of the elbow concerns excessive carrying angle of the elbow, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context.

**Synonyms:**

### **Excessive crying in infants**

Excessive crying in infants concerns excessive crying in infants; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Excessive or unwanted hair in women**

Excessive or unwanted hair in women concerns excessive or unwanted hair in women; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Exercise and activity - children**

Exercise and activity - children examines exercise and activity - children; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Exercise and activity for weight loss**

Exercise and activity for weight loss examines exercise and activity for weight loss; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Exercise and age**

Exercise and age addresses care related to exercise and age, including practical measures, warning signs,

---

follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Exercise and immunity**

Exercise and immunity addresses care related to exercise and immunity, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Exercise clothing and shoes**

Exercise clothing and shoes addresses care related to exercise clothing and shoes, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Exercise, lifestyle, and your bones**

Exercise, lifestyle, and your bones addresses care related to exercise, lifestyle, and your bones, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Exercises to help prevent falls**

Exercises to help prevent falls addresses care related to exercises to help prevent falls, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Exercising and asthma at school**

Exercising and asthma at school is a medical condition involving exercising and asthma at school; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Exercising on a budget**

Exercising on a budget concerns exercising on a budget; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Exogenous Cushing syndrome**

Exogenous Cushing syndrome is a medical condition involving exogenous cushing syndrome; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **External incontinence devices**

External incontinence devices concerns external incontinence devices; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Extremity angiography**

Extremity angiography examines extremity angiography; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Extremity x-ray**

Extremity x-ray concerns extremity x-ray; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Eye - foreign object in**

Eye - foreign object in examines eye - foreign object in; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Eye and orbit ultrasound**

Eye and orbit ultrasound examines eye and orbit ultrasound; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Eye burning - itching and discharge**

Eye burning - itching and discharge addresses care related to eye burning - itching and discharge, in-

---

cluding practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Eye emergencies**

Eye emergencies include acute vision loss, chemical injury, penetrating trauma, severe pain, and selected infections or pressure disorders requiring immediate assessment.

**Synonyms:**

### **Eye muscle repair**

Eye muscle repair is a treatment or care intervention for eye muscle repair; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Eye muscle repair - discharge**

Eye muscle repair - discharge is a treatment or care intervention for eye muscle repair - discharge; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Eyelid bump**

Eyelid bump concerns eyelid bump, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context.

**Synonyms:**

### **Eyelid drooping**

Eyelid drooping concerns eyelid drooping, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context.

**Synonyms:**

### **Eyelid lift**

Eyelid lift concerns eyelid lift, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context.

**Synonyms:**

### **Eyelid twitch**

Eyelid twitch concerns eyelid twitch, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context.

**Synonyms:**

### **Eyes - bulging**

Eyes - bulging concerns eyes - bulging, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context.

**Synonyms:**





## F

### Ciguatera Poisoning

Food poisoning caused by ciguatoxins accumulated in reef fish, especially large tropical predatory fish. It may cause nausea, vomiting, diarrhea, numbness, tingling, temperature-reversal sensations, itching, and weakness. Treatment is supportive; severe neurologic or cardiovascular symptoms require urgent medical care.

**Synonyms:**

### False Negative

A test result that indicates a condition is absent when it is actually present.

**Synonyms:**

### Familial Combined Hyperlipidemia

An inherited disorder causing elevated cholesterol, triglycerides, or both.

**Synonyms:**

### Fasting Lipid Profile

A blood test measuring cholesterol and triglyceride levels, usually after fasting.

**Synonyms:** Lipid panel

### Fast-Twitch Fiber

A skeletal-muscle fiber specialized for rapid, powerful contractions.

**Synonyms:** Type II muscle fiber

### Fat

A nutrient and energy source composed mainly of lipids.

**Synonyms:** Lipid

### Fatty Acids

Organic components of fats used for energy and for building cell membranes and signaling molecules.

**Synonyms:**

### Fatty Streak

An early atherosclerotic lesion formed by lipid accumulation in an artery wall.

**Synonyms:**

### Fibrin

A threadlike protein that forms the structural mesh of a blood clot.

**Synonyms:**

### Fibroblast

A connective-tissue cell that produces collagen and other extracellular-matrix components.

**Synonyms:**

### Fibroid

A benign smooth-muscle tumor, most often arising in the uterus.

**Synonyms:** Uterine leiomyoma

### Fibrous Plaque

A raised arterial lesion containing fibrous tissue and lipid that can narrow the vessel.

**Synonyms:** Atherosclerotic plaque

### Finasteride

A 5-alpha-reductase inhibitor used for benign prostatic enlargement and some types of hair loss.

**Synonyms:**

---

**Fixed Joint**

A joint with little or no movement, often because bones are joined by dense tissue.

**Synonyms:** Synarthrosis

**Flaccid**

Relaxed, soft, or lacking normal muscle tone or erection.

**Synonyms:**

**Flare**

A temporary worsening or recurrence of symptoms.

**Synonyms:** Exacerbation

**Flatus**

Gas passed through the anus.

**Synonyms:** Intestinal gas

**Flavonoids**

Plant polyphenols found in many fruits, vegetables, teas, and other foods.

**Synonyms:**

**Flex**

To bend a joint and decrease the angle between its bones.

**Synonyms:** Flexion

**Flight-or-Fight Response**

The coordinated stress response that prepares the body to confront or escape a perceived threat.

**Synonyms:** Fight-or-flight response; stress response

**Flow**

A state of highly focused, effortless involvement in an activity, often with reduced awareness of time.

**Synonyms:**

**Foam Cells**

Lipid-filled cells, usually macrophages, that contribute to atherosclerotic plaque.

**Synonyms:**

**Focal Neuropathy**

Damage to a single peripheral nerve or a small group of nerves.

**Synonyms:** Mononeuropathy

**Focus Words**

Calming words or phrases used to anchor attention during relaxation or stress-management exercises.

**Synonyms:**

**Follicle**

A small sac or tissue structure, such as a hair follicle or ovarian follicle.

**Synonyms:**

**Follicle-Stimulating Hormone**

A pituitary hormone that supports ovarian follicle development and sperm production.

**Synonyms:** FSH

**Follicular Unit**

A natural hair-growth unit containing one or more follicles and associated structures.

**Synonyms:**

**Follicular Unit Transplantation**

Hair-restoration surgery that transplants individual follicular units to thinning areas.

**Synonyms:** FUT

**Food Allergies**

Immune reactions to particular food proteins that can cause symptoms ranging from hives to anaphylaxis.

**Synonyms:** Food allergy

**Forehead Lift**

Cosmetic surgery that reduces forehead lines and raises drooping eyebrows.

**Synonyms:** Brow lift

**FRAX Tool**

A calculator that estimates a person's ten-year probability of major osteoporotic or hip fracture.

---

**Synonyms:** FRAX fracture-risk calculator

### Free Fragment

A piece of an intervertebral disk that has separated from the main disk.

**Synonyms:** Sequestered disk fragment

### Frequency Range

The span from the lowest to highest sound frequencies amplified by a hearing aid.

**Synonyms:**

### Frequency Response

The amount of amplification a hearing aid provides across different sound frequencies.

**Synonyms:**

### Fructose

A simple sugar found naturally in fruit, honey, and some syrups.

**Synonyms:** Fruit sugar

### FSH

Follicle-stimulating hormone, a pituitary hormone involved in ovarian follicle development and sperm production.

**Synonyms:** Follicle-stimulating hormone

### Functional Gastrointestinal Disorders

Digestive symptoms caused by altered gut function without an evident structural disease or infection.

**Synonyms:** Disorders of gut-brain interaction

### Functional Incontinence

Involuntary urine leakage because a person cannot reach or use the toilet in time despite recognizing the need to void.

**Synonyms:**

### Fabry Disease

An X-linked lysosomal storage disorder caused by deficient alpha-galactosidase A activity and accumulation of globotriaosylceramide in multiple organs.

**Synonyms:**

### Face Presentation

A fetal presentation in which the neck is hyperextended and the face is the presenting part. The position of the fetal chin influences whether vaginal birth is possible and how labor is managed.

**Synonyms:**

### Facet Joints

Zygapophysial joints connecting adjacent vertebral articular processes. Orientation varies: cervical (45 degrees, allowing rotation), thoracic (coronal, allowing rotation but limiting flexion/extension), lumbar (sagittal, allowing flexion/extension but limiting rotation). Innervated by medial branches of dorsal rami.

**Synonyms:**

### Facial Edema

Swelling caused by excess fluid in the tissues of the face. Causes include allergy, infection, trauma, kidney or heart disease, and venous obstruction. Sudden swelling of the lips, tongue, or throat with breathing difficulty is an emergency.

**Synonyms:**

### Facial Nerve Problems

Disorders affecting cranial nerve VII, which controls facial expression, taste from part of the tongue, and some tear and salivary function. Weakness may result from Bell palsy, stroke, infection, trauma, or a tumor. Sudden facial weakness, especially with arm weakness or speech difficulty, requires emergency assessment.

**Synonyms:**

### Facial Pain

Pain felt in the face that may arise from dental disease, sinus disease, temporomandibular disorders, nerve disorders, infection, or other causes.

**Synonyms:**

### Facial paralysis

Facial paralysis is a medical condition involving facial paralysis; causes, affected organs, severity, complications, and treatment are determined by

---

clinical assessment.

**Synonyms:**

### **Facilitated Diffusion**

Passive transport of molecules across cell membranes via specific transmembrane protein carriers or channels, moving substances down their concentration gradient without energy expenditure. Channel-mediated facilitated diffusion uses ion channels (voltage-gated, ligand-gated, or mechanically-gated) for rapid ion movement.

**Synonyms:**

### **Factitious Disorder**

Presentation of physical or psychological symptoms or imposing injury or disease on another, with the deceptive intention of assuming the sick role. In factitious disorder imposed on self, the individual falsifies signs or symptoms, induces injury or disease, and presents to medical providers.

**Synonyms:**

### **Factor H Deficiency**

Autosomal recessive (CFH mutation). Factor H regulates alternative pathway (cofactor for factor I, accelerates decay). Uncontrolled alternative pathway activation → C3 consumption → low C3, normal C4. Atypical HUS (aHUS): microangiopathic hemolytic anemia, thrombocytopenia, acute kidney injury.

**Synonyms:**

### **Factor I Deficiency**

Autosomal recessive (CFI mutation). Factor I cleaves C3b/C4b (cofactor: factor H, MCP, C4BP). Uncontrolled complement → low C3, low C4, low factor H. Recurrent pyogenic infections, aHUS, C3 glomerulopathy, SLE-like disease. Treatment: eculizumab for aHUS/C3G; plasma infusion (contains factor I); IVIG.

**Synonyms:**

### **Factor V Deficiency**

An inherited or acquired bleeding disorder caused by reduced factor V activity, impairing thrombin gener-

ation and fibrin formation. It may cause easy bruising, nosebleeds, heavy menstrual bleeding, postoperative bleeding, or severe bleeding in rare cases.

**Synonyms:**

### **Factor V Leiden**

An inherited factor V variant that reduces sensitivity to activated protein C and increases the risk of venous thromboembolism. The risk varies with zygosity, family history, and other factors.

**Synonyms:**

### **Factor V Leiden mutation**

A factor V variant resistant to activated protein C, causing inherited thrombophilia and increased venous thrombosis risk.

**Synonyms:**

### **Factor VII**

A blood-clotting protein made mainly in the liver that begins the tissue-factor pathway of coagulation. Inherited deficiency can cause abnormal bleeding, ranging from easy bruising to serious bleeding after injury or procedures.

**Synonyms:**

### **Factor VIII**

A clotting protein that works with factor IX to help form a stable blood clot. Inherited deficiency causes hemophilia A, characterized by prolonged or spontaneous bleeding into joints, muscles, or other tissues.

**Synonyms:**

### **Facultative Anaerobe**

A microorganism capable of growth under both aerobic and anaerobic conditions, using respiration when a suitable terminal electron acceptor is present and fermentation or anaerobic respiration when it is not.

**Synonyms:**

### **FAD (Flavin Adenine Dinucleotide)**

A flavin-derived redox coenzyme, usually bound tightly to enzymes as a prosthetic group. FAD

---

accepts two hydrogen atoms to form FADH<sub>2</sub>, which donates electrons to the respiratory chain through selected dehydrogenases.

**Synonyms:** Flavin Adenine Dinucleotide

### **Failed Induction of Labor**

The inability to achieve active labor and progressive cervical change after an adequate trial of induction. Definition: no active labor (cervical change) after at least 12–18 hours of oxytocin with ruptured membranes and adequate contractions. Management: the latent phase may be prolonged (up to 24 hours or more).

**Synonyms:**

### **Failed Intubation**

Inability to successfully place an endotracheal tube after multiple attempts. In the operating room, a failed intubation algorithm is followed: call for help, maintain oxygenation (face mask, supraglottic airway), and decide to wake the patient (if non-emergent) or proceed with a supraglottic airway (if surgery is urgent).

**Synonyms:**

### **Failure to Thrive**

Inadequate growth in children, defined as weight below the 5th percentile or crossing two major percentile lines on growth charts. Causes include caloric insufficiency (neglect, poor feeding), organic disease (congenital heart disease, renal disease), and psychosocial factors.

**Synonyms:**

### **Fainting**

Fainting is a brief loss of consciousness from transient inadequate brain perfusion, often caused by reflex, orthostatic, or cardiac mechanisms; cardiac warning features require urgent evaluation.

**Synonyms:** syncope.

### **Falciform ligament**

A sickle-shaped peritoneal fold that attaches the liver to the anterior abdominal wall and diaphragm, separating the left and right lobes of the liver. It

contains the ligamentum teres, the obliterated remnant of the umbilical vein. It may be implicated in rare complications such as internal herniation or necrosis following trauma.

**Synonyms:**

### **Fall**

Unintended change in position to ground. Major cause of morbidity/mortality in elderly. Risk factors: gait/balance impairment, muscle weakness, visual impairment, polypharmacy, environmental hazards, orthostatic hypotension. Prevention: exercise, medication review, vision correction, home modification, hip protectors.

**Synonyms:**

### **Fall Prevention**

Measures that reduce the risk of falling, including strength and balance training, medication review, vision assessment, safer footwear, and environmental modification.

**Synonyms:**

### **Fall Risk**

The likelihood that a person will fall, based on factors such as gait, balance, strength, vision, medicines, orthostatic blood-pressure changes, and the environment.

**Synonyms:**

### **Fall Screening**

Assessment of a person's history and risk factors for falling to guide prevention and further evaluation.

**Synonyms:**

### **Fallopian Tube**

The paired muscular tubes (10–12 cm) connecting the ovaries to the uterus, conducting oocytes and sperm and the site of fertilization (usually ampulla). Segments: infundibulum (fimbriae—sweep the oocyte), ampulla, isthmus, intramural.

**Synonyms:**

### **Fallopian Tube Cancer**

A rare tumor histologically similar to high-grade



---

serous ovarian carcinoma. Presents with a pelvic mass, pain, or watery discharge; staging and treatment follow the principles of ovarian cancer.

**Synonyms:**

### **Fallopian tube torsion**

Twisting of the fallopian tube around its pedicle, usually around an underlying mass such as a hydrosalpinx or paraovarian cyst, causing acute pelvic pain and requiring urgent surgical intervention.

**Synonyms:**

### **False Ribs**

Ribs 8-10 not articulating directly with the sternum; their cartilages join rib 7's cartilage forming the costal margin. Greater mobility and flexibility of the lower thoracic wall. More susceptible to fractures at their angles due to greater length and less rigid attachment.

**Synonyms:**

### **False-Negative Result**

A negative test result in a person who does have the target condition. Causes include inadequate specimen, early or late testing, low organism or biomarker concentration, prior treatment, technical error, and limited test sensitivity.

**Synonyms:**

### **False-Positive Result**

A positive test result in a person who does not have the target condition. Causes include limited specificity, cross-reactivity, technical error, contamination, and testing in a low-prevalence population.

**Synonyms:**

### **Familial Adenomatous Polyposis**

Hereditary condition with hundreds to thousands of adenomas throughout the colon caused by germline APC gene mutations with autosomal dominant inheritance. Polyps develop during the second decade and colorectal cancer occurs by age forty if untreated. Diagnosis is by colonoscopy showing numerous polyps and genetic testing.

**Synonyms:**

### **Familial Hypercholesterolemia**

An inherited disorder causing persistently high low-density lipoprotein cholesterol, usually because of impaired LDL-receptor pathway function. It increases the risk of premature atherosclerotic disease; diagnosis uses lipid levels, family history, physical findings, and genetic testing when available.

**Synonyms:**

### **Familial Hypocalciuric Hypercalcemia**

Autosomal dominant condition caused by inactivating mutations in the calcium-sensing receptor gene leading to a higher set point for calcium-mediated PTH suppression. Presents with mild hypercalcemia, inappropriately normal or mildly elevated PTH, and low urinary calcium excretion with calcium-to-creatinine clearance ratio less than 0.01.

**Synonyms:**

### **Familial Mediterranean Fever**

An autosomal recessive autoinflammatory disorder (MEFV gene mutations, pyrin/inflammasome dysregulation) causing recurrent self-limited febrile attacks with serositis (peritonitis, pleuritis, synovitis), erysipelas-like erythema, lasting 12-72 hours.

**Synonyms:**

### **Familial multiple lipomatosis**

An autosomal dominant condition characterized by the development of numerous, symmetrically distributed subcutaneous lipomas, typically appearing in early adulthood. The lipomas are encapsulated, painless, and slow-growing, affecting the trunk and extremities. Unlike Dercum disease, they are not painful.

**Synonyms:**

### **Family Involvement**

The participation of family members or other support persons in care planning, treatment, rehabilitation, and support, with attention to the patient's preferences and caregiver burden.

**Synonyms:**

---

### Fanconi Anemia

An autosomal recessive (or X-linked) bone marrow failure syndrome caused by mutations in at least 22 FANC genes involved in DNA repair (the FA/BRCA pathway).

**Synonyms:**

### Fanconi Syndrome

Generalized proximal tubular dysfunction with impaired reabsorption of glucose, amino acids, phosphate, uric acid, and bicarbonate. Causes glycosuria, aminoaciduria, phosphaturia, and metabolic acidosis. Associated with proximal RTA. Causes include myeloma, heavy metal toxicity, Wilson disease, and genetic disorders.

**Synonyms:**

### Farmer's Lung

The most common HP, caused by thermophilic actinomycetes in moldy hay. Presents acutely 4–8 hours after exposure with fever, cough, and dyspnea.

**Synonyms:**

### Farsightedness

Farsightedness is a medical condition involving farsightedness; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. the eye is relaxed. It can cause blurred near vision, eyestrain, and headaches and is corrected with converging lenses or refractive procedures.

**Synonyms:** hyperopia, in which light focuses behind the retina when.

### Fascial Loop

A loop or sling made from a person's tissue or synthetic material and used to support or reinforce a body structure, such as the urethra.

**Synonyms:**

### Fasciitis

Inflammation of fascia, the connective tissue surrounding muscles and other structures. Causes and severity vary widely, from localized plantar fasciitis to serious infectious fasciitis.

**Synonyms:**

### Fascioliasis

A parasitic infection caused by liver flukes of the genus *Fasciola*, acquired by ingesting metacercariae on contaminated aquatic plants or in water. Acute hepatic migration may cause fever, right-upper-quadrant pain, hepatomegaly, and eosinophilia; chronic biliary infection may cause colic, cholangitis, or biliary obstruction.

**Synonyms:**

### Fasciotomy

Surgical incision through the fascia to relieve compartment syndrome. Indications: acute compartment syndrome (trauma, reperfusion, burns, crush injury). Classic signs: pain out of proportion, pain with passive stretch, paresthesias, pallor, pulselessness (late).

**Synonyms:**

### Fast Heart Rate

A heart rate faster than expected for age or activity, usually called tachycardia. It may be a normal response to exercise, fever, pain, or stress, or a sign of arrhythmia or another medical disorder.

**Synonyms:**

### Fasting Guidelines

Preoperative fasting guidelines minimize aspiration risk while reducing patient discomfort and catabolism. Clear liquids (water, clear juice without pulp, black coffee, sports drinks) are allowed up to 2 hours before surgery. Breast milk up to 4 hours. Infant formula up to 6 hours. Light meal (toast and clear liquid) up to 6 hours.

**Synonyms:**

### Fat Embolism

Fat embolism occurs when fat globules enter the bloodstream, typically following long bone fractures, orthopedic surgery, or severe trauma involving adipose tissue.

**Synonyms:**

---

### **Fat Necrosis**

A specialized form of necrosis that occurs in adipose tissue, most commonly following acute pancreatitis when activated pancreatic lipases escape into the surrounding tissues and digest triglycerides in mesenteric or subcutaneous fat cells. In the breast, it may follow trauma or surgery and can produce a firm lump that mimics malignancy on examination or imaging.

**Synonyms:**

### **Fat-Soluble Toxins**

Lipophilic toxins stored in fat, prolonged elimination. Examples: organochlorine pesticides, PCBs, dioxins, tetrachlorodiphenylmethane.

**Synonyms:**

### **Fatigue**

Fatigue is a persistent sense of low energy or reduced capacity that may result from sleep problems, anemia, infection, endocrine disease, medication, mood disorder, or systemic illness. relieved by rest. It may result from sleep disturbance, anemia, infection, endocrine disease, chronic organ disease, medication exposure, or psychological and neurological conditions.

**Synonyms:**

### **Fatigue (Cancer)**

Persistent tiredness or reduced energy associated with cancer or its treatment. It may result from the disease, anemia, sleep problems, medicines, mood, or other factors.

**Synonyms:** Cancer

### **Fatty Acid**

A carboxylic acid with a hydrocarbon chain that may be saturated or contain one or more double bonds. Fatty acids provide energy, form membrane lipids, and serve as precursors for signaling molecules.

**Synonyms:**

### **Fatty Acid Synthase**

Multi-enzyme complex for fatty acid synthesis. Pro-

duces palmitate.

**Synonyms:**

### **Fatty Liver Disease**

A condition characterized by the accumulation of excess fat in liver cells, most commonly associated with obesity, insulin resistance, and metabolic syndrome.

**Synonyms:**

### **Febrile**

Feverish; having a high body temperature.

**Synonyms:**

### **Febrile Neutropenia**

Fever in a patient with a sufficiently low absolute neutrophil count to create a high risk of serious infection, generally defined as a single temperature of at least 38.3°C or sustained temperature of at least 38.0°C with ANC below 500/ $\mu$ L or expected to fall below that level.

**Synonyms:**

### **Febrile Seizure**

A seizure occurring in a child usually between 6 months and 5 years of age with fever but without evidence of central nervous system infection or a previous afebrile seizure. Simple febrile seizures are generalized, brief, and nonrecurrent within the same illness; prolonged or focal events require further evaluation.

**Synonyms:**

### **Fecal Calprotectin**

Neutrophil-derived protein measured in stool as a marker of intestinal inflammation. It is stable in stool at room temperature for up to seven days. Useful for differentiating inflammatory from functional bowel disease and monitoring inflammatory bowel disease activity.

**Synonyms:**

### **Fecal Elastase**

Pancreatic enzyme measured in stool as a marker of exocrine pancreatic function. Low levels below

---

two hundred micrograms per gram indicate pancreatic insufficiency, and levels below one hundred are consistent with severe exocrine insufficiency.

**Synonyms:**

### **Fecal Immunochemical Test**

A stool-based screening test that uses antibodies to detect human hemoglobin. A positive result generally requires evaluation of the colon, commonly with colonoscopy. Test intervals and follow-up depend on screening guidance and clinical risk.

**Synonyms:**

### **Fecal Impaction**

A large, firm mass of stool retained in the rectum or colon that cannot be evacuated normally. It may cause abdominal or rectal pain, distention, overflow diarrhoea, urinary symptoms, nausea, or bowel obstruction and is associated with constipation, immobility, dehydration, neurological disease, and medications.

**Synonyms:**

### **Fecal Incontinence**

Inability to control bowel movements ranging from minor soiling to complete loss of continence. Causes include sphincter injury from obstetric trauma or surgery, neuropathy from diabetes or spinal cord injury, diarrhea, rectal prolapse, and cognitive impairment.

**Synonyms:**

### **Fecal microbiota transplantation**

Transfer of processed stool from a screened donor into a patient's gastrointestinal tract to restore microbial diversity. It may be used for selected recurrent *Clostridioides difficile* infection when standard treatment has failed; careful donor screening and clinical supervision are required.

**Synonyms:**

### **Fecundity**

The biological ability to conceive and produce a live birth. Fecundity is influenced by age (declines significantly after 35), ovarian reserve, tubal patency,

uterine factors, and male fertility (sperm count, motility, morphology). Fecundability: the probability of achieving pregnancy in a single menstrual cycle.

**Synonyms:**

### **Federal Register**

The official United States publication for rules, proposed rules, notices, and other government actions.

**Synonyms:**

### **Feedback Inhibition**

Regulatory mechanism where the end product of a metabolic pathway inhibits an earlier enzyme (usually the first committed step). Examples: isoleucine inhibiting threonine deaminase, CTP inhibiting aspartate transcarbamoylase, ATP inhibiting phosphofructokinase. Allows efficient resource utilization and prevents overproduction.

**Synonyms:**

### **Feeding Jejunostomy**

Surgical or endoscopic placement of a feeding tube into the jejunum for enteral nutrition when upper gastrointestinal access is not feasible. Used in patients with head and neck cancers, esophageal obstruction, or severe dysphagia. Provides long-term nutritional support and avoids the complications of parenteral nutrition.

**Synonyms:**

### **Feeding Tube**

A flexible tube used to deliver nutrition, fluids, or medicines to the stomach or intestine when oral intake is inadequate or unsafe.

**Synonyms:**

### **Felty Syndrome**

Triad of rheumatoid arthritis, splenomegaly, and neutropenia (ANC <2000). Complication of longstanding, severe, seropositive RA. Increased infection risk. Treatment: DMARDs (methotrexate, TNF inhibitors), G-CSF for neutropenia, splenectomy in refractory cases.

**Synonyms:**

---

## Female Genital Mutilation

FGM: the partial or total removal of female external genitalia for non-medical reasons, a human rights violation practiced in parts of Africa, the Middle East, and Asia (types I-IV). Immediate complications: severe pain, hemorrhage, infection, urinary retention.

**Synonyms:**

## Female Infertility

Failure to achieve pregnancy after a defined period of regular unprotected intercourse, due to factors involving ovulation, the reproductive tract, ovarian reserve, or other causes.

**Synonyms:**

## Female Orgasmic Disorder (Anorgasmia)

Persistent or recurrent delay in, infrequency of, or absence of orgasm that causes personal distress. It may be lifelong or acquired and can have medical, psychological, relationship, medication-related, or other causes.

**Synonyms:** Anorgasmia

## Female Sexual Interest/Arousal Disorder

Persistent or recurrent reduction in sexual interest, thoughts, responsiveness, or arousal that causes personal distress. Causes may include medical conditions, medicines, mood, relationship factors, pain, or other psychological and social factors.

**Synonyms:**

## Femoral Artery

Continues from external iliac through the femoral triangle and adductor canal to become the popliteal artery. Branches: superficial/deep circumflex femoral, deep femoral (profunda femoris), muscular. Palpable in the femoral triangle; most common site for arterial catheterization. Related to femoral vein medially and nerve laterally.

**Synonyms:**

## Femoral Hernia

A hernia in which abdominal contents pass through the femoral ring into the femoral canal, below the

inguinal ligament and medial to the femoral vessels. It may become incarcerated or strangulated and often requires surgical assessment.

**Synonyms:**

## Femoral Nerve

Largest lumbar plexus nerve (L2-L4), passing through psoas major and entering the thigh under the inguinal ligament lateral to the femoral artery. Innervates quadriceps, sartorius, pectineus; sensation to anterior thigh and medial leg (saphenous nerve). Used for knee surgery nerve block anesthesia.

**Synonyms:**

## Femoral Shaft Fractures

Femoral shaft fractures: high energy (MVC, fall from height) or low energy (elderly, pathologic). Winquist-Hansen classification of comminution: I (none), II (butterfly <50% width), III (butterfly >50%), IV (segmental).

**Synonyms:**

## Femoral Triangle

Upper anterior thigh space bounded superiorly by the inguinal ligament, laterally by sartorius, and medially by adductor longus. Contents from lateral to medial: femoral nerve, artery, vein, and deep inguinal lymph nodes. The femoral artery is used for arterial catheterization. The femoral vein is accessed for central venous lines.

**Synonyms:**

## Femoral Vein

The major deep vein of the thigh, continuation of the popliteal vein (through the adductor hiatus), running with the femoral artery in the femoral sheath (medial to artery) through the femoral triangle, becoming the external iliac vein at the inguinal ligament. Receives the great saphenous vein.

**Synonyms:**

## Femur

Longest, heaviest, strongest body bone. Proximal: head, neck, trochanters. Shaft: linea aspera. Distal:

---

condyles, epicondyles. The neck connects head to shaft at approximately 125 degrees. Neck fractures are common in elderly osteoporotic patients with avascular necrosis risk. Bears entire upper body weight during standing.

**Synonyms:**

### **Femur Length**

The length of the fetal femur (diaphysis), measured from the greater trochanter to the distal femoral metaphysis. Used for dating (14-26 weeks) and growth assessment. Normal growth: 2 mm per week. Short femur: can be constitutional (especially with short parents), associated with aneuploidy (trisomy 21, skeletal dysplasias), or IUGR.

**Synonyms:**

### **Fencer's Pose**

The posture produced by the asymmetric tonic neck reflex, with extension of the arm and leg on the side toward which the head is turned and flexion on the opposite side.

**Synonyms:**

### **FeNO (Fractional Exhaled Nitric Oxide)**

A breath test that estimates type 2, often eosinophilic, airway inflammation. The result is interpreted with symptoms, age, treatment, and other clinical findings.

**Synonyms:** Fractional Exhaled Nitric Oxide

### **Fenofibrate**

A fibric acid derivative (fibrate) activating PPAR-alpha, increasing HDL and reducing triglycerides, with modest LDL effects. Used for severe hypertriglyceridemia (pancreatitis risk), mixed dyslipidemia, and as an adjunct in residual hypertriglyceridemia.

**Synonyms:**

### **Fentanyl Derivatives**

Potent synthetic opioids related to fentanyl that may be used for analgesia or anesthesia. Examples include sufentanil, remifentanil, and alfentanil; their potency, duration, dosing, and risks differ, and they

require careful monitoring because they can depress breathing.

**Synonyms:**

### **Ferritin**

Intracellular iron storage protein reflecting total body iron stores. Low ferritin: iron deficiency anemia (<30 ng/mL, absolute; <100 can be consistent with iron deficiency in inflammation).

**Synonyms:**

### **Fertilisation**

The union of a sperm and an egg (oocyte) to form a zygote, the first cell of a new individual.

**Synonyms:**

### **Fertility**

The biological capacity to conceive and produce offspring. Fertility depends on the proper functioning of the reproductive system in both males and females, including ovulation, sperm production, and hormonal regulation.

**Synonyms:**

### **Fertility Preservation**

Measures taken before gonadotoxic cancer therapy to preserve reproductive potential, including embryo or oocyte cryopreservation, sperm banking, and ovarian or testicular tissue cryopreservation.

**Synonyms:**

### **FESS**

Functional endoscopic sinus surgery is a minimally invasive surgical technique that uses nasal endoscopes and specialized instruments to restore normal sinus drainage and ventilation by removing obstructive tissue and opening blocked sinus ostia, while preserving as much normal sinus mucosa and anatomy as possible.

**Synonyms:**

### **Fetal Acid-Base Status**

Assessment of fetal oxygenation and acid-base balance, usually using umbilical cord blood gases at birth or other intrapartum information. Interpreta-



---

tion depends on the complete gas panel, sampling site, timing, clinical condition, and laboratory reference ranges; marked acidemia may indicate impaired oxygenation.

**Synonyms:**

### **Fetal Alcohol Spectrum Disorder**

A broad spectrum of physical, behavioral, and cognitive impairments caused by prenatal alcohol exposure.

**Synonyms:**

### **Fetal Alcohol Syndrome**

A collection of birth defects resulting from exposure of the fetus to alcohol during pregnancy, representing the most severe form of fetal alcohol spectrum disorder (FASD).

**Synonyms:**

### **Fetal Attitude**

The relationship of the fetal body parts to one another, especially the degree of flexion or extension of the head and limbs. The usual attitude is flexion, but deflexed, neutral, or extended attitudes can affect the presenting part and labor.

**Synonyms:**

### **Fetal Bradycardia**

A fetal heart-rate baseline below 110 beats per minute for at least 10 minutes. Causes include medicines, maternal conditions, fetal conduction disease, hypoxia, cord problems, or placental abruption; persistent or severe bradycardia requires urgent obstetric assessment.

**Synonyms:**

### **Fetal Distress**

Abnormal fetal status during labor, indicated by abnormal fetal heart rate patterns (late or prolonged decelerations, minimal variability, absent accelerations). May indicate fetal hypoxia, cord compression, or placental insufficiency.

**Synonyms:**

### **Fetal Echocardiography**

A specialized ultrasound examination of the fetal heart used to assess cardiac structure, rhythm, and function, including possible congenital heart disease.

**Synonyms:**

### **Fetal Growth Restriction**

Failure of a fetus to reach its biologic growth potential, often associated with placental insufficiency. It is assessed using serial growth measurements, amniotic fluid, Doppler studies, and fetal surveillance rather than a single estimated-weight threshold alone.

**Synonyms:**

### **Fetal Heart Rate**

Normal fetal heart rate ranges from 110-160 beats per minute. Monitored via auscultation with a fetoscope, Doppler ultrasound, or continuous electronic fetal monitoring. Baseline FHR is determined over a 10-minute window and is modulated by the autonomic nervous system.

**Synonyms:**

### **Fetal Hydrops**

Abnormal accumulation of fluid in at least two fetal compartments, such as the skin, chest, abdomen, or around the heart. Causes include fetal anemia, heart disease, infection, chromosome conditions, and immune incompatibility; it requires specialist obstetric evaluation.

**Synonyms:**

### **Fetal Hypoxia**

Inadequate oxygen available to the fetus before or during birth. It may result from placental problems, reduced maternal oxygenation, cord compression, or prolonged labor. Abnormal fetal heart-rate patterns can indicate risk and require prompt obstetric assessment.

**Synonyms:**

### **Fetal Kick Counts (Fetal Movement Counting)**

Observation and recording of fetal movements by

---

a pregnant person. A noticeable reduction from the usual pattern should prompt timely obstetric advice.

**Synonyms:** Fetal Movement Counting

### **Fetal Lie**

The relationship between the long axis of the fetus and that of the pregnant person. It may be longitudinal, transverse, or oblique. A persistent abnormal lie near delivery can affect the mode of birth.

**Synonyms:**

### **Fetal Macrosomia**

Excessive fetal size, often defined as estimated or birth weight of at least 4,000 or 4,500 g depending on the clinical context. Diabetes, excessive maternal weight gain, and prior macrosomia are risk factors; complications include shoulder dystocia, birth trauma, and cesarean delivery.

**Synonyms:**

### **Fetal Presentation**

The fetal part that enters the maternal pelvis first. Presentations include cephalic, breech, shoulder, face, brow, and compound forms; the presentation influences labor and delivery planning.

**Synonyms:**

### **Fetal Scalp Electrode**

A spiral wire electrode placed on the fetal scalp through the cervix to directly record the fetal heart rate. Provides a more accurate FHR signal than external Doppler, particularly in obese patients or when external monitoring is inadequate. Indications: poor-quality external tracing, need for internal monitoring.

**Synonyms:**

### **Fetal Scalp Stimulation**

A bedside test during labor in which the fetal scalp is gently stimulated during a vaginal examination. A resulting fetal heart-rate acceleration may be reassuring, but the result must be interpreted with the complete fetal monitoring pattern and clinical context.

**Synonyms:**

### **Fetal Tachycardia**

A sustained fetal heart-rate baseline above 160 beats per minute for at least 10 minutes. Causes may include maternal fever, infection, medicines, fetal hypoxia, or fetal arrhythmia.

**Synonyms:**

### **Fetal Ultrasound**

Ultrasound imaging during pregnancy. First trimester (6-12 weeks): confirm pregnancy, gestational age (crown-rump length), number of fetuses, viability (heart activity), nuchal translucency (screening for aneuploidy at 11-13 weeks).

**Synonyms:**

### **Fetal Viability**

The potential for a fetus to survive outside the uterus with medical support. It depends on gestational age, fetal condition, available neonatal care, and other clinical factors; it is not a single fixed point.

**Synonyms:**

### **Fetishistic Disorder**

A paraphilic disorder characterized by recurrent, intense sexual arousal from either the use of nonliving objects (fetish) or a highly specific focus on nongenital body parts (partialism), lasting  $\geq 6$  months and causing distress or impairment or involving acting on these urges.

**Synonyms:**

### **Fetomaternal Hemorrhage**

Transplacental passage of fetal red blood cells into the maternal circulation. Occurs in small amounts during normal pregnancy but can be massive during trauma, placental abruption, or cesarean delivery.

**Synonyms:**

### **Fetus**

An unborn offspring from the 9th week of gestation (after the embryonic period) until birth. The fetal period is characterized by rapid growth, maturation,

---

tion of organ systems, and increasing complexity of function.

**Synonyms:**

### **FEV1/FVC Ratio**

Fraction of air exhaled in first second relative to total. < 0.70 post-bronchodilator indicates obstruction. Normal or elevated in restrictive disease.

**Synonyms:**

### **Fever**

Fever is a regulated rise in body temperature caused by altered hypothalamic set point, commonly in response to infection or inflammation; age, duration, and associated signs determine concern. duration, height, and patient factors. Common causes: infections (bacterial, viral), autoimmune disorders, malignancies, drug reactions. Management: antipyretics (acetaminophen, ibuprofen), treat underlying cause.

**Synonyms:**

### **Fever of Unknown Origin**

Persistent or recurrent fever for which an appropriate initial evaluation has not established a diagnosis.

**Synonyms:**

### **Fexofenadine**

A second-generation (non-sedating) H1 antihistamine used for allergic rhinitis and chronic urticaria. Peripherally selective with minimal sedation and anticholinergic effects; no significant CNS penetration. Adverse effects: headache, dizziness, and dry mouth.

**Synonyms:**

### **Fiber**

Fiber concerns fiber, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context. cholesterol, blood glucose. Insoluble (whole grains, vegetables) adds bulk, prevents constipation. Recommended: 25-30 g/day.

**Synonyms:**

### **Fiber Optic**

A technology that transmits light through flexible glass or plastic fibers. It is used in medical endoscopes and other imaging or examination devices.

**Synonyms:**

### **Fibrin Sealant**

A biological adhesive containing fibrinogen and thrombin that forms a fibrin clot when applied to tissue. It may help control bleeding or seal selected surgical surfaces.

**Synonyms:**

### **Fibrinogen**

A soluble plasma protein, also called coagulation factor I, that is converted to fibrin during blood clot formation. Its concentration may increase with inflammation and decrease with severe liver disease or consumption coagulopathy.

**Synonyms:** coagulation factor I, that is converted to fibrin during blood clot formation.

### **Fibrinoid Necrosis**

A specialized pattern of vascular necrosis characterized by the deposition of immune complexes, fibrin, and plasma proteins within the walls of blood vessels, creating an amorphous, bright pink, smudgy eosinophilic appearance on hematoxylin and eosin staining.

**Synonyms:**

### **Fibrinolysis**

The enzymatic breakdown of fibrin within a blood clot, principally mediated by plasmin generated from plasminogen. It limits clot extension and supports restoration of vascular patency; excessive fibrinolysis can cause bleeding, whereas impaired fibrinolysis can promote thrombosis.

**Synonyms:**

### **Fibrinous Pericarditis**

Inflammation of the pericardium characterized by deposition of fibrin on the pericardial surfaces, giving them a rough, shaggy appearance described as bread-and-butter pericarditis.

---

**Synonyms:**

### **Fibroadenoma**

The most common benign tumor of the female breast, a proliferation of stromal and epithelial elements presenting as a firm, rubbery, smooth, mobile, painless mass, most often in women aged fifteen to thirty. The mass slips easily under the fingers (breast mouse), and ultrasonography shows a well-defined oval hypoechoic lesion.

**Synonyms:**

### **Fibrocartilage**

Strong cartilage containing dense bundles of type I collagen, adapted to resist compression and tension. It forms intervertebral discs, the pubic symphysis, and menisci.

**Synonyms:**

### **Fibrocystic Breast Changes**

A benign condition characterized by lumpy, painful breast tissue, most common in women aged 20-50, driven by hormonal fluctuations during the menstrual cycle (estrogen and progesterone). Microscopic features include stromal fibrosis, cyst formation (macrocyts and microcyts), and adenosis (increased glandular tissue).

**Synonyms:**

### **Fibrocystic Breasts**

Benign breast changes involving fibrosis and cyst formation, often producing lumpy or tender breasts that fluctuate with the menstrual cycle. They are common and are not themselves a premalignant condition.

**Synonyms:**

### **Fibroids, Cysts, and Polyps**

Benign growths that can develop in the reproductive organs. Fibroids are smooth muscle tumors of the uterus; cysts are fluid-filled sacs that commonly form on the ovaries; and polyps are tissue overgrowths in the endometrium or cervix.

**Synonyms:**

### **Fibroma**

A benign cardiac tumour composed of fibroblasts and collagen, usually arising within the ventricular myocardium or interventricular septum in children. It may cause ventricular obstruction or clinically important arrhythmias; echocardiography and cardiac MRI help define its location and extent.

**Synonyms:**

### **Fibromuscular Dysplasia**

A non-atherosclerotic, non-inflammatory disease of medium-sized arteries, often involving the renal or carotid arteries. Imaging may show alternating narrowing and dilation. Symptoms, vascular complications, and treatment depend on the arteries involved and the individual clinical situation.

**Synonyms:**

### **Fibromyalgia**

Fibromyalgia is a chronic pain-amplification disorder with widespread pain, fatigue, unrefreshing sleep, and cognitive symptoms without a single defining tissue lesion. months), fatigue, sleep disturbance, cognitive dysfunction (fibro fog), and somatic symptoms, affecting 2-4% of population (female:male 9:1).

**Synonyms:**

### **Fibrosarcoma**

A malignant tumor of fibroblasts, a soft tissue sarcoma of adulthood or infancy, arising in deep soft tissues, bones, or paranasal sinuses.

**Synonyms:**

### **FibroScan**

Non-invasive transient elastography technique measuring liver stiffness to assess hepatic fibrosis. Values correlate with fibrosis stage with higher values indicating more advanced fibrosis. The technique avoids the need for liver biopsy in many patients. Results may be unreliable in obesity, ascites, and narrow intercostal spaces.

**Synonyms:**

---

### **Fibrosing alopecia**

A group of primary cicatricial (scarring) alopecias in which chronic inflammation leads to permanent destruction of hair follicles and replacement by fibrous tract remnants. It includes conditions such as lichen planopilaris, frontal fibrosing alopecia, and central centrifugal cicatricial alopecia.

**Synonyms:**

### **Fibrosis**

The excessive deposition of extracellular matrix components, primarily collagen types I and III, in response to chronic tissue injury. It represents a pathological wound healing response that leads to organ scarring and dysfunction.

**Synonyms:**

### **Fibrous Dysplasia**

A benign skeletal disorder in which normal bone is replaced by fibro-osseous tissue, producing weakened or misshapen bone. It may affect one bone or multiple bones and can cause pain, deformity, pathological fracture, or nerve compression; imaging often shows a characteristic ground-glass appearance.

**Synonyms:**

### **Fibula**

Slender lateral leg bone, not weight-bearing, serving for muscle attachment and forming the lateral malleolus. Head provides biceps femoris and lateral collateral ligament attachment; the common peroneal nerve wraps around its neck, vulnerable to injury. Lateral malleolus extends more distally and posteriorly than the medial malleolus.

**Synonyms:**

### **Field of View**

The extent of anatomy or space captured in one image or measurement.

**Synonyms:**

### **Fifth Disease**

Erythema infectiosum caused by Parvovirus B19. Characterized by bright red cheeks (slapped cheek appearance) followed by a lacy, reticulated rash on

the trunk and extremities. Mild febrile illness in children. Concern in pregnancy (hydrops fetalis risk) and immunocompromised patients (pure red cell aplasia). Diagnosis by serology.

**Synonyms:**

### **Filariasis**

A group of nematode infections transmitted by mosquitoes and other vectors. The major species causing lymphatic filariasis are *Wuchereria bancrofti*, *Brugia malayi*, and *Brugia timori*. Adult worms reside in lymphatic vessels causing lymphoedema and elephantiasis.

**Synonyms:**

### **Filoviruses**

A family of negative-sense RNA viruses that includes Ebola and Marburg viruses. These viruses cause severe hemorrhagic fever with high mortality rates. The virus is transmitted through contact with infected body fluids. The incubation period is 2-21 days. Symptoms include fever, headache, myalgia, and hemorrhage.

**Synonyms:**

### **Filter (Vascular)**

A device placed in a large vein, usually the inferior vena cava, to trap clots and reduce the risk of pulmonary embolism in selected patients.

**Synonyms:** Vascular

### **Filtered Back Projection**

An image-reconstruction method that mathematically back-projects measured data after applying a filter. It is fast but can be more sensitive to noise and artifacts than iterative methods.

**Synonyms:**

### **Filtration Fraction**

The fraction of renal plasma flow that is filtered at the glomerulus, calculated as GFR divided by renal plasma flow (RPF). Normal GFR is approximately 125 mL/min and RPF is approximately 625 mL/min, yielding a filtration fraction of approximately 0.20 (20 percent).

---

**Synonyms:**

### **Fimbriae**

The finger-like projections at the distal end of each fallopian tube that sweep over the ovary during ovulation to capture the released egg and guide it into the fallopian tube. The fimbriae are lined with ciliated epithelium that creates a current to draw the egg into the tube.

**Synonyms:**

### **Financial Abuse**

The improper or unauthorized use of another person's money, property, or financial resources for personal gain.

**Synonyms:**

### **Findings**

The observations documented during an examination or study, including relevant normal and abnormal features.

**Synonyms:**

### **Fine Crackles**

High-pitched, brief, discontinuous sounds heard at the end of inspiration, caused by opening of small airways. They are characteristic of ILD, pulmonary fibrosis, and heart failure. They are also called Velcro crackles due to their resemblance to the sound of Velcro being pulled apart.

**Synonyms:** Velcro crackles due to their resemblance to the sound of.

### **Fine Motor Skills**

The ability to use small muscles (hands/fingers) for precise movements, developing with age: reaching (3-4 months), grasping (5-6 months), pincer grasp (9-12 months), self-feeding (12-18 months), building towers/scribbling (18-24 months), drawing shapes and using utensils (3-5 years), and handwriting.

**Synonyms:**

### **Fine Needle Aspiration**

A percutaneous sampling technique in which a 22 to 25-gauge needle, often ultrasound- or palpation-

guided, aspirates cellular material from a palpable or imaging-detected lesion for cytologic examination, with minimal trauma and lower morbidity than core or open biopsy.

**Synonyms:**

### **Finger Dislocation**

Displacement of the bones forming a finger joint, usually caused by a direct blow, fall, or forced bending. Pain, swelling, deformity, and loss of movement are typical. The joint should be assessed for fracture, tendon injury, and neurovascular compromise before reduction and splinting.

**Synonyms:**

### **Finkelstein Test**

A wrist examination that stresses the tendons on the thumb side of the wrist. Pain near the radial styloid may support a diagnosis of de Quervain tenosynovitis but is not specific by itself.

**Synonyms:**

### **First Stage of Labor**

The period from the onset of regular labor to complete cervical dilation. It includes a latent phase and an active phase, with progress varying widely among individuals. Assessment considers cervical change, contraction pattern, maternal and fetal condition, and the overall clinical course.

**Synonyms:**

### **First Trimester**

The period from conception to 12 weeks gestational age. Characterized by rapid embryonic organogenesis, rising hCG levels, and establishment of the placenta. Common symptoms include nausea, vomiting, fatigue, and breast tenderness. Dating ultrasound performed to confirm gestational age. Risk of miscarriage highest during this trimester.

**Synonyms:**

### **First-Degree AV Block**

A conduction delay in which every atrial impulse reaches the ventricles but with a prolonged PR interval (>0.20 seconds). It is caused by delayed



---

conduction through the AV node or His-Purkinje system. First-degree block is usually benign and asymptomatic.

**Synonyms:**

### **First-Degree Burn**

A superficial burn affecting only the epidermis: erythema, pain, and dryness without blistering (e.g., mild sunburn); heals in 3-7 days without scarring. Assessment: size (percent BSA—rule of nines), depth, and cause (thermal, chemical, electrical).

**Synonyms:**

### **First-Episode Psychosis**

The first clinically recognized episode of psychosis, regardless of eventual diagnosis. It requires urgent assessment for substance exposure, medication effects, mood symptoms, neurologic disease, systemic illness, safety risk, and functional decline.

**Synonyms:**

### **First-Pass Effect**

The metabolism of a drug by the liver and intestinal wall before it reaches the systemic circulation after oral administration.

**Synonyms:**

### **First-Pass Metabolism**

The metabolism of a drug by the liver before it reaches systemic circulation after oral administration. Drugs with high first-pass metabolism (e.g., morphine, nitroglycerin, lidocaine) have low oral bioavailability and may require alternative routes (sublingual, transdermal, IV).

**Synonyms:**

### **FISH (Fluorescence In Situ Hybridization)**

A molecular cytogenetic technique using fluorescent DNA probes that hybridize to specific chromosomal regions. Faster than karyotype (24-48 hours, vs. 7-14 days).

**Synonyms:** Fluorescence In Situ Hybridization

### **Fissured Tongue**

A usually harmless condition in which grooves or cracks develop on the surface of the tongue. Food and debris may collect in the fissures, causing irritation or odor. Gentle brushing of the tongue and routine oral care help prevent symptoms.

**Synonyms:**

### **Fistula**

A fistula is an abnormal connection between two epithelialized surfaces, such as bowel and skin or two organs, caused by inflammation, infection, surgery, trauma, or congenital development. congenital development.

**Synonyms:**

### **Fistula (Pathology)**

An abnormal epithelial-lined connection between two body surfaces or organs that normally do not communicate. Fistulas may be congenital, such as tracheoesophageal fistula, or acquired, resulting from inflammation, infection, surgery, trauma, or malignancy.

**Synonyms:** Pathology

### **Fistula-in-Ano**

Abnormal epithelialized tract connecting the anal canal to the perianal skin, representing a common and distressing complication of Crohn disease and also occurring following perianal abscess drainage or from cryptoglandular infection.

**Synonyms:**

### **Fitz-Hugh-Curtis Syndrome**

Perihepatitis associated with pelvic inflammatory disease caused by ascension of *Neisseria gonorrhoeae* or *Chlamydia trachomatis* from the pelvis to the liver capsule along the right paracolic gutter. Presents with right upper quadrant pain, fever, and tender hepatomegaly often in young sexually active women.

**Synonyms:**

### **Five-Year Survival Rate**

The proportion of patients alive five years after

---

diagnosis or treatment; a standard benchmark for comparing cancer outcomes.

**Synonyms:**

### **Fixed Drug Eruption**

A recurrent drug reaction appearing at the same site with each exposure to the offending drug. It presents as well-demarcated, round to oval, erythematous to violaceous plaques that may blister. Common culprits include sulfonamides, tetracyclines, NSAIDs, and barbiturates.

**Synonyms:**

### **Flail Chest**

A clinical condition caused by three or more consecutive ribs fractured in two or more places, creating a free-floating segment of chest wall. The segment moves paradoxically inward during inspiration and outward during expiration. It causes severe pain, impaired ventilation, and may require mechanical ventilation.

**Synonyms:**

### **Flakka**

A street name for synthetic cathinone stimulants, particularly alpha-PVP. Intoxication may cause extreme agitation, paranoia, hallucinations, seizures, dangerous hyperthermia, muscle breakdown, and cardiovascular instability. Severe agitation, altered consciousness, high temperature, or chest pain is a medical emergency.

**Synonyms:**

### **Flank Pain**

Pain arising from the lateral back between the ribs and iliac crest, often reflecting disease of the kidney, ureter, musculoskeletal structures, or adjacent abdominal organs. Associated fever, haematuria, vomiting, urinary symptoms, trauma, or hypotension helps distinguish infection, obstruction, stones, injury, and other causes.

**Synonyms:**

### **Flashes**

Perception of flickering light or lightning-like streaks

from mechanoelectrical stimulation of the retina rather than an external source. The leading cause is posterior vitreous detachment, often with floaters; retinal tears and detachment, migraine aura, and optic neuritis also produce flashes.

**Synonyms:**

### **Flat Feet**

Reduction or absence of the medial longitudinal arch, causing the sole to approach or contact the ground during standing. Flexible flat feet are common and often asymptomatic; rigid or painful flat feet may result from structural deformity, tendon dysfunction, or arthritis.

**Synonyms:**

### **Flatfoot**

A reduction or collapse of the medial longitudinal arch of the foot, with increased contact of the sole with the ground. It may be flexible and asymptomatic or rigid and painful; causes include normal development, ligamentous laxity, tendon dysfunction, trauma, inflammatory disease, and structural deformity.

**Synonyms:**

### **Flatulence**

Passage of intestinal gas through the anus. It reflects swallowed air and bacterial fermentation of undigested carbohydrates and may be increased by dietary factors, constipation, malabsorption, altered gut motility, or functional gastrointestinal disorders; persistent symptoms require assessment for associated disease.

**Synonyms:**

### **Flecainide**

A class IC sodium channel blocker that slows conduction velocity with little effect on refractoriness. Used for suppression of supraventricular arrhythmias (atrial fibrillation in patients without structural heart disease—'pill-in-the-pocket', paroxysmal SVT) and ventricular arrhythmias.

**Synonyms:**

---

## Flexibility

The range through which a joint or group of joints can move, influenced by muscles, tendons, ligaments, joint structure, and pain.

**Synonyms:**

## Flexible Nasolaryngoscopy

Office examination of the nasal cavity, nasopharynx, pharynx, and larynx using a flexible fiberoptic or digital endoscope passed through the nose. It evaluates voice change, swallowing symptoms, nasal obstruction, lesions, vocal-fold movement, and airway anatomy.

**Synonyms:**

## Flexible Sigmoidoscopy

Endoscopic examination of the rectum and sigmoid colon (up to 60 cm). Indications: colorectal cancer screening (q5-10 years, combined with FIT), evaluation of rectal bleeding, chronic diarrhea, and surveillance of known distal colonic disease (ulcerative colitis).

**Synonyms:**

## Flexion

Movement that decreases the angle between two bones or bends a joint, generally in the sagittal plane.

**Synonyms:**

## Flexor Digitorum Profundus

Deep anterior forearm muscle with ulnar and humeroulnar heads, inserting on distal phalanges bases of digits 2-5. Medial half (digits 4-5) innervated by ulnar nerve; lateral half (digits 2-3) by anterior interosseous nerve (C8-T1). Flexes DIP, PIP, MCP joints, and wrist.

**Synonyms:**

## Flexor Digitorum Superficialis

Large anterior forearm muscle with humeroulnar, radial, and ulnar heads, inserting on middle phalanges of digits 2-5. Innervated by median nerve (C8-T1). Flexes PIP joints, MCP joints, and wrist. Important for median nerve function assessment.

Tendons pass through carpal tunnel, susceptible to stenosing tenosynovitis (trigger finger).

**Synonyms:**

## Floater

Mobile spots, threads, cobwebs, or rings in the visual field caused by vitreous opacities casting shadows on the retina. Most arise from posterior vitreous detachment, an age-related separation of the vitreous gel from the retina; hemorrhage, vitritis, and asteroid hyalosis are other causes.

**Synonyms:**

## Floating Ribs

Ribs 11-12 with short costal cartilages terminating in abdominal wall musculature, not articulating with the sternum or other ribs. Most mobile and least protected, susceptible to fracture from direct trauma. Fractures may injure underlying kidneys, requiring hematuria and flank tenderness assessment in trauma.

**Synonyms:**

## Flossing

Cleaning between teeth with dental floss or another interdental device to remove plaque and food debris from areas a toothbrush may not reach.

**Synonyms:**

## Flow Cytometry

A laboratory technique that measures physical and molecular characteristics of cells or particles as they pass through a laser beam. It is used for cell counting, immunophenotyping, diagnosis of some leukemias and lymphomas, and assessment of selected immune disorders.

**Synonyms:**

## Flow-Volume Loop

Graphical representation of airflow during forced breathing. Obstructive: scooped expiratory limb. Restrictive: narrowed loop with preserved shape. Variable extrathoracic obstruction: flattening of inspiratory limb.

**Synonyms:**

---

## Flu

Influenza is an acute respiratory infection caused by influenza viruses, producing fever, cough, myalgia, headache, and fatigue with potential pulmonary or systemic complications. fever, cough, sore throat, headache, muscle aches, and fatigue. Complications may include pneumonia and worsening of underlying medical conditions.

**Synonyms:**

## Fludeoxyglucose F-18

Radiotracer used in PET imaging, analog of glucose labeled with fluorine-18. Taken up by cells via glucose transporters and phosphorylated by hexokinase, trapped intracellularly. Uptake reflects metabolic activity. Used for oncology (tumor detection, staging, response assessment), neurology (epilepsy, dementia), cardiology (viability).

**Synonyms:**

## Fluid Imbalance

An abnormal excess or deficiency of body water or electrolytes such as sodium, potassium, calcium, or bicarbonate. It may result from dehydration, kidney or heart disease, endocrine disorders, gastrointestinal losses, or inappropriate fluid administration.

**Synonyms:**

## Fluid Overload

Excess total body fluid due to impaired renal sodium/water excretion or excessive intake, leading to edema, weight gain, hypertension, and pulmonary congestion. Causes: heart failure, renal failure (acute/chronic), nephrotic syndrome, cirrhosis, iatrogenic (IV fluids), and hypoalbuminemia.

**Synonyms:**

## Fluorescein Angiography

An eye test in which fluorescein dye is injected into a vein and sequential photographs are taken of the retinal circulation. It helps identify leakage, blocked vessels, abnormal new vessels, and other retinal or choroidal abnormalities.

**Synonyms:**

## Fluorescence In-Situ Hybridization

A targeted cytogenetic technique using fluorescent DNA probes to detect or localize specific chromosome sequences. It can identify selected aneuploidies, microdeletions, gene rearrangements, or amplifications but does not survey the entire genome.

**Synonyms:**

## Fluoride

Mineral that strengthens tooth enamel and inhibits bacterial acid production. Sources: water fluoridation (0.7 ppm optimal), toothpaste, professional applications. Mechanism: incorporates into hydroxyapatite forming fluorapatite (more acid-resistant), promotes remineralization, inhibits bacterial enzymes.

**Synonyms:**

## Fluoride Varnish

A concentrated fluoride preparation applied to teeth by a healthcare professional to help prevent or arrest dental caries. The frequency of application depends on age and caries risk.

**Synonyms:**

## Fluorine-18

PET radionuclide, half-life 110 minutes. Produced in cyclotron via O-18(p,n)F-18 reaction. Used in FDG and other tracers. Requires on-site or nearby cyclotron due to short half-life.

**Synonyms:**

## Fluoroquinolones

Broad-spectrum bactericidal antibiotics that inhibit bacterial DNA gyrase and topoisomerase IV, enzymes essential for DNA replication, transcription, and repair. They are synthetic derivatives of nalidixic acid and include ciprofloxacin, levofloxacin, moxifloxacin, and others.

**Synonyms:**

## Fluoroscopy

Real-time X-ray imaging used to visualize dynamic processes.

**Synonyms:**

---

## Fluorosis

Enamel hypomineralization from excess fluoride during development. Mild: white spots. Severe: brown stains, pitting. Prevention: monitor fluoride intake in children.

**Synonyms:**

## Fluorouracil side effect

Toxicity from the antimetabolite 5-fluorouracil causing mucositis, diarrhea, hand-foot syndrome, myelosuppression, and potential cardiotoxicity, requiring dose adjustment or discontinuation.

**Synonyms:**

## Flushing

Transient reddening and warmth of the skin caused by increased cutaneous blood flow. It may result from heat, emotion, exertion, fever, alcohol, endocrine or neuroendocrine disease, mast-cell activation, medication exposure, or autonomic dysfunction; associated diarrhoea, wheeze, hypotension, or palpitations may indicate systemic disease.

**Synonyms:**

## Flutter Valve

A handheld device combining PEP therapy with oscillations during exhalation. The oscillations create shear forces that loosen mucus from airway walls, while the PEP keeps airways open. It is used for airway clearance in bronchiectasis, CF, and COPD.

**Synonyms:**

## FNA

A percutaneous sampling technique in which a 22 to 25-gauge needle, often ultrasound- or palpation-guided, aspirates cellular material from a palpable or imaging-detected lesion for cytologic examination, with minimal trauma and lower morbidity than core or open biopsy. See Fine Needle Aspiration (FNA).

**Synonyms:**

## Focal Nodular Hyperplasia

Benign liver lesion with a characteristic central stellate scar visible on imaging. The lesion represents a hyperplastic response to a pre-existing vascular

malformation rather than a true neoplasm. Associated with oral contraceptive use though it also occurs in men and children. No risk of hemorrhage or malignant transformation.

**Synonyms:**

## Focal Segmental Glomerulosclerosis

The most common cause of nephrotic syndrome in African American adults and Hispanic populations. Associated with HIV infection (HIV-associated nephropathy), heroin use, sickle cell disease, massive obesity, interferon therapy, and renal hyperfiltration (solitary kidney).

**Synonyms:**

## Focal Seizure

A seizure arising from networks limited to one cerebral hemisphere at onset. Awareness may be preserved or impaired, and motor, sensory, autonomic, cognitive, or emotional features depend on the involved region; a focal seizure may spread to become bilateral tonic-clonic.

**Synonyms:**

## Focal-Onset Seizure

A seizure that begins within networks limited to one cerebral hemisphere. Awareness may be preserved or impaired, and motor, sensory, autonomic, cognitive, or emotional features reflect the involved cortical region; it may evolve to bilateral tonic-clonic activity.

**Synonyms:**

## FODMAP Diet

Restriction of Fermentable Oligo-, Di-, Monosaccharides And Polyols. Used for IBS management. Low FODMAP diet followed by gradual reintroduction.

**Synonyms:**

## Folate Deficiency

Folate (vitamin B9) deficiency causes megaloblastic anemia identical to B12 deficiency but without neurologic manifestations (except possible cognitive changes). Dietary sources: leafy greens, legumes,

---

liver; daily requirement 400 mcg. Absorption in jejunum.

**Synonyms:**

### **Folate-deficiency anemia**

Folate-deficiency anemia is a medical condition involving folate-deficiency anemia; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. for DNA synthesis, cell division, and red blood cell production.

**Synonyms:**

### **Foley Catheter**

An indwelling urinary catheter held in the bladder by an inflatable balloon and connected to a drainage system.

**Synonyms:**

### **Folic Acid Supplementation**

Use of folic acid before conception and during early pregnancy to reduce the risk of fetal neural-tube defects. The dose depends on individual risk and local clinical guidance; folate is also needed for DNA synthesis and red-cell production.

**Synonyms:**

### **Follicle Stimulating Hormone**

FSH: a gonadotropin secreted by the anterior pituitary, regulating gonadal function. In females: stimulates ovarian follicle growth and estradiol production; LH surge triggers ovulation. In males: stimulates Sertoli cells and spermatogenesis. Controlled by GnRH and feedback (estrogen, inhibin).

**Synonyms:**

### **Follicular Lymphoma**

An indolent B-cell non-Hodgkin lymphoma with a follicular growth pattern. Many cases have changes involving BCL2, but classification depends on tissue and molecular findings. It commonly causes painless lymph-node enlargement and may involve bone marrow or other sites.

**Synonyms:**

### **Follicular Thyroid Carcinoma**

Second most common thyroid carcinoma accounting for approximately ten percent of cases. Distinguished from follicular adenoma by capsular or vascular invasion on histological examination which cannot be determined by fine-needle aspiration. Metastasizes hematogenously to bone, lung, and liver.

**Synonyms:**

### **Folliculitis**

Folliculitis is a medical condition involving folliculitis; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. folliculitis (*Staphylococcus aureus*) is most common. Hot tub folliculitis (*Pseudomonas*) occurs after hot tub exposure. Gram-negative folliculitis complicates long-term antibiotic use. Pseudofolliculitis barbae (razor bumps) results from ingrown hairs.

**Synonyms:**

### **Follow-Up**

A planned assessment after an illness, procedure, or treatment to evaluate progress, identify complications, and adjust care when needed.

**Synonyms:**

### **Follow-Up Recommendations**

Recommendations for further imaging or evaluation. Based on guidelines ( Fleischner Society for lung nodules).

**Synonyms:**

### **Fomepizole**

An alcohol dehydrogenase inhibitor used as an antidote for toxic alcohol exposure, particularly methanol and ethylene glycol. It prevents formation of toxic metabolites and is used with supportive care and hemodialysis when indicated.

**Synonyms:**

### **Fomite**

An inanimate object or surface capable of transmitting infectious agents (viruses, bacteria, fungi) between people (e.g., doorknobs, towels, medical equipment, toys, needles). Transmission occurs



---

when contaminated fomites contact mucous membranes or skin, or are involved in procedures.

**Synonyms:**

### Fontanelle

Soft membranous spaces between skull bones that allow brain growth and skull molding during delivery. Anterior fontanelle diamond-shaped, closes by 12-18 months. Posterior fontanelle triangular, closes by 2-3 months. Bulging fontanelle suggests increased intracranial pressure; sunken fontanelle indicates dehydration.

**Synonyms:**

### Food Allergy

Immune-mediated reaction to food protein. IgE-mediated: anaphylaxis. Non-IgE: EoE, food protein-induced enterocolitis. Common allergens: milk, egg, peanut, tree nut, fish, shellfish, soy, wheat.

**Synonyms:**

### Food Intolerance

Adverse reaction not immune-mediated. Lactose intolerance, gluten sensitivity (non-celiac), histamine intolerance, FODMAP sensitivity. Diagnosis: elimination diet, challenge.

**Synonyms:**

### Food Poisoning

Illness caused by consuming food contaminated with bacteria, viruses, parasites, or their toxins. Common pathogens include Salmonella, Escherichia coli, Listeria, and norovirus, with symptoms such as nausea, vomiting, diarrhea, abdominal cramps, and fever.

**Synonyms:**

### Food-Borne Disease

Illness caused by eating food or drinking water contaminated with infectious organisms, toxins, or harmful chemicals.

**Synonyms:**

### Food-Drug Interaction

An alteration in drug absorption, metabolism, dis-

tribution, or effect caused by a food, beverage, nutrient, or supplement. Examples include vitamin K affecting warfarin response, grapefruit affecting selected CYP3A4 substrates, and calcium impairing absorption of some medicines.

**Synonyms:**

### Foodborne Illness

Any illness resulting from the ingestion of contaminated food, encompassing infections and intoxications caused by pathogens, toxins, or chemical contaminants. It affects millions annually and poses particular risks to pregnant women, young children, older adults, and immunocompromised individuals.

**Synonyms:**

### Foot Drop

Weakness or paralysis of ankle dorsiflexion causing the forefoot to drag or the patient to lift the knee abnormally while walking. Common causes include common peroneal nerve injury, L5 radiculopathy, motor-neuron disease, and peripheral neuropathy.

**Synonyms:**

### Foot Pain

Pain in the foot caused by injury, overuse, arthritis, nerve disease, infection, or circulation problems. Persistent pain, inability to bear weight, numbness, discoloration, fever, or an open wound requires medical assessment.

**Synonyms:**

### Force Plates

Instruments that measure forces exerted by the feet on the ground during standing or movement, helping assess gait, balance, symmetry, and loading.

**Synonyms:**

### Forced Expiratory Volume

The volume of air forcibly exhaled in a specified time during a maximal expiratory effort. FEV1 is the volume exhaled in the first second; normally at least 70-80 percent of the forced vital capacity (FEV1/FVC ratio).

**Synonyms:**

---

### Forced Oscillation Technique

Similar to impulse oscillometry, applying small pressure oscillations at various frequencies during tidal breathing to measure respiratory resistance and reactance. It provides information about airway mechanics without requiring forced expiratory maneuvers.

**Synonyms:**

### Forced Vital Capacity

Total air exhaled after maximal inspiration. Reduced in both obstructive and restrictive disease. In restrictive disease, FVC reduced with preserved ratio.

**Synonyms:**

### Forceps

Grasping instrument. Tissue forceps: with teeth. Dressing forceps: without teeth.

**Synonyms:**

### Forceps (Obstetric)

A paired instrument used in selected operative vaginal deliveries to assist delivery of the fetal head.

**Synonyms:** Obstetric

### Forceps (Surgical)

Handheld instruments used to grasp, hold, move, or manipulate tissue or medical materials during a procedure.

**Synonyms:** Surgical

### Forceps (Vascular)

A surgical instrument used to grasp, hold, or manipulate tissue, vessels, or medical materials.

**Synonyms:** Vascular

### Forceps Delivery

Assisted vaginal delivery using forceps (curved blades applied to the fetal head) to expedite delivery for maternal or fetal indications (prolonged second stage, fetal distress, maternal exhaustion, medical conditions limiting pushing).

**Synonyms:**

### Forceps-Assisted Delivery

Operative vaginal delivery using forceps (two curved blades applied to the fetal head). Types: outlet (forceps applied at the introitus, fetal scalp visible), low (station  $\geq +2$ , not at outlet), midpelvic (station  $\geq +2$  but head above ischial spines), and rotational (forceps used to rotate from OP to OA).

**Synonyms:**

### Fordyce's angiokeratomas

Benign vascular ectasias of the superficial dermal capillaries covered by an epidermal reaction, appearing as small, dark red to purple, asymptomatic papules on the scrotum, vulva, or oral mucosa. They are common, increase with age, and are clinically insignificant. They may bleed if traumatized.

**Synonyms:**

### Foreign Body

Any object lodged in body. Types: organic (wood, thorn), inorganic (metal, glass, plastic). Radiopaque vs. radiolucent. Removal: surgical, endoscopic, spontaneous passage. Complications: infection, granuloma, migration.

**Synonyms:**

### Foreign Body Aspiration

Inhalation of object into airway. Common in children (peanuts, coins, small toys). Signs: choking, coughing, stridor, wheezing, decreased breath sounds. Diagnosis: chest X-ray (may be negative), bronchoscopy.

**Synonyms:**

### Foreign Body Reaction

Inflammation and immune response to material that remains in tissue, such as a splinter, suture, implant, or other medical device. It may cause a lump, redness, drainage, pain, or scarring; treatment depends on the material and whether infection is present.

**Synonyms:**

### Foreign-Body Aspiration

Entry of an object into the larynx, trachea, or bronchi, most often in toddlers. Sudden cough,

---

choking, unilateral wheeze, or focal air trapping may occur; complete airway obstruction is an immediate emergency and requires age-appropriate resuscitation.

**Synonyms:**

### Forensic Anthropology

The application of physical-anthropology methods to legal investigations involving human remains, especially skeletal material. It can help establish whether remains are human, estimate biological characteristics, assess trauma, and support identification.

**Synonyms:**

### Forensic Entomology

The study of insects and other arthropods in legal investigations, principally to estimate the postmortem interval (PMI) and to link suspects to scenes.

**Synonyms:**

### Forensic Evidence

Physical, biological, documentary, or testimonial material gathered, preserved, and analyzed to establish facts in a legal investigation. Categories include biological evidence (blood, semen, hair), trace evidence (fibers, glass, gunshot residue), pattern evidence (fingerprints, toolmarks, bloodstain patterns), and digital evidence.

**Synonyms:**

### Forensic Examination

Structured medicolegal evaluation of a living or deceased person, scene, or evidence to document findings relevant to a legal matter. Components include sexual assault examination with evidence collection, child abuse assessment, injury documentation, driving-impairment evaluation, and autopsy.

**Synonyms:**

### Forensic Medicine (Legal Medicine)

Branch of medicine that applies medical, biological, and scientific knowledge to legal questions and the administration of justice.

**Synonyms:** Legal Medicine

### Forensic Odontology

The application of dental science to legal investigations. It may support human identification by comparing dental records, radiographs, and distinctive dental anatomy and may assist in the assessment of dental injuries.

**Synonyms:**

### Forensic Pathology

A branch of pathology that applies medical knowledge to legal questions, especially the cause and manner of death and the documentation of injuries. Forensic pathologists examine deaths that are sudden, unexpected, violent, or otherwise subject to legal investigation.

**Synonyms:**

### Forensic Psychiatry

The medical specialty at the interface of psychiatry and the law. Core activities: competency to stand trial, criminal responsibility/insanity defense (mental state at time of offense), dangerousness/risk assessment, civil commitment, testamentary capacity, and personal injury claims.

**Synonyms:**

### Forensic Radiography

The use of imaging (X-ray, CT, MRI, ultrasound) in forensic and medico-legal investigation.

**Synonyms:**

### Forensic Toxicology

The analysis of drugs, poisons, and their metabolites in biological specimens (blood, urine, vitreous humor, hair, tissues) to determine their role in intoxication, poisoning, or death.

**Synonyms:**

### Forensic Toxicology Screen

Laboratory analysis of biological specimens for drugs, alcohols, poisons, and their metabolites. A screening result is presumptive until confirmed and quantified by a validated method such as mass spectrometry, with interpretation based on specimen type, timing, therapeutic use, and postmortem

---

changes.

**Synonyms:**

### **Formaldehyde**

Preservative, industrial chemical. Irritant, carcinogen (nasopharyngeal cancer). Sensitizer. Use in fume hood, PPE required.

**Synonyms:**

### **Formalin-Fixed Paraffin-Embedded Tissue**

Tissue preserved in formalin, processed, and embedded in paraffin wax for sectioning and microscopic examination. FFPE blocks support histology, immunohistochemistry, and many molecular tests but may contain fixation-related nucleic-acid or antigen alterations.

**Synonyms:**

### **Formication**

A sensation that insects are crawling on or under the skin when none are present. It may occur with nerve disorders, menopause, substance withdrawal, medication effects, or psychiatric illness. Persistent or new symptoms should be medically evaluated.

**Synonyms:**

### **Formula Feeding**

Alternative to breastfeeding using commercially prepared infant formula. Types include cow's milk-based, soy-based, hydrolyzed protein, and amino acid-based formulas. Iron-fortified formulas standard to prevent iron deficiency anemia. Preparation requires clean water and proper sterilization of bottles.

**Synonyms:**

### **Fornix**

The conjunctival fornix is the redundant, dome-shaped fold of conjunctiva where the palpebral conjunctiva transitions to the bulbar conjunctiva, forming a deep recess superiorly (superior fornix), inferiorly (inferior fornix), and medially and laterally (medial and lateral fornices).

**Synonyms:**

### **Fortification**

Addition of nutrients to food. Examples: iodized salt, vitamin D milk, folic acid grains. Public health strategy for deficiency prevention.

**Synonyms:**

### **Four-Dimensional Ultrasound**

Real-time 3D ultrasound. Used in obstetrics for fetal imaging.

**Synonyms:**

### **Fournier Gangrene**

A rapidly progressive necrotizing infection of the perineum, external genitalia, or perianal region. It causes severe pain, swelling, fever, systemic toxicity, and tissue necrosis and requires immediate surgical debridement and broad-spectrum antimicrobial treatment.

**Synonyms:**

### **Fourth-Degree Tear**

A severe perineal tear during childbirth that extends through the anal sphincter and into the rectal mucosa. It requires careful examination, repair, follow-up, and assessment for complications.

**Synonyms:**

### **Fovea**

A tiny depression in the center of the retina that provides the sharpest and most detailed visual acuity.

**Synonyms:**

### **Fovea Centralis**

Central macular pit (approximately 1.5 mm) with the highest cone density (approximately 200,000 per square millimeter) and no rods, providing the sharpest visual acuity and color vision. Avascular with overlying retinal layers displaced laterally for direct light access to cones.

**Synonyms:**

### **Fractional Excretion of Sodium**

The percentage of filtered sodium excreted in urine, calculated from serum and urine sodium and crea-

---

tinine. It may help distinguish prerenal physiology from tubular injury, although diuretics, CKD, sepsis, and other conditions limit interpretation.

**Synonyms:**

### **Fractional Excretion of Urea (FEUrea)**

The percentage of filtered urea excreted in urine. It may be used as an adjunct when diuretics make FENa less interpretable, but it is also affected by catabolism, sepsis, gastrointestinal bleeding, and chronic kidney disease.

**Synonyms:** FEUrea

### **Fractional Flow Reserve**

An invasive physiological measurement during coronary catheterization using a pressure wire to assess the hemodynamic significance of a coronary stenosis.  $FFR = Pa/Pd$  (aortic pressure / distal coronary pressure) during maximal hyperemia (adenosine).

**Synonyms:**

### **Fractional IPV**

A reduced-dose schedule of inactivated polio vaccine used in the WHO and India Universal Immunization Schedule, where one-fifth of the standard intramuscular IPV dose (0.1 mL instead of 0.5 mL) is given by intradermal injection at each of two deltoid sites (total 0.2 mL per fractional dose), rather than the full 0.5 mL intramuscular dose.

**Synonyms:**

### **Fracture**

A break in the continuity of bone, classified by location, pattern (transverse, oblique, spiral, comminuted), displacement, and whether the fracture communicates with the external environment (open vs. closed). Fracture healing occurs through inflammatory, reparative, and remodeling phases.

**Synonyms:**

### **Fracture Displacement**

Loss of normal anatomic alignment between fracture fragments, described by translation, angulation, shortening, or rotation. The acceptable degree depends on the bone, joint involvement, patient age,

and functional demands.

**Synonyms:**

### **Fracture Liaison Service**

A coordinated program that identifies patients with fragility fractures, evaluates bone health and secondary causes, initiates fracture prevention, and ensures follow-up to reduce recurrent fractures.

**Synonyms:**

### **Fracture of the temporal bone**

A break in the thin bones forming the skull base and ear structures, potentially injuring the facial nerve, carotid artery, or middle ear and presenting with hearing loss, vertigo, or cerebrospinal fluid leak.

**Synonyms:**

### **Fracture Prevention**

Measures that reduce the risk of bone fracture, including assessment and treatment of osteoporosis, strength and balance exercise, fall prevention, and correction of relevant nutritional or medication-related risks.

**Synonyms:**

### **Fracture-Fixation Device**

An implant such as a plate, screw, intramedullary nail, or external-fixation component used to stabilize a broken bone and maintain alignment during healing. Selection depends on fracture pattern, bone quality, and soft-tissue condition.

**Synonyms:**

### **Fragile X Syndrome**

An inherited neurodevelopmental disorder caused by expansion of a CGG repeat in the FMR1 gene, leading to reduced gene expression. It may cause intellectual disability, characteristic physical features, and behavioral or autism-spectrum features.

**Synonyms:**

### **FRAIL Scale**

A brief frailty screen assessing Fatigue, Resistance, Ambulation, Illnesses, and Loss of weight. It identifies risk of frailty but is not a substitute for a

---

comprehensive geriatric assessment.

**Synonyms:**

### Frailty

Clinical syndrome of decreased reserve and resilience to stressors. Components: unintentional weight loss, exhaustion, low physical activity, slow gait speed, weak grip strength. Identification: Fried phenotype, frailty index. Consequences: adverse outcomes (falls, hospitalization, mortality), polypharmacy, functional decline.

**Synonyms:**

### Frameshift Mutation

Insertion or deletion of nucleotides not in multiples of three, shifting reading frame. Usually produces nonfunctional protein. Examples: some cystic fibrosis mutations, Tay-Sachs disease.

**Synonyms:**

### Francisella tularensis

A gram-negative coccobacillus that causes tularemia, a zoonotic infection transmitted by ticks, deer flies, or direct contact with infected animals. The organism can be acquired through the skin, respiratory tract, or gastrointestinal tract. Ulceroglandular tularemia presents with skin ulcer and regional lymphadenopathy.

**Synonyms:**

### Frank-Starling Mechanism

The physiological principle stating that stroke volume increases as end-diastolic volume (preload) increases, up to an optimal point. Within physiological limits, greater ventricular stretch leads to stronger contraction due to increased calcium sensitivity of myofilaments and optimal overlap of actin and myosin.

**Synonyms:**

### Free Radical

A molecule or atom containing an unpaired electron, making it chemically reactive. Excessive free-radical activity can contribute to oxidative injury.

**Synonyms:**

### Free Radical Injury

Free radicals are highly reactive molecules with unpaired electrons that can damage cellular components through oxidative stress. Reactive oxygen species include the superoxide anion, hydrogen peroxide, and the hydroxyl radical generated through the Fenton reaction.

**Synonyms:**

### Free Water Clearance

The rate at which the kidneys excrete water in excess of or less than the amount needed to produce urine isotonic to plasma. Positive clearance indicates excretion of dilute urine; negative clearance indicates retention of water through concentration of urine.

**Synonyms:**

### Frenectomy

Surgical removal or repositioning of frenulum. Indications: diastema, gingival recession, tongue-tie, interference with denture.

**Synonyms:**

### Frenulum Breve

An abnormally short penile frenulum that may cause pain, tearing, or bleeding during erection or sexual activity. Treatment depends on symptoms and may include observation or a minor surgical procedure.

**Synonyms:**

### Frequency

Increased daytime micturition, typically more than seven episodes per day, distinguished from polyuria (high urine volume) and nocturia (nighttime voiding). Common causes include urinary tract infection, benign prostatic hyperplasia, overactive bladder, and diabetes mellitus.

**Synonyms:**

### Frey's syndrome

Aberrant regeneration of parasympathetic nerve fibers to sweat glands after injury to the auriculotemporal nerve, most commonly following parotid surgery or trauma. It results in gustatory sweat-



---

ing and facial flushing while eating. Diagnosis is confirmed by the starch-iodine test.

**Synonyms:**

### **Friedman Curve**

The classic labor curve described by Emanuel Friedman in the 1950s, plotting cervical dilatation against time. Defined the latent and active phases, with active phase beginning at 4 cm. The Friedman curve was the standard for labor management for decades.

**Synonyms:**

### **Friedreich Ataxia**

An inherited neurodegenerative disorder causing progressive gait and limb ataxia, sensory loss, weakness, and sometimes cardiomyopathy or diabetes.

**Synonyms:**

### **Frontal Bone**

Forms the forehead and superior orbits, with the squama frontalis, orbital plates, and nasal part. Contains frontal sinuses draining into the nasal cavity via the frontonasal duct. Articulates with parietal bones at the coronal suture. The metopic suture fuses by age six.

**Synonyms:**

### **Frontal Lobe**

The largest lobe of the cerebral cortex, lying anterior to the central sulcus, comprising the primary motor cortex (precentral gyrus, Brodmann 4), premotor and supplementary motor areas, prefrontal cortex, and Broca's area (dominant hemisphere, expressive language).

**Synonyms:**

### **Frontal Sinus**

The frontal sinuses are paired, air-filled cavities located within the frontal bone above the orbits and the root of the nose, separated by a bony septum that may be deviated to one side, and they are the last of the paranasal sinuses to develop, typically appearing around age seven and reaching full size by late adolescence.

**Synonyms:**

### **Frontal Sinusitis**

Inflammation or infection of the frontal sinuses, causing forehead pain or pressure, nasal congestion, and drainage. Severe headache, swelling around the eye, high fever, confusion, or neurologic symptoms may indicate a complication requiring urgent care.

**Synonyms:**

### **Frontotemporal Dementia**

Dementia affecting frontal and temporal lobes. Behavioral variant (personality changes) or language variant (aphasia). Younger onset (50-60).

**Synonyms:**

### **Frostbite**

Frostbite is freezing injury to tissue, causing numbness, pallor, waxy skin, blistering, and possible tissue necrosis; rewarming and assessment are urgent. degree (superficial, numbness, erythema), second degree (blisters, clear fluid, pain), third degree (hemorrhagic blisters, necrosis, full-thickness skin loss), fourth degree (deep tissue necrosis, mummification, autoamputation).

**Synonyms:**

### **Frotteuristic Disorder**

A paraphilic disorder involving recurrent, intense sexual arousal from touching or rubbing against a nonconsenting person, lasting  $\geq 6$  months and causing distress or impairment or involving acting on these urges. Typically occurs in crowded public places (subways, buses, concerts).

**Synonyms:**

### **Frozen Section**

An intraoperative pathology consultation in which a fresh tissue specimen is rapidly frozen, sectioned on a cryostat, and stained with hematoxylin and eosin within 10 to 20 minutes to guide immediate surgical decision-making. It is used to establish benign versus malignant, assess margins, and identify lymph node metastases.

**Synonyms:**

---

## **Frozen Shoulder**

Adhesive capsulitis: progressive shoulder pain and stiffness. Stages: freezing (pain), frozen (stiffness), thawing (recovery). Associated with diabetes, thyroid disease, immobilization. Treatment: physical therapy, corticosteroid injection, manipulation under anesthesia, arthroscopic capsular release.

**Synonyms:**

## **Fructosamine**

A measurement of glycated serum proteins, primarily albumin, that reflects average glycemia over approximately two to three weeks. It is useful when HbA1c is unreliable because of altered red-cell survival, but it is affected by changes in protein concentration and turnover.

**Synonyms:**

## **Fructose Malabsorption**

Poor absorption of fructose leading to GI symptoms. Fermentation by bacteria produces gas, osmotic diarrhea. Low-fructose diet beneficial.

**Synonyms:**

## **Fructose Metabolism**

The enzymatic conversion of fructose primarily in the liver through fructokinase, aldolase B, and downstream glycolytic intermediates. Essential fructosuria is usually benign, whereas aldolase B deficiency causes hereditary fructose intolerance and hypoglycemia after fructose ingestion.

**Synonyms:**

## **Fuchs Dystrophy**

A progressive corneal endothelial disorder in which endothelial cell loss impairs fluid regulation and causes corneal oedema. Early disease may cause morning blur and glare; advanced disease produces persistent oedema, bullae, pain, and reduced vision. Diagnosis is clinical and supported by slit-lamp examination and corneal imaging.

**Synonyms:**

## **Full Agonist**

A full agonist is a drug that binds to a receptor

and produces the maximum possible biological response that the receptor can generate, achieving 100 percent of the maximal effect. Full agonists have both high affinity for the receptor and high intrinsic activity, meaning they are very effective at activating the receptor once bound.

**Synonyms:**

## **Functional Asplenia**

Loss of splenic function due to sickling and infarction in sickle cell disease, typically by age 5 years. Increases risk of overwhelming bacterial infection, particularly from encapsulated organisms (*Streptococcus pneumoniae*, *Haemophilus influenzae*).

**Synonyms:**

## **Functional Assessment**

Evaluation of ability to perform daily activities. Tools: Barthel Index, Lawton IADL Scale, Katz Index. Identifies needs for assistance, predicts outcomes, guides care planning.

**Synonyms:**

## **Functional Capacity**

The maximum level of physical, cognitive, communication, or self-care performance a person can safely achieve under specified conditions. It is assessed in relation to activities, participation, environment, and personal goals.

**Synonyms:**

## **Functional Dyspepsia**

Chronic epigastric pain or discomfort without identifiable structural cause. The Rome IV criteria include postprandial distress syndrome with early satiety and postprandial fullness, and epigastric pain syndrome with epigastric pain or burning unrelated to meals.

**Synonyms:**

## **Functional Electrical Stimulation**

Application of electrical impulses to peripheral nerves or muscles to produce purposeful contraction during a functional task, such as foot clearance during gait or cycling after neurologic injury.

---

**Synonyms:**

### **Functional Independence Measure**

FIM: standardized assessment of disability. Scores 18 (total assistance) to 7 (independent). 18 items: self-care, sphincter control, transfers, locomotion, communication, social cognition.

**Synonyms:**

### **Functional MRI**

An MRI method that estimates brain activity by detecting task-related changes in blood oxygenation and blood flow. It is used in research and in selected preoperative assessments.

**Synonyms:**

### **Functional Neurological Disorder**

Neurologic symptoms such as weakness, abnormal movements, sensory loss, or seizures that are incompatible with recognized patterns of structural neurologic disease and arise from altered nervous-system function. Diagnosis is based on positive clinical signs, not merely on normal investigations.

**Synonyms:**

### **Functional Neurological Symptom Disorder**

A condition in which neurological symptoms such as weakness, abnormal movement, sensory loss, or episodes resembling seizures are incompatible with recognized neurological disease patterns and cause significant distress or impairment.

**Synonyms:**

### **Functional Neurological Symptom Disorder (Conversion Disorder)**

A condition in which patients present with neurological symptoms (weakness, paralysis, non-epileptic seizures, sensory loss, gait abnormalities, dystonia, speech difficulties) that cannot be explained by structural neurological disease. The symptoms are not intentionally produced (unlike malingering or factitious disorder).

**Synonyms:** Conversion Disorder

### **Functional Residual Capacity**

The volume of air remaining in the lungs at the end of a normal expiration, equal to the sum of expiratory reserve volume plus residual volume (approximately 2.2-3 L in adults). FRC represents the lung volume at which the outward recoil of the chest wall balances the inward recoil of the lungs, the resting equilibrium position.

**Synonyms:**

### **Functional Screening**

A brief assessment of a person's ability to perform daily activities, move safely, communicate, and manage basic self-care.

**Synonyms:**

### **Functional Status**

Ability to perform activities of daily living (ADLs) and instrumental ADLs (IADLs). ADLs: bathing, dressing, toileting, transferring, continence, feeding. IADLs: shopping, cooking, managing medications, finances, transportation, housekeeping. Decline indicates need for assistance.

**Synonyms:**

### **Functional Urinary Incontinence**

Urinary incontinence due to physical or cognitive impairment preventing toilet access.

**Synonyms:**

### **Fundal Height**

The distance from the symphysis pubis to the top of the uterus measured in centimeters. Used to estimate gestational age and fetal growth. Generally correlates with weeks of gestation between 20-36 weeks (e.g., 24 cm at 24 weeks). Discrepancies may suggest fetal growth restriction, macrosomia, polyhydramnios, or multiple gestation.

**Synonyms:**

### **Fundus Photography**

The documentation of the appearance of the retina, optic nerve, and retinal vasculature using a specialized camera that illuminates and photographs the posterior segment of the eye, providing a permanent,

---

objective record of retinal findings that can be used for comparison over time, patient education, and telemedicine consultations.

**Synonyms:**

### **Fungal Arthritis**

Infection and inflammation of a joint caused by a fungus, usually after surgery, trauma, injection, bloodstream spread, or in a person with impaired immunity. It often develops gradually with persistent pain, swelling, and reduced movement. Joint-fluid culture and tissue testing guide prolonged antifungal and sometimes surgical treatment.

**Synonyms:**

### **Fungal endophthalmitis**

Fungal infection of the interior of the eye, often associated with bloodstream infection, surgery, trauma, or immunosuppression and capable of causing severe visual loss.

**Synonyms:**

### **Fungal Infection**

An infection caused by a fungus. It may be superficial, affecting the skin, nails, or mucous membranes, or invasive, affecting the lungs, bloodstream, or other organs. The presentation and risk depend on the organism and the person's immune status.

**Synonyms:**

### **Fungal Infection (Tinea/Dermatophytosis)**

Superficial fungal infections of skin, hair, or nails caused by dermatophytes (*Trichophyton*, *Microsporum*, *Epidermophyton*). Tinea corporis (ringworm): annular scaling plaque with central clearing. Tinea pedis (athlete's foot): interdigital scaling, maceration. Tinea cruris (jock itch): groin rash sparing scrotum.

**Synonyms:** Tinea/Dermatophytosis

### **Fungal Nail Infection**

Infection of a fingernail or toenail by dermatophytes or other fungi, causing thickening, discoloration, brittleness, separation from the nail bed, or subun-

gual debris.

**Synonyms:**

### **Fungal Nails**

A fungal infection of the nail, usually caused by dermatophytes, producing thickened, discolored, brittle, or crumbly nails. The infection may spread to surrounding skin and recur. Diagnosis may require microscopy or culture, and treatment depends on the organism, number of nails, severity, and the person's medical history.

**Synonyms:**

### **Fungal pathogenesis**

The mechanisms by which fungi cause disease. Fungal pathogenesis involves adhesion, invasion, and evasion of host defences. Adhesins mediate attachment to host cells. Invasive hyphae penetrate tissues. Capsules and melanin protect against immune responses. Biofilm formation provides protection against antifungal agents.

**Synonyms:**

### **Fungal resistance mechanisms**

Mechanisms by which fungi develop resistance to antifungal agents. Azole resistance occurs through up-regulation of efflux pumps (CDR1, CDR2, MDR1), mutations in the target enzyme ERG11, and over-expression of ERG11. Echinocandin resistance is primarily due to mutations in the FKS1 and FKS2 genes encoding beta-(1,3)-D-glucan synthase.

**Synonyms:**

### **Fungal Skin Infections**

Skin infections caused by dermatophytes or yeasts, including ringworm (tinea), athlete's foot, and candidiasis. These infections thrive in warm, moist environments and present with red, itchy, scaly, or ring-shaped lesions. Treatment typically involves topical or oral antifungal medications and measures to keep the skin clean and dry.

**Synonyms:**

### **Fungemia**

The presence of viable fungi in the bloodstream.

---

Candida species are the most common cause in hospitalized patients; fungemia requires prompt evaluation for a source, metastatic infection, and appropriate antifungal treatment.

**Synonyms:**

### **Fungus**

A eukaryotic microorganism with a chitin cell wall and ergosterol-containing membrane, classified as yeasts, moulds, or dimorphic fungi. Reproducing by spores, fungi cause superficial, mucosal, subcutaneous, and systemic infections, especially in immunocompromised hosts.

**Synonyms:**

### **Furuncle**

A painful, pus-filled infection of a hair follicle, usually caused by *Staphylococcus aureus*. It may form an erythematous nodule with a central necrotic core or progress to a skin abscess. Treatment depends on size, location, recurrence, and systemic illness and may include drainage or antimicrobial therapy.

**Synonyms:**

### **Furuncle and Carbuncle**

Furuncle (boil) is a deep infection of the hair follicle caused by *Staphylococcus aureus*, presenting as a painful, erythematous nodule that may drain pus. Carbuncle is a cluster of interconnected furuncles causing a larger, more deeply invasive infection.

**Synonyms:**

### **Furuncular myiasis**

A cutaneous infestation caused by larvae of certain fly species (such as *Dermatobia hominis* or *Cuterebra*) that develop within boil-like furuncular lesions in the skin, presenting with a painful, erythematous nodule with a central punctum through which the larva breathes.

**Synonyms:**

### **Furunculosis**

Recurrent or multiple furuncles, which are deep infections of hair follicles and surrounding tissue, usually caused by *Staphylococcus aureus*. Lesions

are painful, erythematous, and purulent and may occur with colonization, close-contact transmission, skin disease, diabetes, immune dysfunction, or other risk factors.

**Synonyms:**

### **Fusariosis**

An opportunistic invasive fungal infection caused by *Fusarium* species, affecting predominantly immunocompromised patients, particularly those with prolonged neutropenia or hematological malignancies. It causes disseminated infection with skin lesions, bloodstream infection, and involvement of multiple organs.

**Synonyms:**

### **Fusion**

Union of two tooth buds. Results in large tooth with reduced tooth count.

**Synonyms:**

### **Fabry's Disease**

An inherited disorder in which a lipid accumulates in cells, causing pain, skin findings, kidney disease, and heart or nervous-system complications.

**Synonyms:**

### **Facial Nerve**

The seventh cranial nerve, which controls facial expression and carries taste sensation from part of the tongue.

**Synonyms:**

### **Factor V**

A blood-clotting protein required for formation of thrombin and fibrin.

**Synonyms:**

### **False Positive**

A test result that indicates a disease or condition is present when it is not.

**Synonyms:**

---

### **Familial Dysautonomia**

An inherited disorder that impairs development and function of sensory and autonomic nerves.

**Synonyms:**

### **Fatty Liver**

Excess accumulation of fat in liver cells.

**Synonyms:**

### **Femoral Neuropathy**

Damage to the femoral nerve, causing weakness or sensory loss in the thigh and leg.

**Synonyms:**

### **Filarial Elephantiasis**

Severe swelling and thickening of tissues caused by lymphatic obstruction from filarial infection.

**Synonyms:**

### **Flat Affect**

Markedly reduced outward expression of emotion.

**Synonyms:**

### **Focal Glomerulosclerosis**

Scarring affecting some glomeruli or only parts of affected glomeruli, which can impair kidney filtration.

**Synonyms:**

### **Foodborne Disease**

Illness caused by eating food or drinking water contaminated with infectious organisms, toxins, or harmful chemicals.

**Synonyms:**

### **Frasier Syndrome**

A rare genetic disorder associated with abnormal sexual development, kidney disease, and increased risk of gonadal tumors.

**Synonyms:**

### **Friedreich's Ataxia**

An inherited degenerative disorder causing progressive problems with coordination, sensation, and

heart function.

**Synonyms:**

### **Fuchs' Dystrophy**

A progressive disorder in which corneal endothelial cells deteriorate, causing corneal swelling and impaired vision.

**Synonyms:**

### **Fucosidosis**

A rare inherited metabolic disorder caused by deficiency of the enzyme alpha-L-fucosidase.

**Synonyms:**

### **Funisitis**

Inflammation of the umbilical cord, usually associated with infection or an inflammatory response.

**Synonyms:**

### **Fowler Position**

A semiupright position in which the head and upper body are elevated, usually about 45 to 60 degrees.

**Synonyms:**

### **Facet Rhizotomy**

A procedure that interrupts selected sensory nerves supplying spinal facet joints to reduce chronic pain.

**Synonyms:**

### **Fasting Plasma Glucose Test**

A blood test that measures glucose after fasting and helps diagnose diabetes or impaired glucose regulation.

**Synonyms:**

### **Fecal Occult Blood Test**

A test that detects small amounts of blood in stool, often for colorectal cancer screening.

**Synonyms:**

### **Filtering Procedure**

An operation that creates an alternate drainage pathway to lower pressure inside the eye, usually in glaucoma.



---

**Synonyms:**

### **Frontotemporal Lobar Degeneration**

A group of progressive disorders affecting the frontal and temporal brain lobes, causing changes in behavior, language, or executive function.

**Synonyms:**

### **Fundoplication**

Surgery that wraps the upper stomach around the lower esophagus to reduce gastroesophageal reflux.

**Synonyms:**

### **Female Sexual Dysfunction**

Persistent sexual problems in a woman that cause distress, such as low desire, arousal difficulty, or pain.

**Synonyms:**

### **Floor of the Mouth Cancer**

Cancer that develops in the tissues beneath the tongue.

**Synonyms:**

### **Functional Neurologic Disorder**

A condition in which changes in nervous-system function cause symptoms that are not explained by structural damage.

**Synonyms:**

### **Fontanel**

A soft membranous gap between the bones of an infant's skull.

**Synonyms:**

### **Foramen**

An opening or passage through a bone or other anatomical structure, usually for nerves or blood vessels.

**Synonyms:**

### **Fossa**

A shallow depression or hollow in a bone or other body structure.

**Synonyms:**

### **Fremitus**

A vibration felt or heard through body tissues, often used to assess transmitted voice sounds in the chest.

**Synonyms:**

### **Fulguration**

Destruction of tissue by applying electrical energy, commonly during a surgical procedure.

**Synonyms:**

### **Facies**

A characteristic facial appearance that may provide clues to an underlying disease or physiologic condition.

**Synonyms:**

### **Fascia**

A layer or band of connective tissue that surrounds, separates, and supports muscles, organs, nerves, and blood vessels.

**Synonyms:**

### **Fasciculation**

An involuntary, brief twitch of a small group of muscle fibers, often caused by irritation or disease of a motor nerve.

**Synonyms:**

### **Fetal Circulation**

The circulation before birth in which the placenta supplies oxygen and nutrients and fetal shunts direct much of the blood away from the lungs.

**Synonyms:**

### **Fixation**

Stabilization of tissue or bone in a desired position, using methods such as sutures, wires, screws, plates, or external devices.

**Synonyms:**

### **Free Thyroxine Index**

A calculated estimate of circulating free thyroxine

---

based on the total thyroxine concentration and a measure of thyroid-hormone binding.

**Synonyms:**

### **Full-Thickness Skin Graft**

A skin graft containing the entire epidermis and dermis, transferred to cover a wound or reconstruct a defect.

**Synonyms:**

### **Functional Murmur**

A heart murmur caused by increased blood flow without a structural abnormality of the heart or valves.

**Synonyms:**

### **Fundus**

The rounded or farthest part of a hollow organ; examples include the upper stomach and the posterior interior surface of the eye.

**Synonyms:**

### **Genitourinary Tract**

The combined urinary and reproductive organs and their associated ducts.

**Synonyms:**

### **Gigli Saw**

A flexible wire saw used to cut bone, especially during selected orthopedic or amputation procedures.

**Synonyms:**

### **Gleason Tumor Grade**

A histopathologic grade of prostate adenocarcinoma based on the architectural pattern of the tumor glands; it contributes to the Gleason score and Grade Group.

**Synonyms:**

### **Greenstick Fracture**

An incomplete fracture in which a young, flexible bone bends and cracks on one side without breaking completely.

**Synonyms:**

### **Fahr Disease**

A rare neurologic disorder characterized by abnormal, often bilateral, calcification of the basal ganglia and other brain regions, with movement, cognitive, psychiatric, or seizure manifestations. Primary familial brain calcification is the preferred modern term for many inherited cases.

**Synonyms:**

### **Factor XI Deficiency**

An inherited or acquired bleeding disorder caused by inadequate factor XI activity, producing variable bleeding that is often most apparent after surgery, dental procedures, or trauma.

**Synonyms:**

### **Fecalith**

A hard mass of inspissated fecal material, commonly found in the appendix or colon, that can contribute to appendicitis or intestinal obstruction.

**Synonyms:**

### **Fecaluria**

Passage of fecal material or fecal odor in the urine, usually indicating an abnormal connection such as an enterovesical fistula.

**Synonyms:**

### **Falciparum Malaria**

Severe malaria caused by the parasite *Plasmodium falciparum* and transmitted by infected *Anopheles* mosquitoes. It can rapidly cause cerebral malaria, severe anemia, kidney injury, respiratory distress, or death and requires urgent treatment.

**Synonyms:**

### **Female Athlete Triad**

A syndrome involving low energy availability, menstrual dysfunction, and decreased bone mineral density in physically active females. It is related to inadequate nutrition, excessive exercise, or both, and increases the risk of stress fractures and other health problems.

**Synonyms:**

---

## **Fulminant Hepatitis**

Rapid, severe loss of liver function caused by extensive hepatic injury, often accompanied by coagulopathy and hepatic encephalopathy. It is a medical emergency that may require intensive care and liver transplantation.

**Synonyms:**

## **Factor IX**

A vitamin K-dependent blood-clotting protein in the intrinsic coagulation pathway. Inherited deficiency causes hemophilia B.

**Synonyms:**

## **Fibrillation**

Rapid, irregular, and uncoordinated contraction of muscle fibers. Atrial fibrillation causes an irregular atrial rhythm; ventricular fibrillation is a cardiac arrest rhythm requiring immediate resuscitation.

**Synonyms:**

## **First Aid**

Immediate basic care given to a person who is injured or suddenly ill before definitive medical treatment is available. Priorities include scene safety, emergency activation, airway, breathing, circulation, and control of serious bleeding.

**Synonyms:**

## **Fits (Seizures)**

A common term for episodes caused by abnormal electrical activity in the brain, which may produce altered awareness, abnormal movements, sensory symptoms, or loss of consciousness.

**Synonyms:** Seizures

## **Fluid Balance**

The relationship between fluid intake and output, regulated by the kidneys, hormones, thirst, and other mechanisms. Imbalance may cause dehydration, fluid overload, or electrolyte disturbances.

**Synonyms:**

## **Foramen Ovale**

An opening between the right and left atria of the

fetal heart that allows blood to bypass the lungs. It normally closes functionally after birth; persistence is called a patent foramen ovale.

**Synonyms:**

## **Foreskin (Prepuce)**

A fold of skin covering and protecting the glans penis. It is normally retractable after separation from the glans, although the timing varies.

**Synonyms:** Prepuce

## **Freckles (Ephelides)**

Small, flat, light-brown macules caused by increased melanin production, usually becoming more noticeable with ultraviolet exposure.

**Synonyms:** Ephelides

## **Frenum (Frenulum)**

A fold of mucous membrane or skin that anchors or limits movement of a body part, such as the lingual frenulum beneath the tongue or the labial frenula.

**Synonyms:** Frenulum

## **Full Blood Count (FBC)**

A laboratory test measuring red blood cells, hemoglobin, hematocrit, white blood cells, and platelets, often including red-cell indices and a white-cell differential.

**Synonyms:** FBC

## **Functional Disorder**

A condition in which symptoms or impaired function occur without a sufficient structural abnormality to explain them. Functional disorders are real and may involve altered nervous-system or physiological processing.

**Synonyms:**

## **Fourth Stage of Labor**

The first one to two hours after delivery of the placenta, when the mother is observed for uterine contraction, bleeding, vital-sign changes, and early postpartum complications.

**Synonyms:**

**Synonyms:**

---

## **Group B Streptococcal Infection in Pregnancy**

Maternal colonization or infection with *Streptococcus agalactiae*, which can be transmitted to the newborn during labor and cause serious early-onset infection. Screening and intrapartum management reduce neonatal risk.

**Synonyms:**

## **fab immunoglobulins**

fab immunoglobulins concerns fab immunoglobulins, a biologic or physiologic concept used in research, laboratory medicine, and the explanation of disease.

**Synonyms:**

## **face**

face refers to face, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

## **facelift**

facelift is used in relation to facelift during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

## **facet joint**

facet joint refers to facet joint, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

## **facial asymmetry**

facial asymmetry refers to facial asymmetry, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

## **facial cleft**

facial cleft refers to facial cleft, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

## **facial expression**

facial expression refers to facial expression, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

## **facial muscle**

facial muscle refers to facial muscle, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

## **facial neoplasm**

facial neoplasm denotes a neoplastic condition involving facial neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

## **facial nucleus**

facial nucleus refers to facial nucleus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

## **facial paresis**

facial paresis refers to facial paresis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

## **facial vein**

facial vein refers to facial vein, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

## **facklamia**

facklamia refers to facklamia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

## **facklamia hominis**

facklamia hominis refers to facklamia hominis, a

---

medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **factor xii**

factor xii refers to factor xii, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **factor xiii**

factor xiii refers to factor xiii, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **factorial study**

factorial study refers to factorial study, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **faculty**

faculty refers to faculty, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **faecalibacterium**

faecalibacterium is a microorganism or microbial group associated with faecalibacterium; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **faecalibacterium prausnitzii**

faecalibacterium prausnitzii is a microorganism or microbial group associated with faecalibacterium prausnitzii; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **fair hair**

fair hair refers to fair hair, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **falimarev**

falimarev refers to falimarev, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **famciclovir**

famciclovir concerns famciclovir, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **familial testotoxicosis**

familial testotoxicosis is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat familial testotoxicosis.

**Synonyms:**

### **family**

family refers to family, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **family medicine**

family medicine refers to family medicine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **family planning**

family planning refers to family planning, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**family study**

family study refers to family study, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**family therapy**

family therapy is used in relation to family therapy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

**famophos**

famophos refers to famophos, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**famotidine**

famotidine refers to famotidine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**farad**

farad refers to farad, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**farber lipogranulomatosis**

farber lipogranulomatosis refers to farber lipogranulomatosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**fascia adherens**

fascia adherens refers to fascia adherens, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**fasciola**

fasciola identifies fasciola, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**fasciola hepatica**

fasciola hepatica identifies fasciola hepatica, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**fasciolopsis buski**

fasciolopsis buski refers to fasciolopsis buski, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**fasting**

fasting refers to fasting, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**fat body**

fat body refers to fat body, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**fat measurement**

fat measurement refers to fat measurement, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**fat pad**

fat pad refers to fat pad, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**



---

**fat-soluble vitamin**

fat-soluble vitamin refers to fat-soluble vitamin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**fatty degeneration**

fatty degeneration denotes fatty degeneration, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**favism**

favism refers to favism, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**fazarabine**

fazarabine refers to fazarabine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**Fc Receptor**

Fc Receptor denotes fc receptor, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**fear**

fear refers to fear, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**febrile convulsion**

febrile convulsion refers to febrile convulsion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**febuxostat**

febuxostat refers to febuxostat, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**fec protocol**

fec protocol refers to fec protocol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**feces**

feces refers to feces, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**feeding methods**

feeding methods refers to feeding methods, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**feeding poor**

feeding poor refers to feeding poor, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**felbamate**

felbamate refers to felbamate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**felodipine**

felodipine concerns felodipine, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

---

**female**

female refers to female, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**female breast**

female breast refers to female breast, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**female condom**

female condom refers to female condom, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**female genitalia**

female genitalia refers to female genitalia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**female phenotype**

female phenotype refers to female phenotype, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**feminization**

feminization refers to feminization, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**femtogram**

femtogram refers to femtogram, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**femtoliter**

femtoliter refers to femtoliter, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**femur fracture**

femur fracture denotes a clinical condition or finding involving femur fracture; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**fenamiphos**

fenamiphos refers to fenamiphos, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**fenclonine**

fenclonine refers to fenclonine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**fenfluramine**

fenfluramine refers to fenfluramine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**fenitrothion**

fenitrothion refers to fenitrothion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**fenobucarb**

fenobucarb refers to fenobucarb, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**fenoldopam**

fenoldopam refers to fenoldopam, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**fenoprofen**

fenoprofen concerns fenoprofen, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**fenoterol**

fenoterol concerns fenoterol, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**fenoxycarb**

fenoxycarb refers to fenoxycarb, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**fenretinide**

fenretinide refers to fenretinide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**fentanyl**

fentanyl refers to fentanyl, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**fentanyl citrate**

fentanyl citrate refers to fentanyl citrate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**fenthion**

fenthion refers to fenthion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**fermentation**

fermentation refers to fermentation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ferredoxin**

ferredoxin refers to ferredoxin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ferroptosis**

ferroptosis refers to ferroptosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ferrous sulfate**

ferrous sulfate refers to ferrous sulfate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**fertility agent**

fertility agent refers to fertility agent, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**fertility domain**

fertility domain refers to fertility domain, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**fertilization**

fertilization refers to fertilization, a medical condi-

---

tion or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ferumoxytol**

ferumoxytol refers to ferumoxytol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **fetal bradyarrhythmia**

fetal bradyarrhythmia refers to fetal bradyarrhythmia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **fetal death**

fetal death refers to fetal death, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **fetal disease**

fetal disease denotes a clinical condition or finding involving fetal disease; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **fetal heart**

fetal heart refers to fetal heart, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **fetal hemoglobin**

fetal hemoglobin refers to fetal hemoglobin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **fetal malpresentation**

fetal malpresentation refers to fetal malpresentation,

a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **fetal pyelectasis**

fetal pyelectasis refers to fetal pyelectasis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **fetal stage**

fetal stage refers to fetal stage, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **fetal tissue**

fetal tissue refers to fetal tissue, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **fetal weight**

fetal weight refers to fetal weight, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **fetomaternal transfusion**

fetomaternal transfusion denotes fetomaternal transfusion, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **fibrinogen assay**

fibrinogen assay is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat fibrinogen assay.

**Synonyms:**

### **fibrinogen decreased**

fibrinogen decreased refers to fibrinogen decreased,

---

a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **fibrinolytic agent**

fibrinolytic agent refers to fibrinolytic agent, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **fibrinolytic therapy**

fibrinolytic therapy is used in relation to fibrinolytic therapy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **fibrofolliculoma**

fibrofolliculoma refers to fibrofolliculoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **fibroid tumor**

fibroid tumor denotes a neoplastic condition involving fibroid tumor; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### **fibrolipoma**

fibrolipoma refers to fibrolipoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **fibromatosis**

fibromatosis refers to fibromatosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **fibromyxosarcoma**

fibromyxosarcoma denotes a neoplastic condition involving fibromyxosarcoma; evaluation establishes

tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### **fibronectin**

fibronectin refers to fibronectin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Ficusin**

Ficusin refers to ficusin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **fidaxomicin**

fidaxomicin refers to fidaxomicin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **fiducial markers**

fiducial markers refers to fiducial markers, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **filamentous fungus**

filamentous fungus is a microorganism or microbial group associated with filamentous fungus; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **Filaria bancrofti**

Filaria bancrofti identifies filaria bancrofti, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **filaria demarquayi**

filaria demarquayi identifies filaria demarquayi, a

---

biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **filarial elephantiases**

filarial elephantiases identifies filarial elephantiases, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **filgrastim**

filgrastim refers to filgrastim, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **filler excipient**

filler excipient refers to filler excipient, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **filopodium**

filopodium refers to filopodium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **filoviridae**

filoviridae identifies filoviridae, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **fimbriae proteins**

fimbriae proteins denotes fimbriae proteins, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **finegoldia**

finegoldia identifies finegoldia, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **finegoldia magna**

finegoldia magna identifies finegoldia magna, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **finger**

finger refers to finger, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **finger flexors**

finger flexors refers to finger flexors, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **finger injury**

finger injury denotes a clinical condition or finding involving finger injury; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **finger joint**

finger joint refers to finger joint, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **firefly family**

firefly family refers to firefly family, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**



---

**firesetting behavior**

firesetting behavior refers to firesetting behavior, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**firmicutes**

firmicutes identifies firmicutes, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**fish oil**

fish oil refers to fish oil, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**fish venom**

fish venom refers to fish venom, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**fixative**

fixative refers to fixative, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**fixed macrophage**

fixed macrophage refers to fixed macrophage, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**flagellin**

flagellin refers to flagellin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**flagellum**

flagellum refers to flagellum, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**flare-up**

flare-up refers to flare-up, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**flavin**

flavin refers to flavin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**flaviviridae**

flaviviridae identifies flaviviridae, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**flavivirus**

flavivirus is a virus or viral group associated with flavivirus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

**flavobacteriaceae**

flavobacteriaceae is a microorganism or microbial group associated with flavobacteriaceae; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

**flavobacterium**

flavobacterium is a microorganism or microbial group associated with flavobacterium; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

---

**flavodoxin**

flavodoxin refers to flavodoxin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**flavonifractor**

flavonifractor refers to flavonifractor, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**flavonoid**

flavonoid refers to flavonoid, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**flavonol**

flavonol refers to flavonol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**flavopiridol**

flavopiridol refers to flavopiridol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**flavor enhancer**

flavor enhancer refers to flavor enhancer, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**flavoxate**

flavoxate refers to flavoxate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**flaxseed extract**

flaxseed extract refers to flaxseed extract, a medical

condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**flea**

flea refers to flea, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**fleshy tab**

fleshy tab refers to fleshy tab, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**flocculation**

flocculation refers to flocculation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**flowmeter**

flowmeter refers to flowmeter, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**floxacillin**

floxacillin concerns floxacillin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**floxuridine**

floxuridine refers to floxuridine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**fluconazole**

fluconazole concerns fluconazole, a pharmacologic or chemical agent; clinical use depends on its mech-

---

anism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **flucytosine**

flucytosine refers to flucytosine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **fludarabine**

fludarabine refers to fludarabine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **fludarabine phosphate**

fludarabine phosphate refers to fludarabine phosphate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **fludrocortisone**

fludrocortisone refers to fludrocortisone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **fluid management**

fluid management refers to fluid management, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **fluid therapy**

fluid therapy is used in relation to fluid therapy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **flumazenil**

flumazenil refers to flumazenil, a medical condition

or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **fluocinolone acetonide**

fluocinolone acetonide refers to fluocinolone acetonide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **fluocinonide**

fluocinonide refers to fluocinonide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **fluorescein**

fluorescein refers to fluorescein, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **fluorescence**

fluorescence refers to fluorescence, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **fluorescence microscopy**

fluorescence microscopy refers to fluorescence microscopy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **fluorescence polarization**

fluorescence polarization refers to fluorescence polarization, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### fluorescent dye

fluorescent dye refers to fluorescent dye, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### fluoride poisoning

fluoride poisoning denotes an infectious or toxic condition involving fluoride poisoning; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

### fluorimetry

fluorimetry refers to fluorimetry, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### fluorine

fluorine refers to fluorine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### fluorometholone

fluorometholone refers to fluorometholone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### fluorophotometry

fluorophotometry refers to fluorophotometry, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### fluoropyrimidine

fluoropyrimidine refers to fluoropyrimidine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### fluoroquinolone

fluoroquinolone refers to fluoroquinolone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### fluorouracil

fluorouracil concerns fluorouracil, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### fluoxetine

fluoxetine concerns fluoxetine, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### fluoxymesterone

fluoxymesterone concerns fluoxymesterone, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### fluphenazine

fluphenazine refers to fluphenazine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### fluphenazine hydrochloride

fluphenazine hydrochloride refers to fluphenazine hydrochloride, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### flurandrenolide

flurandrenolide refers to flurandrenolide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**flurazepam**

flurazepam concerns flurazepam, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**flurbiprofen**

flurbiprofen concerns flurbiprofen, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**flutamide**

flutamide refers to flutamide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**fluticasone**

fluticasone refers to fluticasone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**fluvastatin**

fluvastatin concerns fluvastatin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**fluvoxamine**

fluvoxamine refers to fluvoxamine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**fMRI**

fMRI refers to fmri, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**foam cell**

foam cell denotes foam cell, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**focal**

focal refers to focal, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**focal adhesion**

focal adhesion refers to focal adhesion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**foetal acidosis**

foetal acidosis denotes foetal acidosis, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**folate**

folate refers to folate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**folate antagonist**

folate antagonist refers to folate antagonist, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**folic acid**

folic acid denotes folic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

---

**follicular fluid**

follicular fluid refers to follicular fluid, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**follicular hyperkeratosis**

follicular hyperkeratosis refers to follicular hyperkeratosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**follistatin**

follistatin concerns follistatin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**fomites**

fomites refers to fomites, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**fondaparinux**

fondaparinux refers to fondaparinux, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**fondaparinux sodium**

fondaparinux sodium refers to fondaparinux sodium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**fonofos**

fonofos refers to fonofos, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**fonsecaea**

fonsecaea identifies fonsecaea, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**food**

food refers to food, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**food consumption**

food consumption refers to food consumption, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**food safety**

food safety refers to food safety, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**foot**

foot refers to foot, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

**forcible intercourse**

forcible intercourse refers to forcible intercourse, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**forearm**

forearm refers to forearm, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**



---

**forearm circumference**

forearm circumference refers to forearm circumference, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**forehead**

forehead refers to forehead, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**forelimb**

forelimb refers to forelimb, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**forensic medicine**

forensic medicine refers to forensic medicine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**foreskin**

foreskin refers to foreskin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**foretinib**

foretinib concerns foretinib, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**formate**

formate refers to formate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**formetanate**

formetanate refers to formetanate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**formoterol fumarate**

formoterol fumarate refers to formoterol fumarate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**formothion**

formothion refers to formothion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**formparanate**

formparanate refers to formparanate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**fosaprepitant dimeglumine**

fosaprepitant dimeglumine refers to fosaprepitant dimeglumine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**fosbretabulin**

fosbretabulin refers to fosbretabulin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**foscarnet**

foscarnet refers to foscarnet, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**foscarnet sodium**

foscarnet sodium refers to foscarnet sodium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**fosfomycin**

fosfomycin concerns fosfomycin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**fosinopril**

fosinopril concerns fosinopril, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**fotemustine**

fotemustine concerns fotemustine, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**found dead**

found dead refers to found dead, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**fourier analysis**

fourier analysis refers to fourier analysis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**fourth finger**

fourth finger refers to fourth finger, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**fracture fixation**

fracture fixation denotes a clinical condition or finding involving fracture fixation; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**fractured elbow**

fractured elbow denotes a clinical condition or finding involving fractured elbow; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**fractured ilium**

fractured ilium denotes a clinical condition or finding involving fractured ilium; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**framycetin**

framycetin refers to framycetin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**francisella**

francisella identifies francisella, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**francisellaceae**

francisellaceae identifies francisellaceae, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**freeze drying**

freeze drying refers to freeze drying, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**freeze etching**

freeze etching refers to freeze etching, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**freeze substitution**

freeze substitution refers to freeze substitution, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**freezing**

freezing refers to freezing, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**fresh specimen**

fresh specimen refers to fresh specimen, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**fresolimumab**

fresolimumab concerns fresolimumab, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**Freund's adjuvant**

Freund's adjuvant refers to freund's adjuvant, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**Friend virus**

Friend virus is a virus or viral group associated with friend virus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

**frontal bossing**

frontal bossing refers to frontal bossing, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**frustration**

frustration refers to frustration, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**Fryns syndrome**

Fryns syndrome denotes a clinical condition or finding involving fryns syndrome; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**fucose**

fucose refers to fucose, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**fucosyltransferase**

fucosyltransferase refers to fucosyltransferase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**full sibling**

full sibling refers to full sibling, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**fullerene**

fullerene refers to fullerene, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**fulvestrant**

fulvestrant refers to fulvestrant, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**funding**

funding refers to funding, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**fundus oculi**

fundus oculi refers to fundus oculi, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**fundus uteri**

fundus uteri refers to fundus uteri, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**fungal vaccines**

fungal vaccines is a microorganism or microbial group associated with fungal vaccines; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

**fungi**

fungi is a microorganism or microbial group associated with fungi; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

**furan**

furan refers to furan, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**furazolidone**

furazolidone refers to furazolidone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**furocoumarin**

furocoumarin refers to furocoumarin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**furosemide**

furosemide concerns furosemide, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**fursultiamin**

fursultiamin refers to fursultiamin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**fusarium**

fusarium identifies fusarium, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**fusarium chlamydosporum**

fusarium chlamydosporum identifies fusarium chlamydosporum, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**fusarium incarnatum**

fusarium incarnatum identifies fusarium incarnatum, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

---

**fusarium solani**

fusarium solani identifies fusarium solani, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**fused placenta**

fused placenta refers to fused placenta, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**fused teeth**

fused teeth refers to fused teeth, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**fusidic acid**

fusidic acid denotes fusidic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**fusion gene**

fusion gene denotes fusion gene, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**fusion protein**

fusion protein denotes fusion protein, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**fusobacterium**

fusobacterium is a microorganism or microbial group associated with fusobacterium; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

**fusobacterium infection**

fusobacterium infection is a microorganism or microbial group associated with fusobacterium infection; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

**fusobacterium mortiferum**

fusobacterium mortiferum is a microorganism or microbial group associated with fusobacterium mortiferum; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

**fusobacterium naviforme**

fusobacterium naviforme is a microorganism or microbial group associated with fusobacterium naviforme; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

**fusobacterium necrogenes**

fusobacterium necrogenes is a microorganism or microbial group associated with fusobacterium necrogenes; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

**fusobacterium necrophorum**

fusobacterium necrophorum is a microorganism or microbial group associated with fusobacterium necrophorum; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

**fusobacterium nucleatum**

fusobacterium nucleatum is a microorganism or microbial group associated with fusobacterium nucleatum; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

---

### **fusobacterium russii**

*fusobacterium russii* is a microorganism or microbial group associated with *fusobacterium russii*; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **fusobacterium varium**

*fusobacterium varium* is a microorganism or microbial group associated with *fusobacterium varium*; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **Intestinal gas**

Gas in the digestive tract that may cause belching, bloating, abdominal discomfort, or flatulence.

**Synonyms:**

### **Frequent bowel movements**

Passing stool more often than usual; causes include diet, infection, medicines, inflammation, malabsorption, or functional bowel disorders. **Synonyms:**

### **Frequent urination**

The need to urinate more often than usual, which may result from increased fluid intake, urinary infection, diabetes, pregnancy, medicines, or bladder disorders. **Synonyms:**

### **Fatty liver disease (MASLD)**

A condition in which excess fat accumulates in the liver, often associated with metabolic risk factors and potentially progressing to inflammation or scarring. **Synonyms:**

### **Influenza (flu)**

A contagious respiratory infection caused by influenza viruses, commonly producing fever, cough, body aches, fatigue, and respiratory symptoms. **Synonyms:**

### **H1N1 flu (swine flu)**

Influenza caused by the H1N1 virus strain, spread through respiratory droplets and capable of causing

ordinary or severe flu illness. **Synonyms:**

### **Focal segmental glomerulosclerosis (FSGS)**

Kidney disease in which scar tissue affects some portions of some glomeruli, potentially causing protein in urine and progressive kidney failure. **Synonyms:**

### **Food poisoning (foodborne illness)**

Illness caused by eating food or drinking water contaminated with infectious organisms, toxins, or harmful chemicals. **Synonyms:**

### **Growth plate fractures**

Injuries involving the cartilage growth plates at the ends of growing children's bones, with possible effects on future bone growth. **Synonyms:**

### **Stress fractures**

Small cracks in bone caused by repetitive force or overuse, commonly affecting the lower limbs. **Synonyms:**

### **Nail fungus**

A fungal infection of a fingernail or toenail causing thickening, discoloration, brittleness, distortion, or separation from the nail bed. **Synonyms:**

### **Facial hair, excess in women**

Alternate index label; see *Hirsutism*. **Synonyms:**

### **Facial palsy**

Alternate index label; see *Bell's palsy*. **Synonyms:**

### **Fallen arches**

Alternate index label; see *Flatfeet*. **Synonyms:**

### **Fallot, tetralogy of**

Alternate index label; see *Tetralogy of Fallot*. **Synonyms:**

### **FAP**

Alternate index label; see *Familial adenomatous polyposis*. **Synonyms:**



---

**Familial paroxysmal peritonitis**

Alternate index label; see *Familial Mediterranean fever*. **Synonyms:**

**Fever blister**

Alternate index label; see *Cold sore*. **Synonyms:**

**Fever, valley**

Alternate index label; see *Valley fever*. **Synonyms:**

**Fevers, viral hemorrhagic**

Alternate index label; see *Viral hemorrhagic fevers*. **Synonyms:**

**FEC**

Alternate index label; see *Fuchs dystrophy*. **Synonyms:**

**FECD**

Alternate index label; see *Fuchs dystrophy*. **Synonyms:**

**Fibroids, uterine**

Alternate index label; see *Uterine fibroids*. **Synonyms:**

**Fibromyalgia syndrome**

Alternate index label; see *Fibromyalgia*. **Synonyms:**

**Fibrosis, interstitial pulmonary**

Alternate index label; see *Interstitial lung disease*. **Synonyms:**

**Fibrosis, pulmonary**

Alternate index label; see *Pulmonary fibrosis*. **Synonyms:**

**Fistula, arteriovenous**

Alternate index label; see *Arteriovenous fistula*. **Synonyms:**

**Flaviviruses**

Alternate index label; see *Viral hemorrhagic fevers*.

**Synonyms:**

**Floppy valve syndrome**

Alternate index label; see *Mitral valve prolapse*. **Synonyms:**

**Flu, avian**

Alternate index label; see *Bird flu (avian influenza)*. **Synonyms:**

**Flu, bird**

Alternate index label; see *Bird flu (avian influenza)*. **Synonyms:**

**Flu, swine**

Alternate index label; see *H1N1 flu (swine flu)*. **Synonyms:**

**Fluid around the heart**

Alternate index label; see *Pericardial effusion*. **Synonyms:**

**FM**

Alternate index label; see *Fibromyalgia*. **Synonyms:**

**FMS**

Alternate index label; see *Fibromyalgia*. **Synonyms:**

**FND**

Alternate index label; see *Functional neurologic disorder/conversion disorder*. **Synonyms:**

**Folate deficiency anemia**

Alternate index label; see *Vitamin deficiency anemia*. **Synonyms:**

**Food allergy, egg**

Alternate index label; see *Egg allergy*. **Synonyms:**

**Food allergy, milk**

Alternate index label; see *Milk allergy*. **Synonyms:**

---

### Food-borne illness

Alternate index label; see *Food poisoning (foodborne illness)*. **Synonyms:**

### Foot fracture

Alternate index label; see *Broken foot*. **Synonyms:**

### Fracture, arm

Alternate index label; see *Broken arm*. **Synonyms:**

### Fracture, growth plate

Alternate index label; see *Growth plate fractures*. **Synonyms:**

### Fracture, hip

Alternate index label; see *Hip fracture*. **Synonyms:**

### Fracture, leg

Alternate index label; see *Broken leg*. **Synonyms:**

### Fracture, stress

Alternate index label; see *Stress fractures*. **Synonyms:**

### Fractured nose

Alternate index label; see *Broken nose*. **Synonyms:**

### Fractured rib

Alternate index label; see *Broken ribs*. **Synonyms:**

### Frontal lobe epilepsy

Alternate index label; see *Frontal lobe seizures*. **Synonyms:**

### Fuchs endothelial corneal dystrophy

Alternate index label; see *Fuchs dystrophy*. **Synonyms:**

### Fungal infection, nail

Alternate index label; see *Nail fungus*. **Synonyms:**

### Funnel chest

Alternate index label; see *Pectus excavatum*. **Synonyms:**

### Face pain

Face pain is a medical condition involving face pain; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### Face powder poisoning

Face powder poisoning involves exposure or injury from face powder poisoning; dose, route, timing, symptoms, and tissue involvement determine the urgency and treatment approach.

**Synonyms:**

### Facial nerve palsy due to birth trauma

Facial nerve palsy due to birth trauma concerns facial nerve palsy due to birth trauma, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context.

**Synonyms:**

### Facial swelling

Facial swelling is a medical condition involving facial swelling; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### Facial tics

Facial tics concerns facial tics; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### Facial trauma

Facial trauma concerns facial trauma; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### Facioscapulohumeral muscular dystrophy

Facioscapulohumeral muscular dystrophy is a medical condition involving facioscapulohumeral muscular dystrophy; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

---

**Synonyms:**

### **Factitious hyperthyroidism**

Factitious hyperthyroidism examines factitious hyperthyroidism; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Factor II (prothrombin) assay**

Factor II (prothrombin) assay examines factor ii (prothrombin) assay; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Factor IX assay**

Factor IX assay examines factor ix assay; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Factor V assay**

Factor V assay examines factor v assay; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Factor VII assay**

Factor VII assay examines factor vii assay; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Factor VII deficiency**

Factor VII deficiency examines factor vii deficiency; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Factor VIII assay**

Factor VIII assay examines factor viii assay; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Factor X assay**

Factor X assay examines factor x assay; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Factor X deficiency**

Factor X deficiency examines factor x deficiency; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Factor XII (Hageman factor) deficiency**

Factor XII (Hageman factor) deficiency examines factor xii (hageman factor) deficiency; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Factor XII assay**

Factor XII assay examines factor xii assay; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Facts about monounsaturated fats**

Facts about monounsaturated fats examines facts about monounsaturated fats; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Facts about polyunsaturated fats**

Facts about polyunsaturated fats examines facts about polyunsaturated fats; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Facts about saturated fats**

Facts about saturated fats examines facts about saturated fats; interpretation depends on the specimen

---

or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Facts about trans fats**

Facts about trans fats examines facts about trans fats; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Faltering weight**

Faltering weight concerns faltering weight; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Familial dysbetalipoproteinemia**

Familial dysbetalipoproteinemia is a medical condition involving familial dysbetalipoproteinemia; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Familial hypertriglyceridemia**

Familial hypertriglyceridemia is a medical condition involving familial hypertriglyceridemia; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Familial lipoprotein lipase deficiency**

Familial lipoprotein lipase deficiency is a medical condition involving familial lipoprotein lipase deficiency; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Family troubles - resources**

Family troubles - resources addresses care related to family troubles - resources, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Fast food tips**

Fast food tips addresses care related to fast food tips, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Fast heart rate - tachycardia**

Fast heart rate - tachycardia concerns fast heart rate - tachycardia, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context.

**Synonyms:**

### **Febrile (warm) and cold agglutinins**

Febrile (warm) and cold agglutinins concerns febrile (warm) and cold agglutinins; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Febrile seizures**

Febrile seizures are seizures associated with fever in young children without evidence of central nervous system infection or prior unprovoked seizures.

**Synonyms:**

### **Febrile seizures - what to ask your doctor**

Febrile seizures - what to ask your doctor examines febrile seizures - what to ask your doctor; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Fecal culture**

Fecal culture examines fecal culture; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Fecal fat**

Fecal fat concerns fecal fat; its medical significance is established from the defining features, setting, associated findings, and clinical question.

---

**Synonyms:**

### **Fecal immunochemical test (FIT)**

Fecal immunochemical test (FIT) examines fecal immunochemical test (fit); interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Fecal microbiota transplant**

Fecal microbiota transplantation transfers processed stool from a screened donor to restore intestinal microbial communities, particularly for recurrent *Clostridioides difficile* infection.

**Synonyms:**

### **Fecal smear**

Fecal smear concerns fecal smear, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context.

**Synonyms:**

### **Feeding patterns and diet - babies and infants**

Feeding patterns and diet - babies and infants addresses care related to feeding patterns and diet - babies and infants, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Feeding patterns and diet - children 6 months to 2 years**

Feeding patterns and diet - children 6 months to 2 years addresses care related to feeding patterns and diet - children 6 months to 2 years, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Feeding tube - infants**

Feeding tube - infants addresses care related to feeding tube - infants, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Feeding tube insertion - gastrostomy**

Feeding tube insertion - gastrostomy is a treatment or care intervention for feeding tube insertion - gastrostomy; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Female condoms**

Female condoms concerns female condoms; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Female pattern baldness**

Female pattern baldness concerns female pattern baldness; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Femoral hernia repair**

Femoral hernia repair is a treatment or care intervention for femoral hernia repair; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Femoral nerve dysfunction**

Femoral nerve dysfunction examines femoral nerve dysfunction; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Femur fracture repair - discharge**

Femur fracture repair - discharge examines femur fracture repair - discharge; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

---

### **Fenoprofen calcium overdose**

Fenoprofen calcium overdose involves exposure or injury from fenoprofen calcium overdose; dose, route, timing, symptoms, and tissue involvement determine the urgency and treatment approach.

**Synonyms:**

### **Ferritin blood test**

Ferritin blood test examines ferritin blood test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Fetal development**

Fetal development examines fetal development; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Fetal scalp pH testing**

Fetal scalp pH testing involves exposure or injury from fetal scalp pH testing; dose, route, timing, symptoms, and tissue involvement determine the urgency and treatment approach.

**Synonyms:**

### **Fetal-maternal erythrocyte distribution blood test**

Fetal-maternal erythrocyte distribution blood test examines fetal-maternal erythrocyte distribution blood test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Fibrates**

Fibrates concerns fibrates; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Fibrin degradation products blood test**

Fibrin degradation products blood test examines fibrin degradation products blood test; interpreta-

tion depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Fibrinogen blood test**

Fibrinogen blood test examines fibrinogen blood test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Fibrinolysis - primary or secondary**

Fibrinolysis - primary or secondary concerns fibrinolysis - primary or secondary; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Fibrinopeptide A blood test**

Fibrinopeptide A blood test examines fibrinopeptide a blood test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Fibroadenoma of the breast**

Fibroadenoma of the breast concerns fibroadenoma of the breast; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Fine motor control**

Fine motor control concerns fine motor control; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Fine needle aspiration of the thyroid**

Fine needle aspiration of the thyroid concerns fine needle aspiration of the thyroid; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**



---

### **Finger pain**

Finger pain is a medical condition involving finger pain; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Fingers that change color**

Fingers that change color concerns fingers that change color, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context.

**Synonyms:**

### **Fire ants**

Fire ants concerns fire ants; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Fire safety at home**

Fire safety at home addresses care related to fire safety at home, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **First aid kit**

First aid kit concerns first aid kit; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Fish tapeworm infection**

Fish tapeworm infection examines fish tapeworm infection; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Fishhook removal**

Fishhook removal is a treatment or care intervention for fishhook removal; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Flat bones**

Flat bones concerns flat bones, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context.

**Synonyms:**

### **Fleas**

Fleas concerns fleas; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Fluorescein eye stain**

Fluorescein eye stain examines fluorescein eye stain; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Fluoride in diet**

Fluoride in diet addresses care related to fluoride in diet, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Fluoride overdose**

Fluoride overdose involves exposure or injury from fluoride overdose; dose, route, timing, symptoms, and tissue involvement determine the urgency and treatment approach.

**Synonyms:**

### **Flushable reagent stool blood test**

Flushable reagent stool blood test examines flushable reagent stool blood test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Focal neurologic deficits**

Focal neurologic deficits concerns focal neurologic deficits; its medical significance is established from the defining features, setting, associated findings,

---

and clinical question.

**Synonyms:**

### **Folic acid - test**

Folic acid - test examines folic acid - test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Folic acid and birth defect prevention**

Folic acid and birth defect prevention examines folic acid and birth defect prevention; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Folic acid in diet**

Folic acid in diet addresses care related to folic acid in diet, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Follicle-stimulating hormone (FSH) blood test**

Follicle-stimulating hormone (FSH) blood test examines follicle-stimulating hormone (fsh) blood test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Fontanelles - bulging**

Fontanelles - bulging concerns fontanelles - bulging; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Fontanelles - enlarged**

Fontanelles - enlarged concerns fontanelles - enlarged; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Fontanelles - sunken**

Fontanelles - sunken concerns fontanelles - sunken; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Food additives**

Food additives concerns food additives; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Food jags**

Food jags concerns food jags; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Food labeling**

Food labeling concerns food labeling; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Food poisoning prevention**

Food poisoning prevention involves exposure or injury from food poisoning prevention; dose, route, timing, symptoms, and tissue involvement determine the urgency and treatment approach.

**Synonyms:**

### **Foods - fresh vs. frozen or canned**

Foods - fresh vs. frozen or canned concerns foods - fresh vs. frozen or canned; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Foot amputation - discharge**

Foot amputation - discharge is a treatment or care intervention for foot amputation - discharge; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

---

### **Foot sprain - aftercare**

Foot sprain - aftercare addresses care related to foot sprain - aftercare, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Foot, leg, and ankle swelling**

Foot, leg, and ankle swelling is a medical condition involving foot, leg, and ankle swelling; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Foraminotomy**

Foraminotomy is a treatment or care intervention for foraminotomy; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Foreign body in the nose**

Foreign body in the nose concerns foreign body in the nose; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Foreign object - inhaled**

Foreign object - inhaled involves exposure or injury from foreign object - inhaled; dose, route, timing, symptoms, and tissue involvement determine the urgency and treatment approach.

**Synonyms:**

### **Foreign object - swallowed**

Foreign object - swallowed involves exposure or injury from foreign object - swallowed; dose, route, timing, symptoms, and tissue involvement determine the urgency and treatment approach.

**Synonyms:**

### **Foxglove poisoning**

Foxglove poisoning involves exposure or injury from foxglove poisoning; dose, route, timing, symptoms,

and tissue involvement determine the urgency and treatment approach.

**Synonyms:**

### **Fractured clavicle in the newborn**

Fractured clavicle in the newborn examines fractured clavicle in the newborn; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Free T4 test**

Free T4 test examines free t4 test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Frequent or urgent urination**

Frequent or urgent urination concerns frequent or urgent urination; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Frozen shoulder - aftercare**

Frozen shoulder - aftercare addresses care related to frozen shoulder - aftercare, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **FTA-ABS blood test**

FTA-ABS blood test examines fta-abs blood test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Fuel oil poisoning**

Fuel oil poisoning involves exposure or injury from fuel oil poisoning; dose, route, timing, symptoms, and tissue involvement determine the urgency and treatment approach.

**Synonyms:**

---

### **Full liquid diet**

Full liquid diet addresses care related to full liquid diet, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Funnel-web spider bite**

Funnel-web spider bite involves exposure or injury from funnel-web spider bite; dose, route, timing, symptoms, and tissue involvement determine the urgency and treatment approach.

**Synonyms:**

### **Furniture polish poisoning**

Furniture polish poisoning involves exposure or injury from furniture polish poisoning; dose, route, timing, symptoms, and tissue involvement determine the urgency and treatment approach.

**Synonyms:**

### **Fusion of the ear bones**

Fusion of the ear bones is a treatment or care intervention for fusion of the ear bones; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Fussy or irritable child**

Fussy or irritable child concerns fussy or irritable child; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**



## G

### G-Protein Coupled Receptors

The largest family of cell surface receptors with seven transmembrane alpha-helical domains. Upon ligand binding, the receptor undergoes a conformational change that activates an associated heterotrimeric G-protein (G $\alpha$ , G $\beta$ , G $\gamma$ ). The G $\alpha$  subunit exchanges GDP for GTP and dissociates from the G $\beta$ -gamma complex.

**Synonyms:**

### Gain

The amount by which a hearing aid increases sound intensity, measured in decibels.

**Synonyms:**

### Gait Cycle

The sequence of leg and foot movements from one heel strike to the next heel strike of the same foot.

**Synonyms:**

### Gamma-Aminobutyric Acid

The principal inhibitory neurotransmitter in the brain.

**Synonyms:** GABA

### Gastric

Relating to the stomach.

**Synonyms:**

### Gastrointestinal

Relating to the digestive system.

**Synonyms:** GI

### Generic Drug

A medicine equivalent to a brand-name medicine

in active ingredient, strength, dosage form, and intended use, usually sold under a nonproprietary name.

**Synonyms:** Generic medicine

### Genetic

Relating to genes, heredity, or inherited characteristics.

**Synonyms:**

### Genistein

A soy-derived isoflavone with estrogen-like and antioxidant activity.

**Synonyms:**

### GERD

Gastroesophageal reflux disease, in which stomach contents repeatedly flow back into the esophagus.

**Synonyms:** Gastroesophageal reflux disease

### Geriatric Care Manager

A professional who helps coordinate health and support services for an older adult.

**Synonyms:** Aging-life care manager

### GFR

Glomerular filtration rate, an estimate of how efficiently the kidneys filter blood.

**Synonyms:** Glomerular filtration rate

### Gingiva

The oral tissue surrounding and protecting the roots of the teeth.

**Synonyms:** Gums; gum tissue



---

### **Gleason Score**

A grading system that estimates the aggressiveness of prostate cancer from its microscopic appearance.

**Synonyms:** Gleason grade group

### **Glenoid**

The shallow socket of the scapula that forms the shoulder joint with the humeral head.

**Synonyms:** Glenoid cavity

### **Glomeruli**

Microscopic capillary networks in the kidneys where blood filtration begins.

**Synonyms:** Renal glomeruli

### **Glutamic Acid Decarboxylase**

An enzyme that converts glutamate to GABA; antibodies to it can occur in type 1 diabetes.

**Synonyms:** GAD

### **Glycosylated Hemoglobin**

Hemoglobin with glucose attached, reflecting average blood glucose over roughly two to three months.

**Synonyms:** Hemoglobin A1c; HbA1c

### **GnRH**

Gonadotropin-releasing hormone, which stimulates pituitary release of LH and FSH.

**Synonyms:** Gonadotropin-releasing hormone

### **GnRH Antagonists**

Medicines that block GnRH signaling and reduce pituitary release of reproductive hormones.

**Synonyms:**

### **Goblet Cells**

Specialized epithelial cells that secrete mucus, especially in the intestine and airways.

**Synonyms:**

### **Gonadotropin-Releasing Hormone**

A hypothalamic hormone that controls pituitary secretion of FSH and LH.

**Synonyms:** GnRH

### **Gram**

A metric unit of mass equal to one-thousandth of a kilogram.

**Synonyms:** g

### **Greenstick Fracture**

An incomplete fracture in which a young bone bends and cracks rather than breaking all the way through.

**Synonyms:**

### **G Spot**

A proposed area of sexually sensitive tissue on the front wall of the vagina.

**Synonyms:** Grafenberg spot

### **Guardianship**

A legal arrangement in which an appointed person makes decisions for someone unable to make them independently.

**Synonyms:** Legal guardianship

### **Gullet**

The esophagus, the tube carrying food from the throat to the stomach.

**Synonyms:** Esophagus

### **Gum Disease**

Inflammation or infection affecting the gums and supporting tissues of the teeth.

**Synonyms:** Periodontal disease

### **Gums**

The soft oral tissue surrounding and supporting the teeth.

**Synonyms:** Gingiva

### **G6PD Deficiency**

Glucose-6-phosphate dehydrogenase (G6PD) deficiency is an X-linked enzymopathy affecting the pentose phosphate pathway, leading to impaired NADPH production and reduced glutathione regeneration, rendering erythrocytes susceptible to oxidative hemolysis. Common variants: African A- (mild), Mediterranean (severe), Mahidol (SE Asia).

---

**Synonyms:**

### **GABA (Gamma-Aminobutyric Acid)**

The primary inhibitory neurotransmitter in the mammalian central nervous system, synthesised from glutamate via glutamic acid decarboxylase (GAD) with pyridoxal phosphate (vitamin B6) as cofactor.

**Synonyms:** Gamma-Aminobutyric Acid

### **Gadolinium-Based Contrast Agent**

A paramagnetic contrast agent used in MRI to alter tissue signal and improve lesion conspicuity or vascular assessment. Agent selection and dosing consider kidney function, pregnancy, prior reactions, and the rare risk of nephrogenic systemic fibrosis.

**Synonyms:**

### **Gadolinium-Induced Nephrogenic Systemic Fibrosis**

Rare but serious condition in patients with severe renal impairment receiving gadolinium-based MRI contrast. Causes skin thickening, organ fibrosis. Risk reduced with macrocyclic agents.

**Synonyms:**

### **Gagging**

A protective retching response triggered by stimulation of the pharynx, posterior tongue, or nearby structures. It may occur during swallowing, examination, aspiration, reflux, infection, or emotional distress; persistent gagging with dysphagia, vomiting, respiratory symptoms, or weight loss requires assessment.

**Synonyms:**

### **Gait**

The pattern or style of walking. Gait is a complex motor function involving coordination of the central and peripheral nervous systems, muscles, and joints. Gait assessment evaluates stance, stride length, cadence, arm swing, truncal stability, and turning.

**Synonyms:**

### **Gait Abnormality**

A deviation from normal walking caused by musculoskeletal, neurological, vestibular, visual, cardiovascular, or systemic disease. Assessment considers speed, base, symmetry, balance, stride, turning, assistive-device use, and associated weakness, sensory loss, pain, or cognitive impairment.

**Synonyms:**

### **Gait Assessment**

A crucial component of the neurological examination that provides significant diagnostic information about the underlying neurological condition. Normal gait requires intact motor, sensory, cerebellar, and vestibular systems, as well as intact cognition.

**Synonyms:**

### **Gait Disturbance**

An abnormality of walking that may involve speed, balance, coordination, strength, or the pattern of movement. Causes include neurologic, musculoskeletal, vestibular, and systemic disorders.

**Synonyms:**

### **Gait Speed**

Walking velocity measured over a standardized distance. It is a simple marker of mobility, frailty, disability, and mortality risk and can track functional change over time.

**Synonyms:**

### **Gait Training**

Teaching or retraining walking pattern. Techniques: parallel bars, walker, cane, stair training. Addresses abnormalities: limping, antalgic gait, hemiplegic gait, parkinsonian gait. Goals: safety, efficiency, independence.

**Synonyms:**

### **Galactoceles**

A milk-filled retention cyst of the breast, occurring during lactation or after weaning. Results from obstruction of a milk duct. Presents as a painless, fluctuant breast mass. Diagnosis by ultrasound showing a well-defined, hypoechoic or anechoic mass. Treat-

---

ment includes aspiration. May become infected, requiring antibiotics.

**Synonyms:**

### Galactagogue

A substance that promotes breast milk production.

**Synonyms:**

### Galactorrhea

Milk-like nipple discharge unrelated to breastfeeding or the period after childbirth. It may result from increased prolactin, medicines, pregnancy, endocrine disease, breast stimulation, or other conditions and requires assessment when persistent or unexplained.

**Synonyms:**

### Galactorrhoea

The spontaneous flow of milk from the breast not associated with childbirth or breastfeeding. Galactorrhoea can be unilateral or bilateral and is caused by hyperprolactinaemia (elevated prolactin).

**Synonyms:**

### Galactosaemia

A rare autosomal recessive disorder of galactose metabolism caused by deficiency of one of three enzymes: galactose-1-phosphate uridylyltransferase (GALT, classic galactosaemia, type I), galactokinase (GALK, type II), or UDP-galactose epimerase (GALE, type III).

**Synonyms:**

### Galactose Metabolism

Conversion of galactose to glucose-1-phosphate through the Leloir pathway involving galactokinase, galactose-1-phosphate uridylyltransferase, and UDP-galactose 4-epimerase. Defects cause galactosemia, which can produce liver disease, cataracts, and developmental toxicity.

**Synonyms:**

### Galactosemia

Galactosemia is an inherited inability to metabolize galactose, causing neonatal feeding problems, jaundice, liver injury, infection risk, and developmental

complications without dietary treatment. galactose-1-phosphate uridylyltransferase deficiency. Untreated classic disease can cause jaundice, liver dysfunction, vomiting, cataracts, sepsis, and neurodevelopmental impairment after milk feeding.

**Synonyms:**

### Galant Reflex

A primitive reflex present from birth to 4 months, elicited by stroking the skin along the side of the infant's back. The infant curves toward the stimulated side. Assessed by running a finger from the lateral back toward the hip while the infant is in ventral suspension. Absence may indicate neurologic abnormality.

**Synonyms:**

### Gall-Bladder

A pear-shaped sac located beneath the liver on the visceral surface, in the gallbladder fossa between the right and quadrate lobes of the liver. Capacity: approximately 30-50 mL.

**Synonyms:**

### Gall-Bladder, Diseases of

Conditions affecting the gallbladder, including gallstones, inflammation, infection, polyps, and cancer. Symptoms and treatment depend on the specific disorder.

**Synonyms:**

### Gallavardin Phenomenon

The dissociation of the murmur of aortic stenosis into two components: a musical quality heard at the apex and a harsh, rough quality heard at the right upper sternal border. This occurs because high-frequency components are transmitted to the apex while low-frequency components are heard at the base.

**Synonyms:**

### Gallbladder

A small, pear-shaped sac under the liver that stores and concentrates bile before releasing it into the small intestine to aid fat digestion.

---

**Synonyms:**

### **Gallbladder Cancer**

A malignant tumor arising in the gallbladder, often associated with chronic inflammation or gallstones. It may be discovered incidentally or present with abdominal pain, jaundice, or other biliary symptoms.

**Synonyms:**

### **Gallbladder volvulus**

Axial torsion of the gallbladder around its mesentery and cystic duct, most commonly affecting elderly women, leading to acute gallbladder ischemia. Presents with sudden onset severe right upper quadrant pain, nausea, vomiting, and signs of peritoneal irritation.

**Synonyms:**

### **Gallium Scan**

Nuclear medicine imaging using Ga-67. Detects inflammation, infection, tumors. Largely replaced by FDG-PET.

**Synonyms:**

### **Gallium-68**

PET radionuclide, half-life 68 minutes. Produced from Ge-68/Ga-68 generator. Used in DOTATATE, PSMA, and other theranostic applications.

**Synonyms:**

### **Gallstone Ileus**

Large gallstone eroding through the gallbladder wall into the duodenum causing mechanical small bowel obstruction. Diagnosed by CT showing Rigler triad of small bowel obstruction, pneumobilia, and ectopic gallstone. The most common site of obstruction is the ileum where the bowel caliber narrows.

**Synonyms:**

### **Gallstones**

Gallstones are solid deposits in the gallbladder that may be asymptomatic or obstruct bile flow, causing biliary colic, cholecystitis, pancreatitis, or jaundice. obstruct the biliary tract, producing biliary pain, inflammation, jaundice, or pancreatitis.

**Synonyms:**

### **Gallstones (Cholelithiasis)**

Solid deposits that form in the gallbladder, usually from cholesterol or bile pigments. They may cause no symptoms or obstruct the biliary tract, producing biliary pain, inflammation, jaundice, or pancreatitis.

**Synonyms:** Cholelithiasis

### **Galvanism**

The application of a direct electric current for therapeutic or diagnostic purposes. Named after Luigi Galvani (1737-1798). Historical uses: galvanic stimulation of muscles, iontophoresis (introduction of ionised drugs through skin), electroconvulsive therapy (modified).

**Synonyms:**

### **Gambling Addiction**

A behavioral addiction characterized by persistent, difficult-to-control gambling despite harmful financial, social, occupational, or health consequences. It may involve preoccupation, increasing bets, unsuccessful attempts to stop, and gambling to escape distress. Assessment and structured behavioral and addiction treatment can help.

**Synonyms:**

### **Gamma Camera**

Imaging device using NaI(Tl) scintillation crystal, photomultiplier tubes, collimator. Detects gamma rays from radiopharmaceuticals. Anger camera principle.

**Synonyms:**

### **Gamma-Globulin**

A fraction of plasma proteins containing antibodies (immunoglobulins). Historically the term referred to a group of serum proteins with the slowest electrophoretic mobility (gamma region on serum protein electrophoresis). Currently synonymous with immunoglobulin preparations used for passive immunisation and immunotherapy.

**Synonyms:**

---

## Ganglion

A collection of neuronal cell bodies located outside the central nervous system (CNS).

**Synonyms:**

## Ganglioneuroblastoma

Ganglioneuroblastoma concerns ganglioneuroblastoma; its medical significance is established from the defining features, setting, associated findings, and clinical question. ganglion-cell elements. It most often arises in the adrenal or paraspinal region and may present with an abdominal mass, pain, hypertension, or systemic symptoms.

**Synonyms:**

## Ganglionic Blocker

A class of drugs that block nicotinic acetylcholine receptors at autonomic ganglia (both sympathetic and parasympathetic), inhibiting neurotransmission in both divisions of the autonomic nervous system.

**Synonyms:**

## Gangrene

Gangrene is tissue death caused by loss of blood supply, infection, or both; it can progress to systemic toxicity and requires urgent assessment of circulation and infection. bowel, and represents a form of coagulative necrosis. Dry gangrene occurs in tissues with gradual arterial occlusion, where the dead tissue becomes dry, shrunken, and dark brown or black.

**Synonyms:**

## Gargalesthesia

The sensation of tickling. A complex sensory experience mediated by light tactile stimulation of sensitive skin areas (axillae, soles, flanks, ribcage). Involves both spinal reflexes (goosebumps, withdrawal) and emotional processing in the anterior cingulate cortex and somatosensory cortex.

**Synonyms:**

## Gargle

The act of rinsing the mouth and throat with a liquid, holding it at the back of the throat while

exhaling to create a bubbling action. Used for relief of sore throat or as a delivery method for antiseptics, anaesthetics, and anti-inflammatory agents.

**Synonyms:**

## Gartner duct cyst

A benign cyst arising from remnants of the mesonephric (Wolffian) duct along the lateral wall of the vagina or uterus. They are typically asymptomatic and discovered incidentally on pelvic examination or imaging. Most require no treatment unless symptomatic, in which case surgical excision is performed.

**Synonyms:**

## Gas Gangrene

A life-threatening infection in which bacteria produce toxins and gas within damaged tissue, causing rapid muscle destruction. It is commonly associated with *Clostridium* species and requires urgent surgical assessment, source control, and antimicrobial treatment.

**Synonyms:**

## Gaskin Maneuver (All-Fours Position)

A maneuver for shoulder dystocia resolution: the mother is rolled onto her hands and knees (all-fours position). Gravity and the change in pelvic dimensions (increased anteroposterior diameter of the pelvic outlet) may dislodge the impacted shoulder. The posterior arm may also be delivered more easily.

**Synonyms:** All-Fours Position

## Gastralgia

Pain in the stomach or epigastric region.

**Synonyms:**

## Gastrectomy

Gastrectomy concerns gastrectomy; its medical significance is established from the defining features, setting, associated findings, and clinical question. the stomach. Indications: gastric cancer (most common), severe peptic ulcer disease (rarely needed now due to PPIs and *H. pylori* treatment), gastric lymphoma, gastrointestinal stromal tumor (GIST),

---

perforation, bleeding.

**Synonyms:**

### **Gastric Acid**

Hydrochloric acid secreted by gastric parietal cells, producing an intragastric pH of 1-3. Secretion is stimulated by histamine (H2 receptors), gastrin (CCK-B/gastrin receptors), and acetylcholine (M3 muscarinic receptors), and inhibited by somatostatin, prostaglandins, and luminal acid (negative feedback).

**Synonyms:**

### **Gastric Bezoar**

Accumulation of indigestible material in the stomach. Phytobezoars consist of vegetable fiber, trichobezoars of hair, and pharmacobezoars of medications. Associated with gastroparesis, prior surgery, and impaired gastric motility. Diagnosed by endoscopy.

**Synonyms:**

### **Gastric Bypass**

Roux-en-Y gastric bypass creating a small proximal pouch drained by a Roux limb, combining restrictive and mildly malabsorptive mechanisms. Indicated for BMI over 40, or over 35 with obesity-related comorbidity. Mean excess weight loss approaches 60-70 percent.

**Synonyms:**

### **Gastric cancer**

A malignant tumor arising from the stomach lining or other stomach tissue.

**Synonyms:**

### **Gastric Carcinoid Tumor**

Neuroendocrine tumor arising from enterochromaffin-like cells in the gastric fundus. Type I gastric carcinoids are associated with autoimmune atrophic gastritis and hypergastrinemia, are typically small and multifocal, and carry a good prognosis.

**Synonyms:**

### **Gastric Emptying**

The movement of stomach contents into the duodenum through coordinated muscular contractions and pyloric regulation. Delayed emptying is called gastroparesis.

**Synonyms:**

### **Gastric Emptying Study**

Nuclear medicine diagnostic test measuring the rate of gastric emptying. The protocol involves ingestion of a radiolabeled meal followed by serial gamma camera images obtained at one, two, and four hours. Gastric emptying is considered delayed if more than ten percent of the meal remains at four hours.

**Synonyms:**

### **Gastric Lymphoma**

Malignant proliferation of lymphoid tissue in the stomach most commonly mucosa-associated lymphoid tissue lymphoma. Strongly associated with H. pylori infection. Early disease may regress completely with H. pylori eradication therapy alone.

**Synonyms:**

### **Gastric Malignancy**

A cancerous tumor arising in the stomach.

**Synonyms:**

### **Gastric Outlet Obstruction**

Blockage of gastric outflow at the pylorus or duodenum. Causes include peptic ulcer scarring, gastric cancer, and pyloric stenosis in infants. Presents with projectile vomiting, dehydration, and metabolic alkalosis. Diagnosis is by upper endoscopy and CT scan.

**Synonyms:**

### **Gastric pneumatosis**

Presence of gas within the gastric wall, also called gastric emphysema, which may be benign (gastric emphysema) or life-threatening (emphysematous gastritis). Benign forms result from barotrauma, chronic obstructive pulmonary disease, or mechanical causes.

**Synonyms:** gastric emphysema, which may be.



---

## Gastric Polyps

Protruding lesions of the gastric mucosa classified by histological type. Fundic gland polyps are the most common type associated with long-term proton pump inhibitor use and familial adenomatous polyposis. Hyperplastic polyps are associated with chronic gastritis and *H. pylori* infection and carry a small risk of dysplasia.

**Synonyms:**

## Gastric Surgery

Gastric cancer: D2 lymphadenectomy standard (stations 1-12a, 12b). Gastrectomy types: total, distal subtotal (Billroth I gastroduodenostomy, Billroth II gastroduodenostomy, Roux-en-Y), proximal, pylorus-preserving. Reconstruction: Roux-en-Y preferred (prevents bile reflux).

**Synonyms:**

## Gastric Ulcer

Peptic ulcer in the gastric mucosa associated with *H. pylori*, NSAIDs, and smoking. Pain is typically worsened by food. There is a higher risk of malignancy than duodenal ulcers. Diagnosis is by upper endoscopy with biopsy to exclude malignancy. Treatment involves proton pump inhibitors and *H. pylori* eradication.

**Synonyms:**

## Gastric Volvulus

Rotation of the stomach along its axis causing obstruction. It may present with Borchardt triad of epigastric pain, retching, and inability to pass a nasogastric tube. It is a surgical emergency requiring decompression and gastropexy. Organoaxial volvulus is the most common type where the stomach rotates along its longitudinal axis.

**Synonyms:**

## Gastrin

A peptide hormone produced by G cells in the gastric antrum and duodenum. Secreted in response to: (1) gastric distension, (2) amino acids and peptides (especially from protein-rich meals), (3) vagal stimulation (via gastrin-releasing peptide, GRP), (4) hypercalcaemia.

**Synonyms:**

## Gastrin Secretion

Gastrin is a peptide hormone produced by G-cells in the gastric antrum and duodenum, stimulating hydrochloric acid secretion by parietal cells, pepsinogen secretion by chief cells, and growth of the gastric mucosa.

**Synonyms:**

## Gastrinoma

Gastrin-secreting neuroendocrine tumor causing Zollinger-Ellison syndrome characterized by gastric acid hypersecretion leading to severe peptic ulcer disease, diarrhea, and esophagitis. Approximately sixty percent are malignant with liver metastases. Multiple endocrine neoplasia type 1 association in approximately twenty percent.

**Synonyms:**

## Gastritis

Gastritis is inflammation or injury of the stomach lining caused by infection, medications, alcohol, autoimmune disease, stress-related illness, or other factors.

**Synonyms:**

## Gastrocnemius

The large superficial muscle of the posterior calf, forming the bulk of the calf contour. Origin: medial and lateral femoral condyles. Insertion: calcaneus via the Achilles tendon. Nerve: tibial nerve (S1-S2). Action: plantar flexion of the ankle (standing, walking, running, jumping); also flexes the knee.

**Synonyms:**

## Gastrocnemius Muscle

Most superficial posterior leg muscle forming the calf prominence, with medial/lateral femoral condyle heads merging with soleus to form the Achilles tendon on the calcaneus. Innervated by tibial nerve (S1-S2). Plantarflexes ankle and flexes knee (two-joint muscle). Active in walking/running/jumping.

**Synonyms:**

---

### **Gastroduodenal Crohn Disease**

Involvement of the stomach and duodenum by Crohn disease occurring in approximately five percent of patients with Crohn. Gastric Crohn typically involves the antrum and pylorus and can cause gastric outlet obstruction from edema, fibrosis, or stricture. Duodenal Crohn presents with epigastric pain, nausea, vomiting, and weight loss.

**Synonyms:**

### **Gastroenteritis**

Inflammation of the stomach and intestinal mucosa, most commonly caused by viral infections (norovirus, rotavirus, adenovirus), bacterial pathogens (*E. coli*, *Salmonella*, *Campylobacter*), or parasites. Presents with diarrhea, vomiting, abdominal cramps, and dehydration. Self-limited in most cases.

**Synonyms:**

### **Gastroenterology**

The medical specialty focused on the diagnosis and management of diseases of the gastrointestinal tract (esophagus, stomach, small intestine, colon, rectum, pancreas, gallbladder, bile ducts, liver). Subspecialties: hepatology (liver), pancreatology, inflammatory bowel disease, gastrointestinal oncology, neurogastroenterology.

**Synonyms:**

### **Gastroesophageal Junction Adenocarcinoma**

A gland-forming cancer arising where the esophagus meets the stomach. Symptoms may include difficulty swallowing, reflux, weight loss, anemia, or bleeding. Diagnosis requires endoscopy and biopsy; treatment depends on stage and may include surgery, chemotherapy, radiation, immunotherapy, or targeted therapy.

**Synonyms:**

### **Gastroesophageal Reflux**

Backward flow of gastric contents into the esophagus, caused by transient or persistent relaxation of the lower esophageal sphincter or other mechanical factors.

**Synonyms:**

### **Gastroesophageal Reflux Disease**

A condition in which repeated reflux of stomach contents causes troublesome symptoms or complications. See Acid Reflux.

**Synonyms:**

### **Gastrogastic intussusception**

Rare form of intussusception where one segment of the stomach telescopes into an adjacent gastric segment, typically associated with a lead point such as a gastric polyp, leiomyoma, or carcinoma. Presents with abdominal pain, nausea, vomiting, and occasionally upper gastrointestinal bleeding.

**Synonyms:**

### **Gastrograffin Study**

X-ray imaging using water-soluble contrast. Used when barium contraindicated (perforation risk). Less detailed than barium.

**Synonyms:**

### **Gastrointestinal amyloidosis**

Deposition of misfolded amyloid fibrils in the gastrointestinal tract, either as part of systemic amyloidosis (AL, AA, or ATTR types) or rarely as primary localized disease.

**Synonyms:**

### **Gastrointestinal Bleeding**

Hemorrhage from any part of the gastrointestinal tract classified as upper or lower based on location relative to the ligament of Treitz. Upper gastrointestinal bleeding originating proximal to this landmark typically presents with hematemesis or melena.

**Synonyms:**

### **Gastrointestinal Bleeding Scan**

Detection of GI bleeding using Tc-99m labeled RBCs. Sensitive for active bleeding ( $>0.1$  mL/min). Localizes bleeding site. Alternative: tagged RBC scan, CT angiography.

**Synonyms:**

---

### **Gastrointestinal Decontamination**

Methods: activated charcoal, gastric lavage (rare), whole bowel irrigation (sorbitol, PEG). Timing critical for charcoal (1-2 hours post-ingestion).

**Synonyms:**

### **Gastrointestinal Obstruction**

Partial or complete blockage of the passage of intestinal contents through the gastrointestinal tract. It may be mechanical or functional and can cause colicky pain, vomiting, distention, constipation, obstruction, dehydration, bowel ischaemia, perforation, or sepsis.

**Synonyms:**

### **Gastrointestinal Pain**

Pain arising from the digestive tract or related organs. Causes include indigestion, infection, ulcer disease, inflammation, obstruction, gallstones, and disorders of the liver or pancreas. Severe, persistent, or worsening pain requires medical assessment.

**Synonyms:**

### **Gastrointestinal Perforation**

A full-thickness defect in the gastrointestinal wall allowing luminal contents to enter the peritoneal or adjacent space. It can cause peritonitis, sepsis, and shock and usually requires urgent imaging, antimicrobial therapy, resuscitation, and source control.

**Synonyms:**

### **Gastrointestinal Stromal Tumor**

A mesenchymal tumor arising from specialized cells in the gastrointestinal wall, most often in the stomach or small intestine. Many tumors contain activating changes in KIT or PDGFRA; their malignant potential varies.

**Synonyms:**

### **Gastrointestinal Villi**

Finger-like projections of the small-intestinal mucosa that greatly increase absorptive surface area. Each villus contains blood capillaries and a central lacteal for transport of absorbed nutrients and lipids.

**Synonyms:**

### **Gastroparesis**

Gastroparesis is delayed stomach emptying without mechanical obstruction, causing early satiety, nausea, vomiting, bloating, and poor glucose or nutritional control. mellitus, post-surgical changes, or idiopathic causes. Presents with nausea, vomiting of undigested food, early satiety, bloating, and abdominal pain. Diagnosed by gastric emptying scintigraphy showing more than ten percent retention at four hours.

**Synonyms:**

### **Gastroschisis**

Gastroschisis concerns gastroschisis, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context. which bowel herniates without a covering membrane. Not associated with chromosomal abnormalities. Presents at birth with exposed bowel loops that may be edematous, thickened, and discolored from amniotic fluid exposure.

**Synonyms:**

### **Gastrospenic fistulization**

Abnormal communication between the stomach and spleen, most commonly arising from gastric ulcer erosion into the splenic hilum or as a complication of splenic abscess. Presents with abdominal pain, gastrointestinal hemorrhage, and sepsis.

**Synonyms:**

### **Gastrostomy**

Surgical creation of an opening (stoma) through the abdominal wall into the stomach for enteral feeding or decompression.

**Synonyms:**

### **Gastrostomy Tube**

Tube through abdominal wall into stomach for feeding. Percutaneous endoscopic gastrostomy. Indications: prolonged enteral feeding, dysphagia, neurological disorders. Complications: infection, leakage, granulation tissue, burial bumper.

---

**Synonyms:**

### **Gastrulation**

A crucial early phase in embryonic development where the single-layered blastula reorganizes into a multi-layered structure with three germ layers.

**Synonyms:**

### **Gaucher Disease**

An inherited lysosomal storage disorder caused by deficient glucocerebrosidase, leading to lipid accumulation in cells and possible enlargement of the spleen and liver, anemia, bone disease, or neurologic disease.

**Synonyms:**

### **Gaucher's disease**

Another name for Gaucher disease, an inherited lysosomal storage disorder caused by deficient glucocerebrosidase.

**Synonyms:**

### **Gauze**

A woven or nonwoven material used to clean, dress, pack, or absorb fluid from a wound. It may be sterile or nonsterile and comes in several forms.

**Synonyms:**

### **Gavage**

Feeding through a tube passed into the stomach (nasogastric, orogastric, or gastrostomy tube). Used when oral feeding is impossible or inadequate. In neonates: gavage feeding is used for premature infants unable to coordinate suck-swallow-breathe.

**Synonyms:**

### **Gel**

A semisolid pharmaceutical formulation in which a liquid (usually water) is immobilized within a three-dimensional network of a gelling agent (e.g., carbomer, cellulose, alginate).

**Synonyms:**

### **Gelfoam**

An absorbable hemostatic agent made from purified

porcine gelatin. Used in surgical settings to control bleeding where conventional hemostasis is difficult (liver, bone, neurosurgery). Mechanism: provides a physical matrix that promotes platelet aggregation and clot formation. Absorbed within 4-6 weeks.

**Synonyms:**

### **Gemfibrozil**

A fibrate (PPAR-alpha agonist) used primarily for severe hypertriglyceridemia (reducing pancreatitis risk) and mixed hyperlipidemia. Raises HDL and lowers triglycerides markedly; modest LDL lowering.

**Synonyms:**

### **Gemination**

Attempted division of single tooth bud. Results in large tooth with bifid crown, normal tooth count.

**Synonyms:**

### **Gender Dysphoria**

Psychological distress resulting from incongruence between one's experienced gender and assigned gender at birth. Persists for  $\geq 6$  months and causes significant impairment. Onset in childhood (may resolve) or adolescence/adulthood (persistent).

**Synonyms:**

### **Gene**

Basic unit of heredity, segment of DNA encoding a functional product (protein or RNA). Structure: promoter, coding sequence (exons), introns, terminator. Genes are located at specific positions (loci) on chromosomes.

**Synonyms:**

### **Gene Expression**

Process by which information from a gene is used to synthesize functional product (protein or RNA). Steps: transcription, RNA processing, translation, post-translational modification. Regulated at multiple levels.

**Synonyms:**

### **Gene Panel**

A laboratory test that sequences a selected group of

---

genes associated with a clinical phenotype. Panels can provide efficient, focused analysis but may miss variants outside the selected genes or changes poorly detected by the platform.

**Synonyms:**

### Gene Therapy

Treatment by introducing, removing, or changing genetic material. Approaches: gene addition (functional copy), gene silencing (siRNA, antisense), gene editing (CRISPR-Cas9). Examples: Luxturna (RPE65 mutation), Zolgensma (SMN1 in spinal muscular atrophy).

**Synonyms:**

### General Anesthesia

A controlled, reversible state of unconsciousness, analgesia, amnesia, and muscle relaxation induced by pharmacologic agents, enabling surgical procedures without patient awareness or pain.

**Synonyms:**

### General Anesthetic

An agent producing reversible loss of consciousness, amnesia, analgesia, and muscle relaxation sufficient for surgery.

**Synonyms:**

### Generalized Anxiety Disorder

Characterized by excessive, difficult-to-control anxiety and worry about multiple events or activities occurring more days than not for at least six months. Associated symptoms include restlessness, being easily fatigued, difficulty concentrating, irritability, muscle tension, and sleep disturbance.

**Synonyms:**

### Generalized granuloma annulare

A widespread variant of granuloma annulare presenting with numerous small, flesh-coloured to erythematous papules distributed over the trunk and extremities, lacking the classic annular arrangement of localized disease. It is often associated with diabetes mellitus and may be more persistent than localized forms.

**Synonyms:**

### Generalized Tonic-Clonic Seizure

A generalized tonic-clonic seizure (formerly grand mal seizure) is a seizure involving bilateral tonic stiffening followed by rhythmic clonic jerking of the extremities, with loss of consciousness.

**Synonyms:**

### Generalized-Onset Seizure

A seizure that begins in bilaterally distributed networks and rapidly engages both cerebral hemispheres. Generalized absence, myoclonic, tonic, clonic, atonic, and tonic-clonic seizures are recognized clinical types.

**Synonyms:**

### Generator

System for producing short-lived radionuclide from longer-lived parent. Tc-99m from Mo-99. Elution with saline. Quality control: Mo-99 breakthrough, Al-3+ breakthrough, sterility.

**Synonyms:**

### Generic Medicine

A medicine containing the same active ingredient, strength, dosage form, route, and intended clinical effect as an approved reference product. Regulatory requirements generally include demonstration of pharmaceutical equivalence and bioequivalence.

**Synonyms:**

### Genetic Counseling

Process of helping individuals understand and adapt to genetic aspects of disease. Includes risk assessment, education, psychosocial support, informed decision-making.

**Synonyms:**

### Genetic Counselor

A health professional who evaluates inherited cancer risk, arranges and interprets genetic testing, and provides counseling to patients and families, including cascade testing of relatives.

**Synonyms:**

---

### Genetic Heterogeneity

The occurrence of similar or related phenotypes caused by different genetic mechanisms. Locus heterogeneity refers to variants in different genes causing the same phenotype; allelic heterogeneity refers to different variants in the same gene.

**Synonyms:**

### Genetic Screening

Testing of asymptomatic individuals for genetic disorders. Newborn screening: metabolic disorders, hemoglobinopathies. Carrier screening: before pregnancy or during pregnancy. Prenatal screening: non-invasive prenatal testing (NIPT), maternal serum screening.

**Synonyms:**

### Genetic Sonogram

A targeted ultrasound performed at 18-22 weeks that combines standard anatomic survey with specific soft markers for aneuploidy.

**Synonyms:**

### Genetic Testing

Analysis of DNA for disease risk or diagnosis. Examples: BRCA testing, carrier screening.

**Synonyms:**

### Genetic Testing (Sequencing)

Analysis of the order of DNA bases to identify variants associated with genetic disorders. The method is selected according to the gene, variant, and clinical question.

**Synonyms:** Sequencing

### Genetic Variant of Uncertain Significance

A DNA variant for which available evidence is insufficient to classify it as benign or pathogenic. It should not generally be used alone to make predictive or treatment decisions and may be reclassified as evidence evolves.

**Synonyms:**

### Genital Herpes

Herpes simplex virus infection of the genital re-

gion (HSV-2 most commonly; HSV-1 increasingly), transmitted sexually, causing painful grouped vesicles/ulcers, urethritis, dysuria, and lymphadenopathy; primary infection may cause fever and systemic symptoms. Recurrent episodes are shorter and milder.

**Synonyms:**

### Genital Injury

Trauma to the genital or anogenital tissues caused by sexual contact, assault, childbirth, accident, or disease. Examination should document location, morphology, healing stage, pain, bleeding, and associated injuries without assuming mechanism from appearance alone.

**Synonyms:**

### Genital Warts

Soft or rough growths on genital or perianal skin caused by infection with certain types of human papillomavirus.

**Synonyms:**

### Genital Warts (Condylomata Acuminata)

Warts of the genital or anal region caused most often by low-risk types of human papillomavirus. They spread through direct skin-to-skin sexual contact and may be visible or asymptomatic.

**Synonyms:** Condylomata Acuminata

### Genitalia

The external and internal reproductive organs. The term includes the vulva and vagina, or the penis, scrotum, and associated structures, together with the gonads and reproductive ducts when used broadly; anatomy varies with sex, age, and developmental stage.

**Synonyms:**

### Genitals

The external and internal reproductive organs. Female genitals: external (vulva — mons pubis, labia majora, labia minora, clitoris, vaginal opening, Bartholin glands) and internal (vagina, cervix, uterus, fallopian tubes, ovaries).



---

**Synonyms:**

### **Genito-Pelvic Pain/Penetration Disorder**

A sexual dysfunction characterized by persistent or recurrent difficulties with vaginal penetration, marked vulvovaginal or pelvic pain during intercourse, fear or anxiety about penetration, and/or tensing of the pelvic floor muscles, lasting  $\geq 6$  months and causing marked distress.

**Synonyms:**

### **Genodermatoses**

Genetic skin disorders. Inherited ichthyoses (lamellar, X-linked, congenital ichthyosiform erythroderma). Epidermolysis bullosa (simplex, junctional, dystrophic). Neurocutaneous syndromes (neurofibromatosis, tuberous sclerosis, Sturge-Weber). Ectodermal dysplasias (hypohidrotic, hypotrichosis, nail dystrophy).

**Synonyms:**

### **Genomic Imprinting**

Parent-of-origin-specific gene expression. Only one allele (maternal or paternal) is expressed. Examples: Prader-Willi (paternal deletion 15q11-q13), Angelman (maternal deletion 15q11-q13).

**Synonyms:**

### **Genotoxicity**

The ability of a substance or physical agent to damage genetic material. Genotoxicity may cause mutations or chromosome damage, but a positive test does not by itself establish that an agent causes cancer in humans.

**Synonyms:**

### **Genotype**

Genetic makeup of an individual, the specific alleles present at one or more loci. Determines phenotype along with environmental factors.

**Synonyms:**

### **Geographic Atrophy**

The advanced form of dry age-related macular degeneration, characterized by well-demarcated, pro-

gressively enlarging areas of complete loss of the retinal pigment epithelium, choriocapillaris, and overlying photoreceptors in the macula, resulting in irreversible central vision loss.

**Synonyms:**

### **Geographic tongue**

Geographic tongue concerns geographic tongue; its medical significance is established from the defining features, setting, associated findings, and clinical question. or yellow borders, alternating with areas of depapillation, often asymptomatic and of unknown cause.

**Synonyms:**

### **Geriatric Assessment**

Comprehensive multidimensional evaluation of elderly person. Domains: medical, functional, cognitive, psychological, social, environmental, pharmacological. Performed by interdisciplinary team. Guides care planning, identifies problems, predicts outcomes.

**Synonyms:**

### **Geriatric Dentistry**

Dental care for elderly. Management of age-related changes, polypharmacy effects, xerostomia, root caries, periodontal disease, oral cancer screening.

**Synonyms:**

### **Geriatric Depression Scale**

A screening questionnaire designed to detect depressive symptoms in older adults while minimizing emphasis on somatic symptoms that may overlap with medical illness. A positive screen requires clinical diagnostic assessment.

**Synonyms:**

### **Geriatric Medical Ethics**

Ethical principles applied to care of older adults, including autonomy, capacity, beneficence, non-maleficence, and justice.

**Synonyms:**

---

## Geriatric Nutrition

Nutrition care addressing the effects of aging, chronic disease, medications, frailty, oral and swallowing problems, sensory changes, and social factors on intake and nutritional status. Goals include preserving function, muscle mass, hydration, and quality of life.

**Synonyms:**

## Geriatric Rehabilitation

Rehabilitation designed to improve function, mobility, independence, and safety in older adults after illness, injury, or functional decline.

**Synonyms:**

## Geriatric Syndrome

Multifactorial condition common in elderly, not attributable to single disease. Examples: falls, incontinence, frailty, delirium, immobility, pressure ulcers. Require comprehensive assessment and multidisciplinary management.

**Synonyms:**

## Geriatrician

A physician specializing in the health care of older adults, including complex illness, multiple conditions, medications, function, and goals of care.

**Synonyms:**

## Geriatrics

The medical specialty concerned with the health, function, and care of older adults.

**Synonyms:**

## Geriatric

An obsolete term formerly used for an older woman; use person-first, age-neutral language instead.

**Synonyms:**

## Germ

A colloquial term for a microorganism that causes disease.

**Synonyms:**

## Germ Cell Tumor

A tumor arising from germ cells (precursors of sperm and eggs), including seminoma, dysgerminoma, teratoma, yolk sac tumor, embryonal carcinoma, and choriocarcinoma. Occurs in the testis, ovary, and extragonadal sites (mediastinum, retroperitoneum, pineal); many are highly curable with platinum-based chemotherapy.

**Synonyms:**

## Germ Theory of Disease

The scientific principle that specific microorganisms cause specific infectious diseases; established in the late 19th century by Koch (postulates—organism present in all cases, isolated in pure culture, reproduces disease when inoculated, re-isolated) and promoted by Pasteur and Lister.

**Synonyms:**

## German Measles (Rubella)

A contagious viral infection caused by rubella virus, characterized by fever, lymph-node enlargement, and a fine rash. Infection during pregnancy can harm the fetus.

**Synonyms:** Rubella

## Germinoma

A germ-cell tumor most commonly arising in the pineal or suprasellar region, highly sensitive to radiation and chemotherapy. Ovarian (dysgerminoma) and testicular (seminoma) counterparts exist.

**Synonyms:**

## Germline Mutation

A genetic variant present in the egg or sperm and therefore present in essentially every cell of the individual. Pathogenic germline variants may confer inherited cancer susceptibility and can have implications for relatives and treatment.

**Synonyms:**

## Germline Testing

Genetic testing performed to identify inherited or potentially heritable variants, usually from blood or saliva. Results may affect the patient, biological

---

relatives, cancer surveillance, reproductive planning, and genetic counseling.

**Synonyms:**

### **Germline Variant**

A DNA variant present in the cells that give rise to eggs or sperm and therefore potentially transmissible to offspring. It may also be present in most cells of the individual, unlike a variant restricted to a somatic tissue.

**Synonyms:**

### **Gerontologist**

A specialist who studies aging and its biological, psychological, social, or economic effects.

**Synonyms:**

### **Gerontology**

The multidisciplinary study of aging and the biological, psychological, social, and environmental factors that influence it.

**Synonyms:**

### **Gestation**

The period of development of a fetus from fertilization to birth. Human gestation averages 280 days (40 weeks) from the first day of the last menstrual period (LMP) or 266 days (38 weeks) from conception.

**Synonyms:**

### **Gestational Age**

The age of pregnancy measured in weeks from the first day of the last menstrual period (LMP). Also called menstrual age. Typically 2 weeks longer than fertilization age. Calculated using LMP or first-trimester ultrasound. Used to estimate due date (40 weeks from LMP). Preterm is less than 37 weeks; post-term is beyond 42 weeks.

**Synonyms:** menstrual age.

### **Gestational Diabetes**

Glucose intolerance first diagnosed during pregnancy. It may increase the risk of excessive fetal growth, birth complications, neonatal hypoglycemia,

and hypertensive pregnancy disorders.

**Synonyms:**

### **Gestational Diabetes Mellitus**

Glucose intolerance first recognized during pregnancy affecting approximately six to nine percent of pregnancies. Results from insulin resistance induced by placental hormones including human placental lactogen, cortisol, and progesterone combined with insufficient beta cell compensation.

**Synonyms:**

### **Gestational Hypertension**

New-onset hypertension after 20 weeks of pregnancy without proteinuria or other features of preeclampsia. It requires monitoring for progression and assessment of maternal and fetal well-being.

**Synonyms:**

### **Gestational Sac**

The first sonographic sign of an intrauterine pregnancy, visible on transvaginal ultrasound at approximately 4.5-5 weeks gestational age. A fluid-filled structure within the decidua, surrounded by the chorionic ring. Mean sac diameter (MSD) correlates with gestational age.

**Synonyms:**

### **Gestational Trophoblastic Disease**

A spectrum of conditions arising from abnormal trophoblast proliferation, including complete and partial hydatidiform moles and gestational choriocarcinoma. Complete mole has 46,XX karyotype (all paternal origin); partial mole is triploid (69 chromosomes). Presents with elevated hCG, uterus large for dates, and vaginal bleeding.

**Synonyms:**

### **Gestational Trophoblastic Neoplasia**

Persistent or malignant trophoblastic disease after a pregnancy event, identified by abnormal or rising beta-hCG, metastases, or histologic criteria. It includes invasive mole and choriocarcinoma and is highly responsive to risk-adapted chemotherapy.

**Synonyms:**

---

### Gettler Test

Historical quantitative chemical test for drowning, comparing chloride concentration in blood harvested from the left and right heart ventricles.

**Synonyms:**

### Ghrelin

A hormone produced mainly in the stomach that influences appetite, energy balance, and growth-hormone release.

**Synonyms:**

### Giant Cell Arteritis

A large-vessel vasculitis of adults >50 (peak 70-80) affecting cranial branches of carotid arteries, with risk of permanent vision loss from anterior ischemic optic neuropathy. Clinical: new-onset headache (temporal), scalp tenderness, jaw claudication, visual disturbances (amaurosis fugax, diplopia), polymyalgia rheumatica symptoms.

**Synonyms:**

### Giant Cell Arteritis Emergency

Suspected giant cell arteritis with visual symptoms, jaw or tongue claudication, or neurologic ischemia requires immediate glucocorticoid treatment to reduce risk of irreversible visual loss while diagnostic evaluation proceeds.

**Synonyms:**

### Giant Coronary Aneurysm

An unusually large dilation of a coronary artery, with risk of thrombosis, rupture, or impaired coronary blood flow.

**Synonyms:**

### Giant right atrium

Marked dilatation of the right atrium, most commonly caused by chronic severe tricuspid regurgitation, Ebstein anomaly, or long-standing atrial fibrillation with right heart failure. The enlarged atrium may cause compression of adjacent structures, arrhythmias, and thrombus formation. Diagnosis is by echocardiography or cardiac imaging.

**Synonyms:**

### Giardia Infection

Intestinal infection caused by the protozoan *Giardia duodenalis*, usually acquired from contaminated water, food, or person-to-person spread. It commonly causes foul-smelling diarrhea, bloating, abdominal cramps, and malabsorption.

**Synonyms:**

### *Giardia lamblia*

A protozoan parasite that causes giardiasis, a diarrhoeal illness transmitted through the fecal-oral route. The organism has a trophozoite and cyst stage. Infection occurs through ingestion of cysts in contaminated water. Symptoms include foul-smelling diarrhea, abdominal cramps, and bloating.

**Synonyms:**

### Giardiasis

Infection with *Giardia lamblia* (*G. intestinalis*), a protozoan parasite causing diarrheal illness. Transmission via contaminated water (fecal-oral). Presents with foul-smelling, greasy diarrhea, bloating, abdominal cramps, weight loss, and steatorrhea. Diagnosis: stool antigen testing or microscopy. Treatment: metronidazole or tinidazole.

**Synonyms:**

### Giemsa Stain

A Romanowsky-type stain of methylene blue and eosin dyes used to visualise blood cells and microorganisms in smears and tissue sections. In microbiology it stains *Plasmodium*, *Babesia*, *Trypanosoma*, *Leishmania*, *Borrelia*, and intracellular cytomegalovirus inclusions, supporting rapid diagnosis of blood-borne parasitic and other infections.

**Synonyms:**

### Gigantism

Gigantism concerns gigantism; its medical significance is established from the defining features, setting, associated findings, and clinical question. hypersecretion that begins before epiphyseal plate closure in childhood, before the onset of puberty.

**Synonyms:**

---

## Gilbert Syndrome

A common, benign autosomal recessive hereditary hyperbilirubinemia caused by a promoter mutation in the UGT1A1 gene leading to reduced activity (30% of normal) of UDP-glucuronosyltransferase.

**Synonyms:**

## Gingival Hyperplasia

An abnormal overgrowth of gingival tissue around the teeth, which can impair plaque control, increase the risk of periodontal disease, and affect aesthetics. It can be caused by chronic inflammatory conditions (associated with poor oral hygiene) or systemic factors.

**Synonyms:**

## Gingival melanoma

A rare and aggressive mucosal melanoma arising from melanocytes in the gingival mucosa, presenting as a pigmented or amelanotic nodule or ulcer on the gums. Mucosal melanomas of the head and neck carry a poor prognosis compared to cutaneous melanoma, often presenting at an advanced stage.

**Synonyms:**

## Gingival Recession

Apical displacement of the gingival margin from the cemento-enamel junction, exposing the root surface. Causes include periodontal inflammation, traumatic toothbrushing, thin periodontal tissue, tooth position, and iatrogenic factors; it may produce sensitivity and root-caries risk.

**Synonyms:**

## Gingivectomy

Surgical removal of gingival tissue. Indications: gingival hyperplasia, cosmetic recontouring, access to caries.

**Synonyms:**

## Gingivitis

Gingivitis is a medical condition involving gingivitis; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. redness, swelling, bleeding on probing. Reversible

with improved oral hygiene and professional cleaning. If untreated, progresses to periodontitis.

**Synonyms:**

## Gingivoplasty

Surgical reshaping of gingiva. Often combined with gingivectomy.

**Synonyms:**

## Gingivostomatitis

Gingivostomatitis is a medical condition involving gingivostomatitis; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. infection but also associated with other infections, trauma, or systemic disease. It may cause painful ulcers, swollen bleeding gums, fever, and difficulty eating or drinking.

**Synonyms:**

## Gitelman Syndrome

Inherited autosomal recessive disorder of the distal convoluted tubule caused by mutations in the NCC sodium-chloride cotransporter gene. Milder than Bartter syndrome typically presenting in adolescence or adulthood.

**Synonyms:**

## Gland

An organized group of epithelial cells specialized for secretion.

**Synonyms:**

## Glandular Fever (Infectious Mononucleosis)

An acute illness usually caused by Epstein-Barr virus, characterized by fever, sore throat, swollen lymph nodes, and fatigue.

**Synonyms:** Infectious Mononucleosis

## Glanzmann thrombasthenia

Glanzmann thrombasthenia concerns glanzmann thrombasthenia; its medical significance is established from the defining features, setting, associated findings, and clinical question. glycoprotein IIb/IIIa, producing mucocutaneous bleeding despite a normal

---

platelet count.

**Synonyms:**

### **Glasgow Coma Scale**

A standardized assessment of consciousness based on eye opening, verbal response, and motor response, with a total score from 3 to 15. It supports serial neurologic assessment but should be recorded with the individual component scores and confounders.

**Synonyms:**

### **Glass Ionomer**

Restorative material releasing fluoride. Bonds to tooth structure. Used for pediatric dentistry, cervical lesions, bases.

**Synonyms:**

### **Glaucoma**

Glaucoma is progressive optic-nerve damage often associated with elevated or dysregulated intraocular pressure, leading to irreversible visual-field loss if untreated. ganglion cells and their axons, resulting in characteristic optic nerve head changes and visual field loss, with elevated intraocular pressure being the most important modifiable risk factor.

**Synonyms:**

### **Glaucoma Drainage Implant**

A surgically implanted tube-and-plate device that diverts aqueous humor from the anterior chamber to a subconjunctival reservoir, lowering intraocular pressure in selected glaucomas.

**Synonyms:**

### **Glenohumeral Joint**

Ball-and-socket synovial joint between humeral head and glenoid cavity. Most mobile body joint allowing flexion, extension, abduction, adduction, medial/lateral rotation, circumduction. Mobility trades for stability, making it the most commonly dislocated joint. Stabilized by glenoid labrum, glenohemoral ligaments, and rotator cuff.

**Synonyms:**

### **Glenoid Cavity**

Shallow pear-shaped depression on the lateral scapular angle articulating with the humeral head. The glenoid labrum deepens the socket by approximately 50 percent. Due to its shallowness, the glenohumeral joint is the most commonly dislocated joint.

**Synonyms:**

### **GLIM Criteria**

A consensus framework for diagnosing malnutrition using at least one phenotypic criterion, such as weight loss, low body-mass index, or reduced muscle mass, and at least one etiologic criterion, such as reduced intake or assimilation or disease-related inflammation. Severity is graded using phenotypic thresholds.

**Synonyms:**

### **Glioblastoma**

Grade IV astrocytoma (WHO), the most common and aggressive primary malignant brain tumor in adults. Arises de novo (primary GBM, IDH-wildtype) or from low-grade astrocytoma (secondary, IDH-mutant—better prognosis).

**Synonyms:**

### **Glioma**

A tumor arising from glial cells (astrocytes, oligodendrocytes, ependymal cells) in the brain or spinal cord. Includes astrocytomas, oligodendrogliomas, and ependymomas; behavior ranges from low-grade to highly aggressive (glioblastoma).

**Synonyms:**

### **Glisson's Capsule**

Thin fibrous connective tissue envelope surrounding the liver, sending septa inward dividing it into lobules. Richly innervated by phrenic and intercostal nerve pain fibers, sensitive to distension and inflammation. Covered by visceral peritoneum except at the bare area.

**Synonyms:**

### **Global Health**

Health issues transcending national boundaries.



---

Examples: pandemics, health disparities, climate change.

**Synonyms:**

### **Globin**

A family of heme-binding proteins involved in oxygen transport and storage. Structure: globin fold (8 alpha-helices arranged in a globular structure), binds one heme molecule (iron-protoporphyrin IX) per subunit.

**Synonyms:**

### **Globulin**

A group of serum proteins (globular proteins) that are less soluble in water but soluble in dilute salt solutions. On serum protein electrophoresis, globulins migrate in the alpha-1, alpha-2, beta, and gamma regions. Alpha-1 globulins: alpha-1-antitrypsin, alpha-fetoprotein.

**Synonyms:**

### **Globus Sensation**

The persistent or intermittent sensation of a lump or foreign body in the throat without an anatomic lesion or dysphagia, also termed globus pharyngeus, typically noticed between meals. There is no impedance to swallowing and no weight loss; the feeling worsens with stress, anxiety, or laryngopharyngeal reflux.

**Synonyms:**

### **Glomerular Filtration Rate**

Volume of plasma filtered by the glomeruli per unit time normally ninety to one hundred twenty milliliters per minute per one point seven three square meters body surface area. Estimated by the CKD-EPI equation using serum creatinine, age, sex, and race.

**Synonyms:**

### **Glomerulonephritis**

Glomerulonephritis is inflammatory injury of the kidney glomeruli, producing hematuria, proteinuria, edema, hypertension, and variable decline in filtration. nephrotic syndrome) and histopathology (e.g.,

IgA nephropathy, post-streptococcal, membranoproliferative, crescentic). Presents with hematuria, proteinuria, hypertension, and reduced GFR.

**Synonyms:**

### **Glomerulopathy**

Any disease affecting the renal glomeruli, the capillary structures responsible for blood filtration. It may produce albuminuria or proteinuria, haematuria, reduced filtration, oedema, hypertension, or kidney failure and may be primary or secondary to systemic, metabolic, infectious, or immune disease.

**Synonyms:**

### **Glomerulus**

The tuft of capillaries in the renal corpuscle (Bowman's capsule) where blood is filtered to form urine.

**Synonyms:**

### **Glomus Tumor**

A rare benign neoplasm arising from glomus bodies (thermoregulatory shunts), presenting as a small, blue-red, exquisitely tender subungual or digital nodule. The classic triad is severe pain, point tenderness, and cold sensitivity. Diagnosis is clinical with positive Love pin test and Hildreth sign (tumor disappears with ischemia).

**Synonyms:**

### **Glomus tympanicum**

A benign vascular tumor arising from the glomus bodies on the promontory of the middle ear, presenting with pulsatile tinnitus, hearing loss, and a reddish mass behind the tympanic membrane.

**Synonyms:**

### **Glossitis**

Glossitis is a medical condition involving glossitis; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. Actinomyces), viral (HSV, Coxsackie-herpangina, HIV), fungal (Candida-oral thrush).

**Synonyms:**

---

## Glossopharyngeal Neuralgia

Recurrent, brief attacks of severe stabbing or electric-shock-like pain in the throat, tonsillar region, base of the tongue, or ear, caused by irritation of the glossopharyngeal nerve. Swallowing, coughing, or talking may trigger attacks.

**Synonyms:**

## Glottis

The opening between the vocal folds (true vocal cords) in the larynx, through which air passes during respiration and phonation. Boundaries: anterior (anterior commissure, attachment of vocal folds to thyroid cartilage), posterior (arytenoid cartilages and posterior commissure).

**Synonyms:**

## Gloves

Hand coverings used to protect the wearer, the patient, or both from contamination, chemicals, or injury. Medical gloves may be examination or surgical gloves and may be sterile or nonsterile.

**Synonyms:**

## GLP-1 Receptor Agonist

A glucose-lowering drug that activates the glucagon-like peptide-1 receptor, enhancing glucose-dependent insulin secretion, suppressing inappropriate glucagon secretion, slowing gastric emptying, and increasing satiety.

**Synonyms:**

## Glucagon

A peptide hormone produced by the alpha cells of the pancreatic islets (Langerhans).

**Synonyms:**

## Glucagon Signaling

Glucagon binds GPCR, activates adenylate cyclase, increases cAMP, activates PKA. Promotes glycogenolysis, gluconeogenesis.

**Synonyms:**

## Glucagonoma

Glucagonoma concerns glucagonoma; its medical

significance is established from the defining features, setting, associated findings, and clinical question. diabetes mellitus (mild, new onset), dermatitis (necrolytic migratory erythema, characteristic painful, erythematous, blistering rash on groin, perineum, extremities), diarrhea, and deep vein thrombosis.

**Synonyms:**

## Glucocorticoid Replacement Therapy

Replacement of cortisol deficiency in adrenal insufficiency using hydrocortisone in divided doses. Typical regimen is ten to fifteen milligrams in the morning and five to ten milligrams in the early afternoon mimicking the physiological cortisol diurnal rhythm.

**Synonyms:**

## Glucocorticoid-Sparing Therapy

Use of a non-glucocorticoid treatment strategy to control inflammation while reducing cumulative corticosteroid exposure. It aims to limit osteoporosis, infection, diabetes, hypertension, adrenal suppression, and other glucocorticoid complications.

**Synonyms:**

## Glucocorticoids

A class of steroid hormones produced by the zona fasciculata of the adrenal cortex, regulated by the hypothalamic-pituitary-adrenal (HPA) axis.

**Synonyms:**

## Glucometer

A handheld device that measures blood glucose, usually from a small capillary-blood sample obtained by finger prick.

**Synonyms:**

## Gluconeogenesis

Metabolic pathway generating glucose from non-carbohydrate precursors (lactate, glycerol, glucogenic amino acids). Occurs primarily in liver (90%) and kidney (10%).

**Synonyms:**

---

## Glucose

A monosaccharide (C<sub>6</sub>H<sub>12</sub>O<sub>6</sub>) that is the primary energy source for cells. Types: D-glucose (dextrose, naturally occurring enantiomer) and L-glucose (synthetic). Routes of entry: dietary carbohydrates (digested to glucose), gluconeogenesis (synthesis from non-carbohydrate precursors), glycogenolysis (breakdown of stored glycogen).

**Synonyms:**

## Glucose Intolerance

Impaired handling of glucose resulting in blood-glucose concentrations above normal but below the diagnostic threshold for diabetes in a defined testing context. It often reflects insulin resistance or inadequate insulin secretion and is associated with increased risk of type 2 diabetes and cardiovascular disease.

**Synonyms:**

## Glucose Management Indicator

Derived metric from continuous glucose monitoring that estimates the hemoglobin A1c equivalent based on mean sensor glucose values. Formula converts mean glucose to an A1c-equivalent value allowing comparison between CGM data and traditional A1c.

**Synonyms:**

## Glucose Sensor

Continuous glucose monitor (CGM) for diabetes. Subcutaneous sensor measures interstitial glucose. Transmitter sends data to receiver/phone. Examples: Dexcom, Freestyle Libre, Medtronic. Reduces hypoglycemia, improves A1c.

**Synonyms:**

## Glucose Tolerance Test

Testing for diabetes mellitus and gestational diabetes. 75g OGTT (oral glucose tolerance test): measure plasma glucose at 0, 60, and 120 minutes. Diagnostic: fasting  $\geq 126$  mg/dL, 2-hour  $\geq 200$  mg/dL. Gestational diabetes screening: 50g glucose challenge test (GCT) at 24-28 weeks; if  $>140$  mg/dL at 1 hour, proceed to 100g 3-hour OGTT.

**Synonyms:** Oral glucose tolerance test (OGTT);

gestational diabetes glucose tolerance test.

## Glucose Challenge Test

A screening test for gestational diabetes mellitus, commonly using a nonfasting 50-g glucose drink followed by a one-hour plasma-glucose measurement. An abnormal screening result is followed by a diagnostic oral glucose tolerance test; the threshold depends on the protocol used.

**Synonyms:** GCT; one-hour glucose challenge test; 50-g glucose screening test.

## Glucose-6-Phosphatase

Enzyme converting glucose-6-phosphate to glucose. Located in liver and kidney. Deficiency causes Von Gierke disease.

**Synonyms:**

## Glucose-6-phosphate dehydrogenase deficiency

Glucose-6-phosphate dehydrogenase deficiency is an inherited red-cell enzyme disorder in which oxidative stress can trigger hemolytic anemia after selected infections, foods, or medicines. episodes of hemolytic anemia triggered by oxidative stress from infections, certain drugs including primaquine and sulfonamides, and fava beans. G6PD is essential for generating NADPH to protect red blood cells from oxidative damage.

**Synonyms:**

## Glue (Vascular)

A vascular embolization material used to occlude selected vessels under image guidance.

**Synonyms:** Vascular

## Glutamate

The principal excitatory neurotransmitter in the central nervous system. Synthesized from glutamine or alpha-ketoglutarate and acting on ionotropic receptors (AMPA, kainate, NMDA) for fast synaptic transmission and metabotropic receptors (mGluR1-8) for modulation.

**Synonyms:**

---

## Glutathione

Antioxidant tripeptide (Glu-Cys-Gly). Detoxifies reactive metabolites (e.g., NAPQI from acetaminophen). Depletion causes toxicity. N-acetylcysteine replenishes glutathione.

**Synonyms:**

## Gluteal Injury

Damage to the muscles, tendons, nerves, or soft tissues of the buttock caused by trauma, overuse, injection, or falls. Pain, bruising, weakness, or difficulty walking may occur. Severe swelling, numbness, inability to bear weight, or bowel or bladder changes requires urgent evaluation.

**Synonyms:**

## Gluten

A complex of storage proteins (prolamins and glutelins) found in wheat (gliadin), barley (hordein), and rye (secalin). Gluten provides elasticity to dough. In susceptible individuals, gluten triggers an autoimmune response (celiac disease) or non-autoimmune sensitivity (non-celiac gluten sensitivity, NCGS).

**Synonyms:**

## Gluten-Free Diet

Eliminates gluten (wheat, barley, rye). Essential for celiac disease, non-celiac gluten sensitivity. Risk of nutrient deficiency if not supplemented. May be unnecessarily restrictive for others.

**Synonyms:**

## Gluten-Sensitive Enteropathy (Celiac Disease)

An immune-mediated disorder in which ingestion of gluten damages the lining of the small intestine in genetically susceptible people. It may cause diarrhea, malabsorption, anemia, or other systemic effects.

**Synonyms:** Celiac Disease

## Gluteus Maximus Muscle

Largest, most superficial gluteal muscle forming the buttock bulk, from posterior iliac gluteal line,

sacrum, coccyx, and sacrotuberous ligament to the iliotibial tract and gluteal tuberosity. Innervated by inferior gluteal nerve (L5-S2). Primary hip extensor and lateral rotator.

**Synonyms:**

## Gluteus Medius Muscle

Thick fan-shaped muscle between maximus and minimus, from external ilium to the greater trochanter. Innervated by superior gluteal nerve (L4-S1). Primary hip abductor essential for pelvic stability during single-leg stance. Superior gluteal nerve injury causes Trendelenburg sign with contralateral pelvic drop.

**Synonyms:**

## Gluteus Minimus Muscle

The smallest and deepest gluteal muscle, extending from the outer ilium to the greater trochanter. It abducts and medially rotates the hip and helps stabilize the pelvis during walking.

**Synonyms:**

## Glycaemia

The concentration of glucose in the blood, normally maintained within a narrow range (fasting: 3.9-5.5 mmol/L or 70-100 mg/dL) through the coordinated action of insulin (lowers glucose) and counter-regulatory hormones (glucagon, cortisol, catecholamines, growth hormone).

**Synonyms:**

## Glycemic Control

Management of blood glucose to individualized targets that reduce symptoms and long-term complications while avoiding hypoglycemia. Goals and monitoring methods depend on age, health, treatment, pregnancy, and patient circumstances.

**Synonyms:**

## Glycemic Index

Ranking of carbohydrates by effect on blood glucose. High GI foods spike glucose. Low GI foods provide sustained energy. Useful for diabetes management.

**Synonyms:**

---

## Glycemic Load

A measure that combines a food's glycemic index with the amount of available carbohydrate in a serving to estimate its effect on blood glucose.

**Synonyms:**

## Glycerin

A colorless, odorless, sweet-tasting trihydroxy alcohol (glycerol) with humectant, osmotic, and solvent properties.

**Synonyms:**

## Glycerol (Glycerine)

A triol compound ( $\text{CH}_2\text{OH}-\text{CHOH}-\text{CH}_2\text{OH}$ ), a colourless, odourless, viscous liquid with a sweet taste.

**Synonyms:** Glycerine

## Glycogen

A branched polysaccharide composed of glucose units linked by alpha-1,4 glycosidic bonds (linear) and alpha-1,6 bonds (branching points, every 8-10 residues). Glycogen serves as the main storage form of glucose in animals.

**Synonyms:**

## Glycogen Storage Disease

A group of inherited metabolic disorders caused by defects in glycogen synthesis, breakdown, or regulation, resulting in abnormal glycogen accumulation in tissues. Major types: Type I (von Gierke, G6PC deficiency) — fasting hypoglycemia, lactic acidosis, hepatomegaly, hyperuricemia, and hypertriglyceridemia.

**Synonyms:**

## Glycogenesis

The synthesis of glycogen from glucose, primarily in liver and skeletal muscle. Glucose-1-phosphate is converted to UDP-glucose, and glycogen synthase and the branching enzyme extend and branch the polymer; insulin promotes the pathway.

**Synonyms:**

## Glycogenolysis

Breakdown of glycogen to glucose-1-phosphate (converted to glucose-6-phosphate). Liver glycogenolysis maintains blood glucose during fasting; muscle glycogenolysis provides energy for contraction. Regulated by hormonal signals (glucagon, epinephrine) and allosteric effectors (AMP activates phosphorylase).

**Synonyms:**

## Glycolysis

Metabolic pathway breaking down glucose (6C) to pyruvate (3C), generating 2 ATP (net) and 2 NADH. Occurs in cytoplasm. Ten enzymatic steps: investment phase (uses 2 ATP) and payoff phase (produces 4 ATP, 2 NADH). Key regulatory enzymes: hexokinase, phosphofructokinase-1 (PFK-1, rate-limiting), pyruvate kinase.

**Synonyms:**

## Glycosuria

The presence of glucose in the urine. Normally, the renal tubules reabsorb filtered glucose via sodium-glucose co-transporters (SGLT2 in proximal tubule). Glycosuria occurs when blood glucose exceeds the renal threshold (approximately 10 mmol/L or 180 mg/dL), overwhelming reabsorptive capacity.

**Synonyms:**

## GnRH Agonist

Gonadotropin-releasing hormone agonists are a class of medications that initially stimulate (flare effect, 1-3 weeks) and then suppress pituitary gonadotropin (LH and FSH) secretion through receptor down-regulation, leading to profound suppression of sex steroid production (testosterone in men, estradiol in women).

**Synonyms:**

## GnRH Antagonist

A class of medications that competitively block GnRH receptors on pituitary gonadotrophs, producing immediate, reversible suppression of LH and FSH secretion without the initial flare effect seen with GnRH agonists.

---

**Synonyms:**

### Goal Attainment Scaling

An individualized outcome method in which patient-specific goals are defined with graded levels of expected attainment and scored after intervention. It captures meaningful changes that standardized measures may miss.

**Synonyms:**

### Goal Setting

SMART goals: Specific, Measurable, Achievable, Relevant, Time-bound. Patient-centered goals improve adherence.

**Synonyms:**

### Goals-of-Care Discussion

A clinical conversation that aligns treatment recommendations with a patient's values, priorities, prognosis, acceptable burdens, and preferred outcomes. It may include decisions about hospitalization, resuscitation, artificial nutrition, and comfort-focused care.

**Synonyms:**

### Goiter

Enlargement of the thyroid gland, which can be diffuse or nodular. Causes: iodine deficiency (most common worldwide), Hashimoto thyroiditis, Graves disease, multinodular goiter, and thyroid cancer. May be associated with normal, hyperthyroid, or hypothyroid function.

**Synonyms:**

### Gold Alloy

Noble metal alloy for dental restorations. Excellent biocompatibility, durability, marginal adaptation. Expensive.

**Synonyms:**

### Goldenhar Syndrome

A variant of hemifacial microsomia characterized by the triad: epibulbar dermoids (benign conjunctival tumors), preauricular skin tags or sinuses, and vertebral anomalies (hemivertebrae, fused vertebrae,

scoliosis). Also involves facial asymmetry, microtia, conductive hearing loss, and macrostomia.

**Synonyms:**

### Goldmann Tonometry

A slit-lamp examination that estimates intraocular pressure by measuring the force needed to flatten a defined area of the cornea.

**Synonyms:**

### Golfer Elbow

Medial epicondylitis, a tendinopathy of the common flexor/pronator tendon at the medial epicondyle. Less common than tennis elbow. Caused by repetitive wrist flexion and forearm pronation. Presents with medial elbow pain worsened by wrist flexion and gripping. Tenderness over the medial epicondyle. Positive Golfer elbow test.

**Synonyms:**

### Golgi Apparatus

Membrane-bound organelle (Golgi complex) consisting of flattened cisternae (cis, medial, trans) that modifies, sorts, and packages proteins and lipids from the ER for secretion or delivery to other organelles.

**Synonyms:**

### Golgi Tendon Organ

A mechanoreceptor located at the junction between a skeletal muscle and its tendon, innervated by Ib afferent fibers. The Golgi tendon organ detects tension generated by muscle contraction or passive stretch.

**Synonyms:**

### Gonadal Dysgenesis

Incomplete or abnormal development of the ovaries or testes, often resulting from chromosomal abnormalities, gene variants, or disordered sex development. It may cause atypical genital development, delayed or absent puberty, infertility, and abnormal gonadal hormone production.

**Synonyms:**



---

## Gonadotrophins

Hormones that stimulate the gonads. The anterior pituitary secretes follicle-stimulating hormone (FSH) and luteinising hormone (LH), both glycoprotein hormones sharing a common alpha subunit (identical to TSH and hCG alpha) with a unique beta subunit.

**Synonyms:**

## Gonads

The primary reproductive organs: testes in males and ovaries in females. Functions: (1) gamete production (spermatogenesis in testes, oogenesis in ovaries); (2) sex steroid hormone secretion (testosterone from testicular Leydig cells; estrogen and progesterone from ovarian follicular cells and corpus luteum).

**Synonyms:**

## Gonioscopy

An ophthalmological examination technique that allows direct visualization of the anterior chamber angle, the anatomical region where the cornea and iris meet and where the trabecular meshwork is located, and it is essential for distinguishing between open-angle and angle-closure forms of glaucoma.

**Synonyms:**

## Gonococcal Arthritis

A disseminated infection of joints caused by *Neisseria gonorrhoeae*, often with fever, migratory joint or tendon pain, skin pustules, and tenosynovitis. It requires prompt antimicrobial treatment and evaluation for concomitant sexually transmitted infection.

**Synonyms:**

## Gonococcal pharyngitis

Infection of the throat by *Neisseria gonorrhoeae*, usually acquired through sexual contact. It may cause sore throat or no symptoms.

**Synonyms:**

## Gonorrhea

Gonorrhea is a sexually transmitted infection caused by *Neisseria gonorrhoeae*, producing urethritis, cer-

vicitis, pelvic inflammatory disease, rectal or pharyngeal infection, and neonatal disease. gonorrhoeae. Epidemiology: second most common bacterial STI (after Chlamydia), highest incidence in 15-24 year olds.

**Synonyms:**

## Goodpasture Syndrome

Anti-GBM disease affecting both kidneys and lungs. Pulmonary hemorrhage with hemoptysis and crescentic GN. Linear IgG deposits on renal biopsy. Emergent plasmapheresis, cyclophosphamide, and steroids. Early treatment essential to prevent irreversible renal and pulmonary damage.

**Synonyms:**

## Gotttron Papules

A characteristic skin finding of dermatomyositis, consisting of erythematous to violaceous lichenoid papules located over the dorsal aspects of the interphalangeal (PIP/DIP) and metacarpophalangeal (MCP) joints. May undergo necrosis or ulceration.

**Synonyms:**

## Gout

Gout is inflammatory arthritis caused by monosodium urate crystal deposition, classically causing abrupt severe pain and swelling in a joint and potentially forming tophi or kidney stones. episodes of acute inflammatory arthritis and may cause chronic tophi or kidney stones.

**Synonyms:**

## Gout Flare

An acute inflammatory response to monosodium urate crystal deposition in or around a joint. It commonly causes abrupt severe pain, swelling, warmth, and erythema, often involving the first metatarsophalangeal joint; aspiration can confirm crystals and exclude infection.

**Synonyms:**

## Gout nodulosis

The formation of tophi—large, firm, subcutaneous nodules composed of monosodium urate crys-

---

tals—resulting from chronic, poorly controlled hyperuricemia. Tophi most commonly occur at the ears, fingers, toes, olecranon bursae, and Achilles tendon, and may ulcerate and discharge chalky white material.

**Synonyms:**

### Gown

Protective clothing. Types: examination, surgical, isolation.

**Synonyms:**

### Grade

Degree of cellular differentiation. Grade 1: well-differentiated. Grade 2: moderately differentiated. Grade 3: poorly differentiated. Grade 4: undifferentiated. Higher grade = more aggressive.

**Synonyms:**

### Graded Potentials

Local changes in membrane potential that vary in magnitude proportional to stimulus strength, unlike all-or-none action potentials. They include receptor potentials (in sensory receptors), postsynaptic potentials (EPSPs and IPSPs at synapses), and pacemaker potentials (in cardiac/specialized cells).

**Synonyms:**

### Graft

Tissue or a synthetic material transferred to another site to replace, repair, reinforce, or bypass a damaged body structure.

**Synonyms:**

### Graft (Periodontal)

Tissue used to cover exposed root or augment gingiva. Connective tissue graft (gold standard), free gingival graft, allograft, xenograft.

**Synonyms:** Periodontal

### Graft-Versus-Host Disease

An immune-mediated complication of allogeneic hematopoietic transplantation in which donor-derived immunocompetent T cells attack recipient tissues. Acute or chronic GVHD commonly affects

skin, liver, and gastrointestinal tract and requires prevention and immunosuppressive treatment.

**Synonyms:**

### Grafting

The surgical transfer of tissue or a synthetic substitute to repair, replace, or support a body structure. An autograft comes from the same person, whereas an allograft comes from another person of the same species.

**Synonyms:**

### Gram Negative Bacilli

Rod-shaped gram-negative bacteria appearing pink on Gram stain owing to a thin peptidoglycan layer and lipopolysaccharide outer membrane.

**Synonyms:**

### Gram Positive Cocci

Spherical gram-positive bacteria staining purple owing to a thick peptidoglycan layer and absent outer membrane. Clinically important genera include *Staphylococcus*, *Streptococcus*, and *Enterococcus*, identifiable by arrangement (clusters, chains, pairs) and hemolysis, and causing skin, pharyngeal, respiratory, and bloodstream infections.

**Synonyms:**

### Gram stain

Gram stain examines gram stain; interpretation depends on the specimen or body region, test method, reference range, and clinical question. on cell wall structure. The procedure involves crystal violet staining, iodine mordant, alcohol decolorisation, and safranin counterstain.

**Synonyms:**

### Gram-Negative Bacteria

Bacteria that do not retain crystal violet during Gram staining and therefore appear pink or red. They have a thin peptidoglycan layer and an outer membrane that may contain lipopolysaccharide. Examples include *Escherichia coli*, *Klebsiella*, *Pseudomonas*, and *Neisseria*.

**Synonyms:**

---

### Gram-Negative Meningitis

Meningitis caused by gram-negative bacteria, including *Escherichia coli*, *Klebsiella*, and *Neisseria* species. It can progress rapidly to sepsis, neurologic injury, and death and requires urgent cerebrospinal-fluid evaluation and antimicrobial treatment.

**Synonyms:**

### Gram-Positive Bacteria

Bacteria that retain crystal violet in the Gram stain (appear purple/blue), characterized by a thick peptidoglycan cell wall and no outer membrane.

**Synonyms:**

### Grand Mal

A type of generalised seizure characterized by bilateral synchronous epileptic activity involving the entire brain. Formerly called grand mal, now classified as bilateral tonic-clonic seizure according to the ILAE 2017 classification.

**Synonyms:**

### Granular Casts

Degenerated cellular debris within tubular lumen appearing as coarse or fine-grained structures. Coarse casts represent more acute process, fine casts indicate chronic degenerative process. Common in acute tubular necrosis reflecting tubular epithelial cell damage. Also seen in chronic kidney disease, nephrotic syndrome, and hypertension.

**Synonyms:**

### Granulocyte

Granulocyte concerns granulocyte, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context. on light microscopy. Granulocytes are produced in the bone marrow (myelopoiesis, 3-4 days maturation) and are part of the innate immune system.

**Synonyms:**

### Granuloma

A distinctive pattern of chronic inflammation characterized by the aggregation of modified macrophages (epithelioid histiocytes), often with multinucleated

giant cells (Langhans or foreign-body type), surrounded by lymphocytes. Granulomas form when macrophages cannot eliminate a persistent antigen or pathogen.

**Synonyms:**

### Granuloma Annulare

A benign inflammatory condition characterized by annular, erythematous to skin-colored plaques with raised borders and central clearing. It most commonly affects the hands, feet, and elbows. Localized form is most common; generalized form is associated with diabetes mellitus.

**Synonyms:**

### Granulomatosis with Polyangiitis

GPA (formerly Wegener granulomatosis): an ANCA-associated small-vessel necrotizing vasculitis affecting the upper and lower respiratory tract and kidneys.

**Synonyms:**

### Granulomatous amebic encephalitis

A rare, usually fatal central nervous system infection caused by free-living amoebae such as *Acanthamoeba* species, typically affecting immunocompromised individuals. It presents with a subacute to chronic meningoencephalitis and forms granulomatous lesions in the brain.

**Synonyms:**

### Granulomatous Inflammation

A distinctive pattern of chronic inflammation characterized by organized collections of activated macrophages that have undergone morphological transformation into epithelioid cells, often surrounded by a rim of lymphocytes and occasionally fibroblasts.

**Synonyms:**

### Granulosa Cell Tumor

An estrogen-secreting ovarian sex cord-stromal tumor that can cause precocious puberty, endometrial hyperplasia, or carcinoma. Generally low-grade with a tendency to late recurrence.

---

**Synonyms:**

### Graves Disease

Autoimmune disorder and most common cause of hyperthyroidism characterized by thyroid-stimulating immunoglobulins that bind and activate the thyroid-stimulating hormone receptor causing unregulated thyroid hormone synthesis and secretion. The diffuse goiter reflects TSH receptor stimulation.

**Synonyms:**

### Gray (Gy)

The SI unit of absorbed radiation dose, equal to one joule of ionizing radiation energy deposited per kilogram of matter. It describes physical energy absorption and differs from the sievert, which incorporates biologic weighting.

**Synonyms:** Gy

### Gray Matter

Regions of the brain and spinal cord composed primarily of nerve cell bodies, dendrites, and synapses, responsible for processing information.

**Synonyms:**

### Greater Curvature

Convex lateral stomach border from gastroesophageal junction to pylorus, approximately four times longer than the lesser curvature. Attachment site for the greater omentum. Blood supply from short gastric and left gastroepiploic vessels. Common site for gastric ulcers and cancer.

**Synonyms:**

### Greater Trochanter

Large quadrilateral lateral proximal femoral prominence. Insertion for gluteus medius/minimus and piriformis. Palpable landmark and site of trochanteric bursa. Intertrochanteric fractures between trochanters are extracapsular with lower avascular necrosis risk because periosteal blood supply is preserved.

**Synonyms:**

### Grey Turner's Sign

Bluish or violaceous ecchymosis of the flanks caused by retroperitoneal bleeding tracking through the abdominal wall. It is classically associated with severe haemorrhagic pancreatitis but may occur with other retroperitoneal haemorrhage.

**Synonyms:**

### Grid Implant

A flexible electrode array placed on or near the brain or another tissue surface to record electrical activity or deliver stimulation.

**Synonyms:**

### Grief

Grief concerns grief; its medical significance is established from the defining features, setting, associated findings, and clinical question. following other significant losses such as divorce, job loss, or declining health. It encompasses a range of feelings including sadness, anger, guilt, and numbness, often occurring in waves rather than linear stages.

**Synonyms:**

### Gripping

Cramping or spasmodic abdominal pain, often caused by contractions or obstruction of a hollow organ.

**Synonyms:**

### Grippe

An older name for influenza, a viral respiratory illness that commonly causes fever, cough, body aches, and fatigue.

**Synonyms:**

### Griscelli Syndrome

Three types: Type 1 (MYO5A mutation): primary neurologic impairment, no immunodeficiency; Type 2 (RAB27A mutation): immunodeficiency + partial albinism, HLH risk; Type 3 (MLPH mutation): only partial albinism. Type 2: silvery hair, large melanosomes in melanocytes, defective cytotoxic granule release -> HLH.

**Synonyms:**

---

### Gross Examination

The macroscopic, naked-eye inspection of a specimen in the pathology laboratory, performed before microscopic sectioning and the essential first step in pathologic diagnosis of resected tissues and organs.

**Synonyms:**

### Gross Motor Skills

The ability to use large muscle groups for movement and posture, developing in a predictable sequence in infancy/childhood: head control (3 months), sitting (6 months), crawling (9 months), standing (10-12 months), walking (12-18 months), running/jumping (2-3 years), hopping and balance (3-5 years).

**Synonyms:**

### Ground-Glass Opacity

Hazy lung opacity on CT without obscuring vessels. Non-specific, may represent inflammation, edema, fibrosis, malignancy.

**Synonyms:**

### Group A Strep

Group A Streptococcus (*Streptococcus pyogenes*), a gram-positive coccus in chains, beta-hemolytic. Infections: pharyngitis/tonsillitis, impetigo, erysipelas, cellulitis, scarlet fever, necrotizing fasciitis, streptococcal toxic shock syndrome, pneumonia, and puerperal sepsis.

**Synonyms:**

### Group A streptococcus

*Streptococcus pyogenes*, a bacterium that can cause pharyngitis, skin infections, invasive disease, and immune-mediated complications.

**Synonyms:**

### Group B Strep

Group B Streptococcus (GBS, *Streptococcus agalactiae*): a gram-positive coccus colonizing the GI and genitourinary tract in 10-30 percent of women; major cause of neonatal sepsis and meningitis.

**Synonyms:**

### Group B Streptococcus

A gram-positive bacterium (*Streptococcus agalactiae*) colonizing the genitourinary and gastrointestinal tracts. Asymptomatic vaginal colonization occurs in 20-30% of pregnant women. Screening is performed at 36-37 weeks gestation via rectovaginal swab culture.

**Synonyms:**

### Growing Pains

Recurrent, bilateral leg pain in children ages 3-12, typically occurring in the late afternoon or evening and resolving by morning. Pain is deep, aching in the calves, shins, and thighs (not joints). No limping, fever, swelling, or functional impairment.

**Synonyms:**

### Growth Chart

A graphical representation of growth (weight, height/length, head circumference, BMI) plotted against age, standardized by population (WHO growth standards 0-5 years; CDC growth charts 2-20 years; percentiles/z-scores).

**Synonyms:**

### Growth Factor

Proteins that stimulate cell growth, proliferation, differentiation, and survival. Major families: EGF (epidermal growth factor), FGF (fibroblast growth factor), PDGF (platelet-derived), VEGF (vascular endothelial), TGF-beta (transforming), NGF (nerve), IGF (insulin-like), HGF (hepatocyte).

**Synonyms:**

### Growth Hormone

A hormone released by the anterior pituitary that promotes growth partly through insulin-like growth factor 1 and also affects protein, fat, and carbohydrate metabolism.

**Synonyms:**

### Growth Hormone Deficiency

Insufficient secretion of growth hormone from the anterior pituitary, causing short stature in children and metabolic effects in adults. In children: delayed

---

growth, short stature, delayed bone age, and increased fat mass. In adults: decreased muscle mass, increased fat mass, reduced bone density, fatigue, and dyslipidemia.

**Synonyms:**

### **Growth Hormone Physiology**

Growth hormone is secreted in a pulsatile pattern by pituitary somatotroph cells regulated by hypothalamic GHRH which stimulates release and somatostatin which inhibits release. GH acts directly on tissues and indirectly through IGF-1 produced primarily by the liver.

**Synonyms:**

### **Growth Medium**

A nutrient preparation supporting microbial multiplication in vitro, supplying carbon, nitrogen, minerals, and growth factors in liquid or solid form.

**Synonyms:**

### **Growth Retardation**

Abnormally slow physical growth or failure to reach expected height or weight for age and developmental stage. Causes include inadequate nutrition, chronic systemic disease, endocrine or genetic disorders, malabsorption, psychosocial deprivation, and constitutional variation; assessment uses growth charts and clinical context.

**Synonyms:**

### **Growth Scan**

An ultrasound examination used to assess fetal size, growth pattern, amniotic fluid, and sometimes blood flow. Measurements are compared with gestational-age standards to identify possible growth restriction or excessive growth.

**Synonyms:**

### **Guaifenesin**

An expectorant used to loosen respiratory mucus and make coughing more productive. It provides symptomatic relief in some respiratory illnesses; dosing depends on the formulation and patient.

**Synonyms:**

### **Guided Tissue Regeneration**

Periodontal procedure using barrier membrane to promote regeneration of bone, cementum, periodontal ligament.

**Synonyms:**

### **Guillain-Barre Syndrome**

An acute, immune-mediated polyneuropathy typically presenting with ascending paralysis following an antecedent infection (*Campylobacter jejuni*, CMV, EBV, Zika). Variants: acute inflammatory demyelinating polyneuropathy (AIDP, most common in North America), acute motor axonal neuropathy (AMAN, more common in Asia).

**Synonyms:**

### **Gummy Smile**

Excessive gingival display when smiling. Caused by hypermobile lip, vertical maxillary excess, altered passive eruption. Treatment: surgery, Botox, orthodontics.

**Synonyms:**

### **Gunshot Wound**

An injury produced by a projectile discharged from a firearm; forensic classification by range and direction. Entrance wound: rounded/ovoid defect with an abraded ring and often a zone of soot (close range) or stippling/tattooing (intermediate range); contact wounds show muzzle imprint.

**Synonyms:**

### **Gut Microbiome**

The complex community of trillions of microorganisms, including bacteria, viruses, and fungi, residing in the gastrointestinal tract. The gut microbiome plays a crucial role in digestion, immune function, vitamin synthesis, and protection against pathogens.

**Synonyms:**

### **Guttate Psoriasis**

An acute eruption of numerous small, scaly, drop-like psoriatic papules and plaques, often following streptococcal pharyngitis in children or young adults. Diagnosis is clinical; the eruption may re-



---

solve spontaneously or evolve into chronic plaque psoriasis.

**Synonyms:**

### **Gynaecologist**

A medical doctor who specializes in the health of the female reproductive system (vagina, cervix, uterus, fallopian tubes, ovaries) and breasts.

**Synonyms:**

### **Gynaecomastia**

The benign enlargement of breast tissue in males. Pathophysiology: an imbalance between estrogen (stimulates breast tissue growth) and androgen (suppresses) activity, resulting in increased estrogen-to-testosterone ratio.

**Synonyms:**

### **gynecology**

The medical specialty concerned with the health of the female reproductive system (uterus, ovaries, fallopian tubes, cervix, vagina, and vulva).

**Synonyms:**

### **Gynecomastia**

Enlargement of breast tissue in males, often bilateral, occurring physiologically in neonates, during puberty (40-60% of boys), and in aging men. Pathologic causes include Klinefelter syndrome, testicular tumors, medications (spironolactone, cannabis), and liver disease. Persistent or asymmetric gynecomastia warrants evaluation.

**Synonyms:**

### **Gyrus**

A ridge or convolution on the surface of the cerebral cortex, separated by sulci (grooves). The folded structure triples the surface area of the brain (approximately 2500 cm<sup>2</sup>) while fitting within the cranial vault.

**Synonyms:**

### **Gallbladder Carcinoma**

Cancer arising from the gallbladder.

**Synonyms:**

### **Gallbladder Infection**

Inflammation or infection of the gallbladder, often associated with blockage of bile flow.

**Synonyms:**

### **Giant Cell Tumor**

A usually benign but locally aggressive bone tumor containing numerous giant cells.

**Synonyms:**

### **Glomerulosclerosis**

Scarring of the glomeruli, the kidney structures that filter blood.

**Synonyms:**

### **Gonadoblastoma**

A rare tumor of an abnormal or developmentally disordered gonad that may contain germ cells and sex-cord cells.

**Synonyms:**

### **Gonococcal Urethritis**

Inflammation of the urethra caused by infection with *Neisseria gonorrhoeae*.

**Synonyms:**

### **Granuloma Inguinale**

A chronic sexually transmitted infection that causes ulcerative lesions of the genital region.

**Synonyms:**

### **Granulomatosis**

A disorder characterized by formation of granulomas, which are organized collections of immune cells caused by chronic inflammation.

**Synonyms:**

### **Growth Failure**

Abnormally slow physical growth or inadequate weight gain compared with expected development.

**Synonyms:**

### **Gyrate Atrophy**

An inherited retinal disorder causing progressive

---

loss of peripheral vision and night vision.

**Synonyms:**

### **Gastrointestinal Tract**

The continuous digestive passage from the mouth through the esophagus, stomach, intestines, rectum, and anus.

**Synonyms:**

### **Ganglioglioma**

A usually slow-growing brain or spinal-cord tumor made of nerve cells and supporting glial cells.

**Synonyms:**

### **Gas and Gas Pains**

Gas-related fullness, bloating, or abdominal discomfort caused by swallowed or intestinal gas.

**Synonyms:**

### **Golfer's Elbow**

Painful inflammation or degeneration of tendons on the inner side of the elbow.

**Synonyms:**

### **Group B Streptococcal Disease**

Infection caused by group B Streptococcus bacteria, which can be serious in newborns and vulnerable adults.

**Synonyms:**

### **Gamma Globulin**

The fraction of blood plasma containing most immunoglobulins, or antibodies.

**Synonyms:**

### **Gas Transport**

Movement of oxygen from the lungs to tissues and carbon dioxide from tissues to the lungs through the blood.

**Synonyms:**

### **Gastroduodenostomy**

Surgical creation of an opening between the stomach and duodenum.

**Synonyms:**

### **Gastrojejunostomy**

Surgical creation of an opening between the stomach and jejunum.

**Synonyms:**

### **Genu Varum**

Outward bowing of the legs, commonly called bowlegs.

**Synonyms:** bowlegs.

### **Glomerular Capsule**

The cup-shaped structure surrounding a kidney glomerulus that receives filtered fluid.

**Synonyms:**

### **Glomerular Filtrate**

Fluid filtered from blood into the kidney tubules at the glomerulus.

**Synonyms:**

### **Glucosamine**

A naturally occurring compound used in cartilage formation and sometimes taken as a supplement for joint symptoms.

**Synonyms:**

### **Goniometer**

An instrument used to measure the angle or range of motion of a joint.

**Synonyms:**

### **Graafian Follicle**

A mature ovarian follicle that contains an egg ready for ovulation.

**Synonyms:**

### **Graft-versus-Host Reaction**

An immune reaction in which transplanted donor immune cells attack the recipient's tissues.

**Synonyms:**

---

### Greater Omentum

A fold of fatty peritoneal tissue that hangs from the stomach and partly covers the abdominal organs.

**Synonyms:**

### Gustation

The sense of taste.

**Synonyms:**

### Gowers Sign

A maneuver in which a person uses the hands to push up from the floor or thighs because of proximal muscle weakness, classically seen in muscular dystrophy.

**Synonyms:**

### Ganglion Cyst

A benign, fluid-filled cyst arising near a joint or tendon sheath, most often at the wrist or hand. It may be painless or cause pressure, discomfort, or limitation of movement.

**Synonyms:**

### Gastric Varices

Enlarged veins in the stomach wall caused by portal hypertension, usually related to liver disease or obstruction of the splenic or portal venous circulation. Rupture can cause life-threatening gastrointestinal bleeding.

**Synonyms:**

### Gag Reflex (Pharyngeal Reflex)

A protective reflex in which stimulation of the back of the throat produces contraction of the pharyngeal muscles and may trigger retching. It helps protect the airway from foreign material.

**Synonyms:** Pharyngeal Reflex

### Dry Gangrene

Tissue death caused mainly by loss of arterial blood supply, producing dry, shrunken, dark tissue with a relatively clear boundary from viable tissue.

**Synonyms:**

### Wet Gangrene

Tissue death complicated by bacterial infection and tissue swelling, producing moist, discolored, rapidly spreading necrosis. It requires urgent medical assessment.

**Synonyms:**

### GAG (Glycosaminoglycan)

A long, unbranched carbohydrate chain found in the extracellular matrix and connective tissues. Abnormal breakdown or accumulation of GAGs occurs in mucopolysaccharidoses.

**Synonyms:** Glycosaminoglycan

### Gamete

A mature reproductive cell, such as a sperm or ovum, containing one set of chromosomes and combining with another gamete at fertilization.

**Synonyms:**

### Gastroenterostomy

Surgical creation of an opening between the stomach and a segment of the small intestine, usually the jejunum, to bypass or replace a blocked or diseased gastric outlet.

**Synonyms:**

### Genetics

Genetics concerns genetics, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context.

**Synonyms:**

### Genome

The complete genetic material of an organism, including its genes and noncoding DNA.

**Synonyms:**

### Genu Valgum (Knock-Knee)

An alignment abnormality in which the knees angle inward and may touch while the ankles remain apart. It may be developmental or caused by bone, joint, or metabolic disease.

**Synonyms:** Knock-Knee

---

## Glans Penis

The expanded, sensitive distal end of the penis containing the external urethral opening and covered by the foreskin when present.

**Synonyms:**

## Global Aphasia

A severe language disorder caused by extensive damage to the dominant cerebral hemisphere, impairing speech production, comprehension, reading, and writing.

**Synonyms:**

## Glue Ear (Secretory Otitis Media)

Persistent fluid in the middle ear without acute infection, often causing conductive hearing loss and a feeling of blockage. It is common in children.

**Synonyms:** Secretory Otitis Media

## Groin

The region where the lower abdomen meets the upper thigh, containing the inguinal canal and related muscles, vessels, nerves, and lymph nodes.

**Synonyms:**

## Gestational Pyelonephritis

A kidney infection occurring during pregnancy, usually causing fever, flank pain, nausea, or urinary symptoms. It can lead to sepsis, preterm labor, or respiratory complications and requires prompt clinical assessment.

**Synonyms:** Pyelonephritis in pregnancy; pregnancy-associated kidney infection.

## gaba receptor

gaba receptor denotes gaba receptor, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

## gabapentin

gabapentin refers to gabapentin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

## gadoleic acid

gadoleic acid denotes gadoleic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

## gadolinium

gadolinium refers to gadolinium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

## gadopentetate dimeglumine

gadopentetate dimeglumine refers to gadopentetate dimeglumine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

## gaffkya homari

gaffkya homari refers to gaffkya homari, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

## gag gene

gag gene denotes gag gene, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

## gag protein

gag protein denotes gag protein, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

## gait apraxia

gait apraxia refers to gait apraxia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

---

**Synonyms:**

**gait ataxia**

gait ataxia refers to gait ataxia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**galactans**

galactans refers to galactans, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**galactolipids**

galactolipids denotes galactolipids, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**galactose**

galactose refers to galactose, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**galactosialidosis**

galactosialidosis refers to galactosialidosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**galactoside**

galactoside refers to galactoside, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**galactosyltransferase**

galactosyltransferase refers to galactosyltransferase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**galanin**

galanin refers to galanin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**galiximab**

galiximab concerns galiximab, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**gall bladder disease**

gall bladder disease denotes a clinical condition or finding involving gall bladder disease; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**gallamine triethiodide**

gallamine triethiodide refers to gallamine triethiodide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**gallbladder necrosis**

gallbladder necrosis refers to gallbladder necrosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**gallbladder perforation**

gallbladder perforation refers to gallbladder perforation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**gallic acid**

gallic acid denotes gallic acid, a biological com-

---

ponent or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **gallium**

gallium refers to gallium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **gallium nitrate**

gallium nitrate refers to gallium nitrate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **gametogenesis**

gametogenesis denotes gametogenesis, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **gamma rays**

gamma rays refers to gamma rays, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **gamma synuclein**

gamma synuclein refers to gamma synuclein, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **gamma-chemokines**

gamma-chemokines refers to gamma-chemokines, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **gammacoronavirus**

gammacoronavirus is a virus or viral group associated with gammacoronavirus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

### **gammaherpesvirina**

gammaherpesvirina is a virus or viral group associated with gammaherpesvirina; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

### **gammaretrovirus**

gammaretrovirus is a virus or viral group associated with gammaretrovirus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

### **ganciclovir**

ganciclovir concerns ganciclovir, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **ganglia**

ganglia refers to ganglia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ganglion cell**

ganglion cell denotes ganglion cell, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **ganglioneuroma**

ganglioneuroma refers to ganglioneuroma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**



---

**ganglioneuromatosis**

ganglioneuromatosis refers to ganglioneuromatosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ganglioside**

ganglioside refers to ganglioside, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**gangliosidosis**

gangliosidosis refers to gangliosidosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**gap junction**

gap junction refers to gap junction, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**Gardner syndrome**

Gardner syndrome denotes a clinical condition or finding involving gardner syndrome; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**gardnerella**

gardnerella identifies gardnerella, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**gardnerella vaginalis**

gardnerella vaginalis identifies gardnerella vaginalis, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**garlic**

garlic refers to garlic, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**gartner duct**

gartner duct refers to gartner duct, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**gas**

gas refers to gas, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**gas chromatography**

gas chromatography refers to gas chromatography, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**gas poisoning**

gas poisoning denotes an infectious or toxic condition involving gas poisoning; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

**gas scavenger**

gas scavenger refers to gas scavenger, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**gastric balloon**

gastric balloon refers to gastric balloon, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**gastric dysplasia**

gastric dysplasia refers to gastric dysplasia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**gastric fistula**

gastric fistula refers to gastric fistula, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**gastric fundus**

gastric fundus refers to gastric fundus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**gastric hemorrhage**

gastric hemorrhage denotes a clinical condition or finding involving gastric hemorrhage; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**gastric juice**

gastric juice refers to gastric juice, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**gastric leiomyosarcoma**

gastric leiomyosarcoma denotes a neoplastic condition involving gastric leiomyosarcoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**gastric mucosa**

gastric mucosa refers to gastric mucosa, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**gastric necrosis**

gastric necrosis refers to gastric necrosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**gastric obstruction**

gastric obstruction denotes a clinical condition or finding involving gastric obstruction; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**gastric stenosis**

gastric stenosis denotes a clinical condition or finding involving gastric stenosis; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**gastroenteritis bacterial**

gastroenteritis bacterial is a microorganism or microbial group associated with gastroenteritis bacterial; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

**gastroenterologist**

gastroenterologist refers to gastroenterologist, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**gastroepiploic artery**

gastroepiploic artery refers to gastroepiploic artery, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**gastrointestinal agents**

gastrointestinal agents is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat gastrointestinal agents.

---

**Synonyms:**

**gastrointestinal disorder**

gastrointestinal disorder is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat gastrointestinal disorder.

**Synonyms:**

**gastrointestinal gas**

gastrointestinal gas is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat gastrointestinal gas.

**Synonyms:**

**gastrointestinal hemorrhage**

gastrointestinal hemorrhage is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat gastrointestinal hemorrhage.

**Synonyms:**

**gastrointestinal hormone**

gastrointestinal hormone denotes gastrointestinal hormone, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**gastrointestinal neoplasm**

gastrointestinal neoplasm is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat gastrointestinal neoplasm.

**Synonyms:**

**gastrointestinal system**

gastrointestinal system is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat gastrointestinal system.

**Synonyms:**

**gastroscope**

gastroscope refers to gastroscope, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**gastroscopy**

gastroscopy refers to gastroscopy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**gastrula**

gastrula refers to gastrula, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**gatifloxacin**

gatifloxacin concerns gatifloxacin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**gauss**

gauss refers to gauss, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**gefitinib**

gefitinib concerns gefitinib, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**gel electrophoresis**

gel electrophoresis refers to gel electrophoresis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**gelatin**

gelatin refers to gelatin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### geldanamycin analogue

geldanamycin analogue refers to geldanamycin analogue, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### gelsolin

gelsolin refers to gelsolin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### gemcitabine

gemcitabine refers to gemcitabine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### gemcitabine hydrochloride

gemcitabine hydrochloride refers to gemcitabine hydrochloride, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### gemella

gemella identifies gemella, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### gemella bergeri

gemella bergeri identifies gemella bergeri, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### gemella haemolysans

gemella haemolysans identifies gemella haemolysans, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### gemella morbillorum

gemella morbillorum identifies gemella morbillorum, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### gemella sanguinis

gemella sanguinis identifies gemella sanguinis, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### gemifloxacin

gemifloxacin concerns gemifloxacin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### gemtuzumab ozogamicin

gemtuzumab ozogamicin refers to gemtuzumab ozogamicin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### gender

gender refers to gender, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### gender identity

gender identity refers to gender identity, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### gene amplification

gene amplification denotes gene amplification, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

---

**Synonyms:**

**gene conversion**

gene conversion denotes gene conversion, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**gene deletion**

gene deletion denotes gene deletion, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**gene dosage**

gene dosage denotes gene dosage, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**gene duplication**

gene duplication denotes gene duplication, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**gene frequency**

gene frequency denotes gene frequency, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**gene fusion**

gene fusion denotes gene fusion, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**gene library**

gene library denotes gene library, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**gene modification**

gene modification denotes gene modification, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**gene mutation**

gene mutation denotes gene mutation, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**gene rearrangement**

gene rearrangement denotes gene rearrangement, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**gene silencing**

gene silencing denotes gene silencing, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**gene targeting**

gene targeting denotes gene targeting, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**gene transfer**

gene transfer denotes gene transfer, a biological component or molecular process interpreted through

---

relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **gene-environment interaction**

gene-environment interaction denotes gene-environment interaction, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **gene-modified**

gene-modified denotes gene-modified, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **generalized**

generalized denotes generalized, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **generalized lipodystrophy**

generalized lipodystrophy denotes generalized lipodystrophy, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **generalized seizure**

generalized seizure denotes generalized seizure, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **genetic anticipation**

genetic anticipation denotes genetic anticipation, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **genetic carrier**

genetic carrier denotes genetic carrier, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **genetic disorder**

genetic disorder denotes genetic disorder, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **genetic drift**

genetic drift denotes genetic drift, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **genetic engineering**

genetic engineering denotes genetic engineering, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **genetic linkage**

genetic linkage denotes genetic linkage, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **genetic marker**

genetic marker denotes genetic marker, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **genetic polymorphism**

genetic polymorphism denotes genetic polymorphism, a biological component or molecular process



---

interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **genetic profile**

genetic profile denotes genetic profile, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **genetic recombination**

genetic recombination denotes genetic recombination, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **genetic susceptibility**

genetic susceptibility denotes genetic susceptibility, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **genetic technique**

genetic technique denotes genetic technique, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **genetic transcription**

genetic transcription denotes genetic transcription, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **geniculate body**

geniculate body refers to geniculate body, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **genital edema**

genital edema denotes a clinical condition or finding involving genital edema; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **genital system**

genital system refers to genital system, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **genitourinary neoplasm**

genitourinary neoplasm denotes a neoplastic condition involving genitourinary neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### **genomic instability**

genomic instability refers to genomic instability, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **genomic library**

genomic library refers to genomic library, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **genomic medicine**

genomic medicine refers to genomic medicine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **genomics**

genomics refers to genomics, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**genotype determination**

genotype determination refers to genotype determination, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**gentamicin**

gentamicin refers to gentamicin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**gentamicin sulfate**

gentamicin sulfate refers to gentamicin sulfate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**gentian violet**

gentian violet refers to gentian violet, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**genu recurvatum**

genu recurvatum refers to genu recurvatum, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**genus dermatophilus**

genus dermatophilus refers to genus dermatophilus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**genus dickeya**

genus dickeya refers to genus dickeya, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**genus leminorella**

genus leminorella refers to genus leminorella, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**genus saimiri**

genus saimiri refers to genus saimiri, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**geophagia**

geophagia refers to geophagia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**geotrichum**

geotrichum identifies geotrichum, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**geotrichum klebahnii**

geotrichum klebahnii identifies geotrichum klebahnii, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**geriatric nursing**

geriatric nursing refers to geriatric nursing, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**germ cell**

germ cell denotes germ cell, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

---

**germ layer**

germ layer refers to germ layer, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**germanium**

germanium refers to germanium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**giant cells**

giant cells denotes giant cells, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**giardia**

giardia identifies giardia, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**gigabecquerel**

gigabecquerel refers to gigabecquerel, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**gill**

gill identifies gill, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**gimatecan**

gimatecan refers to gimatecan, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**gingiva disease**

gingiva disease denotes a clinical condition or finding involving gingiva disease; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**gingival hemorrhage**

gingival hemorrhage denotes a clinical condition or finding involving gingival hemorrhage; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**gingival infections**

gingival infections denotes an infectious or toxic condition involving gingival infections; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

**gingival margin**

gingival margin refers to gingival margin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**gingival neoplasm**

gingival neoplasm denotes a neoplastic condition involving gingival neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**gingival overgrowth**

gingival overgrowth refers to gingival overgrowth, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**gingival pocket**

gingival pocket refers to gingival pocket, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

---

**Synonyms:**

**ginkgo biloba**

ginkgo biloba refers to ginkgo biloba, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ginseng preparation**

ginseng preparation refers to ginseng preparation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**gizzard**

gizzard refers to gizzard, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**glanders**

glanders identifies glanders, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**glandular stomach**

glandular stomach refers to glandular stomach, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**gliclazide**

gliclazide refers to gliclazide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**glioblastoma multiforme**

glioblastoma multiforme denotes a neoplastic condition involving glioblastoma multiforme; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**gliocladium**

gliocladium identifies gliocladium, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**gliosarcoma**

gliosarcoma denotes a neoplastic condition involving gliosarcoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**gliosis**

gliosis refers to gliosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**glipizide**

glipizide refers to glipizide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**globicatella**

globicatella identifies globicatella, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**globicatella sanguinis**

globicatella sanguinis identifies globicatella sanguinis, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**globozoospermia**

globozoospermia refers to globozoospermia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

---

**Synonyms:**

**globule unit**

globule unit refers to globule unit, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**globus pallidus**

globus pallidus refers to globus pallidus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**glomerular filtration**

glomerular filtration refers to glomerular filtration, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**glomerulomegaly**

glomerulomegaly refers to glomerulomegaly, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**glomerulonephritis acute**

glomerulonephritis acute refers to glomerulonephritis acute, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**glossalgia**

glossalgia refers to glossalgia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**glossectomy**

glossectomy is used in relation to glossectomy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

**glossinidae**

glossinidae refers to glossinidae, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**glossopharyngeal nerve**

glossopharyngeal nerve refers to glossopharyngeal nerve, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**glossoptosis**

glossoptosis refers to glossoptosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**glucan**

glucan refers to glucan, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**glucarpidase**

glucarpidase refers to glucarpidase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**glucocorticoid**

glucocorticoid refers to glucocorticoid, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**gluconates**

gluconates refers to gluconates, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### glucose transport

glucose transport refers to glucose transport, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### glucose transporter

glucose transporter refers to glucose transporter, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### glucosinolate

glucosinolate refers to glucosinolate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### glucosylceramidase

glucosylceramidase refers to glucosylceramidase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### glucuronate

glucuronate refers to glucuronate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### glucuronic acid

glucuronic acid denotes glucuronic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### glucuronide

glucuronide refers to glucuronide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### glutamate decarboxylase

glutamate decarboxylase refers to glutamate decarboxylase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### glutamate receptor

glutamate receptor denotes glutamate receptor, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### glutamic acid

glutamic acid denotes glutamic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### glutamine

glutamine refers to glutamine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### glutaral

glutaral refers to glutaral, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### glutathione disulfide

glutathione disulfide refers to glutathione disulfide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### glutathione transferase

glutathione transferase refers to glutathione transferase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.



---

**Synonyms:**

**gluteal muscle**

gluteal muscle refers to gluteal muscle, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**glyburide**

glyburide refers to glyburide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**glyceraldehyde**

glyceraldehyde refers to glyceraldehyde, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**glyceride**

glyceride refers to glyceride, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**glycerol**

glycerol refers to glycerol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**glycerol kinase**

glycerol kinase refers to glycerol kinase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**glycerophosphates**

glycerophosphates refers to glycerophosphates, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**glycerophospholipids**

glycerophospholipids denotes glycerophospholipids, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**glycerylphosphorylcholine**

glycerylphosphorylcholine refers to glycerylphosphorylcholine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**glycine**

glycine refers to glycine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**glycine receptor**

glycine receptor denotes glycine receptor, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**glycocalyx**

glycocalyx refers to glycocalyx, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**glycolates**

glycolates refers to glycolates, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**glycolipid**

glycolipid denotes glycolipid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

---

### glycomics

glycomics refers to glycomics, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### glycopeptide

glycopeptide is a defined chemical or biologic substance involved in glycopeptide and studied in physiology, pharmacology, laboratory medicine, or treatment.

**Synonyms:**

### glycophorin

glycophorin refers to glycophorin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### glycoprotein

glycoprotein denotes glycoprotein, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### glycopyrrolate

glycopyrrolate refers to glycopyrrolate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### glycosaminoglycans

glycosaminoglycans refers to glycosaminoglycans, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### glycoside

glycoside refers to glycoside, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### glycosphingolipid

glycosphingolipid denotes glycosphingolipid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### glycosylation

glycosylation refers to glycosylation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### glycosylphosphatidylinositol

glycosylphosphatidylinositol refers to glycosylphosphatidylinositol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### glycosyltransferase

glycosyltransferase refers to glycosyltransferase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### glycyrrhetic acid

glycyrrhetic acid denotes glycyrrhetic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### glycyrrhizic acid

glycyrrhizic acid denotes glycyrrhizic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### glyoxal

glyoxal refers to glyoxal, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

---

**Synonyms:**

**glyoxysome**

glyoxysome refers to glyoxysome, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**glyphosate**

glyphosate refers to glyphosate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**glyphosine**

glyphosine refers to glyphosine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**gnathostoma**

gnathostoma identifies gnathostoma, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**gnathostoma spinigerum**

gnathostoma spinigerum identifies gnathostoma spinigerum, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**gnathostomiasis**

gnathostomiasis refers to gnathostomiasis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**goblet cell**

goblet cell denotes goblet cell, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**gold**

gold refers to gold, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**gold alloys**

gold alloys refers to gold alloys, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**golgi cisternae**

golgi cisternae denotes golgi cisternae, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**gonad**

gonad refers to gonad, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**gonad disorder**

gonad disorder denotes a clinical condition or finding involving gonad disorder; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**gonadal agenesis**

gonadal agenesis denotes gonadal agenesis, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**gonadorelin**

gonadorelin refers to gonadorelin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

---

**Synonyms:**

**gonadotrophs**

gonadotrophs refers to gonadotrophs, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**gonadotropin**

gonadotropin concerns gonadotropin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**gondoic acid**

gondoic acid denotes gondoic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**gordonia aichiensis**

gordonia aichiensis identifies gordonia aichiensis, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**gordonia bacterium**

gordonia bacterium is a microorganism or microbial group associated with gordonia bacterium; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

**gordonia bronchialis**

gordonia bronchialis identifies gordonia bronchialis, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**gordonia rubripertincta**

gordonia rubripertincta identifies gordonia rubriper-

tincta, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**gordonia sputi**

gordonia sputi identifies gordonia sputi, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**gordonia terrae**

gordonia terrae identifies gordonia terrae, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**goserelin**

goserelin refers to goserelin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**gossypol**

gossypol refers to gossypol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**gout suppressants**

gout suppressants refers to gout suppressants, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**government**

government refers to government, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**government funding**

government funding refers to government funding, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**g-quadruplexes**

g-quadruplexes refers to g-quadruplexes, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**gracilibacillus**

gracilibacillus is a microorganism or microbial group associated with gracilibacillus; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

**graft versus host**

graft versus host refers to graft versus host, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**gramicidin**

gramicidin refers to gramicidin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**gram-positive rods**

gram-positive rods refers to gram-positive rods, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**grandchild**

grandchild refers to grandchild, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**grandparent**

grandparent refers to grandparent, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**granisetron**

granisetron concerns granisetron, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**granisetron hydrochloride**

granisetron hydrochloride refers to granisetron hydrochloride, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**granulation tissue**

granulation tissue refers to granulation tissue, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**granules**

granules refers to granules, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**granulicatella**

granulicatella identifies granulicatella, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**granulicatella adiacens**

granulicatella adiacens identifies granulicatella adiacens, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

---

**Synonyms:**

**granulicatella elegans**

granulicatella elegans identifies granulicatella elegans, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**granulocyte count**

granulocyte count refers to granulocyte count, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**granulocytic sarcoma**

granulocytic sarcoma denotes a neoplastic condition involving granulocytic sarcoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**granulosa cell**

granulosa cell denotes granulosa cell, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**granzyme**

granzyme refers to granzyme, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**gravity**

gravity refers to gravity, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**gravitropism**

gravitropism refers to gravitropism, a medical condition or clinical finding defined by its features, causes,

affected system, and patient context.

**Synonyms:**

**greater than**

greater than refers to greater than, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**grimontia hollisae**

grimontia hollisae identifies grimontia hollisae, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**grip strength**

grip strength refers to grip strength, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**griseofulvin**

griseofulvin refers to griseofulvin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**gross virus**

gross virus is a virus or viral group associated with gross virus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

**ground substance**

ground substance refers to ground substance, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**groundwater**

groundwater refers to groundwater, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.



---

**Synonyms:**

**group therapy**

group therapy is used in relation to group therapy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

**growth**

growth refers to growth, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**growth cone**

growth cone refers to growth cone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**growth disorder**

growth disorder denotes a clinical condition or finding involving growth disorder; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**growth inhibitor**

growth inhibitor refers to growth inhibitor, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**gtp binding**

gtp binding refers to gtp binding, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**guanazole**

guanazole concerns guanazole, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**guanfacine**

guanfacine refers to guanfacine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**guanine**

guanine refers to guanine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**guanosine**

guanosine refers to guanosine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**guanosine diphosphate**

guanosine diphosphate refers to guanosine diphosphate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**guanosine monophosphate**

guanosine monophosphate refers to guanosine monophosphate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**guanosine triphosphate**

guanosine triphosphate refers to guanosine triphosphate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**guanosinetriphosphatase**

guanosinetriphosphatase refers to guanosinetriphosphatase, a medical condition or clinical finding defined by its features, causes, affected system, and

---

patient context.

**Synonyms:**

### **guanylate cyclase**

guanylate cyclase refers to guanylate cyclase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **guide device**

guide device refers to guide device, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **guided imagery**

guided imagery refers to guided imagery, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **guilt**

guilt refers to guilt, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **gut epithelium**

gut epithelium refers to gut epithelium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **gynatresia**

gynatresia refers to gynatresia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **gynecological examination**

gynecological examination refers to gynecological examination, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **gynecologist**

gynecologist refers to gynecologist, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Green stool**

Stool with a green color that may result from diet, food coloring, rapid intestinal transit, medicines, or infection. **Synonyms:**

### **Groin pain (male)**

Pain in the groin or adjacent lower abdomen, hip, or testicle in a male; causes include muscle strain, hernia, infection, urinary stones, or referred pain.

**Synonyms:**

### **Viral gastroenteritis (stomach flu)**

An infection causing inflammation of the stomach and intestines, commonly resulting in vomiting, watery diarrhea, cramps, and fever. **Synonyms:**

### **Gastrointestinal stromal tumor (GIST)**

A tumor arising from specialized cells in the digestive tract, most often in the stomach or small intestine. **Synonyms:**

### **Germ cell tumors**

Tumors arising from cells that normally develop into eggs or sperm, occurring in the gonads or other parts of the body. **Synonyms:**

### **Giardia infection (giardiasis)**

An intestinal infection caused by Giardia parasites, commonly producing diarrhea, cramps, bloating, gas, and malabsorption. **Synonyms:**

### **Golfer's elbow (Medial epicondylitis)**

Overuse injury involving tendons on the inside of the elbow, causing pain and tenderness with gripping or wrist movement. **Synonyms:**

---

### Group B strep disease

Illness caused by group B *Streptococcus* bacteria, which can cause serious infections in newborns and infections in pregnant people or adults with medical risks. **Synonyms:**

### Galactocerebrosidase Deficiency

An inherited deficiency of the lysosomal enzyme galactocerebrosidase, associated with Krabbe disease and impaired myelin formation. See *Krabbe Disease*. **Synonyms:** Galactocerebrosidase deficiency; galactosylceramidase deficiency.

### GAD

Alternate index label; see *Generalized Anxiety Disorder*. **Synonyms:**

### Gallbladder inflammation

Alternate index label; see *Cholecystitis*. **Synonyms:**

### Gambling, compulsive

Alternate index label; see *Compulsive gambling*. **Synonyms:**

### Gastric emptying, delayed

Alternate index label; see *Gastroparesis*. **Synonyms:**

### Gastric emptying, rapid

Alternate index label; see *Dumping Syndrome*. **Synonyms:**

### Gastroenteritis, viral

Alternate index label; see *Viral gastroenteritis (stomach flu)*. **Synonyms:**

### GBM

Alternate index label; see *Glioblastoma*. **Synonyms:**

### Gender identity disorder

Alternate index label; see *Gender Dysphoria*. **Synonyms:**

### German measles

Alternate index label; see *Rubella*. **Synonyms:**

### Giant lymph node hyperplasia

Alternate index label; see *Castleman Disease*. **Synonyms:**

### Glossodynia

Alternate index label; see *Burning Mouth Syndrome*. **Synonyms:**

### Glucocerebrosidase deficiency

Alternate index label; see *Gaucher Disease*. **Synonyms:**

### Gluten-sensitive enteropathy

Alternate index label; see *Celiac Disease*. **Synonyms:**

### Grade IV astrocytoma

Alternate index label; see *Glioblastoma*. **Synonyms:**

### Gross hematuria

Alternate index label; see *Blood in urine (hematuria)*. **Synonyms:**

### Gum disease, gingivitis

Alternate index label; see *Gingivitis*. **Synonyms:**

### Gum disease, periodontitis

Alternate index label; see *Periodontitis*. **Synonyms:**

### Galactose-1-phosphate uridylyltransferase blood test

Galactose-1-phosphate uridylyltransferase blood test examines galactose-1-phosphate uridylyltransferase blood test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

---

### **Gallbladder radionuclide scan**

Gallbladder radionuclide scan examines gallbladder radionuclide scan; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Gallbladder removal - laparoscopic - discharge**

Gallbladder removal - laparoscopic - discharge is a treatment or care intervention for gallbladder removal - laparoscopic - discharge; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Gallbladder removal - open - discharge**

Gallbladder removal - open - discharge is a treatment or care intervention for gallbladder removal - open - discharge; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Gallstones - discharge**

Gallstones - discharge is a treatment or care intervention for gallstones - discharge; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Gamma-glutamyl transferase (GGT) blood test**

Gamma-glutamyl transferase (GGT) blood test examines gamma-glutamyl transferase (ggt) blood test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Gas – flatulence**

Gas – flatulence concerns gas – flatulence; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Gasoline poisoning**

Gasoline poisoning involves toxic or environmental exposure to gasoline poisoning; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Gastric bypass surgery**

Gastric bypass surgery is a treatment or care intervention for gastric bypass surgery; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Gastric bypass surgery - discharge**

Gastric bypass surgery - discharge is a treatment or care intervention for gastric bypass surgery - discharge; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Gastric culture**

Gastric culture examines gastric culture; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Gastric suction**

Gastric suction concerns gastric suction; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Gastric tissue biopsy and culture**

Gastric tissue biopsy and culture examines gastric tissue biopsy and culture; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Gastrin blood test**

Gastrin blood test examines gastrin blood test; inter-

---

pretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Gastroesophageal reflux - discharge**

Gastroesophageal reflux - discharge is a treatment or care intervention for gastroesophageal reflux - discharge; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Gastroesophageal reflux disease - children**

Gastroesophageal reflux disease - children is a medical condition involving gastroesophageal reflux disease - children; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Gastroesophageal reflux in infants**

Gastroesophageal reflux in infants concerns gastroesophageal reflux in infants, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context.

**Synonyms:**

### **Gastrointestinal diseases - resources**

Gastrointestinal diseases - resources examines gastrointestinal diseases - resources; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Gastrointestinal fistula**

Gastrointestinal fistula examines gastrointestinal fistula; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Gastroschisis repair**

Gastroschisis repair is a treatment or care intervention for gastroschisis repair; indication, preparation, risks, technical details, and recovery depend on the

patient and goal.

**Synonyms:**

### **Gastrostomy feeding tube - bolus**

Gastrostomy feeding tube - bolus is a treatment or care intervention for gastrostomy feeding tube - bolus; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Gastrostomy feeding tube - pump - child**

Gastrostomy feeding tube - pump - child is a treatment or care intervention for gastrostomy feeding tube - pump - child; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **General paresis**

General paresis is a medical condition involving general paresis; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Generalized anxiety disorder - self-care**

Generalized anxiety disorder - self-care is a treatment or care intervention for generalized anxiety disorder - self-care; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Generalized anxiety disorder in children**

Generalized anxiety disorder in children is a medical condition involving generalized anxiety disorder in children; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Genes**

Genes concerns genes, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context.

---

**Synonyms:**

### **Genetic testing and your cancer risk**

Genetic testing and your cancer risk involves toxic or environmental exposure to genetic testing and your cancer risk; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Genetically modified organisms - GMOs**

Genetically modified organisms - GMOs concerns genetically modified organisms - gmos, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context.

**Synonyms:**

### **Genital herpes - self-care**

Genital herpes - self-care is a treatment or care intervention for genital herpes - self-care; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Genital sores - female**

Genital sores - female is a medical condition involving genital sores - female; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Genital sores - male**

Genital sores - male is a medical condition involving genital sores - male; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Gestational diabetes - self-care**

Gestational diabetes - self-care is a treatment or care intervention for gestational diabetes - self-care; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Gestational diabetes diet**

Gestational diabetes diet addresses care related to gestational diabetes diet, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Getting a prescription filled**

Getting a prescription filled addresses care related to getting a prescription filled, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Getting out of bed after surgery**

Getting out of bed after surgery is a treatment or care intervention for getting out of bed after surgery; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Getting support when your child has cancer**

Getting support when your child has cancer addresses care related to getting support when your child has cancer, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Getting your home ready - after the hospital**

Getting your home ready - after the hospital addresses care related to getting your home ready - after the hospital, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Getting your home ready - knee or hip surgery**

Getting your home ready - knee or hip surgery is a treatment or care intervention for getting your home ready - knee or hip surgery; indication, preparation, risks, technical details, and recovery depend on the



---

patient and goal.

**Synonyms:**

### **Getting yourself healthy before surgery**

Getting yourself healthy before surgery is a treatment or care intervention for getting yourself healthy before surgery; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Gianotti-Crosti syndrome**

Gianotti-Crosti syndrome is a medical condition involving gianotti-crosti syndrome; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Giant congenital nevus**

Giant congenital nevus concerns giant congenital nevus; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Give your heart a workout**

Give your heart a workout concerns give your heart a workout, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context.

**Synonyms:**

### **Giving an IM (intramuscular) injection**

Giving an IM (intramuscular) injection is a treatment or care intervention for giving an im (intramuscular) injection; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Giving an insulin injection**

Giving an insulin injection is a treatment or care intervention for giving an insulin injection; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Glaze poisoning**

Glaze poisoning involves toxic or environmental exposure to glaze poisoning; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Gleason grading system**

Gleason grading system examines gleason grading system; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Glomus jugulare tumor**

Glomus jugulare tumor is a medical condition involving glomus jugulare tumor; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Glomus tympanicum tumor**

Glomus tympanicum tumor is a medical condition involving glomus tympanicum tumor; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **GLP-1 agonists**

GLP-1 agonists concerns glp-1 agonists; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Glucagon blood test**

Glucagon blood test examines glucagon blood test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Glucose screening tests during pregnancy**

Glucose screening tests during pregnancy examines

---

glucose screening tests during pregnancy; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Glucose tolerance test - non-pregnant**

Glucose tolerance test - non-pregnant examines glucose tolerance test - non-pregnant; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Glucose urine test**

Glucose urine test examines glucose urine test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Glucose-6-phosphate dehydrogenase test**

Glucose-6-phosphate dehydrogenase test examines glucose-6-phosphate dehydrogenase test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Glucuronyl transferase**

Glucuronyl transferase concerns glucuronyl transferase; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Glycemic index and diabetes**

Glycemic index and diabetes concerns glycemic index and diabetes; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Going home after a C-section**

Going home after a C-section addresses care related to going home after a c-section, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Gram stain of skin lesion**

Gram stain of skin lesion examines gram stain of skin lesion; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Gram stain of tissue biopsy**

Gram stain of tissue biopsy examines gram stain of tissue biopsy; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Gram stain of urethral discharge**

Gram stain of urethral discharge examines gram stain of urethral discharge; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Grass allergy**

Grass allergy concerns grass allergy; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Grass and weed killer poisoning**

Grass and weed killer poisoning involves toxic or environmental exposure to grass and weed killer poisoning; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Greater trochanteric pain syndrome**

Greater trochanteric pain syndrome is a medical condition involving greater trochanteric pain syndrome; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Groin lump**

Groin lump is a medical condition involving groin lump; causes, affected organs, severity, complications, and treatment are determined by clinical as-

---

assessment.

**Synonyms:**

### **Groin pain**

Groin pain is a medical condition involving groin pain; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Gross motor control**

Gross motor control concerns gross motor control; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Group B streptococcal septicemia of the newborn**

Group B streptococcal septicemia of the newborn is a medical condition involving group b streptococcal septicemia of the newborn; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Group B streptococcus - pregnancy**

Group B streptococcus - pregnancy concerns group b streptococcus - pregnancy; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Growth hormone deficiency - children**

Growth hormone deficiency - children is a medical condition involving growth hormone deficiency - children; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Growth hormone stimulation test**

Growth hormone stimulation test examines growth hormone stimulation test; interpretation depends on the specimen or body region, test method, reference

range, and clinical question.

**Synonyms:**

### **Growth hormone suppression test**

Growth hormone suppression test examines growth hormone suppression test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Growth hormone test**

Growth hormone test examines growth hormone test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Gum biopsy**

Gum biopsy examines gum biopsy; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Gumma**

Gumma concerns gumma; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Gums - swollen**

Gums - swollen is a medical condition involving gums - swollen; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Gunshot wounds - aftercare**

Gunshot wounds - aftercare is a treatment or care intervention for gunshot wounds - aftercare; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

## H

### 21-Hydroxylase deficiency

An inherited defect in CYP21A2 that reduces cortisol and aldosterone synthesis, increases 17-hydroxyprogesterone, and causes congenital adrenal hyperplasia with androgen excess.

**Synonyms:**

### Hair Bulb

The enlarged base of a hair follicle where the hair shaft is produced.

**Synonyms:**

### Hair Shaft

The portion of a hair that projects above the skin surface.

**Synonyms:**

### Hammertoe

A deformity in which a toe bends downward at a middle joint.

**Synonyms:** Hammer toe

### Happiness

A subjective sense of well-being, contentment, or pleasure.

**Synonyms:**

### Happiness Set-Point

An individual's usual baseline level of happiness around which mood tends to fluctuate.

**Synonyms:**

### Harm Reduction Therapy

Treatment that aims to reduce health and social harms from addictive behavior, even when absti-

nence is not immediate.

**Synonyms:** Harm reduction

### Hay Fever

Seasonal or persistent allergic rhinitis caused by inhaled allergens.

**Synonyms:** Allergic rhinitis

### HbA1c

Hemoglobin with glucose attached; its measurement estimates average blood glucose over the previous two to three months.

**Synonyms:** Glycosylated hemoglobin; hemoglobin A1c

### Heberden Nodes

Bony enlargements at the end joints of fingers, commonly associated with osteoarthritis.

**Synonyms:** Heberden's nodes

### Hedonic

Relating to pleasure or the pursuit of pleasure.

**Synonyms:**

### Hedonic Treadmill

The tendency to adapt to life changes so that their emotional effects diminish over time.

**Synonyms:** Hedonic adaptation

### Helper T Cells

CD4-positive immune cells that coordinate responses by activating other immune cells.

**Synonyms:** CD4 T cells

---

### **HEPA Filter**

A high-efficiency particulate air filter that removes a large proportion of airborne particles.

**Synonyms:** High-efficiency particulate air filter

### **Heparin**

An anticoagulant that reduces formation and extension of blood clots.

**Synonyms:**

### **High Blood Pressure**

Persistently elevated pressure of blood against artery walls.

**Synonyms:** Hypertension

### **HLA**

Human leukocyte antigen, a cell-surface protein system involved in immune recognition and tissue compatibility.

**Synonyms:** Human leukocyte antigen

### **Hormones**

Chemical messengers released by glands or tissues that regulate processes throughout the body.

**Synonyms:**

### **Hot Flash**

A sudden episode of heat, flushing, sweating, and sometimes palpitations, commonly occurring during menopause.

**Synonyms:** Hot flush

### **HPA**

The hypothalamic-pituitary-adrenal axis, a hormone system central to the stress response.

**Synonyms:** Hypothalamic-pituitary-adrenal axis

### **Human Leukocyte Antigen**

A protein on cell surfaces that helps the immune system distinguish self from foreign material.

**Synonyms:** HLA

### **Humectant**

A substance that attracts and retains water, com-

monly used to hydrate skin.

**Synonyms:**

### **Hyaluronic Acid**

A naturally occurring carbohydrate polymer that binds water in connective tissue, skin, joints, and the eye.

**Synonyms:** Hyaluronan

### **Hydrogenation**

A chemical process that adds hydrogen to a compound; in foods it can convert liquid oils into more solid fats.

**Synonyms:**

### **Hydroxyapatite**

A calcium-phosphate mineral forming much of the hardness of bones and teeth.

**Synonyms:**

### **Hygiene Hypothesis**

The theory that limited early-life microbial exposure may increase susceptibility to allergies and immune disorders.

**Synonyms:**

### **Hyperalgesia**

An abnormally increased response to a painful stimulus.

**Synonyms:**

### **Hyperinsulinemia**

An abnormally high concentration of insulin in the blood.

**Synonyms:**

### **Hyperplastic Polyp**

A usually benign overgrowth of mucosal cells, often found in the colon or rectum.

**Synonyms:**

### **Hypertensive Cerebellar Hemorrhage**

Bleeding into the cerebellum caused by rupture of a vessel damaged by high blood pressure.

---

**Synonyms:**

### **Hypertensive Intracerebral Hemorrhage**

Bleeding into brain tissue caused by rupture of a blood vessel associated with hypertension.

**Synonyms:**

### **Hypnagogic Hallucinations**

Vivid sensory experiences occurring while a person is falling asleep.

**Synonyms:**

### **Hypnogram**

A chart showing the timing and stages of sleep during a recording.

**Synonyms:** Sleep-stage diagram

### **Hypothalamic-Pituitary-Adrenal Axis**

A network linking the hypothalamus, pituitary gland, and adrenal glands to regulate stress hormones and other functions.

**Synonyms:** HPA axis

### **H Influenzae Meningitis**

Bacterial meningitis caused by *Haemophilus influenzae*, especially type b in unvaccinated children. It may cause fever, headache, neck stiffness, altered consciousness, seizures, and serious neurologic complications.

**Synonyms:**

### **H1N1 Influenza**

Influenza A infection caused by an H1N1 virus strain. It usually produces fever, cough, sore throat, myalgia, and fatigue but can cause viral pneumonia and severe respiratory failure in high-risk patients.

**Synonyms:**

### **Histamine-2 Receptor Antagonist**

A drug that blocks histamine H2 receptors on gastric parietal cells, reducing gastric acid secretion. Agents: cimetidine, ranitidine, famotidine, nizatidine. Used for GERD, peptic ulcer disease, and dyspepsia—less potent than PPIs. Adverse effects: headache, diarrhea, confusion (elderly, cimetidine),

and rare thrombocytopenia.

**Synonyms:**

### **Habenula**

A paired epithalamic structure forming part of the dorsal diencephalon. It integrates limbic and basal-forebrain signals with midbrain monoaminergic systems and contributes to reward, aversion, stress, and motivational behavior.

**Synonyms:**

### **Haem- / Haema- / Haemato- / Haemo- (Prefixes relating to blood)**

Prefixes derived from the Greek word *haima* (blood), used in medical terminology to denote blood-related conditions and procedures.

**Synonyms:** Prefixes relating to blood

### **Haemangioma**

A benign vascular tumor composed of proliferating endothelial cells, the most common soft tissue tumor of infancy.

**Synonyms:**

### **Haemarthrosis**

Bleeding into a joint cavity. Causes: trauma (most common), hemophilia (spontaneous haemarthrosis is characteristic, especially in severe deficiency of factor VIII or IX, common in knees, elbows, ankles), anticoagulant therapy, pigmented villonodular synovitis (PVNS, recurrent haemarthrosis), joint surgery, and vascular malformations.

**Synonyms:**

### **Haematocrit**

The proportion of blood volume occupied by red blood cells, expressed as a percentage or decimal fraction. The reference range varies with age, sex, altitude, pregnancy, and laboratory method.

**Synonyms:**

### **Haematologist**

A medical doctor who specializes in the diagnosis, treatment, and prevention of diseases of the blood and blood-forming organs.



---

**Synonyms:**

### **Haematoma**

A localised collection of blood outside blood vessels, usually clotted, within an organ or tissue. Haematomas form when trauma or disease causes a blood vessel to rupture.

**Synonyms:**

### **Haematuria**

The presence of blood in the urine. Classification: gross (visible to the naked eye, indicates bleeding beyond the nephron) vs microscopic (detected only on urinalysis or microscopy, >3 RBCs per high-power field).

**Synonyms:**

### **Haemodialysis**

A medical procedure that filters waste products, toxins, and excess fluid from the blood when the kidneys are unable to do so (end-stage renal disease, ESRD). Mechanism: blood is pumped through an extracorporeal circuit and passes through a dialyser (artificial kidney) containing thousands of hollow fibers with a semipermeable membrane.

**Synonyms:**

### **Haemolytic Disease of the Newborn**

Destruction of a newborn's red blood cells by maternal antibodies that crossed the placenta, causing anemia and jaundice.

**Synonyms:**

### **Haemophilia**

An X-linked recessive bleeding disorder caused by deficiency of coagulation factor VIII (hemophilia A, 80-85%) or factor IX (hemophilia B, Christmas disease, 15-20%). Incidence: 1 in 5,000 male births (hemophilia A), 1 in 30,000 (hemophilia B).

**Synonyms:**

### **Haemophilus influenzae**

A gram-negative coccobacillus that causes meningitis, epiglottitis, pneumonia, and other infections. The encapsulated type b (Hib) strain was the most

virulent, causing invasive disease in children. The Hib conjugate vaccine has dramatically reduced the incidence of invasive Hib disease.

**Synonyms:**

### **Haemoptysis**

Coughing up blood or blood-stained sputum from the lower respiratory tract.

**Synonyms:**

### **Haemorrhoids**

Enlarged symptomatic vascular cushions of the anal canal that may cause painless bright-red rectal bleeding, prolapse, itching, or discomfort.

**Synonyms:**

### **Hair Cells**

The sensory receptor cells of the inner ear that convert mechanical sound vibrations into electrical neural signals, and they are named for the bundle of stereocilia projecting from their apical surface.

**Synonyms:**

### **Hair Follicle**

Complex dermal/hypodermal mini-organ producing hair. Has infundibulum (surface opening), isthmus (from sebaceous duct to arrector pili insertion), and lower segment (bulb with matrix and dermal papilla). Hair cycle: anagen (active growth, 2-7 years), catagen (regression, 2-3 weeks), telogen (resting, 2-3 months).

**Synonyms:**

### **Hair Loss**

Alopecia: reduction of scalp or body hair. Types: nonscarring (androgenetic—pattern hair loss, telogen effluvium—stress/illness/drugs, anagen effluvium—chemotherapy, alopecia areata—autoimmune patches, tinea capitis, trichotillomania) and scarring (lupus, lichen planopilaris, folliculitis decalvans). Female pattern hair loss is common.

**Synonyms:**

---

## Hair Loss (Alopecia)

The partial or complete loss of hair from areas where it normally grows, most commonly the scalp. Causes include genetic predisposition (androgenetic alopecia), autoimmune conditions (alopecia areata), hormonal changes, medications, stress, and nutritional deficiencies.

**Synonyms:** Alopecia

## Hair Loss Classification

Hair loss (alopecia) is classified as scarring (cicatricial) or non-scarring. Non-scarring alopecias are potentially reversible: androgenetic alopecia (male and female pattern), alopecia areata, telogen effluvium, anagen effluvium, and tinea capitis.

**Synonyms:**

## Hairy Cell Leukemia

A rare, indolent B-cell chronic lymphoproliferative disorder characterized by the accumulation of mature B lymphocytes with characteristic cytoplasmic projections ("hairy cells") in the bone marrow, peripheral blood, and spleen.

**Synonyms:**

## Hairy Tongue

A usually harmless overgrowth and discoloration of the tongue's papillae, often appearing black, brown, or white. It may be associated with smoking, poor oral hygiene, dry mouth, or antibiotics; gentle tongue cleaning and removal of contributing factors usually help.

**Synonyms:**

## Haldane Effect

The decrease in hemoglobin's CO<sub>2</sub> carrying capacity when oxygen binds to it, facilitating CO<sub>2</sub> release at the lungs. Deoxygenated hemoglobin (deoxyhemoglobin) is a better buffer for H<sup>+</sup> ions and forms more carbaminohemoglobin than oxyhemoglobin.

**Synonyms:**

## Half-Life

Elimination half-life is the time required for the plasma concentration of a drug to decrease by 50

percent after reaching equilibrium. It is calculated from the elimination rate constant using the equation  $t_{1/2}$  equals 0.693 divided by the elimination rate constant.

**Synonyms:**

## Half-life (Physical)

Time for radioactive isotope to decay to half its original activity. F-18: 110 min; Tc-99m: 6 hours; I-131: 8 days; Ga-68: 68 min. Affects imaging timing, radiation dose.

**Synonyms:** Physical

## Half-Life ( $t_{1/2}$ )

The time required for plasma drug concentration to decrease by 50%. It determines dosing frequency and time to steady state (4-5 half-lives). Drugs with long half-lives (e.g., amiodarone: 40-55 days, warfarin: 40 hours) can be given once daily but take longer to reach steady state and to be eliminated.

**Synonyms:**  $t_{1/2}$

## Halitosis

An unpleasant odour of the breath that may be socially distressing. The most common cause (85-90%) is poor oral hygiene—accumulation of bacteria on the tongue, dental plaque, periodontitis, and gingivitis.

**Synonyms:**

## Hallucination

A perception in the absence of an external stimulus, experienced as real and occurring in objective space.

**Synonyms:**

## Hallux Valgus

Lateral deviation of the great toe (hallux) with medial prominence of the first metatarsal head (bunion). More common in women, associated with narrow-toed shoes, high heels, and genetic predisposition. Presents with pain over the medial eminence, difficulty with shoe wear, and progressive deformity.

**Synonyms:**

---

### Hallux Valgus (Bunion)

A progressive deformity of the first metatarsophalangeal (MTP) joint, characterized by lateral deviation of the great toe (hallux valgus) and medial deviation of the first metatarsal head (metatarsus primus varus), resulting in a bony prominence on the medial side of the forefoot (the bunion).

**Synonyms:** Bunion

### Halo nevus

A benign melanocytic nevus surrounded by a rim of depigmentation (Sutton nevus), caused by an immune-mediated T-cell response directed against melanocytes in the nevus. It is most common on the trunk of children and young adults and typically resolves by central depigmentation, leaving a white macule.

**Synonyms:**

### Hamartoma

A benign growth composed of a disorganized mixture of tissue elements normally present at that site, e.g., pulmonary hamartoma, Peutz-Jeghers polyps, and PTEN-related (Cowden) lesions.

**Synonyms:**

### Hamate

Wedge-shaped distal row carpal bone on the ulnar side with the hook of the hamate. The hook forms Guyon's canal medial border and serves as flexor retinaculum attachment. Articulates with 4th/5th metacarpals. Hook fractures associated with racquet sports and ulnar nerve compression.

**Synonyms:**

### Hamman's Sign

A crunching or crackling sound heard on auscultation synchronized with the heartbeat, caused by air in the mediastinum (pneumomediastinum). It is a rare but specific finding. It is also described as a mediastinal crunch heard in spontaneous pneumomediastinum.

**Synonyms:**

### Hammer

The common name for the malleus, one of the three small bones of the middle ear.

**Synonyms:**

### Hammer Toe

A deformity of the second, third, or fourth toe characterized by flexion at the PIP joint and extension at the MTP and DIP joints. Caused by muscle imbalance (intrinsic foot muscle weakness) and narrow-toed shoes. Presents with pain over the dorsal PIP joint (corn/callus) and the tip of the toe. Flexible hammer toe: correctable passively.

**Synonyms:**

### Hampton Hump

Wedge-shaped opacification with its base abutting the pleura on chest radiography, representing pulmonary infarction secondary to Pulmonary Embolism. See Pulmonary Embolism (PE).

**Synonyms:**

### Hampton's Hump

Wedge-shaped, pleural-based opacity on CXR representing pulmonary infarction distal to PE.

**Synonyms:**

### Hamstring

One of three muscles forming the posterior compartment of the thigh: semitendinosus, semimembranosus, and biceps femoris (long and short heads). Common origin: ischial tuberosity (except short head of biceps femoris which originates from the linea aspera of the femur).

**Synonyms:**

### Hamstring Muscles

Three posterior thigh muscles: biceps femoris (long/short heads), semitendinosus, semimembranosus, mostly from the ischial tuberosity (short head of biceps from linea aspera). Long head/semimembranosus/semitendinosus innervated by tibial sciatic nerve; short head by common peroneal division. Flex knee, extend hip.

**Synonyms:**

---

## Hand Foot and Mouth Disease

A common viral illness (mostly children <10 years) caused by coxsackievirus A16 (and enterovirus 71), transmitted by fecal-oral/respiratory.

**Synonyms:**

## Hand hygiene

The most effective measure for preventing healthcare-associated infections. Hand hygiene includes handwashing with soap and water and hand rubbing with alcohol-based rubs. Alcohol-based rubs are preferred for routine hand hygiene as they are faster and more effective than soap and water.

**Synonyms:**

## Hand Prolapse

Prolapse of a fetal hand or arm alongside or below the presenting part. May occur spontaneously or after manual rotation. The prolapsed arm may be mistaken for a cord or foot. Management: if the hand is above the presenting part (compound presentation), it may be gently pushed back during contractions.

**Synonyms:**

## Hand, Foot, and Mouth Disease

A contagious viral illness, usually in children, causing fever and vesicles or ulcers on the hands, feet, and mouth. Enteroviruses are common causes.

**Synonyms:**

## Hand-Foot-and-Mouth Syndrome

A usually mild, contagious viral illness, commonly caused by enteroviruses, producing fever, mouth sores, and small spots or blisters on the hands and feet. It mainly affects young children but can occur in adults. Hydration, pain relief, and hygiene are important; severe dehydration, neurologic symptoms, or persistent fever requires care.

**Synonyms:**

## Hand-Foot-Mouth Disease

A common enteroviral infection, usually in young children, causing fever, painful oral ulcers, and a vesicular rash on the hands, feet, and sometimes

buttocks. It is highly contagious and usually self-limited.

**Synonyms:**

## Hanging (Complete vs Incomplete)

Form of violent asphyxial death produced by suspension of the body by a ligature around the neck. Complete Hanging: feet off ground, total body weight exerts pressure. Incomplete Hanging: part of body touches ground. Asphyxia results from occlusion of jugular veins (2 kg force) or carotid arteries (5 kg force).

**Synonyms:** Complete vs Incomplete

## Hanging and Strangulation Signs

Medico-legal findings resulting from mechanical constriction of the neck structures. Hanging: neck constriction by a ligature tightened by the weight of the victim's body. Ligature mark: pale, hard, parchment-like groove running obliquely upward toward the knot, usually situated above the thyroid cartilage.

**Synonyms:**

## Hansen's Disease (Leprosy)

A chronic infection caused mainly by *Mycobacterium leprae* that primarily affects the skin and peripheral nerves. It can cause numb skin patches, nerve thickening, weakness, and eye problems. Transmission usually requires prolonged close contact, and multidrug therapy can cure the infection.

**Synonyms:** Leprosy

## Hantavirus

Hantavirus infection is acquired from exposure to infected rodent excreta and can cause hemorrhagic fever with renal syndrome or severe cardiopulmonary syndrome. to humans primarily through inhalation of aerosolized rodent excreta (urine, feces, saliva).

**Synonyms:**

## Hantavirus Pulmonary Syndrome

A severe respiratory illness caused by hantaviruses, usually acquired by inhaling aerosolized particles

---

from infected rodent urine, droppings, or nesting material. Fever, muscle aches, headache, and gastrointestinal symptoms may rapidly progress to cough, pulmonary edema, and respiratory failure. Immediate hospital care is essential.

**Synonyms:**

### Haplotype

Set of alleles inherited together on same chromosome. Used in linkage analysis, population genetics, disease association studies.

**Synonyms:**

### Haptoglobin

An alpha-2 globulin that binds free hemoglobin, preventing oxidative damage and renal excretion. Low/undetectable: acute hemolysis (intravascular and extravascular), liver disease (decreased production), and hereditary deficiency. Elevated: acute phase reaction (inflammation, infection, malignancy).

**Synonyms:**

### Harlequin color change

A transient, benign skin color change in newborns where one half of the body becomes flushed while the other half remains pale, due to asymmetric vasomotor tone. It occurs in up to 10 percent of healthy neonates, typically when the infant is placed on their side.

**Synonyms:**

### Harm Reduction

Evidence-based strategies that decrease health, social, and legal harms associated with substance use without requiring immediate abstinence. Examples include naloxone access, sterile injecting equipment, drug-checking where available, safer-use education, and linkage to treatment.

**Synonyms:**

### Hartmann Procedure

Surgical resection of the rectosigmoid colon with creation of an end colostomy and rectal stump. Used for emergency resection of complicated diverticulitis

with peritonitis and colorectal cancer with obstruction or perforation. The procedure avoids primary anastomosis in a contaminated field.

**Synonyms:**

### Hartnup Disease

An autosomal-recessive disorder of neutral-amino-acid transport, especially in the intestine and renal tubules. Defective tryptophan handling can cause pellagra-like photosensitive dermatitis, cerebellar ataxia, and neuropsychiatric symptoms, often intermittently.

**Synonyms:**

### Hashimoto Thyroiditis

An autoimmune disorder in which immune-mediated inflammation gradually damages the thyroid gland and may cause hypothyroidism. The gland may be enlarged or atrophic, and thyroid autoantibodies are often present.

**Synonyms:**

### Hay Fever (Allergic Rhinitis)

Inflammation of the nasal lining caused by an allergic response to airborne substances, including pollens, dust mites, animal dander, or mold. It causes sneezing, congestion, nasal itching, and watery discharge.

**Synonyms:** Allergic Rhinitis

### HbA1c (Glycated Hemoglobin)

Hemoglobin containing glucose-derived adducts formed by nonenzymatic glycation. It reflects average glycemic exposure over approximately two to three months, with interpretation affected by altered red-cell survival and some hemoglobin variants.

**Synonyms:** Glycated Hemoglobin

### hCG (Human Chorionic Gonadotropin)

A hormone produced mainly by placental tissue and measured in urine or blood to help detect and monitor pregnancy. Concentrations normally rise early in pregnancy, but the rate and interpretation vary; results must be considered with timing and clinical findings.

---

**Synonyms:** Human Chorionic Gonadotropin

### **HDL**

High-density lipoprotein, a class of particles that transports cholesterol and other lipids in the blood. HDL concentration is one component of cardiovascular risk assessment; it should not be interpreted as a protective or harmful measure by itself.

**Synonyms:**

### **Head and Neck Cancer**

Cancers arising in the oral cavity, pharynx, larynx, sinonasal tract, and salivary glands, most commonly squamous cell carcinoma. Risk factors include tobacco, alcohol, and HPV (oropharyngeal). Treatment involves surgery, radiation, and chemotherapy, often combined to preserve function.

**Synonyms:**

### **Head Circumference**

Measured at the largest circumference above the ears and eyebrows, reflecting brain growth. Plotted on growth charts to detect microcephaly (below 3rd percentile) or macrocephaly (above 98th percentile). Rapid increase may indicate hydrocephalus or intracranial hemorrhage; failure to grow may indicate microcephaly or brain atrophy.

**Synonyms:**

### **Head Injury**

Trauma to scalp, skull, or brain. Scalp lacerations: bleed profusely, require suturing. Skull fracture: basilar (Battle sign, raccoon eyes) or depressed (surgical emergency). Concussion: transient neurological dysfunction, manage with rest, gradual return to activity.

**Synonyms:**

### **Head lice**

Head lice concerns head lice, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context. capitis, a wingless, blood-sucking insect that feeds on human blood, most common in children aged 3-12. It is extremely common, especially in school-aged

children aged 3-11 years, with an estimated 6-12 million infestations annually in the United States.

**Synonyms:**

### **Headache**

Headache is pain in the head or upper neck; onset, pattern, associated neurologic findings, fever, trauma, and systemic symptoms distinguish primary from secondary causes. tension-type, cluster, and trigeminal autonomic cephalalgias) or secondary (attributed to an underlying structural, infectious, vascular, or metabolic cause).

**Synonyms:**

### **Headache and Migraine**

Headaches are pain in the head or upper neck region, classified as primary (tension-type, migraine, cluster) or secondary to underlying conditions. Migraines are a neurological disorder characterized by recurrent episodes of moderate to severe throbbing pain, often accompanied by nausea, photophobia, and aura.

**Synonyms:**

### **Health Behavior**

An action or pattern of action that affects health, such as eating, physical activity, tobacco use, alcohol use, sexual practices, or taking medicines.

**Synonyms:**

### **Health Behavior Change**

Modification of behaviors that affect health, such as tobacco use, diet, physical activity, and adherence to treatment.

**Synonyms:**

### **Health Behavior Motivation**

Factors that influence initiation and maintenance of health-related behaviors, including adherence, physical activity, and smoking cessation.

**Synonyms:**

### **Health Disparities**

Differences in health outcomes or access to care among groups, often associated with social, eco-



---

conomic, environmental, geographic, or structural factors.

**Synonyms:**

### **Health Disparity**

Difference in health outcomes between populations. Examples: racial disparities, socioeconomic disparities, geographic disparities.

**Synonyms:**

### **Health Equity**

The fair opportunity for all people to attain their highest possible level of health, without avoidable differences caused by social or economic disadvantage.

**Synonyms:**

### **Health Inequity**

A systematic, avoidable, and unjust difference in health or access to health resources between social groups. It differs from health variation that is not preventable or not linked to unfair social conditions.

**Synonyms:**

### **Health Information Technology**

Use of technology for health information. Examples: electronic health records, telemedicine, mobile health, decision support.

**Synonyms:**

### **Health Literacy**

Ability to obtain, process, understand health information. Examples: reading labels, following instructions, communicating with providers.

**Synonyms:**

### **Health Promotion**

Activities maintaining/improving health in elderly. Components: vaccination, screening, exercise, nutrition, cognitive stimulation, social engagement, fall prevention. Tailored to individual capacity and preferences.

**Synonyms:**

### **Health Surveillance**

The ongoing collection and analysis of health data to identify patterns, monitor disease, and guide public-health action.

**Synonyms:**

### **Health-Related QoL**

A person's perceived physical, psychological, and social well-being as affected by health and illness.

**Synonyms:**

### **Healthcare Associated Infection**

An infection developing as a consequence of health-care delivery, typically beyond 48 hours after admission or within 30 days of a procedure.

**Synonyms:**

### **Healthcare Provider**

A healthcare professional or organization that provides medical care, such as a physician, nurse, therapist, or clinic.

**Synonyms:**

### **Healthcare Proxy**

A person designated to make healthcare decisions for someone who cannot make or communicate those decisions. The appointment may be recorded in an advance directive or other legal document.

**Synonyms:**

### **Healthcare-Associated Pneumonia**

HCAP concept retired (2016 IDSA/ATS); risk factors for MDR now assessed individually. Risk factors for MDR pathogens (prior antibiotics, structural lung disease, frequent hospitalization) should be assessed individually rather than using the HCAP category.

**Synonyms:**

### **Healthy Aging**

The process of developing and maintaining the functional ability that supports well-being in older age.

**Synonyms:**

---

## Healthy Eating for Diabetes

A dietary approach designed to maintain stable blood glucose levels in individuals with diabetes mellitus. It emphasizes carbohydrate consistency, high fiber intake, lean proteins, and healthy fats while minimizing refined sugars and simple carbohydrates.

**Synonyms:**

## Healthy Years

Years of life lived in good health, without substantial disease, disability, or loss of function.

**Synonyms:**

## Healthy Years Lost

Years of life lost due to premature death or disability. DALYs combine YLL and YLD.

**Synonyms:**

## Hearing Aid

Amplification device for hearing loss. Types: behind-the-ear (BTE), in-the-ear (ITE), receiver-in-canal (RIC). Components: microphone, amplifier, speaker, battery. Fitting: audiogram-based. Adjustments: volume, programs.

**Synonyms:**

## Hearing Aids and Devices

Electronic devices worn in or behind the ear that amplify sound for individuals with hearing loss. Modern hearing aids include digital signal processing, directional microphones, and connectivity to smartphones and other audio sources.

**Synonyms:**

## Hearing Impairment

Partial or complete reduction in the ability to detect or understand sound. It may be conductive, sensorineural, or mixed and can result from congenital disorders, infection, noise, ototoxic injury, trauma, ageing, or disease of the ear or auditory pathways.

**Synonyms:**

## Hearing Loss

Reduced ability to hear, classified as conductive

(outer/middle ear pathology: cerumen impaction, otitis media, otosclerosis, tympanic membrane perforation), sensorineural (inner ear or auditory nerve: presbycusis, noise exposure, ototoxic drugs, Meniere disease, acoustic neuroma), or mixed.

**Synonyms:**

## Hearing Screening

Newborn hearing screening (universal): otoacoustic emissions (OAE) and/or automated auditory brainstem response (AABR) before discharge; referral for comprehensive audiology if failed.

**Synonyms:**

## Heart

A four-chambered muscular pump (two atria, two ventricles) located in the mediastinum, responsible for circulating blood throughout the body.

**Synonyms:**

## Heart Attack

Acute myocardial injury caused most often by blockage of a coronary artery, usually from rupture of an atherosclerotic plaque and thrombosis. It may cause chest pressure, shortness of breath, sweating, nausea, or atypical symptoms and requires emergency treatment.

**Synonyms:**

## Heart Attack (Myocardial Infarction)

The death of heart muscle tissue due to sudden blockage of a coronary artery, typically by a blood clot. It presents with chest pain or pressure, shortness of breath, nausea, and diaphoresis, though symptoms may be atypical in women and diabetics.

**Synonyms:** Myocardial Infarction

## Heart Block

A delay or interruption in the conduction of cardiac impulses from the atria to the ventricles through the atrioventricular (AV) node and His-Purkinje system. Classification: first-degree AV block: PR interval >200 ms, each atrial impulse conducts to the ventricles, typically asymptomatic.

**Synonyms:**

---

## Heart Disease

A broad term encompassing various conditions affecting the heart and blood vessels, most commonly coronary artery disease, heart failure, arrhythmias, and valvular heart disease. Atherosclerosis, the buildup of plaque in the arteries, is the underlying cause of most cardiovascular events.

**Synonyms:**

## Heart Failure

A clinical syndrome in which symptoms or signs result from impaired cardiac structure or function. It may be classified by ejection fraction, including reduced, mildly reduced, or preserved function, and by symptom severity such as NYHA class I-IV.

**Synonyms:**

## Heart Failure Stages

ACC/AHA staging: Stage A (at risk for HF but no structural disease or symptoms); Stage B (structural heart disease but no symptoms); Stage C (structural disease with prior or current symptoms); Stage D (advanced HF requiring specialized interventions). This staging system emphasizes prevention and progression.

**Synonyms:**

## Heart Failure with Preserved Ejection Fraction

A clinical syndrome of heart failure with a relatively preserved left-ventricular ejection fraction, often associated with impaired relaxation or increased stiffness. Diagnosis requires compatible symptoms or signs and objective evidence of cardiac dysfunction or elevated filling pressures.

**Synonyms:**

## Heart Failure with Reduced Ejection Fraction

A clinical syndrome of heart failure with reduced left-ventricular systolic function, commonly associated with ischemic heart disease, cardiomyopathy, hypertension, or valvular disease. The ejection-fraction threshold is defined by the applicable guideline and should be interpreted with the clinical findings.

**Synonyms:**

## Heart Health

The state of cardiovascular well-being, characterized by efficient pumping function, clear arteries, normal blood pressure, and regular heart rhythm. Maintaining heart health involves a heart-healthy diet, regular aerobic and resistance exercise, weight management, stress reduction, and avoidance of tobacco.

**Synonyms:**

## Heart Murmur

An audible extra sound produced by turbulent blood flow within the heart or great vessels, heard on auscultation.

**Synonyms:**

## Heart Palpitations

An awareness of the heartbeat as pounding, racing, fluttering, or irregular. Palpitations may occur with normal rhythm or arrhythmia and can be triggered by stress, exertion, fever, stimulants, endocrine disease, or structural heart disease.

**Synonyms:**

## Heart Rate

The number of cardiac contractions (heartbeats) per minute. Normal resting heart rate (sinus rhythm): 60-100 bpm in adults; higher in children (70-120 at age 1-2 years, 80-130 in neonates).

**Synonyms:**

## Heart Sounds

Audible sounds produced by the heart during the cardiac cycle, normally heard as two sounds (lub-dub). S1 (lub) is caused by closure of the mitral and tricuspid valves at the beginning of systole. S2 (dub) is caused by closure of the aortic and pulmonary valves at the end of systole. Additional sounds (S3, S4) may indicate pathology.

**Synonyms:**

## Heart Surgery

Surgical procedures performed on the heart or great

---

vessels to treat structural or functional cardiac conditions. Common operations include coronary artery bypass grafting (CABG), valve repair or replacement, and repair of congenital heart defects.

**Synonyms:**

### Heart Valve

A flap-like structure that directs one-way blood flow through the heart. The four valves are the tricuspid, pulmonary, mitral, and aortic valves.

**Synonyms:**

### Heart Valve Disorders

Disorders affecting any of the four heart valves, including stenosis (narrowing) and regurgitation (leaking), which impair blood flow through the heart. Causes include congenital malformations, age-related degeneration, rheumatic fever, and endocarditis.

**Synonyms:**

### Heart Valve Prosthesis

Replacement heart valve. Types: mechanical (titanium, carbon, durable, requires lifelong anticoagulation), bioprosthetic (cow/pig tissue, no anticoagulation, degenerates). Mechanical: more durable, higher thrombotic risk. Bioprosthetic: better quality of life, reoperation risk.

**Synonyms:**

### Heart Ventricles

The two lower chambers of the heart. The right ventricle pumps blood to the lungs, and the left ventricle pumps blood to the body.

**Synonyms:**

### Heart-Healthy Eating

A dietary approach emphasizing foods that support cardiovascular function and reduce the risk of heart disease. Key principles include limiting saturated fats, trans fats, sodium, and added sugars while prioritizing fruits, vegetables, whole grains, lean proteins, and healthy fats like those from olive oil and fatty fish.

**Synonyms:**

### Heartburn

Heartburn is a burning retrosternal sensation caused by reflux of gastric contents; frequent or complicated symptoms may indicate gastroesophageal reflux disease. the throat and is often associated with regurgitation of sour or bitter-tasting fluid into the mouth. Despite its name, heartburn is a symptom of gastro-oesophageal reflux disease (GORD), not a cardiac symptom.

**Synonyms:**

### Heat Cramps

Painful, involuntary muscle spasms occurring during or after strenuous activity in heat, often related to fluid and electrolyte loss. Resting in a cool place and replacing fluids and electrolytes may help. Confusion, fainting, or ongoing symptoms may signal heat illness requiring urgent medical attention.

**Synonyms:**

### Heat Exhaustion

A heat-related illness caused by excessive loss of water and salt, producing weakness, dizziness, nausea, headache, sweating, and sometimes fainting without severe central nervous system dysfunction.

**Synonyms:**

### Heat Intolerance

An abnormal inability to tolerate warm environments or increased body heat, often causing excessive sweating, flushing, fatigue, or dizziness. Common causes include hyperthyroidism, menopause, fever, medications, autonomic disorders, and dehydration.

**Synonyms:**

### Heat Pack

A device that applies warmth to the body surface to relieve some muscle pain or stiffness. Excessive heat or prolonged contact can cause burns.

**Synonyms:**

### Heat Rash

An itchy or prickly rash caused by blocked sweat ducts during hot, humid conditions. Small red

---

bumps or clear vesicles often appear in skin folds or areas covered by clothing. Cooling, keeping the skin dry, and avoiding occlusive products usually help; infection or persistent symptoms warrants assessment.

**Synonyms:**

### Heat Stroke

A life-threatening heat-related illness with markedly elevated body temperature and altered mental status. It requires immediate cooling and emergency medical treatment.

**Synonyms:**

### Heavy Metal Poisoning

Lead, mercury, arsenic, cadmium, thallium. Chelation therapy, supportive care, prevention. Sources: paint, water pipes, fish, occupational exposure.

**Synonyms:**

### Heberden Node

A firm bony enlargement of the distal interphalangeal joint, usually caused by hand osteoarthritis. It may be tender during progression and can produce deformity, reduced fine-motor function, or restricted finger movement.

**Synonyms:**

### Heel Pain

Pain beneath or around the heel, commonly caused by plantar fasciitis, Achilles tendinopathy, bursitis, stress fracture, nerve compression, or inflammatory arthritis. Persistent pain, swelling, inability to bear weight, or trauma requires assessment.

**Synonyms:**

### Heel Spur

A bony growth arising from the heel bone, often associated with plantar-fascia strain. The spur itself may cause no symptoms; heel pain is more often related to surrounding soft-tissue inflammation.

**Synonyms:**

### Heimlich Manoeuvre

An emergency procedure for relieving upper airway

obstruction caused by a foreign body (choking). The maneuver is performed on a conscious, choking adult who cannot speak, cough effectively, or breathe.

**Synonyms:**

### Heinz Bodies

Clumps of denatured hemoglobin inside red blood cells caused by oxidative injury. They may occur in glucose-6-phosphate dehydrogenase deficiency after exposure to oxidizing substances and are identified with special stains.

**Synonyms:**

### Helicobacter pylori

A gram-negative, spiral-shaped bacterium adapted to colonize the stomach. It can cause chronic gastritis, peptic ulcer disease, and increase the risk of gastric cancer and gastric MALT lymphoma.

**Synonyms:**

### Helicobacter Pylori Infection

Infection of the stomach by *H. pylori*, a spiral-shaped bacterium associated with chronic gastritis, peptic ulcer disease, gastric adenocarcinoma, and gastric MALT lymphoma. It is diagnosed with noninvasive or endoscopic testing and treated with combination eradication therapy.

**Synonyms:**

### HELLP Syndrome

A serious pregnancy-associated disorder characterized by hemolysis, elevated liver enzymes, and low platelet count. It may occur with or without classic hypertension or proteinuria and requires urgent assessment.

**Synonyms:**

### Helminths

Parasitic worms that cause disease in humans. The major groups are nematodes (roundworms), cestodes (tapeworms), and trematodes (flukes). Helminths have complex life cycles often involving intermediate hosts. Infection occurs through ingestion of eggs or larvae, penetration of skin, or insect vectors.

---

**Synonyms:**

### Helper T Cell

A type of CD4-positive T lymphocyte that coordinates immune responses by releasing cytokines and activating other immune cells.

**Synonyms:**

### HELPERR Mnemonic

A mnemonic for the sequential management of shoulder dystocia: H — Help (call for additional personnel, anesthesia, and pediatrics). E — Evaluate for episiotomy (generous episiotomy to provide more room). L — Legs (McRoberts maneuver: hyperflex maternal legs onto the abdomen).

**Synonyms:**

### Hemangioblastoma

A benign, well-circumscribed vascular tumor of the central nervous system, most commonly the cerebellum, often cystic with a mural nodule. Associated with von Hippel-Lindau disease; treated by surgical resection.

**Synonyms:**

### Hemangioma

Hemangioma concerns hemangioma; its medical significance is established from the defining features, setting, associated findings, and clinical question. Treatment: observation, laser, surgery.

**Synonyms:**

### Hemangiosarcoma

A malignant tumor of vascular endothelial cells, an aggressive sarcoma that may arise in the skin, liver, or bone.

**Synonyms:**

### Hematemesis

Vomiting of blood, indicating upper gastrointestinal bleeding proximal to the ligament of Treitz. Blood may be bright red (acute, brisk bleeding) or resemble coffee grounds (altered blood that has been in contact with gastric acid).

**Synonyms:**

### Hematochezia

The passage of bright red or maroon blood per rectum, usually indicating active lower gastrointestinal (LGI) bleeding distal to the ligament of Treitz (e.g., diverticulosis, arteriovenous malformations/angiodysplasia, colorectal polyps/cancer, inflammatory bowel disease, hemorrhoids).

**Synonyms:**

### Hematocrit

Hematocrit concerns hematocrit; its medical significance is established from the defining features, setting, associated findings, and clinical question. commonly ordered laboratory tests in clinical medicine.

**Synonyms:**

### Hematologic Changes in Pregnancy

Plasma volume increases 40-50% while red cell mass increases 20-30%, resulting in physiologic anemia (Hb 10-11 g/dL). Leukocytosis (WBC up to 15,000-16,000/ $\mu$ L, predominantly neutrophils) is normal.

**Synonyms:**

### hematology

The branch of medicine concerned with the study, diagnosis, treatment, and prevention of disorders of the blood and blood-forming organs (bone marrow, lymph nodes, spleen).

**Synonyms:**

### Hematometrocolpos

Accumulation of blood in the uterine cavity and vagina due to outflow obstruction such as an imperforate hymen or transverse vaginal septum, presenting with cyclic pelvic pain and primary amenorrhea in adolescents.

**Synonyms:**

### Hematopoiesis

The production and maturation of blood cells from multipotent hematopoietic stem cells, principally in the bone marrow after birth. It generates erythrocytes, leukocytes, and platelets through regulated progenitor-cell differentiation.

**Synonyms:**



---

## Hematopoietic Stem Cell Transplantation

Infusion of hematopoietic stem cells after a conditioning regimen to restore marrow function or replace diseased hematopoiesis. Autologous HSCT uses the patient's own cells; allogeneic HSCT uses cells from a donor and carries risks including graft-versus-host disease and graft failure.

**Synonyms:**

## Hematuria

Presence of red blood cells in the urine, categorized as microscopic ( $>3$  RBCs per high-power field on urine microscopy) or gross (macroscopic, visible color change from pink to dark red). Microscopic hematuria is often asymptomatic and detected on routine urinalysis.

**Synonyms:**

## Hemianopia

Loss of vision in half the visual field of one or both eyes. Homonymous hemianopia affects the same side in both eyes and localizes to a contralateral lesion posterior to the optic chiasm, most often stroke or tumor.

**Synonyms:**

## Hemicolectomy

Surgical removal of the right or left portion of the colon, sometimes with nearby lymph nodes and reconnection of the bowel.

**Synonyms:**

## Hemifacial Microsomia

A congenital craniofacial disorder involving asymmetric hypoplasia of the structures derived from the first and second branchial arches, most commonly affecting the mandible, ear, and soft tissues on one side. Also known as craniofacial microsomia or Goldenhar syndrome when epibulbar dermoids and vertebral anomalies are present.

**Synonyms:** craniofacial microsomia or.

## Hemifacial Spasm

Involuntary, unilateral, intermittent twitching of the facial muscles innervated by the facial nerve (CN

VII). Typically begins around the eye (orbicularis oculi) and spreads to the lower face.

**Synonyms:**

## Hemiparesis

Weakness affecting one side of the body, less severe than hemiplegia (paralysis). It results from a lesion of the corticospinal tract anywhere from the motor cortex to the spinal cord, most commonly from stroke, but also from tumors, trauma, or demyelination. The pattern of weakness helps localize the lesion.

**Synonyms:**

## Hemiplegia

Paralysis of one side of the body (the face, arm, and leg on the same side), caused by damage to the corticospinal tract (pyramidal tract) at any level from the cerebral cortex to the spinal cord.

**Synonyms:**

## Hemochromatosis

Hemochromatosis is excessive iron accumulation that can injure the liver, pancreas, heart, joints, skin, and endocrine organs; inherited and acquired forms exist. progressive iron deposition in parenchymal organs. Hereditary hemochromatosis is most commonly caused by homozygous C282Y mutations in the HFE gene affecting approximately one in two hundred individuals of Northern European descent.

**Synonyms:**

## Hemochromatosis Cardiomyopathy

Iron overload cardiomyopathy from hereditary (HFE gene mutations, most common) or secondary causes. Iron deposition in the myocardium causes restrictive then dilated cardiomyopathy. Diagnosis: elevated transferrin saturation ( $>45\%$ ), ferritin, and genetic testing. Cardiac MRI  $T2^* <20$  ms indicates myocardial iron overload.

**Synonyms:**

## Hemodialysis

Extracorporeal blood purification using semipermeable membrane. Three sessions per week for 3 to 4

---

hours. Requires vascular access with AV fistula preferred. Adequacy assessed by Kt/V greater than 1.4. Complications include hypotension, access infection, and dialyzer reactions.

**Synonyms:**

### Hemofiltration

An extracorporeal process that removes plasma water and dissolved solutes by convection across a semipermeable membrane, with replacement fluid used to maintain volume. It is used in continuous and intermittent kidney-replacement modalities.

**Synonyms:**

### Hemoglobin

Hemoglobin is the iron-containing protein in red blood cells that carries oxygen and carbon dioxide; its concentration and structure help evaluate anemia and hemoglobin disorders. heme groups that bind oxygen. Each heme contains iron (Fe<sup>2+</sup>) that reversibly binds O<sub>2</sub>. Cooperative binding produces sigmoidal oxygen dissociation curve. P<sub>50</sub> (pO<sub>2</sub> at 50% saturation) 27 mmHg.

**Synonyms:**

### Hemoglobin A1c

Glycated hemoglobin reflecting average blood glucose concentration over the preceding two to three months corresponding to the red blood cell lifespan. Formed by non-enzymatic glycation of hemoglobin at the N-terminal valine of the beta chain. The percent of glycated hemoglobin is directly proportional to mean glucose levels.

**Synonyms:**

### Hemoglobin A1c Variability

Factors that can make hemoglobin A1c less reliable include altered red-cell survival, hemoglobin variants, anemia, pregnancy, kidney disease, transfusion, and some treatments. An alternative measure of glucose may be needed when A1c does not reflect recent glycemia.

**Synonyms:**

### Hemoglobin C Disease

An inherited hemoglobinopathy caused by a beta-globin variant that produces hemoglobin C. It may cause mild hemolytic anemia, jaundice, splenomegaly, or, when combined with hemoglobin S, clinically significant sickling disease.

**Synonyms:**

### Hemoglobin Electrophoresis

Separation of hemoglobin variants by electrophoresis or HPLC. Normal adult: HbA (95-98%), HbA<sub>2</sub> (2-3%), HbF (<1%). Sickle cell disease (HbSS): HbS only, no HbA. Sickle cell trait (HbAS): HbA > HbS. Thalassemia: elevated HbA<sub>2</sub> or HbF. Beta thalassemia trait: HbA<sub>2</sub> 3.5-7%.

**Synonyms:**

### Hemoglobinopathies: Thalassemias

Thalassemias are inherited disorders of globin chain synthesis imbalance: alpha-thalassemia (HBA1/HBA2 deletions) and beta-thalassemia (HBB mutations).

**Synonyms:**

### Hemoglobinopathy

Hemoglobinopathy is a medical condition involving hemoglobinopathy; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. include sickle-cell disease and thalassemia; manifestations range from asymptomatic microcytosis to haemolytic anaemia, vaso-occlusion, and organ injury.

**Synonyms:**

### hemolysis

The premature destruction of red blood cells, releasing hemoglobin into the plasma. Extravascular hemolysis (most common): RBCs are destroyed by macrophages in the spleen and liver — causes unconjugated hyperbilirubinemia, increased LDH, and decreased haptoglobin.

**Synonyms:**

### Hemolytic Anemia

Anemia due to accelerated destruction of red blood

---

cells (RBCs), classified as intrinsic (RBC defect) or extrinsic (external factors). Intrinsic: hereditary spherocytosis, G6PD deficiency, sickle cell disease, thalassemia.

**Synonyms:**

### **Hemolytic Anemias: Autoimmune**

Autoimmune hemolytic anemia occurs when antibodies or complement cause premature destruction of red blood cells. Warm-antibody and cold-antibody forms differ in their triggers, laboratory findings, and sites of red-cell destruction.

**Synonyms:**

### **Hemolytic Anemias: Hereditary**

Hereditary spherocytosis (HS): cytoskeletal protein defects (ankyrin, band 3, protein 4.2, alpha/beta spectrin) -> spherical RBCs, splenic trapping, hemolysis. AD (75%) or AR. Clinical: anemia, jaundice, splenomegaly, gallstones.

**Synonyms:**

### **hemolytic Disease of the Newborn**

A condition in which maternal antibodies destroy fetal/neonatal red blood cells (RBCs), causing hemolytic anemia, hyperbilirubinaemia, and in severe cases hydrops fetalis.

**Synonyms:**

### **Hemolytic Jaundice**

Jaundice resulting from excessive hemolysis (breakdown of red blood cells) causing overproduction of unconjugated bilirubin that exceeds the liver's capacity for conjugation and excretion. See Jaundice for complete overview.

**Synonyms:**

### **Hemolytic Uremic Syndrome**

A thrombotic microangiopathy characterized by red-cell destruction, low platelets, and acute kidney injury. It may follow Shiga-toxin-producing gastrointestinal infection or result from complement dysregulation and other causes.

**Synonyms:**

### **Hemolytic-Uremic Syndrome**

A potentially life-threatening disorder characterized by microangiopathic hemolytic anemia, thrombocytopenia, and acute kidney injury. It often follows Shiga-toxin-producing bacterial gastroenteritis but may also result from complement dysregulation or other triggers.

**Synonyms:**

### **Hemoperfusion**

Blood passed through adsorbent column (charcoal, resin) to remove toxins. Used for drug overdoses with high protein binding, large volume of distribution.

**Synonyms:**

### **Hemophagocytic Lymphohistiocytosis**

HLH: uncontrolled immune activation with cytokine storm (IFN-gamma, IL-6, IL-10, TNF). Familial HLH (FHL): PRF1 (FHL2), UNC13D (FHL3), STX11 (FHL4), STXBP2 (FHL5), RAB27A (FHL6/GrisCELLI type 2). Secondary HLH: infections (EBV, CMV), malignancy (lymphoma), autoimmune (SJIA/MAS, SLE), immunodeficiency.

**Synonyms:**

### **Hemophagocytosis of sickle cells**

Activation of macrophages that engulf erythrocytes, leukocytes, and platelets within the bone marrow, occurring as a complication of sickle cell disease during severe hemolytic crises or infection.

**Synonyms:**

### **Hemophilia**

Hemophilia is an inherited coagulation-factor deficiency, usually factor VIII or IX, causing prolonged bleeding into joints, muscles, and tissues after injury or spontaneously. VIII, IX, or another coagulation component. It causes prolonged bleeding, particularly into joints and muscles, after injury or procedures.

**Synonyms:**

### **Hemophilia A**

Hemophilia A concerns hemophilia a; its medical

---

significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Hemophilia B**

Hemophilia B concerns hemophilia b; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Hemoptysis**

Expectoration of blood from the lower respiratory tract. Must be differentiated from hematemesis and epistaxis. Causes: bronchitis, pneumonia, TB, bronchiectasis, lung cancer, PE.

**Synonyms:**

### **Hemorrhage**

Extravasation of blood from the cardiovascular system (heart, arteries, veins, capillaries).

**Synonyms:**

### **Hemorrhagic**

Hemorrhagic concerns hemorrhagic; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Hemorrhagic Shock**

Circulatory failure caused by severe blood loss. It may produce rapid pulse, low blood pressure, cool skin, reduced urine output, confusion, or collapse. Treatment requires urgent control of bleeding, restoration of circulating volume, blood products when indicated, and correction of associated injuries or clotting abnormalities.

**Synonyms:**

### **Hemorrhagic Stroke**

A neurological deficit caused by rupture of a cerebral blood vessel, accounting for 13% of all strokes but 40% of stroke mortality. Intracerebral hemorrhage: hypertensive (basal ganglia, thalamus, pons, cerebellum), amyloid angiopathy (lobar, elderly), vascular malformations, anticoagulation. Subarach-

noid hemorrhage: aneurysm rupture.

**Synonyms:**

### **Hemorrhoidectomy**

Surgical excision of symptomatic hemorrhoids. Indications: Grade III-IV internal hemorrhoids (prolapsed, irreducible), external hemorrhoids with uncontrolled bleeding or recurrent thrombosis, mixed hemorrhoids.

**Synonyms:**

### **hemorrhoids (Piles)**

Vascular cushions in the anal canal composed of arteriovenous anastomoses (normal structures present from birth), which become symptomatic when they bleed, prolapse, or thrombose.

**Synonyms:** Piles

### **Hemosiderin**

A golden-brown, granular, iron-containing pigment derived from the degradation of hemoglobin and stored within macrophages as an insoluble complex. It forms when red blood cells are phagocytosed and degraded, typically in conditions of hemorrhage, hemolysis, or excessive red blood cell destruction.

**Synonyms:**

### **hemostasis**

The physiological process that stops bleeding at the site of vascular injury.

**Synonyms:**

### **Hemostat**

A clamp used to compress a blood vessel or tissue and control bleeding.

**Synonyms:**

### **Hemostat (Perineal)**

A clamp used during procedures to compress a blood vessel or hold tissue and control bleeding.

**Synonyms:** Perineal

### **Hemostat (Surgical)**

A clamping surgical instrument used to control

---

bleeding by compressing a blood vessel or tissue.

**Synonyms:** Surgical

### **Hemostat (Vascular)**

A surgical clamp used to temporarily occlude a blood vessel and control bleeding.

**Synonyms:** Vascular

### **Hemothorax**

Hemothorax concerns hemothorax; its medical significance is established from the defining features, setting, associated findings, and clinical question. decreased breath sounds, dullness to percussion. Diagnosis: chest X-ray, ultrasound, CT. Treatment: tube thoracostomy, blood transfusion, surgery if ongoing bleeding.

**Synonyms:**

### **Henoch-Schonlein Purpura**

IgA vasculitis: palpable purpura on buttocks/legs, abdominal pain, arthralgia, renal involvement (IgA nephropathy), most common in children. Self-limited in most cases; corticosteroids for severe GI/renal involvement.

**Synonyms:**

### **Henoch-Schönlein purpura**

An older name for IgA vasculitis, an inflammation of small blood vessels that can cause palpable purpura, usually on the lower limbs and buttocks, with joint pain, abdominal symptoms, and kidney involvement.

**Synonyms:**

### **Heparin-Induced Thrombocytopenia**

An immune-mediated adverse drug reaction caused by IgG antibodies against platelet factor 4 (PF4)-heparin complexes, leading to platelet activation, thrombocytopenia, and a prothrombotic state. HIT typically occurs 5-14 days after heparin exposure (unfractionated heparin > low molecular weight heparin).

**Synonyms:**

### **Hepatectomy**

Surgical removal of part or all of the liver for primary or metastatic tumors, requiring an adequate future liver remnant; portal vein embolization can hypertrophy the remnant before resection.

**Synonyms:**

### **Hepatic Cyst**

Fluid-filled cavity in the liver most commonly congenital and asymptomatic. Simple hepatic cysts are lined by biliary epithelium and contain clear fluid. May cause pain or compressive symptoms if large or complicated by hemorrhage, infection, or rupture. Simple cysts require no treatment.

**Synonyms:**

### **Hepatic Dose Adjustment**

Modification of medication selection or dosing because impaired liver function may reduce metabolism, transport, protein synthesis, or biliary excretion. Standardized liver tests do not always predict drug clearance, so drug-specific guidance is required.

**Synonyms:**

### **Hepatic Drug Metabolism**

The liver chemically modifies medicines through reactions such as oxidation, reduction, hydrolysis, and conjugation. These reactions can inactivate a drug, activate a prodrug, or produce an active or toxic metabolite, and are influenced by genetics, disease, age, and other medicines.

**Synonyms:**

### **Hepatic Encephalopathy**

Neuropsychiatric syndrome occurring in advanced liver disease resulting from accumulation of neurotoxic substances, particularly ammonia. Ammonia crosses the blood-brain barrier and is metabolized by astrocytes into glutamine causing osmotic swelling and impaired neurotransmission.

**Synonyms:**

### **Hepatic Hemangioma**

Most common benign liver tumor composed of di-

---

lated blood-filled vascular spaces lined by endothelial cells. Usually asymptomatic and found incidentally on imaging. Most are small and require no treatment.

**Synonyms:**

### **Hepatic Hydrothorax**

Large pleural effusion occurring in patients with cirrhosis and portal hypertension in the absence of primary cardiac or pulmonary disease. Most commonly right-sided resulting from transit of ascitic fluid through small defects in the diaphragm into the pleural space driven by the pressure gradient between the abdomen and thorax.

**Synonyms:**

### **Hepatic Ischemia**

Liver injury caused by inadequate hepatic blood flow or oxygen delivery, often during shock, severe hypoxemia, cardiac failure, or hepatic vascular occlusion. It can produce a rapid, marked rise in aminotransferases and may progress to acute liver failure.

**Synonyms:**

### **Hepatic Portal System**

The venous network draining blood from the gastrointestinal tract, spleen, and pancreas to the liver before it reaches the systemic circulation. Formed by the union of the superior mesenteric and splenic veins behind the pancreatic neck; receives inferior mesenteric, left gastric, and other tributaries.

**Synonyms:**

### **Hepatic Surgery**

Surgical treatment of liver disease, including partial liver resection, transplantation, and procedures for tumors or biliary disorders. The operation depends on the diagnosis, tumor extent, liver function, and overall health.

**Synonyms:**

### **Hepatic Synthetic Dysfunction**

Impaired hepatic production of proteins and other molecules, including albumin and coagulation fac-

tors. It may cause hypoalbuminemia, edema, prolonged prothrombin time, and increased INR, although INR can also be altered by vitamin K deficiency, anticoagulants, and other conditions.

**Synonyms:**

### **Hepatic Trauma**

Liver injury from trauma. CT staging guides management. Grades I-V based on injury severity.

**Synonyms:**

### **Hepatic Vein**

Veins draining the liver into the inferior vena cava. The right, middle, and left hepatic veins emerge from the posterior surface of the liver at the bare area and drain into the IVC just below the diaphragm. They carry deoxygenated blood leaving the liver (after the hepatic portal system delivers blood for processing).

**Synonyms:**

### **Hepatitis**

Hepatitis is inflammation of the liver caused by viruses, alcohol, medications, toxins, metabolic disease, or autoimmunity and may be acute or chronic.

**Synonyms:**

### **Hepatitis (Viral Hepatitis)**

Inflammation of the liver caused by hepatotropic viruses. Hepatitis A (HAV): fecal-oral, acute self-limited, no chronic carrier state; vaccine-preventable. Hepatitis B (HBV): blood/sexual/perinatal transmission; acute and chronic infection; leading cause of cirrhosis and HCC.

**Synonyms:** Viral Hepatitis

### **Hepatitis A**

Hepatitis A is an acute fecal-oral viral liver infection that usually resolves without chronic disease but can cause severe cholestatic or fulminant hepatitis. fecal-oral route (contaminated food or water). Incubation 15-50 days. Presents with fever, malaise, nausea, jaundice, and elevated transaminases. Self-limited; does not cause chronic infection. Fulminant hepatitis is rare. Diagnosis: IgM anti-HAV.



---

**Synonyms:**

### **Hepatitis A Virus**

Picornavirus transmitted through the fecal-oral route most commonly via contaminated food or water. The incubation period is fifteen to fifty days. Clinical presentation ranges from asymptomatic infection in young children to symptomatic acute hepatitis with jaundice, fatigue, nausea, elevated transaminases, dark urine, and pale stools.

**Synonyms:**

### **Hepatitis A, B, C, D, E**

Five viruses that can cause viral hepatitis. They differ in transmission, risk of chronic infection, prevention, and treatment.

**Synonyms:**

### **Hepatitis B**

Hepatitis B is a blood- and body-fluid-borne viral liver infection that may become chronic and lead to cirrhosis, liver failure, or hepatocellular carcinoma. contact, and perinatally. Can cause acute (self-limited or fulminant) and chronic infection (defined by HBsAg positivity >6 months). Chronic HBV leads to cirrhosis and hepatocellular carcinoma.

**Synonyms:**

### **Hepatitis B Vaccine**

Recombinant vaccine given at birth, 1-2 months, and 6-18 months. Protects against hepatitis B virus, which can cause chronic liver disease, cirrhosis, and hepatocellular carcinoma. Also prevents perinatal transmission when given to infants of HBsAg-positive mothers within 12 hours of birth, plus hepatitis B immune globulin.

**Synonyms:**

### **Hepatitis B Vaccine (Birth Dose)**

The first dose of the hepatitis B vaccine is recommended within 24 hours of birth for all medically stable infants. Administered IM in the vastus lateralis. Prevents perinatal transmission of HBV. For infants born to HBsAg-positive mothers: HBIG (0.5 mL IM) is given within 12 hours of birth along with

the vaccine.

**Synonyms:** Birth Dose

### **Hepatitis B Virus**

Hepadnavirus transmitted through percutaneous exposure, sexual contact, and perinatally causing acute and potentially chronic hepatitis. The virus has a partially double-stranded circular DNA genome.

**Synonyms:**

### **Hepatitis C**

Hepatitis C is a blood-borne viral infection that frequently becomes chronic and can cause progressive fibrosis, cirrhosis, liver failure, or liver cancer. exposure (IV drug use, blood transfusion before 1992). Acute infection is often asymptomatic; 50-80% progress to chronic hepatitis. Chronic HCV can lead to cirrhosis and hepatocellular carcinoma over decades. Diagnosis: anti-HCV antibody, HCV RNA.

**Synonyms:**

### **Hepatitis C Virus**

Flavivirus transmitted primarily through percutaneous exposure with injection drug use being the most common route. Approximately seventy to eighty percent of acute infections progress to chronic hepatitis C, the leading cause of cirrhosis, hepatocellular carcinoma, and liver transplantation in many Western countries.

**Synonyms:**

### **Hepatitis D Virus**

Defective RNA virus requiring co-infection with hepatitis B to replicate, using hepatitis B surface antigen for its envelope. Hepatitis D causes more severe liver disease than hepatitis B alone with accelerated progression to cirrhosis and higher risk of hepatocellular carcinoma.

**Synonyms:**

### **Hepatitis E Virus**

A non-enveloped RNA virus transmitted mainly by the fecal-oral route, often through contaminated

---

water or food. It causes acute hepatitis and, in some people, chronic infection or severe disease. Clinical presentation may resemble hepatitis A, with jaundice and elevated transaminases.

**Synonyms:**

### Hepatitis Serology

Panel of serologic markers for hepatitis A, B, C, and E. HAV: anti-HAV IgM (acute), anti-HAV IgG (past infection/vaccination). HBV: HBsAg (active infection), anti-HBs (immunity/vaccination), anti-HBc IgM (acute), anti-HBc IgG (past), HBeAg (high replication), anti-HBe (low replication). HBV DNA: quantifies viral load.

**Synonyms:**

### Hepatitis Viruses

Hepatitis A: fecal-oral, acute self-limited, vaccine (inactivated). Hepatitis B: blood/sexual/perinatal. Acute: HBsAg, IgM anti-HBc. Chronic: HBsAg >6 months, HBV DNA, HBeAg. Treatment: entecavir, tenofovir (TAF/TDF) - suppress DNA, prevent cirrhosis/HCC. HDV: requires HBV, pegylated interferon. Hepatitis C: blood-borne. Acute: HCV RNA.

**Synonyms:**

### Hepatobiliary Scintigraphy

Liver/gallbladder imaging using Tc-99m mebrofenin or disofenin. Assess biliary patency, gallbladder function, bile leak, acute cholecystitis (non-visualization of gallbladder).

**Synonyms:**

### Hepatoblastoma

A malignant embryonal liver tumor occurring almost exclusively in infants and young children, associated with elevated AFP and prematurity.

**Synonyms:**

### Hepatocellular Carcinoma

Primary liver cancer arising from hepatocytes. Risk factors: cirrhosis, chronic hepatitis B/C, alcohol, and metabolic dysfunction-associated steatotic liver disease. Surveillance with ultrasound and AFP;

treatment includes resection, transplantation, ablation, TACE, and systemic therapy.

**Synonyms:**

### Hepatocellular Jaundice

Jaundice caused by dysfunction of hepatocytes, impairing the liver's ability to take up, conjugate, or excrete bilirubin. See Jaundice for complete overview. Causes: viral hepatitis (A, B, C, D, E), alcoholic hepatitis, drug-induced liver injury (paracetamol, isoniazid), cirrhosis, autoimmune hepatitis, Wilson disease, haemochromatosis.

**Synonyms:**

### Hepatojugular Reflux

Sustained pressure applied over the liver for 15-30 seconds causes a sustained rise in JVP of more than 3 cm above baseline. It indicates right heart failure or fluid overload, reflecting the inability of the right ventricle to accommodate increased venous return.

**Synonyms:**

### Hepatoma

A tumor arising from liver cells, usually referring to hepatocellular carcinoma, the most common primary malignant liver tumor.

**Synonyms:**

### Hepatomegaly

Enlarged liver detected on imaging. Causes: fatty liver, hepatitis, congestion, infiltration, malignancy.

**Synonyms:**

### Hepatopulmonary Syndrome

Triad of liver disease, intrapulmonary vascular dilatation, and impaired oxygenation causing hypoxemia. Presents with platypnea which is dyspnea worsening in the upright position and orthodeoxia which is oxygen desaturation in the upright position.

**Synonyms:**

### Hepatorenal Syndrome

A form of acute or chronic kidney dysfunction associated with advanced liver disease and portal hypertension, without another sufficient cause of renal

---

failure. It reflects altered circulation and renal blood flow and requires prompt assessment and treatment of both the liver disease and kidney dysfunction.

**Synonyms:**

### **Hepatosplenomegaly**

Enlargement of both the liver and spleen. It may result from infection, portal hypertension, storage disease, malignancy, haemolysis, or systemic inflammatory and infiltrative disorders; evaluation depends on associated symptoms and laboratory and imaging findings.

**Synonyms:**

### **Hepatotoxicity**

Liver injury caused by a drug, toxin, chemical, or other exposure. Acetaminophen is an important cause of acute liver failure in some regions. Evaluation may include liver tests, clotting studies, medication review, and clinical assessment.

**Synonyms:**

### **HER2-Positive**

A cancer whose cells have increased expression or amplification of human epidermal growth factor receptor 2 (HER2). Some HER2-targeted medicines may be used according to the cancer type and clinical context.

**Synonyms:**

### **Herd Immunity**

Resistance of population to invasion by infectious agent when sufficient proportion immune. Threshold varies by disease (measles 95%, polio 80%).

**Synonyms:**

### **Hereditary Angioedema**

Recurrent episodes of nonpitting swelling of the skin, gastrointestinal tract, or upper airway caused most often by deficiency or dysfunction of C1 inhibitor. Attacks can cause abdominal pain, vomiting, airway obstruction, or life-threatening laryngeal edema without typical urticaria.

**Synonyms:**

### **Hereditary Cancer**

Cancer caused by inherited genetic mutations. Genetic counseling recommended.

**Synonyms:**

### **Hereditary Hemorrhagic Telangiectasia**

An autosomal dominant vascular disorder (also called Osler-Weber-Rendu syndrome) characterized by telangiectasias on skin and mucous membranes, pulmonary AVMs, hepatic AVMs, and cerebral AVMs. Pulmonary AVMs can cause hypoxemia and paradoxical emboli. Treatment is embolization of pulmonary AVMs.

**Synonyms:** Osler-Weber-Rendu syndrome).

### **Hereditary Hemorrhagic Telangiectasia (Osler-Weber-Rendu Disease)**

An autosomal dominant vascular dysplasia characterized by malformed blood vessels lacking smooth muscle layers. Mutations in ENG (endoglin) or ACVRL1 (ALK1) genes.

**Synonyms:** Osler-Weber-Rendu Disease

### **Hereditary Spherocytosis**

The most common inherited hemolytic anemia in Northern Europeans (autosomal dominant 75%, recessive 25%). Caused by defects in RBC membrane proteins (spectrin, ankyrin, band 3, protein 4.2), leading to loss of membrane surface area, reduced deformability, and premature destruction in the spleen.

**Synonyms:**

### **Hermansky-Pudlak Syndrome**

Autosomal recessive (10+ genes: HPS1-10, BLOC/AP-3 complexes). Oculocutaneous albinism, bleeding disorder (absent dense bodies in platelets -> prolonged bleeding time), pulmonary fibrosis (HPS-1, HPS-4), granulomatous colitis, neutropenia. Diagnosis: electron microscopy of platelets (absent dense bodies), genetic testing.

**Synonyms:**

### **Hernia**

A hernia is protrusion of tissue through a weakness

---

or opening in the surrounding muscle or connective tissue and may become incarcerated or strangulated. cavity that normally contains it. Most hernias occur in the abdominal wall.

**Synonyms:**

### **Hernia Mesh**

Synthetic or biologic material for hernia repair. Polypropylene most common. Complications: infection, recurrence, chronic pain, mesh migration.

**Synonyms:**

### **Hernia Repair (Herniorrhaphy)**

Surgical repair of a hernia (inguinal, femoral, umbilical, incisional, hiatal). Inguinal hernia repair: open (Lichtenstein tension-free mesh, Shouldice, Bassini) or laparoscopic (TEP: totally extraperitoneal, TAPP: transabdominal preperitoneal). Mesh reinforcement reduces recurrence (1-3% for mesh vs. 5-15% for primary tissue repair).

**Synonyms:** Herniorrhaphy

### **Herniated Disc**

Protrusion of the nucleus pulposus through a tear in the annulus fibrosus of the intervertebral disc, causing compression or inflammation of adjacent nerve roots. Most common at L4-L5 and L5-S1 (lumbar) and C5-C6, C6-C7 (cervical). Lumbar: sciatica (radiating leg pain), paresthesias, sensory loss, and motor weakness (foot drop).

**Synonyms:**

### **Herniated disk**

A herniated disk occurs when spinal disk material extends through a fissure and may compress a nerve root, producing back pain, radiating pain, numbness, or weakness. intervertebral disc, most commonly occurring in the lumbar spine (L4-L5 and L5-S1 account for 95 percent of lumbar herniations) and cervical spine (C5-C6 and C6-C7), potentially compressing spinal nerves.

**Synonyms:**

### **Herpangina**

Herpangina concerns herpangina; its medical sig-

nificance is established from the defining features, setting, associated findings, and clinical question. throat, and small vesicles or ulcers on the soft palate and posterior pharynx. It is most common in children and spreads through respiratory and fecal-oral secretions.

**Synonyms:**

### **Herpes**

Infection caused by a herpesvirus. The term commonly refers to herpes simplex infection, which causes oral or genital lesions, but other herpesviruses cause distinct diseases.

**Synonyms:**

### **Herpes gestationis**

An autoimmune blistering skin disease of pregnancy mediated by anti-basement membrane zone antibodies, presenting with pruritic urticarial plaques and vesicles, typically in the second or third trimester.

**Synonyms:**

### **Herpes Simplex**

Infection with herpes simplex virus type 1 or type 2, commonly causing recurrent oral or genital vesicles and ulcers.

**Synonyms:**

### **Herpes Simplex (Cold Sores / Genital Herpes)**

A viral infection caused by herpes simplex virus type 1 (HSV-1, typically orofacial, though increasingly anogenital) and type 2 (HSV-2, predominantly anogenital). HSV is a double-stranded DNA virus of the Herpesviridae family with latency in sensory ganglia and periodic reactivation.

**Synonyms:** Cold Sores / Genital Herpes

### **Herpes Simplex Encephalitis**

The most common cause of sporadic fatal encephalitis, caused by herpes simplex virus type 1 (HSV-1) in over ninety percent of cases. The virus typically infects the temporal lobes, orbitofrontal cortex, and insular cortex, causing hemorrhagic necrosis.

**Synonyms:**

---

## Herpes Simplex Skin Infection

Infection of skin or mucosa by herpes simplex virus, producing grouped vesicles or erosions on an erythematous base. Recurrent disease commonly affects the oral or genital region; widespread infection in patients with eczema is eczema herpeticum and requires urgent medical assessment.

**Synonyms:**

## Herpes simplex virus

A double-stranded DNA virus belonging to the Herpesviridae family that causes oral and genital herpes. HSV has two serotypes: HSV-1, which typically causes oral herpes, and HSV-2, which typically causes genital herpes. The virus establishes latent infections in sensory ganglia and can reactivate periodically.

**Synonyms:**

## Herpes simplex virus infection

Infection with herpes simplex virus type 1 or type 2, commonly causing recurrent oral, genital, skin, eye, or central nervous system disease.

**Synonyms:**

## Herpes vegetans

A rare, chronic, verrucous or vegetative form of herpes simplex virus infection occurring in immunocompromised patients, particularly those with HIV/AIDS. It presents as exophytic, proliferative, ulcerative plaques on the genital or perianal skin, often refractory to standard antiviral therapy.

**Synonyms:**

## Herpes Zoster

A painful, usually one-sided blistering rash caused by reactivation of latent varicella-zoster virus in a sensory nerve ganglion. It typically follows a band-like distribution and may cause persistent nerve pain after the rash resolves.

**Synonyms:**

## Herpes Zoster (Shingles)

A painful, vesicular rash caused by reactivation of latent varicella-zoster virus (VZV, human herpesvirus

3) in the dorsal root ganglia.

**Synonyms:** Shingles

## Herpes zoster ophthalmicus

Reactivation of varicella-zoster virus latency in the trigeminal ganglion, with viral spread along the ophthalmic division (V1) causing painful vesicular skin eruption on the forehead, eyelid, and nose, with potential ocular involvement including keratitis, uveitis, and secondary glaucoma.

**Synonyms:**

## Herpetic glossitis

Inflammation of the tongue caused by herpes simplex virus infection, presenting with painful vesicles and ulceration on the tongue surface, often recurring in immunocompromised patients.

**Synonyms:**

## Herpetic Whitlow

A painful viral infection of the finger caused by the herpes simplex virus (typically HSV-1), characterized by swelling, redness, and painful vesicular lesions on the finger.

**Synonyms:**

## Hesitation Wounds

Multiple superficial, tentative parallel incised cuts surrounding a deeper primary fatal cut wound, classically observed in suicides involving sharp instruments (wrists, neck).

**Synonyms:**

## Heteroplasmy

The presence of more than one mitochondrial DNA sequence in a cell or person, usually because mutant and normal mitochondrial genomes coexist.

**Synonyms:**

## Heterotopic Pregnancy

Simultaneous intrauterine and ectopic pregnancy. Rare in spontaneous conception (1:30,000) but more common with ART (1:100-1:500). Risk factors: ovulation induction, IVF with multiple embryo transfer. The presence of an intrauterine pregnancy does not



---

exclude an ectopic pregnancy.

**Synonyms:**

### Heterozygous

Having two different alleles of a particular gene at a genetic locus. The observable effect depends on the gene and the relationship between the alleles.

**Synonyms:**

### Hexokinase

Phosphorylates glucose to glucose-6-phosphate. Low  $K_m$ , inhibited by product. Glucokinase (liver) has high  $K_m$ , not inhibited.

**Synonyms:**

### Hiatal Hernia

Protrusion of part of the stomach through the esophageal opening in the diaphragm into the chest. It may be sliding or paraesophageal and can be associated with reflux or other symptoms.

**Synonyms:**

### Hiatus Hernia

Another term for hiatal hernia: protrusion of part of the stomach through the esophageal hiatus of the diaphragm into the chest. It may be sliding or paraesophageal.

**Synonyms:**

### Hib

Haemophilus influenzae type b, an encapsulated bacterium that can cause meningitis, epiglottitis, pneumonia, septic arthritis, cellulitis, or sepsis. Routine conjugate vaccination substantially reduces invasive Hib disease.

**Synonyms:**

### Hiccough (Hiccup)

An involuntary, repetitive, spasmodic contraction of the diaphragm followed by sudden closure of the glottis, producing the characteristic 'hic' sound. Hiccups are caused by irritation or stimulation of the phrenic nerve (C3-C5, innervates the diaphragm) or the vagus nerve (CN X).

**Synonyms:** Hiccup

### Hiccups

Hiccups concerns hiccups; its medical significance is established from the defining features, setting, associated findings, and clinical question. producing a characteristic sound. Persistent or intractable hiccups may reflect irritation of the diaphragm or phrenic and vagal pathways, metabolic disease, medication exposure, or central nervous system disease.

**Synonyms:**

### Hiccups (Singultus)

Involuntary, spasmodic contractions of the diaphragm and intercostal muscles followed by sudden glottic closure, producing the characteristic "hic" sound. The reflex arc involves the phrenic nerve (C3-C5), vagus nerve, and brainstem centers.

**Synonyms:** Singultus

### Hidradenitis

Hidradenitis suppurativa is a chronic inflammatory follicular occlusion disease affecting apocrine gland-bearing areas (axillae, groin, inframammary). It presents with recurrent painful nodules, abscesses, sinus tracts, and scarring.

**Synonyms:**

### Hidradenitis Suppurativa

A chronic inflammatory skin disorder involving recurrent painful nodules, abscesses, draining tunnels, and scars, usually in skin folds such as the axillae, groin, buttocks, or breasts. Severity varies and is influenced by genetic, hormonal, and environmental factors.

**Synonyms:**

### High Arch

An abnormally elevated medial longitudinal arch of the foot, also called pes cavus. It may be idiopathic or associated with neuromuscular disease and can cause overload of the heel and forefoot, calluses, pain, instability, or difficulty fitting footwear.

**Synonyms:** pes cavus.

### High-Dependency Unit

A ward or area within a hospital that provides a level



---

of care between a general ward and an intensive care unit, for patients who require intensive observation or treatment but not mechanical ventilation.

**Synonyms:**

### High-Flow Nasal Cannula

A device delivering heated and humidified oxygen at flow rates up to 60 L/min through a nasal cannula. It provides a modest amount of PEEP, reduces dead space ventilation, and improves patient comfort compared to non-invasive ventilation. It is used for acute hypoxemic respiratory failure and post-extubation support.

**Synonyms:**

### High-Intensity Focused Ultrasound

A treatment that concentrates ultrasound energy to heat and destroy a targeted area of tissue. Its uses depend on the device, disease, and clinical setting.

**Synonyms:**

### High-Level Disinfection

Disinfection that inactivates all microorganisms except high numbers of bacterial spores. It is commonly used for heat-sensitive semicritical equipment such as some flexible endoscopes after meticulous cleaning.

**Synonyms:**

### Hill-Sachs Lesion

Impaction fracture of posterolateral humeral head from anterior shoulder dislocation. Associated with Bankart lesion.

**Synonyms:**

### Hip Dislocation

Loss of normal congruence between the femoral head and acetabulum. It is usually traumatic in adults and may damage the sciatic nerve or femoral-head blood supply; congenital or developmental dislocation occurs in developmental dysplasia of the hip.

**Synonyms:**

### Hip Disorders

The hip joints are ball-and-socket joints connecting the femur to the pelvis, providing stability and a wide range of motion for walking, running, and weight-bearing activities. Common hip conditions include osteoarthritis, fractures, bursitis, and labral tears.

**Synonyms:**

### Hip Dysplasia

Developmental dysplasia of the hip (DDH): abnormal development of the acetabulum/femoral head causing instability, subluxation, or dislocation. Risk factors: female, breech presentation, family history, firstborn, and tight swaddling.

**Synonyms:**

### Hip Fracture

Fracture of proximal femur, usually femoral neck or intertrochanteric region. Mechanism: low-energy fall in osteoporotic bone. Symptoms: pain, inability to bear weight, shortened/externally rotated leg. Diagnosis: X-ray, MRI if X-ray negative. Treatment: surgical fixation (internal fixation, arthroplasty).

**Synonyms:**

### Hip Joint

Multiaxial ball-and-socket synovial joint between femoral head and acetabulum. Designed for stability and mobility, bearing entire upper body weight. Acetabular labrum deepens the socket; strong ligaments (iliofemoral, pubofemoral, ischiofemoral) reinforce it. Ligamentum teres contains the femoral head artery.

**Synonyms:**

### Hip Prosthesis

Total hip replacement components: femoral stem (metal), head (metal/ceramic), acetabular cup (polyethylene/metal/ceramic). Fixation: cemented (older patients), cementless (younger, porous coating for bone ingrowth). Materials: cobalt-chrome, titanium, ceramics.

**Synonyms:**

---

## Hip Replacement

A surgical procedure in which the diseased hip joint is replaced with a prosthetic implant (arthroplasty). Total hip replacement (THR) replaces both the femoral head and the acetabulum.

**Synonyms:**

## Hip-Fracture Rehabilitation

Multidisciplinary postoperative management aimed at restoring mobility, preventing complications, and returning the older person to the highest feasible level of independence. It includes early mobilization, pain control, osteoporosis treatment, delirium prevention, nutrition, and discharge planning.

**Synonyms:**

## Hippocampus

Curved medial temporal lobe structure, part of the limbic system, critical for new declarative memory formation (episodic and spatial) and short-to-long-term memory conversion. Has dentate gyrus, hippocampus proper (CA1-CA4), subiculum, and entorhinal cortex. One of few adult neurogenesis sites (dentate gyrus).

**Synonyms:**

## Hippotherapy

Therapeutic horseback riding for neurological, musculoskeletal conditions. Improves balance, posture, coordination.

**Synonyms:**

## Hirschsprung Disease

Congenital condition characterized by the absence of enteric ganglion cells in a segment of the distal colon, resulting from failure of neural crest cell migration during embryonic development.

**Synonyms:**

## Hirschsprung's Disease

A congenital disorder characterized by the absence of parasympathetic ganglion cells (aganglionosis) in the distal colon, resulting in failure of relaxation and functional obstruction. Incidence: 1 in 5,000 live births, male predominance (4:1).

**Synonyms:**

## Hirsutism

Excess terminal hair growth in women in a male-pattern distribution (face—upper lip, chin, sideburns; chest, back, lower abdomen, inner thighs). Hirsutism affects 5-10% of women of reproductive age. Pathophysiology: increased androgen production or increased end-organ sensitivity.

**Synonyms:**

## Histamine

A biogenic amine (imidazolyethylamine) synthesised from L-histidine by histidine decarboxylase, stored in basophils, mast cells, and platelets, and released during allergic and inflammatory responses.

**Synonyms:**

## Histiocytosis

Histiocytosis is a medical condition involving histiocytosis; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. proliferation, including Langerhans cell histiocytosis, Erdheim-Chester disease, and hemophagocytic lymphohistiocytosis.

**Synonyms:**

## Histology

The microscopic study of the structure of tissues and cells. Histology involves preparing thin tissue sections (3-10 micrometres) by fixation (formalin, paraffin embedding), sectioning (microtome), staining (haematoxylin and eosin, H&E), and examination under a light or electron microscope.

**Synonyms:**

## Histopathology

The laboratory-based diagnosis of disease through microscopic examination of tissue sections from biopsy, excision, or autopsy, built on fixation, paraffin embedding, sectioning, and hematoxylin and eosin staining.

**Synonyms:**

---

### **Histoplasma capsulatum**

A fungus found in soil contaminated with bird or bat droppings that can cause histoplasmosis when its spores are inhaled.

**Synonyms:**

### **Histoplasmosis**

Histoplasmosis is a medical condition involving histoplasmosis; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. in nitrogenrich soil enriched with bat or bird guano, most commonly in the Ohio and Mississippi River valleys of the United States, Central and South America, and parts of Africa and Asia.

**Synonyms:**

### **Histrionic Personality Disorder**

A pattern of excessive emotionality and attention-seeking.

**Synonyms:**

### **HIV**

Human immunodeficiency virus: a retrovirus (HIV-1, HIV-2) causing progressive CD4+ T-cell depletion and AIDS if untreated. Transmitted via sexual contact, blood/blood products, mother-to-child.

**Synonyms:**

### **HIV (Human Immunodeficiency Virus)**

A retrovirus (family Retroviridae, genus Lentivirus) that causes acquired immunodeficiency syndrome (AIDS) by infecting and destroying CD4+ T lymphocytes (helper T cells). Two types: HIV-1 (pandemic, most common worldwide) and HIV-2 (less virulent, West Africa).

**Synonyms:** Human Immunodeficiency Virus

### **HIV infection**

Infection with human immunodeficiency virus, which progressively damages immune function if untreated. Antiretroviral therapy suppresses viral replication and reduces transmission and complications.

**Synonyms:**

### **HIV Test**

Screening and confirmatory testing for HIV. Fourth-generation HIV antigen/antibody combo test (p24 antigen + HIV-1/2 antibodies): window period 2-4 weeks. Positive screening requires confirmatory HIV-1/2 antibody differentiation assay. Rapid point-of-care tests (fingerstick, oral swab): results in 20 minutes.

**Synonyms:**

### **HIV/AIDS**

HIV-1/2: retrovirus, CD4+ T cell depletion. Transmission: sexual, blood, perinatal, breast milk. Acute retroviral syndrome: fever, lymphadenopathy, pharyngitis, rash, high viral load. Clinical latency: CD4 decline over years. AIDS: CD4 <200 or AIDS-defining illness (PJP, toxo, CMV, MAC, crypto, KS, lymphoma, TB).

**Synonyms:**

### **HIV/AIDS Immunopathogenesis**

HIV-1 infects CD4+ T cells, macrophages, dendritic cells via gp120 binding to CD4 + CCR5 (R5-tropic, early) or CXCR4 (X4-tropic, late). Reverse transcription -> integration -> transcription/translation -> budding. Acute retroviral syndrome (2-4 weeks): fever, lymphadenopathy, pharyngitis, rash, high viral load.

**Synonyms:**

### **HIV/AIDS Nutrition**

Malnutrition due to increased need requirement, malabsorption, side effects. Supplementation, opportunistic infection management.

**Synonyms:**

### **Hives**

Hives, or urticaria, are transient raised itchy wheals caused by dermal edema, commonly from allergy, infection, medications, physical triggers, or spontaneous mast-cell activation. or chronic and can result from infection, foods, medications, physical triggers, or autoimmune mechanisms; swelling of the airway is an emergency.

**Synonyms:**

---

## Hives (Urticaria)

A common skin condition characterized by transient, well-circumscribed, intensely pruritic wheals that blanch with pressure and resolve within 24 hours without scarring, caused by mast-cell mediator release in the dermis. Acute urticaria lasts less than 6 weeks; chronic urticaria recurs for 6 weeks or longer and is often spontaneous.

**Synonyms:** Urticaria

## HLA-B27

A class I human-leukocyte-antigen molecule associated with several spondyloarthropathies, including ankylosing spondylitis and reactive arthritis. A positive result supports but does not establish a diagnosis.

**Synonyms:**

## HMG-CoA Reductase

Rate-limiting enzyme of cholesterol synthesis. Target of statin drugs.

**Synonyms:**

## Hoarding Disorder

Persistent difficulty discarding or parting with possessions, regardless of their actual value. The individual perceives a need to save items and experiences distress at the thought of discarding them. This results in accumulation of possessions that congest and clutter active living areas.

**Synonyms:**

## Hoarseness

Hoarseness concerns hoarseness; its medical significance is established from the defining features, setting, associated findings, and clinical question. altered pitch; a subset of dysphonia rather than a diagnosis. Common causes include acute viral laryngitis, voice overuse, smoking, reflux, and vocal cord lesions (nodules, polyps, papillomas, laryngeal carcinoma).

**Synonyms:**

## Hodgkin Lymphoma

A B-cell lymphoma characterized by the presence

of Reed-Sternberg cells (large, binucleate or multinucleate cells with owl-eye nucleoli) in a background of reactive inflammatory cells.

**Synonyms:**

## Hodgkin's Lymphoma

A B-cell lymphoma characterized by the presence of Reed-Sternberg cells (large, binucleate or multinucleate cells with owl-eye nucleoli) in a background of reactive inflammatory cells. See Hodgkin Lymphoma.

**Synonyms:**

## Holoprosencephaly

A structural brain malformation resulting from incomplete or failed division of the forebrain (prosencephalon) into the cerebral hemispheres during the fifth week of gestation.

**Synonyms:**

## Holosystolic Murmur Differential

Pansystolic (holosystolic) murmurs are plateau-shaped and extend from S1 to S2.

**Synonyms:**

## Holt-Oram Syndrome

An autosomal dominant disorder caused by TBX5 gene mutations, characterized by congenital heart disease and upper limb malformations. Cardiac anomalies: atrial septal defect (most common), VSD, and conduction abnormalities (heart block, atrial fibrillation).

**Synonyms:**

## Holter Monitor

Continuous ECG recording for 24-48 hours to detect arrhythmias, quantify burden (atrial fibrillation, PVCs, PACs), and correlate symptoms with rhythm. Patient diary logs symptoms. Indications: palpitations, syncope, presyncope, and assessment of arrhythmia control. Reveals paroxysmal arrhythmias not captured on standard 12-lead ECG.

**Synonyms:**

---

### **Holter Monitoring**

Portable, continuous electrocardiographic recording over an extended period, commonly 24 hours or longer, to detect intermittent rhythm abnormalities and correlate them with symptoms.

**Synonyms:**

### **Home Care**

Medical care provided at home. Includes nursing, therapy, personal care.

**Synonyms:**

### **Home Health**

Healthcare services delivered in a person's home, such as nursing, therapy, monitoring, or assistance with a medical treatment plan.

**Synonyms:**

### **Home Health Rehabilitation**

Physical, occupational, or speech therapy delivered at home when a person cannot safely travel to an outpatient facility.

**Synonyms:**

### **Home Rehabilitation**

Rehabilitation provided in a person's home to improve movement, self-care, communication, or daily functioning.

**Synonyms:**

### **Homeostasis**

The maintenance of stable internal conditions despite external changes. Key regulated variables: temperature, pH, glucose, electrolytes, blood pressure, fluid balance. Mechanisms: negative feedback loops (most common), positive feedback (rare, e.g., labor, blood clotting).

**Synonyms:**

### **Homocystinuria**

Homocystinuria concerns homocystinuria; its medical significance is established from the defining features, setting, associated findings, and clinical question. deficiency of cystathionine beta-synthase (CBS), leading to accumulation of homocysteine

and methionine.

**Synonyms:**

### **Homozygous**

Having two identical alleles of a particular gene (AA or aa). Can be homozygous dominant or homozygous recessive.

**Synonyms:**

### **Hookworm**

Intestinal nematode infection by *Ancylostoma duodenale* or *Necator americanus*, acquired by skin penetration of filariform larvae (walking barefoot on contaminated soil).

**Synonyms:**

### **Hookworm Infection**

Intestinal infection caused by hookworms acquired when larvae in contaminated soil penetrate the skin or are ingested. Chronic infection can cause abdominal symptoms, iron-deficiency anemia, protein loss, and impaired growth in children.

**Synonyms:**

### **Hookworm infestation**

Intestinal infection by hookworm nematodes, which attach to the intestinal wall and may cause iron-deficiency anemia, abdominal symptoms, or poor growth.

**Synonyms:**

### **Hordeolum (Stye)**

A tender, localized infection or inflammation of an eyelid gland that produces a small red lump near the eyelid margin.

**Synonyms:** Stye

### **Horizontal gene transfer**

The transfer of genetic material between bacteria through mechanisms other than parent-to-offspring transmission. The three mechanisms are transformation (uptake of free DNA), transduction (transfer via bacteriophages), and conjugation (direct cell-to-cell transfer).

**Synonyms:**

---

## Hormone

Chemical messenger secreted by endocrine glands into blood, acting on distant target organs with specific receptors. Classes: peptides/proteins (insulin, GH), steroids (cortisol, estrogen), amines (thyroid hormone, catecholamines). Mechanisms: cell surface receptors (GPCRs, RTKs) or intracellular receptors (nuclear receptors).

**Synonyms:**

## Hormone Replacement Therapy

HRT (menopause hormone therapy): estrogen  $\pm$  progestin to relieve menopausal symptoms (vasomotor, vaginal atrophy, sleep, mood) and prevent osteoporosis. Regimens: estrogen-only (post-hysterectomy) or combined (with progestin for endometrial protection in uterus-intact women); routes: oral, transdermal, vaginal.

**Synonyms:**

## Hormone Therapy

Treatment blocking hormone effects in hormone-sensitive cancers. Examples: tamoxifen (breast cancer), leuprolide (prostate cancer), aromatase inhibitors.

**Synonyms:**

## Hormone-Receptor Positive

A cancer whose cells express receptors for hormones such as estrogen or progesterone. Hormone-blocking treatment may be useful for selected cancers with these receptors.

**Synonyms:**

## Hormone-Sensitive Lipase

Breaks down triglycerides in adipose tissue. Activated by glucagon, epinephrine via cAMP.

**Synonyms:**

## Horner Syndrome

A clinical triad caused by disruption of the sympathetic pathway to the eye and face, resulting in ipsilateral miosis (constricted pupil), ptosis (drooping of the upper eyelid due to paralysis of the superior tarsal muscle), and anhidrosis (loss of sweating on

the affected side of the face).

**Synonyms:**

## Horseshoe Kidney

The most common renal fusion anomaly (1 in 400-500), where the lower poles of both kidneys are fused across the midline by an isthmus of renal parenchyma or fibrous tissue.

**Synonyms:**

## Hospice

Palliative care for terminal illness with prognosis  $<6$  months. Focus on comfort, quality of life, support for patient and family. Provided at home, hospice facility, or hospital. Interdisciplinary team: physician, nurse, social worker, chaplain, volunteer.

**Synonyms:**

## Hospice Rehabilitation

Rehabilitation in hospice setting. Symptom management, positioning, caregiver education.

**Synonyms:**

## Hospital-Acquired Infection

Infection acquired during hospitalization. Also: healthcare-associated infection (HAI). Examples: CLABSI, CAUTI, surgical site infection.

**Synonyms:**

## Hospital-acquired infections

Infections that develop during or after hospitalisation. Major types include central line-associated bloodstream infections, catheter-associated urinary tract infections, ventilator-associated pneumonia, and surgical site infections. Risk factors include invasive devices, prolonged hospitalisation, and antimicrobial use.

**Synonyms:**

## Hospital-Acquired Pneumonia

Pneumonia developing  $> 48$  hours after hospital admission. Common pathogens include *Pseudomonas* and MRSA. Empiric treatment covers resistant organisms.

**Synonyms:**



---

## Hospitalization (Geriatric)

Inpatient stay for elderly patients. High risk for adverse outcomes: delirium, functional decline, institutionalization. Precautions: fall prevention, early mobilization, medication reconciliation, delirium prevention, nutrition support. Geriatrician consultation beneficial.

**Synonyms:** Geriatric

## Host

A person or other living organism that can be infected by a virus or other pathogen under natural conditions. The host may be a human, animal, or plant. In medical contexts, the host is the patient in whom an infection or disease develops.

**Synonyms:**

## Host Response

Immunological reaction to implant. Foreign body response, encapsulation, rejection.

**Synonyms:**

## Hot Flashes

Vasomotor symptoms: sudden sensations of intense heat, sweating, flushing, and palpitations, most commonly from estrogen withdrawal around menopause; also in hypogonadism, chemotherapy-induced ovarian failure, and some medications (SERMs, GnRH agonists). Mechanism: hypothalamic thermoregulatory dysfunction.

**Synonyms:**

## Hounsfield Units

CT number scale referencing water (0 HU) and air (-1000 HU). Fat: -50 to -100 HU. Water: 0 HU. Soft tissue: +20 to +50 HU. Bone: +400 to +3000 HU. Blood: +40 to +60 HU (acute), +20 to +40 HU (chronic).

**Synonyms:**

## Howell-Jolly Bodies

Basophilic nuclear remnants (clusters of DNA) normally removed from circulating red blood cells by splenic macrophages (pitting). Presence on peripheral blood smear indicates functional asplenia or

anatomical splenectomy (e.g., trauma, sickle cell auto-splenectomy). Also seen in severe megaloblastic anemia.

**Synonyms:**

## HPLC

High-performance liquid chromatography for radiochemical purity analysis.

**Synonyms:**

## HPV

Human papillomavirus is a group of DNA viruses that infect skin and mucous membranes. Some types cause warts, whereas persistent infection with high-risk types can cause precancerous lesions and cancers of the cervix, anus, penis, vulva, vagina, or oropharynx.

**Synonyms:**

## HPV Vaccine

Human Papillomavirus vaccine given at 11-12 years (can start at 9), with series completion by 15 years. Two-dose series if started before 15; three-dose series if started at 15 or older. Protects against HPV types causing cervical cancer, oropharyngeal cancer, and genital warts. Gardasil 9 covers nine HPV types.

**Synonyms:**

## HRT

Hormone replacement therapy uses estrogen, with a progestogen when needed, to treat selected menopausal symptoms caused by declining ovarian hormone production. It can relieve vasomotor and genitourinary symptoms and help prevent bone loss, but benefits and risks depend on the person's age, medical history, regimen, and duration of use.

**Synonyms:**

## Human Chorionic Gonadotropin

A glycoprotein hormone produced by trophoblast cells after implantation. Detectable in serum 8-11 days post-conception and in urine 12-14 days. Levels double approximately every 48-72 hours in early pregnancy, peaking at 8-11 weeks then plateauing.

**Synonyms:**

---

### Human immunodeficiency virus

A retrovirus belonging to the Lentivirus genus that causes acquired immunodeficiency syndrome (AIDS). HIV has two species: HIV-1 and HIV-2. The virus targets CD4+ T cells, macrophages, and dendritic cells. HIV has a complex genome encoding structural proteins, enzymes (reverse transcriptase, integrase, protease), and regulatory proteins.

**Synonyms:**

### Human microbiome

The collection of microorganisms that live on and in the human body. The microbiome includes bacteria, viruses, fungi, and archaea. The gut microbiome is the most studied and plays a role in digestion, immune function, and disease.

**Synonyms:**

### Human Papillomavirus

The most common STI, with over 100 types. High-risk types (16, 18) cause cervical, oropharyngeal, anal, and genital cancers. Low-risk types (6, 11) cause genital warts. Prevention: HPV vaccine (Gardasil 9) protects against 9 HPV types. Screening: Pap smear and HPV testing for cervical cancer prevention.

**Synonyms:**

### Human Placental Lactogen

A peptide hormone produced by the placenta that contributes to mammary-gland development and shifts maternal metabolism toward increased lipolysis and reduced insulin sensitivity during pregnancy. It supports nutrient availability for the fetus and contributes to physiologic gestational insulin resistance.

**Synonyms:**

### Humeroradial Joint

Between capitulum and radial head, allowing flexion-extension and contributing to pronation-supination via radial head rotation. Radial collateral ligament provides lateral stability. Capitulum has articular cartilage only anteriorly.

**Synonyms:**

### Humeroulnar Joint

Uniaxial hinge between trochlea and trochlear notch of the ulna, allowing only flexion/extension (0 to approximately 145 degrees). Ulnar collateral ligament is the primary valgus restraint. Trochlear notch provides inherent bony stability, making it the most congruent elbow joint.

**Synonyms:**

### Humerus

Single upper arm bone, the longest of the upper limb. Proximal end: head, anatomical/surgical necks, tubercles. Shaft: deltoid tuberosity, radial groove, epicondyles. Distal end: trochlea, capitulum, olecranon fossa. The surgical neck is the common fracture site potentially injuring the axillary nerve.

**Synonyms:**

### Humoral Immunity

The component of adaptive immunity mediated by antibodies produced by B lymphocytes (plasma cells) that neutralize extracellular pathogens and toxins. Humoral responses defend against bacteria, viruses outside cells, and parasites.

**Synonyms:**

### Hunger

Physiological drive to eat. Regulated by ghrelin, blood glucose, stomach distension. Psychological factors also influence.

**Synonyms:**

### Hungry Bone Syndrome

Severe hypocalcemia occurring after parathyroidectomy particularly in patients with severe preoperative hyperparathyroidism and high bone turnover. Rapid bone remineralization after removal of excess PTH sequesters calcium and phosphorus from the serum causing symptomatic hypocalcemia.

**Synonyms:**

### Hunter Syndrome

Mucopolysaccharidosis type II (MPS II), an X-linked recessive lysosomal storage disorder caused by iduronate-2-sulfatase deficiency (IDS gene mu-

---

tations). Accumulation of dermatan sulfate and heparan sulfate (same as Hurler).

**Synonyms:**

### Huntington Disease

Autosomal dominant neurodegenerative disorder caused by CAG trinucleotide repeat expansion in HTT gene. Onset: 30-50 years. Symptoms: chorea, dementia, psychiatric disease. Anticipation: earlier onset in successive generations (paternal transmission). No cure; symptomatic treatment.

**Synonyms:**

### Huntington's Disease

An autosomal dominant neurodegenerative disorder caused by a CAG trinucleotide repeat expansion in the huntingtin gene on chromosome 4p16.3. The disease is characterized by the triad of progressive chorea, cognitive decline, and psychiatric manifestations.

**Synonyms:**

### Huntington's Disease (Chorea)

An autosomal dominant neurodegenerative disorder caused by a CAG trinucleotide repeat expansion (>36 repeats, normally <26) in the HTT gene on chromosome 4 (4p16.3), which encodes the huntingtin protein.

**Synonyms:** Chorea

### Hurler Syndrome

Mucopolysaccharidosis type I (MPS I), the severe form, an autosomal recessive lysosomal storage disorder caused by alpha-L-iduronidase deficiency (IDUA gene mutations). Accumulation of dermatan sulfate and heparan sulfate leads to progressive multisystem involvement.

**Synonyms:**

### Hyaline Cartilage

The most common type of cartilage, containing fine type II collagen fibers in a firm, glassy matrix. It supports airways, covers articular surfaces, and forms much of the fetal skeleton and growth plates.

**Synonyms:**

### Hyaline Casts

Transparent colorless cylindrical structures composed primarily of Tamm-Horsfall protein secreted by the thick ascending limb. Most common type of urine cast. Normal in concentrated urine and after exercise. Increased in dehydration, prerenal states, and volume depletion.

**Synonyms:**

### Hyaline Membrane

A layer of protein-rich material lining damaged alveoli, classically seen in respiratory distress syndrome. It impairs gas exchange.

**Synonyms:**

### Hyaline Membrane Disease

An older name for neonatal respiratory distress syndrome, caused mainly by surfactant deficiency in premature infants. See Respiratory Distress Syndrome.

**Synonyms:**

### Hydatid cyst

A cyst caused by the larval stage of *Echinococcus granulosus*, a tapeworm transmitted from dogs to humans through ingestion of contaminated food. The liver is the most commonly affected organ, followed by the lungs. Cysts grow slowly and may become symptomatic from mass effect or rupture, causing anaphylaxis.

**Synonyms:**

### Hydatidiform Mole

A form of gestational trophoblastic disease in which abnormal trophoblastic tissue grows in the uterus. A complete mole has no viable fetus; a partial mole may contain abnormal fetal tissue. Both require follow-up because persistent disease can occur.

**Synonyms:**

### Hydranencephaly

A rare congenital condition where the cerebral hemispheres are nearly completely absent, replaced by thin-walled, fluid-filled sacs, while the brainstem, basal ganglia, and cerebellum are relatively pre-

---

served. Caused by bilateral internal carotid artery occlusion in utero (vascular insult, infection, or twin-twin transfusion).

**Synonyms:**

### Hydrocele

Hydrocele concerns hydrocele; its medical significance is established from the defining features, setting, associated findings, and clinical question. Congenital hydrocele results from patent processus vaginalis; acquired hydrocele may follow infection, trauma, or tumor. Transilluminates on examination. Ultrasound confirms fluid collection.

**Synonyms:**

### Hydrocephalus

Hydrocephalus concerns hydrocephalus; its medical significance is established from the defining features, setting, associated findings, and clinical question. leading to increased intracranial pressure. Communicating hydrocephalus: impaired CSF absorption (subarachnoid hemorrhage, meningitis, leptomeningeal carcinomatosis).

**Synonyms:**

### Hydrocolpos

Distension of the vagina with fluid due to obstruction of the vaginal outlet, often from an imperforate hymen or transverse septum, presenting as a pelvic mass in neonates or adolescents.

**Synonyms:**

### Hydrofluoric Acid Exposure

Contact with hydrofluoric acid, which can cause deep tissue injury and systemic fluoride toxicity, including dangerous low calcium and cardiac arrhythmias.

**Synonyms:**

### Hydrogen Bond

Weak electrostatic interaction between a hydrogen atom covalently bonded to an electronegative atom (N, O, F) and another electronegative atom. Critical for protein structure (alpha helix, beta sheet), DNA double helix (base pairing), enzyme-substrate

binding, and water properties (high boiling point, solvent properties).

**Synonyms:**

### Hydrogen Breath Test

Non-invasive test for carbohydrate malabsorption (lactose, fructose) and small intestinal bacterial overgrowth (SIBO). Patient ingests a substrate (lactose, glucose, or lactulose). Breath hydrogen is measured at baseline and q15-30 minutes for 2-3 hours. Rise in H<sub>2</sub> >20 ppm from baseline: positive (bacterial fermentation).

**Synonyms:**

### Hydronephrosis

Dilation of renal collecting system proximal to obstruction. Causes include stones, strictures, malignancy, and BPH. Graded on ultrasound from mild to severe. Prolonged obstruction leads to cortical thinning and renal failure. Bilateral more clinically significant. Urgent decompression required for obstructive uropathy with infection.

**Synonyms:**

### Hydrophobia

Painful spasms or fear triggered by attempts to drink, classically occurring in advanced rabies because of inflammation of the brain and nerves involved in swallowing.

**Synonyms:**

### Hydropneumothorax

The simultaneous presence of both fluid and air in the pleural space, causing respiratory distress and dullness to percussion with absent breath sounds, typically requiring chest tube drainage.

**Synonyms:**

### Hydrops Fetalis

Abnormal accumulation of fluid in two or more fetal compartments, including pleural effusion, pericardial effusion, ascites, and subcutaneous edema. Causes include Rh isoimmunization, chromosomal abnormalities, cardiac defects, infections (parvovirus B19), and twin-to-twin transfusion syn-

---

drome.

**Synonyms:**

### Hydrotherapy

Exercise in water using buoyancy, resistance, warmth. Benefits: reduced weight-bearing, improved circulation, pain relief, increased range of motion. Used for arthritis, spinal cord injury, amputation, neurological conditions.

**Synonyms:**

### Hydroxocobalamin

A cobalt-containing form of vitamin B12 used as an antidote for cyanide poisoning. It binds cyanide to form cyanocobalamin, which is excreted in urine; it can cause red discoloration of skin and body fluids and interfere with some laboratory tests.

**Synonyms:**

### Hymen

A thin fold of mucous membrane that partially covers the external opening of the vagina. The hymen is a remnant of fetal development, with no known physiological function in postnatal life.

**Synonyms:**

### Hyoid Bone

U-shaped bone in the anterior neck at C3, unique for not directly articulating with any other bone. Suspended by muscles and the stylohyoid ligament. Provides attachment for suprahyoid (digastric, stylohyoid, mylohyoid, geniohyoid) and infrahyoid (sternohyoid, sternothyroid, thyrohyoid, omohyoid) muscles.

**Synonyms:**

### Hyper-IgM Syndromes

A group of disorders characterized by normal or elevated IgM with low IgG, IgA, and IgE, due to defective class switch recombination (CSR) and somatic hypermutation (SHM).

**Synonyms:**

### Hyperaldosteronism

Hyperaldosteronism, also known as Conn syndrome

when caused by an adrenal adenoma, is characterized by excessive aldosterone production causing hypertension, hypokalemia, and metabolic alkalosis.

**Synonyms:** Conn syndrome when caused by an adrenal adenoma, is.

### Hyperaldosteronism Complications

Beyond hypertension and hypokalemia, primary hyperaldosteronism causes target organ damage including left ventricular hypertrophy, fibrosis, stroke, coronary artery disease, atrial fibrillation, and chronic kidney disease. These complications occur at higher rates than in essential hypertension of similar severity.

**Synonyms:**

### Hyperammonemia

An abnormally elevated concentration of ammonia in the blood. It may result from an inherited urea-cycle or organic-acid disorder, severe liver dysfunction, or other acquired causes and can produce encephalopathy, cerebral oedema, seizures, and coma.

**Synonyms:**

### Hyperbaric Oxygen Therapy

Administration of 100% oxygen at increased atmospheric pressure. Indications: carbon monoxide poisoning, decompression sickness, gas gangrene, necrotizing soft tissue infections, delayed radiation injury, crush injury, compromised grafts. Mechanism: increases dissolved oxygen, vasoconstriction, antimicrobial effect.

**Synonyms:**

### Hypercalcemia

Hypercalcemia is a medical condition involving hypercalcemia; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. mnemonic MALIGNANT: Myeloma, Metastases, Metabolic bone disease, Hyperparathyroidism, Adrenal insufficiency, Paget disease, Immobilization, Thiazide diuretics, Addison disease, Neonatal, Tumor-derived PTHrP.

**Synonyms:**

---

### Hypercalcemia of Malignancy

Elevated serum calcium caused by cancer, a common paraneoplastic and oncologic emergency. Mechanisms: PTHrP secretion (most common—squamous cell lung, breast, renal, ovarian), osteolytic metastases (breast, myeloma), 1,25-dihydroxyvitamin D (lymphoma), and ectopic PTH (rare).

**Synonyms:**

### Hypercapnia

An abnormally elevated arterial partial pressure of carbon dioxide, usually caused by alveolar hypoventilation. It may produce headache, somnolence, confusion, asterixis, respiratory acidosis, and, when severe or rapidly developing, coma.

**Synonyms:**

### Hypercholesterolemia

Elevated serum total cholesterol and LDL cholesterol levels, a major modifiable risk factor for atherosclerotic cardiovascular disease. It may be primary, due to familial hypercholesterolemia from LDL receptor mutations, or secondary to diet, obesity, hypothyroidism, or nephrotic syndrome.

**Synonyms:**

### Hypercoagulable State

Condition increasing thrombosis risk. Inherited: Factor V Leiden, prothrombin mutation, protein C/S deficiency, antithrombin deficiency. Acquired: cancer, pregnancy, oral contraceptives, antiphospholipid syndrome, myeloproliferative disorders.

**Synonyms:**

### Hypercyanotic Tetralogy

A complex congenital heart defect with four features: ventricular septal defect, overriding aorta, right ventricular outflow tract obstruction (pulmonary stenosis), and right ventricular hypertrophy. It causes right-to-left shunting and cyanosis. Treatment is surgical repair, typically in infancy.

**Synonyms:**

### Hyperemesis

Excessive or persistent vomiting that may cause de-

hydration, electrolyte abnormalities, and nutritional deficiency.

**Synonyms:**

### Hyperemesis Gravidarum

Severe, persistent nausea and vomiting during pregnancy resulting in weight loss greater than 5%, dehydration, electrolyte imbalances, and ketosis. Occurs in 0.3-2% of pregnancies, typically presenting in the first trimester. Differentiated from normal morning sickness by severity and metabolic derangement.

**Synonyms:**

### Hyperesthesia

Increased sensitivity to sensory stimulation—touch (tactile), pain (hyperalgesia), or other stimuli—so that normally non-painful or mildly painful stimuli produce exaggerated discomfort.

**Synonyms:**

### Hyperglycemia

Blood glucose above the expected range for the testing conditions. Acute hyperglycemia can cause osmotic diuresis, dehydration, and electrolyte disturbances. Chronic hyperglycemia leads to microvascular (retinopathy, nephropathy, neuropathy) and macrovascular complications.

**Synonyms:**

### Hypergonadotropic Hypogonadism

Primary testicular failure with elevated LH/FSH. Causes: Klinefelter syndrome, cryptorchidism, orchitis, chemotherapy, radiation.

**Synonyms:**

### Hyperhidrosis

Hyperhidrosis is a medical condition involving hyperhidrosis; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. palms, soles, axillae, and face without underlying cause. Secondary generalized hyperhidrosis is caused by medications, endocrine disorders, infections, or malignancies.

**Synonyms:**



---

## Hyperkalemia

Serum potassium >5.0 mEq/L. ECG changes: peaked T waves, widened QRS, sine wave. Causes: renal failure, medications (ACE inhibitors, potassium-sparing diuretics), tissue breakdown, acidosis.

**Synonyms:**

## Hyperlipidemia

Elevated levels of lipids in the blood—total cholesterol, LDL, triglycerides, and/or reduced HDL—a major modifiable risk factor for atherosclerosis and cardiovascular disease. Primary (genetic: familial hypercholesterolemia) or secondary (hypothyroidism, diabetes, nephrotic syndrome, obesity, alcohol).

**Synonyms:**

## Hypermobile Ehlers-Danlos Syndrome

A heritable connective-tissue disorder characterized mainly by generalized joint hypermobility, instability, chronic musculoskeletal pain, and other variable features involving skin, autonomic function, or digestion. Diagnosis is clinical and requires assessment for other connective-tissue disorders and related conditions.

**Synonyms:**

## Hypernatremia

A serum sodium concentration above the reference range, usually reflecting too little free water relative to body sodium or, less often, excess sodium. Causes include impaired water intake, diabetes insipidus, osmotic diuresis, gastrointestinal losses, and sodium administration.

**Synonyms:**

## Hyperopia

A refractive error in which light focuses behind the retina when the eye is relaxed. See Farsightedness.

**Synonyms:**

## Hyperosmolar Hyperglycemic State

Hyperglycemic emergency characterized by severe hyperglycemia greater than 600 milligrams per

deciliter, hyperosmolality greater than 320 milliosmoles per kilogram, and profound dehydration without significant ketosis.

**Synonyms:**

## Hyperparathyroidism

Hyperparathyroidism is a medical condition involving hyperparathyroidism; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. parathyroid glands, classified as primary, secondary, or tertiary.

**Synonyms:**

## Hyperphosphatemia

A phosphate concentration above the laboratory reference range, often caused by impaired renal excretion, hypoparathyroidism, tumor lysis, rhabdomyolysis, or excess intake. Consequences may include secondary hyperparathyroidism, vascular/metastatic calcification, and when combined with hypocalcemia, tetany.

**Synonyms:**

## Hyperpigmentation

Darkening of the skin caused by increased melanin production, deposition of pigment in the dermis, or accumulation of other pigments.

**Synonyms:**

## Hyperplasia

Hyperplasia is a medical condition involving hyperplasia; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

## Hyperpolarization

A change in membrane potential to a more negative value, moving it further from threshold and making the cell less excitable. Occurs when potassium leaves the cell (opening of voltage-gated potassium channels, as in the afterhyperpolarization after an action potential) or when chloride enters (GABA-A receptor activation).

**Synonyms:**

---

### Hyperprolactinaemia

An abnormally elevated concentration of prolactin in the blood. Causes include medicines, pregnancy, hypothyroidism, pituitary tumors, and other disorders.

**Synonyms:**

### Hyperprolactinemia

Elevated serum prolactin levels most commonly caused by prolactin-secreting pituitary adenomas termed prolactinomas. Other causes include medications particularly antipsychotics and metoclopramide, hypothyroidism, stalk effect from non-functioning pituitary adenomas, renal failure, and chest wall lesions.

**Synonyms:**

### Hypersensitivity

An exaggerated or inappropriate immune response to an antigen, ranging from a mild reaction to anaphylaxis.

**Synonyms:**

### Hypersensitivity Pneumonitis

An immune-mediated lung disease from environmental antigen inhalation (molds, bird proteins). Acute, subacute, and chronic forms exist. HRCT shows ground-glass opacities, air trapping, and centrilobular nodules. Chronic HP progresses to fibrosis.

**Synonyms:**

### Hypersensitivity Reactions

Inappropriate or excessive immune responses causing tissue damage or disease.

**Synonyms:**

### Hypersensitivity Type I

Type I hypersensitivity, also known as immediate hypersensitivity or allergic reactions, is mediated by IgE antibodies and mast cells, producing symptoms within minutes of allergen re-exposure.

**Synonyms:** immediate hypersensitivity or allergic reactions,.

### Hypersensitivity Type II

Type II hypersensitivity, also known as cytotoxic hypersensitivity, is mediated by IgG or IgM antibodies directed against antigens on cell surfaces or the extracellular matrix, causing tissue damage through complement activation, antibody-dependent cellular cytotoxicity, and phagocytosis.

**Synonyms:** cytotoxic hypersensitivity, is mediated by IgG.

### Hypersensitivity Type III

Type III hypersensitivity is caused by deposition of antigen-antibody immune complexes in tissues and blood vessel walls, activating complement and recruiting neutrophils that release destructive enzymes and reactive oxygen species.

**Synonyms:**

### Hypersensitivity Type IV

Type IV hypersensitivity, also known as delayed-type hypersensitivity, is mediated by T lymphocytes rather than antibodies and takes 48 to 72 hours to develop after antigen exposure.

**Synonyms:** delayed-type hypersensitivity, is mediated by T.

### Hypertelorism

Increased distance between the orbits (the bony eye sockets), measured as an increased interorbital distance on imaging.

**Synonyms:**

### Hypertension

Persistently elevated arterial blood pressure. The diagnostic threshold depends on the guideline and the measurement method; diagnosis generally requires properly obtained readings on more than one occasion or other appropriate confirmation. It increases the risk of cardiovascular, cerebrovascular, and kidney disease.

**Synonyms:**

### Hypertension (High Blood Pressure)

Persistently elevated blood pressure, defined as systolic BP >130 mmHg or diastolic BP >80 mmHg

---

(ACC/AHA guidelines). See Hypertension.

**Synonyms:** High Blood Pressure

### **Hypertension in Anesthesia**

Hypertension during anesthesia causes increased bleeding, myocardial ischemia, and stroke risk. Common causes include light anesthesia, pain, hypercarbia, hypoxia, bladder distension, shivering, and drug withdrawal (beta-blockers, clonidine).

**Synonyms:**

### **Hypertensive**

Having blood pressure that is persistently above the accepted range for the clinical context.

**Synonyms:**

### **Hypertensive Crisis**

Severe elevation in blood pressure (SBP >180 or DBP >120) requiring urgent medical attention. Two types: hypertensive emergency (with end-organ damage) and hypertensive urgency (no acute end-organ damage). Hypertensive urgency: can be managed with oral antihypertensives (captopril, clonidine, labetalol) and careful outpatient follow-up.

**Synonyms:**

### **Hypertensive Emergency**

Severe hypertension (SBP >180 or DBP >120) with acute target organ damage. Organs involved: brain (hypertensive encephalopathy, stroke), heart (acute coronary syndrome, acute pulmonary edema, aortic dissection), kidneys (acute kidney injury), and eyes (papilledema).

**Synonyms:**

### **Hypertensive Heart Disease**

Left ventricular hypertrophy and diastolic/systolic dysfunction resulting from chronic hypertension. LVH is an independent cardiovascular risk factor and precursor to heart failure. Diagnosis by ECG (voltage criteria) or echocardiography (wall thickness >1.1 cm). Treatment of hypertension can regress LVH.

**Synonyms:**

### **Hypertensive Nephropathy**

Kidney damage caused by chronic hypertension, leading to nephrosclerosis (arteriolar hyalinosis and glomerulosclerosis). Presents with slowly progressive proteinuria (usually subnephrotic), hypertension, and gradual decline in kidney function. More common in African American patients. Diagnosis of exclusion.

**Synonyms:**

### **Hypertensive Nephrosclerosis**

Kidney damage from chronic hypertension. Benign form with hyaline arteriolosclerosis. Malignant form with hyperplastic arteriolosclerosis and onion-skinning. Second leading cause of ESRD after diabetes. Tight BP control with ACE inhibitors or ARBs essential to slow progression.

**Synonyms:**

### **Hypertensive Retinopathy**

Retinal changes caused by chronic or acute hypertension. Grading (Keith-Wagener-Barker): Grade I: generalized arteriolar narrowing; Grade II: arteriovenous nicking; Grade III: cotton-wool spots, flame hemorrhages, hard exudates; Grade IV: papilledema (malignant hypertension).

**Synonyms:**

### **Hyperthermia in Anesthesia**

Perioperative hyperthermia (temperature greater than 38 degrees Celsius) has multiple causes. Malignant hyperthermia (discussed separately) is the most urgent. Sepsis, thyroid storm, serotonin syndrome, neuroleptic malignant syndrome, and central fever are other causes.

**Synonyms:**

### **Hyperthermic Intraperitoneal Chemotherapy**

Heated chemotherapy circulated through the peritoneal cavity during surgery, following cytoreductive surgery, for peritoneal carcinomatosis from appendiceal, colorectal, and ovarian cancers and peritoneal mesothelioma.

**Synonyms:**

---

## Hyperthyroidism

Hyperthyroidism is a medical condition involving hyperthyroidism; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. resulting in thyrotoxicosis (elevated serum T4 and T3 concentrations).

**Synonyms:**

## Hyperthyroidism (Thyrotoxicosis)

A state in which excess thyroid hormone effect causes symptoms such as heat intolerance, sweating, tremor, weight loss, or rapid heartbeat. It may result from increased thyroid production or other causes of thyrotoxicosis.

**Synonyms:** Thyrotoxicosis

## Hypertonic Saline

Intravenous saline with a sodium concentration greater than plasma, commonly 3% sodium chloride. It is used selectively for severe symptomatic hyponatremia or other urgent indications, with careful monitoring to avoid overly rapid correction and osmotic demyelination.

**Synonyms:**

## Hypertonic Saline Inhalation

Nebulized 3–7% sodium chloride solution that draws water into the airway surface liquid by osmosis, improving mucociliary clearance. It is used in CF and bronchiectasis. It may cause bronchospasm and should be preceded by a bronchodilator. It reduces exacerbations in CF.

**Synonyms:**

## Hypertrichosis

Excessive hair growth in androgen-independent areas, affecting both sexes, either congenital or acquired. Generalized: genetic syndromes, medications (minoxidil, cyclosporine, phenytoin, glucocorticoids), malnutrition, porphyria, hypothyroidism, and malignancy (paraneoplastic).

**Synonyms:**

## Hypertriglyceridemia

Elevated serum triglyceride levels, classified as mild

at 150 to 499 mg per dL, moderate at 500 to 999, and severe above 1000. Severe hypertriglyceridemia increases the risk of acute pancreatitis. Causes include obesity, diabetes, alcohol use, and genetic disorders of lipoprotein metabolism.

**Synonyms:**

## Hypertrophic Cardiomyopathy

A disease in which the heart muscle, especially the left ventricle, becomes abnormally thick and stiff. It may obstruct blood flow, impair filling, cause chest pain or breathlessness, and increase the risk of arrhythmia and sudden death.

**Synonyms:**

## Hypertrophic Cardiomyopathy Genetics

HCM is caused by mutations in genes encoding sarcomeric proteins, most commonly beta-myosin heavy chain (MYH7) and myosin-binding protein C (MYBPC3). Inheritance is autosomal dominant with variable penetrance. Genetic testing identifies causative mutations in 40-60% of cases.

**Synonyms:**

## Hypertrophic Cardiomyopathy Treatment

Management may include medicines to relieve symptoms, treatment of arrhythmias or obstruction, an implantable defibrillator for selected patients, and surgery or ablation when indicated. Treatment is guided by symptoms, anatomy, risk, and specialist assessment.

**Synonyms:**

## Hypertrophic Pyloric Stenosis

Hypertrophy and hyperplasia of the pyloric muscle causing gastric outlet obstruction, typically in young infants. Progressive nonbilious projectile vomiting, hunger after vomiting, dehydration, and hypochloremic hypokalemic metabolic alkalosis may occur.

**Synonyms:**

## Hypertrophic Scar

Raised scar tissue confined to the original wound margins, caused by excessive collagen production

---

during healing. Unlike keloids, hypertrophic scars regress over time and do not extend beyond wound boundaries. They are common after burns, surgery, and trauma.

**Synonyms:**

### **Hypertrophy**

Increased cell size. Physiological (muscle) or pathological.

**Synonyms:**

### **Hyperventilation**

Hyperventilation is a medical condition involving hyperventilation; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. of arterial carbon dioxide (PaCO<sub>2</sub>) and respiratory alkalosis.

**Synonyms:**

### **Hyperventilation Syndrome**

Recurrent or persistent overbreathing that exceeds metabolic requirements, usually producing reduced arterial carbon dioxide and respiratory alkalosis in the absence of primary pulmonary disease. Symptoms may include breathlessness, chest tightness, dizziness, palpitations, paraesthesia, and carpopedal spasm.

**Synonyms:**

### **Hyphema**

Hyphema concerns hyphema; its medical significance is established from the defining features, setting, associated findings, and clinical question. resulting from blunt ocular trauma that tears the blood vessels of the iris or ciliary body.

**Synonyms:**

### **Hypnosis**

A state of focused attention, reduced peripheral awareness, and heightened suggestibility, resembling a trance-like state but distinct from sleep. Hypnosis is induced by a procedure (hypnotic induction) involving focused concentration, relaxation, and guided imagery.

**Synonyms:**

### **Hypnotic**

A medication that induces, maintains, or improves sleep, used for insomnia.

**Synonyms:**

### **Hypoactive Sexual Desire Disorder**

A sexual dysfunction characterized by persistently or recurrently deficient or absent sexual thoughts, fantasies, and desire for sexual activity, causing marked distress or interpersonal difficulty. In DSM-5, HSDD in women is merged with female sexual arousal disorder into female sexual interest/arousal disorder.

**Synonyms:**

### **Hypocalcemia**

Serum calcium less than 8.5 milligrams per deciliter or ionized calcium less than 4.5 milligrams per deciliter. Causes include hypoparathyroidism, vitamin D deficiency, hypomagnesemia, hyperphosphatemia, and critical illness.

**Synonyms:**

### **Hypocalcemia, hypophosphatemia, and hyperkalemia**

The classic electrolyte triad of acute hypoparathyroidism, most commonly occurring after thyroid or parathyroid surgery from inadvertent removal or devascularization of the parathyroid glands. Hypocalcemia causes tetany, paresthesias, and Chvostek and Trousseau signs.

**Synonyms:**

### **Hypodermis**

Subcutaneous tissue/superficial fascia, the deepest skin layer with loose connective tissue and adipose tissue. Attaches skin to underlying muscles/bones via fibrous septa. Provides thermal insulation, energy storage (fat), mechanical cushioning, and contains blood vessels, lymphatics, and nerves.

**Synonyms:**

### **Hypodontia**

Congenital absence of one or more teeth. Common: third molars, maxillary lateral incisors, second pre-



---

molars.

**Synonyms:**

### **Hypoesthesia**

Reduced sensitivity to touch, temperature, pain, or other sensations. It may result from nerve compression, neuropathy, spinal disease, stroke, injury, or other neurologic conditions; sudden or spreading numbness requires prompt assessment.

**Synonyms:**

### **Hypogammaglobulinemia**

A reduction in circulating immunoglobulins that predisposes to recurrent infections, especially with encapsulated bacteria; it may be inherited or acquired.

**Synonyms:**

### **Hypogastric Region**

Central inferior region below the umbilical region, containing the urinary bladder, sigmoid colon, rectum, and in females the uterus and ovaries. Assessed for bladder distension, uterine enlargement, and pelvic masses. Suprapubic pain may indicate cystitis, calculi, or pelvic pathology.

**Synonyms:**

### **Hypoglossal nerve injury**

Damage to the twelfth cranial nerve (CN XII), which innervates the ipsilateral intrinsic and extrinsic tongue muscles. Causes include skull base fractures, surgical trauma, tumors, or infection.

**Synonyms:**

### **Hypoglossal nerve palsy**

Weakness or paralysis of the hypoglossal nerve (CN XII), leading to ipsilateral tongue weakness, atrophy, and fasciculations. Causes include tumors at the skull base or in the hypoglossal canal, surgical injury, or central lesions. Unilateral palsy causes the tongue to deviate toward the affected side on protrusion.

**Synonyms:**

### **Hypoglycemia**

An abnormally low blood-glucose concentration that

may cause sweating, tremor, palpitations, hunger, confusion, seizures, or loss of consciousness. Causes include glucose-lowering medicines, missed meals, alcohol, and critical illness. Treatment depends on the person's ability to swallow and the cause; severe or recurrent episodes require urgent assessment.

**Synonyms:**

### **Hypoglycemia in Diabetes**

Blood glucose less than 70 milligrams per deciliter in patients with diabetes. Classification by level: level one less than 70, level two less than 54 which is clinically significant hypoglycemia, and level three severe hypoglycemia requiring assistance.

**Synonyms:**

### **Hypoglycemia Unawareness**

Loss of the warning symptoms of hypoglycemia including tremor, sweating, and palpitations occurring in patients with recurrent hypoglycemia particularly type one diabetes. Results from attenuated counter-regulatory hormone responses particularly impaired glucagon and epinephrine responses.

**Synonyms:**

### **Hypogonadism**

Hypogonadism is a medical condition involving hypogonadism; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. production. Male hypogonadism: low testosterone causing decreased libido, erectile dysfunction, infertility, reduced muscle mass, and osteoporosis. Female: estrogen deficiency causing amenorrhea, hot flashes, and osteoporosis.

**Synonyms:**

### **Hypogonadism in Men**

Testosterone deficiency resulting from inadequate testicular function classified as primary testicular failure or secondary hypothalamic-pituitary dysfunction. Primary causes include Klinefelter syndrome, cryptorchidism, orchitis, trauma, and chemotherapy.

**Synonyms:**



---

### **Hypogonadism in Women**

Testosterone deficiency in women causing decreased libido, fatigue, depressed mood, and reduced sense of well-being. Causes include oophorectomy, premature ovarian insufficiency, adrenal insufficiency, hypopituitarism, and medications.

**Synonyms:**

### **Hypogonadotropic Hypogonadism**

Secondary testicular failure with low/normal LH/FSH. Causes: Kallmann syndrome, pituitary tumors, obesity, medications, systemic illness.

**Synonyms:**

### **Hypohidrosis**

Reduced or absent sweating, leading to heat intolerance and risk of hyperthermia. Causes include autonomic neuropathy (diabetes, Parkinson disease), skin diseases (scleroderma, burns), medications (anticholinergics), and genetic disorders (hypohidrotic ectodermal dysplasia).

**Synonyms:**

### **Hypokalemia**

Serum potassium less than 3.5 mEq/L. Causes include gastrointestinal losses from vomiting and diarrhea, renal losses from diuretics, RTA, and hyperaldosteronism, intracellular shift from alkalosis and insulin, and inadequate intake.

**Synonyms:**

### **Hypomagnesemia**

Serum magnesium less than 1.7 milligrams per deciliter. Causes include gastrointestinal losses from diarrhea, renal losses from diuretics and alcohol, malnutrition, and medications including proton pump inhibitors.

**Synonyms:**

### **Hypomania**

Distinct period of abnormally elevated, expansive, or irritable mood with increased energy lasting at least four consecutive days, observable by others but without marked functional impairment, hospitalisation, or psychotic features.

**Synonyms:**

### **Hypomanic Episode**

A distinct period of abnormally elevated, expansive, or irritable mood with increased energy lasting at least four consecutive days. The episode is not severe enough to cause marked impairment in functioning or necessitate hospitalization, and there are no psychotic features. The change in functioning is observable by others.

**Synonyms:**

### **Hyponatremia**

Serum sodium less than 135 mEq/L. Most common electrolyte disorder in hospitalized patients. Causes are classified by volume status: hypovolemic from GI losses and diuretics, euvolemic from SIADH and hypothyroidism, and hypervolemic from heart failure, cirrhosis, and nephrotic syndrome.

**Synonyms:**

### **Hypoparathyroidism**

Hypoparathyroidism is a medical condition involving hypoparathyroidism; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. Most commonly occurs after thyroid or parathyroid surgery from inadvertent removal of parathyroid glands. Autoimmune hypoparathyroidism may occur alone or as part of autoimmune polyendocrine syndrome type one.

**Synonyms:**

### **Hypoparathyroidism Management**

Management aims to correct low calcium and inadequate parathyroid-hormone activity while avoiding complications. It may include calcium and active vitamin D, monitoring of calcium and kidney function, and treatment of the underlying cause; specialist guidance is often required.

**Synonyms:**

### **Hypophosphatemia**

Hypophosphatemia is a medical condition involving hypophosphatemia; causes, affected organs, severity, complications, and treatment are determined by clin-

---

ical assessment. intracellular shifting, or renal phosphate wasting. Severe deficiency can cause muscle weakness, respiratory failure, hemolysis, impaired myocardial function, and neurologic dysfunction.

**Synonyms:**

### **Hypopituitarism**

Hypopituitarism is a medical condition involving hypopituitarism; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. craniopharyngiomas, pituitary surgery or radiation, traumatic brain injury, or infiltrative diseases. Growth hormone deficiency is typically the first hormone lost followed by gonadotropins then TSH and ACTH.

**Synonyms:**

### **Hypoplasia**

Incomplete or underdevelopment of a tissue, organ, or body structure, resulting in reduced size or functional capacity. It may be congenital, developmental, genetic, or acquired and ranges from a mild anatomical variant to severe organ dysfunction.

**Synonyms:**

### **Hypoplastic Left Heart Syndrome**

A severe congenital heart defect where the left heart structures (mitral valve, left ventricle, aortic valve, ascending aorta) are underdeveloped and unable to support systemic circulation. The right ventricle pumps blood to both the pulmonary and systemic circulations via a patent ductus arteriosus.

**Synonyms:**

### **Hypopyon**

A layering of inflammatory cells (purulent exudate/leukocytes) in the anterior chamber of the eye, forming a visible white-to-yellow fluid level in the lower portion of the cornea. Caused by severe anterior uveitis (HLA-B27 spondyloarthropathies, Behçet disease), infectious keratitis (bacterial/fungal corneal ulcers), or endophthalmitis.

**Synonyms:**

### **Hyposmia**

Decreased sensitivity to odors in which olfaction is reduced but not absent, distinct from anosmia and parosmia, and the most common olfactory complaint.

**Synonyms:**

### **Hypospadias**

Hypospadias is a medical condition involving hypospadias; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. associated with a curved penis or an incomplete foreskin, and severity depends on the location of the opening and associated abnormalities.

**Synonyms:**

### **Hypotension**

Abnormally low blood pressure, generally systolic <90 mmHg or mean arterial pressure <65 mmHg. Causes include hypovolemia, cardiac failure, sepsis, anaphylaxis, and medications. Orthostatic hypotension is a drop upon standing. Severe hypotension (shock) requires urgent fluid resuscitation and vasopressors.

**Synonyms:**

### **Hypotension in Anesthesia**

Abnormally low blood pressure occurring during anesthesia. The clinically important threshold depends on the patient, baseline pressure, duration, and surgical context.

**Synonyms:**

### **Hypothalamic-Pituitary-Adrenal Axis (HPA Axis)**

An endocrine regulatory pathway in which hypothalamic corticotropin-releasing hormone stimulates pituitary ACTH secretion, which stimulates adrenal cortisol production. Cortisol exerts negative feedback and coordinates metabolic, immune, and stress responses.

**Synonyms:** HPA Axis

### **Hypothalamic-Pituitary-Adrenal Axis**

---

## Physiology

The hypothalamus releases CRH in a diurnal rhythm peaking in the early morning stimulating pituitary corticotrophs to secrete ACTH which stimulates the adrenal cortex to produce cortisol. Cortisol exerts negative feedback on both the hypothalamus and pituitary suppressing CRH and ACTH release.

**Synonyms:**

## Hypothalamic-Pituitary-Gonadal Axis Physiology

The hypothalamus releases GnRH in a pulsatile fashion stimulating pituitary gonadotrophs to secrete LH and FSH. In males LH stimulates Leydig cells to produce testosterone while FSH stimulates Sertoli cells to support spermatogenesis.

**Synonyms:**

## Hypothalamic-Pituitary-Thyroid Axis Physiology

The hypothalamus secretes TRH stimulating pituitary thyrotrophs to release TSH which stimulates the thyroid gland to produce T4 and T3. T3 the more biologically active form is produced by peripheral conversion of T4 by deiodinase enzymes.

**Synonyms:**

## Hypothalamus

Hypothalamus is a medical condition involving hypothalamus; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. walls, weighing approximately 4 grams, the master homeostasis regulator. Controls autonomic and endocrine systems (via the pituitary through the hypophyseal portal system), temperature, hunger, thirst, sleep-wake cycles, and emotion.

**Synonyms:**

## Hypothermia

Hypothermia is a medical condition involving hypothermia; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. severe (<28). J-wave (Osborn wave) on ECG. Management: passive rewarming (mild), active external rewarming (moderate), active internal rewarming (severe). Avoid rough handling (risk

of VF).

**Synonyms:**

## Hypothermia in Anesthesia

Hypothermia (core temperature less than 36 degrees Celsius) occurs in 50 to 80 percent of surgical patients due to anesthetic-induced thermoregulatory dysfunction and heat redistribution. Initial phase (first 30 to 60 minutes) involves core-to-peripheral heat redistribution causing 0.5 to 1.5 degree Celsius drop.

**Synonyms:**

## Hypothyroidism

Hypothyroidism is a medical condition involving hypothyroidism; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. percent in the general population and up to 20 percent in women over 60 years.

**Synonyms:**

## Hypotonia

Hypotonia is a medical condition involving hypotonia; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. floppy or poorly supported posture. It may result from muscle, peripheral nerve, neuromuscular-junction, spinal-cord, brain, genetic, or metabolic disorders and requires evaluation when persistent or associated with weakness or developmental delay.

**Synonyms:**

## Hypovolemic Shock

Circulatory failure caused by insufficient circulating blood or fluid volume, leading to reduced tissue perfusion. Causes include hemorrhage, severe dehydration, and fluid loss.

**Synonyms:**

## Hypoxemia

Abnormally low oxygen concentration in arterial blood. Causes include hypoventilation, ventilation-perfusion mismatch, shunting, impaired diffusion, and low inspired oxygen.

**Synonyms:**

---

## Hypoxia

Inadequate oxygen availability at the tissue level. It may result from low arterial oxygen, anemia, reduced blood flow, or impaired cellular oxygen use.

**Synonyms:**

## Hypoxic Cell Injury

Cellular injury caused by inadequate oxygen availability, reducing oxidative phosphorylation and ATP production. Causes include ischemia, hypoxemia, anemia, and impaired oxygen utilization; severity and duration determine reversibility.

**Synonyms:**

## Hypoxic Pulmonary Vasoconstriction

The unique response of pulmonary arterioles to low alveolar oxygen tension (PO<sub>2</sub> less than approximately 60 mmHg), causing vasoconstriction.

**Synonyms:**

## Hypoxic-Ischemic Brain Injury

Brain injury caused by inadequate oxygen delivery or cerebral blood flow. It may follow cardiac arrest, asphyxia, shock, respiratory failure, or severe hypoglycemia and can produce coma, seizures, cognitive impairment, or death.

**Synonyms:**

## Hysterectomy

Hysterectomy is surgical removal of the uterus, sometimes with the cervix, tubes, or ovaries, performed for conditions such as cancer, fibroids, bleeding, or prolapse. women after cesarean section in the United States.

**Synonyms:**

## Hysterectomy and Surgical Menopause

Hysterectomy is the surgical removal of the uterus, and when the ovaries are also removed (oophorectomy), it induces surgical menopause regardless of age.

**Synonyms:**

## Hysterosalpingo-Contrast-Sonography

An ultrasound-based technique for evaluating the

uterine cavity and fallopian tube patency. Sterile saline or contrast medium is injected through the cervix while transvaginal ultrasound is performed.

**Synonyms:**

## Hysterosalpingo-Contrast-Sonography (HyCoSy)

Ultrasound evaluation of tubal patency using contrast. Alternative to hysterosalpingography.

**Synonyms:** HyCoSy

## Hysterosalpingogram

An X-ray procedure used to evaluate the uterine cavity and fallopian tube patency. A radiopaque contrast medium is injected through the cervix, and serial X-ray images are taken as the contrast fills the uterine cavity and spills from the fallopian tubes.

**Synonyms:**

## Hysterosalpingography

Hysterosalpingography examines hysterosalpingography; interpretation depends on the specimen or body region, test method, reference range, and clinical question. through a cervical cannula. Used for infertility evaluation: assesses tubal patency (normal: contrast spills freely into peritoneal cavity), uterine cavity shape (fibroids, polyps, synechiae, Mullerian anomalies), and proximal/distal tubal occlusion.

**Synonyms:**

## Hallux Rigidus

Stiffness and painful loss of motion at the joint where the big toe meets the foot.

**Synonyms:**

## Hemarthrosis

Bleeding into a joint space.

**Synonyms:**

## Hemopericardium

Accumulation of blood in the sac surrounding the heart.

**Synonyms:**

---

**Hemoperitoneum**

Accumulation of blood in the abdominal cavity.

**Synonyms:**

**Hemorrhoid**

A swollen vein in the lower rectum or anus.

**Synonyms:**

**Herpes Encephalitis**

Inflammation of the brain caused by herpes simplex virus infection.

**Synonyms:**

**Heterotaxy Syndrome**

A congenital disorder in which internal organs are arranged abnormally and may have associated heart defects.

**Synonyms:**

**Hodgkin's Disease**

A cancer of the lymphatic system characterized by abnormal lymphocytes, including Reed-Sternberg cells.

**Synonyms:**

**Horner's Syndrome**

A group of findings caused by disruption of sympathetic nerves, including a drooping eyelid, a small pupil, and reduced sweating on one side of the face.

**Synonyms:**

**Hydrothorax**

An abnormal collection of clear fluid in the pleural space around a lung.

**Synonyms:**

**Hydroureter**

Abnormal enlargement of a ureter caused by impaired urine drainage.

**Synonyms:**

**Hyperacusis**

Abnormally increased sensitivity to ordinary sounds.

**Synonyms:**

**Hyperphagia**

Excessive hunger or food intake.

**Synonyms:**

**Hyperreflexia**

Exaggerated or overactive deep-tendon reflexes.

**Synonyms:**

**Hypersomnia**

Excessive daytime sleepiness or abnormally prolonged sleep.

**Synonyms:**

**Hyperthermia**

An abnormally high body temperature caused by excess heat production or impaired heat loss.

**Synonyms:**

**Hypophosphatasia**

A rare inherited disorder of bone and tooth mineralization caused by deficient tissue-nonspecific alkaline phosphatase.

**Synonyms:**

**Health Care Proxy**

A legal appointment authorizing another person to make healthcare decisions when a patient cannot make them.

**Synonyms:**

**High-Density Lipoprotein**

A lipoprotein that transports cholesterol in the blood and is commonly called HDL.

**Synonyms:** HDL.

**Hamstring Injury**

A strain or tear of one or more muscles or tendons at the back of the thigh.

**Synonyms:**

**Hand-Foot-and-Mouth Disease**

A contagious viral illness causing sores in the mouth and a rash on the hands and feet, usually in children.

**Synonyms:**

---

### **Heatstroke**

A life-threatening rise in body temperature caused by failure of the body's heat regulation.

**Synonyms:**

### **Heavy Menstrual Bleeding**

Menstrual bleeding that is unusually heavy or prolonged and interferes with daily activities.

**Synonyms:**

### **Hilar Cholangiocarcinoma**

A cancer of the bile ducts where the ducts leave the liver.

**Synonyms:**

### **Hip Labral Tear**

A tear in the ring of cartilage that surrounds the hip socket.

**Synonyms:**

### **Hemopoietic Stem Cell**

A stem cell that can develop into red blood cells, white blood cells, or platelets.

**Synonyms:**

### **Hemorrhagic Anemia**

Anemia caused by loss of blood.

**Synonyms:**

### **Hemosiderosis**

Excessive deposition of the iron-storage pigment hemosiderin in tissues.

**Synonyms:**

### **Hepatic Flexure**

The bend where the ascending colon becomes the transverse colon near the liver.

**Synonyms:**

### **Hepatitis D**

Liver inflammation caused by hepatitis D virus, which occurs only with hepatitis B infection.

**Synonyms:**

### **Hepatitis E**

Liver inflammation caused by hepatitis E virus, usually transmitted through contaminated food or water.

**Synonyms:**

### **Herniorrhaphy**

Surgical repair of a hernia.

**Synonyms:**

### **Hilum**

A depression or opening where blood vessels, nerves, ducts, or other structures enter or leave an organ.

**Synonyms:**

### **Hydrochloric Acid**

The acid in gastric juice that helps digest food and kill microorganisms.

**Synonyms:**

### **Formed Elements of Blood**

The cellular components of blood: red blood cells, white blood cells, and platelets.

**Synonyms:**

### **Hallux**

The great toe.

**Synonyms:**

### **Hematoma**

A localized collection of blood outside blood vessels, usually caused by injury or a bleeding disorder.

**Synonyms:**

### **Hematomyelia**

Bleeding into the spinal cord.

**Synonyms:**

### **Hemiballism**

A movement disorder causing sudden, large-amplitude, flinging movements on one side of the body, usually from a lesion involving the subthalamic region.

**Synonyms:**



---

## Hertz

The SI unit of frequency, equal to one cycle per second.

**Synonyms:**

## HER2 Inhibitor

A targeted cancer treatment that blocks signaling through human epidermal growth factor receptor 2 in cancers with HER2 overexpression or amplification.

**Synonyms:**

## Hypovolemia

A reduced volume of blood or other circulating fluid.

**Synonyms:**

## Homocysteine

An amino acid formed during methionine metabolism. Persistently elevated blood levels may occur with genetic, nutritional, renal, or other disorders.

**Synonyms:**

## Hyperpnea

Breathing that is deeper than normal and may also be faster, increasing overall ventilation.

**Synonyms:**

## Hypolipidemic Agent

A medication that lowers blood lipids such as cholesterol or triglycerides.

**Synonyms:**

## Hypopnea

Abnormally shallow or reduced breathing, especially when it occurs repeatedly during sleep.

**Synonyms:**

## Hypoproteinemia

An abnormally low concentration of proteins in the blood, often involving low albumin levels.

**Synonyms:**

## Hypoventilation

Hypoventilation is a medical condition involving hypoventilation; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

## Hematosi

The exchange of oxygen and carbon dioxide between alveolar air and pulmonary capillary blood, resulting in oxygenation of the blood.

**Synonyms:**

## Hesselbach Triangle

A weak area of the anterior abdominal wall bounded by the lateral border of the rectus abdominis, the inferior epigastric vessels, and the inguinal ligament; direct inguinal hernias pass through it.

**Synonyms:**

## Homans Sign

Calf pain elicited by forced ankle dorsiflexion, historically associated with deep-vein thrombosis but insufficiently accurate for diagnosis and not recommended as a standalone test.

**Synonyms:**

## Hyperlordotic Posture

An exaggerated inward curvature of the lumbar spine, often producing increased anterior pelvic tilt and a prominent lower-back arch.

**Synonyms:**

## Hantavirus Infection

A zoonotic viral infection acquired mainly through inhalation of contaminated rodent excreta. It may cause hemorrhagic fever with renal syndrome or hantavirus pulmonary syndrome, which can progress rapidly to respiratory failure.

**Synonyms:**

## High-Altitude Pulmonary Edema

A potentially fatal accumulation of fluid in the lungs after rapid ascent to high altitude, characterized by breathlessness, cough, reduced exercise tolerance,

---

and sometimes frothy sputum. Immediate descent and oxygen are essential.

**Synonyms:**

### **Hysteroscopy**

Hysteroscopy examines hysteroscopy; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Hyperuricemia**

An abnormally high concentration of uric acid in the blood, which may be asymptomatic or contribute to gout and uric-acid kidney stones.

**Synonyms:**

### **Haemoglobinuria (Hemoglobinuria)**

The presence of free hemoglobin in the urine, often causing red or dark-brown discoloration. It may result from intravascular hemolysis or other blood disorders.

**Synonyms:** Hemoglobinuria

### **Haemorrhagic Disease of the Newborn (Vitamin K Deficiency Bleeding)**

Bleeding in a newborn or young infant caused by inadequate vitamin K-dependent clotting activity. It may occur early, classically, or late and can involve the brain or gastrointestinal tract.

**Synonyms:** Vitamin K Deficiency Bleeding

### **Heart-Lung Machine (Cardiopulmonary Bypass Machine)**

A device that temporarily takes over the pumping and gas-exchange functions of the heart and lungs during selected cardiac operations.

**Synonyms:** Cardiopulmonary Bypass Machine

### **Heart Transplantation**

Surgical replacement of a failing heart with a donor heart, usually for selected patients with advanced heart failure who meet specialist criteria.

**Synonyms:**

### **Heredity**

The transmission of genetic characteristics from parents to offspring through genes and chromosomes.

**Synonyms:**

### **Human Leukocyte Antigen (HLA)**

A group of cell-surface proteins encoded by genes in the major histocompatibility complex. HLA molecules present antigens to T cells and are important in immune responses and tissue matching for transplantation.

**Synonyms:** HLA

### **Hydrosalpinx**

Dilatation of a fallopian tube caused by accumulation of clear fluid, usually after inflammation, infection, endometriosis, or previous pelvic surgery. It may affect fertility.

**Synonyms:**

### **Hypopharynx**

The lower part of the pharynx behind and beside the larynx, extending from the oropharynx to the esophagus. It directs food toward the esophagus during swallowing.

**Synonyms:**

### **Hypophysis (Pituitary Gland)**

An endocrine gland at the base of the brain that regulates growth, thyroid and adrenal function, reproduction, lactation, and water balance through its hormones.

**Synonyms:** Pituitary Gland

### **Hysterotomy**

A surgical incision into the uterus, performed in selected obstetric or gynecologic procedures.

### **habit**

habit refers to habit, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### **haemophilus aegyptius**

haemophilus aegyptius identifies haemophilus aegyptius, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **haemophilus haemolyticus**

haemophilus haemolyticus identifies haemophilus haemolyticus, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **haemophilus infections**

haemophilus infections identifies haemophilus infections, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **haemophilus paragallinarum**

haemophilus paragallinarum identifies haemophilus paragallinarum, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **haemophilus parainfluenzae**

haemophilus parainfluenzae is a virus or viral group associated with haemophilus parainfluenzae; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

### **haemophilus somnus**

haemophilus somnus identifies haemophilus somnus, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **haemophilus vaccine**

haemophilus vaccine identifies haemophilus vaccine, a biological taxon or infectious-disease concept

whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **hafnia**

hafnia identifies hafnia, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **hafnia alvei**

hafnia alvei identifies hafnia alvei, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **hair**

hair refers to hair, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **hair disease**

hair disease denotes a clinical condition or finding involving hair disease; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **halcinonide**

halcinonide refers to halcinonide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **half-brother**

half-brother refers to half-brother, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **half-sibling**

half-sibling refers to half-sibling, a medical condition

---

or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **half-sister**

half-sister refers to half-sister, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Hallermann's syndrome**

Hallermann's syndrome denotes a clinical condition or finding involving hallermann's syndrome; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **hallucinogen**

hallucinogen refers to hallucinogen, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **hallux varus**

hallux varus refers to hallux varus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **halobacillus**

halobacillus is a microorganism or microbial group associated with halobacillus; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **halobacteriaceae**

halobacteriaceae is a microorganism or microbial group associated with halobacteriaceae; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **halofenate**

halofenate refers to halofenate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **halofuginone hydrobromide**

halofuginone hydrobromide refers to halofuginone hydrobromide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **halogen**

halogen refers to halogen, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **halogenation**

halogenation refers to halogenation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **haloperidol**

haloperidol refers to haloperidol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **halothane**

halothane refers to halothane, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **hamartomatous polyposis**

hamartomatous polyposis refers to hamartomatous polyposis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**hand**

hand refers to hand, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

**hand deformity**

hand deformity refers to hand deformity, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**hannaella luteola**

hannaella luteola refers to hannaella luteola, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**hanseniaspora**

hanseniaspora identifies hanseniaspora, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**hanseniaspora uvarum**

hanseniaspora uvarum identifies hanseniaspora uvarum, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**hanseniaspora valbyensis**

hanseniaspora valbyensis identifies hanseniaspora valbyensis, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**haploidentical donor**

haploidentical donor refers to haploidentical donor, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**haploidy**

haploidy refers to haploidy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**haptén**

haptén refers to haptén, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**haptoglobin analyses**

haptoglobin analyses refers to haptoglobin analyses, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**haptoglobin decreased**

haptoglobin decreased refers to haptoglobin decreased, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**hard palate**

hard palate refers to hard palate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**harderian gland**

harderian gland refers to harderian gland, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**hardness**

hardness refers to hardness, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### **harringtonines**

harringtonines refers to harringtonines, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Hashimoto disease**

Hashimoto disease denotes a clinical condition or finding involving hashimoto disease; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **hashitoxicosis**

hashitoxicosis denotes an infectious or toxic condition involving hashitoxicosis; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

### **head**

head refers to head, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **head movement**

head movement refers to head movement, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **health**

health refers to health, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **health care**

health care refers to health care, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **health care facility**

health care facility refers to health care facility, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **health care personnel**

health care personnel refers to health care personnel, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **health education**

health education refers to health education, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **health insurance**

health insurance refers to health insurance, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **health service**

health service refers to health service, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **health services research**

health services research refers to health services research, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **health status**

health status refers to health status, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**



---

### health survey

health survey refers to health survey, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### health workforce

health workforce refers to health workforce, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### healthy

healthy refers to healthy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hearing

hearing refers to hearing, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hearing disorder

hearing disorder denotes a clinical condition or finding involving hearing disorder; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### hearing test

hearing test is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat hearing test.

**Synonyms:**

### heart aneurysm

heart aneurysm refers to heart aneurysm, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### heart catheterization

heart catheterization refers to heart catheterization, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### heart contraction

heart contraction refers to heart contraction, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### heart injury

heart injury denotes a clinical condition or finding involving heart injury; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### heart neoplasm

heart neoplasm denotes a neoplastic condition involving heart neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### heart rhythm

heart rhythm refers to heart rhythm, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### heart septum

heart septum refers to heart septum, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### heart tamponade

heart tamponade refers to heart tamponade, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### heart valve disorder

heart valve disorder denotes a clinical condition or finding involving heart valve disorder; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### heart ventricle

heart ventricle refers to heart ventricle, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### heat shock protein

heat shock protein denotes heat shock protein, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### Heberden's node

Heberden's node refers to heberden's node, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hedgehog proteins

hedgehog proteins denotes hedgehog proteins, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### height

height refers to height, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hela cell

hela cell denotes hela cell, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### helcococcus

helcococcus is a microorganism or microbial group associated with helcococcus; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### helcococcus kunzii

helcococcus kunzii is a microorganism or microbial group associated with helcococcus kunzii; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### helcococcus pyogenes

helcococcus pyogenes is a microorganism or microbial group associated with helcococcus pyogenes; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### helcococcus sueciensis

helcococcus sueciensis is a microorganism or microbial group associated with helcococcus sueciensis; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### helicase

helicase refers to helicase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### helicobacter

helicobacter is a microorganism or microbial group associated with helicobacter; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### helicobacter cinaedi

helicobacter cinaedi is a microorganism or microbial group associated with helicobacter cinaedi; clinical relevance depends on pathogenicity, exposure, site,

---

and antimicrobial susceptibility.

**Synonyms:**

### **helicobacter felis**

helicobacter felis is a microorganism or microbial group associated with helicobacter felis; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **helicobacter fennelliae**

helicobacter fennelliae is a microorganism or microbial group associated with helicobacter fennelliae; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **helicobacter mustelae**

helicobacter mustelae is a microorganism or microbial group associated with helicobacter mustelae; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **helicobacter rappini**

helicobacter rappini is a microorganism or microbial group associated with helicobacter rappini; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **helicobacteraceae**

helicobacteraceae is a microorganism or microbial group associated with helicobacteraceae; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **helium**

helium refers to helium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **heller myotomy**

heller myotomy refers to heller myotomy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **helminth**

helminth refers to helminth, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **helminthiasis**

helminthiasis refers to helminthiasis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **helper virus**

helper virus is a virus or viral group associated with helper virus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

### **hemagglutination test**

hemagglutination test is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat hemagglutination test.

**Synonyms:**

### **hemagglutinin**

hemagglutinin refers to hemagglutinin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **hemangioendothelioma**

hemangioendothelioma refers to hemangioendothelioma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### hemangiopericytoma

hemangiopericytoma refers to hemangiopericytoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hematocolpos

hematocolpos refers to hematocolpos, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hematogenous

hematogenous refers to hematogenous, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hematologic agents

hematologic agents refers to hematologic agents, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hematologic response

hematologic response refers to hematologic response, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### Hematological Disease

Hematological Disease denotes a clinical condition or finding involving hematological disease; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### hematologist

hematologist refers to hematologist, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hematopoietic growth factor

hematopoietic growth factor refers to hematopoietic growth factor, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hematopoietic neoplasm

hematopoietic neoplasm denotes a neoplastic condition involving hematopoietic neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### hematopoietic system

hematopoietic system refers to hematopoietic system, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hematoporphyrin derivative

hematoporphyrin derivative refers to hematoporphyrin derivative, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hematosalpinx

hematosalpinx refers to hematosalpinx, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hematoxylin

hematoxylin denotes an infectious or toxic condition involving hematoxylin; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

### heme

heme refers to heme, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

---

**Synonyms:**

**hemerythrin**

hemerythrin refers to hemerythrin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**hemianopsia**

hemianopsia refers to hemianopsia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**hemidesmosome**

hemidesmosome refers to hemidesmosome, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**hemifacial atrophy**

hemifacial atrophy refers to hemifacial atrophy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**hemihypertrophy**

hemihypertrophy refers to hemihypertrophy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**hemilaryngectomy**

hemilaryngectomy is used in relation to hemilaryngectomy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

**hemimandibulectomy**

hemimandibulectomy is used in relation to hemimandibulectomy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

**hemimegalencephaly**

hemimegalencephaly refers to hemimegalencephaly, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**hemimelia**

hemimelia refers to hemimelia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**hemipelvectomy**

hemipelvectomy is used in relation to hemipelvectomy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

**hemispherectomy**

hemispherectomy is used in relation to hemispherectomy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

**hemisternebra**

hemisternebra refers to hemisternebra, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**hemivertebrae**

hemivertebrae refers to hemivertebrae, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**hemocyanin**

hemocyanin refers to hemocyanin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### hemocytometer

hemocytometer refers to hemocytometer, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hemodialysis clearance

hemodialysis clearance refers to hemodialysis clearance, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hemodialysis solution

hemodialysis solution refers to hemodialysis solution, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hemodynamics

hemodynamics refers to hemodynamics, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hemoglobin A

hemoglobin A refers to hemoglobin a, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hemoglobin C

hemoglobin C refers to hemoglobin c, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hemoglobin H

hemoglobin H refers to hemoglobin h, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hemoglobin increased

hemoglobin increased refers to hemoglobin increased, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hemoglobin M

hemoglobin M refers to hemoglobin m, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hemoglobin S

hemoglobin S refers to hemoglobin s, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hemoglobin trait

hemoglobin trait refers to hemoglobin trait, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hemoglobinuria

hemoglobinuria refers to hemoglobinuria, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hemolymph

hemolymph refers to hemolymph, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hemolysin

hemolysin refers to hemolysin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**



---

### hemolytic index

hemolytic index refers to hemolytic index, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hemopexin

hemopexin refers to hemopexin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hemophilus

hemophilus refers to hemophilus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hemophilus ducreyi

hemophilus ducreyi refers to hemophilus ducreyi, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hemopoietic tissue

hemopoietic tissue refers to hemopoietic tissue, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hemoprotein

hemoprotein denotes hemoprotein, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### hemorrhagic disorder

hemorrhagic disorder denotes a clinical condition or finding involving hemorrhagic disorder; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### hemorrhoidal hemorrhage

hemorrhoidal hemorrhage denotes a clinical condition or finding involving hemorrhoidal hemorrhage; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### hemospermia

hemospermia refers to hemospermia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hemostasis valve

hemostasis valve refers to hemostasis valve, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hemostatic agent

hemostatic agent refers to hemostatic agent, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hempa

hempa refers to hempa, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### henipavirus

henipavirus is a virus or viral group associated with henipavirus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

### hepadnaviridae

hepadnaviridae identifies hepadnaviridae, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

---

### heparan sulfate

heparan sulfate refers to heparan sulfate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### heparin binding

heparin binding refers to heparin binding, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### heparin lyase

heparin lyase refers to heparin lyase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hepatic

hepatic refers to hepatic, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hepatic artery

hepatic artery refers to hepatic artery, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hepatic fissure

hepatic fissure refers to hepatic fissure, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hepatic lamina

hepatic lamina refers to hepatic lamina, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hepatic necrosis

hepatic necrosis refers to hepatic necrosis, a medical

condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hepatitis G virus

hepatitis G virus is a virus or viral group associated with hepatitis g virus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

### hepatitis virus

hepatitis virus is a virus or viral group associated with hepatitis virus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

### hepatobiliary system

hepatobiliary system refers to hepatobiliary system, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hepatocellular adenoma

hepatocellular adenoma denotes hepatocellular adenoma, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### hepatocyte

hepatocyte refers to hepatocyte, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hepatodiaphragmatic nodule

hepatodiaphragmatic nodule refers to hepatodiaphragmatic nodule, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### hepatolenticular degeneration

hepatolenticular degeneration denotes hepatolenticular degeneration, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### hepatovirus

hepatovirus is a virus or viral group associated with hepatovirus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

### hepcidin

hepcidin refers to hepcidin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### herbal supplement

herbal supplement refers to herbal supplement, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### herbaspirillum

herbaspirillum identifies herbaspirillum, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### herbaspirillum huttiense

herbaspirillum huttiense identifies herbaspirillum huttiense, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### herbicide

herbicide refers to herbicide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hereditary

hereditary refers to hereditary, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hereditary coproporphyria

hereditary coproporphyria refers to hereditary coproporphyria, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hereditary elliptocytosis

hereditary elliptocytosis refers to hereditary elliptocytosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hereditary hyperbilirubinemia

hereditary hyperbilirubinemia refers to hereditary hyperbilirubinemia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### Hermanski-Pudlak syndrome

Hermanski-Pudlak syndrome denotes a clinical condition or finding involving hermannski-pudlak syndrome; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### hermaphroditism

hermaphroditism refers to hermaphroditism, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### heroin

heroin refers to heroin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### heroin dependence

heroin dependence refers to heroin dependence, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### herpes labialis

herpes labialis refers to herpes labialis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### herpesviridae

herpesviridae is a virus or viral group associated with herpesviridae; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

### herpesviridae infection

herpesviridae infection is a virus or viral group associated with herpesviridae infection; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

### herpesvirus saimiri

herpesvirus saimiri is a virus or viral group associated with herpesvirus saimiri; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

### hesperidin

hesperidin refers to hesperidin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### heterochromatin

heterochromatin refers to heterochromatin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### heterocyclic amine

heterocyclic amine refers to heterocyclic amine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### heterocyclic compound

heterocyclic compound refers to heterocyclic compound, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### heteroduplex analysis

heteroduplex analysis refers to heteroduplex analysis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### heterogeneity

heterogeneity denotes heterogeneity, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### heterogeneous echotexture

heterogeneous echotexture denotes heterogeneous echotexture, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### heterophile antibody

heterophile antibody concerns heterophile antibody, a biologic or physiologic concept used in research, laboratory medicine, and the explanation of disease.

**Synonyms:**

### heterophyes heterophyes

heterophyes heterophyes refers to heterophyes heterophyes, a medical condition or clinical finding defined by its features, causes, affected system, and

---

patient context.

**Synonyms:**

### **heterosexuality**

heterosexuality refers to heterosexuality, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **heterozygote**

heterozygote refers to heterozygote, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **hexachlorobenzene**

hexachlorobenzene refers to hexachlorobenzene, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **hexachlorophene**

hexachlorophene refers to hexachlorophene, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **hexadecadienoic acid**

hexadecadienoic acid denotes hexadecadienoic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **hexadecatetraenoic acid**

hexadecatetraenoic acid denotes hexadecatetraenoic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **hexadecatrienoic acid**

hexadecatrienoic acid denotes hexadecatrienoic acid,

a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **hexamethonium compounds**

hexamethonium compounds refers to hexamethonium compounds, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **hexanoic acid**

hexanoic acid denotes hexanoic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **hexestrol**

hexestrol refers to hexestrol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **hexose**

hexose refers to hexose, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **hexylresorcinol**

hexylresorcinol refers to hexylresorcinol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **hibernation**

hibernation denotes hibernation, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

---

**hibernoma**

hibernoma refers to hibernoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**hiccup**

hiccup refers to hiccup, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**hidrocystoma**

hidrocystoma refers to hidrocystoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**high-pitched cry**

high-pitched cry refers to high-pitched cry, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**hilar**

hilar refers to hilar, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**hind**

hind refers to hind, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**hip**

hip refers to hip, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

**hip circumference**

hip circumference refers to hip circumference, a

medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**hip injury**

hip injury denotes a clinical condition or finding involving hip injury; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**hirudin**

hirudin refers to hirudin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**hirudins**

hirudins refers to hirudins, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**hirudo medicinalis**

hirudo medicinalis refers to hirudo medicinalis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**histamine degradation**

histamine degradation refers to histamine degradation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**histamine receptor**

histamine receptor denotes histamine receptor, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**



---

**histamine release**

histamine release refers to histamine release, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**histidine**

histidine refers to histidine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**histidine decarboxylase**

histidine decarboxylase refers to histidine decarboxylase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**histidinemia**

histidinemia refers to histidinemia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**histiocytic sarcoma**

histiocytic sarcoma denotes a neoplastic condition involving histiocytic sarcoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**histiocyoma**

histiocyoma refers to histiocyoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**histocompatibility**

histocompatibility refers to histocompatibility, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**histocompatibility testing**

histocompatibility testing is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat histocompatibility testing.

**Synonyms:**

**histogenesis**

histogenesis denotes histogenesis, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**histological techniques**

histological techniques refers to histological techniques, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**histology cassette**

histology cassette refers to histology cassette, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**histone**

histone refers to histone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**histone acetylation**

histone acetylation refers to histone acetylation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**histone acetyltransferase**

histone acetyltransferase refers to histone acetyltransferase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### histone deacetylases

histone deacetylases refers to histone deacetylases, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### histone deacetylation

histone deacetylation refers to histone deacetylation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### histone modification

histone modification refers to histone modification, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### histopathologic grade

histopathologic grade refers to histopathologic grade, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### histophilus

histophilus identifies histophilus, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### histoplasma

histoplasma identifies histoplasma, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### hiv antibodies

hiv antibodies refers to hiv antibodies, a medical condition or clinical finding defined by its features,

causes, affected system, and patient context.

**Synonyms:**

### hiv seropositivity

hiv seropositivity refers to hiv seropositivity, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hla antigen

hla antigen refers to hla antigen, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hmgb proteins

hmgb proteins denotes hmgb proteins, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### hmgn proteins

hmgn proteins denotes hmgn proteins, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### holdemia

holdemia identifies holdemia, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### holdemia filiformis

holdemia filiformis identifies holdemia filiformis, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

---

### **holography**

holography refers to holography, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **holorachischisis**

holorachischisis refers to holorachischisis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **holter electrocardiography**

holter electrocardiography refers to holter electrocardiography, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **home environment**

home environment refers to home environment, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **home health care**

home health care refers to home health care, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **home hospice**

home hospice refers to home hospice, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **homelessness**

homelessness refers to homelessness, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **homeobox gene**

homeobox gene denotes homeobox gene, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **homeodomain proteins**

homeodomain proteins denotes homeodomain proteins, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **homeopathy**

homeopathy refers to homeopathy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **homicide**

homicide refers to homicide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Homo sapiens**

Homo sapiens refers to homo sapiens, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **homologous recombination**

homologous recombination refers to homologous recombination, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **homologous transplantation**

homologous transplantation refers to homologous transplantation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### **homosexuality**

homosexuality refers to homosexuality, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **homovanillic acid**

homovanillic acid denotes homovanillic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **homozygote**

homozygote refers to homozygote, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **hoof wall**

hoof wall refers to hoof wall, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **hope**

hope refers to hope, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **hordeolum**

hordeolum refers to hordeolum, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **hormone inhibitor**

hormone inhibitor denotes hormone inhibitor, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **hormone receptor**

hormone receptor denotes hormone receptor, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **horseradish peroxidase**

horseradish peroxidase refers to horseradish peroxidase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **hospice care**

hospice care refers to hospice care, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **hospital**

hospital refers to hospital, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **hospital administration**

hospital administration refers to hospital administration, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **hospitalization**

hospitalization refers to hospitalization, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **host cell**

host cell denotes host cell, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

---

**hostility**

hostility refers to hostility, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**hounsfield unit**

hounsfield unit refers to hounsfield unit, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**hour**

hour refers to hour, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**household**

household refers to household, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**housing humidity**

housing humidity refers to housing humidity, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**housing type**

housing type refers to housing type, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**human calcitonin**

human calcitonin refers to human calcitonin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**human embryo**

human embryo refers to human embryo, a medical

condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**human gastrin**

human gastrin refers to human gastrin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**human genome**

human genome refers to human genome, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**human herpesvirus 6**

human herpesvirus 6 is a virus or viral group associated with human herpesvirus 6; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

**human herpesvirus 8**

human herpesvirus 8 is a virus or viral group associated with human herpesvirus 8; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

**human metapneumovirus**

human metapneumovirus is a virus or viral group associated with human metapneumovirus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

**human nociceptin**

human nociceptin refers to human nociceptin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**humeral epicondyle**

humeral epicondyle refers to humeral epicondyle, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**humeral fracture**

humeral fracture denotes a clinical condition or finding involving humeral fracture; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**humidity**

humidity refers to humidity, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**hurthle cell**

hurthle cell denotes hurthle cell, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**husband**

husband refers to husband, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**hyaline**

hyaline refers to hyaline, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**hyaloid canal**

hyaloid canal refers to hyaloid canal, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**hyaluronoglucosaminidase**

hyaluronoglucosaminidase refers to hyaluronoglucosaminidase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**hybridoma**

hybridoma refers to hybridoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**hycanthone**

hycanthone refers to hycanthone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**hydralazine**

hydralazine refers to hydralazine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**hydrarthrosis**

hydrarthrosis refers to hydrarthrosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**hydration**

hydration refers to hydration, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**hydrazine**

hydrazine refers to hydrazine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**



---

### hydrazine sulfate

hydrazine sulfate refers to hydrazine sulfate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hydrazines

hydrazines refers to hydrazines, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hydrazones

hydrazones refers to hydrazones, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hydroa vacciniforme

hydroa vacciniforme refers to hydroa vacciniforme, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hydrobiology

hydrobiology refers to hydrobiology, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hydrocarbon

hydrocarbon refers to hydrocarbon, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hydrocephalus acquired

hydrocephalus acquired refers to hydrocephalus acquired, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hydrochlorothiazide

hydrochlorothiazide refers to hydrochlorothiazide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hydrocodone

hydrocodone refers to hydrocodone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hydrocodone bitartrate

hydrocodone bitartrate refers to hydrocodone bitartrate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hydroflumethiazide

hydroflumethiazide refers to hydroflumethiazide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hydrogen

hydrogen refers to hydrogen, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hydrogen cyanide

hydrogen cyanide refers to hydrogen cyanide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hydrogen peroxide

hydrogen peroxide refers to hydrogen peroxide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### hydrogen sulfide

hydrogen sulfide refers to hydrogen sulfide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hydrogenase

hydrogenase refers to hydrogenase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hydrogen-ion concentration

hydrogen-ion concentration refers to hydrogen-ion concentration, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hydrolase

hydrolase refers to hydrolase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hydrolysis

hydrolysis refers to hydrolysis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hydrolyzable tannin

hydrolyzable tannin refers to hydrolyzable tannin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hydromorphone

hydromorphone refers to hydromorphone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hydromyelia

hydromyelia refers to hydromyelia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hydroxamic acid

hydroxamic acid denotes hydroxamic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### hydroxybenzoate

hydroxybenzoate refers to hydroxybenzoate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hydroxychloroquine

hydroxychloroquine refers to hydroxychloroquine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hydroxycholesterols

hydroxycholesterols refers to hydroxycholesterols, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hydroxyl group

hydroxyl group refers to hydroxyl group, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hydroxyl radical

hydroxyl radical refers to hydroxyl radical, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### hydroxylamines

hydroxylamines refers to hydroxylamines, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hydroxylation

hydroxylation refers to hydroxylation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hydroxyproline

hydroxyproline refers to hydroxyproline, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hydroxyprolinemia

hydroxyprolinemia refers to hydroxyprolinemia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hydroxysteroid

hydroxysteroid refers to hydroxysteroid, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hydroxyurea

hydroxyurea refers to hydroxyurea, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hydroxyzine

hydroxyzine refers to hydroxyzine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### Hydrozoa

Hydrozoa identifies hydrozoa, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### hygiene

hygiene refers to hygiene, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hymenolepiasis

hymenolepiasis refers to hymenolepiasis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hymenolepis diminuta

hymenolepis diminuta identifies hymenolepis diminuta, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### hymenolepis nana

hymenolepis nana identifies hymenolepis nana, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### hymenoptera

hymenoptera identifies hymenoptera, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### hyoscyamine

hyoscyamine refers to hyoscyamine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### hyperactivity

hyperactivity refers to hyperactivity, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hyperamylasemia

hyperamylasemia refers to hyperamylasemia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hyperargininemia

hyperargininemia refers to hyperargininemia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hyperbaric chamber

hyperbaric chamber refers to hyperbaric chamber, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hyperbilirubinemia

hyperbilirubinemia refers to hyperbilirubinemia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hypercalciuria

hypercalciuria refers to hypercalciuria, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hypercementosis

hypercementosis refers to hypercementosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hyperemia

hyperemia refers to hyperemia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hyperemia grade

hyperemia grade refers to hyperemia grade, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hyperextension

hyperextension refers to hyperextension, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hyperfibrinogenemia

hyperfibrinogenemia denotes hyperfibrinogenemia, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### hyperflexion

hyperflexion refers to hyperflexion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hypergammaglobulinemia

hypergammaglobulinemia refers to hypergammaglobulinemia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hyperglycinemia

hyperglycinemia refers to hyperglycinemia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### hyperhomocysteinemia

hyperhomocysteinemia refers to hyperhomocysteinemia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hypericum perforatum

hypericum perforatum refers to hypericum perforatum, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hyperinsulinism

hyperinsulinism refers to hyperinsulinism, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hyperkeratosis

hyperkeratosis refers to hyperkeratosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hyperkinesia

hyperkinesia refers to hyperkinesia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hyperlipasaemia

hyperlipasaemia refers to hyperlipasaemia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hyperlipoproteinemia

hyperlipoproteinemia denotes hyperlipoproteinemia, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### hyperlordosis

hyperlordosis refers to hyperlordosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hyperlysinemia

hyperlysinemia refers to hyperlysinemia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hypernatremia result

hypernatremia result denotes hypernatremia result, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### hyperornithinemia

hyperornithinemia refers to hyperornithinemia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hyperostosis

hyperostosis refers to hyperostosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hyperoxaluria

hyperoxaluria refers to hyperoxaluria, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hyperoxia

hyperoxia refers to hyperoxia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### hyperparakeratosis

hyperparakeratosis refers to hyperparakeratosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hyperpituitarism

hyperpituitarism refers to hyperpituitarism, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hyperproteinemia

hyperproteinemia denotes hyperproteinemia, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### hyperpyrexia

hyperpyrexia refers to hyperpyrexia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hypersplenism

hypersplenism refers to hypersplenism, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hyperthyroxinemia

hyperthyroxinemia refers to hyperthyroxinemia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hypertonia

hypertonia refers to hypertonia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hypertrophic gastritis

hypertrophic gastritis refers to hypertrophic gastritis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hypertrophic cardiomyopathy

hypertrophic cardiomyopathy refers to hypertrophic cardiomyopathy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hypertropia

hypertropia refers to hypertropia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hypervigilance

hypervigilance refers to hypervigilance, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hypervolemia

hypervolemia refers to hypervolemia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hypha

hypha refers to hypha, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### hypnic headache

hypnic headache refers to hypnic headache, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**



---

### **hypnotherapy**

hypnotherapy is used in relation to hypnotherapy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **hypoadrenalism**

hypoadrenalism refers to hypoadrenalism, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **hypoalbuminemia**

hypoalbuminemia refers to hypoalbuminemia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **hypoalphalipoproteinemias**

hypoalphalipoproteinemias denotes hypoalphalipoproteinemias, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **hypoblast**

hypoblast refers to hypoblast, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **hypocapnia**

hypocapnia refers to hypocapnia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **hypocholesterolemia**

hypocholesterolemia refers to hypocholesterolemia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **hypochondriasis**

hypochondriasis refers to hypochondriasis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **hypochromia**

hypochromia refers to hypochromia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **hypochromic anemia**

hypochromic anemia refers to hypochromic anemia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **hypocitraturia**

hypocitraturia refers to hypocitraturia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **hypocupremia**

hypocupremia refers to hypocupremia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **hypodermic needle**

hypodermic needle refers to hypodermic needle, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **hypogalactia**

hypogalactia refers to hypogalactia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### **hypoglossal nerve**

hypoglossal nerve refers to hypoglossal nerve, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **hypoglycemic agent**

hypoglycemic agent refers to hypoglycemic agent, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **hypokinesia**

hypokinesia refers to hypokinesia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **hypolipidemic agents**

hypolipidemic agents denotes hypolipidemic agents, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **hypolipoproteinemia**

hypolipoproteinemia denotes hypolipoproteinemia, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **hypomethylation**

hypomethylation refers to hypomethylation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **hypopharyngeal neoplasm**

hypopharyngeal neoplasm denotes a neoplastic condition involving hypopharyngeal neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### **hypophosphatemic ricket**

hypophosphatemic ricket refers to hypophosphatemic ricket, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **hypophysectomy**

hypophysectomy is used in relation to hypophysectomy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **hypophysitis**

hypophysitis refers to hypophysitis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **hypoploidy**

hypoploidy refers to hypoploidy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **hypothalamic hamartoma**

hypothalamic hamartoma refers to hypothalamic hamartoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **hypothalamic hormone**

hypothalamic hormone denotes hypothalamic hormone, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **hypothalamic neoplasm**

hypothalamic neoplasm denotes a neoplastic condition involving hypothalamic neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

---

### **hypotrichosis**

hypotrichosis refers to hypotrichosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **hypotropia**

hypotropia refers to hypotropia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **hypoxanthine**

hypoxanthine refers to hypoxanthine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **hysteria**

hysteria refers to hysteria, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **hysteroscope**

hysteroscope refers to hysteroscope, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **hysterotomy abortion**

hysterotomy abortion refers to hysterotomy abortion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Numbness in hands**

Reduced or absent sensation in one or both hands, commonly caused by nerve compression, neuropathy, injury, circulation problems, or systemic disease.

**Synonyms:**

### **High hemoglobin count**

A hemoglobin level above the expected range, which may reflect dehydration, chronic low oxygen, smoking, medication effects, or a blood disorder. **Synonyms:**

### **Low hemoglobin count**

A hemoglobin level below the expected range, often indicating anemia from blood loss, reduced production, nutritional deficiency, inflammation, or increased destruction of red blood cells. **Synonyms:**

### **High blood protein**

An abnormally increased concentration of proteins in the blood, which may result from dehydration, inflammation, infection, or a plasma-cell disorder. **Synonyms:**

### **High potassium (hyperkalemia)**

An abnormally high potassium level in the blood that can affect muscle and heart function and may result from kidney disease, medicines, tissue injury, or other conditions. **Synonyms:**

### **High uric acid level**

An increased concentration of uric acid in the blood, which may contribute to gout or kidney stones and can result from reduced kidney clearance, diet, medicines, or metabolic disease. **Synonyms:**

### **High white blood cell count**

An increased number of white blood cells, often associated with infection, inflammation, stress, medicines, or a blood or bone marrow disorder. **Synonyms:**

### **Hip pain**

Hip pain is a medical condition involving hip pain; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. **Synonyms:**

### **H. pylori infection**

Alternate index label; see *Helicobacter pylori* (*H. pylori*) infection. **Synonyms:**

---

**H1N1 flu**

Alternate index label; see *H1N1 flu (swine flu)*.  
**Synonyms:**

**H1N1v flu**

Alternate index label; see *H1N1 flu (swine flu)*.  
**Synonyms:**

**H3N2v flu**

Alternate index label; see *H1N1 flu (swine flu)*.  
**Synonyms:**

**Hair-pulling disorder**

Alternate index label; see *Trichotillomania (hair-pulling disorder)*. **Synonyms:**

**Hand fracture**

Alternate index label; see *Broken hand*. **Synonyms:**

**Hardening of the arteries**

Alternate index label; see *Arteriosclerosis / atherosclerosis*. **Synonyms:**

**HAV infection**

Alternate index label; see *Hepatitis A*. **Synonyms:**

**HBV infection**

Alternate index label; see *Hepatitis B*. **Synonyms:**

**HCC**

Alternate index label; see *Hepatocellular carcinoma (HCC)*. **Synonyms:**

**HCV infection**

Alternate index label; see *Hepatitis C*. **Synonyms:**

**Head trauma, coma**

Alternate index label; see *Coma*. **Synonyms:**

**Headache, chronic daily**

Alternate index label; see *Chronic daily headaches*.  
**Synonyms:**

**Headache, cluster**

Alternate index label; see *Cluster headache*. **Synonyms:**

**Headache, exercise**

Alternate index label; see *Exercise headaches*. **Synonyms:**

**Headache, medication overuse**

Alternate index label; see *Medication overuse headaches*. **Synonyms:**

**Headache, migraine**

Alternate index label; see *Migraine*. **Synonyms:**

**Headache, primary cough**

Alternate index label; see *Cough headaches*. **Synonyms:**

**Headache, sex**

Alternate index label; see *Sex headaches*. **Synonyms:**

**Headache, sinus**

Alternate index label; see *Sinus headaches*. **Synonyms:**

**Headache, spinal**

Alternate index label; see *Spinal headaches*. **Synonyms:**

**Headache, tension**

Alternate index label; see *Tension headache*. **Synonyms:**

**Headache, thunderclap**

Alternate index label; see *Thunderclap headaches*.  
**Synonyms:**

**Health anxiety**

Alternate index label; see *Illness anxiety disorder*.  
**Synonyms:**

---

### Heart defects in adults

Alternate index label; see *Congenital heart disease in adults*. **Synonyms:**

### Hemangioma, liver

Alternate index label; see *Liver hemangioma*. **Synonyms:**

### Hematoma, intracranial

Alternate index label; see *Intracranial hematoma*. **Synonyms:**

### Hep A

Alternate index label; see *Hepatitis A*. **Synonyms:**

### Hep B

Alternate index label; see *Hepatitis B*. **Synonyms:**

### Hep C

Alternate index label; see *Hepatitis C*. **Synonyms:**

### Hepatitis A virus infection

Alternate index label; see *Hepatitis A*. **Synonyms:**

### Hepatitis B virus infection

Alternate index label; see *Hepatitis B*. **Synonyms:**

### Hepatitis C virus infection

Alternate index label; see *Hepatitis C*. **Synonyms:**

### Hepatitis, autoimmune

Alternate index label; see *Autoimmune hepatitis*. **Synonyms:**

### Hepatitis, toxic

Alternate index label; see *Toxic hepatitis*. **Synonyms:**

### Hereditary hemochromatosis

Alternate index label; see *Hemochromatosis*. **Synonyms:**

### Hereditary motor and sensory

### neuropathy

Alternate index label; see *Charcot-Marie-Tooth disease*. **Synonyms:**

### Hereditary nonpolyposis colorectal cancer syndrome

Alternate index label; see *Lynch syndrome*. **Synonyms:**

### Hernia, hiatal

Alternate index label; see *Hiatal hernia*. **Synonyms:**

### Hernia, inguinal

Alternate index label; see *Inguinal hernia*. **Synonyms:**

### Hernia, umbilical

Alternate index label; see *Umbilical hernia*. **Synonyms:**

### Herpes zoster oticus

Alternate index label; see *Ramsay Hunt syndrome*. **Synonyms:**

### Herpes, genital

Alternate index label; see *Genital herpes*. **Synonyms:**

### HHT

Alternate index label; see *Hereditary hemorrhagic telangiectasia*. **Synonyms:**

### High blood pressure, secondary

Alternate index label; see *Secondary hypertension*. **Synonyms:**

### High-flow priapism

Alternate index label; see *Priapism*. **Synonyms:**

### Hives, chronic

Alternate index label; see *Chronic hives*. **Synonyms:**

---

## HNPCC

Alternate index label; see *Lynch syndrome*. **Synonyms:**

## Hoarse voice

Alternate index label; see *Laryngitis*. **Synonyms:**

## Hodgkin disease

Alternate index label; see *Hodgkin lymphoma* (*Hodgkin disease*). **Synonyms:**

## Horner-Bernard syndrome

Alternate index label; see *Horner syndrome*. **Synonyms:**

## Human papillomavirus infection

Alternate index label; see *HPV infection*. **Synonyms:**

## Hunchback

Alternate index label; see *Kyphosis*. **Synonyms:**

## Hunt's syndrome

Alternate index label; see *Ramsay Hunt syndrome*. **Synonyms:**

## Hutchinson-Gilford progeria syndrome

Alternate index label; see *Progeria*. **Synonyms:**

## Hypercholesterolemia, familial

Alternate index label; see *Familial hypercholesterolemia*. **Synonyms:**

## Hypercortisolism

Alternate index label; see *Cushing syndrome*. **Synonyms:**

## Hypermenorrhea

Alternate index label; see *Heavy menstrual bleeding*. **Synonyms:**

## Hypersexuality

Alternate index label; see *Compulsive sexual behavior*. **Synonyms:**

## Hypertension, pregnancy-related

Alternate index label; see *Preeclampsia*. **Synonyms:**

## Hypertension, pulmonary

Alternate index label; see *Pulmonary hypertension*. **Synonyms:**

## Hypochondria

Alternate index label; see *Illness anxiety disorder*. **Synonyms:**

## Hypoglycemia, diabetic

Alternate index label; see *Diabetic hypoglycemia*. **Synonyms:**

## Hypohydration

Alternate index label; see *Dehydration*. **Synonyms:**

## H1N1 influenza (Swine flu)

H1N1 influenza is a strain of influenza A virus that causes an acute respiratory illness with fever, cough, myalgia, and variable pulmonary complications.

**Synonyms:**

## H2 blockers

H2 blockers reduce gastric acid secretion by antagonizing histamine H2 receptors on parietal cells and are used for reflux, dyspepsia, ulcers, and selected hypersecretory states.

**Synonyms:**

## H2 receptor antagonists overdose

H2 receptor antagonists overdose involves toxic or environmental exposure to h2 receptor antagonists overdose; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

## Haemophilus influenzae type b (Hib) vaccine - what you need to know

Haemophilus influenzae type b (Hib) vaccine - what you need to know concerns haemophilus influenzae



---

type b (hib) vaccine - what you need to know; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Hair bleach poisoning**

Hair bleach poisoning involves toxic or environmental exposure to hair bleach poisoning; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Hair dye poisoning**

Hair dye poisoning involves toxic or environmental exposure to hair dye poisoning; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Hair spray poisoning**

Hair spray poisoning involves toxic or environmental exposure to hair spray poisoning; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Hair straightener poisoning**

Hair straightener poisoning involves toxic or environmental exposure to hair straightener poisoning; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Hair tonic poisoning**

Hair tonic poisoning involves toxic or environmental exposure to hair tonic poisoning; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Hair transplant**

Hair transplant is a treatment or care intervention for hair transplant; indication, preparation, risks, technical details, and recovery depend on the patient

and goal.

**Synonyms:**

### **Hallucinations**

Hallucinations are perceptions without an external sensory stimulus and can arise from psychiatric illness, neurologic disease, delirium, substances, medications, sensory loss, or sleep transitions.

**Synonyms:**

### **Halo brace - aftercare**

Halo brace - aftercare is a treatment or care intervention for halo brace - aftercare; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Halo brace - child**

Halo brace - child concerns halo brace - child; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Hammer toe repair**

Hammer toe repair is a treatment or care intervention for hammer toe repair; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Hammer toe repair - discharge**

Hammer toe repair - discharge is a treatment or care intervention for hammer toe repair - discharge; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Hamstring strain - aftercare**

Hamstring strain - aftercare is a treatment or care intervention for hamstring strain - aftercare; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

---

### **Hand fracture - aftercare**

Hand fracture - aftercare examines hand fracture - aftercare; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Hand lotion poisoning**

Hand lotion poisoning involves toxic or environmental exposure to hand lotion poisoning; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Hand or foot spasms**

Hand or foot spasms concerns hand or foot spasms, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context.

**Synonyms:**

### **Hand x-ray**

Hand x-ray examines hand x-ray; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Handling sharps and needles**

Handling sharps and needles concerns handling sharps and needles, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context.

**Synonyms:**

### **Handwashing**

Handwashing concerns handwashing, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context.

**Synonyms:**

### **Hangover treatment**

Hangover treatment concerns hangover treatment; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Haptoglobin blood test**

Haptoglobin blood test examines haptoglobin blood test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Hardware removal - extremity**

Hardware removal - extremity is a treatment or care intervention for hardware removal - extremity; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Hartnup disorder**

Hartnup disorder is a medical condition involving hartnup disorder; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Hazardous materials**

Hazardous materials concerns hazardous materials; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **HCG blood test - qualitative**

HCG blood test - qualitative examines hcg blood test - qualitative; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **HCG blood test - quantitative**

HCG blood test - quantitative examines hcg blood test - quantitative; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

---

### HCG in urine

HCG in urine examines hcg in urine; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### HDL test

HDL test examines hdl test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### Head and face reconstruction

Head and face reconstruction examines head and face reconstruction; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### Head CT scan

Head CT scan examines head ct scan; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### Head injury - first aid

Head injury - first aid is a medical condition involving head injury - first aid; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### Head MRI

Head MRI examines head mri; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### Headache - what to ask your doctor

Headache - what to ask your doctor examines headache - what to ask your doctor; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### Headaches - danger signs

Headaches - danger signs concerns headaches - danger signs, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context.

**Synonyms:**

### Health care agents

Health care agents addresses care related to health care agents, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### Health risks of alcohol use

Health risks of alcohol use concerns health risks of alcohol use; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### Health risks of obesity

Health risks of obesity concerns health risks of obesity; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### Health screenings for men age 65 and older

Health screenings for men age 65 and older examines health screenings for men age 65 and older; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### Health screenings for men ages 18 to 39

Health screenings for men ages 18 to 39 examines health screenings for men ages 18 to 39; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### Health screenings for men ages 40 to 64

Health screenings for men ages 40 to 64 examines

---

health screenings for men ages 40 to 64; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Health screenings for women age 65 and older**

Health screenings for women age 65 and older examines health screenings for women age 65 and older; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Health screenings for women ages 18 to 39**

Health screenings for women ages 18 to 39 examines health screenings for women ages 18 to 39; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Health screenings for women ages 40 to 64**

Health screenings for women ages 40 to 64 examines health screenings for women ages 40 to 64; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Healthy food trends - beans and legumes**

Healthy food trends - beans and legumes addresses care related to healthy food trends - beans and legumes, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Healthy food trends - Brussels sprouts**

Healthy food trends - Brussels sprouts addresses care related to healthy food trends - brussels sprouts, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Healthy food trends - chia seeds**

Healthy food trends - chia seeds addresses care related to healthy food trends - chia seeds, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Healthy food trends - flaxseeds**

Healthy food trends - flaxseeds addresses care related to healthy food trends - flaxseeds, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Healthy food trends - kale**

Healthy food trends - kale addresses care related to healthy food trends - kale, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Healthy food trends - microgreens**

Healthy food trends - microgreens addresses care related to healthy food trends - microgreens, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Healthy food trends - quinoa**

Healthy food trends - quinoa addresses care related to healthy food trends - quinoa, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Healthy grocery shopping**

Healthy grocery shopping addresses care related to healthy grocery shopping, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Healthy habits for weight loss**

Healthy habits for weight loss addresses care related to healthy habits for weight loss, including practical

---

measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Healthy living**

Healthy living addresses care related to healthy living, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Hearing loss - infants**

Hearing loss - infants concerns hearing loss - infants, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context.

**Synonyms:**

### **Hearing loss and music**

Hearing loss and music concerns hearing loss and music, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context.

**Synonyms:**

### **Hearing or speech impairment - resources**

Hearing or speech impairment - resources addresses care related to hearing or speech impairment - resources, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Heart and vascular services**

Heart and vascular services concerns heart and vascular services, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context.

**Synonyms:**

### **Heart attack - discharge**

Heart attack - discharge is a treatment or care intervention for heart attack - discharge; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Heart attack - what to ask your provider**

Heart attack - what to ask your provider concerns heart attack - what to ask your provider, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context.

**Synonyms:**

### **Heart attack first aid**

Heart attack first aid concerns heart attack first aid, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context.

**Synonyms:**

### **Heart bypass surgery**

Heart bypass surgery is a treatment or care intervention for heart bypass surgery; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Heart bypass surgery - discharge**

Heart bypass surgery - discharge is a treatment or care intervention for heart bypass surgery - discharge; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Heart bypass surgery - minimally invasive**

Heart bypass surgery - minimally invasive is a treatment or care intervention for heart bypass surgery - minimally invasive; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Heart bypass surgery - minimally invasive - discharge**

Heart bypass surgery - minimally invasive - discharge is a treatment or care intervention for heart bypass surgery - minimally invasive - discharge; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

---

### Heart CT scan

Heart CT scan examines heart ct scan; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### Heart disease - resources

Heart disease - resources addresses care related to heart disease - resources, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### Heart disease - risk factors

Heart disease - risk factors examines heart disease - risk factors; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### Heart disease and depression

Heart disease and depression is a medical condition involving heart disease and depression; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### Heart disease and diet

Heart disease and diet addresses care related to heart disease and diet, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### Heart disease and intimacy

Heart disease and intimacy is a medical condition involving heart disease and intimacy; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### Heart disease and women

Heart disease and women is a medical condition involving heart disease and women; causes, affected organs, severity, complications, and treatment are

determined by clinical assessment.

**Synonyms:**

### Heart failure - discharge

Heart failure - discharge is a treatment or care intervention for heart failure - discharge; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### Heart failure - fluids and diuretics

Heart failure - fluids and diuretics is a medical condition involving heart failure - fluids and diuretics; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### Heart failure - home monitoring

Heart failure - home monitoring examines heart failure - home monitoring; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### Heart failure - medicines

Heart failure - medicines is a medical condition involving heart failure - medicines; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### Heart failure - palliative care

Heart failure - palliative care addresses care related to heart failure - palliative care, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### Heart failure - surgeries and devices

Heart failure - surgeries and devices is a medical condition involving heart failure - surgeries and devices; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**



---

### Heart failure - tests

Heart failure - tests examines heart failure - tests; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### Heart failure - what to ask your doctor

Heart failure - what to ask your doctor examines heart failure - what to ask your doctor; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### Heart failure in children

Heart failure in children is a medical condition involving heart failure in children; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### Heart failure in children - home care

Heart failure in children - home care addresses care related to heart failure in children - home care, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### Heart MRI

Heart MRI examines heart mri; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### Heart murmurs

Heart murmurs concerns heart murmurs, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context.

**Synonyms:**

### Heart pacemaker

Heart pacemaker concerns heart pacemaker, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient con-

text.

**Synonyms:**

### Heart pacemaker - discharge

Heart pacemaker - discharge is a treatment or care intervention for heart pacemaker - discharge; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### Heart PET scan

Heart PET scan examines heart pet scan; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### Heart transplant

Heart transplant is a treatment or care intervention for heart transplant; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### Heart valve surgery

Heart valve surgery is a treatment or care intervention for heart valve surgery; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### Heart valve surgery - discharge

Heart valve surgery - discharge is a treatment or care intervention for heart valve surgery - discharge; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### Heartburn - what to ask your provider

Heartburn - what to ask your provider concerns heartburn - what to ask your provider, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context.

**Synonyms:**

---

### **Heat emergencies**

Heat emergencies range from heat cramps and exhaustion to heat stroke, in which dangerous core-temperature elevation causes central nervous system dysfunction and organ injury.

**Synonyms:**

### **Heel pain and Achilles tendonitis - aftercare**

Heel pain and Achilles tendonitis - aftercare is a treatment or care intervention for heel pain and achilles tendonitis - aftercare; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Heimlich maneuver on self**

Heimlich maneuver on self concerns heimlich maneuver on self; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Help prevent hospital errors**

Help prevent hospital errors concerns help prevent hospital errors; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Help your teen cope with stress**

Help your teen cope with stress addresses care related to help your teen cope with stress, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Helping a loved one with a drinking problem**

Helping a loved one with a drinking problem concerns helping a loved one with a drinking problem; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Helping your child understand a cancer diagnosis**

Helping your child understand a cancer diagnosis is a medical condition involving helping your child understand a cancer diagnosis; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Helping your teen with depression**

Helping your teen with depression concerns helping your teen with depression; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Hemodialysis access - self care**

Hemodialysis access - self care is a treatment or care intervention for hemodialysis access - self care; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Hemodialysis access procedures**

Hemodialysis access procedures is a treatment or care intervention for hemodialysis access procedures; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Hemoglobinuria test**

Hemoglobinuria test examines hemoglobinuria test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Hemolytic anemia caused by chemicals and toxins**

Hemolytic anemia caused by chemicals and toxins is a medical condition involving hemolytic anemia caused by chemicals and toxins; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

---

### **Hemolytic crisis**

Hemolytic crisis concerns hemolytic crisis; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Hemolytic transfusion reaction**

Hemolytic transfusion reaction examines hemolytic transfusion reaction; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Hemophilia - resources**

Hemophilia - resources addresses care related to hemophilia - resources, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Hemorrhoid removal - discharge**

Hemorrhoid removal - discharge is a treatment or care intervention for hemorrhoid removal - discharge; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Hemorrhoid surgery**

Hemorrhoid surgery is a treatment or care intervention for hemorrhoid surgery; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Hemorrhoids**

Hemorrhoids concerns hemorrhoids; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Hemovac drain**

Hemovac drain concerns hemovac drain; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Hepatic vein obstruction (Budd-Chiari)**

Hepatic vein obstruction (Budd-Chiari) examines hepatic vein obstruction (budd-chiari); interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Hepatitis A - children**

Hepatitis A - children is a medical condition involving hepatitis a - children; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Hepatitis A vaccine - what you need to know**

Hepatitis A vaccine - what you need to know is a medical condition involving hepatitis a vaccine - what you need to know; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Hepatitis B - children**

Hepatitis B - children is a medical condition involving hepatitis b - children; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Hepatitis B vaccine - what you need to know**

Hepatitis B vaccine - what you need to know is a medical condition involving hepatitis b vaccine - what you need to know; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Hepatitis C - children**

Hepatitis C - children is a medical condition involving hepatitis c - children; causes, affected organs, severity, complications, and treatment are deter-

---

mined by clinical assessment.

**Synonyms:**

### **Hepatitis D (Delta agent)**

Hepatitis D (Delta agent) is a medical condition involving hepatitis d (delta agent); causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Hepatitis virus panel**

Hepatitis virus panel is a medical condition involving hepatitis virus panel; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Hepatocerebral degeneration**

Hepatocerebral degeneration is a medical condition involving hepatocerebral degeneration; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Herbal remedies and supplements for weight loss**

Herbal remedies and supplements for weight loss concerns herbal remedies and supplements for weight loss; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Hereditary amyloidosis**

Hereditary amyloidosis is a medical condition involving hereditary amyloidosis; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Hereditary fructose intolerance**

Hereditary fructose intolerance examines hereditary fructose intolerance; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Hereditary ovalocytosis**

Hereditary ovalocytosis is a medical condition involving hereditary ovalocytosis; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Hereditary spherocytic anemia**

Hereditary spherocytic anemia is a medical condition involving hereditary spherocytic anemia; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Hereditary urea cycle abnormality**

Hereditary urea cycle abnormality concerns hereditary urea cycle abnormality; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Heroin overdose**

Heroin overdose involves toxic or environmental exposure to heroin overdose; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Herpes - oral**

Oral herpes is usually caused by herpes simplex virus type 1 and produces recurrent grouped blisters or ulcers around the lips or mouth, with asymptomatic viral shedding.

**Synonyms:**

### **Herpes - resources**

Herpes - resources addresses care related to herpes - resources, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

---

### **Herpes viral culture of lesion**

Herpes viral culture of lesion examines herpes viral culture of lesion; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Herpetic stomatitis**

Herpetic stomatitis is a medical condition involving herpetic stomatitis; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Heterochromia**

Heterochromia concerns heterochromia; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **High blood cholesterol levels**

High blood cholesterol levels concerns high blood cholesterol levels; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **High blood pressure - medicine-related**

High blood pressure - medicine-related concerns high blood pressure - medicine-related; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **High blood pressure - what to ask your doctor**

High blood pressure - what to ask your doctor examines high blood pressure - what to ask your doctor; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **High blood pressure and diet**

High blood pressure and diet addresses care related

to high blood pressure and diet, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **High blood pressure and eye disease**

High blood pressure and eye disease is a medical condition involving high blood pressure and eye disease; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **High blood pressure in adults - hypertension**

High blood pressure in adults - hypertension is a medical condition involving high blood pressure in adults - hypertension; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **High blood pressure in children - hypertension**

High blood pressure in children - hypertension is a medical condition involving high blood pressure in children - hypertension; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **High blood pressure in infants - hypertension**

High blood pressure in infants - hypertension is a medical condition involving high blood pressure in infants - hypertension; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **High blood pressure medications**

High blood pressure medications concerns high blood pressure medications; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

---

### High blood sugar - self-care

High blood sugar - self-care is a treatment or care intervention for high blood sugar - self-care; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### High cholesterol - children

High cholesterol - children concerns high cholesterol - children; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### High potassium level

High potassium level concerns high potassium level; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### High-fiber foods

High-fiber foods concerns high-fiber foods; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### Hip arthroscopy

Hip arthroscopy is a treatment or care intervention for hip arthroscopy; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### Hip flexor strain - aftercare

Hip flexor strain - aftercare is a treatment or care intervention for hip flexor strain - aftercare; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### Hip fracture - discharge

Hip fracture - discharge examines hip fracture - discharge; interpretation depends on the specimen

or body region, test method, reference range, and clinical question.

**Synonyms:**

### Hip fracture surgery

Hip fracture surgery examines hip fracture surgery; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### Hip joint injection

Hip joint injection examines hip joint injection; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### Hip joint replacement

Hip joint replacement is a treatment or care intervention for hip joint replacement; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### Hip or knee replacement - after - what to ask your doctor

Hip or knee replacement - after - what to ask your doctor examines hip or knee replacement - after - what to ask your doctor; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### Hip or knee replacement - before - what to ask your doctor

Hip or knee replacement - before - what to ask your doctor examines hip or knee replacement - before - what to ask your doctor; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### Hip or knee replacement - in the hospital after

Hip or knee replacement - in the hospital after is



---

a treatment or care intervention for hip or knee replacement - in the hospital after; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Hip replacement - discharge**

Hip replacement - discharge is a treatment or care intervention for hip replacement - discharge; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **His bundle electrography**

His bundle electrography examines his bundle electrography; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Histocompatibility antigen test**

Histocompatibility antigen test examines histocompatibility antigen test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Histoplasma complement fixation**

Histoplasma complement fixation concerns histoplasma complement fixation; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Histoplasma skin test**

Histoplasma skin test examines histoplasma skin test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Histoplasmosis - acute (primary) pulmonary**

Histoplasmosis - acute (primary) pulmonary is a medical condition involving histoplasmosis - acute

(primary) pulmonary; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **HIV/AIDS - resources**

HIV/AIDS - resources addresses care related to hiv/aids - resources, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **HIV/AIDS in pregnant women and infants**

HIV/AIDS in pregnant women and infants concerns hiv/aids in pregnant women and infants; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **HLA-B27 antigen**

HLA-B27 antigen concerns hla-b27 antigen; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Hodgkin lymphoma in children**

Hodgkin lymphoma in children is a medical condition involving hodgkin lymphoma in children; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Holter monitor (24h)**

Holter monitor (24h) examines holter monitor (24h); interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Home apnea monitor use - infants**

Home apnea monitor use - infants examines home apnea monitor use - infants; interpretation depends on the specimen or body region, test method, refer-

---

ence range, and clinical question.

**Synonyms:**

### **Home blood sugar testing**

Home blood sugar testing involves toxic or environmental exposure to home blood sugar testing; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Home safety - children**

Home safety - children addresses care related to home safety - children, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Home vision tests**

Home vision tests examines home vision tests; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Hormonal effects in newborns**

Hormonal effects in newborns examines hormonal effects in newborns; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Hormone levels**

Hormone levels examines hormone levels; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Hormone therapy for breast cancer**

Hormone therapy for breast cancer examines hormone therapy for breast cancer; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Hormone therapy for prostate cancer**

Hormone therapy for prostate cancer examines hormone therapy for prostate cancer; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Hospitals as health educators**

Hospitals as health educators concerns hospitals as health educators; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Hot tub folliculitis**

Hot tub folliculitis is a medical condition involving hot tub folliculitis; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Household glue poisoning**

Household glue poisoning involves toxic or environmental exposure to household glue poisoning; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **How and when to get rid of unused medicines**

How and when to get rid of unused medicines concerns how and when to get rid of unused medicines; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **How childhood cancers are different from adult cancers**

How childhood cancers are different from adult cancers is a medical condition involving how childhood cancers are different from adult cancers; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

---

### How to avoid exercise injuries

How to avoid exercise injuries addresses care related to how to avoid exercise injuries, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### How to avoid overheating during exercise

How to avoid overheating during exercise addresses care related to how to avoid overheating during exercise, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### How to breathe when you are short of breath

How to breathe when you are short of breath concerns how to breathe when you are short of breath; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### How to care for pressure sores

How to care for pressure sores addresses care related to how to care for pressure sores, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### How to choose a health plan

How to choose a health plan concerns how to choose a health plan; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### How to choose a nursing home

How to choose a nursing home addresses care related to how to choose a nursing home, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### How to choose the best hospital for

### surgery

How to choose the best hospital for surgery is a treatment or care intervention for how to choose the best hospital for surgery; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### How to give a heparin shot

How to give a heparin shot concerns how to give a heparin shot; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### How to make a sling

How to make a sling concerns how to make a sling; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### How to make a splint

How to make a splint concerns how to make a splint; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### How to prevent frostbite and hypothermia

How to prevent frostbite and hypothermia involves toxic or environmental exposure to how to prevent frostbite and hypothermia; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### How to protect yourself and others from COVID-19

How to protect yourself and others from COVID-19 examines how to protect yourself and others from covid-19; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

---

**Synonyms:**

### **How to read food labels**

How to read food labels concerns how to read food labels; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **How to research cancer**

How to research cancer is a medical condition involving how to research cancer; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **How to save money on infant formula**

How to save money on infant formula concerns how to save money on infant formula; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **How to save money on medicines**

How to save money on medicines concerns how to save money on medicines; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **How to stop drinking**

How to stop drinking concerns how to stop drinking; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **How to stop smoking: Dealing with a slip up**

How to stop smoking: Dealing with a slip up concerns how to stop smoking: dealing with a slip up; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **How to stop smoking: Dealing with cravings**

How to stop smoking: Dealing with cravings concerns how to stop smoking: dealing with cravings; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **How to take statins**

How to take statins concerns how to take statins; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **How to tell your child that you have cancer**

How to tell your child that you have cancer is a medical condition involving how to tell your child that you have cancer; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **How to treat the common cold at home**

How to treat the common cold at home addresses care related to how to treat the common cold at home, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **How to use a nebulizer**

How to use a nebulizer concerns how to use a nebulizer; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **How to use an inhaler - no spacer**

How to use an inhaler - no spacer concerns how to use an inhaler - no spacer; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

---

### How to use an inhaler - with spacer

How to use an inhaler - with spacer concerns how to use an inhaler - with spacer; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### How to use your peak flow meter

How to use your peak flow meter concerns how to use your peak flow meter; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### How wounds heal

How wounds heal concerns how wounds heal; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### HPV (human papillomavirus) vaccine - what you need to know

HPV (human papillomavirus) vaccine - what you need to know concerns hpv (human papillomavirus) vaccine - what you need to know; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### HPV test

HPV test examines hpv test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### Human bites - self-care

Human bites - self-care involves toxic or environmental exposure to human bites - self-care; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### Human metapneumovirus (hMPV)

Human metapneumovirus (hMPV) concerns human

metapneumovirus (hmpv); its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### Humidifiers and health

Humidifiers and health concerns humidifiers and health; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### Hump on upper back (dorsocervical fat pad)

Hump on upper back (dorsocervical fat pad) concerns hump on upper back (dorsocervical fat pad); its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### Hydramnios

Hydramnios concerns hydramnios; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### Hydrocarbon pneumonia

Hydrocarbon pneumonia is a medical condition involving hydrocarbon pneumonia; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### Hydrocele repair

Hydrocele repair is a treatment or care intervention for hydrocele repair; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### Hydrochloric acid poisoning

Hydrochloric acid poisoning involves toxic or environmental exposure to hydrochloric acid poisoning; dose, route, timing, symptoms, and organ involve-

---

ment determine urgency and treatment.

**Synonyms:**

### **Hydrocodone and acetaminophen overdose**

Hydrocodone and acetaminophen overdose involves toxic or environmental exposure to hydrocodone and acetaminophen overdose; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Hydrocodone/oxycodone overdose**

Hydrocodone/oxycodone overdose involves toxic or environmental exposure to hydrocodone/oxycodone overdose; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Hydrofluoric acid poisoning**

Hydrofluoric acid poisoning involves toxic or environmental exposure to hydrofluoric acid poisoning; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Hydrogen peroxide poisoning**

Hydrogen peroxide poisoning involves toxic or environmental exposure to hydrogen peroxide poisoning; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Hydromorphone overdose**

Hydromorphone overdose involves toxic or environmental exposure to hydromorphone overdose; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Hydronephrosis of one kidney**

Hydronephrosis of one kidney is a medical condition involving hydronephrosis of one kidney; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Hydroxyzine overdose**

Hydroxyzine overdose involves toxic or environmental exposure to hydroxyzine overdose; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Hyperactivity and children**

Hyperactivity and children examines hyperactivity and children; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Hyperactivity and sugar**

Hyperactivity and sugar examines hyperactivity and sugar; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Hypercalcemia - discharge**

Hypercalcemia - discharge is a treatment or care intervention for hypercalcemia - discharge; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Hyperelastic skin**

Hyperelastic skin is a medical condition involving hyperelastic skin; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Hyperglycemia - infants**

Hyperglycemia - infants is a medical condition involving hyperglycemia - infants; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**



---

## Hyperimmunization

Hyperimmunization is a medical condition involving hyperimmunization; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

## Hyperimmunoglobulin E syndrome

Hyperimmunoglobulin E syndrome is a medical condition involving hyperimmunoglobulin e syndrome; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

## Hyperkalemic periodic paralysis

Hyperkalemic periodic paralysis is a medical condition involving hyperkalemic periodic paralysis; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

## Hypermobility joints

Hypermobility joints is a medical condition involving hypermobility joints; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

## Hypersensitivity vasculitis

Hypersensitivity vasculitis is a medical condition involving hypersensitivity vasculitis; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

## Hyperthermia for treating cancer

Hyperthermia for treating cancer is a medical condition involving hyperthermia for treating cancer; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

## Hypervitaminosis A

Hypervitaminosis A is a medical condition involving hypervitaminosis a; causes, affected organs, severity,

complications, and treatment are determined by clinical assessment.

**Synonyms:**

## Hypervitaminosis D

Hypervitaminosis D is a medical condition involving hypervitaminosis d; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

## Hypokalemic periodic paralysis

Hypokalemic periodic paralysis is a medical condition involving hypokalemic periodic paralysis; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

## Hypomelanosis of Ito

Hypomelanosis of Ito is a medical condition involving hypomelanosis of ito; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

## Hypospadias repair

Hypospadias repair is a treatment or care intervention for hypospadias repair; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

## Hypospadias repair - discharge

Hypospadias repair - discharge is a treatment or care intervention for hypospadias repair - discharge; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

## Hypothalamic dysfunction

Hypothalamic dysfunction examines hypothalamic dysfunction; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

---

## **Hypothalamic tumor**

Hypothalamic tumor is a medical condition involving hypothalamic tumor; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

## **Hysterectomy - abdominal - discharge**

Hysterectomy - abdominal - discharge examines hysterectomy - abdominal - discharge; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

## **Hysterectomy - laparoscopic - discharge**

Hysterectomy - laparoscopic - discharge examines hysterectomy - laparoscopic - discharge; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

## **Hysterectomy - vaginal - discharge**

Hysterectomy - vaginal - discharge examines hysterectomy - vaginal - discharge; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

---

# I

## **Cyclospora Infection**

An intestinal infection caused by the parasite *Cyclospora cayetanensis*, usually acquired from contaminated food or water. It commonly causes prolonged watery diarrhea, abdominal cramps, nausea, fatigue, and weight loss. Diagnosis requires specialized stool testing, and antimicrobial treatment is often effective.

**Synonyms:**

## **IBD**

Inflammatory bowel disease, including Crohn's disease and ulcerative colitis, causing chronic intestinal inflammation.

**Synonyms:** Inflammatory bowel disease

## **ICD**

Implantable cardioverter-defibrillator, a device that detects dangerous heart rhythms and delivers a corrective shock.

**Synonyms:** Implantable cardioverter defibrillator

## **Ice Pick Headache**

A sudden, severe, stabbing headache that usually lasts only seconds.

**Synonyms:** Primary stabbing headache

## **Iliopsoas Muscles**

The psoas major and iliacus muscles, which work together to flex the hip.

**Synonyms:** Iliopsoas

## **Immobilize**

To restrict movement of a body part, often with a splint or cast, to support healing.

**Synonyms:** Immobilization

## **Immunoglobulin E**

An antibody class that plays a central role in many immediate allergic reactions.

**Synonyms:** IgE

## **Immunologically Privileged Site**

A body site where immune responses are limited to reduce risk of tissue damage.

**Synonyms:**

## **Impacted**

Firmly wedged or unable to move from its normal position, as with an impacted tooth.

**Synonyms:**

## **Impaction**

Obstruction caused by material that is firmly lodged, such as hardened stool in the bowel.

**Synonyms:**

## **Impotence**

An older term for erectile dysfunction.

**Synonyms:** Erectile dysfunction

## **In Situ**

In its original place or position.

**Synonyms:** In place

## **Inactivated Vaccines**

Vaccines made from microorganisms that have been killed and cannot reproduce.

**Synonyms:** Inactivated vaccines

---

### **Inferior Myocardial Infarction**

A heart attack affecting the lower or inferior portion of the heart muscle.

**Synonyms:**

### **Infiltrating Cancer**

Cancer that has grown beyond its site of origin into surrounding tissue.

**Synonyms:** Invasive cancer

### **Infusion**

Slow administration of a fluid or medicine into a vein or tissue.

**Synonyms:** Intravenous infusion

### **Inhibitory Neurochemical**

A chemical messenger that reduces signaling between nerve cells.

**Synonyms:** Inhibitory neurotransmitter

### **Injectable Fillers**

Materials injected beneath or into skin to restore volume or soften wrinkles.

**Synonyms:** Dermal fillers

### **Inoperable**

Not suitable for surgical treatment, often because surgery cannot safely remove or correct the condition.

**Synonyms:**

### **Insulin**

A pancreatic hormone that helps cells take up glucose and lowers blood glucose.

**Synonyms:**

### **Insulin-Dependent Diabetes**

Type 1 diabetes, in which the pancreas produces little or no insulin and replacement insulin is required.

**Synonyms:** Type 1 diabetes

### **Intense Pulsed Light**

Broadband light treatment used for selected cosmetic skin conditions and hair reduction.

**Synonyms:** IPL

### **Intensity**

The degree of effort or physiological demand during physical activity.

**Synonyms:**

### **Interferons**

Signaling proteins that help coordinate immune responses, especially against viral infections.

**Synonyms:**

### **Interleukins**

Cytokines that carry signals between immune cells and regulate inflammation.

**Synonyms:** ILs

### **Intermediate-Density Lipoprotein**

A lipoprotein remnant formed as very-low-density lipoprotein is metabolized toward LDL.

**Synonyms:** IDL

### **Intervention Study**

A study in which researchers assign or provide an intervention and compare its outcomes with a control.

**Synonyms:** Clinical trial

### **Intervertebral Disk**

A fibrocartilaginous cushion between spinal vertebrae that absorbs shock and permits movement.

**Synonyms:** Intervertebral disc

### **Intervertebral Foramen**

An opening between adjacent vertebrae through which a spinal nerve exits.

**Synonyms:** Neural foramen

### **Intolerance**

An adverse response to a substance that does not involve the immune mechanism of an allergy.

**Synonyms:** Nonallergic sensitivity

---

### **Intrinsic Sphincter Deficiency**

Weakness of the urinary sphincter that causes stress urinary incontinence.

**Synonyms:** ISD

### **Iodides**

Salts containing iodine, sometimes used in carefully selected thyroid disorders.

**Synonyms:**

### **Irritants**

Substances that provoke inflammation or allergy-like symptoms without necessarily causing an immune allergy.

**Synonyms:**

### **Ischemic Heart Disease**

Heart disease caused by inadequate blood flow through narrowed or blocked coronary arteries.

**Synonyms:** Coronary artery disease; coronary heart disease

### **IADL Training**

Training to improve skills needed for independent living, such as preparing food, shopping, managing medicines, handling finances, and using transportation.

**Synonyms:**

### **Iatrogenic**

An illness or condition caused by medical examination or treatment. Examples: hospital-acquired infections, drug side effects, surgical complications, radiation-induced damage. Prevention: proper technique, informed consent, monitoring, reporting systems.

**Synonyms:**

### **Iatrogenic Injury**

An injury caused unintentionally by a medical examination, treatment, procedure, or medicine.

**Synonyms:**

### **ICD Shock Therapy**

Anti-tachycardia pacing (ATP) for slow VT delivers rapid pacing pulses to terminate the arrhythmia painlessly. Cardioversion shock synchronously terminates VT. Defibrillation shock treats VFib asynchronously. The MADIT-RIT trial showed that higher-rate programming (detection >180-200 bpm) reduced inappropriate shocks and mortality.

**Synonyms:**

### **Ice Pack**

A device that applies cold to a body area to help relieve pain or swelling. It should be wrapped to protect the skin and used for limited periods.

**Synonyms:**

### **ICF Framework**

International Classification of Functioning, Disability and Health. Biopsychosocial model: body functions/structures, activities, participation, environmental factors, personal factors.

**Synonyms:**

### **Ichthyosis**

A group of disorders characterized by dry, scaly skin resembling fish scales. Ichthyosis vulgaris is the most common, autosomal dominant, associated with filaggrin mutation and atopy. X-linked ichthyosis is caused by steroid sulfatase deficiency. Lamellar ichthyosis is a severe congenital form.

**Synonyms:**

### **Ichthyosis Vulgaris**

A common inherited disorder of skin keratinization characterized by dry, scaling skin, especially on the extensor limbs. Symptoms often improve with age and with regular emollient and keratolytic skin care.

**Synonyms:**

### **ICU Psychosis**

A colloquial term for delirium occurring in an intensive-care setting, with acute changes in attention, awareness, and cognition. Causes include severe illness, infection, medicines, sleep disruption, pain, and metabolic abnormalities. It re-



---

quires prompt evaluation and treatment of reversible causes, with supportive measures to orient and calm the patient.

**Synonyms:**

### **Ideas of Reference**

The false belief that unrelated events, objects, or people have a particular and unusual significance specifically for the patient. For example, believing that TV newscasters are sending personal messages or that strangers are conspiring against them.

**Synonyms:**

### **Idiopathic**

Of unknown cause. Examples: idiopathic pulmonary fibrosis, idiopathic thrombocytopenia.

**Synonyms:**

### **Idiopathic Hypersomnia**

A sleep disorder characterized by excessive daytime sleepiness, prolonged or unrefreshing sleep, difficulty awakening, and impaired alertness despite adequate opportunity for sleep. It is diagnosed after excluding other medical, psychiatric, circadian, and substance-related causes.

**Synonyms:**

### **Idiopathic Intracranial Hypertension**

Elevated intracranial pressure without mass lesion. Symptoms: headache, pulsatile tinnitus, visual changes, papilledema. Treatment: acetazolamide, weight loss, surgical options.

**Synonyms:**

### **Idiopathic Pulmonary Fibrosis**

A chronic, progressive fibrosing interstitial pneumonia of unknown cause. Histopathology shows usual interstitial pneumonia (UIP). Features include exertional dyspnea, dry cough, bibasilar crackles, and digital clubbing. Median survival is 3–5 years.

**Synonyms:**

### **Idiosyncratic Reaction**

An uncommon, unexpected, and often genetically determined adverse drug reaction that is unrelated

to the drug's known pharmacology and usually dose-independent (a Type B reaction).

**Synonyms:**

### **Idioventricular Rhythm**

A ventricular rhythm arising from an ectopic focus in the His-Purkinje system or ventricular myocardium, typically at a slow rate with wide QRS complexes. It may occur during escape from higher pacemakers, reperfusion, conduction block, or severe cardiac disease.

**Synonyms:**

### **IgA**

Immunoglobulin A, the predominant antibody in mucosal secretions (saliva, tears, breast milk, gastrointestinal and respiratory tract). Exists mainly as a dimer linked by a J chain and secretory component, which protects it from proteolysis.

**Synonyms:**

### **IgA Nephropathy**

The most common primary glomerulonephritis worldwide, characterized by mesangial IgA deposition. Presents with hematuria (macroscopic with mucosal infections, especially upper respiratory), proteinuria, and hypertension. Most common in young adults, with male predominance.

**Synonyms:**

### **IgA Vasculitis**

An immune-complex small-vessel vasculitis characterized by palpable purpura, joint pain, abdominal symptoms, and kidney involvement. It is common in children and may follow an infection; renal disease determines long-term risk.

**Synonyms:**

### **IgA Vasculitis (Henoch-Schonlein Purpura)**

The most common systemic vasculitis in children (peak age 2–8 years), characterized by IgA1-containing immune complex deposition in small vessels. Often preceded by an upper respiratory tract infection (e.g., group A *Streptococcus*).

---

**Synonyms:** Henoch-Schonlein Purpura

### **IgD**

Immunoglobulin D, a membrane-bound antibody expressed on the surface of mature naive B cells (with IgM) serving as a B-cell receptor. Serum IgD is present in trace amounts and its secreted function is unclear. Its role in B-cell activation and signaling is an area of research.

**Synonyms:**

### **IgE**

Immunoglobulin E, the antibody class mediating immediate (type I) hypersensitivity and defense against parasites. Binds high-affinity Fc-epsilon-RI receptors on mast cells and basophils; allergen cross-linking triggers degranulation and release of histamine and leukotrienes, causing allergic rhinitis, asthma, urticaria, and anaphylaxis.

**Synonyms:**

### **IgG**

Immunoglobulin G, the most abundant antibody class in serum (75-80 percent), produced during secondary immune responses. Functions: neutralization, opsonization, complement activation (classical pathway), and antibody-dependent cellular cytotoxicity.

**Synonyms:**

### **IgG and complement deposition at the dermis-epidermis junction**

An immunofluorescence finding that may occur in the lupus band test, in which immune complexes containing immunoglobulin and complement deposit along the dermoepidermal junction. The pattern and clinical context are needed for interpretation.

**Synonyms:**

### **IgG4-Related Disease**

A fibro-inflammatory disorder that can produce tumefactive lesions and organ enlargement in multiple sites. Histology may show IgG4-positive plasma cells, storiform fibrosis, and obliterative phlebitis; diagnosis requires clinicopathologic correlation be-

cause no single test is sufficient.

**Synonyms:**

### **IgG4-related disease arteritis**

A form of IgG4-related disease affecting large and medium-sized arteries, characterized by transmural inflammation with abundant IgG4-positive plasma cells, storiform fibrosis, and obliterative phlebitis. It may involve the aorta and its branches, causing stenosis or aneurysm formation.

**Synonyms:**

### **IgG4-related ophthalmic disease**

An immune-mediated fibroinflammatory disorder that can affect the lacrimal glands, orbit, eyelids, or extraocular muscles. It may cause swelling, mass lesions, double vision, or visual symptoms and can occur with IgG4-related disease in other organs.

**Synonyms:**

### **IgM**

Immunoglobulin M, the largest antibody (pentamer), produced during the primary immune response (first antibody to appear). Functions: potent complement activation (classical pathway) and agglutination; expressed as a membrane-bound B-cell receptor on naive B cells.

**Synonyms:**

### **IGRA (Interferon-Gamma Release Assay)**

Blood test for *Mycobacterium tuberculosis* infection (latent or active). T-SPOT.TB (ELISPOT) or QuantiFERON-TB Gold Plus (ELISA). Measures IFN-gamma released by T cells after exposure to MTB-specific antigens (ESAT-6, CFP-10, TB7.7).

**Synonyms:** Interferon-Gamma Release Assay

### **Ileal Atresia**

Congenital complete interruption or absence of a segment of the ileal lumen. It causes neonatal intestinal obstruction with abdominal distension, bilious vomiting, and failure to pass meconium and generally requires surgical management.

**Synonyms:**

---

## Ileal Obstruction

Partial or complete blockage of the ileum, the final portion of the small intestine. Causes include adhesions, hernia, inflammatory bowel disease, tumors, and twisting of the bowel. Symptoms may include cramping pain, vomiting, abdominal distension, and inability to pass stool or gas.

**Synonyms:**

## Ileal Pouch-Anal Anastomosis

Surgical creation of a J-pouch from the terminal ileum after proctocolectomy to preserve intestinal continuity for ulcerative colitis. Avoids permanent ileostomy by allowing defecation through the anal route. The procedure involves removal of the entire colon and rectum with construction of a reservoir from distal ileum.

**Synonyms:**

## Ileitis

Inflammation of the ileum, the distal segment of the small intestine. Causes include Crohn disease, infection, ischemia, medication-related injury, and other inflammatory disorders; symptoms may include right-lower-quadrant pain, diarrhea, fever, or bleeding.

**Synonyms:**

## Ileocecal Valve

A sphincter-like fold at the junction of the terminal ileum and caecum. It regulates passage of intestinal contents into the colon and helps limit reflux of colonic contents into the small intestine.

**Synonyms:**

## Ileostomy

An ileostomy brings the ileum through the abdominal wall to divert intestinal contents into an external pouch when the colon or rectum cannot be used normally. after proctocolectomy for ulcerative colitis or familial adenomatous polyposis, or to protect a distal anastomosis. Output is liquid and enzyme-rich, requiring careful fluid and skin management.

**Synonyms:**

## Ileum

Longest distal segment (3.5 m) with thinner walls, shorter villi, and Peyer's patches on the antimesenteric border. Absorbs vitamin B12, bile salts, remaining nutrients. Ileocecal valve prevents colonic backflow. Crohn's disease most commonly affects the terminal ileum; resection may cause B12 deficiency and bile salt malabsorption.

**Synonyms:**

## Ileus

Failure of coordinated intestinal propulsion without a mechanical blockage, usually from postoperative bowel inhibition, inflammation, metabolic disturbance, or medication effect. It causes distension, nausea, vomiting, and reduced passage of flatus or stool.

**Synonyms:**

## Iliotibial Band Syndrome

Lateral knee pain from IT band friction over lateral femoral epicondyle. Common in runners. Treatment: rest, stretching, strengthening, biomechanical correction.

**Synonyms:**

## Ilium

Largest hip bone forming the superior portion. Body contributes to acetabulum; wing has a concave iliac fossa. Iliac crest runs ASIS to PSIS, a palpable landmark for lumbar puncture level. Sacroiliac joint articulates with sacrum. Gluteal muscles originate from its external surface; iliacus fills its fossa.

**Synonyms:**

## Illness Anxiety Disorder

Preoccupation with having or acquiring a serious illness, with minimal or no somatic symptoms present. The individual has a high level of anxiety about health, performs excessive health-related behaviors, and experiences maladaptive avoidance. Symptoms persist for at least six months. The individual is not delusional and insight may vary.

**Synonyms:**

---

### Image Display

The presentation of medical images in views and contrast settings that allow anatomy and abnormalities to be assessed.

**Synonyms:**

### Image Processing

The mathematical or computer-based manipulation of acquired medical-image data to reconstruct, enhance, correct, or display an image.

**Synonyms:**

### Image Quality

The degree to which an image accurately and clearly shows the structures relevant to diagnosis. It is affected by resolution, contrast, noise, and artifacts.

**Synonyms:**

### Image Reconstruction

Mathematical process converting projection data to cross-sectional images. Iterative methods (OSEM) superior to filtered back projection. Corrects for attenuation, scatter, resolution.

**Synonyms:**

### Image-Guided Ablation

Destruction of abnormal tissue using an energy source such as heat, cold, or chemicals while imaging guides placement and monitors the procedure.

**Synonyms:**

### Image-Guided Biopsy

Removal of a tissue sample with the position of the needle or instrument guided by ultrasound, CT, MRI, or fluoroscopy.

**Synonyms:**

### Image-Guided Drainage

Placement of a catheter or needle under imaging guidance to evacuate fluid, pus, blood, or bile from a pathologic collection. Indications include abscess, biloma, urinoma, pleural collection, and symptomatic cysts.

**Synonyms:**

### Image-Guided Therapy

A minimally invasive procedure performed with imaging to guide instruments or treatment to a target tissue.

**Synonyms:**

### Imaging

The production of pictures of internal body structures using methods such as radiography, ultrasound, computed tomography, magnetic resonance imaging, or nuclear medicine.

**Synonyms:**

### Imaging-Guided Biopsy

Tissue acquisition directed by ultrasound, CT, MRI, or fluoroscopy to target a lesion while avoiding critical structures. The procedure requires appropriate specimen handling, informed consent, bleeding-risk assessment, and post-procedure monitoring.

**Synonyms:**

### Iminoacetic Acid Scan

A nuclear-medicine examination using a technetium-labeled iminodiacetic acid compound to evaluate hepatobiliary function and bile flow. It is not primarily a renal scan.

**Synonyms:**

### Immediate Hypersensitivity

A rapid, typically immunoglobulin-E-mediated hypersensitivity reaction in which allergen cross-linking of mast-cell or basophil receptors releases inflammatory mediators. It can cause urticaria, bronchospasm, gastrointestinal symptoms, or anaphylaxis.

**Synonyms:**

### Immune and Infectious Diseases

A medical field encompassing disorders of the immune system and illnesses caused by pathogenic microorganisms. Immune system disorders include autoimmune diseases (e.g., lupus, rheumatoid arthritis), immunodeficiencies, and hypersensitivity reactions.

**Synonyms:**

---

## Immune Checkpoint

An inhibitory or stimulatory receptor-ligand pathway that regulates lymphocyte activation and limits tissue injury. Therapeutic blockade of inhibitory checkpoints such as CTLA-4 or PD-1 can enhance antitumor immunity but may cause immune-related adverse effects.

**Synonyms:**

## Immune Complex

A soluble or tissue-associated aggregate formed by antigen bound to antibody. Persistent or inadequately cleared immune complexes may activate complement and deposit in tissues, producing type III hypersensitivity and vasculitic or renal injury.

**Synonyms:**

## Immune Evasion

The ability of a pathogen, tumor, or other abnormal cell to avoid recognition or destruction by the immune system.

**Synonyms:**

## Immune Hemolytic Anemia

Anemia caused by immune-mediated destruction of red blood cells, either by autoantibodies or antibodies directed against foreign red-cell antigens. It may cause fatigue, jaundice, dark urine, splenomegaly, and laboratory evidence of hemolysis.

**Synonyms:**

## Immune Response

The coordinated reaction of the immune system to foreign substances (antigens), pathogens, or abnormal cells. The innate immune response acts rapidly and non-specifically (physical barriers, phagocytes, complement, NK cells, inflammation).

**Synonyms:**

## Immune Thrombocytopenia

An autoimmune disorder characterized by isolated thrombocytopenia (platelet count  $<100 \times 10^9/L$ ) due to autoantibody-mediated platelet destruction and impaired platelet production. Primary ITP (no identifiable cause) vs secondary (SLE, CLL, HIV,

HCV, drugs).

**Synonyms:**

## Immune Thrombocytopenic Purpura

An autoimmune bleeding disorder characterized by isolated thrombocytopenia (platelet count  $<100,000/L$ ) with normal white blood cell count and hemoglobin. Caused by autoantibodies (primarily IgG) directed against platelet surface glycoproteins (IIb/IIIa or Ib/IX), leading to splenic macrophage phagocytosis of platelets.

**Synonyms:**

## Immune Tolerance

The state of unresponsiveness of the immune system to self-antigens and to specific foreign antigens, preventing autoimmunity while preserving responses to pathogens. Central tolerance: deletion of self-reactive lymphocytes in the thymus (T cells) and bone marrow (B cells).

**Synonyms:**

## Immune-Mediated Necrotizing Myopathy

A subacute severe proximal myopathy with very high CK (often  $>10,000$ ), minimal inflammation on biopsy, necrotic fibers. Two major autoantibodies: anti-HMGCR (3-hydroxy-3-methylglutaryl-CoA reductase, statin-associated or spontaneous) and anti-SRP (signal recognition particle).

**Synonyms:**

## Immune-Related Adverse Event

An inflammatory or autoimmune toxicity caused by immune checkpoint blockade or another immune-activating cancer treatment. It may affect skin, bowel, liver, endocrine organs, lungs, heart, kidneys, or nervous system and often requires treatment-specific immunosuppression.

**Synonyms:**

## Immunization

The process of inducing protection against an infection, usually through vaccination. Recommended vaccines and schedules depend on age, previous doses, pregnancy, immune status, medical condi-

---

tions, travel, exposure risk, and current public-health guidance.

**Synonyms:**

### **Immunocompromised Host**

A person whose immune defenses are impaired by congenital disease, infection, malignancy, immunosuppressive treatment, organ failure, or another condition. Such patients have increased susceptibility to opportunistic infection, severe disease, and atypical presentations.

**Synonyms:**

### **Immunodeficiency**

Impaired development or function of one or more components of the immune system, resulting in increased susceptibility to infection, malignancy, or autoimmunity. It may be primary and genetic or secondary to disease, medication, malnutrition, or another acquired cause.

**Synonyms:**

### **Immunodeficiency and infections**

Immunocompromised individuals are at increased risk for opportunistic infections. Primary immunodeficiencies are genetic disorders affecting immune function. Secondary immunodeficiencies include HIV/AIDS, organ transplantation, chemotherapy, and corticosteroid use.

**Synonyms:**

### **Immunodeficiency Diseases**

Disorders in which one or more components of the immune system are absent, deficient, or dysfunctional. They may be inherited or acquired and can cause recurrent, severe, unusual, or persistent infections, autoimmune disease, and increased malignancy risk.

**Synonyms:**

### **Immunofluorescence**

A technique using fluorescently labeled antibodies to detect specific antigens in tissues, cells, or microorganisms; visualized by fluorescence microscopy.

**Synonyms:**

### **Immunoglobulin (Antibody)**

Y-shaped glycoprotein produced by plasma cells that specifically binds antigens. Composed of two identical heavy chains and two identical light chains linked by disulfide bonds. Variable regions (Fab) bind antigen; constant region (Fc) mediates effector functions (complement activation, Fc receptor binding).

**Synonyms:** Antibody

### **Immunoglobulin Replacement Therapy**

Indications: primary antibody deficiencies (XLA, CVID, hyper-IgM, specific antibody deficiency), secondary hypogammaglobulinemia (CLL, myeloma, post-rituximab, post-transplant) with recurrent infections.

**Synonyms:**

### **Immunohistochemistry**

A technique that uses labeled antibodies to detect specific antigens in tissue sections. It supports tumor classification, identification of lineage, assessment of predictive biomarkers, and detection of infectious or immune-mediated processes.

**Synonyms:**

### **Immunological Memory**

The ability of the adaptive immune system to mount a faster, larger, and more effective response upon re-exposure to an antigen, conferred by long-lived memory B cells and memory T cells generated during the primary response.

**Synonyms:**

### **Immunomodulators in Dermatology**

Topical immunomodulators treat inflammatory skin diseases without corticosteroid side effects. Pimecrolimus 1 percent cream and tacrolimus 0.03 and 0.1 percent ointments are calcineurin inhibitors used for atopic dermatitis, facial eczema, and intertriginous areas. They are steroid-sparing agents.

**Synonyms:**

### **Immunophenotyping**

Identification and characterization of cells according



---

to their surface, cytoplasmic, or nuclear antigens, usually by flow cytometry or immunohistochemistry. It is used to classify leukemias, lymphomas, immune-cell subsets, and some immunodeficiency disorders.

**Synonyms:**

### **Immunosenescence**

Age-related changes in innate and adaptive immunity that alter infection susceptibility, vaccine responses, inflammation, and cancer surveillance. It is influenced by chronic disease, nutrition, medications, and functional status.

**Synonyms:**

### **Immunosuppressant**

A drug that reduces immune system activity, used to prevent organ transplant rejection and to treat autoimmune and inflammatory diseases.

**Synonyms:**

### **Immunosuppression in Transplant**

Medications to prevent rejection. Induction with thymoglobulin or basiliximab. Maintenance with tacrolimus, mycophenolate, and prednisone. Monitor drug levels and renal function. Calcineurin inhibitor nephrotoxicity is major concern requiring dose optimization.

**Synonyms:**

### **Immunosuppression Screening**

Pre-treatment evaluation for latent or active infection, vaccination status, malignancy risk, and organ dysfunction before immunosuppressive therapy. Testing commonly includes tuberculosis, hepatitis B and C, HIV, blood counts, liver and kidney function, and pregnancy when relevant.

**Synonyms:**

### **Immunosuppressive Drug**

A drug that suppresses immune responses, used for organ transplantation, graft-versus-host disease, and autoimmune/inflammatory diseases.

**Synonyms:**

### **Immunotherapy**

Treatment using immune system to fight cancer. Types: checkpoint inhibitors (PD-1, PD-L1, CTLA-4), CAR T-cell therapy, cytokines, cancer vaccines. Examples: pembrolizumab, nivolumab, ipilimumab, axicabtagene ciloleucel.

**Synonyms:**

### **Immunotherapy and Biologic Treatments**

Advanced therapies that harness or modify the immune system to treat diseases, particularly cancer, autoimmune disorders, and inflammatory conditions. Biologics are large-molecule drugs derived from living organisms that target specific immune pathways, such as TNF inhibitors, monoclonal antibodies, and checkpoint inhibitors.

**Synonyms:**

### **Immunotherapy in Dermatology**

Cancer immunotherapy uses medicines that alter immune activity against skin cancers. Checkpoint inhibitors target pathways such as PD-1, PD-L1, or CTLA-4. Their use depends on the tumor type, stage, prior treatment, and the patient's health.

**Synonyms:**

### **Immunotoxicity**

Immune system damage from chemicals. Effects: immunosuppression, hypersensitivity, autoimmunity. Examples: benzene, chemotherapy, biologics.

**Synonyms:**

### **Impacted Tooth**

Tooth unable to erupt into functional position. Most common: mandibular third molars, maxillary canines. May cause pathology: cyst, root resorption, caries. Treatment: monitoring or extraction.

**Synonyms:**

### **Impedance Hearing Testing**

A group of tests, including tympanometry, that measure the movement of the eardrum and middle-ear function.

**Synonyms:**

---

### **Impella Device**

Percutaneous microaxial left ventricular assist device that actively pumps blood from the LV into the aorta, reducing LV workload and increasing cardiac output. Types: Impella 2.5 (up to 2.5 L/min), Impella CP (up to 3.7 L/min), Impella 5.0 (up to 5 L/min, surgically placed).

**Synonyms:**

### **Imperforate Anus**

A congenital anomaly where the anus is completely absent or fails to open at the perineum. Classified as low (distal to the levator ani complex) or high (proximal to the levator ani). Often associated with other anomalies including vertebral, anal, cardiac, tracheoesophageal, renal, and limb defects.

**Synonyms:**

### **Imperforate Hymen**

A congenital obstruction of the vaginal opening by an intact hymen without a normal central opening. After puberty it may cause absent menstruation, cyclic pelvic pain, urinary retention, or a pelvic mass from retained menstrual blood.

**Synonyms:**

### **Impetigo**

Impetigo is a superficial contagious bacterial skin infection producing fragile blisters or honey-colored crusts, commonly caused by *Staphylococcus aureus* or *Streptococcus pyogenes*, affecting children.

**Synonyms:**

### **Implant (Dental)**

A biocompatible fixture placed in the jawbone to support a dental prosthesis. It may be used for one missing tooth or to support a partial or complete denture; complications include infection, bone loss, and mechanical failure.

**Synonyms:** Dental

### **Implant Failure**

Loss of an implant's intended structural, biologic, or functional performance. Causes include infection, fracture, loosening, wear, malposition, thrombosis,

material degradation, and patient or tissue factors.

**Synonyms:**

### **Implant Sterilization**

Validated processing that removes or inactivates all viable microorganisms, including bacterial spores, from an implant. Methods include moist heat, ethylene oxide, radiation, and low-temperature plasma according to material and device requirements.

**Synonyms:**

### **Implant-Associated Infection**

Infection involving an implanted medical device or the tissue surrounding it. Microbial adherence and biofilm formation can impair antimicrobial penetration and often require device-directed therapy, source control, or removal.

**Synonyms:**

### **Implant-Supported Prosthesis**

A fixed or removable dental prosthesis that is supported or retained by one or more dental implants.

**Synonyms:**

### **Implantable Cardioverter Defibrillator**

An implanted device that detects dangerous ventricular rhythms and treats them with antitachycardia pacing or an electrical shock.

**Synonyms:**

### **Implantable Cardioverter-Defibrillator**

An implanted device that monitors heart rhythm and delivers electrical therapy (antitachycardia pacing or defibrillation) for life-threatening ventricular arrhythmias.

**Synonyms:**

### **Implantable Loop Recorder**

Subcutaneous device providing continuous ECG monitoring for up to 3 years. Used for evaluation of unexplained syncope, recurrent palpitations, cryptogenic stroke, and occult atrial fibrillation detection. Small size (coin-sized), inserted under local anesthesia in the chest.

**Synonyms:**

---

### **Implantable Port**

A subcutaneously placed vascular-access device consisting of a reservoir connected to a catheter, used for repeated administration of medication, fluids, blood products, or parenteral nutrition. It requires sterile access and may be complicated by infection, thrombosis, occlusion, or mechanical failure.

**Synonyms:**

### **Implantation**

The embedding of the blastocyst into the endometrium, occurring approximately 6-10 days after ovulation. The blastocyst hatches from the zona pellucida, and the trophoblast invades the decidua. Implantation triggers hCG production, which maintains the corpus luteum. Failure of implantation is a common cause of early pregnancy loss.

**Synonyms:**

### **Impression**

Summary of key findings and recommendations in radiology report.

**Synonyms:**

### **Imprinting**

A pattern of gene expression determined by whether a gene copy was inherited from the mother or father.

**Synonyms:**

### **Impulse Oscillometry**

A pulmonary function testing technique that measures respiratory impedance by applying small pressure oscillations during tidal breathing. It assesses large airway resistance (R5), small airway resistance (R5-R20), and reactance.

**Synonyms:**

### **In Situ Carcinoma**

Abnormal malignant cells confined to the tissue layer in which they arose and not yet invading through the basement membrane.

**Synonyms:**

### **In Vitro Fertilisation**

An assisted reproductive technology in which eggs

are retrieved from the ovaries, fertilized with sperm in a laboratory, and resulting embryos are transferred to the uterus.

**Synonyms:**

### **Inactivated Polio Vaccine**

Salk vaccine, a formalin-inactivated preparation containing all three poliovirus serotypes (1, 2, and 3), administered by intramuscular injection. The only polio vaccine used in the United States since 2000, and the recommended vaccine for immunocompromised individuals and pregnant women worldwide.

**Synonyms:**

### **Inborn Error of Metabolism**

An inherited disorder caused by a defect in a metabolic pathway, often resulting in accumulation of harmful substances or deficiency of essential products.

**Synonyms:**

### **Incentive Spirometry**

A device that provides visual feedback while a person inhales slowly and deeply. It may be used with coughing, mobilization, and other measures to support lung expansion after illness or surgery.

**Synonyms:**

### **Incidence**

Incidence concerns incidence; its medical significance is established from the defining features, setting, associated findings, and clinical question. Measures risk of developing disease. Incidence rate = new cases / population at risk x time unit.

**Synonyms:**

### **Incidental Finding**

An unexpected observation discovered during an examination performed for another reason. Its importance depends on the finding and the clinical context.

**Synonyms:**

### **Incidentaloma**

Incidental imaging finding of uncertain significance.

---

May require further evaluation.

**Synonyms:**

### **Incised Wound**

Clean-cut wound produced by a sharp-edged instrument (scalpel, knife, glass) that is longer on the skin surface than it is deep, featuring clean edges without tissue bridging or marginal abrasion.

**Synonyms:**

### **Incisional Biopsy**

Surgical removal of part of lesion. Diagnosis before definitive treatment.

**Synonyms:**

### **Incisional Hernia**

A hernia through a weakness in a previous surgical incision. It may appear as a bulge that becomes more prominent with standing or straining. Risk factors include wound infection, obesity, smoking, poor nutrition, chronic cough, and repeated surgery.

**Synonyms:**

### **Inclusion Body Myositis**

A slowly progressive inflammatory and degenerative muscle disease, usually causing asymmetric weakness of the finger flexors and quadriceps. Muscle biopsy may show endomysial inflammation and rimmed vacuoles. Response to immunotherapy is often limited.

**Synonyms:**

### **Inclusion-Cell (I-Cell) Disease**

A rare inherited lysosomal-storage disorder caused by impaired tagging and trafficking of lysosomal enzymes, leading to their secretion outside cells. It causes severe developmental delay, skeletal abnormalities, coarse facial features, and progressive multisystem disease. Management is supportive and coordinated by specialists.

**Synonyms:** I-Cell

### **Incontinence**

The involuntary loss of control over urination (urinary incontinence) or defecation (fecal inconti-

nence).

**Synonyms:**

### **Incontinence (Fecal)**

Involuntary fecal leakage. Causes: diarrhea, constipation with overflow, sphincter damage, neurological disease, medications. Assessment: history, examination, anorectal manometry. Treatment: bowel regimen, sphincter exercises, biofeedback, surgery if indicated.

**Synonyms:** Fecal

### **Incontinence (Urinary)**

Involuntary urine leakage. Types: stress (cough/sneeze), urge (overactive bladder), overflow (retention), functional (immobility/cognition), mixed. Assessment: history, bladder diary, urinalysis, post-void residual.

**Synonyms:** Urinary

### **Incontinentia Pigmenti**

An X-linked dominant disorder affecting skin, teeth, eyes, and the nervous system, caused by pathogenic variants in IKBKG. Skin lesions evolve through vesicular, verrucous, hyperpigmented, and atrophic stages and may be associated with retinal disease or seizures.

**Synonyms:**

### **Increased Intracranial Pressure**

Abnormally elevated pressure within the skull caused by brain swelling, hemorrhage, mass lesion, impaired cerebrospinal-fluid circulation, or venous obstruction. It can cause headache, vomiting, visual disturbance, reduced consciousness, and brain herniation.

**Synonyms:**

### **Increased Vascular Permeability**

A fundamental feature of acute inflammation that allows plasma proteins, fluid, and leukocytes to exit the vascular space and enter the extravascular tissue.

**Synonyms:**

---

### **Incubation period**

The time between when a person is exposed to an infection and when symptoms appear.

**Synonyms:**

### **Incubator**

A controlled-environment chamber culturing microorganisms, cells, or tissues at defined temperature, humidity, and atmospheric composition.

**Synonyms:**

### **Incus**

The incus, commonly known as the anvil, is the middle ossicle of the three bones in the middle ear, articulating with the malleus at the incudomalleolar joint and with the stapes at the incudostapedial joint.

**Synonyms:**

### **Independence**

The ability to perform activities and make decisions without assistance, although a person may still use devices, adaptations, or occasional support.

**Synonyms:**

### **India Immunization Schedule**

The Universal Immunization Schedule (UIP) of the Government of India, providing free vaccines to all children, adolescents, and pregnant women through the public health system.

**Synonyms:**

### **Indication**

A clinical condition, symptom, or question that provides the reason for performing a test, procedure, or treatment.

**Synonyms:**

### **Indigestion**

Indigestion concerns indigestion; its medical significance is established from the defining features, setting, associated findings, and clinical question. postprandial fullness, bloating, or nausea. It may result from functional dyspepsia, gastroesophageal reflux, peptic ulcer disease, medications, or other

gastrointestinal disorders.

**Synonyms:**

### **Indirect Antiglobulin Test**

A test that detects free, clinically significant antibodies in a patient's serum or plasma by incubating it with reagent erythrocytes. It is used for antibody screening, compatibility testing, and prenatal red-cell antibody evaluation.

**Synonyms:**

### **Indirect Calorimetry**

Measurement of oxygen consumption and carbon-dioxide production to estimate resting energy expenditure. It is the preferred method for determining energy needs when prediction equations are unreliable, particularly in critically ill or metabolically complex patients.

**Synonyms:**

### **Indirect Veneer**

Ceramic restoration fabricated in lab. Porcelain or composite. Aesthetic enhancement.

**Synonyms:**

### **Indium-111**

SPECT radionuclide, half-life 2.8 days. Used in WBC labeling, octreotide scanning. Emits gamma rays at 171 and 245 keV.

**Synonyms:**

### **Indium-111 Scan**

Nuclear medicine imaging using In-111. Used for WBC labeling, octreotide scanning.

**Synonyms:**

### **Indoor Allergens**

Substances inside buildings that can trigger allergic or asthma symptoms, including dust mites, mold, cockroach particles, and animal dander. Exposure may cause rhinitis, conjunctivitis, wheezing, or eczema. Reduction of exposure and appropriate allergy or asthma treatment depend on the identified trigger.

**Synonyms:**

---

### Induced Sputum Analysis

A method of assessing airway inflammation by examining sputum produced after inhaled saline stimulation. The types and proportions of inflammatory cells may support assessment of asthma, infection, COPD, or bronchiectasis.

**Synonyms:**

### Induction of Labor

The artificial initiation of uterine contractions before the onset of spontaneous labor.

**Synonyms:**

### Induction Therapy

Intensive initial treatment aimed at achieving remission, especially in acute leukemias.

**Synonyms:**

### Infant Botulism

A neuromuscular illness caused by intestinal colonization with *Clostridium botulinum* and production of botulinum neurotoxin in infants. It causes constipation, poor feeding, weak cry, hypotonia, facial weakness, and descending paralysis.

**Synonyms:**

### Infant Feeding

Provision of breast milk, appropriately prepared formula, or both to meet an infant's energy, protein, fluid, and micronutrient requirements. Feeding recommendations depend on age, growth, medical conditions, developmental readiness, and safe preparation practices.

**Synonyms:**

### Infant harlequin syndrome

A transient, benign cutaneous vascular phenomenon in neonates characterized by asymmetric flushing of one half of the body with sharp midline demarcation, caused by transient asymmetric sympathetic tone. The affected side is red and warm while the contralateral side is pale.

**Synonyms:**

### Infant Sleep Position

Placing an infant on the back for every sleep is recommended to reduce the risk of sleep-related death. Infants should sleep on a firm, separate surface without pillows, loose bedding, bumpers, or stuffed toys.

**Synonyms:**

### Infanticide

The killing of a child, in law typically defined as the killing of a newborn or infant (usually within the first year, or specifically within 24 hours of birth in some jurisdictions) by its mother while mentally disturbed by the effects of childbirth or lactation.

**Synonyms:**

### Infantile Colic

A behavioral syndrome in healthy infants characterized by episodes of excessive, inconsolable crying for >3 hours per day, >3 days per week, for >3 weeks (Wessel criteria). Onset typically at 2-3 weeks, peaks at 6-8 weeks, and resolves by 3-4 months of age.

**Synonyms:**

### Infantile hepatic hemangiomas

Benign vascular tumors of the liver occurring in infants, typically presenting within the first six months of life with hepatomegaly, high-output cardiac failure, consumptive hypothyroidism, or cutaneous hemangiomas. Large tumors may cause abdominal compartment syndrome and thrombocytopenia from Kasabach-Merritt phenomenon.

**Synonyms:**

### Infarction

Tissue death from prolonged ischemia. Examples: myocardial infarction, cerebral infarction.

**Synonyms:**

### Infection

Measures to prevent healthcare-associated infections: hand hygiene, personal protective equipment (PPE), isolation precautions (contact, droplet, airborne), sterilization, disinfection. See infection control.



---

**Synonyms:**

### **Infection (Geriatric)**

Infectious diseases in elderly often present atypically: fever may be absent, confusion may be sole symptom. Common infections: UTI, pneumonia, skin/soft tissue, bloodstream. Prevention: vaccination, hand hygiene, aspiration precautions. Treatment: earlier presentation, broader differential, drug interactions, renal dosing.

**Synonyms:** Geriatric

### **Infection Control**

Measures to prevent healthcare-associated infections: hand hygiene, personal protective equipment (PPE), isolation precautions (contact, droplet, airborne), sterilization, disinfection. Multidrug-resistant organisms: MRSA, VRE, *C. difficile*, carbapenem-resistant Enterobacteriaceae.

**Synonyms:**

### **Infection Imaging**

WBC scanning, gallium scanning, FDG PET. Detection of occult infection.

**Synonyms:**

### **Infection Prevention**

Measures that reduce the risk of infection, including hand hygiene, personal protective equipment, environmental cleaning, sterilization, disinfection, vaccination, and appropriate isolation precautions.

**Synonyms:**

### **Infections in Pregnancy**

Listeriosis: *Listeria monocytogenes* (deli meats, soft cheese), meningoenzephalitis, fetal loss, neonatal sepsis. Ampicillin + gentamicin. GBS: vaginal colonization 20-30 percent of pregnant women; universal screening at 35-37 weeks; intrapartum prophylaxis (penicillin G) for GBS-positive women to prevent early-onset neonatal disease.

**Synonyms:**

### **Infectious Arthritis**

Inflammation of a joint caused by infection, usually

bacterial and sometimes viral or fungal. Acute pain, swelling, warmth, fever, and restricted movement require urgent evaluation because joint damage can develop quickly.

**Synonyms:**

### **Infectious Disease**

Disease caused by pathogen. Examples: bacterial, viral, fungal, parasitic.

**Synonyms:**

### **Infectious Dose**

The number of viable organisms required to establish infection in a host under specified conditions. The dose depends on the pathogen, route of exposure, host defenses, and organism viability.

**Synonyms:**

### **Infectious Esophagitis**

Inflammation of the esophagus caused by an infectious organism, most often *Candida*, herpes simplex virus, or cytomegalovirus in immunocompromised patients. It commonly causes painful swallowing, difficulty swallowing, and retrosternal pain.

**Synonyms:**

### **Infectious Meningitis**

Infection and inflammation of the membranes surrounding the brain and spinal cord. Bacterial meningitis is a medical emergency; headache, fever, neck stiffness, vomiting, confusion, or a new rash requires immediate medical attention.

**Synonyms:**

### **Infectious Myringitis**

Inflammation and infection of the tympanic membrane, often associated with viral or bacterial respiratory infection. It can cause severe ear pain, fever, hearing reduction, and small fluid-filled blisters on the eardrum.

**Synonyms:**

### **Infective Endocarditis**

Infection of the endocardial surface of the heart, most commonly affecting the heart valves. It is

---

diagnosed using the Duke criteria, which include major criteria (positive blood cultures, echocardiographic evidence of vegetations) and minor criteria (predisposing heart condition, fever, vascular phenomena, immunologic phenomena).

**Synonyms:**

### Inferior

Positioned lower or closer to the feet.

**Synonyms:**

### Inferior Alveolar Nerve Block

A regional anesthetic injection near the mandibular foramen to anesthetize the inferior alveolar nerve before it enters the mandibular canal. It usually anesthetizes mandibular teeth on that side; the lingual nerve is often anesthetized incidentally.

**Synonyms:**

### Inferior hemifield loss

Loss of vision in the lower half of the visual field in one or both eyes, which localises to lesions of the superior retina or superior optic radiations passing through the parietal lobe. Causes include superior retinal detachment, branch retinal artery occlusion, and parietal lobe stroke.

**Synonyms:**

### Inferior Mesenteric Artery

Third major abdominal aortic branch at L3, the hindgut artery. Supplies distal transverse colon through rectum. Branches: left colic, sigmoid, superior rectal. The marginal artery of Drummond provides SMA-IMA collateral circulation. Occlusion may cause ischemic colitis at the splenic flexure watershed (Griffiths' point).

**Synonyms:**

### Inferior Vena Cava

Body's largest vein, formed by common iliac vein union at L5, returning lower body deoxygenated blood to the right atrium. Ascends right of the aorta, pierces the diaphragm at T8, enters the pericardium. Receives hepatic, renal, gonadal, and lumbar veins. IVC thrombosis/compression causes bilateral lower

extremity edema and DVT.

**Synonyms:**

### Infertility

Infertility is failure to achieve pregnancy after a defined period of regular unprotected intercourse, reflecting factors involving ovulation, sperm, reproductive anatomy, age, or unexplained causes. to conceive or carry a pregnancy. Causes may involve ovulation, reproductive anatomy, sperm, age-related fertility, medical conditions, or unexplained factors.

**Synonyms:**

### Infiltrate

Patchy lung opacity detected on imaging. Non-specific, may represent infection, edema, hemorrhage, inflammation.

**Synonyms:**

### Inflammaging

Persistent, low-grade, age-associated inflammatory activity linked to cellular senescence, immune dysregulation, chronic infection, tissue injury, and comorbidity. It contributes to frailty, atherosclerosis, sarcopenia, and neurodegenerative disease.

**Synonyms:**

### Inflammasomes

Multiprotein complexes activating caspase-1 -> cleavage of pro-IL-1 $\beta$ /pro-IL-18 -> mature IL-1 $\beta$ /IL-18 + pyroptosis (gasdermin D pores). Canonical: NLRP3 (crystals, ATP, K<sup>+</sup> efflux, ROS, lysosomal rupture), NLRC4 (flagellin, T3SS), AIM2 (cytosolic DNA), Pyrin (RhoA inactivation).

**Synonyms:**

### Inflammation

The body's protective response to injury or infection. Cardinal signs: redness (rubor), heat (calor), swelling (tumor), pain (dolor), loss of function (functio laesa). Mediators: histamine, prostaglandins, cytokines, complement. Acute: neutrophil-predominant. Chronic: lymphocyte/macrophage-predominant.

**Synonyms:**

---

### **Inflammation (Dietary)**

Chronic low-grade inflammation linked to diet. Western diet pro-inflammatory (saturated fat, sugar, refined grains). Mediterranean diet anti-inflammatory.

**Synonyms:** Dietary

### **Inflammation Imaging**

FDG PET sensitive for inflammatory processes. Differentiate infection from malignancy challenging.

**Synonyms:**

### **Inflammatory Back Pain**

A pattern of chronic back pain characterized by insidious onset, improvement with exercise, lack of improvement with rest, nocturnal pain, and prolonged morning stiffness. It suggests axial spondyloarthritis but is not diagnostic without supportive clinical, laboratory, and imaging findings.

**Synonyms:**

### **Inflammatory Bowel Disease**

Chronic relapsing inflammatory conditions of the gastrointestinal tract encompassing Crohn disease and ulcerative colitis, resulting from a dysregulated immune response in genetically susceptible individuals triggered by environmental factors and alterations in the gut microbiome.

**Synonyms:**

### **Inflammatory Bowel Disease Diet**

Crohn disease, ulcerative colitis. Nutritional support during flares. Exclusive enteral nutrition for Crohn induction. Individual triggers vary.

**Synonyms:**

### **Inflammatory Myopathies**

A group of autoimmune disorders characterized by chronic muscle inflammation and progressive proximal muscle weakness. The three main types are dermatomyositis, polymyositis, and inclusion body myositis.

**Synonyms:**

### **Influenza**

A contagious respiratory illness caused by influenza A or B viruses, characterized by sudden onset of fever, myalgia, headache, malaise, nonproductive cough, sore throat, and nasal congestion. Seasonal epidemics occur annually. Complications: pneumonia (primary viral or secondary bacterial), exacerbation of underlying conditions.

**Synonyms:**

### **Influenza Test**

A test for influenza A or B using a respiratory specimen. Rapid antigen tests provide quick results but may miss infection. Molecular tests are generally more sensitive and may identify or subtype influenza viruses; results must be interpreted with symptoms, timing, and local laboratory methods.

**Synonyms:**

### **Influenza Vaccination in Pregnancy**

Annual inactivated influenza vaccine recommended for all pregnant women. Pregnancy increases the risk of severe influenza (pneumonia, ICU admission, death) due to changes in immune function and cardiopulmonary physiology.

**Synonyms:**

### **Influenza Vaccine**

Inactivated influenza vaccine given annually starting at 6 months of age. Two doses needed in the first season for children under 9. Live attenuated nasal spray vaccine (FluMist) available for children over 2. Updated annually to match circulating strains. Reduces influenza complications, hospitalizations, and deaths.

**Synonyms:**

### **Influenza virus**

A segmented, negative-sense RNA virus belonging to the Orthomyxoviridae family. Influenza causes seasonal epidemics and occasional pandemics of respiratory illness. The virus has two surface glycoproteins: hemagglutinin (HA), which mediates attachment, and neuraminidase (NA), which facilitates release.

---

**Synonyms:**

### **Informed Consent**

Autonomous voluntary authorization given by a competent patient to undergo a specific medical intervention, procedure, or clinical trial.

**Synonyms:**

### **Informed Consent (Geriatric)**

Process of obtaining voluntary authorization from elderly patient with decision-making capacity. Capacity assessment: understanding, appreciation, reasoning, communication of choice. Impaired capacity may require surrogate decision-maker.

**Synonyms:** Geriatric

### **Infusion Pump**

Device controlling IV fluid delivery rate. Types: syringe pump, volumetric pump, elastomer. Precision: mL/hour. Alarms: occlusion, air embolism, completion.

**Synonyms:**

### **Ingestion**

The act of taking a substance into the digestive tract by swallowing. Ingestion of a toxic substance can cause poisoning.

**Synonyms:**

### **Ingrown Toenail**

Ingrown toenail (onychocryptosis) occurs when the nail edge grows into the surrounding skin, causing pain, redness, and swelling. It is common in adolescents and adults, exacerbated by improper nail trimming, tight shoes, and trauma. Treatment includes partial nail avulsion with matrixectomy (phenol application) for recurrent cases.

**Synonyms:**

### **Inguinal Canal**

An oblique passage (4 cm) through the anterior abdominal wall, from the deep (internal) inguinal ring to the superficial (external) inguinal ring, transmitting the spermatic cord in males and round ligament in females, plus ilioinguinal and genital branch of

genitofemoral nerves.

**Synonyms:**

### **Inguinal Hernia**

Protrusion of abdominal contents through the inguinal canal. Indirect (lateral to inferior epigastric vessels, through deep inguinal ring): congenital, patent processus vaginalis; most common overall (60-70%), male predominance.

**Synonyms:**

### **Inguinal Region**

Area at the thigh-trunk junction traversed by the inguinal ligament (ASIS to pubic tubercle). Clinically significant for inguinal hernias: indirect (through deep inguinal ring, most common) and direct (through Hesselbach's triangle).

**Synonyms:**

### **Inhalation Injury**

Thermal or chemical injury to the airway or lungs caused by smoke, heated gases, or toxic combustion products. It can produce upper-airway edema, bronchospasm, impaired mucociliary clearance, and carbon-monoxide or cyanide toxicity and may worsen after the initial burn.

**Synonyms:**

### **Inhalational Anesthesia**

Anesthetic maintenance or induction using volatile liquids or gases delivered through the respiratory tract. Depth is influenced by inspired concentration, alveolar ventilation, uptake, distribution, and the agent's blood-gas solubility.

**Synonyms:**

### **Inhaled Corticosteroids**

Anti-inflammatory medications delivered directly to the airways, reducing airway inflammation, mucus production, and bronchial hyperresponsiveness. Examples include fluticasone, budesonide, beclomethasone, and mometasone. They are the cornerstone of asthma maintenance therapy. Side effects include oral candidiasis and dysphonia.

**Synonyms:**

---

## Inhaled Nitric Oxide

A selective pulmonary vasodilator used in acute settings (acute respiratory failure, right heart failure, post-cardiac surgery). It reduces pulmonary vascular resistance and improves oxygenation by dilating well-ventilated pulmonary vessels (improving V/Q matching). It has a short half-life and requires continuous delivery.

**Synonyms:**

## Inhaler

Device for administering aerosolized medication. Types: MDI (metered-dose), DPI (dry powder).

**Synonyms:**

## Iniiencephaly

A rare, usually lethal neural-tube defect characterized by occipital bone defect, severe retroflexion of the head, and marked shortening or distortion of the cervical and thoracic spine. It is often identified prenatally and may occur with other congenital anomalies.

**Synonyms:**

## Injury Classification (Abrasion, Laceration, Contusion, Incised Wounds)

Forensic categorization of mechanical wounds. Abrasion: superficial friction injury affecting only the epidermis (e.g., scrape, graze, pattern abrasion).

**Synonyms:** Abrasion, Laceration, Contusion, Incised Wounds

## Injury Dating

Estimation of the age of an injury using clinical appearance, histopathology, imaging, and the history of symptoms. Exact dating is often uncertain, particularly for bruises and soft-tissue injuries, and findings should be reported with appropriate limitations.

**Synonyms:**

## Innate immune evasion

Mechanisms by which pathogens evade the innate immune system. Strategies include capsules that prevent phagocytosis, biofilms that protect against

immune cells, and intracellular survival within macrophages. Some bacteria produce enzymes that degrade complement components. Others modify their surface molecules to avoid recognition.

**Synonyms:**

## Innate Immunity

First line of defense against pathogens, present from birth. Rapid (minutes to hours), germline-encoded, lacks immunological memory.

**Synonyms:**

## Innate Lymphoid Cells

ILCs: lymphoid lineage, no rearranged antigen receptors, mirror Th subsets. ILC1 (T-bet, IFN-gamma): intracellular pathogens, IBD. ILC2 (GATA3, IL-5/13): helminths, allergy, asthma, tissue repair. ILC3 (ROR-gamma, IL-17/22): extracellular bacteria/fungi, lymphoid organogenesis.

**Synonyms:**

## Inner ear

The deepest part of the ear, consisting of the cochlea and the labyrinth.

**Synonyms:**

## Inoculation

The introduction of microorganisms or clinical material into a culture medium, host, or sterile site to initiate growth, infection, or immune response.

**Synonyms:**

## Inotrope

A drug that increases myocardial contractility (positive inotropy), used for cardiogenic shock, decompensated heart failure, and perioperative low-output states. Agents: dobutamine (beta-1 agonist), milrinone (PDE3 inhibitor), dopamine, epinephrine, norepinephrine (also vasopressors), and digoxin (chronic).

**Synonyms:**

## Inotropes in Anesthesia

Inotropes increase myocardial contractility. Dobutamine is a beta-1 and beta-2 agonist increasing

---

cardiac output with minimal effect on heart rate. Dose: 2 to 20 mcg/kg/min infusion. Milrinone is a phosphodiesterase-3 inhibitor increasing contractility and causing vasodilation.

**Synonyms:**

### Inpatient Rehabilitation

Intensive inpatient rehabilitation (3+ hours therapy/day) for acute conditions: stroke, spinal cord injury, traumatic brain injury, major trauma. See acute rehabilitation.

**Synonyms:**

### INR

International normalized ratio: a standardized measure of the prothrombin time (PT), calculated as  $(\text{patient PT} / \text{mean normal PT})^{\text{ISI}}$ , to ensure consistent monitoring of vitamin K antagonist (warfarin) therapy across laboratories. Target INR: 2-3 for most indications (AF, VTE); 2.5-3.5 for mechanical heart valves.

**Synonyms:**

### Insect bite

A cutaneous reaction resulting from the injection of salivary contents from an insect during feeding, causing a localized or systemic hypersensitivity response. Common presentations include a pruritic papule or wheal with surrounding erythema. Severe reactions may include anaphylaxis, particularly with Hymenoptera stings.

**Synonyms:**

### Insect Sting Allergies

Immune reactions to venom from insects such as bees, wasps, hornets, and fire ants. Reactions may be local or systemic; generalized hives, breathing difficulty, dizziness, vomiting, or throat swelling may indicate anaphylaxis and require emergency treatment.

**Synonyms:**

### Insomnia

Insomnia is persistent difficulty initiating or maintaining sleep, or early awakening, with daytime

impairment despite adequate opportunity and circumstances for sleep. too early despite adequate opportunity for sleep, with resulting daytime impairment. It may be acute or chronic and is often triggered by stress, anxiety, depression, or poor sleep habits.

**Synonyms:**

### Insomnia Disorder

Difficulty initiating or maintaining sleep, or early-morning awakening with inability to return to sleep, at least three nights per week for at least three months. The individual experiences clinically significant distress or impairment in functioning.

**Synonyms:**

### Inspection

Inspection examines inspection; interpretation depends on the specimen or body region, test method, reference range, and clinical question. the patient's overall appearance, posture, body habitus, gait, skin color, nutritional status, respiratory effort, and specific anatomical regions. Requires adequate lighting and proper patient exposure.

**Synonyms:**

### Inspiratory Crackles

Fine, discontinuous sounds heard during inspiration, caused by the sudden opening of collapsed airways. They are a hallmark of interstitial lung disease (bibasilar, Velcro-like crackles) and pulmonary fibrosis. They are also heard in pneumonia, atelectasis, and heart failure.

**Synonyms:**

### Instrument Sterilization

A validated process that destroys all forms of microbial life, including bacterial spores, on or within a medical instrument. Common methods include steam under pressure, ethylene oxide, hydrogen-peroxide plasma, and dry heat, selected according to device material and design.

**Synonyms:**



---

## **Instrumental Activities of Daily Living**

More complex activities required for independent community living, including medication management, shopping, cooking, finances, communication, transportation, and household tasks.

**Synonyms:**

## **Instrumental ADL**

A complex activity needed for independent community living, such as shopping, cooking, managing medicines or finances, and using transportation.

**Synonyms:**

## **Insufficient Cervix**

Painless cervical shortening and dilation during the second trimester, also called cervical insufficiency. It can cause recurrent mid-trimester pregnancy loss or spontaneous preterm birth without regular uterine contractions.

**Synonyms:** cervical insufficiency.

## **Insulin Aspart**

A rapid-acting insulin analog (modified amino acid sequence) with onset 10-20 minutes, peak 1-3 hours, duration 3-5 hours. Used to cover prandial glucose (injected at or just after meals) in type 1 and type 2 diabetes; also used in continuous subcutaneous insulin infusion (pump) and IV in acute settings.

**Synonyms:**

## **Insulin Autoantibodies**

Autoantibodies directed against insulin or other pancreatic beta-cell antigens, including GAD, IA-2, and ZnT8 antibodies. Their presence supports autoimmune type 1 diabetes but a negative panel does not exclude it.

**Synonyms:**

## **Insulin Glargine**

A long-acting basal insulin analog with a flat, peakless profile providing near-24-hour coverage, administered once daily (or twice in some patients). Formed by modification of human insulin producing slow, steady absorption from the injection depot. Used for type 1 and type 2 diabetes (basal compo-

nent).

**Synonyms:**

## **Insulin Injection Technique**

Insulin is injected into subcutaneous tissue using the prescribed device, dose, and site. Common sites include the abdomen, thighs, buttocks, and upper arms; rotating sites helps reduce lipohypertrophy and variable absorption. Technique should be individualized to the person and device.

**Synonyms:**

## **Insulin lipohypertrophy**

Thickened fatty tissue at repeated insulin-injection sites. Injecting into these areas can make insulin absorption unpredictable.

**Synonyms:**

## **Insulin Pen Devices**

Pre-filled or reusable insulin pen devices providing convenient and accurate insulin delivery. Benefits include portability precision dosing discrete injection and reduced needle phobia.

**Synonyms:**

## **Insulin Preparations**

Hormone synthesized by pancreatic beta cells that regulates glucose homeostasis by promoting glucose uptake in skeletal muscle and adipose tissue, suppressing hepatic glucose production, and inhibiting lipolysis.

**Synonyms:**

## **Insulin Pump Therapy**

Continuous subcutaneous insulin infusion delivering rapid-acting insulin analog through a catheter placed subcutaneously typically in the abdomen. Provides basal insulin at programmed rates and bolus doses at mealtimes.

**Synonyms:**

## **Insulin Resistance**

Diminished biological response to physiological insulin concentrations resulting in impaired glucose disposal in peripheral tissues and failure to suppress

---

hepatic glucose production. Pathophysiological hallmark of type two diabetes and metabolic syndrome.

**Synonyms:**

### **Insulin Resistance Syndromes**

Rare inherited severe insulin resistance syndromes include Donohue syndrome also known as leprechaunism, Rabson-Mendenhall syndrome, and type A insulin resistance syndrome caused by mutations in the insulin receptor gene. Donohue syndrome is the most severe with death in infancy.

**Synonyms:**

### **Insulin Secretion**

Release of insulin from pancreatic beta cells in response primarily to increased plasma glucose, with amplification by incretin hormones and nutrients. Insulin promotes glucose uptake, glycogen synthesis, lipogenesis, and protein synthesis while suppressing hepatic glucose production.

**Synonyms:**

### **Insulin Signaling**

The cellular process initiated when insulin binds its receptor and activates pathways that regulate glucose uptake, glycogen formation, protein synthesis, and fat metabolism.

**Synonyms:**

### **Insulin-induced lipohypertrophy**

A common complication of subcutaneous insulin therapy characterized by localized accumulation of adipose tissue at injection sites, caused by the lipogenic effect of insulin on subcutaneous fat. It presents as firm, rubbery, non-tender subcutaneous nodules that can cause unpredictable insulin absorption and glycemic variability.

**Synonyms:**

### **Insulin-like Growth Factor**

IGF-1 promotes growth. Produced in liver in response to GH.

**Synonyms:**

### **Insulinoma**

Insulinoma concerns insulinoma; its medical significance is established from the defining features, setting, associated findings, and clinical question. It causes episodes of fasting or exertional hypoglycaemia with autonomic and neuroglycopenic symptoms that improve when blood glucose is raised.

**Synonyms:**

### **Integrative Rehabilitation**

Combination of conventional and complementary therapies: acupuncture, massage, yoga, meditation.

**Synonyms:**

### **Integrans**

Genetic elements that capture and express gene cassettes through site-specific recombination. Integrans contain an integrase gene and a recombination site for gene cassette insertion. They are important vehicles for the spread of antibiotic resistance genes, particularly in gram-negative bacteria.

**Synonyms:**

### **Integumentary System**

The body system comprising the skin and its appendages: hair, nails, sweat glands, and sebaceous glands. It forms a protective barrier, limits fluid loss, contributes to thermoregulation and sensation, supports immune defence, and participates in vitamin D synthesis.

**Synonyms:**

### **Intellectual Disability**

Neurodevelopmental disorder with onset in the developmental period, characterised by deficits in intellectual and adaptive functioning across conceptual, social, and practical domains. DSM-5 grades severity by adaptive functioning: mild, moderate, severe, profound.

**Synonyms:**

### **Intensity-Modulated Radiation Therapy**

A computer-optimized form of three-dimensional radiation therapy that shapes and modulates the radiation dose to conform tightly to the target while

---

sparing adjacent normal tissue.

**Synonyms:**

### **Intensive Care Medicine**

Specialty managing critically ill patients. Components: monitoring, ventilatory support, hemodynamic support, infection control, nutrition, sedation, pain management. Common conditions: sepsis, ARDS, traumatic brain injury, post-cardiac arrest, multiorgan failure.

**Synonyms:**

### **Intensive Care Rehabilitation**

Early rehabilitation in ICU setting. Early mobilization, positioning, passive range of motion. Improves outcomes, reduces complications.

**Synonyms:**

### **Intensive Care Unit**

A specialist hospital unit providing continuous monitoring and life support for critically ill patients. In obstetrics, women may require ICU admission for: severe pre-eclampsia or eclampsia, massive postpartum hemorrhage, amniotic fluid embolism, sepsis, cardiac disease in pregnancy, or complications of anesthesia.

**Synonyms:**

### **Interatrial Septum**

The wall separating the right and left atria. It contains the fossa ovalis, a remnant of the foramen ovale from fetal circulation. The interatrial septum has a thinner area where transseptal puncture can be performed during cardiac catheterization.

**Synonyms:**

### **Intercostal Retraction**

Inward movement of the skin and soft tissues between the ribs during inspiration, indicating increased work of breathing. It is common in infants and children with respiratory distress and may accompany airway obstruction, bronchiolitis, pneumonia, asthma, or other pulmonary disease.

**Synonyms:**

### **Interdental Brush**

Small brush for cleaning between teeth. Used where spaces exist.

**Synonyms:**

### **Interference**

A factor that alters the accuracy or interpretation of a laboratory test, measurement, or drug effect.

**Synonyms:**

### **Interferon Signaling**

Type I IFN (IFN-alpha/beta): all nucleated cells produce; receptor IFNAR (ubiquitous); JAK1/TYK2 -> STAT1/2/IRF9 (ISGF3) -> ISGs (hundreds: antiviral, antiproliferative, immunomodulatory). Type II IFN (IFN-gamma): T/NK cells; receptor IFNGR; JAK1/JAK2 -> STAT1 -> GAS elements. Type III IFN (IFN-lambda): mucosal epithelium; receptor IFNLR.

**Synonyms:**

### **Interferon-Gamma Release Assay**

Blood tests measuring IFN-gamma release in response to M. tuberculosis antigens (ESAT-6, CFP-10). More specific than PPD and unaffected by BCG. Cannot distinguish latent from active TB.

**Synonyms:**

### **Interferonopathies**

A group of rare disorders caused by abnormal activation of type I interferon pathways. They can produce inflammation, neurologic disease, skin lesions, blood-vessel injury, or lung disease, often beginning in childhood.

**Synonyms:**

### **Interleukin**

A family of cytokines (interleukins) produced mainly by leukocytes that regulate immune cell growth, differentiation, activation, and communication. Examples: IL-1 and IL-6 (inflammation, fever), IL-2 (T-cell growth), IL-4/IL-13 (Th2, IgE), IL-5 (eosinophils), IL-10 (anti-inflammatory), IL-12 (Th1), IL-17 (Th17, autoimmunity), IL-23.

**Synonyms:**

---

### **Interleukin-6**

A cytokine involved in immune regulation and inflammation that stimulates production of acute-phase proteins by the liver.

**Synonyms:**

### **Intermediate Cuneiform**

Smallest cuneiform, centrally located between medial and lateral cuneiforms. Articulates with navicular, medial/lateral cuneiforms, and second metatarsal. Forms the transverse arch apex. Relatively fixed, contributing to midfoot stability. Injuries are typically associated with high-energy midfoot trauma.

**Synonyms:**

### **Intermediate Uveitis**

Inflammation primarily affecting the vitreous body, peripheral retina, and ciliary body, with the classic presentation being pars planitis, which is characterized by the presence of snowbanking (a white, inflammatory exudate on the inferior pars plana) and snowballs (vitreous inflammatory aggregates).

**Synonyms:**

### **Intermittent Auscultation**

Periodic assessment of the fetal heart rate with a fetoscope or Doppler device during labor rather than continuous electronic monitoring. The frequency of assessment depends on the stage of labor, risk factors, and local clinical protocol.

**Synonyms:**

### **Intermittent Claudication**

Reproducible muscle discomfort, usually in the calf, thigh, or buttock, induced by walking and relieved by rest, caused by exertional arterial insufficiency. It is distinguished from rest pain and nonvascular musculoskeletal pain by history and vascular testing.

**Synonyms:**

### **Intermittent Explosive Disorder**

A disorder characterized by recurrent, impulsive, problematic outbursts of verbal or physical aggression that are grossly disproportionate to the provocation.

The outbursts are not premeditated and cause marked distress or functional impairment. Age >6 years.

**Synonyms:**

### **Intermittent Fasting**

Cycling between fasting and eating periods. Methods: alternate-day fasting, 5:2 diet, time-restricted eating. Potential benefits: weight loss, metabolic health. Evidence emerging.

**Synonyms:**

### **Internal Hernia**

Herniation of bowel through a mesenteric defect common after Roux-en-Y gastric bypass creating a defect at the jejunojejunostomy. May cause intermittent or acute small bowel obstruction. Presents with episodic abdominal pain, nausea, and vomiting.

**Synonyms:**

### **Internal Iliac Artery**

Smaller common iliac terminal branch (hypogastric), supplying the pelvis, perineum, gluteal region, and medial thigh. Posterior division: iliolumbar, lateral sacral, superior gluteal. Anterior division: inferior gluteal, internal pudendal, obturator, vesical, uterine, vaginal, middle rectal arteries.

**Synonyms:**

### **Internal Jugular Vein**

Descends in the carotid sheath with the internal carotid artery and vagus nerve, draining brain, face, and neck. Begins at the jugular foramen as a sigmoid sinus continuation, joining the subclavian vein to form the brachiocephalic vein. Contains backflow-preventing valves. Used for central venous catheterization.

**Synonyms:**

### **Internal Oblique Muscle**

Middle flat abdominal layer deep to external oblique, from thoracolumbar fascia, iliac crest, and lateral inguinal ligament to lower ribs, linea alba, and pubic crest. Innervated by T7-T12 and L1. Ipsilateral rotation (opposite of external oblique). Contributes

---

to inguinal canal and abdominal wall integrity.

**Synonyms:**

### **Internal Podalic Version**

A maneuver where the operator inserts a hand into the uterus, grasps one or both fetal feet, and converts a transverse lie or cephalic presentation to a breech, then delivers by total breech extraction. Indication: delivery of the second twin (transverse lie) or severe fetal distress in the second stage. Rare in modern obstetrics.

**Synonyms:**

### **Internal Resorption**

Loss of dentin from pulp cavity inward. Pink spot may be visible. Treatment: root canal therapy.

**Synonyms:**

### **Internuclear Ophthalmoplegia**

A conjugate horizontal gaze disorder caused by a lesion of the medial longitudinal fasciculus (MLF), a heavily myelinated fiber tract that connects the abducens nucleus (CN VI) on one side to the oculomotor nucleus (CN III) on the contralateral side, coordinating horizontal gaze.

**Synonyms:**

### **Interpersonal Psychotherapy**

A time-limited, evidence-based psychotherapy for depression that focuses on the interpersonal context of mood symptoms. It identifies four problem areas: grief, role disputes, role transitions, and interpersonal deficits. IPT helps patients improve interpersonal functioning and social support.

**Synonyms:**

### **Interpreter**

A trained person who translates spoken or signed communication between a patient and healthcare professional.

**Synonyms:**

### **Interproximal Caries**

Dental caries occurring on the contact surfaces between adjacent teeth. It may be difficult to detect

clinically and is commonly assessed with bitewing radiographs when imaging is indicated.

**Synonyms:**

### **Interstitial (Cornual) Pregnancy**

An ectopic pregnancy implanted in the part of the fallopian tube that passes through the muscular wall of the uterus. It can enlarge before rupture and cause severe internal bleeding.

**Synonyms:** Cornual

### **Interstitial Cystitis**

Chronic bladder pain syndrome. Symptoms: suprapubic pain, frequency, urgency. Diagnosis: exclusion, cystoscopy with hydrodistension. Treatment: lifestyle modification, medications, bladder instillations, surgery.

**Synonyms:**

### **Interstitial Keratitis**

Inflammation of the corneal stroma without primary involvement of the corneal surface. It may follow infection, autoimmune disease, or trauma and can cause pain, photophobia, redness, and reduced vision.

**Synonyms:**

### **Interstitial Lung Disease**

A heterogeneous group of disorders with inflammation and fibrosis of lung parenchyma, causing restrictive physiology (reduced FVC and TLC with normal or elevated FEV1/FVC ratio).

**Synonyms:**

### **Interstitial Nephritis**

Inflammation of the renal interstitium and tubules, which can be acute or chronic. Acute interstitial nephritis is most commonly caused by medications, particularly NSAIDs, antibiotics including penicillins and cephalosporins, and proton pump inhibitors.

**Synonyms:**

### **Interstitial Pneumonia**

Inflammation centered on the interstitium. Caused

---

by Mycoplasma, Chlamydia, Legionella, and viruses. Presents with dry cough and diffuse crackles.

**Synonyms:**

### Intertrigo

Intertrigo concerns intertrigo; its medical significance is established from the defining features, setting, associated findings, and clinical question. moisture, heat, and lack of air circulation. Affects intertriginous areas: axillae, inframammary, inguinal, abdominal folds, and intergluteal cleft. Presents with erythema, maceration, fissuring, and erosions.

**Synonyms:**

### Interventional Procedures

Image-guided treatments: angioplasty, stenting, embolization, ablation, biopsy, drain placement. Advantages: minimally invasive, faster recovery, lower complication rates.

**Synonyms:**

### Interventional Radiologist

A physician trained to perform minimally invasive diagnostic and therapeutic procedures using medical imaging for guidance.

**Synonyms:**

### Interventional Radiology

Image-guided minimally invasive procedures. Examples: angioplasty, stenting, embolization, biopsy, ablation, drain placement. Reduces need for open surgery.

**Synonyms:**

### Interventricular Septum

The thick muscular wall separating the left and right ventricles. It has two portions: the muscular (inferior, thicker) and membranous (superior, thinner) portions. The septum contains parts of the cardiac conduction system, including the bundle of His.

**Synonyms:**

### Intervertebral Disc

A fibrocartilaginous cushion between adjacent ver-

tebral bodies, composed of a gelatinous nucleus pulposus surrounded by a tough annulus fibrosus. It absorbs shock and permits limited movement of the vertebral column.

**Synonyms:**

### Intestinal Atresia

A congenital obstruction of the small intestine (jejunum or ileum) caused by an intrauterine vascular accident (mesenteric ischemia) leading to aseptic necrosis and resorption of a segment of bowel. In contrast to duodenal atresia, it is not associated with Down syndrome.

**Synonyms:**

### Intestinal Ganglioneuromatosis

Benign proliferation of ganglion cells and nerve fibers in the gastrointestinal tract wall. May be diffuse involving the entire gastrointestinal tract or localized as ganglioneuromas. Associated with multiple endocrine neoplasia type 2B where intestinal ganglioneuromatosis may precede the development of medullary thyroid carcinoma.

**Synonyms:**

### Intestinal lipomatosis

Benign overgrowth of adipose tissue within the intestinal wall, most commonly affecting the ileum and colon. Often asymptomatic and discovered incidentally, but large lipomas can cause intussusception, gastrointestinal bleeding, or bowel obstruction.

**Synonyms:**

### Intestinal Lymphoma

Malignant proliferation of lymphoid cells arising in the small or large intestine. Important types include enteropathy-associated T-cell lymphoma, monomorphic epitheliotropic intestinal T-cell lymphoma, and diffuse large B-cell lymphoma.

**Synonyms:**

### Intestinal Malrotation

Congenital failure of normal midgut rotation and fixation, predisposing to a narrow mesenteric base, volvulus, and duodenal obstruction. Infants may



---

present with bilious vomiting, abdominal distension, or bowel ischemia; sudden symptoms require emergency assessment.

**Synonyms:**

### **Intestinal Obstruction**

A mechanical or functional blockage that prevents normal passage of intestinal contents. Causes include adhesions, hernias, tumors, inflammation, volvulus, and disorders of intestinal motility.

**Synonyms:**

### **Intestinal Perforation**

Full-thickness breach in the bowel wall allowing luminal contents to enter the peritoneal cavity. Causes include diverticulitis, appendicitis, peptic ulcer disease, and trauma. Presents with acute abdomen, peritonitis, and free air on imaging.

**Synonyms:**

### **Intestinal Pseudo-Obstruction**

Acute or chronic dilation of the bowel without mechanical obstruction due to neuromuscular dysfunction. Acute colonic pseudo-obstruction also called Ogilvie syndrome occurs in hospitalized or post-surgical patients.

**Synonyms:** Ogilvie syndrome.

### **Intimal Hyperplasia**

Proliferation and migration of vascular smooth-muscle cells with extracellular-matrix deposition within the intima after vascular injury or graft placement. It can produce restenosis at anastomoses, stents, dialysis access, or bypass grafts.

**Synonyms:**

### **Intimate Partner Violence in Pregnancy**

Physical, sexual, or psychological abuse by a current or former partner during pregnancy. It can harm the pregnant person and fetus and is associated with complications such as injury, preterm birth, and placental abruption.

**Synonyms:**

### **Intoxication**

A state of physical or mental impairment caused by recent exposure to a substance, such as alcohol, a medicine, or another drug.

**Synonyms:**

### **Intra-Abdominal Abscess**

Localized collection of pus within the abdomen commonly in the pelvis, between bowel loops, or beneath the diaphragm. Results from intra-abdominal infection or surgery. Presents with fever, abdominal pain, and leukocytosis. Diagnosed by CT with contrast showing rim-enhancing fluid collection.

**Synonyms:**

### **Intra-Abdominal Hypertension**

Sustained elevation of intra-abdominal pressure above twelve millimeters of mercury measured through the urinary bladder. Graded as grade one twelve to fifteen, grade two sixteen to twenty, grade three twenty-one to twenty-five, and grade four greater than twenty-five millimeters of mercury.

**Synonyms:**

### **Intra-aortic Balloon Pump**

Mechanical circulatory support. Inflatable catheter in descending aorta. Inflates during diastole (increases coronary perfusion), deflates during systole (reduces afterload). Indications: cardiogenic shock, unstable angina, high-risk PCI. Complications: limb ischemia, bleeding, infection.

**Synonyms:**

### **Intraabdominal cancer**

A broad term for malignancies arising within the abdominal cavity, including cancers of the colon, stomach, pancreas, liver, ovaries, and peritoneum. Presentation varies widely depending on the specific organ involved.

**Synonyms:**

### **Intraabdominal hernia**

Herniation of abdominal viscera through a congenital or acquired defect or abnormal mesenteric aperture within the peritoneal cavity, distinct from ven-

---

tral or inguinal hernias. Types include paraduodenal, foramen of Winslow, transmesocolic, and transomental hernias.

**Synonyms:**

### **Intracellular Fluid**

The fluid contained within cells, comprising approximately two thirds of total body water in a typical adult. Its major solutes include potassium, magnesium, phosphate, and intracellular proteins, and its composition is maintained by selective membrane transport.

**Synonyms:**

### **Intracellular pathogens**

Microorganisms that survive and replicate within host cells. Intracellular bacteria include *Mycobacterium*, *Listeria*, and *Chlamydia*. Viruses are obligate intracellular pathogens. Intracellular survival protects pathogens from antibiotics and immune responses.

**Synonyms:**

### **Intracerebral Hemorrhage**

Bleeding directly into the brain parenchyma, accounting for approximately ten to fifteen percent of all strokes and carrying a high mortality rate of approximately forty percent at thirty days.

**Synonyms:**

### **Intracranial Hemorrhage**

Bleeding within the cranial cavity. Epidural hematoma: arterial bleeding (middle meningeal artery), typically from temporal bone fracture; lucid interval then rapid deterioration. Subdural hematoma: venous bleeding from bridging veins; acute (<72h), subacute, or chronic (elderly, alcoholics).

**Synonyms:**

### **Intracranial Pressure**

The pressure within the cranial vault generated by brain tissue, cerebrospinal fluid, and intracranial blood. Sustained elevation can reduce cerebral perfusion and cause headache, vomiting, altered

consciousness, pupillary abnormalities, and brain herniation.

**Synonyms:**

### **Intraductal Papilloma**

A benign papillary tumor arising within a breast duct, often presenting with spontaneous unilateral bloody or clear nipple discharge. It may be solitary near the nipple or multiple in the peripheral breast.

**Synonyms:**

### **Intrahepatic Cholestasis of Pregnancy**

A pregnancy-associated liver disorder characterized mainly by itching without a primary rash and increased bile acids in the blood. It may increase fetal risk and requires clinical evaluation and monitoring.

**Synonyms:**

### **Intramedullary Nail**

A metal implant inserted into the medullary canal of a long bone to align and stabilize a fracture. It shares load along the bone axis and is commonly used for femoral and tibial shaft fractures.

**Synonyms:**

### **Intramural Hematoma**

Collection of blood within the wall of the gastrointestinal tract most commonly the duodenum. Caused by trauma, anticoagulation, or coagulopathy. Presents with abdominal pain, vomiting, and sometimes obstructive symptoms. Diagnosis is by CT showing circumferential wall thickening with high-attenuation hematoma.

**Synonyms:**

### **Intramuscular**

A route of drug administration in which the drug is injected into skeletal muscle (deltoid, vastus lateralis, gluteus maximus).

**Synonyms:**

### **Intraocular Lens**

Artificial lens replacing natural lens after cataract extraction. Types: monofocal (distance vision), multifocal/bifocal (near and distance), toric (astig-

---

matism), extended depth of focus. Implantation via small incision, folds for insertion. Complications: posterior capsule opacification, dysphotopsia, infection, retinal detachment.

**Synonyms:**

### **Intraocular lens dislocation**

Postoperative displacement of an implanted artificial intraocular lens from its intended position within the capsular bag or ciliary sulcus into the vitreous cavity or anterior chamber. It is most commonly caused by progressive zonular dehiscence and may require surgical repositioning or exchange.

**Synonyms:**

### **Intraocular Pressure**

The pressure generated by aqueous humor within the eye, normally maintained by a balance between aqueous production and outflow. Abnormal IOP is an important risk factor for glaucomatous optic neuropathy, but glaucoma can occur at statistically normal pressures.

**Synonyms:**

### **Intraocular tumor**

Any neoplasm arising within the eye, with uveal melanoma being the most common primary malignancy in adults and retinoblastoma the most common in children. Diagnosis requires dilated fundus examination, ultrasound, and MRI; treatment depends on tumour type, size, and location.

**Synonyms:**

### **Intraoperative Blood Transfusion**

Intraoperative blood transfusion replaces lost blood volume and maintains oxygen-carrying capacity during major surgery. Indications include hemoglobin less than 7 g/dL in stable patients, less than 8 g/dL in cardiac disease, or active hemorrhage with hemodynamic instability.

**Synonyms:**

### **Intraoperative Neuromonitoring**

Intraoperative neuromonitoring (IONM) uses electrophysiological techniques to monitor neural path-

way integrity during surgery. Somatosensory evoked potentials (SSEP) monitor sensory pathways. Motor evoked potentials (MEP) monitor motor pathways. Electromyography (EMG) monitors cranial nerves and spinal roots.

**Synonyms:**

### **Intraoperative Temperature Monitoring**

Monitoring body temperature during surgery to detect and manage hypothermia or hyperthermia. Possible sites include the esophagus, nasopharynx, bladder, rectum, skin, or a pulmonary artery catheter; accuracy depends on the site, device, perfusion, and clinical setting.

**Synonyms:**

### **Intraosseous Access**

Placement of a vascular-access needle into the medullary cavity of a suitable bone to permit rapid infusion of fluids, blood products, and medications when intravenous access is delayed or impossible. It is a temporary emergency route and can cause extravasation, infection, or compartment injury.

**Synonyms:**

### **Intraosseous Infusion**

Administration of fluids, blood products, or medications through an intraosseous access device. Infusion should be monitored for resistance, swelling, pain, and extravasation and replaced with definitive vascular access as soon as practical.

**Synonyms:**

### **Intrapartum**

The period during labor and childbirth, from the onset of regular uterine contractions leading to cervical dilation until delivery of the baby and placenta.

**Synonyms:**

### **Intrapulmonary Shunt**

Perfusion of alveoli without ventilation ( $V/Q = 0$ ). Blood passes through the pulmonary circulation without gas exchange, mixing with oxygenated blood and causing hypoxemia. It is seen in ARDS, pneumonia, and atelectasis. It is refractory to sup-

---

plemental oxygen.

**Synonyms:**

### **Intrathecal Chemotherapy**

Administration of chemotherapy directly into the cerebrospinal fluid via lumbar puncture or an Ommaya reservoir, used for leptomeningeal metastasis and central nervous system prophylaxis in leukemias and lymphomas.

**Synonyms:**

### **Intrathoracic localized obstruction**

A focal blockage within the thoracic cavity affecting the airways, esophagus, or great vessels, leading to localized symptoms depending on the structure involved. Causes include endobronchial tumors, foreign bodies, esophageal strictures, or vascular anomalies. Diagnosis is by imaging and endoscopy.

**Synonyms:**

### **Intrauterine Device**

IUD: a long-acting reversible contraceptive (LARC) device placed in the uterus. Types: copper IUD (ParaGard—hormone-free, up to 10-12 years, also emergency contraception) and levonorgestrel-releasing IUS (Mirena/Skyla—progestin, up to 3-8 years, reduces bleeding).

**Synonyms:**

### **Intrauterine Fetal Demise / Stillbirth**

Death of a fetus before complete delivery. The gestational-age definition varies by jurisdiction. Causes may include placental disease, umbilical-cord complications, infection, genetic abnormalities, maternal disease, or unexplained factors.

**Synonyms:**

### **Intrauterine Growth Restriction**

IUGR: a fetus with estimated weight below the 10th percentile (or growth velocity decline), usually with placental insufficiency or maternal/fetal factors.

**Synonyms:**

### **Intrauterine Pressure Catheter**

A fluid-filled catheter inserted into the uterine cavity

alongside the fetus to measure the intensity and frequency of contractions in mm Hg (Montevideo units, MVU).

**Synonyms:**

### **Intrauterine Transfusion**

Ultrasonically guided intravascular or intraperitoneal transfusion of fetal red blood cells to treat severe fetal anemia, most commonly from Rh isoimmunization. Performed through the umbilical vein using a 22-25 gauge needle. Packed red blood cells, CMV-negative and crossmatched, are transfused slowly.

**Synonyms:**

### **Intravascular Catheter Infections**

CLABSI: central line-associated bloodstream infection. Diagnosis: quantitative blood cultures (catheter vs peripheral >5:1), differential time to positivity (>2h), catheter tip culture (>15 CFU). Catheter-related BSIs: coagulase-negative staphylococci (most common), *S. aureus*, enterococci, gram-negatives, *Candida*.

**Synonyms:**

### **Intravascular Filter**

A device placed in a large vein to trap venous clots and reduce pulmonary embolism risk in selected patients who cannot receive or have not responded adequately to anticoagulation.

**Synonyms:**

### **Intravascular lymphoma**

A rare aggressive B-cell non-Hodgkin lymphoma characterized by proliferation of neoplastic lymphocytes within the lumina of small blood vessels, predominantly affecting the skin and central nervous system. Presents with livedo reticularis, skin nodules, neurological deficits, and fever of unknown origin.

**Synonyms:**

### **Intravascular Ultrasound**

Catheter-based imaging using a miniature ultrasound probe inside coronary arteries to visualize

---

vessel wall layers, plaque composition, and stent deployment. Provides more detailed information than angiography alone, including vessel remodeling, plaque burden, and true vessel diameter.

**Synonyms:**

### **Intravenous Anesthesia**

Anesthetic induction or maintenance using drugs delivered into a vein. It permits rapid titration but requires attention to dose, context-sensitive recovery, cardiovascular and respiratory effects, and the availability of a secure airway.

**Synonyms:**

### **Intravenous Lipid Emulsion Therapy**

Administration of a lipid emulsion as a rescue treatment for selected severe lipophilic drug toxicities, especially local-anesthetic systemic toxicity. It may act as a lipid sink and through metabolic and cardiovascular effects and requires critical-care monitoring.

**Synonyms:**

### **Intravenous pyelogram**

Intravenous pyelogram examines intravenous pyelogram; interpretation depends on the specimen or body region, test method, reference range, and clinical question. of iodinated contrast material. The contrast is filtered by the glomeruli and excreted through the collecting system, allowing sequential imaging of the renal parenchyma, calyces, renal pelvis, ureters, and bladder.

**Synonyms:**

### **Intraventricular Hemorrhage**

Bleeding into the germinal matrix and ventricular system, primarily in premature infants less than 32 weeks gestation. Graded I-IV by severity on cranial ultrasound. Grade I (germinal matrix only) and Grade II (intraventricular without dilation) have good prognosis.

**Synonyms:**

### **Intravitreal Injection**

An ophthalmological procedure in which medication

is injected directly into the vitreous cavity of the eye through the pars plana, a safe entry zone located approximately 3.5 to 4 millimeters posterior to the limbus, to deliver therapeutic agents directly to the retina and vitreous for the treatment of various retinal diseases.

**Synonyms:**

### **Intrinsic Renal AKI**

Acute kidney injury caused by damage to renal tissue. Causes include acute tubular injury, acute interstitial nephritis, glomerulonephritis, and vascular disorders. Laboratory findings vary with the cause and should not be interpreted in isolation.

**Synonyms:**

### **Intron**

A non-coding segment of a gene that is transcribed into RNA but spliced out before the messenger RNA is translated into a protein.

**Synonyms:**

### **Intussusception**

Condition in which a segment of intestine telescopes into the adjacent distal segment causing bowel obstruction and compromise of the mesenteric blood supply. It is the most common cause of intestinal obstruction in infants and children between six months and three years of age.

**Synonyms:**

### **Invasive Candidiasis**

A serious *Candida* infection that enters the bloodstream or deep organs, most often in people who are critically ill or immunocompromised. It may cause persistent fever or organ dysfunction and requires prompt medical diagnosis and treatment.

**Synonyms:**

### **Invasive ductal carcinoma**

The most common type of breast cancer, characterized by malignant cells that have broken through the duct wall and invaded surrounding breast tissue. It can metastasize via lymphatic or hematogenous spread.

---

**Synonyms:**

### **Invasive Lobular Carcinoma**

A breast cancer characterized by discohesive cells infiltrating in single-file lines. More frequently bilateral and multifocal than ductal carcinoma and harder to detect on imaging; usually hormone receptor positive.

**Synonyms:**

### **Inverse Agonist**

A type of drug that binds to a cell receptor and actively produces the opposite biological effect of an agonist, effectively turning down the receptor's baseline activity.

**Synonyms:**

### **Inversion**

Chromosomal segment reversed end-to-end. Paracentric: does not include centromere. Pericentric: includes centromere. Usually benign unless breakpoint disrupts gene.

**Synonyms:**

### **Involuntary Psychiatric Treatment**

Assessment, hospitalization, or treatment without the patient's consent under applicable law when serious mental disorder creates a substantial risk of harm or severe inability to meet basic needs. The least restrictive alternative, due process, and ongoing reassessment are required.

**Synonyms:**

### **Involution**

The process by which the uterus returns to its prepregnancy size after delivery. The uterus weighs approximately 1000 grams immediately postpartum and returns to approximately 60 grams by 6 weeks. Fundal height decreases approximately 1 cm per day.

**Synonyms:**

### **Iodide-associated sialadenitis**

Inflammation and swelling of the salivary glands caused by excessive iodide intake, typically

from medications such as amiodarone or iodine-containing contrast, resolving with dose reduction.

**Synonyms:**

### **Iodinated Contrast Media**

Contrast agents containing iodine used primarily for radiography, CT, angiography, and some fluoroscopic procedures. Important risks include immediate hypersensitivity-like reactions, extravasation, thyroid effects, and kidney injury in susceptible patients.

**Synonyms:**

### **Iodine**

Required for thyroid hormones. Deficiency: goiter, hypothyroidism, cretinism. Prevention: iodized salt, seafood. Excess can cause thyroid dysfunction.

**Synonyms:**

### **Iodine Swab**

Antiseptic for skin preparation. Povidone-iodine.

**Synonyms:**

### **Iodine-123**

Pure gamma emitter, half-life 13 hours. Used for thyroid imaging. No beta emission, lower radiation dose than I-131.

**Synonyms:**

### **Iodine-131**

A radioactive iodine isotope used in selected diagnostic and therapeutic procedures, especially for thyroid disease.

**Synonyms:**

### **Iododerma**

A papulopustular or acneiform skin eruption caused by iodine excess, presenting on the face and extensor surfaces, resolving with iodine restriction and symptomatic treatment.

**Synonyms:**

### **Ionizing Radiation**

Radiation with enough energy to remove elec-



---

trons from atoms and create ions, including X-rays, gamma rays, and certain particulate emissions. It can cause deterministic tissue effects at sufficient doses and stochastic cancer risk at lower doses.

**Synonyms:**

### **Ipecac**

Emetic no longer recommended for routine poisoning management. Risk of aspiration, delays charcoal administration.

**Synonyms:**

### **Ipratropium Bromide**

An inhaled anticholinergic (antimuscarinic) bronchodilator that blocks acetylcholine at airway smooth muscle muscarinic receptors. It reduces bronchospasm and mucus secretion. It is used in COPD and acute asthma exacerbations. It is less effective than beta-2 agonists in asthma but more effective in COPD.

**Synonyms:**

### **Ipsilateral**

Located on the same side of the body.

**Synonyms:**

### **Iridocyclitis**

Inflammation involving the iris and ciliary body, a form of anterior uveitis. It may cause eye pain, photophobia, redness, blurred vision, and cells or flare in the anterior chamber and may be associated with autoimmune disease, infection, trauma, or other causes.

**Synonyms:**

### **Iridotomy**

A procedure that creates a small opening in the iris to allow aqueous humor to pass between the posterior and anterior chambers. Laser peripheral iridotomy is used to treat or prevent selected forms of angle-closure glaucoma.

**Synonyms:**

### **Iris**

Iris concerns iris, a body structure, substance, or

clinical concept whose meaning depends on location, function, and patient context. light entry. Two muscles: sphincter pupillae (parasympathetic CN III, constricts in bright light) and dilator pupillae (sympathetic, dilates in darkness). Iris root attaches to the ciliary body.

**Synonyms:**

### **Iris atrophy**

Thinning or loss of iris tissue resulting from trauma, chronic inflammation, ischaemia, or neurodegenerative disease, leading to a translucent or patched iris appearance. It may be sectoral or diffuse and can be associated with decreased pupillary response, photophobia, or secondary glaucoma.

**Synonyms:**

### **Iritis**

Inflammation of the iris, the most common form of anterior uveitis. Presents with acute onset eye pain, photophobia, blurred vision, and redness (ciliary flush). Signs: cells and flare in the anterior chamber, keratic precipitates (KP), synechiae (adhesions between iris and lens).

**Synonyms:**

### **Iron**

Essential for hemoglobin, myoglobin, and electron transport. Heme iron from animal foods is generally more bioavailable than non-heme iron from plant foods. Deficiency is the most common nutritional deficiency worldwide and may result from blood loss, increased requirements, poor intake, or malabsorption.

**Synonyms:**

### **Iron deficiency**

The most common nutritional deficiency worldwide, resulting from inadequate iron intake, impaired absorption, or chronic blood loss, leading to reduced hemoglobin synthesis and microcytic hypochromic anemia. Clinical features include fatigue, pallor, koilonychia, pica, and angular cheilitis.

**Synonyms:**

---

### **Iron Deficiency Anemia**

Anemia caused by insufficient iron for hemoglobin production. It is often microcytic and hypochromic; treatment requires identifying the cause and replacing iron when appropriate.

**Synonyms:**

### **Iron-Deficiency Anemia**

Anemia caused by insufficient iron for normal hemoglobin production. It may cause fatigue, weakness, shortness of breath, paleness, headache, or unusual cravings such as ice; the cause of iron loss or inadequate intake should be identified.

**Synonyms:**

### **Iron-Deficiency Anaemia in Adolescents**

Iron-deficiency anaemia during adolescence, commonly related to rapid growth, inadequate dietary iron, or menstrual blood loss. Assessment should identify the cause and guide dietary advice and clinical treatment.

**Synonyms:**

### **Irregular Sleep-Wake Syndrome**

A circadian rhythm sleep-wake disorder with multiple irregular periods of sleep and wakefulness across the 24-hour day rather than one consolidated nighttime sleep period. It is associated with neurological disease, dementia, aging, and reduced exposure to environmental time cues.

**Synonyms:**

### **Irreversible Cell Injury**

Cell damage beyond the point of recovery, resulting in death by necrosis, apoptosis, or another regulated cell-death pathway. Key features include inability to reverse mitochondrial dysfunction and severe membrane or nuclear damage.

**Synonyms:**

### **Irritable Bowel Syndrome**

A chronic functional gastrointestinal disorder characterized by recurrent abdominal pain and altered bowel habits (diarrhea, constipation, or mixed) without identifiable structural pathology. Pathophysi-

ology involves dysregulation of the gut–brain axis, visceral hypersensitivity, altered motility, and imbalances in the gut microbiome.

**Synonyms:**

### **Irritable Bowel Syndrome Diet**

An individualized eating plan used to reduce irritable bowel syndrome symptoms. A limited trial of a low-FODMAP diet may help some people and should be followed by structured food reintroduction.

**Synonyms:**

### **Isaacs Syndrome**

A rare peripheral nerve hyperexcitability disorder causing continuous muscle-fibre activity, stiffness, cramps, fasciculations, myokymia, and delayed muscle relaxation. It may be autoimmune, paraneoplastic, or associated with inherited or acquired peripheral-nerve disorders.

**Synonyms:**

### **Isavuconazole**

A triazole antifungal agent used in the treatment of invasive aspergillosis and mucormycosis. Isavuconazole inhibits fungal lanosterol 14- $\alpha$  demethylase, disrupting ergosterol synthesis and fungal cell membrane integrity.

**Synonyms:**

### **Ischemia**

Reduced blood flow causing oxygen deprivation. Can lead to tissue damage or death.

**Synonyms:**

### **Ischemia-Reperfusion Injury**

The paradoxical tissue damage that occurs when blood flow is restored to previously ischemic tissue, a phenomenon with major clinical significance in myocardial infarction treatment, stroke management, organ transplantation, and shock resuscitation.

**Synonyms:**

### **Ischemic Cardiomyopathy**

Weakening of the heart muscle caused by coronary

---

artery disease and previous or ongoing myocardial ischemia. Scarred or poorly perfused myocardium can reduce contractile function and increase the risk of heart failure and ventricular arrhythmias.

**Synonyms:**

### Ischemic Colitis

Colonic mucosal ischemia resulting from reduced blood flow through the marginal artery and end-arteries, most commonly occurring at watershed areas between vascular territories, particularly the splenic flexure.

**Synonyms:**

### Ischemic gangrene

Death of tissue due to prolonged severe arterial insufficiency, most commonly in the extremities. Presents as dry, black, mummified tissue with a clear line of demarcation from viable tissue. Requires revascularization when possible and surgical debridement or amputation of necrotic tissue.

**Synonyms:**

### Ischemic Stroke

A neurologic deficit caused by inadequate blood flow to part of the brain, usually from thrombotic or embolic arterial occlusion. Causes include atherosclerotic disease, cardiac embolism, and small-vessel disease.

**Synonyms:**

### Ischium

Inferior-posterior hip bone. Ischial tuberosity bears seated weight and serves as hamstring attachment. Ischial spine is a pudendal nerve block landmark and determines pelvic outlet level. Lesser sciatic notch lies between spine and tuberosity.

**Synonyms:**

### Isocitrate Dehydrogenase

A regulated enzyme of the citric acid cycle that converts isocitrate to alpha-ketoglutarate while producing NADH and releasing carbon dioxide. Mitochondrial isoforms are stimulated by ADP and calcium and inhibited by ATP and NADH. Mutations

in IDH1 or IDH2 can produce the oncometabolite 2-hydroxyglutarate.

**Synonyms:**

### Isokinetic Exercise

Muscle contraction at constant speed throughout range of motion. Uses specialized equipment. Assesses and improves strength.

**Synonyms:**

### Isolation

Separation of sick persons with contagious disease. Examples: tuberculosis isolation, airborne infection isolation rooms.

**Synonyms:**

### Isolation (Social)

Lack of social contacts and interactions. Common in elderly: bereavement, mobility limitation, sensory impairment, retirement. Consequences: depression, cognitive decline, functional impairment, mortality. Interventions: social programs, transportation, technology, volunteer visits.

**Synonyms:** Social

### Isolation Precautions

Measures used with standard precautions to reduce transmission of infection. Additional precautions may be contact, droplet, or airborne, depending on the mode of spread.

**Synonyms:**

### Isoniazid Toxicity

Hepatotoxicity, peripheral neuropathy, seizures. Treatment: pyridoxine (vitamin B6) supplementation, activated charcoal, seizure control.

**Synonyms:**

### Isosorbide Dinitrate

An organic nitrate (and prodrug) that releases nitric oxide, relaxing vascular smooth muscle—predominantly venous (preload reduction) with coronary dilation.

**Synonyms:**

---

### Isosporiasis

Intestinal infection caused by the protozoan *Cystoisospora belli*. It typically causes watery diarrhea, abdominal cramps, nausea, fever, and weight loss and may be prolonged or severe in people with impaired cellular immunity.

**Synonyms:**

### Isotope

One of two or more atoms of the same element with the same number of protons but different numbers of neutrons.

**Synonyms:**

### Isotretinoin

A systemic retinoid used for severe, recalcitrant nodular acne. It reduces sebum production, normalizes follicular keratinization, decreases *Propionibacterium acnes*, and has anti-inflammatory effects. Dose is 0.5 to 1 mg/kg/day for 15 to 20 weeks, targeting cumulative dose of 120 to 150 mg/kg.

**Synonyms:**

### Itching

Itching, or pruritus, is an unpleasant sensation that provokes scratching and may arise from skin disease, allergy, systemic illness, medications, neuropathy, or psychogenic factors. It can be acute or chronic and may arise from skin disease, systemic illness, medication, or neuropathic mechanisms.

**Synonyms:**

### Iterative Reconstruction

Modern reconstruction method. OSEM (Ordered Subsets Expectation Maximization). Better quality, longer computation.

**Synonyms:**

### IV Fluids

Intravenous fluid therapy for volume resuscitation and maintenance. Crystalloids: normal saline (0.9% NaCl, increases chloride, risk of hyperchloremic metabolic acidosis), lactated Ringer (balanced, contains K<sup>+</sup>, Ca<sup>2+</sup>, lactate buffer, safer in large volumes), Plasma-Lyte (balanced, closest to plasma).

**Synonyms:**

### IVC Filter

Device placed in inferior vena cava to prevent pulmonary embolism. Indications: DVT/PE with contraindication to anticoagulation, recurrent PE despite anticoagulation. Complications: filter thrombosis, migration, perforation, IVC occlusion.

**Synonyms:**

### IVF

In vitro fertilization: the assisted reproductive technology in which oocytes are retrieved, fertilized by sperm outside the body (in vitro), and the resulting embryos transferred to the uterus. Indications: tubal factor, male factor (with ICSI), endometriosis, unexplained, ovulation disorders, genetic testing, and same-sex couples or individuals using donor sperm or eggs.

**Synonyms:**

### Immunoglobulin

An antibody protein produced by immune cells to recognize and help neutralize foreign substances.

**Synonyms:**

### Immunosuppressant Drug

A medicine that reduces immune-system activity, often to prevent transplant rejection or treat autoimmune disease.

**Synonyms:**

### Impaired Fasting Glucose

Blood glucose above the normal range after fasting but below the diagnostic threshold for diabetes.

**Synonyms:**

### Impaired Glucose Tolerance

Blood glucose above the normal range after a glucose challenge but below the diagnostic threshold for diabetes.

**Synonyms:**

### Infarct

An area of dead tissue caused by inadequate blood

---

supply.

**Synonyms:**

### **Islets of Langerhans**

Clusters of endocrine cells in the pancreas that produce hormones including insulin and glucagon.

**Synonyms:**

### **Iliac Artery**

An artery that supplies blood to the pelvis and lower limb.

**Synonyms:**

### **Immunoglobulin A**

An antibody found mainly in mucosal secretions, including saliva, tears, and intestinal fluid.

**Synonyms:**

### **Immunoglobulin G**

The most abundant antibody in blood, providing long-lasting protection against many infections.

**Synonyms:**

### **Immunoglobulin M**

The first major antibody produced during an initial immune response.

**Synonyms:**

### **Infectious Encephalitis**

Inflammation of the brain caused by an infectious organism, most often a virus.

**Synonyms:**

### **Intracranial Aneurysm**

A weakened, bulging area in a blood vessel within the skull.

**Synonyms:**

### **Intrahepatic Cholestasis**

Impaired bile flow within the liver, causing bile acids to accumulate in the blood.

**Synonyms:**

### **Impacted Wisdom Teeth**

Wisdom teeth that cannot emerge normally because they are blocked by bone, gum, or another tooth.

**Synonyms:**

### **Incompetent Cervix**

Early painless opening of the cervix during pregnancy, which may lead to pregnancy loss or premature birth.

**Synonyms:**

### **Infant Jaundice**

Yellowing of a newborn's skin or eyes caused by excess bilirubin in the blood.

**Synonyms:**

### **Infant Reflux**

Backflow of stomach contents into an infant's esophagus, often causing spitting up.

**Synonyms:**

### **Inflammatory Breast Cancer**

A rare, rapidly progressing breast cancer that causes redness, swelling, and skin thickening.

**Synonyms:**

### **Ingrown Hair**

A hair that curls back into the skin or grows sideways, causing an inflamed bump.

**Synonyms:**

### **Intestinal Ischemia**

Inadequate blood flow to the intestines, which can damage intestinal tissue.

**Synonyms:**

### **Intracranial Venous Malformations**

Abnormal collections or connections of veins within the skull that may bleed or affect nearby brain tissue.

**Synonyms:**

### **Icterus**

Yellow discoloration of the skin or eyes caused by

---

excess bilirubin; also called jaundice.

**Synonyms:** jaundice.

### **Ictus**

A sudden neurological event, such as a stroke or seizure.

**Synonyms:**

### **Ileal Conduit**

A surgically created passage that diverts urine through a segment of ileum to an opening in the abdominal wall.

**Synonyms:**

### **Infectious Mononucleosis**

A viral illness, usually caused by Epstein-Barr virus, characterized by fatigue, sore throat, and swollen lymph nodes.

**Synonyms:**

### **Insertion**

Movement of a muscle attachment toward its fixed attachment, or placement of one structure into another.

**Synonyms:**

### **Inspiration**

The act of breathing air into the lungs.

**Synonyms:**

### **Intubation**

Placement of a tube into the airway or another body passage to maintain it or deliver treatment.

**Synonyms:**

### **Iontophoresis**

Iontophoresis concerns iontophoresis; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Immunity**

The ability of the body to recognize and resist infectious agents or other foreign substances through

innate or adaptive defenses.

**Synonyms:**

### **Immunology**

The medical and biological study of the immune system, immune responses, and immune disorders.

**Synonyms:**

### **Immunosuppression**

Reduction of immune-system activity, caused by disease or intentionally induced with medications or other treatment.

**Synonyms:**

### **Injection**

Introduction of a medication, fluid, or other substance into the body with a needle or other injection device.

**Synonyms:**

### **Insulin Shock**

Severe hypoglycemia, historically associated with excessive insulin and characterized by confusion, seizures, loss of consciousness, or other neurologic dysfunction.

**Synonyms:**

### **Interneurons**

Neurons within the central nervous system that connect other neurons and help process or coordinate neural signals.

**Synonyms:**

### **Intraaortic Balloon Pump**

A temporary circulatory-support device with a balloon in the descending aorta that inflates and deflates in coordination with the cardiac cycle.

**Synonyms:**

### **Intravenous Pyelography**

An X-ray examination of the urinary tract after intravenous contrast administration; it is now often replaced by CT urography or ultrasound.

**Synonyms:**



---

### **Intrinsic Factor**

A protein secreted by stomach parietal cells that is required for vitamin B12 absorption in the terminal ileum.

**Synonyms:**

### **In Vitro Fertilization**

A fertility treatment in which an egg and sperm are combined in a laboratory and a resulting embryo is transferred to the uterus.

**Synonyms:**

### **Irrigation**

Flushing a wound, body cavity, or organ with fluid to remove blood, debris, microorganisms, or unwanted material.

**Synonyms:**

### **Isometric**

Describing muscle contraction that produces force without a meaningful change in muscle length or joint movement.

**Synonyms:**

### **Isotonic**

Describing muscle contraction in which muscle length changes to move a joint under a relatively constant external load.

**Synonyms:**

### **Impingement Syndrome**

Pain and restricted movement caused when a tendon or other soft tissue is compressed between bones, commonly in the shoulder during elevation of the arm.

**Synonyms:**

### **Incarcerated Hernia**

A hernia whose protruded tissue cannot be returned to the abdominal cavity. It may progress to strangulation and requires urgent clinical assessment.

**Synonyms:**

### **Impacted Fracture**

A fracture in which one broken bone fragment is driven firmly into another, often producing relative stability but sometimes causing shortening or deformity.

**Synonyms:**

### **Infantile Spasms**

A severe seizure disorder of infancy characterized by brief, sudden flexion or extension spasms, often occurring in clusters and associated with developmental impairment.

**Synonyms:**

### **Iodine Deficiency**

Inadequate iodine intake or availability, which can impair thyroid-hormone production and cause goiter, hypothyroidism, or developmental problems in a fetus or child.

**Synonyms:**

### **Intestinal Metaplasia**

Replacement of the normal lining of an intestinal or gastric region by intestinal-type epithelium, usually in response to chronic injury or inflammation and sometimes associated with increased cancer risk.

**Synonyms:**

### **Irritant Contact Dermatitis**

Inflammation of the skin caused by direct chemical or physical injury rather than an immune-mediated allergy. It commonly produces redness, burning, scaling, fissures, or pain at the area of exposure.

**Synonyms:**

### **Isolated Systolic Hypertension**

Elevated systolic blood pressure with normal diastolic pressure, commonly related to arterial stiffness in older adults and associated with increased cardiovascular risk.

**Synonyms:**

### **Immersion Foot (Trench Foot)**

A painful cold injury caused by prolonged exposure of the feet to cold, wet conditions without freezing,

---

leading to numbness, swelling, and skin changes.

**Synonyms:** Trench Foot

### **Incompetence**

Failure of a structure to close or function adequately; examples include valvular incompetence of the heart and cervical incompetence during pregnancy.

**Synonyms:**

### **Incoordination (Ataxia)**

Impaired coordination of voluntary movement, often caused by disease affecting the cerebellum or other parts of the nervous system.

**Synonyms:** Ataxia

### **Incisor**

One of the front teeth, adapted mainly for cutting or biting food.

**Synonyms:**

### **Incision**

A deliberate surgical cut made into the skin or other tissue.

**Synonyms:**

### **Infant Mortality**

The death of an infant before the first birthday; the infant mortality rate is usually expressed per 1,000 live births.

**Synonyms:**

### **Infestation**

The presence or invasion of parasitic organisms, such as lice, mites, or worms, on or in the body.

**Synonyms:**

### **Innervation**

The nerve supply to an organ, muscle, or area of the body, including the functional control provided by those nerves.

**Synonyms:**

### **Internal Capsule**

A compact band of white-matter nerve fibres in

the brain carrying important motor and sensory pathways between the cerebral cortex and lower centres.

**Synonyms:**

### **Intestine**

The part of the digestive tract extending from the stomach to the anus, consisting of the small intestine and large intestine.

**Synonyms:**

### **Introitus**

An entrance or opening, especially the entrance to the vagina.

**Synonyms:**

### **Involuntary Muscle**

Muscle that contracts without conscious control, including smooth muscle in internal organs and cardiac muscle in the heart.

**Synonyms:**

### **Iron-Deficiency Anaemia**

Anaemia caused by insufficient iron for haemoglobin production, commonly due to blood loss, inadequate intake, or impaired absorption.

**Synonyms:**

### **Ischaemia**

Inadequate blood flow and oxygen delivery to a tissue, usually because of narrowed or blocked blood vessels, causing dysfunction or injury.

**Synonyms:**

### **Ischaemic Heart Disease (IHD)**

Heart disease caused by reduced blood supply to the heart muscle, usually as a result of coronary artery disease; it may cause angina or myocardial infarction.

### **iatrogenic disease**

iatrogenic disease denotes a clinical condition or finding involving iatrogenic disease; evaluation identifies mechanism, affected system, severity, complications, and management.

---

**Synonyms:**

**ibandronic acid**

ibandronic acid denotes ibandronic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**ibogaine**

ibogaine refers to ibogaine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ibritumomab tiuxetan**

ibritumomab tiuxetan refers to ibritumomab tiuxetan, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ibuprofen**

ibuprofen concerns ibuprofen, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**icteric index**

icteric index refers to icteric index, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**idarubicin**

idarubicin concerns idarubicin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**idoxuridine**

idoxuridine refers to idoxuridine, a medical condition or clinical finding defined by its features, causes,

affected system, and patient context.

**Synonyms:**

**ifosfamide**

ifosfamide refers to ifosfamide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**igh gene**

igh gene denotes igh gene, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**ikappab kinase**

ikappab kinase refers to ikappab kinase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ileal fistula**

ileal fistula refers to ileal fistula, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ileal hemorrhage**

ileal hemorrhage denotes a clinical condition or finding involving ileal hemorrhage; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**ileal neoplasm**

ileal neoplasm denotes a neoplastic condition involving ileal neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**ileal stenosis**

ileal stenosis denotes a clinical condition or finding involving ileal stenosis; evaluation identifies mechanism, affected system, severity, complications, and

---

management.

**Synonyms:**

### **ileal ulcer**

ileal ulcer refers to ileal ulcer, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **iliac crest**

iliac crest refers to iliac crest, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **iliac vein**

iliac vein refers to iliac vein, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **illusion**

illusion refers to illusion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **iloprost**

iloprost concerns iloprost, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **image view**

image view refers to image view, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **imagination**

imagination refers to imagination, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **imaging technique**

imaging technique is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat imaging technique.

**Synonyms:**

### **imatinib mesylate**

imatinib mesylate refers to imatinib mesylate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **imide**

imide refers to imide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **imines**

imines refers to imines, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **imino acid**

imino acid denotes imino acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **imipenem**

imipenem concerns imipenem, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **imipramine**

imipramine refers to imipramine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**imiquimod**

imiquimod refers to imiquimod, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**immature**

immature refers to immature, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**immobilization**

immobilization refers to immobilization, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**immune status**

immune status refers to immune status, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**immune system**

immune system refers to immune system, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**immunoblast count**

immunoblast count refers to immunoblast count, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**immunoblotting**

immunoblotting refers to immunoblotting, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**immunochemistry**

immunochemistry refers to immunochemistry, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**immunocompetence**

immunocompetence refers to immunocompetence, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**immunoconjugate**

immunoconjugate refers to immunoconjugate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**immunocytochemistry**

immunocytochemistry refers to immunocytochemistry, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**immunoelectrophoresis**

immunoelectrophoresis refers to immunoelectrophoresis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**immunofluorescence technique**

immunofluorescence technique refers to immunofluorescence technique, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**immunogenetics**

immunogenetics denotes immunogenetics, a biological component or molecular process interpreted

---

through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **immunoglobulin d**

immunoglobulin d concerns immunoglobulin d, a biologic or physiologic concept used in research, laboratory medicine, and the explanation of disease.

**Synonyms:**

### **immunoglobulin idiotyp**

immunoglobulin idiotyp concerns immunoglobulin idiotyp, a biologic or physiologic concept used in research, laboratory medicine, and the explanation of disease.

**Synonyms:**

### **immunoglobulin isotype**

immunoglobulin isotype concerns immunoglobulin isotype, a biologic or physiologic concept used in research, laboratory medicine, and the explanation of disease.

**Synonyms:**

### **immunologic adjuvant**

immunologic adjuvant refers to immunologic adjuvant, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **immunologic factor**

immunologic factor refers to immunologic factor, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **immunologic memory**

immunologic memory refers to immunologic memory, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **immunologic skin test**

immunologic skin test is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat immunologic skin test.

**Synonyms:**

### **immunologic surveillance**

immunologic surveillance refers to immunologic surveillance, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **immunologic technique**

immunologic technique refers to immunologic technique, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **immunologic test**

immunologic test is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat immunologic test.

**Synonyms:**

### **immunological synapse**

immunological synapse refers to immunological synapse, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **immunomodulation**

immunomodulation refers to immunomodulation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **immunoprecipitation**

immunoprecipitation refers to immunoprecipitation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.



---

**Synonyms:**

**immunoprotein**

immunoprotein denotes immunoprotein, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**immunoradiometric assay**

immunoradiometric assay is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat immunoradiometric assay.

**Synonyms:**

**immunoregulation**

immunoregulation refers to immunoregulation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**immunosuppressive**

immunosuppressive refers to immunosuppressive, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**immunotoxin**

immunotoxin denotes an infectious or toxic condition involving immunotoxin; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

**immunoturbidimetry**

immunoturbidimetry refers to immunoturbidimetry, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**imp dehydrogenase**

imp dehydrogenase refers to imp dehydrogenase,

a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**imperforate vagina**

imperforate vagina refers to imperforate vagina, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**implant**

implant refers to implant, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**implantable defibrillator**

implantable defibrillator refers to implantable defibrillator, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**implantation procedure**

implantation procedure is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat implantation procedure.

**Synonyms:**

**importance weight**

importance weight refers to importance weight, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**impulsive behavior**

impulsive behavior refers to impulsive behavior, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**in situ hybridization**

in situ hybridization refers to in situ hybridization, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**in vitro**

in vitro refers to in vitro, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**inalimarev**

inalimarev refers to inalimarev, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**inamrinone**

inamrinone refers to inamrinone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**inbreed**

inbreed refers to inbreed, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**inclusion body**

inclusion body refers to inclusion body, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**inclusion conjunctivitis**

inclusion conjunctivitis refers to inclusion conjunctivitis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**incomplete ossification**

incomplete ossification refers to incomplete ossification, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**increased libido**

increased libido refers to increased libido, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**increased osteoid**

increased osteoid refers to increased osteoid, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**incretins**

incretins refers to incretins, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**incyclinide**

incyclinide refers to incyclinide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**indapamide**

indapamide refers to indapamide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**indel mutation**

indel mutation refers to indel mutation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**indeterminate**

indeterminate refers to indeterminate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**indican**

indican refers to indican, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**indigo carmine**

indigo carmine refers to indigo carmine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**indinavir**

indinavir concerns indinavir, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**indium**

indium refers to indium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**indocyanine green**

indocyanine green refers to indocyanine green, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**indole**

indole refers to indole, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**indole-3-carbinol**

indole-3-carbinol refers to indole-3-carbinol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**indolent**

indolent refers to indolent, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**indoles**

indoles refers to indoles, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**indomethacin**

indomethacin refers to indomethacin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**indoximod**

indoximod refers to indoximod, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**induced abortion**

induced abortion refers to induced abortion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**induced hyperthermia**

induced hyperthermia refers to induced hyperthermia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**induced labor**

induced labor refers to induced labor, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**indwelling catheter**

indwelling catheter refers to indwelling catheter, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**infant**

infant refers to infant, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**infant formula**

infant formula refers to infant formula, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**infant gynecomastia**

infant gynecomastia refers to infant gynecomastia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**infant incubators**

infant incubators refers to infant incubators, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**infant leukemia**

infant leukemia denotes a neoplastic condition involving infant leukemia; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**infant nutrition**

infant nutrition refers to infant nutrition, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**infant reflex**

infant reflex refers to infant reflex, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**infantile fibrosarcoma**

infantile fibrosarcoma denotes a neoplastic condition involving infantile fibrosarcoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**infantile spasm**

infantile spasm refers to infantile spasm, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**infectious arteritis**

infectious arteritis denotes an infectious or toxic condition involving infectious arteritis; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

**infectious conjunctivitis**

infectious conjunctivitis denotes an infectious or toxic condition involving infectious conjunctivitis; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

**infectious encephalomyelitis**

infectious encephalomyelitis denotes an infectious or toxic condition involving infectious encephalomyelitis; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

---

**infectious enterocolitis**

infectious enterocolitis denotes an infectious or toxic condition involving infectious enterocolitis; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

**infectious mediastinitis**

infectious mediastinitis denotes an infectious or toxic condition involving infectious mediastinitis; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

**infective cervicitis**

infective cervicitis refers to infective cervicitis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**infective cystitis**

infective cystitis refers to infective cystitis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**infective phlebitis**

infective phlebitis refers to infective phlebitis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**infective vaginitis**

infective vaginitis refers to infective vaginitis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**inferior colliculus**

inferior colliculus refers to inferior colliculus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**infiltration**

infiltration refers to infiltration, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**inflammatory response**

inflammatory response refers to inflammatory response, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**infiximab**

infiximab concerns infiximab, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**influenza a virus**

influenza a virus is a virus or viral group associated with influenza a virus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

**influenzavirus A**

influenzavirus A is a virus or viral group associated with influenzavirus a; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

**influenzavirus b**

influenzavirus b is a virus or viral group associated with influenzavirus b; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

**informatics**

informatics refers to informatics, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**informative**

informative refers to informative, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**infrared rays**

infrared rays refers to infrared rays, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**infrared spectrometry**

infrared spectrometry refers to infrared spectrometry, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**infrarenal aorta**

infrarenal aorta refers to infrarenal aorta, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**infratentorial neoplasm**

infratentorial neoplasm denotes a neoplastic condition involving infratentorial neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**infrequent**

infrequent refers to infrequent, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ingredient**

ingredient refers to ingredient, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ingrown nail**

ingrown nail refers to ingrown nail, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**inguinal orchiectomy**

inguinal orchiectomy is used in relation to inguinal orchiectomy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

**inhalation**

inhalation refers to inhalation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**inhibin**

inhibin refers to inhibin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**inhibitory synapse**

inhibitory synapse refers to inhibitory synapse, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**iniparib**

iniparib refers to iniparib, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**initial insomnia**

initial insomnia refers to initial insomnia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**



---

**injury site**

injury site denotes a clinical condition or finding involving injury site; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**inorganic chemical**

inorganic chemical refers to inorganic chemical, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**inosine**

inosine refers to inosine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**inosine monophosphate**

inosine monophosphate refers to inosine monophosphate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**inosine pranobex**

inosine pranobex refers to inosine pranobex, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**inositol**

inositol refers to inositol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**inositol phosphates**

inositol phosphates refers to inositol phosphates, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**inpatient**

inpatient refers to inpatient, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**inquilinus**

inquilinus identifies inquilinus, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**inquilinus limosus**

inquilinus limosus identifies inquilinus limosus, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**insect virus**

insect virus is a virus or viral group associated with insect virus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

**insecta**

insecta identifies insecta, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**insemination**

insemination refers to insemination, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**inspiratory capacity**

inspiratory capacity refers to inspiratory capacity, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**inspiratory time**

inspiratory time refers to inspiratory time, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**instinct**

instinct refers to instinct, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**insula**

insula refers to insula, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**insulin antagonist**

insulin antagonist refers to insulin antagonist, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**insulin coma**

insulin coma refers to insulin coma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**insulin detemir**

insulin detemir refers to insulin detemir, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**insulin isophane**

insulin isophane refers to insulin isophane, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**insulin lispro**

insulin lispro refers to insulin lispro, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**insulin receptor**

insulin receptor denotes insulin receptor, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**insulinase**

insulinase refers to insulinase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**insurance**

insurance refers to insurance, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**integrase**

integrase refers to integrase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**integrin**

integrin refers to integrin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**integrin binding**

integrin binding refers to integrin binding, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**intein**

intein refers to intein, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**intelligence**

intelligence refers to intelligence, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**intelligence test**

intelligence test is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat intelligence test.

**Synonyms:**

**intensive care**

intensive care refers to intensive care, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**intercalated disc**

intercalated disc refers to intercalated disc, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**intercalating agent**

intercalating agent refers to intercalating agent, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**intercostal muscles**

intercostal muscles refers to intercostal muscles, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**interferometry**

interferometry refers to interferometry, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**interferon**

interferon concerns interferon, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**interferon inducer**

interferon inducer refers to interferon inducer, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**interferon-alpha**

interferon-alpha refers to interferon-alpha, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**interferon-beta**

interferon-beta refers to interferon-beta, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**interim sacrifice**

interim sacrifice refers to interim sacrifice, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**interleukin 1**

interleukin 1 refers to interleukin 1, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### **interleukin 13**

interleukin 13 refers to interleukin 13, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **interleukin 2**

interleukin 2 refers to interleukin 2, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **interleukin 7**

interleukin 7 refers to interleukin 7, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **interlocutory**

interlocutory refers to interlocutory, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **intermediate**

intermediate refers to intermediate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **intermediate filament**

intermediate filament refers to intermediate filament, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **intermittent fever**

intermittent fever denotes an infectious or toxic condition involving intermittent fever; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

### **internal**

internal denotes internal, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **internal fixator**

internal fixator denotes internal fixator, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **international cooperation**

international cooperation denotes international cooperation, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **international unit**

international unit denotes international unit, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **interneuron**

interneuron refers to interneuron, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **internist**

internist refers to internist, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **interphase**

interphase refers to interphase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### **interphase cell**

interphase cell denotes interphase cell, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **interstitial fluid**

interstitial fluid refers to interstitial fluid, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **interval**

interval refers to interval, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **interventional procedure**

interventional procedure is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat interventional procedure.

**Synonyms:**

### **intestinal absorption**

intestinal absorption is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat intestinal absorption.

**Synonyms:**

### **intestinal cancer**

intestinal cancer is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat intestinal cancer.

**Synonyms:**

### **intestinal duplication**

intestinal duplication is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat intestinal duplication.

**Synonyms:**

### **intestinal fistula**

intestinal fistula is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat intestinal fistula.

**Synonyms:**

### **intestinal mucosa**

intestinal mucosa is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat intestinal mucosa.

**Synonyms:**

### **intestinal polyp**

intestinal polyp is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat intestinal polyp.

**Synonyms:**

### **intestinal polyposis**

intestinal polyposis is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat intestinal polyposis.

**Synonyms:**

### **intestinal villi**

intestinal villi is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat intestinal villi.

**Synonyms:**

### **intestine disorder**

intestine disorder is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat intestine disorder.

**Synonyms:**

### **intestine neoplasm**

intestine neoplasm is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat intestine neoplasm.

**Synonyms:**

### **intestine obstruction**

intestine obstruction is a clinical assessment, mea-

---

surement, or procedure used to investigate, monitor, classify, or treat intestine obstruction.

**Synonyms:**

### **intimal dissection**

intimal dissection refers to intimal dissection, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **intoplicine**

intoplicine refers to intoplicine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **intraabdominal hemorrhage**

intraabdominal hemorrhage denotes a clinical condition or finding involving intraabdominal hemorrhage; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **intraabdominal infection**

intraabdominal infection denotes an infectious or toxic condition involving intraabdominal infection; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

### **intra-arterial**

intra-arterial refers to intra-arterial, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **intraarticular**

intraarticular refers to intraarticular, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **intrabronchial**

intrabronchial refers to intrabronchial, a medical

condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **intracartilaginous**

intracartilaginous refers to intracartilaginous, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **intracavitary**

intracavitary refers to intracavitary, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **intracavity radiotherapy**

intracavity radiotherapy is used in relation to intracavity radiotherapy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **intracellular membrane**

intracellular membrane denotes intracellular membrane, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **intracellular transport**

intracellular transport denotes intracellular transport, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **intracerebral**

intracerebral refers to intracerebral, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **intracisternal**

intracisternal denotes intracisternal, a biological



---

component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**intracoronaral**

intracoronaral refers to intracoronaral, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**intracoronary**

intracoronary refers to intracoronary, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**intraduodenal**

intraduodenal refers to intraduodenal, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**intraepidermal**

intraepidermal refers to intraepidermal, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**intraesophageal**

intraesophageal refers to intraesophageal, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**intralesional**

intralesional refers to intralesional, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**intralymphatic**

intralymphatic refers to intralymphatic, a medical condition or clinical finding defined by its features,

causes, affected system, and patient context.

**Synonyms:**

**intramedullary**

intramedullary refers to intramedullary, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**intramural plaque**

intramural plaque refers to intramural plaque, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**intramuscular injection**

intramuscular injection refers to intramuscular injection, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**intramuscular myxoma**

intramuscular myxoma refers to intramuscular myxoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**intraocular infection**

intraocular infection denotes an infectious or toxic condition involving intraocular infection; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

**intraocular lymphoma**

intraocular lymphoma denotes a neoplastic condition involving intraocular lymphoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

---

### **intrapartum fever**

intrapartum fever denotes an infectious or toxic condition involving intrapartum fever; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

### **intrapartum stillbirth**

intrapartum stillbirth refers to intrapartum stillbirth, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **intrapericardial**

intrapericardial refers to intrapericardial, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **intraperitoneal**

intraperitoneal refers to intraperitoneal, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **intraperitonealroute**

intraperitonealroute refers to intraperitonealroute, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **intraprostatic**

intraprostatic refers to intraprostatic, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **intrapulmonary**

intrapulmonary refers to intrapulmonary, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **intrasynovial**

intrasynovial refers to intrasynovial, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **intratendinous**

intratendinous refers to intratendinous, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **intratesticular**

intratesticular is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat intratesticular.

**Synonyms:**

### **intrathoracic**

intrathoracic refers to intrathoracic, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **intratracheal**

intratracheal refers to intratracheal, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **intratympanic**

intratympanic refers to intratympanic, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **intrauterine**

intrauterine refers to intrauterine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **intravascular**

intravascular refers to intravascular, a medical condi-

---

tion or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **intravenous catheters**

intravenous catheters refers to intravenous catheters, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **intravital microscopy**

intravital microscopy refers to intravital microscopy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **intrusive thought**

intrusive thought refers to intrusive thought, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **inulin**

inulin refers to inulin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **invasive procedure**

invasive procedure is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat invasive procedure.

**Synonyms:**

### **invertebrata**

invertebrata refers to invertebrata, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **invertebrate hormones**

invertebrate hormones denotes invertebrate hor-

mones, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **inverted papilloma**

inverted papilloma refers to inverted papilloma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **investigational**

investigational refers to investigational, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **involuntary movement**

involuntary movement refers to involuntary movement, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **iodamoeba butschlii**

iodamoeba butschlii identifies iodamoeba butschlii, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **iodide**

iodide refers to iodide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **iodipamide**

iodipamide refers to iodipamide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**iodoacetamide**

iodoacetamide refers to iodoacetamide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**iohexol**

iohexol refers to iohexol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ion**

ion refers to ion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ion transport**

ion transport refers to ion transport, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ionic strength**

ionic strength refers to ionic strength, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ionization**

ionization refers to ionization, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ionomycin**

ionomycin concerns ionomycin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**ionophore**

ionophore refers to ionophore, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**iopamidol**

iopamidol refers to iopamidol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**iothalamate clearance**

iothalamate clearance refers to iothalamate clearance, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**iothalamate meglumine**

iothalamate meglumine refers to iothalamate meglumine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**iothalamic acid**

iothalamic acid denotes iothalamic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**ioxaglic acid**

ioxaglic acid denotes ioxaglic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**ipilimumab**

ipilimumab concerns ipilimumab, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

---

**Synonyms:**

**ipratropium**

ipratropium refers to ipratropium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**iratumumab**

iratumumab concerns iratumumab, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**irbesartan**

irbesartan concerns irbesartan, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**iridium**

iridium refers to iridium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**irinotecan**

irinotecan refers to irinotecan, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**irinotecan hydrochloride**

irinotecan hydrochloride refers to irinotecan hydrochloride, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**iris cyst**

iris cyst refers to iris cyst, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**iris disease**

iris disease denotes a clinical condition or finding involving iris disease; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**iris melanoma**

iris melanoma refers to iris melanoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**iris neoplasm**

iris neoplasm denotes a neoplastic condition involving iris neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**irofulven**

irofulven refers to irofulven, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**iron overload**

iron overload refers to iron overload, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**irregular menstruation**

irregular menstruation refers to irregular menstruation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**irregular respiration**

irregular respiration refers to irregular respiration, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

---

**Synonyms:**

**irrigation solution**

irrigation solution refers to irrigation solution, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**irritable mood**

irritable mood refers to irritable mood, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**isazophos**

isazophos refers to isazophos, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ischemic preconditioning**

ischemic preconditioning refers to ischemic preconditioning, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ishak score**

ishak score refers to ishak score, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**islet cell**

islet cell denotes islet cell, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**isoantibodies**

isoantibodies refers to isoantibodies, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**isoantigen**

isoantigen refers to isoantigen, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**isocarboxazid**

isocarboxazid refers to isocarboxazid, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**isochromosomes**

isochromosomes denotes isochromosomes, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**isocyanate**

isocyanate refers to isocyanate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**isoelectric point**

isoelectric point refers to isoelectric point, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**isoetharine**

isoetharine refers to isoetharine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**isofenphos**

isofenphos refers to isofenphos, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**



---

**isoflavone**

isoflavone refers to isoflavone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**isoflurane**

isoflurane refers to isoflurane, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**isofluorophate**

isofluorophate refers to isofluorophate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**isogeneic graft**

isogeneic graft denotes isogeneic graft, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**isolate compound**

isolate compound refers to isolate compound, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**isoleucine**

isoleucine refers to isoleucine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**isomerase**

isomerase refers to isomerase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**isoniazid**

isoniazid refers to isoniazid, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**isoprenylation**

isoprenylation refers to isoprenylation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**isoprocarb**

isoprocarb refers to isoprocarb, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**isopropyl alcohol**

isopropyl alcohol refers to isopropyl alcohol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**isoprostane**

isoprostane refers to isoprostane, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**isoproterenol**

isoproterenol refers to isoproterenol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**isoquinolines**

isoquinolines refers to isoquinolines, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**isosorbide**

isosorbide refers to isosorbide, a medical condition

---

or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**isospora**

isospora identifies isospora, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**isospora belli**

isospora belli identifies isospora belli, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**iso-sulfan blue**

iso-sulfan blue refers to iso-sulfan blue, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**isothiocyante**

isothiocyante refers to isothiocyante, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**isothiocyantes**

isothiocyantes refers to isothiocyantes, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**isotonic exercise**

isotonic exercise refers to isotonic exercise, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**isotonic solution**

isotonic solution refers to isotonic solution, a medical condition or clinical finding defined by its features,

causes, affected system, and patient context.

**Synonyms:**

**isoxsuprine**

isoxsuprine refers to isoxsuprine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**isozyme**

isozyme refers to isozyme, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ispaghula husk**

ispaghula husk refers to ispaghula husk, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ispinesib**

ispinesib refers to ispinesib, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**isradipine**

isradipine concerns isradipine, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**itraconazole**

itraconazole concerns itraconazole, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**ivabradine**

ivabradine refers to ivabradine, a medical condition or clinical finding defined by its features, causes,

---

affected system, and patient context.

**Synonyms:**

### **ivermectin**

ivermectin refers to ivermectin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ixabepilone**

ixabepilone refers to ixabepilone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**Synonyms:** IHD

### **Numbness**

Reduced or absent sensation in part of the body, often caused by nerve compression or injury, neuropathy, reduced blood flow, or neurologic disease.

**Synonyms:**

### **IBS**

Alternate index label; see *Irritable bowel syndrome*.

**Synonyms:**

### **IDC**

Alternate index label; see *Invasive ductal carcinoma (IDC)*. **Synonyms:**

### **Idiopathic myelofibrosis**

Alternate index label; see *Myelofibrosis*. **Synonyms:**

### **Idiopathic thrombocytopenic purpura**

Alternate index label; see *Immune thrombocytopenia (ITP)*. **Synonyms:**

### **Idiopathic toe walking**

Alternate index label; see *Toe walking in children*.

**Synonyms:**

### **IIH**

Alternate index label; see *Pseudotumor cerebri (id-*

*iopathic intracranial hypertension)*. **Synonyms:**

### **Incontinence, bowel**

Alternate index label; see *Fecal incontinence*. **Synonyms:**

### **Incontinence, fecal**

Alternate index label; see *Fecal incontinence*. **Synonyms:**

### **Incontinence, urinary**

Alternate index label; see *Urinary incontinence*. **Synonyms:**

### **Infantile hemangioma**

Alternate index label; see *Hemangioma*. **Synonyms:**

### **Infectious hepatitis**

Alternate index label; see *Viral hepatitis*. **Synonyms:**

### **Infertility, female**

Alternate index label; see *Female infertility*. **Synonyms:**

### **Infertility, male**

Alternate index label; see *Male infertility*. **Synonyms:**

### **Infiltrating ductal carcinoma**

Alternate index label; see *Invasive ductal carcinoma (IDC)*. **Synonyms:**

### **Inflamed gallbladder**

Alternate index label; see *Cholecystitis*. **Synonyms:**

### **Inflamed pancreas**

Alternate index label; see *Pancreatitis*. **Synonyms:**

### **Inflamed pericardium**

Alternate index label; see *Pericarditis*. **Synonyms:**

---

### Influenza, avian

Alternate index label; see *Bird flu (avian influenza)*.

**Synonyms:**

### Influenza, H1N1

Alternate index label; see *H1N1 flu (swine flu)*.

**Synonyms:**

### Influenza, swine flu

Alternate index label; see *H1N1 flu (swine flu)*.

**Synonyms:**

### Insulin resistance syndrome

Alternate index label; see *Metabolic syndrome*. **Synonyms:**

### Interdigital neuroma

Alternate index label; see *Morton neuroma*. **Synonyms:**

### Intestinal lipodystrophy

Alternate index label; see *Whipple's disease*. **Synonyms:**

### Intraductal carcinoma

Alternate index label; see *Ductal carcinoma in situ (DCIS)*. **Synonyms:**

### Ischemia, intestinal

Alternate index label; see *Intestinal ischemia*. **Synonyms:**

### Ischemic bone necrosis

Alternate index label; see *Avascular necrosis (osteonecrosis)*. **Synonyms:**

### Ischemic priapism

Alternate index label; see *Priapism*. **Synonyms:**

### Islet cell cancer

Alternate index label; see *Pancreatic neuroendocrine tumors*. **Synonyms:**

### ITP

Alternate index label; see *Immune thrombocytopenia (ITP)*. **Synonyms:**

### Ibuprofen dosing for children

Ibuprofen dosing for children concerns ibuprofen dosing for children; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### Ibuprofen overdose

Ibuprofen overdose involves toxic exposure to ibuprofen overdose; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### Idiopathic hypercalciuria

Idiopathic hypercalciuria concerns idiopathic hypercalciuria; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### Ileostomy - caring for your stoma

Ileostomy - caring for your stoma concerns ileostomy - caring for your stoma; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### Ileostomy - changing your pouch

Ileostomy - changing your pouch concerns ileostomy - changing your pouch; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### Ileostomy - discharge

Ileostomy - discharge is a treatment or care intervention for ileostomy - discharge; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

---

### **Ileostomy - what to ask your doctor**

Ileostomy - what to ask your doctor concerns ileostomy - what to ask your doctor; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Ileostomy and your child**

Ileostomy and your child concerns ileostomy and your child; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Ileostomy and your diet**

Ileostomy and your diet addresses care related to ileostomy and your diet, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Iliotibial band syndrome - aftercare**

Iliotibial band syndrome - aftercare is a treatment or care intervention for iliotibial band syndrome - aftercare; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Imaging and radiology**

Imaging and radiology examines imaging and radiology; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Imipramine overdose**

Imipramine overdose involves toxic exposure to imipramine overdose; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Immune thrombocytopenic purpura**

### **(ITP)**

Immune thrombocytopenic purpura is immune-mediated platelet destruction causing isolated thrombocytopenia with bruising, petechiae, mucosal bleeding, or no symptoms.

**Synonyms:**

### **Immunizations for people with diabetes**

Immunizations for people with diabetes addresses care related to immunizations for people with diabetes, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Immunoelectrophoresis – blood**

Immunoelectrophoresis – blood examines immunoelectrophoresis – blood; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Immunoelectrophoresis - urine**

Immunoelectrophoresis - urine examines immunoelectrophoresis - urine; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Immunofixation - urine**

Immunofixation - urine examines immunofixation - urine; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Immunofixation blood test**

Immunofixation blood test examines immunofixation blood test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Immunotherapy for cancer**

Immunotherapy for cancer is a treatment or care intervention for immunotherapy for cancer; indication,

---

preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Immunotherapy: questions to ask your doctor**

Immunotherapy: questions to ask your doctor is a treatment or care intervention for immunotherapy: questions to ask your doctor; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Imperforate anus repair**

Imperforate anus repair is a treatment or care intervention for imperforate anus repair; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Implantable cardioverter defibrillator - discharge**

Implantable cardioverter defibrillator - discharge is a treatment or care intervention for implantable cardioverter defibrillator - discharge; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **In vitro fertilization (IVF)**

In vitro fertilization fertilizes retrieved eggs in a laboratory and transfers resulting embryos to the uterus, forming part of assisted reproductive treatment.

**Synonyms:**

### **Inborn errors of metabolism**

Inborn errors of metabolism concerns inborn errors of metabolism; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Incontinence - resources**

Incontinence - resources addresses care related to in-

continence - resources, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Increased head circumference**

Increased head circumference concerns increased head circumference; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Indium-labelled WBC scan**

Indium-labelled WBC scan examines indium-labelled wbc scan; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Indomethacin overdose**

Indomethacin overdose involves toxic exposure to indomethacin overdose; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Indoor fitness routine**

Indoor fitness routine concerns indoor fitness routine; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Inducing labor**

Inducing labor is a treatment or care intervention for inducing labor; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Industrial bronchitis**

Industrial bronchitis is a medical condition involving industrial bronchitis; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.



---

**Synonyms:**

### **Indwelling catheter care**

Indwelling catheter care is a treatment or care intervention for indwelling catheter care; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Infant - newborn development**

Infant - newborn development concerns infant - newborn development, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context.

**Synonyms:**

### **Infant Formula - buying, preparing, storing, and feeding**

Infant Formula - buying, preparing, storing, and feeding is a treatment or care intervention for infant formula - buying, preparing, storing, and feeding; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Infant formulas**

Infant formulas concerns infant formulas, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context.

**Synonyms:**

### **Infant of a substance-using mother**

Infant of a substance-using mother concerns infant of a substance-using mother, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context.

**Synonyms:**

### **Infant of diabetic mother**

Infant of diabetic mother concerns infant of diabetic mother, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context.

**Synonyms:**

### **Infant reflexes**

Infant reflexes concerns infant reflexes, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context.

**Synonyms:**

### **Infant test procedure preparation**

Infant test procedure preparation examines infant test procedure preparation; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Infertility - resources**

Infertility - resources addresses care related to infertility - resources, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Influenza (flu) vaccine (inactivated or recombinant) - what you need to know**

Inactivated or recombinant influenza vaccines present nonreplicating viral antigens to reduce risk of influenza and its complications; they cannot cause influenza infection.

**Synonyms:**

### **Influenza (flu) vaccine (live, intranasal) - what you need to know**

Influenza (flu) vaccine (live, intranasal) - what you need to know examines influenza (flu) vaccine (live, intranasal) - what you need to know; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Informed consent - adults**

Informed consent - adults concerns informed consent - adults; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

---

### **Ingrown toenail removal - discharge**

Ingrown toenail removal - discharge is a treatment or care intervention for ingrown toenail removal - discharge; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Inguinal hernia repair**

Inguinal hernia repair is a treatment or care intervention for inguinal hernia repair; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Inguinal hernia repair - discharge**

Inguinal hernia repair - discharge is a treatment or care intervention for inguinal hernia repair - discharge; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Injury - kidney and ureter**

Injury - kidney and ureter is a medical condition involving injury - kidney and ureter; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Ink poisoning**

Ink poisoning involves toxic exposure to ink poisoning; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Ink remover poisoning**

Ink remover poisoning involves toxic exposure to ink remover poisoning; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Insect bites and stings**

Insect bites and stings concerns insect bites and stings; its medical significance is established from

the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Insecticide poisoning**

Insecticide poisoning involves toxic exposure to insecticide poisoning; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Insidious**

Insidious concerns insidious; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Insulin and syringes - storage and safety**

Insulin and syringes - storage and safety addresses care related to insulin and syringes - storage and safety, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Insulin C-peptide test**

Insulin C-peptide test examines insulin c-peptide test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Insulin pumps**

Insulin pumps deliver rapid-acting insulin continuously and through programmed meal or correction doses, allowing flexible management of diabetes while requiring monitoring and device safety.

**Synonyms:**

### **Integrative medicine for cancer treatment**

Integrative medicine for cancer treatment examines integrative medicine for cancer treatment; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

---

### **Intercostal retractions**

Intercostal retractions addresses care related to intercostal retractions, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Interstitial cystitis - resources**

Interstitial cystitis - resources addresses care related to interstitial cystitis - resources, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Interstitial lung disease - adults - discharge**

Interstitial lung disease - adults - discharge is a treatment or care intervention for interstitial lung disease - adults - discharge; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Intestinal leiomyoma**

Intestinal leiomyoma examines intestinal leiomyoma; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Intestinal obstruction and Ileus**

Intestinal obstruction and Ileus examines intestinal obstruction and ileus; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Intestinal obstruction repair**

Intestinal obstruction repair examines intestinal obstruction repair; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Intestinal or bowel obstruction -**

### **discharge**

Intestinal or bowel obstruction - discharge examines intestinal or bowel obstruction - discharge; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Intracardiac electrophysiology study (EPS)**

Intracardiac electrophysiology study (EPS) examines intracardiac electrophysiology study (eps); interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Intracranial pressure monitoring**

Intracranial pressure monitoring examines intracranial pressure monitoring; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Intrauterine devices (IUD)**

Intrauterine devices (IUD) concerns intrauterine devices (iud), a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context.

**Synonyms:**

### **Intravenous**

Intravenous examines intravenous; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Intraventricular hemorrhage of the newborn**

Intraventricular hemorrhage of the newborn is a medical condition involving intraventricular hemorrhage of the newborn; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

---

### **Intussusception – children**

Intussusception occurs when one segment of intestine telescopes into another, causing intermittent pain, vomiting, obstruction, and possible bowel ischemia in children.

**Synonyms:**

### **Invasive**

Invasive examines invasive; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Iodine in diet**

Iodine in diet addresses care related to iodine in diet, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Iodine poisoning**

Iodine poisoning follows excessive iodine exposure and can irritate the gastrointestinal tract, disrupt thyroid function, and cause systemic toxicity depending on dose and formulation.

**Synonyms:**

### **Ions**

Ions concerns ions; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **IQ testing**

IQ testing examines iq testing; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Iron in diet**

Iron in diet addresses care related to iron in diet, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Iron overdose**

Iron overdose can cause gastrointestinal injury, metabolic acidosis, shock, liver failure, and multiorgan toxicity, particularly after a large ingestion by a child.

**Synonyms:**

### **Irradiated foods**

Irradiated foods concerns irradiated foods; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Irritable bowel syndrome - aftercare**

Irritable bowel syndrome - aftercare is a treatment or care intervention for irritable bowel syndrome - aftercare; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Ischemic ulcers - self-care**

Ischemic ulcers are wounds caused by inadequate arterial blood flow; care emphasizes protecting tissue, controlling vascular risk, and obtaining assessment for revascularization when appropriate.

**Synonyms:**

### **Isopropanol alcohol poisoning**

Isopropanol alcohol poisoning involves toxic exposure to isopropanol alcohol poisoning; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **IV treatment at home**

IV treatment at home examines iv treatment at home; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

---

## J

### Jaccoud's arthropathy

A non-erosive, reducible deformity of the metacarpophalangeal joints caused by chronic periarticular fibrosis and tendon laxity, most commonly associated with systemic lupus erythematosus.

**Synonyms:**

### Julienne

To cut food into thin, matchstick-shaped strips.

**Synonyms:**

### Jacksonian Epilepsy (Focal Seizures)

A type of focal (partial) seizure originating in the primary motor cortex, characterized by clonic (rhythmic jerking) or tonic (sustained contraction) movements that spread sequentially to adjacent body parts along the motor homunculus (Jacksonian march). Named after John Hughlings Jackson (1835-1911), who first described the phenomenon.

**Synonyms:** Focal Seizures

### JAK-STAT Pathway

A rapid signaling pathway for cytokines and growth factors (interferons, interleukins, erythropoietin, growth hormone) that lack intrinsic enzymatic activity. Ligand binding to the cytokine receptor causes receptor dimerization and activation of associated Janus kinases (JAK1, JAK2, JAK3, TYK2) by trans-phosphorylation.

**Synonyms:**

### JAK2

Janus kinase 2, an intracellular tyrosine kinase that transmits signals from several cytokine and growth-factor receptors. Activating JAK2 variants occur in some myeloproliferative neoplasms.

**Synonyms:**

### Janeway Lesions

Painless, erythematous or hemorrhagic macules on the palms and soles, caused by septic microemboli in infective endocarditis. They are a minor criterion in the Duke criteria. Unlike Osler nodes, Janeway lesions are painless and represent microabscesses in the dermis. They are transient and may disappear quickly.

**Synonyms:**

### Janus Kinase Inhibitors

JAK inhibitors (tofacitinib, baricitinib, upadacitinib, filgotinib, abrocitinib) block JAK-STAT signaling downstream of cytokine receptors (IL-6, IFN-gamma, IL-2, IL-7, IL-15, IL-21, GM-CSF, erythropoietin, thrombopoietin). Selectivity: JAK1/JAK3 (tofacitinib), JAK1/JAK2 (baricitinib), JAK1 (upadacitinib, filgotinib, abrocitinib).

**Synonyms:**

### Japanese Encephalitis

A mosquito-borne viral infection of the central nervous system caused by Japanese encephalitis virus. Most infections are asymptomatic, but severe disease can cause fever, altered consciousness, seizures, movement disorders, and lasting neurological disability.

**Synonyms:**

### Japanese Encephalitis Vaccine

A vaccine that protects against Japanese encephalitis, a mosquito-borne viral infection of the central nervous system. Vaccine type, schedule, and eligibility depend on age, destination or exposure risk,



---

and local recommendations.

**Synonyms:**

**Jaundice**

Jaundice is yellow discoloration of the skin and eyes caused by elevated bilirubin from increased production, impaired liver processing, or obstructed bile flow. hyperbilirubinemia (serum bilirubin greater than 2-3 mg/dL), resulting from an imbalance between bilirubin production and clearance.

**Synonyms:**

**Jaundice (Icterus)**

Yellow discoloration of the skin, sclerae, or mucous membranes caused by an increased bilirubin concentration in the blood.

**Synonyms:** Icterus

**Jaundice in newborns**

Yellow discoloration of a newborn's skin or eyes caused by elevated bilirubin.

**Synonyms:**

**Jaw Pain**

Pain in the jaw, jaw joint, or chewing muscles caused by temporomandibular disorders, dental disease, infection, injury, or less commonly heart or nerve disease. Pain with chest discomfort, sweating, breathlessness, or exertion requires urgent assessment; persistent pain or restricted jaw movement requires dental or medical review.

**Synonyms:**

**Jejunal Atresia**

Congenital complete interruption or absence of a segment of the jejunal lumen. It presents in a newborn with intestinal obstruction, commonly causing bilious vomiting, abdominal distension, and failure to pass meconium, and generally requires surgery.

**Synonyms:**

**Jejunostomy**

A surgically created opening into the jejunum, often used for placement of a feeding tube when nutrition cannot safely be given through the stomach.

**Synonyms:**

**Jejunum**

Middle segment (2.5 m) with prominent circular folds and tall villi for a velvety appearance. Richer blood supply and thicker walls than the ileum. Primary nutrient absorption site for carbohydrates, amino acids, fatty acids, vitamins, minerals. Fewer Peyer's patches. More commonly affected by Crohn's disease.

**Synonyms:**

**Job Modification**

Changes to work duties, equipment, schedule, or environment that accommodate a health-related limitation and support safe, effective work.

**Synonyms:**

**Job Syndrome**

A primary immunodeficiency, usually caused by pathogenic variants affecting STAT3, characterized by eczema, recurrent staphylococcal skin and lung infections, and markedly elevated immunoglobulin E. Skeletal, dental, and characteristic facial findings may also occur.

**Synonyms:**

**Jock Itch**

A fungal infection of the groin and inner thighs, also called tinea cruris. It causes an itchy, scaly, ring-shaped or spreading rash, often worsened by warmth and moisture. Pain, fever, extensive involvement, or failure to improve with appropriate care requires clinical evaluation.

**Synonyms:** tinea cruris.

**Joint**

Articulation between two or more bones permitting movement. Structural classification: fibrous (sutures, syndesmoses, gomphoses – immovable/slightly movable), cartilaginous (synchondroses, symphyses – slightly movable), synovial (freely movable – plane, hinge, pivot, condyloid, saddle, ball-and-socket).

**Synonyms:**

---

### Joint Contracture

Persistent limitation of passive joint movement caused by shortening or fibrosis of muscle, tendon, capsule, ligament, fascia, skin, or other periarticular tissue. It may follow immobilization, neurological disease, trauma, inflammation, burns, or congenital disorders.

**Synonyms:**

### Joint Diseases

A broad category of pathological conditions affecting the structure and function of joints. Classification by etiology: (1) Degenerative: osteoarthritis (most common, non-inflammatory, affects load-bearing joints—knee, hip, spine).

**Synonyms:**

### Joint Effusion

Excess fluid within a joint space. Common sites: knee (most accessible), ankle, wrist, shoulder. Causes: trauma, infection, inflammatory arthritis, crystal arthropathy. Detected by ballottement or bulge sign.

**Synonyms:**

### Joint Pain

Discomfort arising from articular structures including cartilage, synovium, ligaments, and periarticular soft tissues due to inflammation, degeneration, injury, or infection.

**Synonyms:**

### Joint Prosthesis

An artificial joint or implant designed to replace a damaged or diseased biological joint, restoring mobility and relieving chronic pain.

**Synonyms:**

### Joint Replacement

Surgical replacement of damaged joint surfaces with prosthetic components to reduce pain and improve function.

**Synonyms:**

### Joint Replacement (Arthroplasty)

A surgical procedure in which a damaged or arthritic joint surface is removed and replaced with a prosthetic implant, most commonly performed for the hip (total hip arthroplasty) and knee (total knee arthroplasty).

**Synonyms:** Arthroplasty

### Joint Replacement Rehabilitation

Exercise, education, and functional training after joint replacement to restore safe movement and independence.

**Synonyms:**

### Joint Stiffness

Reduced ease or range of joint movement, often worse after rest. Causes include arthritis, injury, inflammation, prolonged immobility, or muscle and tendon disorders. Sudden swelling, redness, fever, severe pain, or inability to use the joint requires assessment.

**Synonyms:**

### Joint Swelling

Enlargement of a joint caused by excess synovial fluid, blood, inflammation, infection, trauma, or structural disease. It may be accompanied by pain, warmth, stiffness, or restricted movement and can indicate inflammatory or septic arthritis.

**Synonyms:**

### Jugular Vein

One of the major veins draining blood from the head, face, and neck. There are two pairs: internal jugular vein (IJV) and external jugular vein (EJV).

**Synonyms:**

### Juvenile angiofibroma

Juvenile angiofibroma is a benign but highly vascular tumor arising near the nasal cavity in adolescent boys, causing progressive nasal obstruction and recurrent nosebleeds. predominantly in adolescent boys. It may cause recurrent nosebleeds, nasal obstruction, or facial swelling.

**Synonyms:**

---

### Juvenile Arthritis

A general term for inflammatory arthritis beginning in childhood. Persistent joint swelling, pain, stiffness, or limited movement may occur, and causes and subtypes vary.

**Synonyms:**

### Juvenile Astrocytoma

An astrocytic glioma arising in a child or adolescent. Many are low-grade and may cause seizures, headache, visual symptoms, endocrine disturbance, or focal neurological deficits depending on location; diagnosis requires neuroimaging and tumour evaluation.

**Synonyms:**

### Juvenile Dermatomyositis

An inflammatory muscle disease of childhood characterized by proximal weakness and distinctive skin findings such as heliotrope rash and Gottron papules. It may also affect blood vessels, muscles, or other organs.

**Synonyms:**

### Juvenile Hypermobility Syndrome

Excessive joint movement in a child or adolescent associated with pain, instability, fatigue, or recurrent sprains, without another defined connective-tissue disorder. Assessment considers the pattern of hypermobility, skin and systemic features, and functional impact; management may include physiotherapy and joint protection.

**Synonyms:**

### Juvenile Idiopathic Arthritis

A group of inflammatory arthritis disorders that begin before age 16 and persist for at least six weeks without another identified cause. Subtypes differ in the number of joints affected, systemic symptoms, associated eye disease, and laboratory findings.

**Synonyms:**

### Juvenile Osteoporosis

Reduced bone mass or impaired bone strength occurring during childhood or adolescence, increasing

fracture risk. It may be primary or secondary to chronic disease, nutritional deficiency, endocrine disorder, immobility, or medication exposure.

**Synonyms:**

### Juvenile Rheumatoid Arthritis

An older term for juvenile idiopathic arthritis, chronic inflammatory arthritis beginning before adulthood.

**Synonyms:**

### Juvenile Xanthogranuloma

A benign non-Langerhans-cell histiocytic disorder that most often presents in infancy or early childhood as a yellow-red papule or nodule. Skin lesions are usually self-limited, but ocular or visceral involvement can occur and requires appropriate assessment.

**Synonyms:**

### Juxta-articular

Located next to or close to a joint.

**Synonyms:**

### Juxtaglomerular Apparatus

Specialized structure located at the vascular pole of the glomerulus where the distal tubule comes into contact with the afferent arteriole. Composed of macula densa cells in the tubular wall, juxtaglomerular cells in the afferent arteriolar wall that produce renin, and extraglomerular mesangial cells.

**Synonyms:**

### Juxtavesical

Located next to or near the urinary bladder.

**Synonyms:**

### Jet Lag

Temporary sleep and circadian disruption after rapid travel across time zones.

**Synonyms:**

### Jaw Fracture

A break in the upper or lower jawbone.

---

**Synonyms:**

### **Jackknife Position**

A prone position in which the operating table is flexed at the hips, raising the buttocks and lowering the head and legs.

**Synonyms:**

### **Jaw Tumors and Cysts**

Abnormal growths or fluid-filled sacs that develop in the jawbone or nearby tissues.

**Synonyms:**

### **Jellyfish Stings**

Skin injury caused by contact with jellyfish tentacles, which release venom and may cause pain or systemic symptoms.

**Synonyms:**

### **Jet Lag Disorder**

Temporary sleep and circadian disruption after rapid travel across multiple time zones.

**Synonyms:**

### **Jaccoud Arthropathy**

A deforming but usually nonerosive arthropathy, classically associated with previous rheumatic fever or systemic lupus erythematosus, causing reducible ulnar deviation and other hand deformities.

**Synonyms:**

### **Junctional Rhythm**

A cardiac rhythm arising from the atrioventricular junction rather than the sinoatrial node, usually with a narrow QRS complex and a slow or absent preceding atrial impulse.

**Synonyms:**

### **Juvenile Myoclonic Epilepsy**

A generalized epilepsy syndrome that typically begins in adolescence and causes myoclonic jerks, often after awakening, with possible generalized tonic-clonic or absence seizures.

**Synonyms:**

### **Juvenile Polyposis Syndrome**

An inherited disorder characterized by multiple hamartomatous polyps in the gastrointestinal tract and an increased risk of colorectal and other gastrointestinal cancers.

**Synonyms:**

### **Jarisch-Herxheimer Reaction**

A short-lived systemic reaction, with fever, chills, headache, muscle aches, and worsening of existing symptoms, that may occur soon after antibiotic treatment of certain bacterial infections, especially spirochaetal infections.

**Synonyms:**

### **Pre-hepatic Jaundice (Haemolytic Jaundice)**

Jaundice caused by excessive breakdown of red blood cells before bilirubin reaches the liver, producing increased unconjugated bilirubin.

**Synonyms:** Haemolytic Jaundice

### **Hepatic Jaundice (Hepatocellular Jaundice)**

Jaundice caused by impaired processing or excretion of bilirubin by damaged liver cells.

**Synonyms:** Hepatocellular Jaundice

### **Post-hepatic Jaundice (Obstructive Jaundice)**

Jaundice caused by obstruction of bile flow after bilirubin has been processed by the liver, commonly from gallstones, strictures, or tumours.

**Synonyms:** Obstructive Jaundice

### **Kernicterus (Nuclear Jaundice)**

Brain injury caused by deposition of excessive unconjugated bilirubin in the basal ganglia and other brain regions, usually in a severely jaundiced newborn.

**Synonyms:** Nuclear Jaundice

### **Mandible (Lower Jaw)**

The large movable bone forming the lower jaw and carrying the lower teeth.

---

**Synonyms:** Lower Jaw

### **Maxilla (Upper Jaw)**

The paired bones forming the upper jaw, the front part of the hard palate, and parts of the walls of the nose and eye sockets.

**Synonyms:** Upper Jaw

### **Jaw Jerk Reflex**

A stretch reflex of the jaw muscles elicited by tapping the chin while the mouth is slightly open; an exaggerated response may indicate an upper motor-neuron lesion above the pons.

**Synonyms:**

### **Jugular Venous Pressure (JVP)**

The height of the jugular venous column above the right atrium, used clinically as an indirect estimate of right atrial pressure and fluid status.

**Synonyms:** JVP

### **Neuromuscular Junction (Myoneural Junction)**

The specialized synapse where a motor nerve ending communicates with a skeletal-muscle fibre to initiate contraction.

**Synonyms:** Myoneural Junction

### **Janus kinase**

Janus kinase refers to janus kinase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **jaw**

jaw refers to jaw, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

### **jaw neoplasm**

jaw neoplasm denotes a neoplastic condition involving jaw neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### **jeb protocol**

jeb protocol refers to jeb protocol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **jejunal fistula**

jejunal fistula refers to jejunal fistula, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **jejunal hemorrhage**

jejunal hemorrhage denotes a clinical condition or finding involving jejunal hemorrhage; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **jejunal neoplasm**

jejunal neoplasm denotes a neoplastic condition involving jejunal neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### **jejunal stenosis**

jejunal stenosis denotes a clinical condition or finding involving jejunal stenosis; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **jejunal ulcer**

jejunal ulcer refers to jejunal ulcer, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **jeotgalibacillus**

jeotgalibacillus is a microorganism or microbial group associated with jeotgalibacillus; clinical relevance depends on pathogenicity, exposure, site, and

---

antimicrobial susceptibility.

**Synonyms:**

### **job satisfaction**

job satisfaction refers to job satisfaction, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **johnsonella**

johnsonella identifies johnsonella, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **johnsonella ignava**

johnsonella ignava identifies johnsonella ignava, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **joint capsule**

joint capsule refers to joint capsule, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **judgement impaired**

judgement impaired refers to judgement impaired, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **judgment**

judgment refers to judgment, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **jugular foramen**

jugular foramen refers to jugular foramen, a medical

condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **jumping gene**

jumping gene denotes jumping gene, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **junctional nevus**

junctional nevus refers to junctional nevus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **juvenile delinquency**

juvenile delinquency refers to juvenile delinquency, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **juvenile hormones**

juvenile hormones denotes juvenile hormones, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **Jumper's knee**

Alternate index label; see *Patellar tendinitis*. **Synonyms:**

### **Juvenile schizophrenia**

Alternate index label; see *Childhood schizophrenia*. **Synonyms:**

### **Jack-in-the-pulpit poisoning**

Jack-in-the-pulpit poisoning follows ingestion of calcium oxalate crystals from the plant, causing intense burning and swelling of the mouth, throat, and gastrointestinal tract.

**Synonyms:**



---

### Jaundice and breastfeeding

Jaundice associated with breastfeeding may reflect inadequate milk intake in the early days or persistent breast-milk jaundice after other serious causes have been excluded.

**Synonyms:**

### Jaundice causes

Jaundice causes include hemolysis, inherited bilirubin disorders, hepatitis, medication or toxin injury, and obstruction of bile drainage; evaluation distinguishes unconjugated from conjugated hyperbilirubinemia.

**Synonyms:**

### Jejunostomy feeding tube

A jejunostomy feeding tube delivers nutrition directly into the jejunum when oral or gastric feeding is unsafe or inadequate, with attention to formula, rate, position, and complications.

**Synonyms:**

### Jerusalem cherry poisoning

Jerusalem cherry poisoning follows ingestion of *Solanum pseudocapsicum* berries, which contain toxic compounds that may cause gastrointestinal symptoms, confusion, weakness, or cardiac effects.

**Synonyms:**

### Jet lag prevention

Jet lag prevention uses timed light exposure, sleep adjustment, hydration, and carefully planned activity or melatonin strategies to shift the circadian rhythm across time zones.

**Synonyms:**

### Jewelry cleaner poisoning

Jewelry cleaner poisoning can injure the mouth, esophagus, stomach, lungs, or eyes depending on the product and exposure route; immediate poison-control guidance is appropriate.

**Synonyms:**

### Jimsonweed poisoning

Jimsonweed poisoning causes anticholinergic toxic-

ity, including dilated pupils, dry mouth, rapid heart rate, urinary retention, agitation, delirium, seizures, or coma.

**Synonyms:**

### Joint fluid culture

Joint fluid culture tests synovial fluid for bacterial, fungal, or other organisms when septic arthritis is suspected; results are interpreted with cell count, crystals, and clinical findings.

**Synonyms:**

### Joint fluid Gram stain

Joint fluid Gram stain applies differential staining to synovial fluid to look for bacteria, helping evaluate septic arthritis alongside culture and fluid analysis.

**Synonyms:**

### Joint x-ray

A joint x-ray uses ionizing radiation to assess alignment, fractures, degenerative change, erosions, calcification, and selected soft-tissue or bone abnormalities.

**Synonyms:**

## K

### Kallmann Syndrome

Congenital form of hypogonadotropic hypogonadism caused by failure of GnRH neuron migration from the olfactory placode to the hypothalamus during embryonic development. Characterized by delayed puberty with low LH and FSH and anosmia or hyposmia from olfactory bulb hypoplasia.

**Synonyms:**

### Keratinocytes

The predominant cells of the epidermis that produce keratin and form the skin's protective barrier.

**Synonyms:**

### Kangaroo Care (Skin-to-Skin Contact)

Holding a newborn directly against a caregiver's bare chest while monitoring the infant's condition. It supports thermal regulation, physiologic stability, bonding, and feeding, and is particularly useful for many preterm or low-birth-weight infants.

**Synonyms:** Skin-to-Skin Contact

### Kaposi Sarcoma

A vascular tumor caused by human herpesvirus 8 (HHV-8), presenting as violaceous plaques and nodules on skin and mucous membranes. Four types: classic (elderly Mediterranean men), endemic (African), iatrogenic (immunosuppression post-transplant), and AIDS-associated. Cutaneous lesions are the most common presentation in AIDS.

**Synonyms:**

### Kaposi's sarcoma

A vascular tumor associated with human herpesvirus 8. It may cause purple or reddish skin lesions and can involve internal organs, especially

in people with impaired immunity.

**Synonyms:**

### Karnofsky Performance Status

The Karnofsky Performance Status (KPS) scale is a widely used clinical tool for assessing the functional status of patients, particularly those with cancer, and quantifies the patient's ability to perform activities of daily living and tolerate treatments.

**Synonyms:**

### Kartagener Syndrome

A subset of primary ciliary dyskinesia with situs inversus, chronic sinusitis, and bronchiectasis. Caused by dynein defects impairing both mucociliary clearance and embryonic nodal cilia rotation.

**Synonyms:**

### Kartagener Triad

The combination of situs inversus, chronic sinusitis, and bronchiectasis caused by primary ciliary dyskinesia. The underlying ciliary defect impairs mucociliary clearance and embryonic left-right development.

**Synonyms:**

### Karyotype

Display of chromosomes arranged in pairs, ordered by size and banding pattern. Used to detect chromosomal abnormalities. Resolution: 5-10 Mb.

**Synonyms:**

### Karyotyping

Karyotyping examines the number and structure of chromosomes in cells to identify aneuploidy, large

---

rearrangements, and selected chromosomal causes of disease. set of chromosomes, arranged in pairs by size, centromere position, and banding pattern.

**Synonyms:**

### **Katz Index**

A scale that assesses independence in six basic activities of daily living: bathing, dressing, toileting, transferring, continence, and feeding.

**Synonyms:**

### **Kawasaki Disease**

An acute inflammatory disease of childhood that can affect the coronary arteries. It commonly causes persistent fever, rash, conjunctival redness, mouth or extremity changes, and swollen lymph nodes; diagnosis is clinical and incomplete forms occur.

**Synonyms:**

### **Kawasaki's disease**

An acute, self-limited systemic vasculitis of childhood, also known as mucocutaneous lymph node syndrome, primarily affecting medium-sized arteries with a predilection for the coronary arteries.

**Synonyms:** mucocutaneous.

### **Kayser-Fleischer Rings**

Golden-brown copper deposits in Descemet membrane of the cornea. They strongly support Wilson disease in the appropriate clinical setting, but may occur in other cholestatic disorders and can be absent in isolated hepatic disease. They are identified by slit-lamp examination and present in virtually all patients with neurological manifestations of Wilson disease though they may be absent in isolated hepatic disease.

**Synonyms:**

### **Kearns-Sayre Syndrome**

A mitochondrial cytopathy caused by large-scale mitochondrial DNA deletions or rearrangements. It classically begins before age 20 with progressive external ophthalmoplegia, pigmentary retinopathy, and cardiac-conduction disease, and may involve endocrine or neurological systems.

**Synonyms:**

### **Kegel**

A pelvic-floor muscle contraction exercise used to improve pelvic-floor strength and control of selected types of urinary or fecal incontinence.

**Synonyms:**

### **Kegel Exercise**

Repeated contraction and relaxation of the pelvic-floor muscles to improve their strength and coordination.

**Synonyms:**

### **Keloid**

An overgrowth of scar tissue extending beyond the original wound margins, caused by excessive collagen deposition during wound healing. Keloids are more common in darker skin types (Fitzpatrick IV to VI) and occur at sites of trauma, surgery, piercings, and burns. They are pruritic and painful.

**Synonyms:**

### **Keratinocyte**

The predominant cell of the epidermis, producing keratin and contributing to the skin's barrier and immune functions.

**Synonyms:**

### **Keratitis**

Inflammation of the cornea. Infectious keratitis: bacterial (contact lens wear, trauma: *Pseudomonas*, *Staph aureus*), viral (HSV, VZV, adenovirus), fungal (*Candida*, *Fusarium*, *Aspergillus*), and *Acanthamoeba* (contact lens-related). Presents with eye pain, photophobia, tearing, conjunctival injection, and corneal opacity/ulcer.

**Synonyms:**

### **Keratoacanthoma**

A low-grade or well-differentiated variant of squamous cell carcinoma (SCC) originating from hair follicles. Characterized by rapid growth over 4-6 weeks into a dome-shaped, flesh-colored or erythematous nodular lesion with a central keratin-filled

---

crater. Often resolves spontaneously over months via involution, leaving a depressed scar.

**Synonyms:**

### **Keratoconjunctivitis Sicca**

Chronic dryness and inflammation of the cornea and conjunctiva, commonly called dry-eye syndrome. Symptoms include burning, grittiness, redness, fluctuating vision, and light sensitivity; causes include reduced tear production, excessive evaporation, medicines, and autoimmune disease.

**Synonyms:** dry-eye.

### **Keratoconus**

Keratoconus is progressive thinning and cone-shaped deformation of the cornea, causing irregular astigmatism, blurred vision, glare, and contact-lens intolerance. (percent of cases) thinning and cone-like protrusion of the cornea, leading to irregular astigmatism, myopia, and decreased visual acuity.

**Synonyms:**

### **Keratoderma**

A group of disorders characterised by excessive thickening of the skin of the palms and soles, which may be hereditary or acquired. Acquired forms can be diffuse, focal, or punctate and may be associated with systemic diseases, malignancy, or medications.

**Synonyms:**

### **Keratoderma blennorrhagicum**

A keratoderma associated with reactive arthritis (formerly Reiter syndrome), characterised by waxy, yellowish, vesiculopustular papules and plaques on the palms and soles that may coalesce and extend to the extremities. It mimics pustular psoriasis histologically and clinically.

**Synonyms:**

### **Keratoderma blenorrhagicum**

Alternate spelling of keratoderma blennorrhagicum, a cutaneous manifestation of reactive arthritis with waxy, crusty, vesiculopustular lesions on the palms and soles. It is a reactive phenomenon typically occurring in the context of genitourinary or gas-

trointestinal infection.

**Synonyms:**

### **Keratoplasty**

Surgical transplantation or reshaping of corneal tissue. Penetrating keratoplasty replaces the full corneal thickness, whereas lamellar techniques replace selected layers and may reduce rejection and recovery time.

**Synonyms:**

### **Keratoprosthesis**

Artificial cornea for severe corneal blindness. Boston KPro most common. Indications: chemical burns, limbal stem cell deficiency.

**Synonyms:**

### **Keratosis Pilaris**

A common, benign genetic follicular condition characterized by keratotic follicular papules. Small, rough, flesh-colored or red bumps on the extensor surfaces of proximal arms, thighs, and sometimes buttocks and face. Caused by abnormal keratinization and plugging of hair follicles with retained keratin.

**Synonyms:**

### **Kernicterus**

Bilirubin encephalopathy resulting from severe unconjugated hyperbilirubinemia (typically greater than 25 mg/dL in term infants). Bilirubin deposits in the basal ganglia, hippocampus, and brainstem nuclei. Presents with lethargy, poor feeding, high-pitched cry, opisthotonus, seizures, and choreoathetosis.

**Synonyms:**

### **Kernig Sign**

Sign of meningeal irritation. Patient supine, hip and knee flexed 90 degrees; inability to extend knee indicates positive sign. Seen in meningitis, subarachnoid hemorrhage.

**Synonyms:**

---

### Keshan disease

Heart disease caused by a lack of selenium, an element that the body needs to function properly.

**Synonyms:**

### Ketogenesis

The production of ketone bodies from fatty acids, mainly in the liver during fasting, prolonged exercise, or inadequate insulin activity.

**Synonyms:**

### Ketogenic Diet

High fat, adequate protein, very low carbohydrate diet (<50g/day). Induces ketosis. Medical uses: epilepsy, obesity, metabolic syndrome. Risks: nutrient deficiency, kidney stones, dyslipidemia.

**Synonyms:**

### Ketone Bodies

Water-soluble molecules produced mainly by the liver from fatty-acid-derived acetyl-CoA during fasting, starvation, prolonged exercise, or insulin deficiency. The principal ketone bodies are acetoacetate, beta-hydroxybutyrate, and acetone.

**Synonyms:**

### Ketones

Acidic byproducts produced when the body breaks down fat for energy instead of glucose (ketogenesis). Ketones can be detected in blood and urine.

**Synonyms:**

### Ketosis

Metabolic state with elevated ketone bodies. Physiological: fasting, ketogenic diet. Pathological: diabetic ketoacidosis. Distinguish from ketonemia vs ketonuria.

**Synonyms:**

### Kidney

A paired, bean-shaped retroperitoneal organ responsible for filtering blood, excreting waste products as urine, and regulating fluid and electrolyte balance, acid-base homeostasis, and blood pressure (via the renin-angiotensin-aldosterone system). Each kid-

ney contains approximately 1 million nephrons, the functional filtering units.

**Synonyms:**

### Kidney and Urinary Health

Kidney and urinary health encompasses the function of the kidneys, ureters, bladder, and urethra in filtering waste, regulating fluid/electrolyte balance, and eliminating urine.

**Synonyms:**

### Kidney Cancer

A malignant tumor arising in the kidney. Renal cell carcinoma is the most common type in adults, but other types occur, especially in children.

**Synonyms:**

### Kidney Failure

The inability of the kidneys to maintain fluid, electrolyte, and acid-base homeostasis and to excrete metabolic wastes. Acute kidney injury (AKI): sudden decline in GFR over hours-days—prerenal (hypoperfusion), intrinsic (acute tubular necrosis, glomerulonephritis, interstitial nephritis), postrenal (obstruction).

**Synonyms:**

### Kidney Function Tests

Blood and urine tests used to assess how well the kidneys filter waste and regulate fluid and electrolytes. Common measures include creatinine, estimated glomerular filtration rate, urine albumin, and urinalysis; results are interpreted with the clinical context.

**Synonyms:**

### Kidney Stone

A hard deposit formed from substances in urine that can obstruct the urinary tract and cause severe flank or abdominal pain.

**Synonyms:**

### Kidney stones

Kidney stones are crystalline deposits in the urinary tract that can cause colicky flank pain, hematuria,

---

vomiting, obstruction, or infection depending on size and location. affecting approximately 10 percent of the population over a lifetime, with a male-to-female ratio of 2:1 and peak incidence in the 4th-6th decades.

**Synonyms:**

### **Kidney Stones (Nephrolithiasis / Urolithiasis)**

Crystalline mineral deposits formed within the renal pelvis and calyces due to supersaturation of urine.

**Synonyms:** Nephrolithiasis / Urolithiasis

### **Kidney Transplant Rejection**

Immune-mediated injury to a transplanted kidney caused by recipient antibodies, T cells, or both. Hyperacute, acute, and chronic rejection differ in timing and pathology and require correlation of graft function, imaging, serology, and often biopsy.

**Synonyms:**

### **Kidney Transplantation**

Best treatment for ESRD with improved survival over dialysis. Living donor superior to deceased donor. Lifelong immunosuppression required. Rejection types include hyperacute, acute, and chronic. Complications include rejection, infection, vascular complications, and recurrent disease.

**Synonyms:**

### **Kienbock Disease**

Kienbock disease (lunatomalacia): AVN of lunate. Lichtman classification: I (normal XR, MRI edema), II (lunate sclerosis), IIIA (lunate collapse, no scaphoid rotation), IIIB (lunate collapse, fixed scaphoid rotation, DISI), IV (perilunate arthritis). Etiology: negative ulnar variance, trauma, vascular variation.

**Synonyms:**

### **Kiesselbach Plexus**

A network of small arteries on the front part of the nasal septum and a common source of nosebleeds.

**Synonyms:**

### **Killian's triangle**

An area of potential weakness in the pharyngeal wall between the thyropharyngeus and cricopharyngeus muscles, predisposing to Zenker diverticulum formation.

**Synonyms:**

### **Killip Classification**

A clinical classification system for assessing the severity of myocardial infarction based on physical examination findings. Class I: no heart failure signs. Class II: mild heart failure (crackles, S3 gallop, elevated JVD). Class III: pulmonary edema. Class IV: cardiogenic shock.

**Synonyms:**

### **Kimmelstiel-Wilson Nodules**

Characteristic round eosinophilic nodular mesangial expansions in diabetic nephropathy. Represent advanced mesangial matrix accumulation. Found in peripheral mesangium associated with diffuse mesangial expansion, GBM thickening, and arteriolar hyalinosis.

**Synonyms:**

### **Kimura Disease**

A chronic inflammatory disorder characterized by painless subcutaneous masses, commonly in the head and neck, regional lymphadenopathy, eosinophilia, and elevated immunoglobulin E. It is distinct from angiolymphoid hyperplasia with eosinophilia and may involve the kidneys.

**Synonyms:**

### **Kinesio Taping**

Application of an elastic adhesive tape to the skin to provide support or sensory input while allowing movement. Its clinical benefit varies by condition.

**Synonyms:**

### **Kinesiology**

The study of human movement and the forces that produce or affect it, with applications in health care, rehabilitation, sport, and ergonomics.

**Synonyms:**



---

## Kinetic Modeling

Mathematical modeling of how a tracer or drug moves through and is exchanged among tissues or body compartments.

**Synonyms:**

## Kinetics

The study of how a process changes over time. In pharmacology, it includes the absorption, distribution, metabolism, and elimination of a drug.

**Synonyms:**

## Klebsiella Pneumonia

Severe, necrotizing pneumonia in alcoholic or debilitated patients. Upper lobe involvement with “bulging fissure sign” and “currant jelly” sputum.

**Synonyms:**

## Klebsiella rhinoscleromatis

A gram-negative bacillus causing chronic granulomatous infection of the nasal passages and upper airway, leading to rhinoscleroma with progressive nasal obstruction and tissue destruction.

**Synonyms:**

## Klinefelter Syndrome

Most common sex chromosome aneuploidy in males with a karyotype of 47,XXY occurring in approximately one in six hundred live male births. Characterized by small firm testes, gynecomastia, tall stature with long extremities, and infertility from azoospermia.

**Synonyms:**

## Klippel-Feil Syndrome

A congenital condition characterized by fusion of two or more cervical vertebrae, resulting from failure of normal segmentation of the cervical somites during weeks 3-8 of gestation. Classic triad: short neck, low posterior hairline, and limited cervical range of motion (present in <50% of cases).

**Synonyms:**

## Klippel-Trenaunay Syndrome

A congenital vascular disorder characterized by the

triad: capillary malformations (port-wine stains), venous malformations (varicose veins, persistent embryonic veins), and soft tissue or bone hypertrophy of the affected limb (typically a lower extremity).

**Synonyms:**

## Klippel-Trenaunay-Weber Syndrome

A rare congenital overgrowth disorder involving capillary or venous malformations and enlargement of bone or soft tissue, usually affecting one limb. It may cause limb asymmetry, pain, bleeding, thrombosis, or lymphedema. Care is multidisciplinary and may include compression, vascular treatment, and orthopedic management.

**Synonyms:**

## Klumpke Paralysis

Lower-trunk brachial-plexus injury affecting primarily the C8 and T1 nerve roots. It causes weakness or paralysis of the intrinsic hand muscles, sensory loss along the medial forearm and hand, and occasionally Horner syndrome when sympathetic fibres are involved.

**Synonyms:**

## Knee Disorders

The knee is a complex hinge-type synovial joint connecting the femur, tibia, and patella, stabilized by ligaments (ACL, PCL, MCL, LCL), menisci (medial and lateral), and surrounding muscles/tendons.

**Synonyms:**

## Knee Joint

A synovial joint formed mainly by the femur, tibia, and patella. It permits flexion and extension with limited rotation and is stabilized by ligaments, menisci, muscles, and the joint capsule.

**Synonyms:**

## Knee Pain

Pain felt in or around the knee, commonly caused by injury, osteoarthritis, bursitis, tendinitis, or inflammatory disease. Persistent swelling, instability, inability to bear weight, or fever requires medical assessment.

---

**Synonyms:**

### **Knee Prosthesis**

An artificial joint component used to replace damaged surfaces of the knee, usually including femoral and tibial components and sometimes a patellar component.

**Synonyms:**

### **Kneecap**

The largest sesamoid bone in the human body, embedded within the quadriceps tendon anterior to the knee joint. See Patella (Kneecap).

**Synonyms:**

### **Kniest Dysplasia**

A rare skeletal dysplasia caused most often by pathogenic variants in COL2A1. It produces disproportionate short stature, enlarged joints, progressive joint disease, distinctive facial features, and sometimes severe ocular, auditory, or respiratory complications.

**Synonyms:**

### **Knife-cut ulcers from Crohn's disease**

Deep, linear, serpiginous ulcerations of the intestinal mucosa in Crohn disease, resembling cuts made by a knife. These longitudinal ulcers with heaped-up margins are characteristic of Crohn disease and help distinguish it from ulcerative colitis on endoscopy. They may cause strictures, fistulae, and bleeding.

**Synonyms:**

### **Knock Knees**

Medial angulation of the knees causing the knees to touch while the ankles remain apart, also called genu valgum. It is common during childhood development but may be pathologic when severe, asymmetric, persistent, or associated with pain or growth disturbance.

**Synonyms:** genu valgum.

### **Knotless Anchor**

Suture anchor for soft tissue repair without tying knots. Used in orthopedic surgery.

**Synonyms:**

### **KOH Preparation**

Microscopic examination of skin, hair, or nail scrapings treated with potassium hydroxide to dissolve keratin and reveal fungal hyphae or yeast. A negative preparation does not exclude infection when sampling is inadequate or prior treatment has been given.

**Synonyms:**

### **Koilonychia**

Spoon nails: nails with a concave (spoon-shaped) contour, most commonly associated with iron deficiency anemia; also seen in hemochromatosis, Plummer-Vinson syndrome, malnutrition, and trauma (nail dystrophy). The nail becomes thin, brittle, and turns up at the edges so a drop of water rests in the concavity.

**Synonyms:**

### **Koplik Spots**

A characteristic enanthem of measles. It consists of small, bluish-white spots on an erythematous bluish-white spots on an erythematous background located on the buccal mucosa opposite the lower molars ("grains of salt on a red background"). Appear 1-2 days prior to the onset of the maculopapular rash and disappear 1-2 days after rash onset.

**Synonyms:**

### **Krabbe Disease**

An autosomal-recessive lysosomal storage disorder caused by deficient galactocerebrosidase activity and accumulation of psychosine. Infantile disease causes irritability, stiffness, developmental regression, seizures, and progressive loss of neurological function; later-onset forms are variable.

**Synonyms:**

### **Kt/V**

Dialysis adequacy measure representing the fractional clearance of urea. K is dialyzer clearance, t is treatment time, V is volume of distribution of urea. Target Kt/V greater than 1.4 for thrice-

---

weekly hemodialysis. Urea reduction ratio greater than 70% is alternative adequacy measure.

**Synonyms:**

### **Kussmaul Breathing**

A deep, rapid breathing pattern seen in severe metabolic acidosis (diabetic ketoacidosis, lactic acidosis, uremia). It represents the body's attempt to compensate by blowing off CO<sub>2</sub>. The increased respiratory rate and depth create the characteristic labored breathing.

**Synonyms:**

### **Kussmaul Sign**

Paradoxical increase in jugular venous pressure with inspiration, normally the JVP decreases with inspiration. It indicates impaired right ventricular filling during inspiration. Seen in constrictive pericarditis, restrictive cardiomyopathy, severe right heart failure, cardiac tamponade, and massive pulmonary embolism.

**Synonyms:**

### **Kwashiorkor**

Kwashiorkor is severe protein-energy malnutrition characterized by edema, growth failure, muscle wasting, skin or hair changes, and impaired immune function. deficiency relative to calorie intake (often occurring in children when weaned from breast milk to a high-carbohydrate starch diet).

**Synonyms:**

### **Kyphoplasty**

Kyphoplasty is a treatment or care intervention for kyphoplasty; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Kyphoscoliosis**

An abnormal curvature of the spine in both the coronal (scoliosis) and sagittal (kyphosis) planes. Severe forms cause restrictive lung disease by reducing chest wall compliance and lung volumes. It can lead to chronic respiratory failure and pulmonary

hypertension.

**Synonyms:**

### **Kyphosis**

Kyphosis is excessive forward curvature of the thoracic spine, which may result from posture, vertebral compression, developmental conditions, degeneration, or inflammatory disease. angle on lateral spine x-ray (normal thoracic kyphosis is 20-40 degrees).

**Synonyms:**

### **Keratectomy**

Surgical removal or reshaping of part of the cornea, often to correct vision.

**Synonyms:**

### **Keratoderma Blennorrhagica**

Thickened, scaly skin lesions associated with reactive arthritis.

**Synonyms:**

### **Kaposi's Sarcoma**

A cancer of blood-vessel or lymphatic-vessel lining cells, often associated with human herpesvirus 8.

**Synonyms:**

### **Kidney Calculi**

Solid mineral deposits that form in the kidneys; also called kidney stones.

**Synonyms:** kidney stones.

### **Klinefelter's Syndrome**

A chromosomal condition in which a male has one or more extra X chromosomes, often causing small testes and reduced fertility.

**Synonyms:**

### **Krabbe's Disease**

A rare inherited disorder in which loss of myelin progressively damages the nervous system.

**Synonyms:**

### **Krukenberg Tumor**

An ovarian tumor caused by metastatic cancer, com-

---

monly originating in the stomach or gastrointestinal tract.

**Synonyms:**

### **Kuru**

Kuru is a rare fatal prion disease historically associated with ritual cannibalism, causing progressive ataxia, tremor, and neurologic decline.

**Synonyms:**

### **Kidney Position**

A modified lateral position in which the operating table is flexed at the waist to elevate the flank and improve access to the kidney or retroperitoneum.

**Synonyms:**

### **Knee-Chest Position**

A position in which the patient rests on the knees and chest, with the hips flexed; it may be used for spinal or anorectal procedures.

**Synonyms:**

### **Keloid Scar**

A raised scar caused by excessive growth of scar tissue after skin injury.

**Synonyms:**

### **Kidney Infection**

An infection of one or both kidneys, usually caused by bacteria that spread from the urinary tract.

**Synonyms:**

### **Kleptomania**

A mental health disorder marked by repeated inability to resist urges to steal items that are not needed.

**Synonyms:**

### **Keratin**

A tough structural protein found in skin, hair, nails, and other epithelial tissues.

**Synonyms:**

### **Keratometer**

An instrument that measures the curvature of the cornea.

**Synonyms:**

### **Kinesthesia**

The sense of movement and position of the body's parts.

**Synonyms:**

### **Kussmaul Respiration**

Deep, rapid breathing commonly associated with severe metabolic acidosis, especially diabetic ketoacidosis.

**Synonyms:**

### **Kelly Clamp**

A hinged surgical clamp used to grasp tissue or compress blood vessels and control bleeding.

**Synonyms:**

### **Kocher Clamp**

A toothed surgical clamp used to hold firm tissue or clamp vessels.

**Synonyms:**

### **Kidney Transplant**

Surgical placement of a healthy donor kidney into a person with kidney failure to restore renal function. Lifelong immunosuppressive treatment is generally required to reduce rejection risk.

**Synonyms:**

### **Korsakoff Syndrome**

A chronic amnesic disorder caused most often by severe thiamine deficiency associated with alcohol-use disorder. It causes impaired formation of new memories, loss of past memories, and sometimes confabulation.

**Synonyms:**

### **Kala-Azar (Visceral Leishmaniasis)**

A serious parasitic infection caused by *Leishmania* species and transmitted by sandflies. It may

---

cause prolonged fever, weight loss, enlargement of the spleen and liver, and suppression of blood-cell production.

**Synonyms:** Visceral Leishmaniasis

### **Katayama Fever (Acute Schistosomiasis)**

An acute systemic reaction to schistosome infection, usually occurring weeks after exposure and causing fever, rash, cough, abdominal symptoms, and eosinophilia.

**Synonyms:** Acute Schistosomiasis

### **Keratolysis**

Breakdown or loss of keratinized tissue, especially the superficial layer of the skin; it may occur in some infections and inflammatory skin disorders.

**Synonyms:**

### **Keratomalacia**

Softening and ulceration of the cornea caused most often by severe vitamin A deficiency, potentially leading to blindness.

**Synonyms:**

### **Kerion**

An inflamed, boggy, pus-forming mass caused by a fungal infection of hair-bearing skin, usually a severe form of tinea capitis.

**Synonyms:**

### **Actinic Keratosis (Solar Keratosis)**

A rough, scaly precancerous skin lesion caused by long-term ultraviolet exposure and capable of progressing to squamous cell carcinoma.

**Synonyms:** Solar Keratosis

### **Seborrheic Keratosis**

A common benign, usually pigmented, raised skin growth with a waxy or stuck-on appearance.

**Synonyms:**

### **Ketoacidosis**

A metabolic emergency in which excessive ketone production causes acidosis, most commonly in dia-

betic ketoacidosis.

**Synonyms:**

### **Ketonuria (Acetonuria)**

The presence of ketone bodies in the urine, occurring in conditions such as diabetic ketoacidosis, prolonged fasting, or severe vomiting.

**Synonyms:** Acetonuria

### **Kinase**

An enzyme that transfers a phosphate group, usually from ATP, to another molecule; kinases regulate many cellular processes.

**Synonyms:**

### **Klebsiella**

A genus of Gram-negative bacteria that can cause pneumonia, urinary-tract infection, bloodstream infection, and other healthcare-associated infections.

**Synonyms:**

### **Koch's Bacillus (Mycobacterium Tuberculosis)**

The bacterium that causes tuberculosis, an infection most often affecting the lungs but capable of involving many organs.

**Synonyms:** Mycobacterium Tuberculosis

### **Korotkoff Sounds**

Sounds heard through a stethoscope over an artery as a blood-pressure cuff is deflated; their appearance and disappearance are used to estimate systolic and diastolic pressure.

**Synonyms:**

### **Krebs Cycle (Citric Acid Cycle)**

A series of chemical reactions in mitochondria that oxidizes acetyl-CoA and generates energy-rich molecules used for cellular energy production.

**Synonyms:** Citric Acid Cycle

### **Kulchitsky Cells (Enterochromaffin Cells)**

Specialized neuroendocrine cells, especially in the gastrointestinal and respiratory tracts, that release

---

signalling substances such as serotonin.

**Synonyms:** Enterochromaffin Cells

### **kanamycin**

kanamycin concerns kanamycin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **karyomegaly**

karyomegaly refers to karyomegaly, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **karyometry**

karyometry refers to karyometry, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **karyotype result**

karyotype result refers to karyotype result, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **kava**

kava refers to kava, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **keratan sulfate**

keratan sulfate refers to keratan sulfate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **keratoconjunctivitis**

keratoconjunctivitis refers to keratoconjunctivitis, a medical condition or clinical finding defined by its features, causes, affected system, and patient

context.

**Synonyms:**

### **keratocyte count**

keratocyte count refers to keratocyte count, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **keratosis**

keratosis refers to keratosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **keratosis follicularis**

keratosis follicularis refers to keratosis follicularis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **kerstersia gyiorum**

kerstersia gyiorum identifies kerstersia gyiorum, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **ketamine**

ketamine refers to ketamine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ketamine hydrochloride**

ketamine hydrochloride refers to ketamine hydrochloride, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ketanserin**

ketanserin refers to ketanserin, a medical condition



---

or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **keto acid**

keto acid denotes keto acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **ketoconazole**

ketoconazole concerns ketoconazole, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **ketone**

ketone refers to ketone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ketonuria**

ketonuria refers to ketonuria, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ketoprofen**

ketoprofen concerns ketoprofen, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **ketorolac**

ketorolac refers to ketorolac, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ketorolac tromethamine**

ketorolac tromethamine refers to ketorolac

tromethamine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ketotic hypoglycemia**

ketotic hypoglycemia refers to ketotic hypoglycemia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ketotifen**

ketotifen refers to ketotifen, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **kidney neoplasm**

kidney neoplasm denotes a neoplastic condition involving kidney neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### **kilobecquerel**

kilobecquerel refers to kilobecquerel, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **kilocalorie**

kilocalorie refers to kilocalorie, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **kilodalton**

kilodalton refers to kilodalton, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**kilogram**

kilogram refers to kilogram, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**kilointernational unit**

kilointernational unit denotes kilointernational unit, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**kilojoule**

kilojoule refers to kilojoule, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**kilometer**

kilometer refers to kilometer, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**kilovolt peak**

kilovolt peak refers to kilovolt peak, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**kinesin**

kinesin refers to kinesin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**kinesis**

kinesis refers to kinesis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**kinesthesia**

kinesthesia refers to kinesthesia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**kinetochore**

kinetochore refers to kinetochore, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**kinetosome**

kinetosome refers to kinetosome, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**kingella**

kingella identifies kingella, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**kingella denitrificans**

kingella denitrificans identifies kingella denitrificans, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**kingella kingae**

kingella kingae identifies kingella kingae, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**kingella oralis**

kingella oralis identifies kingella oralis, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

---

**kingella potus**

kingella potus identifies kingella potus, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**kinin**

kinin refers to kinin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**kininogenase**

kininogenase refers to kininogenase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**kinocilium**

kinocilium refers to kinocilium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**kit device**

kit device refers to kit device, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**klatskin tumor**

klatskin tumor denotes a neoplastic condition involving klatskin tumor; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**klebsiella oxytoca**

klebsiella oxytoca identifies klebsiella oxytoca, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**klebsiella pneumoniae**

klebsiella pneumoniae identifies klebsiella pneumoniae, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**klebsiella singaporensis**

klebsiella singaporensis identifies klebsiella singaporensis, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**klebsiella variicola**

klebsiella variicola identifies klebsiella variicola, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**kluyvera**

kluyvera identifies kluyvera, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**kluyvera ascorbata**

kluyvera ascorbata identifies kluyvera ascorbata, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**kluyvera cryocrescens**

kluyvera cryocrescens identifies kluyvera cryocrescens, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**kluyvera georgiana**

kluyvera georgiana identifies kluyvera georgiana, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host,

---

and site involved.

**Synonyms:**

### **kluyvera intermedia**

kluyvera intermedia identifies kluyvera intermedia, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **kluyveromyces**

kluyveromyces is a microorganism or microbial group associated with kluyveromyces; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **kluyveromyces lactis**

kluyveromyces lactis is a microorganism or microbial group associated with kluyveromyces lactis; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **kluyveromyces marxianus**

kluyveromyces marxianus is a microorganism or microbial group associated with kluyveromyces marxianus; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **knee**

knee refers to knee, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

### **knoellia**

knoellia identifies knoellia, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **knuckle pad**

knuckle pad refers to knuckle pad, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **kocuria**

kocuria identifies kocuria, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **kocuria rosea**

kocuria rosea identifies kocuria rosea, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **kocuria varians**

kocuria varians identifies kocuria varians, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **kodamaea ohmeri**

kodamaea ohmeri identifies kodamaea ohmeri, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **KRAS gene**

KRAS gene denotes kras gene, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **Krebs' cycle**

Krebs' cycle refers to krebs' cycle, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### kringles

kringles refers to kringles, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### Kupffer's cell

Kupffer's cell denotes kupffer's cell, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### kurthia

kurthia identifies kurthia, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### kynurenine

kynurenine refers to kynurenine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### kytococcus

kytococcus is a microorganism or microbial group associated with kytococcus; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### kytococcus sedentarius

kytococcus sedentarius is a microorganism or microbial group associated with kytococcus sedentarius; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### Kidney pain

Pain felt in the side or back below the ribs that may be caused by kidney stones, infection, obstruction, inflammation, or referred pain. **Synonyms:**

### Knee pain: Symptom

Pain in or around the knee caused by injury, overuse, arthritis, inflammation, infection, or other joint or soft-tissue disorders. **Synonyms:**

### Keratosis, actinic

Alternate index label; see *Actinic keratosis*. **Synonyms:**

### Keratosis, seborrheic

Alternate index label; see *Seborrheic keratosis*. **Synonyms:**

### Ketoacidosis, diabetic

Alternate index label; see *Diabetic ketoacidosis*. **Synonyms:**

### Kidney disease, chronic

Alternate index label; see *Chronic kidney disease*. **Synonyms:**

### Kidney failure, chronic

Alternate index label; see *Chronic kidney disease*. **Synonyms:**

### Kissing disease

Alternate index label; see *Mononucleosis*. **Synonyms:**

### KP

Alternate index label; see *Keratosis pilaris*. **Synonyms:**

### Keeping your medicines organized

Keeping your medicines organized is a treatment or care intervention for keeping your medicines organized; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### Kegel exercises - self-care

Kegel exercises - self-care is a treatment or care intervention for kegel exercises - self-care; indication, preparation, risks, technical details, and recovery

---

depend on the patient and goal.

**Synonyms:**

### **Keloids**

Keloids are raised scars that extend beyond the original wound because of excessive collagen deposition and may cause itching, pain, or cosmetic concern.

**Synonyms:**

### **Keratosis obturans**

Keratosis obturans is a medical condition involving keratosis obturans; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Kerosene poisoning**

Kerosene poisoning involves toxic exposure to kerosene poisoning; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Ketones blood test**

Ketones blood test examines ketones blood test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Ketones urine test**

Ketones urine test examines ketones urine test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Ketoprofen overdose**

Ketoprofen overdose involves toxic exposure to ketoprofen overdose; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Kidney biopsy**

Kidney biopsy examines kidney biopsy; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Kidney disease - resources**

Kidney disease - resources is a treatment or care intervention for kidney disease - resources; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Kidney removal**

Kidney removal is a treatment or care intervention for kidney removal; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Kidney removal - discharge**

Kidney removal - discharge is a treatment or care intervention for kidney removal - discharge; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Kidney stones - self-care**

Kidney stones - self-care is a treatment or care intervention for kidney stones - self-care; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Kidney stones - what to ask your doctor**

Kidney stones - what to ask your doctor is a medical condition involving kidney stones - what to ask your doctor; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Kidney stones and lithotripsy - discharge**

Kidney stones and lithotripsy - discharge is a treatment or care intervention for kidney stones and



---

lithotripsy - discharge; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Kinins**

Kinins concerns kinins, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context.

**Synonyms:**

### **Knee arthroscopy**

Knee arthroscopy is a treatment or care intervention for knee arthroscopy; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Knee arthroscopy - discharge**

Knee arthroscopy - discharge is a treatment or care intervention for knee arthroscopy - discharge; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Knee braces - unloading**

Knee braces - unloading is a treatment or care intervention for knee braces - unloading; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Knee CT scan**

Knee CT scan examines knee ct scan; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Knee joint replacement**

Knee joint replacement is a treatment or care intervention for knee joint replacement; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Knee joint replacement - discharge**

Knee joint replacement - discharge is a treatment or care intervention for knee joint replacement - discharge; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Knee microfracture surgery**

Knee microfracture surgery is a treatment or care intervention for knee microfracture surgery; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Knee MRI scan**

Knee MRI scan examines knee mri scan; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Kneecap dislocation**

Kneecap dislocation is a medical condition involving kneecap dislocation; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Kneecap dislocation - aftercare**

Kneecap dislocation - aftercare is a treatment or care intervention for kneecap dislocation - aftercare; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

## L

### Labor

The process of uterine contractions leading to progressive cervical dilation and effacement and delivery of the fetus. Stages: first (latent—cervical dilation to 3-4 cm, then active—3-10 cm), second (full dilation to delivery of the infant), third (delivery of the placenta), fourth (first hour postpartum).

**Synonyms:**

### Lamellar Bone

Mature, organized bone tissue arranged in layers.

**Synonyms:** Compact bone

### Lamina

A thin plate of bone forming part of a vertebral arch.

**Synonyms:**

### Laser Assisted Uvula Palatoplasty

A procedure that reshapes or removes selected soft-palate and uvula tissue to reduce snoring.

**Synonyms:** LAUP

### Laser Hair Removal

Hair reduction using laser energy absorbed by pigment in the hair follicle.

**Synonyms:**

### LED Photomodulation

Use of low-energy light-emitting diodes to influence skin cells and improve selected skin concerns.

**Synonyms:** LED light therapy

### Left Anterior Descending Coronary

### Artery

A major coronary artery supplying the front wall and septum of the left ventricle.

**Synonyms:** LAD artery

### Left Circumflex Coronary Artery

A coronary artery that curves around the left side and back of the heart.

**Synonyms:** Circumflex artery

### Lensometer

An instrument used to measure the prescription and optical properties of eyeglass lenses.

**Synonyms:** Lensmeter; focimeter

### Leukotriene Blockers

Medicines that reduce leukotriene effects and help prevent asthma or allergy symptoms.

**Synonyms:** Leukotriene antagonists

### Leukotrienes

Inflammatory signaling molecules that can narrow and swell airways during allergic reactions.

**Synonyms:**

### Levothyroxine Sodium

The sodium salt of synthetic thyroxine used to replace deficient thyroid hormone.

**Synonyms:** Levothyroxine

### LH

Luteinizing hormone, a pituitary hormone involved in ovulation and testosterone production.

**Synonyms:** Luteinizing hormone

---

### **Lignans**

Plant compounds found in seeds, grains, fruits, and vegetables that have antioxidant activity.

**Synonyms:**

### **Limbus**

The border where the cornea meets the white outer coat of the eye.

**Synonyms:** Corneoscleral limbus

### **Lipids**

Fats, oils, and related substances used for energy, cell structure, and signaling.

**Synonyms:** Fats

### **Lipohypertrophy**

Localized thickening or accumulation of fatty tissue, commonly at repeated insulin-injection sites.

**Synonyms:**

### **Lipoprotein Analysis**

A blood test measuring cholesterol, triglycerides, and lipoprotein fractions such as LDL and HDL.

**Synonyms:** Lipid panel; lipid profile

### **Lipoprotein(a)**

An LDL-like lipoprotein whose elevated level is an inherited cardiovascular risk factor.

**Synonyms:** Lp(a)

### **Liposuction**

Liposuction examines liposuction; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:** Lipoplasty

### **Live Attenuated Vaccines**

Vaccines containing weakened organisms that stimulate immunity without usually causing disease.

**Synonyms:** Live vaccines

### **Lobar Hemorrhage**

Bleeding into a lobe of the brain, beneath the cerebral cortex.

**Synonyms:**

### **Lobotomy**

A historical brain operation that severed connections involving the frontal lobes.

**Synonyms:**

### **Lobules**

Small subdivisions of an organ; in the breast, milk-producing glandular units.

**Synonyms:**

### **Localized**

Limited to a particular area or organ, without evidence of distant spread.

**Synonyms:** Localized disease

### **Locus Ceruleus**

A brainstem nucleus involved in alertness, attention, stress responses, and norepinephrine release.

**Synonyms:** Locus coeruleus

### **Long-Term Memory**

Memory that can persist from minutes to many years.

**Synonyms:**

### **Low-Calorie Diet**

A diet that restricts energy intake to support weight loss or another therapeutic goal.

**Synonyms:** Calorie-restricted diet

### **Low-Density Lipoprotein**

A lipoprotein that transports cholesterol and can contribute to artery-wall plaque when elevated.

**Synonyms:** LDL; bad cholesterol

### **Lower Esophageal Sphincter**

A ring of muscle between the esophagus and stomach that helps prevent acid reflux.

**Synonyms:** LES

### **Lumbar Spine**

The five vertebrae forming the lower back.

---

**Synonyms:** Lumbar region

### **Lutein**

A carotenoid pigment found in leafy greens and concentrated in the retina.

**Synonyms:**

### **Luteinizing Hormone-Releasing Hormone Agonist**

A medicine that initially stimulates and then suppresses reproductive-hormone production with continued use.

**Synonyms:** GnRH agonist; LHRH agonist

### **LVAD**

Left-ventricular assist device, an implanted pump that helps the left ventricle circulate blood.

**Synonyms:** Left-ventricular assist device

### **Lymph Nodes**

Small immune organs that filter lymph and help detect infection or abnormal cells.

**Synonyms:** Lymph glands

### **Labor Dystocia**

Abnormally slow or difficult labor caused by inadequate uterine forces, abnormal fetal position or size, or an inadequate maternal pelvis. Assessment considers the powers, passenger, and passage and guides appropriate augmentation or operative delivery.

**Synonyms:**

### **Laboratory Test**

An examination of a body fluid, tissue, or other specimen to obtain information for diagnosis, monitoring, screening, or treatment.

**Synonyms:**

### **Labour**

The process of childbirth, consisting of regular uterine contractions that cause progressive cervical effacement and dilation, leading to delivery of the baby and placenta.

**Synonyms:**

### **Labyrinth**

The inner ear. It contains the cochlea, which is responsible for hearing, as well as structures that are needed for balance.

**Synonyms:**

### **Labyrinthitis**

Labyrinthitis is inflammation of the inner ear balance and hearing structures, causing acute vertigo, imbalance, nausea, and sometimes hearing loss. vestibular apparatus, resulting in both auditory and vestibular symptoms including sudden, severe vertigo, sensorineural hearing loss, tinnitus, nausea, and vomiting.

**Synonyms:**

### **Laceration**

A wound caused by tearing of body tissue, typically caused by trauma from a sharp object (knife, glass, metal) or blunt force that splits the skin. Lacerations involve the skin and may extend into subcutaneous tissue, muscle, tendon, nerve, or blood vessels.

**Synonyms:**

### **Laceration (Forensic)**

Tear or disruption of tissue produced by blunt force trauma exceeding skin elasticity, featuring irregular bruised edges, tissue bridging (intact nerves, vessels across wound floor), and hair crushing.

**Synonyms:** Forensic

### **Lachman Test**

A physical examination in which the knee is slightly flexed while the tibia is moved forward to assess the integrity of the anterior cruciate ligament. Increased laxity suggests injury but is not diagnostic by itself.

**Synonyms:**

### **Lacrimal Apparatus**

Produces, distributes, and drains tears for corneal moisture and protection. Components: lacrimal gland (superolateral orbit, parasympathetic CN V1, produces aqueous tear layer), superior/inferior puncta (medial eyelid openings), canaliculi, lacrimal

---

sac (lacrimal groove), and nasolacrimal duct (drains into inferior meatus).

**Synonyms:**

### Lacrimal Duct

A drainage channel that carries tears from the lacrimal sac into the nasal cavity. Blockage can cause watering of the eye, recurrent infection, swelling near the inner corner, or discharge.

**Synonyms:**

### Lacrimal Gland

The paired almond-shaped exocrine glands that secrete the aqueous layer of the tear film, located in the lacrimal fossa of the superior lateral orbit (orbital part) and the upper eyelid (palpebral part).

**Synonyms:**

### Lactate

A product of cellular metabolism measured in blood. An increased level may occur with strenuous exercise, impaired oxygen delivery, infection, medicines, liver disease, or other conditions and must be interpreted clinically.

**Synonyms:**

### Lactate Dehydrogenase

Non-specific enzyme. Elevated in tissue damage. Isoenzymes differentiate source.

**Synonyms:**

### Lactation

The physiological process of milk production and secretion from the mammary glands, occurring after childbirth (puerperium). See Lactation (Breastfeeding).

**Synonyms:**

### Lactation (Breastfeeding)

The production of milk by the mammary glands stimulated by the hormone prolactin. Colostrum is produced for the first 2-5 days (rich in IgA, proteins, and growth factors). Mature milk appears at day 5-7. The milk ejection reflex (let-down) is mediated by oxytocin.

**Synonyms:** Breastfeeding

### Lactation Nutrition

Nutrition and hydration during breastfeeding sufficient to support maternal health and milk production. Requirements vary with maternal stores, dietary pattern, and the degree of breastfeeding; selected supplements may be required according to local guidance and clinical assessment.

**Synonyms:**

### Lactic Acid

An organic acid produced during normal metabolism, especially when pyruvate is converted to lactate. Blood lactate may rise for many reasons, including impaired oxygen delivery, strenuous exercise, or medicines.

**Synonyms:**

### Lactic Acidosis

Metabolic acidosis associated with increased lactate production or reduced lactate clearance. Causes include impaired tissue oxygen delivery, medicines, liver disease, seizures, and other disorders.

**Synonyms:**

### Lactose

The principal sugar in milk, composed of glucose and galactose. Lactase in the small intestine digests it.

**Synonyms:**

### Lactose Fermentation

The ability of bacteria to ferment lactose to acid (and gas), a key differential characteristic on MacConkey agar. Lactose-fermenting enteric gram-negative bacteria produce pink/red colonies (*E. coli*, *Klebsiella*, *Enterobacter*, *Citrobacter*); non-lactose fermenters form colorless colonies (*Salmonella*, *Shigella*, *Proteus*, *Pseudomonas*).

**Synonyms:**

### Lactose intolerance

Lactose intolerance results from insufficient lactase activity, causing bloating, abdominal pain, gas, or

---

diarrhea after consuming lactose. lactose, the primary disaccharide in milk and dairy products. The lactase enzyme is produced by enterocytes of the small intestinal brush border and hydrolyzes lactose into glucose and galactose for absorption.

**Synonyms:**

### **Lactose Tolerance Test**

Non-invasive test for carbohydrate malabsorption (lactose, fructose) and small intestinal bacterial overgrowth (SIBO). See Hydrogen Breath Test.

**Synonyms:**

### **Lafora Disease**

A progressive autosomal-recessive myoclonic epilepsy caused by pathogenic variants affecting glycogen metabolism. It usually begins in adolescence with generalized seizures, visual symptoms, myoclonus, cognitive decline, and progressive neurological deterioration.

**Synonyms:**

### **Lambert-Eaton Myasthenic Syndrome**

Autoantibodies against presynaptic calcium channels at the neuromuscular junction, associated with SCLC. Proximal weakness, reduced reflexes, facilitation with exercise.

**Synonyms:**

### **Laminectomy**

Laminectomy removes part of a vertebral lamina to decompress the spinal canal or nerve roots, often for stenosis, tumor, or selected disk disease. canal. Indications: spinal stenosis (lumbar and cervical), herniated disc (with central stenosis), and spinal tumor. Decompression of the entire spinal canal. Often combined with discectomy (lumbar) or foraminotomy (nerve root decompression).

**Synonyms:**

### **Lancet**

Small needle for fingerstick. Used for blood glucose testing.

**Synonyms:**

### **Langerhans-cell histiocytosis**

A group of disorders characterized by clonal proliferation of Langerhans cells (antigen-presenting dendritic cells), which can infiltrate bone, skin, and central nervous system. CNS involvement may cause diabetes insipidus, hypothalamic-pituitary dysfunction, or cerebellar degeneration.

**Synonyms:**

### **Language Barrier**

Difficulty communicating because a patient and healthcare professional do not share a language or have limited proficiency in the language used for care.

**Synonyms:**

### **Language Therapy**

Treatment that improves understanding, expression, reading, writing, or other language skills after developmental or acquired impairment.

**Synonyms:**

### **Lanugo**

Fine, soft hair that grows all over the body of a fetus and is typically shed before birth.

**Synonyms:**

### **Laparoscopy**

A minimally invasive surgical technique using a laparoscope (a thin, lighted telescope) inserted through a small incision (typically at the umbilicus) to visualize the abdominal and pelvic organs. Carbon dioxide gas is insufflated to create a working space. Additional small incisions (ports) allow insertion of instruments.

**Synonyms:**

### **Laparotomy**

A surgical incision into the abdominal cavity, typically a midline vertical or transverse (Pfannenstiel) incision, providing wide access to the abdominal and pelvic organs.

**Synonyms:**



---

### Large Airway Obstruction

Obstruction of airways with diameter > 2 mm (trachea and main bronchi). It causes significant symptoms including stridor, dyspnea, and impaired secretion clearance. It may be fixed (stenosis, tumor) or variable (tracheomalacia, vocal cord dysfunction). Flow-volume loops show characteristic patterns.

**Synonyms:**

### Large Bowel Obstruction

Mechanical blockage of the colon most commonly caused by colorectal cancer, volvulus, or diverticular stricture. Clinical presentation includes progressive abdominal distension, constipation, and obstipation. The cecum is at highest risk of perforation with distal obstruction. Diagnosis is by CT scan identifying the site and cause.

**Synonyms:**

### Large for Gestational Age

Birth weight or fetal size above the 90th percentile for gestational age. It is associated with maternal diabetes, excessive maternal weight gain, and genetic or constitutional factors and increases the risk of shoulder dystocia, birth trauma, and neonatal hypoglycemia.

**Synonyms:**

### Large Intestine

Final GI segment (approximately 1.5 meters) from ileocecal valve to rectum. Six segments: cecum, ascending, transverse, descending, sigmoid colon, rectum. Absorbs water, electrolytes, and vitamins (K, biotin) from colonic bacteria. Characterized by haustra, taeniae coli, and epiploic appendages.

**Synonyms:**

### Laron Syndrome

An inherited disorder of growth-hormone signaling, usually caused by growth-hormone-receptor defects. It produces severe postnatal growth failure, characteristic facial features, and very low insulin-like growth factor 1 despite elevated circulating growth hormone.

**Synonyms:**

### Larva currens from Strongyloides

A rapidly moving, itchy skin eruption caused by larvae of *Strongyloides stercoralis*.

**Synonyms:**

### Laryngeal Cancer

Malignant tumor arising in the larynx, most commonly squamous cell carcinoma. Risk factors include tobacco, alcohol, and selected HPV-related disease; persistent hoarseness, dysphagia, odynophagia, stridor, or neck mass requires laryngoscopic evaluation and biopsy.

**Synonyms:**

### Laryngeal candidiasis

Fungal infection of the larynx by *Candida* species, causing hoarseness, dysphagia, and throat pain, most commonly in immunocompromised patients or those using inhaled corticosteroids.

**Synonyms:**

### Laryngeal Nerve Damage

Injury to the recurrent or superior laryngeal nerves causing hoarseness, vocal-cord weakness, swallowing difficulty, or airway compromise. Common causes include thyroid or neck surgery, malignancy, trauma, and compression along the nerve pathway.

**Synonyms:**

### Laryngeal Prosthesis

A device used to help restore speech after removal of the larynx, commonly through a one-way valve placed between the trachea and esophagus.

**Synonyms:**

### Laryngectomy

Laryngectomy examines laryngectomy; interpretation depends on the specimen or body region, test method, reference range, and clinical question. the larynx or hypopharynx and less often for severe trauma or refractory aspiration. Total laryngectomy requires a permanent tracheostomy, so the patient breathes through a neck stoma; partial laryngectomy preserves voice and swallowing.

**Synonyms:**

---

## Laryngectomy Tube

Tube maintaining airway after total laryngectomy. Types: silicone, metal. Indications: laryngeal cancer, trauma. Complications: obstruction, infection, granulation.

**Synonyms:**

## Laryngitis

Laryngitis is inflammation of the larynx causing hoarseness or voice loss, commonly from viral infection, vocal overuse, irritation, reflux, or less often structural disease. sore throat, dry cough, and a sensation of a lump in the throat (globus sensation), and it may be acute or chronic.

**Synonyms:**

## Laryngocele

Abnormal air-filled dilation of the laryngeal saccule that may be internal, external, or combined, presenting with hoarseness, neck swelling, or airway obstruction.

**Synonyms:**

## Laryngomalacia

Dynamic collapse of supraglottic laryngeal tissue during inspiration, causing congenital stridor in infants. Most cases improve with growth, but feeding difficulty, apnea, hypoxemia, or failure to thrive requires specialist assessment and possible intervention.

**Synonyms:**

## Laryngopharyngeal Reflux

Retrograde movement of gastric contents above the upper esophageal sphincter into the larynx and pharynx, producing chronic hoarseness, throat clearing, globus sensation, cough, excessive throat mucus, and laryngospasm, often without heartburn.

**Synonyms:**

## Laryngoscope

Device for visualizing vocal cords during intubation. Blades: Mac (curved), Miller (straight).

**Synonyms:**

## Laryngoscopy

A medical procedure used to visualise the larynx (voice box) and adjacent structures of the throat. Types: (1) Indirect laryngoscopy: the simplest technique, using a laryngeal mirror angled at 120 degrees to reflect the laryngeal image, with a headlight or external light source.

**Synonyms:**

## Laryngospasm

A protective reflex causing involuntary adduction of the vocal cords, producing partial or complete airway obstruction. It is common during light anesthesia, emergence, and in pediatric patients. Triggers include secretions, blood, airway manipulation, and suctioning.

**Synonyms:**

## Larynx

The larynx, commonly known as the voice box, is a complex organ located in the anterior neck between the pharynx and the trachea that serves three primary functions: phonation (voice production), protection of the lower airway from aspiration during swallowing, and regulation of airflow during respiration.

**Synonyms:**

## Laser (Vascular)

A catheter-based laser system used to modify or remove selected vascular lesions or obstructive tissue.

**Synonyms:** Vascular

## Laser Ablation

The use of focused laser energy to heat, destroy, or seal targeted tissue. The technique is used in selected vascular, ophthalmic, dermatologic, and other procedures.

**Synonyms:**

## Laser Dentistry

Use of lasers for various procedures: caries detection, soft tissue surgery, whitening, periodontal therapy.

**Synonyms:**

---

### **Laser Fiber**

Optical fiber for laser delivery in surgery. Used in lithotripsy, tumor ablation.

**Synonyms:**

### **Laser Trabeculoplasty**

A minimally invasive laser procedure used in the treatment of open-angle glaucoma that lowers intraocular pressure by improving the outflow of aqueous humor through the trabecular meshwork.

**Synonyms:**

### **LASIK**

LASIK, or laser-assisted in situ keratomileusis, is a refractive surgical procedure that corrects myopia, hyperopia, and astigmatism by reshaping the corneal stroma using an excimer laser, after creating a thin corneal flap with either a microkeratome (a mechanical blade) or a femtosecond laser.

**Synonyms:**

### **LASIK (Laser-Assisted In Situ Keratomileusis)**

A refractive surgical procedure that reshapes the cornea using an excimer laser to correct myopia, hyperopia, and astigmatism, thereby reducing dependence on glasses or contact lenses.

**Synonyms:** Laser-Assisted In Situ Keratomileusis

### **Lassa Fever**

An acute viral hemorrhagic illness caused by Lassa virus, an arenavirus, endemic in West Africa (Nigeria, Sierra Leone, Guinea, Liberia). Transmission: exposure to excreta (urine, feces) of the multimammate rat (*Mastomys natalensis*), the natural reservoir. Incubation: 6-21 days.

**Synonyms:**

### **Last Menstrual Period**

The first day of the last normal menstrual period, used to estimate gestational age and the due date. Requires regular menstrual cycles and reliable recall. Limitations: irregular cycles, recent oral contraceptive use, early pregnancy bleeding mistaken for menses, and poor recall.

**Synonyms:**

### **Latarjet Procedure**

Surgical procedure for shoulder instability using coracoid process transfer. Provides bony block to prevent recurrent dislocation.

**Synonyms:**

### **Late Decelerations**

A fetal heart rate pattern with a gradual decrease (onset to nadir >30 seconds) that starts at or after the peak of the contraction and returns to baseline after the contraction ends. Associated with uteroplacental insufficiency (reduced oxygen transfer across the placenta).

**Synonyms:**

### **Late Effects**

Health problems occurring months to years after cancer treatment. Cardiac, pulmonary, endocrine, secondary cancers.

**Synonyms:**

### **Late Preterm (34-36 weeks)**

Births occurring from 34 weeks 0 days through 36 weeks 6 days of gestation. These infants have greater risks than term infants of respiratory, temperature, glucose, jaundice, feeding, and readmission problems.

**Synonyms:** 34-36 weeks

### **Latent Infection**

Persistent infection in which an infectious agent remains in a host in a nonreplicating or intermittently replicating state without active clinical disease. Reactivation can occur when immune control is impaired, as in latent tuberculosis.

**Synonyms:**

### **Latent Phase of Labor**

The early part of the first stage of labor, beginning with regular contractions and gradual cervical change before active labor. The transition to active labor is assessed clinically, and the duration varies widely between individuals.

---

**Synonyms:**

### **Latent Tuberculosis Infection**

An immune response to *Mycobacterium tuberculosis* without clinical or microbiologic evidence of active disease. It is usually asymptomatic and not contagious, but it can reactivate; treatment decisions depend on age, immune status, exposure risk, test results, and drug interactions.

**Synonyms:**

### **Lateral**

Lateral concerns lateral, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context. lateral to the little finger in anatomical position.

**Synonyms:**

### **Lateral Collateral Ligament Injury**

Tear of the LCL, less common than MCL injury but more significant. Mechanism: varus stress to the knee (direct blow to medial knee). Presents with lateral knee pain, swelling, and varus laxity. Part of the posterolateral corner (PLC) — when injured, causes significant rotational instability.

**Synonyms:**

### **Lateral Cuneiform**

Located between intermediate cuneiform and cuboid, articulating with navicular, intermediate cuneiform, cuboid, and third metatarsal. Contributes to the transverse arch and lateral foot column. Injuries typically from high-energy midfoot trauma.

**Synonyms:**

### **Lateral Rotation**

Rotation of a limb away from the median plane of the body.

**Synonyms:**

### **Latex Allergy**

An immune-mediated hypersensitivity reaction to natural rubber latex. Contact may cause dermatitis, urticaria, rhinitis, asthma, or anaphylaxis, especially

in healthcare and occupational settings.

**Synonyms:**

### **Latissimus Dorsi Muscle**

Broadest back muscle forming the posterior axillary wall, from T7-L5 spinous processes, thoracolumbar fascia, iliac crest, and lower ribs to the intertubercular groove floor. Innervated by thoracodorsal nerve (C6-C8). Adducts, medially rotates, extends the arm powerfully in swimming/rowing/climbing. Common reconstructive surgery flap.

**Synonyms:**

### **Lawton IADL Scale**

Instrumental ADLs: phone use, shopping, food preparation, housekeeping, laundry, transportation, medication management, finance management.

**Synonyms:**

### **Laxative**

A drug that promotes bowel evacuation, used for constipation and bowel preparation. Classes: bulk-forming (psyllium, methylcellulose), osmotic (polyethylene glycol, lactulose, magnesium salts), stimulant (senna, bisacodyl), stool softener (docusate), and lubricant (mineral oil). Choice depends on constipation type and patient factors.

**Synonyms:**

### **LD50**

Lethal dose for 50% of test population. Measure of acute toxicity. Lower LD50 = more toxic. Measured in mg/kg body weight. Ethical concerns limit animal testing.

**Synonyms:**

### **LDL**

Low-density lipoprotein; the 'bad' cholesterol that transports cholesterol to peripheral tissues and is the principal driver of atherosclerosis. Elevated LDL is a major modifiable cardiovascular risk factor; guidelines target LDL levels based on global risk (statin intensity).

**Synonyms:**

---

### Lead Poisoning

Neurotoxic, hematological, renal effects. Sources: paint, water, gasoline, occupational. Children more vulnerable. Treatment: chelation (succimer, EDTA, dimercaprol), remove exposure. Blood lead level guides treatment.

**Synonyms:**

### Lead-Time Bias

The appearance of improved survival after screening because diagnosis occurs earlier, even when the time of death is unchanged. It can make screening appear beneficial without reducing mortality.

**Synonyms:**

### Leber Congenital Amaurosis

The most severe inherited retinal dystrophy, presenting at birth or within the first few months of life with profound visual impairment, nystagmus, and pupillary light-near dissociation.

**Synonyms:**

### Left Anterior Descending Artery

A major branch of the left coronary artery that travels in the anterior interventricular groove and supplies the anterior left ventricle, much of the interventricular septum, and the apex. Its occlusion can cause extensive anterior myocardial infarction.

**Synonyms:**

### Left Atrial Myxoma

A usually benign primary cardiac tumor, commonly arising from the interatrial septum in the left atrium. It may obstruct mitral inflow or cause embolic and constitutional symptoms such as fever, weight loss, or fatigue.

**Synonyms:**

### Left Atrium

Receives oxygenated blood from 4 pulmonary veins. Most posterior chamber forming the cardiac base on chest radiography. Smooth walls from absorbed pulmonary veins; small auricle with pectinate muscles. Mitral valve separates it from the left ventricle.

**Synonyms:**

### Left Bundle Branch

A continuation of the bundle of His that divides into anterior and posterior fascicles. The anterior fascicle supplies the anterior and superior left ventricular wall; the posterior fascicle supplies the inferior and posterior wall.

**Synonyms:**

### Left hemiparesis, gaze deviated to the right

A clinical finding indicating a right hemisphere lesion, likely a right middle cerebral artery stroke. Gaze deviation toward the right suggests the lesion is in the right frontal eye field, which normally drives gaze to the contralateral (left) side; when damaged, the intact left frontal eye field drives gaze ipsilaterally (to the right).

**Synonyms:**

### Left Hypochondriac Region

Upper left abdomen lateral to the epigastric region, containing the spleen, stomach fundus, splenic flexure, and pancreatic tail. Important for evaluating splenomegaly, gastric pathology, and splenic infarction. The spleen is normally not palpable below the costal margin; enlargement into this region is a significant finding.

**Synonyms:**

### Left Iliac Region

Lower left abdomen containing the descending colon, sigmoid colon, and left ureter. Important for evaluating diverticulosis and diverticulitis, most commonly affecting the sigmoid colon here. Palpation may reveal masses from inflammatory bowel disease or colorectal cancer.

**Synonyms:**

### Left Main Coronary Artery

The short vessel arising from the left aortic sinus and dividing principally into the left anterior descending and circumflex arteries. Significant left-main disease jeopardizes a large proportion of left-ventricular myocardium.

**Synonyms:**

---

### Left testicular torsion

Acute rotation of the left testis on its spermatic cord, obstructing blood flow and causing ischemia. It is a urological emergency presenting with sudden severe left scrotal pain, nausea, vomiting, and a high-riding, horizontally oriented testis with absent cremasteric reflex.

**Synonyms:**

### Left Ventricle

Thickest cardiac chamber (13-15 mm), pumping oxygenated blood into the aorta for systemic distribution. Generates approximately 120 mmHg systolic pressure. Receives blood through the mitral valve; ejects through the aortic valve.

**Synonyms:**

### Left Ventricular Noncompaction

A rare cardiomyopathy characterized by prominent myocardial trabeculations with deep intertrabecular recesses, thought to result from arrested myocardial compaction during embryogenesis. It may present with heart failure, arrhythmias, or thromboembolism.

**Synonyms:**

### Left-sided superior vena cava

A congenital venous anomaly where the left superior vena cava drains into the coronary sinus instead of the right atrium via the right SVC. It is the most common thoracic venous anomaly, present in 0.3–0.5% of the general population. Usually asymptomatic but relevant during central venous catheterization or cardiac surgery.

**Synonyms:**

### Leg Ulcer

An open sore on the leg that fails to heal normally, often caused by poor venous circulation, arterial disease, diabetes, pressure, or inflammation. Pain, spreading redness, fever, or black tissue requires prompt assessment.

**Synonyms:**

### Legg-Calve-Perthes Disease

Idiopathic avascular necrosis of the femoral head in children, typically ages 4-8 years. More common in boys (4:1) and Caucasian children. Presents with limping (antalgic gait), hip/knee pain, and limited hip range of motion (especially abduction and internal rotation). Etiology: temporary disruption of blood supply to the femoral head.

**Synonyms:**

### Legg–Calvé–Perthes disease

Idiopathic avascular necrosis of the femoral head in children, typically between ages two and twelve, resulting from disrupted blood supply to the capital femoral epiphysis. It presents with insidious onset of hip pain, limp, and restricted range of motion.

**Synonyms:**

### Legionella Pneumonia

From *Legionella pneumophila* in water systems. Presents with high fever, diarrhea, confusion, and hyponatremia. Diagnosis by urinary antigen test. Treatment is fluoroquinolones or macrolides.

**Synonyms:**

### Legionella pneumophila

A gram-negative rod that causes Legionnaires' disease, a severe pneumonia, and Pontiac fever, a milder illness. The organism is found in aquatic environments and is transmitted through inhalation of contaminated water droplets. Risk factors include age, smoking, and immunosuppression.

**Synonyms:**

### Legionnaires' Disease

A severe form of pneumonia caused by *Legionella pneumophila*, a Gram-negative aerobic bacillus that is found naturally in freshwater environments (lakes, streams) and artificially in water systems (air conditioning cooling towers, hot tubs, decorative fountains, plumbing systems, showers, humidifiers).

**Synonyms:**

### Leiomyoma

Uterine fibroid: a benign smooth muscle tumor



---

of the uterus (estrogen/progesterone-sensitive), the most common pelvic tumor in women. Locations: subserosal, intramural, submucosal (most symptomatic).

**Synonyms:**

### **Leiomyoma (Fibroid)**

A benign tumor of uterine smooth muscle that may cause heavy menstrual bleeding, pelvic pressure, pain, or no symptoms.

**Synonyms:** Fibroid

### **Leiomyosarcoma**

A malignant tumor of smooth muscle, most often arising in the uterus, retroperitoneum, or gastrointestinal tract.

**Synonyms:**

### **Leishmania donovani**

A protozoan parasite that causes visceral leishmaniasis (kala-azar), transmitted by the bite of infected female phlebotomine sandflies. The organism exists as flagellated promastigotes in the sandfly gut and as non-flagellated amastigotes within human macrophages.

**Synonyms:**

### **Leishmaniasis**

Leishmaniasis is infection by *Leishmania* parasites transmitted by sandflies, producing cutaneous, mucosal, or visceral disease depending on species and host response. of infected female phlebotomine sandflies. Visceral leishmaniasis (kala-azar): caused by *L. donovani*/*L. infantum* – fever, hepatosplenomegaly, pancytopenia, weight loss, hypergammaglobulinaemia; fatal if untreated.

**Synonyms:**

### **Length-Time Bias**

The tendency of screening to preferentially detect slower-growing or less aggressive disease because it remains detectable for a longer preclinical period. It can exaggerate the apparent benefit of screening.

**Synonyms:**

### **Lens**

Transparent biconvex avascular structure behind the iris/pupil, suspended by zonular fibers from the ciliary body. Provides approximately one-third of refractive power and allows accommodation (focusing on near objects by changing shape). Concentric lens fiber layers from surface epithelium, surrounded by a capsule.

**Synonyms:**

### **Lentigo maligna**

A melanoma in situ that occurs on chronically sun-damaged skin, most commonly on the face of elderly individuals. It presents as a large, irregularly pigmented, slow-growing macule with variegated shades of brown and black. The radial growth phase may persist for years before invasion occurs.

**Synonyms:**

### **Leopold Maneuvers**

A systematic abdominal palpation technique used to determine fetal position and presentation. Four maneuvers: (1) fundal grip identifies fetal lie (head vs breech), (2) umbilical grip locates the fetal back, (3) Pawlik grip identifies the presenting part and its position, (4) pelvic grip confirms presentation and attitude.

**Synonyms:**

### **Lepromatous leprosy**

The disseminated, multibacillary pole of the leprosy spectrum characterised by poor cell-mediated immunity to *Mycobacterium leprae*, resulting in widespread skin nodules, plaques, and diffuse infiltration with thickening of the skin and facial features (leonine facies).

**Synonyms:**

### **Leprosy**

Leprosy is chronic infection with *Mycobacterium leprae* or *M. lepromatosis*, affecting skin and peripheral nerves and potentially causing sensory loss, weakness, and deformity. organs.

**Synonyms:**

---

## **Leprosy (Hansen's Disease)**

A chronic infection caused mainly by *Mycobacterium leprae* that primarily affects the skin and peripheral nerves and can cause sensory loss and weakness.

**Synonyms:** Hansen's Disease

## **Leptin**

A hormone produced mainly by adipose tissue that signals stored-energy status to the brain and influences appetite and energy balance.

**Synonyms:**

## **Leptomeningeal Metastasis**

Spread of cancer to the leptomeninges and cerebrospinal fluid (carcinomatous meningitis), causing multifocal neurologic deficits; managed with intrathecal chemotherapy and involved-field radiation.

**Synonyms:**

## **Leptospirosis**

Leptospirosis is zoonotic infection with *Leptospira* bacteria acquired from water or soil contaminated by animal urine, ranging from fever and myalgia to kidney and liver failure. Transmitted through contact with water or soil contaminated with the urine of infected animals (rodents, cattle, dogs). Incubation period 5-14 days. Mild form: fever, headache, myalgia (especially calves), conjunctival suffusion.

**Synonyms:**

## **Leriche Syndrome**

Aortoiliac occlusive disease causing reduced blood flow to the pelvis and lower limbs. The classic presentation includes buttock or thigh claudication, diminished femoral pulses, and erectile dysfunction, although symptoms vary with the extent of collateral circulation.

**Synonyms:**

## **Lesion**

A general term for any abnormal change in tissue structure due to disease or injury.

**Synonyms:**

## **Lesser Curvature**

Concave medial stomach border from gastroesophageal junction to pylorus. Attachment site for the lesser omentum connecting to the liver, containing right/left gastric arteries. Most common gastric ulcer site. The angular incisure marks the body-antrum junction. Cancer here may cause early obstruction from the narrow lumen.

**Synonyms:**

## **Lesser Trochanter**

Small conical posteromedial proximal femoral prominence. Insertion for iliopsoas (primary hip flexor). Isolated fractures in adults may indicate pathologic fracture from metastatic disease; in adolescents may result from iliopsoas avulsion. Visible on lateral hip radiographs.

**Synonyms:**

## **Lethal-Means Counseling**

A preventive intervention that reduces access to firearms, medications, toxic substances, or other methods of self-harm during periods of elevated risk. It is conducted collaboratively and is an important component of suicide prevention.

**Synonyms:**

## **Leucocyte (White Blood Cell)**

A blood cell involved in immune defense against infection, foreign substances, and abnormal cells.

**Synonyms:** White Blood Cell

## **Leucopenia**

A decreased total white blood cell count below the normal reference range ( $< 4.0 \times 10^9/L$ ). Leucopenia is often due to a decrease in neutrophils (neutropenia) or lymphocytes (lymphopenia).

**Synonyms:**

## **Leukemia**

Leukemia is cancer of blood-forming cells that disrupts normal marrow production and may cause anemia, infection, bleeding, abnormal blood counts,

---

and organ infiltration. Leukemias are classified by the cell lineage and by clinical course, including acute and chronic forms.

**Synonyms:**

### **Leukemia cutis**

Infiltration of the skin by leukemic cells, presenting as papules, nodules, or plaques. It is more common in acute myeloid leukemia and indicates a poorer prognosis.

**Synonyms:**

### **Leukemia Genetics**

Acute lymphoblastic leukemia (ALL): Philadelphia chromosome (t9;22), Hyperdiploidy, ETV6-RUNX1 fusion. Acute myeloid leukemia (AML): t8;21, t15;17 (APL), FLT3 mutations. Chronic myeloid leukemia (CML): Philadelphia chromosome (BCR-ABL).

**Synonyms:**

### **Leukemic infiltration of the gingiva**

Gingival enlargement caused by infiltration of leukemic cells, most commonly in acute myeloid leukemia, particularly the monocytic subtype. The gingiva becomes swollen, erythematous, friable, and may bleed spontaneously. It results from leukemic cell proliferation within the gingival connective tissue.

**Synonyms:**

### **Leukemoid Reaction**

A marked reactive increase in the white-cell count, usually with prominent neutrophilia and immature granulocytes, caused by severe infection, inflammation, malignancy, or tissue injury. It resembles leukemia but is not a clonal hematologic malignancy.

**Synonyms:**

### **Leukocyte Adhesion Deficiency**

LAD-I (ITGB2 mutation, CD18 deficiency): absent CD11/CD18 integrins -> impaired neutrophil adhesion/transmigration -> delayed umbilical cord separation (>30 days), recurrent soft tissue infections without pus formation (leukocytosis >20,000),

poor wound healing, periodontitis. Severe: death by age 2 without HSCT.

**Synonyms:**

### **Leukocyte Alkaline Phosphatase**

An enzyme activity measured in mature neutrophils using a cytochemical stain, historically reported as a leukocyte alkaline phosphatase (LAP) score. The score is typically low in chronic myeloid leukaemia and increased in many leukemoid reactions, infections, pregnancy, and other reactive states.

**Synonyms:**

### **Leukocytoclastic Vasculitis**

A histopathologic pattern of small-vessel vasculitis characterized by neutrophilic debris, fibrinoid change, and vessel-wall inflammation. Clinically it often presents with palpable purpura; causes may be cutaneous-limited or associated with systemic disease.

**Synonyms:**

### **Leukocytosis**

An increased total white blood cell count above the normal reference range ( $> 11 \times 10^9/L$  in adults).

**Synonyms:**

### **Leukonychia**

White discoloration of the nails. True leukonychia: involves the nail matrix and moves distally with nail growth (punctate, striate/Mees lines from arsenic poisoning, or total).

**Synonyms:**

### **Leukoplakia**

Leukoplakia is a persistent white patch on mucosa that cannot be scraped away and may reflect irritation, infection, or premalignant epithelial change requiring evaluation. and cannot be characterized clinically as any other definable lesion (WHO). Leukoplakia is a potentially malignant disorder of the oral cavity, with a risk of malignant transformation to squamous cell carcinoma of approximately 1-5% per year.

**Synonyms:**

---

## Leukopoiesis

The production and development of white blood cells (leukocytes) from hematopoietic stem cells in the bone marrow, regulated by colony-stimulating factors and interleukins.

**Synonyms:**

## Leukotomy

A neurosurgical procedure involving the cutting of white matter fibers in the prefrontal cortex, also known as frontal lobotomy or prefrontal leukotomy. Developed by Egas Moniz (Nobel Prize 1949) and Walter Freeman.

**Synonyms:** frontal lobotomy or prefrontal leukotomy.

## Levator Ani

The primary pelvic floor muscle complex supporting the pelvic organs, forming a hammock from the pubic symphysis to the coccyx. Composed of the pubococcygeus, puborectalis, and iliococcygeus muscles. Innervated by the pudendal nerve (S2-S4).

**Synonyms:**

## Lewy Body Dementia

Dementia with visual hallucinations, parkinsonism, fluctuating cognition. Alpha-synuclein pathology. Treatment: cholinesterase inhibitors, avoid antipsychotics.

**Synonyms:**

## Lewy Body Disease

A neurodegenerative disorder associated with abnormal neuronal alpha-synuclein aggregates. Dementia with Lewy bodies commonly features fluctuating cognition, recurrent visual hallucinations, REM sleep behavior disorder, and spontaneous parkinsonism; sensitivity to antipsychotics may occur.

**Synonyms:**

## Leydig Cell Tumor

A testicular sex cord-stromal tumor that secretes testosterone or estrogen, causing precocious puberty or gynecomastia; most are benign and treated by orchidectomy.

**Synonyms:**

## Lfgren Syndrome

Acute sarcoidosis with bilateral hilar lymphadenopathy, erythema nodosum, and ankle polyarthralgia. It often resolves spontaneously and generally has a favorable prognosis, although follow-up is needed. Associated with HLA-DR3.

**Synonyms:**

## Li-Fraumeni Syndrome

An inherited cancer-predisposition syndrome most often caused by a pathogenic TP53 variant. It confers high lifetime risks of sarcomas, breast cancer, brain tumors, adrenocortical carcinoma, leukemia, and other early-onset malignancies.

**Synonyms:**

## LI-RADS

Liver Imaging-Reporting and Data System. Standardizes reporting of liver imaging in patients with cirrhosis. Used for hepatocellular carcinoma diagnosis.

**Synonyms:**

## Libido

Sexual desire or drive, influenced by biological, psychological, and social factors.

**Synonyms:**

## Libido and Sexual Performance

Libido (sexual desire) is modulated by a complex interplay of hormonal (testosterone, estrogen, prolactin), neurologic, psychological, and relational factors.

**Synonyms:**

## Lice

Pediculosis: infestation by blood-sucking lice—head lice (*Pediculus humanus capitis*, common in children, scalp), body lice (*Pediculus humanus corporis*, clothing/seams, associated with poor hygiene and epidemic typhus transmission), and pubic/crab lice (*Phthirus pubis*, sexually transmitted).

**Synonyms:**

---

## Lice Infestations

Pediculosis is infestation by head, body, or pubic lice. Head lice cause scalp pruritus and nits attached to hair shafts; body lice live mainly in clothing; pubic lice affect coarse hair-bearing regions.

**Synonyms:**

## Lichen

A descriptive dermatological term referring to a flat-topped, firm, papular skin lesion resembling the lichen plant (a symbiotic organism of algae and fungi growing on rocks and trees). Lichenoid describes lesions that resemble lichen planus or lichenoid drug eruptions.

**Synonyms:**

## Lichen Planus

A T-cell mediated inflammatory condition affecting skin, mucous membranes, nails, and hair. Classic presentation: the 6 Ps (pruritic, purple, polygonal, planar, papules, plaques), often with Wickham striae (white lacy network on surface). Oral lichen planus affects buccal mucosa and may be erosive.

**Synonyms:**

## Lichen Sclerosus

A chronic inflammatory skin disease most commonly affecting anogenital skin. It presents as ivory-white, atrophic plaques with wrinkled paper-like appearance. In women, it predominantly affects the vulva and perianal region (figure-eight distribution). In men, it affects the glans penis and foreskin (balanitis xerotica obliterans).

**Synonyms:**

## Lichen Simplex Chronicus

A thickened, leathery plaque caused by chronic scratching and rubbing (itch-scratch cycle). It commonly affects the neck, ankles, lower legs, and genital area. It is a form of neurodermatitis associated with stress and anxiety.

**Synonyms:**

## Liddle Syndrome

Autosomal dominant condition caused by gain-of-

function mutations in the ENaC sodium channel subunits leading to constitutive sodium reabsorption and potassium secretion in the collecting duct. Presents with severe hypertension, hypokalemia, and metabolic alkalosis occurring in childhood or young adulthood.

**Synonyms:**

## Liddle Syndrome Treatment

Liddle syndrome is an autosomal dominant cause of early-onset hypertension with hypokalemia and metabolic alkalosis caused by gain-of-function mutations in ENaC sodium channel subunits. Aldosterone levels are suppressed.

**Synonyms:**

## Life Expectancy

The average number of additional years a person of a specified age is expected to live under current mortality conditions.

**Synonyms:**

## Ligament

A dense, fibrous connective tissue band that connects bone to bone, providing passive joint stability and guiding joint motion. Ligaments are composed predominantly of type I collagen fibers (parallel orientation, crimped pattern) and elastin fibers (10-20% in some ligaments), arranged in bundles.

**Synonyms:**

## Ligand

Any molecule that binds specifically to a biological receptor, macromolecule, or active site. In pharmacology and physiology, ligands include hormones, neurotransmitters, drugs, and toxins that bind receptors to initiate (agonist), block (antagonist), or modulate signaling.

**Synonyms:**

## Ligation

The surgical process of tying off a blood vessel or duct using a suture or clip to prevent bleeding or block fluid flow.

**Synonyms:**

---

### Ligation (Vascular)

Surgical tying, clipping, or sealing of a blood vessel to stop or redirect blood flow.

**Synonyms:** Vascular

### Ligature

Any cord, wire, rope, fabric, or flexible object used to constrict the neck, bind limbs, suspend the body, or inflict injury. The resulting pale groove-shaped abrasion may be horizontal with petechiae in homicidal strangulation, or oblique and upward in hanging.

**Synonyms:**

### Light Therapy

Treatment that uses selected wavelengths or intensity of light for conditions such as some skin disorders, seasonal depression, or neonatal jaundice.

**Synonyms:**

### Light's Criteria

An effusion is exudative if any one is met: pleural protein/serum protein  $> 0.5$ , pleural LDH/serum LDH  $> 0.6$ , or pleural LDH  $> 2/3$  upper limit of normal serum LDH.

**Synonyms:**

### Light-near dissociation

A pupillary abnormality in which the pupil does not constrict to light but does constrict during accommodation (near response). Classically seen in Argyll Robertson pupils (neurosyphilis) and also in midbrain lesions, diabetes mellitus, and optic nerve disease. Differentiates from tonic pupil (Adie pupil) by preserved near response.

**Synonyms:**

### Likelihood Ratio

A ratio that describes how much a test result changes the odds of disease. The positive likelihood ratio is sensitivity divided by one minus specificity; the negative likelihood ratio is one minus sensitivity divided by specificity.

**Synonyms:**

### Limbic Encephalitis

Inflammation of the limbic system, often presenting subacutely with memory impairment, seizures, psychiatric or behavioral change, and sleep disturbance. It may be autoimmune, paraneoplastic, infectious, or of unknown cause.

**Synonyms:**

### Limbic System

A set of interconnected brain structures located in the medial temporal lobe and around the corpus callosum, involved in emotion, memory, motivation, behaviour, and autonomic regulation. The term was coined by Paul Broca (1878, le grand lobe limbique) and expanded by Papez (1937, Papez circuit) and MacLean (1952, 'visceral brain').

**Synonyms:**

### Linea Aspera

Prominent longitudinal posterior femoral shaft ridge from converging muscle attachment lines. Insertion for adductor magnus, vastus medialis/lateralis, and short head of biceps femoris. Thickest femoral cortex, resisting bending forces. Diverges distally into supracondylar lines.

**Synonyms:**

### Linea Nigra

A dark brown or black vertical line appearing on the abdomen during pregnancy, extending from the pubic symphysis to the umbilicus or beyond. Caused by hormonal stimulation of melanocytes, resulting in hyperpigmentation. More prominent in darker-skinned women.

**Synonyms:**

### Linear Energy Transfer

Energy deposited per unit path length. High LET (alpha, neutrons) more biologically effective.

**Synonyms:**

### Linear IgA bullous dermatosis

An autoimmune blistering disease caused by linear deposition of IgA at the basement membrane zone. It produces tense blisters, sometimes in annular or



---

"string of pearls" patterns, and may be idiopathic or drug-induced.

**Synonyms:**

### **Lingua villosa nigra**

A benign condition characterized by elongation and dark pigmentation of the filiform papillae of the tongue, often associated with tobacco use, poor oral hygiene, or antimicrobial therapy.

**Synonyms:**

### **Lingual artery**

A branch of the external carotid artery supplying the tongue, floor of mouth, and sublingual structures. It arises anterior to the hypoglossal nerve and courses deep to the hyoglossus muscle. Lingual artery aneurysm or thrombosis is rare but can cause life-threatening hemorrhage or tongue ischemia.

**Synonyms:**

### **Linitis Plastica**

A diffuse infiltrative form of gastric carcinoma in which tumour cells spread through the stomach wall, producing marked thickening and rigidity with loss of normal distensibility. It may cause early satiety, weight loss, nausea, vomiting, or vague upper-abdominal symptoms.

**Synonyms:**

### **Linkage**

Co-inheritance of nearby genetic markers and disease gene. Measured by recombination fraction ( $\theta$ ). LOD score  $>3$  indicates linkage.

**Synonyms:**

### **Lipase**

An enzyme that breaks down fats into smaller molecules. Blood lipase testing is commonly used when pancreatitis is suspected, although an abnormal result is not specific in every case.

**Synonyms:**

### **Lipedema**

A chronic disorder of abnormal, usually symmetrical deposition of painful subcutaneous adipose tissue,

predominantly affecting the legs and sometimes the arms. The feet and hands are typically spared, and easy bruising, tenderness, and progressive functional limitation may occur.

**Synonyms:**

### **Lipemia retinalis**

A creamy, pinkish-white discolouration of the retinal vessels caused by severely elevated serum triglycerides, typically exceeding 2,000 mg/dL. It is a sign of extreme hypertriglyceridaemia and indicates a risk for acute pancreatitis, requiring urgent lipid-lowering therapy and dietary management.

**Synonyms:**

### **Lipid**

Diverse group of hydrophobic molecules including triglycerides (energy storage), phospholipids (membranes), cholesterol (membranes, steroid precursor), fat-soluble vitamins (A, D, E, K). Triglycerides: glycerol + 3 fatty acids. Fatty acids: saturated (no double bonds) vs. unsaturated (one or more double bonds).

**Synonyms:**

### **Lipid Emulsion Therapy**

The antidote for local anesthetic systemic toxicity. The mechanism involves the lipid sink theory (lipid phase sequesters lipophilic local anesthetics from neural and cardiac tissue) and metabolic theory (lipid provides fatty acid substrate to ischemic myocardium).

**Synonyms:**

### **Lipid Panel**

Measurement of total cholesterol, LDL-C, HDL-C, and triglycerides. Fasting (9-12 hours) or non-fasting acceptable for screening. Desirable levels: total cholesterol  $<200$  mg/dL, LDL  $<100$  mg/dL ( $<70$  for very high risk), HDL  $>40$  (men) or  $>50$  (women) mg/dL, triglycerides  $<150$  mg/dL.

**Synonyms:**

### **Lipoatrophy**

Loss of subcutaneous adipose tissue at specific sites,

---

most commonly caused by repeated subcutaneous injections of insulin or other medications, or associated with autoimmune conditions and HIV lipodystrophy.

**Synonyms:**

### **Lipodystrophy**

Abnormal distribution or loss of body fat, which may be inherited or caused by medicines, metabolic disease, or repeated injections.

**Synonyms:**

### **Lipodystrophy Syndromes**

Rare conditions characterized by selective loss of adipose tissue leading to severe insulin resistance, diabetes, and hypertriglyceridemia. Congenital generalized lipodystrophy involves loss of all body fat from birth. Familial partial lipodystrophy involves loss of limb and truncal fat with fat accumulation in face and neck.

**Synonyms:**

### **Lipofuscin**

Lipofuscin concerns lipofuscin; its medical significance is established from the defining features, setting, associated findings, and clinical question. that accumulates progressively within cells with age, particularly in post-mitotic cells such as neurons, cardiac myocytes, and hepatocytes.

**Synonyms:**

### **Lipogenesis**

The synthesis of fatty acids and triglycerides from acetyl-CoA and other carbon sources. It occurs mainly in liver and adipose tissue when energy and carbohydrate are abundant and is stimulated by insulin.

**Synonyms:**

### **Lipoid Nephrosis**

A historical term for minimal change disease, a glomerular disorder causing nephrotic syndrome through increased glomerular permeability to proteins. It is especially common in children and typically shows diffuse podocyte foot-process effacement

on electron microscopy.

**Synonyms:**

### **Lipoid Pneumonia**

Lung inflammation caused by accumulation of lipid-laden macrophages in the alveoli. Exogenous lipoid pneumonia results from aspiration of mineral oil, petroleum jelly, or oil-based nose drops. Endogenous lipoid pneumonia occurs distal to bronchial obstruction. HRCT shows ground-glass opacities with low-attenuation areas (fat density).

**Synonyms:**

### **Lipolysis**

Hydrolysis of stored triglycerides in adipocytes to release non-esterified fatty acids and glycerol. It is stimulated by catecholamines and fasting-related hormonal signals and inhibited by insulin.

**Synonyms:**

### **Lipoma**

The most common benign soft tissue tumor, composed of mature adipocytes. It presents as a soft, mobile, painless subcutaneous nodule, commonly on the trunk, neck, and proximal extremities. Lipomas grow slowly and may be multiple (familial multiple lipomatosis). Diagnosis is clinical; ultrasound or MRI for deep or atypical lesions.

**Synonyms:**

### **Lipomatosis**

A rare condition characterized by the diffuse, symmetric, non-encapsulated proliferation of mature adipose tissue, most commonly affecting the pelvis and lower extremities. Unlike simple lipomas, lipomatosis involves infiltration of fat into surrounding structures without encapsulation, making surgical excision difficult.

**Synonyms:**

### **Lipoprotein**

Complex of lipids and proteins transporting hydrophobic lipids in aqueous blood. Classes: chylomicrons (dietary lipids), VLDL (endogenous triglycerides), LDL (cholesterol delivery), HDL (reverse

---

cholesterol transport). ApoB-100 in LDL; apoA-1 in HDL. Elevated LDL cholesterol is a major risk factor for atherosclerosis.

**Synonyms:**

### **Lipoprotein Lipase**

Hydrolyzes triglycerides in chylomicrons and VLDL. Activated by insulin.

**Synonyms:**

### **Lipoprotein Metabolism**

The production, transport, modification, and clearance of particles that carry lipids through the blood.

**Synonyms:**

### **Liposarcoma**

A malignant tumor of fat cells, usually arising in the deep soft tissues of the thigh or retroperitoneum; well-differentiated, myxoid, and pleomorphic subtypes are recognized.

**Synonyms:**

### **Liposomal amphotericin B**

A liposomal formulation of amphotericin B used in the treatment of severe systemic fungal infections, with reduced nephrotoxicity compared to conventional amphotericin B. The liposomal formulation encapsulates amphotericin B within lipid vesicles, which alters the drug's biodistribution and reduces renal tubular damage.

**Synonyms:**

### **Liquefactive Necrosis**

Characterized by the complete enzymatic digestion of dead cells, resulting in a liquid, viscous mass that eventually liquefies and forms a cystic cavity.

**Synonyms:**

### **Liquid Biopsy**

Analysis of blood or another body fluid for cellular material, DNA, RNA, or other molecules released by a tumor or other disease process.

**Synonyms:**

### **Lisch Nodules**

Benign, dome-shaped melanocytic hamartomas on the iris, commonly seen in neurofibromatosis type 1. They usually do not affect vision and support the diagnosis when interpreted with other clinical findings.

**Synonyms:**

### **Lissencephaly**

A severe brain malformation characterized by a smooth cerebral surface due to absent (agyria) or decreased (pachygyria) sulcation and gyration, caused by impaired neuronal migration during 12-16 weeks of gestation.

**Synonyms:**

### **Listeria monocytogenes**

A gram-positive, facultatively anaerobic rod that causes listeriosis, a foodborne infection. The organism is transmitted through contaminated food, particularly deli meats, soft cheeses, and ready-to-eat foods. It can grow at refrigeration temperatures.

**Synonyms:**

### **Listeriosis**

Listeriosis is infection with *Listeria monocytogenes*, causing febrile gastroenteritis or invasive disease such as meningitis, especially in pregnancy, newborns, older adults, and immunocompromised people. food (deli meats, soft cheeses, unpasteurized dairy, produce). Risk groups: pregnant women (fever, flu-like illness), neonates (sepsis, meningitis), immunocompromised, and elderly.

**Synonyms:**

### **Listeriosis in Pregnancy**

Infection with *Listeria monocytogenes*, a foodborne Gram-positive rod. Pregnant women are 10-20 times more susceptible than the general population. Ingestion of contaminated food (deli meats, soft cheeses, unpasteurized dairy, raw sprouts). Maternal symptoms: fever, myalgias, GI symptoms (nausea, diarrhea).

**Synonyms:**

---

### **Lithiasis**

Stone formation. Nephrolithiasis, ureterolithiasis, cystolithiasis, urethrolithiasis.

**Synonyms:**

### **Lithium Toxicity**

A potentially life-threatening condition caused by lithium levels exceeding the therapeutic range (0.6–1.2 mEq/L). Mild toxicity (1.5–2.0 mEq/L): nausea, vomiting, diarrhea, coarse tremor, muscle weakness. Moderate toxicity (2.0–2.5 mEq/L): confusion, ataxia, blurred vision, dysarthria.

**Synonyms:**

### **Lithotripsy**

Lithotripsy breaks urinary stones into smaller fragments using externally delivered shock waves or an endoscopic energy source so they can pass or be removed. smaller pieces that can pass through the urinary tract. See Shock Wave Lithotripsy.

**Synonyms:**

### **Lithotripsy Probe**

A device that fragments a stone using mechanical, ultrasonic, laser, or shock-wave energy during a stone-removal procedure.

**Synonyms:**

### **Lithotripter Probe**

A probe used to break urinary or biliary stones into smaller fragments for removal.

**Synonyms:**

### **Little Area**

The highly vascular region of the anterior nasal septum where several arteries meet and where most anterior nosebleeds originate.

**Synonyms:**

### **Livedo Reticularis**

A net-like, violaceous discoloration of the skin caused by altered blood flow in small cutaneous vessels. It may be temporary and cold-induced or associated with vascular, autoimmune, infectious, or clotting disorders.

**Synonyms:**

### **Liver**

The largest internal organ, located in the right upper quadrant of the abdomen beneath the diaphragm.

**Synonyms:**

### **Liver Abscess**

Focal collection of pus within the liver parenchyma. Pyogenic abscesses are most commonly from biliary tract infection or hematogenous spread from portal or systemic infection. Amoebic abscesses are caused by *Entamoeba histolytica* predominantly in tropical regions. Presents with fever, right upper quadrant pain, and hepatomegaly.

**Synonyms:**

### **Liver Biopsy**

Percutaneous, transjugular, or laparoscopic sampling of liver tissue for histological evaluation. Indicated for staging fibrosis, diagnosing specific liver diseases, and assessing treatment response. The procedure is guided by ultrasound for accuracy. Complications include bleeding, pain, and pneumothorax.

**Synonyms:**

### **Liver Cancer**

A malignant tumor arising in the liver. Hepatocellular carcinoma is the most common primary type in adults; risk factors include chronic liver disease, viral hepatitis, alcohol-related liver injury, and some toxins.

**Synonyms:**

### **Liver Cirrhosis**

Advanced hepatic fibrosis with regenerative nodules surrounded by dense fibrous septa representing the end result of chronic liver injury. Common etiologies include chronic viral hepatitis, alcoholic liver disease, and nonalcoholic steatohepatitis.

**Synonyms:**

### **Liver Disease Diet**

An individualized eating plan for a person with liver disease. It may address adequate energy and

---

protein, sodium or fluid intake, alcohol avoidance, and nutrient deficiencies according to the condition.

**Synonyms:**

### **Liver Enzymes**

ALT, AST, ALP, GGT. Markers of liver injury. ALT more specific for liver.

**Synonyms:**

### **Liver Failure**

A life-threatening condition resulting from severe impairment of hepatic synthetic, metabolic, and detoxification functions.

**Synonyms:**

### **Liver Function Tests**

Blood tests used to assess liver injury, bile-flow abnormalities, and liver synthetic function. They commonly include aminotransferases, alkaline phosphatase, bilirubin, albumin, and clotting tests; results must be interpreted together with the clinical context.

**Synonyms:**

### **Liver Health**

Essential for metabolism, detoxification, protein synthesis, bile production, and immune function.

**Synonyms:**

### **Liver Lobule**

The functional unit of the liver: a hexagonal structural unit centered on a central (hepatic) venule, with portal triads (portal vein, hepatic artery, bile ductule) at the corners.

**Synonyms:**

### **Liver Mass**

Abnormality in liver detected on imaging. Benign: hemangioma, focal nodular hyperplasia, adenoma. Malignant: hepatocellular carcinoma, metastasis, cholangiocarcinoma.

**Synonyms:**

### **Liver Transplant**

Surgical replacement of a diseased liver with a healthy liver or part of a liver from a donor.

**Synonyms:**

### **Liver Transplantation**

Surgical replacement of a diseased liver with a healthy donor organ indicated for end-stage liver disease, acute liver failure, and select hepatocellular carcinomas within Milan criteria. Requires lifelong immunosuppression with calcineurin inhibitors, antimetabolites, and corticosteroids.

**Synonyms:**

### **Living Will**

A type of advance directive that records a person's preferences for future medical treatment if the person cannot communicate or decide.

**Synonyms:**

### **Living Will (Advance Statements)**

A legally binding written document that specifies a person's preferences for medical treatment if they become unable to make decisions for themselves in the future (loss of capacity). Living wills are a type of advance directive (or advance decision/advance statement in the UK).

**Synonyms:** Advance Statements

### **Livor Mortis (Lividity)**

Post-mortem purplish-red discoloration of dependent body parts resulting from gravitational settling of blood in uncompressed capillaries and small veins following cessation of circulation.

**Synonyms:** Lividity

### **Livor Mortis (Postmortem Lividity)**

Purplish-red discoloration of dependent body parts following death, caused by gravitational pooling of blood in uncompressed capillaries and venules. Starts within 30 min–2 hours, becomes fixed after 6–12 hours.

**Synonyms:** Postmortem Lividity

---

## LLETZ

Large Loop Excision of the Transformation Zone, also called LEEP (Loop Electrosurgical Excision Procedure). A common outpatient procedure used to diagnose and treat cervical intraepithelial neoplasia (CIN).

**Synonyms:** LEEP (Loop Electrosurgical).

## Loa loa

The African eye worm, a filarial nematode transmitted by Chrysops deer flies, endemic to the rainforests of West and Central Africa. Adult worms migrate subcutaneously, causing Calabar swellings, and may cross the subconjunctiva of the eye, causing visible worm migration. Microfilariae are detected in daytime peripheral blood.

**Synonyms:**

## Loading Dose

A higher initial dose of a drug administered to rapidly achieve therapeutic plasma concentrations, followed by lower maintenance doses to sustain the steady state. The loading dose is calculated as:  $\text{Loading dose} = (\text{Vd} \times \text{desired concentration}) / \text{bioavailability}$ .

**Synonyms:**

## Lobar Pneumonia

Consolidation involving an entire lobe. Most commonly caused by *S. pneumoniae*. Classic progression: congestion, red hepatization, gray hepatization, resolution.

**Synonyms:**

## Lobectomy

Surgical removal of a lobe of an organ. Most commonly lung lobectomy (removal of one lobe of the lung, performed for lung cancer, bronchiectasis, abscess, or benign tumor) or temporal lobectomy (removal of the anterior temporal lobe for drug-resistant temporal lobe epilepsy).

**Synonyms:**

## Local Anesthesia

The reversible abolition of sensation in a circum-

scribed area by infiltration or topical application of local anesthetic agents (lidocaine, bupivacaine) without loss of consciousness. Maximum safe dosing must be observed to avoid systemic toxicity. Epinephrine prolongs duration but is avoided in end-arterial territories.

**Synonyms:**

## Local Anesthetic

A medication that causes reversible loss of sensation in a specific, localized area of the body without affecting consciousness. Local anesthetics block voltage-gated sodium channels in nerve cell membranes, preventing action potential generation and propagation.

**Synonyms:**

## Local Anesthetic Systemic Toxicity

A life-threatening complication caused by elevated plasma concentration of local anesthetic, most commonly from inadvertent intravascular injection or rapid absorption.

**Synonyms:**

## Local Anesthetic Toxicity

CNS toxicity: tinnitus, perioral numbness, seizures. Cardiovascular toxicity: arrhythmias, hypotension, cardiac arrest. Treatment: lipid emulsion therapy (Intralipid), seizure control, ACLS.

**Synonyms:**

## Local Invasion

Tumor growth into surrounding tissues. Distinguishes malignant from benign.

**Synonyms:**

## Lochia

Vaginal discharge following delivery that undergoes characteristic changes over the puerperium. Lochia rubra (days 1-4): red, bloody discharge containing blood, decidual tissue, and fetal membranes. Lochia serosa (days 5-10): pinkish-brown discharge with serous fluid, leukocytes, and organisms.

**Synonyms:**



---

### Locked-in Syndrome

A neurological condition in which the patient is fully conscious and aware but cannot move or speak due to complete paralysis of all voluntary muscles except for vertical eye movements and blinking (total locked-in syndrome: loss of all eye movements).

**Synonyms:**

### Lockjaw (Tetanus)

A serious neurologic illness caused by tetanospasmin produced by *Clostridium tetani*. It causes painful muscle stiffness and spasms, often beginning in the jaw.

**Synonyms:** Tetanus

### Locomotor Ataxia (Tabes Dorsalis)

A late manifestation of untreated tertiary syphilis (neurosyphilis) caused by infection with *Treponema pallidum*, involving progressive degeneration of the dorsal columns (fasciculus gracilis and cuneatus) and dorsal roots of the spinal cord.

**Synonyms:** Tabes Dorsalis

### Locus

Specific position of gene on chromosome. Designated by chromosome number, arm (p/q), band, subband. Example: 7q31.2 (CFTR gene).

**Synonyms:**

### Loneliness

Subjective feeling of isolation. Associated with depression, cognitive decline, mortality.

**Synonyms:**

### Long COVID

Long COVID is a condition of persistent or newly developing symptoms after SARS-CoV-2 infection, potentially involving fatigue, exertional intolerance, cognition, breathing, autonomic function, or multiple organs. Several weeks and sometimes months or years. Common manifestations include fatigue, post-exertional malaise, cognitive difficulty, breathlessness, dysautonomia, and altered smell or taste.

**Synonyms:**

### Long QT Syndrome

A disorder of cardiac repolarization that prolongs the QT interval and increases the risk of torsades de pointes and sudden cardiac death. It may be inherited or acquired from medicines, electrolyte abnormalities, or other conditions.

**Synonyms:**

### Long-Acting Beta-2 Agonists

Bronchodilators that provide sustained relaxation of airway smooth muscle for maintenance treatment of asthma or chronic obstructive pulmonary disease. In asthma, they are used with an inhaled corticosteroid rather than alone.

**Synonyms:**

### Long-Term Care

Assistance with ADLs/IADLs for extended period. Settings: home, assisted living, nursing home. Funding: Medicaid, long-term care insurance, out-of-pocket. Planning essential for elderly and families.

**Synonyms:**

### Long-Term Effect

A health effect that develops or persists after prolonged exposure, treatment, or disease. It may be beneficial, harmful, or uncertain.

**Synonyms:**

### Long-Term Rehabilitation

Chronic condition management. Focus on maintaining function, preventing complications.

**Synonyms:**

### Loop Diuretics

A class of potent diuretics that act on the thick ascending limb of the loop of Henle by inhibiting the sodium-potassium-chloride cotransporter, blocking sodium and chloride reabsorption and producing a powerful natriuresis and diuresis. The prototypical loop diuretic is furosemide, with other agents including bumetanide and torsemide.

**Synonyms:**

---

## Loop of Henle

U-shaped tubular segment consisting of a thin descending limb, thin ascending limb, and thick ascending limb. The descending limb is permeable to water but not solutes, allowing water reabsorption into the hypertonic medullary interstitium.

**Synonyms:**

## Loratadine

A second-generation (non-sedating) H1 antihistamine used for allergic rhinitis and chronic urticaria. Peripherally selective—minimal CNS penetration, minimal anticholinergic effects. Once daily; prodrug (desloratadine is active). Adverse effects: headache, dry mouth, and rare sedation. Available OTC.

**Synonyms:**

## Lordosis

The normal inward curvature of the cervical and lumbar spine. Excessive lumbar lordosis (hyperlordosis): increased pelvic tilt, commonly due to hip flexor tightness, weak abdominals, or pregnancy. Presents with low back pain and forward protrusion of the abdomen and buttocks.

**Synonyms:**

## Loss of Appetite

Reduced desire to eat. It may result from illness, medicines, mood disorders, pain, or other causes.

**Synonyms:**

## Loss-of-Function Variant

A genetic variant that reduces or abolishes the normal activity of the encoded gene product. Disease risk depends on the gene, inheritance pattern, residual function, and whether one or both copies are affected.

**Synonyms:**

## Low Back Pain

Pain or discomfort in the lower back, commonly caused by muscle or ligament strain, disc disease, arthritis, or spinal nerve irritation. Weakness, numbness, new bladder or bowel problems, fever, major trauma, or unexplained weight loss are warning

signs requiring prompt medical assessment.

**Synonyms:**

## Low Birth Weight

Birth weight <2500 g, often due to prematurity and/or intrauterine growth restriction; further classified: very low (<1500 g), extremely low (<1000 g), and small for gestational age.

**Synonyms:**

## Low FODMAP Diet

Dietary intervention for irritable bowel syndrome that restricts fermentable oligosaccharides, disaccharides, monosaccharides, and polyols, which are short-chain carbohydrates poorly absorbed in the small intestine and rapidly fermented by colonic bacteria producing gas and drawing water into the intestinal lumen.

**Synonyms:**

## Low Molecular Weight Heparin

A shorter heparin preparation that predominantly inhibits factor Xa through antithrombin and is used to prevent or treat thrombosis.

**Synonyms:**

## Low Testosterone (Hypogonadism)

Low testosterone (male hypogonadism) is a clinical syndrome of deficient testosterone production by the testes (primary) or inadequate stimulation by the pituitary/hypothalamus (secondary), defined as total testosterone <300 ng/dL on two morning measurements with consistent symptoms.

**Synonyms:** Hypogonadism

## Low Vision

Visual impairment that cannot be fully corrected with spectacles, contact lenses, medication, or surgery, impairing daily activities. Managed with low-vision aids (magnifiers, telescopes, adaptive devices), lighting, and occupational therapy.

**Synonyms:**

## Low-Dose CT Scan

CT protocol using reduced radiation for lung can-

---

cer screening. Detects small nodules at earlier stages. False positives require follow-up per Fleischner guidelines.

**Synonyms:**

### **Low-Phosphorus Diet**

A dietary pattern limiting phosphorus intake for selected patients with chronic kidney disease or persistent hyperphosphatemia. It emphasizes avoidance of phosphate additives while maintaining adequate protein and overall nutritional status.

**Synonyms:**

### **Low-Potassium Diet**

A dietary pattern limiting potassium intake when clinically indicated, usually for hyperkalemia or advanced kidney disease. It must be individualized because unnecessary restriction can reduce diet quality and cause inadequate intake of fruits and vegetables.

**Synonyms:**

### **Low-Residue Diet**

A short-term diet limiting dietary fiber and foods that leave substantial undigested material in the bowel. It may be used in selected gastrointestinal conditions or around certain procedures but is not a universal treatment for inflammatory bowel disease.

**Synonyms:**

### **Lower Airway Obstruction**

Narrowing of airways below the carina, causing expiratory wheezing and airflow obstruction on spirometry. Causes include asthma, COPD, bronchiectasis, and foreign body. It is characterized by scooped-out expiratory limb on flow-volume loops and reduced FEV1/FVC ratio.

**Synonyms:**

### **Lower Extremity Venous Doppler**

An ultrasound examination of the leg veins that assesses compressibility and blood flow, commonly to evaluate suspected deep venous thrombosis.

**Synonyms:**

### **Lower Motor Neuron Syndrome**

A pattern caused by injury to an anterior horn cell, motor cranial-nerve nucleus, nerve root, plexus, or peripheral motor nerve. It typically causes weakness, reduced tone and reflexes, muscle atrophy, and fasciculations in affected muscles.

**Synonyms:**

### **Lower Urinary Tract Symptoms**

Urinary symptoms arising from the bladder, bladder outlet, or urethra, classified as storage symptoms, voiding symptoms, and post-micturition symptoms. Causes include benign prostatic obstruction, overactive bladder, infection, neurologic disease, stricture, and malignancy.

**Synonyms:**

### **Ludwig Angina**

A rapidly spreading cellulitis of the floor of the mouth and submandibular spaces, usually arising from an infected lower molar. Tongue elevation, dysphagia, drooling, and airway obstruction can develop rapidly and require emergency management.

**Synonyms:**

### **Ludwig's Angina**

A rapidly progressive, life-threatening cellulitis of the submandibular, sublingual, and submental spaces, typically originating from an odontogenic infection of the lower second or third molars.

**Synonyms:**

### **Lugano Classification**

Staging and response assessment for lymphoma.

**Synonyms:**

### **Lumbago**

A non-specific term for low back pain, typically referring to acute or chronic pain in the lumbar region (between the lower ribs and the gluteal folds). Lumbago is a symptom, not a diagnosis.

**Synonyms:**

### **Lumbar Disc Herniation**

Protrusion or extrusion of lumbar disc material

---

through the annulus fibrosus, which may irritate or compress a nerve root and cause back or leg pain. Symptoms, examination findings, and imaging determine its significance and treatment.

**Synonyms:**

### **Lumbar puncture**

Insertion of a needle into the lower spinal canal to obtain cerebrospinal fluid or administer selected medicines.

**Synonyms:**

### **Lumbar Puncture (Spinal Tap)**

Insertion of a needle into the subarachnoid space at L3-L4 or L4-L5 to obtain CSF. Indications: suspected meningitis/encephalitis, subarachnoid hemorrhage, demyelinating disease, and intrathecal therapy. Contraindications: increased intracranial pressure (papilledema, mass lesion on CT), coagulopathy, and infection at the puncture site.

**Synonyms:** Spinal Tap

### **Lumbar Radiculopathy**

A condition caused by compression, irritation, or inflammation of a spinal nerve root in the lumbar spine, resulting in pain radiating into the lower extremity along the distribution of the affected nerve root (sciatica). The most commonly affected nerve roots are L4, L5, and S1.

**Synonyms:**

### **Lumbar Vertebrae**

Largest and strongest mobile vertebrae for weight-bearing. Large kidney-shaped bodies, short hatchet-shaped spinous processes, sagittally-oriented facets allowing primarily flexion/extension. Lordotic curvature. Most common disc herniation site, particularly L4-L5 and L5-S1 causing sciatica.

**Synonyms:**

### **Lumpectomy**

Breast-conserving surgery excising a malignant lesion with a margin of normal tissue, combined with whole-breast radiation to yield survival equivalent to mastectomy for early-stage cancer. An accept-

able margin is no ink on tumor for invasive cancer and 2 mm for ductal carcinoma in situ.

**Synonyms:**

### **Lunate**

Crescent-shaped proximal row carpal bone between scaphoid and triquetrum. Most commonly dislocated carpal bone from falls on extended wrists. Dislocation may compress the median nerve causing acute carpal tunnel syndrome. Vulnerable to avascular necrosis (Kienbock disease) from its precarious blood supply.

**Synonyms:**

### **Lung**

The paired, cone-shaped respiratory organs located in the thoracic cavity, responsible for gas exchange (oxygen uptake, carbon dioxide elimination). Each lung is divided into lobes: the right lung has three (superior, middle, inferior), the left lung has two (superior, inferior) with a cardiac notch accommodating the heart.

**Synonyms:**

### **Lung Abscess**

Localized necrosis with cavitation containing purulent material. Causes include aspiration and anaerobic bacteria. CXR shows thick-walled cavity with air-fluid level.

**Synonyms:**

### **Lung Cancer**

Leading cancer death worldwide. Types: small cell, non-small cell. Risk factors: smoking, radon, asbestos.

**Synonyms:**

### **Lung Compliance**

The change in lung volume produced by a given change in transpulmonary pressure. Reduced compliance increases the work of breathing, whereas excessive compliance may occur when elastic recoil is lost, as in emphysema.

**Synonyms:**

---

## Lung Disease

Lung disease encompasses disorders affecting the airways, parenchyma, pleura, pulmonary vasculature, and chest wall.

**Synonyms:**

## Lung Function Tests

Physiologic tests that measure aspects of breathing, including airflow, lung volumes, and gas transfer, to assess respiratory function.

**Synonyms:**

## Lung herniation

Protrusion of lung tissue through a defect in the chest wall, most commonly occurring after thoracic trauma, thoracotomy, or in association with rib fractures and chronic obstructive pulmonary disease. Presents with a reducible chest wall mass that increases with coughing or straining and may cause pain and respiratory compromise.

**Synonyms:**

## Lung Protective Ventilation

A ventilation strategy using low tidal volumes (6 mL/kg ideal body weight), plateau pressure < 30 cmH<sub>2</sub>O, appropriate PEEP, and permissive hypercapnia to minimize ventilator-induced lung injury. It is the standard of care for ARDS and is used in all mechanically ventilated patients to reduce barotrauma, volutrauma, and biotrauma.

**Synonyms:**

## Lung Transplant

Surgical replacement of one or both lungs from a donor for end-stage lung disease: COPD (most common), idiopathic pulmonary fibrosis, cystic fibrosis, pulmonary hypertension, and other advanced conditions. Types: single, bilateral, heart-lung.

**Synonyms:**

## Lung Transplantation

Surgical replacement of a diseased lung with a healthy lung from a donor. Indications include IPF, COPD, CF, PAH, and bronchiectasis. Options include single lung transplant, double lung trans-

plant, or heart-lung transplant. Post-transplant immunosuppression is required lifelong. Complications include rejection and infection.

**Synonyms:**

## Lupus

A group of autoimmune diseases in which the immune system attacks the body's own tissues. Systemic lupus erythematosus may affect the skin, joints, kidneys, blood cells, nervous system, and other organs. Also called SLE.

**Synonyms:** SLE.

## Lupus Erythematosus

Systemic lupus erythematosus is a chronic autoimmune disease characterized by production of autoantibodies against nuclear antigens, leading to immune complex-mediated inflammation and tissue damage in multiple organ systems. The disease predominantly affects women of childbearing age, with a striking female predominance of 9 to 1.

**Synonyms:**

## Lupus Erythematosus (Systemic Lupus Erythematosus - SLE)

A chronic multisystem autoimmune disease predominantly affecting women (9:1 female:male) of childbearing age, characterized by autoantibody production (ANA 98%, anti-dsDNA 70%, anti-Sm 30%) and immune complex deposition causing tissue injury.

**Synonyms:** Systemic Lupus Erythematosus - SLE

## Lupus Nephritis

Kidney inflammation caused by systemic lupus erythematosus. It can cause blood or protein in the urine, high blood pressure, and reduced kidney function. Classification is based largely on kidney-biopsy findings, and treatment depends on the class, severity, kidney function, and individual risks.

**Synonyms:**

## Lupus pernio

A chronic, violaceous skin lesion of the face and extremities associated with sarcoidosis, indicating

---

a higher risk of systemic involvement and chronic disease.

**Synonyms:**

### **Lupus Vulgaris**

A chronic, progressive form of cutaneous tuberculosis (TB of the skin) caused by *Mycobacterium tuberculosis*. Once common in Europe, now rare in developed countries but still seen in developing regions.

**Synonyms:**

### **Luteinizing Hormone**

LH: a gonadotropin secreted by the anterior pituitary, regulating gonadal steroidogenesis. In females: stimulates theca cells to produce androgens (aromatized to estradiol); mid-cycle LH surge triggers ovulation (used in ovulation prediction and timing of intercourse/IVF). In males: stimulates Leydig cells to produce testosterone.

**Synonyms:**

### **Lutetium-177**

Beta and gamma emitter, half-life 6.7 days. Used in peptide receptor radionuclide therapy (PRRT) and PSMA therapy. Both therapeutic and imaging capabilities.

**Synonyms:**

### **Lyme Disease**

A tick-borne infection caused by *Borrelia burgdorferi* (*Ixodes scapularis*, deer tick), endemic to the northeastern and upper midwestern US. Early localized: erythema migrans (bullseye rash, >5cm) at tick bite site, fatigue, fever, myalgia.

**Synonyms:**

### **Lymph**

A clear, watery fluid that circulates through the lymphatic system, derived from interstitial fluid that has entered the lymphatic capillaries.

**Synonyms:**

### **Lymph Node / Gland**

Small, bean-shaped organs of the lymphatic system

that filter lymph and serve as sites for immune cell activation. Lymph nodes are distributed throughout the body (approximately 500-600 in total) and are concentrated in regions: cervical, axillary, inguinal, mediastinal, mesenteric, para-aortic, and iliac chains.

**Synonyms:**

### **Lymph Node Dissection**

Removal of lymph nodes for staging or treatment. Sentinel node biopsy less invasive alternative.

**Synonyms:**

### **Lymph Node Structure**

Small bean-shaped lymphoid organs (1-25 mm) distributed along lymphatic vessels, filtering lymph and mounting immune responses. Each has a cortex (outer, containing B-cell follicles with germinal centers), paracortex (deep cortex, containing T-cells and dendritic cells), and medulla (inner, containing medullary cords and sinuses).

**Synonyms:**

### **Lymphadenectomy**

Surgical removal of lymph nodes, either sentinel or regional, for staging or therapeutic purposes; examples include axillary, inguinal, cervical, and retroperitoneal lymph node dissection.

**Synonyms:**

### **Lymphadenitis**

Lymphadenitis is inflammation or infection of lymph nodes, causing localized tenderness and enlargement from bacterial, viral, mycobacterial, cat-scratch, or other disease. infection. Affected nodes may be tender, warm, or fluctuant, and the condition may be localized or generalized.

**Synonyms:**

### **Lymphadenopathy**

Enlargement of lymph nodes (greater than 1 cm in diameter, or >1.5 cm for inguinal nodes). Lymphadenopathy can be localised (single or contiguous region) or generalised (three or more non-contiguous regions).



---

**Synonyms:**

### **Lymphangiectasis**

Abnormal dilatation of lymphatic vessels. It may be congenital or acquired and can cause lymph leakage, oedema, protein-losing enteropathy, chylous effusions, or pulmonary and pleural complications depending on the affected site.

**Synonyms:**

### **Lymphangiography**

Contrast imaging of lymphatic vessels. Evaluates lymphatic obstruction, fistulas. Largely replaced by MRI/CT.

**Synonyms:**

### **Lymphangioleiomyomatosis**

A rare, progressive cystic lung disease caused by proliferation of abnormal smooth muscle-like cells (LAM cells) in the lungs, lymphatics, and kidneys. It occurs almost exclusively in women of childbearing age. HRCT shows thin-walled cysts throughout both lungs. It may be associated with tuberous sclerosis complex.

**Synonyms:**

### **Lymphangioma**

A benign congenital malformation of the lymphatic system, composed of dilated lymphatic channels. Lymphangiomas are typically present at birth (90% diagnosed by age 2) and result from failure of the lymphatic system to develop normal connections with the venous system.

**Synonyms:**

### **Lymphangitis**

Lymphangitis is a medical condition involving lymphangitis; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. cellulitis. It may produce tender red streaks and enlarged regional lymph nodes; systemic symptoms require prompt medical assessment and treatment.

**Synonyms:**

### **Lymphatic System**

A network of lymphatic vessels, lymph nodes, and lymphoid organs (tonsils, thymus, spleen, Peyer patches) that returns interstitial fluid (lymph) to the bloodstream, transports dietary fat (chyle), and serves as the conduit for immune surveillance.

**Synonyms:**

### **Lymphedema**

Persistent swelling caused by accumulation of lymphatic fluid in tissues, usually in an arm or leg.

**Synonyms:**

### **Lymphedema (Lymphoedema)**

Chronic swelling of a body part due to impaired lymphatic drainage, leading to accumulation of protein-rich interstitial fluid. Primary lymphedema: caused by congenital or hereditary lymphatic maldevelopment.

**Synonyms:** Lymphoedema

### **Lymphedema Management**

Measures used to reduce swelling and preserve function, including compression, exercise, skin care, and selected forms of manual lymphatic therapy.

**Synonyms:**

### **Lymphocyte**

A type of white blood cell (leukocyte) that is the primary cellular component of the adaptive immune system. Lymphocytes account for 20-40% of circulating white blood cells ( $1.0\text{--}4.8 \times 10^9/\text{L}$ ). Three main types: (1) T lymphocytes (T cells): develop in the thymus, responsible for cell-mediated immunity.

**Synonyms:**

### **Lymphocytic Colitis**

Chronic inflammatory bowel disease characterized by increased intraepithelial lymphocytes exceeding twenty per one hundred surface epithelial cells in the colonic mucosa without significant subepithelial collagen band thickening.

**Synonyms:**

---

### **Lymphocytic Interstitial Pneumonia**

A rare ILD characterized by diffuse polyclonal lymphocytic infiltration of the lung parenchyma. It is strongly associated with Sjgren syndrome and HIV. HRCT shows ground-glass opacities, thin-walled cysts, and lymphadenopathy. Treatment is corticosteroids for symptomatic disease.

**Synonyms:**

### **Lymphocytopenia**

A reduced lymphocyte count ( $< 1.0 \times 10^9/L$ ). Causes: acute (stress, steroids, sepsis, trauma, burns), infections (HIV, viral, tuberculosis, typhoid), immunosuppressive drugs, radiation, marrow failure (aplasia, leukemia, lymphoma), autoimmune (SLE), and congenital immunodeficiencies.

**Synonyms:**

### **Lymphogranuloma venereum**

Lymphogranuloma venereum is a sexually transmitted infection caused by invasive *Chlamydia trachomatis* strains, often producing a small lesion followed by painful regional lymphadenopathy or proctitis. L1–L3, classically producing transient genital lesions and painful inguinal lymphadenopathy.

**Synonyms:**

### **Lymphokine**

A cytokine produced by lymphocytes (a subset of cytokines; the term lymphokine is largely historical, now 'cytokine'). Examples: IL-2, IL-4, IFN-gamma (from T cells), and B-cell growth factors. Mediate lymphocyte communication, activation, and regulation of immune responses.

**Synonyms:**

### **Lymphoma**

A malignancy of lymphocytes, divided into Hodgkin lymphoma (HL—Reed-Sternberg cells, cervical/supraclavicular nodes, B symptoms, younger adults) and non-Hodgkin lymphoma (NHL—heterogeneous, more common, aggressive or indolent).

**Synonyms:**

### **Lymphoma (Hodgkin's and Non-Hodgkin's)**

A group of cancers arising from lymphocytes, including Hodgkin lymphoma and the many types of non-Hodgkin lymphoma.

**Synonyms:** Hodgkin's and Non-Hodgkin's

### **Lymphopoiesis**

The production and maturation of lymphocytes from hematopoietic stem and progenitor cells. It occurs in primary lymphoid organs such as bone marrow and thymus and continues in peripheral lymphoid tissues during immune responses.

**Synonyms:**

### **Lymphoscintigraphy**

Lymphatic system imaging using Tc-99m nanocolloid injected near lesion. Used for sentinel lymph node biopsy (melanoma, breast cancer), lymphedema evaluation.

**Synonyms:**

### **Lynch Syndrome**

Hereditary nonpolyposis colorectal cancer syndrome caused by mismatch repair gene mutations including MLH1, MSH2, MSH6, and PMS2 with autosomal dominant inheritance. It increases the risk of colorectal, endometrial, ovarian, gastric, and urinary tract cancers.

**Synonyms:**

### **Lysergic Acid Diethylamide**

A potent hallucinogenic drug (psychedelic) classified as a Schedule 1 controlled substance (high abuse potential, no accepted medical use). LSD acts as a partial agonist at serotonin 5-HT<sub>2A</sub> receptors in the prefrontal cortex, leading to altered sensory perception, mood, and cognition.

**Synonyms:**

### **Lysogenic Conversion**

The acquisition of new properties (genes) by a bacterium when a temperate bacteriophage integrates its genome as a prophage and expresses phage-encoded genes.

---

**Synonyms:**

### **Lysosome**

Membrane-bound organelles containing hydrolytic enzymes (acid hydrolases: proteases, lipases, nucleases, glycosidases) functioning at low pH ( 4.5-5.0) maintained by V-ATPase proton pump. Degrade macromolecules from endocytosis, phagocytosis, and autophagy.

**Synonyms:**

### **Macroscopic Hematuria**

Visible blood in the urine, which may appear pink, red, or brown. Causes include urinary infection, stones, prostate disease, kidney disease, injury, and cancer; persistent or unexplained bleeding requires medical evaluation.

**Synonyms:**

### **Labile Hypertension**

Blood pressure that fluctuates substantially over short periods.

**Synonyms:**

### **Lactase**

An enzyme that breaks down the milk sugar lactose in the small intestine.

**Synonyms:**

### **Lacunar Stroke**

An ischemic stroke caused by blockage of a small artery deep within the brain.

**Synonyms:**

### **Langerhans Cells**

Immune cells in the epidermis that capture antigens and help initiate immune responses.

**Synonyms:**

### **Laser Photocoagulation**

A laser treatment that seals or destroys abnormal blood vessels, especially in the retina.

**Synonyms:**

### **Laser Prostatectomy**

A procedure that uses laser energy to remove or vaporize enlarged prostate tissue.

**Synonyms:**

### **Learned Insomnia**

Persistent difficulty sleeping that is maintained by anxiety and conditioned behaviors associated with sleep.

**Synonyms:**

### **Left Ventricular Hypertrophy**

Thickening of the muscular wall of the heart's left ventricle.

**Synonyms:**

### **Left-Ventricular Assist Device**

An implanted mechanical pump that helps the left ventricle circulate blood.

**Synonyms:**

### **Leukotriene Modifiers**

Medicines that reduce asthma or allergy symptoms by blocking leukotriene production or action.

**Synonyms:**

### **Liothyronine Sodium**

A synthetic form of the thyroid hormone triiodothyronine used in selected thyroid disorders.

**Synonyms:**

### **Lumbar Stenosis**

Narrowing of the spinal canal or nerve openings in the lower back.

**Synonyms:**

### **Labyrinth Disorder**

A disorder of the inner-ear balance structures that may cause vertigo, nausea, or imbalance.

**Synonyms:**

### **Laryngostenosis**

Narrowing of the larynx that can restrict airflow.

**Synonyms:**

---

### **Latent Tuberculosis**

Infection with *Mycobacterium tuberculosis* in which the bacteria remain inactive and cause no symptoms but may later become active.

**Synonyms:**

### **Lymphangiomatosis**

An uncommon disorder involving excessive or abnormal growth of lymphatic vessels in one or more tissues.

**Synonyms:**

### **Lateral Decubitus Position**

A side-lying position in which the patient rests on the nonoperative side to provide access to the chest, hip, or flank.

**Synonyms:**

### **Lloyd-Davies Position**

A modified lithotomy position in which the hips and knees are flexed and the legs are supported, commonly for pelvic or colorectal surgery.

**Synonyms:**

### **Lithotomy Position**

A supine position in which the hips and knees are flexed and the legs are raised and supported to provide access to the pelvis and perineum.

**Synonyms:**

### **Lazy Eye**

Reduced vision in one eye caused by abnormal visual development during childhood; also called amblyopia.

**Synonyms:** amblyopia.

### **Lip Cancer**

Cancer that develops in the tissues of the upper or lower lip.

**Synonyms:**

### **Listeria Infection**

An infection caused by *Listeria* bacteria, often acquired from contaminated food.

**Synonyms:**

### **Liver Disease**

Any disorder that damages or impairs the structure or function of the liver.

**Synonyms:**

### **Liver Fibrosis**

Excessive formation of scar tissue in the liver after ongoing injury or inflammation.

**Synonyms:**

### **Lobular Carcinoma in Situ**

Abnormal cells confined to the breast lobules that increase the risk of developing invasive breast cancer.

**Synonyms:**

### **Low Sex Drive in Women**

Persistently reduced sexual desire in a woman that causes personal distress.

**Synonyms:**

### **Low Sperm Count**

A semen condition in which the sperm concentration is below the expected reference range.

**Synonyms:**

### **Lacteals**

Lymphatic vessels in intestinal villi that absorb dietary fats.

**Synonyms:**

### **Laryngopharynx**

The lower part of the pharynx that connects the throat with the larynx and esophagus.

**Synonyms:**

### **Laser**

A device that produces a concentrated beam of light used for diagnosis, treatment, or surgery.

**Synonyms:**

---

### **Lavage**

Washing or irrigating a body cavity, organ, or wound with fluid.

**Synonyms:**

### **Leptomeninges**

The arachnoid mater and pia mater, the two delicate inner membranes covering the brain and spinal cord.

**Synonyms:**

### **Leukocytes**

White blood cells that help defend the body against infection and other threats.

**Synonyms:**

### **Leukorrhea**

A whitish vaginal discharge that may be normal or may indicate infection or another disorder.

**Synonyms:**

### **Lichenification**

Thickening and accentuation of skin markings caused by chronic scratching or rubbing.

**Synonyms:**

### **Lingual Tonsils**

Collections of lymphoid tissue at the base of the tongue.

**Synonyms:**

### **Lumen**

The inner space of a hollow organ, vessel, or tube.

**Synonyms:**

### **Langer Lines**

Natural lines of skin tension that reflect the predominant orientation of collagen fibers in the dermis and may influence surgical scar direction.

**Synonyms:**

### **Labiaplasty**

Surgical reshaping or reduction of the labia, usually the labia minora, performed for functional symptoms, reconstruction, or selected cosmetic indica-

tions. Risks include pain, bleeding, infection, scarring, and altered sensation.

**Synonyms:**

### **Lemierre Syndrome**

A potentially severe oropharyngeal infection complicated by septic thrombophlebitis of the internal jugular vein and frequently metastatic infection, classically caused by *Fusobacterium necrophorum*.

**Synonyms:**

### **Legionnaires Disease**

A severe pneumonia caused by *Legionella* bacteria, usually acquired by inhaling contaminated water aerosols. It may also cause gastrointestinal symptoms, confusion, and low serum sodium.

**Synonyms:**

### **Labral Tear**

A tear in the fibrocartilaginous rim of a joint socket, commonly the shoulder or hip, causing pain, clicking, instability, or reduced range of motion.

**Synonyms:**

### **Laryngeal Edema**

Swelling of the tissues of the larynx that can narrow the upper airway and cause hoarseness, stridor, or respiratory distress. It may result from allergy, infection, trauma, or airway instrumentation.

**Synonyms:**

### **Leukopenia**

An abnormally low white-blood-cell count, which may increase susceptibility to infection depending on the cells affected and the severity of the reduction.

**Synonyms:**

### **Lymphocytosis**

An abnormally increased number or proportion of lymphocytes in the blood, often associated with viral infection, some bacterial infections, or lymphoproliferative disorders.

**Synonyms:**

---

### **Lung Nodule**

A rounded, usually well-defined opacity in the lung measuring up to 3 cm on imaging. It may be benign, infectious, inflammatory, or an early manifestation of lung cancer and often requires follow-up assessment.

**Synonyms:**

### **Normal Labour**

Spontaneous labour at term with regular uterine contractions, progressive cervical dilatation, and delivery through the birth canal without major complication.

**Synonyms:**

### **Premature Labour (Preterm Labour)**

Labour that begins before 37 completed weeks of pregnancy and may result in preterm birth.

**Synonyms:** Preterm Labour

### **Obstructed Labour**

Failure of the fetus to pass through the birth canal despite adequate uterine contractions, commonly because of disproportion, abnormal presentation, or an obstructing lesion.

**Synonyms:**

### **Precipitate Labour**

Unusually rapid labour, often defined as delivery within three hours of the onset of regular contractions.

**Synonyms:**

### **Labia**

The folds of skin surrounding the entrance to the vagina and urethra, consisting mainly of the labia majora and labia minora.

**Synonyms:**

### **Lactobacillus**

A genus of bacteria that produces lactic acid and normally forms part of the healthy vaginal and intestinal microbiota; some species are used as probiotics.

**Synonyms:**

### **Larva Migrans**

A condition caused by migrating larval parasites in human tissues, including cutaneous larva migrans in the skin and visceral larva migrans in internal organs.

**Synonyms:**

### **Laryngeal Stridor**

A harsh, high-pitched noise caused by turbulent airflow through a narrowed upper airway, often most noticeable during inspiration.

**Synonyms:**

### **Legg-Calvé-Perthes Disease (Perthes Disease)**

A childhood disorder in which the blood supply to the femoral head is temporarily impaired, causing avascular necrosis, hip pain, stiffness, and possible deformity.

**Synonyms:** Perthes Disease

### **Leptomeningitis**

Inflammation or infection of the leptomeninges, the arachnoid and pia mater covering the brain and spinal cord.

**Synonyms:**

### **Leucoderma (Vitiligo)**

Loss of skin pigment producing sharply defined pale or white patches, usually because melanocytes have been destroyed or have stopped functioning.

**Synonyms:** Vitiligo

### **Leucorrhoea (Leukorrhoea)**

A whitish vaginal discharge that may be physiological or may result from infection, inflammation, or another genital disorder.

**Synonyms:** Leukorrhoea

### **Living Will (Advance Directive)**

A document stating a person's preferences for future medical treatment if they later lose the capacity to make or communicate decisions.

**Synonyms:** Advance Directive



---

### **Lactational Amenorrhea**

Temporary absence of menstrual periods during breastfeeding, caused by suppression of ovulation. It may provide contraceptive protection only when strict criteria for the lactational-amenorrhea method are met.

### **labetalol**

labetalol refers to labetalol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **labium majus**

labium majus refers to labium majus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **labium minus**

labium minus refers to labium minus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **labor complication**

labor complication refers to labor complication, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **labor pain**

labor pain denotes a clinical condition or finding involving labor pain; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **laboratory**

laboratory refers to laboratory, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **laboratory procedure**

laboratory procedure is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat laboratory procedure.

**Synonyms:**

### **labradimil**

labradimil refers to labradimil, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **labyrinthine membrane**

labyrinthine membrane refers to labyrinthine membrane, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **lac operon**

lac operon refers to lac operon, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **lacosamide**

lacosamide refers to lacosamide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **lacrimal disease**

lacrimal disease denotes a clinical condition or finding involving lacrimal disease; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **lactam**

lactam refers to lactam, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### **lactation disorder**

lactation disorder denotes a clinical condition or finding involving lactation disorder; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **lactobacillaceae**

lactobacillaceae identifies lactobacillaceae, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **lactobacillus acidophilus**

lactobacillus acidophilus is a microorganism or microbial group associated with lactobacillus acidophilus; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **lactobacillus brevis**

lactobacillus brevis is a microorganism or microbial group associated with lactobacillus brevis; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **lactobacillus casei**

lactobacillus casei is a microorganism or microbial group associated with lactobacillus casei; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **lactobacillus fermentum**

lactobacillus fermentum is a microorganism or microbial group associated with lactobacillus fermentum; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **lactobacillus gallinarum**

lactobacillus gallinarum is a microorganism or microbial group associated with lactobacillus gallinarum;

clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **lactobacillus gasseri**

lactobacillus gasseri is a microorganism or microbial group associated with lactobacillus gasseri; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **lactobacillus jensenii**

lactobacillus jensenii is a microorganism or microbial group associated with lactobacillus jensenii; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **lactobacillus johnsonii**

lactobacillus johnsonii is a microorganism or microbial group associated with lactobacillus johnsonii; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **lactobacillus oris**

lactobacillus oris is a microorganism or microbial group associated with lactobacillus oris; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **lactobacillus paracasei**

lactobacillus paracasei is a microorganism or microbial group associated with lactobacillus paracasei; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **lactobacillus rhamnosus**

lactobacillus rhamnosus is a microorganism or microbial group associated with lactobacillus rhamnosus; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

---

**lactobacillus salivarius**

lactobacillus salivarius is a microorganism or microbial group associated with lactobacillus salivarius; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

**lactobacillus vaginalis**

lactobacillus vaginalis is a microorganism or microbial group associated with lactobacillus vaginalis; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

**lactococcus**

lactococcus is a microorganism or microbial group associated with lactococcus; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

**lactococcus garvieae**

lactococcus garvieae is a microorganism or microbial group associated with lactococcus garvieae; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

**lactococcus lactis**

lactococcus lactis is a microorganism or microbial group associated with lactococcus lactis; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

**lactoferrin**

lactoferrin refers to lactoferrin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**lactone**

lactone refers to lactone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**lactulose**

lactulose refers to lactulose, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**laetrile**

laetrile refers to laetrile, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**lamellar body**

lamellar body refers to lamellar body, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**lamellipodium**

lamellipodium refers to lamellipodium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**lamin**

lamin refers to lamin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**lamina propria**

lamina propria refers to lamina propria, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**laminin**

laminin refers to laminin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**lamivudine**

lamivudine refers to lamivudine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**lamotrigine**

lamotrigine refers to lamotrigine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**landolt ring**

landolt ring refers to landolt ring, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**Langerhans' cell**

Langerhans' cell denotes langerhans' cell, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**language development**

language development refers to language development, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**language disorder**

language disorder denotes a clinical condition or finding involving language disorder; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**laniquidar**

laniquidar refers to laniquidar, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**lanolin**

lanolin refers to lanolin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**lanosterol**

lanosterol concerns lanosterol, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**lansoprazole**

lansoprazole concerns lansoprazole, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**lanthanum**

lanthanum refers to lanthanum, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**laparoscope**

laparoscope refers to laparoscope, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**laparoscopic colectomy**

laparoscopic colectomy is used in relation to laparoscopic colectomy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

**lapatinib**

lapatinib concerns lapatinib, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

---

**lapatinib ditosylate**

lapatinib ditosylate refers to lapatinib ditosylate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**large colon**

large colon refers to large colon, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**laromustine**

laromustine concerns laromustine, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**larotaxel**

larotaxel concerns larotaxel, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**larva**

larva refers to larva, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**laryngeal carcinoma**

laryngeal carcinoma denotes a neoplastic condition involving laryngeal carcinoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**laryngeal cartilage**

laryngeal cartilage refers to laryngeal cartilage, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**laryngeal cleft**

laryngeal cleft refers to laryngeal cleft, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**laryngeal fistula**

laryngeal fistula refers to laryngeal fistula, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**laryngeal hemorrhage**

laryngeal hemorrhage denotes a clinical condition or finding involving laryngeal hemorrhage; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**laryngeal masks**

laryngeal masks refers to laryngeal masks, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**laryngeal mucositis**

laryngeal mucositis refers to laryngeal mucositis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**laryngeal nerve**

laryngeal nerve refers to laryngeal nerve, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**laryngeal obstruction**

laryngeal obstruction denotes a clinical condition or finding involving laryngeal obstruction; evaluation identifies mechanism, affected system, severity, complications, and management.

---

**Synonyms:**

**laryngeal web**

laryngeal web refers to laryngeal web, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**larynx disease**

larynx disease denotes a clinical condition or finding involving larynx disease; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**larynx muscle**

larynx muscle refers to larynx muscle, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**larynx neoplasm**

larynx neoplasm denotes a neoplastic condition involving larynx neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**laser capture microdissection**

laser capture microdissection refers to laser capture microdissection, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**laser surgery**

laser surgery is used in relation to laser surgery during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

**laser therapy**

laser therapy is used in relation to laser therapy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

**lassa virus**

lassa virus is a virus or viral group associated with lassa virus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

**lassitude**

lassitude refers to lassitude, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**latanoprost**

latanoprost concerns latanoprost, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**late endosome**

late endosome refers to late endosome, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**latent syphilis**

latent syphilis refers to latent syphilis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**lateral meniscus**

lateral meniscus refers to lateral meniscus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**lateral sclerosis**

lateral sclerosis refers to lateral sclerosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**



---

**lateral ventricle**

lateral ventricle refers to lateral ventricle, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**lathyrism**

lathyrism refers to lathyrism, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**lauric acid**

lauric acid denotes lauric acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**lauroleic acid**

lauroleic acid denotes lauroleic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**lavage fluid**

lavage fluid refers to lavage fluid, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**lead**

lead refers to lead, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**leaf senescence**

leaf senescence refers to leaf senescence, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**learning**

learning refers to learning, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**learning disorder**

learning disorder denotes a clinical condition or finding involving learning disorder; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**lecithin**

lecithin refers to lecithin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**leclercia**

leclercia identifies leclercia, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**leclercia adecarboxylata**

leclercia adecarboxylata identifies leclercia adecarboxylata, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**lectin**

lectin refers to lectin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**LED therapy**

LED therapy is used in relation to led therapy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

---

### leech therapy

leech therapy identifies leech therapy, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### leeche

leeche identifies leeche, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### leflunomide

leflunomide refers to leflunomide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### left kidney

left kidney refers to left kidney, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### left lung

left lung refers to left lung, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### leg

leg refers to leg, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

### legal guardian

legal guardian refers to legal guardian, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### legionella

legionella identifies legionella, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### legionella longbeachae

legionella longbeachae identifies legionella longbeachae, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### legionellosis

legionellosis refers to legionellosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### leifsonia

leifsonia identifies leifsonia, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### leifsonia aquatica

leifsonia aquatica identifies leifsonia aquatica, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### Leigh disease

Leigh disease denotes a clinical condition or finding involving leigh disease; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### leiomyomatosis

leiomyomatosis refers to leiomyomatosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**leishmania**

leishmania identifies leishmania, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**leishmania chagasi**

leishmania chagasi identifies leishmania chagasi, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**leishmania major**

leishmania major identifies leishmania major, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**leishmania mexicana**

leishmania mexicana identifies leishmania mexicana, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**leishmania tropica**

leishmania tropica identifies leishmania tropica, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**lelliottia amnigena**

lelliottia amnigena refers to lelliottia amnigena, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**leminorella grimontii**

leminorella grimontii identifies leminorella grimontii, a biological taxon or infectious-disease concept

whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**leminorella richardii**

leminorella richardii identifies leminorella richardii, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**lenalidomide**

lenalidomide refers to lenalidomide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**lenograstim**

lenograstim refers to lenograstim, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**lens coloboma**

lens coloboma refers to lens coloboma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**lens disease**

lens disease denotes a clinical condition or finding involving lens disease; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**lens dislocation**

lens dislocation refers to lens dislocation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**lens subluxation**

lens subluxation refers to lens subluxation, a medical

---

condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **lente insulin**

lente insulin refers to lente insulin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **lentiform nucleus**

lentiform nucleus refers to lentiform nucleus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **lentigo**

lentigo refers to lentigo, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **lentinan**

lentinan refers to lentinan, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **LEOPARD syndrome**

LEOPARD syndrome denotes a clinical condition or finding involving leopard syndrome; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **lepidoptera**

lepidoptera refers to lepidoptera, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **lepirudin**

lepirudin refers to lepirudin, a medical condition or clinical finding defined by its features, causes,

affected system, and patient context.

**Synonyms:**

### **leptin receptor**

leptin receptor denotes leptin receptor, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **leptomeningeal sarcoma**

leptomeningeal sarcoma denotes a neoplastic condition involving leptomeningeal sarcoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### **leptospiira**

leptospiira refers to leptospira, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **leptospiraceae**

leptospiraceae refers to leptospiraceae, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **leptotrichia**

leptotrichia refers to leptotrichia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **leridistim**

leridistim refers to leridistim, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **lerisetron**

lerisetron concerns lerisetron, a pharmacologic or chemical agent; clinical use depends on its mech-

---

anism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **lesion identification**

lesion identification refers to lesion identification, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **less than**

less than refers to less than, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **lestaurtinib**

lestaurtinib concerns lestaurtinib, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **lethal injection**

lethal injection refers to lethal injection, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **lethargy**

lethargy refers to lethargy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **letrozole**

letrozole refers to letrozole, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **leucine**

leucine refers to leucine, a medical condition or clinical

finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **leucine zipper**

leucine zipper refers to leucine zipper, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **leuconostoc**

leuconostoc identifies leuconostoc, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **leuconostoc citreum**

leuconostoc citreum identifies leuconostoc citreum, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **leuconostoc lactis**

leuconostoc lactis identifies leuconostoc lactis, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **leuconostoc mesenteroides**

leuconostoc mesenteroides identifies leuconostoc mesenteroides, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **leuconostocaceae**

leuconostocaceae identifies leuconostocaceae, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

---

**leucovorin**

leucovorin refers to leucovorin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**leucovorin calcium**

leucovorin calcium refers to leucovorin calcium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**leukapheresis**

leukapheresis refers to leukapheresis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**leukoaraiosis**

leukoaraiosis refers to leukoaraiosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**leukocyte**

leukocyte refers to leukocyte, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**leukocyte differentiation**

leukocyte differentiation refers to leukocyte differentiation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**leukocyte disorder**

leukocyte disorder denotes a clinical condition or finding involving leukocyte disorder; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**leukocyte elastase**

leukocyte elastase refers to leukocyte elastase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**leukocyte trafficking**

leukocyte trafficking refers to leukocyte trafficking, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**leukocyte transfusion**

leukocyte transfusion refers to leukocyte transfusion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**leukodystrophy**

leukodystrophy refers to leukodystrophy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**leukoencephalopathy**

leukoencephalopathy refers to leukoencephalopathy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**leukostasis**

leukostasis refers to leukostasis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**leukotriene**

leukotriene refers to leukotriene, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**



---

### leukotriene degradation

leukotriene degradation refers to leukotriene degradation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### leukotriene receptor

leukotriene receptor denotes leukotriene receptor, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### leuprolide

leuprolide refers to leuprolide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### leuprolide acetate

leuprolide acetate refers to leuprolide acetate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### levalbuterol

levalbuterol concerns levalbuterol, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### levamisole

levamisole refers to levamisole, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### levetiracetam

levetiracetam refers to levetiracetam, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### levobunolol

levobunolol concerns levobunolol, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### levocardia

levocardia refers to levocardia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### levocarnitine

levocarnitine refers to levocarnitine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### levodopa

levodopa refers to levodopa, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### levofloxacin

levofloxacin concerns levofloxacin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### levoleucovorin

levoleucovorin refers to levoleucovorin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### levoleucovorin calcium

levoleucovorin calcium refers to levoleucovorin calcium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### levonorgestrel

levonorgestrel refers to levonorgestrel, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### levorphanol

levorphanol refers to levorphanol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### Lewy body

Lewy body refers to lewy body, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### lexatumumab

lexatumumab concerns lexatumumab, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### Leydig cell

Leydig cell denotes leydig cell, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### liarozole

liarozole refers to liarozole, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### lice infestation

lice infestation identifies lice infestation, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### lidocaine

lidocaine concerns lidocaine, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### ligase

ligase refers to ligase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### light coagulation

light coagulation refers to light coagulation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### light cycle

light cycle refers to light cycle, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### light microscope

light microscope refers to light microscope, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### light microscopy

light microscopy refers to light microscopy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### light scattering

light scattering refers to light scattering, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**lignan**

lignan refers to lignan, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**lignin**

lignin refers to lignin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**lignoceric acid**

lignoceric acid denotes lignoceric acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**limb**

limb refers to limb, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**limb bud**

limb bud refers to limb bud, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**limb development**

limb development refers to limb development, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**limb fracture**

limb fracture denotes a clinical condition or finding involving limb fracture; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**limb girdle**

limb girdle refers to limb girdle, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**limb injury**

limb injury denotes a clinical condition or finding involving limb injury; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**limb pain**

limb pain denotes a clinical condition or finding involving limb pain; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**limb prosthesis**

limb prosthesis refers to limb prosthesis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**limbus corneae**

limbus corneae refers to limbus corneae, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**linagliptin**

linagliptin concerns linagliptin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**lincomycin**

lincomycin concerns lincomycin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

---

**lindane**

lindane refers to lindane, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**lined canister**

lined canister refers to lined canister, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**linezolid**

linezolid refers to linezolid, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**lingual thyroid**

lingual thyroid refers to lingual thyroid, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**lingual tonsil**

lingual tonsil refers to lingual tonsil, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**liniment**

liniment refers to liniment, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**linkage disequilibrium**

linkage disequilibrium refers to linkage disequilibrium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**linoleic acid**

linoleic acid denotes linoleic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**linolenic acid**

linolenic acid denotes linolenic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**linseed oil**

linseed oil refers to linseed oil, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**linsitinib**

linsitinib concerns linsitinib, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**lintuzumab**

lintuzumab concerns lintuzumab, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**lip**

lip refers to lip, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**lip disease**

lip disease denotes a clinical condition or finding involving lip disease; evaluation identifies mechanism, affected system, severity, complications, and management.

---

**Synonyms:**

**lip infection**

lip infection denotes an infectious or toxic condition involving lip infection; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

**lip neoplasm**

lip neoplasm denotes a neoplastic condition involving lip neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**lipemic index**

lipemic index refers to lipemic index, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**lipid bilayer**

lipid bilayer denotes lipid bilayer, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**lipid binding**

lipid binding denotes lipid binding, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**lipid disorder**

lipid disorder denotes lipid disorder, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**lipid droplet**

lipid droplet denotes lipid droplet, a biological component or molecular process interpreted through

relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**lipid metabolism**

lipid metabolism denotes lipid metabolism, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**lipid peroxidation**

lipid peroxidation denotes lipid peroxidation, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**lipid peroxide**

lipid peroxide denotes lipid peroxide, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**lipid transport**

lipid transport denotes lipid transport, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**lipidomics**

lipidomics denotes lipidomics, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**lipoblastoma**

lipoblastoma denotes a neoplastic condition involving lipoblastoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

---

**lipogranulomatosis**

lipogranulomatosis refers to lipogranulomatosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**lipoidosis**

lipoidosis refers to lipoidosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**lipomatous neoplasm**

lipomatous neoplasm denotes a neoplastic condition involving lipomatous neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**lipophagy**

lipophagy refers to lipophagy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**lipophilicity**

lipophilicity refers to lipophilicity, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**lipopolysaccharide**

lipopolysaccharide refers to lipopolysaccharide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**liposome**

liposome refers to liposome, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**liquid**

liquid refers to liquid, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**liquid chromatography**

liquid chromatography refers to liquid chromatography, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**liquid crystal**

liquid crystal refers to liquid crystal, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**liraglutide**

liraglutide concerns liraglutide, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**lisch nodule**

lisch nodule refers to lisch nodule, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**lisinopril**

lisinopril concerns lisinopril, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**listeria**

listeria identifies listeria, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**



---

**listeria grayi**

*listeria grayi* identifies *listeria grayi*, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**listeria innocua**

*listeria innocua* identifies *listeria innocua*, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**listeria ivanovii**

*listeria ivanovii* identifies *listeria ivanovii*, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**listeria seeligeri**

*listeria seeligeri* identifies *listeria seeligeri*, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**listeria welshimeri**

*listeria welshimeri* identifies *listeria welshimeri*, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**liter**

*liter* refers to *liter*, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**literacy**

*literacy* refers to *literacy*, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**lithium**

*lithium* refers to *lithium*, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**lithium carbonate**

*lithium carbonate* refers to *lithium carbonate*, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**Little's disease**

*Little's disease* denotes a clinical condition or finding involving *little's disease*; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**live birth**

*live birth* refers to *live birth*, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**livedo racemosa**

*livedo racemosa* refers to *livedo racemosa*, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**liver circulation**

*liver circulation* refers to *liver circulation*, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**liver damage**

*liver damage* refers to *liver damage*, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

---

**Synonyms:**

**liver disorder**

liver disorder denotes a clinical condition or finding involving liver disorder; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**liver dysfunction**

liver dysfunction refers to liver dysfunction, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**liver infection**

liver infection denotes an infectious or toxic condition involving liver infection; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

**liver neoplasm**

liver neoplasm denotes a neoplastic condition involving liver neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**liver pain**

liver pain denotes a clinical condition or finding involving liver pain; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**liver regeneration**

liver regeneration denotes liver regeneration, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**lobaplatin**

lobaplatin concerns lobaplatin, a pharmacologic or chemical agent; clinical use depends on its mech-

anism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**lobe**

lobe refers to lobe, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**lobeline**

lobeline refers to lobeline, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**lobstein disease**

lobstein disease denotes a clinical condition or finding involving lobstein disease; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**lobucavir**

lobucavir concerns lobucavir, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**lobular carcinoma**

lobular carcinoma denotes a neoplastic condition involving lobular carcinoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**lobule**

lobule refers to lobule, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**local**

local refers to local, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**local therapy**

local therapy is used in relation to local therapy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

**localized edema**

localized edema denotes a clinical condition or finding involving localized edema; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**localized scleroderma**

localized scleroderma refers to localized scleroderma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**location**

location refers to location, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**locomotion**

locomotion refers to locomotion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**locus coeruleus**

locus coeruleus refers to locus coeruleus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**lod score**

lod score refers to lod score, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**loiasis**

loiasis refers to loiasis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**lometrexol**

lometrexol refers to lometrexol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**lomustine**

lomustine concerns lomustine, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**lonafarnib**

lonafarnib concerns lonafarnib, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**longevity**

longevity refers to longevity, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**longitudinal studies**

longitudinal studies refers to longitudinal studies, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### **long-term potentiation**

long-term potentiation refers to long-term potentiation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **lontucirev**

lontucirev refers to lontucirev, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **loperamide**

loperamide refers to loperamide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **loperamide hydrochloride**

loperamide hydrochloride refers to loperamide hydrochloride, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **lopinavir**

lopinavir concerns lopinavir, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **lorazepam**

lorazepam concerns lorazepam, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **Lorenzo's oil**

Lorenzo's oil refers to lorenzo's oil, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **losartan**

losartan concerns losartan, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **losartan potassium**

losartan potassium refers to losartan potassium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **losoxantrone**

losoxantrone refers to losoxantrone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **loss of heterozygosity**

loss of heterozygosity refers to loss of heterozygosity, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **loteprednol etabonate**

loteprednol etabonate refers to loteprednol etabonate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **lotion**

lotion refers to lotion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **louse**

louse identifies louse, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

---

**lovastatin**

lovastatin concerns lovastatin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**love**

love refers to love, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**low grade**

low grade refers to low grade, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**lower extremity**

lower extremity refers to lower extremity, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**lubiprostone**

lubiprostone refers to lubiprostone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**lubricant**

lubricant refers to lubricant, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**lucanthone**

lucanthone refers to lucanthone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**luciferase**

luciferase refers to luciferase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**Lugol's solution**

Lugol's solution refers to lugol's solution, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**lumbar plexus**

lumbar plexus refers to lumbar plexus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**Lumbar Region**

Lumbar Region refers to lumbar region, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**lumbosacral region**

lumbosacral region refers to lumbosacral region, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**luminescence**

luminescence refers to luminescence, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**luminescence type**

luminescence type refers to luminescence type, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**lung cyst**

lung cyst refers to lung cyst, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**lung development**

lung development refers to lung development, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**lung fibroma**

lung fibroma refers to lung fibroma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**lung injury**

lung injury denotes a clinical condition or finding involving lung injury; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**lung lavage**

lung lavage refers to lung lavage, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**lung neoplasm**

lung neoplasm denotes a neoplastic condition involving lung neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**lurtotecan**

lurtotecan refers to lurtotecan, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**luteal cell**

luteal cell denotes luteal cell, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**luteinization**

luteinization refers to luteinization, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**luteolin**

luteolin refers to luteolin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**luteolysis**

luteolysis refers to luteolysis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**luteoma**

luteoma refers to luteoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**lux unit**

lux unit refers to lux unit, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**lyase**

lyase refers to lyase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**lycopene**

lycopene refers to lycopene, a medical condition



---

or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **lymph leakage**

lymph leakage refers to lymph leakage, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **lymph node**

lymph node refers to lymph node, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **lymphangiogenesis**

lymphangiogenesis denotes lymphangiogenesis, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **lymphangiomyoma**

lymphangiomyoma refers to lymphangiomyoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **lymphangiosarcoma**

lymphangiosarcoma denotes a neoplastic condition involving lymphangiosarcoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### **lymphatic basin**

lymphatic basin refers to lymphatic basin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **lymphatic disease**

lymphatic disease denotes a clinical condition or finding involving lymphatic disease; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **lymphatic mapping**

lymphatic mapping refers to lymphatic mapping, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **lymphatic tissue**

lymphatic tissue refers to lymphatic tissue, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **lymphatic vessel**

lymphatic vessel refers to lymphatic vessel, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **lymphoblast**

lymphoblast refers to lymphoblast, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **lymphoblast count**

lymphoblast count refers to lymphoblast count, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **lymphocele**

lymphocele refers to lymphocele, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### **lymphocyte activation**

lymphocyte activation refers to lymphocyte activation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **lymphocyte count**

lymphocyte count refers to lymphocyte count, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **lymphocyte proliferation**

lymphocyte proliferation refers to lymphocyte proliferation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **lymphocytic leukemia**

lymphocytic leukemia denotes a neoplastic condition involving lymphocytic leukemia; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### **lymphocytoma cutis**

lymphocytoma cutis refers to lymphocytoma cutis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **lymphomatoid papulosis**

lymphomatoid papulosis denotes a neoplastic condition involving lymphomatoid papulosis; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### **lymphopenia**

lymphopenia refers to lymphopenia, a medical condition or clinical finding defined by its features, causes,

affected system, and patient context.

**Synonyms:**

### **lymphoproliferative disorder**

lymphoproliferative disorder denotes a clinical condition or finding involving lymphoproliferative disorder; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **lysine**

lysine refers to lysine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **lysinibacillus**

lysinibacillus is a microorganism or microbial group associated with lysinibacillus; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **lysogeny**

lysogeny refers to lysogeny, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **lysophagy**

lysophagy refers to lysophagy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **lysophosphatidylcholine**

lysophosphatidylcholine refers to lysophosphatidylcholine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **lysophospholipids**

lysophospholipids denotes lysophospholipids, a bio-

---

logical component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### lysozyme test

lysozyme test is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat lysozyme test.

**Synonyms:**

### lyssavirus

lyssavirus is a virus or viral group associated with lyssavirus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

### lytic lesion

lytic lesion refers to lytic lesion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### Leg pain

Leg pain is a medical condition involving leg pain; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### Leg swelling

Enlargement or puffiness of one or both legs caused by fluid retention, venous disease, injury, infection, inflammation, or a blood clot. **Synonyms:**

### Low white blood cell count

A reduced number of white blood cells, which can increase susceptibility to infection and may result from medicines, infection, autoimmune disease, nutritional deficiency, or bone marrow disorders. **Synonyms:**

### Loss of smell (anosmia)

Partial or complete inability to detect odors, commonly caused by nasal obstruction, infection, inflammation, head injury, neurologic disease, or certain

medicines. **Synonyms:**

### Low blood oxygen (hypoxemia)

An abnormally low oxygen level in arterial blood, usually related to lung disease, impaired breathing, circulation problems, or reduced oxygen availability.

**Synonyms:**

### Low potassium (hypokalemia)

An abnormally low potassium level in the blood, which can cause weakness, cramps, abnormal heart rhythms, or paralysis and may result from losses, medicines, or hormonal disorders. **Synonyms:**

### Lymphocytosis (high lymphocyte count)

An increased number of lymphocytes in the blood, often associated with infection, inflammation, or a lymphoproliferative disorder. **Synonyms:**

### Lactase deficiency

Alternate index label; see *Lactose intolerance*. **Synonyms:**

### Lactation mastitis

Alternate index label; see *Mastitis*. **Synonyms:**

### Lateral elbow tendinopathy

Alternate index label; see *Tennis elbow*. **Synonyms:**

### Lateral epicondylitis

Alternate index label; see *Tennis elbow*. **Synonyms:**

### Lateral epicondylolysis

Alternate index label; see *Tennis elbow*. **Synonyms:**

### LCIS

Alternate index label; see *Lobular carcinoma in situ (LCIS)*. **Synonyms:**

### Leg fracture

Alternate index label; see *Broken leg*. **Synonyms:**

---

### **Lentigines, solar**

Alternate index label; see *Age spots (liver spots)*.

**Synonyms:**

### **Leukemia, acute lymphocytic**

Alternate index label; see *Acute lymphocytic leukemia*. **Synonyms:**

### **Leukemia, acute myelogenous**

Alternate index label; see *Acute myelogenous leukemia*. **Synonyms:**

### **Leukemia, chronic lymphocytic**

Alternate index label; see *Chronic lymphocytic leukemia*. **Synonyms:**

### **Leukemia, chronic myelogenous**

Alternate index label; see *Chronic myelogenous leukemia*. **Synonyms:**

### **Leukemia, general**

Alternate index label; see *Leukemia*. **Synonyms:**

### **Leukemia, hairy cell**

Alternate index label; see *Hairy cell leukemia*. **Synonyms:**

### **Lice, body**

Alternate index label; see *Body lice*. **Synonyms:**

### **Lichen planus, oral**

Alternate index label; see *Oral lichen planus*. **Synonyms:**

### **Lipodystrophy, intestinal**

Alternate index label; see *Whipple's disease*. **Synonyms:**

### **Liver failure, acute**

Alternate index label; see *Acute liver failure*. **Synonyms:**

### **Liver spots**

Liver spots is a medical condition involving liver

spots; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. **Synonyms:**

### **Liver, enlarged**

Alternate index label; see *Enlarged liver*. **Synonyms:**

### **Lockjaw**

Alternate index label; see *Tetanus*. **Synonyms:**

### **Loss of bladder control**

Alternate index label; see *Urinary incontinence*. **Synonyms:**

### **Lou Gehrig's disease**

Alternate index label; see *Amyotrophic lateral sclerosis (ALS)*. **Synonyms:**

### **Low blood sugar**

Low blood sugar, or hypoglycemia, occurs when circulating glucose is insufficient for normal brain and body function, causing sweating, tremor, confusion, seizures, or loss of consciousness. **Synonyms:**

### **Low body temperature**

Alternate index label; see *Hypothermia*. **Synonyms:**

### **Low platelet count**

Alternate index label; see *Thrombocytopenia*. **Synonyms:**

### **Low testosterone**

Alternate index label; see *Male hypogonadism*. **Synonyms:**

### **Low-flow priapism**

Alternate index label; see *Priapism*. **Synonyms:**

### **Lung collapse**

Alternate index label; see *Atelectasis*; see also *Pneumothorax*. **Synonyms:**

---

### **Lung disease, interstitial**

Alternate index label; see *Interstitial lung disease*.

**Synonyms:**

### **Lymph nodes, swollen**

Alternate index label; see *Swollen lymph nodes*.

**Synonyms:**

### **Lymphadenitis, mesenteric**

Alternate index label; see *Mesenteric lymphadenitis*.

**Synonyms:**

### **Lymphoma, Hodgkin**

Alternate index label; see *Hodgkin lymphoma* (*Hodgkin disease*). **Synonyms:**

### **Lymphoma, non-Hodgkin**

Alternate index label; see *Non-Hodgkin lymphoma*.

**Synonyms:**

### **Lymphoplasmacytic lymphoma**

Alternate index label; see *Waldenstrom macroglobulinemia*. **Synonyms:**

**Synonyms:**

### **Labyrinthitis - aftercare**

Labyrinthitis - aftercare is a treatment or care intervention for labyrinthitis - aftercare; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Laceration - sutures or staples - at home**

Laceration - sutures or staples - at home addresses care related to laceration - sutures or staples - at home, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Lacerations - liquid bandage**

Lacerations - liquid bandage is a treatment or care intervention for lacerations - liquid bandage; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Lacquer poisoning**

Lacquer poisoning involves toxic or environmental exposure to lacquer poisoning; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Lacrimal gland tumor**

Lacrimal gland tumor is a medical condition involving lacrimal gland tumor; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Lactate dehydrogenase test**

Lactate dehydrogenase test examines lactate dehydrogenase test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Lactic acid test**

Lactic acid test examines lactic acid test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Lactose tolerance tests**

Lactose tolerance tests examines lactose tolerance tests; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Lamellar ichthyosis**

Lamellar ichthyosis is a medical condition involving lamellar ichthyosis; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Language disorders in children**

Language disorders in children is a medical condi-

---

tion involving language disorders in children; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Lanolin poisoning**

Lanolin poisoning involves toxic or environmental exposure to lanolin poisoning; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Laparoscopic gallbladder removal**

Laparoscopic gallbladder removal is a treatment or care intervention for laparoscopic gallbladder removal; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Laparoscopic gastric banding**

Laparoscopic gastric banding is a treatment or care intervention for laparoscopic gastric banding; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Laparoscopic gastric banding - discharge**

Laparoscopic gastric banding - discharge is a treatment or care intervention for laparoscopic gastric banding - discharge; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Laparoscopic spleen removal in adults - discharge**

Laparoscopic spleen removal in adults - discharge is a treatment or care intervention for laparoscopic spleen removal in adults - discharge; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Large bowel resection**

Large bowel resection examines large bowel resection; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Large bowel resection - discharge**

Large bowel resection - discharge examines large bowel resection - discharge; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Large for gestational age (LGA)**

Large for gestational age (LGA) concerns large for gestational age (lga); its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Laryngoscopy and nasolaryngoscopy**

Laryngoscopy and nasolaryngoscopy concerns laryngoscopy and nasolaryngoscopy; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Laser photocoagulation - eye**

Laser photocoagulation - eye is a treatment or care intervention for laser photocoagulation - eye; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Laser surgery for the skin**

Laser surgery for the skin is a treatment or care intervention for laser surgery for the skin; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Laser therapy for cancer**

Laser therapy for cancer is a treatment or care intervention for laser therapy for cancer; indication,



---

preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **LASIK eye surgery**

LASIK eye surgery is a treatment or care intervention for lasik eye surgery; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Lasik eye surgery - discharge**

Lasik eye surgery - discharge is a treatment or care intervention for lasik eye surgery - discharge; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Lateral traction**

Lateral traction examines lateral traction; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Latex agglutination test**

Latex agglutination test examines latex agglutination test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Latex allergies - for hospital patients**

Latex allergies - for hospital patients concerns latex allergies - for hospital patients; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Lavender oil**

Lavender oil concerns lavender oil; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Laxative overdose**

Laxative overdose involves toxic or environmental exposure to laxative overdose; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **LDH isoenzyme blood test**

LDH isoenzyme blood test examines ldh isoenzyme blood test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **LDL test**

LDL test examines ldl test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Lead - nutritional considerations**

Lead - nutritional considerations involves toxic or environmental exposure to lead - nutritional considerations; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Lead and tap water**

Lead and tap water involves toxic or environmental exposure to lead and tap water; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Lead levels - blood**

Lead levels - blood involves toxic or environmental exposure to lead levels - blood; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Learn about gluten-free diets**

Learn about gluten-free diets addresses care related to learn about gluten-free diets, including practical measures, warning signs, follow-up, and decisions

---

to discuss with a clinician.

**Synonyms:**

### **Learn to love exercise**

Learn to love exercise addresses care related to learn to love exercise, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Learn to manage stress**

Learn to manage stress addresses care related to learn to manage stress, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Learn to manage your anger**

Learn to manage your anger addresses care related to learn to manage your anger, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Learning about depression**

Learning about depression addresses care related to learning about depression, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Learning about ventilators**

Learning about ventilators is a treatment or care intervention for learning about ventilators; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Leaving the hospital - your discharge plan**

Leaving the hospital - your discharge plan is a treatment or care intervention for leaving the hospital - your discharge plan; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Left heart catheterization**

Left heart catheterization is a treatment or care intervention for left heart catheterization; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Left heart ventricular angiography**

Left heart ventricular angiography examines left heart ventricular angiography; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Leg amputation - discharge**

Leg amputation - discharge is a treatment or care intervention for leg amputation - discharge; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Leg CT scan**

Leg CT scan examines leg ct scan; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Leg lengthening and shortening**

Leg lengthening and shortening concerns leg lengthening and shortening; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Leg MRI scan**

Leg MRI scan examines leg mri scan; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Leg or foot amputation**

Leg or foot amputation is a treatment or care intervention for leg or foot amputation; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

---

**Synonyms:**

### **Leg or foot amputation - dressing change**

Leg or foot amputation - dressing change is a treatment or care intervention for leg or foot amputation - dressing change; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Lepromin skin test**

Lepromin skin test examines lepromin skin test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Lesch-Nyhan syndrome**

Lesch-Nyhan syndrome is a medical condition involving lesch-nyhan syndrome; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Leucine aminopeptidase - urine**

Leucine aminopeptidase - urine concerns leucine aminopeptidase - urine; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Leukemia - resources**

Leukemia - resources addresses care related to leukemia - resources, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Leukocyte esterase urine test**

Leukocyte esterase urine test examines leukocyte esterase urine test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Leydig cell testicular tumor**

Leydig cell testicular tumor examines leydig cell testicular tumor; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **LH response to GnRH blood test**

LH response to GnRH blood test examines lh response to gnrh blood test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Lichenified**

Lichenified concerns lichenified; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Life after weight-loss surgery**

Life after weight-loss surgery is a treatment or care intervention for life after weight-loss surgery; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Lifting and bending the right way**

Lifting and bending the right way concerns lifting and bending the right way; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Lighter fluid poisoning**

Lighter fluid poisoning involves toxic or environmental exposure to lighter fluid poisoning; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Lily of the valley poisoning**

Lily of the valley poisoning involves toxic or environmental exposure to lily of the valley poisoning; dose, route, timing, symptoms, and organ involvement

---

determine urgency and treatment.

**Synonyms:**

### **Limb plethysmography**

Limb plethysmography examines limb plethysmography; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Limb-girdle muscular dystrophies**

Limb-girdle muscular dystrophies are inherited muscle diseases causing progressive weakness predominantly around the hips and shoulders, with variable cardiac and respiratory involvement.

**Synonyms:**

### **Limited range of motion**

Limited range of motion concerns limited range of motion; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Lip moisturizer poisoning**

Lip moisturizer poisoning involves toxic or environmental exposure to lip moisturizer poisoning; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Lipase test**

A lipase test measures a pancreatic digestive enzyme in blood and supports evaluation of acute pancreatitis and selected pancreatic or gastrointestinal disorders.

**Synonyms:**

### **Lipid profile test**

Lipid profile test examines lipid profile test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Liquid Incense**

Liquid Incense involves toxic or environmental exposure to liquid incense; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Liquid medication administration**

Liquid medication administration concerns liquid medication administration; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Liquid nitrogen**

Liquid nitrogen concerns liquid nitrogen; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Liver cancer - hepatocellular carcinoma**

Liver cancer - hepatocellular carcinoma is a medical condition involving liver cancer - hepatocellular carcinoma; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Liver disease - resources**

Liver disease - resources addresses care related to liver disease - resources, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Liver metastases**

Liver metastases is a medical condition involving liver metastases; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Liver scan**

Liver scan examines liver scan; interpretation depends on the specimen or body region, test method,

---

reference range, and clinical question.

**Synonyms:**

### **Living with a chronic illness - dealing with feelings**

Living with a chronic illness - dealing with feelings addresses care related to living with a chronic illness - dealing with feelings, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Living with a chronic illness - reaching out to others**

Living with a chronic illness - reaching out to others addresses care related to living with a chronic illness - reaching out to others, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Living with endometriosis**

Living with endometriosis addresses care related to living with endometriosis, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Living with hearing loss**

Living with hearing loss addresses care related to living with hearing loss, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Living with heart disease and angina**

Living with heart disease and angina addresses care related to living with heart disease and angina, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Living with uterine fibroids**

Living with uterine fibroids addresses care related to living with uterine fibroids, including practical

measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Living with vision loss**

Living with vision loss addresses care related to living with vision loss, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Living with your ileostomy**

Living with your ileostomy addresses care related to living with your ileostomy, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Lomotil overdose**

Lomotil overdose involves toxic or environmental exposure to lomotil overdose; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Long bones**

Long bones concerns long bones, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context.

**Synonyms:**

### **Long-term complications of diabetes**

Long-term complications of diabetes concerns long-term complications of diabetes; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Lordosis - lumbar**

Lordosis - lumbar is a medical condition involving lordosis - lumbar; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

---

### **Losing weight after pregnancy**

Losing weight after pregnancy concerns losing weight after pregnancy; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Loss of a child - resources**

Loss of a child - resources addresses care related to loss of a child - resources, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Loss of a spouse - resources**

Loss of a spouse - resources addresses care related to loss of a spouse - resources, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Loss of brain function - liver disease**

Loss of brain function - liver disease examines loss of brain function - liver disease; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Low back pain - acute**

Low back pain - acute is a medical condition involving low back pain - acute; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Low back pain - chronic**

Low back pain - chronic is a medical condition involving low back pain - chronic; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Low blood potassium**

Low blood potassium is a medical condition involving low blood potassium; causes, affected organs,

severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Low blood pressure**

Low blood pressure is a medical condition involving low blood pressure; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Low blood sodium**

Low blood sodium is a medical condition involving low blood sodium; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Low blood sugar - newborns**

Low blood sugar - newborns is a medical condition involving low blood sugar - newborns; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Low blood sugar - self-care**

Low blood sugar - self-care is a treatment or care intervention for low blood sugar - self-care; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Low calcium level - infants**

Low calcium level - infants examines low calcium level - infants; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Low nasal bridge**

Low nasal bridge concerns low nasal bridge; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**



---

### **Low white blood cell count and cancer**

Low white blood cell count and cancer examines low white blood cell count and cancer; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Low-fiber diet**

Low-fiber diet addresses care related to low-fiber diet, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Low-salt diet**

Low-salt diet addresses care related to low-salt diet, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Low-set ears and pinna abnormalities**

Low-set ears and pinna abnormalities concerns low-set ears and pinna abnormalities, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context.

**Synonyms:**

### **Lower esophageal ring**

Lower esophageal ring concerns lower esophageal ring, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context.

**Synonyms:**

### **Lower-calorie choices for alcoholic drinks**

Lower-calorie choices for alcoholic drinks addresses care related to lower-calorie choices for alcoholic drinks, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Lumbar MRI scan**

Lumbar MRI scan examines lumbar mri scan; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Lumbar spine CT scan**

Lumbar spine CT scan examines lumbar spine ct scan; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Lumbosacral spine CT**

Lumbosacral spine CT examines lumbosacral spine ct; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Lumbosacral spine x-ray**

Lumbosacral spine x-ray examines lumbosacral spine x-ray; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Lump in the abdomen**

Lump in the abdomen is a medical condition involving lump in the abdomen; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Lung cancer - small cell**

Lung cancer - small cell is a medical condition involving lung cancer - small cell; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Lung diffusion testing**

Lung diffusion testing examines lung diffusion testing; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Lung disease - resources**

Lung disease - resources addresses care related to lung disease - resources, including practical mea-

---

tures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Lung gallium scan**

Lung gallium scan examines lung gallium scan; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Lung metastases**

Lung metastases is a medical condition involving lung metastases; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Lung needle biopsy**

Lung needle biopsy examines lung needle biopsy; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Lung PET scan**

Lung PET scan examines lung pet scan; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Lung plethysmography**

Lung plethysmography examines lung plethysmography; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Lung problems and volcanic smog**

Lung problems and volcanic smog is a medical condition involving lung problems and volcanic smog; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Lung surgery**

Lung surgery is a treatment or care intervention for lung surgery; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Lung surgery - discharge**

Lung surgery - discharge is a treatment or care intervention for lung surgery - discharge; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Lupus - resources**

Lupus - resources addresses care related to lupus - resources, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Luteinizing hormone (LH) blood test**

Luteinizing hormone (LH) blood test examines luteinizing hormone (lh) blood test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Lyme disease - what to ask your doctor**

Lyme disease - what to ask your doctor examines lyme disease - what to ask your doctor; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Lyme disease blood test**

Lyme disease blood test examines lyme disease blood test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Lymph node biopsy**

Lymph node biopsy examines lymph node biopsy; interpretation depends on the specimen or body

---

region, test method, reference range, and clinical question.

**Synonyms:**

### **Lymph node culture**

Lymph node culture examines lymph node culture; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Lymph system**

Lymph system is a medical condition involving lymph system; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Lymphangiogram**

Lymphangiogram is a medical condition involving lymphangiogram; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Lymphatic obstruction**

Lymphatic obstruction examines lymphatic obstruction; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Lymphedema - self-care**

Lymphedema self-care focuses on skin protection, exercise, compression when appropriate, limb elevation, infection prevention, and monitoring for worsening swelling or cellulitis.

**Synonyms:**

### **Lymphofollicular hyperplasia**

Lymphofollicular hyperplasia is a medical condition involving lymphofollicular hyperplasia; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Lymphoid hyperplasia**

Lymphoid hyperplasia is a medical condition involving lymphoid hyperplasia; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

## M

### MacConkey Agar

A selective and differential culture medium used mainly for gram-negative bacteria. Bile salts and crystal violet inhibit many gram-positive organisms, while lactose fermentation produces different colony colors and helps distinguish bacterial groups.

**Synonyms:**

### Macrophage

Macrophage concerns macrophage, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context.

**Synonyms:**

### Magenblase Syndrome

Stomach discomfort and bloating caused by swallowing excessive air while eating.

**Synonyms:** Aerophagia; stomach bubble syndrome

### Major Depression

A depressive disorder causing persistent low mood or loss of interest with significant functional impairment.

**Synonyms:** Major depressive disorder

### Major Histocompatibility Complex Molecule

A cell-surface molecule that presents protein fragments to immune cells.

**Synonyms:** MHC molecule

### Maladaptive Stress Response

A persistent or disproportionate stress reaction that harms health or functioning.

**Synonyms:**

### Malignant

Cancerous and capable of invading nearby tissue or spreading to distant sites.

**Synonyms:**

### Mastopexy

Surgery that lifts and reshapes sagging breasts.

**Synonyms:** Breast lift

### Maximizer

A person who seeks the best possible option by comparing many alternatives before deciding.

**Synonyms:**

### Meal Plan

A structured guide to the foods, portions, and timing of meals.

**Synonyms:**

### Medicaid

A public health-insurance program serving eligible people with limited income and resources.

**Synonyms:**

### Medicare

A United States federal health-insurance program primarily serving older adults and some people with disabilities.

**Synonyms:**

### Medigap Insurance

Private supplemental insurance that helps pay certain costs not covered by traditional Medicare.

**Synonyms:** Medicare supplement insurance

---

### **Meglitinides**

Short-acting medicines that stimulate pancreatic insulin release to lower blood glucose.

**Synonyms:**

### **Melanin**

Melanin concerns melanin, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context.

**Synonyms:**

### **Melatonin**

A hormone produced mainly by the pineal gland that helps regulate sleep-wake timing.

**Synonyms:**

### **Membrane**

A thin tissue layer that surrounds a cell, organ, or body cavity.

**Synonyms:**

### **Memory T Cells and B Cells**

Long-lived immune cells that respond rapidly when they encounter a previously recognized antigen.

**Synonyms:** Memory lymphocytes

### **Ménière's Disease**

An inner-ear disorder associated with episodic vertigo, fluctuating hearing loss, tinnitus, and ear pressure.

**Synonyms:** Meniere disease

### **Metabolic Equivalents**

Units estimating the energy cost of physical activity relative to resting metabolism.

**Synonyms:** METs

### **Methanobrevibacter Smithii**

A methane-producing microorganism commonly found in the human intestine.

**Synonyms:**

### **METs**

Metabolic equivalents, units used to express the

intensity or energy cost of physical activity.

**Synonyms:** Metabolic equivalents

### **MHC Molecule**

A major histocompatibility complex molecule that displays antigens to T cells.

**Synonyms:** Major histocompatibility complex molecule

### **Microbe**

A microorganism, such as a bacterium, fungus, protozoan, or virus.

**Synonyms:** Microorganism

### **Microdermabrasion**

A cosmetic procedure that mechanically removes a superficial layer of skin.

**Synonyms:**

### **Microgram**

A unit of mass equal to one-millionth of a gram.

**Synonyms:** mcg; µg

### **Micronized**

Processed into very small particles to improve dispersion or absorption.

**Synonyms:**

### **Microvasculature**

The network of the body's smallest blood vessels, including arterioles, capillaries, and venules.

**Synonyms:**

### **Migraine Headache**

A recurrent headache disorder often causing moderate-to-severe pain, nausea, and sensitivity to light or sound.

**Synonyms:** Migraine

### **Milligram**

A unit of mass equal to one-thousandth of a gram.

**Synonyms:** mg

---

### **Mindfulness**

Deliberate, nonjudgmental attention to present-moment experience.

**Synonyms:**

### **Mindfulness Meditation**

Meditation practice involving calm, attentive awareness of thoughts, feelings, and bodily sensations.

**Synonyms:** Insight meditation

### **Mindfulness-Based Cognitive Behavioral Therapy**

Therapy combining mindfulness practices with cognitive and behavioral techniques to address distress.

**Synonyms:** Mindfulness-based CBT

### **Mindlessness**

Acting or thinking with limited awareness of present surroundings or internal experience.

**Synonyms:**

### **Miotic**

A substance or medicine that constricts the pupil.

**Synonyms:** Miotic agent

### **Monocytes**

Large circulating white blood cells that can enter tissues and become macrophages or dendritic cells.

**Synonyms:**

### **Morton's Neuroma**

Thickening and irritation of a nerve, usually between the toes, causing burning forefoot pain.

**Synonyms:** Morton neuroma; interdigital neuroma

### **Motilin**

A hormone that helps regulate contractions and movement in the upper gastrointestinal tract.

**Synonyms:**

### **Motility**

The ability of an organ, especially the intestine, to move its contents.

**Synonyms:**

### **Motor Neuron**

A nerve cell that controls skeletal or smooth muscle activity.

**Synonyms:** Motor nerve cell

### **Mucosa**

Mucosa is a medical condition involving mucosa; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:** Mucous membrane

### **Mucous Cysts**

Small fluid-filled cysts near the end joint of a finger, often associated with osteoarthritis.

**Synonyms:** Digital mucous cyst

### **Mucous Membrane**

A moist tissue lining body cavities that open to the outside, including the nose, mouth, and lungs.

**Synonyms:** Mucosa

### **Multi-Infarct Dementia**

Cognitive decline caused by the cumulative effects of multiple small strokes.

**Synonyms:** Vascular dementia

### **Multinodular Goiter**

An enlarged thyroid containing multiple nodules.

**Synonyms:**

### **Muscle Fatigue**

Reduced ability of a muscle to generate force after sustained or repeated activity.

**Synonyms:**

### **Muscle Fibers**

Individual contractile cells that combine to form skeletal muscle.

**Synonyms:** Muscle cells

### **Muscle-Contraction Headache**

A pressure-like headache related to sustained contraction of scalp, neck, or jaw muscles.

**Synonyms:** Tension-type headache



---

### **Muscular Endurance**

The ability of a muscle or muscle group to sustain repeated or prolonged effort.

**Synonyms:**

### **Muscularis**

A smooth-muscle layer in the wall of a hollow organ, especially the intestine.

**Synonyms:** Muscular layer

### **Musculoskeletal**

Relating to muscles, bones, joints, tendons, ligaments, and related tissues.

**Synonyms:**

### **MUSE**

A medicated urethral system that delivers a pellet into the urethra to treat erectile dysfunction.

**Synonyms:** Medicated urethral system for erection

### **Myalgia**

Muscle pain or tenderness.

**Synonyms:** Myodynia

### **Mydriatic**

A substance or medicine that dilates the pupil.

**Synonyms:** Mydriatic agent

### **Myocyte**

A muscle cell.

**Synonyms:** Muscle cell

### **Myofibrils**

Contractile structures inside muscle fibers made of repeating sarcomeres.

**Synonyms:**

### **Myofilaments**

Actin and myosin protein filaments that slide past each other to produce muscle contraction.

**Synonyms:** Contractile filaments

### **Myosin**

A motor protein that interacts with actin to generate muscle force.

**Synonyms:**

### **Macrobiotics**

Diet emphasizing whole grains, vegetables, beans. May be nutritionally inadequate if restrictive. Long-term followers generally healthy but may have deficiencies.

**Synonyms:**

### **Macrodonia**

Abnormally large teeth. Microdonia: abnormally small teeth.

**Synonyms:**

### **Macroglossia**

Macroglossia concerns macroglossia; its medical significance is established from the defining features, setting, associated findings, and clinical question. airway obstruction, drooling, or dental malocclusion. Causes include congenital syndromes, endocrine disease, infiltrative disorders, vascular or lymphatic malformations, and tumors.

**Synonyms:**

### **Macrolides**

A class of bacteriostatic antibiotics that bind to the 50S ribosomal subunit and inhibit translocation of peptidyl-tRNA during protein synthesis. The major macrolides include erythromycin, clarithromycin, and azithromycin.

**Synonyms:**

### **Macronutrients**

Nutrients needed in large amounts: carbohydrates, protein, fat. Provide energy and structural components.

**Synonyms:**

### **Macrophage Activation Syndrome**

A life-threatening complication of rheumatic diseases (especially systemic JIA and SLE) characterized by uncontrolled cytokine release and

---

hemophagocytosis.

**Synonyms:**

### **Macrosomia**

Macrosomia concerns macrosomia; its medical significance is established from the defining features, setting, associated findings, and clinical question. Risk factors include maternal diabetes, obesity, post-term pregnancy, and prior macrosomia. Complications include shoulder dystocia, brachial plexus injury, clavicular fracture, and neonatal hypoglycemia.

**Synonyms:**

### **Macula**

The macula is a specialized region of the central retina approximately five and a half millimeters in diameter that is responsible for high-acuity central vision, color perception, and fine detail discrimination, and it contains the highest density of cone photoreceptors in the eye.

**Synonyms:**

### **Macula Lutea**

Small oval yellowish central retinal area approximately 5.5 mm in diameter for high-acuity vision. Yellow color from xanthophyll pigments (lutein, zeaxanthin) filtering blue light and protecting photoreceptors. The fovea centralis is the central depression (1.5 mm) with highest cone density and no rods.

**Synonyms:**

### **Macular**

Relating to a macule, a flat, circumscribed change in skin color without a change in texture or elevation. Macules may be caused by pigment, inflammation, vascular change, or other processes and are distinguished from raised lesions such as papules.

**Synonyms:**

### **Macular degeneration**

A progressive degenerative disease of the central retina (macula) and the leading cause of irreversible vision loss in individuals over age 50 in developed countries, affecting approximately 10 percent of

those over 65 and 30 percent over 80.

**Synonyms:**

### **Macular Hole**

A full-thickness defect of the fovea usually caused by vitreomacular traction, presenting with central scotoma and distorted or reduced central vision. Staged by OCT; surgical vitrectomy with internal limiting membrane peel restores closure in most cases.

**Synonyms:**

### **Macular Pucker**

An epiretinal membrane of fibrocellular tissue on the inner retinal surface that contracts to distort the macula, causing metamorphopsia and reduced vision. Diagnosed by OCT; vitrectomy with membrane peeling is reserved for visually significant symptoms.

**Synonyms:**

### **Macule**

Macule concerns macule; its medical significance is established from the defining features, setting, associated findings, and clinical question. thickness, conventionally less than 1 cm in diameter. Larger flat lesions are called patches.

**Synonyms:**

### **Maffucci Syndrome**

A rare congenital disorder characterized by multiple enchondromas together with soft-tissue hemangiomas or lymphangiomas. Skeletal deformity, limb shortening, pathological fractures, and increased risk of cartilage or other malignancy may occur.

**Synonyms:**

### **MAG3 Renal Scan**

Nuclear medicine scan evaluating renal function and obstruction. Differential function between kidneys. Non-obstructive dilation does not show delayed excretion. Useful for assessing split renal function and planning surgical interventions.

**Synonyms:**

---

## Magnesium

A predominantly intracellular cation that stabilizes ATP, supports hundreds of enzymes, and contributes to neuromuscular transmission, nucleic-acid synthesis, and bone metabolism. Deficiency may cause weakness, tremor, arrhythmias, hypokalemia, or hypocalcemia.

**Synonyms:**

## Magnesium Deficiency

An abnormally low body magnesium level, often caused by poor intake, gastrointestinal loss, renal wasting, or medications. It may cause weakness, tremor, muscle cramps, seizures, cardiac arrhythmias, hypokalemia, and hypocalcemia.

**Synonyms:**

## Magnesium Sulfate for Neuroprotection

Intravenous magnesium sulfate given in selected cases of imminent very preterm birth to reduce the risk of neurologic injury in the infant. The gestational-age criteria, dose, duration, and monitoring follow local obstetric and neonatal guidance.

**Synonyms:**

## Magnetic Resonance Angiography

MRI techniques used to depict arteries or veins, with or without contrast. It may evaluate stenosis, aneurysm, dissection, thrombosis, and vascular malformation without ionizing radiation.

**Synonyms:**

## Magnetic Resonance Cholangiopancreatography

MRI technique visualizing biliary and pancreatic ducts without contrast. Non-invasive alternative to ERCP. Used for choledocholithiasis, biliary strictures, pancreatic pathology.

**Synonyms:**

## Magnetic Resonance Imaging

Uses strong magnetic field and radiofrequency pulses to generate images from hydrogen protons. Excellent soft tissue contrast. No ionizing radiation. Sequences: T1-weighted (fat bright, fluid dark), T2-

weighted (fluid bright), FLAIR (suppresses CSF), DWI (diffusion restriction). Contrast: gadolinium-based.

**Synonyms:**

## Magnetic Resonance Safety

The practices used to prevent injury from the static magnetic field, gradient fields, radiofrequency energy, and implanted or ferromagnetic objects in the MRI environment. Screening must address implants, foreign bodies, devices, pregnancy, burns, hearing protection, and projectile risk.

**Synonyms:**

## Magnetic Resonance Spectroscopy

MRI technique measuring metabolic compounds. Used for tumor characterization, metabolic disorders.

**Synonyms:**

## Magnetic Seed

Sentinel lymph node localization using magnetic seed. Alternative to radioactive tracer.

**Synonyms:**

## Magnetic Therapy

PEMF for bone healing, pain. Evidence mixed.

**Synonyms:**

## Mahvash Disease

A rare inherited disorder of glucagon signaling caused by inactivating variants in the glucagon receptor. It may cause pancreatic alpha-cell hyperplasia, enlarged pancreas, abnormal glucose regulation, and elevated circulating glucagon.

**Synonyms:**

## Maintenance Dose

The dose of a drug administered at regular intervals to maintain a desired steady-state concentration, balancing the rate of drug administration with the rate of elimination. The maintenance dose is calculated as: Maintenance dose rate = (Clearance x desired concentration) / Bioavailability.

**Synonyms:**

---

## Maintenance Therapy

Long-term treatment to prevent recurrence. Examples: hormonal therapy, targeted therapy.

**Synonyms:**

## Major Depressive Disorder

A mood disorder characterized by at least one major depressive episode consisting of five or more symptoms during the same two-week period. At least one symptom must be either depressed mood or loss of interest or pleasure (anhedonia).

**Synonyms:**

## Major Histocompatibility Complex

A locus of highly polymorphic genes encoding cell-surface glycoproteins that present antigen peptides to T cells. Human Leukocyte Antigen (HLA) in humans. MHC Class I (HLA-A, B, C): expressed on all nucleated cells, presents endogenous antigens (viral/tumor) to CD8<sup>+</sup> cytotoxic T cells.

**Synonyms:**

## Malabsorption

Malabsorption is impaired digestion or absorption of nutrients in the gastrointestinal tract, causing diarrhea, weight loss, anemia, vitamin deficiency, or bone disease. pancreatic insufficiency, bacterial overgrowth, Crohn disease, short bowel syndrome, and infections. Presents with diarrhea, steatorrhea, weight loss, and deficiency of specific nutrients (iron, B12, vitamin D, calcium).

**Synonyms:**

## Malacoplakia

A chronic granulomatous inflammatory reaction characterized by macrophages containing basophilic Michaelis-Gutmann bodies. It most often affects the urinary or gastrointestinal tract and may form mass-like lesions that mimic malignancy.

**Synonyms:**

## Malaise

Malaise concerns malaise; its medical significance is established from the defining features, setting, associated findings, and clinical question. infection,

inflammation, anemia, chronic disease, medication effects, or emotional stress.

**Synonyms:**

## Malakoplakia

Rare chronic inflammatory condition characterized by accumulation of macrophages containing calcified inclusion bodies called Michaelis-Gutmann bodies, most commonly affecting the urinary bladder but also occurring in the gastrointestinal tract.

**Synonyms:**

## Malar Rash

A red or violaceous rash across the cheeks and bridge of the nose, often sparing the folds beside the nose. It is classically associated with systemic lupus erythematosus but can occur with other conditions; appearance alone does not establish a diagnosis.

**Synonyms:**

## Malaria

Malaria is a mosquito-borne infection caused by Plasmodium parasites, producing fever and hemolysis and potentially progressing to cerebral disease, severe anemia, organ failure, or death. and anemia; severe disease may affect the brain, lungs, kidneys, blood glucose, or other organs. Diagnosis and treatment depend on the species, illness severity, and travel or exposure history.

**Synonyms:**

## Malate Dehydrogenase

Converts malate to oxaloacetate in TCA cycle. Produces NADH.

**Synonyms:**

## MALDI-TOF Mass Spectrometry

Matrix-assisted laser desorption/ionization time-of-flight mass spectrometry, a method that identifies microorganisms by comparing their protein spectral fingerprints with a reference database. It provides rapid identification from an isolated colony and does not by itself establish antimicrobial susceptibility.

**Synonyms:**

---

### Male Hypoactive Sexual Desire Disorder

A persistent or recurrent lack of sexual or erotic thoughts and desire in a man that causes personal distress or relationship difficulty. It is distinct from erectile dysfunction, although the conditions may coexist.

**Synonyms:**

### Male Hypogonadism

Reduced production of testosterone, impaired sperm production, or both due to disease of the testes or the hypothalamic-pituitary system. Possible features include low libido, erectile difficulty, infertility, reduced muscle mass, fatigue, and loss of bone density.

**Synonyms:**

### Male Infertility

Reduced ability to achieve a pregnancy because of factors affecting sperm production, sperm transport, ejaculation, sexual function, or other reproductive processes.

**Synonyms:**

### Male Menopause

A nontechnical term sometimes used for age-related decline in testosterone, although it is not equivalent to female menopause. Low testosterone may cause reduced libido, erectile difficulty, fatigue, depressed mood, or loss of muscle mass, but symptoms have many causes and require appropriate hormone testing before treatment.

**Synonyms:**

### Malignancy

Malignancy concerns malignancy; its medical significance is established from the defining features, setting, associated findings, and clinical question. or spread to distant sites.

**Synonyms:**

### Malignant acanthosis nigricans

A paraneoplastic syndrome in which velvety, hyperpigmented, verrucous plaques develop rapidly in flexural and mucosal areas as a marker of an under-

lying internal malignancy, most commonly gastric adenocarcinoma. Unlike benign acanthosis nigricans, the malignant form is extensive, abrupt in onset, and may involve the oral mucosa.

**Synonyms:**

### Malignant Ascites

Intraperitoneal fluid accumulation caused by peritoneal tumor spread, most often ovarian or gastrointestinal cancer. Management includes therapeutic paracentesis and, in selected cases, intraperitoneal chemotherapy or shunt placement.

**Synonyms:**

### Malignant Hypertension

Severely elevated BP greater than 180/120 with end-organ damage. Renal findings include hyperplastic arteriolosclerosis with onion-skinning and fibrinoid necrosis. Treat with IV antihypertensives. Poor prognosis if untreated. May cause AKI, encephalopathy, and retinopathy.

**Synonyms:**

### Malignant Hyperthermia

A rare, life-threatening pharmacogenetic disorder of skeletal muscle triggered by volatile inhalation anesthetics and succinylcholine, with incidence of approximately 1 in 15,000 to 50,000 anesthetics.

**Synonyms:**

### Malignant melanoma

A highly aggressive malignancy arising from melanocytes, characterised by uncontrolled proliferation and potential for early metastasis via lymphatic and haematogenous spread.

**Synonyms:**

### Malignant Mesothelioma

A cancer of the mesothelial lining of the pleura (most common), peritoneum, or pericardium. Strongly associated with asbestos exposure, presenting with effusion, chest pain, and dyspnea; prognosis is generally poor.

**Synonyms:**

---

## **Malignant Neoplasm**

Malignant neoplasms, commonly called cancers, are uncontrolled proliferations of cells that invade surrounding tissues and have the capacity to metastasize to distant sites through lymphatic, hematogenous, or transcoelomic routes.

**Synonyms:** cancers, are uncontrolled proliferations of cells.

## **Malignant Pleural Effusion**

Pleural fluid accumulation from pleural or metastatic disease, causing dyspnea. Managed with thoracentesis, pleurodesis, or an indwelling pleural catheter.

**Synonyms:**

## **Malignant syphilis**

A severe, destructive form of secondary syphilis presenting with necrotic, gummatous, or ulcerative skin lesions, often in immunocompromised patients, particularly those with HIV co-infection. It represents an aberrant immune response to heavy *Treponema pallidum* infection and requires aggressive intravenous penicillin therapy.

**Synonyms:**

## **Malignant Tumor**

A cancerous growth capable of invading nearby tissue or spreading to distant sites. Its behavior and treatment depend on its type, grade, stage, and molecular features.

**Synonyms:**

## **Malingering**

The intentional fabrication or exaggeration of physical or psychological symptoms for external incentives (avoiding work, obtaining financial compensation, evading criminal prosecution, obtaining drugs). Not a psychiatric illness (coded as a V-code/Z-code).

**Synonyms:**

## **Mallampati Classification**

A simple scoring system used to predict the ease of endotracheal intubation based on the anatomical structures visible in the oral cavity when the patient

opens their mouth wide and protrudes their tongue without phonating. Class I: soft palate, fauces, uvula, and tonsillar pillars visible.

**Synonyms:**

## **Malleus**

The largest of the three ossicles in the middle ear. See Hammer.

**Synonyms:**

## **Mallory-Weiss Tear**

Longitudinal mucosal laceration at the gastroesophageal junction caused by forceful vomiting or retching. It typically presents with hematemesis. Most bleeds spontaneously within twenty-four to forty-eight hours. Diagnosis is made by upper endoscopy showing a linear mucosal tear.

**Synonyms:**

## **Malnutrition**

Malnutrition includes inadequate, excessive, or imbalanced nutrient intake and can impair growth, immunity, wound healing, muscle function, and organ reserve. form, and function. Undernutrition: protein-energy malnutrition, micronutrient deficiencies. Overnutrition: overweight, obesity, related comorbidities. Screen with MNA (Mini Nutritional Assessment), MUST (Malnutrition Universal Screening Tool).

**Synonyms:**

## **Malocclusion**

Misalignment of teeth or incorrect relation between dental arches. Types: Class I (normal molar relationship, crowding), Class II (retrognathic mandible), Class III (prognathic mandible).

**Synonyms:**

## **Malpractice**

Professional negligence by healthcare provider. Requires duty, breach, causation, damages.

**Synonyms:**

## **Malpresentation**

A fetal presentation other than the usual vertex



---

presentation, including breech, face, brow, shoulder, or compound presentation. It may complicate labor and influence delivery planning.

**Synonyms:**

### Malrotation

Abnormal rotation or fixation of an organ during development, most often referring to abnormal rotation of the intestine and its risk of volvulus.

**Synonyms:**

### Maltol

A flavoring compound used in some foods and medicines to provide a sweet, caramel-like odor or taste.

**Synonyms:**

### Mammary Gland

Modified sweat (apocrine) gland in the breast, overlying pectoralis major, with 15-20 lactiferous ducts converging on the nipple. Composed of glandular lobules (alveoli), fibrous stroma (Cooper's ligaments), and fat. Development regulated by estrogen, progesterone, prolactin, and oxytocin (milk let-down).

**Synonyms:**

### Mastalgia

Breast pain or tenderness, which may be cyclical with menstruation or noncyclical. Causes include hormonal changes, cysts, infection, trauma, and musculoskeletal pain.

**Synonyms:**

### Mammary Implant

Breast augmentation/reconstruction device. Types: saline (silicone shell, saline fill), silicone gel (cohesive gel). Incisions: inframammary, periareolar, axillary. Placement: subglandular or submuscular. Complications: capsular contracture, rupture, infection, BIA-ALCL (anaplastic large cell lymphoma).

**Synonyms:**

### Mammogram

A mammogram is a low-dose x-ray examination of

breast tissue used for screening and evaluation of masses, asymmetry, calcifications, or other abnormalities.

**Synonyms:**

### Mammography

X-ray imaging of the breast used to screen for or evaluate breast abnormalities. Screening intervals depend on age, risk, symptoms, and the guideline being followed. Standard views include the cranio-caudal and mediolateral-oblique projections.

**Synonyms:**

### Mandible

Largest facial bone forming the lower jaw, with horseshoe-shaped body and two rami ending in condylar (TMJ) and coronoid processes. Mental foramen transmits the mental nerve. Mandibular foramen is the entry point for inferior alveolar nerve blocks. Most commonly fractured facial bone, typically at the condyle, angle, or symphysis.

**Synonyms:**

### Mandibular fracture

A break in the lower jaw bone typically caused by trauma, presenting with pain, swelling, malocclusion, and difficulty opening the mouth; may require surgical fixation.

**Synonyms:**

### Manganese

An essential trace element required in small amounts. Excessive exposure, especially by inhalation, can injure the nervous system and cause manganism, a movement disorder resembling parkinsonism.

**Synonyms:**

### Mania

A distinct period of abnormally elevated, expansive, or irritable mood with increased goal-directed activity or energy, lasting  $\geq 1$  week (or any duration if hospitalization required).

**Synonyms:**

---

## Manic Episode

A distinct period lasting at least seven days (or any duration if hospitalization is required) of abnormally elevated, expansive, or irritable mood with increased energy or activity.

**Synonyms:**

## Manifestation

A sign, symptom, or other observable expression of a disease or condition.

**Synonyms:**

## Manner of Death

Legal classification of the circumstances surrounding a death, categorized into 5 official types: Natural, Accident, Suicide, Homicide, or Undetermined.

**Synonyms:**

## Mannitol

An osmotic diuretic that is freely filtered at the glomerulus but not reabsorbed, increasing tubular osmotic pressure and water excretion. Used to reduce intracranial pressure (cerebral edema) and intraocular pressure (acute glaucoma), and to promote diuresis in rhabdomyolysis/contrast nephropathy prophylaxis.

**Synonyms:**

## Mannose-Binding Lectin Deficiency

An inherited or acquired deficiency of mannose-binding lectin, a protein that activates the lectin pathway of complement. It may increase susceptibility to infection in selected people, especially when other immune defenses are impaired.

**Synonyms:**

## Mantle Cell Lymphoma

An aggressive B-cell lymphoma characterized by t(11;14) translocation leading to cyclin D1 overexpression and CCND1-IGH fusion. Clinical: older males, widespread lymphadenopathy, splenomegaly, GI involvement (lymphomatous polyposis), bone marrow, peripheral blood (leukemic phase).

**Synonyms:**

## Manual Removal of Placenta

A procedure in which a clinician removes a placenta that has not separated or cannot be delivered after birth. The timing and need depend on bleeding, maternal condition, and local clinical protocols.

**Synonyms:**

## MAOIs

Monoamine oxidase inhibitors are a class of antidepressant drugs that inhibit the enzyme monoamine oxidase, which breaks down serotonin, norepinephrine, and dopamine in the brain. By inhibiting this enzyme, MAOIs increase the levels of these neurotransmitters in the synaptic cleft.

**Synonyms:**

## Maple Syrup Urine Disease

An autosomal recessive inborn error of branched-chain amino acid metabolism caused by deficiency of the branched-chain alpha-ketoacid dehydrogenase complex (BCKDC) — mutations in BCKDHA, BCKDHB, DBT, or DLD.

**Synonyms:**

## Marasmus

A severe form of protein-energy malnutrition (PEM) resulting from chronic total calorie and protein deprivation (starvation). Clinical features include severe muscle wasting, loss of subcutaneous fat ("skin and bones" appearance), stunted growth, a "monkey-like" facial appearance, and alertness.

**Synonyms:**

## Maraviroc

A CCR5 antagonist (entry inhibitor) used in combination antiretroviral therapy for HIV-1 infection in patients with CCR5-tropic virus. Maraviroc binds to the human CCR5 coreceptor on CD4+ T cells, preventing HIV-1 gp120 binding and viral entry.

**Synonyms:**

## Marfan Syndrome

An autosomal dominant connective tissue disorder caused by mutations in the FBN1 gene (fibrillin-1). Cardiovascular manifestations include aortic root

---

dilation and dissection, mitral valve prolapse, and aortic regurgitation. Skeletal features include tall stature, arachnodactyly, pectus deformity, and joint hypermobility.

**Synonyms:**

### **Marfanoid Habitus**

A body habitus characterized by tall stature, long limbs, long fingers (arachnodactyly), and joint laxity. Seen in Marfan syndrome, but also in other connective tissue disorders and homocystinuria. Differentiated from Marfan syndrome by absence of aortic root dilation and lens subluxation.

**Synonyms:**

### **Marfan's syndrome**

An autosomal dominant connective tissue disorder caused by mutations in the FBN1 gene encoding fibrillin-1. Neurological manifestations include dural ectasia (widening of the dural sac, causing back pain and headaches), spontaneous intracranial hypotension from CSF leaks, and increased risk of stroke from arterial dissection.

**Synonyms:**

### **Marrow hyperplasia**

Increased cellularity of the bone marrow due to accelerated production of blood cells, typically seen as a compensatory response to chronic hemolysis, hemorrhage, or hypoxia.

**Synonyms:**

### **Mask**

Face covering for infection control. Types: surgical, N95 respirator.

**Synonyms:**

### **Mass**

A discrete area of abnormal tissue that is larger or more substantial than a nodule. A mass may be benign or malignant and can occur in many organs.

**Synonyms:**

### **Mass Casualty Incident**

Event overwhelming available resources, requiring

triage and resource allocation. Triage systems: START (Simple Triage and Rapid Treatment), SALT. Categories: immediate (red), delayed (yellow), minor (green), expectant (black). Incident command system (ICS) coordinates response.

**Synonyms:**

### **Masseter Muscle**

Thick rectangular muscle of mastication on the mandibular ramus, from the zygomatic arch to mandibular angle/ramus. Innervated by the masseteric nerve (V3). Most powerful masticatory muscle, elevating the mandible with up to 70 kg force. Involved in bruxism, TM disorders, and myofascial pain. Hypertrophy can widen facial appearance.

**Synonyms:**

### **Massive Hemoptysis**

Life-threatening coughing of blood that threatens the airway, breathing, or circulation; a fixed volume threshold is not required. It requires urgent airway assessment, stabilization, and definitive treatment of the bleeding source.

**Synonyms:**

### **Massive Transfusion Protocol**

A coordinated protocol for life-threatening hemorrhage that provides rapid, balanced delivery of red cells, plasma, and platelets with monitoring and correction of fibrinogen, calcium, temperature, and acid-base abnormalities.

**Synonyms:**

### **Mast Cell**

A tissue-resident immune cell with large granules containing histamine, heparin, tryptase, and cytokines; bears high-affinity IgE receptors (Fc-epsilon-RI).

**Synonyms:**

### **Mast Cell Activation Syndrome**

A condition involving recurrent symptoms from inappropriate release of mast-cell mediators, such as flushing, itching, hives, abdominal symptoms, wheezing, or low blood pressure. Diagnosis requires

---

compatible episodes, objective evidence of mediator release, and response to appropriate treatment; many similar conditions must be excluded.

**Synonyms:**

### **Mastectomy**

Mastectomy examines mastectomy; interpretation depends on the specimen or body region, test method, reference range, and clinical question. areola, and nipple. Modified radical mastectomy (MRM): total mastectomy + axillary lymph node dissection (levels I-III), for invasive breast cancer.

**Synonyms:**

### **Mastitis**

Inflammation of breast tissue, often occurring during lactation but also possible outside lactation. It may cause localized pain, warmth, swelling, and fever; infection and inflammatory causes must be distinguished clinically.

**Synonyms:**

### **Mastocytosis**

A clonal disorder in which abnormal mast cells accumulate in the skin or internal organs. Cutaneous disease commonly causes urticaria pigmentosa: tan-brown macules or papules that swell and itch after rubbing (Darier sign).

**Synonyms:**

### **Mastoidectomy**

Mastoidectomy examines mastoidectomy; interpretation depends on the specimen or body region, test method, reference range, and clinical question. from the mastoid portion of the temporal bone, performed for chronic otitis media with cholesteatoma, mastoiditis, or as a component of surgery for acoustic neuroma and other skull base tumors.

**Synonyms:**

### **Mastoiditis**

Mastoiditis is a medical condition involving mastoiditis; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. media. Presents with postauricular

pain, swelling, erythema, and tenderness, fever, and otorrhea. Diagnosis: CT temporal bone shows mastoid air cell opacification with bony destruction.

**Synonyms:**

### **Masturbation**

Self-stimulation of the genitals for sexual pleasure. It is a common human behavior; it is generally not harmful unless it causes injury, distress, or interferes with daily life.

**Synonyms:**

### **Maternal Physiologic Changes in Pregnancy**

Extensive adaptive changes across all organ systems to support the growing fetus.

**Synonyms:**

### **Maternal Pushing (Second Stage)**

Maternal expulsive efforts during the second stage of labor to facilitate fetal descent. Directed (closed-glottis, Valsalva) pushing: sustained breath-hold for 10 seconds with three pushes per contraction. Spontaneous (open-glottis) pushing: shorter pushes with the mother pushing when she feels an urge.

**Synonyms:** Second Stage

### **Maternal Sepsis**

Organ dysfunction caused by a dysregulated maternal response to infection during pregnancy, childbirth, or the postpartum period. It may arise from uterine, urinary, respiratory, wound, or other infection and requires prompt cultures, antimicrobial therapy, source control, and hemodynamic support.

**Synonyms:**

### **Maturity Onset Diabetes of the Young**

A monogenic form of diabetes with autosomal dominant inheritance, typically presenting before age 25 with non-insulin-dependent hyperglycemia. Caused by mutations in transcription factors or enzymes of beta-cell function.

**Synonyms:**

---

## Maxilla

Paired bone forming the upper jaw, central face, and parts of orbit, nasal cavity, and hard palate. Body contains the maxillary sinus (largest paranasal sinus). Four processes: frontal, zygomatic, alveolar (upper teeth), and palatine (anterior hard palate). Fractures classified using the Le Fort system.

**Synonyms:**

## Maxillofacial Prosthesis

Artificial replacement of maxillofacial structures. Obturator for cleft palate or surgical defect. Ocular, nasal, auricular prostheses.

**Synonyms:**

## Maximum Plasma Concentration (Cmax)

The highest measured plasma concentration after a dose. Cmax and the time to reach it are used to describe absorption rate, peak-related toxicity, and comparative pharmacokinetics.

**Synonyms:** Cmax

## Maximum Tolerated Dose

The highest dose of a drug that produces acceptable, manageable toxicity without causing unacceptable adverse effects, determined through dose-escalation studies, most commonly in Phase I clinical trials. The MTD identifies the dose range for subsequent efficacy studies.

**Synonyms:**

## May-Thurner Syndrome

Compression of left common iliac vein by right common iliac artery. Causes left lower extremity DVT. Diagnosis: CT/MR venography, phlebography. Treatment: angioplasty and stenting.

**Synonyms:**

## MCA Peak Systolic Velocity

Doppler measurement of the peak systolic velocity in the fetal middle cerebral artery. An indicator of fetal anemia: elevated MCA PSV ( $>1.5$  MoM) correlates with moderate-to-severe anemia. The most important application is surveillance of Rh-sensitized pregnancies (detect anemia before hy-

drops develops).

**Synonyms:**

## McCune-Albright Syndrome

Sporadic condition caused by activating mutations in the GNAS1 gene encoding the Gs alpha subunit leading to constitutive activation of adenylyl cyclase.

**Synonyms:**

## McDonald Cerclage

A transvaginal cervical cerclage using a purse-string suture (Mersilene tape or Prolene) placed at the cervicovaginal junction, without bladder dissection. The most common cerclage technique. Indications: cervical insufficiency (history-indicated or ultrasound-indicated short cervix  $<25$  mm before 24 weeks). Placed at 12-14 weeks.

**Synonyms:**

## McMurray Test

A knee examination in which the leg is flexed, rotated, and extended to place stress on the menisci. Pain or a palpable click may suggest a meniscal lesion but is not diagnostic alone.

**Synonyms:**

## McRoberts Maneuver

A positioning maneuver for managing shoulder dystocia where the mother's legs are hyperflexed onto her abdomen, with thighs against the abdomen. This flattens the sacrum, increases the anteroposterior diameter of the pelvis, and rotates the symphysis pubis superiorly. Often combined with suprapubic pressure.

**Synonyms:**

## Mean Arterial Pressure

The average pressure driving systemic blood flow during one cardiac cycle. It is influenced by cardiac output and systemic vascular resistance and is approximated clinically as diastolic pressure plus one-third of pulse pressure at normal heart rates.

**Synonyms:**

## Mean Corpuscular Hemoglobin

---

## Concentration

The mean concentration of hemoglobin within packed erythrocytes, calculated from hemoglobin and hematocrit. A reduced MCHC indicates hypochromia; an increased value may occur with spherocytosis or analytical interference.

**Synonyms:**

## Mean Corpuscular Volume

The average volume of an erythrocyte, reported in femtoliters as part of the CBC. A low MCV indicates microcytosis, whereas a high MCV indicates macrocytosis; interpretation requires correlation with hemoglobin, reticulocytes, and other indices.

**Synonyms:**

## Measles

Measles is a highly contagious measles-virus infection causing fever, cough, conjunctivitis, and a spreading maculopapular rash, with possible pneumonia, encephalitis, or other complications. prodrome of fever, coryza, cough, and conjunctivitis, followed by Koplik spots (white buccal mucosal lesions) and maculopapular rash spreading cephalocaudally. Complications: pneumonia, encephalitis, and subacute sclerosing panencephalitis.

**Synonyms:**

## Measles virus

A negative-sense RNA virus that causes measles, a highly contagious respiratory illness. The virus is transmitted by respiratory droplets and is one of the most infectious pathogens known. Symptoms include fever, cough, coryza, conjunctivitis, and rash.

**Synonyms:**

## Measles-Rubella Vaccine

A combined live attenuated vaccine containing measles and rubella antigens without the mumps component, widely used in countries where mumps is not a significant public health burden, including India's Universal Immunization Schedule.

**Synonyms:**

## Measurable Residual Disease

The burden of cancer remaining after therapy that can be quantified using a validated assay. The term is increasingly preferred to minimal residual disease because residual disease may be clinically important even when not minimal.

**Synonyms:**

## Meatuses

The nasal meatuses are the air passages located beneath each corresponding turbinate on the lateral wall of the nasal cavity, and they serve as the drainage pathways for the paranasal sinuses and the nasolacrimal duct.

**Synonyms:**

## Mebrofenin Scan

Hepatobiliary imaging using Tc-99m mebrofenin. Evaluates liver function, biliary obstruction.

**Synonyms:**

## Mechanical Circulatory Support

Devices that provide temporary or permanent cardiac support. Options include intra-aortic balloon pump (IABP), Impella (percutaneous ventricular assist device), TandemHeart, extracorporeal membrane oxygenation (ECMO), and durable left ventricular assist devices (LVADs).

**Synonyms:**

## Mechanical Insufflation-Exsufflation

A device that delivers positive pressure (insufflation) followed by rapid negative pressure (exsufflation) to simulate a cough. It is used in neuromuscular disease (Duchenne muscular dystrophy, spinal cord injury, ALS) to augment cough effectiveness and clear secretions.

**Synonyms:**

## Mechanical Ventilation

Mechanical ventilation provides respiratory support by delivering controlled or spontaneous breaths through an endotracheal tube or tracheostomy.

**Synonyms:**



---

## Mechanism of Death

The physiologic or biochemical derangement that causes death (the final failure) as opposed to the underlying disease or injury (cause of death) and the circumstances (manner). Examples: ventricular fibrillation, cerebral hemorrhage, sepsis, respiratory failure, exsanguination, cardiac tamponade.

**Synonyms:**

## Mechanism of Toxicity

How substance causes harm. Examples: enzyme inhibition, membrane disruption, receptor binding, oxidative stress, DNA damage.

**Synonyms:**

## Meckel Diverticulum

Congenital remnant of the omphalomesenteric duct located on the antimesenteric border of the distal ileum approximately sixty centimeters from the ileocecal valve.

**Synonyms:**

## Meckel's diverticulum

A congenital pouch of the small intestine caused by persistence of the embryonic vitelline duct. It may bleed, inflame, or cause obstruction.

**Synonyms:**

## Meconium Aspiration

Meconium aspiration syndrome (MAS): aspiration of meconium-stained amniotic fluid into the fetal/neonatal airway causing airway obstruction, chemical pneumonitis, and surfactant dysfunction—respiratory distress in term/post-term infants. Risk: fetal distress/hypoxia (passage of meconium in utero).

**Synonyms:**

## Meconium Aspiration Syndrome

Respiratory distress in newborns born through meconium-stained amniotic fluid, caused by aspiration of meconium into the airways. Presents with respiratory distress, barrel-shaped chest, and coarse crackles. Meconium is thick, greenish-black fetal stool passed in utero. Risk factors include post-term

pregnancy and fetal distress.

**Synonyms:**

## Meconium Ileus

Intestinal obstruction in neonates caused by inspissated meconium most commonly associated with cystic fibrosis. Presents with abdominal distension, bilious vomiting, and failure to pass meconium within forty-eight hours.

**Synonyms:**

## Meconium Peritonitis

Sterile chemical peritonitis resulting from in utero intestinal perforation allowing meconium to spill into the peritoneal cavity. Most commonly associated with cystic fibrosis causing inspissated meconium obstruction, intestinal atresia, and volvulus. May be detected prenatally as fetal ascites with echogenic peritoneal calcifications.

**Synonyms:**

## Meconium-Stained Amniotic Fluid

Greenish or yellowish discoloration of amniotic fluid due to fetal meconium passage in utero. Associated with fetal distress, post-term pregnancy, and fetal growth restriction. Thick meconium increases risk of meconium aspiration syndrome. Management of non-vigorous newborns: tracheal suctioning before positive pressure ventilation.

**Synonyms:**

## Medial

Medial concerns medial, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context.

**Synonyms:**

## Medial Collateral Ligament Injury

Tear of the MCL, the most common knee ligament injury. Mechanism: valgus stress to the knee (direct blow to lateral knee). Presents with medial knee pain, swelling, and valgus laxity. Grading: I (pain, no laxity), II (partial tear, some laxity), III (complete tear, significant laxity).

**Synonyms:**

---

### Medial Cuneiform

Largest cuneiform, on the medial foot between navicular and first metatarsal. Insertion for tibialis anterior and posterior tendons supporting the medial longitudinal arch. The first tarsometatarsal joint (Lisfranc joint) is an important landmark; Lisfranc injuries involve fracture-dislocation at this level.

**Synonyms:**

### Medial Rotation

Rotation of a limb toward the median plane of the body.

**Synonyms:**

### Median Nerve

From lateral and medial cords (C5-T1), passing through the arm without branching, through the cubital fossa, into the forearm innervating most flexor muscles. In the hand innervates thenar muscles (opponens, abductor brevis, flexor brevis pollicis) and first two lumbricals. Sensation to lateral 3.5 digits.

**Synonyms:**

### Median Plane

A sagittal plane that passes directly through the midline of the body, dividing it into equal right and left halves.

**Synonyms:**

### Median rhomboid glossitis

A smooth, red, diamond-shaped depapillated area on the dorsum of the tongue caused by chronic *Candida* infection, usually asymptomatic and managed with antifungal therapy.

**Synonyms:**

### Median Survival

The time by which half of the people in a study have experienced the specified event, such as death. It is a summary measure of survival in a defined population.

**Synonyms:**

### Mediastinitis

Mediastinitis is a medical condition involving mediastinitis; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. may follow surgery, esophageal injury, or infection and can cause severe systemic illness; chronic cases may result from granulomatous or other inflammatory disease.

**Synonyms:**

### Mediastinoscopy

A surgical procedure that accesses the mediastinum through a small incision near the sternum to inspect or biopsy mediastinal lymph nodes or masses. It is one option for staging lung cancer when less-invasive sampling is nondiagnostic or unsuitable.

**Synonyms:**

### Mediastinum

The central compartment of the thoracic cavity between the lungs, containing the heart, major blood vessels, esophagus, and trachea.

**Synonyms:**

### Mediators of Inflammation

Inflammatory mediators are soluble molecules that initiate, amplify, or regulate the inflammatory response.

**Synonyms:**

### Medical Cannabis and Cannabidiol

Cannabis (marijuana) and cannabidiol (CBD) are cannabinoid compounds derived from *Cannabis sativa* that interact with the endocannabinoid system (CB1 and CB2 receptors) to modulate pain, appetite, mood, and inflammation.

**Synonyms:**

### Medical Condition

A state affecting health or bodily function, whether acute, chronic, symptomatic, or asymptomatic.

**Synonyms:**

### Medical Ethics

Moral principles guiding healthcare practice, includ-

---

ing autonomy, beneficence, non-maleficence, and justice.

**Synonyms:**

### **Medical Examiner**

An appointed physician, usually a board-certified forensic pathologist, charged with investigating sudden, unexpected, violent, or suspicious deaths, ordering autopsies, determining cause and manner of death, and certifying the death certificate. Unlike the elected coroner, a medical examiner must meet professional qualifications.

**Synonyms:**

### **Medical Illness**

The subjective experience of being unwell, which may or may not correspond to an identifiable disease.

**Synonyms:**

### **Medical Jargon**

Specialized terminology used by healthcare professionals. Unexplained medical jargon can hinder communication with patients.

**Synonyms:**

### **Medical Jurisprudence**

The branch of law (and its study) that deals with the rights and duties of physicians and the legal aspects of medical practice, distinct from but overlapping with forensic medicine.

**Synonyms:**

### **Medical Negligence (Malpractice)**

Legal tort occurring when a healthcare provider fails to exercise the standard of reasonable care, skill, or diligence expected of a prudent practitioner of similar standing, resulting in injury, harm, or death to a patient.

**Synonyms:** Malpractice

### **Medical Nutrition Therapy**

Individualized nutrition intervention by registered dietitian. Conditions: diabetes, renal disease, GI disorders, cancer, obesity.

**Synonyms:**

### **Medical Physicist**

Expert in radiation physics and safety.

**Synonyms:**

### **Medical Physics**

The application of physics to medicine, including diagnostic imaging, radiation therapy, radiation safety, and physiological measurement.

**Synonyms:**

### **Medical Privacy**

Protection of identifiable patient information and control of its disclosure in healthcare.

**Synonyms:**

### **Medical Records**

A documented account of a patient's clinical history, examination, investigations, treatment, and outcome maintained by providers. In medicolegal practice, records are contemporaneous evidence in malpractice, injury, criminal, and death cases, so accuracy, timeliness, and unaltered amendments are essential.

**Synonyms:**

### **Medical Tattooing**

Medical tattooing (permanent makeup, micropigmentation) covers depigmented skin (vitiligo, vitiligo camouflage), restores areolas after mastectomy, and masks scars. Trichopigmentation simulates hair on bald scalp. Medical tattooing uses specialized pigments and techniques.

**Synonyms:**

### **Medical Tests**

Diagnostic procedures used to screen for, confirm, or monitor disease through analysis of biologic specimens, imaging, physiologic measurements, or genetic material.

**Synonyms:**

### **Medication Adherence**

The extent to which a patient's medication-taking

---

behavior corresponds with the agreed treatment plan. Adherence is influenced by understanding, adverse effects, cost, access, regimen complexity, beliefs, and cognitive or social factors.

**Synonyms:**

### **Medication Adverse-Effect Profile**

The clinically relevant pattern of predictable pharmacologic effects and harmful reactions associated with a medication. It includes common dose-related effects, serious rare events, organ-specific toxicity, interactions, and monitoring requirements.

**Synonyms:**

### **Medication Cascade**

A prescribing sequence in which an adverse drug effect is misinterpreted as a new medical condition and another drug is prescribed to treat it. Recognizing cascades is an important goal of medication reconciliation and deprescribing.

**Synonyms:**

### **Medication Deprescribing**

A planned, supervised process of reducing the dose or stopping a medicine when its current or future harms outweigh its benefits or when treatment goals change. Tapering may be required to prevent withdrawal or rebound disease.

**Synonyms:**

### **Medication Error**

A preventable event that may cause or lead to inappropriate medication use or patient harm while the medication is in the control of a healthcare professional, patient, or consumer. Errors can occur during prescribing, transcribing, dispensing, administration, or monitoring.

**Synonyms:**

### **Medication Management**

The systematic process of optimizing pharmacotherapy to achieve therapeutic goals while minimizing adverse effects, encompassing prescribing, dispensing, administration, monitoring, and deprescribing.

**Synonyms:**

### **Medication Reconciliation**

A structured process of obtaining and comparing the most accurate medication list with current prescriptions at transitions of care. It identifies omissions, duplications, incorrect doses, interactions, and unintended changes.

**Synonyms:**

### **Medication Review**

Systematic examination of all medications for appropriateness. Components: indication, efficacy, safety, adherence, interactions. Tools: Beers Criteria, STOPP/START. Goals: deprescribing, optimizing therapy, reducing adverse effects.

**Synonyms:**

### **Medication Safety**

Practices that reduce medication errors and prevent avoidable harm during prescribing, dispensing, administration, and use.

**Synonyms:**

### **Medication Side Effects**

Unintended harmful responses to medications occurring at standard doses, ranging from mild (nausea, rash, dry mouth) to severe (anaphylaxis, Stevens-Johnson syndrome, QT prolongation, hepatotoxicity).

**Synonyms:**

### **Medications and Treatments**

all pharmacologic and therapeutic interventions used to prevent, manage, or cure disease, classified by mechanism of action, therapeutic class, and route of administration.

**Synonyms:**

### **Medicolegal**

Pertaining to the application of medical knowledge to legal questions and the intersection of medicine and the law. Covers forensic pathology, toxicology, psychiatry, and clinical issues: informed consent, malpractice, medical records, disability, personal injury, occupational disease, and public health law.

**Synonyms:**

---

## **Mediterranean Diet**

Traditional eating pattern of Greece, Southern Italy. Emphasizes: fruits, vegetables, whole grains, legumes, nuts, olive oil, moderate fish/poultry, limited red meat. Associated with reduced cardiovascular disease, diabetes, cognitive decline.

**Synonyms:**

## **Medulla Oblongata**

Most inferior brainstem segment, continuous with the spinal cord at the foramen magnum. Contains vital autonomic centers: cardiovascular center (heart rate, blood pressure), respiratory center (dorsal/ventral respiratory groups), and area postrema (vomiting center).

**Synonyms:**

## **Medullary Sponge Kidney**

Congenital malformation characterized by cystic dilatation of the collecting ducts in the renal papillae predisposing to nephrolithiasis and nephrocalcinosis. Presents with recurrent kidney stones, hematuria, and urinary tract infections.

**Synonyms:**

## **Medullary Thyroid Carcinoma**

Neuroendocrine tumor arising from parafollicular C cells that produce calcitonin. Accounts for approximately five percent of thyroid carcinomas. May be sporadic or hereditary as part of multiple endocrine neoplasia type two A or two B. Serum calcitonin serves as a tumor marker. Diagnosis requires FNA with calcitonin immunohistochemistry.

**Synonyms:**

## **Medulloblastoma**

A fast-growing embryonal tumor of the cerebellum and the most common malignant brain tumor of childhood. Treated with surgical resection, craniospinal radiation, and chemotherapy.

**Synonyms:**

## **Meige Syndrome**

A segmental cranial dystonia characterized by involuntary bilateral blepharospasm with dystonic

contractions of the lower face, jaw, or tongue. Symptoms fluctuate and may be worsened by stress, speech, chewing, or sensory stimuli.

**Synonyms:**

## **Meigs Syndrome**

The triad of benign ovarian fibroma, ascites, and pleural effusion. The effusions typically resolve after removal of the ovarian tumour and should be distinguished from malignant ovarian disease.

**Synonyms:**

## **Meiosis**

A specialized cell division that produces haploid eggs or sperm from a diploid precursor cell and creates genetic variation through recombination and chromosome assortment.

**Synonyms:**

## **Melancholic Features**

A specifier for major depressive episodes characterized by a loss of interest or pleasure in all or almost all activities, a depressed mood that is qualitatively distinct from grief, prominent psychomotor retardation or agitation, significant anorexia or weight loss, excessive guilt, and worsening of mood in the morning.

**Synonyms:**

## **Melanocytes**

Dendritic pigment-producing neural crest-derived cells in the epidermal basal layer and hair follicles, comprising approximately 5-10 percent of basal keratinocytes. Produce melanin (eumelanin, brown-black; pheomelanin, yellow-red) in melanosomes, transferred to keratinocytes via dendritic processes for UV protection.

**Synonyms:**

## **Melanoma**

Melanoma concerns melanoma; its medical significance is established from the defining features, setting, associated findings, and clinical question. the eye or mucous membranes; prognosis depends mainly on its stage and biologic features.

---

**Synonyms:**

### **Melanoma Surveillance**

regular skin examination, patient education on self-examination, and dermoscopic monitoring of atypical nevi. High-risk patients (personal or family history, numerous atypical nevi, immunosuppression) require 6-month follow-up. Standard patients require annual examination. Total body photography establishes baseline for change detection.

**Synonyms:**

### **Melanoma Treatment**

Stage-dependent. Stage 0 to IA: wide local excision. Stage IB to IIA: wide excision with sentinel lymph node biopsy. Stage IIB to IIC: wide excision, SLNB, and adjuvant therapy.

**Synonyms:**

### **Melasma**

Melasma concerns melasma; its medical significance is established from the defining features, setting, associated findings, and clinical question. face, particularly the cheeks, forehead, nose, and upper lip. Also called chloasma or the mask of pregnancy.

**Synonyms:** chloasma or.

### **Melasma (Chloasma)**

An acquired, chronic pigmentary disorder characterized by symmetric, hyperpigmented, light-to-dark brown macules and patches on sun-exposed areas of the face (malar, forehead, upper lip, chin). It primarily affects women of childbearing age and individuals with darker skin types (Fitzpatrick types III-V).

**Synonyms:** Chloasma

### **Melatonin Receptor Agonists**

Medications that act on MT1 and MT2 receptors in the suprachiasmatic nucleus to regulate circadian rhythms. Ramelteon is approved for insomnia with sleep onset difficulty. It has no abuse potential and does not cause dependence. It is a useful alternative to benzodiazepines for sleep initiation problems.

**Synonyms:**

### **MELD Score**

Model for End-Stage Liver Disease predicting three-month mortality in advanced liver disease used for liver transplant allocation. The score is calculated using serum bilirubin, creatinine, and international normalized ratio generating a continuous score from approximately six to forty points.

**Synonyms:**

### **melena**

Passage of black, tarry, foul-smelling stools due to the presence of digested blood, indicating upper gastrointestinal bleeding (usually proximal to the ligament of Treitz). The black color results from oxidation of haemoglobin to haematin by intestinal enzymes and bacteria.

**Synonyms:**

### **Melioidosis**

An infectious disease caused by *Burkholderia pseudomallei*, usually acquired from contaminated soil or water through inoculation or inhalation. It may cause pneumonia, skin infection, abscesses, sepsis, or chronic disease and is more severe in people with diabetes or other risk factors.

**Synonyms:**

### **Melorheostosis**

A rare sclerosing bone dysplasia producing irregular, flowing cortical hyperostosis on imaging. It may cause pain, stiffness, limb deformity, restricted movement, contractures, or soft-tissue fibrosis and can affect one or several contiguous bones.

**Synonyms:**

### **Memantine**

An NMDA receptor antagonist (uncompetitive, low-to-moderate affinity) used for moderate to severe Alzheimer disease, often added to an acetylcholinesterase inhibitor. Blocks excessive glutamate-mediated excitotoxicity while preserving normal synaptic transmission. Once or twice daily oral.

**Synonyms:**



---

## Membrane Potential

The electrical potential difference across a cell membrane, approximately -70 mV in most neurons (resting membrane potential). Established by the unequal distribution of ions (primarily K<sup>+</sup>, Na<sup>+</sup>, Cl<sup>-</sup>) across the membrane and selective permeability.

**Synonyms:**

## Membranoproliferative Glomerulonephritis

Pattern of glomerular injury with mesangial proliferation and capillary wall thickening creating tram-track appearance on silver stain. Hepatitis C is common cause of immune complex MPGN. C3 glomerulopathy represents complement-mediated disease. Associated with monoclonal gammopathies.

**Synonyms:**

## Membranous Nephropathy

A glomerular disease caused by immune-complex deposition along the glomerular basement membrane. It commonly causes proteinuria and nephrotic syndrome and may be primary or secondary to another disease, medication, or infection.

**Synonyms:**

## Memory

The cognitive process of encoding, storing, and retrieving information, mediated by distributed neural networks involving the hippocampus, medial temporal lobe, prefrontal cortex, and limbic system.

**Synonyms:**

## Memory Cell

Long-lived lymphocytes (memory B cells and memory T cells) that survive after an immune response and mount rapid, enhanced responses to re-exposure to the same antigen (immunological memory).

**Synonyms:**

## Memory Loss

Reduced ability to recall or learn information. It may result from normal aging, medical illness, medicines, brain injury, or a neurocognitive disorder.

**Synonyms:**

## Mendelson Syndrome

A chemical pneumonitis caused by inhalation of acidic stomach contents, classically during anesthesia or childbirth. It can cause cough, breathing difficulty, and impaired oxygenation.

**Synonyms:**

## Meniere Disease

An inner ear disorder characterized by recurrent episodes of vertigo lasting 20 minutes to 12 hours, with fluctuating sensorineural hearing loss, tinnitus, and aural fullness. Due to endolymphatic hydrops. Diagnosis: clinical criteria; audiometry shows low-frequency SNHL during attacks.

**Synonyms:**

## Meninges

The three membranes enveloping the brain and spinal cord: dura mater (outermost, tough), arachnoid mater (middle, avascular), and pia mater (innermost, adherent to the CNS surface). The subarachnoid space (between arachnoid and pia) contains cerebrospinal fluid. The epidural and subdural spaces are sites of hemorrhage.

**Synonyms:**

## Myringitis

Inflammation of the tympanic membrane, usually caused by infection or irritation and sometimes associated with painful blisters on the eardrum.

**Synonyms:**

## Motor Vehicle Accident

A collision or other road-traffic event causing injury or property damage. Medical evaluation may be needed for visible or delayed injuries, including head, neck, chest, abdominal, or musculoskeletal trauma.

**Synonyms:**

## Meningioma

A usually slow-growing tumor arising from cells associated with the meninges. Most are benign, but some are atypical or malignant and can cause

---

symptoms by compressing the brain, spinal cord, or cranial nerves.

**Synonyms:**

### **Meningitis**

Meningitis is inflammation of the membranes around the brain and spinal cord, caused by infection or noninfectious inflammation and presenting with headache, fever, neck stiffness, or altered mental status. Infection but also by bacteria, fungi, parasites, medicines, or autoimmune disease. Symptoms may include fever, headache, neck stiffness, light sensitivity, or altered mental status and require urgent assessment.

**Synonyms:**

### **Meningocele**

A congenital defect in which the membranes surrounding the spinal cord or brain protrude through an opening in the skull or spine, forming a fluid-filled sac. It may occur with other neural-tube defects and can cause neurologic problems; evaluation commonly includes imaging and specialist assessment.

**Synonyms:**

### **Meningococcal Disease**

A bacterial infection caused by *Neisseria meningitidis* (serogroups A, B, C, W, Y), transmitted via respiratory droplets. Meningococcemia: sudden onset fever, petechial/purpuric rash, hypotension, and DIC. Meningococcal meningitis: fever, nuchal rigidity, headache, photophobia.

**Synonyms:**

### **Meningococcal infection**

Infection with *Neisseria meningitidis*, which may cause meningitis, bloodstream infection, or localized respiratory disease. Severe illness can progress rapidly.

**Synonyms:**

### **Meningococcal Vaccine**

Conjugate vaccine (MenACWY) and serogroup B vaccine (MenB) given at 11-12 years with booster at 16 years. Protects against *Neisseria meningitidis*,

causing meningitis and septicemia. MenACWY booster at 16 years covers the high-risk period for serogroup C and Y disease.

**Synonyms:**

### **Meningoencephalitis**

Inflammation of both the meninges surrounding the brain and the brain tissue itself, usually caused by infection or autoimmune disease. Fever, headache, neck stiffness, confusion, seizures, or reduced consciousness requires urgent medical assessment.

**Synonyms:**

### **Meniscal Injuries**

Tears or other damage to the knee menisci, which are crescent-shaped pieces of cartilage that help distribute load and stabilize the knee. Symptoms may include joint-line pain, swelling, clicking, or restricted motion. Diagnosis is based on examination and, when needed, imaging.

**Synonyms:**

### **Meniscal Tear**

Tear of the C-shaped fibrocartilage (medial or lateral meniscus) that provides shock absorption and stability in the knee. Medial meniscus tears more common (attached to capsule). Mechanism: twisting injury with weight-bearing. Presents with joint line tenderness, pain with deep squatting, catching, locking, and giving way.

**Synonyms:**

### **Menkes Disease**

An X-linked recessive disorder of copper metabolism caused by ATP7A mutations, resulting in impaired intestinal copper absorption and defective copper transport across the blood-brain barrier. Copper accumulates in intestinal and renal cells but is deficient in the liver and brain.

**Synonyms:**

### **Menkes Kinky Hair Syndrome**

An X-linked disorder of copper transport caused by ATP7A dysfunction. It produces progressive neurodegeneration, seizures, developmental delay,

---

hypopigmented or brittle kinky hair, connective-tissue abnormalities, and failure to thrive.

**Synonyms:**

### Menopausal Hormone Therapy

Menopausal hormone therapy (MHT), formerly called hormone replacement therapy (HRT), is the use of estrogen with or without progestogen to alleviate moderate-to-severe menopausal vasomotor symptoms (hot flashes, night sweats), genitourinary syndrome of menopause (vaginal dryness, dyspareunia, urinary urgency), and prevent osteoporosis.

**Synonyms:**

### Menopause

Menopause is the permanent end of menstrual periods after loss of ovarian follicular activity, accompanied by hormonal changes and possible vasomotor, genitourinary, sleep, and bone effects. woman's final period.

**Synonyms:**

### Menarche

The first menstrual period, marking the onset of menstruation. Its timing varies with genetics, nutrition, health, and pubertal development; markedly early or delayed menarche may require assessment.

**Synonyms:**

### Menopause and Perimenopause

Menopause is the permanent cessation of menstruation for 12 consecutive months, reflecting ovarian follicle depletion and estrogen decline, occurring at a median age of 51–52 years in North America.

**Synonyms:**

### Menorrhagia

Heavy or prolonged menstrual bleeding that interferes with physical, social, emotional, or material quality of life. Causes include fibroids, adenomyosis, endometrial polyps, bleeding disorders, thyroid disease, and ovulatory dysfunction; it may cause iron-deficiency anemia.

**Synonyms:**

### Menstrual Cramps

Cramping pain in the lower abdomen during or around menstruation, medically called dysmenorrhea. Pain may radiate to the back or thighs and may occur with nausea, diarrhea, headache, or fatigue. Severe, worsening, or newly developed pain requires evaluation for causes such as endometriosis or fibroids.

**Synonyms:**

### Menstrual Cycle

The recurring hormonal and uterine changes that prepare the body for possible pregnancy. Cycle length and bleeding pattern vary among individuals and across life stages.

**Synonyms:**

### Menstruation

The periodic shedding of the endometrial lining as part of the menstrual cycle when pregnancy does not occur. The timing, duration, and amount of bleeding vary with age, hormonal state, medicines, and health conditions.

**Synonyms:**

### Mental Health

Mental health encompasses emotional, psychologic, and social well-being, affecting how individuals think, feel, behave, and handle stress, relationships, and decision-making.

**Synonyms:**

### Mental Status Examination

A structured assessment of the patient's current psychological functioning performed during the clinical interview. It evaluates appearance, behaviour, speech, mood, affect, thought process, thought content, perceptions, cognition, insight, and judgment.

**Synonyms:**

### Mercury

Liquid metal combining with other metals to form amalgam. Concerns about toxicity, proper handling essential.

**Synonyms:**

---

## Mercury Poisoning

Three forms: elemental (inhalation, neurological), inorganic (renal, GI), organic (methylmercury, neurological). Minamata disease from methylmercury. Treatment: chelation (dimercaprol, DMSA), remove exposure.

**Synonyms:**

## Merkel Cell Carcinoma

An aggressive neuroendocrine skin cancer arising from Merkel cells. It presents as a rapidly growing, painless, red-violet nodule on sun-exposed skin of elderly patients. Approximately 80 percent are associated with Merkel cell polyomavirus. Risk factors include immunosuppression, UV exposure, and fair skin.

**Synonyms:**

## Meropenem-vaborbactam

A combination of the carbapenem meropenem with the cyclic boronate beta-lactamase inhibitor vaborbactam. Vaborbactam inhibits class A and class C beta-lactamases, including KPC carbapenemases, but does not inhibit class D or metallo-beta-lactamases. This combination has activity against many carbapenem-resistant Enterobacteriaceae.

**Synonyms:**

## MERRF Syndrome

Myoclonic epilepsy with ragged-red fibres, a mitochondrial disorder usually caused by a pathogenic mitochondrial DNA variant. It features myoclonus, generalized epilepsy, ataxia, and skeletal-muscle mitochondrial abnormalities, with variable multisystem involvement.

**Synonyms:**

## Mesenteric Artery Ischemia

Inadequate blood flow through the mesenteric arteries, usually caused by embolism, thrombosis, or severe low-flow states. Acute disease presents with severe abdominal pain out of proportion to examination and can progress to bowel infarction.

**Synonyms:**

## Mesenteric Ischemia

Reduced blood flow to intestines. Acute: embolism, thrombosis. Chronic: atherosclerosis. CT angiography diagnosis.

**Synonyms:**

## Mesentery

The fan-shaped double layer of peritoneum attaching the small intestine (jejunum and ileum) to the posterior abdominal wall, carrying the superior mesenteric artery, vein, lymphatics, and autonomic nerves between its layers. Root extends from duodenojejunal junction to ileocecal junction.

**Synonyms:**

## Mesh

A synthetic or biological implant used to provide structural support in pelvic organ prolapse and stress urinary incontinence surgery. Types: polypropylene (most common, mid-urethral slings for SUI, vaginal mesh for prolapse), biological (porcine, bovine, or cadaveric dermis).

**Synonyms:**

## Mesoderm

The middle germ layer in an embryo, which develops into muscles, bones, cartilage, blood vessels, and the kidneys.

**Synonyms:**

## Messenger RNA

Single-stranded RNA molecule transcribed from DNA template, carrying genetic code from nucleus to ribosomes for protein synthesis. Contains 5' cap (methylguanosine), 5' UTR, coding sequence (codons), 3' UTR, and poly-A tail. Eukaryotic mRNA undergoes processing: splicing (intron removal, exon ligation), capping, polyadenylation.

**Synonyms:**

## Meta-Analysis

A statistical method that combines quantitative results from multiple studies addressing a related question. Its validity depends on the quality and comparability of the studies.

---

**Synonyms:**

### **Metabolic Acidosis**

A primary acid-base disorder characterized by decreased serum bicarbonate ( $<22$  mEq/L) and pH  $<7.35$ . Causes are classified by anion gap (AG). High AG: diabetic ketoacidosis, lactic acidosis, renal failure, starvation, toxins (methanol, ethylene glycol, salicylates).

**Synonyms:**

### **Metabolic Alkalosis**

A primary increase in plasma bicarbonate or loss of hydrogen ions. Causes include vomiting, diuretic use, mineralocorticoid excess, and chloride depletion; respiratory compensation increases carbon dioxide but is limited by hypoxemia and acidosis.

**Synonyms:**

### **Metabolic Rate**

The rate at which the body uses energy to maintain life and perform activity.

**Synonyms:**

### **Metabolic Syndrome**

Cluster of conditions: abdominal obesity, hypertension, hyperglycemia, high triglycerides, low HDL. Increases cardiovascular disease and diabetes risk.

**Synonyms:**

### **Metabolic Tumor Volume**

Total volume of metabolically active tumor on PET. Prognostic in lymphoma.

**Synonyms:**

### **Metabolism**

Metabolism concerns metabolism, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context. anabolism (synthesis, consumes energy). Central pathways: glycolysis, TCA cycle, oxidative phosphorylation, pentose phosphate pathway. Metabolic regulation ensures energy homeostasis.

**Synonyms:**

### **Metacarpals**

Five long bones (I-V) forming the palm framework. Each has base, shaft, and head. The first is shortest and most mobile, articulating with the trapezium at a saddle joint for opposition. Second/third are firmly fixed; fourth/fifth more mobile. Bennett's fracture affects the first metacarpal base; boxer's fracture affects the fifth neck.

**Synonyms:**

### **Metacarpophalangeal Joint**

A condyloid synovial joint between a metacarpal head and the base of a proximal phalanx. It permits flexion, extension, abduction, adduction, and limited circumduction.

**Synonyms:**

### **Metagenomic Sequencing**

Sequencing of nucleic acid recovered directly from a clinical or environmental specimen to identify microbial genetic material without requiring growth in culture. It can detect unusual or polymicrobial infections but is vulnerable to contamination and requires clinical interpretation.

**Synonyms:**

### **Metal Artifact**

Image degradation from metal implants. Reduced by metal artifact reduction sequences (MRI), iterative reconstruction (CT).

**Synonyms:**

### **Metaphyseal Corner Fractures**

Bucket-handle or corner fractures at the metaphysis of long bones, characteristic of child abuse. Caused by twisting or pulling forces on extremities. Most common in the knee, ankle, and elbow. Seen on skeletal survey; may not be visible initially. Highly specific for non-accidental trauma in infants.

**Synonyms:**

### **Metaphysis**

The region of a long bone between the epiphysis (end) and diaphysis (shaft), containing the epiphyseal growth plate (physis) in children—the zone of

---

active cartilage growth (endochondral ossification).

**Synonyms:**

### **Metaplasia**

A reversible adaptive change in which one differentiated adult cell type is replaced by another, representing the body's attempt to better withstand a chronic stress or irritation. The process involves reprogramming of tissue stem cells to differentiate along a different lineage that is more resilient to the new environment.

**Synonyms:**

### **Metastasectomy**

Surgical removal of one or more metastases, which may be curative in selected oligometastatic disease, e.g., colorectal liver and lung metastases and sarcoma pulmonary metastases.

**Synonyms:**

### **Metastasis**

Metastasis is spread of malignant cells from a primary tumor to noncontiguous tissues through lymphatic, blood, or body-cavity routes, forming secondary tumors. hematogenous, direct extension, transcoelomic. Common sites: lungs, liver, bone, brain. Distant metastasis indicates Stage IV disease.

**Synonyms:**

### **Metastasis of colorectal cancer**

Spread of colorectal malignancy to distant organs via lymphatic, hematogenous, or peritoneal routes, most commonly involving the liver, lungs, and peritoneum. The liver is the first site of metastasis due to portal venous drainage, and hepatic metastases may be resectable with curative intent.

**Synonyms:**

### **Metastasis-Free Survival**

The time from treatment until the development of distant metastasis or death; an important endpoint in adjuvant therapy trials.

**Synonyms:**

### **Metastatic adenocarcinoma**

An adenocarcinoma that has spread from its primary site to distant organs, commonly the liver, lungs, bones, or brain. The prognosis and treatment depend on the primary tumor origin and the extent of metastatic disease.

**Synonyms:**

### **Metastatic Calcification**

The deposition of calcium salts in otherwise normal tissues due to systemic hypercalcemia, where elevated serum calcium levels exceed the tissue ability to maintain calcium homeostasis.

**Synonyms:**

### **Metastatic Cascade**

Sequence of events in metastasis: local invasion, intravasation, circulation, extravasation, colonization. Many cells die during process.

**Synonyms:**

### **Metastatic colon cancer**

Advanced colonic malignancy that has spread beyond the bowel to distant sites, most commonly the liver, lungs, and peritoneum, via lymphatic and hematogenous dissemination. Staging uses CT of chest, abdomen, and pelvis, and PET-CT may identify occult metastases.

**Synonyms:**

### **Metastatic inguinal lymphadenopathy**

Enlargement of inguinal lymph nodes due to metastatic cancer cells, often from primary tumors of the lower extremities, pelvis, or anorectal region. It may indicate advanced disease requiring systemic therapy.

**Synonyms:**

### **Metastatic lung cancer**

Lung cancer that has spread beyond the lungs to other organs, such as the brain, bones, liver, or adrenal glands. It represents advanced stage disease with limited treatment options.

**Synonyms:**



---

## Metatarsals

Five long bones (I-V) forming the forefoot. Each has base, shaft, and head. First is shortest/thickest, bearing approximately one-third of forefoot load. Stress fractures commonly affect the second and third (march fractures). Morton's neuroma typically affects the nerve between 3rd/4th metatarsal heads.

**Synonyms:**

## Metered-Dose Inhaler

A pressurized inhaler delivering a metered dose of medication. Requires proper technique for effective delivery. Spacer devices improve drug delivery and reduce oropharyngeal deposition. Most common delivery device for asthma and COPD maintenance.

**Synonyms:**

## Metformin in Prediabetes

Metformin may reduce progression from prediabetes to type 2 diabetes, especially in people at high risk. Its use depends on age, body size, prior gestational diabetes, kidney function, other conditions, and patient preference; lifestyle intervention remains important.

**Synonyms:**

## Methacholine Challenge Test

A bronchoprovocation test used when asthma is suspected but routine spirometry is nondiagnostic. Inhaled methacholine may cause bronchoconstriction, and spirometry is repeated after increasing doses. The result must be interpreted with symptoms, treatment, and other test findings because the test is not specific for asthma.

**Synonyms:**

## Methanol Poisoning

Toxic ingestion or exposure to methanol, whose metabolites cause high-anion-gap metabolic acidosis and visual or neurologic injury. Treatment requires urgent toxicology consultation, antidotal fomepizole or selected ethanol therapy, correction of acidosis, and hemodialysis in severe cases.

**Synonyms:**

## Methemoglobinemia

Methemoglobinemia is a medical condition involving methemoglobinemia; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. delivery and causing functional anemia. Cyanosis, chocolate-brown blood, headache, dyspnea, neurologic symptoms, and cardiovascular compromise may occur depending on level and comorbidity.

**Synonyms:**

## Methicillin-resistant Staphylococcus aureus

Staphylococcus aureus resistant to beta-lactam antibiotics through acquisition of the mecA gene encoding penicillin-binding protein 2a (PBP2a). MRSA is a major cause of healthcare-associated and community-associated infections. Treatment options include vancomycin, daptomycin, linezolid, and trimethoprim-sulfamethoxazole.

**Synonyms:**

## Methotrexate in Dermatology

An immunomodulatory antimetabolite used in selected inflammatory and autoimmune skin diseases, including psoriasis, eczema, and some connective-tissue disorders. Treatment requires attention to liver disease, blood counts, infection risk, drug interactions, and strict pregnancy precautions.

**Synonyms:**

## Methylation

Addition of methyl group to DNA (cytosine) or histones. DNA methylation at CpG islands typically silences genes. Hypomethylation associated with cancer.

**Synonyms:**

## Methylene Blue

An oxidizing-reducing agent used primarily to treat clinically significant methemoglobinemia by facilitating conversion of methemoglobin to functional hemoglobin. It may be ineffective or hazardous in glucose-6-phosphate dehydrogenase deficiency and can interact with serotonergic drugs.

---

**Synonyms:**

### **Methylmalonic Acid Level**

A blood or urine measurement used to assess functional vitamin B12 status. Elevated methylmalonic acid supports vitamin B12 deficiency, particularly when the serum vitamin B12 concentration is borderline. Renal impairment can also increase the level and should be considered during interpretation.

**Synonyms:**

### **Metoclopramide**

A dopamine (D2) receptor antagonist and 5-HT3 antagonist used as a prokinetic antiemetic for gastroparesis, chemotherapy-induced and postoperative nausea, and GERD (facilitates gastric emptying).

**Synonyms:**

### **Metronidazole**

A nitroimidazole antibiotic and antiprotozoal agent that is selectively toxic to anaerobic organisms and certain parasites. The drug is activated by reduction of its nitro group within anaerobic cells, generating toxic free radicals that damage DNA.

**Synonyms:**

### **Metronidazole-associated encephalopathy**

A rare complication of prolonged or high-dose metronidazole therapy, causing cerebellar dysfunction (ataxia, dysarthria, nystagmus) and sometimes confusion or seizures. MRI may show T2-hyperintense lesions in the cerebellar dentate nuclei, corpus callosum splenium, and brainstem. Symptoms typically resolve with drug discontinuation.

**Synonyms:**

### **Metrorrhagia**

Uterine bleeding occurring at irregular times, including between expected menstrual periods. Causes include hormonal disorders, structural lesions, pregnancy-related conditions, medicines, and disease of the cervix or uterus; evaluation depends on age, pregnancy status, symptoms, and risk factors.

**Synonyms:**

### **MIBG Scan**

Nuclear medicine imaging using I-123 or In-111 MIBG. Detects pheochromocytoma, neuroblastoma.

**Synonyms:**

### **Micafungin**

An echinocandin antifungal agent used in the treatment and prophylaxis of invasive candidiasis and esophageal candidiasis. Micafungin inhibits beta-(1,3)-D-glucan synthase, disrupting fungal cell wall synthesis and leading to osmotic instability and cell death.

**Synonyms:**

### **Michaelis-Menten Kinetics**

The mathematical model describing the rate of enzyme-catalyzed reactions as a function of substrate concentration.

**Synonyms:**

### **Microalbuminuria**

Excretion of 30 to 300 mg of albumin daily undetectable by standard dipstick. Earliest marker of diabetic nephropathy and cardiovascular risk predictor. Detected by urine albumin-to-creatinine ratio on spot specimen. Normal less than 30 mg/g creatinine. Signals early glomerular damage in diabetes warranting RAAS blockade initiation.

**Synonyms:**

### **Microangiopathic hemolysis**

Red-cell fragmentation and intravascular hemolysis caused by passage through abnormal small vessels, producing schistocytes, elevated LDH, and reduced haptoglobin.

**Synonyms:**

### **Microarray**

Technology measuring expression of thousands of genes simultaneously or detecting copy number variations. Gene expression microarrays: compare expression patterns. SNP arrays: detect genetic variations. Comparative genomic hybridization (CGH): detect deletions/duplications.

**Synonyms:**

---

## Microbiome

The collection of microorganisms (bacteria, archaea, fungi, viruses—the microbiota) and their genetic material inhabiting a host's body surfaces, particularly the gastrointestinal tract.

**Synonyms:**

## Microcephaly

Microcephaly concerns microcephaly; its medical significance is established from the defining features, setting, associated findings, and clinical question. occipitofrontal circumference below the third percentile or more than two standard deviations below the mean. Causes include genetic disorders, congenital infections, brain injury, malnutrition, and impaired brain development.

**Synonyms:**

## Micrognathia

Micrognathia concerns micrognathia; its medical significance is established from the defining features, setting, associated findings, and clinical question. decreased size of the oral cavity. May be isolated or syndromic (Pierre Robin sequence, Treacher Collins, Nager syndrome, Stickler syndrome). Presents at birth with potential airway obstruction (glossoptosis) and feeding difficulties.

**Synonyms:**

## Micrograms

A unit of mass equal to one millionth of a gram, written as  $\mu\text{g}$ .

**Synonyms:**

## Micrometastasis

A small deposit of cancer cells that has spread from the primary tumor but is not detectable clinically or on standard imaging, e.g., isolated tumor cells in a sentinel lymph node; relevant to staging and prognosis.

**Synonyms:**

## Micromolar

A concentration unit equal to one millionth of a mole per liter, written as  $\mu\text{mol}/L$ .

**Synonyms:**

## Micronutrients

Vitamins and minerals required in small amounts for enzymatic, hormonal, structural, hematologic, neurologic, and immune functions. They include fat-soluble vitamins (A, D, E, and K), water-soluble vitamins, and essential minerals.

**Synonyms:**

## Microphthalmia

A congenitally small eye, ranging from mild (reduced axial length) to severe with structural anomalies. Associated with coloboma, congenital cataract, and genetic syndromes; can cause vision loss and requires optical correction, amblyopia therapy, and sometimes socket rehabilitation.

**Synonyms:**

## MicroRNA

Small non-coding RNA regulating gene expression. Post-transcriptional regulation.

**Synonyms:**

## Microsatellite Instability

A molecular pattern caused by deficient DNA mismatch-repair function, resulting in length changes in short repetitive DNA sequences. MSI-high tumors may have increased mutation burden and can be eligible for particular immunotherapies.

**Synonyms:**

## Microscope

Magnifies small structures. Types: light, electron, fluorescent. Essential for histology, hematology, microbiology.

**Synonyms:**

## Microscopic Colitis

Umbrella term encompassing both collagenous colitis and lymphocytic colitis which share the clinical presentation of chronic watery non-bloody diarrhea and the pathophysiological feature of colonic mucosal inflammation. Endoscopic appearance is typically normal necessitating random biopsies for

---

diagnosis.

**Synonyms:**

### **Microscopic Examination**

The pathologic evaluation of tissue or cells under the light or electron microscope, complementing the gross examination to form the complete morphologic diagnosis. Routine light microscopy uses hematoxylin and eosin sections to assess architecture, cellular morphology, mitotic activity, and relation to margins.

**Synonyms:**

### **Microscopic Polyangiitis**

A necrotizing vasculitis affecting small blood vessels (capillaries, venules, arterioles) with few or no immune deposits (pauci-immune). Part of the ANCA-associated vasculitis group. Strongly associated with MPO-ANCA (p-ANCA, 80%).

**Synonyms:**

### **Microwave Ablation**

A procedure that uses microwave energy to heat and destroy selected tissue, usually under imaging guidance.

**Synonyms:**

### **Micturition**

The process of urination, coordinated by the pontine micturition center, parasympathetic (pelvic nerve, S2-S4) contraction of the detrusor muscle, and relaxation of the internal (involuntary) and external (voluntary, pudendal nerve) urethral sphincters.

**Synonyms:**

### **Mid-Systolic Click**

A sharp, high-pitched sound occurring in mid-to-late systole, associated with mitral valve prolapse. The click represents sudden tensing of the elongated chordae tendineae as the prolapsing leaflet billows into the left atrium. It may be followed by a late systolic murmur of mitral regurgitation.

**Synonyms:**

### **Mid-Upper-Arm Circumference**

The circumference of the upper arm measured at the midpoint between the acromion and olecranon processes. It is a practical anthropometric measure of muscle and fat stores, particularly useful when body weight or height cannot be measured reliably.

**Synonyms:**

### **Midaxillary Line**

An imaginary vertical line on the side of the body passing through the apex of the axilla (armpit).

**Synonyms:**

### **Midbrain**

Most superior brainstem segment connecting pons to diencephalon. Contains cerebral peduncles (corticospinal/corticobulbar tracts), substantia nigra (dopaminergic neurons degenerated in Parkinson's), red nucleus (rubrospinal tract for coordination), and periaqueductal gray (pain modulation).

**Synonyms:**

### **Midclavicular Line**

An imaginary vertical line on the front of the body passing through the midpoint of the clavicle (collarbone).

**Synonyms:**

### **Middle Ear**

An air-filled space between the eardrum and inner ear that contains the malleus, incus, and stapes. These ossicles transmit sound vibrations to the inner ear, and the auditory tube helps equalize middle-ear pressure.

**Synonyms:**

### **Middle East Respiratory Syndrome**

A severe respiratory infection caused by Middle East respiratory syndrome coronavirus, usually acquired through close contact with infected camels or people. It can cause pneumonia, respiratory failure, and renal or multiorgan complications.

**Synonyms:**

---

## Middle Lobe Syndrome

Chronic or recurrent atelectasis and infection of the right middle lobe due to bronchial obstruction. The long, narrow right middle lobe bronchus is susceptible to compression by lymph nodes, tumors, or mucous plugging. It may be caused by bronchiectasis, malignancy, or granulomatous disease. Treatment depends on the underlying cause.

**Synonyms:**

## Midtrimester

The middle third of pregnancy, from 14 to 28 weeks gestation. The midtrimester is when many women feel their best: nausea and fatigue of the first trimester resolve, and the physical discomforts of the third trimester have not yet developed.

**Synonyms:**

## Migraine

Migraine is a neurologic disorder causing recurrent attacks of moderate or severe headache with nausea, light or sound sensitivity, and sometimes aura or focal neurologic symptoms. typically unilateral, pulsating headache lasting 4-72 hours, associated with nausea, vomiting, photophobia, and phonophobia.

**Synonyms:**

## Migraine With Aura

A primary headache disorder characterized by recurrent attacks of fully reversible visual, sensory, or speech symptoms that develop gradually over at least five minutes and last no more than sixty minutes, followed by headache with the characteristics of migraine.

**Synonyms:**

## Migraine Without Aura

A primary headache disorder characterized by recurrent attacks of moderate to severe, pulsating, unilateral headache lasting four to seventy-two hours, associated with nausea, vomiting, photophobia, and phonophobia.

**Synonyms:**

## Migrating Motor Complex

Cyclical patterns of intense gastrointestinal motility occurring during fasting (interdigestive period), sweeping residual food, bacteria, and debris from the stomach through the small intestine to the colon.

**Synonyms:**

## Mild Cognitive Impairment

A transitional cognitive state between normal aging and dementia, characterized by subjective cognitive complaints confirmed by objective cognitive impairment that is not severe enough to significantly interfere with daily activities.

**Synonyms:**

## Milia

Milia concerns milia; its medical significance is established from the defining features, setting, associated findings, and clinical question. They are common in newborns (neonatal milia) and adults (primary milia). Secondary milia occur after blistering injuries, dermabrasion, or laser therapy. Milia are asymptomatic and may resolve spontaneously.

**Synonyms:**

## Miliaria crystallina

A benign, asymptomatic eruption of small, clear, superficial vesicles caused by obstruction of eccrine sweat ducts in the stratum corneum, occurring in hot, humid environments or during high fevers. The vesicles resemble dewdrops on the skin and rupture easily, leaving fine scales.

**Synonyms:**

## Miliary TB

Hematogenous dissemination of *M. tuberculosis* causing innumerable 1-3 mm granulomas throughout lungs and other organs. CXR shows "millet seed" pattern. More common in immunocompromised patients.

**Synonyms:**

## Miliary Tuberculosis

Disseminated tuberculosis caused by hematogenous spread of *Mycobacterium tuberculosis*, producing

---

numerous tiny granulomatous lesions in the lungs and potentially multiple organs. Symptoms may include prolonged fever, weight loss, night sweats, cough, and organ-specific manifestations.

**Synonyms:**

### **Milk-Alkali Syndrome**

Hypercalcemia, metabolic alkalosis, and renal dysfunction caused by excessive intake of calcium and absorbable alkali. It may occur with high-dose calcium supplements or antacid use.

**Synonyms:**

### **Milliequivalent**

A chemical-equivalent unit used to express the amount of charged substances such as electrolytes.

**Synonyms:**

### **Millimolar**

A concentration unit equal to one thousandth of a mole per liter, written as mmol/L.

**Synonyms:**

### **Milrinone**

A phosphodiesterase-3 inhibitor with positive inotropic and vasodilatory (inodilator) actions, increasing cAMP in cardiac and vascular smooth muscle.

**Synonyms:**

### **Milroy Disease**

An inherited primary lymphedema caused most often by pathogenic variants affecting VEGFR3 signaling. It typically presents with chronic swelling of the lower limbs from birth or early infancy and may be associated with papillomatosis, hydrocele, or recurrent skin infection.

**Synonyms:**

### **Mindful Eating**

Paying attention to hunger cues, eating slowly, savoring food. May reduce overeating, improve digestion.

**Synonyms:**

### **Mineralocorticoid Receptor**

An intracellular steroid receptor activated primarily by aldosterone in the kidney, colon, sweat glands, and other tissues. Its activation increases sodium reabsorption and potassium and hydrogen secretion and contributes to blood-pressure regulation and tissue remodeling.

**Synonyms:**

### **Mineralocorticoid Receptor Antagonist**

A drug that blocks aldosterone receptors, promoting natriuresis while limiting potassium loss and adverse cardiac remodeling. Spironolactone and eplerenone improve outcomes in selected heart-failure patients; hyperkalemia and renal dysfunction require monitoring.

**Synonyms:**

### **Mini-Mental State Examination**

A brief structured cognitive screening instrument assessing orientation, registration, attention, calculation, recall, language, and visuospatial ability. Scores are affected by education, language, sensory impairment, culture, and delirium and do not establish a dementia diagnosis alone.

**Synonyms:**

### **Minimal Change Disease**

A cause of nephrotic syndrome, especially in children, in which the glomeruli appear nearly normal by light microscopy but podocyte foot processes are effaced on electron microscopy. It causes marked protein loss in the urine and edema.

**Synonyms:**

### **Minimal Residual Disease**

The small number of malignant cells that remain after treatment and are below detection by conventional clinical examination or routine microscopy. Sensitive flow-cytometric, molecular, or imaging methods may detect MRD and refine relapse-risk assessment.

**Synonyms:**



---

### **Minimum Alveolar Concentration**

The alveolar concentration of an inhaled anesthetic that prevents movement in half of people exposed to a standardized painful surgical stimulus. It is used to compare the potency of volatile anesthetics.

**Synonyms:**

### **Minimum Bactericidal Concentration**

The lowest concentration of an antimicrobial that kills a defined proportion of the original bacterial inoculum, commonly demonstrated by subculture without growth. MBC is distinct from MIC and is not routinely required for every infection.

**Synonyms:**

### **Minimum Effect Concentration**

The lowest concentration of a drug in the blood or at its site of action that produces a defined measurable effect.

**Synonyms:**

### **Minimum inhibitory concentration**

The lowest concentration of an antimicrobial that prevents visible growth of a microorganism under standardized laboratory conditions. It helps characterize susceptibility, but results must be interpreted with the organism, specimen, assay, and clinical context.

**Synonyms:**

### **Minimum Lethal Concentration**

The lowest concentration of a substance associated with death in a defined test population or experimental setting.

**Synonyms:**

### **Minute Ventilation**

The total volume of air breathed in one minute (tidal volume x respiratory rate). Normal is 6–8 L/min. Elevated in increased metabolic demand, pain, anxiety, and sepsis. Reduced in neuromuscular disease and sedation.

**Synonyms:**

### **Miosis**

Constriction of the pupil, produced mainly by parasympathetic activity through the oculomotor nerve and sphincter pupillae muscle. It may be physiologic or caused by medicines, toxins, neurologic disease, or ocular conditions.

**Synonyms:**

### **MIRD Schema**

Medical Internal Radiation Dose. Method for calculating radiation absorbed doses.

**Synonyms:**

### **Mirizzi Syndrome**

Condition where a gallstone impacted in the cystic duct or Hartmann pouch extrinsic compression of the common hepatic duct causing obstructive jaundice. Classified into four types based on the degree of erosion and fistula formation. Type one is extrinsic compression without fistula.

**Synonyms:**

### **Mirror Therapy**

Mirror reflection of unaffected limb movement creates visual illusion of affected limb moving. Reduces phantom limb pain, improves stroke recovery.

**Synonyms:**

### **Miscarriage**

Miscarriage is spontaneous loss of a pregnancy before fetal viability, with symptoms ranging from bleeding and cramping to passage of tissue or no symptoms on ultrasound. percent of clinically recognized pregnancies. The majority (80 percent) occur in the first trimester, with risk decreasing significantly after visualization of fetal cardiac activity.

**Synonyms:**

### **Mismatch Repair Deficiency**

Loss of DNA mismatch-repair function that produces microsatellite instability and a high tumor mutational burden. Seen in Lynch syndrome and some sporadic colorectal, endometrial, and other cancers, and associated with responsiveness to immune checkpoint inhibitors.

---

**Synonyms:**

### **Misoprostol (Cytotec)**

A synthetic prostaglandin analogue used for selected gynecologic and obstetric indications, including cervical ripening, labor induction, and medical management of some pregnancies. It can cause uterine contractions, bleeding, gastrointestinal effects, or uterine tachysystole; use depends on the clinical setting and gestational age.

**Synonyms:** Cytotec

### **Missense Variant**

A single-nucleotide substitution that changes one amino acid in a protein. Its clinical effect ranges from benign to pathogenic and must be assessed using molecular, functional, population, and clinical evidence.

**Synonyms:**

### **Mitochondria**

Double-membrane organelles known as the "powerhouse of the cell," generating ATP through oxidative phosphorylation. Outer membrane is permeable; inner membrane is highly folded (cristae) and contains the electron transport chain and ATP synthase.

**Synonyms:**

### **Mitochondrial Diabetes**

Diabetes caused by mutations in mitochondrial DNA particularly the m.3243A>G mutation in the MT-TL1 gene. Maternally inherited. Often associated with sensorineural hearing loss termed maternally inherited diabetes and deafness. Patients are typically lean with impaired insulin secretion. Diagnosis requires genetic testing.

**Synonyms:**

### **Mitochondrial Disease**

A group of genetic disorders caused by impaired mitochondrial energy production. Symptoms vary and may affect the brain, muscles, nerves, heart, eyes, or multiple organs; onset and severity can differ widely even within one family.

**Synonyms:**

### **Mitochondrial Inheritance**

Inheritance of mitochondrial DNA, which is transmitted predominantly through the egg and therefore usually from the mother. Examples include Leber hereditary optic neuropathy and MELAS. Heteroplasmy means that mutant and normal mitochondrial DNA coexist in a cell.

**Synonyms:**

### **Mitosis**

Cell division that produces two genetically similar daughter cells with the same chromosome number as the parent cell.

**Synonyms:**

### **Mitotic Figure**

A cell undergoing nuclear division that can be identified microscopically. Mitotic count contributes to assessment of proliferative activity and tumor grade, although counting method and area must be standardized.

**Synonyms:**

### **MitraClip**

A transcatheter device that creates a double orifice in the mitral valve by clipping the anterior and posterior leaflets together, reducing mitral regurgitation. It is indicated for patients with significant (3+ or 4+) mitral regurgitation who are at high risk for surgical mitral valve repair.

**Synonyms:**

### **Mitral Regurgitation**

Incomplete closure of the mitral valve allowing blood to flow backward from the left ventricle to the left atrium during systole. Causes include mitral valve prolapse, papillary muscle dysfunction, rheumatic disease, and ischemic heart disease. Murmur: pansystolic (holosystolic) blowing murmur at the apex radiating to the axilla.

**Synonyms:**

### **Mitral Stenosis**

Narrowing of the mitral valve opening, obstructing left atrial to left ventricular blood flow. Most com-

---

monly caused by rheumatic heart disease. Symptoms include dyspnea, fatigue, and atrial fibrillation. Murmur: low-pitched, rumbling mid-diastolic murmur at the apex with opening snap.

**Synonyms:**

### **Mitral Stenosis Murmur**

Low-pitched, rumbling mid-diastolic murmur at the apex, best heard with the bell of the stethoscope in the left lateral decubitus position. Accompanied by an opening snap (early diastolic high-pitched click) and loud S1 in pliable valves. Severe MS may show a diastolic murmur without a preceding S2 gap.

**Synonyms:**

### **Mitral Valve**

Left atrioventricular (bicuspid) valve with anterior and posterior cusps supported by chordae tendineae and papillary muscles. Anterior cusp is larger and proximate to the aortic valve. Mitral valve prolapse is the most common valvular abnormality. Mitral stenosis (most commonly rheumatic) and regurgitation are significant.

**Synonyms:**

### **Mitral Valve Prolapse**

A valvular heart disease where the mitral valve leaflets prolapse into the left atrium during systole. Most patients are asymptomatic; some develop palpitations, atypical chest pain, or dyspnea. Diagnosis by echocardiography. Complications include mitral regurgitation, infective endocarditis, and arrhythmias.

**Synonyms:**

### **Mitral-valve repair**

A surgical or transcatheter procedure to restore mitral valve competence without replacement, typically for regurgitation from prolapse, chordal rupture, or ischemic dysfunction. Repair preserves native valve tissue, maintains left ventricular function, and avoids lifelong anticoagulation required by mechanical prostheses.

**Synonyms:**

### **Mixed Connective Tissue Disease**

An overlap syndrome with features of systemic lupus erythematosus, systemic sclerosis, and polymyositis/dermatomyositis. Highly associated with anti-U1 RNP antibodies. Presents with Raynaud phenomenon (nearly universal), puffy hands, arthritis, myositis, esophageal dysmotility, and serositis. Renal disease is less common than in SLE.

**Synonyms:**

### **Mixed Hearing Loss**

A combination of both conductive and sensorineural hearing loss occurring in the same ear, resulting in a hearing deficit that involves impaired sound transmission through the outer or middle ear in addition to cochlear or neural dysfunction.

**Synonyms:**

### **Mixed Urinary Incontinence**

Involuntary leakage of urine, significantly affecting psychological, social, and physical well-being. See urinary incontinence.

**Synonyms:**

### **MMR Vaccine**

A live attenuated vaccine against measles, mumps, and rubella. It is given according to the immunization schedule and is generally avoided during pregnancy and in people with certain severe immune deficiencies.

**Synonyms:**

### **Mobile genetic elements**

Genetic elements that can move within and between genomes. These include plasmids, transposons, and integrons. Mobile genetic elements can carry antibiotic resistance genes and virulence factors. They facilitate horizontal gene transfer and contribute to the rapid evolution of bacteria.

**Synonyms:**

### **Mobile Health (mHealth)**

Use of mobile devices for health. Examples: health apps, text message reminders, wearable devices.

**Synonyms:** mHealth

---

## Modafinil

A wakefulness-promoting agent (mechanism not fully understood, likely dopaminergic) used for narcolepsy, obstructive sleep apnea residual sleepiness, and shift work sleep disorder; used off-label for fatigue and ADHD. Less abuse potential and fewer sympathomimetic effects than amphetamines.

**Synonyms:**

## Modified Biophysical Profile (Modified BPP)

A simplified antepartum test combining the non-stress test (NST) with the amniotic fluid index (AFI). The NST assesses acute fetal status (heart rate reactivity over 20-40 minutes) and the AFI assesses chronic uteroplacental function (oligohydramnios suggests chronic hypoxia or placental insufficiency).

**Synonyms:** Modified BPP

## Mohs Surgery

A micrographically controlled technique in which skin cancer is excised in thin layers and examined margin-by-margin, achieving high cure rates for basal cell and squamous cell carcinoma while sparing normal tissue.

**Synonyms:**

## Molar Pregnancy

A type of gestational trophoblastic disease characterized by abnormal proliferation of trophoblastic tissue. See Hydatidiform Mole.

**Synonyms:**

## Mole

Nevus: a benign proliferation of melanocytes, the most common skin lesion; also used for other nevi (moles are melanocytic nevi). Types: junctional (flat, brown—childhood), compound (slightly raised), intradermal (dome-shaped, flesh/pigmented).

**Synonyms:**

## Molecular Pathology

The investigation of disease using nucleic-acid, ge-

nomic, epigenomic, or molecular protein alterations in cells and tissues. It may establish diagnosis, estimate prognosis, identify inherited risk, or select targeted therapy.

**Synonyms:**

## Molecular Testing

Analysis of DNA, RNA, or other molecular features to identify variants, fusions, expression patterns, or infectious agents for diagnosis, prognosis, or treatment selection.

**Synonyms:**

## Molecular Weight

Mass of molecule. Important for dosing, toxicity calculations.

**Synonyms:**

## Molluscum Contagiosum

A viral skin infection caused by a poxvirus, presenting as firm, dome-shaped, umbilicated papules with central dimpling, 2 to 5 mm in diameter. It is transmitted by direct skin contact, autoinoculation, and sexual contact in adults. Immunocompetent hosts clear lesions spontaneously within 6 to 12 months.

**Synonyms:**

## Molybdenum-99

Parent isotope of Tc-99m, half-life 66 hours. Produced in nuclear reactors. Generator systems provide Tc-99m for 1 week.

**Synonyms:**

## Mondor's disease

Superficial thrombophlebitis of the anterior chest wall veins, typically the lateral thoracic, thoracoepigastric, or superior epigastric veins. Presents as a tender, cord-like subcutaneous structure with skin retraction. Usually self-limited; associated with breast surgery, trauma, or hypercoagulable states.

**Synonyms:**

## Monitored Anesthesia Care

A distinct service where an anesthesia professional provides premedication, administration of analgesics

---

and/or sedatives, continuous monitoring of the patient's cardiorespiratory status, and intervention for any emergent or unavoidable complications that may arise during a diagnostic or therapeutic procedure.

**Synonyms:**

### Monitoring Test

Test to track disease progression or treatment response.

**Synonyms:**

### Monoamine Oxidase Inhibitors

Antidepressants that inhibit monoamine oxidase, the enzyme responsible for breaking down serotonin, norepinephrine, and dopamine. MAOIs include phenelzine, tranylcypromine, isocarboxazid, and selegiline (transdermal). They are effective for atypical depression and treatment-resistant depression.

**Synonyms:**

### Monoclonal Antibody

An antibody produced by a single cloned B-cell line, specific for one epitope, generated by hybridoma technology or recombinant methods (name suffix -mab).

**Synonyms:**

### Monocyte

A circulating leukocyte (2-8 percent) that differentiates into macrophages and dendritic cells in tissues. Monocytes phagocytose pathogens, present antigens, and secrete cytokines (TNF, IL-1, IL-6); participate in innate immunity, inflammation, and tissue repair. Subsets differ in function (classical, nonclassical, intermediate).

**Synonyms:**

### Mononucleosis

Mononucleosis is a medical condition involving mononucleosis; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. adolescents and young adults. Classic triad: fever, pharyngitis/exudative tonsil-

litis, and cervical lymphadenopathy. Associated with splenomegaly, fatigue, and atypical lymphocytosis. Diagnosis: positive heterophile antibody (Monospot) and EBV serology.

**Synonyms:**

### Monosodium urate

The crystalline salt that precipitates in tissues when serum uric acid levels exceed the saturation point, forming needle-shaped, negatively birefringent crystals under polarized light microscopy. It is the pathological hallmark of gout, depositing in joints, soft tissues, and kidneys.

**Synonyms:**

### Monosomy

Presence of one copy of a chromosome instead of the usual two. Complete autosomal monosomies are generally not compatible with life; monosomy X and some mosaic or structural forms can survive and have variable features.

**Synonyms:**

### Monospot (EBV Heterophile Antibody)

A rapid blood test that detects heterophile antibodies associated with infectious mononucleosis. It may be negative early in illness or in young children and does not directly detect Epstein-Barr virus; specific antibody testing may be needed.

**Synonyms:** EBV Heterophile Antibody

### Monounsaturated Fat

A fat whose fatty acids contain one carbon-carbon double bond. It occurs in foods such as olive oil, avocados, nuts, and some seeds.

**Synonyms:**

### Montevideo Units

A quantitative measure of uterine contraction intensity, calculated by summing the peak contraction pressures (in mm Hg) minus the resting tone for each contraction in a 10-minute window. Adequate labor:  $\geq 200$  MVU (spontaneous) or  $\geq 250$  MVU (augmented). Measured with an intrauterine pressure catheter (IUPC).

---

**Synonyms:**

### Montgomery Tubercles

Small, raised sebaceous glands visible on the areola of the breast during pregnancy and lactation. They appear as small bumps surrounding the nipple and secrete an oily substance that lubricates the nipple and areola, protecting against infection. Their prominence increases during pregnancy under hormonal influence.

**Synonyms:**

### Montreal Cognitive Assessment

A brief cognitive screening instrument with greater emphasis on executive function, visuospatial ability, attention, memory, language, and orientation than many shorter screens. Interpretation requires consideration of education, language, sensory deficits, and acute illness.

**Synonyms:**

### Mood Stabilizers

Medications used to treat mood episodes in bipolar disorder and prevent recurrence. The primary mood stabilizers are lithium, valproate, carbamazepine, and lamotrigine. Each has a different mechanism and side effect profile. Lithium is the only agent with demonstrated anti-suicide properties.

**Synonyms:**

### Morbid Obesity

Severe obesity defined clinically as BMI  $\geq 40$  kg/m<sup>2</sup> or BMI  $\geq 35$  kg/m<sup>2</sup> with obesity-related comorbidities (type 2 diabetes, hypertension, obstructive sleep apnoea, non-alcoholic fatty liver disease, osteoarthritis, cardiovascular disease).

**Synonyms:**

### Morbidity

Illness, disease, or disability in an individual or population. Morbidity measures may describe prevalence, incidence, complications, or functional effects.

**Synonyms:**

### Morgagni Hernia

A congenital diaphragmatic hernia occurring through the anterior retrosternal foramen of Morgagni, resulting from incomplete fusion of parts of the diaphragm. Abdominal contents may move into the chest and cause respiratory or gastrointestinal symptoms.

**Synonyms:**

### Morning Sickness

Nausea and vomiting of pregnancy (NVP): nausea (and sometimes vomiting) commonly in the first trimester (6-12 weeks), typically resolving by 14-16 weeks; multifactorial (hCG, estrogen, progesterone, odor sensitivity).

**Synonyms:**

### Moro Reflex

A primitive reflex present from birth to 3-6 months, elicited by suddenly startling the infant (loud noise, head drop). The infant extends both arms outward with fingers spread, then draws arms inward as if embracing. Absence at birth suggests central nervous system injury or brachial plexus palsy.

**Synonyms:**

### Mortality

Death rate in population. Elderly mortality: higher rates, common causes: cardiovascular disease, cancer, dementia, respiratory disease, fall-related injuries. Life expectancy varies by sex, race, socioeconomic status.

**Synonyms:**

### Mortality Rate

Deaths from disease in population. Crude: total deaths / total population. Specific: disease-specific deaths / population at risk.

**Synonyms:**

### Morton Neuroma

A perineural fibrosis of the plantar digital nerve, most commonly between the third and fourth metatarsal heads. It presents as burning pain, numbness, and a feeling of walking on a pebble. It is not



---

a true neuroma but a mechanical entrapment neuropathy.

**Synonyms:**

### **Mosaicism**

Mosaicism concerns mosaicism; its medical significance is established from the defining features, setting, associated findings, and clinical question. somatic (affecting body cells) or germline (affecting gametes). Origin: post-zygotic mutation.

**Synonyms:**

### **Motion Analysis**

Assessment of movement patterns. 3D gait analysis, video analysis. Identifies abnormalities, guides treatment.

**Synonyms:**

### **Motion Artifact**

Image distortion or blurring caused by movement of the patient, organs, or equipment during image acquisition.

**Synonyms:**

### **Motion Correction**

Correction for patient motion during acquisition. Respiratory gating, navigation.

**Synonyms:**

### **Motion Sickness**

Nausea, dizziness, sweating, or vomiting caused by sensory mismatch during travel or other motion. It can occur in cars, boats, aircraft, amusement rides, or virtual-reality environments and usually improves when motion stops. Severe or persistent symptoms require assessment for other causes.

**Synonyms:**

### **Motivational Interviewing**

A client-centered, directive counseling method for enhancing intrinsic motivation to change by exploring and resolving ambivalence. Developed by Miller and Rollnick, it uses the spirit of partnership, acceptance, compassion, and evocation. Core skills include open-ended questions, affirmations, reflec-

tions, and summaries.

**Synonyms:**

### **Motor Cortex**

The frontal-lobe regions that plan and initiate voluntary movement. The primary motor cortex lies in the precentral gyrus and controls the opposite side of the body in an orderly somatotopic map.

**Synonyms:**

### **Motor Learning**

A relatively lasting change in the ability to perform a motor skill resulting from practice, experience, feedback, and adaptation. Rehabilitation uses task-specific repetition and meaningful practice to promote motor learning.

**Synonyms:**

### **Motor Unit**

A single alpha motor neuron and all the skeletal muscle fibers it innervates. The number of muscle fibers per motor unit determines precision of control: small motor units (few fibers, e.g., extraocular and hand muscles) provide fine movement; large motor units (hundreds to thousands of fibers, e.g., gastrocnemius) provide gross power.

**Synonyms:**

### **Mouth**

The oral cavity that serves as the entry point of the digestive tract, used for eating, breathing, and speaking.

**Synonyms:**

### **Mouth Ulcers**

Open sores affecting the oral mucosa, commonly caused by aphthous ulcers, trauma, infection, irritation, or systemic inflammatory disease. Most resolve within two weeks; persistent, recurrent, unusually large, or indurated ulcers require evaluation.

**Synonyms:**

### **Mouthwash**

A liquid rinsed around the mouth and then expelled to freshen breath, deliver an active ingredient, or

---

reduce selected oral microorganisms.

**Synonyms:**

### **Movement Disorder**

A neurologic condition causing excessive, reduced, or otherwise abnormal movement. Hyperkinetic disorders include tremor, dystonia, chorea, myoclonus, tics, and dyskinesia; hypokinetic disorders include bradykinesia and parkinsonism.

**Synonyms:**

### **Moyamoya Disease**

A progressive occlusive arteriopathy of the terminal internal carotid arteries and their proximal branches, with development of fragile collateral vessels at the brain base. It can cause transient ischemic attacks, strokes, seizures, headaches, or cognitive impairment.

**Synonyms:**

### **Mpox**

Mpox is a zoonotic infection caused by monkeypox virus, producing fever, lymph-node enlargement, and a characteristic rash or lesions that can occur on skin, mouth, or genital areas. nodes, and a distinctive rash that may include deep-seated vesicles or pustules.

**Synonyms:**

### **Mpox (monkeypox)**

A zoonotic viral disease caused by the monkeypox virus, an orthopoxvirus in the same genus as smallpox (variola) and vaccinia. The virus has two clades: clade I (formerly Congo Basin, Central African) with higher virulence and mortality (up to 10 percent), and clade II (formerly West African) with lower mortality (less than 1 percent).

**Synonyms:** monkeypox

### **MR Angiography**

Vascular imaging using MRI without ionizing radiation. Time-of-flight (TOF) or contrast-enhanced (CE-MRA). Used for cerebral aneurysms, renal artery stenosis, peripheral arterial disease.

**Synonyms:**

### **MR Enterography**

MRI of the small bowel after oral contrast administration. Superior soft tissue contrast for evaluating Crohn disease activity, fistulas, and abscesses without ionizing radiation. Demonstrates mural thickening, edema, enhancement patterns, and extraintestinal complications. Diffusion-weighted imaging helps assess disease activity.

**Synonyms:**

### **MR Neurography**

Magnetic resonance imaging optimized to show peripheral nerves and abnormalities such as swelling, compression, or injury.

**Synonyms:**

### **MRCP (Magnetic Resonance Cholangiopancreatography)**

Non-invasive MRI of the biliary and pancreatic ducts using heavily T2-weighted sequences that highlight static fluid. Used for: choledocholithiasis (CBD stones), biliary strictures, primary sclerosing cholangitis, pancreatic duct anatomy, and congenital biliary anomalies.

**Synonyms:** Magnetic Resonance Cholangiopancreatography

### **MRI**

MRI examines mri; interpretation depends on the specimen or body region, test method, reference range, and clinical question. images of body tissues.

**Synonyms:**

### **MRI (Magnetic Resonance Imaging)**

Imaging using strong magnetic fields and radiofrequency pulses to generate detailed cross-sectional images. No ionizing radiation. Superior soft-tissue contrast compared to CT.

**Synonyms:** Magnetic Resonance Imaging

### **MRI Brain**

Excellent for brain pathology: tumors, stroke, demyelination, infection, degeneration. Sequences: T1, T2, FLAIR, DWI, SWI, contrast-enhanced. DWI detects acute ischemia within minutes.

---

**Synonyms:**

### **MRI Contrast**

A contrast agent administered during magnetic resonance imaging to improve visibility of selected tissues or abnormalities.

**Synonyms:**

### **MRI Joint**

Evaluation of musculoskeletal structures: cartilage, ligaments, tendons, menisci, labrum. Knee: ACL, meniscus tears. Shoulder: rotator cuff, labrum. Hip: labral tears, FAI.

**Synonyms:**

### **MRI Sequences**

T1-weighted: anatomy, fat bright. T2-weighted: pathology, fluid bright. FLAIR: suppresses CSF, lesions bright. DWI: restricted diffusion bright (acute stroke, abscess). STIR: fat suppression, fluid bright. Post-contrast T1: enhancement bright.

**Synonyms:**

### **mRNA Vaccine**

A vaccine delivering messenger RNA encoding a pathogen antigen that host cells translate into protein, triggering an immune response. Approved for COVID-19 (Pfizer-BioNTech, Moderna) and RSV; under study for influenza, cancer, and other infections.

**Synonyms:**

### **MRSA**

Methicillin-resistant *Staphylococcus aureus*, resistant to beta-lactam antibiotics through acquisition of the *mecA* gene encoding PBP2a. MRSA is a major cause of healthcare-associated and community-associated infections. Treatment options include vancomycin, daptomycin, and linezolid.

**Synonyms:**

### **MRSA decolonization**

Measures intended to reduce MRSA carriage on the skin or in the nose. Protocols may include topical agents and antiseptic bathing, but the indication,

regimen, and duration depend on the person's risk, infection history, setting, and local guidance.

**Synonyms:**

### **MRV (Magnetic Resonance Venography)**

MRI technique to visualize veins, using time-of-flight (TOF) or contrast-enhanced sequences. Indications: cerebral venous sinus thrombosis, dural sinus stenosis, abdominal/pelvic venous thrombosis, portal vein thrombosis, and renal vein thrombosis. Differentiates acute vs. chronic thrombus.

**Synonyms:** Magnetic Resonance Venography

### **mTOR**

Mammalian target of rapamycin. Controls cell growth, proliferation. Inhibited by rapamycin.

**Synonyms:**

### **Mucocele**

Mucus extravasation cyst of minor salivary gland. Lower lip most common. Treatment: excision.

**Synonyms:**

### **Mucolytic Therapy**

Medications that reduce mucus viscosity and elasticity, facilitating clearance. N-acetylcysteine (NAC) breaks disulfide bonds in mucus glycoproteins. Dornase alfa (Pulmozyme) cleaves extracellular DNA in CF sputum. Hypertonic saline aerosol draws water into the airway surface liquid.

**Synonyms:**

### **Mucormycosis**

Mucormycosis is an invasive infection by Mucorales fungi, typically affecting immunocompromised people and causing rapidly destructive sinus, orbital, pulmonary, cutaneous, or disseminated disease. *Mucor*, and *Rhizomucor* species. The infection primarily affects immunocompromised patients, particularly those with uncontrolled diabetes mellitus and hematologic malignancies. The fungi invade blood vessels causing thrombosis and tissue infarction.

**Synonyms:**

---

### **Mucosal Irritation**

Chemical injury to mucous membranes. Eyes, nose, throat, GI tract. Treatment: irrigation, supportive care.

**Synonyms:**

### **Mucositis**

Inflammation and ulceration of the oral or gastrointestinal mucosa caused by chemotherapy or radiation, causing pain, dysphagia, and poor intake and predisposing to local infection.

**Synonyms:**

### **Mucus Plugging**

Accumulation of thick, tenacious mucus within airways causing obstruction. It is common in asthma, CF, bronchiectasis, and chronic bronchitis. It impairs gas exchange, promotes infection, and causes atelectasis. Treatment includes airway clearance techniques, mucolytics, and bronchodilators.

**Synonyms:**

### **Muenke Syndrome**

A craniosynostosis syndrome caused by a pathogenic FGFR3 variant. Premature fusion of one or more skull sutures may produce an abnormal head shape and can be accompanied by developmental, hearing, limb, or neurological findings.

**Synonyms:**

### **MUGA Scan (Multigated Acquisition Scan)**

ECG-gated radionuclide imaging using technetium-labeled red blood cells to measure ventricular ejection fraction and wall motion. It can be used when reproducible ejection-fraction measurement is needed, although echocardiography and cardiac MRI are also important alternatives.

**Synonyms:** Multigated Acquisition Scan

### **Multicystic Dysplastic Kidney**

A congenital renal anomaly where one or both kidneys are replaced by multiple non-communicating cysts of varying sizes, with no functioning renal parenchyma. The most common cause of an ab-

dominal mass in a newborn (unilateral). The ureter is typically atretic. The contralateral kidney may have VUR (20%) or UPJ obstruction (10%).

**Synonyms:**

### **Multidisciplinary Disaster Victim Identification**

The coordinated process of identifying victims of mass-fatality incidents (natural disasters, transport crashes, terrorist attacks) using multiple disciplines: fingerprinting, dental records, DNA profiling, forensic anthropology/radiology, and personal effects, with ante-mortem data collection and comparison.

**Synonyms:**

### **Multidisciplinary Team**

Rehabilitation team includes: physiatrist, physical therapist, occupational therapist, speech-language pathologist, psychologist, social worker, case manager, nursing, recreation therapist.

**Synonyms:**

### **Multidrug-Resistant TB**

TB resistant to at least isoniazid and rifampin. Requires second-line drugs for 18–24 months. Worse outcomes and higher mortality than drug-susceptible TB.

**Synonyms:**

### **Multifocal Atrial Tachycardia**

An atrial tachyarrhythmia with at least three distinct P-wave morphologies, irregular rhythm, and a rate above 100 beats per minute. It is strongly associated with severe pulmonary disease, hypoxia, and metabolic stress.

**Synonyms:**

### **Multimodal Analgesia**

Use of analgesic techniques with different mechanisms to improve pain control while reducing reliance on any single drug, especially opioids. Components may include acetaminophen, nonsteroidal anti-inflammatory drugs, regional anesthesia, local anesthetics, and selected adjuvants.

**Synonyms:**

---

## Multimorbidity

The coexistence of two or more chronic health conditions in the same person, without requiring one to be considered the primary disease. It complicates treatment, increases polypharmacy risk, and requires coordinated patient-centered care.

**Synonyms:**

## Multiparametric MRI of the Prostate

MRI protocol combining T2-weighted, diffusion-weighted, and dynamic contrast-enhanced sequences to detect and characterize clinically significant prostate cancer. Findings are commonly reported using the PI-RADS system.

**Synonyms:**

## Multiple bacterial abscesses

Numerous circumscribed collections of pus within an organ or tissue, caused by hematogenous seeding or direct extension of bacterial infection. They appear as multiple, low-attenuation lesions on imaging, often with peripheral enhancement. Common sites include the liver, brain, and kidneys.

**Synonyms:**

## Multiple biliary hamartomas

Benign, congenital malformations of the intrahepatic bile ducts appearing as multiple, small, well-defined cystic lesions scattered throughout the liver parenchyma on imaging. They are typically asymptomatic and discovered incidentally. They must be distinguished from metastatic disease and Caroli disease.

**Synonyms:**

## Multiple Endocrine Neoplasia Type 1

An autosomal dominant tumor syndrome caused by MEN1 gene mutation (menin).

**Synonyms:**

## Multiple Endocrine Neoplasia Type 2

An inherited tumor syndrome caused by pathogenic variants in the RET gene. Type 2A is associated with medullary thyroid carcinoma, pheochromocytoma, and hyperparathyroidism. Type 2B is associ-

ated with medullary thyroid carcinoma, pheochromocytoma, mucosal neuromas, and a marfanoid habitus.

**Synonyms:**

## Multiple endocrine neoplasia type 2B

An inherited RET-associated syndrome characterized by medullary thyroid carcinoma, pheochromocytoma, mucosal neuromas, and a marfanoid habitus. The thyroid-cancer risk is high and requires early specialist genetic and surgical assessment.

**Synonyms:**

## Multiple Myeloma

A cancer of plasma cells that usually develops in the bone marrow and often produces a monoclonal immunoglobulin. It can cause bone lesions, anemia, kidney dysfunction, high calcium, infection, or other organ damage.

**Synonyms:**

## Multiple Pregnancy

Gestation with more than one fetus: twins (most common), triplets, higher order. Types: dizygotic (two eggs, two placentas—fraternal, more common, familial and increased with IVF) vs. monozygotic (one egg split—identical, sharing determined by timing: dichorionic-diamniotic, monochorionic-diamniotic, monoamniotic, conjoined).

**Synonyms:**

## Multiple Sclerosis

A chronic autoimmune demyelinating disease of the central nervous system, most commonly presenting in young adults. Characterized by relapsing-remitting episodes of neurological dysfunction (optic neuritis, transverse myelitis, brainstem syndromes). Diagnosis: McDonald criteria with MRI dissemination in space and time.

**Synonyms:**

## Multiple System Atrophy

A progressive, fatal neurodegenerative disorder characterized by varying combinations of autonomic failure, cerebellar ataxia, parkinsonism, and pyramidal

---

signs.

**Synonyms:**

### **Multiplex PCR (BioFire, FilmArray)**

A molecular test that detects genetic material from multiple organisms in one clinical sample. Different panels are designed for respiratory, gastrointestinal, bloodstream, or other specimens. Results require interpretation with the symptoms and may detect colonization or nonviable organisms as well as active infection.

**Synonyms:** BioFire, FilmArray

### **Mummification**

Postmortem alteration occurring in hot, dry, arid, ventilated environments where rapid desiccation of tissues occurs before putrefaction can proceed, resulting in dry, leathery, dark brown skin clinging to underlying skeleton.

**Synonyms:**

### **Mumps**

Mumps is a contagious paramyxovirus infection causing painful salivary-gland swelling and fever, with possible meningitis, orchitis, pancreatitis, or hearing complications. include orchitis (rarely causing infertility), meningitis, pancreatitis, and sensorineural hearing loss. Prevention by MMR vaccination. Outbreaks occur in unvaccinated populations. Diagnosis by serology or RT-PCR from saliva.

**Synonyms:**

### **Mumps virus**

A paramyxovirus that causes mumps, a contagious respiratory illness. The virus is transmitted by respiratory droplets. Symptoms include fever, headache, and parotitis. Complications include orchitis, oophoritis, meningitis, and deafness. Diagnosis involves serology and PCR. Treatment is supportive.

**Synonyms:**

### **Mural Thrombus**

A mural thrombus is a blood clot that forms on

the wall of a heart chamber or large blood vessel, typically in areas of damaged endothelium, stasis, or turbulent flow.

**Synonyms:**

### **Murmur**

An extra or unusual heart sound caused by turbulent blood flow. Murmurs are described by timing, location, intensity, quality, radiation, and response to position; their significance ranges from innocent flow sounds to valve or structural disease.

**Synonyms:**

### **Murmur Classification**

Heart murmurs are classified by timing, grade, shape, location, radiation, and pitch. Timing: systolic (between S1 and S2), diastolic (between S2 and S1), or continuous. Grade: I (barely audible) to VI (heard without stethoscope). Shape: crescendo, decrescendo, or plateau.

**Synonyms:**

### **Muscle**

A specialized contractile tissue responsible for movement, posture, and heat production.

**Synonyms:**

### **Muscle Atrophy**

Loss or wasting of muscle tissue caused by disuse, nerve injury, inflammation, malnutrition, or systemic disease. It may lead to weakness and reduced function; treatment focuses on the cause, nutrition, and appropriately supervised rehabilitation.

**Synonyms:**

### **Muscle Contraction**

The shortening or tension generation of muscle produced by the interaction of actin and myosin myofilaments. In skeletal and cardiac muscle, contraction follows excitation-contraction coupling: calcium binds troponin, tropomyosin moves aside, and myosin cross-bridges cycle against actin (sliding filament mechanism) using ATP.

**Synonyms:**



---

### **Muscle Pain (Myalgia)**

Myalgia—muscle pain—is a common symptom arising from skeletal muscle injury, inflammation, overuse, infection, or systemic disease.

**Synonyms:** Myalgia

### **Muscle Tissue**

A highly specialized tissue capable of contracting to produce body movement, posture, and heat.

**Synonyms:**

### **Muscle Weakness**

Reduced ability to generate force with one or more muscles. Causes include nerve or muscle disease, pain, inactivity, medicines, metabolic disorders, and aging.

**Synonyms:**

### **Muscular Dystrophy**

A group of inherited disorders characterized by progressive skeletal-muscle weakness and degeneration. The pattern, age of onset, and complications vary by genetic type; some forms also affect the heart, respiratory muscles, or other organs.

**Synonyms:**

### **Musculocutaneous Nerve**

From lateral cord (C5–C7), piercing coracobrachialis, running between biceps and brachialis to supply these muscles and lateral forearm skin (lateral antebrachial cutaneous nerve). Sole motor supply to the anterior arm compartment. Injury causes weakness of elbow flexion/forearm supination with lateral forearm sensation loss.

**Synonyms:**

### **Musculoskeletal Pain**

Pain arising from muscles, bones, joints, ligaments, tendons, or related soft tissues. Common causes include injury, overuse, arthritis, and inflammation; persistent pain, weakness, swelling, or neurologic symptoms should be assessed.

**Synonyms:**

### **Music Therapy**

Use of music for therapeutic purposes. Pain reduction, emotional expression, cognitive stimulation.

**Synonyms:**

### **Mutagen**

A chemical, physical agent, or biological factor capable of causing a genetic mutation. Mutagenicity does not by itself prove that an agent causes cancer.

**Synonyms:**

### **Mutation**

A heritable or acquired alteration in the DNA sequence. Variants may be single-nucleotide substitutions, insertions, deletions, copy-number changes, or larger rearrangements and may be benign, pathogenic, or of uncertain significance.

**Synonyms:**

### **Mutation Rate**

Frequency of new mutations per generation or per base pair per replication. Varies by gene, genomic region, organism. High mutation rate in repetitive sequences.

**Synonyms:**

### **Myalgic Encephalomyelitis**

A complex illness characterized by substantial reduction in activity, post-exertional malaise, and unrefreshing sleep, often with cognitive or autonomic symptoms.

**Synonyms:**

### **Myalgic Encephalomyelitis/Chronic Fatigue Syndrome**

A complex illness characterized by substantial reduction in activity, post-exertional malaise, unrefreshing sleep, and cognitive or autonomic symptoms. Management is individualized and focuses on pacing, symptom relief, and treatment of coexisting conditions.

**Synonyms:**

### **Myasthenia Gravis**

An autoimmune disorder of neuromuscular transmis-

---

sion causing fluctuating, fatigable muscle weakness. It may affect the eyes, facial and swallowing muscles, limbs, or breathing muscles; antibodies and other tests help classify the disease.

**Synonyms:**

### **Myasthenic (Lambert-Eaton) syndrome**

An autoimmune presynaptic neuromuscular-junction disorder caused by antibodies against voltage-gated calcium channels, producing proximal weakness and autonomic symptoms.

**Synonyms:** Lambert-Eaton

### **Mycobacterium abscessus**

A rapidly growing nontuberculous mycobacterium that can cause pulmonary, skin, and soft-tissue infections and is often difficult to treat because of multidrug resistance.

**Synonyms:**

### **Mycobacterium avium complex**

A group of nontuberculous mycobacteria that can cause chronic pulmonary disease or disseminated infection, particularly in people with impaired immunity. Treatment depends on the species, site, severity, susceptibility, and patient factors.

**Synonyms:**

### **Mycobacterium leprae**

An acid-fast bacillus that causes leprosy (Hansen's disease), a chronic infection affecting the skin and peripheral nerves. The organism is transmitted through respiratory droplets, though the exact mechanism is not fully understood. The incubation period is long (2-5 years).

**Synonyms:**

### **Mycobacterium marinum**

A nontuberculous mycobacterium associated with fish tanks and aquatic exposure that can cause chronic skin and soft-tissue infection.

**Synonyms:**

### **Mycobacterium tuberculosis**

An acid-fast bacillus that causes tuberculosis, a

chronic respiratory infection. The organism is transmitted by respiratory droplets and primarily affects the lungs but can disseminate to other organs. Latent TB infection is asymptomatic and non-transmissible. Active TB presents with cough, haemoptysis, fever, and weight loss.

**Synonyms:**

### **Mycology**

The branch of microbiology that studies fungi, including yeasts, moulds, and mushrooms. Medical mycology focuses on fungal pathogens that cause disease in humans. Fungal infections (mycoses) are classified as superficial, cutaneous, subcutaneous, or systemic.

**Synonyms:**

### **Mycoplasma genitalium**

A sexually transmitted bacterium that can cause urethritis, cervicitis, pelvic inflammatory disease, and, less commonly, proctitis. Many infections are asymptomatic. Diagnosis is usually by a nucleic acid amplification test, and macrolide resistance is common, so treatment should follow current susceptibility-informed guidance.

**Synonyms:**

### **Mycoplasma Pneumonia**

Atypical pneumonia most common in ages 5–35. Dry cough, low-grade fever, headache. Patchy infiltrates on CXR disproportionate to symptoms (“walking pneumonia”).

**Synonyms:**

### **Mycoplasma pneumoniae-associated mucositis**

Inflammatory lesions of the oral, ocular, or genital mucosa occurring as an extrapulmonary manifestation of *Mycoplasma pneumoniae* infection, often presenting with target-like skin lesions.

**Synonyms:**

### **Mycosis Fungoides**

The most common cutaneous T-cell lymphoma, presenting with progressive patches, plaques, and tu-

---

mors on the skin with an indolent course. Staging and therapy depend on skin involvement and extra-cutaneous spread.

**Synonyms:**

### Mydriasis

Dilation of the pupil, produced mainly by sympathetic activity through the dilator pupillae muscle or by reduced parasympathetic activity. Causes include darkness, medicines, toxins, neurologic disease, and ocular injury.

**Synonyms:**

### Myelin

Myelin is a medical condition involving myelin; causes, affected organs, severity, complications, and treatment are determined by clinical assessment. and speeding up electrical signal transmission.

**Synonyms:**

### Myelin Sheath

The lipid-rich insulating layer around axons formed by Schwann cells (peripheral nervous system) and oligodendrocytes (central nervous system), which wrap the axon in concentric membrane layers.

**Synonyms:**

### Myelodysplastic Syndrome

MDS: a group of clonal stem cell disorders characterized by ineffective hematopoiesis, cytopenias, and risk of transformation to acute myeloid leukemia (AML). Features: anemia (most common), neutropenia, thrombocytopenia; dysplasia (abnormal morphology) in marrow and blood; cytogenetic abnormalities (del5q, trisomy 8, del7q).

**Synonyms:**

### Myelofibrosis

Myelofibrosis is a myeloproliferative neoplasm in which abnormal marrow signaling causes fibrosis, disordered blood production, anemia, enlarged spleen, and variable constitutional symptoms. hematopoiesis, and JAK2, CALR, or MPL mutations. Presents with anemia, massive splenomegaly, constitutional symptoms (fever, night sweats, weight

loss), and leukoerythroblastic blood smear.

**Synonyms:**

### Myelography

Contrast injected into subarachnoid space for spinal imaging. Used when MRI contraindicated. CT myelography more common now.

**Synonyms:**

### Myeloma

Multiple myeloma: plasma cell malignancy. Features: bone pain, anemia, renal failure, hypercalcemia.

**Synonyms:**

### Myeloma Cast Nephropathy

Light chain cast formation in tubules causing AKI in multiple myeloma. Friable waxy casts with giant cells. Bence Jones proteinuria. Treat myeloma and consider plasmapheresis to reduce light chain burden.

**Synonyms:**

### Myelomeningocele

Myelomeningocele is an open neural-tube defect in which spinal cord and meninges protrude through a vertebral opening, causing variable paralysis, sensory loss, bladder dysfunction, and hydrocephalus. through a vertebral defect into a sac on the back. Presents with a visible, fluid-filled sac at birth. Associated with hydrocephalus, Arnold-Chiari malformation, and lower extremity paralysis.

**Synonyms:**

### Myelopathy

A general term for any neurological deficit resulting from spinal cord pathology, encompassing a wide range of causes and clinical presentations.

**Synonyms:**

### Myelosuppression

Reduced bone marrow production of red cells, white cells, and platelets, causing anemia, neutropenia, and thrombocytopenia; a common dose-limiting toxicity of chemotherapy and radiation that increases

---

infection and bleeding risk.

**Synonyms:**

### **Myiasis**

Infestation of living tissue by larvae (maggots) of various fly species, which feed on host tissue and can cause pain, secondary infection, and tissue destruction. It may be cutaneous, involving the skin and subcutaneous tissue, or affect other body sites including the nose, ears, and wounds.

**Synonyms:**

### **Myocardial Infarction**

Irreversible death of heart-muscle tissue caused by prolonged inadequate blood flow. See Heart Attack.

**Synonyms:**

### **Myocardial Perfusion Imaging**

Nuclear cardiology technique using radiotracers (Tc-99m sestamibi, Tl-201) to assess blood flow to the myocardium. Performed at rest and during stress (exercise or pharmacological) to detect reversible ischemia (stress defect with rest redistribution) or fixed defects (scar from prior MI).

**Synonyms:**

### **Myocardial Viability**

PET assessment of hibernating myocardium. FDG uptake indicates viable myocardium.

**Synonyms:**

### **Myocarditis**

Myocarditis is inflammation of heart muscle, often infectious or immune-mediated, that can cause chest pain, arrhythmias, heart failure, or sudden cardiac dysfunction. (coxsackievirus, adenovirus, SARS-CoV-2). Presents with chest pain, dyspnea, arrhythmias, and elevated troponin. Diagnosis: ECG, echocardiography, cardiac MRI with Lake Louise criteria, and endomyocardial biopsy.

**Synonyms:**

### **Myocarditis Diagnosis**

Cardiac MRI (Lake Louise criteria) shows myocardial edema (T2-weighted imaging), late gadolinium

enhancement (typically epicardial/mid-wall in non-ischemic distribution), and increased myocardial T1/T2 mapping values.

**Synonyms:**

### **Myocarditis Treatment**

No specific antiviral therapy for most cases. Treatment is supportive: heart failure therapy (diuretics, ACE inhibitors, beta-blockers) for reduced EF, arrhythmia management, and avoidance of exercise during acute phase (risk of sudden death). Immunosuppression may be considered in autoimmune myocarditis or cardiac sarcoidosis.

**Synonyms:**

### **Myocardium**

The thick muscular middle layer of the heart wall composed of cardiac muscle cells (cardiomyocytes). The myocardium is responsible for the contractile function of the heart. It contains intercalated discs with gap junctions that allow electrical coupling between cells.

**Synonyms:**

### **Myopia**

A refractive error in which light focuses in front of the retina, causing blurred distance vision. See Nearsightedness.

**Synonyms:**

### **Myositis**

Myositis is inflammation or immune-mediated injury of skeletal muscle, producing weakness, pain, elevated muscle enzymes, and sometimes swallowing, lung, or skin involvement. myositis, immune-mediated necrotizing myopathy. Diagnosis: CK elevation, EMG, muscle MRI, muscle biopsy. Treatment: immunosuppression with corticosteroids, methotrexate, azathioprine, mycophenolate, IVIG, rituximab.

**Synonyms:**

### **Myotonia Congenita**

An inherited skeletal-muscle channelopathy causing delayed relaxation after voluntary contraction. Stiff-

---

ness often improves with repeated movement and may be accompanied by muscle hypertrophy; onset and severity vary between genetic forms.

**Synonyms:**

### **Myotonic Dystrophy**

The most common adult-onset muscular dystrophy, an autosomal dominant multisystem disorder caused by CTG trinucleotide repeat expansions in the DMPK gene (type 1, DM1) or CCTG tetranucleotide repeat expansions in the CNBP gene (type 2, DM2) on chromosome 19q13.3. DM1 is more common and more severe than DM2.

**Synonyms:**

### **Myringotomy with Tympanostomy Tube**

Incision of the tympanic membrane with placement of a ventilation tube to equalize middle-ear pressure and permit drainage. It is used selectively for persistent middle-ear effusion, recurrent acute otitis media, or associated hearing and developmental problems.

**Synonyms:**

### **Myxedema Coma**

Severe decompensated hypothyroidism characterized by altered mental status, hypothermia, bradycardia, hypoventilation, hyponatremia, and hypoglycemia. Most commonly occurs in elderly patients with long-standing untreated hypothyroidism precipitated by infection, surgery, or sedative medications. Mortality rates exceed fifty percent.

**Synonyms:**

### **Myxoma**

A usually benign primary cardiac tumour composed of myxoid tissue, most often arising in the left atrium from the interatrial septum. It may cause positional obstruction of the mitral valve, constitutional symptoms, or systemic embolism; echocardiography is the usual initial diagnostic test.

**Synonyms:**

### **Ménétrier's disease**

A rare acquired gastropathy characterized by mas-

sive hypertrophy of the gastric mucosal folds, particularly in the body and fundus, with foveolar hyperplasia, cystic dilation of gastric glands, and glandular atrophy. It presents with epigastric pain, nausea, vomiting, weight loss, and protein-losing enteropathy causing hypoalbuminemia.

**Synonyms:**

### **Macrocytic Anemia**

Anemia in which red blood cells are larger than normal, commonly because of vitamin B12 or folate deficiency.

**Synonyms:**

### **Macular Edema**

Swelling of the macula caused by fluid leaking from retinal blood vessels.

**Synonyms:**

### **Maintenance of Wakefulness Test**

A sleep test that measures how long a person can remain awake in a quiet setting during the day.

**Synonyms:**

### **Mastoid Bone**

The portion of the temporal bone located behind the ear.

**Synonyms:**

### **Megaloblastic Anemia**

Anemia caused by impaired DNA synthesis, usually related to vitamin B12 or folate deficiency, with abnormally large red blood cells.

**Synonyms:**

### **Microaneurysm**

A small bulge in the wall of a blood vessel.

**Synonyms:**

### **Microvascular Disease**

Disease affecting small blood vessels, which may reduce blood flow to organs or tissues.

**Synonyms:**

---

### **Mitral Valve Stenosis**

Narrowing of the mitral valve that restricts blood flow from the left atrium to the left ventricle.

**Synonyms:**

### **Morton's Neuroma**

Thickening of tissue around a nerve in the forefoot, causing burning pain or numbness between the toes.

**Synonyms:**

### **Multiple Sleep Latency Test**

A daytime sleep study that measures how quickly a person falls asleep during scheduled naps.

**Synonyms:**

### **Myasthenia**

Abnormal muscle weakness that worsens with use.

**Synonyms:**

### **Myocardial Rupture**

A tear in the heart wall or other heart structure, usually a severe complication of myocardial infarction.

**Synonyms:**

### **Ménière's Disease**

An inner-ear disorder causing episodes of vertigo, fluctuating hearing loss, tinnitus, and ear pressure.

**Synonyms:**

### **Maxillary Sinusitis**

Inflammation or infection of the air-filled sinus cavities behind the cheekbones.

**Synonyms:**

### **Meningomyelocele**

A severe form of spina bifida in which the spinal cord and its membranes protrude through an opening in the spine.

**Synonyms:**

### **Mesothelioma**

A cancer arising from the mesothelium, most often affecting the lining of the lungs.

**Synonyms:**

### **Microcytic Anemia**

Anemia in which red blood cells are smaller than normal, commonly because of iron deficiency or a thalassemia.

**Synonyms:**

### **Mitochondrial Myopathy**

Muscle weakness or dysfunction caused by abnormalities of mitochondria, the energy-producing structures of cells.

**Synonyms:**

### **Mitral Valve Insufficiency**

Leakage of the mitral valve that allows blood to flow back into the left atrium.

**Synonyms:**

### **Mittelschmerz**

Mittelschmerz concerns mittelschmerz; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Mobius Syndrome**

A rare congenital disorder causing facial weakness or paralysis and limited outward eye movement.

**Synonyms:**

### **Mucopolysaccharidosis**

A group of inherited disorders in which glycosaminoglycans accumulate in tissues because of enzyme deficiency.

**Synonyms:**

### **Multiple Endocrine Neoplasia**

An inherited disorder causing tumors or overactivity in two or more endocrine glands.

**Synonyms:**

### **Myoclonus**

Sudden, brief, involuntary muscle jerks.

**Synonyms:**



---

### **Myopathy**

A disease or disorder that primarily affects skeletal muscle.

**Synonyms:**

### **Myxedema**

Severe hypothyroidism causing accumulation of mucin in tissues, with swelling, slowed body functions, and other symptoms.

**Synonyms:**

### **Male Breast Cancer**

Cancer that develops in breast tissue in a man.

**Synonyms:**

### **Malignant Peripheral Nerve Sheath Tumor**

A cancer arising from cells associated with peripheral nerves.

**Synonyms:**

### **Mammary Duct Ectasia**

Widening and inflammation of a milk duct beneath the nipple.

**Synonyms:**

### **Marginal Zone Lymphoma**

A slow-growing non-Hodgkin lymphoma that begins in immune cells in the marginal zone of lymphoid tissue.

**Synonyms:**

### **MCAD Deficiency**

An inherited disorder in which the body cannot properly break down certain medium-chain fats for energy.

**Synonyms:**

### **Metastatic Castration-Resistant Prostate Cancer**

Prostate cancer that has spread and continues to grow despite treatments that lower testosterone.

**Synonyms:**

### **Median Arcuate Ligament Syndrome**

Compression of the celiac artery by a ligament near the diaphragm, sometimes causing abdominal pain.

**Synonyms:**

### **Medication Overuse Headaches**

Frequent headaches caused or worsened by regular overuse of headache medicines.

**Synonyms:**

### **Meralgia Paresthetica**

Numbness, tingling, or burning on the outer thigh caused by pressure on a sensory nerve.

**Synonyms:**

### **Macrocephaly**

An unusually large head size for a person's age and sex, which may be familial or associated with hydrocephalus, brain growth, or other disorders.

**Synonyms:**

### **Macroductyly**

Abnormally large fingers or toes, usually caused by overgrowth of bone and soft tissue.

**Synonyms:**

### **Macropsia**

A visual disturbance in which objects appear larger than they actually are.

**Synonyms:**

### **Madura Foot (Mycetoma)**

A chronic localized infection of the skin and deeper tissues of the foot, caused by fungi or certain bacteria and characterized by swelling, draining sinuses, and granules.

**Synonyms:** Mycetoma

### **Metal Fume Fever**

A short-lived influenza-like illness caused by inhalation of fumes from heated metals, especially zinc; symptoms include fever, chills, headache, muscle aches, and cough.

**Synonyms:**

---

### **Methaemoglobinaemia**

A condition in which haemoglobin is oxidized to methaemoglobin and cannot release oxygen effectively, causing tissue hypoxia and sometimes cyanosis.

**Synonyms:**

### **Microbiology**

The study of microorganisms, including bacteria, viruses, fungi, and parasites, and their relationships with humans and the environment.

**Synonyms:**

### **Microtia**

A congenital abnormality in which the external ear is unusually small or incompletely formed; it may occur with narrowing or absence of the ear canal.

**Synonyms:**

### **Midwife**

A trained healthcare professional who provides care during pregnancy, labour, birth, and the postnatal period, including care of the newborn.

**Synonyms:**

### **Milroy's Disease**

An inherited form of primary lymphoedema, usually present from birth or early life and caused by abnormal development of lymphatic vessels.

**Synonyms:**

### **Molar Pregnancy (Hydatidiform Mole)**

An abnormal pregnancy in which placental tissue proliferates excessively and the embryo is absent or abnormal; it is a form of gestational trophoblastic disease.

**Synonyms:** Hydatidiform Mole

### **Myometrium**

The muscular middle layer of the uterine wall, which contracts during menstruation and labour.

**Synonyms:**

### **Mesenteric Lymphadenitis**

Inflammation of lymph nodes in the membrane that attaches the intestines to the abdominal wall.

**Synonyms:**

### **Metachromatic Leukodystrophy**

An inherited disorder in which fatty substances accumulate and damage myelin in the nervous system.

**Synonyms:**

### **Metastatic Breast Cancer**

Breast cancer that has spread from the breast to distant parts of the body.

**Synonyms:**

### **Metatarsalgia**

Pain and inflammation in the ball of the foot near the metatarsal bones.

**Synonyms:**

### **Manometry**

Measurement of pressure within a body organ or passage, such as the esophagus or rectum.

**Synonyms:**

### **Mastication**

Chewing food to prepare it for swallowing and digestion.

**Synonyms:**

### **Meatus**

A natural body opening or passage, such as the external ear canal.

**Synonyms:**

### **Micropenis**

An unusually small penis caused by inadequate androgen effect or other developmental conditions, defined clinically by a stretched penile length more than 2.5 standard deviations below the mean for age and population. Evaluation may identify endocrine or genetic causes.

**Synonyms:**

---

## Medulla

The inner region of an organ; in the kidney it contains the renal pyramids, and in the brainstem it regulates vital functions.

**Synonyms:**

## Microcalcification

A very small calcium deposit in tissue, sometimes an early sign of breast cancer.

**Synonyms:**

## Myelogram

An imaging study of the spinal canal performed after contrast material is introduced around the spinal cord.

**Synonyms:**

## Myoglobin

An oxygen-binding protein found mainly in skeletal and cardiac muscle.

**Synonyms:**

## Myomectomy

Surgical removal of uterine fibroids while preserving the uterus.

**Synonyms:**

## Myringotomy

A small incision in the eardrum to drain middle-ear fluid or relieve pressure.

**Synonyms:**

## Mallet

A surgical hammer used with instruments such as osteotomes to cut or shape bone.

**Synonyms:**

## Mayo Scissors

Heavy surgical scissors used to cut fascia, muscle, sutures, and other relatively tough material.

**Synonyms:**

## Metzenbaum Scissors

Fine, lightweight surgical scissors used to dissect

and cut delicate soft tissue.

**Synonyms:**

## Mosquito Clamp

A small hemostatic clamp used to compress small blood vessels.

**Synonyms:**

## Mallet Finger

An injury to the extensor tendon at the distal finger joint, causing inability to actively straighten the fingertip. It may result from a forced flexion injury and sometimes includes an avulsion fracture.

**Synonyms:**

## Mediastinal Mass

An abnormal growth or collection of tissue in the mediastinum, the central compartment of the chest. Causes include tumors, enlarged lymph nodes, cysts, and vascular abnormalities.

**Synonyms:**

## Morphea

A localized sclerosing skin disorder that produces areas of thickened, hardened, or discolored skin and differs from systemic sclerosis by usually lacking internal-organ involvement.

**Synonyms:**

## Myofascial Pain Syndrome

A regional pain disorder involving sensitive trigger points in muscle and fascia, with pain that may be referred to other areas and often worsens with pressure or movement.

**Synonyms:**

## Microangiopathic Hemolytic Anemia

An anemia caused by mechanical fragmentation of red blood cells as they pass through damaged or narrowed small blood vessels, producing schistocytes and often elevated hemolysis markers.

**Synonyms:**

## Multisystem Inflammatory Syndrome in

---

## Children

A serious delayed inflammatory illness occurring in some children after infection with SARS-CoV-2, involving fever and two or more organ systems and potentially causing shock or cardiac dysfunction.

**Synonyms:**

## Threatened Miscarriage

Vaginal bleeding during early pregnancy with a closed cervix and no passage of pregnancy tissue; the pregnancy may remain viable. Evaluation commonly includes clinical assessment, serial human chorionic gonadotropin testing when indicated, and ultrasound.

**Synonyms:** Threatened abortion.

## Missed Miscarriage

A nonviable intrauterine pregnancy that has not been expelled and may produce few or no symptoms of miscarriage. Diagnosis requires appropriate ultrasound or other clinical evaluation before management is selected.

**Synonyms:** Missed abortion; delayed miscarriage.

## Incomplete Miscarriage

Partial expulsion of products of conception, with some pregnancy tissue remaining in the uterus.

## M phase

M phase refers to m phase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

## machine learning

machine learning refers to machine learning, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

## macroautophagy

macroautophagy refers to macroautophagy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

## macrococcus

macrococcus is a microorganism or microbial group associated with macrococcus; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

## macrococcus caseolyticus

macrococcus caseolyticus is a microorganism or microbial group associated with macrococcus caseolyticus; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

## macroglobulin

macroglobulin refers to macroglobulin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

## macrolide

macrolide refers to macrolide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

## macrolide antibiotic

macrolide antibiotic refers to macrolide antibiotic, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

## macronucleus

macronucleus refers to macronucleus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

## macrophage activation

macrophage activation refers to macrophage activation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**macrophage count**

macrophage count refers to macrophage count, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**macroscopic hematuria**

macroscopic hematuria refers to macroscopic hematuria, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**macrostomia**

macrostomia refers to macrostomia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**macular drusen**

macular drusen refers to macular drusen, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**maculopapular lesion**

maculopapular lesion refers to maculopapular lesion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**madurella**

madurella identifies maturella, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**madurella mycetomatis**

madurella mycetomatis is a microorganism or microbial group associated with maturella mycetomatis; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

**maf protein**

maf protein denotes maf protein, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**mafosfamide**

mafosfamide refers to mafosfamide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**magnesium chloride**

magnesium chloride refers to magnesium chloride, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**magnesium hydroxide**

magnesium hydroxide refers to magnesium hydroxide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**magnesium oxide**

magnesium oxide refers to magnesium oxide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**magnesium sulfate**

magnesium sulfate refers to magnesium sulfate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**magnet**

magnet refers to magnet, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### **magnetic field**

magnetic field refers to magnetic field, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **magnetoencephalography**

magnetoencephalography refers to magnetoencephalography, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **magnetosomes**

magnetosomes refers to magnetosomes, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **magnusiomyces capitatus**

magnusiomyces capitatus refers to magnusiomyces capitatus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **maintenance**

maintenance refers to maintenance, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Majeed syndrome**

Majeed syndrome denotes a clinical condition or finding involving majeed syndrome; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **Majewski syndrome**

Majewski syndrome denotes a clinical condition or finding involving majewski syndrome; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **malabsorption syndrome**

malabsorption syndrome denotes a clinical condition or finding involving malabsorption syndrome; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **malaria vaccine**

malaria vaccine refers to malaria vaccine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **malassezia**

malassezia identifies malassezia, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **malassezia furfur**

malassezia furfur identifies malassezia furfur, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **malassezia pachydermatis**

malassezia pachydermatis identifies malassezia pachydermatis, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **malathion**

malathion refers to malathion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **male**

male refers to male, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**



---

**male condom**

male condom refers to male condom, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**male phenotype**

male phenotype refers to male phenotype, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**malignant ameloblastoma**

malignant ameloblastoma denotes a neoplastic condition involving malignant ameloblastoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**malignant bone neoplasm**

malignant bone neoplasm denotes a neoplastic condition involving malignant bone neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**malignant glioma**

malignant glioma refers to malignant glioma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**malignant histiocytosis**

malignant histiocytosis refers to malignant histiocytosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**malignant mastocytosis**

malignant mastocytosis refers to malignant mastocytosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**malignant myoepithelioma**

malignant myoepithelioma refers to malignant myoepithelioma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**malignant thymoma**

malignant thymoma refers to malignant thymoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mallory body**

mallory body refers to mallory body, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**malondialdehyde**

malondialdehyde refers to malondialdehyde, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**malposition**

malposition refers to malposition, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**maltodextrin**

maltodextrin refers to maltodextrin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**maltose**

maltose refers to maltose, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### **mammaglobin A**

mammaglobin A refers to mammaglobin a, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **mammals**

mammals refers to mammals, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **mammaplasty**

mammaplasty is used in relation to mammaplasty during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **mammary disease**

mammary disease denotes a clinical condition or finding involving mammary disease; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **mammary epithelium**

mammary epithelium refers to mammary epithelium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **mamillary body**

mamillary body refers to mamillary body, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **managed care**

managed care refers to managed care, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **mandatory reporting**

mandatory reporting refers to mandatory reporting, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **mandibular condyle**

mandibular condyle refers to mandibular condyle, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **mandibular prosthesis**

mandibular prosthesis refers to mandibular prosthesis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **mandibulofacial dysostosis**

mandibulofacial dysostosis refers to mandibulofacial dysostosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **manic**

manic refers to manic, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **manic disorder**

manic disorder denotes a clinical condition or finding involving manic disorder; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **manic mood**

manic mood refers to manic mood, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

---

**Synonyms:**

**manipulation procedure**

manipulation procedure is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat manipulation procedure.

**Synonyms:**

**mannan**

mannan refers to mannan, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mannheimia**

mannheimia identifies mannhemia, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**mannheimia haemolytica**

mannheimia haemolytica identifies mannhemia haemolytica, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**mannomustine**

mannomustine concerns mannomustine, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**mannose**

mannose refers to mannose, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mannosidosis**

mannosidosis refers to mannosidosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mansonella perstans**

mansonella perstans identifies mansonella perstans, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**mansonella streptocerca**

mansonella streptocerca is a microorganism or microbial group associated with mansonella streptocerca; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

**mansonelliasis**

mansonelliasis refers to mansonelliasis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mantle field**

mantle field refers to mantle field, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**Mantoux test**

Mantoux test is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat mantoux test.

**Synonyms:**

**manufactured form**

manufactured form refers to manufactured form, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**MAO inhibitor**

MAO inhibitor refers to mao inhibitor, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

---

**Synonyms:**

**mapatumumab**

mapatumumab concerns mapatumumab, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**marburgvirus**

marburgvirus is a virus or viral group associated with marburgvirus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

**Marek's disease**

Marek's disease denotes a clinical condition or finding involving marek's disease; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**margaric acid**

margaric acid denotes margaric acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**marginal ulcer**

marginal ulcer refers to marginal ulcer, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**maribavir**

maribavir concerns maribavir, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**marijuana**

marijuana refers to marijuana, a medical condition or clinical finding defined by its features, causes,

affected system, and patient context.

**Synonyms:**

**marijuana abuse**

marijuana abuse refers to marijuana abuse, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**marimastat**

marimastat refers to marimastat, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**marine biology**

marine biology refers to marine biology, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**marine toxin**

marine toxin denotes an infectious or toxic condition involving marine toxin; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

**marital status**

marital status refers to marital status, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**marital therapy**

marital therapy is used in relation to marital therapy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

**marked**

marked refers to marked, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

---

**Synonyms:**

**married**

married refers to married, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**Marshall syndrome**

Marshall syndrome denotes a clinical condition or finding involving marshall syndrome; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**masked data**

masked data refers to masked data, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**masoprocol**

masoprocol refers to masoprocol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mass screening**

mass screening is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat mass screening.

**Synonyms:**

**mass spectrometer**

mass spectrometer refers to mass spectrometer, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mass spectrometry**

mass spectrometry refers to mass spectrometry, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**massage**

massage refers to massage, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**massage therapy**

massage therapy is used in relation to massage therapy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

**mast-cell sarcoma**

mast-cell sarcoma denotes mast-cell sarcoma, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**masticate**

masticate refers to masticate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**masticatory muscle**

masticatory muscle refers to masticatory muscle, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mastocytoma**

mastocytoma refers to mastocytoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mastodynia**

mastodynia refers to mastodynia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

---

**Synonyms:**

**mastoid process**

mastoid process refers to mastoid process, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**material**

material refers to material, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**maternal**

maternal denotes maternal, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**maternal age**

maternal age denotes maternal age, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**maternal mortality**

maternal mortality denotes maternal mortality, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**maternal obesity**

maternal obesity denotes maternal obesity, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**mathematics**

mathematics refers to mathematics, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mating**

mating refers to mating, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**matrix band**

matrix band refers to matrix band, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**matrix metalloproteinase**

matrix metalloproteinase denotes matrix metalloproteinase, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**mature teratoma**

mature teratoma refers to mature teratoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**matuzumab**

matuzumab concerns matuzumab, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**maxillary sinus**

maxillary sinus refers to maxillary sinus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**maximum**

maximum refers to maximum, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.



---

**Synonyms:**

**maximum thickness**

maximum thickness refers to maximum thickness, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**maytansine**

maytansine refers to maytansine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mazindol**

mazindol refers to mazindol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mcc gene**

mcc gene denotes mcc gene, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**MCF-7 cell**

MCF-7 cell denotes mcf-7 cell, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**mead acid**

mead acid denotes mead acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**mean**

mean refers to mean, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mean diameter**

mean diameter refers to mean diameter, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mean thickness**

mean thickness refers to mean thickness, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**measles vaccine**

measles vaccine refers to measles vaccine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**measurement**

measurement refers to measurement, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mebendazole**

mebendazole concerns mebendazole, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**mecamylamine**

mecamylamine refers to mecamylamine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mecarzole**

mecarzole refers to mecarzole, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### **mechanical ventilator**

mechanical ventilator refers to mechanical ventilator, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **mechanoreceptor**

mechanoreceptor denotes mechanoreceptor, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **mechlorethamine**

mechlorethamine refers to mechlorethamine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **meclizine**

meclizine refers to meclizine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **medial meniscus**

medial meniscus refers to medial meniscus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **median**

median refers to median, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **mediastinal cyst**

mediastinal cyst refers to mediastinal cyst, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **mediastinal disease**

mediastinal disease denotes a clinical condition or finding involving mediastinal disease; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **Mediastinal Emphysema**

Mediastinal Emphysema refers to mediastinal emphysema, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **mediastinal hemorrhage**

mediastinal hemorrhage denotes a clinical condition or finding involving mediastinal hemorrhage; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **mediastinal neoplasm**

mediastinal neoplasm denotes a neoplastic condition involving mediastinal neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### **mediastinal pleura**

mediastinal pleura refers to mediastinal pleura, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **mediastinal shift**

mediastinal shift refers to mediastinal shift, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **mediastinoscopes**

mediastinoscopes refers to mediastinoscopes, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

---

**Synonyms:**

**medical device**

medical device refers to medical device, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**medical economics**

medical economics refers to medical economics, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**medical history**

medical history refers to medical history, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**medical indigency**

medical indigency refers to medical indigency, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**medical pin**

medical pin refers to medical pin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**medical record**

medical record refers to medical record, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**medicine**

medicine refers to medicine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**meditation**

meditation refers to meditation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**medroxyprogesterone**

medroxyprogesterone concerns medroxyprogesterone, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**medroxyprogesterone acetate**

medroxyprogesterone acetate refers to medroxyprogesterone acetate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**medullary carcinoma**

medullary carcinoma denotes a neoplastic condition involving medullary carcinoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**medulloepithelioma**

medulloepithelioma refers to medulloepithelioma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mefenamic acid**

mefenamic acid denotes mefenamic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**mefloquine**

mefloquine refers to mefloquine, a medical condition

---

or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**megabecquerel**

megabecquerel refers to megabecquerel, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**megacalycosis**

megacalycosis refers to megacalycosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**megacolon**

megacolon refers to megacolon, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**megakaryocyte**

megakaryocyte refers to megakaryocyte, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**megakaryocytopoiesis**

megakaryocytopoiesis refers to megakaryocytopoiesis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**megamonas**

megamonas refers to megamonas, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**megamonas funiformis**

megamonas funiformis refers to megamonas funiformis, a medical condition or clinical finding defined

by its features, causes, affected system, and patient context.

**Synonyms:**

**megamonas hypermegale**

megamonas hypermegale refers to megamonas hypermegale, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**megasphaera**

megasphaera refers to megasphaera, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**megasphaera elsdenii**

megasphaera elsdenii refers to megasphaera elsdenii, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mega-trial**

mega-trial refers to mega-trial, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**megestrol**

megestrol refers to megestrol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**megestrol acetate**

megestrol acetate refers to megestrol acetate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**meibomian glands**

meibomian glands refers to meibomian glands, a

---

medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **meiotic recombination**

meiotic recombination refers to meiotic recombination, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **melancholia**

melancholia refers to melancholia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **melanocyte**

melanocyte refers to melanocyte, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **melanocytic nevus**

melanocytic nevus refers to melanocytic nevus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **melanophore**

melanophore refers to melanophore, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **melanosome**

melanosome refers to melanosome, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **MELAS syndrome**

MELAS syndrome denotes a clinical condition or finding involving melas syndrome; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **melatonin receptor**

melatonin receptor denotes melatonin receptor, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **melengestrol acetate**

melengestrol acetate refers to melengestrol acetate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **melitten**

melitten refers to melitten, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **meloxicam**

meloxicam refers to meloxicam, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **melphalan**

melphalan refers to melphalan, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **memantine hydrochloride**

memantine hydrochloride refers to memantine hydrochloride, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### membrane channel

membrane channel refers to membrane channel, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### membrane fusion

membrane fusion refers to membrane fusion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### membrane lipids

membrane lipids denotes membrane lipids, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### membrane microdomain

membrane microdomain refers to membrane microdomain, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### membrane part

membrane part refers to membrane part, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### membrane protein

membrane protein denotes membrane protein, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### membrane raft

membrane raft refers to membrane raft, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### memory disorder

memory disorder denotes a clinical condition or finding involving memory disorder; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### memory impairment

memory impairment refers to memory impairment, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### memory training

memory training refers to memory training, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### Meniere's disease

Meniere's disease denotes a clinical condition or finding involving meniere's disease; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### meningeal carcinomatosis

meningeal carcinomatosis denotes a neoplastic condition involving meningeal carcinomatosis; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### meningeal leukemia

meningeal leukemia denotes a neoplastic condition involving meningeal leukemia; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### meningeal lymphoma

meningeal lymphoma denotes a neoplastic condition involving meningeal lymphoma; evaluation establishes tissue of origin, extent, biologic behavior, and



---

treatment.

**Synonyms:**

### **meningeal neoplasm**

meningeal neoplasm denotes a neoplastic condition involving meningeal neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### **meningism**

meningism refers to meningism, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **meniscus**

meniscus refers to meniscus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **menogaril**

menogaril refers to menogaril, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **menopause status**

menopause status refers to menopause status, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **menotropin**

menotropin concerns menotropin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **menses duration**

menses duration refers to menses duration, a medi-

cal condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **menstruation disturbance**

menstruation disturbance refers to menstruation disturbance, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **mental disorders**

mental disorders denotes a clinical condition or finding involving mental disorders; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **mental fatigue**

mental fatigue refers to mental fatigue, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **mental process**

mental process refers to mental process, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **mental recall**

mental recall refers to mental recall, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **mental retardation**

mental retardation refers to mental retardation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**menthol**

menthol refers to menthol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**meperidine**

meperidine refers to meperidine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**meperidine hydrochloride**

meperidine hydrochloride refers to meperidine hydrochloride, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mephenytoin**

mephenytoin refers to mephenytoin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mepivacaine**

mepivacaine concerns mepivacaine, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**meprobamate**

meprobamate refers to meprobamate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mercaptopurine**

mercaptopurine refers to mercaptopurine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**meridian**

meridian refers to meridian, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**merkel cells**

merkel cells denotes merkel cells, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**meropenem**

meropenem concerns meropenem, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**mersalyl**

mersalyl refers to mersalyl, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mesalamine**

mesalamine refers to mesalamine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mesangiolysis**

mesangiolysis refers to mesangiolysis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mesangium**

mesangium refers to mesangium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**mesencephalon**

mesencephalon refers to mesencephalon, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mesenchymal cell**

mesenchymal cell denotes mesenchymal cell, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**mesenchymal chondrosarcoma**

mesenchymal chondrosarcoma denotes a neoplastic condition involving mesenchymal chondrosarcoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**mesenchyme**

mesenchyme refers to mesenchyme, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mesenchymoma**

mesenchymoma refers to mesenchymoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mesenteric artery**

mesenteric artery refers to mesenteric artery, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mesenteric cyst**

mesenteric cyst refers to mesenteric cyst, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mesenteric veins**

mesenteric veins refers to mesenteric veins, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mesial surface**

mesial surface refers to mesial surface, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mesna**

mesna refers to mesna, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mesonephric**

mesonephric refers to mesonephric, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mesonephric tumor**

mesonephric tumor denotes a neoplastic condition involving mesonephric tumor; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**mesonephroma**

mesonephroma refers to mesonephroma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mesothelial neoplasm**

mesothelial neoplasm denotes a neoplastic condition involving mesothelial neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

---

**mesothelin**

mesothelin refers to mesothelin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mesothelium**

mesothelium refers to mesothelium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mestranol**

mestranol refers to mestranol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**metabolic disease**

metabolic disease denotes a clinical condition or finding involving metabolic disease; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**metabolic response**

metabolic response refers to metabolic response, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**metabolite**

metabolite refers to metabolite, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**metabolomics**

metabolomics refers to metabolomics, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**metacarpal bone**

metacarpal bone refers to metacarpal bone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**metadata**

metadata refers to metadata, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**metagenome**

metagenome refers to metagenome, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**metagenomics**

metagenomics refers to metagenomics, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**metagonimus yokogawai**

metagonimus yokogawai refers to metagonimus yokogawai, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**metal**

metal refers to metal, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**metalloendopeptidase**

metalloendopeptidase refers to metalloendopeptidase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### **metalloporphyrins**

metalloporphyrins refers to metalloporphyrins, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **metalloprotease**

metalloprotease refers to metalloprotease, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **metalloprotein**

metalloprotein denotes metalloprotein, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **metallothionein**

metallothionein refers to metallothionein, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **metamorphosis**

metamorphosis refers to metamorphosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **metanephrine**

metanephrine refers to metanephrine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **metaphase**

metaphase refers to metaphase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **metaphase plate**

metaphase plate refers to metaphase plate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **metaphyseal widening**

metaphyseal widening refers to metaphyseal widening, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **metaplastic carcinoma**

metaplastic carcinoma denotes a neoplastic condition involving metaplastic carcinoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### **metapneumovirus**

metapneumovirus is a virus or viral group associated with metapneumovirus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

### **metastin**

metastin refers to metastin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **metatarsal bone**

metatarsal bone refers to metatarsal bone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **metatarsal valgus**

metatarsal valgus refers to metatarsal valgus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**metatarsus varus**

metatarsus varus refers to metatarsus varus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**metencephalon**

metencephalon refers to metencephalon, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**meter**

meter refers to meter, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**metestrus**

metestrus is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat metestrus.

**Synonyms:**

**metformin**

metformin refers to metformin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**metformin hydrochloride**

metformin hydrochloride refers to metformin hydrochloride, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**methacholine chloride**

methacholine chloride refers to methacholine chloride, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**methadone**

methadone refers to methadone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**methadone hydrochloride**

methadone hydrochloride refers to methadone hydrochloride, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**methamidophos**

methamidophos refers to methamidophos, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**methamphetamine**

methamphetamine refers to methamphetamine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**methane**

methane refers to methane, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**methane sulfonate**

methane sulfonate refers to methane sulfonate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**methanobacteriaceae**

methanobacteriaceae is a microorganism or microbial group associated with methanobacteriaceae; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**



---

**methanol**

methanol refers to methanol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**methaqualone**

methaqualone refers to methaqualone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**methazolamide**

methazolamide refers to methazolamide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**methemoglobin**

methemoglobin refers to methemoglobin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**methenamine**

methenamine refers to methenamine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**methicillin**

methicillin concerns methicillin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**methidathion**

methidathion refers to methidathion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**methimazole**

methimazole concerns methimazole, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**methiocarb**

methiocarb refers to methiocarb, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**methionine**

methionine refers to methionine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**methionine enkephalin**

methionine enkephalin refers to methionine enkephalin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**methisazone**

methisazone refers to methisazone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**methocarbamol**

methocarbamol refers to methocarbamol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**methodology**

methodology refers to methodology, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### **methohexital**

methohexital refers to methohexital, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **methomyl**

methomyl refers to methomyl, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **methotrexate**

methotrexate refers to methotrexate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **methotrimeprazine**

methotrimeprazine refers to methotrimeprazine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **methoxamine**

methoxamine refers to methoxamine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **methoxsalen**

methoxsalen refers to methoxsalen, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **methoxyamine hydrochloride**

methoxyamine hydrochloride refers to methoxyamine hydrochloride, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **methoxyflurane**

methoxyflurane refers to methoxyflurane, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **methoxyhydroxyphenylglycol**

methoxyhydroxyphenylglycol refers to methoxyhydroxyphenylglycol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **methyclothiazide**

methyclothiazide refers to methyclothiazide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **methyl bromide**

methyl bromide refers to methyl bromide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **methyl chloride**

methyl chloride refers to methyl chloride, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **methyl green**

methyl green refers to methyl green, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **methyl group**

methyl group refers to methyl group, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**methyl isocyanate**

methyl isocyanate refers to methyl isocyanate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**methyl methanesulfonate**

methyl methanesulfonate refers to methyl methanesulfonate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**methyl parathion**

methyl parathion refers to methyl parathion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**methylcellulose**

methylcellulose denotes methylcellulose, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**methylcholanthrene**

methylcholanthrene refers to methylcholanthrene, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**methyl dopa**

methyl dopa refers to methyl dopa, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**methylene chloride**

methylene chloride refers to methylene chloride, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**methylguanidine**

methylguanidine refers to methylguanidine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**methylmalonic aciduria**

methylmalonic aciduria denotes methylmalonic aciduria, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**methylmercury compounds**

methylmercury compounds refers to methylmercury compounds, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**methylmethacrylate**

methylmethacrylate refers to methylmethacrylate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**methylnaltrexone**

methylnaltrexone refers to methylnaltrexone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**methylnaltrexone bromide**

methylnaltrexone bromide refers to methylnaltrexone bromide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**methylnitrosourea**

methylnitrosourea refers to methylnitrosourea, a medical condition or clinical finding defined by its

---

features, causes, affected system, and patient context.

**Synonyms:**

### **methylobacteriaceae**

methylobacteriaceae is a microorganism or microbial group associated with methylobacteriaceae; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **methylobacterium**

methylobacterium is a microorganism or microbial group associated with methylobacterium; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **methylphenidate**

methylphenidate refers to methylphenidate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **methyprednisolone**

methyprednisolone refers to methyprednisolone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **methyltestosterone**

methyltestosterone concerns methyltestosterone, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **methylthioinosine**

methylthioinosine refers to methylthioinosine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **methyltransferase**

methyltransferase refers to methyltransferase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **metolazone**

metolazone refers to metolazone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **metolcarb**

metolcarb refers to metolcarb, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **metoprolol**

metoprolol concerns metoprolol, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **metric system**

metric system refers to metric system, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **metronomic chemotherapy**

metronomic chemotherapy is used in relation to metronomic chemotherapy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **metschnikowia**

metschnikowia identifies metschnikowia, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

---

**metyrapone**

metyrapone refers to metyrapone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mevinphos**

mevinphos refers to mevinphos, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mexacarbate**

mexacarbate refers to mexacarbate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mexiletine**

mexiletine refers to mexiletine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**meyerozyma guilliermondii**

meyerozyma guilliermondii refers to meyeromyza guilliermondii, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mezlocillin**

mezlocillin concerns mezlocillin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**micelle**

micelle denotes micelle, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**miconazole**

miconazole concerns miconazole, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**microabscess**

microabscess refers to microabscess, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**microarray analysis**

microarray analysis refers to microarray analysis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**microbacterium**

microbacterium is a microorganism or microbial group associated with microbacterium; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

**microbial biofilms**

microbial biofilms refers to microbial biofilms, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**microbicide**

microbicide refers to microbicide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**microbody**

microbody refers to microbody, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**microchip site**

microchip site refers to microchip site, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**microcirculation**

microcirculation refers to microcirculation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**micrococcaceae**

micrococcaceae refers to micrococcaceae, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**micrococcus**

micrococcus refers to micrococcus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**micrococcus luteus**

micrococcus luteus refers to micrococcus luteus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**micrococcus lylae**

micrococcus lylae refers to micrococcus lylae, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**microcolon**

microcolon refers to microcolon, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**microcornea**

microcornea refers to microcornea, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**microcurie**

microcurie refers to microcurie, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**microdialysis**

microdialysis refers to microdialysis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**microdissection**

microdissection refers to microdissection, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**microelectrode**

microelectrode refers to microelectrode, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**microfibril**

microfibril refers to microfibril, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**microfilament**

microfilament refers to microfilament, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**microfilament proteins**

microfilament proteins denotes microfilament pro-



---

teins, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **microfluidics**

microfluidics refers to microfluidics, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **microglandular adenosis**

microglandular adenosis refers to microglandular adenosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **microglia**

microglia refers to microglia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **microgliosis**

microgliosis refers to microgliosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **micrognathism**

micrognathism refers to micrognathism, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **microinjection**

microinjection refers to microinjection, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **micromole**

micromole refers to micromole, a medical condition

or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **microneme**

microneme refers to microneme, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **micronization**

micronization refers to micronization, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **micronutrient**

micronutrient refers to micronutrient, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **microorganism**

microorganism refers to microorganism, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **microorganism genetics**

microorganism genetics denotes microorganism genetics, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **micropexophagy**

micropexophagy refers to micropexophagy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **microphthalmos**

microphthalmos refers to microphthalmos, a medical condition or clinical finding defined by its features,

---

causes, affected system, and patient context.

**Synonyms:**

**micropsia**

micropsia refers to micropsia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**microradiography**

microradiography refers to microradiography, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**microscopic**

microscopic refers to microscopic, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**microscopy**

microscopy refers to microscopy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**microsome**

microsome refers to microsome, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**microspectrophotometry**

microspectrophotometry refers to microspectrophotometry, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**microsphere**

microsphere refers to microsphere, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**microspherophakia**

microspherophakia refers to microspherophakia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**microsporidia**

microsporidia identifies microsporidia, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**microsporidiosis**

microsporidiosis identifies microsporidiosis, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**microsporum**

microsporum identifies microsporum, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**microsporum audouinii**

microsporum audouinii identifies microsporum audouinii, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**microsporum distortum**

microsporum distortum identifies microsporum distortum, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

---

**microsporium equinum**

microsporium equinum identifies microsporium equinum, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**microsporium ferrugineum**

microsporium ferrugineum identifies microsporium ferrugineum, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**microsporium gypseum**

microsporium gypseum identifies microsporium gypseum, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**microstomia**

microstomia refers to microstomia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**microsurgery**

microsurgery is used in relation to microsurgery during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

**microtechnology**

microtechnology refers to microtechnology, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**microtubule**

microtubule refers to microtubule, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**microtubule bundle**

microtubule bundle refers to microtubule bundle, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**microvillus**

microvillus refers to microvillus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**microvolt**

microvolt refers to microvolt, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**microwave therapy**

microwave therapy is used in relation to microwave therapy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

**microwell plate**

microwell plate refers to microwell plate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**midazolam**

midazolam refers to midazolam, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**midazolam hydrochloride**

midazolam hydrochloride refers to midazolam hydrochloride, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**middle insomnia**

middle insomnia refers to middle insomnia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**midodrine**

midodrine refers to midodrine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**midomafetamine**

midomafetamine refers to midomafetamine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**midostaurin**

midostaurin refers to midostaurin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mifepristone**

mifepristone refers to mifepristone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**Mikulicz disease**

Mikulicz disease denotes a clinical condition or finding involving mikulicz disease; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**milatuzumab**

milatuzumab concerns milatuzumab, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**mild**

mild refers to mild, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mile**

mile refers to mile, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**miliaria**

miliaria refers to miliaria, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**milieu therapy**

milieu therapy is used in relation to milieu therapy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

**military personnel**

military personnel refers to military personnel, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**milk**

milk refers to milk, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**millicurie**

millicurie refers to millicurie, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**milliliter**

milliliter refers to milliliter, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**millimeter**

millimeter refers to millimeter, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**millimole**

millimole refers to millimole, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**milliosmole**

milliosmole refers to milliosmole, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**millisecond**

millisecond refers to millisecond, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**milliunit**

milliunit refers to milliunit, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**millivolt**

millivolt refers to millivolt, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mineral**

mineral refers to mineral, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

ical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mineral oil**

mineral oil refers to mineral oil, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mineralocorticoid**

mineralocorticoid refers to mineralocorticoid, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**minisatellite repeat**

minisatellite repeat refers to minisatellite repeat, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**minor response**

minor response refers to minor response, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**minority health**

minority health refers to minority health, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**minoxidil**

minoxidil refers to minoxidil, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**minretumomab**

minretumomab concerns minretumomab, a pharmacologic or chemical agent; clinical use depends on

---

its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **miosis disorder**

miosis disorder denotes a clinical condition or finding involving miosis disorder; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **mirage syndrome**

mirage syndrome denotes a clinical condition or finding involving mirage syndrome; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **mirex**

mirex refers to mirex, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **mirtazapine**

mirtazapine refers to mirtazapine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **misalignment**

misalignment refers to misalignment, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **misdiagnosis**

misdiagnosis refers to misdiagnosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **mismatch repair**

mismatch repair refers to mismatch repair, a medical

condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **misonidazole**

misonidazole concerns misonidazole, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **misoprostol**

misoprostol refers to misoprostol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **missed dose**

missed dose refers to missed dose, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **missense mutation**

missense mutation refers to missense mutation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **mite**

mite refers to mite, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **mithramycin**

mithramycin concerns mithramycin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**



---

**mitigate**

mitigate refers to mitigate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mitobronitol**

mitobronitol refers to mitobronitol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mitochondrial cristae**

mitochondrial cristae refers to mitochondrial cristae, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mitochondrial DNA**

mitochondrial DNA denotes mitochondrial dna, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**mitochondrial fission**

mitochondrial fission refers to mitochondrial fission, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mitochondrial fusion**

mitochondrial fusion refers to mitochondrial fusion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mitochondrial matrix**

mitochondrial matrix refers to mitochondrial matrix, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mitochondrial membrane**

mitochondrial membrane refers to mitochondrial membrane, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mitochondrial ribosome**

mitochondrial ribosome refers to mitochondrial ribosome, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mitochondrial swelling**

mitochondrial swelling denotes a clinical condition or finding involving mitochondrial swelling; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**mitochondrion**

mitochondrion refers to mitochondrion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mitogen**

mitogen refers to mitogen, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mitoguazone**

mitoguazone refers to mitoguazone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mitolactol**

mitolactol refers to mitolactol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

---

**Synonyms:**

**mitomycin**

mitomycin concerns mitomycin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**mitomycins**

mitomycins refers to mitomycins, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mitophagy**

mitophagy refers to mitophagy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mitosporic fungi**

mitosporic fungi is a microorganism or microbial group associated with mitosporic fungi; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

**mitotane**

mitotane refers to mitotane, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mitotic anaphase**

mitotic anaphase refers to mitotic anaphase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mitotic metaphase**

mitotic metaphase refers to mitotic metaphase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mitotic prophase**

mitotic prophase refers to mitotic prophase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mitotic recombination**

mitotic recombination refers to mitotic recombination, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mitotic telophase**

mitotic telophase refers to mitotic telophase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mitoxantrone**

mitoxantrone denotes an infectious or toxic condition involving mitoxantrone; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

**mitral atresia**

mitral atresia refers to mitral atresia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mitral valvuloplasty**

mitral valvuloplasty is used in relation to mitral valvuloplasty during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

**mitsuokella**

mitsuokella identifies mitsuokella, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

---

**Synonyms:**

**mitsuokella multacida**

mitsuokella multacida identifies mitsuokella multacida, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**mixed glioma**

mixed glioma refers to mixed glioma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mobile health unit**

mobile health unit refers to mobile health unit, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mobiluncus**

mobiluncus identifies mobiluncus, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**mobiluncus curtisii**

mobiluncus curtisii identifies mobiluncus curtisii, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**mobiluncus mulieris**

mobiluncus mulieris identifies mobiluncus mulieris, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**mocetinostat**

mocetinostat refers to mocetinostat, a medical con-

dition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**modality**

modality refers to modality, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**moderation**

moderation refers to moderation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**moellerella**

moellerella identifies moellerella, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**moellerella wisconsensis**

moellerella wisconsensis identifies moellerella wisconsensis, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**mogibacterium**

mogibacterium is a microorganism or microbial group associated with mogibacterium; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

**molar**

molar refers to molar, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### **molecular biology**

molecular biology refers to molecular biology, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **molecular chaperone**

molecular chaperone refers to molecular chaperone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **molecular diagnosis**

molecular diagnosis refers to molecular diagnosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **molecular dynamic**

molecular dynamic refers to molecular dynamic, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **molecular imaging**

molecular imaging is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat molecular imaging.

**Synonyms:**

### **molecular medicine**

molecular medicine refers to molecular medicine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **molecular probe**

molecular probe refers to molecular probe, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **molecular response**

molecular response refers to molecular response, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **molecule**

molecule denotes molecule, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **mollusca**

mollusca identifies mollusca, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **molluscipoxvirus**

molluscipoxvirus is a virus or viral group associated with molluscipoxvirus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

### **molt**

molt refers to molt, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **molybdenum**

molybdenum refers to molybdenum, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **mometasone**

mometasone refers to mometasone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**mometasone furoate**

mometasone furoate refers to mometasone furoate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**monascus**

monascus identifies monascus, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**monascus ruber**

monascus ruber identifies monascus ruber, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**monensin**

monensin refers to monensin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mongolian spot**

mongolian spot refers to mongolian spot, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**monilethrix**

monilethrix refers to monilethrix, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**monitoring device**

monitoring device refers to monitoring device, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**monkeypox**

monkeypox refers to monkeypox, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**monobactams**

monobactams refers to monobactams, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**monoblast count**

monoblast count refers to monoblast count, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**monocrotophos**

monocrotophos refers to monocrotophos, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**monocytopenia**

monocytopenia refers to monocytopenia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**monocytosis**

monocytosis refers to monocytosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**monogenic obesity**

monogenic obesity refers to monogenic obesity, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### **monograph**

monograph refers to monograph, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **monoiodyrosine**

monoiodyrosine refers to monoiodyrosine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **monokines**

monokines refers to monokines, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **monomer**

monomer refers to monomer, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **monomethylhydrazine**

monomethylhydrazine refers to monomethylhydrazine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **mononegavirales**

mononegavirales is a virus or viral group associated with mononegavirales; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

### **mononeuropathy**

mononeuropathy refers to mononeuropathy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **mononuclear leukocyte**

mononuclear leukocyte refers to mononuclear leukocyte, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **monosaccharide**

monosaccharide refers to monosaccharide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **monoterpenes**

monoterpenes refers to monoterpenes, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **monozygotic twin**

monozygotic twin refers to monozygotic twin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **montelukast**

montelukast concerns montelukast, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **montelukast sodium**

montelukast sodium refers to montelukast sodium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **mood disorder**

mood disorder denotes a clinical condition or finding involving mood disorder; evaluation identifies mechanism, affected system, severity, complications, and management.



---

**Synonyms:**

**mood swing**

mood swing refers to mood swing, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mopidamol**

mopidamol refers to mopidamol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mopp protocol**

mopp protocol refers to mopp protocol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**moral**

moral refers to moral, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**morale**

morale refers to morale, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**moraxella**

moraxella identifies moraxella, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**moraxella atlantae**

moraxella atlantae identifies moraxella atlantae, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**moraxella bovis**

moraxella bovis identifies moraxella bovis, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**moraxella canis**

moraxella canis identifies moraxella canis, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**moraxella lacunata**

moraxella lacunata identifies moraxella lacunata, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**moraxella lincolnii**

moraxella lincolnii identifies moraxella lincolnii, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**moraxella nonliquefaciens**

moraxella nonliquefaciens identifies moraxella nonliquefaciens, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**moraxella oblonga**

moraxella oblonga identifies moraxella oblonga, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**moraxella osloensis**

moraxella osloensis identifies moraxella osloensis, a biological taxon or infectious-disease concept whose

---

clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **moraxellaceae**

moraxellaceae identifies moraxellaceae, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **morbillivirus**

morbillivirus is a virus or viral group associated with morbillivirus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

### **morcellation**

morcellation denotes morcellation, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **morganella**

morganella identifies morganella, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **morganella morganii**

morganella morganii identifies morganella morganii, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **morning**

morning refers to morning, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **morphinans**

morphinans refers to morphinans, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **morphine**

morphine refers to morphine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **morphine sulfate**

morphine sulfate refers to morphine sulfate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **morphogenesis**

morphogenesis denotes morphogenesis, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **morpholino**

morpholino refers to morpholino, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **morphologic response**

morphologic response refers to morphologic response, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **morula**

morula refers to morula, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**motexafin gadolinium**

motexafin gadolinium refers to motexafin gadolinium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**motexafin lutetium**

motexafin lutetium refers to motexafin lutetium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**motion perception**

motion perception refers to motion perception, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**motivation**

motivation refers to motivation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**motor aphasia**

motor aphasia refers to motor aphasia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**motor delay**

motor delay refers to motor delay, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**motor stereotypy**

motor stereotypy refers to motor stereotypy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**motor tic**

motor tic refers to motor tic, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mouth diseases**

mouth diseases denotes a clinical condition or finding involving mouth diseases; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**mouth neoplasm**

mouth neoplasm denotes a neoplastic condition involving mouth neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**Movement**

Movement refers to movement, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**movement disorders**

movement disorders denotes a clinical condition or finding involving movement disorders; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**moxalactam**

moxalactam refers to moxalactam, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**moxibustion**

moxibustion refers to moxibustion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**moxifloxacin**

moxifloxacin concerns moxifloxacin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**mrna precursor**

mrna precursor denotes mrna precursor, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**mu-Chain disease**

mu-Chain disease denotes a clinical condition or finding involving mu-chain disease; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**mucin**

mucin refers to mucin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mucinous**

mucinous refers to mucinous, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mucinous adenocarcinoma**

mucinous adenocarcinoma denotes a neoplastic condition involving mucinous adenocarcinoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**mucinous cystadenoma**

mucinous cystadenoma refers to mucinous cystadenoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mucoepidermoid carcinoma**

mucoepidermoid carcinoma denotes a neoplastic condition involving mucoepidermoid carcinoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**mucolipidoses**

mucolipidoses denotes mucolipidoses, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**mucopolysaccharidosis vii**

mucopolysaccharidosis vii refers to mucopolysaccharidosis vii, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mucor**

mucor identifies mucor, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**mucor ramosissimus**

mucor ramosissimus identifies mucor ramosissimus, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**mucorales**

mucorales identifies mucorales, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**mucosal immunity**

mucosal immunity refers to mucosal immunity, a medical condition or clinical finding defined by its

---

features, causes, affected system, and patient context.

**Synonyms:**

### **mucosal infection**

mucosal infection denotes an infectious or toxic condition involving mucosal infection; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

### **mucus**

mucus refers to mucus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **mulibrey nanism**

mulibrey nanism refers to mulibrey nanism, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **muller cells**

muller cells denotes muller cells, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **multicenter study**

multicenter study refers to multicenter study, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **multi-drug resistance**

multi-drug resistance refers to multi-drug resistance, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **multienzyme complexes**

multienzyme complexes denotes multienzyme complexes, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **multimodal imaging**

multimodal imaging is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat multimodal imaging.

**Synonyms:**

### **multinucleated hepatocyte**

multinucleated hepatocyte refers to multinucleated hepatocyte, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **multiple exostoses**

multiple exostoses refers to multiple exostoses, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **multiple fibrofolliculomas**

multiple fibrofolliculomas refers to multiple fibrofolliculomas, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **multiple organ failure**

multiple organ failure refers to multiple organ failure, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **multiplicity**

multiplicity refers to multiplicity, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

---

**Synonyms:**

**multipolar neuron**

multipolar neuron refers to multipolar neuron, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**multivesicular body**

multivesicular body refers to multivesicular body, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**muparfostat**

muparfostat refers to muparfostat, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mupirocin**

mupirocin refers to mupirocin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**muramidase**

muramidase refers to muramidase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**muromonab-CD3**

muromonab-CD3 refers to muromonab-cd3, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**muscarine**

muscarine refers to muscarine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**muscarinic antagonist**

muscarinic antagonist refers to muscarinic antagonist, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**muscidae**

muscidae refers to muscidae, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**muscimol**

muscimol refers to muscimol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**muscle cell**

muscle cell denotes muscle cell, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**muscle cramp**

muscle cramp refers to muscle cramp, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**muscle development**

muscle development refers to muscle development, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**muscle fiber**

muscle fiber refers to muscle fiber, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.



---

**Synonyms:**

**muscle hypertrophy**

muscle hypertrophy refers to muscle hypertrophy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**muscle neoplasm**

muscle neoplasm denotes a neoplastic condition involving muscle neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**muscle protein**

muscle protein denotes muscle protein, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**muscle relaxant**

muscle relaxant refers to muscle relaxant, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**muscle rigidity**

muscle rigidity refers to muscle rigidity, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**muscle spindle**

muscle spindle refers to muscle spindle, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**muscle strength**

muscle strength refers to muscle strength, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**muscle tonus**

muscle tonus refers to muscle tonus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**musculoskeletal deformity**

musculoskeletal deformity refers to musculoskeletal deformity, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**musculoskeletal disease**

musculoskeletal disease denotes a clinical condition or finding involving musculoskeletal disease; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**musculoskeletal injury**

musculoskeletal injury denotes a clinical condition or finding involving musculoskeletal injury; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**musculoskeletal system**

musculoskeletal system refers to musculoskeletal system, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mustard compounds**

mustard compounds refers to mustard compounds, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mustard gas**

mustard gas refers to mustard gas, a medical condi-

---

tion or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **mutagenicity test**

mutagenicity test is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat mutagenicity test.

**Synonyms:**

### **mutant**

mutant refers to mutant, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **mutant proteins**

mutant proteins denotes mutant proteins, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **mutate**

mutate refers to mutate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **mutation abnormality**

mutation abnormality refers to mutation abnormality, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **mutism**

mutism refers to mutism, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **mycelium**

mycelium refers to mycelium, a medical condition

or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **mycetoma**

mycetoma refers to mycetoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **mycobacteriaceae**

mycobacteriaceae is a microorganism or microbial group associated with mycobacteriaceae; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **mycobacterium**

mycobacterium is a microorganism or microbial group associated with mycobacterium; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **mycobacterium avium**

mycobacterium avium is a microorganism or microbial group associated with mycobacterium avium; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **mycobacterium bovis**

mycobacterium bovis is a microorganism or microbial group associated with mycobacterium bovis; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **mycobacterium chelonae**

mycobacterium chelonae is a microorganism or microbial group associated with mycobacterium chelonae; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

---

**mycobacterium flavescens**

mycobacterium flavescens is a microorganism or microbial group associated with mycobacterium flavescens; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

**mycobacterium fortuitum**

mycobacterium fortuitum is a microorganism or microbial group associated with mycobacterium fortuitum; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

**mycobacterium gordonae**

mycobacterium gordonae is a microorganism or microbial group associated with mycobacterium gordonae; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

**mycobacterium haemophilum**

mycobacterium haemophilum is a microorganism or microbial group associated with mycobacterium haemophilum; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

**mycobacterium infection**

mycobacterium infection is a microorganism or microbial group associated with mycobacterium infection; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

**mycobacterium kansasii**

mycobacterium kansasii is a microorganism or microbial group associated with mycobacterium kansasii; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

**mycobacterium scrofulaceum**

mycobacterium scrofulaceum is a microorgan-

ism or microbial group associated with mycobacterium scrofulaceum; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

**mycobacterium smegmatis**

mycobacterium smegmatis is a microorganism or microbial group associated with mycobacterium smegmatis; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

**mycobacterium szulgai**

mycobacterium szulgai is a microorganism or microbial group associated with mycobacterium szulgai; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

**mycobacterium terrae**

mycobacterium terrae is a microorganism or microbial group associated with mycobacterium terrae; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

**mycobacterium ulcerans**

mycobacterium ulcerans is a microorganism or microbial group associated with mycobacterium ulcerans; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

**mycobiome**

mycobiome refers to mycobiome, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mycophenolate mofetil**

mycophenolate mofetil refers to mycophenolate mofetil, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

---

**Synonyms:**

**mycophenolic acid**

mycophenolic acid denotes mycophenolic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**mycoplasma**

mycoplasma is a microorganism or microbial group associated with mycoplasma; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

**mycoplasma hominis**

mycoplasma hominis is a microorganism or microbial group associated with mycoplasma hominis; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

**mycoplasma orale**

mycoplasma orale is a microorganism or microbial group associated with mycoplasma orale; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

**mycoplasma pneumoniae**

mycoplasma pneumoniae is a microorganism or microbial group associated with mycoplasma pneumoniae; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

**mycoplasmal pneumonia**

mycoplasmal pneumonia is a microorganism or microbial group associated with mycoplasmal pneumonia; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

**mycoplasmataceae**

mycoplasmataceae is a microorganism or microbial group associated with mycoplasmataceae; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

**mycosis**

mycosis refers to mycosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**mycosis fungoides lymphoma**

mycosis fungoides lymphoma denotes a neoplastic condition involving mycosis fungoides lymphoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**mycotoxin**

mycotoxin denotes an infectious or toxic condition involving mycotoxin; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

**mydriatics**

mydriatics refers to mydriatics, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**myelination**

myelination refers to myelination, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**myelitis**

myelitis refers to myelitis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### **myeloablative agonist**

myeloablative agonist refers to myeloablative agonist, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **myeloablative chemotherapy**

myeloablative chemotherapy is used in relation to myeloablative chemotherapy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **myeloblast**

myeloblast refers to myeloblast, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **myelocyte**

myelocyte refers to myelocyte, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **myeloid**

myeloid refers to myeloid, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **myeloid cell**

myeloid cell denotes myeloid cell, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **Myeloid Leukemia**

Myeloid Leukemia denotes a neoplastic condition involving myeloid leukemia; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### **myeloid sarcoma**

myeloid sarcoma denotes a neoplastic condition involving myeloid sarcoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### **myelolipoma**

myelolipoma refers to myelolipoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **myelomonocyte**

myelomonocyte refers to myelomonocyte, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **myelopoiesis**

myelopoiesis refers to myelopoiesis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **myeloproliferative neoplasm**

myeloproliferative neoplasm denotes a neoplastic condition involving myeloproliferative neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### **myelosuppressive therapy**

myelosuppressive therapy is used in relation to myelosuppressive therapy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **myenteric plexus**

myenteric plexus refers to myenteric plexus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### **Myhre syndrome**

Myhre syndrome denotes a clinical condition or finding involving myhre syndrome; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **myoblast**

myoblast refers to myoblast, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **myoblastoma**

myoblastoma denotes a neoplastic condition involving myoblastoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### **myocardial bridging**

myocardial bridging refers to myocardial bridging, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **myocardial contusion**

myocardial contusion refers to myocardial contusion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **myocardial reperfusion**

myocardial reperfusion refers to myocardial reperfusion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **myoclonic epilepsy**

myoclonic epilepsy refers to myoclonic epilepsy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **myoepithelial cell**

myoepithelial cell denotes myoepithelial cell, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **myoepithelioma**

myoepithelioma refers to myoepithelioma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **myofibril**

myofibril refers to myofibril, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **myofibrillar myopathy**

myofibrillar myopathy refers to myofibrillar myopathy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **myofibroblasts**

myofibroblasts refers to myofibroblasts, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **myofibromatosis**

myofibromatosis refers to myofibromatosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **myofilament**

myofilament refers to myofilament, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.



---

**Synonyms:**

**myogenesis**

myogenesis denotes myogenesis, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**myogenin**

myogenin refers to myogenin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**myoglobinuria**

myoglobinuria refers to myoglobinuria, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**myokymia**

myokymia refers to myokymia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**myoma**

myoma refers to myoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**myopericytoma**

myopericytoma refers to myopericytoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**myosin atpase**

myosin atpase refers to myosin atpase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**myositis ossifican**

myositis ossifican refers to myositis ossifican, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**myotonic disorder**

myotonic disorder denotes a clinical condition or finding involving myotonic disorder; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**myristic acid**

myristic acid denotes myristic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**myroides**

myroides identifies myroides, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**myroides odoratus**

myroides odoratus identifies myroides odoratus, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**myxococcales**

myxococcales identifies myxococcales, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**myxococcus**

myxococcus is a microorganism or microbial group associated with myxococcus; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

---

**Synonyms:**

**myxofibroma**

myxofibroma refers to myxofibroma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**myxoid cyst**

myxoid cyst refers to myxoid cyst, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**myxomycete**

myxomycete refers to myxomycete, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**myxopapillary ependymoma**

myxopapillary ependymoma refers to myxopapillary ependymoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**myxosarcoma**

myxosarcoma denotes a neoplastic condition involving myxosarcoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

It may cause vaginal bleeding, cramping, and an open cervix and requires clinical assessment.

**Synonyms:** Incomplete abortion; incomplete pregnancy loss.

**Muscle pain**

Pain, soreness, or aching in one or more muscles caused by exertion, injury, infection, inflammation, medicines, or an underlying medical condition. **Synonyms:**

**Macular degeneration, dry**

Alternate index label; see *Dry macular degeneration*.

**Synonyms:**

**Macular degeneration, wet**

Alternate index label; see *Wet macular degeneration*.

**Synonyms:**

**Mad cow disease**

Alternate index label; see *Creutzfeldt-Jakob disease*.

**Synonyms:**

**Malignant fibrous histiocytoma**

Alternate index label; see *Undifferentiated pleomorphic sarcoma*. **Synonyms:**

**Mallet toe and hammertoe**

Alternate index label; see *Hammertoe and mallet toe*. **Synonyms:**

**MALS**

Alternate index label; see *Median arcuate ligament syndrome (MALS)*. **Synonyms:**

**MALT lymphoma**

Alternate index label; see *Extranodal marginal zone lymphoma of mucosa-associated lymphoid tissue (MALT)*. **Synonyms:**

**Manic-depressive illness**

Alternate index label; see *Bipolar disorder*. **Synonyms:**

**MASH**

Alternate index label; see *Fatty liver disease (MASLD)*. **Synonyms:**

**MASLD**

Alternate index label; see *Fatty liver disease (MASLD)*. **Synonyms:**

**mCRPC**

Alternate index label; see *Metastatic castration-resistant prostate cancer (mCRPC)*. **Synonyms:**

---

## MD

Alternate index label; see *Muscular dystrophy*. **Synonyms:**

## MDS

Alternate index label; see *Myelodysplastic syndromes*. **Synonyms:**

## ME/CFS

Alternate index label; see *Myalgic encephalomyelitis/chronic fatigue syndrome (ME/CFS)*. **Synonyms:**

## Measles, German

Alternate index label; see *Rubella*. **Synonyms:**

## Medial epicondylitis

Alternate index label; see *Golfer's elbow (Medial epicondylitis)*. **Synonyms:**

## Medial tibial stress syndrome

Alternate index label; see *Shin splints*. **Synonyms:**

## Mediterranean anemia

Alternate index label; see *Thalassemia*. **Synonyms:**

## Melanoma of the eye

Melanoma of the eye concerns melanoma of the eye, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context. **Synonyms:**

## MEN 2

Alternate index label; see *Multiple endocrine neoplasia, type 2 (MEN 2)*. **Synonyms:**

## Meniscus tear

Alternate index label; see *Torn meniscus*. **Synonyms:**

## Metabolic dysfunction-associated steatohepatitis

Alternate index label; see *Fatty liver disease (MASLD)*. **Synonyms:**

## Metabolic dysfunction-associated steatotic liver disease

Alternate index label; see *Fatty liver disease (MASLD)*. **Synonyms:**

## Metastatic colorectal cancer

Alternate index label; see *Stage 4 (metastatic) colon cancer*. **Synonyms:**

## Methicillin-resistant staphylococcus aureus infection

Alternate index label; see *MRSA infection*. **Synonyms:**

## MF

Alternate index label; see *Mycosis fungoides*. **Synonyms:**

## MFS

Alternate index label; see *Myxofibrosarcoma*. **Synonyms:**

## MG

Alternate index label; see *Myasthenia gravis*. **Synonyms:**

## MGUS

Alternate index label; see *Monoclonal gammopathy of undetermined significance (MGUS)*. **Synonyms:**

## Microscopic hematuria

Alternate index label; see *Blood in urine (hematuria)*. **Synonyms:**

## Milk intolerance

Alternate index label; see *Lactose intolerance*. **Synonyms:**

## MISME

Alternate index label; see *NF2-related schwannomatosis (neurofibromatosis type 2)*. **Synonyms:**

## Mono

Alternate index label; see *Mononucleosis*. **Syn-**

---

onyms:

### **MOG antibody-associated disorder**

Alternate index label; see *Myelin oligodendrocyte glycoprotein antibody-associated disease (MOGAD)*.

**Synonyms:**

### **MOGAD**

Alternate index label; see *Myelin oligodendrocyte glycoprotein antibody-associated disease (MOGAD)*.

**Synonyms:**

### **Mucocutaneous lymph node syndrome**

Alternate index label; see *Kawasaki disease*. **Synonyms:**

### **Mucosa-assisted lymphoid tissue lymphoma**

Alternate index label; see *Extranodal marginal zone lymphoma of mucosa-associated lymphoid tissue (MALT)*. **Synonyms:**

### **Multiple inherited schwannomas, meningiomas, and ependymomas**

Alternate index label; see *NF2-related schwannomatosis (neurofibromatosis type 2)*. **Synonyms:**

### **Munchausen syndrome**

Alternate index label; see *Factitious disorder*. **Synonyms:**

### **Myelodysplastic neoplasms**

Alternate index label; see *Myelodysplastic syndromes*. **Synonyms:**

### **MZL**

Alternate index label; see *Marginal zone lymphoma*. **Synonyms:**

### **Macroamylasemia**

Macroamylasemia is a medical condition involving macroamylasemia; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Magnesium blood test**

Magnesium blood test examines magnesium blood test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Magnesium in diet**

Magnesium in diet addresses care related to magnesium in diet, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Major depression with psychotic features**

Major depression with psychotic features concerns major depression with psychotic features; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Make peak flow a habit**

Make peak flow a habit concerns make peak flow a habit; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Make the most of your doctor visit**

Make the most of your doctor visit examines make the most of your doctor visit; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Make time to move**

Make time to move concerns make time to move; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Making everyday tasks easier when you**

---

### **have arthritis**

Making everyday tasks easier when you have arthritis is a medical condition involving making everyday tasks easier when you have arthritis; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Malathion poisoning**

Malathion poisoning involves toxic or environmental exposure to malathion poisoning; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Male pattern baldness**

Male pattern baldness concerns male pattern baldness; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Malignant otitis externa**

Malignant otitis externa is a medical condition involving malignant otitis externa; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Malignant teratoma of the mediastinum**

Malignant teratoma of the mediastinum concerns malignant teratoma of the mediastinum; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Mallet finger - aftercare**

Mallet finger - aftercare is a treatment or care intervention for mallet finger - aftercare; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Malocclusion of teeth**

Malocclusion of teeth concerns malocclusion of teeth;

its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Mammogram - calcifications**

Mammogram - calcifications examines mammogram - calcifications; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Managing latex allergies at home**

Managing latex allergies at home addresses care related to managing latex allergies at home, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Managing menopause at home**

Managing menopause at home addresses care related to managing menopause at home, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Managing migraines at home**

Managing migraines at home addresses care related to managing migraines at home, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Managing pain during labor**

Managing pain during labor is a medical condition involving managing pain during labor; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Managing tension headaches at home**

Managing tension headaches at home addresses care related to managing tension headaches at home, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

---

**Synonyms:**

### **Managing your blood sugar**

Managing your blood sugar is a medical condition involving managing your blood sugar; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Managing your chronic back pain**

Managing your chronic back pain is a medical condition involving managing your chronic back pain; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Managing your depression - teens**

Managing your depression - teens concerns managing your depression - teens; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Managing your weight gain during pregnancy**

Managing your weight gain during pregnancy addresses care related to managing your weight gain during pregnancy, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Managing your weight with healthy eating**

Managing your weight with healthy eating addresses care related to managing your weight with healthy eating, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Marijuana intoxication**

Marijuana intoxication involves toxic or environmental exposure to marijuana intoxication; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Marine animal stings or bites**

Marine animal stings or bites concerns marine animal stings or bites; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Mastectomy - discharge**

Mastectomy - discharge examines mastectomy - discharge; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Mastectomy and breast reconstruction - what to ask your doctor**

Mastectomy and breast reconstruction - what to ask your doctor examines mastectomy and breast reconstruction - what to ask your doctor; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Mathematics disorder**

Mathematics disorder is a medical condition involving mathematics disorder; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Maximizing your teaching moment**

Maximizing your teaching moment concerns maximizing your teaching moment; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Meatal stenosis**

Meatal stenosis is a medical condition involving meatal stenosis; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**



---

### **Mechanical ventilator - infants**

Mechanical ventilator - infants is a treatment or care intervention for mechanical ventilator - infants; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Meckel diverticulectomy**

Meckel diverticulectomy examines meckel diverticulectomy; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Meclofenamate overdose**

Meclofenamate overdose involves toxic or environmental exposure to meclufenamate overdose; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Medial epicondylitis - golfer's elbow**

Medial epicondylitis - golfer's elbow is a medical condition involving medial epicondylitis - golfer's elbow; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Mediastinal tumor**

Mediastinal tumor is a medical condition involving mediastinal tumor; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Mediastinoscopy with biopsy**

Mediastinoscopy with biopsy examines mediastinoscopy with biopsy; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Medical marijuana**

Medical marijuana involves toxic or environmental exposure to medical marijuana; dose, route, tim-

ing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Medicine safety - Filling your prescription**

Medicine safety - Filling your prescription addresses care related to medicine safety - filling your prescription, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Medicine safety and children**

Medicine safety and children addresses care related to medicine safety and children, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Medicine safety during your hospital stay**

Medicine safety during your hospital stay addresses care related to medicine safety during your hospital stay, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Medicines for ADHD**

Medicines for ADHD addresses care related to medicines for adhd, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Medicines for back pain**

Medicines for back pain addresses care related to medicines for back pain, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Medicines for osteoporosis**

Medicines for osteoporosis addresses care related to medicines for osteoporosis, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

---

**Synonyms:**

### **Medicines for sleep**

Medicines for sleep addresses care related to medicines for sleep, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Medicines, injections, and supplements for arthritis**

Medicines, injections, and supplements for arthritis examines medicines, injections, and supplements for arthritis; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Meibomianitis**

Meibomianitis is a medical condition involving meibomianitis; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Meniere disease - self-care**

Meniere disease - self-care is a treatment or care intervention for meniere disease - self-care; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Meningitis - cryptococcal**

Meningitis - cryptococcal is a medical condition involving meningitis - cryptococcal; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Meningitis - tuberculous**

Meningitis - tuberculous is a medical condition involving meningitis - tuberculous; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Meningocele repair**

Meningocele repair is a treatment or care intervention for meningocele repair; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Meningococcal ACWY vaccine - what you need to know**

Meningococcal ACWY vaccine - what you need to know is a treatment or care intervention for meningococcal acwy vaccine - what you need to know; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Meningococcal B vaccine - what you need to know**

Meningococcal B vaccine - what you need to know is a treatment or care intervention for meningococcal b vaccine - what you need to know; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Meningococcal meningitis**

Meningococcal meningitis is a medical condition involving meningococcal meningitis; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Meningococcemia**

Meningococcemia is a medical condition involving meningococcemia; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Meniscal allograft transplantation**

Meniscal allograft transplantation is a treatment or care intervention for meniscal allograft transplantation; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

---

### **Meniscus tears - aftercare**

Meniscus tears - aftercare is a treatment or care intervention for meniscus tears - aftercare; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Mental status testing**

Mental status testing examines mental status testing; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Menthol poisoning**

Menthol poisoning involves toxic or environmental exposure to menthol poisoning; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Meperidine hydrochloride overdose**

Meperidine hydrochloride overdose involves toxic or environmental exposure to meperidine hydrochloride overdose; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Meprobamate overdose**

Meprobamate overdose involves toxic or environmental exposure to meprobamate overdose; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Merbromin poisoning**

Merbromin poisoning involves toxic or environmental exposure to merbromin poisoning; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Mercuric chloride poisoning**

Mercuric chloride poisoning involves toxic or envi-

ronmental exposure to mercuric chloride poisoning; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Mercuric oxide poisoning**

Mercuric oxide poisoning involves toxic or environmental exposure to mercuric oxide poisoning; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Merthiolate poisoning**

Merthiolate poisoning involves toxic or environmental exposure to merthiolate poisoning; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Mesenteric angiography**

Mesenteric angiography examines mesenteric angiography; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Mesenteric venous thrombosis**

Mesenteric venous thrombosis is a medical condition involving mesenteric venous thrombosis; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Metabolic neuropathies**

Metabolic neuropathies concerns metabolic neuropathies, a body structure, substance, or clinical concept whose meaning depends on location, function, and patient context.

**Synonyms:**

### **Metal cleaner poisoning**

Metal cleaner poisoning involves toxic or environmental exposure to metal cleaner poisoning; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

---

**Synonyms:**

### **Metal polish poisoning**

Metal polish poisoning involves toxic or environmental exposure to metal polish poisoning; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Metastatic brain tumor**

Metastatic brain tumor is a medical condition involving metastatic brain tumor; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Metastatic pleural tumor**

Metastatic pleural tumor is a medical condition involving metastatic pleural tumor; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Metatarsal fracture (acute) - aftercare**

Metatarsal fracture (acute) - aftercare examines metatarsal fracture (acute) - aftercare; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Metatarsal stress fractures - aftercare**

Metatarsal stress fractures - aftercare examines metatarsal stress fractures - aftercare; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Metatarsus adductus**

Metatarsus adductus examines metatarsus adductus; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Methadone overdose**

Methadone overdose involves toxic or environmental exposure to methadone overdose; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Methamphetamine overdose**

Methamphetamine overdose involves toxic or environmental exposure to methamphetamine overdose; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Methanol test**

Methanol test involves toxic or environmental exposure to methanol test; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Methemoglobinemia - acquired**

Methemoglobinemia - acquired is a medical condition involving methemoglobinemia - acquired; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Methicillin-resistant Staphylococcus aureus (MRSA)**

Methicillin-resistant Staphylococcus aureus (MRSA) concerns methicillin-resistant staphylococcus aureus (mrsa); its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Methyl salicylate overdose**

Methyl salicylate overdose involves toxic or environmental exposure to methyl salicylate overdose; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

---

### **Methylene blue test**

Methylene blue test involves toxic or environmental exposure to methylene blue test; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Methylmalonic acid blood test**

Methylmalonic acid blood test involves toxic or environmental exposure to methylmalonic acid blood test; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Methylmalonic acidemia**

Methylmalonic acidemia involves toxic or environmental exposure to methylmalonic acidemia; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Methylmercury poisoning**

Methylmercury poisoning involves toxic or environmental exposure to methylmercury poisoning; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Metopic ridge**

Metopic ridge concerns metopic ridge; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **MIBG scintiscan**

MIBG scintiscan examines mibg scintiscan; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Microalbuminuria test**

Microalbuminuria test examines microalbuminuria test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Middle East Respiratory Syndrome (MERS)**

Middle East Respiratory Syndrome (MERS) is a medical condition involving middle east respiratory syndrome (mers); causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Midline venous catheters - infants**

Midline venous catheters - infants is a treatment or care intervention for midline venous catheters - infants; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Migraine - resources**

Migraine - resources addresses care related to migraine - resources, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Mild to moderate COVID-19 - discharge**

Mild to moderate COVID-19 - discharge is a treatment or care intervention for mild to moderate covid-19 - discharge; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Mildew remover poisoning**

Mildew remover poisoning involves toxic or environmental exposure to mildew remover poisoning; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Millipede toxin**

Millipede toxin involves toxic or environmental exposure to millipede toxin; dose, route, timing, symptoms, and organ involvement determine urgency and

---

treatment.

**Synonyms:**

### **Mineral oil overdose**

Mineral oil overdose involves toxic or environmental exposure to mineral oil overdose; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Mineral spirits poisoning**

Mineral spirits poisoning involves toxic or environmental exposure to mineral spirits poisoning; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Minimally invasive hip replacement**

Minimally invasive hip replacement is a treatment or care intervention for minimally invasive hip replacement; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Minor burns - aftercare**

Minor burns - aftercare is a treatment or care intervention for minor burns - aftercare; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Miscarriage - threatened**

Miscarriage - threatened concerns miscarriage - threatened; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Mistletoe poisoning**

Mistletoe poisoning involves toxic or environmental exposure to mistletoe poisoning; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Mitral valve regurgitation**

Mitral valve regurgitation concerns mitral valve regurgitation; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Mitral valve surgery - minimally invasive**

Mitral valve surgery - minimally invasive is a treatment or care intervention for mitral valve surgery - minimally invasive; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Mitral valve surgery - open**

Mitral valve surgery - open is a treatment or care intervention for mitral valve surgery - open; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **MMR (measles, mumps, and rubella) vaccine - what you need to know**

MMR (measles, mumps, and rubella) vaccine - what you need to know is a treatment or care intervention for mmr (measles, mumps, and rubella) vaccine - what you need to know; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **MMRV (measles, mumps, rubella, and varicella) vaccine - what you need to know**

MMRV (measles, mumps, rubella, and varicella) vaccine - what you need to know is a treatment or care intervention for mmrv (measles, mumps, rubella, and varicella) vaccine - what you need to know; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Mohs micrographic surgery**

Mohs micrographic surgery is a treatment or care



---

intervention for mohs micrographic surgery; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Monitoring your baby before labor**

Monitoring your baby before labor examines monitoring your baby before labor; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Mononucleosis spot test**

Mononucleosis spot test examines mononucleosis spot test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Morphine overdose**

Morphine overdose involves toxic or environmental exposure to morphine overdose; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Mouth and neck radiation - discharge**

Mouth and neck radiation - discharge is a treatment or care intervention for mouth and neck radiation - discharge; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Mouth sores**

Mouth sores is a medical condition involving mouth sores; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Mouthwash overdose**

Mouthwash overdose involves toxic or environmental exposure to mouthwash overdose; dose, route, timing, symptoms, and organ involvement determine

urgency and treatment.

**Synonyms:**

### **Movement - uncontrollable**

Movement - uncontrollable concerns movement - uncontrollable; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Movement - uncontrolled or slow**

Movement - uncontrolled or slow concerns movement - uncontrolled or slow; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Movement - uncoordinated**

Movement - uncoordinated concerns movement - uncoordinated; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Movement - unpredictable or jerky**

Movement - unpredictable or jerky examines movement - unpredictable or jerky; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Moving a patient from bed to a wheelchair**

Moving a patient from bed to a wheelchair concerns moving a patient from bed to a wheelchair; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **MRI and low back pain**

MRI and low back pain examines mri and low back pain; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

---

**Synonyms:**

### **MSG symptom complex**

MSG symptom complex concerns msg symptom complex; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Mucopolysaccharides**

Mucopolysaccharides is a medical condition involving mucopolysaccharides; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Mucopolysaccharidoses**

Mucopolysaccharidoses is a medical condition involving mucopolysaccharidoses; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Mucopolysaccharidosis type I**

Mucopolysaccharidosis type I is a medical condition involving mucopolysaccharidosis type i; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Mucopolysaccharidosis type II**

Mucopolysaccharidosis type II is a medical condition involving mucopolysaccharidosis type ii; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Mucopolysaccharidosis type III**

Mucopolysaccharidosis type III is a medical condition involving mucopolysaccharidosis type iii; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Mucopolysaccharidosis type IV**

Mucopolysaccharidosis type IV is a medical condition involving mucopolysaccharidosis type iv; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Multiple endocrine neoplasia (MEN) I**

Multiple endocrine neoplasia (MEN) I concerns multiple endocrine neoplasia (men) i; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Multiple endocrine neoplasia (MEN) II**

Multiple endocrine neoplasia (MEN) II concerns multiple endocrine neoplasia (men) ii; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Multiple mononeuropathy**

Multiple mononeuropathy is a medical condition involving multiple mononeuropathy; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Multiple sclerosis - discharge**

Multiple sclerosis - discharge is a treatment or care intervention for multiple sclerosis - discharge; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Multiple sclerosis - resources**

Multiple sclerosis - resources addresses care related to multiple sclerosis - resources, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Multiple system atrophy - cerebellar subtype**

Multiple system atrophy - cerebellar subtype con-

---

cerns multiple system atrophy - cerebellar subtype; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Multiple system atrophy - parkinsonian type**

Multiple system atrophy - parkinsonian type concerns multiple system atrophy - parkinsonian type; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**

### **Multiple vitamin overdose**

Multiple vitamin overdose involves toxic or environmental exposure to multiple vitamin overdose; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Munchausen syndrome by proxy**

Munchausen syndrome by proxy is a medical condition involving munchausen syndrome by proxy; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Muscle aches**

Muscle aches is a medical condition involving muscle aches; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Muscle biopsy**

Muscle biopsy examines muscle biopsy; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Muscle cramps**

Muscle cramps is a medical condition involving muscle cramps; causes, affected organs, severity, compli-

cations, and treatment are determined by clinical assessment.

**Synonyms:**

### **Muscle disorder**

Muscle disorder is a medical condition involving muscle disorder; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Muscle function loss**

Muscle function loss examines muscle function loss; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Muscle strain treatment**

Muscle strain treatment is a treatment or care intervention for muscle strain treatment; indication, preparation, risks, technical details, and recovery depend on the patient and goal.

**Synonyms:**

### **Muscle twitching**

Muscle twitching is a medical condition involving muscle twitching; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Muscular dystrophy - resources**

Muscular dystrophy - resources addresses care related to muscular dystrophy - resources, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Myalgic encephalomyelitis/chronic fatigue syndrome (ME/CFS)**

Myalgic encephalomyelitis/chronic fatigue syndrome (ME/CFS) is a medical condition involving myalgic encephalomyelitis/chronic fatigue syndrome (me/cfs); causes, affected organs, severity, compli-

---

cations, and treatment are determined by clinical assessment.

**Synonyms:**

### **Myasthenia gravis - resources**

Myasthenia gravis - resources addresses care related to myasthenia gravis - resources, including practical measures, warning signs, follow-up, and decisions to discuss with a clinician.

**Synonyms:**

### **Mycobacterial culture**

Mycobacterial culture examines mycobacterial culture; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Myocardial biopsy**

Myocardial biopsy examines myocardial biopsy; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Myocarditis - pediatric**

Myocarditis - pediatric is a medical condition involving myocarditis - pediatric; causes, affected organs, severity, complications, and treatment are determined by clinical assessment.

**Synonyms:**

### **Myoglobin blood test**

Myoglobin blood test examines myoglobin blood test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Myoglobin urine test**

Myoglobin urine test examines myoglobin urine test; interpretation depends on the specimen or body region, test method, reference range, and clinical question.

**Synonyms:**

### **Myristica oil poisoning**

Myristica oil poisoning involves toxic or environmental exposure to myristica oil poisoning; dose, route, timing, symptoms, and organ involvement determine urgency and treatment.

**Synonyms:**

### **Myths about drinking alcohol**

Myths about drinking alcohol concerns myths about drinking alcohol; its medical significance is established from the defining features, setting, associated findings, and clinical question.

**Synonyms:**



## N

### N-Acetylcysteine

An antidote that replenishes glutathione and enhances detoxification of the toxic metabolite of acetaminophen. It is most effective when started early but may benefit patients with delayed presentation or established liver injury under specialist guidance.

**Synonyms:**

### Nanograms Per Milliliter

A concentration unit equal to one-billionth of a gram per milliliter. **Synonyms:** ng/mL

### Nasolabial Folds

Skin creases running from the sides of the nose toward the corners of the mouth. **Synonyms:** Smile lines

### Natural Killer Cells

Immune cells that destroy infected or abnormal cells without prior exposure to a specific antigen. **Synonyms:** NK cells

### Natural Recoverers

People who overcome an addiction without formal treatment or self-help programs. **Synonyms:**

### Needle Biopsy

Removal of a small tissue sample through a hollow needle for microscopic examination. **Synonyms:**

### Neonatal

Relating to a newborn, especially during the first 28 days after birth. **Synonyms:**

### Nerve Sparing

Surgical preservation of nerves needed for erectile function, especially during prostate surgery. **Synonyms:**

### Neuritic Plaques

Abnormal deposits of beta-amyloid surrounded by damaged nerve processes in Alzheimer disease. **Synonyms:** Amyloid plaques

### Neurofibrillary Tangles

Twisted tau-protein fibers inside damaged neurons, characteristic of Alzheimer disease. **Synonyms:** Tau tangles

### Neuroleptic Agents

Antipsychotic medicines used to treat disorders such as schizophrenia. **Synonyms:** Antipsychotics

### Neurologist

A physician specializing in disorders of the brain, spinal cord, nerves, and muscles. **Synonyms:**

### Neuropeptides

Short chains of amino acids that act as signaling molecules in the nervous system. **Synonyms:**

### Neurotransmitter Receptors

Cell proteins that recognize neurotransmitters and alter cell activity when bound. **Synonyms:**

### Neutral Alignment

A posture in which the body is arranged in a straight, balanced line while preserving normal spinal curves. **Synonyms:**



---

### Nonproliferative Retinopathy

Retinal disease in which small vessels leak or become damaged without abnormal new-vessel growth.

**Synonyms:** Background retinopathy

### Non-REM Sleep

Sleep stages that do not include rapid eye movements, including deep slow-wave sleep. **Synonyms:** NREM sleep

### Noradrenaline

A hormone and neurotransmitter involved in alertness, stress responses, and blood-vessel constriction.

**Synonyms:** Norepinephrine

### Norepinephrine

A hormone and neurotransmitter that supports alertness, heart function, and the stress response.

**Synonyms:** Noradrenaline

### NSAID

A nonsteroidal anti-inflammatory drug used to reduce pain, fever, and inflammation. **Synonyms:** Nonsteroidal anti-inflammatory drug

### Nuclear Tests

Diagnostic tests using small amounts of radioactive material to assess organs or identify disease.

**Synonyms:** Nuclear medicine tests

### Nutraceutical

A concentrated food-derived product marketed for health benefits beyond basic nutrition. **Synonyms:**

### Nutrients

Substances obtained from food that the body needs for energy, growth, repair, and regulation. **Synonyms:**

### Na<sup>+</sup>/K<sup>+</sup> ATPase

The sodium-potassium pump is a P-type ATPase found in the plasma membrane of all animal cells, directly consuming approximately 20-30 percent of cellular ATP. It pumps 3 Na<sup>+</sup> ions out of the cell and 2 K<sup>+</sup> ions in per ATP hydrolyzed, establishing

steep electrochemical gradients: high Na<sup>+</sup> outside, high K<sup>+</sup> inside.

**Synonyms:**

### Nabothian Cyst

A benign mucus-retention cyst of the uterine cervix caused by obstruction of an endocervical gland. It is common, usually asymptomatic, and generally requires no treatment.

**Synonyms:**

### NAD<sup>+</sup>

Nicotinamide adenine dinucleotide in its oxidized form, a coenzyme that carries electrons in cellular energy metabolism.

**Synonyms:**

### NAD<sup>+</sup> (Nicotinamide Adenine Dinucleotide)

Coenzyme involved in redox reactions, existing in oxidized (NAD<sup>+</sup>) and reduced (NADH) forms. Accepts electrons and hydrogen (NAD<sup>+</sup> + 2e<sup>-</sup> + H<sup>+</sup> → NADH). Key roles: glycolysis (glyceraldehyde-3-phosphate dehydrogenase), TCA cycle (isocitrate, alpha-ketoglutarate, malate dehydrogenases), beta-oxidation.

**Synonyms:** Nicotinamide Adenine Dinucleotide

### Nadir

The lowest point, particularly referring to the lowest white blood cell count after chemotherapy. Bone marrow suppression typically reaches nadir 7-14 days post-treatment. Important for infection risk assessment.

**Synonyms:**

### Naegele Rule

A formula for estimating the due date (estimated date of delivery, EDD): add 7 days to the first day of the last menstrual period (LMP), then add 9 months (or subtract 3 months). Example: LMP January 1 yields EDD October 8. Assumes a 28-day cycle with ovulation on day 14. The rule is most accurate with regular cycles and confirmed LMP.

**Synonyms:**

---

## Naegleria Fowleri

A free-living amoeba that can cause primary amoebic meningoencephalitis after contaminated water enters the nose. The infection is rare but rapidly progressive, with fever, severe headache, meningism, altered consciousness, seizures, and high mortality.

**Synonyms:**

## Naegleria Infection

A rare infection caused by the free-living amoeba *Naegleria fowleri*, usually acquired when contaminated warm fresh water enters the nose. It can cause rapidly progressive primary amoebic meningoencephalitis with severe headache, fever, vomiting, confusion, seizures, and coma. It is a medical emergency.

**Synonyms:**

## Nail

A protective plate of hardened keratin covering the dorsal surface of the distal phalanges of the fingers and toes.

**Synonyms:**

## Nail Changes

Alterations in nail color, shape, texture, or attachment that may result from local injury, skin disease, infection, medicines, nutritional deficiency, or systemic illness. Their significance depends on the pattern and other clinical findings.

**Synonyms:**

## Nail Clubbing

Abnormal enlargement of the distal digit with increased nail curvature and loss of the normal nail-fold angle. It may be familial or associated with pulmonary, cardiovascular, gastrointestinal, or malignant disease and should be interpreted with the clinical context.

**Synonyms:**

## Nail Infection

Infection of the nail or surrounding tissue, commonly caused by fungi or bacteria. It may cause thickening, discoloration, separation of the nail, pain, swelling,

or drainage; diabetes and poor circulation increase the risk of complications.

**Synonyms:**

## Nail Pits

Small, sharply circumscribed depressions in the nail plate caused by abnormal focal keratinization of the proximal nail matrix. They are classically associated with psoriasis but may also occur in alopecia areata, eczema, lichen planus, or other nail disorders.

**Synonyms:**

## Nail Psoriasis

Nail psoriasis affects 50 percent of patients with psoriasis and 80 percent with nail involvement having joint disease. Features include pitting (most common), onycholysis (nail separation), oil drop sign (salmon patch), subungual hyperkeratosis, and nail plate crumbling. Nail psoriasis is associated with psoriatic arthritis.

**Synonyms:**

## Nanocolloid

Tc-99m labeled colloidal particles for lymphatic imaging. Particle size 10-100 nm. Used for sentinel node detection.

**Synonyms:**

## Narcissistic Personality Disorder

A pattern of grandiosity, need for admiration, and lack of empathy.

**Synonyms:**

## Narcolepsy

A chronic sleep disorder characterized by excessive daytime sleepiness and irresistible sleep attacks, with or without cataplexy (sudden bilateral loss of muscle tone triggered by strong emotions). Narcolepsy type 1: with cataplexy, caused by loss of hypocretin/orexin neurons in the hypothalamus.

**Synonyms:**

## Narrow angle glaucoma

Anatomical narrowing of the anterior chamber angle due to relative pupillary block or a shallow ante-

---

rior chamber, creating risk for angle closure and acute intraocular pressure elevation. Identified on gonioscopy, it may be managed with laser peripheral iridotomy to equalise pressure between the posterior and anterior chambers.

**Synonyms:**

### **Narrow Therapeutic Index**

A drug characteristic where there is a small difference between the therapeutic dose and the toxic dose, requiring careful dosing and therapeutic drug monitoring to ensure efficacy while avoiding toxicity. Narrow therapeutic index drugs have a therapeutic index <2-3 (the ratio of toxic dose to effective dose).

**Synonyms:**

### **Narrow-Complex Tachycardia**

A rapid cardiac rhythm with QRS complexes of normal or near-normal width, usually arising above the ventricles.

**Synonyms:**

### **Narrowband UVB Phototherapy**

Controlled exposure to ultraviolet B light centered near 311–313 nm for inflammatory or pigmentary skin disease. It is used for psoriasis, vitiligo, eczema, and other selected conditions with eye protection, cumulative-dose monitoring, and skin-cancer risk assessment.

**Synonyms:**

### **Nasal Cannula**

A device with two small prongs placed in the nostrils to deliver supplemental oxygen. The flow rate is adjusted to the patient's needs and the device used.

**Synonyms:**

### **Nasal Cavity**

The paired space inside the nose, extending from the nostrils to the nasopharynx. It warms, humidifies, and filters inspired air and contains the receptors responsible for smell.

**Synonyms:**

### **Nasal Congestion**

A sensation of nasal stuffiness or obstruction from engorgement of the venous sinusoids within the nasal mucosa, especially the inferior turbinates; a symptom shared by many conditions.

**Synonyms:**

### **Nasal Endoscopy**

Direct endoscopic inspection of the nasal passages, turbinates, septum, sinus drainage pathways, and nasopharynx. It is useful for chronic rhinosinusitis, unilateral obstruction, epistaxis, polyps, foreign bodies, and suspected neoplasia.

**Synonyms:**

### **Nasal Flaring**

Widening and outward movement of the nostrils during breathing. It is a visible sign of increased work of breathing, particularly in infants and children, and may accompany airway obstruction, bronchiolitis, pneumonia, asthma, or severe systemic illness.

**Synonyms:**

### **Nasal Implant**

A device placed in or near the nose to support nasal structures or improve airflow. Its purpose depends on the device and condition.

**Synonyms:**

### **Nasal Obstruction**

Blocked airflow through one or both nasal passages. Causes include congestion, allergy, infection, a deviated septum, polyps, trauma, or a mass. Persistent one-sided obstruction or bleeding requires medical evaluation.

**Synonyms:**

### **Nasal Polyps**

Benign, pedunculated, edematous outgrowths of the sinus and nasal mucosa that arise most commonly from the ethmoidal sinuses and protrude into the nasal cavity through the middle meatus, causing nasal obstruction, anosmia (loss of smell), and rhinorrhea.

**Synonyms:**

---

### Nasal Septal Hematoma

A collection of blood between the nasal septal cartilage and its perichondrium, usually after nasal trauma. It causes nasal obstruction and a soft fluctuant septal swelling and requires urgent drainage to prevent cartilage necrosis and saddle-nose deformity.

**Synonyms:**

### Nasal Septum

The wall that divides the nasal cavity into right and left sides. It consists mainly of cartilage in front and bone behind and helps support the nose and direct airflow.

**Synonyms:**

### Nasal Stent

Support for nasal septum/airway. Materials: silicone, metal. Indications: septal hematoma, post-septoplasty support, nasal valve collapse. Complications: crusting, infection, pressure necrosis.

**Synonyms:**

### Nasogastric Tube

A tube passed through the nose into the stomach to remove contents or deliver nutrition, fluids, or medicines when clinically indicated.

**Synonyms:**

### Nasopharyngeal Airway

A soft tube inserted through the nose to maintain a passage between the nares and pharynx. It may be useful in a spontaneously breathing patient with partial upper-airway obstruction but is relatively contraindicated in suspected basal skull fracture or significant nasal trauma.

**Synonyms:**

### Nasopharyngeal Carcinoma

A malignancy arising from the epithelial lining of the nasopharynx, and it has a unique geographical and ethnic distribution, with highest incidence in southern China, Southeast Asia, and North Africa.

**Synonyms:**

### Natal Teeth

Teeth present at birth, most often involving the lower central incisors. They may be loose, interfere with feeding, or injure the infant's tongue and require dental assessment.

**Synonyms:**

### Natural Killer Cell

A type of innate lymphoid cell (lymphocyte) that provides early defense against virus-infected cells and tumor cells without prior sensitization. NK cells recognize stressed or missing-self cells (absent or altered MHC class I) and kill them by releasing perforin and granzymes, or through antibody-dependent cellular cytotoxicity.

**Synonyms:**

### Nausea

An unpleasant sensation of an impending need to vomit, often accompanied by autonomic symptoms such as salivation, sweating, pallor, or dizziness. Common causes include gastrointestinal illness, pregnancy, medication effects, migraine, vestibular disorders, metabolic disease, and serious abdominal or neurologic conditions.

**Synonyms:**

### Navicular

Boat-shaped tarsal bone between talus and three cuneiforms. Navicular tuberosity is a palpable medial prominence serving as posterior tibial tendon insertion, key medial longitudinal arch stabilizer. Central third has a precarious blood supply, susceptible to stress fractures and avascular necrosis (Kohler disease in children).

**Synonyms:**

### NDM-1

New Delhi metallo-beta-lactamase-1, an enzyme that allows certain bacteria to resist many beta-lactam antibiotics, including carbapenems. NDM-1-producing organisms can cause difficult-to-treat urinary, wound, bloodstream, or lung infections. Laboratory susceptibility testing and strict infection-control measures are essential.

---

**Synonyms:**

### Near Miss

A patient-safety event that could have caused harm but did not, either by chance or because it was intercepted. Reporting and analyzing near misses can identify system vulnerabilities before harm occurs.

**Synonyms:**

### Nearsightedness

A refractive error, also called myopia, in which distant objects appear blurred because light focuses in front of the retina. It is corrected with diverging lenses, contact lenses, or refractive surgery.

**Synonyms:** myopia, in which distant objects appear blurred because.

### Nebulizer

A device that converts liquid medications into a mist for inhalation. Used for bronchodilators (albuterol, ipratropium) and corticosteroids in acute exacerbations. More effective than MDI in patients with severe obstruction.

**Synonyms:**

### Neck Cancer

Human papillomavirus, particularly HPV-16, is an increasingly important etiological factor in head and neck squamous cell carcinoma, particularly oropharyngeal cancer, and it is responsible for the rising incidence of oropharyngeal cancer in younger patients without traditional risk factors of tobacco and alcohol use.

**Synonyms:**

### Neck Pain

Pain or stiffness in the cervical region, commonly caused by muscle strain, degenerative disease, poor posture, or injury. Severe pain after trauma or pain with weakness, numbness, fever, or neurologic deficits requires prompt assessment.

**Synonyms:**

### Necrobiosis Lipoidica

A chronic inflammatory skin disorder characterized

by yellow-brown, atrophic plaques, usually on the shins. It is associated with diabetes but can occur without diabetes.

**Synonyms:**

### Necrobiosis lipoidica diabetorum

A chronic granulomatous skin disorder most commonly associated with diabetes mellitus, presenting as well-demarcated, atrophic, yellow-brown plaques with telangiectasia, typically on the pretibial area. The plaques have a waxy, glazed appearance with a violaceous border. Ulceration occurs in approximately 35 percent of cases.

**Synonyms:**

### Necrolytic migratory erythema

A recurrent, erosive, erythematous eruption that often affects periorificial and intertriginous skin. It is classically associated with glucagonoma but may have other causes, so evaluation should consider nutritional, hepatic, pancreatic, and metabolic disease.

**Synonyms:**

### Necropsy

A post-mortem examination of an animal or human body to determine disease or cause of death.

**Synonyms:**

### Necroptosis

A regulated, programmed form of necrosis that shares features of both classical necrosis and apoptosis, serving as a backup cell death mechanism when apoptosis is inhibited. It is particularly important during viral infections, as many viruses encode proteins that block caspase-mediated apoptosis to ensure their own replication.

**Synonyms:**

### Necrosis

Cell death caused by severe injury or disease, often with loss of membrane integrity and release of cellular contents. It commonly provokes inflammation, although the appearance and inflammatory response vary with the cause and tissue.

---

**Synonyms:**

### **Necrotizing anterior scleritis**

A severe, sight-threatening form of scleral inflammation characterised by ischaemic necrosis of the sclera with visible underlying uvea through thinned, grey-white scleral patches.

**Synonyms:**

### **Necrotizing Enterocolitis**

An acquired inflammatory disease that can cause intestinal necrosis, primarily affecting premature infants. Risk factors include prematurity, enteral feeding, and bacterial colonization. It may cause abdominal distension, bloody stools, bilious vomiting, and feeding intolerance. Pneumatosis intestinalis on imaging strongly supports the diagnosis but must be interpreted with the clinical findings.

**Synonyms:**

### **Necrotizing Fasciitis**

A life-threatening soft tissue infection characterized by rapid necrosis of the subcutaneous fascia and subcutaneous tissue, with relative sparing of the overlying skin in early stages. It is a surgical emergency requiring immediate wide surgical debridement and broad-spectrum antibiotics.

**Synonyms:**

### **Necrotizing Soft Tissue Infection**

A rapidly progressive infection of fascia, subcutaneous tissue, or muscle causing severe pain, swelling, systemic toxicity, and tissue necrosis. It is a surgical emergency requiring immediate assessment, broad antimicrobial therapy, and aggressive debridement.

**Synonyms:**

### **Needle**

Hollow metal tube for fluid withdrawal or injection. Gauge: larger number = smaller diameter. Common gauges: 18G (blood draw), 22G (IV), 25-27G (injection).

**Synonyms:**

### **Needle Driver**

Instrument for passing suture needle through tissue.

**Synonyms:**

### **Needle Driver (Perineal)**

A hand instrument used to hold and guide a suture needle during a perineal repair.

**Synonyms:** Perineal

### **Needle Driver (Vascular)**

A hand instrument used to hold and guide a suture needle during vascular repair.

**Synonyms:** Vascular

### **Needle Holder**

A surgical instrument with jaws used to grasp and guide a suture needle during tissue repair.

**Synonyms:**

### **Negative Feedback**

A regulatory mechanism in which the output of a system feeds back to decrease or reverse the initiating stimulus, maintaining homeostasis around a set point.

**Synonyms:**

### **Negative Predictive Value**

The probability that a person with a negative test result truly does not have the target condition. NPV varies with disease prevalence or pretest probability and is not an intrinsic fixed property of a test.

**Synonyms:**

### **Negative Pressure Ventilation**

Ventilation using negative pressure applied around the chest wall to expand the lungs, as opposed to positive pressure applied to the airway. The “iron lung” is a historical example. Modern negative pressure ventilators include the cuirass and wrap. They are rarely used today but may be useful in neuromuscular disease.

**Synonyms:**



---

## Negative Symptoms

Reduced or absent normal emotional, motivational, cognitive, or social functions, including affective flattening, alogia, avolition, anhedonia, and asociality. Persistent negative symptoms can substantially impair functional recovery.

**Synonyms:**

## Neglect

A form of child maltreatment: the failure to provide for a child's basic needs—physical (food, clothing, shelter, medical care), educational, or emotional—causing harm or risk of harm. Features: failure to thrive, poor hygiene, untreated illness/injury, missed healthcare appointments, inadequate supervision, and developmental delay.

**Synonyms:**

## Neglect Syndrome

Hemispatial neglect (unilateral neglect, hemineglect) is a neurological condition characterized by failure to attend to, respond to, or orient toward stimuli on the side of space contralateral to the brain lesion, in the absence of primary sensory or motor deficits sufficient to explain the neglect.

**Synonyms:**

## Neisseria gonorrhoeae

A gram-negative diplococcus that causes gonorrhea, a sexually transmitted infection. The organism has developed resistance to many antibiotics including fluoroquinolones and macrolides.

**Synonyms:**

## Neisseria meningitidis

A gram-negative diplococcus that causes meningitis and meningococcemia. The organism has a polysaccharide capsule that is the target of conjugate vaccines. Serogroups A, B, C, W, X, and Y cause most disease. Meningitis presents with fever, headache, neck stiffness, and altered mental status.

**Synonyms:**

## Nelson Syndrome

Enlargement and hypersecretion of an

adrenocorticotrophic-hormone-producing pituitary tumour after bilateral adrenalectomy, usually for Cushing disease. It may cause rapid skin hyperpigmentation, headache, visual-field loss, and other effects of an expanding sellar mass.

**Synonyms:**

## Neoadjuvant Therapy

Treatment before primary treatment to shrink tumor. Examples: chemotherapy before surgery.

**Synonyms:**

## Neonatal Abstinence Syndrome

A withdrawal syndrome in neonates following in utero exposure to opioids (most common) or other substances (benzodiazepines, SSRIs, alcohol). Onset within 24-72 hours of birth (varies by half-life of substance).

**Synonyms:**

## Neonatal Cephalohematoma

A collection of blood beneath the periosteum of a newborn's skull, usually caused by birth trauma. It is limited by skull sutures and generally resolves over time, although it requires assessment for associated injury or jaundice.

**Synonyms:**

## Neonatal Conjunctivitis

Inflammation of the conjunctiva during the first month of life, caused by chemical irritation, bacteria, or viruses acquired during delivery. Purulent discharge, eyelid swelling, and corneal involvement require urgent evaluation.

**Synonyms:**

## Neonatal Diabetes Mellitus

Diabetes diagnosed within the first six months of life. Can be transient or permanent. Transient neonatal diabetes mellitus is caused by abnormalities at chromosome 6q24 and usually resolves but may relapse in adolescence.

**Synonyms:**

---

### Neonatal Herpes Simplex

Herpes simplex virus infection in the first 28 days of life, usually HSV-2 from maternal genital infection. Three forms: skin, eye, and mouth disease; CNS disease; and disseminated disease. Disseminated form mimics sepsis with high mortality. Diagnosis by viral PCR, culture, or Tzanck smear. Treatment: IV acyclovir for 14-21 days.

**Synonyms:**

### Neonatal herpes simplex virus

A severe neonatal infection caused by herpes simplex virus, typically acquired during passage through the birth canal, presenting within the first month of life as skin, eye, and mouth disease, central nervous system disease, or disseminated disease with multiorgan involvement.

**Synonyms:**

### Neonatal hyperbilirubinemia

Elevated unconjugated bilirubin levels in newborns exceeding 5 mg per deciliter, potentially causing jaundice and, if severe, kernicterus with neurological damage. Phototherapy is the standard treatment.

**Synonyms:**

### Neonatal Hypoglycemia

Blood glucose less than 40-45 mg/dL in term infants or less than 25 mg/dL in preterm infants. Risk factors include prematurity, small for gestational age, large for gestational age, and maternal diabetes. Presents with jitteriness, lethargy, poor feeding, and seizures. Treatment: early feeding, IV dextrose infusion, and monitoring.

**Synonyms:**

### Neonatal Hypocalcemia

Low serum calcium in a newborn, which may cause jitteriness, poor feeding, hypotonia, apnea, or seizures. Causes include prematurity, maternal diabetes, birth asphyxia, and disorders of parathyroid function.

**Synonyms:**

### Neonatal Hypothermia

Core body temperature below 36.5 degrees Celsius in a newborn. Classified as mild (36-36.4), moderate (32-35.9), or severe (below 32). Occurs due to rapid heat loss through evaporation, convection, conduction, and radiation. Prevention: skin-to-skin contact, drying, warm environment, and delayed bathing.

**Synonyms:**

### Neonatal Polycythemia

An abnormally high red-cell concentration in a newborn, often defined by a venous hematocrit of at least 65 percent. It may increase blood viscosity and cause respiratory, neurologic, or metabolic symptoms.

**Synonyms:**

### Neonatal Hypoxic-Ischemic Encephalopathy

Brain dysfunction in a newborn caused by inadequate oxygenation and/or cerebral blood flow around the time of birth. Moderate or severe HIE may produce altered consciousness, abnormal tone, seizures, and multiorgan injury; selected term or near-term infants may benefit from early therapeutic hypothermia.

**Synonyms:**

### Neonatal Infections

Early-onset sepsis (EOS, <72h): GBS, E. coli, Listeria. Risk factors: maternal GBS+, chorioamnionitis, PROM >18h. Kaiser sepsis calculator for management. Late-onset sepsis (LOS, >72h): CoNS, S. aureus, gram-negatives, Candida. NEC: prematurity, formula feeding, ischemic gut. Pneumatosis intestinalis, portal venous gas.

**Synonyms:**

### Neonatal Jaundice

Yellow discoloration of a newborn's skin or eyes caused by elevated bilirubin. It is common but may require treatment or investigation when severe, early, or prolonged.

**Synonyms:**

---

### Neonatal Jaundice (Jaundice of the Newborn)

Yellow discoloration of a newborn's skin or eyes caused by elevated bilirubin. It is often physiologic but requires assessment when severe, early, rapidly increasing, or prolonged.

**Synonyms:** Jaundice of the Newborn

### Neonatal Resuscitation

The systematic approach to stabilizing a newborn after delivery, guided by the Neonatal Resuscitation Program (NRP).

**Synonyms:**

### Neonatal Sepsis

Systemic bacterial infection in the first 28 days of life, classified as early-onset (within 72 hours, usually from vertical transmission) or late-onset (after 72 hours, often nosocomial). Common organisms: Group B Streptococcus, E. coli, Listeria.

**Synonyms:**

### Neonatal Skin Conditions

Common and usually benign. Erythema toxicum neonatorum (red papules and pustules on erythematous base, appears day 2 to 3, resolves by 2 weeks). Milia (tiny white cysts on nose and cheeks). Miliaria crystallina (clear vesicles from sweat duct obstruction). Sebaceous hyperplasia (yellow papules on nose and cheeks).

**Synonyms:**

### Neonatal thyrotoxicosis

Transient hyperthyroidism in newborns caused by transplacental transfer of maternal thyroid-stimulating immunoglobulins, presenting with tachycardia, irritability, and poor weight gain in the first weeks of life.

**Synonyms:**

### Neonatal Transition

The physiologic adaptation from placental gas exchange to pulmonary respiration after birth. It includes lung aeration, falling pulmonary vascular resistance, closure of fetal circulatory shunts, and

changes in cardiac output and thermoregulation.

**Synonyms:**

### Neonatologist

A pediatrician who specializes in the medical care of newborn infants, particularly premature and critically ill neonates.

**Synonyms:**

### Neoplasm

Abnormal growth of tissue, may be benign or malignant. Benign neoplasms: localized, slow-growing, do not metastasize. Malignant neoplasms (cancer): invasive, metastasize, can be fatal. Classification: carcinoma (epithelial origin), sarcoma (mesenchymal origin), leukemia (hematopoietic), lymphoma (lymphoid).

**Synonyms:**

### Nephrectomy

Surgical removal of a kidney. Radical nephrectomy: kidney + Gerota fascia + adrenal gland (for renal cell carcinoma). Partial nephrectomy (nephron-sparing): for small renal tumors (<7 cm, renal function preservation). Simple nephrectomy: for benign disease (non-functioning kidney, chronic infection, massive hydronephrosis).

**Synonyms:**

### Nephritic Syndrome

Characterized by hematuria with dysmorphic RBCs and RBC casts, oliguria, hypertension, and mild proteinuria less than 3.5 g/day. Results from glomerular inflammation increasing permeability to cells and reducing GFR. Hypertension from sodium and water retention.

**Synonyms:**

### Nephroblastoma

Wilms tumor, a malignant embryonal renal tumor of childhood that commonly presents as an asymptomatic abdominal mass.

**Synonyms:**

---

## Nephrocalcinosis

Deposition of calcium salts within the renal parenchyma, often caused by hypercalcemia, hypercalciuria, distal renal tubular acidosis, prematurity, or inherited disorders. It may impair renal concentrating ability and progress to chronic kidney disease.

**Synonyms:**

## Nephrogenic Diabetes Insipidus

Inability of the renal collecting ducts to respond adequately to antidiuretic hormone, causing excessive dilute urine production and intense thirst. Causes include inherited defects, chronic kidney disease, electrolyte disorders, and medication exposure.

**Synonyms:**

## Nephrogenic fibrosing dermopathy

A rare fibrosing disorder of the skin causing thickening and hardening, primarily of the extremities and trunk, associated with kidney failure and gadolinium-based contrast exposure.

**Synonyms:**

## Nephrogenic Systemic Fibrosis

A rare fibrosing disorder associated mainly with exposure to certain gadolinium contrast agents in people with severe kidney impairment.

**Synonyms:**

## Nephrolithiasis

Formation of stones in the urinary tract. Calcium-containing stones are common, but stone composition varies and may include uric acid, struvite, or cystine. Risk factors include dehydration, hypercalciuria, hyperoxaluria, hypocitraturia, and low urine volume. Evaluation includes 24-hour urine analysis.

**Synonyms:**

## Nephron

Functional unit of the kidney comprising the glomerulus, proximal tubule, loop of Henle, distal tubule, and collecting duct. Each kidney contains approximately one million nephrons responsible for filtering blood, reabsorbing solutes and water, and

excreting waste to form urine.

**Synonyms:**

## Nephron Function

The nephron is the functional unit of the kidney, with approximately 1 million per kidney. Each nephron consists of a renal corpuscle (glomerulus and Bowman's capsule) and a renal tubule (proximal convoluted tubule, loop of Henle, distal convoluted tubule, and collecting duct).

**Synonyms:**

## Nephronophthisis

An autosomal-recessive tubulointerstitial kidney disease causing progressive loss of concentrating ability, polyuria, polydipsia, anemia, and chronic kidney failure. It may be isolated or part of a ciliopathy with retinal, skeletal, hepatic, or neurological manifestations.

**Synonyms:**

## Nephropathy

Disease or damage of the kidneys, which may impair filtration, fluid balance, or other kidney functions.

**Synonyms:**

## Nephrostomy

An artificial opening created between the kidney and the skin to drain urine directly when the normal pathway is blocked. See urology.

**Synonyms:**

## Nephrostomy Tube

A percutaneously placed catheter in the renal pelvis to drain urine, bypassing a ureteral obstruction. Indications: ureteral obstruction (calculus, tumor, stricture) causing hydronephrosis, pyonephrosis (infected, obstructed kidney — emergency drainage), and as a temporary measure before definitive surgery.

**Synonyms:**

## Nephrotic Range Proteinuria

Protein excretion greater than 3.5 g/day or urine protein-to-creatinine ratio greater than 3.5 g/g. Re-

---

flects severe glomerular damage with significant protein loss. Degree correlates with severity of injury and risk of complications including thromboembolism, infection, and progression to ESRD.

**Synonyms:**

### **Nephrotic Syndrome**

Clinical constellation of heavy proteinuria greater than 3.5 g/day, hypoalbuminemia less than 3.0 g/dL, generalized edema, hyperlipidemia, and lipiduria. Results from increased glomerular permeability to albumin. Reduced oncotic pressure causes fluid extravasation. Hepatic lipoprotein synthesis increases causing hyperlipidemia.

**Synonyms:**

### **Nephrotoxicity**

Kidney damage from toxins, drugs, contrast. Amino-glycosides, cisplatin, contrast media, ethylene glycol. Monitoring: creatinine, urine output. Prevention: hydration, dose adjustment.

**Synonyms:**

### **Nerve**

A bundle of axons (nerve fibers) surrounded by connective tissue sheaths that transmits electrical impulses between the central nervous system and the periphery. Structure: epineurium (outer layer), perineurium (surrounds fascicles), endoneurium (surrounds individual axons).

**Synonyms:**

### **Nerve Conduction Studies**

Measurement of the speed and amplitude of electrical impulses along peripheral nerves. Sensory NCS: stimulate at one point, record distally. Motor NCS: stimulate at two or more points along the nerve, record from muscle. Parameters: conduction velocity (m/s), amplitude (microvolts/millivolts), and distal latency.

**Synonyms:**

### **Nerve Conduction Study**

A diagnostic test that measures the speed and strength of electrical signals traveling through a

nerve to detect nerve damage or dysfunction.

**Synonyms:**

### **Nervous Tissue**

The tissue of the nervous system, composed of neurons and supporting cells, that detects stimuli and transmits electrical signals.

**Synonyms:**

### **Nettle Rash**

Urticaria, an itchy eruption of transient raised wheals caused by release of inflammatory mediators in the skin.

**Synonyms:**

### **Neural Tube Defects**

Congenital malformations resulting from failure of the neural tube to close during the third to fourth week of gestation. Include anencephaly (incomplete cranial closure), encephalocele (herniation through skull defect), and spina bifida (incomplete spinal closure).

**Synonyms:**

### **Neuralgia**

Pain caused by irritation or damage to a peripheral or cranial nerve, typically described as sharp, burning, stabbing, or electric-shock-like and occurring along the nerve's distribution. It may be triggered by light touch or movement and can result from compression, trauma, infection, metabolic disease, or demyelination.

**Synonyms:**

### **Neuraminidase Inhibitors**

A class of antiviral drugs that inhibit the neuraminidase enzyme on the surface of influenza viruses, preventing the release of newly formed viral particles from infected cells and thereby limiting viral spread. The two available agents are oseltamivir, administered orally, and zanamivir, administered by inhalation.

**Synonyms:**

---

## Neuroblastoma

Childhood sympathetic nervous system tumor. MYCN amplification poor prognosis. Presents as abdominal mass, opsoclonus-myoclonus syndrome. Spontaneous regression possible in infants.

**Synonyms:**

## Neurocognitive Disorder

A condition involving acquired decline in one or more cognitive abilities that affects daily function. Causes include neurodegenerative disease, vascular disease, injury, infection, and medicines.

**Synonyms:**

## Neurocysticercosis

The most common parasitic infection of the central nervous system worldwide and is caused by the larval stage (cysticercus) of the pork tapeworm *Taenia solium*. It is endemic in Latin America, Asia, and Africa, and is an important cause of epilepsy in endemic regions.

**Synonyms:**

## Neurodegeneration

The progressive loss of structure and function of neurons, culminating in their death, and represents the underlying mechanism of many devastating neurological disorders.

**Synonyms:**

## Neuroendocrine Tumor

A tumor arising from cells with both neural and hormone-producing features. These tumors can occur throughout the body and may produce hormones or be nonfunctioning.

**Synonyms:**

## Neuroendocrine Tumors Grading

Classification of neuroendocrine tumors by proliferative rate using Ki-67 index and mitotic count. Well-differentiated low-grade tumors have Ki-67 less than three percent and fewer than two mitoses per ten high-power fields. Intermediate-grade tumors have Ki-67 of three to twenty percent.

**Synonyms:**

## Neurofibroma

A benign peripheral nerve sheath tumor. Solitary neurofibromas are common and present as soft, flesh-colored papules or nodules. Multiple neurofibromas are characteristic of neurofibromatosis type 1 (NF1).

**Synonyms:**

## Neurofibromatosis

A group of autosomal dominant genetic disorders causing tumor growth along nerves. Type 1 (NF1, chromosome 17) causes café-au-lait spots, neurofibromas, optic gliomas, and learning disabilities. Type 2 (NF2, chromosome 22) causes bilateral vestibular schwannomas, meningiomas, and ependymomas.

**Synonyms:**

## Neurofibromatosis Type 1

Autosomal dominant disorder caused by mutations in the NF1 gene encoding neurofibromin on chromosome seventeen.

**Synonyms:**

## Neurofibromatosis Type 2

An autosomal dominant disorder caused by NF2 gene mutation on chromosome 22. Characterized by bilateral vestibular schwannomas (acoustic neuromas), meningiomas, and ependymomas. Features: hearing loss, tinnitus, and balance problems. Diagnosis: MRI showing bilateral vestibular schwannomas.

**Synonyms:**

## Neurogenic Bladder

Lower urinary-tract dysfunction caused by a neurologic lesion affecting central or peripheral control of storage and voiding. It may produce urgency, retention, incontinence, high bladder pressures, recurrent infection, and upper-tract damage.

**Synonyms:**

## Neurogenic megacolon

Massive dilation of the colon due to loss of autonomic innervation, most commonly from Chagas disease, Hirschsprung disease, or diabetic autonomic



---

neuropathy. It presents with chronic constipation, abdominal distension, fecal impaction, and risk of toxic megacolon.

**Synonyms:**

### Neurogenic Shock

Distributive shock caused by loss of sympathetic vascular tone, usually after acute spinal-cord injury above T6. It is characterized by hypotension with relative bradycardia and warm skin, distinguishing it from hemorrhagic shock when the clinical findings are complete.

**Synonyms:**

### Neurography

MRI technique visualizing peripheral nerves. Used for nerve tumors, entrapment, trauma.

**Synonyms:**

### Neuroleptic

An older term for antipsychotic medications, derived from their ability to produce a state of mental indifference and motor slowing. The term is now largely replaced by “antipsychotic,” though it is still used in specific contexts such as neuroleptic malignant syndrome. Typical neuroleptics are first-generation antipsychotics.

**Synonyms:**

### Neuroleptic Malignant Syndrome

A rare but life-threatening idiosyncratic reaction to dopamine receptor-blocking agents, typically antipsychotics, characterized by hyperthermia, severe muscle rigidity, altered mental status, and autonomic dysfunction.

**Synonyms:**

### Neurologic Localization

The process of using the pattern of deficits in strength, sensation, reflexes, coordination, cranial-nerve function, and cognition to identify the anatomic site of nervous-system dysfunction. Localization guides differential diagnosis and selection of investigations.

**Synonyms:**

### Neurological Examination

A clinical assessment of mental status, cranial nerves, motor function, reflexes, coordination, sensation, and gait. It helps localize nervous-system dysfunction and determine the need for further testing.

**Synonyms:**

### Neurological Rehabilitation

Rehabilitation for stroke, spinal cord injury, traumatic brain injury, Parkinson disease, multiple sclerosis. Goals: maximize function, independence, quality of life. Multidisciplinary team: physiatrist, PT, OT, speech therapy, psychology.

**Synonyms:**

### Neurology PET

PET imaging used in selected neurologic disorders to assess brain metabolism or receptor activity, such as in some dementias, epilepsy evaluations, and movement disorders.

**Synonyms:**

### Neuromuscular Blocking Agents

Medications administered intraoperatively to induce skeletal muscle relaxation and facilitate endotracheal intubation and surgical exposure.

**Synonyms:**

### Neuromuscular Junction

The neuromuscular junction is the synapse between motor neuron and skeletal muscle fiber, where acetylcholine released from presynaptic terminals binds to nicotinic acetylcholine receptors on the postsynaptic motor end plate, causing depolarization and muscle contraction.

**Synonyms:**

### Neuromyelitis Optica

Neuromyelitis optica spectrum disorder (NMOSD), formerly known as Devic disease, is an autoimmune, inflammatory demyelinating disorder of the central nervous system that preferentially targets the optic nerves and spinal cord.

**Synonyms:**

---

## Neuron

The fundamental excitable cell of the nervous system specialized for receiving, integrating, and transmitting electrical and chemical signals. Structural components: cell body (soma), dendrites (receptive), axon (conducting), and synaptic terminals (releasing neurotransmitters).

**Synonyms:**

## Neuropathic Pain

Chronic pain caused by damage or disease affecting the somatosensory nervous system, including the peripheral nerves, dorsal root ganglia, spinal cord, or brain.

**Synonyms:**

## Neuropathic Ulcer

A chronic wound of the foot in a patient with diabetes, resulting from peripheral neuropathy, peripheral artery disease, and impaired wound healing. See diabetic foot ulcer.

**Synonyms:**

## Neuropathy

Disease or dysfunction of peripheral nerves causing pain, numbness, tingling, weakness, or altered reflexes. Common causes include diabetes, alcohol, nutritional deficiency, toxins, compression, autoimmune disease, and inherited disorders.

**Synonyms:**

## Neuropathy (Peripheral Neuropathy)

Damage to peripheral nerves causing sensory, motor, or autonomic dysfunction. Common causes: diabetes mellitus, alcohol use disorder, vitamin B12 deficiency, chemotherapy, autoimmune diseases, and hereditary conditions (Charcot-Marie-Tooth disease). Presents with numbness, tingling, burning pain, weakness, and gait instability.

**Synonyms:** Peripheral Neuropathy

## Neuroplasticity

The brain's ability to reorganize its structure, function, and connections in response to experience, learning, and injury. It is relevant to psychiatric

treatment because antidepressants, psychotherapy, and ECT are thought to promote neuroplastic changes including neurogenesis in the hippocampus and synaptic remodeling.

**Synonyms:**

## Neurosarcoidosis

Neurological involvement by sarcoidosis, caused by non-caseating granulomatous inflammation of the brain, meninges, cranial nerves, spinal cord, peripheral nerves, or muscles. Presentations include cranial neuropathies, aseptic meningitis, seizures, hypothalamic or pituitary dysfunction, myelopathy, and peripheral neuropathy.

**Synonyms:**

## Neurosyphilis

Infection of the central or peripheral nervous system by *Treponema pallidum*. It may occur at any stage of syphilis and cause meningitis, stroke, cranial-nerve dysfunction, sensory ataxia, cognitive decline, or tabes dorsalis.

**Synonyms:**

## Neurotransmitter

Neurotransmitters are endogenous chemical messengers that transmit signals across synapses from one neuron to another or to target cells such as muscle or gland cells.

**Synonyms:**

## Neurovascular Examination

Assessment of distal motor function, sensation, pulses, capillary refill, skin temperature, and color in an injured limb. Serial examination is essential for detecting nerve injury, vascular compromise, compartment syndrome, and evolving ischemia.

**Synonyms:**

## Neutropenia

A reduced neutrophil count ( $< 1.5 \times 10^9/L$ ; severe  $< 0.5$ ), increasing risk of bacterial and fungal infection, especially febrile neutropenia.

**Synonyms:**

---

### Neutrophil Extracellular Traps

NETs: web-like structures of chromatin + granular proteins (MPO, NE, histone) released by neutrophils (NETosis: suicidal vs vital).

**Synonyms:**

### Neutrophil Recruitment

A multistep process essential for acute inflammation and host defense, involving sequential adhesive interactions between neutrophils and endothelial cells. The process begins with the rolling phase, where neutrophils loosely attach to endothelial cells through selectin-mediated interactions.

**Synonyms:**

### Neutrophilic dermatosis

A group of inflammatory skin conditions characterised by dense neutrophilic infiltrate in the dermis without evidence of infection, which includes Sweet syndrome (acute febrile neutrophilic dermatosis), pyoderma gangrenosum, and Behçet disease.

**Synonyms:**

### Neutrophilic eccrine hidradenitis

A neutrophilic dermatosis characterized by neutrophilic infiltration of the eccrine glands and surrounding dermis, typically occurring in patients receiving chemotherapy, particularly cytarabine. It presents with painful, erythematous plaques or nodules, most commonly on the trunk and extremities.

**Synonyms:**

### Nevus

A benign hamartoma of the skin; most commonly melanocytic nevus (mole). Other nevi: congenital, dysplastic/atypical, Spitz, blue nevus, halo nevus; non-melanocytic: epidermal, sebaceous, vascular (strawberry hemangioma, port-wine stain).

**Synonyms:**

### Nevus comedonicus

A congenital hamartoma of the pilosebaceous unit presenting as a localised cluster of dilated follicular ostia filled with keratinous plugs, resembling closely grouped open comedones. It typically ap-

pears at birth or in early childhood on the face, neck, or trunk, and may be associated with other developmental anomalies.

**Synonyms:**

### New Daily Persistent Headache

A headache that begins on a clearly remembered day and becomes continuous within 24 hours, persisting for at least three months. It may resemble migraine or tension-type headache; a new persistent headache requires medical evaluation to exclude secondary causes such as infection, pressure disorders, or vascular disease.

**Synonyms:**

### Newborn Circumcision

Surgical removal of the foreskin from the penis, typically performed within the first few days of life. Medical benefits include reduced risk of urinary tract infections, sexually transmitted infections, and penile cancer. Complications include bleeding, infection, and meatal stenosis.

**Synonyms:**

### Newborn Hearing Screen

Universal screening for congenital hearing loss, performed before hospital discharge. Two-step protocol: otoacoustic emissions (OAE: measures cochlear outer hair cell response to click stimulus) and automated auditory brainstem response (AABR: measures neural response from the cochlea to the brainstem). Pass/refer.

**Synonyms:**

### Newborn Metabolic Screen

A dried blood spot test (heel stick) collected 24-48 hours after birth to screen for congenital disorders before symptoms develop.

**Synonyms:**

### Newborn Screening

A public health program testing newborns for treatable genetic, metabolic, and endocrine disorders 24-48 hours after birth. Blood spot (heel stick) on filter paper (Guthrie card). Conditions vary by

---

state (Recommended Uniform Screening Panel: 35 core conditions).

**Synonyms:**

### Next-Generation Sequencing

Massively parallel sequencing technology that analyzes many DNA molecules simultaneously. It supports gene panels, whole-exome sequencing, whole-genome sequencing, and tumor sequencing, with limitations involving coverage, structural variants, mosaicism, and interpretation.

**Synonyms:**

### Niacin (Vitamin B3)

A water-soluble vitamin that forms NAD<sup>+</sup> and NADP<sup>+</sup>, essential electron carriers in oxidation-reduction reactions and biosynthetic pathways. Severe deficiency causes pellagra, characterized by dermatitis, diarrhea, and dementia.

**Synonyms:** Vitamin B3

### Nickel-Chromium

Base metal alloy for crowns. Less expensive than noble metals. Nickel allergy concern.

**Synonyms:**

### Nicotine

An addictive stimulant found in tobacco and some vaping products that acts on neuronal nicotinic receptors.

**Synonyms:**

### Niemann-Pick Disease

A group of autosomal recessive lysosomal storage disorders caused by sphingomyelinase deficiency (ASM, types A and B, SMPD1 mutations) or NPC1/NPC2 cholesterol transport defects (type C).

**Synonyms:**

### Night Blindness

Impaired vision in dim light (nyctalopia). Causes: vitamin A deficiency (most common cause worldwide, leading to retinol deficiency and rod dysfunction), retinitis pigmentosa (progressive rod-cone degeneration, genetic), congenital stationary night

blindness, advanced glaucoma, and cataract.

**Synonyms:**

### Night Eating Syndrome

Delayed circadian pattern of eating. Evening hyperphagia, morning anorexia, insomnia. Associated with obesity, depression.

**Synonyms:**

### Night Sweats

Episodes of excessive sweating during sleep that soak clothing or bedding. They may occur with infection, hormonal changes, cancer, medication effects, or other systemic illness; persistent unexplained night sweats warrant assessment.

**Synonyms:**

### NIH Stroke Scale

The National Institutes of Health Stroke Scale (NIHSS) is a standardized, validated clinical assessment tool used to quantify the severity of acute ischemic stroke.

**Synonyms:**

### Nikolsky Sign

A clinical dermatological sign in which light lateral pressure applied to normal-appearing skin causes epidermal detachment or sloughing. Positive sign indicates intraepidermal loss of cell-cell cohesion (acantholysis).

**Synonyms:**

### Nipah Virus Infection

A zoonotic viral infection that may cause fever, respiratory illness, encephalitis, seizures, and coma. It can spread from infected animals or people through close contact. There is no widely available licensed vaccine or specific antiviral treatment; suspected infection requires urgent isolation and specialist care.

**Synonyms:**

### Nitrates

Vasodilator drugs that release nitric oxide, causing relaxation of vascular smooth muscle through activation of guanylyl cyclase and increased cyclic GMP.

---

They primarily cause venodilation at low doses, reducing preload and myocardial oxygen demand, and arterial dilation at higher doses, reducing afterload.

**Synonyms:**

### **Nitrogen Balance**

The difference between dietary nitrogen intake, estimated mainly from protein intake, and nitrogen loss, primarily in urine. Positive balance supports growth or tissue repair; negative balance occurs with inadequate intake, inflammation, trauma, or catabolic disease.

**Synonyms:**

### **Nitrous Oxide**

An inhaled anesthetic gas with analgesic and anesthetic-sparing properties. It has rapid onset and offset but relatively low potency, expands closed gas spaces, and may contribute to diffusion hypoxia or postoperative nausea.

**Synonyms:**

### **Nitrous Oxide for Labor**

A 50:50 mixture of nitrous oxide and oxygen (Entonox) inhaled by the mother during labor for analgesia. Self-administered via a mask or mouthpiece; the woman controls her own dosing, taking a breath 30 seconds before a contraction.

**Synonyms:**

### **Nocardia asteroides infection**

Infection by *Nocardia asteroides*, an environmental bacterium that can cause lung, skin, or brain infection, especially in immunocompromised people.

**Synonyms:**

### **Nocardiosis**

A bacterial infection caused by *Nocardia* species (*N. asteroides*, *N. brasiliensis*), found in soil. Most common in immunocompromised patients (transplant, HIV, chronic steroid use). Pulmonary nocardiosis (most common): cough, fever, necrotizing pneumonia, cavitary lesions.

**Synonyms:**

### **Nocebo**

A harmful or unpleasant symptom or treatment effect caused or amplified by negative expectations rather than by the treatment's specific pharmacologic action.

**Synonyms:**

### **Nociception**

Neural processing of noxious thermal, mechanical, or chemical stimuli that may result in the perception of pain. It includes transduction, transmission, modulation, and projection; nociception and pain are related but not identical concepts.

**Synonyms:**

### **Nocturia**

Complaint of waking one or more times during the night to void, with each void preceded and followed by sleep. Highly prevalent in older adults and significantly impairs sleep quality and quality of life.

**Synonyms:**

### **Nodular lymphoid hyperplasia**

Benign aggregates of lymphoid tissue occurring in the gastrointestinal tract, most commonly in the small intestine, presenting as multiple small nodules on endoscopy or imaging. It may be associated with immunodeficiency states, particularly common variable immunodeficiency, and *Giardia lamblia* infection.

**Synonyms:**

### **Nodule**

Small, palpable mass <2 cm. Can be solid or cystic. Examples: thyroid nodule, rheumatoid nodule, pulmonary nodule. Evaluation depends on location.

**Synonyms:**

### **Nomogram**

A graphical tool that estimates a quantity or risk from related measurements. The Rumack–Matthew nomogram is used in selected cases of acute acetaminophen ingestion.

**Synonyms:**

---

### **Non communicating Hydrocephalus**

Non-communicating (obstructive) hydrocephalus is a type of hydrocephalus in which there is obstruction to the flow of cerebrospinal fluid (CSF) within the ventricular system, preventing CSF from reaching the arachnoid granulations for absorption.

**Synonyms:**

### **Non-Accidental Trauma**

Injuries inflicted on a child, suspected when history and examination findings are inconsistent with the reported mechanism. Red flags: multiple fractures at different stages of healing, posterior rib fractures, metaphyseal corner fractures, and retinal hemorrhages.

**Synonyms:**

### **Non-Adherence**

Failure to follow an agreed treatment plan, which may result from access barriers, side effects, beliefs, misunderstanding, or other circumstances.

**Synonyms:**

### **Non-Alcoholic Fatty Liver Disease**

Hepatic steatosis in the absence of significant alcohol consumption, strongly associated with metabolic syndrome, obesity, and type 2 diabetes. NAFLD includes simple steatosis and non-alcoholic steatohepatitis (NASH) with inflammation and fibrosis. NASH can progress to cirrhosis and hepatocellular carcinoma.

**Synonyms:**

### **Non-Allergic Rhinitis**

Nasal congestion, discharge, or sneezing not caused by an allergic immune response. Triggers may include changes in temperature or humidity, smoke, odors, medicines, or hormonal changes.

**Synonyms:**

### **Non-Asthmatic Eosinophilic Bronchitis**

A cause of chronic cough characterized by airway eosinophilia without the variable airflow obstruction or bronchial hyperresponsiveness typical of asthma. Symptoms often improve with inhaled

corticosteroids, whereas bronchodilators alone may provide little benefit.

**Synonyms:**

### **Non-Celiac Gluten Sensitivity**

Symptom improvement with gluten-free diet without celiac disease or wheat allergy. Diagnosis of exclusion.

**Synonyms:**

### **Non-Communicable Disease**

Disease not transmitted between persons. Examples: cancer, heart disease, diabetes.

**Synonyms:**

### **Non-Contact Tonometry**

A method of estimating intraocular pressure with a brief puff of air directed at the cornea. It does not touch the eye and is useful for screening, although abnormal or uncertain results may require confirmation with another method.

**Synonyms:**

### **Non-Distensible Balloon (Vascular)**

A catheter balloon designed to maintain its shape during high-pressure dilation of a narrowed vessel.

**Synonyms:** Vascular

### **Non-Functioning Pituitary Adenoma**

Pituitary adenomas that do not secrete clinically significant hormones. The most common pituitary adenomas to present with mass effects.

**Synonyms:**

### **Non-Hodgkin Lymphoma**

A group of malignant lymphoid tumors arising from B cells, T cells, or natural-killer cells. Subtypes differ in biology, clinical behavior, affected organs, and treatment.

**Synonyms:**

### **Non-Invasive Prenatal Testing**

Screening of cell-free placental DNA in maternal blood for selected fetal chromosomal abnormalities,



---

especially trisomies 21, 18, and 13. It is highly sensitive screening, not a definitive diagnosis; positive results require confirmatory invasive testing.

**Synonyms:**

### **Non-Invasive Ventilation**

Positive pressure ventilation delivered via a face mask or nasal mask without endotracheal intubation. BiPAP (bilevel positive airway pressure) is most commonly used for acute hypercapnic respiratory failure (COPD exacerbation) and cardiogenic pulmonary edema. It reduces the need for intubation and improves outcomes in selected patients.

**Synonyms:**

### **Non-Proliferative Diabetic Retinopathy**

The early stage of diabetic retinopathy, characterized by structural abnormalities of the retinal vasculature resulting from chronic hyperglycemia-induced damage to the endothelial cells and pericytes of retinal capillaries, without neovascularization.

**Synonyms:**

### **Non-Radiographic Axial Spondyloarthritis**

Inflammatory arthritis affecting the spine and sacroiliac region without definite structural changes on plain X-ray. It may cause chronic inflammatory back pain, morning stiffness, enthesitis, uveitis, psoriasis, or inflammatory bowel disease. MRI, laboratory findings, and clinical assessment help establish the diagnosis.

**Synonyms:**

### **Non-Rebreather Mask**

A face mask with a reservoir bag and one-way valves that can deliver a high concentration of supplemental oxygen when fitted and used correctly.

**Synonyms:**

### **Non-Small Cell Lung Cancer**

Most common lung cancer type. Includes adenocarcinoma, squamous cell, large cell.

**Synonyms:**

### **Non-Stress Test**

Antepartum fetal monitoring assessing fetal heart rate reactivity. Reactive NST:  $\geq 2$  accelerations of 15 bpm for 15 seconds ( $\geq 32$  weeks) or 10 bpm for 10 seconds ( $<32$  weeks) within 20 minutes. Non-reactive: insufficient accelerations after 40 minutes (may indicate fetal sleep, acidosis, or CNS depression). False positive rate high.

**Synonyms:**

### **Non-Tuberculous Mycobacteria**

NTM: environmental mycobacteria (*M. avium* complex - MAC, *M. kansasii*, *M. abscessus*). Pulmonary NTM: ATS/IDSA criteria (clinical + radiographic + microbiologic: 2+ sputum or 1 BAL + nodules/cavities/bronchiectasis on CT). MAC: nodular bronchiectatic (middle-aged women, "Lady Windermere syndrome") or fibrocavitary (older men, COPD).

**Synonyms:**

### **Nonalcoholic Fatty Liver Disease**

NAFLD: hepatic steatosis ( $>5$  percent of hepatocytes) in the absence of significant alcohol use, associated with the metabolic syndrome (obesity, type 2 diabetes, dyslipidemia, hypertension).

**Synonyms:**

### **Nonalcoholic Steatohepatitis**

Progressive form of NAFLD characterized by hepatic steatosis with lobular inflammation and hepatocyte ballooning with significant risk of progression to fibrosis, cirrhosis, and hepatocellular carcinoma. NASH affects approximately three to five percent of the general population.

**Synonyms:**

### **Noncompetitive Antagonist**

A noncompetitive antagonist is a drug that reduces the effect of an agonist by a mechanism that cannot be overcome by increasing the agonist concentration.

**Synonyms:**

### **Noncompetitive Inhibition**

A type of enzyme inhibition where the inhibitor

---

binds at a site distinct from the active site (allosteric site), and can bind to both the free enzyme (E) and the enzyme-substrate complex (ES) with equal affinity. The inhibitor does not compete with the substrate and cannot be overcome by increasing substrate concentration.

**Synonyms:**

### **Noninvasive Prenatal Testing**

A maternal blood test that analyzes cell-free DNA to estimate the chance of selected fetal chromosomal conditions. It is a screening test, not a definitive diagnosis.

**Synonyms:**

### **Noninvasive Ventilation**

Positive-pressure ventilatory support delivered without an endotracheal tube, commonly by a mask or helmet. CPAP provides continuous positive pressure; bilevel support provides separate inspiratory and expiratory pressures. It is used selectively when the patient can protect the airway and cooperate.

**Synonyms:**

### **Nonmelanoma Skin Cancer**

A group of skin cancers that arise from the cells of the epidermis, excluding melanoma. The two most common types are basal cell carcinoma (BCC) and squamous cell carcinoma (SCC), which together account for the vast majority of all skin cancers diagnosed globally.

**Synonyms:**

### **Nonselective Beta-Blockers**

Nonselective beta-adrenergic blocking agents block both beta-1 and beta-2 adrenergic receptors, reducing heart rate, myocardial contractility, and cardiac output through beta-1 blockade, while also blocking beta-2 receptors in the bronchial smooth muscle and peripheral vasculature.

**Synonyms:**

### **Nonsense Variant**

A sequence variant that creates a premature stop codon, potentially producing a truncated protein

or triggering nonsense-mediated mRNA decay. The effect depends on the gene, location, transcript, and residual protein production.

**Synonyms:**

### **Nonspecific Interstitial Pneumonia**

A pattern with uniform, temporally homogeneous inflammation and/or fibrosis. Most common ILD associated with connective tissue disease. HRCT shows bilateral ground-glass opacities with subpleural sparing.

**Synonyms:**

### **Nonsteroidal Anti-Inflammatory Drug**

A medicine that inhibits cyclooxygenase enzymes and reduces prostaglandin production, producing analgesic, anti-inflammatory, and fever-reducing effects. NSAIDs can cause gastrointestinal, kidney, cardiovascular, or other adverse effects.

**Synonyms:**

### **Nonsteroidal Anti-inflammatory Drugs**

Analgesic and anti-inflammatory drugs that inhibit cyclooxygenase enzymes and prostaglandin synthesis. Perioperative use requires assessment of renal function, gastrointestinal bleeding risk, platelet effects, cardiovascular risk, and surgical bleeding considerations.

**Synonyms:**

### **Nontuberculous Mycobacterial Lung Disease**

Chronic lung infection caused by environmental Mycobacterium species other than *M. tuberculosis*. It may produce cough, fatigue, weight loss, breathlessness, or coughing blood, especially in people with structural lung disease. Diagnosis requires compatible imaging and repeated microbiologic testing; treatment is prolonged and individualized.

**Synonyms:**

### **Nonunion and Malunion**

Nonunion is failure of a fractured bone to heal after an adequate period (generally 6-9 months for long bones) without clinical or radiographic evidence

---

of progression toward union for 3 months. Classification: hypertrophic (viable ends, inadequate stability), atrophic (devitalized ends, poor biology), oligotrophic (intermediate).

**Synonyms:**

### Noonan Syndrome

An inherited disorder of the RAS–MAPK signaling pathway, characterized by distinctive facial features, short stature, congenital heart disease, and variable developmental or bleeding problems.

**Synonyms:**

### Normal Flora

The resident microorganisms (commensals) colonizing body surfaces—skin, oropharynx, gastrointestinal tract, genitourinary tract—without causing disease under normal conditions. They provide protection (colonization resistance, immune priming), synthesis of vitamins, and nutrient metabolism.

**Synonyms:**

### Normal Pressure Hydrocephalus

A disorder of cerebrospinal-fluid circulation causing enlarged ventricles and a clinical pattern that may include gait impairment, cognitive decline, and urinary urgency or incontinence.

**Synonyms:**

### Normalization

Correction for detector efficiency variations. Performed daily with uniform source.

**Synonyms:**

### Normocalcemic Hyperparathyroidism

Condition of elevated parathyroid hormone with persistently normal serum calcium and normal vitamin D levels. Exclusion of secondary causes of elevated PTH including vitamin D deficiency, renal insufficiency, and medications is required. Represents an early or mild form of primary hyperparathyroidism. May progress to overt hypercalcemia.

**Synonyms:**

### Norovirus

A single-stranded RNA virus that is the leading cause of gastroenteritis outbreaks worldwide. The virus is highly contagious and can cause large outbreaks in closed settings including hospitals, cruise ships, and nursing homes. Norovirus causes acute onset of vomiting and diarrhea. Diagnosis is made by PCR or antigen detection in stool.

**Synonyms:**

### Norovirus Infection

A highly contagious viral gastroenteritis causing sudden nausea, vomiting, watery diarrhea, abdominal cramps, and sometimes fever. Illness is usually short but can cause dangerous dehydration, especially in infants, older adults, or medically vulnerable people. Oral rehydration and careful hand hygiene are central to management and prevention.

**Synonyms:**

### Norrie Disease

An X-linked retinal disorder, usually caused by pathogenic variants in NDP, characterized by congenital or early-onset blindness from abnormal retinal development. Hearing loss, developmental differences, and peripheral vascular or vitreoretinal complications may occur.

**Synonyms:**

### Nose

The external nasal structure and nasal cavities, the primary organ of olfaction and the entry to the respiratory tract. External nose: bone (nasal bones, frontal process of maxilla) and cartilage (septal, upper/lower lateral cartilages).

**Synonyms:**

### Nosebleed

Bleeding from the nasal mucosa, also called epistaxis. Most cases arise from the anterior nasal septum and result from local trauma, dryness, inflammation, or vascular disease; persistent or severe bleeding may require medical intervention.

**Synonyms:** epistaxis.

---

## Nosocomial

Hospital-acquired. Nosocomial infection: infection acquired in hospital.

**Synonyms:**

## Nosocomial Infection

A hospital-acquired infection developing during or after hospitalization that was not present or incubating at admission, classically defined by onset beyond 48 hours. Common sites are bloodstream, urinary tract, lungs, and surgical wounds; causative organisms are frequently multidrug-resistant, prevented by hand hygiene and stewardship.

**Synonyms:**

## Notifiable Disease

Disease required by law to be reported to health authorities. Examples: tuberculosis, measles, HIV, COVID-19.

**Synonyms:**

## NSAIDs

Nonsteroidal anti-inflammatory drugs are a class of drugs that inhibit cyclooxygenase enzymes, COX-1 and COX-2, reducing the synthesis of prostaglandins and thromboxanes from arachidonic acid. They produce analgesic, anti-inflammatory, antipyretic, and antiplatelet effects.

**Synonyms:**

## NSAIDs (Nonsteroidal Anti-Inflammatory Drugs)

A class of analgesic, antipyretic, and anti-inflammatory drugs that inhibit cyclooxygenase (COX-1 and/or COX-2), reducing prostaglandin and thromboxane synthesis.

**Synonyms:** Nonsteroidal Anti-Inflammatory Drugs

## NSTEMI

Non-ST-elevation myocardial infarction: acute myocardial necrosis (elevated cardiac troponin) without persistent ST-segment elevation on ECG, caused by subtotal occlusion or distal embolization of a coronary artery. Features: chest pain, ECG changes (ST

depression, T-wave inversion), elevated troponin.

**Synonyms:**

## Nuchal Translucency Screening

An ultrasound measurement of the fluid-filled space at the posterior fetal nuchal region, performed at 11-14 weeks (crown-rump length 45-84 mm). Increased NT (>95th percentile or >3.0-3.5 mm) is associated with trisomies 21, 18, 13, Turner syndrome, and cardiac defects.

**Synonyms:**

## Nuclear Medicine

A medical specialty that uses small amounts of radioactive substances (radiotracers) to diagnose, stage, and treat various diseases, including cancer and heart disease.

**Synonyms:**

## Nuclear Medicine Documentation

Record keeping for radioactive materials, including inventory, disposal, administered activity, and patient release.

**Synonyms:**

## Nuclear Medicine Reporting

Structured interpretation of nuclear medicine studies using standardized terminology and clinically relevant findings.

**Synonyms:**

## Nuclear Medicine Resolution

Ability of a PET or SPECT system to distinguish small details, limited by factors such as positron range, non-collinearity, and detector geometry.

**Synonyms:**

## Nuclear Sclerosis

A common age-related cataract in which the central lens becomes increasingly yellow and hard. It can gradually reduce vision, alter color perception, and sometimes temporarily improve near vision.

**Synonyms:**

---

### **Nuclear Stress Test**

Myocardial perfusion imaging during stress. Detects coronary artery disease.

**Synonyms:**

### **Nucleoside Analogs**

A class of antiviral drugs that structurally resemble natural nucleosides and inhibit viral replication by interfering with DNA or RNA synthesis.

**Synonyms:**

### **Nucleus**

The membrane-bound organelle containing the genetic material (DNA) in eukaryotic cells. Surrounded by the nuclear envelope (double membrane with nuclear pores for transport). Contains chromatin (DNA + histone proteins), nucleolus (ribosome biogenesis), and nuclear matrix.

**Synonyms:**

### **Number Needed to Harm**

The number of people exposed to an intervention for one additional person to experience a specified adverse outcome compared with the control over a defined time. It is the reciprocal of absolute risk increase.

**Synonyms:**

### **Number Needed to Treat**

The number of people who must receive an intervention for one additional person to experience the specified beneficial outcome compared with the control over a defined time. It is the reciprocal of absolute risk reduction.

**Synonyms:**

### **Numbness and Tingling**

Abnormal sensations, also called paresthesias, that may result from nerve compression, peripheral neuropathy, spinal disease, vitamin deficiency, vascular problems, or neurologic disorders. Sudden one-sided symptoms require urgent evaluation for stroke.

**Synonyms:** paresthesias, that may result from nerve compression,.

### **Nummular eczema**

A chronic inflammatory dermatosis presenting as coin-shaped, well-demarcated, erythematous, vesicular, or crusted plaques, typically on the extremities. The lesions are intensely pruritic and may be triggered by dry skin, skin trauma, or allergic contact dermatitis. It is more common in adults with atopic predisposition.

**Synonyms:**

### **Nursing**

A health profession focused on assessing patients, providing care, supporting recovery, preventing illness, and educating patients and families.

**Synonyms:**

### **Nursing Home**

A residential facility that provides ongoing nursing care, assistance with daily activities, and medical or rehabilitation services for people who cannot live independently.

**Synonyms:**

### **Nutcracker esophagus**

Esophageal motility disorder characterized by high-amplitude peristaltic contractions exceeding 180 mmHg in the distal esophagus on manometry, with preserved peristaltic coordination. Presents with intermittent chest pain and dysphagia to solids and liquids.

**Synonyms:**

### **Nutcracker Syndrome**

Compression of left renal vein between aorta and SMA causing hematuria and flank pain. Managed conservatively. Stenting or surgery for severe cases.

**Synonyms:**

### **Nutrient Density**

Amount of nutrients per calorie. Whole foods more nutrient-dense than processed foods. Importance for weight management, health.

**Synonyms:**

---

## Nutrition

The intake and use of food and nutrients needed for energy, growth, tissue maintenance, and health.

**Synonyms:**

### Nutrition (Geriatric)

Nutritional assessment and intervention in elderly. Risks: malnutrition (undernutrition, obesity), micronutrient deficiencies (vitamin D, B12, calcium), dehydration. Assessment: weight, BMI, dietary intake, lab values. Interventions: supplementation, meal delivery, appetite stimulants, feeding assistance.

**Synonyms:** Geriatric

### Nutrition (Oncology)

Nutritional care for people with cancer, addressing intake, symptoms, treatment effects, weight, muscle mass, and personal goals.

**Synonyms:** Oncology

### Nutrition Education

Teaching patients about healthy eating. Cultural sensitivity, health literacy appropriate. Motivational interviewing effective.

**Synonyms:**

### Nutrition in Pregnancy

A balanced diet providing adequate calories, protein, vitamins, and minerals to support maternal and fetal health. Additional caloric needs: 300 kcal/day in the second and third trimesters. Key nutrients: folic acid (400 mcg/day), iron (27 mg/day), calcium (1000 mg/day), vitamin D (600 IU/day), iodine (220 mcg/day), DHA (200-300 mg/day).

**Synonyms:**

### Nutrition Risk Screening 2002

A validated screening tool for hospitalized adults that considers nutritional status and disease severity to identify patients likely to benefit from nutrition support. Screening is not itself a complete malnutrition diagnosis.

**Synonyms:**

## Nutrition-Focused Physical Examination

A structured examination for physical findings associated with malnutrition, including loss of subcutaneous fat, muscle wasting, edema, ascites, reduced functional status, and micronutrient-related signs. It complements dietary history, anthropometry, laboratory data, and disease assessment.

**Synonyms:**

### Nutritional Assessment

Comprehensive evaluation: dietary intake, anthropometrics, biochemical tests, clinical examination. Dietitian involvement essential.

**Synonyms:**

### Nutritional Dermatoses

Nutritional deficiencies cause distinctive skin findings. Vitamin C deficiency (scurvy): perifollicular hemorrhage, corkscrew hairs, gingival bleeding. Niacin deficiency (pellagra): photosensitive dermatitis in sun-exposed areas, diarrhea, dementia.

**Synonyms:**

### Nutritional Screening

Rapid assessment for malnutrition risk. Tools: MST, MNA, MUST. Screening all elderly patients recommended. Identifies need for comprehensive assessment.

**Synonyms:**

### Nyctalopia

Difficulty seeing in dim light or darkness. See Night Blindness.

**Synonyms:**

### NYHA Functional Classification

A four-class system grading heart failure severity based on symptoms and exercise tolerance. Class I: no limitation of physical activity. Class II: slight limitation; comfortable at rest but ordinary activity causes symptoms. Class III: marked limitation; comfortable at rest but less than ordinary activity causes symptoms.

**Synonyms:**



---

## Nystagmus

A rhythmic, involuntary oscillation of the eyes that can be horizontal, vertical, rotational, or mixed in pattern, and it is classified based on the underlying cause as infantile (developing in the first six months of life), acquired (developing later in life), or periodic alternating.

**Synonyms:**

## Nephritis

Inflammation of kidney tissue.

**Synonyms:**

## Nerve Block

Injection of medicine near a nerve or nerve group to reduce pain or interrupt nerve signals.

**Synonyms:**

## Nitric Oxide

A signaling molecule that relaxes blood-vessel muscle and promotes vasodilation.

**Synonyms:**

## Nociceptors

Sensory nerve endings that detect potentially tissue-damaging stimuli and transmit pain signals.

**Synonyms:**

## Nonketotic Hyperglycemic Hyperosmolar Syndrome

A severe complication of diabetes marked by very high blood glucose, dehydration, and increased blood osmolality, usually without substantial ketoacidosis.

**Synonyms:**

## Normal-Pressure Hydrocephalus

A disorder in which cerebrospinal fluid accumulates and causes gait difficulty, cognitive decline, and urinary problems despite near-normal measured pressure.

**Synonyms:**

## Nucleus Accumbens

A brain region involved in reward, motivation, and reinforcement.

**Synonyms:**

## Nephrosclerosis

Hardening and scarring of the kidneys caused by chronic vascular injury, often related to hypertension.

**Synonyms:**

## Nocardia Infection

An infection caused by Nocardia bacteria, often affecting the lungs, skin, or brain.

**Synonyms:**

## Noma

A rapidly progressive destructive infection of the mouth and face, usually associated with severe malnutrition and poor health conditions.

**Synonyms:**

## Non-Hodgkin's Lymphoma

A group of cancers arising from lymphocytes outside the Hodgkin lymphoma category.

**Synonyms:**

## Non-Infectious Cystitis

Inflammation of the bladder that is not caused by an infectious organism.

**Synonyms:**

## Nickel Allergy

An allergic skin reaction caused by contact with nickel-containing materials.

**Synonyms:**

## Nightmare Disorder

Repeated disturbing dreams that cause significant distress or interfere with sleep and daytime function.

**Synonyms:**

## Nonallergic Rhinitis

Nasal congestion, sneezing, or runny nose caused by

---

irritants or other triggers rather than an allergy.

**Synonyms:**

### **Neuroglia**

Supporting cells of the nervous system that nourish, protect, and maintain neurons.

**Synonyms:**

### **Neutrophils**

The most abundant type of white blood cell. Neutrophils rapidly migrate to sites of infection or injury and ingest microorganisms and cellular debris.

**Synonyms:**

### **Non-Rapid Eye Movement Sleep**

Sleep consisting of stages N1, N2, and N3, with progressively deeper sleep and reduced responsiveness to the environment.

**Synonyms:**

### **Normal Saline**

A sterile 0.9% sodium-chloride solution used as an intravenous fluid, for irrigation, and to dilute or deliver medications.

**Synonyms:**

### **Nucleus Pulposus**

The soft, gel-like central portion of an intervertebral disk, surrounded by the annulus fibrosus.

**Synonyms:**

### **Nutritional Anemia**

Anemia caused by inadequate intake, absorption, or use of nutrients needed for red-cell production, especially iron, vitamin B12, or folate.

**Synonyms:**

### **Nondisjunction**

Failure of homologous chromosomes or sister chromatids to separate properly during cell division, producing cells with abnormal chromosome numbers.

**Synonyms:**

### **Nontuberculous Mycobacterial Infection**

Infection caused by Mycobacterium species other than *M. tuberculosis*, often affecting the lungs but sometimes the lymph nodes, skin, or other organs. Disease is more likely in people with structural lung disease or impaired immunity.

**Synonyms:**

### **Nuchal Rigidity**

Abnormal stiffness and resistance to passive flexion of the neck, classically associated with irritation or inflammation of the meninges, including meningitis or subarachnoid hemorrhage.

**Synonyms:**

### **Nasal Septum Perforation**

A hole through the cartilage or bone separating the nasal passages, which may cause crusting, nosebleeds, whistling, or obstruction and can result from trauma, surgery, intranasal drugs, or inflammatory disease.

**Synonyms:**

### **Neurogenic Orthostatic Hypotension**

A fall in blood pressure on standing caused by failure of the autonomic nervous system to produce an adequate vasoconstrictor response. It may cause dizziness, fainting, or falls.

**Synonyms:**

### **Nephroptosis (Floating Kidney)**

Abnormal downward movement of a kidney when a person stands, sometimes causing flank discomfort, urinary symptoms, or intermittent obstruction.

**Synonyms:** Floating Kidney

### **Nephrosis**

A non-inflammatory disorder of the kidney, classically associated with heavy protein loss in the urine and the changes of nephrotic syndrome.

**Synonyms:**

### **Nephrotoxic**

Describing a substance or condition capable of damaging the kidneys or impairing their function.

---

**Synonyms:**

### **Nerve Deafness (Sensorineural Deafness)**

Hearing loss caused by damage to the cochlea, auditory nerve, or central auditory pathways rather than blockage of sound transmission through the outer or middle ear.

**Synonyms:** Sensorineural Deafness

### **Nerve Growth Factor**

A protein that supports the development, survival, and maintenance of certain sensory and sympathetic nerve cells.

**Synonyms:**

### **Nerve Injury**

Damage to a peripheral or central nerve that may cause pain, numbness, altered sensation, weakness, or loss of autonomic function.

**Synonyms:**

### **Nervous System**

The body-wide system consisting of the brain, spinal cord, and peripheral nerves that receives information, processes it, and coordinates movement, sensation, and internal functions.

**Synonyms:**

### **Neuritis**

Inflammation or irritation of a nerve, often causing pain, altered sensation, or weakness.

**Synonyms:**

### **Neuroanatomy**

The study of the structure and organization of the nervous system.

**Synonyms:**

### **Neuroendocrinology**

The study of interactions between the nervous system and the endocrine system, including how the brain regulates hormone release.

**Synonyms:**

### **Niacin (Nicotinic Acid, Vitamin B3)**

A water-soluble vitamin required for cellular energy metabolism; severe deficiency causes pellagra, with dermatitis, diarrhoea, and cognitive changes.

**Synonyms:** Nicotinic Acid, Vitamin B3

### **Nipple**

The projection at the centre of the breast through which milk is released from the mammary ducts; it contains smooth muscle and sensory nerve endings.

**Synonyms:**

### **Nipple Discharge**

Fluid released from a nipple outside normal breast-feeding; it may be physiological or associated with infection, duct disease, hormonal disturbance, or breast cancer.

**Synonyms:**

### **Nipple Inversion or Retraction**

Inward turning or pulling-in of the nipple. It may be longstanding and benign, but new unilateral inversion or retraction requires assessment for duct disease or breast cancer.

**Synonyms:**

### **Nocturnal Enuresis (Bed-Wetting)**

Repeated involuntary urination during sleep in a child old enough to have achieved bladder control.

**Synonyms:** Bed-Wetting

### **Nocturnal Emission**

Involuntary ejaculation during sleep, sometimes called a wet dream. It is a common and normal event during male puberty and adolescence.

**Synonyms:**

### **Nocturnal Lagophthalmos**

Incomplete closure of the eyelids during sleep, which may cause dryness, irritation, and exposure injury to the cornea.

**Synonyms:**

---

### Normocytic Anaemia

Anaemia in which the red blood cells are of approximately normal size, occurring in conditions such as chronic disease, acute blood loss, or haemolysis.

**Synonyms:**

### Nummular Eczema

An inflammatory skin disorder producing itchy, coin-shaped patches, commonly on the limbs or trunk.

**Synonyms:**

### Night Terrors

Episodes of abrupt partial awakening from deep non-REM sleep with intense fear, screaming, autonomic arousal, and limited recall afterward, occurring most often in children.

**Synonyms:**

### Nonconvulsive Status Epilepticus

Ongoing seizure activity without prominent rhythmic limb jerking, often presenting as prolonged confusion, impaired awareness, or subtle twitching and requiring electroencephalographic confirmation and urgent treatment.

**Synonyms:**

### Nonunion Fracture

Failure of a broken bone to heal within the expected time and without progressive healing, often causing persistent pain, instability, or deformity.

**Synonyms:**

### Nasal Vestibulitis

Inflammation or infection of the nasal vestibule, commonly caused by *Staphylococcus* bacteria and producing tenderness, crusting, redness, or small pustules near the nostrils.

**Synonyms:**

### Necrotizing Pneumonia

Severe pneumonia in which infection causes necrosis and cavitation of lung tissue, often accompanied by sepsis, respiratory failure, or abscess formation.

**Synonyms:**

### Nonspecific Interstitial Pneumonitis

An interstitial lung disease characterized by relatively uniform inflammation and fibrosis of the lung interstitium, often associated with connective-tissue disease, medications, or an unknown cause.

**Synonyms:**

### Nuchal Cord

Wrapping of the umbilical cord around the fetal neck, occurring once or more times. It is common and often harmless, but monitoring during labor is needed if fetal heart-rate abnormalities occur.

**Synonyms:**

### Nausea and vomiting

Nausea is the urge to vomit; vomiting is forceful emptying of stomach contents. Causes include infection, medicines, pregnancy, migraine, obstruction, and other illnesses. **Synonyms:**

### Neck pain: Symptom

Pain or stiffness in the neck caused by muscle strain, injury, arthritis, disc disease, nerve compression, or other conditions. **Synonyms:**

### Night leg cramps

Sudden, painful involuntary contractions of leg muscles occurring during sleep or rest, often affecting the calf or foot. **Synonyms:**

### Nosebleeds

Bleeding from blood vessels in the nose, commonly caused by dryness, irritation, injury, infection, allergies, medicines, or high blood pressure. **Synonyms:**

### NAFLD

Alternate index label; see *Fatty liver disease (MASLD)*. **Synonyms:**

### NEC

Alternate index label; see *Neuroendocrine tumors*. **Synonyms:**

### Neonatal jaundice

Alternate index label; see *Infant jaundice*. **Syn-**

---

onyms:

### **Nephroblastoma**

Alternate index label; see *Wilms tumor*. **Synonyms:**

### **Nerve compression**

Alternate index label; see *Pinched nerve*. **Synonyms:**

### **NET**

Alternate index label; see *Neuroendocrine tumors*. **Synonyms:**

### **Neuralgia, postherpetic**

Alternate index label; see *Postherpetic neuralgia*. **Synonyms:**

### **Neuralgia, trigeminal**

Alternate index label; see *Trigeminal neuralgia*. **Synonyms:**

### **Neurilemmoma**

Alternate index label; see *Schwannoma*. **Synonyms:**

### **Neurinomatosis**

Alternate index label; see *Schwannomatosis*. **Synonyms:**

### **Neurocardiogenic syncope**

Alternate index label; see *Vasovagal syncope*. **Synonyms:**

### **Neuroendocrine carcinoma of the skin**

Alternate index label; see *Merkel cell carcinoma*. **Synonyms:**

### **Neurofibromatosis type I**

Alternate index label; see *Neurofibromatosis type 1*. **Synonyms:**

### **Neurofibromatosis type II**

Alternate index label; see *NF2-related schwanno-*

*matosis (neurofibromatosis type 2)*. **Synonyms:**

### **Neurofibrosarcoma**

Alternate index label; see *Malignant peripheral nerve sheath tumors (MPNST)*. **Synonyms:**

### **Neuroma, acoustic**

Alternate index label; see *Acoustic neuroma (vestibular schwannoma)*. **Synonyms:**

### **Neuroma, plantar**

Alternate index label; see *Morton neuroma*. **Synonyms:**

### **Neuromyelitis optica spectrum disorder**

Alternate index label; see *Neuromyelitis optica*. **Synonyms:**

### **Neuropathy, autonomic**

Alternate index label; see *Autonomic neuropathy*. **Synonyms:**

### **Neuropathy, diabetic**

Alternate index label; see *Diabetic neuropathy*. **Synonyms:**

### **Neuropathy, hereditary motor and sensory**

Alternate index label; see *Charcot-Marie-Tooth disease*. **Synonyms:**

### **Neuropathy, peripheral**

Alternate index label; see *Peripheral neuropathy*. **Synonyms:**

### **Newborn jaundice**

Alternate index label; see *Infant jaundice*. **Synonyms:**

### **NF1**

Alternate index label; see *Neurofibromatosis type 1*. **Synonyms:**

---

## NF2

Alternate index label; see *NF2-related schwannomatosis (neurofibromatosis type 2)*. **Synonyms:**

## Nicotine addiction

Alternate index label; see *Nicotine dependence*. **Synonyms:**

## NMO

Alternate index label; see *Neuromyelitis optica*. **Synonyms:**

## NMOSD

Alternate index label; see *Neuromyelitis optica*. **Synonyms:**

## Nocturnal enuresis

Alternate index label; see *Bed-wetting*. **Synonyms:**

## Noise-related hearing loss

Alternate index label; see *Hearing loss*. **Synonyms:**

## Nonischemic priapism

Alternate index label; see *Priapism*. **Synonyms:**

## Nontropical sprue

Alternate index label; see *Celiac disease*. **Synonyms:**

## Nonulcer dyspepsia

Alternate index label; see *Functional dyspepsia*. **Synonyms:**

## Nonulcer stomach pain

Alternate index label; see *Functional dyspepsia*. **Synonyms:**

## Nose fracture

Alternate index label; see *Broken nose*. **Synonyms:**

## Nymphomania

Alternate index label; see *Compulsive sexual behavior*. **Synonyms:**





## O

### Obesity

Abnormal or excessive fat accumulation that presents a health risk. Defined by BMI:  $\geq 30 \text{ kg/m}^2$  (class I: 30-34.9, class II: 35-39.9, class III:  $\geq 40$ ). Major risk factor for type 2 diabetes, hypertension, cardiovascular disease, sleep apnea, osteoarthritis, certain cancers, and reduced life expectancy.

**Synonyms:**

### Object of Addiction

A substance or rewarding behavior to which a person develops a harmful compulsive relationship. **Synonyms:**

### Occult

Hidden or not visible without microscopy or laboratory testing. **Synonyms:**

### Omega-3 Fatty Acids

Polyunsaturated fats found especially in fatty fish and some plant foods. **Synonyms:** n-3 fatty acids

### Omega-6 Fatty Acids

Essential polyunsaturated fats found in many plant oils and foods. **Synonyms:** n-6 fatty acids

### Ondine's Curse

A rare disorder of automatic breathing in which ventilation may fail during sleep. **Synonyms:** Congenital central hypoventilation syndrome

### Ophthalmologist

A medical doctor specializing in diseases and surgery of the eyes. **Synonyms:**

### Opioid

A natural or synthetic substance that acts on opioid receptors to relieve pain and may cause sedation or dependence. **Synonyms:**

### Optician

A technician who fits and dispenses eyeglasses or contact lenses. **Synonyms:**

### Optimism

A tendency to expect favorable outcomes or interpret events positively. **Synonyms:**

### Orthopedist

A physician specializing in disorders and injuries of bones, joints, muscles, and related tissues. **Synonyms:** Orthopedic surgeon

### Osteoblasts

Cells that form new bone. **Synonyms:**

### Osteoclasts

Cells that break down and resorb bone tissue. **Synonyms:**

### Osteocytes

Mature bone cells embedded within bone tissue that help maintain it. **Synonyms:**

### Osteons

Cylindrical structural units of compact bone arranged around central canals. **Synonyms:** Haversian systems

---

### **Osteopath**

A physician trained in medicine and surgery who earns a Doctor of Osteopathic Medicine degree.

**Synonyms:** DO

### **Outpatient**

A person receiving medical care without being admitted overnight. **Synonyms:**

### **Output**

The maximum sound level a hearing aid can produce.

**Synonyms:**

### **Overweight**

Body weight above the healthy range, commonly defined in adults as a BMI of 25 to 29.9. **Synonyms:**

### **Oxidant**

A reactive molecule that can damage cells and tissues by promoting oxidation. **Synonyms:** Oxidizing agent

### **Oxidation**

A chemical process that changes a substance through loss of electrons or reaction with oxygen.

**Synonyms:**

### **Oxygenated Blood**

Blood that has acquired oxygen in the lungs and carries it to body tissues. **Synonyms:**

### **Adolescent Obesity**

Obesity during adolescence, assessed using age- and sex-specific growth charts rather than adult BMI thresholds alone. It may affect metabolic, cardiovascular, orthopedic, and psychological health.

**Synonyms:**

### **Obesity Hypoventilation Syndrome**

Chronic daytime hypercapnia in obese individuals without other causes. Reduced chest wall compliance and blunted respiratory drive. Often coexists with OSA. Treatment: weight loss and BiPAP.

**Synonyms:**

### **Obex Region**

The caudal tip of the fourth ventricle where it narrows into the central canal of the spinal cord. It lies near the dorsal medulla and is an important anatomical landmark in the floor of the ventricular system.

**Synonyms:**

### **Objective Response Rate**

The proportion of patients whose tumor shrinks by a predefined amount (complete or partial response) during treatment; a common efficacy endpoint in oncology trials.

**Synonyms:**

### **Oblique Plane**

A plane that passes through the body or an organ at an angle other than a right angle (diagonal plane).

**Synonyms:**

### **Obsessions**

Recurrent, persistent, intrusive, and unwanted thoughts, urges, or images that are experienced as intrusive and cause marked anxiety or distress. Common obsessions include contamination fears, fears of harming oneself or others, need for symmetry, taboo thoughts (sexual, religious, or aggressive), and doubt.

**Synonyms:**

### **Obsessive-Compulsive Disorder**

Characterized by the presence of obsessions, compulsions, or both. Obsessions are recurrent, persistent, intrusive, and unwanted thoughts, urges, or images that cause marked anxiety or distress. The individual attempts to ignore or suppress them or neutralize them with some other thought or action.

**Synonyms:**

### **Obsessive-Compulsive Personality Disorder**

A pattern of preoccupation with orderliness, perfectionism, and mental and interpersonal control, at the expense of flexibility and efficiency.

**Synonyms:**

---

### Obstetric Anal Sphincter Injury

A third- or fourth-degree perineal tear involving the anal sphincter complex during childbirth. It requires accurate examination, repair, follow-up, and assessment for bowel or continence problems.

**Synonyms:**

### Obstetric Ultrasound

Ultrasound imaging during pregnancy. First trimester: dating, viability. Second trimester: anatomy survey. Third trimester: growth, position.

**Synonyms:**

### Obstetrician

A medical doctor who specializes in the care of women during pregnancy, labor, and the postpartum period (obstetrics). Obstetricians manage normal and high-risk pregnancies, perform cesarean deliveries and assisted vaginal deliveries, and treat pregnancy complications (pre-eclampsia, gestational diabetes, hemorrhage, preterm labor).

**Synonyms:**

### Obstetrics

The branch of medicine and surgery concerned with the care of women during pregnancy, childbirth, and the postpartum period.

**Synonyms:**

### Obstructed Infected Urinary System

Urinary tract obstruction accompanied by infection, pyonephrosis, or sepsis. It is a urologic emergency requiring immediate resuscitation, antimicrobial therapy, and urgent decompression by nephrostomy or ureteral stent.

**Synonyms:**

### Obstruction

Blockage of urinary flow. Ureteral, urethral, bladder outlet. Causes: stones, stricture, tumor, BPH. Complications: hydronephrosis, infection, renal failure.

**Synonyms:**

### Obstructive Jaundice

Jaundice caused by obstruction of bile flow from the liver to the duodenum, resulting in accumulation of conjugated bilirubin in the blood. See Jaundice for complete overview.

**Synonyms:**

### Obstructive Nephropathy

Kidney damage caused by blockage of urine flow anywhere from the kidney to the urethra. Causes include stones, tumors, strictures, enlarged prostate, and congenital abnormalities; untreated obstruction can lead to hydronephrosis, infection, and kidney failure.

**Synonyms:**

### Obstructive parotitis

Inflammation of the parotid gland resulting from obstruction of the parotid duct, most commonly by sialolithiasis, presenting with painful glandular swelling that worsens with meals. The obstruction leads to stasis, secondary bacterial infection, and recurrent episodes of swelling and tenderness.

**Synonyms:**

### Obstructive Shock

A form of shock caused by physical obstruction of blood flow outside the heart, reducing cardiac output despite normal cardiac function.

**Synonyms:**

### Obstructive Sleep Apnea

Recurrent partial or complete upper-airway collapse during sleep, causing disrupted breathing and often daytime symptoms. Evaluation may include sleep testing; treatment is individualized and can include positive-airway-pressure therapy, weight management, oral appliances, positional therapy, or surgery.

**Synonyms:**

### Obstructive Uropathy

Urinary tract obstruction at any level from the renal pelvis to the urethra, leading to impaired urine flow and potential renal damage. Causes include nephrolithiasis, benign prostatic hyperplasia,

---

ureteral strictures, tumors of the bladder, prostate, or cervix, and external compression from lymphadenopathy or retroperitoneal fibrosis.

**Synonyms:**

### **Obturator**

A structure that occludes an opening. In anatomy, the obturator foramen is a large opening in the pelvic bone, closed by the obturator membrane. The obturator nerve (L2–L4) innervates the adductor muscles of the thigh and provides sensory innervation to the medial thigh. The obturator artery supplies the adductor compartment.

**Synonyms:**

### **Obturator hernia**

Herniation of abdominal contents through the obturator canal, most commonly occurring in thin elderly women with a history of multiple pregnancies. It is a rare cause of small bowel obstruction and may present with the Howship-Romberg sign of medial thigh pain from obturator nerve compression.

**Synonyms:**

### **Obtuse Marginal Artery**

A branch of the circumflex coronary artery that runs along the obtuse margin of the heart and supplies the lateral wall of the left ventricle. Its size and number vary with coronary anatomy.

**Synonyms:**

### **Occipital Bone**

Forms the posterior-inferior cranium surrounding the foramen magnum (spinal cord passage). Has basilar, lateral, and squamous parts. Occipital condyles articulate with C1 for nodding movement. The external occipital protuberance provides muscle attachment.

**Synonyms:**

### **Occipital Lobe**

The most posterior of the four cerebral lobes, located behind the parieto-occipital sulcus and above the tentorium cerebelli. The occipital lobe is the primary visual processing center of the brain.

**Synonyms:**

### **Occipital Neuralgia**

A paroxysmal, severe, stabbing or electric shock-like pain in the distribution of the greater, lesser, or third occipital nerves (posterior scalp, from the nuchal line to the vertex).

**Synonyms:**

### **Occiput Posterior Position**

A fetal head position in which the occiput faces the maternal sacrum. It may cause back pain or slow labor, although the fetus may rotate during labor.

**Synonyms:**

### **Occiput Transverse Position**

The fetal head presenting with the sagittal suture oriented transversely. Usually the normal descent position; most rotate to OA with contractions. When persistent, it can cause protracted descent and prolonged second stage.

**Synonyms:**

### **Occlusal Guard**

Appliance protecting teeth from attrition. Night guard for bruxism. Sports mouthguard.

**Synonyms:**

### **Occlusion**

Complete blockage of vessel. May be natural (thrombosis) or iatrogenic (embolization).

**Synonyms:**

### **Occult Blood**

Blood that is not visible to the naked eye and is detected by chemical or immunochemical testing. Fecal occult-blood tests may be used in colorectal-cancer screening; the test type and collection instructions determine whether dietary or medicine restrictions apply.

**Synonyms:**

### **Occult Gastrointestinal Bleeding**

Chronic or intermittent gastrointestinal blood loss that is not visible to the patient and may not

---

produce melaena or haematochezia. It commonly presents with iron-deficiency anaemia or a positive faecal blood test.

**Synonyms:**

### **Occupational Asthma**

Asthma from workplace exposures to sensitizers (isocyanates, flour, latex) or irritants. Improves away from work and worsens at work. Serial peak flow monitoring supports diagnosis.

**Synonyms:**

### **Occupational COPD**

Chronic obstructive pulmonary disease associated with workplace exposure to dust, chemicals, fumes, or other inhaled hazards. Symptoms and risk depend on the exposure and other factors, including smoking.

**Synonyms:**

### **Occupational Dermatoses**

Work-related skin diseases. Occupational contact dermatitis accounts for 90 percent of occupational skin diseases. Irritant contact dermatitis is more common (hands, wet work) than allergic contact dermatitis. Occupations at risk include healthcare workers, hairdressers, construction workers, food handlers, and metalworkers.

**Synonyms:**

### **Occupational Exposure**

Radiation exposure to nuclear medicine staff. Monitored with dosimeters. Limits: 50 mSv/year whole body, 150 mSv/year lens, 500 mSv/year extremities.

**Synonyms:**

### **Occupational Exposure Limit**

A regulatory or advisory concentration or dose limit intended to reduce worker exposure to a hazardous substance over a defined averaging period. Limits vary by substance, jurisdiction, route, and whether the value is a ceiling, short-term limit, or time-weighted average.

**Synonyms:**

### **Occupational Health**

Health of workers. Examples: workplace safety, occupational diseases, ergonomics.

**Synonyms:**

### **Occupational Hearing Loss**

Permanent sensorineural hearing impairment caused by repeated or prolonged exposure to workplace noise or ototoxic hazards. Prevention depends on reducing exposure and using effective hearing protection.

**Synonyms:**

### **Occupational Medicine**

The medical specialty concerned with the effects of work on health, prevention of work-related illness and injury, and safe return to work.

**Synonyms:**

### **Occupational Rehabilitation**

Services that help a person regain or adapt the skills needed for work after illness, injury, or disability.

**Synonyms:**

### **Occupational Therapy**

OT helps patients perform daily activities (ADLs, IADLs) through therapeutic activities, adaptive equipment, environmental modification. Focus on upper extremity function, cognition, sensory integration.

**Synonyms:**

### **Occupational Therapy Assessment**

Evaluation of a person's ability to perform daily activities, work, and other meaningful occupations, including factors affecting performance and the need for adaptive strategies or equipment.

**Synonyms:**

### **OCD**

Obsessive-compulsive disorder, a condition involving recurrent unwanted thoughts or urges and/or repetitive behaviors or mental acts that cause distress or interfere with daily life.

**Synonyms:**



---

### **Ochronosis**

A blue-black or brownish pigmentation of connective tissues (cartilage, skin, sclerae, tendons) caused by accumulation of homogentisic acid and its oxidation products.

**Synonyms:**

### **Octreoscan**

Nuclear medicine imaging using In-111 octreotide. Detects neuroendocrine tumors.

**Synonyms:**

### **Ocular Histoplasmosis Syndrome**

Ocular disease following prior subclinical Histoplasma capsulatum infection, characterized by punched-out peripheral chorioretinal scars, peripapillary atrophy, and choroidal neovascularization that causes central vision loss. Active choroidal neovascularization is treated with anti-VEGF therapy.

**Synonyms:**

### **Ocular Hypertension**

Persistently elevated intraocular pressure without demonstrable glaucomatous optic-nerve damage or corresponding visual-field loss. It increases future glaucoma risk and requires individualized assessment of corneal thickness, optic-nerve appearance, pressure, and other risk factors.

**Synonyms:**

### **Ocular myiasis**

Infestation of the eye or ocular adnexa by fly larvae, which may involve the conjunctiva, cornea, or intraocular structures, presenting with pain, irritation, tearing, and visual disturbance. In severe cases, larvae can penetrate the globe causing endophthalmitis and blindness.

**Synonyms:**

### **Ocular Pain**

Pain in or around the eye caused by surface irritation, infection, inflammation, trauma, glaucoma, or orbital disease. Severe pain with vision loss, light sensitivity, nausea, or injury requires urgent ophthalmic assessment.

**Synonyms:**

### **Ocular Surface Disease**

A group of disorders affecting the cornea, conjunctiva, eyelids, and tear film, including dry eye, blepharitis, meibomian-gland dysfunction, and exposure-related disease. Symptoms and signs reflect tear-film instability, inflammation, epithelial injury, or abnormal lid function.

**Synonyms:**

### **Oculocerebrorenal Syndrome**

An inherited peroxisomal disorder, also called Zellweger spectrum disorder, affecting the brain, eyes, kidneys, liver, and other organs. Severe forms present neonatally with hypotonia, seizures, feeding difficulty, distinctive facial features, and profound developmental impairment.

**Synonyms:** Zellweger spectrum disorder, affecting.

### **Odds Ratio**

Ratio of odds of exposure in cases vs. controls. Used in case-control studies. OR approximates RR for rare diseases.

**Synonyms:**

### **Odontogenic cutaneous fistula**

An abnormal tract connecting the skin surface to a periapical dental infection, typically presenting as a draining sinus tract on the chin, cheek, or submandibular region. It results from chronic dental infection eroding through the bone and soft tissue to the skin surface.

**Synonyms:**

### **Odontogenic Keratocyst**

Aggressive cyst with high recurrence. Associated with nevoid basal cell carcinoma syndrome (Gorlin syndrome). Treatment: enucleation, resection, or decompression.

**Synonyms:**

### **Odontoid Process**

A tooth-like projection superiorly from the body of the axis (C2 vertebra). The odontoid process

---

projects into the atlas (C1) and is held in place by the transverse ligament of the atlas, allowing rotation of the head (the atlantoaxial joint accounts for 50% of cervical rotation).

**Synonyms:**

### **Odontoma**

Hamartomatous dental tissue mass. Compound (multiple tooth-like structures) or complex (amorphous calcified mass). Treatment: surgical removal.

**Synonyms:**

### **Odor Threshold**

Lowest concentration detectable by smell. Important for warning properties of toxins.

**Synonyms:**

### **Odynophagia**

Painful swallowing, characterized by a burning, squeezing, or sticking sensation behind the sternum during deglutition. Strongly suggests mucosal inflammation or ulceration of the esophagus.

**Synonyms:**

### **Oesophageal Ulcer**

A mucosal ulceration of the oesophagus caused by gastro-oesophageal reflux, infection, medication or corrosive injury, inflammatory disease, or malignancy. It may cause odynophagia, dysphagia, chest pain, haematemesis, or melaena.

**Synonyms:**

### **Oesophageal Varices**

Enlarged veins in the esophagus, usually caused by portal hypertension. They can rupture and cause life-threatening bleeding.

**Synonyms:**

### **Oesophagitis**

Inflammation of the oesophageal mucosa. Common causes include gastro-oesophageal reflux, infection in immunocompromised patients, medication-related injury, eosinophilic inflammation, radiation, and caustic ingestion. Symptoms include heartburn, odynophagia, dysphagia, and chest pain.

**Synonyms:**

### **Oestrogen**

The primary female sex hormone, produced mainly by the ovaries (granulosa cells of developing follicles) and in smaller amounts by adipose tissue, the adrenal glands, and the placenta during pregnancy.

**Synonyms:**

### **Oestrogen Replacement Therapy**

The administration of exogenous estrogen (with or without progestogen) to relieve symptoms of estrogen deficiency and prevent long-term health consequences in postmenopausal women. See Hormone Replacement Therapy (HRT).

**Synonyms:**

### **Off-Label Use**

The use of a licensed medication for an indication, dose, route, or patient population not included in its marketing authorisation (product licence).

**Synonyms:**

### **Ogilvie Syndrome**

Acute colonic pseudo-obstruction characterized by massive colonic dilation in the absence of mechanical obstruction typically occurring in hospitalized patients with serious comorbidities including post-surgical states, severe infections, and medication effects.

**Synonyms:**

### **Ogilvie's syndrome**

Acute colonic pseudo-obstruction characterized by massive dilation of the colon, particularly the cecum and right colon, without mechanical obstruction. It occurs in hospitalized patients with serious medical or surgical conditions, often postoperatively, and results from autonomic nervous system imbalance.

**Synonyms:**

### **Ointment**

A semi-solid, greasy topical preparation for application to the skin, mucous membranes, or eyes. Ointments are typically composed of a hydrophobic

---

base (petrolatum, lanolin, paraffin, beeswax, vegetable oils) and may contain dissolved or suspended active pharmaceutical ingredients.

**Synonyms:**

### **Okihiro Syndrome**

A congenital disorder, usually caused by pathogenic variants in *SALL4*, combining radial-ray limb abnormalities with Duane retraction anomaly or other eye-movement defects. Hearing, cardiac, renal, and vertebral anomalies may also occur.

**Synonyms:**

### **Oleothorax**

Historical surgical obliteration of the pleural space using infused oil to collapse the lung, once used for tuberculosis treatment before effective chemotherapy, now largely obsolete.

**Synonyms:**

### **Olfactory Nerve**

Cranial nerve I (CN I), responsible for the sense of smell. Olfactory receptor neurons in the olfactory epithelium of the nasal roof project axons through the cribriform plate of the ethmoid bone to the olfactory bulb, then via the olfactory tract to the primary olfactory cortex (piriform cortex, amygdala, entorhinal cortex).

**Synonyms:**

### **Oligoclonal Bands**

Immunoglobulin G (IgG) proteins produced by a limited number of B-cell clones in the cerebrospinal fluid (CSF), detected by isoelectric focusing of CSF and serum samples.

**Synonyms:**

### **Oligodendroglioma**

A slow-growing glioma arising from oligodendrocytes, most often in the cerebral hemispheres. Associated with IDH mutation and 1p/19q codeletion, which confer a better prognosis and chemosensitivity.

**Synonyms:**

### **Oligohydramnios**

Insufficient amniotic fluid volume, defined as amniotic fluid index less than 5 cm or single deepest pocket less than 2 cm. Causes include fetal renal anomalies, post-term pregnancy, premature rupture of membranes, maternal dehydration, and placental insufficiency.

**Synonyms:**

### **Oligometastasis**

A limited number of metastatic deposits, often defined as up to five, amenable to aggressive local treatment (surgery, stereotactic radiation, or ablation) with the potential for prolonged control.

**Synonyms:**

### **Oliguria**

Reduced urine output, defined as <400 mL/day or <0.5 mL/kg/hour in adults. Oliguria is an important sign of acute kidney injury (AKI) and prerenal azotaemia.

**Synonyms:**

### **Olive Pontocerebellar Atrophy**

A group of neurodegenerative disorders characterized by progressive loss of neurons in the inferior olives, pons, and cerebellum. They cause worsening ataxia, dysarthria, incoordination, and sometimes pyramidal, autonomic, or cognitive features.

**Synonyms:**

### **Omega-3**

Polyunsaturated fatty acids (EPA, DHA, ALA). Anti-inflammatory, cardiovascular benefits. Sources: fatty fish, flaxseed, walnuts. Supplementation common.

**Synonyms:**

### **Omega-6**

Polyunsaturated fatty acids (linoleic acid). Pro-inflammatory in excess. Balance with omega-3 important. Sources: vegetable oils, nuts, seeds.

**Synonyms:**

---

## Omenn Syndrome

A severe combined immunodeficiency caused by hypomorphic defects affecting lymphocyte-receptor gene rearrangement or related pathways. It presents in infancy with erythroderma, lymphadenopathy, hepatosplenomegaly, diarrhea, failure to thrive, and recurrent or opportunistic infections.

**Synonyms:**

## Omentectomy

Removal of part or all of the greater omentum, commonly performed during staging and cytoreduction for ovarian and other intra-abdominal cancers.

**Synonyms:**

## Omentum

A double layer of peritoneum connecting the stomach to other abdominal organs. The greater omentum (gastrocolic omentum) hangs from the greater curvature of the stomach, covers the transverse colon and small intestine, and is rich in fat and immune cells (milky spots—aggregates of macrophages and lymphocytes).

**Synonyms:**

## Omphalitis

Infection of the umbilical stump in neonates, typically occurring within the first 1–2 weeks of life. Omphalitis is a potentially serious condition requiring prompt treatment due to the risk of spread to the liver (portal vein thrombosis, portal hypertension) and peritoneum via the umbilical vessels.

**Synonyms:**

## Omphalocele

A congenital abdominal wall defect where abdominal organs herniate into the base of the umbilical cord, covered by a peritoneal-amniotic membrane. Associated with chromosomal abnormalities (trisomies 13, 18) and other anomalies. Differentiated from gastroschisis by membrane coverage and midline location.

**Synonyms:**

## Onchocerca volvulus

A filarial nematode that causes onchocerciasis (river blindness), transmitted by repeated bites of infected blackflies (*Simulium* species) breeding near fast-flowing rivers. Adult worms reside in subcutaneous nodules (onchocercomata), where they can survive for years, producing microfilariae that migrate through the skin and eyes.

**Synonyms:**

## Onchocerciasis

A parasitic disease caused by the filarial nematode *Onchocerca volvulus*, transmitted by repeated bites of infected blackflies (*Simulium* species) breeding near fast-flowing rivers. Adult worms form subcutaneous nodules (onchocercomata).

**Synonyms:**

## Oncocytoma

A usually benign epithelial tumor, commonly arising in the kidney and composed of cells with abundant eosinophilic mitochondria-rich cytoplasm.

**Synonyms:**

## Oncogene

A gene that, when activated, overexpressed, or altered, can promote uncontrolled cell proliferation or survival. Oncogenes commonly arise from normal proto-oncogenes through mutation, amplification, translocation, or abnormal regulation.

**Synonyms:**

## Oncogenic

Capable of promoting the development of cancer.

**Synonyms:**

## Oncologic Emergency

A cancer-related condition that threatens life, organ function, or neurologic integrity and requires urgent treatment. Examples include malignant spinal-cord compression, superior vena cava syndrome, tumor lysis syndrome, hypercalcemia, airway obstruction, and febrile neutropenia.

**Synonyms:**

---

## **Oncologist**

A physician who specializes in the diagnosis and treatment of cancer. Includes medical oncologists (systemic therapy), radiation oncologists (radiotherapy), and surgical oncologists (operative management).

**Synonyms:**

## **Oncology PET**

PET, often combined with CT, used in selected cancers to assess disease distribution, treatment response, or recurrence.

**Synonyms:**

## **Oncology Rehabilitation**

Cancer rehabilitation: fatigue, pain, neuropathy, lymphedema, functional impairment. Pre- and post-treatment support.

**Synonyms:**

## **Oncolytic Virus**

A genetically modified virus that selectively replicates in and destroys cancer cells while sparing normal tissue, e.g., talimogene laherparepvec (T-VEC) for melanoma.

**Synonyms:**

## **Oncosis**

A form of cell death characterized by cellular swelling, derived from the Greek word *onkos* meaning swelling, representing a pre-lethal state that precedes necrosis. It is typically caused by ischemic injury leading to ATP depletion, which impairs the sodium-potassium pump and causes osmotic water influx.

**Synonyms:**

## **Oncotic Pressure**

The osmotic pressure exerted by plasma proteins (predominantly albumin) that do not freely cross the capillary wall. Normal plasma oncotic pressure is approximately 25-28 mmHg. It opposes the hydrostatic pressure that drives fluid out of capillaries, favoring fluid reabsorption at the venular end.

**Synonyms:**

## **One Health**

Approach recognizing health connections between humans, animals, environment. Examples: zoonotic diseases, antibiotic resistance, food safety.

**Synonyms:**

## **One-Hour Glucose Challenge Test**

A screening test for gestational diabetes mellitus (GDM) performed at 24-28 weeks. The patient drinks 50 g of glucose (regardless of fasting state), and plasma glucose is measured at 1 hour. Thresholds vary by protocol; a result in the range of 130–140 mg/dL positive, warranting diagnostic 3-hour oral glucose tolerance test (OGTT).

**Synonyms:**

## **Onycholysis**

Separation of the nail plate from the underlying nail bed, beginning distally or laterally. Causes include trauma, psoriasis, fungal infection, thyroid disease, medications, and chemical exposure; the underlying cause should be identified.

**Synonyms:**

## **Onychomycosis**

Fungal nail infection, most commonly caused by dermatophytes (*Trichophyton rubrum*), affecting toenails more than fingernails. It presents as nail thickening, discoloration (yellow-brown), subungual debris, and nail separation. Diagnosis is confirmed by KOH preparation or fungal culture.

**Synonyms:**

## **Oocyte**

The female gamete (egg cell) produced in the ovary through oogenesis. Oocytes develop from primordial germ cells, which undergo mitosis to form oogonia, then enter meiosis I before birth and arrest in prophase I until puberty.

**Synonyms:**

## **Oophorectomy**

Surgical removal of one (unilateral) or both (bilateral) ovaries.

**Synonyms:**

---

## **Oophoritis**

Inflammation of an ovary, usually associated with pelvic infection or, less commonly, autoimmune disease. It may cause lower abdominal or pelvic pain, fever, abnormal discharge, or menstrual changes; severe pain requires assessment to exclude ovarian torsion or abscess.

**Synonyms:**

## **Opacity**

Lack of transparency of a normally transparent ocular structure (cornea, lens, vitreous, or aqueous humour). Corneal opacity results from scarring (trauma, infection—herpes simplex keratitis, trachoma), dystrophies (Fuchs endothelial dystrophy, granular/lattice/macular dystrophies), or edema.

**Synonyms:**

## **Open Fractures**

Fractures in which the broken bone or fracture hematoma communicates with an external wound. They have increased risks of infection and soft-tissue injury and require urgent assessment and specialized treatment.

**Synonyms:**

## **Open Reduction and Internal Fixation**

Operative exposure and realignment of a fracture followed by fixation with implants such as plates, screws, wires, or nails. It is used when closed treatment cannot provide acceptable alignment, stability, or joint restoration.

**Synonyms:**

## **Open Surgery**

Traditional surgical approach with incision. Used for bypass, aneurysm repair, thrombectomy.

**Synonyms:**

## **Open-book fracture**

A pelvic ring disruption with diastasis of the pubic symphysis or sacroiliac joints, often from high-energy trauma, carrying risk of massive hemorrhage and organ injury.

**Synonyms:**

## **Open-Heart Surgery**

Any surgical procedure involving opening the chest wall (sternotomy or thoracotomy) and operating on the heart, usually with cardiopulmonary bypass (the heart–lung machine).

**Synonyms:**

## **Operative Vaginal Delivery**

Vaginal delivery assisted by vacuum or forceps. Indications: prolonged second stage, suspected fetal compromise, need to shorten the second stage for maternal benefit (exhaustion, cardiac disease, hypertensive crisis).

**Synonyms:**

## **Ophthalmic Emergency**

An eye or visual condition requiring urgent evaluation to prevent irreversible vision loss or severe ocular injury. Examples include acute angle closure, retinal detachment, central retinal artery occlusion, endophthalmitis, chemical injury, orbital cellulitis, and open-globe trauma.

**Synonyms:**

## **Ophthalmomyiasis**

Infestation of the eye by fly larvae (most commonly Oestridae), which may be superficial (conjunctival) or deep (intraocular), with the latter carrying a risk of retinal detachment, endophthalmitis, and permanent vision loss.

**Synonyms:**

## **Ophthalmoplegia**

Weakness or paralysis of one or more eye muscles, causing limited eye movement, double vision, or abnormal eye position. Causes include nerve disorders, stroke, diabetes, thyroid disease, trauma, and neuromuscular conditions.

**Synonyms:**

## **Ophthalmoscope**

Instrument for examining retina and optic nerve. Direct: larger, brighter image. Indirect: wider field. Essential for fundoscopic examination.

**Synonyms:**



---

## Ophthalmoscopy

Examination of the interior of the eye, especially the retina, optic disc, and retinal blood vessels, using an ophthalmoscope. It helps detect retinal disease, optic-nerve abnormalities, glaucoma, and systemic vascular disease.

**Synonyms:**

## Opiate

A natural alkaloid derived from the opium poppy (*Papaver somniferum*) or a semi-synthetic derivative that binds to opioid receptors.

**Synonyms:**

## Opioid Agonist Treatment

Treatment of opioid use disorder with a prescribed opioid agonist or partial agonist, most commonly methadone or buprenorphine, together with psychosocial and medical support. It reduces withdrawal, craving, illicit opioid use, overdose, and mortality.

**Synonyms:**

## Opioid Analgesics

A class of drugs that bind to opioid receptors in the central and peripheral nervous systems, producing analgesia and other effects.

**Synonyms:**

## Opioid Antagonist

A medicine that blocks opioid receptors and can reverse opioid effects such as respiratory depression. Naloxone is a commonly used example.

**Synonyms:**

## Opioid Overdose

A medical emergency characterized by the classic triad of respiratory depression, miosis (pinpoint pupils), and decreased level of consciousness. It can progress to respiratory arrest, cardiovascular collapse, and death.

**Synonyms:**

## Opioid Reversal

Emergency treatment of opioid toxicity with nalox-

one, a competitive opioid-receptor antagonist. It is titrated to restore adequate breathing, with repeated doses or monitoring sometimes needed because its effect may wear off before the opioid.

**Synonyms:**

## Opioid Toxicity

Toxic effects of opioid agonists, classically respiratory depression, central nervous system depression, and miosis. Management prioritizes ventilation and airway support; naloxone is titrated to restore adequate breathing while recognizing the risk of recurrent toxicity and withdrawal.

**Synonyms:**

## Opioid Use Disorder

A problematic pattern of opioid use leading to significant impairment or distress. Opioids include heroin, fentanyl, morphine, oxycodone, and hydrocodone. Criteria are the same eleven as for substance use disorders generally. Overdose presents with respiratory depression, miosis, and decreased level of consciousness.

**Synonyms:**

## Opioids

A class of drugs that bind to opioid receptors in the central and peripheral nervous systems, producing analgesia and other effects. See Opioid Analgesics.

**Synonyms:**

## Opisthotonos

Severe backward arching of the head, neck, and spine caused by sustained extensor muscle spasm. It is classically associated with tetanus but may also occur in meningitis, seizures, or severe brain injury.

**Synonyms:**

## Opportunistic Infection

An infection caused by organisms that ordinarily do not cause disease in immunocompetent hosts but cause significant illness when host defences are impaired.

**Synonyms:**

---

## Opposition

Movement of the thumb across the palm to contact the fingertips. It combines abduction, flexion, and medial rotation at the first carpometacarpal joint.

**Synonyms:**

## Oppositional Defiant Disorder

A childhood/adolescent disorder characterized by a persistent pattern ( $\geq 6$  months) of angry/irritable mood, argumentative/defiant behavior, and vindictiveness.

**Synonyms:**

## Opsoclonus

Rapid, involuntary, multidirectional, conjugate eye movements without an intersaccadic interval. It may occur with myoclonus and ataxia as part of an autoimmune or paraneoplastic syndrome, particularly in children with neuroblastoma.

**Synonyms:**

## Opsonization

The process by which pathogens or particles are coated with opsonins (antibodies—IgG, complement—C3b, or acute-phase proteins) that enhance recognition and phagocytosis by phagocytes bearing corresponding receptors (Fc receptors, complement receptors).

**Synonyms:**

## Optic Atrophy

End-stage degeneration of the optic nerve fibers resulting from any optic neuropathy. Causes: glaucoma, ischemic optic neuropathy, multiple sclerosis, compressive lesions (pituitary tumor, aneurysm), toxins (methanol, ethambutol), and hereditary (Leber hereditary optic neuropathy).

**Synonyms:**

## Optic Disc

The point on the retina where the optic nerve exits the eye, lacking photoreceptors and creating the natural blind spot.

**Synonyms:**

## Optic Disc Edema

Swelling of the optic-nerve head caused by axoplasmic-flow disruption. Bilateral optic-disc edema from raised intracranial pressure is papilledema; unilateral or non-pressure causes require separate evaluation for optic-nerve, retinal, inflammatory, ischemic, or infiltrative disease.

**Synonyms:**

## Optic Glioma

A usually slow-growing glioma of the optic nerve or optic pathway, occurring most often in children. It may cause progressive visual loss, optic atrophy, proptosis, or visual-field defects and is associated with neurofibromatosis type 1.

**Synonyms:**

## Optic Nerve

CN II exiting through the optic disc (blind spot), passing through the optic canal, and partially decussating at the optic chiasm. Technically a CNS tract with oligodendrocyte myelination and meningeal coverings, making it susceptible to demyelinating disease (optic neuritis in MS).

**Synonyms:**

## Optic Nerve Atrophy

Pallor and degeneration of the optic nerve caused by loss of retinal ganglion-cell axons. It produces permanent visual impairment and may result from ischemia, inflammation, compression, glaucoma, trauma, or raised intracranial pressure.

**Synonyms:**

## Optic Neuritis

Inflammation or demyelination of the optic nerve, often causing subacute vision loss, impaired color vision, and pain with eye movement. It may be associated with multiple sclerosis or other inflammatory, infectious, or immune-mediated disorders.

**Synonyms:**

## Optical Coherence Tomography

A non-invasive imaging technique that uses low-coherence interferometry to produce high-resolution,

---

cross-sectional images of the retina and other ocular structures, providing quantitative measurements of retinal layer thickness and detecting structural abnormalities with micrometer-level resolution.

**Synonyms:**

### Optometry

A healthcare profession concerned with examining the eyes and visual system for defects and abnormalities, prescribing corrective lenses (spectacles, contact lenses), diagnosing eye disease, and providing pre- and post-operative care for surgical eye treatments.

**Synonyms:**

### Oral Cancer

Malignancy of oral cavity, including lips, tongue, floor of mouth, buccal mucosa, palate, tonsils, oropharynx. Major risk factors: tobacco use, alcohol consumption, human papillomavirus (HPV, especially p16-positive oropharyngeal cancer). Presentation: persistent ulcer, leukoplakia, erythroplakia, mass, pain, difficulty swallowing.

**Synonyms:**

### Oral Candidiasis

Infection or overgrowth of *Candida* species on the oral mucosa, often presenting as removable white plaques, erythematous patches, or angular cheilitis. Risk factors include antibiotics, inhaled corticosteroids, immunosuppression, diabetes, xerostomia, and dentures.

**Synonyms:**

### Oral Cavity

The space extending from the lips to the oropharynx, bounded by the cheeks, palate, and tongue. It receives food, begins mechanical and chemical digestion, and contributes to speech.

**Synonyms:**

### Oral Cavity Cancer

Squamous cell carcinoma of the lip, tongue, buccal mucosa, floor of mouth, or palate, associated with tobacco, alcohol, and betel quid use. Treatment is

primarily surgical resection, with adjuvant radiation or chemoradiation for adverse features.

**Synonyms:**

### Oral Contraceptive

Birth control pill: combined oral contraceptive (COC—ethinylestradiol + progestin) or progestin-only pill (POP/minipill). Mechanisms: ovulation inhibition, cervical mucus thickening, endometrial change.

**Synonyms:**

### Oral Glucose Tolerance Test

A diagnostic test measuring plasma glucose response after a standardized oral glucose load. It is used in selected evaluations of diabetes, impaired glucose tolerance, and gestational diabetes when fasting glucose or HbA1c is insufficient.

**Synonyms:**

### Oral Hygiene

Practices maintaining oral health: brushing twice daily with fluoride toothpaste, flossing daily, mouthwash (optional), regular dental visits. Proper brushing technique: soft brush, 45-degree angle to gumline, gentle circular motions. Interdental cleaning essential for plaque removal.

**Synonyms:**

### Oral Hypoglycemic

A class of drugs used to treat type 2 diabetes (with lifestyle).

**Synonyms:**

### Oral Leukoplakia

A white patch or plaque on the oral mucosa that cannot be scraped off and cannot be characterized as any other diagnosable disease, considered a potentially malignant disorder. Risk factors: tobacco use (most common), alcohol, and betel nut chewing. Most common sites: buccal mucosa, alveolar ridge, and tongue.

**Synonyms:**

---

### Oral Lichen Planus

Chronic inflammatory condition. Reticular (lace-like white lines), erosive (painful ulcers). Associated with hepatitis C. Malignant transformation rare but possible.

**Synonyms:**

### Oral Medicine

Specialty diagnosing oral mucosal diseases, dental causes of facial pain, oral manifestations of systemic disease.

**Synonyms:**

### Oral Mucosa

The moist stratified squamous epithelial lining of the oral cavity. It includes masticatory, lining, and specialized mucosa and provides barrier protection, sensation, lubrication, and sites for minor salivary glands.

**Synonyms:**

### Oral Nutritional Supplement

A calorie-, protein-, or micronutrient-containing product consumed by mouth to supplement, not automatically replace, usual food intake. The product and dose should match the patient's needs, swallowing ability, disease restrictions, and tolerance.

**Synonyms:**

### Oral Pathology

Study of diseases affecting oral tissues. Includes neoplasms, cysts, inflammatory conditions, developmental anomalies.

**Synonyms:**

### Oral Polio Vaccine

A live attenuated poliovirus vaccine administered by mouth. Its formulation and use depend on the public-health program and circulating poliovirus strains; it has played an important role in polio control.

**Synonyms:**

### Oral Radiology

Specialty of producing and interpreting images of

oral and maxillofacial region.

**Synonyms:**

### Oral Sex (Fellatio, Cunnilingus)

Oral stimulation of the genitals for sexual pleasure. Fellatio: oral stimulation of the penis. Cunnilingus: oral stimulation of the vulva and clitoris. Analingus (rimming): oral stimulation of the anus.

**Synonyms:** Fellatio, Cunnilingus

### Oral Squamous Cell Carcinoma

A malignant neoplasm arising from oral stratified squamous epithelium. Persistent induration, ulceration, red or white patches, unexplained bleeding, pain, or neck mass requires evaluation and biopsy; staging incorporates tumor, nodal, and metastatic findings.

**Synonyms:**

### Oral Surgery

Surgical procedures in oral and maxillofacial region. Extractions, implant placement, biopsies, cyst removal, corrective jaw surgery.

**Synonyms:**

### Oral Toxicity

Harm caused by swallowing a toxic substance, medicine, or excessive dose.

**Synonyms:**

### Oral Ulcer

Ulceration of oral mucosa. Aphthous ulcer (canker sore) most common. Traumatic, viral, autoimmune causes.

**Synonyms:**

### Orbital Cellulitis

A serious infection of the orbital tissues posterior to the orbital septum, potentially sight-threatening and life-threatening due to the risk of optic nerve compression, cavernous sinus thrombosis, and intracranial extension.

**Synonyms:**

---

### Orbital metastasis

Secondary cancer deposits in the orbit, most commonly from breast, lung, or prostate primaries. Symptoms include proptosis, diplopia, pain, and visual impairment.

**Synonyms:**

### Orbital Pseudotumor

Noninfectious, idiopathic inflammation of orbital tissues, also called idiopathic orbital inflammation. It can cause painful eye movement, proptosis, eyelid swelling, diplopia, and restricted ocular motility.

**Synonyms:** idiopathic.

### Orchiectomy

Surgical removal of one or both testicles. Radical inguinal orchiectomy is diagnostic and therapeutic for testicular cancer; bilateral orchiectomy is a hormonal therapy for prostate cancer.

**Synonyms:**

### Orchitis

Inflammation of the testis, often associated with epididymitis (epididymo-orchitis).

**Synonyms:**

### Orexin Receptor Antagonists

Medications that block orexin (hypocretin) receptors to promote sleep. Suvorexant and lemborexant are approved for insomnia. They reduce wakefulness by blocking the arousal system. They have lower abuse potential than benzodiazepines and do not cause respiratory depression.

**Synonyms:**

### Orf

A zoonotic viral skin infection caused by the parapoxvirus, transmitted to humans from infected sheep and goats (direct contact with lesions, fomites—virus survives in scabs for months). Orf is an occupational disease of farmers, butchers, and veterinarians. Incubation: 3–7 days.

**Synonyms:**

### Organ

A structure composed of two or more different types of tissues that has a recognizable shape and performs specific functions.

**Synonyms:**

### Organ System

A group of related organs that work together to perform major body functions.

**Synonyms:**

### Organ Transplants

The surgical transfer of an organ from a donor to a recipient whose organ function is severely impaired. Solid-organ transplantation may involve the kidney, liver, heart, lung, pancreas, or intestine and requires donor assessment, recipient selection, and ongoing follow-up.

**Synonyms:**

### Organophosphate

A class of chemicals that can inhibit acetylcholinesterase. Some are pesticides or nerve agents and can cause cholinergic poisoning.

**Synonyms:**

### Organophosphate Poisoning

Acetylcholinesterase inhibitors. SLUDGE syndrome: salivation, lacrimation, urination, defecation, GI upset, emesis. Miosis, bradycardia, bronchospasm, muscle fasciculations. Treatment: atropine, pralidoxime, supportive care.

**Synonyms:**

### Orogastric Tube

Tube through mouth to stomach. For infants, unconscious patients.

**Synonyms:**

### Oropharyngeal Airway

A rigid airway adjunct inserted through the mouth to displace the tongue and help maintain upper-airway patency in an unconscious patient without an intact gag reflex. It does not protect against aspiration.

---

**Synonyms:**

### **Oropharyngeal Carcinoma**

Malignancy arising in the oropharynx, including the tonsil, base of tongue, soft palate, and posterior pharyngeal wall. HPV-associated tumors form an important subgroup; evaluation includes endoscopy, biopsy, imaging, and cervical-node assessment.

**Synonyms:**

### **Oropharynx**

The posterior portion of the mouth leading to the esophagus, containing the tonsils and base of tongue. Area for swallowing and speech. Examination with tongue depressor and light source. Pathology: pharyngitis, tonsillitis, malignancy.

**Synonyms:**

### **Orphan Drug**

A pharmaceutical agent developed specifically to treat a rare medical condition (affecting fewer than 200,000 people in the United States, as defined by the Orphan Drug Act of 1983).

**Synonyms:**

### **Orthodontic Bracket**

A bonded or banded attachment that transmits forces from an orthodontic archwire to a tooth. Bracket position and wire sequence guide controlled tooth movement.

**Synonyms:**

### **Orthodontic Retainer**

A removable or fixed appliance used after active orthodontic treatment to maintain tooth position while periodontal and alveolar tissues remodel. Retention is often needed long term because relapse can occur.

**Synonyms:**

### **Orthodontics**

Specialty of dental management of malocclusion and dental-facial discrepancies. Appliances: fixed braces, removable appliances, clear aligners. Treatment indications: crowding, spacing, overbite, underbite,

crossbite, open bite, midline discrepancy. Treatment duration: 12-24 months typically. Retention phase essential for stability.

**Synonyms:**

### **Orthognathic Surgery**

Corrective jaw surgery for skeletal malocclusion. Le Fort I, Bilateral Sagittal Split Osteotomy. Combined with orthodontics.

**Synonyms:**

### **Orthopedic Biologics**

Biological or biomaterial products used to support bone or soft-tissue healing. Examples include autograft, allograft, demineralized bone matrix, bone-marrow products, and synthetic graft substitutes; their uses and evidence vary by procedure and condition.

**Synonyms:**

### **Orthopedic Implant**

Devices for bone/joint reconstruction. Types: plates, screws, rods, hinges, prostheses. Materials: titanium, cobalt-chrome, stainless steel, polyethylene, ceramic. Used for fractures, arthritis, tumors, deformities. Complications: infection, loosening, fracture, wear.

**Synonyms:**

### **Orthopedic Infections**

Infections involving bones, joints, muscles, or orthopedic implants. Examples include osteomyelitis, septic arthritis, prosthetic-joint infection, and some diabetic foot infections.

**Synonyms:**

### **Orthopedic Rehabilitation**

Therapy that restores movement, strength, function, and independence after musculoskeletal injury or surgery.

**Synonyms:**

### **Orthopedic Screws**

Fixation devices for fractures. Materials: titanium, stainless steel. Types: cortical, cancellous, inter-



---

fragmentary. Used with plates, rods, nails. Complications: loosening, breakage, infection.

**Synonyms:**

### orthopedics

The branch of surgery concerned with the musculoskeletal system, including bones, joints, ligaments, tendons, muscles, and nerves.

**Synonyms:**

### Orthopnea

Dyspnea that occurs when lying flat and is relieved by sitting upright. It is measured by the number of pillows the patient needs to sleep (two-pillow orthopnea). It is a hallmark of left heart failure and is caused by redistribution of fluid from the lower extremities to the lungs in the supine position.

**Synonyms:**

### Orthopnoea

Shortness of breath that occurs when lying flat and is relieved by sitting or standing upright. Orthopnoea is a classic symptom of left-sided heart failure (elevated pulmonary venous pressure worsens pulmonary congestion in the supine position). Other causes: severe COPD, asthma exacerbation, diaphragmatic paralysis, ascites, and obesity.

**Synonyms:**

### Orthorexia

A term used for an excessive or rigid preoccupation with eating foods considered healthy. It is not a universally recognized formal psychiatric diagnosis but may cause nutritional or social impairment.

**Synonyms:**

### Orthosis

An externally applied device that supports, aligns, prevents deformity, protects, or assists movement of a body segment. It differs from a prosthesis, which replaces a missing body part.

**Synonyms:**

### Orthostatic Hypotension

Decrease in SBP  $\geq 20$  mmHg or DBP  $\geq 10$  mmHg

within 3 minutes of standing. Causes: dehydration, medications (antihypertensives, diuretics, alpha-blockers, antidepressants), autonomic dysfunction (diabetes, Parkinson disease), and prolonged bed rest. Symptoms: dizziness, lightheadedness, syncope, falls.

**Synonyms:**

### Orthostatic Intolerance

Symptoms or signs that develop when standing because the cardiovascular and autonomic systems do not maintain adequate cerebral perfusion. Manifestations include light-headedness, palpitations, fatigue, visual dimming, presyncope, or syncope and may occur with or without orthostatic tachycardia or hypotension.

**Synonyms:**

### Orthotic Training

Training for brace users: donning/doffing, skin care, gait training with brace.

**Synonyms:**

### Osborn wave

A positive deflection at the junction of the QRS complex and ST segment on electrocardiography, also known as a J wave. It is classically associated with hypothermia, where its amplitude correlates with the degree of cooling.

**Synonyms:** a J wave.

### OSFED

Other Specified Feeding or Eating Disorder, used when the clinical presentation causes significant distress or impairment but does not meet full criteria for any of the specific eating disorders.

**Synonyms:**

### Osgood-Schlatter Disease

A traction apophysitis of the tibial tuberosity at the insertion of the patellar tendon, caused by repetitive microtrauma during periods of rapid growth.

**Synonyms:**

---

### Osler Nodes

Painful, erythematous nodules on the pads of fingers and toes, caused by immune complex deposition in infective endocarditis. They are a minor criterion in the Duke criteria. Osler nodes are tender and may last hours to days.

**Synonyms:**

### Osmolality

The concentration of osmotically active particles per kilogram of solvent. Plasma osmolality is determined mainly by sodium and its accompanying anions, glucose, and urea and governs water movement across cell membranes.

**Synonyms:**

### Osmosis

The net movement of water molecules across a semipermeable membrane from a region of lower solute concentration (higher water concentration) to a region of higher solute concentration (lower water concentration). Driven by the osmotic pressure difference, which is proportional to the number of solute particles.

**Synonyms:**

### Osmotic Demyelination Syndrome

Demyelinating process affecting the pons and extrapontine regions caused by overly rapid correction of chronic hyponatremia. The brain adapts to chronic hyponatremia by extruding osmoles and when sodium is corrected too quickly water shifts out of brain cells causing osmotic injury to oligodendrocytes.

**Synonyms:**

### Osmotic Diarrhea

Diarrhea caused by poorly absorbed solutes retaining water in the intestinal lumen. It typically improves with fasting and may result from carbohydrate malabsorption, laxatives, or other osmotically active substances.

**Synonyms:**

### Osmotic Fragility Test

A test that measures the susceptibility of red blood cells to haemolysis when placed in progressively more dilute saline solutions. Increased fragility supports hereditary spherocytosis, although the result may also be affected by other haemolytic disorders and recent transfusion.

**Synonyms:**

### Osmotic Pressure

The pressure required to prevent the movement of water across a semipermeable membrane when a solute concentration gradient exists, proportional to the number of dissolved particles (van't Hoff law:  $\pi = iCRT$ ). It is a colligative property depending on particle number, not particle identity.

**Synonyms:**

### Osseointegration

Direct structural and functional connection between living bone and the surface of a load-bearing implant under appropriate conditions. It depends on implant stability, surface characteristics, bone quality, healing, and control of infection and occlusal forces.

**Synonyms:**

### Ossicles

Three smallest body bones forming the ossicular chain in the middle ear: malleus (hammer, attached to tympanic membrane), incus (anvil), stapes (stirrup, footplate in oval window).

**Synonyms:**

### Ossicular Discontinuity

Partial or complete separation of the middle-ear ossicles, usually caused by trauma, chronic ear disease, or surgery. It produces conductive hearing loss and may be evaluated with otoscopy, audiometry, and imaging.

**Synonyms:** Ossicular-chain discontinuity; ossicular disruption.

### Osteoarthritis

The most common joint disease, characterized by

---

progressive cartilage loss, subchondral bone sclerosis, osteophyte formation, and synovial inflammation, affecting knees, hips, hands (DIP/PIP Heberden/Bouchard nodes), spine. Risk factors: age, obesity, joint injury, malalignment, genetics, female sex.

**Synonyms:**

### **Osteoarthritis (Geriatric)**

Osteoarthritis occurring in later life, commonly affecting the knees, hips, hands, or spine and causing joint pain, stiffness, and reduced movement. Management may include exercise, weight management, medicines, assistive measures, or joint replacement when appropriate.

**Synonyms:** Geriatric

### **Osteoblast**

A bone-forming cell derived from mesenchymal stem cells in the bone marrow. Osteoblasts synthesise and deposit the bone matrix (osteoid), composed primarily of type I collagen and non-collagenous proteins (osteocalcin, osteonectin, alkaline phosphatase).

**Synonyms:**

### **Osteochondritis Dissecans**

A condition characterized by separation of a fragment of articular cartilage and subchondral bone from the joint surface, most commonly in the knee (lateral aspect of the medial femoral condyle). Most common in adolescents and young adults. Etiology: repetitive microtrauma, ischemia, or genetic predisposition.

**Synonyms:**

### **Osteochondroma**

A usually benign cartilage-capped bony projection arising from the surface of a bone and continuous with its cortex and medullary cavity. It may be solitary or occur in hereditary multiple exostoses.

**Synonyms:**

### **Osteoclast**

A large, multinucleated bone-resorbing cell derived from the monocyte-macrophage lineage (hematopoi-

etic stem cells).

**Synonyms:**

### **Osteocyte**

The mature, terminally differentiated bone cell embedded within the bone matrix in lacunae, derived from osteoblasts. Osteocytes are connected to each other and to bone surface cells via canaliculi, forming a mechanosensory network that senses mechanical loading and fluid flow.

**Synonyms:**

### **Osteogenesis Imperfecta**

A connective tissue disorder caused by collagen type I mutations, ranging from mild to lethal. Features: fractures with minimal trauma, blue sclerae, dental abnormalities, and hearing loss. Severe forms (type II) cause multiple fractures in utero and perinatal death. Diagnosis: clinical features, genetic testing, and bone biopsy.

**Synonyms:**

### **Osteoid Osteoma**

A benign bone-forming tumor, usually in an adolescent or young adult, characterized by a small vascular nidus surrounded by reactive sclerosis. It commonly causes localized pain that is worse at night and may improve with nonsteroidal anti-inflammatory drugs.

**Synonyms:**

### **Osteomalacia**

Impaired mineralization of newly formed osteoid in adults resulting from vitamin D deficiency, phosphate depletion, or defective mineralization.

**Synonyms:**

### **Osteomyelitis**

An infection of bone and bone marrow, most commonly caused by bacterial pathogens, with *Staphylococcus aureus* responsible for the majority of cases.

**Synonyms:**

### **Osteonecrosis (Avascular Necrosis)**

Osteonecrosis (AVN) is bone death from vascular

---

compromise, affecting femoral head (most common), humeral head, femoral condyles, talus. Risk factors: glucocorticoids (high dose, cumulative), alcohol, trauma, sickle cell disease, SLE, antiphospholipid syndrome, pancreatitis, decompression sickness, radiation, organ transplantation.

**Synonyms:** Avascular Necrosis

### **Osteopathy**

A system of manual medicine and healthcare founded by Andrew Taylor Still (1828–1917) based on the principle that the body's structure (musculoskeletal system) and function are interrelated, and that the body has inherent self-regulatory and healing mechanisms.

**Synonyms:**

### **Osteopenia**

Bone mineral density (BMD) that is lower than normal but not low enough to be classified as osteoporosis. T-score between -1.0 and -2.5 on DXA scan. A risk factor for osteoporosis and fractures.

**Synonyms:**

### **Osteopetrosis**

A rare inherited bone disease characterized by defective osteoclast function, leading to impaired bone resorption and abnormally dense, sclerotic bones. The bone is structurally abnormal—brittle despite increased density—and prone to fracture.

**Synonyms:**

### **Osteoporosis**

A skeletal disorder in which reduced bone strength increases the risk of fractures. Risk is influenced by age, hormones, medicines, genetics, nutrition, smoking, alcohol, and other conditions; diagnosis and management use clinical assessment and bone-density testing when appropriate.

**Synonyms:**

### **Osteoporosis Fracture Risk Assessment**

Evaluation combining clinical risk factors, prior fragility fracture history, bone mineral density, and tools such as FRAX to estimate future fracture

probability and guide treatment.

**Synonyms:**

### **Osteosarcoma**

The most common primary malignant bone tumor in children and adolescents (excluding leukemia), with a peak incidence during the adolescent growth spurt (ages 10-20 years), and a second smaller peak in older adults (usually secondary to Paget disease or prior radiation).

**Synonyms:**

### **Osteotomy**

A surgical procedure involving cutting and repositioning of bone to correct deformity, realign joint surfaces, alter weight-bearing forces, or change limb length.

**Synonyms:**

### **Ostomy**

Surgical opening into bowel or urinary tract. Colostomy, ileostomy, urostomy. Appliances for collection.

**Synonyms:**

### **Ostomy Appliance**

Collection device for feces/urine after ostomy surgery. Types: urostomy (urine), colostomy (feces), ileostomy (ileum). One-piece or two-piece systems. Open or closed end. Skin care essential. Complications: skin irritation, hernia, obstruction, prolapse.

**Synonyms:**

### **Ostraceous psoriasis**

A severe, chronic variant of plaque psoriasis in which the lesions become thick, hard, and shell-like (ostraceous), with laminated, greyish-brown crusts resembling oyster shells. It is often refractory to standard therapies and may require systemic agents, biologics, or combination treatment.

**Synonyms:**

### **Other Pain Conditions**

Pain conditions that do not fit neatly into a single category, including nociplastic pain, fibromyalgia,

---

chronic tension-type headache, temporomandibular pain, chronic pelvic pain, and complex regional pain syndrome. Diagnosis and treatment depend on the specific condition.

**Synonyms:**

### Other Specified Sexual Dysfunction

A category for sexual dysfunction symptoms that cause distress but do not meet full criteria for any specific sexual dysfunction.

**Synonyms:**

### Otic capsule

The otic capsule is the dense bony shell (otic capsule bone) that surrounds and protects the inner ear structures, including the cochlea, vestibule, and semicircular canals, forming the hardest bone in the human body.

**Synonyms:**

### Otitis Externa

Inflammation or infection of the external ear canal, commonly causing ear pain, itching, tenderness, or discharge.

**Synonyms:**

### Otitis media

A group of inflammatory conditions of the middle ear, most commonly caused by viral or bacterial infection, with *Streptococcus pneumoniae*, *Haemophilus influenzae*, and *Moraxella catarrhalis* being the most frequent bacterial pathogens.

**Synonyms:**

### Otitis Media with Effusion

Nonpurulent fluid in the middle ear without acute signs of infection. It may cause conductive hearing loss, aural fullness, or speech and learning effects in children; many cases resolve spontaneously, but persistent or consequential effusion requires hearing assessment and ENT review.

**Synonyms:**

### Otocephaly

A severe congenital craniofacial malformation char-

acterized by absent or markedly underdeveloped mandible, ventral displacement or fusion of the ears, and associated facial and airway abnormalities. It is usually lethal because of profound impairment of breathing and feeding.

**Synonyms:**

### Otolaryngology

The surgical specialty concerned with the diagnosis and treatment of disorders of the ear, nose, throat, head, and neck. Otolaryngologists (ENT surgeons) manage conditions ranging from otitis media and sinusitis to head and neck cancer, thyroid disease, and voice disorders.

**Synonyms:**

### Otology

The medical specialty concerned with disorders of the ear, including hearing loss, tinnitus, balance disorders, ear infections, otosclerosis, cholesteatoma, and related conditions.

**Synonyms:**

### Otorrhea

Discharge from the ear. Classification: acute otorrhea (<6 weeks) and chronic otorrhea (>6 weeks).

**Synonyms:**

### Otosclerosis

An abnormal bony growth in the middle ear that causes hearing loss.

**Synonyms:**

### Otoscope

Instrument for examining ear canal and tympanic membrane. Light source, magnifying lens, speculum. Essential for otologic evaluation.

**Synonyms:**

### Otoscopy

A clinical examination technique used to visualize the external auditory canal and tympanic membrane, and it is an essential component of the evaluation of ear complaints including hearing loss, ear pain, otorrhea, and tinnitus.

---

**Synonyms:**

### Otoacoustic Emissions

Low-level sounds generated by the cochlea, usually by outer hair cells, that can be recorded with a sensitive probe in the ear canal. Testing is used for newborn hearing screening and for assessing cochlear function.

**Synonyms:** OAE; otoacoustic-emission testing; cochlear emissions.

### Ototoxicity

Functional damage to the cochlea or vestibular system caused by exposure to a toxic substance, including some medicines or industrial chemicals. It may present with hearing loss, tinnitus, or imbalance and can be temporary or permanent.

**Synonyms:** Auditory toxicity; vestibular toxicity; ototoxic effect.

### Outbreak

Synonymous with epidemic. Sometimes used to refer to a local epidemic as compared to a larger, general epidemic.

**Synonyms:**

### Outcome Measurement

The use of defined measures to assess a patient's symptoms, function, quality of life, or other results before and after care.

**Synonyms:**

### Outcome Research

Study of rehabilitation outcomes. Effectiveness, cost-effectiveness, patient-reported outcomes.

**Synonyms:**

### Outer Ear

The visible auricle and the external auditory canal, which collect and conduct sound toward the eardrum.

**Synonyms:**

### Outpatient Rehabilitation

Rehabilitation provided without hospital admission

to improve function after illness, injury, surgery, or disability. The setting, frequency, and duration are individualized.

**Synonyms:**

### Ovarian Cancer

A malignant tumor arising in the ovary or related tissues. It may cause abdominal or pelvic symptoms, but early disease can be asymptomatic.

**Synonyms:**

### Ovarian Cyst

A fluid-filled sac within or on the ovary, most commonly functional (follicular or corpus luteum cysts) related to the menstrual cycle. Usually asymptomatic; can present with pelvic pain, pressure, and bloating. Complications: rupture, hemorrhage, torsion (sudden severe pain with nausea/vomiting).

**Synonyms:**

### Ovarian Hyperstimulation Syndrome

A potentially serious complication of ovarian stimulation in assisted reproduction caused by increased vascular permeability and fluid shift. It produces enlarged ovaries, abdominal distension, ascites, hemoconcentration, electrolyte abnormalities, thrombosis risk, and, in severe cases, organ dysfunction.

**Synonyms:**

### Ovarian Pregnancy

A rare ectopic pregnancy implanted in ovarian tissue rather than in the uterine cavity or fallopian tube. Diagnosis uses clinical findings, serial human chorionic gonadotropin measurements, ultrasound, and sometimes surgical or pathologic confirmation; treatment is individualized.

**Synonyms:**

### Ovarian Torsion

Twisting of the ovary (and often the fallopian tube) on its vascular pedicle, causing obstruction of blood flow—a gynecologic emergency. Risk: ovarian cysts/tumors (especially >5 cm), longer utero-ovarian ligament, younger women, pregnancy.

**Synonyms:**



---

## Ovariectomy

Surgical removal of one or both ovaries.

**Synonyms:**

## Ovary

The female gonad, a paired almond-shaped organ located in the pelvic cavity on each side of the uterus. Functions: production of oocytes (ova) and secretion of female sex hormones (oestrogen, progesterone, and small amounts of androgens). Each ovary contains follicles at various stages of development.

**Synonyms:**

## Over-the-Counter

Medications available without a prescription, considered safe and effective for self-care with appropriate labeling and low abuse potential. Examples: acetaminophen, ibuprofen, antacids, antihistamines, decongestants, laxatives. Regulated in the US by the FDA (OTC monograph system) and Rx-to-OTC switches (e.g., omeprazole, loratadine).

**Synonyms:**

## Over-the-Counter Medications

Nonprescription drugs approved as safe and effective for self-management of common symptoms, available at pharmacies and retail stores without a prescription.

**Synonyms:**

## Over-the-Counter Drug

A medication that can be purchased without a prescription, deemed safe and effective for self-medication when used according to label instructions. OTC drugs have established safety profiles, low toxicity, and clear dosing guidelines suitable for consumer use.

**Synonyms:**

## Overactive Bladder

A clinical syndrome of urinary urgency, usually with frequency and nocturia, with or without urge incontinence, due to detrusor overactivity during filling. Causes: idiopathic (most), neurogenic (stroke,

spinal injury, MS, Parkinson), bladder outlet obstruction, and aging; worsened by caffeine and diuretics.

**Synonyms:**

## Overall Survival

Time from treatment to death from any cause.

**Synonyms:**

## Overdenture

Removable denture supported by implants or natural teeth. Preservation of alveolar bone, improved stability.

**Synonyms:**

## Overdose

Exposure to a dose of a medicine or substance that is greater than intended or safe and may cause toxicity.

**Synonyms:**

## Overflow Urinary Incontinence

Leakage of urine caused by incomplete bladder emptying and excessive bladder filling. It may occur with weak urinary flow, dribbling, urgency, or urinary retention.

**Synonyms:**

## Overgrowth Syndrome

A group of congenital disorders characterized by excessive growth of the body, a region, or specific tissues, often with developmental or tumor-predisposition features. Causes include genomic imprinting abnormalities, mosaic variants, and alterations in growth-signaling pathways.

**Synonyms:**

## Overlap Myositis

Patients with features of inflammatory myopathy (DM/PM/IMNM) plus another systemic autoimmune disease (SLE, SSc, MCTD, Sjogren). Anti-PM-Scl (Scl/PM overlap, limited SSc + myositis, good prognosis); anti-Ku (SLE/PM overlap); anti-U1-RNP (MCTD with myositis).

**Synonyms:**

---

## Ovulation

The release of a mature egg from the ovary, at which time it is available to be fertilized by sperm.

**Synonyms:**

## Ovum

The female reproductive cell (egg) after ovulation and before fertilization. The ovum is a large, non-motile cell ( 100  $\mu$ m diameter) surrounded by the zona pellucida (glycoprotein layer that mediates sperm binding and prevents polyspermy after fertilization) and the corona radiata (follicular cells).

**Synonyms:**

## Oxalate

A metabolic end product that can form calcium oxalate crystals in the kidneys, contributing to nephrolithiasis and oxalate nephropathy, particularly in hyperoxaluric states.

**Synonyms:**

## Oxaloacetate

A four-carbon citric-acid-cycle intermediate that condenses with acetyl-CoA to form citrate. It is also a precursor for gluconeogenesis and participates in amino-acid transamination to aspartate.

**Synonyms:**

## Oxidative Phosphorylation

Process generating ATP using energy released by electron transfer through the electron transport chain. Protons pumped across inner mitochondrial membrane create electrochemical gradient (proton motive force). ATP synthase (Complex V) uses proton flow to phosphorylate ADP to ATP. P/O ratio: 2.5 ATP per NADH, 1.5 ATP per FADH<sub>2</sub>.

**Synonyms:**

## Oxidative Stress

Imbalance between reactive oxygen species and antioxidants. DNA damage, protein oxidation, lipid peroxidation.

**Synonyms:**

## Oxygen Consumption

The volume of oxygen consumed by the body per unit time, reflecting overall metabolic rate. Resting oxygen consumption (VO<sub>2</sub>) in a normal adult is approximately 250 mL/min (about 3.5 mL/kg/min, 1 MET). It is calculated as cardiac output x (arterial O<sub>2</sub> content - venous O<sub>2</sub> content) by the Fick principle.

**Synonyms:**

## Oxygen Delivery

The rate at which oxygen is transported from the lungs to the tissues, equal to cardiac output multiplied by arterial oxygen content:  $DO_2 = CO \times CaO_2$ . Arterial oxygen content =  $(1.34 \times \text{hemoglobin} \times SaO_2) + (0.003 \times PaO_2)$ . Normal oxygen delivery is approximately 1000 mL/min.

**Synonyms:**

## Oxygen Enhancement Ratio

Ratio of dose under hypoxic vs. aerobic conditions. Higher for low LET radiation.

**Synonyms:**

## Oxygen Mask

Delivers supplemental oxygen. Types: simple, nasal cannula, non-rebreather, Venturi.

**Synonyms:**

## Oxygen Saturation

The percentage of hemoglobin carrying oxygen in blood. It may be estimated by pulse oximetry (SpO<sub>2</sub>) or measured in an arterial blood sample by co-oximetry (SaO<sub>2</sub>). The appropriate range depends on the person's condition, baseline oxygenation, and treatment goals.

**Synonyms:**

## Oxygen-Hemoglobin Dissociation Curve

The sigmoidal relationship between partial pressure of oxygen (PO<sub>2</sub>) and hemoglobin oxygen saturation (SO<sub>2</sub>). The curve reflects hemoglobin's cooperative binding: oxygen binding to one subunit increases affinity for subsequent oxygen molecules. At PO<sub>2</sub> of 100 mmHg (alveolar), hemoglobin is approximately

---

98 percent saturated.

**Synonyms:**

### **Oxytocics**

A class of medications that stimulate uterine contractions, used for induction and augmentation of labor and prevention/treatment of postpartum hemorrhage. Oxytocin (Syntocinon) — synthetic analog of endogenous oxytocin, administered IV infusion for labor induction or IM/IV for PPH prevention.

**Synonyms:**

### **Oxytocin Infusion**

Intravenous synthetic oxytocin used to induce or augment labor or, in selected settings, to manage postpartum bleeding. The dose is started and adjusted according to uterine activity, fetal status, maternal condition, and local protocol; excessive uterine stimulation can be harmful.

**Synonyms:**

### **Ozaena**

A chronic condition characterized by atrophic rhinitis with crusting, foul-smelling nasal discharge (fetor), and a sensation of nasal obstruction despite a patent airway. Ozaena is caused by progressive atrophy of the nasal mucosa and underlying bone, often associated with *Klebsiella ozaenae* infection.

**Synonyms:**

### **Ondine's Curse**

A rare disorder in which automatic breathing is impaired, especially during sleep; also called congenital central hypoventilation syndrome.

**Synonyms:** congenital central hypoventilation syndrome.

### **Open Prostatectomy**

Surgical removal of enlarged prostate tissue through an abdominal incision.

**Synonyms:**

### **Orbital Irradiation**

Radiation treatment directed at tissues within the eye socket, sometimes used for severe thyroid eye

disease.

**Synonyms:**

### **Overt Proteinuria**

Abnormally high protein loss in the urine that is detectable by routine testing and may indicate kidney disease.

**Synonyms:**

### **Obstructive Hydrocephalus**

A buildup of cerebrospinal fluid caused by a blockage in its normal flow through the brain's ventricles.

**Synonyms:**

### **Ocular Melanoma**

A cancer that begins in pigment-producing cells of the eye.

**Synonyms:**

### **Oculomotor Nerve**

The third cranial nerve, which controls most eye movements, raises the upper eyelid, and constricts the pupil.

**Synonyms:**

### **Odontogenic Cyst**

A fluid-filled sac that develops from tissues involved in tooth formation, usually in the jaw.

**Synonyms:**

### **Oblique Fracture**

A fracture in which the break crosses the bone at an angle rather than perpendicular or parallel to its long axis.

**Synonyms:**

### **Obstipation**

Severe constipation with inability to pass stool or gas, often suggesting intestinal obstruction.

**Synonyms:**

### **Occlusive Vascular Disease**

Disease in which narrowing or blockage of a blood vessel reduces or stops blood flow to tissues.

---

**Synonyms:**

**Olecranon**

The bony projection of the proximal ulna that forms the point of the elbow.

**Synonyms:**

**Olfaction**

The sense of smell, mediated by receptors in the olfactory epithelium and pathways to the brain.

**Synonyms:**

**Orbit**

The bony cavity of the skull that contains the eye, extraocular muscles, nerves, vessels, and associated tissues.

**Synonyms:**

**Organelle**

A specialized structure within a cell that performs a particular function, such as energy production, protein synthesis, or waste processing.

**Synonyms:**

**Orifice**

An opening into or out of a body structure, organ, or anatomical passage.

**Synonyms:**

**Ossification**

The process of forming bone tissue.

**Synonyms:**

**Osteochondrosis**

A disorder of bone and cartilage development, often affecting a growth center or joint surface.

**Synonyms:**

**Osteodystrophy**

Abnormal bone growth or remodeling caused by a systemic or metabolic disorder.

**Synonyms:**

**Osteogenic Sarcoma**

Osteosarcoma, a malignant bone tumor whose cells produce osteoid or immature bone.

**Synonyms:**

**Osteoma**

A usually benign, slow-growing tumor composed of mature bone tissue.

**Synonyms:**

**Osteoplasty**

Surgical repair, reshaping, or reconstruction of bone.

**Synonyms:**

**Otorhinolaryngology**

The medical specialty concerned with diseases of the ear, nose, throat, head, and neck; also called otolaryngology.

**Synonyms:** otolaryngology.

**Oxygen**

A gas required for aerobic cellular metabolism. It is transported in blood mainly bound to hemoglobin and in a small amount dissolved in plasma.

**Synonyms:**

**Ocular Rosacea**

Inflammation affecting the eyes and eyelids in people with rosacea, causing irritation, redness, or dryness.

**Synonyms:**

**Ophthalmia Neonatorum**

Eye inflammation or infection in a newborn, often acquired during delivery.

**Synonyms:**

**Optic Disk**

The point where the optic nerve leaves the retina; it has no photoreceptors and forms the blind spot.

**Synonyms:**

**Orthopneic Position**

An upright sitting position that helps a person breathe more easily, often with the arms supported.

---

**Synonyms:**

### **Osteotome**

A sharp surgical instrument used to cut or shape bone.

**Synonyms:**

### **Oculomotor Nerve Palsy**

Weakness or paralysis of muscles supplied by the third cranial nerve, causing eyelid drooping, double vision, abnormal eye position, and sometimes a dilated pupil.

**Synonyms:**

### **Oedema**

Abnormal accumulation of fluid in the tissues, causing swelling; it may be localized or generalized and can result from venous disease, inflammation, heart failure, kidney disease, or low blood protein.

**Synonyms:**

### **Oesophagus**

The muscular tube that carries swallowed food and liquid from the throat to the stomach by coordinated waves of contraction.

**Synonyms:**

### **Oligomenorrhoea**

Infrequent menstrual periods, usually with cycles longer than 35 days or fewer than about eight periods per year.

**Synonyms:**

### **Oligospermia**

A lower-than-expected concentration of sperm in semen, which may reduce fertility.

**Synonyms:**

### **Open-Angle Glaucoma**

A chronic optic-nerve disease in which the drainage angle of the eye remains anatomically open but aqueous humour outflow is impaired, often causing progressive, initially symptomless visual-field loss.

**Synonyms:**

### **Onychocryptosis (Ingrowing Toenail)**

A condition in which the edge of a nail grows into the surrounding skin, causing pain, inflammation, and sometimes infection.

**Synonyms:** Ingrowing Toenail

### **Oral Rehydration Therapy (ORT)**

Replacement of water and electrolytes by mouth using a balanced glucose-and-salt solution, especially to prevent or treat dehydration from diarrhoea or vomiting.

**Synonyms:** ORT

### **Ortolani's Sign**

A palpable or audible clunk produced when a dislocated but reducible infant hip is gently abducted and reduced; it is a screening sign of developmental dysplasia of the hip.

**Synonyms:**

### **Osteitis**

Inflammation of bone, usually caused by infection, trauma, or another inflammatory process.

**Synonyms:**

### **Otalgia (Earache)**

Pain in or around the ear, arising from the ear itself or referred from structures such as the teeth, jaw, throat, or cervical spine.

**Synonyms:** Earache

### **Otorrhoea**

Discharge from the ear, which may be watery, bloody, or purulent and may result from infection, trauma, or a perforated eardrum.

**Synonyms:**

### **Otolith**

A small calcium-carbonate crystal in the vestibular organs of the inner ear that contributes to sensing gravity and linear acceleration; displaced otoliths can cause benign positional vertigo.

**Synonyms:**

---

## Ocular Migraine

A migraine-related visual disturbance, often involving flashing lights, zigzag lines, or a temporary blind spot. It may occur with or without headache.

**Synonyms:**

## Orbital Fracture

A break in one or more bones forming the eye socket, usually caused by facial trauma and potentially associated with double vision, eye-movement restriction, or injury to the eye.

**Synonyms:**

## Osteophyte

A bony outgrowth, commonly called a bone spur, that develops near a joint or along the spine and may cause pain, stiffness, or nerve compression.

**Synonyms:** a bone spur, that develops near a joint or along the spine and may cause pain, stiffness, or nerve compression.

## Osteonecrosis of the Jaw

Death of jawbone tissue, often associated with antiresorptive or antiangiogenic medications, radiation, infection, or trauma, and characterized by exposed bone or a nonhealing oral wound.

**Synonyms:**

## Opioid Withdrawal

A characteristic group of symptoms occurring after abrupt reduction or cessation of prolonged opioid use, including anxiety, muscle aches, sweating, abdominal cramps, diarrhea, nausea, and insomnia.

**Synonyms:**

## Oropharyngeal Dysphagia

Difficulty transferring food or liquid from the mouth through the throat, often causing coughing, choking, nasal regurgitation, or aspiration.

**Synonyms:**

## Oxygen Toxicity

Tissue injury caused by exposure to oxygen at excessively high partial pressures or concentrations, potentially affecting the lungs, eyes, or central ner-

vous system.

**Synonyms:**

## Obstetric Fistula

An abnormal connection between the birth canal and the bladder or rectum, usually caused by prolonged obstructed labor, resulting in continuous leakage of urine or stool. It requires specialist evaluation and repair.

## obatoclast

obatoclast refers to obatoclast, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

## obatoclast mesylate

obatoclast mesylate refers to obatoclast mesylate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

## oblimersen sodium

oblimersen sodium refers to oblimersen sodium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

## observational study

observational study refers to observational study, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

## obstetric nursing

obstetric nursing refers to obstetric nursing, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

## obstetrical forceps

obstetrical forceps refers to obstetrical forceps, a



---

medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **occipital diastasis**

occipital diastasis refers to occipital diastasis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **occlusal adjustment**

occlusal adjustment refers to occlusal adjustment, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **occlusal splint**

occlusal splint refers to occlusal splint, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **occupation**

occupation refers to occupation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **occupational disease**

occupational disease denotes a clinical condition or finding involving occupational disease; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **ochrobactrum**

ochrobactrum identifies ochrobactrum, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **ochrobactrum anthropi**

ochrobactrum anthropi identifies ochrobactrum anthropi, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **ochrobactrum intermedium**

ochrobactrum intermedium identifies ochrobactrum intermedium, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **octadecadienoic acid**

octadecadienoic acid denotes octadecadienoic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **octanoic acid**

octanoic acid denotes octanoic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **octopamine**

octopamine refers to octopamine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **octreotide**

octreotide concerns octreotide, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **ocular albinism**

ocular albinism refers to ocular albinism, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

---

**Synonyms:**

**ocular fixation**

ocular fixation refers to ocular fixation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ocular orbit**

ocular orbit refers to ocular orbit, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ocular toxoplasmosis**

ocular toxoplasmosis denotes an infectious or toxic condition involving ocular toxoplasmosis; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

**oculocardiac reflex**

oculocardiac reflex refers to oculocardiac reflex, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**oculomotor nucleus**

oculomotor nucleus refers to oculomotor nucleus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**odontoblast**

odontoblast refers to odontoblast, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**odontodysplasia**

odontodysplasia refers to odontodysplasia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**odontogenesis**

odontogenesis denotes odontogenesis, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**odontogenic fibroma**

odontogenic fibroma refers to odontogenic fibroma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**odontogenic neoplasm**

odontogenic neoplasm denotes a neoplastic condition involving odontogenic neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**odorant**

odorant refers to odorant, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**odoribacter splanchnicus**

odoribacter splanchnicus is a microorganism or microbial group associated with odoribacter splanchnicus; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

**oerskovia**

oerskovia identifies oerskovia, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**oerskovia turbata**

oerskovia turbata identifies oerskovia turbata, a biological taxon or infectious-disease concept whose

---

clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **ofatumumab**

ofatumumab concerns ofatumumab, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **offspring**

offspring refers to offspring, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ofloxacin**

ofloxacin concerns ofloxacin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **oidiodendron**

oidiodendron identifies oidiodendron, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **oil**

oil refers to oil, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ointment bases**

ointment bases refers to ointment bases, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **okadaic acid**

okadaic acid denotes okadaic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **olanzapine**

olanzapine refers to olanzapine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **olaparib**

olaparib refers to olaparib, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **olaratumab**

olaratumab concerns olaratumab, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **oleandomycin**

oleandomycin concerns oleandomycin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **oleic acid**

oleic acid denotes oleic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **olfactory bulb**

olfactory bulb refers to olfactory bulb, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### **olfactory cortex**

olfactory cortex refers to olfactory cortex, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **olfactory gyrus**

olfactory gyrus refers to olfactory gyrus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **olfactory learning**

olfactory learning refers to olfactory learning, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **olfactory mucosa**

olfactory mucosa refers to olfactory mucosa, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **olfactory neuroblastoma**

olfactory neuroblastoma denotes a neoplastic condition involving olfactory neuroblastoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### **olfactory tract**

olfactory tract refers to olfactory tract, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **olfactory tubercle**

olfactory tubercle refers to olfactory tubercle, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **oligella**

oligella identifies oligella, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **oligella ureolytica**

oligella ureolytica identifies oligella ureolytica, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **oligella urethralis**

oligella urethralis identifies oligella urethralis, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **oligodendroglia**

oligodendroglia refers to oligodendroglia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **oligodendroglial neoplasm**

oligodendroglial neoplasm denotes a neoplastic condition involving oligodendroglial neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### **oligogenic inheritance**

oligogenic inheritance refers to oligogenic inheritance, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **oligomenorrhea**

oligomenorrhea refers to oligomenorrhea, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**oligomycin**

oligomycin concerns oligomycin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**oligonucleotide**

oligonucleotide concerns oligonucleotide, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**oligopeptide**

oligopeptide is a defined chemical or biologic substance involved in oligopeptide and studied in physiology, pharmacology, laboratory medicine, or treatment.

**Synonyms:**

**oligosaccharide**

oligosaccharide refers to oligosaccharide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**olivary nucleus**

olivary nucleus refers to olivary nucleus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**olivomycin**

olivomycin concerns olivomycin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**olivopontocerebellar atrophy**

olivopontocerebellar atrophy refers to olivopontocerebellar atrophy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**olmesartan medoxomil**

olmesartan medoxomil refers to olmesartan medoxomil, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**olopatadine hydrochloride**

olopatadine hydrochloride refers to olopatadine hydrochloride, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**olsenella**

olsenella identifies olsenella, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**olsenella uli**

olsenella uli identifies olsenella uli, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**oltipraz**

oltipraz refers to oltipraz, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**omacetaxine mepesuccinate**

omacetaxine mepesuccinate refers to omacetaxine mepesuccinate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**omalizumab**

omalizumab concerns omalizumab, a pharmacologic or chemical agent; clinical use depends on its mech-

---

anism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **omasum**

omasum refers to omasum, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **omega-n-methylarginine**

omega-n-methylarginine refers to omega-n-methylarginine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **omeprazole**

omeprazole concerns omeprazole, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **ommaya reservoir**

ommaya reservoir refers to ommaya reservoir, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **oncocytic neoplasm**

oncocytic neoplasm denotes a neoplastic condition involving oncocytic neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### **oncogenic virus**

oncogenic virus is a virus or viral group associated with oncogenic virus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

### **oncogenicity**

oncogenicity refers to oncogenicity, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **oncology**

oncology refers to oncology, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **oncology nursing**

oncology nursing refers to oncology nursing, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **oncolytic virotherapy**

oncolytic virotherapy is used in relation to oncolytic virotherapy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **oncolytic viruses**

oncolytic viruses is a virus or viral group associated with oncolytic viruses; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

### **oncoprotein**

oncoprotein denotes oncoprotein, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **oncostatin m**

oncostatin m refers to oncostatin m, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**



---

**ondansetron**

ondansetron concerns ondansetron, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**ondansetron hydrochloride**

ondansetron hydrochloride refers to ondansetron hydrochloride, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**onychomadesis**

onychomadesis refers to onychomadesis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**oogenesis**

oogenesis denotes oogenesis, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**oogonium**

oogonium refers to oogonium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ooplasm**

ooplasm refers to ooplasm, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**open bite**

open bite refers to open bite, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**operant conditioning**

operant conditioning refers to operant conditioning, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**operating room**

operating room refers to operating room, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**operating tables**

operating tables refers to operating tables, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**operon**

operon refers to operon, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ophthalmic solution**

ophthalmic solution refers to ophthalmic solution, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**opiate alkaloid**

opiate alkaloid refers to opiate alkaloid, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**opiate assay**

opiate assay is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat opiate assay.

**Synonyms:**

---

**opiate overdose**

opiate overdose refers to opiate overdose, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**opioid receptor**

opioid receptor denotes opioid receptor, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**opisthorchis felineus**

opisthorchis felineus identifies opisthorchis felineus, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**oprelvekin**

oprelvekin refers to oprelvekin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**opsonin**

opsonin refers to opsonin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**optic chiasma**

optic chiasma refers to optic chiasma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**optic nerve disorder**

optic nerve disorder denotes a clinical condition or finding involving optic nerve disorder; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**optic tract**

optic tract refers to optic tract, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**optical illusion**

optical illusion refers to optical illusion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**optical rotation**

optical rotation refers to optical rotation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**optical trap**

optical trap refers to optical trap, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**optics**

optics refers to optics, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**optometrist**

optometrist refers to optometrist, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**oral**

oral refers to oral, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**oral administration**

oral administration refers to oral administration,

---

a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **oral health**

oral health refers to oral health, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **oral hemorrhage**

oral hemorrhage denotes a clinical condition or finding involving oral hemorrhage; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **oral spray**

oral spray refers to oral spray, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **orantinib**

orantinib concerns orantinib, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **orbital contusion**

orbital contusion refers to orbital contusion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **orbital fractures**

orbital fractures denotes a clinical condition or finding involving orbital fractures; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **orbital myositis**

orbital myositis refers to orbital myositis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **orbital neoplasm**

orbital neoplasm denotes a neoplastic condition involving orbital neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### **orbivirus**

orbivirus is a virus or viral group associated with orbivirus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

### **order coleoptera**

order coleoptera refers to order coleoptera, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **order spirochaetales**

order spirochaetales refers to order spirochaetales, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **oregovomab**

oregovomab concerns oregovomab, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **orexin**

orexin refers to orexin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### **organ culture**

organ culture refers to organ culture, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **organ transplantation**

organ transplantation refers to organ transplantation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **organic chemical**

organic chemical refers to organic chemical, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **organic impurity**

organic impurity refers to organic impurity, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **organic oxide**

organic oxide refers to organic oxide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **organism**

organism refers to organism, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **organization name**

organization name refers to organization name, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **organogenesis**

organogenesis denotes organogenesis, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **organoid**

organoid refers to organoid, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **organometallic compound**

organometallic compound refers to organometallic compound, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **organosilicon compounds**

organosilicon compounds refers to organosilicon compounds, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **orgasm**

orgasm refers to orgasm, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **orientation**

orientation refers to orientation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **orlistat**

orlistat refers to orlistat, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**ornithine**

ornithine refers to ornithine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ornithine decarboxylase**

ornithine decarboxylase refers to ornithine decarboxylase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**oropharyngeal**

oropharyngeal refers to oropharyngeal, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**oropharyngeal neoplasm**

oropharyngeal neoplasm denotes a neoplastic condition involving oropharyngeal neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**orotic aciduria**

orotic aciduria denotes orotic aciduria, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**orphenadrine**

orphenadrine refers to orphenadrine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ortataxel**

ortataxel concerns ortataxel, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**orthobunyavirus**

orthobunyavirus is a virus or viral group associated with orthobunyavirus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

**orthodontic appliance**

orthodontic appliance refers to orthodontic appliance, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**orthodontic wires**

orthodontic wires refers to orthodontic wires, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**orthodontist**

orthodontist refers to orthodontist, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**orthohepadnavirus**

orthohepadnavirus is a virus or viral group associated with orthohepadnavirus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

**orthokeratosis**

orthokeratosis refers to orthokeratosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**orthomyxoviridae**

orthomyxoviridae identifies orthomyxoviridae, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

---

**orthopoxvirus**

orthopoxvirus is a virus or viral group associated with orthopoxvirus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

**orthoptera**

orthoptera refers to orthoptera, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**orthoreovirus**

orthoreovirus is a virus or viral group associated with orthoreovirus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

**orthotic devices**

orthotic devices refers to orthotic devices, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**os odontoideum**

os odontoideum refers to os odontoideum, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**oscillometry**

oscillometry refers to oscillometry, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**oseltamivir**

oseltamivir concerns oseltamivir, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**oseltamivir phosphate**

oseltamivir phosphate refers to oseltamivir phosphate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**osmium**

osmium refers to osmium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**osmium tetroxide**

osmium tetroxide refers to osmium tetroxide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**osmoregulation**

osmoregulation refers to osmoregulation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**osseous metaplasia**

osseous metaplasia refers to osseous metaplasia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ossifying fibroma**

ossifying fibroma refers to ossifying fibroma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**osteitis deformans**

osteitis deformans refers to osteitis deformans, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**



---

**osteoblastoma**

osteoblastoma denotes a neoplastic condition involving osteoblastoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**osteocalcin**

osteocalcin refers to osteocalcin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**osteocalcin assay**

osteocalcin assay is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat osteocalcin assay.

**Synonyms:**

**osteochondritis**

osteochondritis refers to osteochondritis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**osteochondromatosis**

osteochondromatosis refers to osteochondromatosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**osteogenesis**

osteogenesis denotes osteogenesis, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**osteolysis**

osteolysis refers to osteolysis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**osteoma cutis**

osteoma cutis refers to osteoma cutis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**osteon**

osteon refers to osteon, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**osteonectin**

osteonectin refers to osteonectin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**osteopoikilosis**

osteopoikilosis refers to osteopoikilosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**osteopontin**

osteopontin refers to osteopontin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**osteoporotic fracture**

osteoporotic fracture denotes a clinical condition or finding involving osteoporotic fracture; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**osteoprotegerin test**

osteoprotegerin test is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat osteoprotegerin test.

**Synonyms:**

---

**osteoradionecrosis**

osteoradionecrosis refers to osteoradionecrosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**osteosclerosis**

osteosclerosis refers to osteosclerosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**other**

other refers to other, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**other race**

other race refers to other race, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**otic ointment**

otic ointment refers to otic ointment, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**otolaryngologist**

otolaryngologist refers to otolaryngologist, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ouabain**

ouabain refers to ouabain, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ounce**

ounce refers to ounce, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**outcomes research**

outcomes research refers to outcomes research, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**outlier**

outlier refers to outlier, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ovalbumin**

ovalbumin refers to ovalbumin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ovalocyte count**

ovalocyte count refers to ovalocyte count, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ovarian failure**

ovarian failure refers to ovarian failure, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ovarian fibromata**

ovarian fibromata refers to ovarian fibromata, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**ovarian follicle**

ovarian follicle refers to ovarian follicle, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ovarian gonadoblastoma**

ovarian gonadoblastoma denotes a neoplastic condition involving ovarian gonadoblastoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**ovarian hemorrhage**

ovarian hemorrhage denotes a clinical condition or finding involving ovarian hemorrhage; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**ovarian infection**

ovarian infection denotes an infectious or toxic condition involving ovarian infection; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

**ovarian rupture**

ovarian rupture refers to ovarian rupture, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ovarian teratoma**

ovarian teratoma refers to ovarian teratoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ovarian thecoma**

ovarian thecoma refers to ovarian thecoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ovary disease**

ovary disease denotes a clinical condition or finding involving ovary disease; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**ovary neoplasm**

ovary neoplasm denotes a neoplastic condition involving ovary neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**overbite**

overbite refers to overbite, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**overlay denture**

overlay denture refers to overlay denture, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**overriding aorta**

overriding aorta refers to overriding aorta, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**oversedate**

oversedate refers to oversedate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**oviposition**

oviposition refers to oviposition, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**ovomucin**

ovomucin refers to ovomucin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ovotestis**

ovotestis is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat ovotestis.

**Synonyms:**

**ownership**

ownership refers to ownership, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**oxacillin**

oxacillin concerns oxacillin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**oxalates**

oxalates refers to oxalates, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**oxaliplatin**

oxaliplatin concerns oxaliplatin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**oxandrolone**

oxandrolone refers to oxandrolone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**oxaprozin**

oxaprozin refers to oxaprozin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**oxazepam**

oxazepam concerns oxazepam, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**oxazole**

oxazole concerns oxazole, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**oxcarbazepine**

oxcarbazepine refers to oxcarbazepine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**oxidants**

oxidants refers to oxidants, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**oxidation-reduction**

oxidation-reduction refers to oxidation-reduction, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**oxide**

oxide refers to oxide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**oxidopamine**

oxidopamine refers to oxidopamine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**oxidoreductase**

oxidoreductase refers to oxidoreductase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**oxime**

oxime refers to oxime, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**oximetry**

oximetry refers to oximetry, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**oxonic acid**

oxonic acid denotes oxonic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**oxprenolol**

oxprenolol concerns oxprenolol, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**oxycodone**

oxycodone refers to oxycodone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**oxycodone hydrochloride**

oxycodone hydrochloride refers to oxycodone hydrochloride, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**oxygen pulse**

oxygen pulse refers to oxygen pulse, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**oxygen therapy**

oxygen therapy is used in relation to oxygen therapy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

**oxygen transport**

oxygen transport refers to oxygen transport, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**oxygenases**

oxygenases refers to oxygenases, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**oxygenator**

oxygenator refers to oxygenator, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**oxyhemoglobin**

oxyhemoglobin refers to oxyhemoglobin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### oxylipins

oxylipins refers to oxylipins, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### oxymetazoline

oxymetazoline refers to oxymetazoline, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### oxymetholone

oxymetholone refers to oxymetholone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### oxymorphone

oxymorphone refers to oxymorphone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### oxyphil cell

oxyphil cell denotes oxyphil cell, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### oxyphilic adenoma

oxyphilic adenoma refers to oxyphilic adenoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### oxytocic

oxytocic refers to oxytocic, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### oxytocin

oxytocin refers to oxytocin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### ozone

ozone refers to ozone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### OAB

Alternate index label; see *Overactive bladder*. **Synonyms:**

### Obesity, childhood

Alternate index label; see *Childhood obesity*. **Synonyms:**

### Obstetric cholestasis

Alternate index label; see *Cholestasis of pregnancy*. **Synonyms:**

### Obstructive sleep apnea in children

Alternate index label; see *Pediatric obstructive sleep apnea*. **Synonyms:**

### Occult primary cancer

Alternate index label; see *Carcinoma of unknown primary*. **Synonyms:**

### Oculocutaneous albinism

Alternate index label; see *Albinism*. **Synonyms:**

### Oculosympathetic palsy

Alternate index label; see *Horner syndrome*. **Synonyms:**

### ODD

Alternate index label; see *Oppositional defiant disorder (ODD)*. **Synonyms:**



---

### Odontogenic tumors and cysts

Alternate index label; see *Jaw tumors and cysts*.

**Synonyms:**

### OHSS

Alternate index label; see *Ovarian hyperstimulation syndrome*. **Synonyms:**

### OLP

Alternate index label; see *Oral lichen planus*. **Synonyms:**

### Optic nerve glioma

Alternate index label; see *Optic glioma*. **Synonyms:**

### Optic pathway glioma

Alternate index label; see *Optic glioma*. **Synonyms:**

### Osteoarthritis, cervical

Alternate index label; see *Cervical spondylosis*. **Synonyms:**

### Osteonecrosis

Alternate index label; see *Avascular necrosis (osteonecrosis)*. **Synonyms:**

### Osteophytes

Alternate index label; see *Bone spurs*. **Synonyms:**

### Outer ear infection

Alternate index label; see *Swimmer's ear*. **Synonyms:**

### Overactive thyroid

Alternate index label; see *Hyperthyroidism (overactive thyroid)*. **Synonyms:**

### Oxyphil cell carcinoma

Alternate index label; see *Hurthle cell cancer*. **Synonyms:**

**Synonyms:**

## P

### P Wave

The first deflection on the ECG, representing atrial depolarization. Normal P waves are upright in leads I and II, inverted in aVR, and less than 0.12 seconds (3 small boxes) in duration and 2.5 mm in amplitude.

**Synonyms:**

### Pacemaker, Artificial

An implanted device that sends electrical impulses to maintain an appropriate heart rhythm. **Synonyms:** Artificial pacemaker

### Pacemaker, Natural

The sinoatrial node, whose cells normally initiate the heartbeat. **Synonyms:** Sinoatrial node

### PAD

Peripheral artery disease caused by narrowed arteries, usually affecting the legs. **Synonyms:** Peripheral artery disease

### Painkillers

Medicines or other treatments that relieve pain. **Synonyms:** Analgesics

### Palpate

To examine body tissues by carefully feeling them with the hands. **Synonyms:** Palpation

### Pelvic Floor

A group of muscles and connective tissues supporting the pelvic organs and controlling urinary and fecal continence. **Synonyms:**

### Pepsin

A stomach enzyme that begins digestion of proteins.

**Synonyms:**

### Percutaneous Electrical Nerve Stimulation

Electrical stimulation delivered through the skin to reduce pain signals. **Synonyms:** PENS

### Percutaneous Transluminal Coronary Angioplasty

Balloon-based treatment that widens a narrowed coronary artery, often followed by stent placement. **Synonyms:** PTCA; balloon angioplasty

### Performance Anxiety

Anxiety about sexual performance that can interfere with sexual function. **Synonyms:**

### Periodic Limb Movement Disorder

Repeated involuntary limb movements during sleep that may disrupt rest. **Synonyms:** PLMD

### Periodization

Planned variation of exercise volume and intensity over time. **Synonyms:**

### Peripheral Vascular Disease

Disease involving narrowed or blocked blood vessels outside the heart and brain. **Synonyms:** Peripheral arterial disease

### Peripheral Vision

The portion of the visual field outside the direct line of sight. **Synonyms:** Side vision

---

### Personal Emergency Response System

A wearable or nearby device that lets a person summon help during an emergency. **Synonyms:** Medical alert system

### Pessimism

A tendency to expect negative outcomes or interpret situations unfavorably. **Synonyms:**

### Peyronie's Disease

Scar tissue within the penis that can cause curvature and pain during erection. **Synonyms:** Peyronie disease

### Phantom Limb

The sensation that an amputated limb is still present, sometimes with pain. **Synonyms:** Phantom-limb sensation

### Phlebotomy

The collection of blood from a vein, usually with a needle. **Synonyms:** Venipuncture

### Photoreceptors

Specialized retinal cells that detect light; rods and cones are the two main types. **Synonyms:**

### Physician Assistant

A licensed clinician who evaluates patients and provides medical care under a physician's practice framework. **Synonyms:** PA

### Pigment

A substance that gives tissue, hair, skin, or other material its color. **Synonyms:**

### Piles

Enlarged or swollen veins in the anus or lower rectum. **Synonyms:** Hemorrhoids

### Pill

A solid oral dosage form containing medicine or another active ingredient. **Synonyms:** Tablet

### Plasma

The liquid portion of blood in which blood cells and dissolved substances circulate. **Synonyms:**

### Plasma Cells

Mature B lymphocytes that produce antibodies. **Synonyms:**

### Platelets

Small blood components that gather at damaged vessels and help form clots. **Synonyms:** Thrombocytes

### Polymenorrhea

Menstrual bleeding occurring at unusually short intervals. **Synonyms:**

### Polyp

A growth projecting from a mucous membrane; it may be benign, precancerous, or rarely cancerous. **Synonyms:**

### Positive Psychology

The study of well-being, strengths, resilience, and factors that help people thrive. **Synonyms:**

### Posterior Chamber

The part of the eye between the iris and lens, containing aqueous humor. **Synonyms:**

### Posterior Heel Bursitis

Inflammation of a bursa near the back of the heel, causing pain and swelling. **Synonyms:** Retrocalcaneal bursitis

### Posterior Keyhole Foraminotomy

A minimally invasive operation that enlarges a spinal nerve opening to relieve compression. **Synonyms:**

### Postpartum

Relating to the period after childbirth. **Synonyms:** Postnatal

---

### Post-Traumatic Headache

A headache that begins or persists after a head or neck injury. **Synonyms:**

### Power

The rate at which work is performed; in exercise, it combines force and movement speed. **Synonyms:**

### Power Training

Exercise designed to improve the ability to produce force rapidly. **Synonyms:** Explosive training

### Prazosin

An alpha-1 blocker that relaxes blood vessels and smooth muscle. **Synonyms:**

### Precursor

A substance that can be converted into another biologically active substance. **Synonyms:**

### Prehypertension

Blood pressure above normal but below the former threshold for hypertension. **Synonyms:** Elevated blood pressure

### Preload Reduction

Lowering the amount of blood returning to the heart to reduce cardiac workload. **Synonyms:**

### Premature Ventricular Contraction

An early heartbeat arising from the ventricles. **Synonyms:** PVC

### Prick Test

A skin test in which small amounts of suspected allergens are introduced into the skin. **Synonyms:** Skin-prick test

### Primary Angioplasty

Angioplasty used as the initial treatment to reopen an artery during an acute heart attack. **Synonyms:**

### Primary Osteoporosis

Bone loss due to aging, menopause, or other normal

physiological processes rather than another disease.

**Synonyms:**

### Protocol

A predefined plan specifying procedures for a clinical study, examination, or treatment. **Synonyms:**

### PSA

Prostate-specific antigen, a protein measured in blood to help evaluate prostate conditions. **Synonyms:** Prostate-specific antigen

### PSA Velocity

The rate at which PSA concentration changes over time. **Synonyms:**

### Psychogenic

Caused or substantially influenced by psychological factors. **Synonyms:**

### Psychogenic Erectile Dysfunction

Erectile difficulty primarily related to psychological factors rather than a structural disease. **Synonyms:**

### Psychosomatic

Relating to physical symptoms influenced by psychological processes or stress. **Synonyms:**

### PTCA

Percutaneous transluminal coronary angioplasty, a procedure that opens a narrowed coronary artery. **Synonyms:** Percutaneous coronary intervention

### Puborectalis Muscle

A pelvic-floor muscle sling around the rectum that helps maintain continence. **Synonyms:**

### Pudendal Arteries

Arteries supplying blood to the external genital and perineal region. **Synonyms:**

### Pudendal Nerve

The nerve carrying sensation and motor signals to much of the perineum and pelvic floor. **Synonyms:**

---

## **Pulmonary**

Relating to the lungs. **Synonyms:**

## **Pulmonary Veins**

Veins carrying oxygen-rich blood from the lungs to the left atrium. **Synonyms:**

## **Pulse Pressure**

The difference between systolic and diastolic blood pressure. **Synonyms:**

## **Pump Failure**

Severe weakening of the heart's pumping ability, causing inadequate blood flow to organs. **Synonyms:** Cardiogenic pump failure

## **Purulent**

Containing or producing pus. **Synonyms:**

## **Pyloric Sphincter**

A muscular valve regulating passage of stomach contents into the duodenum. **Synonyms:** Pylorus

## **Pyridoxine**

A form of vitamin B6 involved in metabolism and nervous-system function. **Synonyms:** Vitamin B6

## **P2Y12 Inhibitor**

An antiplatelet drug that blocks the platelet P2Y12 ADP receptor, reducing activation and aggregation. Clopidogrel, prasugrel, and ticagrelor are used in selected acute coronary syndrome and percutaneous coronary intervention settings, with bleeding and drug-specific contraindications considered.

**Synonyms:**

## **p53 Tumor Suppressor**

The p53 protein, encoded by the TP53 gene on chromosome 17p, is a transcription factor and the most commonly mutated gene in human cancer, with mutations found in over 50 percent of all malignancies.

**Synonyms:**

## **Pacemaker**

An implanted electronic device that delivers electrical impulses to the heart to regulate heart rate and rhythm. Indications include symptomatic bradycardia, high-degree AV block, and sick sinus syndrome. Single-chamber pacemakers pace the atrium or ventricle; dual-chamber pacemakers pace both.

**Synonyms:**

## **Pacemaker Complications**

Early: pneumothorax, hematoma, cardiac perforation/tamponade, lead dislodgement. Late: lead fracture, battery depletion, infection, tricuspid regurgitation from lead interference, venous thrombosis, and pacemaker syndrome (AV dyssynchrony in VVI pacing).

**Synonyms:**

## **Pachygyria**

A cortical malformation in which the cerebral gyri are abnormally broad and reduced in number because of impaired neuronal migration. It may cause developmental delay, intellectual disability, seizures, and motor or neurological impairment of variable severity.

**Synonyms:**

## **Pachymeningitis**

Inflammation of the dura mater (pachymeninx), the outermost layer of the meninges. Pachymeningitis is less common than leptomeningitis (inflammation of pia and arachnoid mater).

**Synonyms:**

## **Pacing**

Planned regulation of activity, rest, and intensity to avoid symptom exacerbation while gradually increasing tolerance. It is used in fatigue, chronic pain, cardiopulmonary disease, and post-viral conditions.

**Synonyms:**

## **PACS**

Picture Archiving and Communication System. Digital image storage and retrieval.

**Synonyms:**

---

## PAD Management

Atherosclerotic occlusive disease of arteries supplying the lower limbs, causing reduced blood flow. See peripheral arterial disease.

**Synonyms:**

## Page kidney

Renal compression from a perinephric hematoma or mass causing hypertension through activation of the renin-angiotensin system, typically following trauma or occurring in patients on anticoagulation.

**Synonyms:**

## Paget Disease of Bone

A chronic bone disorder characterized by excessive, disorganized bone remodeling with increased osteoclastic bone resorption followed by compensatory osteoblastic bone formation, producing structurally abnormal bone that is enlarged, weak, and prone to fracture.

**Synonyms:**

## Paget's Disease

A chronic bone disorder characterized by excessive, disorganized bone remodeling with increased osteoclastic bone resorption followed by compensatory osteoblastic bone formation, producing structurally abnormal bone that is enlarged, weak, and prone to fracture. See Paget Disease of Bone.

**Synonyms:**

## Paget Disease of the Nipple

A rare breast cancer involving the nipple and areola, often causing persistent eczema-like scaling, redness, itching, burning, or discharge. It may be associated with underlying ductal carcinoma in situ or invasive breast cancer.

**Synonyms:**

## Pain

An unpleasant sensory and emotional experience associated with actual or potential tissue damage, serving as a protective alerting system but becoming maladaptive when chronic (lasting >3 months).

**Synonyms:**

## Pain (Geriatric)

Pain in an older adult. Assessment considers communication, cognition, function, medicines, and possible causes; treatment is individualized to the person and condition.

**Synonyms:** Geriatric

## Pain (Vascular)

Pain caused by impaired blood flow, often appearing in a limb with exertion as claudication or, in more severe disease, at rest.

**Synonyms:** Vascular

## Pain Assessment Scales

Pain assessment uses standardized scales to quantify pain intensity. Numeric rating scale (NRS) asks patients to rate pain from 0 (no pain) to 10 (worst pain imaginable). Visual analog scale (VAS) is a 10 cm line with anchors. Faces pain scale (Wong-Baker FACES) uses facial expressions for children and cognitively impaired patients.

**Synonyms:**

## Pain Management

Assessment and treatment of pain using appropriate pharmacologic, physical, psychological, and interventional approaches. Treatment is individualized according to the cause, severity, duration, functional effect, and risks of each option.

**Synonyms:**

## Pain Relief (Analgesia)

Achieved through pharmacologic, interventional, physical, and psychologic modalities targeting nociceptive transmission and pain perception.

**Synonyms:** Analgesia

## Pair Production

Photon interaction producing electron-positron pair. Requires energy >1.022 MeV.

**Synonyms:**

## Paleness

Unusual lightening of the skin or mucous membranes caused by reduced blood flow, vasoconstriction, ane-



---

mia, shock, hypothermia, or other systemic illness. Sudden paleness with weakness, bleeding, chest pain, or fainting requires urgent assessment.

**Synonyms:**

### **Palindromic Rheumatism**

Characterized by recurrent, self-limited attacks of mono- or oligoarthritis (hours to days), periarticular soft tissue swelling, no radiographic erosions between attacks. 30-50% evolve to RA (anti-CCP positive predicts progression).

**Synonyms:**

### **Palliative Care**

Specialized medical care for serious illness focusing on symptom relief and quality of life. Not limited to end-of-life. Can be provided alongside curative treatment. Components: pain management, symptom control, psychosocial support, spiritual care, advance care planning. Referral early in disease course.

**Synonyms:**

### **Palliative Rehabilitation**

Rehabilitation for people with serious or life-limiting illness, focused on comfort, function, participation, symptom management, and quality of life.

**Synonyms:**

### **Pallister-Hall Syndrome**

A congenital disorder usually caused by pathogenic variants in *GLI3*. It is characterized by hypothalamic hamartoma and mesoaxial polydactyly and may include imperforate anus, renal or airway anomalies, and pituitary hormone abnormalities.

**Synonyms:**

### **Pallor**

Paleness of the skin and mucous membranes, caused by reduced cutaneous blood flow (vasoconstriction—cold, shock, anemia, fear) or reduced hemoglobin/pigmentation.

**Synonyms:**

### **Palmar erythema of pregnancy**

Symmetrical redness of the palms occurring during pregnancy, thought to be related to elevated circulating oestrogen levels causing vasodilatation. It is a benign, physiological finding that typically resolves after delivery and requires no specific treatment.

**Synonyms:**

### **Palmar Grasp Reflex**

A primitive reflex in which an infant flexes the fingers around an object placed in the palm. It is normally present at birth and gradually diminishes as voluntary grasp develops; asymmetry or persistence may warrant neurologic assessment.

**Synonyms:**

### **Palpation**

The second step of the physical examination, utilizing the sense of touch to evaluate body structures for size, shape, consistency, mobility, tenderness, temperature, and vibration.

**Synonyms:**

### **Palpebral Conjunctiva**

The part of the conjunctiva that lines the inner surfaces of the eyelids. It joins the bulbar conjunctiva at the fornices and helps protect and lubricate the eye.

**Synonyms:**

### **Palpitation**

The subjective sensation of a rapid, forceful, or irregular heartbeat. Palpitations are a common symptom with a broad differential.

**Synonyms:**

### **Palsy of the long thoracic nerve**

Weakness or paralysis of the long thoracic nerve (C5-C7), which innervates the serratus anterior muscle. Causes include trauma, compression, viral infection, or idiopathic. Results in winging of the scapula, particularly when pushing against a wall, and impaired overhead arm elevation. Most cases resolve spontaneously.

**Synonyms:**

---

## Pancoast Syndrome

A clinical syndrome caused by an apical lung tumour invading the lower brachial plexus, sympathetic chain, or adjacent structures. It may produce severe shoulder and arm pain, hand weakness, sensory loss, and Horner syndrome.

**Synonyms:**

## Pancoast Tumor

Superior sulcus tumor invading brachial plexus, subclavian vessels, and sympathetic chain. Causes Horner syndrome, shoulder/arm pain, and hand muscle atrophy. Treated with chemoradiation followed by surgery.

**Synonyms:**

## Pancreas

Retroperitoneal gland (15-20 cm) behind the stomach, spanning from duodenum to spleen. Exocrine function: acinar cells secrete digestive enzymes (amylase, lipase, proteases) and bicarbonate into pancreatic duct to duodenum.

**Synonyms:**

## Pancreas Divisum

A congenital anomaly in which the dorsal and ventral pancreatic ducts fail to fuse. Most people are asymptomatic, but impaired drainage through the minor papilla can predispose to recurrent pancreatitis.

**Synonyms:**

## Pancreatectomy

Removal of all (total) or part of the pancreas. Pancreaticoduodenectomy (Whipple) is used for pancreatic head and periampullary tumors; distal pancreatectomy for body and tail lesions.

**Synonyms:**

## Pancreatic Abscess

A localized collection of pus within or adjacent to the pancreas, usually developing as a complication of infected pancreatic necrosis or severe pancreatitis. It may cause persistent fever, abdominal pain, sepsis, and organ failure.

**Synonyms:**

## Pancreatic Adenocarcinoma

A malignant tumor arising from the exocrine ductal cells of the pancreas. It may cause jaundice, abdominal or back pain, weight loss, or no early symptoms; risk factors include smoking, chronic pancreatitis, diabetes, obesity, and inherited cancer syndromes.

**Synonyms:**

## Pancreatic Cancer

Malignancy arising in the pancreas, most often pancreatic ductal adenocarcinoma. Symptoms may include jaundice, abdominal or back pain, weight loss, or digestive problems, although early disease may be asymptomatic. Treatment depends on tumor type, extent, and patient factors.

**Synonyms:**

## Pancreatic Duct

The main duct of the pancreas, conveying exocrine pancreatic secretions to the duodenum. It commonly joins the common bile duct before opening at the major duodenal papilla.

**Synonyms:**

## Pancreatic Elastase

A stool test that measures elastase-1 as an indirect estimate of pancreatic exocrine function. Low results support pancreatic exocrine insufficiency, but interpretation depends on stool consistency, the assay, and the clinical setting. Replacement pancreatic enzymes do not usually interfere with the test.

**Synonyms:**

## Pancreatic Enzyme

Digestive enzymes secreted by pancreatic acinar cells into the duodenum, including proteases (trypsinogen, chymotrypsinogen, proelastase, procarboxypeptidases), amylase (starch digestion), and lipase (triglyceride digestion), along with bicarbonate from ductal cells to neutralize gastric acid.

**Synonyms:**

---

### **Pancreatic Exocrine Insufficiency**

Inadequate secretion or delivery of pancreatic digestive enzymes and bicarbonate, causing maldigestion and malabsorption. Chronic pancreatitis, cystic fibrosis, pancreatic resection, and advanced pancreatic disease are important causes; steatorrhea and weight loss may respond to pancreatic enzyme replacement.

**Synonyms:**

### **Pancreatic Insufficiency**

Inadequate production or delivery of pancreatic digestive enzymes, causing impaired digestion and absorption, weight loss, diarrhea, or fatty stools. Treatment may include pancreatic enzyme replacement and nutritional support.

**Synonyms:**

### **Pancreatic Mass**

Abnormality in pancreas detected on imaging. Pancreatic adenocarcinoma most common malignancy. Neuroendocrine tumors also important.

**Synonyms:**

### **Pancreatic Neuroendocrine Tumors**

Tumors arising from neuroendocrine cells of the pancreas. They may produce hormones, such as insulin or gastrin, or be nonfunctioning. Classification and prognosis use differentiation, grade, proliferation measures, stage, and clinical behavior.

**Synonyms:**

### **Pancreatic Pseudocyst**

A pancreatic pseudocyst is a localized collection of pancreatic fluid surrounded by a wall of granulation tissue without an epithelial lining, typically occurring as a complication of acute or chronic pancreatitis. Unlike true cysts, pseudocysts lack an epithelial lining, which is why they are called pseudocysts.

**Synonyms:**

### **Pancreatic Surgery**

Pancreaticoduodenectomy (Whipple): pancreatic head, duodenum, gallbladder, distal stomach (pylorus-preserving standard), common bile duct;

reconstruction: pancreaticojejunostomy (duct-to-mucosa or invagination), hepaticojejunostomy, gastrojejunostomy/duodenojejunostomy.

**Synonyms:**

### **Pancreatic Trauma**

Injury to the pancreas caused by blunt or penetrating trauma. Assessment may require CT, laboratory testing, and observation or intervention according to the injury.

**Synonyms:**

### **Pancreatitis**

Inflammation of the pancreas that may be acute or chronic. Causes include gallstones, alcohol, medicines, metabolic disorders, and other conditions; severity ranges from mild to necrotizing disease.

**Synonyms:**

### **Pancreatoblastoma**

A rare malignant pancreatic epithelial tumour occurring mainly in children. It may present with an abdominal mass, pain, vomiting, weight loss, or hormonal symptoms and requires imaging, tissue diagnosis, staging, and multidisciplinary treatment.

**Synonyms:**

### **Pancreatography**

Contrast imaging of pancreatic duct. ERCP approach. Evaluates pancreatic duct abnormalities.

**Synonyms:**

### **Pancytopenia**

Simultaneous reduction of red cells, white cells, and platelets, indicating bone marrow failure or infiltration.

**Synonyms:**

### **PANDAS**

Pediatric autoimmune neuropsychiatric disorder associated with streptococcal infection, a proposed syndrome involving abrupt onset or worsening of obsessive-compulsive symptoms or tics in a child after infection. Diagnosis is clinical and remains con-

---

troversial; evaluation should also consider common neurologic, psychiatric, and infectious causes.

**Synonyms:**

### **Pandemic**

Epidemic spread across multiple countries/continents. Examples: COVID-19, Spanish flu, HIV/AIDS.

**Synonyms:**

### **Paneth Cell**

Specialized secretory epithelial cell at the base of a small-intestinal crypt that produces antimicrobial substances.

**Synonyms:**

### **Panic Attack**

An abrupt surge of intense fear or discomfort reaching a peak within minutes.

**Synonyms:**

### **Panic Disorder**

Recurrent unexpected panic attacks, which are abrupt surges of intense fear or discomfort peaking within minutes.

**Synonyms:**

### **Panlobular Emphysema**

A subtype involving diffuse destruction of the entire acinus. It predominantly affects the lower lobes and is classically associated with alpha-1 antitrypsin deficiency. The destruction is more uniform compared to centriacinar emphysema.

**Synonyms:**

### **Panniculitis**

Inflammation of the subcutaneous fat, presenting as tender, erythematous or violaceous nodules and plaques, most commonly on the lower extremities. The classification is based on whether the septa or lobules of the fat are primarily affected, and the aetiology includes infections, autoimmune diseases, medications, and pancreatic disease.

**Synonyms:**

### **Panoramic Radiograph**

An extraoral radiograph displaying both jaws, teeth, temporomandibular regions, and surrounding structures in one image. It is useful for surveying dentition, development, impaction, and gross osseous pathology but has less fine detail than intraoral radiographs.

**Synonyms:**

### **Panretinal Photocoagulation**

A laser treatment that applies scattered burns to the peripheral retina to reduce abnormal blood-vessel growth. It is used for selected proliferative retinal diseases, including proliferative diabetic retinopathy, and can affect peripheral or night vision.

**Synonyms:**

### **Panuveitis**

Inflammation involving the anterior uvea, vitreous, and posterior uveal tissues. It can threaten vision and may be caused by infection, autoimmune disease, trauma, or other disorders; treatment depends on the cause and severity.

**Synonyms:**

### **Pap Smear**

Papanicolaou test (cervical cytology): a screening test collecting cervical cells (conventional or liquid-based) to detect precancerous cervical changes (CIN) and cancer, usually combined with HPV DNA testing (co-testing).

**Synonyms:**

### **Papillary Muscle**

Muscular projections of the ventricular myocardium attached by chordae tendineae to the atrioventricular valve leaflets (anterolateral and posteromedial in the left ventricle; anterior, septal, and posterior in the right ventricle).

**Synonyms:**

### **Papillary Thyroid Carcinoma**

Most common histological subtype of thyroid carcinoma accounting for approximately eighty percent of cases. Characterized by nuclear features including

---

nuclear grooves, intranuclear cytoplasmic inclusions, and Orphan Annie eye nuclei. Often multifocal and bilateral with lymph node metastases.

**Synonyms:**

### **Papilledema**

Swelling of the optic disc caused by elevated intracranial pressure, and it is a critical clinical sign that requires urgent investigation to identify the underlying cause, which may be life-threatening.

**Synonyms:**

### **Papilloma**

A benign epithelial neoplasm characterised by finger-like projections of fibrovascular tissue covered by hyperplastic epithelium, most commonly caused by human papillomavirus infection in cutaneous warts or mucosal sites. Cutaneous papillomas present as flesh-coloured, rough, or pedunculated growths.

**Synonyms:**

### **Papillomatosis cutis lymphostatica**

Diffuse, warty, papillomatous thickening of the skin resulting from chronic lymphoedema, most commonly affecting the lower extremities in the setting of long-standing venous or lymphatic insufficiency. The skin develops cobblestone-like hyperkeratotic papules and plaques due to lymph stasis and chronic inflammation.

**Synonyms:**

### **Papular**

A papule: a small, solid, elevated skin lesion <1 cm in diameter (palpable), of various colors and etiologies.

**Synonyms:**

### **Papular Urticaria**

A hypersensitivity reaction to insect bites, especially from fleas, bedbugs, or mosquitoes, causing recurrent intensely itchy papules or small vesicles, often clustered on exposed areas in children. Diagnosis is clinical.

**Synonyms:**

### **Papule**

A solid, raised skin lesion, conventionally less than 1 cm in diameter. Papules may arise from epidermal, dermal, inflammatory, infectious, or neoplastic processes.

**Synonyms:**

### **Paracentesis**

Percutaneous needle aspiration of ascitic fluid from the peritoneal cavity. Used for diagnostic analysis to determine the cause of ascites and for therapeutic removal of large volumes for symptom relief. The serum-ascites albumin gradient is calculated to differentiate portal hypertensive from non-portal hypertensive causes.

**Synonyms:**

### **Paracetamol overdose**

Toxic ingestion of paracetamol that can cause dose-dependent hepatic necrosis; risk assessment uses the timing and serum concentration of the ingestion.

**Synonyms:**

### **Paracetamol Toxicity**

Liver injury caused by excessive acetaminophen (paracetamol) exposure. Severe poisoning may cause nausea, abdominal pain, liver failure, or death and requires urgent assessment.

**Synonyms:**

### **Paraesophageal hernia**

A hiatal hernia in which part of the stomach moves through the diaphragm beside the esophagus. It may cause obstruction or strangulation even when reflux is absent.

**Synonyms:**

### **Paraganglioma**

A neuroendocrine tumor arising from extra-adrenal paraganglia, related to pheochromocytoma; may secrete catecholamines. Associations with hereditary syndromes (SDH mutations, VHL, NF1) warrant genetic counseling.

**Synonyms:**

---

### Paragonimiasis

A parasitic infection caused by *Paragonimus* lung flukes, usually acquired by eating undercooked crustaceans. It commonly affects the lungs.

**Synonyms:**

### Parainfluenza

Infection caused by human parainfluenza viruses, commonly producing croup, laryngitis, bronchiolitis, or pneumonia in children. Adults often have a mild upper-respiratory illness.

**Synonyms:**

### Paranasal Sinuses

Air-filled cavities in the bones around the nose that connect with the nasal cavity through small openings. They are lined with mucosa and contribute to mucus production and resonance of the voice.

**Synonyms:**

### Paraneoplastic disorder

A systemic syndrome caused by a malignancy through mechanisms other than direct invasion, metastasis, or metabolic effects of the tumor. Paraneoplastic syndromes result from hormone production, immune-mediated mechanisms, or cytokine release by the tumor, affecting distant organs.

**Synonyms:**

### Paraneoplastic Neurologic Syndrome

Neurologic symptoms from immune response to cancer. Examples: Lambert-Eaton, cerebellar degeneration.

**Synonyms:**

### Paraneoplastic Syndrome

Symptoms caused by cancer but not by tumor mass or metastasis. Mechanisms: hormone production, immune cross-reaction. Examples: SIADH, Cushing syndrome, Lambert-Eaton myasthenia, hypercalcemia.

**Synonyms:**

### Paranoia

A thought process characterized by excessive or

irrational suspiciousness and distrust of others, often manifesting as delusions of persecution, reference, or grandeur.

**Synonyms:**

### Paraphilia

A condition characterized by intense and persistent sexual interest in atypical objects, situations, or individuals. Examples: exhibitionism, fetishism, frotteurism, pedophilic disorder, sexual masochism, sexual sadism, transvestic disorder, voyeurism, and paraphilia not otherwise specified.

**Synonyms:**

### Paraphimosis

Urological emergency in uncircumcised males occurring when a retracted, tight foreskin becomes trapped behind the coronal sulcus of the glans penis, forming a constricting ring.

**Synonyms:**

### Parapneumonic Effusion

Pleural effusion complicating pneumonia. Simple effusions resolve with antibiotics. Complicated effusions (pH < 7.2, glucose < 60 mg/dL) require chest tube drainage.

**Synonyms:**

### Parapneumonic Pleural Effusion

Pleural fluid accumulation associated with bacterial pneumonia. It may be uncomplicated or progress to a complicated effusion or empyema, requiring imaging, pleural-fluid analysis, antibiotics, and sometimes drainage.

**Synonyms:**

### Paraquat

A highly toxic herbicide. Ingestion can cause injury to the mouth and gastrointestinal tract, kidney failure, and delayed lung injury; severe poisoning has a high risk of death.

**Synonyms:**

### Paraseptal Emphysema

A form of emphysema characterized by destruction



---

of alveoli adjacent to the pleura. It typically affects young adults and predisposes to spontaneous pneumothorax due to rupture of subpleural blebs. It may be associated with Marfan syndrome.

**Synonyms:**

### Parasite

An organism that lives on or within a host organism, deriving nutrients at the host's expense.

**Synonyms:**

### Parasitemia

The presence and measurable burden of parasites in the blood. It is used particularly for malaria and some blood-borne protozoal infections and may correlate with disease severity.

**Synonyms:**

### Parasitic Infections

Malaria: *Plasmodium* (*falciparum*, *vivax*, *ovale*, *malariae*, *knowlesi*). *Falciparum*: cerebral malaria, severe anemia, ARDS, AKI, hypoglycemia. Diagnosis: thick/thin smear, RDT (HRP2 for *P. falciparum*, pLDH for all species, aldolase). Amoebiasis: *E. histolytica*, stool antigen, PCR. Giardiasis: stool antigen, duodenal aspirate.

**Synonyms:**

### Parasitology

The branch of microbiology that studies parasites, including protozoa, helminths, and ectoparasites. Parasitic infections are a major global health problem, particularly in tropical and subtropical regions. Protozoan parasites include *Plasmodium* (malaria), *Trypanosoma* (sleeping sickness, Chagas disease), and *Leishmania* (leishmaniasis).

**Synonyms:**

### Parasympathetic Nervous System

The craniosacral division of the autonomic nervous system mediating 'rest-and-digest' functions. Preganglionic fibers from cranial nerves III, VII, IX, X, and sacral nerves S2-S4 synapse on ganglia near or within target organs (short postganglionic fibers).

**Synonyms:**

### Parasympatholytic

A drug that blocks muscarinic (cholinergic) receptors, inhibiting parasympathetic nervous system activity. Agents: atropine (bradycardia, organophosphate poisoning), ipratropium/tiotropium (COPD/asthma—bronchodilation), scopolamine (motion sickness), oxybutynin/tolterodine (overactive bladder), and glycopyrrolate.

**Synonyms:**

### Parasympathomimetic

A drug that mimics or enhances parasympathetic (cholinergic) activity. Direct agonists: muscarinic (pilocarpine—glaucoma, dry mouth) and nicotinic agonists.

**Synonyms:**

### Parathyroid

One of the small endocrine glands behind the thyroid that secretes parathyroid hormone and regulates calcium and phosphate balance.

**Synonyms:**

### Parathyroid Crisis

Severe hypercalcemia with calcium greater than fourteen milligrams per deciliter causing altered mental status, cardiac arrhythmias, and acute kidney injury. Most commonly occurs in patients with primary hyperparathyroidism precipitated by dehydration, immobility, or thiazide diuretics.

**Synonyms:**

### Parathyroid Hormone Physiology

Parathyroid hormone is the primary regulator of calcium homeostasis secreted by the four parathyroid glands in response to low ionized calcium levels detected by the calcium-sensing receptor.

**Synonyms:**

### Parathyroid Hyperplasia

Enlargement and increased cellularity of one or more parathyroid glands causing excessive parathyroid hormone secretion and primary hyperparathyroidism. It may occur sporadically or as part of multiple endocrine neoplasia.

---

**Synonyms:**

### **Parathyroid Surgery**

Operations on the parathyroid glands, usually performed for selected cases of primary or secondary hyperparathyroidism. The decision depends on symptoms, calcium levels, kidney involvement, bone disease, overall health, and current clinical guidance.

**Synonyms:**

### **Parathyroidectomy**

Surgical removal of parathyroid glands for refractory secondary hyperparathyroidism unresponsive to medical therapy. Indicated when calcium-phosphorus product persistently elevated despite maximal medical management, symptomatic bone disease, or calciphylaxis. Subtotal or total parathyroidectomy with autotransplantation.

**Synonyms:**

### **Parenteral Nutrition**

Intravenous nutrition bypassing GI tract. Total parenteral nutrition (TPN) provides complete nutrition. Indications: bowel failure, short bowel syndrome, prolonged NPO, malabsorption. Risks: infection, liver dysfunction, metabolic complications, line complications.

**Synonyms:**

### **Paresthesia**

An abnormal sensation such as tingling, prickling, numbness, burning, or pins and needles. See Numbness and Tingling.

**Synonyms:**

### **Parietal Lobe**

The cerebral lobe posterior to the central sulcus and above the lateral sulcus, containing the primary somatosensory cortex (postcentral gyrus, Brodmann 3,1,2) processing touch, pain, temperature, and proprioception, plus the somatosensory association cortex.

**Synonyms:**

### **Parinaud Syndrome**

A disorder caused by dysfunction of the dorsal midbrain, characterized by impaired upward gaze, abnormal pupil responses, and convergence-retraction eye movements. Causes include tumors, stroke, multiple sclerosis, and hydrocephalus.

**Synonyms:**

### **Parkinson Disease**

A progressive neurodegenerative disorder characterized by the loss of dopaminergic neurons in the substantia nigra pars compacta of the midbrain, leading to reduced dopamine levels in the striatum and the cardinal motor features of bradykinesia, resting tremor, rigidity, and postural instability.

**Synonyms:**

### **Parkinson's Disease**

A progressive neurodegenerative disorder caused by selective loss of dopaminergic neurons in the substantia nigra pars compacta, leading to dopamine depletion in the striatum. The pathological hallmark is the presence of Lewy bodies, intracellular inclusions composed of aggregated alpha-synuclein protein, within surviving neurons.

**Synonyms:**

### **Parkinsonism**

A clinical syndrome characterized by bradykinesia, rigidity, tremor (resting, pill-rolling), and postural instability. Idiopathic Parkinson disease: most common cause, responds well to levodopa.

**Synonyms:**

### **Paronychia**

Inflammation of the nail fold. Acute paronychia is bacterial (*Staphylococcus aureus*, *Streptococcus*), presenting as painful, erythematous, swollen nail fold with possible abscess. Treatment includes warm compresses, antibiotics, and incision and drainage if abscessed.

**Synonyms:**

### **Parotid Gland**

The largest of the three major salivary glands, lo-

---

cated in the preauricular region, extending from the zygomatic arch superiorly to the angle of the mandible inferiorly. The parotid gland is encased in the parotid fascia (investing layer of deep cervical fascia).

**Synonyms:**

### **Parotitis**

Inflammation of the parotid gland caused by infection, duct obstruction, dehydration, medicines, or autoimmune disease. It may produce painful swelling near the ear, fever, dry mouth, or purulent drainage; treatment depends on the cause.

**Synonyms:**

### **Paroxysmal Nocturnal Dyspnea**

Episodes of breathlessness that awaken a person from sleep after a period of lying down. It can occur with heart failure or other cardiopulmonary conditions and differs from orthopnea, which begins soon after lying down.

**Synonyms:**

### **Paroxysmal Nocturnal Hemoglobinuria**

A rare, acquired clonal disorder of hematopoietic stem cells characterized by complement-mediated intravascular hemolysis, thrombosis (particularly in unusual sites such as hepatic, portal, and cerebral veins), and bone marrow failure.

**Synonyms:**

### **Paroxysmal Supraventricular Tachycardia**

Sudden-onset and sudden-termination episodes of rapid regular tachycardia arising above the ventricles, usually involving an atrioventricular re-entry or nodal re-entry circuit. Palpitations, dizziness, chest discomfort, or syncope may occur.

**Synonyms:**

### **Partial Agonist**

A partial agonist is a drug that binds to a receptor and produces a biological response that is less than the maximum possible response, even when all receptors are occupied. Partial agonists have affinity for the receptor but lower intrinsic activity

compared to full agonists, producing a submaximal response regardless of dose.

**Synonyms:**

### **Partial Denture**

Removable prosthesis replacing some teeth. Metal framework or acrylic. Requires remaining teeth for support.

**Synonyms:**

### **Partial Response**

Significant tumor reduction but not complete.

**Synonyms:**

### **Partial Thromboplastin Time**

A coagulation test measuring the intrinsic and common pathways (factors XII, XI, IX, VIII, X, V, II, fibrinogen), used to monitor unfractionated heparin and detect factor deficiencies.

**Synonyms:**

### **Partial Volume Artifact**

CT artifact from voxel containing multiple tissues. Reduced by thinner slices.

**Synonyms:**

### **Partial-Volume Effect**

Underestimation or distortion of measured activity in small or low-contrast structures because the object size approaches the scanner's spatial resolution. It affects quantitative PET and SPECT and may require recovery or correction methods.

**Synonyms:**

### **Particle (Vascular)**

An embolic particle used to occlude selected vessels under image guidance.

**Synonyms:** Vascular

### **Particulate Matter**

Small solid or liquid particles suspended in air. Fine particles can penetrate the lungs and increase cardiovascular and respiratory risk.

**Synonyms:**

---

### **Partograph (Partogram)**

A graphic record of cervical change, fetal descent, contractions, and maternal or fetal observations during labor. It can support communication and recognition of abnormal progress, but findings must be interpreted with current labor guidance and the overall clinical situation.

**Synonyms:** Partogram

### **Parturition (Childbirth)**

The process of giving birth, encompassing three stages: (1) First stage: from the onset of regular uterine contractions (cervical effacement and dilation) to full dilation (10 cm). Latent phase—slow dilation (0–4 cm) over hours, variable duration. Active phase—more rapid dilation (4–10 cm), typically 1–1.5 cm/hour in nulliparous women.

**Synonyms:** Childbirth

### **Parvovirus B19**

Human parvovirus B19: a small DNA virus causing erythema infectiosum ('fifth disease') in children, transmitted by respiratory droplets.

**Synonyms:**

### **Parvovirus B19 infection**

A viral infection that may cause slapped-cheek rash, joint symptoms, or temporary suppression of red-cell production.

**Synonyms:**

### **Pasteurella multocida**

A bacterium commonly carried by animals that can cause wound infections after bites or scratches and, less often, respiratory or bloodstream infection.

**Synonyms:**

### **Pasteurization**

A heat treatment reducing microbial load in liquids by heating below boiling point to inactivate vegetative pathogens and spoilage organisms while preserving quality.

**Synonyms:**

### **Patau Syndrome**

Trisomy 13, affecting 1 in 10,000-20,000 live births. Features: holoprosencephaly (most characteristic, incomplete forebrain division), microcephaly, microphthalmia or anophthalmia, cleft lip and palate, polydactyly (postaxial), clenched fists with overlapping fingers, and congenital heart defects (VSD, PDA, dextrocardia, 80%).

**Synonyms:**

### **Patch**

A flat, circumscribed area of altered skin color larger than approximately 1 cm. It is the larger counterpart of a macule and may be caused by pigmentary, vascular, inflammatory, or neoplastic disease.

**Synonyms:**

### **Patch (Vascular)**

A piece of biological or synthetic material sewn onto a blood vessel to widen or repair it.

**Synonyms:** Vascular

### **Patch Graft**

Vascular graft for patch angioplasty. Bovine pericardium, PTFE.

**Synonyms:**

### **Patch Testing**

Patch testing identifies allergens causing allergic contact dermatitis. The standard series includes 35 allergens. Additional custom trays include occupational and personal allergens. Patches are applied to the upper back for 48 hours and removed. Reading at 48 hours (initial) and 72 to 96 hours (delayed) identifies positive reactions.

**Synonyms:**

### **Patella**

The largest sesamoid bone, embedded in the quadriceps tendon. It articulates with the femoral trochlea to form the patellofemoral joint and improves the mechanical efficiency of knee extension. It is triangular and covered by thick articular cartilage.

**Synonyms:**

---

## Patella (Kneecap)

The largest sesamoid bone in the human body, embedded within the quadriceps tendon at the front of the knee. It improves the mechanical efficiency of knee extension, protects the front of the joint, and distributes forces across the femoral trochlea.

**Synonyms:** Kneecap

## Patellofemoral Instability

A tendency of the patella to move abnormally or dislocate from the femoral trochlea. Risk factors include abnormal trochlear shape, a high-riding patella, ligament insufficiency, altered limb alignment, and previous dislocation.

**Synonyms:**

## Patellofemoral Pain Syndrome

Anterior knee pain related to the patellofemoral joint, common in adolescents and young adults (especially runners). Etiology: multifactorial (malalignment, quadriceps imbalance, overuse, tight lateral structures, weak VMO, and patellar instability).

**Synonyms:**

## Patent Ductus Arteriosus

A congenital heart defect characterized by persistent patency of the ductus arteriosus, a vessel connecting the pulmonary artery to the proximal descending aorta, which normally closes within the first few days of life. The resulting left-to-right shunt leads to pulmonary overcirculation and left heart volume overload.

**Synonyms:**

## Patent Foramen Ovale

A persistent flap-like opening between the atria that normally permits fetal blood flow and usually closes after birth. It is often an incidental finding but may allow a clot to pass from the venous to the arterial circulation in selected circumstances.

**Synonyms:**

## Paternal uniparental disomy 14 (UDP 14

## pat) thoracic dysplasia

A rare genetic condition resulting from inheritance of both copies of chromosome 14 from the father, leading to dysregulated expression of imprinted genes on chromosome 14. It presents with severe thoracic hypoplasia, pulmonary hypoplasia, and characteristic facial features. It is a lethal condition in most cases.

**Synonyms:** UDP 14 pat

## Paternity Testing

The use of genetic markers to establish or exclude a biological parent-child relationship, the reference method being short tandem repeat DNA profiling of the child, alleged father, and mother. Modern STR analysis commonly yields paternity probability exceeding 99.99 percent for true fathers.

**Synonyms:**

## Pathogen

A tiny organism such as a virus, bacterium, or parasite that can invade the body and produce disease.

**Synonyms:**

## Pathogenesis

Mechanism of disease development. Steps: initiation, promotion, progression.

**Synonyms:**

## Pathogenic Variant

A genetic variant with sufficient validated evidence to be interpreted as causing or contributing to disease. Classification uses standardized evidence from population data, segregation, functional studies, computational analysis, and phenotype correlation.

**Synonyms:**

## Pathogenicity

The capacity of a microorganism to cause disease in a susceptible host. Pathogenicity is a qualitative property, whereas virulence describes the relative degree of disease-causing capacity among strains or organisms.

**Synonyms:**

---

## **Pathologic Fracture**

A fracture occurring through bone weakened by an underlying disease such as metastasis, myeloma, infection, benign tumor, or metabolic bone disorder. Evaluation includes characterization of the lesion and treatment of both the fracture and its cause.

**Synonyms:**

## **Pathologic Hypertrophy**

The enlargement of an organ resulting from an increase in the size of its constituent cells without an increase in cell number, typically occurring as a response to chronically increased workload or hormonal stimulation.

**Synonyms:**

## **Pathology**

Study of disease. Includes general pathology (cell injury, inflammation, neoplasia) and systemic pathology (organ-specific diseases).

**Synonyms:**

## **Pathology Artifact**

A distortion, alteration, or contaminant introduced during specimen collection, fixation, processing, sectioning, staining, or imaging rather than representing true disease. Artifacts must be recognized to avoid diagnostic error.

**Synonyms:**

## **Patient**

Person receiving medical care. Also: patient zero (initial case), patient safety.

**Synonyms:**

## **Patient Advocacy**

Acting on behalf of a patient to ensure that the patient's needs, rights, and preferences are addressed in healthcare.

**Synonyms:**

## **Patient Communication**

The exchange of information and understanding between a patient, caregivers, and healthcare professionals during care.

**Synonyms:**

## **Patient Education**

The process of explaining a health condition, treatment, medicines, exercises, equipment, warning signs, and prevention strategies in a way the patient can understand and use.

**Synonyms:**

## **Patient Positioning**

Placing and supporting a patient in a position that permits safe care, accurate examination or imaging, and adequate comfort.

**Synonyms:**

## **Patient Preparation**

The instructions and assessments completed before a test or procedure, such as fasting, medicine review, hydration, consent, or skin preparation when required.

**Synonyms:**

## **Patient Safety**

Prevention of harm from healthcare. Examples: medication errors, healthcare-associated infections, surgical errors. Strategies: checklists, hand hygiene, barcoding.

**Synonyms:**

## **Patient-Centered Care**

Care respecting patient preferences, needs, values. Examples: shared decision-making, communication, coordination.

**Synonyms:**

## **Patient-Centered Outcome**

An outcome that reflects what matters to the patient, including symptoms, function, quality of life, treatment burden, and ability to achieve personal goals, rather than relying only on laboratory or imaging measures.

**Synonyms:**

## **Patient-Controlled Analgesia**

A method in which a patient self-administers pre-



---

scribed doses of analgesic medication using a programmable pump with preset safety limits. The medication, dose, and lockout interval are individualized according to the patient's condition and monitoring needs.

**Synonyms:**

### Patient-Reported Outcome Measure

A validated questionnaire completed directly by a patient to assess symptoms, function, health status, or quality of life without clinician interpretation of the response.

**Synonyms:**

### Patlak Plot

Linear graphical method for quantitative PET.

**Synonyms:**

### Pattern Recognition Receptors

PRRs recognize PAMPs (pathogen) and DAMPs (damage). TLRs: TLR1/2 (lipoproteins), TLR2/6 (lipoteichoic acid), TLR3 (dsRNA), TLR4 (LPS, MD-2, CD14), TLR5 (flagellin), TLR7/8 (ssRNA), TLR9 (CpG DNA). Cytosolic: RIG-I/MDA5 (RNA), cGAS (DNA → cGAMP → STING → IFN), NOD1/2 (peptidoglycan).

**Synonyms:**

### PCL Injuries

Posterior cruciate ligament (PCL) tears: dashboard injury (posterior tibial force), hyperflexion. Clinical: posterior drawer (most sensitive), quadriceps active test, posterior sag sign. Grade I (1-5mm), II (6-10mm), III (>10mm). Isolated PCL: nonoperative (brace, rehab) for Grade I/II; surgical for Grade III or combined.

**Synonyms:**

### PCOS

Common endocrine disorder affecting six to twelve percent of reproductive-aged women characterized by hyperandrogenism, ovulatory dysfunction, and polycystic ovarian morphology on ultrasound. See Polycystic Ovary Syndrome.

**Synonyms:**

### PCR (Polymerase Chain Reaction)

Technique amplifying specific DNA sequences exponentially. Components: template DNA, primers, DNA polymerase (Taq), nucleotides, buffer. Cycles: denaturation, annealing, extension. Applications: diagnostics, forensics, research.

**Synonyms:** Polymerase Chain Reaction

### PE Anticoagulation

Anticoagulant treatment for pulmonary embolism to prevent clot extension and recurrence. Options include direct oral anticoagulants, heparins, and vitamin K antagonists; the choice and duration depend on bleeding risk, pregnancy, kidney function, cancer, provoking factors, and other clinical features.

**Synonyms:**

### Peak Expiratory Flow Rate

The maximum flow rate achieved during a forced expiratory manoeuvre after maximal inspiration, measured in litres per minute (L/min) using a peak flow meter. PEFR reflects the degree of airflow obstruction and is effort-dependent.

**Synonyms:**

### Peak Flow Meter

A handheld device that measures the maximum speed of forced expiration, often used to monitor asthma.

**Synonyms:**

### Pearly penile papules

Small, benign, dome-shaped papules arranged circumferentially around the glans penis, representing normal anatomical variants requiring no treatment.

**Synonyms:**

### Pectoralis Major Muscle

Thick fan-shaped chest muscle with clavicular and sternocostal heads, inserting on the lateral intertubercular groove lip. Innervated by medial/lateral pectoral nerves (C5-T1). Clavicular head flexes; sternocostal head extends from flexion. Adducts and medially rotates powerfully.

---

**Synonyms:**

### **Pectoralis Minor Muscle**

Thin triangular muscle deep to pectoralis major, from ribs 3-5 to the coracoid process. Innervated by medial pectoral nerve (C8-T1). Draws scapula anteriorly/inferiorly, stabilizing it against the thorax. Assists forced inspiration. Tightness contributes to rounded shoulder posture and thoracic outlet syndrome.

**Synonyms:**

### **Pectus Carinatum**

A congenital chest wall deformity characterized by anterior protrusion of the sternum (pigeon chest), caused by excessive growth of the costal cartilages pushing the sternum forward. Less common than pectus excavatum. Associated with congenital heart disease, Marfan syndrome, Noonan syndrome, and homocystinuria.

**Synonyms:**

### **Pectus Excavatum**

The most common congenital chest wall deformity, characterized by depression of the sternum (funnel chest), caused by excessive growth of the costal cartilages that push the sternum inward. Typically sporadic, but associated with Marfan syndrome, Ehlers-Danlos syndrome, Noonan syndrome, and Poland syndrome.

**Synonyms:**

### **Pediatric Anesthesia**

Pediatric anesthesia requires age-appropriate dosing, equipment, and techniques. Children have higher metabolic rates, increased oxygen consumption, smaller functional residual capacity, and higher risk of desaturation. Airway anatomy differs (larger tongue, more anterior larynx, narrower subglottic area).

**Synonyms:**

### **Pediatric Appendicitis**

Acute inflammation of the vermiform appendix, usually caused by luminal obstruction. Children may

have evolving periumbilical-to-right-lower-quadrant pain, anorexia, vomiting, fever, and guarding, but presentation can be atypical in young children; timely surgical and antimicrobial assessment reduces perforation risk.

**Synonyms:**

### **Pediatric Cancer**

Cancer occurring in infants, children, or adolescents. Common types include leukemia, brain tumors, lymphoma, neuroblastoma, and Wilms tumor; prognosis varies by type and stage.

**Synonyms:**

### **Pediatric Dentistry**

Specialty of dental care for children. Manages primary dentition, growth, behavior. Preventive focus. Special needs adaptation.

**Synonyms:**

### **Pediatric Dermatology**

The medical specialty concerned with skin, hair, and nail disorders in infants, children, and adolescents. It includes congenital lesions, inflammatory diseases, infections, vascular lesions, and tumors.

**Synonyms:**

### **Pediatric Dermatology Conditions**

Distinct from adult dermatology. Birthmarks include vascular (hemangiomas, port-wine stains) and pigmented (café-au-lait, congenital nevi, Mongolian spots). Infantile hemangiomas proliferate in first months then involute. Congenital melanocytic nevi carry melanoma risk proportional to size.

**Synonyms:**

### **Pediatric Diabetic Ketoacidosis**

A life-threatening complication of type 1 diabetes characterized by hyperglycemia, metabolic acidosis, and ketosis. Presents with polyuria, polydipsia, vomiting, abdominal pain, Kussmaul respirations, and fruity breath odor.

**Synonyms:**

---

## **Pediatric Eczema**

Atopic dermatitis in children commonly begins in infancy with facial and extensor involvement; flexural disease predominates in older children. Pruritus, xerosis, sleep disturbance, and scratching are characteristic.

**Synonyms:**

## **Pediatric Fever**

An elevated body temperature in a child, usually caused by infection but sometimes by inflammation, medicines, or environmental heat. Evaluation depends on age, appearance, duration, and associated findings.

**Synonyms:**

## **Pediatric Health**

Pediatric health encompasses the physical, cognitive, emotional, and social development of children from infancy through adolescence, with emphasis on preventive care, developmental surveillance, and age-appropriate management of acute and chronic conditions.

**Synonyms:**

## **Pediatric Meningitis**

Inflammation of the meninges in children, bacterial forms being the most dangerous. Presents with fever, headache, neck stiffness, photophobia, altered mental status, and petechial rash (meningococcal). Infants may present with irritability, poor feeding, bulging fontanelle, and high-pitched cry.

**Synonyms:**

## **Pediatric Nuclear Medicine**

Special considerations for children: lower doses, sedation often needed, distraction techniques. Dose reduction: weight-based activity, optimized protocols.

**Synonyms:**

## **Pediatric Rehabilitation**

Rehabilitation for children with congenital or acquired disabilities. Developmental considerations, family-centered care, school collaboration.

**Synonyms:**

## **Pediatric Shock**

Inadequate tissue oxygen delivery or utilization in a child, most often caused by hypovolemia, distributive disease, cardiogenic dysfunction, or obstruction. Children may maintain blood pressure until late; tachycardia, abnormal perfusion, altered mental status, and oliguria are important early warning signs.

**Synonyms:**

## **Pediatric Skin Tumors**

Pediatric skin tumors differ from adult tumors. Infantile hemangioma is the most common benign tumor of infancy. Congenital melanocytic nevus carries risk of melanoma (larger nevi have higher risk). Juvenile xanthogranuloma is a benign histiocytic lesion. Pyogenic granuloma is a common vascular lesion. Dermoid cysts are congenital.

**Synonyms:**

## **Pediatric Toxicology**

Poisoning in children. Common: iron, medications, household cleaners, plants. Prevention: child-proof containers, education.

**Synonyms:**

## **Pediatrician**

A medical doctor who specializes in the health and medical care of children from birth through adolescence (typically up to age 16-18).

**Synonyms:**

## **Pediatrics**

The branch of medicine concerned with the health and medical care of infants, children, and adolescents from birth to age 18 (or up to age 16 in the UK).

**Synonyms:**

## **Pediculosis**

Infestation with lice. Head lice spread mainly through close head-to-head contact and cause scalp pruritus with nits attached to hair shafts. Body lice live in clothing and can transmit certain infec-

---

tions; pubic lice infest coarse hair-bearing regions. Treatment and contact management depend on the species and local resistance patterns.

**Synonyms:**

### **Pediculosis Capitis**

Infestation of the scalp by head lice, causing itching and attached eggs or lice in the hair.

**Synonyms:**

### **Pediculus humanus capitis**

A blood-sucking parasite commonly known as the louse (plural, lice) that can cause an itchy scalp; infestations are highly contagious and especially common in school-age children.

**Synonyms:**

### **Pedigree**

Diagram showing inheritance of traits through generations. Symbols: squares (males), circles (females), shaded (affected), half-shaded (carriers). Used to determine inheritance pattern and recurrence risk.

**Synonyms:**

### **Pedophilic Disorder**

A paraphilic disorder involving recurrent, intense sexual fantasies, urges, or behaviors toward pre-pubescent children, generally beginning in adolescence or adulthood. Clinical diagnosis requires the criteria to cause significant distress or impairment, or to be acted upon, and requires the person to meet established age-difference criteria.

**Synonyms:**

### **PEG Tube**

A feeding tube placed through the abdominal wall into the stomach using endoscopic guidance.

**Synonyms:**

### **Percutaneous Endoscopic Gastrostomy**

Endoscopic placement of a feeding tube through the abdominal wall directly into the stomach. Indications: long-term enteral feeding (>4 weeks) for dysphagia (stroke, ALS, dementia, head/neck cancer) and malnutrition.

**Synonyms:**

### **Pellagra**

A nutritional deficiency disease caused by a severe lack of niacin (Vitamin B3) or its precursor amino acid tryptophan.

**Synonyms:**

### **Pelvic Binder**

A circumferential device applied around the pelvis to reduce motion and hemorrhage from suspected unstable pelvic-ring injury. It should be centered over the greater trochanters and used with definitive imaging and hemorrhage-control management.

**Synonyms:**

### **Pelvic Cavity**

The lower abdominal cavity enclosed by the pelvis, containing the urinary bladder, internal reproductive organs, and rectum.

**Synonyms:**

### **Pelvic Congestion Syndrome**

Chronic pelvic pain associated with enlarged or inefficient pelvic veins, often worsening with prolonged standing, before menstruation, or after intercourse. Diagnosis requires evaluation for other causes of pelvic pain and may involve pelvic imaging; treatment is individualized by gynecology or vascular specialists.

**Synonyms:**

### **Pelvic Floor Dysfunction**

Weakness, overactivity, poor coordination, or injury of the muscles and connective tissues supporting the bladder, bowel, and reproductive organs. Symptoms may include urinary or fecal problems, pelvic pain, constipation, pain with sex, or pelvic organ prolapse; assessment may involve pelvic-health clinicians.

**Synonyms:**

### **Pelvic Floor Health and Disorders**

The pelvic floor is a musculofascial sling (levator ani, coccygeus, and surrounding fascia) spanning the pelvic outlet, supporting the pelvic organs (blad-

---

der, uterus, rectum), maintaining continence, and facilitating urination, defecation, and sexual function.

**Synonyms:**

### **Pelvic Inflammatory Disease**

Infection and inflammation of the upper female genital tract (uterus, fallopian tubes, ovaries, and peritoneum), most commonly caused by sexually transmitted infections (*Chlamydia trachomatis*, *Neisseria gonorrhoeae*). Presents with lower abdominal pain, cervical motion tenderness, adnexal tenderness, and fever.

**Synonyms:**

### **Pelvic Inlet**

The superior opening of the true pelvis, bounded by the sacral promontory posteriorly, the arcuate lines of the ilia laterally, and the symphysis pubis anteriorly. Its anteroposterior diameter (true conjugate) normally measures at least 11 cm. The transverse diameter is typically 13 cm.

**Synonyms:**

### **Pelvic Organ Prolapse**

POP: descent of the pelvic organs through the vagina due to pelvic floor weakness. Types: cystocele (anterior—bladder), rectocele (posterior—rectum), uterine prolapse (apical), enterocele, and vault prolapse (post-hysterectomy).

**Synonyms:**

### **Pelvic Outlet**

The inferior opening of the true pelvis, bounded by the pubic symphysis, ischial tuberosities, sacrotuberous ligaments, and coccyx. Normal anteroposterior diameter is 11-13 cm (from the lower border of the pubic symphysis to the tip of the coccyx), and the transverse diameter (between the ischial tuberosities) is approximately 10-11 cm.

**Synonyms:**

### **Pelvic Pain**

Pain localized to the lower abdomen, pelvis, or perineum, lasting <3 months (acute) or >3–6 months

(chronic), and can arise from gynecologic, urologic, gastrointestinal, musculoskeletal, or psychologic causes.

**Synonyms:**

### **Pelvic spleen**

An ectopic or wandering spleen that has descended into the pelvic cavity, resulting from laxity or absence of the normal ligamentous attachments that fix the spleen in the left upper quadrant. It may present as a palpable pelvic mass, with risk of torsion, infarction, or rupture. Diagnosis is by CT or ultrasound.

**Synonyms:**

### **Pelvis**

Bony ring from 2 hip bones, sacrum, and coccyx. Each hip bone fuses from ilium, ischium, and pubis meeting at the acetabulum. Divided into false (greater, above brim) and true (lesser, below brim) pelvis. Males: narrower, deeper, heart-shaped inlet. Females: wider, shallower, oval inlet for childbirth.

**Synonyms:**

### **Pemberton Sign**

Facial flushing, cyanosis, or breathing difficulty induced by raising both arms, suggesting obstruction at the thoracic inlet, often from a large retrosternal goiter.

**Synonyms:**

### **Pemberton's sign**

A clinical sign elicited by asking the patient to raise both arms above the head for one minute, causing facial plethora, cyanosis, and distended neck veins in patients with a substernal goiter or mediastinal mass compressing the thoracic inlet.

**Synonyms:**

### **Pemphigoid**

Bullous pemphigoid is an autoimmune subepidermal blistering disease caused by antibodies against hemidesmosomal proteins, especially BP180 and BP230. It usually causes intensely pruritic tense blisters on urticarial or erythematous skin, with less

---

mucosal involvement than pemphigus.

**Synonyms:**

### **Pemphigoid gestationis**

An autoimmune blistering disease of pregnancy characterised by intensely pruritic urticarial plaques and tense vesicles or bullae, typically arising in the second or third trimester around the umbilicus and spreading to the trunk and extremities.

**Synonyms:**

### **Pemphigus**

A group of autoimmune blistering diseases with intraepidermal blisters due to antibodies against desmogleins (cell adhesion molecules): pemphigus vulgaris (PV—flaccid blisters, mucosal involvement, positive Nikolsky sign), pemphigus foliaceus (superficial, no mucosal), paraneoplastic pemphigus.

**Synonyms:**

### **Pemphigus Vulgaris**

An autoimmune intraepidermal blistering disease caused by IgG antibodies against desmoglein 1 and 3. It presents with flaccid blisters that rupture easily, leaving painful erosions of skin and mucous membranes. Nikolsky sign is positive (lateral pressure causes epidermal sloughing).

**Synonyms:**

### **Penetrance**

Proportion of individuals with a particular genotype who express the expected phenotype. Complete penetrance: all with genotype show phenotype. Incomplete penetrance: some with genotype do not show phenotype.

**Synonyms:**

### **Penetrating Abdominal Trauma**

Injury to the abdomen caused by a projectile, sharp object, or other penetrating force. It may damage abdominal organs or blood vessels and requires urgent assessment for internal bleeding or organ injury; management depends on the mechanism, examination, stability, and imaging findings.

**Synonyms:**

### **Congenital Penile Curvature**

Curvature of the penis present from birth, usually caused by unequal development of the erectile tissues. Mild curvature may need no treatment; significant curvature causing functional difficulty may require specialist assessment.

**Synonyms:**

### **Penile Adhesions**

Abnormal attachment of penile skin to the glans, often after circumcision or during childhood. They may cause irritation or conceal part of the glans and are assessed and treated according to severity.

**Synonyms:**

### **Penile Discharge**

Fluid leaving the urethral opening that is not normal urine or semen. It may result from urethritis, including sexually transmitted infection, and requires clinical assessment and appropriate testing.

**Synonyms:**

### **Penile Edema**

Swelling of the penis caused by inflammation, infection, trauma, allergic reaction, impaired lymphatic drainage, or a constricting ring or retracted foreskin. Sudden painful swelling with an irreducible foreskin is an emergency.

**Synonyms:**

### **Penile Cancer**

Rare malignancy, mostly squamous cell carcinoma. Risk factors: HPV, phimosis, poor hygiene, smoking. Presentation: penile lesion, ulcer, mass. Treatment: surgery (partial/total penectomy), radiation, chemotherapy.

**Synonyms:**

### **Penile Fracture**

Rupture of tunica albuginea during erection. "Pop" sound, immediate detumescence, swelling, ecchymosis. Surgical emergency.

**Synonyms:**



---

## Penile Implant

A surgically implanted device used to produce penile rigidity in selected people with erectile dysfunction that has not responded to other treatments.

**Synonyms:**

## Penile Prosthesis

Inflatable or malleative device for erectile dysfunction. Types: two-piece, three-piece (reservoir, pump, cylinders). Surgical implantation. Complications: infection, erosion, mechanical failure, dissatisfaction.

**Synonyms:**

## Penile Torsion

Rotation of the penis around its longitudinal axis, usually a congenital condition in which the glans or urethral opening is rotated. Symptomatic or marked torsion may require urologic evaluation and surgical correction.

**Synonyms:**

## Penile Hygiene

Routine cleaning and drying of the penis and foreskin, with gentle retraction only when it moves freely and replacement afterward. Good hygiene helps reduce irritation and infection without harsh soaps or forceful retraction.

**Synonyms:**

## Penis

The male external genital organ, composed of three erectile columns: two dorsal corpora cavernosa and one ventral corpus spongiosum (containing the urethra, expanding into the glans). Root is attached to the pubic arch (crura and bulb).

**Synonyms:**

## Pentad of TTP

Classic clinical pentad of Thrombotic Thrombocytopenic Purpura: (1) Thrombocytopenia, (2) Microangiopathic Hemolytic Anemia (schistocytes), (3) Neurological symptoms, (4) Renal insufficiency, and (5) Fever. See Thrombotic Thrombocytopenic Purpura (TTP).

**Synonyms:**

## Pentavalent Vaccine

A WHO-prequalified five-in-one combination vaccine containing Diphtheria toxoid, Tetanus toxoid, whole-cell Pertussis antigen, Hepatitis B (HBsAg), and Haemophilus influenzae type b (Hib) conjugate, administered as a single intramuscular injection.

**Synonyms:**

## Pentose Phosphate Pathway

A cytoplasmic glucose oxidation pathway running parallel to glycolysis, primarily in the liver, adipose tissue, adrenal cortex, and red blood cells. It has two phases: the oxidative phase (producing NADPH and ribose-5-phosphate) and the non-oxidative phase (interconverting sugar phosphates).

**Synonyms:**

## Peptic Ulcer

An open sore in the stomach or duodenal lining caused most often by Helicobacter pylori infection or nonsteroidal anti-inflammatory drug use. It may cause burning upper-abdominal pain, bleeding, perforation, or obstruction. Also called peptic ulcer disease.

**Synonyms:** peptic ulcer.

## Peptic Ulcer Bleeding

Haemorrhage caused by erosion of an artery or other blood vessel beneath a gastric or duodenal peptic ulcer. It is a common cause of upper gastrointestinal bleeding and may present with haematemesis, coffee-ground vomiting, melaena, or haemodynamic instability.

**Synonyms:**

## Peptic Ulcer Disease

Condition characterized by ulceration of the gastrointestinal mucosa extending through the muscularis mucosae into the submucosa or deeper layers, occurring most commonly in the duodenal bulb and gastric antrum.

**Synonyms:**

---

## Peptide Bond

A covalent amide bond formed between the carboxyl group of one amino acid and the amino group of another, releasing water. Peptide bonds link amino acids into polypeptide chains and have partial double-bond character that restricts rotation.

**Synonyms:**

## Percussion

Tapping body surface to assess underlying structures. Sounds: dull (solid organ, fluid), resonant (lung), tympanic (gas-filled). Used to assess organ size, presence of fluid, air.

**Synonyms:**

## Percussion Note

The sound produced by percussing the chest wall. Normal lung produces a resonant note. Dullness suggests consolidation or fluid. Hyperresonance suggests pneumothorax or emphysema. Stony dullness suggests pleural effusion. Tympany suggests large pneumothorax.

**Synonyms:**

## Percutaneous Biopsy

Removal of tissue through the skin using a needle or other instrument, often guided by ultrasound, CT, or another imaging method.

**Synonyms:**

## Percutaneous Coronary Intervention

A catheter-based procedure to open blocked coronary arteries, typically involving balloon angioplasty and stent placement. Indications include acute STEMI (primary PCI), NSTEMI (early invasive strategy), and stable CAD with significant stenosis. Drug-eluting stents have reduced restenosis rates compared to bare-metal stents.

**Synonyms:**

## Percutaneous Drainage

Placement of a needle or catheter through the skin to drain a fluid collection or obstructed body space, often with imaging guidance.

**Synonyms:**

## Percutaneous Nephrolithotomy

Minimally invasive surgical procedure for removing large, complex, or staghorn renal calculi. Access: a needle track is established under fluoroscopic or ultrasound guidance from the flank through the renal parenchyma into the target renal calyx, dilated to allow passage of a nephroscope and working sheath.

**Synonyms:**

## Percutaneous Transluminal Angioplasty

Balloon dilation of arterial stenosis. Often combined with stenting.

**Synonyms:**

## Percutaneous Umbilical Blood Sampling

An invasive procedure for fetal blood sampling from the umbilical vein under ultrasound guidance, typically performed after 18-20 weeks.

**Synonyms:**

## Perforation of a viscus

Full-thickness breach of the wall of a hollow abdominal organ, most commonly the stomach, duodenum, or colon, resulting in leakage of luminal contents into the peritoneal cavity. Causes include peptic ulcer disease, diverticulitis, appendicitis, inflammatory bowel disease, ischemia, and trauma.

**Synonyms:**

## Performance Status

A standardized measure of a patient's functional ability and activity level, commonly recorded with ECOG or Karnofsky scales. It helps estimate prognosis, determine treatment eligibility, and quantify change during cancer care.

**Synonyms:**

## Perfusion

Blood flow through tissue. Adequate perfusion essential for organ function.

**Synonyms:**

## Perfusion Imaging

Imaging tissue blood flow. CT perfusion, MR perfusion, PET perfusion. Used for stroke, tumor char-

---

acterization.

**Synonyms:**

### **Perfusion PET**

Tracers: Rb-82, N-13 ammonia, O-15 water. Measure blood flow.

**Synonyms:**

### **Periapical Abscess**

An acute or chronic localized collection of pus at the apex of a tooth's root, arising from pulpal infection and necrosis (usually due to untreated dental caries or trauma).

**Synonyms:**

### **Periapical Granuloma**

A chronic inflammatory lesion at the apex of a tooth, usually resulting from pulpal necrosis and persistent apical infection. It may be asymptomatic and is diagnosed through clinical, radiographic, and sometimes histopathologic assessment.

**Synonyms:**

### **Pericardial Cavity**

The narrow, fluid-filled space between the layers of the pericardium surrounding the heart.

**Synonyms:**

### **Pericardial Effusion**

The accumulation of excess fluid within the pericardial space. The clinical significance is determined by both the volume of fluid and the rate of accumulation; rapid accumulation of even small volumes can restrict cardiac filling, leading to cardiac tamponade. Symptoms include chest pressure, dyspnea, and orthopnea.

**Synonyms:**

### **Pericardial Effusion Etiology**

Causes include infection, malignancy, kidney failure, hypothyroidism, autoimmune disease, inflammation after myocardial injury or cardiac surgery, radiation, trauma, and some medications. The likely cause varies with geography, age, medical history, and immune status.

**Synonyms:**

### **Pericardial Knock**

A high-pitched, early diastolic sound caused by sudden cessation of ventricular filling in constrictive pericarditis. It is heard at the left sternal border and may be confused with an S3 or opening snap. The knock is typically louder with inspiration and is a characteristic finding in constrictive pericarditis.

**Synonyms:**

### **Pericardial metastases**

Cancer deposits in the pericardium, which may cause inflammation or accumulation of fluid around the heart.

**Synonyms:**

### **Pericardial Tamponade**

Fluid accumulation in pericardial space compromising cardiac filling. Beck triad: hypotension, jugular venous distension, muffled heart sounds. Electrical alternans on ECG. Diagnosis: echocardiography. Treatment: emergent pericardiocentesis, pericardial window.

**Synonyms:**

### **Pericardiocentesis**

A procedure to aspirate fluid from the pericardial space, performed emergently for cardiac tamponade or diagnostically for pericardial effusion. The subxiphoid approach is most commonly used, with the needle directed toward the left shoulder under echocardiographic guidance.

**Synonyms:**

### **Pericarditis**

Inflammation of the pericardium, the fibrous sac surrounding the heart. Acute pericarditis presents with sharp, pleuritic chest pain that improves with leaning forward, pericardial friction rub, and diffuse ST elevation on ECG.

**Synonyms:**

### **Pericardium**

The fibroserous sac surrounding the heart and prox-

---

imal great vessels. Outer fibrous pericardium (anchors to diaphragm, sternum) and inner serous pericardium (parietal layer lining the sac; visceral layer/epicardium on the heart) with the pericardial cavity (15-50 mL serous fluid) between them.

**Synonyms:**

### **Perichondritis of the Ear**

Infection or inflammation of the auricular perichondrium, often after trauma, piercing, or surgery. *Pseudomonas aeruginosa* is an important cause; delayed treatment can produce cartilage necrosis and permanent deformity.

**Synonyms:**

### **Pericoronitis**

Inflammation of the soft tissue around the crown of a partially erupted tooth, most often a mandibular third molar. Food retention and bacterial accumulation may cause pain, swelling, trismus, fever, or spread into deeper spaces.

**Synonyms:**

### **Periductal mastitis**

Inflammation around the major subareolar ducts, often associated with smoking, causing a painful periareolar mass, discharge, or recurrent breast abscess.

**Synonyms:**

### **Perilymphatic Fistula**

Abnormal communication between the inner ear fluid spaces and the middle ear or mastoid, often after trauma, barotrauma, or surgery. It may cause episodic vertigo, hearing loss, tinnitus, or pressure-induced symptoms and requires specialist evaluation.

**Synonyms:**

### **Perimenopause**

The transition time in a woman's life that begins when ovaries produce less estrogen and menstruation becomes less frequent, and ends when the ovaries no longer produce eggs and menstruation stops.

**Synonyms:**

### **Perinatal Psychiatry**

The subspecialty focused on psychiatric disorders during pregnancy and the postpartum period. Common conditions include perinatal depression, perinatal anxiety, perinatal OCD, and postpartum psychosis. Medication selection must balance maternal mental health with fetal or neonatal exposure risks.

**Synonyms:**

### **Perineal Laceration**

Tearing of the perineal tissues during vaginal delivery. The injury is graded by depth: it may involve skin, perineal muscle, the anal sphincter, or the rectal mucosa.

**Synonyms:**

### **Perineal Laceration Classification**

Obstetric perineal tears are graded by depth: first degree involves skin, second degree involves perineal muscle, third degree involves the anal sphincter complex, and fourth degree extends through the rectal mucosa. Accurate examination and repair reduce long-term pelvic-floor and continence complications.

**Synonyms:**

### **Perineal Protection**

Techniques used during the second stage to minimize perineal trauma (lacerations, episiotomy). Manual protection: the attendant's hand applies gentle pressure to the fetal head to control the speed of delivery (not too fast), supporting the perineum and flexing the fetal head.

**Synonyms:**

### **Perineal Tear**

Laceration of the perineum during vaginal delivery, classified by degree: first degree (skin only), second degree (perineal muscles), third degree (sphincter complex involvement), and fourth degree (rectal mucosa). Most deliveries involve first or second degree tears. Third and fourth degree tears risk fecal incontinence.

**Synonyms:**

---

## Perineum

The region between the external genitalia and anus, bounded by the pubic symphysis, coccyx, and ischial tuberosities. It contains structures of the urogenital and anal regions and stretches during childbirth.

**Synonyms:**

## Periodontal Abscess

A localized accumulation of pus within periodontal tissues, commonly associated with a periodontal pocket, foreign material, or impaired drainage. It may cause pain, swelling, suppuration, tooth mobility, and systemic symptoms and requires urgent dental assessment.

**Synonyms:**

## Periodontal Disease

Inflammation and destruction of the tissues supporting the teeth, usually caused by dental plaque. It can lead to gum bleeding, bone loss, loose teeth, and tooth loss.

**Synonyms:**

## Periodontal Flap Surgery

Surgical access for deep debridement. Flap reflected, calculus removed, bone contoured, flap repositioned.

**Synonyms:**

## Periodontal Ligament

Connective tissue attaching tooth to bone. Contains collagen fibers, cells, blood vessels, nerves. Provides proprioception, shock absorption. Expanded in bruxism.

**Synonyms:**

## Periodontal Pocket

A pathologically deepened gingival sulcus caused by apical migration of the junctional epithelium and loss of periodontal attachment. Pocket depth and clinical attachment level are measured with a periodontal probe and interpreted with bleeding, inflammation, and radiographic bone loss.

**Synonyms:**

## Periodontal Probing

Measurement of the depth of the gingival sulcus/pocket using a periodontal probe with millimeter markings. Normal: 1–3 mm. Periodontal pockets:  $\geq 4$  mm (indicates attachment loss and periodontitis). Full-mouth probing at 6 sites per tooth: mesio-buccal, mid-buccal, disto-buccal, mesio-lingual, mid-lingual, disto-lingual.

**Synonyms:**

## Periodontitis

Inflammatory disease destroying supporting structures of teeth (periodontal ligament, alveolar bone). Caused by dysbiotic plaque biofilm with host immune response. Clinical signs: pocket formation, attachment loss, bone loss, tooth mobility, recession. Staging and grading guide treatment.

**Synonyms:**

## Perioperative Antibiotic Prophylaxis

Administration of an appropriate antimicrobial within a defined interval before incision to reduce infection risk for selected procedures. Choice, timing, redosing, and discontinuation depend on procedure, organisms, patient factors, and local guidance.

**Synonyms:**

## Perioral Dermatitis

A papulopustular eruption around the mouth, sparing the vermilion border. It is more common in young women and associated with topical corticosteroid use. Other triggers include fluoridated toothpaste, cosmetics, and inhaler steroids.

**Synonyms:**

## Periosteum

The dense connective tissue membrane covering the outer surface of bones (except at articular surfaces, which are covered by cartilage). Two layers: outer fibrous (collagen, vessels, nerves) and inner cambium (osteoprogenitor cells, osteoblasts).

**Synonyms:**

## Peripancreatic malignancy

Neoplastic process involving tissues surrounding the

---

pancreas, including primary pancreatic adenocarcinoma with peripancreatic extension and metastatic disease from adjacent or distant organs. Often presents at an advanced stage with abdominal pain, weight loss, obstructive jaundice, and new-onset diabetes.

**Synonyms:**

### Peripartum Cardiomyopathy

A form of dilated cardiomyopathy occurring in the last month of pregnancy or within 5 months postpartum, with no other identifiable cause. Risk factors include advanced maternal age, multiple gestations, preeclampsia, and African American race. Presents with heart failure symptoms.

**Synonyms:**

### Peripartum Cardiomyopathy Prognosis

Recovery of ventricular function varies widely. Prognosis is influenced by the initial ejection fraction, ventricular size, symptoms, treatment, complications, and follow-up; persistent dysfunction requires ongoing cardiac care.

**Synonyms:**

### Peripheral

Located away from the center or toward the outer edges of the body or an organ.

**Synonyms:**

### Peripheral Arterial Disease

Atherosclerotic narrowing of arteries supplying limbs. Symptoms: intermittent claudication (pain with walking, relieved by rest), critical limb ischemia (rest pain, ulcers, gangrene). Diagnosis: ABI <0.9, Doppler, angiography. Treatment: risk factor modification, exercise, cilostazol, revascularization for severe disease.

**Synonyms:**

### Peripheral Artery Disease

Narrowing of arteries supplying the limbs, usually caused by atherosclerosis. It may cause exertional leg pain relieved by rest, reduced pulses, nonhealing wounds, or critical limb ischemia. Also called

peripheral arterial disease.

**Synonyms:** peripheral arterial disease.

### Peripheral Blood Smear

Microscopic examination of a stained blood smear (Wright-Giemsa stain).

**Synonyms:**

### Peripheral Edema

Swelling due to accumulation of fluid in the interstitial space of the limbs, most commonly the lower extremities.

**Synonyms:**

### Peripheral Nerve Blocks

Peripheral nerve blocks provide targeted anesthesia and analgesia for specific surgical sites. Ultrasound-guided blocks improve success rates and reduce complications.

**Synonyms:**

### Peripheral Nerve Injuries

Damage to nerves outside the brain and spinal cord caused by trauma, compression, stretching, disease, or toxins. It may cause pain, numbness, weakness, or loss of function; recovery depends on the severity and location of the injury.

**Synonyms:**

### Peripheral Nervous System

The portion of the nervous system consisting of nerves and ganglia outside the brain and spinal cord. The PNS connects the central nervous system (CNS) to peripheral tissues and organs. Components: (1) Cranial nerves (12 pairs)—emerging from the brain/brainstem, innervating head, neck, and viscera.

**Synonyms:**

### Peripheral Neuropathy

A disorder of peripheral nerves causing sensory, motor, and/or autonomic symptoms in a distal, symmetric 'stocking-glove' pattern.

**Synonyms:**



---

### **Periprosthetic Joint Infection**

Infection involving a joint prosthesis and adjacent tissues. Diagnosis integrates clinical findings, inflammatory markers, joint-fluid analysis and culture, and imaging; treatment may require debridement, implant retention, staged exchange, or resection arthroplasty.

**Synonyms:**

### **Perirenal extramedullary hematopoiesis**

Formation of blood cells in the tissue surrounding the kidney, occurring as a compensatory response to chronic severe anemia such as myelofibrosis or thalassemia major.

**Synonyms:**

### **Peristalsis**

Rhythmic sequential contractions of longitudinal and circular smooth muscle that propel gastrointestinal contents in an aboral (oral to anal) direction.

**Synonyms:**

### **Peritoneal Carcinomatosis**

Diffuse metastatic seeding of the peritoneal cavity from gastrointestinal or ovarian malignancies. Presents with ascites, bowel obstruction, and cachexia. Diagnosed by CT and paracentesis showing malignant cells. Prognosis is generally poor.

**Synonyms:**

### **Peritoneal Dialysis**

Dialysis using peritoneum as semipermeable membrane. CAPD with four manual exchanges daily or APD using cyclor overnight. Advantages include home-based therapy and hemodynamic stability. Complications include peritonitis and catheter infection. Tenckhoff catheter is standard access.

**Synonyms:**

### **Peritoneal Dialysis Catheter**

Flexible tube surgically placed into the peritoneal cavity for peritoneal dialysis. The Tenckhoff catheter is the most commonly used type with one or two cuffs that promote tissue ingrowth and anchor

the catheter. Placement can be done surgically, laparoscopically, or percutaneously under radiological guidance.

**Synonyms:**

### **Peritoneal Infection**

Infection of the lining of the abdominal cavity, often called peritonitis. Causes include a ruptured appendix or bowel, abdominal surgery, pelvic infection, or contamination during dialysis. Severe abdominal pain, fever, vomiting, or a rigid abdomen requires urgent assessment.

**Synonyms:**

### **Peritoneum**

The serous membrane lining the abdominal cavity and covering the abdominal organs. Parietal peritoneum lines the abdominal wall (innervated by somatic nerves—pain is well-localized); visceral peritoneum covers organs (innervated by visceral afferents—pain is dull, poorly localized).

**Synonyms:**

### **Peritonitis**

Inflammation or infection of the peritoneum, commonly caused by a perforated abdominal organ, appendicitis, abdominal trauma, or infection of ascitic fluid. Severe abdominal pain, guarding, fever, vomiting, or shock requires urgent medical evaluation.

**Synonyms:**

### **Peritonitis in PD**

Infection or inflammation of the peritoneum in a person receiving peritoneal dialysis. Cloudy effluent, abdominal pain, or fever requires prompt evaluation of the effluent and other causes. Treatment usually includes antibiotics selected for the suspected organisms; recurrent or refractory infection may require catheter removal.

**Synonyms:**

### **Peritonsillar Abscess**

A collection of pus beside the tonsil, usually developing as a complication of tonsillar infection. See

---

Quinsy.

**Synonyms:**

### **Periungual fibroma**

Benign, flesh-colored or pink fibrous tumors arising from the nail fold or nail bed, presenting as firm, exophytic nodules that may distort the nail plate. They occur sporadically or in association with tuberous sclerosis complex. When multiple periungual fibromas are present, they raise suspicion for tuberous sclerosis.

**Synonyms:**

### **Periventricular Leukomalacia**

Ischemic white matter injury in the premature infant brain, a major cause of cerebral palsy. Risk factors include prematurity, hypotension, and inflammation. Diagnosis by cranial ultrasound showing periventricular echodensities or cystic changes. Prevention: avoiding hypotension, maintaining normothermia, and managing infection.

**Synonyms:**

### **Permissive Hypercapnia**

A ventilator strategy that allows PaCO<sub>2</sub> to rise above normal (and pH to fall) in exchange for lung-protective ventilation with lower tidal volumes and airway pressures. It is used in severe ARDS when achieving normal PaCO<sub>2</sub> would require harmful ventilation parameters.

**Synonyms:**

### **Pernicious Anemia**

A type of vitamin B12 deficiency anemia caused by autoimmune destruction of gastric parietal cells, leading to lack of intrinsic factor and impaired B12 absorption in the terminal ileum.

**Synonyms:**

### **Peroxisome**

Single-membrane organelles containing oxidative enzymes (catalase, urate oxidase, D-amino acid oxidase) that produce and degrade hydrogen peroxide (H<sub>2</sub>O<sub>2</sub>).

**Synonyms:**

### **Persistent Asthma**

Asthma requiring daily controller therapy. Mild persistent: symptoms > 2 days/week but not daily. Moderate persistent: daily symptoms, nighttime awakenings > 1/week. Severe persistent: symptoms throughout the day, frequent nighttime awakenings, SABA use several times/day, extremely limited activity.

**Synonyms:**

### **Persistent Depressive Disorder**

formerly called dysthymia, a chronic depressive mood lasting at least two years in adults (one year in children and adolescents).

**Synonyms:**

### **Persistent Organic Pollutant**

POCPs: organochlorines, PCBs, dioxins. Bioaccumulate, long-range transport, persistent. Stockholm Convention bans/restricts.

**Synonyms:**

### **Persistent Pulmonary Hypertension of the Newborn**

Failure of the normal fall in pulmonary vascular resistance after birth, causing right-to-left shunting and hypoxaemia. Management requires urgent neonatal respiratory and circulatory support.

**Synonyms:**

### **Persistent pupillary membranes**

Remnants of the fetal tunica vasculosa lentis that fail to regress after birth, appearing as fine pigmented strands bridging across the pupil or attaching from the iris collarette to the lens capsule. They are usually benign and asymptomatic but may rarely obstruct the visual axis requiring surgical or laser treatment.

**Synonyms:**

### **Personal Protective Equipment**

PPE: gloves, gowns, masks, eye protection. Used based on transmission-based precautions.

**Synonyms:**

---

## Personality Disorder

A group of mental disorders characterized by enduring maladaptive patterns of thinking, feeling, and behaving that deviate from cultural expectations and cause functional impairment. Cluster A (odd/eccentric): paranoid, schizoid, schizotypal. Cluster B (dramatic/erratic): antisocial, borderline, histrionic, narcissistic.

**Synonyms:**

## Personalized Medicine

An approach that uses a person's biological, clinical, and sometimes genetic information to guide prevention, diagnosis, or treatment.

**Synonyms:**

## Pertussis

A contagious respiratory infection caused by *Bordetella pertussis* and characterized by severe coughing spells. See Whooping Cough.

**Synonyms:**

## Pessaries

Devices inserted into the vagina to support pelvic organs in cases of pelvic organ prolapse (cystocele, rectocele, uterine prolapse). Types: ring pessary (most common, with or without supportive membrane), shelf pessary (for severe prolapse), cube pessary (suction-based), and Gellhorn pessary (for advanced prolapse).

**Synonyms:**

## Pessary

A removable device placed in the vagina to provide structural support for pelvic organ prolapse (uterine prolapse, cystocele, rectocele) or stress urinary incontinence.

**Synonyms:**

## PET Scan

An imaging study that detects the distribution of a radioactive tracer to assess tissue metabolism or function.

**Synonyms:**

## PET Scan (Positron Emission Tomography)

Nuclear medicine imaging using radioactive tracers (most commonly FDG, a glucose analog) to detect metabolically active tissues.

**Synonyms:** Positron Emission Tomography

## PET Scanner

Ring of detectors capturing coincidence events. BGO, LSO, or LYSO crystals. Time-of-flight PET improves signal-to-noise.

**Synonyms:**

## PET Tracers

18F-FDG: glucose metabolism (cancer, infection, inflammation). 18F-fluoride: bone turnover. 11C-metionine: protein synthesis. 68Ga-DOTATATE: somatostatin receptors. 68Ga-PSMA: prostate cancer.

**Synonyms:**

## PET/CT

Combined PET and CT imaging. CT provides anatomical localization and attenuation correction. Essential for accurate interpretation. Low-dose CT for attenuation correction; diagnostic CT for detailed anatomy.

**Synonyms:**

## PET/MRI

Combined PET and MRI. Superior soft tissue contrast, no ionizing radiation from CT. Useful for neurology, oncology, cardiology. Longer scan time, higher cost.

**Synonyms:**

## Petechiae

Small, pinpoint, non-blanching red or purple spots on the skin or mucous membranes caused by extravasation of red blood cells from capillaries into the surrounding tissue. They are typically less than 2 millimeters in diameter and result from decreased platelet count, platelet dysfunction, or increased vascular fragility.

**Synonyms:**

---

### Petit Mal

An older term for an absence seizure, a brief episode of impaired awareness with little or no movement.

**Synonyms:**

### Peutz-Jeghers Syndrome

An autosomal dominant neurocutaneous disorder caused by germline loss-of-function mutations in the STK11 (LKB1) tumor suppressor gene on chromosome 19p13.

**Synonyms:**

### Peutz-Jeghers's syndrome

An autosomal dominant condition caused by STK11 gene mutations, characterized by hamartomatous polyps throughout the gastrointestinal tract and mucocutaneous hyperpigmented macules on the lips, buccal mucosa, and digits. The polyps may cause gastrointestinal bleeding, intussusception, and obstruction.

**Synonyms:**

### Peyronie Disease

Fibrous plaque in penis causing curvature, pain, erectile dysfunction. Treatment: observation, medications, injection therapy, surgery.

**Synonyms:**

### Pfeiffer Syndrome

An autosomal dominant craniosynostosis syndrome caused by FGFR1 or FGFR2 mutations. Features: craniosynostosis (bilateral coronal), midface hypoplasia, proptosis, hypertelorism, broad thumbs and great toes (medial deviation), and variable syndactyly.

**Synonyms:**

### pH

Measure of hydrogen ion concentration:  $\text{pH} = -\log[\text{H}^+]$ . Normal blood pH: 7.35-7.45. Acidemia:  $\text{pH} < 7.35$ . Alkalemia:  $\text{pH} > 7.45$ . Buffers minimize pH changes.

**Synonyms:**

### pH Monitoring

Measurement of esophageal pH. Evaluates gastroesophageal reflux disease.

**Synonyms:**

### Phacoemulsification

A cataract-surgery technique that uses ultrasound to break up and remove the cloudy lens through a small incision. An intraocular lens is usually implanted to restore focusing ability.

**Synonyms:**

### Phagocytosis

The process by which specialized cells (phagocytes) engulf and destroy foreign particles, microorganisms, and cellular debris.

**Synonyms:**

### Phalanges

14 finger bones. Thumb: 2 (proximal, distal). Each other finger: 3 (proximal, middle, distal). MCP joints are condyloid allowing flexion, extension, abduction, adduction, circumduction. IP joints are hinge joints allowing only flexion/extension. Mallet finger and jersey finger are common tendon avulsion injuries.

**Synonyms:**

### Phalen Test

Wrist flexion test for carpal tunnel syndrome. Symptoms reproduced within 60 seconds.

**Synonyms:**

### Phantom

Device simulating human anatomy for quality control and calibration. Types: line source, uniform, Jaszczak, NEMA IU body phantom.

**Synonyms:**

### Phantom Limb Pain

Painful sensations perceived in a limb that has been amputated, caused by persistent or reorganized activity in peripheral nerves and central sensory pathways. It may feel burning, shooting, cramping, or electric.

---

**Synonyms:**

### **Phantosmia**

Perception of a smell when no corresponding odor is present. It may occur with sinonasal disease, migraine, seizures involving olfactory networks, head injury, neurodegenerative disease, infection, or other neurological conditions.

**Synonyms:**

### **Pharmaceutical**

A medicine or medicinal preparation produced for prevention, diagnosis, or treatment of disease.

**Synonyms:**

### **Pharmacodynamic Interaction**

A drug interaction in which one drug changes the effect of another at its site of action without necessarily changing its concentration. Effects may be additive, synergistic, or antagonistic, such as combined respiratory depression or bleeding risk.

**Synonyms:**

### **Pharmacodynamics**

The study of the biochemical and physiological effects of drugs on the body and their mechanisms of action, describing what the drug does to the body.

**Synonyms:**

### **Pharmacogenetics**

Study of genetic variation affecting drug response. Examples: TPMT (mercaptopurine toxicity), CYP2C9/VKORC1 (warfarin dosing), HLA-B\*1502 (carbamazepine SJS in Asians), HLA-B\*5701 (abacavir hypersensitivity), UGT1A1 (irinotecan toxicity).

**Synonyms:**

### **Pharmacogenomics**

The study of how genetic variations influence individual responses to drugs, including drug efficacy, toxicity, and metabolism. Genetic polymorphisms in drug-metabolizing enzymes, transporters, and receptors can lead to significant inter-individual variability in drug response.

**Synonyms:**

### **Pharmacokinetic Interaction**

A drug interaction that changes absorption, distribution, metabolism, or excretion of another drug, thereby altering its concentration over time. Enzyme inhibition, enzyme induction, transporter effects, and altered gastric pH are common mechanisms.

**Synonyms:**

### **Pharmacokinetics**

The study of what the body does to a medicine, including its absorption, distribution, metabolism, and elimination. It helps explain drug concentrations over time and supports dose selection.

**Synonyms:**

### **Pharmacological Stress Test**

Stress testing using medications (dobutamine, adenosine, regadenoson). For patients unable to exercise.

**Synonyms:**

### **Pharmacology**

The scientific study of drugs and their actions, properties, sources, and effects on living systems.

**Synonyms:**

### **Pharmacovigilance**

The science and activities relating to the detection, assessment, understanding, and prevention of adverse drug reactions and other drug-related problems.

**Synonyms:**

### **Pharyngeal Tonsil**

The adenoid tissue located in the roof of the nasopharynx, behind the nose.

**Synonyms:**

### **Pharyngitis**

Inflammation of the throat that commonly causes soreness or pain with swallowing. It is usually viral but may be caused by bacteria or other conditions;

---

fever, cough, rash, and examination findings help guide evaluation.

**Synonyms:**

### **Pharynx**

A muscular tube extending from the base of the skull (clivus) to the level of the cricoid cartilage (C6), where it continues as the esophagus.

**Synonyms:**

### **Phase I Metabolism**

Phase I metabolism involves chemical modification of drug molecules through oxidation, reduction, and hydrolysis reactions, primarily catalyzed by the cytochrome P450 enzyme system in the liver.

**Synonyms:**

### **Phase II Metabolism**

Phase II metabolism, also known as conjugation reactions, involves the attachment of endogenous hydrophilic molecules to drugs or their Phase I metabolites, dramatically increasing water solubility and facilitating renal excretion.

**Synonyms:** conjugation reactions, involves the attachment of.

### **Phencyclidine**

A dissociative drug that can cause altered perception, agitation, hallucinations, impaired coordination, or dangerous behavior.

**Synonyms:**

### **Phenotype**

Observable characteristics of an individual, resulting from genotype and environmental interactions. Includes morphology, development, biochemical properties, behavior.

**Synonyms:**

### **Phenylketonuria**

An inherited disorder, usually due to phenylalanine hydroxylase deficiency, causing accumulation of phenylalanine and reduced tyrosine availability. Untreated disease can cause intellectual disability, seizures, eczema, and a musty odor; newborn screen-

ing and dietary treatment are effective.

**Synonyms:**

### **Pheochromocytoma**

Catecholamine-secreting tumor arising from chromaffin cells of the adrenal medulla or extra-adrenal paraganglia. Approximately ten percent are bilateral, ten percent are extra-adrenal, and ten percent are malignant. Classic presentation includes episodic headache, sweating, and palpitations with sustained or paroxysmal hypertension.

**Synonyms:**

### **Phimosis**

Inability to retract the foreskin (prepuce) proximally over the glans penis. Physiologic phimosis is normal in infants and uncircumcised young boys due to natural adhesions between glans and prepuce, resolving spontaneously in over 90% by age 3-5 years.

**Synonyms:**

### **Phlebitis**

Inflammation of a vein, often affecting the lower extremities. Superficial thrombophlebitis: inflammation and thrombosis of a superficial vein (great saphenous vein most common), presenting with erythema, tenderness, warmth, and a palpable cord along the vein.

**Synonyms:**

### **Phlebography**

Venography using contrast dye. Used for diagnosing venous thrombosis, malformations. Largely replaced by duplex ultrasound.

**Synonyms:**

### **Phlegmasia cerulea dolens**

Massive deep vein thrombosis causing severe venous outflow obstruction, cyanosis, marked edema, and compromised arterial perfusion. A limb-threatening emergency with risk of venous gangrene and pulmonary embolism. Requires urgent anticoagulation and consideration of thrombolysis or surgical thrombectomy.

**Synonyms:**



---

## Phobias

Persistent, excessive fear of a specific object or situation that leads to avoidance or significant distress.

**Synonyms:**

## Phocomelia

A severe congenital limb deficiency where the proximal portion of a limb (humerus/femur, radius/tibia) is absent or severely hypoplastic, and the hand or foot attaches directly to the trunk. Most famously associated with thalidomide exposure during the first trimester of pregnancy (days 20-36 after conception).

**Synonyms:**

## Phosphate

An inorganic ion and component of nucleotides, phospholipids, proteins, and bone mineral. It participates in ATP energy transfer, phosphorylation-dependent signaling, intracellular buffering, and acid excretion by the kidney.

**Synonyms:**

## Phosphate Binders

Calcium acetate, sevelamer, lanthanum. Bind dietary phosphate in GI tract. Target normal serum phosphorus in CKD-MBD. Avoid calcium-based binders in patients with vascular calcification.

**Synonyms:**

## Phosphate Homeostasis

Serum phosphate is regulated by the interplay of PTH vitamin D and fibroblast growth factor 23. PTH promotes renal phosphate excretion. Active vitamin D stimulates intestinal phosphate absorption. FGF23 produced by osteocytes inhibits renal phosphate reabsorption and suppresses 1-alpha-hydroxylase reducing active vitamin D production.

**Synonyms:**

## Phosphodiesterase Inhibitor

A class of drugs that inhibit phosphodiesterase enzymes, which break down cyclic nucleotides (cAMP and cGMP), thereby increasing intracellular levels of these second messengers and potentiating their

downstream effects.

**Synonyms:**

## Phosphodiesterase-5 Inhibitors

Medications that inhibit PDE-5, increasing cGMP and causing smooth muscle relaxation and vasodilation. Sildenafil and tadalafil are used for PAH and erectile dysfunction. In PAH, they reduce pulmonary vascular resistance and improve exercise capacity.

**Synonyms:**

## Phosphofructokinase-1

Rate-limiting enzyme of glycolysis. Activated by AMP, fructose-2,6-bisphosphate. Inhibited by ATP, citrate.

**Synonyms:**

## Phospholipase C Pathway

A GPCR signaling pathway activated primarily by Gq-protein coupled receptors (e.g., alpha-1 adrenergic, muscarinic M1/M3, vasopressin V1, angiotensin II AT1 receptors).

**Synonyms:**

## Phospholipid

Lipid containing phosphate group, major component of cell membranes. Structure: glycerol backbone, two fatty acid tails (hydrophobic), phosphate group with polar head group (hydrophilic). Forms bilayers spontaneously in aqueous environment.

**Synonyms:**

## Phosphorus

An essential mineral present in ATP, nucleic acids, phospholipids, and bone. Its concentration is regulated chiefly by the kidneys, parathyroid hormone, fibroblast growth factor 23, and vitamin D; kidney failure may cause hyperphosphatemia.

**Synonyms:**

## Photoallergy

An immune-mediated skin reaction that occurs when ultraviolet light activates a sensitizing substance on or in the skin, causing an eczematous

---

rash.

**Synonyms:**

### **Photocoagulation**

Coagulation of tissue by intense light, often laser light, to treat lesions such as abnormal retinal vessels.

**Synonyms:**

### **Photodynamic Therapy**

A treatment that combines a photosensitizing agent with light to generate reactive oxygen species and destroy cancer cells, used for actinic keratosis, superficial skin cancers, and selected visceral tumors.

**Synonyms:**

### **Photoelectric Effect**

Photon absorption by inner shell electron. Major interaction at low energies, high Z materials.

**Synonyms:**

### **Photomultiplier Tube**

Converts light photons to electrical signals. Array of PMTs positioned behind crystal. Positioning circuit determines interaction location.

**Synonyms:**

### **Photopeak**

Full-energy peak in gamma spectrum. Used for energy window setting.

**Synonyms:**

### **Photopheresis**

Extracorporeal treatment in which white blood cells are exposed to a photosensitizer and ultraviolet A light before being returned to the patient.

**Synonyms:**

### **Photophobia**

Abnormal sensitivity or intolerance to light, causing discomfort or the need to avoid bright environments. It may occur with migraine, corneal disease, uveitis, meningitis, retinal disease, medication effects, or neurologic disorders.

**Synonyms:**

### **Photosensitivity**

An abnormal skin reaction to sunlight (UVA/UVB), manifesting as rash, erythema, or burning on sun-exposed areas.

**Synonyms:**

### **Phototherapy**

Therapeutic exposure to a controlled wavelength and dose of ultraviolet or visible light. Common modalities include narrowband UVB, broadband UVB, and PUVA; treatment requires assessment of photosensitizing drugs, cumulative exposure, eye protection, and long-term skin risk.

**Synonyms:**

### **Phototoxic dermatitis**

An acute, dose-dependent inflammatory skin reaction occurring when certain ingested or topically applied chemicals (such as psoralens, tetracyclines, NSAIDs, or thiazides) absorb ultraviolet radiation, leading to direct cellular damage and a sunburn-like eruption in exposed areas.

**Synonyms:**

### **Phototoxicity**

Skin reaction from UV light + chemical. Sunburn-like. Examples: tetracyclines, thiazides, NSAIDs, psoralens.

**Synonyms:**

### **Phrenic Nerve**

Primarily from C4 (with C3 and C5: "C3, 4, 5 keeps the diaphragm alive"), traveling between anterior and middle scalene muscles, descending anterior to the anterior scalene across the first rib. Right phrenic passes anterior to the lung root; left passes anterior and lateral.

**Synonyms:**

### **Phyllodes Tumor**

A breast tumor composed of both stromal and epithelial elements, ranging from benign through borderline to malignant. Typically a large, rapidly

---

growing mass; treatment is surgical excision with clear margins.

**Synonyms:**

### Physiatrist

Physician specialty focusing on function, quality of life for patients with impairment, disability. See rehabilitation medicine.

**Synonyms:**

### Physical Half-Life

The time required for half of the radioactive nuclei in a sample to undergo nuclear decay. It is distinct from biologic half-life, which describes biological elimination, and effective half-life, which combines both processes.

**Synonyms:**

### Physical Therapy Assessment

Comprehensive evaluation: history, observation, ROM, strength, sensation, coordination, balance, gait, functional tasks.

**Synonyms:**

### Physiologic Jaundice of Newborn

A common, benign condition characterized by unconjugated hyperbilirubinemia appearing after 24 hours of age (peak at 3-5 days) in healthy term newborns. Caused by increased bilirubin production (high RBC turnover, short RBC lifespan) and immature hepatic conjugation (low UDP-glucuronyl transferase activity).

**Synonyms:**

### Physiological Dead Space

Volume of ventilated respiratory tract that does not participate in gas exchange, including anatomic and alveolar dead space.

**Synonyms:**

### Physiology

Study of body function. Systems physiology: cardiovascular, respiratory, renal, gastrointestinal, endocrine, nervous, muscular, reproductive.

**Synonyms:**

### Phytomenadione

Vitamin K is a fat-soluble vitamin essential for the post-translational gamma-carboxylation of glutamate residues to gamma-carboxyglutamate (Gla) in specific clotting factors (II, VII, IX, X, protein C, protein S) and anticoagulant proteins (protein C, protein S, protein Z). See Vitamin K: Phylloquinone.

**Synonyms:**

### PI-RADS

Prostate Imaging-Reporting and Data System. Standardizes multiparametric MRI reporting for prostate cancer detection and staging.

**Synonyms:**

### Pia Mater

The innermost meningeal layer, a delicate vascularized membrane firmly adherent to the surface of the brain and spinal cord, following all gyri and sulci. It carries blood vessels that penetrate the CNS and forms the tela choroidea, contributing to the choroid plexus (CSF production).

**Synonyms:**

### Pica

Compulsive eating of non-nutritive substances (ice, dirt, clay). Associated with iron deficiency, pregnancy, developmental disorders.

**Synonyms:**

### Peripherally Inserted Central Catheter

A long, flexible catheter inserted into the basilic or cephalic vein and advanced so the tip sits in the superior vena cava. Inserted at the bedside, often by a specialized PICC nurse, with ultrasound and ECG or X-ray confirmation. Indications: long-term IV antibiotics (>2 weeks), TPN, chemotherapy, and frequent blood draws.

**Synonyms:**

### Pierre Robin Sequence

A congenital anomaly triad: micrognathia (small mandible), glossoptosis (posteriorly displaced tongue causing airway obstruction), and U-shaped

---

cleft palate. The sequence arises from early mandibular hypoplasia, which prevents the tongue from descending, thereby impairing palatal shelf fusion.

**Synonyms:**

### Pierson Syndrome

A rare autosomal-recessive disorder caused by LAMB2 variants, classically combining congenital nephrotic syndrome with microcoria and structural abnormalities of the eyes. Kidney failure, developmental impairment, and severe visual disability may occur.

**Synonyms:**

### Pigment Cirrhosis

Liver cirrhosis associated with abnormal pigment or iron deposition, as may occur in hereditary hemochromatosis.

**Synonyms:**

### Pigmentary mosaicism

A pattern of alternating hyperpigmented and hypopigmented skin patches arranged in a linear, segmental, or blaschkoid distribution, caused by genetic mosaicism from post-zygotic mutations affecting melanocyte development. It is a cosmetic condition without systemic involvement.

**Synonyms:**

### Pilar Cyst

A benign cyst arising from the outer root sheath of hair follicles, most commonly on the scalp. It presents as a firm, mobile, subcutaneous nodule without a central punctum. Unlike epidermoid cysts, pilar cysts have smooth walls and contain dense keratin. They may be multiple in familial cases. Treatment is simple excision.

**Synonyms:**

### Piles (Hemorrhoids)

Swollen, inflamed vascular cushions in the anal canal that normally aid continence. Internal hemorrhoids (above the dentate line, painless) present with painless bright red rectal bleeding and prolapse; graded

I-IV by degree of prolapse.

**Synonyms:** Hemorrhoids

### Pilonidal Disease

A chronic inflammatory condition of the sacrococcygeal region involving hair follicles. Pilonidal sinus: epithelialized tract containing hair and debris. Pilonidal abscess: acute infection of the sinus. Most common in young, hirsute males, exacerbated by prolonged sitting, obesity, and local trauma.

**Synonyms:**

### Pilonidal Sinus Disease

A chronic sinus or cyst in the natal cleft, usually containing hair and debris. It may cause recurrent pain, swelling, drainage, or abscess formation.

**Synonyms:**

### Pineal Gland Tumor

A tumor of the pineal region, including germinoma, pineocytoma, and pineoblastoma. Presents with Parinaud syndrome, hydrocephalus, and raised intracranial pressure; germinomas are highly radiosensitive.

**Synonyms:**

### Pinguecula

A yellowish-white, slightly elevated benign degenerative lesion of the bulbar conjunctiva near the limbus, from elastotic degeneration of the substantia propria. Chronic ultraviolet exposure, dust, wind, and dryness are the principal risk factors.

**Synonyms:**

### Pink Eye

Inflammation of the conjunctiva producing a pink or red appearance of the eye, most often indicating conjunctivitis. Causes are infectious (viral, bacterial, chlamydial) or noninfectious (allergic, irritant), with viral the most common overall.

**Synonyms:**

### Pink Puffer

A clinical phenotype of emphysema in COPD. Patients present with severe dyspnea, minimal cough,

---

thin habitus, pursed-lip breathing, accessory muscle use, and relatively normal PaO<sub>2</sub> with late hypercapnia. They tend to be older and have more extensive emphysema.

**Synonyms:**

### **Pinna**

Visible external ear portion, elastic cartilage covered by skin, shaped to funnel sound into the external auditory canal. Key features: helix (outer rim), antihelix (inner ridge), tragus (canal prominence), antitragus, concha (canal-leading depression), lobule (earlobe, only non-cartilaginous part).

**Synonyms:**

### **Pure-Tone Audiometry**

A hearing test that measures the softest tones a person can hear at selected frequencies through air and bone conduction. The results are plotted on an audiogram and help distinguish conductive from sensorineural hearing loss.

**Synonyms:** Pure-tone threshold audiometry; pure-tone hearing test.

### **Pinworm**

Infection with *Enterobius vermicularis*, the most common helminth infection in developed countries, primarily in school-age children. Lifecycle: ingestion of eggs larvae hatch in small intestine adults colonize the cecum/appendix; female migrates to perianal area at night to deposit eggs.

**Synonyms:**

### **Piriformis Syndrome**

Sciatic nerve compression by piriformis muscle. Buttock pain, radiating down leg. Diagnosis: clinical, exclude disc herniation. Treatment: stretching, injection, surgical release.

**Synonyms:**

### **Pisiform**

Small pea-shaped sesamoid bone in the flexor carpi ulnaris tendon, in the proximal row. Articulates only with the triquetrum. Forms the medial border of Guyon's canal (ulnar nerve/artery passage).

Only sesamoid carpal bone, subcutaneous and easily palpable on the ulnar palm.

**Synonyms:**

### **Pituitary Adenoma**

Pituitary adenomas are benign neoplasms arising from the adenohypophysis (anterior pituitary gland), accounting for approximately ten to fifteen percent of all intracranial neoplasms.

**Synonyms:**

### **Pituitary Apoplexy**

Acute hemorrhage or infarction within a pituitary adenoma causing sudden headache, visual field defects, ophthalmoplegia, and altered consciousness. Medical emergency requiring urgent glucocorticoid administration to prevent adrenal crisis from acute ACTH deficiency.

**Synonyms:**

### **Pituitary Gland**

Pea-sized "master gland" in the sella turcica, connected to hypothalamus by infundibulum. Anterior pituitary (adenohypophysis): GH, TSH, ACTH, FSH, LH, prolactin. Posterior pituitary (neurohypophysis): ADH (vasopressin), oxytocin (from hypothalamus). Regulates other endocrine glands and bodily functions.

**Synonyms:**

### **Pituitary tumor**

A neoplasm arising from the pituitary gland, either functioning (hormone-secreting) or non-functioning. It can cause visual field defects, headaches, and hormonal imbalances depending on size and secretory status.

**Synonyms:**

### **Pityriasis Rosea**

An acute, self-limited eruption often beginning with a herald patch followed by oval scaly lesions distributed along skin-cleavage lines. It usually resolves within several weeks; treatment is symptomatic, and atypical, severe, recurrent, or persistent disease should be reassessed.

---

**Synonyms:**

### **Placebo**

Inactive substance used as control in trials. Placebo effect: improvement from expectation.

**Synonyms:**

### **Placebo Effect**

A psychological and physiological phenomenon where a patient experiences a real improvement in health or symptoms after receiving an inactive treatment (like a sugar pill) due to their expectations of healing.

**Synonyms:**

### **Placenta**

A temporary organ that develops in the uterus during pregnancy, providing oxygen and nutrients to the growing fetus while removing waste products.

**Synonyms:**

### **Placenta increta**

Abnormal placental invasion into the myometrium without reaching the serosa, increasing the risk of massive hemorrhage at delivery and often requiring cesarean hysterectomy.

**Synonyms:**

### **Placenta Praevia**

Placental implantation over or near the internal cervical opening. It may cause painless vaginal bleeding later in pregnancy and can affect the safety and mode of delivery.

**Synonyms:**

### **Placental Abruption**

Premature separation of the placenta from the uterine wall before delivery. It may cause vaginal bleeding, abdominal pain, uterine tenderness, fetal distress, and maternal or fetal compromise.

**Synonyms:**

### **Placental Accreta Spectrum**

Abnormal placental attachment to the myometrium, ranging from accreta (adherent to decidua basalis)

to increta (invading myometrium) to percreta (invading through serosa). Major risk factor is prior caesarean section with anterior placenta previa.

**Synonyms:**

### **Placental Separation Signs**

Clinical signs indicating the placenta has separated from the uterine wall and is ready for delivery. Classic signs: lengthening of the umbilical cord (cord lengthens as the placenta descends), a sudden gush of blood, and uterine elevation and firming (the uterus rises and becomes globular as the placenta moves into the lower segment).

**Synonyms:**

### **Plague**

A bacterial infection caused by *Yersinia pestis*, transmitted by fleas from rodents. Three forms: bubonic (most common, 80-90%): painful, swollen lymph nodes (buboes) after flea bite, fever, chills. Septicemic: bacteremia without bubo, endotoxic shock, DIC, purpura.

**Synonyms:**

### **Plant Thorn Synovitis**

Inflammation of a joint after penetration by a plant thorn or splinter, sometimes involving an infection introduced by the injury. Symptoms may develop gradually as persistent joint pain, swelling, and limited movement; evaluation may require removal of retained material and targeted treatment.

**Synonyms:**

### **Plantar Fasciitis**

The most common cause of heel pain, caused by degeneration and microtears of the plantar fascia at its calcaneal origin. Presents with sharp, stabbing heel pain with the first steps in the morning (post-static dyskinesia), improving after a few minutes but worsening with prolonged standing or activity.

**Synonyms:**

### **Plantar Wart (Verruca Plantaris)**

A wart (verruca) located on the sole of the foot, caused by human papillomavirus (HPV, typically



---

types 1, 2, 4, 63). Plantar warts are endophytic (grow inward due to pressure) rather than exophytic like common warts, and are often painful with direct pressure (walking, standing).

**Synonyms:** Verruca Plantaris

### **Plantar warts**

Common warts (verrucae) occurring on the plantar surface of the foot, caused by human papillomavirus infection of the keratinocytes. They present as hard, thickened papules with a rough surface and disrupted dermatoglyphics (skin lines), often with pinpoint black dots representing thrombosed capillaries.

**Synonyms:**

### **Plaque**

A raised, palpable lesion greater than approximately 1 cm, often formed by the coalescence of papules. Plaques are characteristic of several inflammatory, infectious, and neoplastic skin disorders.

**Synonyms:**

### **Plaque Assay**

A method for quantifying viruses: serial dilutions of a viral suspension are added to a monolayer of host cells, forming zones of cell destruction (plaques), each plaque representing one infectious unit; results expressed as plaque-forming units per mL (PFU/mL).

**Synonyms:**

### **Plasma Cell**

The terminally differentiated antibody-secreting cell derived from activated B lymphocytes (after antigen stimulation, class switching, and affinity maturation in germinal centers).

**Synonyms:**

### **Plasma Cell Myeloma**

A malignant neoplasm of clonal plasma cells, usually producing a monoclonal immunoglobulin or light chain. It may cause hypercalcemia, renal impairment, anemia, and destructive bone lesions, collectively known as CRAB features, together with

recurrent infection and hyperviscosity in some patients.

**Synonyms:**

### **Plasma Concentration**

The amount of a substance present in a defined volume of plasma at a given time. It is used to interpret exposure, toxicity, therapeutic drug monitoring, and pharmacokinetic relationships.

**Synonyms:**

### **Plasmacytoma**

A solitary mass of neoplastic plasma cells, which may occur in bone (solitary plasmacytoma of bone) or soft tissue (extramedullary plasmacytoma). It can progress to multiple myeloma.

**Synonyms:**

### **Plasmids**

Small, circular, extrachromosomal DNA elements that replicate independently of the bacterial chromosome. Plasmids carry non-essential genes that provide selective advantages including antibiotic resistance, virulence factors, and metabolic capabilities.

**Synonyms:**

### **Plasmodium vivax**

A malaria parasite transmitted by Anopheles mosquitoes. It infects red blood cells and can persist in the liver as dormant hypnozoites that cause relapses.

**Synonyms:**

### **Plastic bronchitis**

A rare condition producing large, branching mucous casts that form in the airways, causing life-threatening airway obstruction, often associated with congenital heart disease or post-fontan circulation.

**Synonyms:**

### **Plate Method**

Simple portion control: half plate vegetables, quarter plate protein, quarter plate grains. Promotes

---

balanced eating.

**Synonyms:**

### **Platelet Aggregation**

The adhesion and clumping of platelets to form a hemostatic plug at sites of vascular injury.

**Synonyms:**

### **Platelet Count**

The number of platelets per unit volume of blood (normal 150,000-400,000/ $\mu$ L), part of the CBC. Reduced (thrombocytopenia): bleeding risk (severe <20,000, spontaneous <10,000)—ITP, TTP, HIT, DIC, marrow failure, drugs, sepsis. Elevated (thrombocytosis): reactive or myeloproliferative.

**Synonyms:**

### **Platelet Function Disorders**

Conditions in which platelets do not adhere, activate, or aggregate normally, causing impaired primary hemostasis. They may be inherited or acquired and can cause easy bruising, nosebleeds, heavy menstrual bleeding, or bleeding after procedures.

**Synonyms:**

### **Platelet Plug Formation**

The initial hemostatic response to vascular injury, involving platelet adhesion, activation, and aggregation. When the endothelium is disrupted, subendothelial von Willebrand factor and collagen are exposed to flowing blood.

**Synonyms:**

### **Platelets (Thrombocytes)**

Small, anucleate, disc-shaped cell fragments (2–4  $\mu$ m diameter) derived from megakaryocytes in the bone marrow, circulating at  $150\text{--}400 \times 10^9/\text{L}$ .

**Synonyms:** Thrombocytes

### **Platypnea**

Dyspnea that occurs in the upright position and is relieved by lying down. It is the opposite of orthopnea. It is rare and may be associated with hepatopulmonary syndrome, intracardiac shunting,

or pulmonary arteriovenous malformations.

**Synonyms:**

### **Pleiotropy**

Single gene influencing multiple phenotypic traits. Examples: phenylketonuria (PKU) affects multiple systems; sickle cell anemia causes anemia, pain crises, organ damage.

**Synonyms:**

### **Pleomorphic Adenoma**

A usually benign salivary-gland tumor composed of epithelial and connective-tissue elements. It most often occurs in the parotid gland and may slowly enlarge; long-standing lesions can rarely undergo malignant transformation.

**Synonyms:**

### **Pleomorphism**

Variation in the size and shape of cells or their nuclei within a tissue. Marked pleomorphism is a feature of many high-grade malignancies but can also occur in some reactive or degenerative conditions.

**Synonyms:**

### **Pleura**

The serous membrane covering the lungs (visceral pleura) and lining the thoracic cavity (parietal pleura: costal, mediastinal, diaphragmatic, cervical/cupola). The pleural cavity is a potential space containing a thin film of serous fluid that couples the lung to the chest wall during ventilation.

**Synonyms:**

### **Pleural Cavity**

The narrow, fluid-filled space between the two layers of the pleura surrounding each lung.

**Synonyms:**

### **Pleural Effusion**

Abnormal fluid in the pleural space. Transudates result from altered pressures; exudates from inflammation, infection, or malignancy. Light's criteria differentiate the two.

**Synonyms:**

---

### **Pleural Fluid Glucose**

Pleural-fluid glucose may be reduced in empyema, complicated parapneumonic effusion, rheumatoid pleuritis, tuberculosis, and malignancy. It is interpreted with pH, cell count, protein, LDH, microbiology, imaging, and the clinical setting.

**Synonyms:**

### **Pleural Fluid pH**

Pleural-fluid pH helps assess infection and other causes of effusion. A markedly low pH supports a complicated parapneumonic effusion in the appropriate clinical setting, but drainage decisions also depend on imaging, fluid appearance, microbiology, glucose, and the patient's condition.

**Synonyms:**

### **Pleural Friction Rub**

A grating, leathery sound heard on auscultation caused by inflamed pleural surfaces rubbing against each other during breathing. It is a sign of pleurisy and may be heard in pneumonia, PE, and pleural effusion. It disappears when fluid accumulates and separates the pleural surfaces.

**Synonyms:**

### **Pleural perforation**

A breach in the pleural lining allowing air or fluid to enter the pleural space, potentially causing pneumothorax or hydropneumothorax, often from trauma, procedures, or underlying lung disease.

**Synonyms:**

### **Pleural Plaque**

Circumscribed fibrous tissue on parietal pleura, hallmark of asbestos exposure. Bilateral, often calcified. Does not indicate asbestosis.

**Synonyms:**

### **Pleurectomy**

Surgical removal of part or all of the pleura, used in the treatment of malignant pleural mesothelioma and recurrent malignant pleural effusion.

**Synonyms:**

### **Pleurisy**

Pleural inflammation causing sharp, breathing-related chest pain. Causes: pneumonia, PE, autoimmune disease, malignancy. Treatment addresses the underlying cause.

**Synonyms:**

### **Pleuritis**

Inflammation of the pleural membranes (visceral and parietal pleura). Presents with pleuritic chest pain: sharp, stabbing pain exacerbated by deep breathing, coughing, or sneezing.

**Synonyms:**

### **Pleurodesis**

Fusion of visceral and parietal pleura to prevent recurrence of effusions or pneumothorax. Chemical pleurodesis uses talc, doxycycline, or bleomycin.

**Synonyms:**

### **Pleurodynia**

Acute, severe chest pain caused by inflammation or spasm of the intercostal muscles, often associated with viral infection.

**Synonyms:**

### **Plexus**

A complex network of intersecting nerves or blood vessels in the body.

**Synonyms:**

### **Plombage**

An obsolete surgical technique for treating pulmonary tuberculosis in which material was placed in the extraparietal pleural space to compress the diseased lung and promote collapse therapy. Various materials including paraffin wax, lucite balls, and oil were used.

**Synonyms:**

### **Plug (Vascular)**

A vascular occlusion device used to block a selected vessel under image guidance.

**Synonyms:** Vascular

---

### **Plummer-Vinson Syndrome**

Triad of iron deficiency anemia, esophageal web, and dysphagia occurring predominantly in middle-aged women. The esophageal webs are thin mucosal folds typically located in the postcricoid region of the hypopharynx and proximal esophagus.

**Synonyms:**

### **Pneumatic Otoscopy**

A diagnostic technique that combines visualization of the tympanic membrane with assessment of its mobility in response to positive and negative air pressure changes, providing information about the presence of middle ear fluid and the condition of the Eustachian tube.

**Synonyms:**

### **Pneumatic Retinopexy**

A procedure for selected retinal detachments in which an intravitreal gas bubble is injected and laser or cryotherapy seals the retinal break while positioning helps the bubble support the repair.

**Synonyms:**

### **Pneumatocele**

Thin-walled, air-filled cystic spaces in the lung, often in staphylococcal pneumonia. Typically self-resolving.

**Synonyms:**

### **Pneumatosis cystoides coli**

Condition characterized by multiple gas-filled cysts within the wall of the colon, which may be primary (idiopathic) or secondary to intestinal mucosal disruption from conditions such as chronic obstructive pulmonary disease, ischemic bowel disease, or intestinal obstruction. Often discovered incidentally on imaging or colonoscopy.

**Synonyms:**

### **Pneumatosis Cystoides Intestinalis**

Gas-filled cysts within the bowel wall that may be primary or secondary to bowel ischemia, infection, chronic lung disease, or medications. Often an incidental finding on imaging. Primary pneumatosis is

benign and asymptomatic. Secondary pneumatosis may indicate serious underlying disease. Managed by treating the underlying condition.

**Synonyms:**

### **Pneumatosis Intestinalis**

Presence of gas within the bowel wall appearing as linear or cystic radiolucencies on imaging. Primary pneumatosis is benign and idiopathic accounting for approximately fifteen percent of cases.

**Synonyms:**

### **Pneumocephalus**

The presence of air or gas within the cranial cavity, most commonly following trauma, surgery, or sinus disease, and potentially causing increased intracranial pressure if tension develops.

**Synonyms:**

### **Pneumococcal Conjugate Vaccine**

A vaccine that links pneumococcal polysaccharides to a carrier protein to produce protective immunity against selected *Streptococcus pneumoniae* serotypes. Product choice and schedule depend on age, vaccination history, medical risk, and local recommendations.

**Synonyms:**

### **Pneumococcal sepsis**

Sepsis caused by *Streptococcus pneumoniae*, often arising from pneumonia, meningitis, or another invasive pneumococcal infection.

**Synonyms:**

### **Pneumoconiosis**

ILDs from mineral dust inhalation (silicosis, asbestosis, coal worker's, berylliosis). They share interstitial fibrosis and risk of infection and malignancy.

**Synonyms:**

### **Pneumocystis Jirovecii Pneumonia**

Opportunistic pneumonia caused by *Pneumocystis jirovecii*, especially in people with advanced HIV infection or other cellular immunodeficiency. It causes progressive exertional dyspnea, dry cough,

---

fever, and hypoxemia.

**Synonyms:**

### **Pneumocystis Pneumonia**

Opportunistic pneumonia caused by *Pneumocystis jirovecii*, usually in people with impaired cell-mediated immunity. It may cause progressive exertional dyspnea, dry cough, fever, and hypoxemia with diffuse ground-glass changes. Diagnosis and treatment require clinical, microbiologic, and radiologic assessment; trimethoprim-sulfamethoxazole is commonly used.

**Synonyms:**

### **Pneumography**

Contrast imaging of body cavities. Pneumoencephalography obsolete. Pneumoperitoneum for laparoscopy.

**Synonyms:**

### **Pneumomediastinum**

Air in the mediastinum, often from alveolar rupture with air tracking along bronchovascular sheaths. Causes include asthma exacerbation, trauma, Valsalva maneuver, and esophageal rupture (Boerhaave syndrome). It presents with chest pain, subcutaneous emphysema, and Hamman's crunch (mediastinal crunch synchronous with heartbeat).

**Synonyms:**

### **Pneumonectomy**

Removal of an entire lung, most often for centrally located lung cancer; carries higher operative morbidity and mortality than lobectomy and requires preserved contralateral lung function.

**Synonyms:**

### **Pneumonia**

Infection of the lung parenchyma, classified as community-acquired (CAP), hospital-acquired (HAP), or ventilator-associated (VAP). Common pathogens: *Streptococcus pneumoniae*, *Haemophilus influenzae*, *Mycoplasma pneumoniae*, viruses. Presents with cough, fever, dyspnea, and consolidation on imaging. Severity assessment:

CURB-65 or PSI.

**Synonyms:**

### **Pneumopericardium**

Air in the pericardial space, usually from trauma (penetrating chest injury), esophageal perforation, or iatrogenic causes (central line placement, cardiac surgery). Can cause cardiac tamponade if under tension. Diagnosis by chest X-ray showing air surrounding the heart (air-fluid level if combined with effusion).

**Synonyms:**

### **Pneumoperitoneum**

Free air within the peritoneal cavity, most commonly caused by perforation of a hollow viscus such as the stomach, duodenum, or colon. Iatrogenic causes include recent laparoscopy, endoscopy with perforation, and peritoneal dialysis. Presents with acute abdominal pain, rigidity, and signs of peritonitis.

**Synonyms:**

### **Pneumothorax**

Air in the pleural space causing lung collapse. Primary spontaneous occurs in tall, thin young men. Secondary occurs with underlying lung disease. Tension is a medical emergency.

**Synonyms:**

### **POEMS Syndrome**

A rare plasma-cell disorder named for polyneuropathy, organomegaly, endocrinopathy, monoclonal plasma-cell disorder, and skin changes. Other manifestations include sclerotic bone lesions, papilledema, fluid overload, thrombocytosis, and elevated vascular endothelial growth factor.

**Synonyms:**

### **Point Mutation**

Change in single nucleotide base pair. Substitutions: transition (purine to purine, pyrimidine to pyrimidine) or transversion (purine to pyrimidine). Effects: silent (same amino acid), missense (different amino acid), nonsense (stop codon).

**Synonyms:**

---

### Point-of-Care Testing

Diagnostic testing performed near the patient rather than in a central laboratory. POCT can shorten turnaround time but requires validated devices, quality control, operator training, and appropriate interpretation.

**Synonyms:**

### Point-of-Care Ultrasound

Bedside ultrasonography performed and interpreted by the treating clinician to answer focused diagnostic or procedural questions. Emergency applications include cardiac activity, volume status, pulmonary pathology, abdominal free fluid, vascular thrombosis, and procedural guidance.

**Synonyms:**

### Poison Control

A specialized service that provides immediate advice about exposure to medicines, chemicals, or other potential poisons.

**Synonyms:**

### Poison-Center Consultation

Specialist toxicology advice used to identify hazards, interpret exposure and laboratory data, select antidotes, guide observation or disposition, and coordinate public-health response. Consultation is appropriate for significant, uncertain, mixed, pediatric, or unusual exposures.

**Synonyms:**

### Poisoning

Harmful effect from exposure to toxic substance. Routes: ingestion, inhalation, dermal, injection. Management: ABCs, decontamination, antidote if available, supportive care.

**Synonyms:**

### Poland Syndrome

A congenital condition characterized by absence or underdevelopment of part of the pectoral muscles on one side, sometimes accompanied by abnormalities of the hand on the same side.

**Synonyms:**

### Polio

Abbreviation for poliomyelitis, an acute viral infection caused by poliovirus, an enterovirus of the Picornaviridae family transmitted via the fecal-oral route, primarily affecting children under 5 years of age.

**Synonyms:**

### Poliomyelitis

An infection caused by poliovirus that may be asymptomatic or may damage motor neurons and cause acute flaccid paralysis.

**Synonyms:**

### Poliovirus

An enterovirus that causes poliomyelitis, a paralytic illness. The virus is transmitted by the fecal-oral route. Most infections are asymptomatic, but a small percentage cause acute flaccid paralysis. The virus attacks motor neurons in the spinal cord. Diagnosis involves stool culture and PCR. There is no specific treatment.

**Synonyms:**

### Polish (Dental)

Smoothing restorative surfaces to reduce plaque accumulation. Essential for longevity.

**Synonyms:** Dental

### Polyarteritis Nodosa

Necrotizing inflammation of medium-sized muscular arteries, spares lungs. Associated with hepatitis B (10-30%). Clinical: systemic symptoms, mononeuritis multiplex, livedo reticularis, renal involvement (hypertension, renal insufficiency—no glomerulonephritis), GI ischemia.

**Synonyms:**

### Polychondritis

Relapsing inflammatory disorder targeting cartilage throughout the body, causing pain, swelling, and destruction of the ears, nose, larynx, trachea, and joints. May lead to airway collapse and hearing loss.

**Synonyms:**



---

### Polycystic Kidney Disease

Inherited disorder with progressive renal cyst formation. ADPKD most common from PKD1 or PKD2 mutations. Bilateral enlarged kidneys with countless cysts. PKD1 more severe with earlier ESRD. Extrarenal manifestations include hepatic cysts and berry aneurysms. Screen family members.

**Synonyms:**

### Polycystic Liver Disease

Dominant polycystic liver disease is an autosomal dominant condition characterized by multiple hepatic cysts that may cause massive hepatomegaly, abdominal pain, and compressive symptoms. Usually associated with autosomal dominant polycystic kidney disease. Liver function is preserved even with extensive cyst involvement.

**Synonyms:**

### Polycystic Ovary Syndrome

Common endocrine disorder affecting six to twelve percent of reproductive-aged women characterized by hyperandrogenism, ovulatory dysfunction, and polycystic ovarian morphology on ultrasound.

**Synonyms:**

### Polycythemia

Elevated red blood cell mass/hematocrit. Primary: polycythemia vera (JAK2 V617F mutation, trilineage proliferation, low EPO, risk of thrombosis and myelofibrosis/leukemia). Secondary: hypoxia (COPD, high altitude, congenital heart disease, sleep apnea) with high EPO, or EPO-secreting tumors (renal cell, hepatoma).

**Synonyms:**

### Polycythemia Vera

A chronic myeloproliferative neoplasm characterized by increased red blood cell mass, often with increased white blood cell and platelet counts, driven by constitutive activation of the JAK-STAT signaling pathway.

**Synonyms:**

### Polydactylysm

Congenital presence of extra fingers or toes.

**Synonyms:**

### Polydactyly

A congenital anomaly characterized by supernumerary digits on the hands or feet. Postaxial polydactyly (ulnar/fibular side, most common): more frequent in African American and Native American populations, often isolated and autosomal dominant.

**Synonyms:**

### Polydipsia

Excessive, unquenchable thirst. A classic symptom of hyperosmolar states and endocrine disorders.

**Synonyms:**

### Polyethylene Glycol

An osmotic laxative used for constipation and bowel preparation for colonoscopy. PEG (e.g., Miralax, GoLYTELY) is a non-absorbable polymer that draws water into the colonic lumen, softening stool and stimulating defecation without significant electrolyte shifts. For chronic constipation: 17 g daily in water.

**Synonyms:**

### Polygenic Inheritance

Trait influenced by multiple genes, each with small effect. Examples: height, skin color, common diseases (diabetes, heart disease). Produces continuous variation.

**Synonyms:**

### Polygenic Risk Score

A statistical estimate of disease susceptibility calculated from the combined effects of many genetic variants, each usually contributing a small amount of risk. It modifies but does not replace clinical risk assessment or environmental factors.

**Synonyms:**

### Polyhydramnios

Excessive amniotic fluid during pregnancy. Causes include diabetes, fetal swallowing or gastrointesti-

---

nal disorders, chromosomal abnormalities, and unknown factors; severity and treatment depend on the cause.

**Synonyms:**

### **Polymastia**

The presence of more than two breasts, resulting from development of accessory breast tissue along the mammary ridge, most commonly in the axillary region and present at birth or appearing at puberty.

**Synonyms:**

### **Polymerase Chain Reaction**

An in-vitro method that exponentially amplifies a defined DNA segment through repeated cycles of denaturation, primer annealing, and DNA synthesis by a thermostable polymerase. It is used in diagnosis, research, forensics, and pathogen detection.

**Synonyms:**

### **Polymicrobial infections**

Infections caused by multiple microbial species. Polymicrobial infections are common in wound infections, intra-abdominal infections, and respiratory infections. The interactions between organisms can be synergistic or antagonistic. Understanding polymicrobial infections is essential for selecting appropriate antimicrobial therapy.

**Synonyms:**

### **Polymicrogyria**

A brain malformation characterized by an excessive number of abnormally small, fused gyri, resulting in an irregular, bumpy cortical surface with shallow sulci. Caused by abnormal late neuronal migration or post-migrational cortical organization. May be focal or diffuse, unilateral or bilateral, and symmetric or asymmetric.

**Synonyms:**

### **Polymyalgia Rheumatica**

An inflammatory syndrome, usually affecting older adults, that causes bilateral shoulder and hip-girdle pain and morning stiffness. It is associated with giant-cell arteritis and requires assessment for symp-

toms such as new headache or visual disturbance.

**Synonyms:**

### **Polymyositis**

An idiopathic inflammatory myopathy characterized by symmetric, proximal muscle weakness (shoulders, hips) with elevated muscle enzymes (CK, aldolase, LDH). More common in women, peaks at 30-50 years.

**Synonyms:**

### **Polyp Surveillance Colonoscopy**

Interval-based endoscopic follow-up of patients with previously identified colorectal polyps. Intervals are determined by polyp number, size, and histological features. One to two small adenomas require surveillance at seven to ten years. Three to four adenomas at three to five years.

**Synonyms:**

### **Polyphagia**

Excessive, uncontrollable hunger or increased appetite. Classic cardinal symptom of uncontrolled Diabetes Mellitus (cellular starvation due to lack of insulin or insulin resistance), Hyperthyroidism (elevated basal metabolic rate), Prader-Willi Syndrome, and atypical depression.

**Synonyms:**

### **Polypharmacy**

Use of multiple medications by one patient, often defined numerically as five or more concurrent medicines. It increases the risk of interactions, adverse effects, prescribing cascades, nonadherence, and medication errors, although some multidrug regimens are clinically appropriate.

**Synonyms:**

### **Polysomnography**

Sleep study measuring brain activity, breathing, oxygen saturation, muscle activity. Diagnoses sleep apnea, parasomnias.

**Synonyms:**

---

### **Polysomnography (Sleep Study)**

Overnight monitoring for sleep-disordered breathing. Parameters: EEG (sleep staging: N1, N2, N3, REM), EOG (eye movements), EMG (chin and leg movements), airflow (nasal pressure, thermistor), respiratory effort (chest/abdomen belts), snore microphone, body position, oximetry (SpO2), and ECG.

**Synonyms:** Sleep Study

### **Polyunsaturated Fat**

Liquid at room temperature. Sources: fish, vegetable oils, nuts. Essential fatty acids.

**Synonyms:**

### **Polyuria**

Excessive urine output, defined as >3 L/day in adults. Causes are divided into water diuresis and solute diuresis. Water diuresis: central diabetes insipidus (ADH deficiency), nephrogenic diabetes insipidus (ADH resistance from lithium, hypercalcemia, hypokalemia, genetic causes), and primary polydipsia (psychogenic or dipsogenic).

**Synonyms:**

### **Pons**

Middle brainstem segment with prominent anterior bulge containing pontine nuclei (relaying cortical input to cerebellum), corticospinal fibers, and cranial nerve V, VI, VII, and VIII nuclei. Fourth ventricle floor is partly formed by the pons. Pneumotaxic center (parabrachial nucleus) regulates breathing pattern.

**Synonyms:**

### **Popliteal Aneurysm**

Aneurysm of popliteal artery behind knee. Associated with AAA. Risk: thrombosis, embolism, compression. Treatment: surgical repair or endovascular stenting.

**Synonyms:**

### **Popliteal Artery**

Continues from femoral artery at the adductor hiatus, dividing into anterior/posterior tibial arteries

at the lower popliteus border. Deepest popliteal fossa structure, related anteriorly to vein and tibial nerve. Palpable at the fossa's inferior margin.

**Synonyms:**

### **Popliteal Fossa**

Diamond-shaped space on the posterior knee, bounded by hamstrings superiorly and gastrocnemius heads inferiorly. Contains popliteal artery/vein, tibial nerve, and common peroneal nerve. The popliteal pulse is palpated at the inferior margin.

**Synonyms:**

### **Population Attributable Fraction**

The proportion of cases or disease burden in the total population that would theoretically be prevented if the exposure were eliminated, assuming the exposure is causal and other conditions remain unchanged.

**Synonyms:**

### **Population Attributable Risk**

Proportion of disease in population attributable to exposure.  $PAR = (\text{incidence total} - \text{incidence unexposed}) / \text{incidence total}$ .

**Synonyms:**

### **Porcelain Gallbladder**

Calcification of the gallbladder wall visible on imaging representing chronic inflammatory condition associated with cholelithiasis and chronic cholecystitis. Historically considered a strong risk factor for gallbladder carcinoma, recent studies suggest the cancer risk may be lower than previously estimated.

**Synonyms:**

### **Porencephaly**

A cavity or cyst within the cerebral hemisphere caused by developmental malformation or destruction of previously formed brain tissue. Clinical effects depend on location and size and may include seizures, hemiparesis, developmental impairment, hydrocephalus, or cerebral palsy.

**Synonyms:**

---

## Porphyria Cutanea Tarda

The most common porphyria, caused by a deficiency of hepatic uroporphyrinogen decarboxylase (UROD), leading to accumulation of uroporphyrinogens. Triggered by hepatitis C virus (HCV), alcohol abuse, iron overload (hemochromatosis), and estrogen therapy.

**Synonyms:**

## Porphyrias

Metabolic disorders of heme synthesis causing cutaneous and neurological symptoms. Cutaneous porphyrias include porphyria cutanea tarda (blisters on sun-exposed skin, hypertrichosis, sclerodermoid changes), erythropoietic protoporphyria (immediate pain and burning on sun exposure without visible changes), and variegate porphyria.

**Synonyms:**

## Portal Hypertension

Elevated pressure in the portal venous system defined as hepatic venous pressure gradient exceeding five millimeters of mercury with clinically significant portal hypertension occurring when the gradient exceeds ten.

**Synonyms:**

## Portal Hypertensive Gastropathy

Diffuse mucosal changes in the stomach due to portal hypertension causing chronic blood loss. Characterized by mosaic pattern and cherry red spots on endoscopy representing dilated mucosal vessels. Most common in patients with advanced cirrhosis and portal hypertension.

**Synonyms:**

## Portal System

Venous network draining the GI tract, spleen, and pancreas to the liver via the portal vein (formed by superior mesenteric and splenic vein union behind the pancreatic neck). Carries nutrient-rich deoxygenated blood for hepatic processing before systemic entry. Receives left gastric, right gastric, cystic, and paraumbilical veins.

**Synonyms:**

## Portal Vein

The vein carrying nutrient-rich blood from the gastrointestinal tract, spleen, pancreas, and gallbladder to the liver, formed behind the pancreatic neck by the union of the superior mesenteric and splenic veins. It enters the porta hepatis with the hepatic artery and bile duct.

**Synonyms:**

## Portal Vein Thrombosis

Partial or complete thrombosis of the portal vein or its branches. It may result from cirrhosis, malignancy, inflammation, thrombophilia, or abdominal surgery and can cause portal hypertension, intestinal ischemia, or variceal formation.

**Synonyms:**

## Portion Control

Managing serving sizes. Larger portions available today contribute to obesity. Using smaller plates, reading labels helpful.

**Synonyms:**

## Portopulmonary Syndrome

Development of pulmonary arterial hypertension in the setting of portal hypertension or liver disease. Results from increased cardiac output and splanchnic vasodilation leading to pulmonary vascular remodeling.

**Synonyms:**

## Positional Asphyxia

Fatal or potentially fatal impairment of breathing caused by body position that restricts chest movement, airway patency, or venous return. Risk is increased by restraint, intoxication, obesity, and inability to reposition; findings are nonspecific and require scene and medical correlation.

**Synonyms:**

## Positive End-Expiratory Pressure

Pressure maintained at end-expiration to prevent alveolar collapse. Improves oxygenation by recruiting alveoli and increasing FRC. Balances oxygenation with hemodynamic effects.

---

**Synonyms:**

### **Positive Feedback**

A regulatory mechanism in which an output amplifies the initiating stimulus, producing an accelerating or self-reinforcing response that drives the system away from equilibrium and toward completion of an event.

**Synonyms:**

### **Positive Predictive Value**

The probability that a person with a positive test result truly has the target condition. PPV depends on test specificity and sensitivity and on disease prevalence or pretest probability in the tested population.

**Synonyms:**

### **Positive Predictive Value in Surveillance**

The proportion of reported signals or alerts that represent true events meeting the surveillance case definition. It is influenced by the specificity of the signal and the underlying prevalence of the condition.

**Synonyms:**

### **Positive Pressure Ventilation**

Mechanical ventilation that delivers air/oxygen under positive pressure to support or replace spontaneous breathing. Noninvasive (NIV): CPAP (continuous) and BiPAP (two levels) via mask for obstructive sleep apnea, cardiogenic pulmonary edema, and hypercapnic COPD.

**Synonyms:**

### **Positive Symptoms**

Symptoms reflecting an excess or distortion of normal mental functions, such as hallucinations, delusions, disorganized speech, or grossly disorganized behavior. They are contrasted with negative symptoms, which reflect loss or reduction of function.

**Synonyms:**

### **Positron**

Anti-particle of electron. Emitted by PET radionu-

clides. Annihilation with electron produces two 511 keV photons.

**Synonyms:**

### **Positron Emission Mammography**

PET imaging of breast. Higher sensitivity than mammography for dense breasts. Limited availability.

**Synonyms:**

### **Positron Emission Tomography**

Functional imaging modality using positron-emitting radionuclides. Common isotope: fluorine-18 (110 min half-life). Detection: annihilation photons (511 keV) detected in coincidence. Tracers: FDG (metabolism), florbetapir (amyloid), flortaucipir (tau), PSMA (prostate cancer).

**Synonyms:**

### **Post-Acute Rehabilitation**

Time-limited interdisciplinary care after an acute illness, injury, or hospitalization to restore mobility, self-care, cognition, communication, and safe community function. Intensity and setting depend on medical stability and rehabilitation potential.

**Synonyms:**

### **Post-Cardiac Arrest Management**

Care after return of spontaneous circulation that supports breathing and circulation, identifies and treats the cause of the arrest, manages temperature and seizures when indicated, and assesses neurologic recovery over time.

**Synonyms:**

### **Post-Concussion Syndrome**

Persistent symptoms after concussion: headache, dizziness, cognitive difficulties, sleep disturbance, mood changes. Management: symptom-directed, gradual return to activity.

**Synonyms:**

### **Post-Dural Puncture Headache**

A positional headache occurring after accidental dural puncture during epidural placement or lum-

---

bar puncture, caused by cerebrospinal fluid leakage and intracranial hypotension. Symptoms include frontal or occipital headache worse when upright and relieved when supine, neck stiffness, tinnitus, photophobia, and nausea.

**Synonyms:**

### **Post-exposure prophylaxis**

The administration of antimicrobial agents after exposure to a pathogen to prevent infection. PEP is used for HIV, hepatitis B, hepatitis C, rabies, and other infections. The timing of PEP is critical, with early administration being most effective. Understanding PEP is essential for managing occupational exposures and outbreaks.

**Synonyms:**

### **Post-Infectious Cough**

A chronic cough persisting 3–8 weeks after a URI, caused by transient bronchial hyperresponsiveness and airway inflammation. It is self-limited and usually resolves without treatment. Inhaled corticosteroids, antitussives, and time are the mainstays of management.

**Synonyms:**

### **Post-Mortem**

An examination of a body after death to determine the cause of death, identify disease processes, and evaluate the effects of medical or surgical treatment. Also called autopsy, necropsy.

**Synonyms:** autopsy, necropsy.

### **Post-Obstructive Pneumonia**

Pneumonia occurring distal to a bronchial obstruction caused by tumor, foreign body, mucus plug, or stenosis. The obstruction prevents clearance of secretions, creating a favorable environment for infection. It does not resolve with antibiotics alone until the obstruction is relieved.

**Synonyms:**

### **Post-Operative Atelectasis**

Collapse of some alveoli after surgery, promoted by anesthesia, shallow breathing, pain, immobil-

ity, mucus retention, or underlying lung disease. Management addresses the cause and may include mobilization, effective analgesia, deep breathing, and treatment of complications.

**Synonyms:**

### **Post-Pneumonectomy Syndrome**

A rare complication following pneumonectomy where the remaining lung herniates across the mediastinum, causing compression of airways and vessels. It presents with dyspnea, stridor, and recurrent infections. Treatment is surgical correction with mediastinal repositioning and prosthetic implant placement.

**Synonyms:**

### **Post-Streptococcal Glomerulonephritis**

Immune-mediated glomerulonephritis following infection with nephritogenic strains of group A streptococcus typically 1 to 3 weeks after pharyngitis or 3 to 6 weeks after skin infection. Subepithelial humps on electron microscopy representing immune complex deposits.

**Synonyms:**

### **Post-Surgical Pain**

Acute pain following operative procedures, caused by tissue incision, retraction, dissection, and inflammation, mediated by nociceptors sensitized by prostaglandins, bradykinin, and cytokines. Intensity varies by procedure (thoracotomy, joint replacement, and laparotomy produce more severe pain).

**Synonyms:**

### **Post-Surgical Rehabilitation**

Recovery program after surgery. Phases: acute (pain control, wound care), subacute (range of motion, strengthening), functional (return to activities). Protocols vary by procedure.

**Synonyms:**

### **Post-Term Pregnancy**

Pregnancy continuing beyond 42 weeks gestation (294 days from LMP). Risk factors include prior post-term pregnancy, nulliparity, and genetic factors.



---

Complications include macrosomia, oligohydramnios, meconium aspiration, placental insufficiency, and stillbirth.

**Synonyms:**

### **Post-Test Probability**

The probability of disease after incorporating a test result with the pretest probability. It can be estimated using Bayes' theorem or by converting pretest odds to post-test odds with the appropriate likelihood ratio.

**Synonyms:**

### **Post-Thrombotic Syndrome**

Chronic pain, heaviness, edema, skin change, and sometimes ulceration developing after deep-vein thrombosis because of persistent venous obstruction and valvular damage. Compression, exercise, skin care, and selected interventions may reduce disability.

**Synonyms:**

### **Post-Transfusion Purpura**

A rare immune-mediated thrombocytopenic disorder occurring several days after transfusion of blood products, usually in previously sensitized individuals. It causes abrupt, severe thrombocytopenia with petechiae, mucosal bleeding, or more serious haemorrhage.

**Synonyms:**

### **Post-Traumatic Stress Disorder**

A disorder that may develop after exposure to actual or threatened death, serious injury, or sexual violence, causing persistent re-experiencing, avoidance, negative mood or cognition, and heightened arousal.

**Synonyms:**

### **Post-Void Residual**

The amount of urine remaining in the bladder after urination, measured by ultrasound or catheterization. A persistently high residual may indicate incomplete emptying, but its significance depends on the volume, timing, symptoms, and clinical context.

**Synonyms:**

### **Post-Void Residual Volume**

The amount of urine remaining in the bladder immediately after urination, measured by ultrasound or catheterization. An elevated residual suggests incomplete emptying but must be interpreted with timing, bladder volume, symptoms, and repeated measurements.

**Synonyms:**

### **Postanesthesia Care Unit**

The postanesthesia care unit (PACU) is a monitored recovery area where patients are observed during the immediate postoperative period. Admission assessment includes vital signs, level of consciousness, pain assessment, and surgical site evaluation.

**Synonyms:**

### **Postcholecystectomy Syndrome**

Persistence or recurrence of symptoms after cholecystectomy. Causes include retained common bile duct stones, sphincter of Oddi dysfunction, bile salt malabsorption, irritable bowel syndrome, and other gastrointestinal conditions. Evaluation includes liver function tests, MRCP, and endoscopic ultrasound.

**Synonyms:**

### **Posterior**

Relating to the back of the body or positioned closer to the back.

**Synonyms:**

### **Posterior Cruciate Ligament Injury**

Tear of the PCL, less common than ACL injury. Mechanism: dashboard injury (tibia striking dashboard), hyperflexion, or fall on a flexed knee with foot plantarflexed. Presents with posterior knee pain, mild swelling, and posterior sag of the tibia. Positive posterior drawer test (most sensitive), posterior sag sign (Godfrey test).

**Synonyms:**

---

### Posterior Cruciate Ligament Tear

PCL tear: less common, usually from direct blow to tibia (dashboard injury). Symptoms: knee pain, swelling, instability. Diagnosis: posterior drawer test, MRI. Treatment: usually conservative, surgical if combined injuries.

**Synonyms:**

### Posterior Descending Artery

An artery running in the posterior interventricular groove and supplying the inferior ventricular walls and posterior interventricular septum. It usually arises from the right coronary artery in right-dominant circulation but may arise from the circumflex artery.

**Synonyms:**

### Posterior Drawer Test

PCL integrity test. Knee flexed 90 degrees, posterior tibial translation.

**Synonyms:**

### Posterior Pituitary

The neural lobe of the pituitary that stores and releases vasopressin and oxytocin synthesized in the hypothalamus. Vasopressin regulates renal water retention and vascular tone; oxytocin contributes to uterine contraction and milk ejection.

**Synonyms:**

### Posterior reversible encephalopathy syndrome

A neurotoxic state caused by failed cerebrovascular autoregulation, typically from acute hypertension, eclampsia, immunosuppressive drugs (tacrolimus, cyclosporine), or sepsis. Presents with headache, seizures, altered consciousness, and visual disturbances.

**Synonyms:**

### Posterior Subcapsular Cataract

A type of lens opacity located at the posterior aspect of the lens, just anterior to the posterior lens capsule, in the visual axis, and it is particularly visually disabling because of its central location.

**Synonyms:**

### Posterior Tibial Artery

Arises from the popliteal artery, courses deep in the posterior leg, palpable behind the medial malleolus. Divides into medial/lateral plantar arteries for the sole. Supplies posterior leg muscles. Important for peripheral vascular disease assessment. The pedal pulse behind the medial malleolus is a key clinical examination component.

**Synonyms:**

### Posterior Urethral Valves

The most common cause of lower urinary tract obstruction in male infants, caused by congenital mucosal folds (valves) in the posterior urethra (prostatic urethra) that obstruct urine outflow.

**Synonyms:**

### Posterior Uveitis

Inflammation affecting the retina, choroid, or both. It may cause floaters, blurred vision, visual-field defects, or eye pain and can result from infection, autoimmune disease, or other inflammatory conditions.

**Synonyms:**

### Posterior Vitreous Detachment

Separation of the posterior vitreous cortex from the retinal surface, commonly related to age-related vitreous liquefaction. New flashes or floaters require dilated retinal examination because an associated retinal tear or detachment may be present.

**Synonyms:**

### Postmenopausal osteoporosis

Bone loss caused by lower estrogen levels associated with menopause. Sometimes called type I osteoporosis.

**Synonyms:**

### Postmenopause

The period in a woman's life lasting from the end of perimenopause until the end of life.

**Synonyms:**

---

### Postmortem Artifact

Any structural, chemical, or physical change introduced into a body after death (e.g., embalming artifacts, insect activity, postmortem animal scavenging, resuscitation trauma) that mimics antemortem disease or trauma.

**Synonyms:**

### Postmortem Interval

Estimated elapsed time between actual death and the time of autopsy or body discovery, calculated utilizing algor mortis, livor mortis, rigor mortis, vitreous potassium levels, and insect succession patterns.

**Synonyms:**

### Postmortem Toxicology

Toxicologic analysis of specimens collected after death to identify drugs, alcohols, poisons, and metabolites. Results must account for therapeutic administration, redistribution, decomposition, specimen site, contamination, and tolerance before conclusions about causation are made.

**Synonyms:**

### Postnatal depression

A depressive episode occurring after childbirth, with persistent low mood, anhedonia, sleep or appetite disturbance, guilt, impaired bonding, or suicidal thoughts.

**Synonyms:**

### Postoperative Care

Structured post-surgical management encompassing pain control, fluid balance, wound care, early mobilization, and venous thromboembolism prophylaxis.

**Synonyms:**

### Postoperative Cognitive Dysfunction

A decline in cognitive abilities such as memory, attention, or executive function after surgery. It may be temporary or persistent and is more frequent in older adults and after major or complicated procedures. Assessment requires comparison with the person's baseline and consideration of delirium, med-

ication effects, and other medical causes.

**Synonyms:**

### Postoperative Complications

Clavien-Dindo classification: Grade I (any deviation, no treatment), Grade II (pharmacologic), Grade III (surgical/endoscopic/radiologic intervention: IIIa no GA, IIIb GA), Grade IV (ICU: IVa single organ, IVb multi-organ), Grade V (death).

**Synonyms:**

### Postoperative Delirium

A common complication after major surgery, particularly in elderly patients. It is categorized as hyperactive (agitation, restlessness, hallucinations), hypoactive (lethargy, withdrawal, decreased responsiveness), or mixed. Hypoactive delirium is the most common and most missed form.

**Synonyms:**

### Postoperative Ileus

Temporary impairment of gastrointestinal motility after surgery, most common after abdominal surgery. Pathophysiology: autonomic dysfunction (sympathetic overactivity), inflammatory mediators, opioids, and electrolyte abnormalities.

**Synonyms:**

### Postoperative Nausea and Vomiting

Nausea, retching, or vomiting occurring after surgery. Risk is influenced by factors such as previous motion sickness or postoperative nausea, anesthetic technique, opioid use, and patient characteristics. Prevention and treatment are tailored to the individual risk and procedure.

**Synonyms:**

### Postoperative Pain Management

Management of pain after surgery using a combination of medicines, regional techniques, physical measures, and rehabilitation. The plan is tailored to the procedure, pain severity, medical conditions, and risks of adverse effects.

**Synonyms:**

---

### Postoperative Pulmonary Complication

Respiratory deterioration after surgery, including atelectasis, pneumonia, aspiration, respiratory failure, bronchospasm, and exacerbation of chronic lung disease. Risk reduction includes smoking cessation, lung-protective ventilation, analgesia, mobilization, and appropriate respiratory exercises.

**Synonyms:**

### Postpartum Anxiety

Excessive, persistent, or distressing anxiety during pregnancy or after childbirth that interferes with sleep, daily function, bonding, or self-care. It may occur with panic, intrusive worries, or depression and deserves clinical assessment; thoughts of self-harm or harm to the baby require emergency help.

**Synonyms:**

### Postpartum Blues

A common, short-lived period of tearfulness, mood changes, irritability, or anxiety beginning soon after childbirth and usually improving within two weeks. Support, rest, and practical help are important; persistent, severe, psychotic, or suicidal symptoms require prompt assessment for a postpartum mental-health disorder.

**Synonyms:**

### Postpartum Cardiomyopathy (Peripartum Cardiomyopathy)

A dilated cardiomyopathy causing heart failure toward the end of pregnancy or during the months after delivery. Symptoms may include breathlessness, difficulty lying flat, swelling, fatigue, or chest discomfort and require prompt assessment.

**Synonyms:** Peripartum Cardiomyopathy

### Postpartum Depression

Major depressive or manic episodes occurring during pregnancy or within four weeks of delivery (DSM-5). The term is often used more broadly to cover depressive episodes up to one year postpartum. Risk factors include prior depression, lack of social support, stressful life events, and hormonal fluctuations.

**Synonyms:**

### Postpartum Endometritis

Infection of the decidua and endometrial cavity after delivery, occurring more often after cesarean birth. Fever, uterine tenderness, pelvic pain, and foul-smelling lochia are typical; treatment generally requires intravenous broad-spectrum antibiotics.

**Synonyms:**

### Postpartum Hemorrhage

Excessive bleeding after childbirth, usually caused by poor uterine contraction, retained placental tissue, genital-tract trauma, or a clotting disorder. It can cause shock and requires urgent obstetric assessment and treatment.

**Synonyms:**

### Postpartum Hemorrhage (Secondary)

Excessive bleeding occurring between 24 hours and 12 weeks postpartum. Causes: retained products of conception (most common), endometritis, subinvolution of the placental site, and coagulopathy. Presents with heavy or prolonged bleeding, cramping, and passing clots. Diagnosis: ultrasound (retained tissue, thickened endometrium).

**Synonyms:** Secondary

### Postpartum Infection

Infections occurring after delivery, a leading cause of maternal morbidity. Types: endometritis (most common, especially after cesarean), wound infection (cesarean incision, episiotomy, perineal laceration), urinary tract infection, mastitis, septic pelvic thrombophlebitis, and pneumonia.

**Synonyms:**

### Postpartum Psychosis

A rare but severe psychiatric emergency (1-2 per 1000 deliveries) characterized by the acute onset of delusions, hallucinations, disorganized behavior, confusion, and mood swings (mania or depression) within 1-4 weeks postpartum.

**Synonyms:**

### Postpartum Thyroiditis

Autoimmune inflammation of the thyroid occurring

---

during the first year after delivery. It may cause a temporary hyperthyroid phase followed by hypothyroidism, and symptoms and recovery vary; thyroid-function testing guides follow-up and treatment.

**Synonyms:**

### **Postrenal AKI**

Acute kidney injury caused by obstruction of urine flow from the kidneys to the urethra. Causes include prostate enlargement, stones, tumors, fibrosis, and neurogenic bladder. The effect depends on the location, duration, completeness, and whether one or both kidneys are affected.

**Synonyms:**

### **Poststreptococcal pustulosis**

A sterile, non-follicular pustular eruption occurring as a rare sequela of streptococcal pharyngitis, presenting with scattered pustules on an erythematous base, typically on the trunk and extremities. It is thought to be an immune-mediated hypersensitivity reaction to streptococcal antigens.

**Synonyms:**

### **Postterm Pregnancy**

Pregnancy that continues beyond 42 completed weeks of gestation. Risks and management depend on gestational dating, fetal condition, and maternal health.

**Synonyms:**

### **Posttraumatic Stress Disorder**

A psychiatric disorder that develops after exposure to a traumatic event (death, serious injury, sexual violence).

**Synonyms:**

### **Postural Orthostatic Tachycardia Syndrome**

An autonomic disorder causing an excessive increase in heart rate after standing, with symptoms such as light-headedness, palpitations, fatigue, weakness, brain fog, nausea, or fainting. Diagnosis requires clinical assessment and exclusion of other causes of

orthostatic symptoms.

**Synonyms:**

### **Potassium**

Major intracellular cation. Essential for cardiac function, muscle contraction, blood pressure regulation. Deficiency: hypokalemia (weakness, arrhythmias). Sources: fruits, vegetables, potatoes, beans.

**Synonyms:**

### **Potassium Binders**

Sodium zirconium cyclosilicate and patiromer. Exchange potassium in GI tract for sodium or calcium. Treat chronic hyperkalemia allowing continued RAAS inhibitor use in CKD.

**Synonyms:**

### **Potassium-Sparing Diuretics**

Potassium-sparing diuretics act on the distal nephron to promote sodium excretion while minimizing potassium loss. They include epithelial sodium channel blockers such as amiloride and triamterene, and mineralocorticoid receptor antagonists such as spironolactone and eplerenone.

**Synonyms:**

### **Potency**

The amount of a drug required to produce a specified effect. A more potent drug produces that effect at a lower dose, but potency does not indicate the maximum effect.

**Synonyms:**

### **Potency vs Efficacy**

Potency is the amount of drug required to produce a given effect, measured by the EC<sub>50</sub> (the concentration producing 50% of maximal effect). Drugs with higher potency achieve effects at lower doses (e.g., fentanyl is more potent than morphine).

**Synonyms:**

### **Pott Disease**

TB of the spine involving thoracic or lumbar vertebrae. Causes vertebral destruction, kyphosis (gibbus

---

deformity), and paravertebral abscess. May cause spinal cord compression.

**Synonyms:**

### Potter Syndrome

A sequence of anomalies resulting from severe oligohydramnios (low amniotic fluid volume), most commonly caused by bilateral renal agenesis, but also from autosomal recessive polycystic kidney disease, posterior urethral valves, or chronic amniotic fluid leak.

**Synonyms:**

### Powassan Encephalitis

Encephalitis caused by Powassan virus, a tick-borne flavivirus.

**Synonyms:**

### PR Interval

The time from the onset of the P wave to the onset of the QRS complex, representing the time for electrical conduction through the atria, AV node, and His-Purkinje system. Normal duration is 0.12-0.20 seconds (3-5 small boxes). Prolonged PR interval (>0.20 s) indicates first-degree AV block.

**Synonyms:**

### Prader-Willi Syndrome

A genetic disorder caused by loss of function of genes on chromosome 15 (paternal deletion or maternal uniparental disomy). Features: neonatal hypotonia and failure to thrive, followed by hyperphagia and obesity in childhood. Intellectual disability, short stature, hypogonadism, and behavioral problems.

**Synonyms:**

### Pralidoxime

An oxime that can reactivate inhibited acetylcholinesterase when administered early after organophosphate poisoning, particularly for nicotinic weakness and respiratory-muscle dysfunction. It is used with atropine and supportive care according to exposure and local guidance.

**Synonyms:**

### Pramipexole

A non-ergot dopamine agonist (D2/D3) used for Parkinson disease (as monotherapy in early disease or adjunct to levodopa) and restless legs syndrome. Activates striatal dopamine receptors.

**Synonyms:**

### Prebiotics

Non-digestible fibers feeding beneficial gut bacteria. Sources: garlic, onions, leeks, asparagus, bananas, whole grains.

**Synonyms:**

### Prebiotics and Probiotics

Prebiotics are nondigestible food ingredients (fiber and oligosaccharides—inulin, fructooligosaccharides, galactooligosaccharides) that selectively stimulate the growth and activity of beneficial gut bacteria (*Bifidobacterium*, *Lactobacillus*), promoting host health.

**Synonyms:**

### Precision Medicine

Treatment tailored to individual tumor characteristics. Requires molecular profiling.

**Synonyms:**

### Precocious Puberty

Onset of secondary sexual characteristics before age eight in girls and age nine in boys. Central precocious puberty results from early activation of the hypothalamic-pituitary-gonadal axis. Causes include CNS tumors, hydrocephalus, and idiopathic.

**Synonyms:**

### Preconception Counseling

Counseling provided to women of reproductive age before pregnancy to optimize outcomes.

**Synonyms:**

### Prediabetes

Intermediate state of hyperglycemia between normal glucose homeostasis and diabetes defined by fasting glucose 100 to 125 milligrams per deciliter, two-hour glucose during oral glucose tolerance test 140 to 199



---

milligrams per deciliter, or A1c 5.7 to 6.4 percent.

**Synonyms:**

### **Predictive Test**

A test that estimates whether a person or disease is likely to respond to a particular treatment.

**Synonyms:**

### **Preeclampsia**

A pregnancy-specific hypertensive disorder defined as new-onset hypertension (blood pressure 140/90 mmHg or higher) after 20 weeks gestation with proteinuria or other end-organ damage.

**Synonyms:**

### **Preeclampsia with Severe Features**

Preeclampsia accompanied by severe hypertension or signs of significant organ involvement, such as low platelets, liver or kidney dysfunction, pulmonary edema, severe headache, or visual symptoms. It requires urgent obstetric evaluation and management.

**Synonyms:**

### **Pregnancy**

The physiological state in which a developing embryo or fetus grows within the female uterus, typically lasting approximately 40 weeks from the last menstrual period to childbirth.

**Synonyms:**

### **Pregnancy Nutrition**

Nutrition care during pregnancy that supports maternal health, placental and fetal growth, and appropriate gestational weight gain. Energy, protein, folate, iron, iodine, choline, vitamin D, and other requirements vary by stage and individual clinical factors.

**Synonyms:**

### **Pregnancy Test**

A glycoprotein hormone produced by the placenta, detected in urine and serum for pregnancy diagnosis. See hCG (Human Chorionic Gonadotropin).

**Synonyms:**

### **Pregnancy-Induced Hypertension**

New-onset hypertension during pregnancy without the proteinuria or organ dysfunction that defines preeclampsia. Diagnosis and treatment depend on repeated blood-pressure measurements, gestational age, symptoms, and evidence of maternal or fetal complications.

**Synonyms:**

### **Preload**

The end-diastolic volume or pressure in the ventricles, representing the degree of ventricular stretch before contraction. Preload is determined by venous return and is estimated by the pulmonary capillary wedge pressure (PCWP) or left ventricular end-diastolic pressure (LVEDP).

**Synonyms:**

### **Premature (Early) Ejaculation**

A persistent or recurrent pattern of ejaculation that occurs sooner than desired, with limited control and associated personal distress. Assessment considers the person's typical experience and sexual context.

**Synonyms:** Early

### **Premature Atrial Contraction**

A premature beat arising from an ectopic focus in the atria, producing an early P wave (often abnormal morphology) followed by a normal QRS; common and usually benign, increasing with age and caffeine/stress. ECG: early abnormal P wave, normal PR and QRS, followed by a compensatory pause.

**Synonyms:**

### **Premature Ejaculation**

Ejaculation occurring sooner than desired. Most common sexual dysfunction in men. Treatment: behavioral techniques, topical anesthetics, SSRIs, counseling.

**Synonyms:**

### **Premature Ovarian Insufficiency**

Loss of ovarian function before age forty characterized by amenorrhea, hypergonadotropic hypog-

---

onadism, and estrogen deficiency. Causes include genetic disorders particularly Turner syndrome and fragile X premutations, autoimmune oophoritis, iatrogenic from chemotherapy or radiation, and idiopathic.

**Synonyms:**

### Premature Rupture of Membranes

PROM: spontaneous rupture of the amniotic membranes before the onset of labor; preterm PROM (PPROM) occurs before 37 weeks. Features: gush or leakage of fluid per vaginam; confirmed by sterile speculum (pooling, ferning, nitrazine pH test) or amniotic fluid biomarkers (IGFBP-1, PAMG-1).

**Synonyms:**

### Premature Ventricular Contractions

Ectopic beats originating from the ventricles, appearing as wide, bizarre QRS complexes that occur earlier than expected. PVCs are common in the general population and are usually benign. Frequent PVCs (>10% of total beats) may cause left ventricular dysfunction.

**Synonyms:**

### Premenstrual Dysphoric Disorder

A severe, debilitating form of premenstrual syndrome characterized by marked mood symptoms (depression, anxiety, irritability, mood swings), physical symptoms (breast tenderness, bloating, fatigue), and functional impairment that occur during the luteal phase and remit within days of menses onset.

**Synonyms:**

### Premenstrual Syndrome

A recurrent pattern of physical, emotional, and behavioral symptoms during the luteal phase of the menstrual cycle that resolve with menses. Affects up to 50% of reproductive-age women. Symptoms: irritability, mood swings, depression, anxiety, bloating, breast tenderness, fatigue, and appetite changes.

**Synonyms:**

### Prenatal Care

Regular medical care during pregnancy to mon-

itor maternal and fetal health. Includes history and physical exam, weight and blood pressure monitoring, urine testing, blood work, fundal height measurements, fetal heart rate auscultation, and ultrasound.

**Synonyms:**

### Prenatal Diagnosis

Detection of genetic or structural disorders in fetus before birth. Methods: chorionic villus sampling (CVS, 10-13 weeks), amniocentesis (15-20 weeks), percutaneous umbilical blood sampling (PUBS, after 18 weeks). Non-invasive: NIPT (cell-free fetal DNA).

**Synonyms:**

### Prenatal Exposure

Contact of a fetus with a medicine, substance, infection, or environmental factor during pregnancy. Effects depend on the agent, dose, timing, and fetal susceptibility.

**Synonyms:**

### Prenatal Vitamins

Multivitamin supplements formulated for pregnancy, containing folic acid (400-800 mcg), iron (27-60 mg), calcium (200-300 mg), vitamin D (400-600 IU), DHA (200 mg), and iodine (150-220 mcg). Started preconceptually or at the first prenatal visit. Evidence supports NTD reduction from folic acid. Iron prevents maternal anemia.

**Synonyms:**

### Preoperative Assessment

Preoperative assessment evaluates surgical risk and optimizes medical conditions before anesthesia. It includes medical history, physical examination, airway assessment, cardiovascular risk stratification ( Revised Cardiac Risk Index ), pulmonary function assessment, and laboratory testing based on clinical indication.

**Synonyms:**

### Preoperative Evaluation

Medical assessment before elective surgery to opti-

---

mize outcomes and minimize perioperative risk.

**Synonyms:**

### **Prerenal Azotemia**

A rise in nitrogen-containing waste products caused by reduced effective blood flow to the kidneys without primary renal-tissue injury. Causes include dehydration, hemorrhage, heart failure, sepsis, and hepatorenal syndrome; urine indices may support but do not by themselves establish the diagnosis.

**Synonyms:**

### **Presbycusis**

Bilateral, usually symmetric age-related sensorineural hearing loss, initially affecting high frequencies and speech discrimination in noise. Management includes hearing rehabilitation, hearing aids, communication strategies, and cochlear implantation in selected severe cases.

**Synonyms:**

### **Presbyopia**

Age-related loss of accommodation caused by lens hardening and loss of elasticity, beginning around age 40 and causing progressive difficulty with near vision. Corrected with reading glasses, bifocals, or progressive lenses; the most common refractive change of aging.

**Synonyms:**

### **Prescription**

A written or electronic order by a licensed prescriber (physician, NP, PA, dentist) authorizing a pharmacy to dispense a specific drug to a specific patient. Components: patient identifiers, drug name, dose, route, frequency, quantity, refills, and prescriber signature.

**Synonyms:**

### **Prescription Drug**

A medication whose dispensing or use is subject to prescription requirements under the applicable law. It requires professional oversight because of its risks, complexity, or need for monitoring; regulatory approval and prescribing rules vary by country and

product.

**Synonyms:**

### **Prescription Medications**

Pharmaceutical drugs that require authorization from a licensed healthcare provider before they can be dispensed to a patient. These medications are regulated because they carry risks that necessitate professional oversight, including potential side effects, drug interactions, and the need for precise dosing.

**Synonyms:**

### **Preseptal Cellulitis**

Preseptal cellulitis, also known as periorbital cellulitis, is an infection of the eyelid and periorbital tissues anterior to the orbital septum, without involvement of the orbital contents, and it is the most common orbital infection, particularly in children.

**Synonyms:** periorbital cellulitis, is an infection of the.

### **Pressure Atrophy**

The gradual wasting of tissue resulting from sustained external compression that impairs blood supply and causes cellular shrinkage and eventual death. The mechanism involves compression of blood vessels, which reduces perfusion and causes ischemia of the dependent tissue.

**Synonyms:**

### **Pressure Injury**

Localized damage to the skin and/or underlying soft tissue caused by prolonged pressure, shear, or friction, most commonly over bony prominences.

**Synonyms:**

### **Pressure Support Ventilation**

Spontaneous breathing mode with ventilator-provided pressure support above PEEP for each breath. Reduces work of breathing. Used for weaning from mechanical ventilation.

**Synonyms:**

---

## Pressure Ulcer

Localized damage to skin and underlying tissue caused by sustained pressure or pressure with shear, typically over a bony prominence. Staging includes non-blanchable erythema, partial-thickness loss, full-thickness loss, and full-thickness tissue loss with exposed or palpable deep structures; obscured wounds are unstageable.

**Synonyms:**

## Pressure Ulcer Prevention

Measures that reduce prolonged pressure and tissue injury, including repositioning, support surfaces, skin inspection, moisture control, nutrition, and mobility.

**Synonyms:**

## Pressure Urticaria

A form of chronic inducible urticaria in which sustained pressure causes localized swelling, erythema, and pain, usually after a delay of several hours. Lesions may last 8 to 72 hours and commonly affect the hands, feet, buttocks, or areas compressed by clothing or sitting.

**Synonyms:**

## Pressure-Flow Study

Suite of diagnostic procedures designed to evaluate the physiological function of the lower urinary tract (bladder and urethral sphincter) during filling, storage, and emptying phases. See urodynamic testing.

**Synonyms:**

## Presyncope

The sensation of imminent fainting (lightheadedness, weakness, visual blurring) without actual loss of consciousness, due to transient global cerebral hypoperfusion that resolves before LOC. Causes: orthostatic hypotension (volume depletion, autonomic failure, medications), vasovagal, cardiac (arrhythmias, aortic stenosis), and metabolic.

**Synonyms:**

## Preterm Birth

Birth before 37 completed weeks of gestation. It may follow spontaneous labor or rupture of the membranes, or may be medically indicated because of maternal or fetal complications.

**Synonyms:**

## Preterm Infant

An infant born before 37 completed weeks of gestation; classified by gestational age (late preterm 34-36, moderate 32-33, very preterm <32, extremely <28 weeks) and by birth weight. Causes: preterm labor, PPROM, preeclampsia, multiple pregnancy, infection, and iatrogenic.

**Synonyms:**

## Preterm Labor

Regular uterine contractions causing cervical change before 37 weeks gestation. Risk factors include prior preterm delivery, multiple gestation, infection, and cervical insufficiency. Diagnosis requires regular contractions with documented cervical change.

**Synonyms:**

## Preterm Premature Rupture of Membranes

Rupture of the amniotic membranes before the onset of labor at <37 weeks gestation. Causes: infection (subclinical chorioamnionitis), cervical insufficiency, and prior PPROM. Presents with sudden gush or leakage of fluid per vagina.

**Synonyms:**

## Pretest Probability

The estimated probability that a patient has a disease before the result of a diagnostic test is known. It is based on prevalence, symptoms, examination findings, risk factors, and prior test results and should guide test selection and interpretation.

**Synonyms:**

## Pretibial Myxedema

Localized dermopathy occurring in approximately five percent of patients with Graves disease caused by glycosaminoglycan deposition in the dermis par-

---

ticularly over the pretibial area. Presents as non-pitting indurated plaques with a peau d'orange appearance.

**Synonyms:**

### Prevalence

Total number of cases (new and existing) in population at given time. Formula: all cases / total population. Prevalence = incidence  $\times$  duration.

**Synonyms:**

### Prevention

Measures to prevent disease. Primary (before disease), secondary (early detection), tertiary (complication prevention).

**Synonyms:**

### Preventive Dentistry

Practice of preventing dental disease. Methods: oral hygiene instruction, fluoride, sealants, diet counseling, regular check-ups.

**Synonyms:**

### Prevertebral air

Gas in the prevertebral soft tissues on lateral cervical spine radiograph, indicating a breach in the aerodigestive tract. It may result from esophageal perforation, tracheal injury, retropharyngeal abscess with gas-forming organisms, or trauma.

**Synonyms:**

### Priapism

Prolonged, painful erection lasting longer than 4 hours, occurring independently of sexual desire or stimulation. Medical emergency categorized into two types: ischemic (low-flow, veno-occlusive) and non-ischemic (high-flow, arterial).

**Synonyms:**

### Primary adrenal insufficiency (Addison's disease)

Destruction or dysfunction of the adrenal cortex causing deficiency of cortisol and aldosterone, presenting with fatigue, hyperpigmentation, weight loss, and salt craving. Lifelong hormone replacement is

required.

**Synonyms:** Addison's disease

### Primary adrenal lymphoma

A rare lymphoma arising primarily in the adrenal gland, most commonly diffuse large B-cell lymphoma. It often presents bilaterally and may cause adrenal insufficiency.

**Synonyms:**

### Primary Aldosteronism

Excess production of aldosterone by the adrenal glands, usually from an adrenal nodule or enlargement of both glands. It increases sodium retention and may cause hypertension, low potassium, or suppressed renin.

**Synonyms:**

### Primary Biliary Cholangitis

A chronic autoimmune liver disease in which small intrahepatic bile ducts are progressively damaged. It can cause cholestasis, itching, fatigue, and eventually cirrhosis; antimitochondrial antibodies often support the diagnosis.

**Synonyms:**

### Primary Ciliary Dyskinesia

An inherited disorder of ciliary structure or function that impairs mucociliary clearance. It can cause chronic sinus and lung infections, bronchiectasis, infertility, and abnormal organ laterality.

**Synonyms:**

### Primary Hyperaldosteronism

Excess autonomous production of aldosterone by the adrenal glands. It can cause hypertension, low potassium, metabolic alkalosis, and suppressed renin. Causes include an adrenal adenoma or bilateral adrenal hyperplasia.

**Synonyms:**

### Primary hyperoxaluria

A group of autosomal recessive metabolic disorders characterized by overproduction of oxalate by the liver, leading to calcium oxalate deposition in the

---

kidneys and other organs. Type 1 is caused by alanine-glyoxylate aminotransferase deficiency. It presents with recurrent nephrolithiasis, nephrocalcinosis, and progressive renal failure.

**Synonyms:**

### **Primary Hyperparathyroidism**

Autonomous overproduction of parathyroid hormone from one or more abnormal parathyroid glands causing hypercalcemia. Most commonly caused by a single parathyroid adenoma accounting for approximately eighty-five percent. Multigland hyperplasia accounts for approximately ten to fifteen percent and parathyroid carcinoma is rare.

**Synonyms:**

### **Primary hypertrophic osteoarthropathy**

A rare inherited syndrome characterized by digital clubbing, periostosis of long bones, and pachydermia, presenting with joint pain, skin thickening, and visible nail-bed enlargement.

**Synonyms:**

### **Primary Immune Response**

The adaptive immune response to first exposure to an antigen, characterized by a slow onset (lag phase: days, during which antigen processing, clonal expansion, and differentiation occur), followed by rising antibody titers (predominantly IgM, then IgG), and generation of memory cells.

**Synonyms:**

### **Primary Immunodeficiency**

A group of genetically determined disorders of the immune system causing increased susceptibility to infection, autoimmunity, and malignancy.

**Synonyms:**

### **Primary Lateral Sclerosis**

A rare neurodegenerative disorder confined to the upper motor neurons (corticospinal tract) of the motor cortex and brainstem. Presents with slowly progressive spasticity, hyperreflexia, Babinski sign, and pseudobulbar affect (emotional lability).

**Synonyms:**

### **Primary Metabolism**

The essential biochemical processes by which cells produce energy, synthesize molecules, and maintain their functions.

**Synonyms:**

### **Primary Myelofibrosis**

A chronic myeloproliferative neoplasm characterized by bone marrow fibrosis (reticulin and/or collagen fibrosis), extramedullary hematopoiesis (primarily splenic and hepatic), and a leukoerythroblastic peripheral blood picture.

**Synonyms:**

### **Primary Open-Angle Glaucoma**

A chronic optic neuropathy with characteristic retinal ganglion-cell and optic-nerve loss, usually accompanied by progressive visual-field defects, despite an anatomically open anterior-chamber angle. Intraocular pressure is an important modifiable risk factor, and treatment lowers pressure to slow progression.

**Synonyms:**

### **Primary Ovarian Insufficiency**

Loss of normal ovarian activity before age 40, characterized by irregular or absent menses, reduced estrogen, and intermittently or persistently elevated gonadotropins. Causes include genetic, autoimmune, iatrogenic, toxic, infectious, and unknown factors.

**Synonyms:**

### **Primary Prevention**

Preventing cancer development. Strategies: smoking cessation, vaccination (HPV, hepatitis B), sun protection, healthy diet, exercise.

**Synonyms:**

### **Primary Sclerosing Cholangitis**

Chronic cholestatic liver disease characterized by progressive fibrosis and strictures of intrahepatic and extrahepatic bile ducts. The disease has a strong association with ulcerative colitis occurring in seventy to eighty percent of patients.

**Synonyms:**



---

### Primary Tuberculosis

The first infection with *Mycobacterium tuberculosis*. It may produce a small pulmonary focus and regional lymph-node involvement; the infection may be contained as latent tuberculosis or progress to active disease.

**Synonyms:**

### Primary Tumor

Original cancer site. Secondary: metastatic sites.

**Synonyms:**

### Primordial Prevention

Preventing the emergence of disease risk factors by addressing social, economic, behavioural, and environmental conditions early. Examples: promoting healthy diets and physical activity in children, reducing tobacco exposure, and creating safe environments for exercise.

**Synonyms:**

### Prion

An infectious agent composed solely of misfolded protein (PrP<sup>Sc</sup>) that propagates by converting normal cellular prion protein (PrP<sup>C</sup>) into the abnormal conformation; contains no nucleic acid, resistant to standard sterilization (heat, radiation, formaldehyde).

**Synonyms:**

### Prion Disease

A neurodegenerative disease caused by abnormal folding and propagation of prion protein. These disorders are rare and usually progressive and fatal, although their course varies by the specific disease.

**Synonyms:**

### PRK

Photorefractive keratectomy, commonly known as PRK, is a refractive surgical procedure that corrects myopia, hyperopia, and astigmatism by reshaping the corneal stroma using an excimer laser after mechanical removal of the corneal epithelium, without creating a corneal flap.

**Synonyms:**

### Probable Cause

A legally recognized reasonable basis for believing that a person committed an offense or that evidence of an offense will be found.

**Synonyms:**

### Probe

Instrument for exploring wound or cavity.

**Synonyms:**

### Probiotic

Live microorganisms administered in adequate amounts to confer a health benefit by modulating the microbiome and immune responses.

**Synonyms:**

### Procalcitonin

A biomarker that may rise during some bacterial infections and systemic inflammation. It can support assessment of infection and antibiotic decisions, but it cannot by itself diagnose or exclude bacterial infection or determine sepsis severity.

**Synonyms:**

### Procalcitonin-guided antibiotic therapy

The use of procalcitonin levels to guide initiation and discontinuation of antibiotics. Procalcitonin is a biomarker that rises in bacterial infections and falls with effective treatment. Elevated levels support the need for antibiotic therapy, while declining levels support discontinuation.

**Synonyms:**

### Procedural Sedation

Administration of sedative and analgesic medicines to facilitate a painful or anxiety-provoking procedure while preserving spontaneous ventilation and protective reflexes to the intended depth. Continuous monitoring and immediate rescue capability are required.

**Synonyms:**

### Procedure

A planned medical or surgical action performed for diagnosis, treatment, prevention, or palliation.

---

**Synonyms:**

### **Proctitis**

Inflammation of the rectal mucosa causing tenesmus, rectal pain, and bloody discharge. Causes include inflammatory bowel disease, sexually transmitted infections including gonorrhea, chlamydia, and herpes, radiation therapy, and ischemia. Diagnosed by proctoscopy with biopsy. Treatment is directed at the underlying etiology.

**Synonyms:**

### **Prodrug**

A prodrug is a pharmacologically inactive compound that is converted to an active drug through metabolic processes within the body. Prodrugs are designed to overcome limitations of the parent drug including poor bioavailability, rapid metabolism, lack of tissue selectivity, or unacceptable side effects.

**Synonyms:**

### **Product Liability**

Legal responsibility for injury or damage caused by a defective or unsafe product.

**Synonyms:**

### **Progeria**

A rare genetic premature-aging syndrome, most commonly caused by a pathogenic LMNA variant. Children develop severe growth failure, characteristic skin and facial changes, loss of subcutaneous fat, joint stiffness, and early atherosclerotic cardiovascular disease.

**Synonyms:**

### **Progesterone**

A natural steroid hormone produced mainly by the corpus luteum after ovulation and by the placenta during pregnancy. It transforms and maintains the endometrium for implantation, reduces uterine contractility during pregnancy, supports breast glandular development, and contributes to regulation of the menstrual cycle.

**Synonyms:**

### **Progesterone Supplementation**

Administration of progesterone to prevent preterm birth in high-risk women. Natural progesterone (17-alpha hydroxyprogesterone caproate) shown to reduce preterm birth rate in women with prior spontaneous preterm delivery. Also beneficial for short cervix detected on screening. Typically started in the second trimester.

**Synonyms:**

### **Progestogen**

A synthetic form of progesterone, the hormone that maintains the uterine lining in the secretory phase of the menstrual cycle and supports early pregnancy.

**Synonyms:**

### **Prognosis**

Predicted outcome of cancer. Factors: stage, grade, molecular features, patient status. Survivability statistics.

**Synonyms:**

### **Prognostic Test**

A test that provides information about the likely course or outcome of a disease.

**Synonyms:**

### **Progression**

Worsening or advancement of a disease, such as increasing tumor size, new lesions, or spread to another site.

**Synonyms:**

### **Progression-Free Survival**

The length of time from a defined starting point, such as diagnosis or treatment, until cancer progression or death from any cause, whichever occurs first.

**Synonyms:**

### **Progressive Disease**

Worsening of cancer during or after treatment, defined per RECIST as growth of target lesions, appearance of new lesions, or unequivocal progression of non-target lesions.

---

**Synonyms:**

### **Progressive Supranuclear Palsy**

A neurodegenerative tauopathy characterized by the accumulation of tau protein in the basal ganglia, brainstem, and cerebral cortex, belonging to the family of Parkinson plus syndromes.

**Synonyms:**

### **Projection**

A defense mechanism in which unacceptable thoughts, feelings, or impulses are attributed to others. For example, a patient who is angry at the therapist may accuse the therapist of being angry at them. It is common in paranoid thinking, delusional disorders, and personality disorders.

**Synonyms:**

### **Prolactin Physiology**

Prolactin is the only pituitary hormone primarily under tonic inhibitory control by the hypothalamus through dopamine acting on D2 receptors. Prolactin stimulates lactation suppresses GnRH and is important for reproductive function. Physiological elevations occur during pregnancy lactation breast stimulation sleep and stress.

**Synonyms:**

### **Prolactinoma**

A benign prolactin-secreting pituitary adenoma, the most common functional pituitary tumor, presenting with galactorrhea, amenorrhea, infertility, and hypogonadism in women, and decreased libido, erectile dysfunction, and visual field defects in men. Prolactin levels are markedly elevated, often above 200 ng per mL.

**Synonyms:**

### **Prolactinoma Treatment**

Treatment may include a dopamine agonist, surgery, radiation, or observation, depending on tumor size, symptoms, hormone levels, treatment response, and patient preferences. Dopamine agonists often lower prolactin levels and reduce tumor size.

**Synonyms:**

### **Prolapse of orbital fat**

Herniation of intraorbital fat through a dehiscence in the orbital septum, most commonly presenting as a painless, soft, reducible mass in the upper eyelid or lower eyelid. It is often age-related and may be confused with a lipoma or dermoid cyst.

**Synonyms:**

### **Prolapse of the Uterus (Uterine Prolapse)**

Descent of the uterus into the vaginal canal due to weakening of pelvic floor supports, most commonly the uterosacral and cardinal ligaments.

**Synonyms:** Uterine Prolapse

### **Proliferative Diabetic Retinopathy**

The advanced stage of diabetic retinopathy, characterized by the growth of new, fragile blood vessels (neovascularization) on the retinal surface, optic disc, or iris in response to severe retinal ischemia and the release of vascular endothelial growth factor.

**Synonyms:**

### **Prolonged Deceleration**

A fetal heart rate deceleration lasting  $\geq 2$  minutes but  $<10$  minutes. If the deceleration persists  $\geq 10$  minutes, it is a baseline change. Causes: maternal hypotension (epidural-induced aortocaval compression), uterine hyperstimulation, umbilical cord prolapse, placental abruption, and maternal seizure.

**Synonyms:**

### **Prolonged Second Stage**

Second stage of labor exceeding the time limits: nulliparas — 3 hours with regional anesthesia (2 hours without); multiparas — 2 hours with regional (1 hour without). Management: reassess position, contractions, and fetal status. For inadequate contractions: oxytocin augmentation. For malposition (OP, OT): manual rotation.

**Synonyms:**

### **Prominent iris collarette**

A visible thickening or ridge of the iris at the junction of the pupillary and ciliary zones, representing the site where the embryonic pupillary membrane

---

was attached. It is typically a normal anatomical variant but can be a clinical sign in conditions such as Axenfeld-Rieger syndrome or iridocorneal endothelial syndrome.

**Synonyms:**

### Promoter

DNA sequence upstream of gene where RNA polymerase and transcription factors bind to initiate transcription. Core promoter: TATA box, transcription start site. Regulatory elements: enhancers, silencers.

**Synonyms:**

### Pronation

Rotation of the forearm so that the palm faces posteriorly in anatomical position, or downward when the elbow is flexed. The radius crosses over the ulna.

**Synonyms:**

### Prone Positioning

Turning supine patients to prone for > 12 hours daily in severe ARDS. Improves oxygenation by recruiting dorsal lung segments. Reduces mortality when PaO<sub>2</sub>/FiO<sub>2</sub> < 150.

**Synonyms:**

### Propafenone

A class IC antiarrhythmic with sodium channel blockade and weak beta-blocking activity. Used for paroxysmal atrial fibrillation (in patients without structural heart disease, including 'pill-in-the-pocket'), supraventricular tachycardias, and ventricular arrhythmias.

**Synonyms:**

### Properdin Deficiency

X-linked recessive (CFP gene). Properdin stabilizes alternative pathway C3 convertase. Recurrent Neisseria infections (meningococcemia, gonococcemia). Low AH50, normal CH50, low properdin. Treatment: meningococcal vaccination (ACWY + B), prophylactic penicillin, IVIG for severe infections.

**Synonyms:**

### Prophylaxis

Preventive administration of a vaccine, antimicrobial, or immune globulin to prevent infection in exposed or at-risk individuals. Examples: post-exposure prophylaxis for rabies, HIV, and hepatitis B; perioperative antibiotic prophylaxis; and chemoprophylaxis for malaria. See also Endocarditis Prophylaxis.

**Synonyms:**

### Propofol Infusion Syndrome

Rare but fatal complication of prolonged high-dose propofol infusion. Features: metabolic acidosis, rhabdomyolysis, cardiac failure, hyperlipidemia. Risk: critical illness, children, high doses (>4-5 mg/kg/hr), prolonged infusion (>48 hours). Prevention: limit dose and duration.

**Synonyms:**

### Proprioception

The sense of body position, movement, and joint position arising from mechanoreceptors in muscles (muscle spindles), tendons (Golgi tendon organs), and joints, as well as skin receptors. Signals ascend via the dorsal column-medial lemniscal pathway (conscious proprioception) and the spinocerebellar tract (unconscious).

**Synonyms:**

### Propylthiouracil

A thioamide antithyroid drug that inhibits thyroid peroxidase (hormone synthesis) and blocks peripheral T<sub>4</sub>-to-T<sub>3</sub> conversion. Used for hyperthyroidism/Graves disease—preferred in the first trimester of pregnancy (lower teratogenicity than methimazole) and in thyroid storm.

**Synonyms:**

### Prostacyclin Analogs

Medications that mimic prostacyclin (PGI<sub>2</sub>), causing vasodilation and inhibiting platelet aggregation in the pulmonary vasculature. They include epoprostenol (continuous IV), treprostinil (subcutaneous, IV, inhaled, oral), and iloprost (inhaled). They are used for severe PAH.

---

**Synonyms:**

### **Prostaglandin Analogs**

A class of topical medications used in the treatment of open-angle glaucoma and ocular hypertension that lower intraocular pressure by increasing the uveoscleral outflow of aqueous humor, reducing intraocular pressure by approximately twenty-five to thirty-five percent.

**Synonyms:**

### **Prostaglandins**

Lipid compounds involved in labor initiation and cervical ripening. Endogenous prostaglandins (PGE<sub>2</sub>, PGF<sub>2</sub>α) stimulate uterine contractions and promote cervical softening. Synthetic analogs used clinically: misoprostol (PGE<sub>1</sub>) and dinoprostone (PGE<sub>2</sub> gel or insert) for cervical ripening and labor induction.

**Synonyms:**

### **Prostate**

Walnut-sized gland (approximately 20 g) surrounding the urethra just below the bladder, producing approximately 30 percent of seminal fluid. It has peripheral, central, and transition zones.

**Synonyms:**

### **Prostate Adenocarcinoma**

The most common non-cutaneous malignancy in men and the second leading cause of cancer death in men after lung cancer. The disease typically arises in the peripheral zone of the prostate and is hormone-dependent, requiring androgens for growth.

**Synonyms:**

### **Prostate Biopsy**

Sampling of prostate tissue, commonly by transperineal or transrectal needle technique, for histologic diagnosis of prostate cancer. Targeted and systematic cores may be combined, with attention to infection prevention, bleeding, urinary retention, and sepsis risk.

**Synonyms:**

### **Prostate Cancer**

Most common non-cutaneous cancer in men. Risk factors: age, family history, African American race, high red meat intake. Screening: PSA testing, DRE. Diagnosis: transrectal ultrasound-guided biopsy. Staging: TNM system, Gleason score.

**Synonyms:**

### **Prostate-Specific Antigen**

A serine protease produced mainly by prostate epithelial cells and secreted into seminal fluid. PSA can be measured in blood, where levels may rise with benign enlargement, inflammation, infection, or prostate cancer. Interpretation depends on age, prostate size, medicines, symptoms, and changes over time.

**Synonyms:**

### **Prostatectomy**

Surgical procedure involving the partial or total removal of the prostate gland. Simple prostatectomy: removal of the inner adenoma while leaving the peripheral capsule intact, performed open, laparoscopically, or robotically for very large BPH (>80-100 grams).

**Synonyms:**

### **Prostatitis**

Inflammation or infection of the prostate that may cause pelvic or urinary pain, difficulty urinating, fever, or recurrent urinary infections. It can be acute, chronic bacterial, or chronic pelvic pain syndrome.

**Synonyms:**

### **Prosthesis**

Artificial replacement for missing body part. Types: upper extremity, lower extremity. Components: socket, suspension, joint, pylon, terminal device. Fitting: certified prosthetist. Training: physical therapy.

**Synonyms:**

### **Prosthetic Limb**

Artificial replacement for missing limb. Types:

---

above/below knee, above/below elbow. Components: socket, suspension, joint, pylon, terminal device. Materials: carbon fiber, silicone, metal. Rehabilitation: gait training, strength, ADL.

**Synonyms:**

### **Prosthetic Training**

Training for amputees: stump care, donning/doffing, gait training, balance, stair negotiation, community ambulation.

**Synonyms:**

### **Prosthetics**

Artificial replacement of missing body part. Elderly use: lower limb (transtibial, transfemoral), upper limb. Considerations: mobility level, cognition, vision, comorbidities, support system. Rehabilitation: physical therapy, strength training, balance.

**Synonyms:**

### **Prosthodontics**

Dental specialty concerned with replacement of missing teeth and restoration of oral function. Types: fixed (crowns, bridges, implants), removable (partial dentures, complete dentures), maxillofacial prosthetics (ocular, nasal, auricular). Goals: aesthetics, function, phonetics, preservation of remaining structures.

**Synonyms:**

### **Protease inhibitor**

A class of antiretroviral drugs that block the viral protease enzyme responsible for cleaving polyprotein precursors into functional proteins during HIV replication, preventing the formation of mature, infectious virions. Used in combination antiretroviral therapy for HIV infection.

**Synonyms:**

### **Protease Inhibitors**

A class of antiviral drugs that block viral proteases, enzymes essential for processing viral polyproteins into functional components needed for viral assembly and maturation.

**Synonyms:**

### **Protective Factor**

Attribute decreasing probability of disease. Examples: exercise (cardiovascular disease), vaccination (infectious disease).

**Synonyms:**

### **Protein**

Polymer of amino acids linked by peptide bonds. Structure: primary (sequence), secondary (alpha helix, beta sheet), tertiary (3D folding), quaternary (multiple subunits). Functions: enzymes, structural, transport, signaling, immune defense, movement. Folding determined by amino acid sequence (Anfinsen's dogma). Chaperones assist folding.

**Synonyms:**

### **Protein Binding**

The reversible association of drug molecules with plasma proteins, primarily albumin for acidic drugs and alpha-1 acid glycoprotein for basic drugs. Only unbound or free drug is pharmacologically active and available for distribution to tissues, metabolism by the liver, and excretion by the kidneys.

**Synonyms:**

### **Protein C**

Natural anticoagulant. Inactivates factors Va and VIIIa. Warfarin can cause skin necrosis in deficiency.

**Synonyms:**

### **Protein C Deficiency**

An inherited (autosomal dominant) thrombophilia causing increased VTE risk. Protein C is a vitamin K-dependent natural anticoagulant that inactivates factors Va and VIIIa and stimulates fibrinolysis. Heterozygous: 6-10 fold increased VTE risk.

**Synonyms:**

### **Protein Folding**

The process by which newly synthesized polypeptide chains acquire their functional three-dimensional structures. The amino acid sequence (primary structure) determines the folding pathway.

**Synonyms:**



---

## Protein S

Vitamin K-dependent plasma glycoprotein that acts as a cofactor for activated protein C in the inactivation of factors Va and VIIIa. Deficiency or dysfunction increases the risk of venous thromboembolism.

**Synonyms:**

## Protein S Deficiency

An inherited (autosomal dominant) thrombophilia. Protein S is a vitamin K-dependent natural anticoagulant that acts as a cofactor for activated protein C in inactivating factors Va and VIIIa. Heterozygous: 2-10 fold increased VTE risk. Homozygous: rare, purpura fulminans.

**Synonyms:**

## Protein Synthesis

Translation of mRNA code into polypeptide chain. Initiation: ribosome assembly at start codon (AUG). Elongation: aminoacyl-tRNAs bring amino acids; peptide bonds form in peptidyl transferase center; ribosome translocates. Termination: stop codon (UAA, UAG, UGA) recognized by release factors.

**Synonyms:**

## Protein-Energy Malnutrition

Severe deficiency of protein and calories. Types: marasmus (chronic, wasting), kwashiorkor (acute, edema, fatty liver), marasmic-kwashiorkor. Risk: famine, poverty, alcoholism, malignancy, malabsorption. Treatment: gradual refeeding, monitor refeeding syndrome.

**Synonyms:**

## Proteinuria

Excretion of more than 150 mg of protein in urine daily. Causes include glomerular disease, tubulointerstitial disease, overflow proteinuria from multiple myeloma, and functional proteinuria from fever or exercise. Quantification by 24-hour urine or spot protein-to-creatinine ratio.

**Synonyms:**

## Prothrombin Time

PT: a coagulation test measuring the extrinsic and

common pathways (factors VII, X, V, II, fibrinogen), used to monitor warfarin therapy (reported as INR) and assess bleeding risk. Prolonged PT: warfarin/Vitamin K deficiency, liver disease, DIC, factor deficiencies (VII), and anticoagulant use.

**Synonyms:**

## Proto-Oncogene

A normal gene that regulates cell growth, division, differentiation, or survival and can become an oncogene after activating mutation, amplification, translocation, or overexpression.

**Synonyms:**

## Proton Pump Inhibitor

A class of medications that irreversibly inhibit the gastric H<sup>+</sup>/K<sup>+</sup> ATPase (proton pump) in parietal cells, the final common pathway of gastric acid secretion, producing profound and sustained suppression of both basal and stimulated acid production.

**Synonyms:**

## Proton Therapy

Radiation using protons instead of photons. Bragg peak allows precise dose delivery. Used for pediatric tumors, skull base tumors.

**Synonyms:**

## Protozoa

Single-celled eukaryotes lacking a cell wall, classified by locomotion into amoebae, flagellates, ciliates, and sporozoa.

**Synonyms:**

## Proximal

Positioned closer to the trunk of the body or point of origin of a limb.

**Synonyms:**

## Proximal Humerus Fractures

Proximal humerus fractures: Neer classification (4 parts: articular surface, greater tuberosity, lesser tuberosity, shaft; displaced >1 cm or angulated >45 degrees = part). 1-part (nondisplaced): sling, early motion. 2-part: surgical neck (ORIF plate, IM nail)

---

or greater tuberosity (if displaced >5mm or rotator cuff involvement).

**Synonyms:**

### Proximal Radioulnar Joint

Pivot synovial joint between radial head circumference and ulnar radial notch, held by the annular ligament. Allows pronation/supination with approximately 150 degrees range. Parallel bones in supination; radius crosses ulna in pronation. Significant in radial head fractures, Monteggia fracture-dislocations, and nursemaid's elbow.

**Synonyms:**

### Proximal Tubule

Segment of the nephron extending from Bowman capsule to the loop of Henle with a convoluted proximal straight tubule and convoluted proximal tubule. Responsible for reabsorbing approximately sixty-five percent of filtered sodium, water, bicarbonate, glucose, amino acids, and phosphate through an extensive brush border.

**Synonyms:**

### Proximal Tubule Reabsorption

The proximal convoluted tubule (PCT) reabsorbs approximately 65 percent of filtered sodium, water, glucose, amino acids, bicarbonate, and phosphate.

**Synonyms:**

### Proximate Cause

The legally sufficient cause that directly contributes to an injury or outcome.

**Synonyms:**

### Prune Belly Syndrome

A congenital syndrome comprising the triad: deficient abdominal wall musculature (wrinkled, prune-like appearance), bilateral cryptorchidism (undescended testes), and urinary tract anomalies (dilated ureters, dilated and trabeculated bladder, and posterior urethral valves or urethral atresia). Almost exclusively affects boys.

**Synonyms:**

### Pruritus

Itching; an unpleasant sensation provoking scratching, a common symptom of skin and systemic disease.

**Synonyms:**

### Pruritus Ani

Persistent itching around the anus with multiple potential causes including hemorrhoids, fissures, infections such as pinworms and candidiasis, dermatologic conditions including psoriasis and lichen sclerosus, and idiopathic causes.

**Synonyms:**

### Pruritus in CKD

Severe itching in dialysis patients from uremic toxin accumulation, elevated calcium-phosphorus product, and secondary hyperparathyroidism. Difficult to treat. Include phosphate binders, dialysis optimization, gabapentin, and UV phototherapy.

**Synonyms:**

### PSA (Prostate-Specific Antigen)

A serine protease produced by prostate tissue and measured in blood. It may be used with shared decision-making to assess prostate-cancer risk and to monitor known disease. PSA can also rise with benign enlargement, inflammation, infection, or recent procedures, so no single value establishes or excludes cancer.

**Synonyms:** Prostate-Specific Antigen

### Pseudoaneurysm

A contained arterial wall disruption in which blood communicates with the arterial lumen but is held by surrounding tissue rather than all layers of the arterial wall. It may follow catheterization, trauma, surgery, infection, or grafting and can rupture or embolize.

**Synonyms:**

### Pseudobulbar Affect

Involuntary episodes of laughing or crying disproportionate to mood, usually due to neurologic disease.

**Synonyms:**

---

### **Pseudoclubbing**

Broadening and flattening of the nail tips without the complete loss of the angle between the nail and nail fold that characterizes true clubbing. It is seen in conditions such as hyperparathyroidism, rheumatoid arthritis, and psoriasis.

**Synonyms:**

### **Pseudoephedrine**

A sympathomimetic (alpha-1 agonist, some beta effects) oral decongestant used for nasal congestion in colds and sinusitis. Increases nasal mucosal vasoconstriction.

**Synonyms:**

### **Pseudogout**

Calcium pyrophosphate deposition disease (CPPD): deposition of calcium pyrophosphate dihydrate crystals in joints, causing acute arthritis resembling gout (pseudogout) or chronic osteoarthritis-like disease.

**Synonyms:**

### **Pseudogout Flare**

Acute crystal-induced arthritis caused by calcium pyrophosphate dihydrate deposition, often affecting the knee or wrist. Identification of positively birefringent rhomboid crystals in synovial fluid supports the diagnosis.

**Synonyms:**

### **Pseudohypoparathyroidism**

A group of inherited disorders in which target organs are resistant to parathyroid hormone, causing hypocalcaemia and hyperphosphataemia despite elevated PTH. Some forms cause Albright hereditary osteodystrophy, with short stature, round facies, brachydactyly, or subcutaneous ossifications.

**Synonyms:**

### **Pseudomelanosis duodeni**

Benign condition characterized by dark pigment deposits in the duodenal mucosa, visible as slate-gray or black patches on endoscopy, caused by accumulation of iron-containing pigment in macrophages within the lamina propria.

**Synonyms:**

### **Pseudomembranous Colitis**

Colonic inflammation caused by *C. difficile* infection showing yellow-white plaques on colonoscopy. The plaques consist of fibrin, inflammatory cells, and necrotic epithelial debris overlying mucosal ulceration. Presents with profuse watery diarrhea and abdominal pain.

**Synonyms:**

### **Pseudomonas aeruginosa infection**

Infection caused by *Pseudomonas aeruginosa*, an opportunistic gram-negative bacterium that can affect the lungs, wounds, urinary tract, blood, or other sites.

**Synonyms:**

### **Pseudomonas aeruginosa resistance**

*Pseudomonas aeruginosa* has intrinsic and acquired resistance mechanisms making it inherently resistant to many antibiotics. Intrinsic resistance includes low outer membrane permeability, efflux pumps, and chromosomal beta-lactamase.

**Synonyms:**

### **Pseudomyxoma Peritonei**

Accumulation of mucinous ascites and mucin-producing tumor nodules in the peritoneal cavity, usually from a ruptured low-grade appendiceal or ovarian mucinous neoplasm; treated with cytoreductive surgery and hyperthermic intraperitoneal chemotherapy.

**Synonyms:**

### **Pseudothrombocytosis due to red cell fragments**

Falsely elevated platelet count on automated hematology analyzers caused by fragmentation of red blood cells (schistocytes) being counted as platelets. Seen in microangiopathic hemolytic anemias such as TTP, HUS, DIC, and mechanical heart valves. Manual peripheral blood smear review confirms true platelet count.

**Synonyms:**

---

### **Pseudoxanthoma elasticum**

An inherited connective tissue disorder caused by mutations in the ABCC6 gene, leading to progressive calcification and fragmentation of elastic fibres in the skin, eyes, and cardiovascular system. Cutaneous findings include yellowish, peau d'orange papules in flexural areas (neck, axillae, groin) resembling plucked chicken skin.

**Synonyms:**

### **Psittacosis**

A zoonotic infection caused by *Chlamydia psittaci*, transmitted from infected birds (parrots, pigeons, poultry) via inhalation of dried bird droppings/secretions. Features: abrupt fever, headache, myalgia, dry cough, atypical pneumonia; complications: hepatitis, myocarditis, meningitis.

**Synonyms:**

### **PSMA**

Prostate-specific membrane antigen. Target for PET imaging and therapy in prostate cancer.

**Synonyms:**

### **Psoas Abscess**

A collection of pus in or around the psoas muscle, caused by infection spreading through the blood or from nearby tissues. It may cause back or hip pain, fever, difficulty walking, or few symptoms and usually requires imaging and targeted treatment.

**Synonyms:**

### **Psoriasis**

A chronic immune-mediated skin disorder that causes well-defined plaques with overlying scale. It may also affect the nails and joints, and its severity and distribution vary among individuals.

**Synonyms:**

### **Psoriatic Arthritis**

An inflammatory arthritis associated with psoriasis of the skin or nails. It may affect the spine, peripheral joints, digits, or tendon insertions, and diagnosis uses the clinical pattern together with appropriate laboratory and imaging findings.

**Synonyms:**

### **Psychoactive Substance**

A substance that alters mood, perception, cognition, behavior, or consciousness.

**Synonyms:**

### **Psychodermatology**

Psychodermatology addresses the mind-skin connection. Stress exacerbates psoriasis, eczema, acne, and urticaria. Psychiatric disorders (depression, anxiety, body dysmorphic disorder) are associated with skin conditions.

**Synonyms:**

### **Psychodynamic Therapy**

A form of depth psychology that explores how unconscious processes, early life experiences, and internal conflicts influence current thoughts, feelings, and behaviors. It involves exploration of transference and countertransference, defense mechanisms, and the therapeutic relationship as a vehicle for change.

**Synonyms:**

### **Psychogenic Non-Epileptic Seizures**

Seizure-like episodes that are not caused by abnormal electrical activity in the brain. They are a form of conversion disorder with attacks or seizures. Events may include shaking, stiffening, unresponsiveness, and other movements.

**Synonyms:**

### **Psychological Support**

Counseling, therapy for patients with chronic illness, disability, pain. Address depression, anxiety, adjustment difficulties, coping strategies.

**Synonyms:**

### **Psychopharmacology**

The study and clinical application of medications used to treat psychiatric disorders. It involves understanding drug mechanisms, pharmacokinetics, drug interactions, and side effect profiles.

**Synonyms:**

---

## **Psychosis**

A syndrome characterized by loss of contact with shared reality, commonly involving delusions, hallucinations, disorganized thought or behavior, and negative symptoms. Causes include primary psychotic disorders, mood disorders, substances, medications, neurologic disease, and systemic illness.

**Synonyms:**

## **Psychosocial Rehabilitation**

Support for mental illness recovery: skills training, supported employment, peer support.

**Synonyms:**

## **Psychosocial Support**

Cancer affects mental health. Depression, anxiety common. Support groups, counseling beneficial.

**Synonyms:**

## **Psychotherapy**

A structured treatment in which a trained therapist helps a person understand and change distressing thoughts, emotions, behaviors, or relationship patterns. Major approaches include cognitive behavioral therapy, psychodynamic therapy, interpersonal therapy, supportive therapy, exposure-based therapy, and family or group therapy.

**Synonyms:**

## **Pterygium**

A triangular, fibrovascular proliferation of bulbar conjunctiva extending onto the cornea, usually nasal, associated with chronic ultraviolet exposure, dust, and dry climates. Most are asymptomatic or cause mild irritation, but growth toward the visual axis can induce astigmatism and obstruct vision.

**Synonyms:**

## **PTH-Related Peptide**

A peptide that activates the parathyroid-hormone receptor and can cause humoral hypercalcemia of malignancy. It increases bone resorption and renal calcium retention while reducing phosphate reabsorption.

**Synonyms:**

## **Pthirus pubis**

The pubic louse, a parasitic insect that infests the pubic hair and occasionally other coarse body hair, causing pediculosis pubis. Transmission is primarily through sexual contact. It causes intense pruritus and may transmit *Borrelia recurrentis* causing relapsing fever. Diagnosis is by visual identification of the louse or nits.

**Synonyms:**

## **Ptosia**

The drooping of the upper eyelid, which can be congenital or acquired, and can range from mild drooping that is primarily a cosmetic concern to severe drooping that obstructs the visual axis and causes amblyopia in children or visual impairment in adults.

**Synonyms:**

## **PTSD**

Post-traumatic stress disorder, a condition involving persistent trauma-related memories, avoidance, negative mood or cognition, and heightened arousal after a severe traumatic event.

**Synonyms:**

## **Puberty**

Developmental period during which sexual maturation and reproductive capability are attained.

**Synonyms:**

## **Pubis**

Anterior-inferior hip bone with body, superior ramus, and inferior ramus. Two pubic bones meet at the pubic symphysis (cartilaginous joint widening in childbirth). Pubic tubercle is the lateral inguinal ligament attachment. Direct hernias emerge medial to inferior epigastric vessels near it.

**Synonyms:**

## **Public Exposure**

Radiation exposure to public from nuclear medicine patients. Guidelines for discharge after therapy. I-131 therapy: radiation safety instructions for 3-7 days.

---

**Synonyms:**

### **Public Health**

The science and practice of protecting and improving the health of communities through education, policy-making, and research for disease and injury prevention.

**Synonyms:**

### **Public Health Emergency**

Event threatening public health. Examples: pandemic, bioterrorism, natural disaster. Declaration enables special powers.

**Synonyms:**

### **Public Health Research Bias**

Systematic error in a population-health study, including selection bias, information bias, and confounding.

**Synonyms:**

### **Pudendal Block**

A local anesthetic block of the pudendal nerve (S2-S4) used for perineal anesthesia during the second stage of labor, outlet forceps delivery, or perineal repair. Technique: transvaginal approach — a needle guide is placed on the ischial spine, and the needle is advanced through the sacrospinous ligament.

**Synonyms:**

### **Puerperal Fever**

Fever higher than 38 degrees Celsius occurring during the first 10 days postpartum, not including the first 24 hours. Most common cause is endometritis, particularly after cesarean delivery. Other causes include urinary tract infection, wound infection, mastitis, and thrombophlebitis.

**Synonyms:**

### **Puerperal psychosis**

A rare psychiatric emergency beginning soon after childbirth, characterized by rapidly changing mood, confusion, delusions, hallucinations, or disorganized behavior.

**Synonyms:**

### **Puerperium**

The period following delivery during which the reproductive organs return to their prepregnancy state, approximately 6 weeks in duration. Characterized by uterine involution, cervical closure, lochial discharge changes, and hormonal shifts. Physical recovery includes perineal healing, breast engorgement, and metabolic readjustment.

**Synonyms:**

### **Pugilistic Stance**

The characteristic body position adopted by fire victims—flexed arms, elbows bent, fists clenched, knees flexed—resulting from heat-induced contraction (denaturation) of muscles (mainly flexors) and tendons, not from conscious movement. It occurs with thermal injury and can be present regardless of cause (even if death preceded fire).

**Synonyms:**

### **Pulmonary Alveolar Hemorrhage**

Bleeding into the alveolar spaces from disruption of the alveolar-capillary membrane. Causes include vasculitis (GPA, MPA, Goodpasture), connective tissue disease, medications, and coagulopathy. It presents with hemoptysis, falling hemoglobin, diffuse bilateral infiltrates, and serially bloody returns on BAL.

**Synonyms:**

### **Pulmonary Alveolar Microlithiasis**

A rare genetic disease caused by SLC34A2 mutations, leading to accumulation of calcium phosphate microliths within the alveoli. HRCT shows diffuse bilateral calcified nodules with a “sandstorm” appearance. It is usually diagnosed in the third to fourth decade.

**Synonyms:**

### **Pulmonary Alveolar Proteinosis**

A rare disease characterized by accumulation of surfactant-like material within the alveoli due to impaired clearance by alveolar macrophages. Most cases are autoimmune (anti-GM-CSF antibodies). Presents with progressive dyspnea and cough. HRCT shows bilateral ground-glass opacities with



---

“crazy paving” pattern.

**Synonyms:**

### **Pulmonary Angiography**

Contrast imaging of the pulmonary arteries, usually by catheter. It can diagnose pulmonary vascular abnormalities but is now used less often for pulmonary embolism because CT pulmonary angiography is less invasive.

**Synonyms:**

### **Pulmonary Arterial Hypertension**

A precapillary pulmonary hypertension syndrome caused by increased pulmonary vascular resistance from pulmonary arteriolar disease. It may be idiopathic, heritable, drug-associated, or associated with conditions such as connective-tissue disease, congenital heart disease, portal hypertension, or HIV.

**Synonyms:**

### **Pulmonary Arteriovenous Fistula**

An abnormal direct connection between a pulmonary artery and vein that bypasses the capillary bed. It can cause hypoxemia, cyanosis, dyspnea, paradoxical emboli, or brain abscess.

**Synonyms:**

### **Pulmonary Arteriovenous Malformation**

An abnormal direct communication between a pulmonary artery and vein, causing a right-to-left shunt. It may be idiopathic or associated with hereditary hemorrhagic telangiectasia (Osler-Weber-Rendu syndrome). It can cause hypoxemia, paradoxical emboli (stroke, brain abscess), and hemoptysis.

**Synonyms:**

### **Pulmonary Artery**

The blood vessel that carries deoxygenated blood from the right ventricle of the heart to the lungs.

**Synonyms:**

### **Pulmonary Artery Catheter**

A catheter inserted through the right heart into the pulmonary artery to measure hemodynamic

parameters (PA pressure, PAWP, cardiac output). Used for diagnosis and management of pulmonary hypertension, heart failure, and critical illness.

**Synonyms:**

### **Pulmonary Atresia**

A congenital heart defect where the pulmonary valve is completely absent (atretic), obstructing right ventricular outflow. Two main types: pulmonary atresia with intact ventricular septum (PA-IVS) and pulmonary atresia with ventricular septal defect (PA-VSD, also called tetralogy of Fallot with pulmonary atresia).

**Synonyms:** tetralogy of Fallot with pulmonary atresia).

### **Pulmonary Capillary Wedge Pressure**

An indirect estimate of left-atrial pressure obtained by briefly occluding a small pulmonary-artery branch with a balloon-tipped catheter. It reflects left-sided filling pressure when measured correctly and interpreted in the appropriate clinical and ventilatory context.

**Synonyms:**

### **Pulmonary Contusion**

Bruising of the lung parenchyma from blunt chest trauma, causing hemorrhage and edema without lung laceration. It impairs gas exchange and can progress to ARDS. It is often associated with rib fractures and flail chest. Treatment is supportive with lung-protective ventilation.

**Synonyms:**

### **Pulmonary Edema**

Accumulation of fluid in the pulmonary interstitium and alveoli, most commonly due to left-sided heart failure (cardiogenic). Causes increased hydrostatic pressure leads to transudation. Presents with acute dyspnea, orthopnea, crackles, and S3 gallop. Non-cardiogenic causes include ARDS, renal failure, and high altitude.

**Synonyms:**

---

## Pulmonary Embolism

Occlusion of the pulmonary arterial bed by a thrombus, tumor, air, or fat, most commonly originating as a deep vein thrombosis (DVT) from the lower extremities. Presents with acute onset of dyspnea, pleuritic chest pain, cough, hemoptysis, tachycardia, and hypoxemia.

**Synonyms:**

## Pulmonary Embolism Treatment

Anticoagulation: DOACs preferred (rivaroxaban, apixaban) or LMWH bridging to warfarin. Duration: 3 months for provoked (reversible risk factor), indefinite for unprovoked or recurrent. Massive PE: systemic thrombolysis (alteplase 100 mg IV over 2 hours) or surgical catheter-directed embolectomy.

**Synonyms:**

## Pulmonary Fibrosis

Scarring replacing normal alveolar architecture. Causes: IPF, connective tissue disease, asbestos, radiation, drugs (bleomycin, methotrexate). Features: progressive dyspnea, dry cough, digital clubbing.

**Synonyms:**

## Pulmonary Function Tests

Spirometry: FVC (forced vital capacity), FEV1 (forced expiratory volume in 1 second), FEV1/FVC ratio. Obstructive pattern: FEV1/FVC <0.7 (asthma, COPD). Restrictive pattern: FVC <80% with normal or increased FEV1/FVC (pulmonary fibrosis, chest wall disorders). Lung volumes: TLC (total lung capacity), RV (residual volume).

**Synonyms:**

## Pulmonary Hemosiderosis

Accumulation of iron-containing pigment in the lungs, usually after repeated bleeding into the air spaces. It may cause cough, coughing blood, anemia, shortness of breath, or diffuse lung changes and can result from immune-mediated or other disorders.

**Synonyms:**

## Pulmonary Hypertension

Elevated mean pulmonary artery pressure (>20

mmHg at rest) due to various etiologies. WHO Group 1: pulmonary arterial hypertension (idiopathic, heritable, drug-induced). Group 2: left heart disease. Group 3: lung disease. Group 4: chronic thromboembolic. Group 5: multifactorial. Diagnosis requires right heart catheterization.

**Synonyms:**

## Pulmonary Hypertension Classification

WHO Classification: Group 1 (PAH: idiopathic, heritable, drug-induced, connective tissue disease-associated). Group 2 (left heart disease: systolic/diastolic dysfunction, valvular). Group 3 (lung disease/hypoxia: COPD, ILD, sleep apnea). Group 4 (chronic thromboembolic). Group 5 (multifactorial: sarcoidosis, hematologic disorders).

**Synonyms:**

## Pulmonary Infarction

Lung necrosis from PE when bronchial supply is compromised. Causes pleuritic pain, hemoptysis, and wedge-shaped opacity. Most PE do not cause infarction due to dual blood supply.

**Synonyms:**

## Pulmonary Lobes

The anatomical divisions of the lungs separated by interlobar fissures. The right lung has superior, middle, and inferior lobes; the left lung has superior and inferior lobes and a lingula.

**Synonyms:**

## Pulmonary Rehabilitation

A supervised, multidisciplinary program combining exercise training, education, behavioral support, and self-management for chronic respiratory disease. It improves exercise capacity, dyspnea, functional status, and quality of life.

**Synonyms:**

## Pulmonary Sequestration

A congenital malformation of non-functioning lung tissue that lacks normal communication with the tracheobronchial tree and receives its blood supply from a systemic artery (usually the descending

---

aorta). Intralobar sequestration is within the normal pleural investment; extralobar is outside.

**Synonyms:**

### **Pulmonary Stenosis**

A right ventricular outflow tract obstruction at the valvular, subvalvular, or supra-valvular level. Valvular pulmonary stenosis (most common) is often congenital, frequently associated with Noonan syndrome.

**Synonyms:**

### **Pulmonary Surfactant**

A phospholipid-protein mixture produced by type II alveolar pneumocytes that reduces surface tension at the air-liquid interface within alveoli. The primary component is dipalmitoylphosphatidylcholine (DPPC, lecithin), which forms a monolayer that reduces surface tension to near zero during expiration.

**Synonyms:**

### **Pulmonary tuberculosis**

Tuberculosis infection involving the lungs, usually caused by *Mycobacterium tuberculosis* and spread through airborne particles.

**Synonyms:**

### **Pulmonary Valve**

Semilunar valve between right ventricle and pulmonary trunk with three cusps. Most superiorly located cardiac valve with thinner cusps than the aortic valve. Pulmonic stenosis is a congenital defect causing right ventricular hypertrophy. Less commonly affected by endocarditis than mitral/aortic valves.

**Synonyms:**

### **Pulmonary Vascular Resistance**

The resistance to blood flow through the pulmonary circulation, calculated approximately as the transpulmonary pressure gradient divided by cardiac output. Elevated resistance contributes to pulmonary hypertension and right-ventricular afterload.

**Synonyms:**

### **Pulmonary Vasodilator Therapy**

Medications that reduce pulmonary vascular resistance and pulmonary artery pressure. Used for WHO Group 1 PAH. Includes endothelin receptor antagonists (bosentan), PDE-5 inhibitors (sildenafil), prostacyclin analogs (epoprostenol), and soluble guanylate cyclase stimulators (riociguat).

**Synonyms:**

### **Pulmonary Vein**

The four veins (two from each lung) returning oxygenated blood from the lungs to the left atrium, a unique exception in the venous system (carrying oxygenated blood). Superior and inferior pulmonary veins enter the left atrium posteriorly.

**Synonyms:**

### **Pulmonary Wedge Pressure**

The pressure measured by a balloon-tipped pulmonary artery catheter when the balloon is inflated, occluding a branch of the pulmonary artery. It approximates left atrial pressure. Normal is 6–12 mmHg. Elevated in left heart failure (PCWP > 18 mmHg). Low in hypovolemia.

**Synonyms:**

### **Pulmonary-artery dissection**

Rare but life-threatening tear in the pulmonary artery wall, most commonly associated with pulmonary hypertension, Marfan syndrome, or prior pulmonary artery catheterization. Presents with acute chest pain, dyspnea, and hemodynamic collapse. Diagnosis by CT angiography or echocardiography; management requires emergent surgical repair.

**Synonyms:**

### **Pulp**

Soft connective tissue central to tooth containing blood vessels, nerves, connective tissue. Responds to injury with inflammation, necrosis, calcification. Root canal therapy removes infected pulp.

**Synonyms:**

---

### **Pulp Stone**

Calcified mass in pulp chamber or root canal. May be free, attached, or embedded. Incidental finding.

**Synonyms:**

### **Pulpectomy**

Complete removal of pulp from primary tooth. Followed by resorbable filling material.

**Synonyms:**

### **Pulposus**

Relating to the nucleus pulposus, the gelatinous central portion of an intervertebral disk.

**Synonyms:**

### **Pulpotomy**

Removal of coronal pulp in primary tooth with reversible inflammation. Maintains radicular pulp vitality.

**Synonyms:**

### **Pulse**

The rhythmic expansion of an artery produced by each heartbeat. Clinicians assess its rate, rhythm, strength, and symmetry.

**Synonyms:**

### **Pulse Examination**

Assessment of arterial pulses for rate, rhythm, strength, and symmetry to help evaluate circulation.

**Synonyms:**

### **Pulse Oximeter**

A noninvasive device that estimates peripheral oxygen saturation using light absorption. Readings can be affected by poor perfusion, motion, skin or nail characteristics, device limitations, and the clinical setting.

**Synonyms:**

### **Pulse Oximetry**

A noninvasive method for estimating peripheral oxygen saturation by measuring red and infrared light absorption through a pulsatile vascular bed. It is

widely used for monitoring, but values must be interpreted with symptoms, perfusion, device limitations, and the individual's clinical targets.

**Synonyms:**

### **Pulseless Electrical Activity**

A cardiac arrest rhythm organized electrical activity without a detectable pulse. PEA has many reversible causes (5 H's and 5 T's): hypovolemia, hypoxia, hydrogen ion (acidosis), hypo/hyperkalemia, hypothermia; tension pneumothorax, tamponade (cardiac), toxins, thrombosis (pulmonary), thrombosis (coronary).

**Synonyms:**

### **Pulsus Paradoxus**

A decrease in systolic blood pressure greater than 10 mmHg during inspiration, normally less than 10 mmHg. Exaggerated in cardiac tamponade (due to ventricular interdependence in the confined pericardial space), severe asthma, COPD exacerbation, and constrictive pericarditis.

**Synonyms:**

### **Punch Biopsy**

A small, full-thickness circular biopsy obtained with a rotating trephine, used to diagnose skin and soft-tissue lesions. Suture closure may be needed.

**Synonyms:**

### **Punctate Hemorrhages (Tardieu Spots)**

Small, pinpoint sub-ecchymotic hemorrhages (petechiae) resulting from the rupture of small capillaries under conditions of intense mechanical venous engorgement and asphyxia.

**Synonyms:** Tardieu Spots

### **Punctate palmoplantar keratoderma**

A hereditary keratoderma characterised by multiple, small, firm, circumscribed keratotic papules and plaques scattered across the palms and soles, often with an autosomal dominant inheritance pattern. It may present in adolescence or adulthood and can be associated with malignant transformation in rare cases.

---

**Synonyms:**

### **Pupil**

Central round iris aperture for light entry, size controlled by sphincter pupillae (CN III parasympathetic, constricts to 2-3 mm) and dilator pupillae (sympathetic, dilates to 8 mm). The pupillary light reflex tests CN II (afferent) and CN III (efferent): light in one eye causes bilateral constriction (direct and consensual).

**Synonyms:**

### **Pure Tone Audiometry**

The standard behavioral test used to measure hearing sensitivity across the frequency range important for speech perception, typically from 250 to 8000 Hertz, by determining the lowest intensity level at which a pure tone can be detected approximately fifty percent of the time (the hearing threshold).

**Synonyms:**

### **Purging**

Deliberate behaviors intended to compensate for eating, such as self-induced vomiting or misuse of laxatives, diuretics, or excessive exercise.

**Synonyms:**

### **Purging Disorder**

Recurrent purging behavior to influence weight or shape in the absence of binge eating. Self-induced vomiting, misuse of laxatives, diuretics, or other medications. It is classified under Other Specified Feeding or Eating Disorder (OSFED). It can lead to electrolyte imbalances, dental erosion, Russell's sign, and esophageal tears.

**Synonyms:**

### **Purines**

Nitrogenous bases containing a double-ring structure (a six-membered ring fused to a five-membered imidazole ring), which serve as essential components of nucleotides in DNA and RNA. The primary purines are adenine (A) and guanine (G).

**Synonyms:**

### **Purkinje Fibers**

The terminal branches of the cardiac conduction system, distributed throughout the ventricular myocardium. They conduct impulses rapidly (up to 4 m/s) to ensure coordinated ventricular contraction from apex to base. Purkinje fibers have an intrinsic firing rate of 20-40 beats per minute.

**Synonyms:**

### **Purpura**

Purple discoloration of the skin or mucous membranes caused by extravasation of red blood cells from blood vessels into the surrounding tissue. Purpura can be classified by size: petechiae are less than 2 millimeters, purpura are 2 to 10 millimeters, and ecchymoses are greater than 10 millimeters.

**Synonyms:**

### **Purpura fulminans**

A rapidly progressive, life-threatening condition characterised by extensive, confluent, non-blanching purpuric skin necrosis with haemorrhagic bullae, resulting from acute intravascular thrombosis and disseminated intravascular coagulation.

**Synonyms:**

### **Purulent Pericarditis**

Bacterial infection of the pericardial space, most commonly caused by *S. aureus*, *S. pneumoniae*, or gram-negative organisms. Often occurs as a complication of pneumonia, endocarditis, chest surgery, or immunosuppression. Presents with fever, pleuritic chest pain, and rapidly accumulating effusion with tamponade physiology.

**Synonyms:**

### **Pus**

A thick, yellow or green liquid that is composed of dead cells and bacteria, most often found at the site of a bacterial infection.

**Synonyms:**

### **Push Enteroscopy**

Endoscopic technique using a longer endoscope to visualize and intervene in the proximal small bowel

---

beyond the reach of standard upper endoscopy. Unlike capsule endoscopy, push enteroscopy allows direct visualization with the ability to obtain biopsies and perform hemostasis.

**Synonyms:**

### **Pustule**

A small, circumscribed elevation of skin containing pus (neutrophils) within the epidermis. Causes: bacterial (folliculitis, impetigo, furuncle), acne vulgaris (inflammatory comedones), pustular psoriasis (generalized pustular psoriasis—systemic symptoms), hidradenitis suppurativa, and drug reactions.

**Synonyms:**

### **Putrefaction**

Postmortem decomposition of body tissues brought about by bacterial and enzymatic action, characterized by green discoloration of lower abdomen (cecum), marbling of cutaneous veins, gas distension, foul odor, and liquefaction.

**Synonyms:**

### **Pyelonephritis**

An infection of the renal parenchyma and pelvicalyceal system, typically resulting from ascending urinary tract infection. Acute pyelonephritis most commonly affects women and is caused by gram-negative enteric organisms, particularly *Escherichia coli*, which account for approximately 80 percent of cases.

**Synonyms:**

### **Pyelotomy**

An incision into the renal pelvis, usually made to remove an obstruction or kidney stone.

**Synonyms:**

### **Pylephlebitis**

Septic thrombophlebitis of the portal vein or its tributaries, most commonly arising from intra-abdominal infections such as appendicitis, diverticulitis, cholangitis, or hepatic abscess. Presents with high fever, rigors, right upper quadrant pain, jaundice, and sepsis.

**Synonyms:**

### **Pyloric Stenosis**

Hypertrophy of the pyloric sphincter muscle causing gastric outlet obstruction most common in young infants. Presents with non-bilious projectile vomiting typically beginning at two to eight weeks of age. Dehydration and metabolic alkalosis with hypochloremia and hypokalemia develop as the condition progresses.

**Synonyms:**

### **Pylorus**

The muscular outlet of the stomach that connects to the duodenum. Its sphincter regulates the passage of partially digested food into the small intestine; narrowing or blockage can cause vomiting, abdominal distension, and dehydration, especially in infants with pyloric stenosis.

**Synonyms:**

### **Pyoderma Gangrenosum**

A neutrophilic inflammatory skin disorder that causes painful ulcers with undermined, violaceous borders. It may be associated with inflammatory bowel disease, arthritis, blood disorders, or other systemic conditions, and trauma can worsen the lesions.

**Synonyms:**

### **Pyogenic Granuloma**

A benign vascular proliferation presenting as a rapidly growing, friable, red papule or nodule that bleeds easily. It commonly occurs on fingers, face, and lips, and may be triggered by trauma or pregnancy (epulis gravidarum). Diagnosis is clinical.

**Synonyms:**

### **Pyonephrosis**

Pus in renal collecting system. Urological emergency. Requires drainage (stent or nephrostomy) and antibiotics.

**Synonyms:**



---

### **Pyostomatitis vegetans**

A rare, chronic, inflammatory oral mucosal condition characterized by multiple, soft, yellowish, vegetative pustules on an erythematous base, predominantly affecting the buccal mucosa and gingiva. It is strongly associated with inflammatory bowel disease, particularly ulcerative colitis, and may precede gastrointestinal symptoms.

**Synonyms:**

### **Pyrexia**

A regulated rise in body temperature caused by changes in the hypothalamic temperature set point. See Fever.

**Synonyms:**

### **Pyridoxine (Vitamin B6)**

A vitamin converted to pyridoxal phosphate, a coenzyme for transamination, decarboxylation, and other amino-acid reactions. Deficiency can cause neuropathy, dermatitis, seizures, and sideroblastic anemia; excessive supplementation can also cause neuropathy.

**Synonyms:** Vitamin B6

### **Pyrimidines**

Nitrogenous bases containing a single six-membered heterocyclic ring, serving as structural building blocks for nucleic acids. The primary pyrimidines are cytosine (C), thymine (T, present in DNA), and uracil (U, present in RNA).

**Synonyms:**

### **Pyruvate**

The three-carbon alpha-keto acid produced at the end of glycolysis from phosphoenolpyruvate by pyruvate kinase.

**Synonyms:**

### **Pyruvate Dehydrogenase**

Converts pyruvate to acetyl-CoA. Regulated by phosphorylation (inactivated by PDH kinase). Requires thiamine, lipoate, CoA, FAD, NAD+.

**Synonyms:**

### **Pyruvate Kinase Deficiency**

An inherited red-cell glycolytic defect causing chronic hemolytic anemia of variable severity. Manifestations include jaundice, splenomegaly, gallstones, fatigue, and complications of iron overload.

**Synonyms:**

### **Pannus**

An abnormal layer of vascularized tissue that grows over a joint or the cornea.

**Synonyms:**

### **Paraplegia**

Paralysis of both legs and usually part of the lower trunk.

**Synonyms:**

### **Parasomnias**

Unwanted movements, behaviors, emotions, or experiences that occur during sleep or at the transition between sleep and wakefulness.

**Synonyms:**

### **Parathyroid Hormone**

A hormone that regulates calcium and phosphate levels in the blood and supports bone remodeling.

**Synonyms:**

### **Paroxysmal Hemicrania**

A rare headache disorder causing brief, repeated attacks of severe one-sided head or facial pain.

**Synonyms:**

### **Passive Immunity**

Protection against infection provided by antibodies received from another source rather than produced by the person's own immune system.

**Synonyms:**

### **Patch Test**

A skin test used to identify delayed allergic contact reactions to substances applied under adhesive patches.

**Synonyms:**

---

### **Pattern-Recognition Receptors**

Immune receptors that detect common molecular features of pathogens or damaged cells.

**Synonyms:**

### **PDE5 Inhibitors**

Medicines that increase penile blood flow by inhibiting phosphodiesterase type 5; they are used mainly to treat erectile dysfunction.

**Synonyms:**

### **Percutaneous Discectomy**

Removal of part of a herniated spinal disk through a small skin incision.

**Synonyms:**

### **Perforation**

An abnormal hole through the wall of an organ or tissue.

**Synonyms:**

### **Perfusion Defect**

An area receiving abnormally low blood flow, identified by an imaging or functional test.

**Synonyms:**

### **Peyronie's Disease**

A condition in which scar tissue in the penis causes curvature or pain during erection.

**Synonyms:**

### **Phagocytes**

Immune cells that engulf and digest microorganisms, dead cells, and other particles.

**Synonyms:**

### **Phonophobia**

Abnormal sensitivity to or fear of sound, often associated with migraine.

**Synonyms:**

### **Photorefractive Keratectomy**

Laser eye surgery that reshapes the cornea to correct refractive errors.

**Synonyms:**

### **Physical Dependence**

A state in which the body adapts to a substance or medication and develops withdrawal symptoms when it is reduced or stopped.

**Synonyms:**

### **Pick's Disease**

A form of frontotemporal dementia characterized by progressive changes in behavior, language, and personality.

**Synonyms:**

### **Platelet**

A small blood component that helps form clots and stop bleeding.

**Synonyms:**

### **Posterior Myocardial Infarction**

A heart attack involving the back wall of the heart.

**Synonyms:**

### **Postherpetic Neuralgia**

Persistent nerve pain in an area affected by shingles after the rash has healed.

**Synonyms:**

### **Primary Hypertension**

High blood pressure without an identifiable single underlying cause.

**Synonyms:**

### **Procedural Memory**

Long-term memory for learned skills and procedures.

**Synonyms:**

### **Prodrome**

An early symptom or group of symptoms that precedes a disease episode.

**Synonyms:**

---

### **Prolapsed Disk**

A spinal disk that bulges or ruptures and may compress a nearby nerve; also called a herniated disk.

**Synonyms:** a herniated disk.

### **Proliferative Retinopathy**

Advanced retinal disease in which abnormal new blood vessels grow and may bleed or impair vision.

**Synonyms:**

### **Proptosis**

Forward displacement or bulging of an eye.

**Synonyms:**

### **Prostatic Urethral Stent**

A small device placed in the prostatic urethra to help maintain urine flow when the prostate obstructs it.

**Synonyms:**

### **Proctocolitis**

Inflammation of the rectum and the adjacent portion of the colon.

**Synonyms:**

### **Pulmonary Emphysema**

A chronic lung disease in which damage to the air sacs reduces the lungs' ability to exchange gases.

**Synonyms:**

### **Park-Bench Position**

A modified lateral position in which the upper body is partly rotated toward prone; it is used for selected posterior brain and neck procedures.

**Synonyms:**

### **Prone Position**

A position in which the patient lies face down, commonly providing access to the back, spine, buttocks, or posterior legs.

**Synonyms:**

### **Pancolitis**

Inflammation affecting the entire colon, often as an

extensive form of ulcerative colitis.

**Synonyms:**

### **Pancreatic Cysts**

Fluid-filled sacs in or around the pancreas, which may be benign or precancerous.

**Synonyms:**

### **Panic Attacks and Panic Disorder**

Panic attacks are sudden episodes of intense fear; panic disorder involves recurrent attacks and persistent concern about having more.

**Synonyms:**

### **Parotid Tumors**

Abnormal growths arising in the parotid salivary glands, located in front of and below the ears.

**Synonyms:**

### **Parvovirus Infection**

An infection caused by parvovirus B19 that commonly causes mild fever and rash but may be serious in some people.

**Synonyms:**

### **Peanut Allergy**

An immune reaction to peanut proteins that can cause symptoms ranging from hives to life-threatening anaphylaxis.

**Synonyms:**

### **Pediatric Brain Tumors**

Tumors that develop in the brain or nearby tissues of children.

**Synonyms:**

### **Pediatric Obstructive Sleep Apnea**

Repeated blockage of a child's upper airway during sleep, causing pauses in breathing.

**Synonyms:**

### **Penicillin Allergy**

An immune reaction to penicillin antibiotics that may cause rash, swelling, breathing difficulty, or

---

anaphylaxis.

**Synonyms:**

### **Peripheral Nerve Tumors**

Tumors that arise from or around nerves outside the brain and spinal cord.

**Synonyms:**

### **Postconcussion Syndrome**

Persistent physical, cognitive, or emotional symptoms after a concussion.

**Synonyms:**

### **Precordium**

The region of the chest overlying the heart.

**Synonyms:**

### **Pyuria**

An abnormal number of white blood cells or pus in the urine, often associated with urinary infection.

**Synonyms:**

### **Philadelphia Chromosome**

A chromosome rearrangement, usually t(9;22), that creates the BCR::ABL1 fusion gene and is characteristic of most cases of chronic myeloid leukemia.

**Synonyms:**

### **Phonocardiography**

Graphic recording of heart sounds and murmurs using a microphone and recording system.

**Synonyms:**

### **Phorometer**

An instrument used to measure ocular alignment and the amount of prism correction needed for binocular vision disorders.

**Synonyms:**

### **Photosensitization**

Increased sensitivity to ultraviolet or visible light caused by a medication, chemical, or disease, producing an exaggerated skin reaction.

**Synonyms:**

### **Physical Examination**

A systematic assessment of the body using inspection, palpation, percussion, auscultation, and other examination methods.

**Synonyms:**

### **Physical Therapy**

Rehabilitation using exercise, movement training, manual techniques, and physical modalities to improve function, mobility, and reduce disability.

**Synonyms:**

### **Phytomedicine**

The evidence-based use of medicinal products derived from plants to prevent or treat disease.

**Synonyms:**

### **Pineal Gland**

A small endocrine gland in the brain that secretes melatonin and helps regulate circadian rhythms.

**Synonyms:**

### **Pitting Edema**

Swelling in which pressure applied to the skin leaves a temporary indentation, usually because of excess interstitial fluid.

**Synonyms:**

### **Placental Abnormalities**

Disorders of placental location, attachment, structure, or separation that may affect pregnancy or cause bleeding.

**Synonyms:**

### **Placenta Previa**

Implantation of the placenta over or near the internal cervical opening, which can cause painless bleeding during the second half of pregnancy.

**Synonyms:**

### **Plasmin**

A proteolytic enzyme that breaks down fibrin and helps dissolve blood clots.

**Synonyms:**

---

### **Plethysmography**

Measurement of changes in the volume of a body part or organ, used to assess blood flow, lung volumes, or other physiologic functions.

**Synonyms:**

### **Pleural Disorders**

Conditions affecting the pleura, including pleural effusion, pneumothorax, pleurisy, infection, and tumors.

**Synonyms:**

### **Pleural Space**

The potential space between the visceral and parietal pleura surrounding each lung.

**Synonyms:**

### **Pneumonitis**

Inflammation of lung tissue, often caused by infection, inhaled substances, radiation, medications, or immune reactions.

**Synonyms:**

### **Pneumoplasty**

Surgical repair or reconstruction of lung tissue or an airway.

**Synonyms:**

### **Pneumotachometer**

An instrument that measures the rate of airflow during breathing.

**Synonyms:**

### **Postural Drainage**

Positioning the body so gravity helps move respiratory secretions toward the larger airways for clearance.

**Synonyms:**

### **Prepuce**

The fold of skin covering the glans penis; it is also called the foreskin.

**Synonyms:** the foreskin.

### **Protein Electrophoresis**

A laboratory test that separates proteins in serum or urine according to their electrical properties, helping detect abnormal protein patterns.

**Synonyms:**

### **Pseudophakia**

The presence of an artificial intraocular lens after removal of the natural lens, usually during cataract surgery.

**Synonyms:**

### **Pulmonary Circuit**

The circulation in which blood travels from the right ventricle to the lungs for gas exchange and returns to the left atrium.

**Synonyms:**

### **Pulmonary Ventilation**

The movement of air into and out of the lungs.

**Synonyms:**

### **Pyramidal Tracts**

Descending motor pathways from the cerebral cortex that control voluntary movement, especially precise movement of the limbs.

**Synonyms:**

### **Palate**

The roof of the mouth, consisting of a bony hard palate in front and a muscular soft palate behind.

**Synonyms:**

### **Palatine Tonsils**

Paired masses of lymphoid tissue on the sides of the oropharynx that contribute to immune defense.

**Synonyms:**

### **Pancreatic Islets**

Clusters of endocrine cells in the pancreas that release hormones such as insulin, glucagon, somatostatin, and pancreatic polypeptide.

**Synonyms:**

---

### **Panhypopituitarism**

Deficiency of most or all anterior pituitary hormones due to disease of the pituitary gland or hypothalamus.

**Synonyms:**

### **Paralysis**

Loss of voluntary muscle movement in part or all of the body, caused by disruption of motor pathways or muscles.

**Synonyms:**

### **Parenchyma**

The functional tissue of an organ, distinguished from its supporting connective tissue, or stroma.

**Synonyms:**

### **Pelvimetry**

Measurement of the dimensions of the maternal pelvis, usually to assess selected obstetric concerns.

**Synonyms:**

### **Peripartum**

The period immediately before, during, and shortly after childbirth.

**Synonyms:**

### **Peyer Patches**

Aggregated lymphoid follicles in the mucosa and submucosa of the ileum that monitor intestinal contents and support immune defense.

**Synonyms:**

### **Nullipara**

A person who has never given birth at or beyond the gestational age considered viable, regardless of the outcome of any pregnancies.

**Synonyms:**

### **Primipara**

A person who has given birth once at or beyond the gestational age considered viable, regardless of whether the infant was born alive.

**Synonyms:**

### **Primigravida**

A person who is pregnant for the first time.

**Synonyms:**

### **Nulligravida**

A person who has never been pregnant.

**Synonyms:**

### **Pes Anserinus**

The combined tendon insertion of the sartorius, gracilis, and semitendinosus muscles on the antero-medial proximal tibia; inflammation there is pes-anserine bursitis.

**Synonyms:**

### **Pilonidal Cyst**

A cyst or sinus in the cleft between the buttocks, usually containing hair and skin debris. It may become infected, painful, swollen, and drain pus.

**Synonyms:**

### **Polyneuropathy**

A generalized disorder affecting multiple peripheral nerves, often causing symmetric numbness, tingling, burning pain, weakness, or impaired reflexes in the limbs.

**Synonyms:**

### **Puncture Wound**

A wound produced when a pointed object penetrates the skin and underlying tissue, creating a small surface opening with potentially deep tissue damage and infection risk.

**Synonyms:**

### **Parathyroid Carcinoma**

A rare malignant tumor of the parathyroid gland that commonly causes excessive parathyroid-hormone secretion, hypercalcemia, kidney stones, bone disease, or related symptoms.

**Synonyms:**

### **Paraparesis**

Weakness affecting both legs, usually caused by



---

disease or injury of the spinal cord, nerve roots, or peripheral nerves.

**Synonyms:**

### **Paratyphoid Fever**

An enteric fever caused by *Salmonella Paratyphi*, producing prolonged fever and gastrointestinal or systemic illness similar to typhoid fever.

**Synonyms:**

### **Pasteurellosis**

Infection caused by *Pasteurella* bacteria, commonly introduced through animal bites or scratches and causing cellulitis, abscesses, or occasionally invasive disease.

**Synonyms:**

### **Parietal Bone**

One of two skull bones forming much of the roof and sides of the cranium.

**Synonyms:**

### **Pathophysiology**

The study of the functional changes produced by disease or injury and the mechanisms through which they cause signs and symptoms.

**Synonyms:**

### **Pavor Nocturnus (Night Terrors)**

Episodes of sudden intense fear, screaming, and autonomic arousal during sleep, usually arising from deep non-REM sleep and often followed by little or no memory.

**Synonyms:** Night Terrors

### **Pectoriloquy**

Abnormally clear transmission of spoken sounds through the chest wall, often suggesting lung consolidation or another change in lung tissue.

**Synonyms:**

### **Penumbra**

Brain tissue surrounding an area of infarction that is functionally impaired but potentially salvageable

if blood flow is restored promptly.

**Synonyms:**

### **Post-Natal Depression**

Depression beginning during pregnancy or after childbirth, with persistent low mood or loss of interest and possible effects on sleep, bonding, and daily functioning.

**Synonyms:**

### **Post-Partum Haemorrhage**

Excessive bleeding after childbirth, most commonly caused by failure of the uterus to contract, retained placental tissue, genital-tract trauma, or clotting problems.

**Synonyms:**

### **Pre-Eclampsia**

A pregnancy-related disorder involving new hypertension after 20 weeks of gestation with proteinuria or other evidence of maternal organ or placental dysfunction.

**Synonyms:**

### **Premature Birth**

Birth before 37 completed weeks of pregnancy; the earlier the birth, the greater the risks of respiratory, neurological, and developmental complications.

**Synonyms:**

### **Presbycusis (Presbycusis)**

Age-related, usually gradual sensorineural hearing loss, particularly affecting the ability to hear high-frequency sounds and understand speech in noise.

**Synonyms:** Presbycusis

### **Pseudocyesis**

A false belief or bodily state resembling pregnancy, with symptoms such as abdominal enlargement, breast changes, or even perceived fetal movement despite no fetus being present.

**Synonyms:**

---

### **Prothrombin Time (PT)**

A blood test measuring the time required for clot formation through the extrinsic and common coagulation pathways; it is commonly reported as the INR.

**Synonyms:** PT

### **Pregnancy of Unknown Location**

A positive pregnancy test without a confirmed intrauterine or ectopic pregnancy on ultrasound. Serial human chorionic gonadotropin measurements and repeat imaging help determine whether the pregnancy is early, failing, or ectopic.

**Synonyms:**

### **Subchorionic Hemorrhage**

Bleeding between the chorion and the uterine wall caused by partial separation of the gestational sac membranes. It may produce vaginal bleeding in early or mid-pregnancy and is assessed according to bleeding, gestational age, and ultrasound findings.

**Synonyms:**

### **Postpartum Preeclampsia**

New-onset hypertension with pre-eclampsia features after childbirth, sometimes occurring several days or weeks postpartum. Severe headache, visual symptoms, chest pain, shortness of breath, or seizures require urgent assessment.

**Synonyms:**

### **Pelvic Girdle Pain in Pregnancy**

Pain arising from the pelvic joints and surrounding tissues during pregnancy, often affecting the pubic symphysis, sacroiliac joints, hips, or lower back. It may impair walking, turning in bed, or climbing stairs.

**Synonyms:**

### **Round Ligament Pain**

Sharp or aching pain in the lower abdomen or groin caused by stretching of the round ligaments as the uterus enlarges during pregnancy. Persistent, severe, or bleeding-associated pain requires medical evaluation.

**Synonyms:**

### **Postpartum Care**

Clinical care during the weeks after childbirth that assesses bleeding, uterine involution, blood pressure, infection, wound healing, breastfeeding, mental health, contraception, and recovery.

**Synonyms:**

### **Postpartum Urinary Retention**

Inability to empty the bladder adequately after childbirth, sometimes associated with epidural anesthesia, perineal trauma, swelling, or prolonged labor. Prompt assessment prevents bladder overdistension and injury.

**Synonyms:**

### **Postpartum Contraception**

Contraceptive counseling and care after childbirth, taking account of breastfeeding, venous-thromboembolism risk, medical conditions, fertility intentions, and the timing of method initiation.

**Synonyms:**

### **Perinatal Asphyxia**

Impaired oxygenation or ventilation before, during, or shortly after birth that may cause neonatal encephalopathy, organ injury, or death. Immediate newborn assessment and resuscitation are essential.

**Synonyms:**

### **Prenatal Genetic Counseling**

A consultation that reviews the risk of inherited or chromosomal conditions, available screening and diagnostic tests, possible results, and reproductive options before or during pregnancy.

### **pachyonychia congenita**

pachyonychia congenita refers to pachyonychia congenita, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**pacifier**

pacifier refers to pacifier, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:****pacinian corpuscle**

pacinian corpuscle refers to pacinian corpuscle, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:****packaging tube**

packaging tube refers to packaging tube, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:****paclitaxel**

paclitaxel concerns paclitaxel, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:****paclitaxel liposome**

paclitaxel liposome refers to paclitaxel liposome, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:****paclitaxel poliglumex**

paclitaxel poliglumex refers to paclitaxel poliglumex, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:****paecilomyces**

paecilomyces is a microorganism or microbial group associated with paecilomyces; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:****paenibacillus**

paenibacillus is a microorganism or microbial group associated with paenibacillus; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:****paenibacillus alvei**

paenibacillus alvei is a microorganism or microbial group associated with paenibacillus alvei; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:****paenibacillus phoenicis**

paenibacillus phoenicis is a microorganism or microbial group associated with paenibacillus phoenicis; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:****paenibacillus polymyxa**

paenibacillus polymyxa is a microorganism or microbial group associated with paenibacillus polymyxa; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:****pagetoid reticulosis**

pagetoid reticulosis refers to pagetoid reticulosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:****pain perception**

pain perception denotes a clinical condition or finding involving pain perception; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

---

### **pain threshold**

pain threshold denotes a clinical condition or finding involving pain threshold; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **palatal muscle**

palatal muscle refers to palatal muscle, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **palate neoplasm**

palate neoplasm denotes a neoplastic condition involving palate neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### **palatine tonsil**

palatine tonsil refers to palatine tonsil, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **palatorrhaphy**

palatorrhaphy refers to palatorrhaphy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **palifermin**

palifermin refers to palifermin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **palivizumab**

palivizumab concerns palivizumab, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **palladium**

palladium refers to palladium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **palm oil**

palm oil refers to palm oil, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **palmar reflex**

palmar reflex refers to palmar reflex, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **palmitic acid**

palmitic acid denotes palmitic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **palmoplantar hyperkeratosis**

palmoplantar hyperkeratosis refers to palmoplantar hyperkeratosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **palonosetron**

palonosetron concerns palonosetron, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **palonosetron hydrochloride**

palonosetron hydrochloride refers to palonosetron hydrochloride, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**palpable**

palpable refers to palpable, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**palsy**

palsy refers to palsy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pamidronic acid**

pamidronic acid denotes pamidronic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**pan troglodyte**

pan troglodyte refers to pan troglodyte, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**panax**

panax refers to panax, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pancreas enzyme**

pancreas enzyme denotes pancreas enzyme, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**pancreas infection**

pancreas infection denotes an infectious or toxic condition involving pancreas infection; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

**pancreas neoplasm**

pancreas neoplasm denotes a neoplastic condition involving pancreas neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**pancreas transplantation**

pancreas transplantation refers to pancreas transplantation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pancreatic carcinoma**

pancreatic carcinoma denotes a neoplastic condition involving pancreatic carcinoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**pancreatic diseases**

pancreatic diseases denotes a clinical condition or finding involving pancreatic diseases; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**pancreatic fistula**

pancreatic fistula refers to pancreatic fistula, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pancreatic hormones**

pancreatic hormones denotes pancreatic hormones, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**pancreatic islet**

pancreatic islet refers to pancreatic islet, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

---

**Synonyms:**

**pancreatic juice**

pancreatic juice refers to pancreatic juice, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pancreaticoduodenectomy**

pancreaticoduodenectomy is used in relation to pancreaticoduodenectomy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

**pancrelipase**

pancrelipase refers to pancrelipase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pancuronium**

pancuronium refers to pancuronium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pandora**

pandora identifies pandora, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**pargyline**

pargyline refers to pargyline, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**paricalcitol**

paricalcitol refers to paricalcitol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**parietal pleura**

parietal pleura refers to parietal pleura, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**parinaric acid**

parinaric acid denotes parinaric acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**parity**

parity refers to parity, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**paromomycin**

paromomycin concerns paromomycin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**parosteal osteosarcoma**

parosteal osteosarcoma denotes a neoplastic condition involving parosteal osteosarcoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**parotid neoplasm**

parotid neoplasm denotes a neoplastic condition involving parotid neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**parotidectomy**

parotidectomy is used in relation to parotidectomy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**



---

**paroxetine**

paroxetine concerns paroxetine, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**paroxetine hydrochloride**

paroxetine hydrochloride refers to paroxetine hydrochloride, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pars compacta**

pars compacta refers to pars compacta, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pars planitis**

pars planitis refers to pars planitis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**parthenogenesis**

parthenogenesis denotes parthenogenesis, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**partial**

partial refers to partial, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**partial cystectomy**

partial cystectomy is used in relation to partial cystectomy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

**partial hysterectomy**

partial hysterectomy is used in relation to partial hysterectomy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

**partial nephrectomy**

partial nephrectomy is used in relation to partial nephrectomy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

**partial remission**

partial remission refers to partial remission, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**participation**

participation refers to participation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**particle size**

particle size refers to particle size, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**parvimonas micra**

parvimonas micra identifies parvimonas micra, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**parvoviridae**

parvoviridae identifies parvoviridae, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

---

**parvovirus**

parvovirus is a virus or viral group associated with parvovirus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

**passive immunization**

passive immunization refers to passive immunization, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**paste**

paste refers to paste, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pasteurella**

pasteurella identifies pasteurella, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**pasteurella aerogenes**

pasteurella aerogenes identifies pasteurella aerogenes, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**pasteurella bettyae**

pasteurella bettyae identifies pasteurella bettyae, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**pasteurella canis**

pasteurella canis identifies pasteurella canis, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**pasteurella pneumotropica**

pasteurella pneumotropica identifies pasteurella pneumotropica, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**pasteurellaceae**

pasteurellaceae identifies pasteurellaceae, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**patellar dislocation**

patellar dislocation refers to patellar dislocation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**patent urachus**

patent urachus refers to patent urachus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**paternal behavior**

paternal behavior denotes paternal behavior, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**pathologic dilatation**

pathologic dilatation refers to pathologic dilatation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pathologic ossification**

pathologic ossification refers to pathologic ossifica-

---

tion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **pathologic process**

pathologic process refers to pathologic process, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **pathologic response**

pathologic response refers to pathologic response, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **pathological fracture**

pathological fracture denotes a clinical condition or finding involving pathological fracture; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **pathologist**

pathologist refers to pathologist, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **patient care**

patient care refers to patient care, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **patient discharge**

patient discharge refers to patient discharge, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **patient observation**

patient observation refers to patient observation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **patient rights**

patient rights refers to patient rights, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **paxillin**

paxillin refers to paxillin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **pazopanib**

pazopanib concerns pazopanib, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **peanut oil**

peanut oil refers to peanut oil, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **peau d'orange**

peau d'orange refers to peau d'orange, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **pectin**

pectin refers to pectin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**pectinate line**

pectinate line refers to pectinate line, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pectoral girdle**

pectoral girdle refers to pectoral girdle, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pectoralis muscles**

pectoralis muscles refers to pectoralis muscles, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pediatric AIDS**

pediatric AIDS refers to pediatric aids, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pediatric nursing**

pediatric nursing refers to pediatric nursing, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pediatric obesity**

pediatric obesity refers to pediatric obesity, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pediococcus**

pediococcus is a microorganism or microbial group associated with pediococcus; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

**pediococcus pentosaceus**

pediococcus pentosaceus is a microorganism or microbial group associated with pediococcus pentosaceus; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

**pedophilia**

pedophilia refers to pedophilia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pedunculate**

pedunculate refers to pedunculate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**peer review**

peer review refers to peer review, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pefloxacin**

pefloxacin concerns pefloxacin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**pegargiminase**

pegargiminase refers to pegargiminase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pegaspargase**

pegaspargase refers to pegaspargase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**pegdinetanib**

pegdinetanib concerns pegdinetanib, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**pegfilgrastim**

pegfilgrastim refers to pegfilgrastim, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**peldesine**

peldesine refers to peldesine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pelitrexol**

pelitrexol refers to pelitrexol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pellet**

pellet refers to pellet, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pelvic bone**

pelvic bone refers to pelvic bone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pelvic diaphragm**

pelvic diaphragm refers to pelvic diaphragm, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pelvic examination**

pelvic examination refers to pelvic examination, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pelvic exenteration**

pelvic exenteration refers to pelvic exenteration, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pelvic girdle**

pelvic girdle refers to pelvic girdle, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pelvic infection**

pelvic infection denotes an infectious or toxic condition involving pelvic infection; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

**pelvic kidney**

pelvic kidney refers to pelvic kidney, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pelvic lymphadenectomy**

pelvic lymphadenectomy is used in relation to pelvic lymphadenectomy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

**pelvic mass**

pelvic mass refers to pelvic mass, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**pelvic neoplasm**

pelvic neoplasm denotes a neoplastic condition involving pelvic neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**pelvic viscus**

pelvic viscus refers to pelvic viscus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pemetrexed**

pemetrexed refers to pemetrexed, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pemetrexed disodium**

pemetrexed disodium refers to pemetrexed disodium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pemoline**

pemoline refers to pemoline, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**penbutolol**

penbutolol concerns penbutolol, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**penclomedine**

penclomedine refers to penclomedine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pendulous**

pendulous refers to pendulous, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**penicillamine**

penicillamine refers to penicillamine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**penicillin**

penicillin concerns penicillin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**penicillin G**

penicillin G refers to penicillin g, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**penicillin V**

penicillin V refers to penicillin v, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**penicillium**

penicillium refers to penicillium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**penile disease**

penile disease denotes a clinical condition or finding involving penile disease; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**



---

**penile erection**

penile erection refers to penile erection, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**penile infection**

penile infection denotes an infectious or toxic condition involving penile infection; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

**penile leukoplakia**

penile leukoplakia refers to penile leukoplakia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**penis carcinoma**

penis carcinoma denotes a neoplastic condition involving penis carcinoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**penoscrotal transposition**

penoscrotal transposition refers to penoscrotal transposition, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pentadecanoic acid**

pentadecanoic acid denotes pentadecanoic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**pentamidine**

pentamidine refers to pentamidine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pentamidine isethionate**

pentamidine isethionate refers to pentamidine isethionate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pentatrichomonas hominis**

pentatrichomonas hominis refers to pentatrichomonas hominis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pentetic acid**

pentetic acid denotes pentetic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**pentobarbital**

pentobarbital concerns pentobarbital, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**pentosan polysulfate**

pentosan polysulfate refers to pentosan polysulfate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pentose**

pentose refers to pentose, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pentoxifylline**

pentoxifylline denotes an infectious or toxic con-

---

dition involving pentoxifylline; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

### **pentylenetetrazole**

pentylenetetrazole concerns pentylenetetrazole, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **peplomycin**

peplomycin concerns peplomycin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **pepsin A**

pepsin A refers to pepsin a, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **pepsinogen**

pepsinogen refers to pepsinogen, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **peptic esophagitis**

peptic esophagitis refers to peptic esophagitis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **peptichemio**

peptichemio refers to peptichemio, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **peptide**

peptide is a defined chemical or biologic substance involved in peptide and studied in physiology, pharmacology, laboratory medicine, or treatment.

**Synonyms:**

### **peptide biosynthesis**

peptide biosynthesis concerns peptide biosynthesis, a biologic or physiologic concept used in research, laboratory medicine, and the explanation of disease.

**Synonyms:**

### **peptide hormone**

peptide hormone denotes peptide hormone, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **peptide library**

peptide library concerns peptide library, a biologic or physiologic concept used in research, laboratory medicine, and the explanation of disease.

**Synonyms:**

### **peptide metabolism**

peptide metabolism concerns peptide metabolism, a biologic or physiologic concept used in research, laboratory medicine, and the explanation of disease.

**Synonyms:**

### **peptide transport**

peptide transport concerns peptide transport, a biologic or physiologic concept used in research, laboratory medicine, and the explanation of disease.

**Synonyms:**

### **peptide yy**

peptide yy concerns peptide yy, a biologic or physiologic concept used in research, laboratory medicine, and the explanation of disease.

**Synonyms:**

---

**peptidoglycan**

peptidoglycan refers to peptidoglycan, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**peptococcaceae**

peptococcaceae refers to peptococcaceae, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**peptococcus**

peptococcus refers to peptococcus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**peptococcus niger**

peptococcus niger refers to peptococcus niger, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**peptoniphilus**

peptoniphilus refers to peptoniphilus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**peptoniphilus harei**

peptoniphilus harei refers to peptoniphilus harei, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**peptoniphilus indolicus**

peptoniphilus indolicus refers to peptoniphilus indolicus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**peptostreptococcus**

peptostreptococcus refers to peptostreptococcus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**peracetic acid**

peracetic acid denotes peracetic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**peracute**

peracute refers to peracute, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**perception**

perception refers to perception, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**perceptual disorder**

perceptual disorder denotes a clinical condition or finding involving perceptual disorder; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**perceptual distortion**

perceptual distortion refers to perceptual distortion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**perceptual masking**

perceptual masking refers to perceptual masking, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

---

**Synonyms:**

**percutaneous discectomy**

percutaneous discectomy is used in relation to percutaneous discectomy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

**perforant pathway**

perforant pathway refers to perforant pathway, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**performance**

performance refers to performance, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**performed diagnosis**

performed diagnosis refers to performed diagnosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**performed histopathology**

performed histopathology refers to performed histopathology, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**performed procedure**

performed procedure is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat performed procedure.

**Synonyms:**

**perfusion culture**

perfusion culture refers to perfusion culture, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pergolide**

pergolide refers to pergolide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**perianal**

perianal refers to perianal, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**perianal abscess**

perianal abscess refers to perianal abscess, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**perianal glands**

perianal glands refers to perianal glands, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**periarteritis nodosa**

periarteritis nodosa refers to periarteritis nodosa, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**periarticular**

periarticular refers to periarticular, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pericardial mesothelioma**

pericardial mesothelioma refers to pericardial mesothelioma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

---

**Synonyms:**

**pericardial stripping**

pericardial stripping refers to pericardial stripping, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pericardial wall**

pericardial wall refers to pericardial wall, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pericardiectomy**

pericardiectomy is used in relation to pericardiectomy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

**pericardiostomy**

pericardiostomy refers to pericardiostomy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pericytes**

pericytes refers to pericytes, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**perifosine**

perifosine refers to perifosine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**perillyl alcohol**

perillyl alcohol refers to perillyl alcohol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**perilymph**

perilymph refers to perilymph, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**perimenopausal**

perimenopausal refers to perimenopausal, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**perinatal death**

perinatal death refers to perinatal death, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**perindopril**

perindopril concerns perindopril, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**perineural**

perineural refers to perineural, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**perineuronal satellitosis**

perineuronal satellitosis refers to perineuronal satellitosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**perinuclear space**

perinuclear space refers to perinuclear space, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### periodic acid

periodic acid denotes periodic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### periodontal cyst

periodontal cyst refers to periodontal cyst, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### periodontal dressing

periodontal dressing refers to periodontal dressing, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### periodontist

periodontist refers to periodontist, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### periodontium

periodontium refers to periodontium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### periodontium disease

periodontium disease denotes a clinical condition or finding involving periodontium disease; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### periorbital edema

periorbital edema denotes a clinical condition or finding involving periorbital edema; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### periorbital infection

periorbital infection denotes an infectious or toxic condition involving periorbital infection; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

### periostitis

periostitis refers to periostitis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### peripheral blood

peripheral blood refers to peripheral blood, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### peripheral ischemia

peripheral ischemia refers to peripheral ischemia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### peripheral nerve

peripheral nerve refers to peripheral nerve, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### periplasm

periplasm refers to periplasm, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### perirenal hematoma

perirenal hematoma refers to perirenal hematoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**



---

**peritoneal**

peritoneal refers to peritoneal, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**peritoneal cavity**

peritoneal cavity refers to peritoneal cavity, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**peritoneal diseases**

peritoneal diseases denotes a clinical condition or finding involving peritoneal diseases; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**peritoneal fluid**

peritoneal fluid refers to peritoneal fluid, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**peritoneal lavage**

peritoneal lavage refers to peritoneal lavage, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**peritoneal necrosis**

peritoneal necrosis refers to peritoneal necrosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**peritoneal sac**

peritoneal sac refers to peritoneal sac, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**peritoneum neoplasm**

peritoneum neoplasm denotes a neoplastic condition involving peritoneum neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**perivittelline space**

perivittelline space refers to perivittelline space, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**permease**

permease refers to permease, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**permethrin**

permethrin refers to permethrin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**permissiveness**

permissiveness refers to permissiveness, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**peroneal nerve**

peroneal nerve refers to peroneal nerve, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**peroxidase**

peroxidase refers to peroxidase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### peroxisomal disorder

peroxisomal disorder denotes a clinical condition or finding involving peroxisomal disorder; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### peroxisome proliferation

peroxisome proliferation refers to peroxisome proliferation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### perphenazine

perphenazine refers to perphenazine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### perseveration

perseveration refers to perseveration, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### persistent cloaca

persistent cloaca refers to persistent cloaca, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### person

person refers to person, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### person name

person name refers to person name, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### person with disability

person with disability refers to person with disability, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### personality

personality refers to personality, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### personality change

personality change refers to personality change, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### personality test

personality test is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat personality test.

**Synonyms:**

### persuasive communication

persuasive communication refers to persuasive communication, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### pertussis toxin

pertussis toxin denotes an infectious or toxic condition involving pertussis toxin; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

### pertussis vaccine

pertussis vaccine refers to pertussis vaccine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**pertuzumab**

pertuzumab concerns pertuzumab, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**pestalotiopsis**

pestalotiopsis refers to pestalotiopsis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pesticide**

pesticide refers to pesticide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**petechia**

petechia refers to petechia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**petri dish**

petri dish refers to petri dish, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**petrolatum**

petrolatum refers to petrolatum, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pexophagy**

pexophagy refers to pexophagy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**P-glycoprotein**

P-glycoprotein denotes p-glycoprotein, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**pH meter**

pH meter refers to ph meter, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**phagocyte**

phagocyte refers to phagocyte, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**phagocytic vesicle**

phagocytic vesicle refers to phagocytic vesicle, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**phagolysosome**

phagolysosome refers to phagolysosome, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**phagophores**

phagophores refers to phagophores, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**phalanx unspecified**

phalanx unspecified refers to phalanx unspecified, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**phantom pain**

phantom pain denotes a clinical condition or finding involving phantom pain; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**pharmaceutical adjuvant**

pharmaceutical adjuvant refers to pharmaceutical adjuvant, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pharmaceutical excipient**

pharmaceutical excipient refers to pharmaceutical excipient, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pharmaceutical solutions**

pharmaceutical solutions refers to pharmaceutical solutions, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pharmacist**

pharmacist refers to pharmacist, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pharmacogenomic testing**

pharmacogenomic testing is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat pharmacogenomic testing.

**Synonyms:**

**pharmacologic substance**

pharmacologic substance refers to pharmacologic substance, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pharmacotherapy**

pharmacotherapy is used in relation to pharmacotherapy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

**pharmacy facility**

pharmacy facility refers to pharmacy facility, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pharyngeal carcinoma**

pharyngeal carcinoma denotes a neoplastic condition involving pharyngeal carcinoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**pharyngeal disease**

pharyngeal disease denotes a clinical condition or finding involving pharyngeal disease; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**pharyngeal hemorrhage**

pharyngeal hemorrhage denotes a clinical condition or finding involving pharyngeal hemorrhage; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**pharyngeal mucositis**

pharyngeal mucositis refers to pharyngeal mucositis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pharyngeal stenosis**

pharyngeal stenosis denotes a clinical condition or finding involving pharyngeal stenosis; evaluation

---

identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **pharyngectomy**

pharyngectomy is used in relation to pharyngectomy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **pharyngolaryngeal pain**

pharyngolaryngeal pain denotes a clinical condition or finding involving pharyngolaryngeal pain; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **pharynx necrosis**

pharynx necrosis refers to pharynx necrosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **pharynx neoplasm**

pharynx neoplasm denotes a neoplastic condition involving pharynx neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### **phase-contrast microscopy**

phase-contrast microscopy refers to phase-contrast microscopy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **phenacetin**

phenacetin refers to phenacetin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **phenazopyridine**

phenazopyridine refers to phenazopyridine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **phenelzine**

phenelzine refers to phenelzine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **phenethyl isothiocyanate**

phenethyl isothiocyanate refers to phenethyl isothiocyanate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **phenethylamines**

phenethylamines refers to phenethylamines, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **phenformin**

phenformin refers to phenformin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **phenobarbital**

phenobarbital concerns phenobarbital, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **phenocopy**

phenocopy refers to phenocopy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**phenol**

phenol refers to phenol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**phenolphthalein**

phenolphthalein refers to phenolphthalein, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**phenols**

phenols refers to phenols, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**phenothiazine**

phenothiazine refers to phenothiazine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**phenothiazines**

phenothiazines refers to phenothiazines, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**phenoxodiol**

phenoxodiol refers to phenoxodiol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**phenoxybenzamine**

phenoxybenzamine refers to phenoxybenzamine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**phenprocoumon**

phenprocoumon refers to phenprocoumon, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**phentermine**

phentermine refers to phentermine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**phenthoate**

phenthoate refers to phenthoate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**phentolamine**

phentolamine refers to phentolamine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**phenylacetate**

phenylacetate refers to phenylacetate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**phenylalanine**

phenylalanine refers to phenylalanine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**phenylbutyrate**

phenylbutyrate refers to phenylbutyrate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**phenylephrine**

phenylephrine refers to phenylephrine, a medical



---

condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **phenylpropanolamine**

phenylpropanolamine refers to phenylpropanolamine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **phenytoin**

phenytoin refers to phenytoin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **phenytoin sodium**

phenytoin sodium refers to phenytoin sodium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **pheromone**

pheromone refers to pheromone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **phialemonium atrogriseum**

phialemonium atrogriseum refers to phialemonium atrogriseum, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **phialophora**

phialophora refers to phialophora, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **phialophora verrucosa**

phialophora verrucosa refers to phialophora verrucosa, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **phlebovirus**

phlebovirus is a virus or viral group associated with phlebovirus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

### **phlegm**

phlegm refers to phlegm, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **phobia**

phobia refers to phobia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **phonation**

phonation refers to phonation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **phorate**

phorate refers to phorate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **phorbol ester**

phorbol ester refers to phorbol ester, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**phorbols**

phorbols refers to phorbols, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**phosgene**

phosgene denotes phosgene, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**phosgene oxime**

phosgene oxime denotes phosgene oxime, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**phosmet**

phosmet refers to phosmet, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**phosphamidon**

phosphamidon refers to phosphamidon, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**phosphatidic acid**

phosphatidic acid denotes phosphatidic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**phosphatidylcholine**

phosphatidylcholine refers to phosphatidylcholine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**phosphatidylethanolamines**

phosphatidylethanolamines refers to phosphatidylethanolamines, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**phosphatidylinositol**

phosphatidylinositol refers to phosphatidylinositol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**phosphatidylserine**

phosphatidylserine refers to phosphatidylserine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**phosphatidylserines**

phosphatidylserines refers to phosphatidylserines, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**phosphine**

phosphine refers to phosphine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pigmentation disorder**

pigmentation disorder denotes a clinical condition or finding involving pigmentation disorder; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**pilocarpine**

pilocarpine refers to pilocarpine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

---

**Synonyms:**

**pilocytic astrocytoma**

pilocytic astrocytoma refers to pilocytic astrocytoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**piloerection**

piloerection refers to piloerection, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pilomatrixoma**

pilomatrixoma refers to pilomatrixoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pilonidal fistula**

pilonidal fistula refers to pilonidal fistula, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pilot project**

pilot project refers to pilot project, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pilus**

pilus refers to pilus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pimozide**

pimozide refers to pimozide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pinch strength**

pinch strength refers to pinch strength, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pindolol**

pindolol concerns pindolol, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**pineal cyst**

pineal cyst refers to pineal cyst, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pineal germinoma**

pineal germinoma refers to pineal germinoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pineoblastoma**

pineoblastoma denotes a neoplastic condition involving pineoblastoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**pineocytoma**

pineocytoma refers to pineocytoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pinhole meatus**

pinhole meatus refers to pinhole meatus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**pinocytosis**

pinocytosis refers to pinocytosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pint**

pint refers to pint, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pinta**

pinta refers to pinta, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pioglitazone**

pioglitazone refers to pioglitazone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pipemidic acid**

pipemidic acid denotes pipemidic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**pipendoxifene**

pipendoxifene refers to pipendoxifene, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**piperacillin**

piperacillin concerns piperacillin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**piperazine**

piperazine refers to piperazine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**piperonyl butoxide**

piperonyl butoxide denotes an infectious or toxic condition involving piperonyl butoxide; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

**pipette**

pipette refers to pipette, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pipobroman**

pipobroman refers to pipobroman, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pirfenidone**

pirfenidone refers to pirfenidone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pirimicarb**

pirimicarb refers to pirimicarb, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pirinitramide**

pirinitramide refers to pirinitramide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**piritrexim**

piritrexim refers to piritrexim, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**piromidic acid**

piromidic acid denotes piromidic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**piroxicam**

piroxicam refers to piroxicam, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pisiform bone**

pisiform bone refers to pisiform bone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pithomyces**

pithomyces refers to pithomyces, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pituicytoma**

pituicytoma refers to pituicytoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pituitary**

pituitary refers to pituitary, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pituitary carcinoma**

pituitary carcinoma denotes a neoplastic condition involving pituitary carcinoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**pituitary disease**

pituitary disease denotes a clinical condition or finding involving pituitary disease; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**pituitary dwarfism**

pituitary dwarfism refers to pituitary dwarfism, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pituitary hormone**

pituitary hormone denotes pituitary hormone, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**pituitary neoplasm**

pituitary neoplasm denotes a neoplastic condition involving pituitary neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**pityriasis lichenoides**

pityriasis lichenoides refers to pityriasis lichenoides, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pivampicillin**

pivampicillin concerns pivampicillin, a pharmacologic or chemical agent; clinical use depends on

---

its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **pixantrone**

pixantrone refers to pixantrone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **place**

place refers to place, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **placebo control**

placebo control refers to placebo control, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **placenta accreta**

placenta accreta refers to placenta accreta, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **placenta disorder**

placenta disorder denotes a clinical condition or finding involving placenta disorder; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **placenta percreta**

placenta percreta refers to placenta percreta, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **placental hormone**

placental hormone denotes placental hormone, a biological component or molecular process interpreted

through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **placental infarction**

placental infarction refers to placental infarction, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **placental lactogen**

placental lactogen refers to placental lactogen, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **placentation**

placentation refers to placentation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **plagiocephaly**

plagiocephaly refers to plagiocephaly, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **planococcaceae**

planococcaceae refers to planococcaceae, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **planococcus bacteria**

planococcus bacteria is a microorganism or microbial group associated with planococcus bacteria; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**



---

**plant development**

plant development refers to plant development, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**plant extract**

plant extract refers to plant extract, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**plant oils**

plant oils refers to plant oils, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**plant part**

plant part refers to plant part, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**plant poisoning**

plant poisoning denotes an infectious or toxic condition involving plant poisoning; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

**plant proteins**

plant proteins denotes plant proteins, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**plant tumor**

plant tumor denotes a neoplastic condition involving plant tumor; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**plant virus**

plant virus is a virus or viral group associated with plant virus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

**plantar nerve**

plantar nerve refers to plantar nerve, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**plantar wart**

plantar wart refers to plantar wart, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**plantaris muscle**

plantaris muscle refers to plantaris muscle, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**plasma cell neoplasm**

plasma cell neoplasm denotes plasma cell neoplasm, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**plasma kallikrein**

plasma kallikrein refers to plasma kallikrein, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**plasma membrane**

plasma membrane refers to plasma membrane, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### plasma substitutes

plasma substitutes refers to plasma substitutes, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### plasmablastic lymphoma

plasmablastic lymphoma denotes a neoplastic condition involving plasmablastic lymphoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### plasmalogen

plasmalogen refers to plasmalogen, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### plasmapheresis

plasmapheresis refers to plasmapheresis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### plasmid

plasmid refers to plasmid, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### plasminogen

plasminogen refers to plasminogen, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### plasminogen activator

plasminogen activator refers to plasminogen activator, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### plasminogen inactivators

plasminogen inactivators refers to plasminogen inactivators, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### plasmodesma

plasmodesma refers to plasmodesma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### plasmodium

plasmodium refers to plasmodium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### pleural neoplasm

pleural neoplasm denotes a neoplastic condition involving pleural neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### pleural sac

pleural sac refers to pleural sac, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### pleural tuberculosis

pleural tuberculosis refers to pleural tuberculosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### pleuritic pain

pleuritic pain denotes a clinical condition or finding involving pleuritic pain; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

---

### **pleuropulmonary blastoma**

pleuropulmonary blastoma denotes a neoplastic condition involving pleuropulmonary blastoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### **plexiform neurofibroma**

plexiform neurofibroma refers to plexiform neurofibroma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **pliability**

pliability refers to pliability, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **plitidepsin**

plitidepsin refers to plitidepsin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Ploidies**

Ploidies refers to ploidies, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **plozalizumab**

plozalizumab concerns plozalizumab, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **pluralibacter gergoviae**

pluralibacter gergoviae denotes an infectious or toxic condition involving pluralibacter gergoviae; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

### **pluripotent stem cell**

pluripotent stem cell denotes pluripotent stem cell, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **plutonium**

plutonium refers to plutonium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **pneumococcal infection**

pneumococcal infection denotes an infectious or toxic condition involving pneumococcal infection; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

### **pneumococcal vaccine**

pneumococcal vaccine refers to pneumococcal vaccine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **pneumocystis**

pneumocystis refers to pneumocystis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **pneumocystis carinii**

pneumocystis carinii refers to pneumocystis carinii, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **pneumocystis infection**

pneumocystis infection denotes an infectious or toxic condition involving pneumocystis infection; diagnosis considers exposure or pathogen, affected site, severity, and host response.

---

**Synonyms:**

**pneumocystis jiroveci**

pneumocystis jiroveci refers to pneumocystis jiroveci, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pneumovirinae**

pneumovirinae refers to pneumovirinae, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pneumovirus**

pneumovirus is a virus or viral group associated with pneumovirus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

**pocket erosion**

pocket erosion refers to pocket erosion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**podiatrist**

podiatrist refers to podiatrist, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**podocyte**

podocyte refers to podocyte, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**podofilox**

podofilox refers to podofilox, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**podophyllin**

podophyllin refers to podophyllin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**podosome**

podosome refers to podosome, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**poikilocytosis**

poikilocytosis refers to poikilocytosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**poikiloderma**

poikiloderma refers to poikiloderma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pokeweed mitogen**

pokeweed mitogen refers to pokeweed mitogen, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pol gene**

pol gene denotes pol gene, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**polarity**

polarity refers to polarity, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**polarography**

polarography refers to polarography, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**policy**

policy refers to policy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**polidocanol**

polidocanol refers to polidocanol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**poliosis**

poliosis refers to poliosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**poliovirus vaccine**

poliovirus vaccine is a virus or viral group associated with poliovirus vaccine; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

**pollakisuria**

pollakisuria refers to pollakisuria, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pollen**

pollen refers to pollen, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pollen tube**

pollen tube refers to pollen tube, a medical condition

or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pollination**

pollination refers to pollination, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**poly A**

poly A refers to poly a, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**poly I-C**

poly I-C refers to poly i-c, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**poly ICLC**

poly ICLC refers to poly iclc, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**polyadenylation**

polyadenylation refers to polyadenylation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**polyamine**

polyamine refers to polyamine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**polyamine catabolism**

polyamine catabolism refers to polyamine catabolism, a medical condition or clinical finding defined by its features, causes, affected system, and

---

patient context.

**Synonyms:**

### **polyarthritis**

polyarthritis refers to polyarthritis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **polybrominated biphenyl**

polybrominated biphenyl refers to polybrominated biphenyl, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **polychlorinated biphenyl**

polychlorinated biphenyl refers to polychlorinated biphenyl, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **polychromasia**

polychromasia refers to polychromasia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **polyene**

polyene refers to polyene, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **polyethylene**

polyethylene refers to polyethylene, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **polygenic obesity**

polygenic obesity refers to polygenic obesity, a medical condition or clinical finding defined by its fea-

tures, causes, affected system, and patient context.

**Synonyms:**

### **polyglutamate camptothecin**

polyglutamate camptothecin refers to polyglutamate camptothecin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **polygraphy**

polygraphy refers to polygraphy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **polyketide synthase**

polyketide synthase refers to polyketide synthase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **polylysine**

polylysine refers to polylysine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **polymer**

polymer refers to polymer, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **polymerization**

polymerization refers to polymerization, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **polymyxin b**

polymyxin b refers to polymyxin b, a medical condition or clinical finding defined by its features, causes,



---

affected system, and patient context.

**Synonyms:**

### **polyneuritis**

polyneuritis refers to polyneuritis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **polynucleotide**

polynucleotide concerns polynucleotide, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **polyoma virus**

polyoma virus is a virus or viral group associated with polyoma virus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

### **polyomavirus hominis 2**

polyomavirus hominis 2 is a virus or viral group associated with polyomavirus hominis 2; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

### **polyphenol**

polyphenol refers to polyphenol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **polyploid**

polyploid refers to polyploid, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **polyposis**

polyposis refers to polyposis, a medical condition or clinical finding defined by its features, causes,

affected system, and patient context.

**Synonyms:**

### **polypropylene**

polypropylene refers to polypropylene, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **polyradiculopathy**

polyradiculopathy refers to polyradiculopathy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **polysaccharide**

polysaccharide refers to polysaccharide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **polysome**

polysome refers to polysome, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **polysplenia**

polysplenia refers to polysplenia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **polystyrene**

polystyrene refers to polystyrene, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **polytene chromosome**

polytene chromosome denotes polytene chromosome, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and

---

laboratory findings.

**Synonyms:**

**polythiazide**

polythiazide refers to polythiazide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**polyurethane**

polyurethane refers to polyurethane, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**polyvinyl**

polyvinyl refers to polyvinyl, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pomalidomide**

pomalidomide refers to pomalidomide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**Pontiac fever**

Pontiac fever denotes an infectious or toxic condition involving pontiac fever; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

**popliteal cyst**

popliteal cyst refers to popliteal cyst, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**population density**

population density refers to population density, a medical condition or clinical finding defined by its features, causes, affected system, and patient con-

text.

**Synonyms:**

**population genetics**

population genetics denotes population genetics, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**population group**

population group refers to population group, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**population health**

population health refers to population health, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pore**

pore refers to pore, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**porfimer sodium**

porfimer sodium refers to porfimer sodium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**porfiromycin**

porfiromycin concerns porfiromycin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**porifera**

porifera refers to porifera, a medical condition or

---

clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**porin**

porin concerns porin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**porokeratosis**

porokeratosis refers to porokeratosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**poroma**

poroma refers to poroma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**porphyria**

porphyria refers to porphyria, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**porphyrin**

porphyrin refers to porphyrin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**porphyromonas**

porphyromonas refers to porphyromonas, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**porphyromonas bennonis**

porphyromonas bennonis refers to porphyromonas bennonis, a medical condition or clinical finding defined by its features, causes, affected system, and

patient context.

**Synonyms:**

**porphyromonas catoniae**

porphyromonas catoniae refers to porphyromonas catoniae, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**porphyromonas endodontalis**

porphyromonas endodontalis refers to porphyromonas endodontalis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**porphyromonas levii**

porphyromonas levii refers to porphyromonas levii, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**porphyromonas somerae**

porphyromonas somerae refers to porphyromonas somerae, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**portion of cytosol**

portion of cytosol refers to portion of cytosol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**port-wine stain**

port-wine stain refers to port-wine stain, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**positive**

positive refers to positive, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**positive finding**

positive finding refers to positive finding, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**positron camera**

positron camera refers to positron camera, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**postal service**

postal service refers to postal service, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**posterior rhinorrhea**

posterior rhinorrhea refers to posterior rhinorrhea, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**postganglionic fiber**

postganglionic fiber refers to postganglionic fiber, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**postnatal care**

postnatal care refers to postnatal care, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**postoperative hemorrhage**

postoperative hemorrhage denotes a clinical condition or finding involving postoperative hemorrhage; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**postoperative infection**

postoperative infection denotes an infectious or toxic condition involving postoperative infection; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

**postoperative period**

postoperative period refers to postoperative period, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**postprandial period**

postprandial period refers to postprandial period, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**postsynaptic membrane**

postsynaptic membrane refers to postsynaptic membrane, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**potassium acetate**

potassium acetate refers to potassium acetate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**potassium channel**

potassium channel refers to potassium channel, a medical condition or clinical finding defined by its

---

features, causes, affected system, and patient context.

**Synonyms:**

### **potassium chloride**

potassium chloride refers to potassium chloride, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **potassium citrate**

potassium citrate refers to potassium citrate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **potassium cyanide**

potassium cyanide refers to potassium cyanide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **potassium deficiency**

potassium deficiency denotes a clinical condition or finding involving potassium deficiency; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **potassium dichromate**

potassium dichromate refers to potassium dichromate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **potassium iodide**

potassium iodide refers to potassium iodide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **potassium ion**

potassium ion refers to potassium ion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **potential**

potential refers to potential, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **potentiometry**

potentiometry refers to potentiometry, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **poultice**

poultice refers to poultice, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **pound**

pound refers to pound, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **povidone**

povidone refers to povidone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **povidone-iodine**

povidone-iodine refers to povidone-iodine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **powder diffraction**

powder diffraction refers to powder diffraction, a

---

medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **poxviridae**

poxviridae identifies poxviridae, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **poxviridae infection**

poxviridae infection identifies poxviridae infection, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **ppar alpha**

ppar alpha refers to ppar alpha, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ppar delta**

ppar delta refers to ppar delta, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **pracinostat**

pracinostat refers to pracinostat, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **practitioner**

practitioner refers to practitioner, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **pragmatic trial**

pragmatic trial refers to pragmatic trial, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **pralatrexate**

pralatrexate refers to pralatrexate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **pravastatin**

pravastatin concerns pravastatin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **pravastatin sodium**

pravastatin sodium refers to pravastatin sodium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **praziquantel**

praziquantel refers to praziquantel, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **prealbumin**

prealbumin refers to prealbumin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **precancerous condition**

precancerous condition denotes a neoplastic condition involving precancerous condition; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**



---

**precancerous polyp**

precancerous polyp denotes a neoplastic condition involving precancerous polyp; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**precipitating factor**

precipitating factor refers to precipitating factor, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**preclinical study**

preclinical study refers to preclinical study, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**preconception care**

preconception care refers to preconception care, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**prediabetes syndrome**

prediabetes syndrome denotes a clinical condition or finding involving prediabetes syndrome; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**prednimustine**

prednimustine concerns prednimustine, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**prednisolone**

prednisolone refers to prednisolone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**prednisone**

prednisone refers to prednisone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**preexcitation syndrome**

preexcitation syndrome denotes a clinical condition or finding involving preexcitation syndrome; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**prefix**

prefix refers to prefix, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**prefrontal cortex**

prefrontal cortex refers to prefrontal cortex, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pregabalin**

pregabalin refers to pregabalin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**preganglionic fiber**

preganglionic fiber refers to preganglionic fiber, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pregnancy complication**

pregnancy complication refers to pregnancy complication, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

---

**Synonyms:**

**pregnancy outcome**

pregnancy outcome refers to pregnancy outcome, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pregnancy status**

pregnancy status refers to pregnancy status, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pregnancy trimester**

pregnancy trimester refers to pregnancy trimester, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pregnane**

pregnane refers to pregnane, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pregnanolone**

pregnanolone refers to pregnanolone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pregnenolone**

pregnenolone refers to pregnenolone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**premalignant**

premalignant refers to premalignant, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**premature adrenarche**

premature adrenarche refers to premature adrenarche, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**premature closure**

premature closure refers to premature closure, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**premature labor**

premature labor refers to premature labor, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**premature thelarche**

premature thelarche refers to premature thelarche, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pre-medication**

pre-medication refers to pre-medication, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pre-miRNA**

pre-miRNA denotes pre-mirna, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**prenylation**

prenylation refers to prenylation, a medical condition or clinical finding defined by its features, causes,

---

affected system, and patient context.

**Synonyms:**

**preoperative care**

preoperative care refers to preoperative care, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**preoptic area**

preoptic area refers to preoptic area, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**presenile dementia**

presenile dementia refers to presenile dementia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**presenilin**

presenilin refers to presenilin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**preservation**

preservation refers to preservation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**preservative**

preservative refers to preservative, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pressoreceptor**

pressoreceptor denotes pressoreceptor, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory

findings.

**Synonyms:**

**presynaptic terminals**

presynaptic terminals refers to presynaptic terminals, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**primary endpoint**

primary endpoint refers to primary endpoint, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**primary hypersomnia**

primary hypersomnia refers to primary hypersomnia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**primary hypoparathyroidism**

primary hypoparathyroidism refers to primary hypoparathyroidism, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**primary hypothyroidism**

primary hypothyroidism refers to primary hypothyroidism, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**primary microRNA**

primary microRNA denotes primary microRNA, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

---

**primidone**

primidone refers to primidone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**primitive node**

primitive node refers to primitive node, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**primitive streak**

primitive streak refers to primitive streak, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**prinomastat**

prinomastat refers to prinomastat, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**privacy**

privacy refers to privacy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**privacy breach**

privacy breach refers to privacy breach, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**probability**

probability refers to probability, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**probenecid**

probenecid refers to probenecid, a medical condition

or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**proboscis**

proboscis refers to proboscis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**probucol**

probucol refers to probucol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**procainamide**

procainamide refers to procainamide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**procaine**

procaine concerns procaine, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**procarbazine**

procarbazine refers to procarbazine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**procarbazine hydrochloride**

procarbazine hydrochloride refers to procarbazine hydrochloride, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**procentriole**

procentriole refers to procentriole, a medical condi-

---

tion or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **procerus muscle**

procerus muscle refers to procerus muscle, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **processing bodies**

processing bodies refers to processing bodies, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **processor**

processor refers to processor, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **prochlorperazine**

prochlorperazine refers to prochlorperazine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **procollagen**

procollagen refers to procollagen, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **proctoscope**

proctoscope refers to proctoscope, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **proctoscopy**

proctoscopy refers to proctoscopy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **product recall**

product recall refers to product recall, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **productive cough**

productive cough refers to productive cough, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **proestrus**

proestrus refers to proestrus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **progesterone antagonist**

progesterone antagonist refers to progesterone antagonist, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **progestin**

progestin refers to progestin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **prognostic factor**

prognostic factor refers to prognostic factor, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **program development**

program development refers to program development, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

---

**Synonyms:**

**programmed instruction**

programmed instruction refers to programmed instruction, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**proinsulin**

proinsulin refers to proinsulin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**projectile vomiting**

projectile vomiting refers to projectile vomiting, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**prokaryote**

prokaryote refers to prokaryote, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**prolactin**

prolactin refers to prolactin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**prolactin receptor**

prolactin receptor denotes prolactin receptor, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**prolapsed cord**

prolapsed cord refers to prolapsed cord, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**proliferation**

proliferation refers to proliferation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**prolindac**

prolindac refers to prolindac, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**proline**

proline refers to proline, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**prolymphocyte count**

prolymphocyte count refers to prolymphocyte count, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**prolymphocytic leukemia**

prolymphocytic leukemia denotes a neoplastic condition involving prolymphocytic leukemia; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**promazine**

promazine refers to promazine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**promecarb**

promecarb refers to promecarb, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.



---

**Synonyms:**

**promegapoietin**

promegapoietin refers to promegapoietin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**prometaphase**

prometaphase refers to prometaphase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**promethazine**

promethazine refers to promethazine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**promonocyte count**

promonocyte count refers to promonocyte count, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**promyelocytes**

promyelocytes refers to promyelocytes, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**prone**

prone refers to prone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pronephric**

pronephric refers to pronephric, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**propane**

propane refers to propane, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**propanol**

propanol refers to propanol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**propellant**

propellant refers to propellant, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**properdin**

properdin refers to properdin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**propetamphos**

propetamphos refers to propetamphos, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**prophage**

prophage refers to prophage, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**prophase**

prophase refers to prophase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**prophenofos**

prophenofos refers to prophenofos, a medical condi-

---

tion or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **prophylactic mastectomy**

prophylactic mastectomy is used in relation to prophylactic mastectomy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **propiolactone**

propiolactone refers to propiolactone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **propionates**

propionates refers to propionates, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **propionibacteriaceae**

propionibacteriaceae is a microorganism or microbial group associated with propionibacteriaceae; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **propionibacterium**

propionibacterium is a microorganism or microbial group associated with propionibacterium; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **propionibacterium acnes**

propionibacterium acnes is a microorganism or microbial group associated with propionibacterium acnes; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **propofol**

propofol refers to propofol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **propoxur**

propoxur refers to propoxur, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **propoxycaine**

propoxycaine concerns propoxycaine, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **propoxyphene**

propoxyphene refers to propoxyphene, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **propranolol**

propranolol concerns propranolol, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **propylene glycol**

propylene glycol refers to propylene glycol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **prosencephalon**

prosencephalon refers to prosencephalon, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**prosopagnosia**

prosopagnosia refers to prosopagnosia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**prosoposchisis**

prosoposchisis refers to prosoposchisis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**prostaglandin**

prostaglandin refers to prostaglandin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**prostaglandin antagonist**

prostaglandin antagonist refers to prostaglandin antagonist, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**prostaglandin degradation**

prostaglandin degradation refers to prostaglandin degradation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**prostaglandin receptor**

prostaglandin receptor denotes prostaglandin receptor, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**prostaglandins e**

prostaglandins e refers to prostaglandins e, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**prostaglandins f**

prostaglandins f refers to prostaglandins f, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**prostate carcinoma**

prostate carcinoma denotes a neoplastic condition involving prostate carcinoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**prostate disease**

prostate disease denotes a clinical condition or finding involving prostate disease; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**prostate infection**

prostate infection denotes an infectious or toxic condition involving prostate infection; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

**prostate neoplasm**

prostate neoplasm denotes a neoplastic condition involving prostate neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**prostatic fluid**

prostatic fluid refers to prostatic fluid, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**prostatic obstruction**

prostatic obstruction denotes a clinical condition or finding involving prostatic obstruction; evaluation identifies mechanism, affected system, severity, complications, and management.

---

**Synonyms:**

**prostatism**

prostatism refers to prostatism, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**prosthetic heart valve**

prosthetic heart valve refers to prosthetic heart valve, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**protamine**

protamine refers to protamine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**protanopia**

protanopia refers to protanopia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**proteaphagy**

proteaphagy refers to proteaphagy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**proteasome**

proteasome refers to proteasome, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**proteasome binding**

proteasome binding refers to proteasome binding, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**proteasome inhibitor**

proteasome inhibitor refers to proteasome inhibitor, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**protective agent**

protective agent refers to protective agent, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**protegrin**

protegrin refers to protegrin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**protein acetylation**

protein acetylation denotes protein acetylation, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**protein biosynthesis**

protein biosynthesis denotes protein biosynthesis, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**protein deficiency**

protein deficiency denotes protein deficiency, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**protein denaturation**

protein denaturation denotes protein denaturation, a biological component or molecular process inter-

---

preted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **protein dephosphorylation**

protein dephosphorylation denotes protein dephosphorylation, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **protein engineering**

protein engineering denotes protein engineering, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **protein expression**

protein expression denotes protein expression, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **protein glycosylation**

protein glycosylation denotes protein glycosylation, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **protein import**

protein import denotes protein import, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **protein isoform**

protein isoform denotes protein isoform, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **protein kinase**

protein kinase denotes protein kinase, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **protein metabolism**

protein metabolism denotes protein metabolism, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **protein methylation**

protein methylation denotes protein methylation, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **protein overexpression**

protein overexpression denotes protein overexpression, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **protein phosphorylation**

protein phosphorylation denotes protein phosphorylation, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **protein prenylation**

protein prenylation denotes protein prenylation, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **protein purification**

protein purification denotes protein purification, a biological component or molecular process inter-

---

preted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **protein refolding**

protein refolding denotes protein refolding, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **protein secretion**

protein secretion denotes protein secretion, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **protein sequence**

protein sequence denotes protein sequence, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **protein splicing**

protein splicing denotes protein splicing, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **protein subunit**

protein subunit denotes protein subunit, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **protein translocation**

protein translocation denotes protein translocation, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **protein transport**

protein transport denotes protein transport, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **protein unfolding**

protein unfolding denotes protein unfolding, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **proteinaceous plug**

proteinaceous plug denotes proteinaceous plug, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **proteobacteria**

proteobacteria is a microorganism or microbial group associated with proteobacteria; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### **proteogenomics**

proteogenomics refers to proteogenomics, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **proteoglycan**

proteoglycan refers to proteoglycan, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **proteolipids**

proteolipids denotes proteolipids, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.



---

**Synonyms:**

**proteolysis**

proteolysis refers to proteolysis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**proteome**

proteome refers to proteome, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**proteomic profile**

proteomic profile refers to proteomic profile, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**proteomics**

proteomics refers to proteomics, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**proteus**

proteus refers to proteus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**proteus hauseri**

proteus hauseri refers to proteus hauseri, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**proteus mirabilis**

proteus mirabilis refers to proteus mirabilis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**proteus penneri**

proteus penneri refers to proteus penneri, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**proteus syndrome**

proteus syndrome denotes a clinical condition or finding involving proteus syndrome; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**proteus vulgaris**

proteus vulgaris refers to proteus vulgaris, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**prothionamide**

prothionamide refers to prothionamide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**prothrombin**

prothrombin refers to prothrombin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**protista**

protista refers to protista, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**protocol agent**

protocol agent refers to protocol agent, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### **psychoacoustics**

psychoacoustics refers to psychoacoustics, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **psychobiology**

psychobiology refers to psychobiology, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **psychodidae**

psychodidae refers to psychodidae, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **psychodrama**

psychodrama refers to psychodrama, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **psycholinguistics**

psycholinguistics refers to psycholinguistics, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **psychological adjustment**

psychological adjustment refers to psychological adjustment, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **psychological dependence**

psychological dependence refers to psychological dependence, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **psychological transfer**

psychological transfer refers to psychological transfer, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **psychology**

psychology refers to psychology, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **psychometrics**

psychometrics refers to psychometrics, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **psychomotor agitation**

psychomotor agitation refers to psychomotor agitation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **psychomotor disorder**

psychomotor disorder denotes a clinical condition or finding involving psychomotor disorder; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **psychomotor performance**

psychomotor performance refers to psychomotor performance, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **psychoneuroimmunology**

psychoneuroimmunology refers to psychoneuroimmunology, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

---

**Synonyms:**

**psychopathology**

psychopathology refers to psychopathology, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**psychophysics**

psychophysics refers to psychophysics, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**psychophysiology**

psychophysiology refers to psychophysiology, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**psychosexual development**

psychosexual development refers to psychosexual development, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**psychosurgery**

psychosurgery is used in relation to psychosurgery during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

**Psychotic Disorder**

Psychotic Disorder denotes a clinical condition or finding involving psychotic disorder; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**psychotropic drug**

psychotropic drug refers to psychotropic drug, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**psychrobacter**

psychrobacter denotes an infectious or toxic condition involving psychrobacter; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

**psychrobacter immobilis**

psychrobacter immobilis denotes an infectious or toxic condition involving psychrobacter immobilis; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

**pteridine**

pteridine refers to pteridine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pubertal failure**

pubertal failure refers to pubertal failure, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**public assistance**

public assistance refers to public assistance, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**public policy**

public policy refers to public policy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**publication**

publication refers to publication, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

---

**Synonyms:**

**puerperal disorder**

puerperal disorder denotes a clinical condition or finding involving puerperal disorder; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**puerperal infection**

puerperal infection denotes an infectious or toxic condition involving puerperal infection; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

**pulmonary blastoma**

pulmonary blastoma denotes a neoplastic condition involving pulmonary blastoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**pulmonary circulation**

pulmonary circulation refers to pulmonary circulation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pulmonary compliance**

pulmonary compliance refers to pulmonary compliance, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pulmonary fistula**

pulmonary fistula refers to pulmonary fistula, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pulmonary hemorrhage**

pulmonary hemorrhage denotes a clinical condition or finding involving pulmonary hemorrhage; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**pulmonary infection**

pulmonary infection denotes an infectious or toxic condition involving pulmonary infection; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

**pulmonary mass**

pulmonary mass refers to pulmonary mass, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pulmonary nodule**

pulmonary nodule refers to pulmonary nodule, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pulmonary reactance**

pulmonary reactance refers to pulmonary reactance, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pulmonary trunk**

pulmonary trunk refers to pulmonary trunk, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pulmonary valve insufficiency**

pulmonary valve insufficiency refers to pulmonary valve insufficiency, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

---

**Synonyms:**

**pulmonologist**

pulmonologist refers to pulmonologist, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pulp canal**

pulp canal refers to pulp canal, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pulp disease**

pulp disease denotes a clinical condition or finding involving pulp disease; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**pulpitis**

pulpitis refers to pulpitis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pulse irregular**

pulse irregular refers to pulse irregular, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pulse radiolysis**

pulse radiolysis refers to pulse radiolysis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pulse rate**

pulse rate refers to pulse rate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pulvinar**

pulvinar refers to pulvinar, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**puncture biopsy**

puncture biopsy refers to puncture biopsy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**punicic acid**

punicic acid denotes punicic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**punishment**

punishment refers to punishment, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**purine**

purine refers to purine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**purine nucleosides**

purine nucleosides refers to purine nucleosides, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**purine nucleotides**

purine nucleotides refers to purine nucleotides, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**purinoceptor**

purinoceptor refers to purinoceptor, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**purkinje cell**

purkinje cell denotes purkinje cell, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**puromycin**

puromycin concerns puromycin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**purulent discharge**

purulent discharge refers to purulent discharge, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**putamen**

putamen refers to putamen, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**putrescine**

putrescine refers to putrescine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**p-value**

p-value refers to p-value, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pynodysostosis**

pynodysostosis refers to pynodysostosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pyelitis**

pyelitis refers to pyelitis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pyloric antrum**

pyloric antrum refers to pyloric antrum, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pyoderma**

pyoderma refers to pyoderma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pyometra**

pyometra refers to pyometra, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pyramidal cell**

pyramidal cell denotes pyramidal cell, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**pyramidal tract**

pyramidal tract refers to pyramidal tract, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**



---

**pyrazinamide**

pyrazinamide refers to pyrazinamide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pyrazines**

pyrazines refers to pyrazines, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pyrazole**

pyrazole concerns pyrazole, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**pyrazoles**

pyrazoles refers to pyrazoles, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pyrene**

pyrene refers to pyrene, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pyrenochaeta**

pyrenochaeta refers to pyrenochaeta, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pyridine**

pyridine refers to pyridine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pyridostigmine bromide**

pyridostigmine bromide refers to pyridostigmine bromide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pyridoxal phosphate**

pyridoxal phosphate refers to pyridoxal phosphate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pyrimethamine**

pyrimethamine refers to pyrimethamine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pyrimidine analog**

pyrimidine analog refers to pyrimidine analog, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pyrimidine dimer**

pyrimidine dimer refers to pyrimidine dimer, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pyrimidine nucleosides**

pyrimidine nucleosides refers to pyrimidine nucleosides, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pyrimidine nucleotides**

pyrimidine nucleotides refers to pyrimidine nucleotides, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

---

**Synonyms:**

**pyrogen**

pyrogen refers to pyrogen, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pyroglyphidae**

pyroglyphidae refers to pyroglyphidae, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pyronine**

pyronine refers to pyronine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pyrophosphatase**

pyrophosphatase refers to pyrophosphatase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pyropoikilocytosis**

pyropoikilocytosis refers to pyropoikilocytosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pyroptosis**

pyroptosis refers to pyroptosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pyrosequencing**

pyrosequencing refers to pyrosequencing, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pyroxamide**

pyroxamide refers to pyroxamide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pyrroles**

pyrroles refers to pyrroles, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pyrrolidonecarboxylic acid**

pyrrolidonecarboxylic acid denotes pyrrolidonecarboxylic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**pyrrolnitrin**

pyrrolnitrin refers to pyrrolnitrin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pyruvate decarboxylase**

pyruvate decarboxylase refers to pyruvate decarboxylase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**pyruvate kinase**

pyruvate kinase refers to pyruvate kinase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

It is guided by personal and family history, previous pregnancy outcomes, ancestry, and test findings.

**Synonyms:** Pregnancy genetic counseling; antenatal genetic counseling.

**Painful urination (dysuria)**

Pain, burning, or discomfort during urination, com-

---

monly caused by urinary infection, inflammation, stones, irritation, or sexually transmitted infection. **Synonyms:**

### **Peeling skin**

Loss or shedding of the outer layer of skin, which may result from dryness, sunburn, irritation, allergy, infection, inflammation, or a systemic illness. **Synonyms:**

### **Protein in urine (proteinuria)**

An abnormal amount of protein in the urine, which may be temporary or indicate kidney disease, diabetes, high blood pressure, infection, or another condition. **Synonyms:**

### **Testicle pain**

Pain in one or both testicles that may result from injury, infection, inflammation, torsion, hernia, or referred pain; sudden severe pain requires urgent assessment. **Synonyms:**

### **PA/IVS**

Alternate index label; see *Pulmonary atresia with intact ventricular septum*. **Synonyms:**

### **PAES**

Alternate index label; see *Popliteal artery entrapment*. **Synonyms:**

### **Pain, back**

Alternate index label; see *Back pain*. **Synonyms:**

### **Pain, breast**

Alternate index label; see *Breast pain*. **Synonyms:**

### **Pain, chest**

Alternate index label; see *Chest pain*. **Synonyms:**

### **Pain, knee**

Alternate index label; see *Knee pain*. **Synonyms:**

### **Pain, neck**

Alternate index label; see *Neck pain*. **Synonyms:**

### **Pain, wrist**

Alternate index label; see *Wrist pain*. **Synonyms:**

### **Painful bladder syndrome**

Alternate index label; see *Interstitial cystitis*. **Synonyms:**

### **Painful periods**

Alternate index label; see *Menstrual cramps*. **Synonyms:**

### **Palsy, Bell's**

Alternate index label; see *Bell's palsy*. **Synonyms:**

### **Palsy, cerebral**

Alternate index label; see *Cerebral palsy*. **Synonyms:**

### **Palsy, facial**

Alternate index label; see *Bell's palsy*. **Synonyms:**

### **Pancreas inflammation**

Alternate index label; see *Pancreatitis*. **Synonyms:**

### **PAPVR**

Alternate index label; see *Partial anomalous pulmonary venous return*. **Synonyms:**

### **Paraneoplastic neurological disorder**

Alternate index label; see *Paraneoplastic syndromes of the nervous system*. **Synonyms:**

### **Paraneoplastic neurological syndrome**

Alternate index label; see *Paraneoplastic syndromes of the nervous system*. **Synonyms:**

### **Partial anomalous pulmonary venous connection**

Alternate index label; see *Partial anomalous pulmonary venous return*. **Synonyms:**

### **Pathological gambling**

Alternate index label; see *Compulsive gambling*. **Synonyms:**

---

**Pathological laughter and crying**

Alternate index label; see *Pseudobulbar affect*. **Synonyms:**

**Pathological stealing**

Alternate index label; see *Kleptomania*. **Synonyms:**

**PBA**

Alternate index label; see *Pseudobulbar affect*. **Synonyms:**

**PDA**

Alternate index label; see *Patent ductus arteriosus (PDA)*. **Synonyms:**

**Pelvic pain, chronic**

Alternate index label; see *Chronic pelvic pain*. **Synonyms:**

**Pelvic support problems, uterine prolapse**

Alternate index label; see *Uterine prolapse*. **Synonyms:**

**Perforated eardrum**

Alternate index label; see *Ruptured eardrum (perforated eardrum)*. **Synonyms:**

**Pericardial inflammation**

Alternate index label; see *Pericarditis*. **Synonyms:**

**Periodontal disease, gingivitis**

Alternate index label; see *Gingivitis*. **Synonyms:**

**Periodontal disease, periodontitis**

Alternate index label; see *Periodontitis*. **Synonyms:**

**Peripheral neurofibromatosis**

Alternate index label; see *Neurofibromatosis type 1*. **Synonyms:**

**Pernio**

Alternate index label; see *Chilblains*. **Synonyms:**

**Peroneal muscular atrophy**

Alternate index label; see *Charcot-Marie-Tooth disease*. **Synonyms:**

**Personality disorder, antisocial**

Alternate index label; see *Antisocial personality disorder*. **Synonyms:**

**Personality disorder, borderline**

Alternate index label; see *Borderline personality disorder*. **Synonyms:**

**Personality disorder, narcissistic**

Alternate index label; see *Narcissistic personality disorder*. **Synonyms:**

**Personality disorder, schizoid**

Alternate index label; see *Schizoid personality disorder*. **Synonyms:**

**Personality disorder, schizotypal**

Alternate index label; see *Schizotypal personality disorder*. **Synonyms:**

**Pes planus**

Alternate index label; see *Flatfeet*. **Synonyms:**

**Petit mal seizure**

Alternate index label; see *Absence seizure*. **Synonyms:**

**Phobia, social**

Alternate index label; see *Social anxiety disorder (social phobia)*. **Synonyms:**

**PHT**

Alternate index label; see *Portal hypertension*. **Synonyms:**

**PID**

Alternate index label; see *Pelvic inflammatory disease (PID)*. **Synonyms:**

---

### **Pilonidal dimple**

Alternate index label; see *Sacral dimple*. **Synonyms:**

### **Pimples**

Alternate index label; see *Acne*. **Synonyms:**

### **Pituitary insufficiency**

Alternate index label; see *Hypopituitarism*. **Synonyms:**

### **Pituitary neuroendocrine tumor**

Alternate index label; see *Pituitary tumors and adenomas*. **Synonyms:**

### **Pityriasis versicolor**

Alternate index label; see *Tinea versicolor*. **Synonyms:**

### **PJI**

Alternate index label; see *Periprosthetic joint infection (PJI)*. **Synonyms:**

### **PJS**

Alternate index label; see *Peutz-Jeghers syndrome*. **Synonyms:**

### **PKD**

Alternate index label; see *Polycystic kidney disease*. **Synonyms:**

### **PKU**

Alternate index label; see *Phenylketonuria (PKU)*. **Synonyms:**

### **Plantar neuroma**

Alternate index label; see *Morton neuroma*. **Synonyms:**

### **PLS**

Alternate index label; see *Primary lateral sclerosis (PLS)*. **Synonyms:**

### **PMBCL**

Alternate index label; see *Primary mediastinal large B-cell lymphoma*. **Synonyms:**

### **PMBL**

Alternate index label; see *Primary mediastinal large B-cell lymphoma*. **Synonyms:**

### **PN**

Alternate index label; see *Plexiform neurofibroma*. **Synonyms:**

### **PNF**

Alternate index label; see *Plexiform neurofibroma*. **Synonyms:**

### **Polyps, colon**

Alternate index label; see *Colon polyps*. **Synonyms:**

### **Polyps, endometrial**

Alternate index label; see *Uterine polyps*. **Synonyms:**

### **Polyps, nasal**

Alternate index label; see *Nasal polyps*. **Synonyms:**

### **Polyps, stomach**

Alternate index label; see *Stomach polyps*. **Synonyms:**

### **Polyps, uterine**

Alternate index label; see *Uterine polyps*. **Synonyms:**

### **Pompholyx**

Alternate index label; see *Dyshidrosis*. **Synonyms:**

### **Poor color vision**

Alternate index label; see *Color blindness*. **Synonyms:**

### **Post-cardiac injury syndrome**

Alternate index label; see *Dressler syndrome*. **Synonyms:**

---

**Post-chemotherapy cognitive impairment**

Alternate index label; see *Chemo brain*. **Synonyms:**

**Posterior prolapse**

Alternate index label; see *Posterior vaginal prolapse (rectocele)*. **Synonyms:**

**Postmyocardial infarction syndrome**

Alternate index label; see *Dressler syndrome*. **Synonyms:**

**Postural hypotension**

Alternate index label; see *Orthostatic hypotension (postural hypotension)*. **Synonyms:**

**Prader-Labhart-Willi syndrome**

Alternate index label; see *Prader-Willi syndrome*. **Synonyms:**

**Pregnancy-related hypertension**

Alternate index label; see *Preeclampsia*. **Synonyms:**

**Premature ovarian failure**

Alternate index label; see *Primary ovarian insufficiency*. **Synonyms:**

**Premature puberty**

Alternate index label; see *Precocious puberty*. **Synonyms:**

**Pressure sore**

Alternate index label; see *Bedsore (pressure ulcer)*. **Synonyms:**

**Prickly heat**

Alternate index label; see *Heat rash*. **Synonyms:**

**Primary adrenal insufficiency**

Alternate index label; see *Addison's disease*. **Synonyms:**

**Primary biliary cirrhosis**

Alternate index label; see *Primary biliary cholangitis (PBC)*. **Synonyms:**

**Primary polycythemia**

Alternate index label; see *Polycythemia vera*. **Synonyms:**

**Prolapse, mitral valve**

Alternate index label; see *Mitral valve prolapse*. **Synonyms:**

**Prolapsed bladder**

Alternate index label; see *Anterior vaginal prolapse (cystocele)*. **Synonyms:**

**Prolapsed uterus**

Alternate index label; see *Uterine prolapse*. **Synonyms:**

**Prostate gland enlargement**

Alternate index label; see *Benign prostatic hyperplasia (BPH)*. **Synonyms:**

**Pruritis ani**

Alternate index label; see *Anal itching*. **Synonyms:**

**PTCL**

Alternate index label; see *Peripheral T-cell lymphoma*. **Synonyms:**

**Puffy eyes**

Alternate index label; see *Bags under eyes*. **Synonyms:**

**PVCs**

Alternate index label; see *Premature ventricular contractions (PVCs)*. **Synonyms:**

**PVD**

Alternate index label; see *Peripheral artery disease (PAD)*. **Synonyms:**



---

## PVPS

Alternate index label; see *Post-vasectomy pain syndrome*. **Synonyms:**

## Q

### Q Fever

A zoonotic disease caused by *Coxiella burnetii*, an obligate intracellular Gram-negative bacterium. Q fever is transmitted to humans primarily by inhalation of contaminated aerosols from infected livestock (cattle, sheep, goats) and their products (placenta, birth fluids, urine, feces, milk). Incubation: 2–3 weeks.

**Synonyms:**

### Quantitative Computed Tomography

CT-based imaging that measures bone mineral density as well as showing bone structure. **Synonyms:** QCT

### Quick Relievers

Fast-acting medicines that relax airway muscle and rapidly ease bronchoconstriction. **Synonyms:** Rescue medicines

### Quiet Sleep

Non-REM sleep, during which brain and body activity generally slow. **Synonyms:** Non-REM sleep

### Q Wave

The negative deflection that follows the P wave in some electrocardiographic leads, representing initial ventricular depolarization.

**Synonyms:**

### QALY

Quality-adjusted life year, a measure combining the length of life with a value assigned to health-related quality of life during that time.

**Synonyms:**

### QRS Complex

The deflection representing ventricular depolarization, consisting of a Q wave (initial downward deflection), R wave (upward deflection), and S wave (downward deflection after R). Normal duration is 0.06-0.10 seconds (1.5-2.5 small boxes). Widened QRS (>0.12 s) indicates bundle branch block, ventricular rhythm, or hyperkalemia.

**Synonyms:**

### QT Interval

The time from the onset of the QRS complex to the end of the T wave, representing total ventricular depolarization and repolarization. Normal QT is 0.35-0.44 seconds. The corrected QT (QTc) adjusts for heart rate using Bazett's formula:  $QTc = QT / \text{square root of RR interval}$ .

**Synonyms:**

### QT Prolongation

An electrocardiographic finding characterized by prolongation of the QT interval, representing the time from ventricular depolarization to repolarization, which predisposes to the potentially fatal arrhythmia torsades de pointes. The corrected QT interval should be less than 440 milliseconds in men and 460 milliseconds in women.

**Synonyms:**

### Quad Screen (Maternal Serum Screening)

Second-trimester prenatal screening (15-22 weeks) for fetal aneuploidy and neural tube defects. Measures 4 markers: AFP (alpha-fetoprotein: elevated in NTD, low in Down syndrome), hCG (elevated in Down syndrome), uE3 (unconjugated estriol: low in Down syndrome), and inhibin A (elevated in Down

---

syndrome).

**Synonyms:** Maternal Serum Screening

### Quadrant

One of four sections of the abdomen (RUQ, LUQ, RLQ, LLQ) used for clinical description. RUQ: liver, gallbladder, duodenum, right kidney. LUQ: stomach, spleen, left kidney, pancreas tail. RLQ: appendix, cecum, right ovary. LLQ: sigmoid colon, left ovary.

**Synonyms:**

### Quadrantectomy

Surgical removal of one quadrant of an organ, most commonly a breast-conserving operation removing a breast tumour with a surrounding margin of tissue. The exact procedure and need for additional treatment depend on pathology and clinical staging.

**Synonyms:**

### Quadriceps Femoris

The four-headed muscle group on the anterior thigh consisting of rectus femoris and the three vasti. It extends the knee; rectus femoris also flexes the hip, and the group contributes to standing, walking, and shock absorption.

**Synonyms:**

### Quadriceps Femoris Muscle

Four-muscle anterior thigh group: rectus femoris, vastus lateralis, vastus medialis, vastus intermedius, all inserting on the tibial tuberosity via the patellar ligament. Innervated by femoral nerve (L2-L4). Primary knee extensor for walking, running, rising from seated. VMO is important for patellar tracking.

**Synonyms:**

### Quadriceps Injury

Damage to the quadriceps muscle or tendon caused by sudden force, overuse, or direct trauma. It may cause front-of-thigh pain, bruising, weakness, or difficulty extending the knee. Severe pain, a palpable defect, or inability to bear weight requires assessment for a significant tear or tendon rupture.

**Synonyms:**

### Quadriceps tendon ruptures

A tear of the tendon connecting the quadriceps muscle to the patella, causing weakness or inability to extend the knee. Complete tears often require surgical repair; treatment depends on the extent of injury and the person's functional needs.

**Synonyms:**

### Quadriplegia

Paralysis of all four limbs and trunk, resulting from a spinal cord lesion at the cervical level or a bilateral brainstem lesion. Common causes include traumatic spinal cord injury, stroke, multiple sclerosis, spinal cord tumors, and demyelinating disease.

**Synonyms:**

### Quadruplet Pregnancy

A pregnancy involving four fetuses. It carries increased risks of preterm birth, fetal growth restriction, hypertensive and metabolic complications, and maternal morbidity and therefore requires specialized multidisciplinary antenatal care.

**Synonyms:**

### Quality Assurance

Planned activities used to verify that healthcare services meet defined standards of safety, quality, and performance.

**Synonyms:**

### Quality Control

Daily, weekly, monthly tests ensure system performance. Uniformity, energy, sensitivity, spatial resolution, count rate performance.

**Synonyms:**

### Quality Control (Laboratory)

Procedures using control materials, calibration, equipment checks, and documented review to ensure that a laboratory method remains accurate and precise during routine testing.

**Synonyms:** Laboratory

### Quality Improvement

Systematic efforts to improve healthcare. Methods:

---

PDSA cycles, Lean, Six Sigma. Outcomes: safety, effectiveness, patient-centeredness.

**Synonyms:**

### **Quality of Life**

A person's perceived physical, psychological, social, and functional well-being.

**Synonyms:**

### **Quality-Adjusted Life Year**

A health-economic measure combining length of life with health-related quality of life on a scale where 1 represents full health and 0 represents death. It is used to compare cost-effectiveness across interventions.

**Synonyms:**

### **Quantification**

Measurement of radiotracer uptake or clearance. SUV (PET), clearance rates (renal), ejection fraction (cardiac). Essential for treatment monitoring.

**Synonyms:**

### **Quantitative PET**

The measurement or estimation of radiotracer concentration and tissue kinetics from PET data, using measures such as standardized uptake value or compartmental modeling.

**Synonyms:**

### **Quarantine**

Separation or restriction of movement of people who have been exposed to an infectious disease while monitoring whether they become ill. It differs from isolation of people who are already infected.

**Synonyms:**

### **Quickening**

The first perception of fetal movement by the mother, typically felt between 16-20 weeks in multiparous women and 18-22 weeks in nulliparous women. Described initially as a subtle fluttering sensation that becomes stronger and more regular as pregnancy progresses.

**Synonyms:**

### **Quiescent**

Inactive or dormant state of disease. Example: quiescent ulcerative colitis (no symptoms but histologic inflammation may persist).

**Synonyms:**

### **Quinine**

An alkaloid derived from cinchona bark, with anti-malarial, antipyretic, and skeletal muscle relaxant properties. Quinine is a blood schizonticide with activity against all Plasmodium species, but resistance has emerged in *P. falciparum*.

**Synonyms:**

### **Quinsy**

A peritonsillar abscess: a collection of pus between the tonsillar capsule and the superior pharyngeal constrictor muscle, usually developing as a complication of tonsillar infection.

**Synonyms:**

### **Quinupristin-dalfopristin**

A streptogramin antibiotic combination that inhibits bacterial protein synthesis. It is used intravenously for selected serious gram-positive infections, including some resistant *Enterococcus faecium* infections, when appropriate alternatives are unavailable.

**Synonyms:**

### **Quorum Sensing**

Cell-density-dependent bacterial communication system in which bacteria produce and detect small signaling molecules (autoinducers—acyl-homoserine lactones in gram-negative, autoinducing peptides in gram-positive, AI-2 inter-species) to coordinate population-wide behaviors.

**Synonyms:**

### **Quadripareisis**

Weakness affecting all four limbs, usually resulting from cervical spinal-cord disease, brain injury, neuromuscular disease, or another disorder of the central or peripheral nervous system.

**Synonyms:**

---

### Quinolone

A class of synthetic antibacterial drugs that inhibit bacterial DNA gyrase or topoisomerase IV. Examples include ciprofloxacin and levofloxacin.

**Synonyms:**

### Quadrantanopia

Loss of vision in one quarter of the visual field, usually caused by a lesion affecting specific portions of the optic pathways.

**Synonyms:**

### Quadriceps Tendon Rupture

A tear of the tendon connecting the quadriceps muscle to the patella, causing pain, swelling, and inability to actively extend the knee.

**Synonyms:**

### Quadriceps Tendinitis

Overuse-related inflammation or degeneration of the quadriceps tendon, causing pain above the kneecap that worsens with jumping, running, or resisted knee extension.

**Synonyms:**

### Quartan Fever

A fever pattern in which fever attacks recur approximately every 72 hours, classically associated with infection by *Plasmodium malariae*.

**Synonyms:**

### Quincke's Disease (Angioneurotic Oedema)

Sudden swelling of deeper layers of the skin or mucosa, commonly affecting the lips, face, tongue, throat, or bowel; airway involvement is an emergency.

**Synonyms:** Angioneurotic Oedema

### Quincke's Pulse

Visible capillary pulsation in the nail bed or skin, often associated with a wide pulse pressure and severe aortic regurgitation.

**Synonyms:**

### Quincke's Sign

A sign of severe aortic regurgitation in which alternating flushing and blanching of the nail bed or skin can be seen with each heartbeat.

**Synonyms:**

### Quotidian Fever

A fever pattern in which fever attacks occur approximately every 24 hours; it may occur in malaria and several other infections.

### qigong

qigong is used in relation to qigong during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### quality

quality is used in relation to quality during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### quantum dot

quantum dot is used in relation to quantum dot during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### quassins

quassins concerns quassins, a biologic or physiologic concept used in research, laboratory medicine, and the explanation of disease.

**Synonyms:**

### quercetin

quercetin concerns quercetin, a biologic or physiologic concept used in research, laboratory medicine, and the explanation of disease.

**Synonyms:**

### questionnaire

questionnaire is a clinical assessment, measurement, or procedure used to investigate, monitor, classify,

---

or treat questionnaire.

**Synonyms:**

### **quetiapine fumarate**

quetiapine fumarate concerns quetiapine fumarate, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **quinalphos**

quinalphos concerns quinalphos, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **quinapril**

quinapril concerns quinapril, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **quinazoline**

quinazoline refers to quinazoline, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **quinidine**

quinidine concerns quinidine, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **quinolinic acid**

quinolinic acid denotes quinolinic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **quinone metabolism**

quinone metabolism refers to quinone metabolism, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **quinones**

quinones refers to quinones, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **quinuclidines**

quinuclidines refers to quinuclidines, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **quipazine**

quipazine concerns quipazine, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**Synonyms:**





## R

### Rabies

A fatal viral encephalitis caused by rabies virus, transmitted through the bite of infected animals. After inoculation, the virus travels to the CNS via peripheral nerves. Symptoms include hydrophobia, aerophobia, and progressive neurological deterioration. Diagnosis is made by direct fluorescent antibody testing of brain tissue.

**Synonyms:**

### Radial Tunnel Syndrome

Compression of the radial nerve near the elbow, causing arm pain, tingling, or weakness. **Synonyms:**

### Radiation

Energy transmitted as particles or electromagnetic waves, including X-rays and gamma rays. **Synonyms:**

### Radical Prostatectomy

Surgery that removes the entire prostate, usually with nearby seminal vesicles. **Synonyms:**

### Radioallergosorbent Test

A blood test used to detect allergen-specific IgE antibodies. **Synonyms:** RAST

### Radiofrequency

Electromagnetic energy used in some diagnostic and therapeutic medical procedures. **Synonyms:** RF energy

### Radiograph

An image produced using X-rays. **Synonyms:** X-ray

### Radionuclide Imaging or Scan

Imaging that detects radiation from a tracer administered to the patient. **Synonyms:** Nuclear scan; scintigraphy

### Radionuclides

Radioactive atoms used as tracers in nuclear medicine imaging or treatment. **Synonyms:**

### Randomized

Assigned by chance rather than choice or preference, as in a clinical trial. **Synonyms:**

### Rapid Eye Movement Sleep

A sleep stage marked by rapid eye movements, vivid dreaming, and high brain activity. **Synonyms:** REM sleep

### RAST

A blood test for allergen-specific IgE antibodies. **Synonyms:** Radioallergosorbent test

### Raynaud's Syndrome

Episodic narrowing of small blood vessels in fingers or toes triggered by cold or stress. **Synonyms:** Raynaud phenomenon

### RCT

Randomized controlled trial, a study comparing randomly assigned intervention and control groups. **Synonyms:** Randomized controlled trial

### RDA

Recommended dietary allowance, the daily nutrient intake sufficient for nearly all healthy people in a

---

defined group. **Synonyms:** Recommended dietary allowance

### Rebound Insomnia

Return or worsening of insomnia after stopping a sleep medicine. **Synonyms:**

### Receptors

Cell proteins or structures that bind specific signaling molecules and trigger a response. **Synonyms:**

### Recombinant Tissue Plasminogen Activator

A laboratory-produced clot-dissolving medicine used in selected emergencies. **Synonyms:** Recombinant tPA

### Recommended Dietary Allowance

The average daily intake expected to meet the nutrient needs of nearly all healthy people in a defined group. **Synonyms:** RDA

### Recovery

The process of regaining health or overcoming an addiction or harmful behavior. **Synonyms:**

### Rehabilitative Driving Specialist

A professional who evaluates driving ability and recommends adaptive equipment or training. **Synonyms:**

### Rejection

An immune response in which the body attacks transplanted tissue or an organ. **Synonyms:** Transplant rejection

### Relaxation Response

Physiological changes produced by relaxation practices that counter the stress response. **Synonyms:**

### REM

Rapid eye movement, a sleep stage associated with vivid dreams and intense brain activity. **Synonyms:** Rapid eye movement sleep

### REM Behavior Disorder

A sleep disorder in which a person acts out dreams during REM sleep. **Synonyms:** REM sleep behavior disorder

### REM Rebound

Increased REM sleep after REM deprivation or withdrawal of a REM-suppressing medicine. **Synonyms:**

### Renal

Relating to the kidneys. **Synonyms:**

### Reperfusion

Restoration of blood flow to tissue after an interruption. **Synonyms:**

### Reperfusion Therapy

Treatment that restores circulation to tissue deprived of blood, such as clot-dissolving treatment or angioplasty. **Synonyms:**

### Repetitions

The number of times an exercise movement is performed. **Synonyms:** Reps

### Resistance

The ability of a microorganism to withstand a medicine that previously inhibited or killed it. **Synonyms:** Drug resistance

### Resistant Hypertension

High blood pressure that remains above goal despite appropriate treatment with multiple medicines. **Synonyms:** Treatment-resistant hypertension

### Restenosis

Re-narrowing of a blood vessel after it has been opened by angioplasty or another procedure. **Synonyms:**

### Resting Energy Expenditure

The calories the body uses at rest to maintain essential functions. **Synonyms:** Resting metabolic rate

---

### Resuscitation

Emergency measures used to restore breathing and circulation. **Synonyms:** CPR; revival

### Retinoid

A vitamin-A-related compound used in some skin treatments and other medical applications. **Synonyms:**

### Retrieval

The process of recalling information stored in memory. **Synonyms:** Memory retrieval

### Retrospective Study

A study that examines past records or exposures to investigate disease causes or outcomes. **Synonyms:**

### Revascularization

Restoration of blood flow to an area through bypass surgery, angioplasty, or another procedure. **Synonyms:**

### Reward Insufficiency Theory

The theory that inadequate pleasure responses may contribute to addictive behavior. **Synonyms:**

### Reward Pathway

Interconnected brain regions involved in motivation, pleasure, reinforcement, and reward learning. **Synonyms:** Mesolimbic pathway

### Rheumatic Disease

A disorder affecting joints, muscles, connective tissue, or related structures, often through inflammation. **Synonyms:**

### Rheumatism

Pain, stiffness, or discomfort in joints and surrounding soft tissues. **Synonyms:**

### Rheumatologist

A physician specializing in inflammatory and autoimmune diseases of joints and connective tissue. **Synonyms:**

### Rhytidectomy

Cosmetic surgery that removes excess facial skin and tightens supporting tissues. **Synonyms:** Facelift

### Risky Drinking

Alcohol use that increases the likelihood of health, safety, or social consequences. **Synonyms:** Hazardous drinking

### RLS

Restless legs syndrome, an urge to move the legs with uncomfortable sensations, especially at night. **Synonyms:** Restless legs syndrome

### Root

The part of a tooth below the gum line. **Synonyms:**

### Root Canal

The channel inside a tooth root containing the pulp and its nerves and blood vessels. **Synonyms:**

### Roughage

The indigestible portion of plant foods that adds bulk to stool. **Synonyms:** Dietary fiber

### Rupture

A tear or complete break in an organ, vessel, muscle, or other tissue. **Synonyms:**

### Ruptured Disk

A spinal disk whose outer layer has torn, allowing inner material to bulge outward. **Synonyms:** Herniated disk; slipped disk

### Rabies vaccination

Immunization used before or after exposure to reduce the risk of rabies. Post-exposure management also includes wound care and, when indicated, rabies immunoglobulin.

**Synonyms:**

### Radial Artery

The smaller terminal branch of the brachial artery, arising at the cubital fossa, running laterally along the radius to the wrist (palpable at the anatomical

---

snuffbox) and hand. Supplies the lateral forearm and the thumb side of the hand; forms the deep palmar arch.

**Synonyms:**

### **Radial artery thrombosis**

Formation of a thrombus in the radial artery, often at the site of arterial catheterization or in the setting of a hypercoagulable state or vasculitis. May cause hand ischemia with pain, pallor, and decreased pulse. Treatment includes anticoagulation and surgical intervention for limb-threatening ischemia.

**Synonyms:**

### **Radial Club Hand**

A congenital longitudinal deficiency of the radial ray, ranging from thumb hypoplasia to complete absence of the radius. The hand is radially deviated due to the absent radial support, with the carpus displaced proximally and radially.

**Synonyms:**

### **Radial keratotomy**

A refractive surgical procedure, now largely obsolete, in which radial incisions are made in the peripheral corneal stroma to flatten the central cornea and reduce myopia. It was superseded by laser refractive surgery (LASIK, PRK) due to complications including diurnal visual fluctuation, glare, and hyperopic shift.

**Synonyms:**

### **Radial Nerve**

From posterior cord (C5-T1), the plexus's largest branch. In the arm runs in the radial groove with the profunda brachii artery, innervating triceps and anconeus. At the elbow divides into superficial (sensory to dorsal hand) and deep (posterior interosseous) branches. Deep branch innervates forearm/hand extensors.

**Synonyms:**

### **Radiation Biology**

The study of how ionizing or nonionizing radiation affects cells, tissues, organisms, and populations.

**Synonyms:**

### **Radiation Contamination**

Unwanted radioactive material on a person, surface, object, or body site. Contamination may be removable or fixed and requires containment, monitoring, decontamination, and documentation according to radiation-safety procedures.

**Synonyms:**

### **Radiation Dose**

The amount of ionizing radiation absorbed or received by a person or tissue. Dose varies with the examination, equipment, protocol, and patient size; imaging should be justified and optimized to obtain the needed information with the lowest reasonable exposure.

**Synonyms:**

### **Radiation Emergency**

An event involving actual or suspected harmful radiation exposure or contamination that requires urgent protective and medical measures.

**Synonyms:**

### **Radiation Enteritis**

Inflammation and injury of the small or large intestine caused by therapeutic ionizing radiation. It may be acute with diarrhea, cramping, and nausea or delayed with strictures, malabsorption, bleeding, fistula, or obstruction.

**Synonyms:**

### **Radiation Fibrosis**

Permanent scarring and stiffening of tissue caused by radiation injury, which may develop months or years after treatment. It can affect the skin, lungs, bowel, or other organs and may cause pain, reduced function, or shortness of breath.

**Synonyms:**

### **Radiation Monitoring**

Measurement of radiation levels or individual exposure using devices such as personal dosimeters and area monitors.

---

**Synonyms:**

### **Radiation Necrosis**

Irreversible tissue injury caused by ionizing radiation, often developing months or years after treatment. In the brain it may produce edema, seizures, headache, or focal deficits and can resemble recurrent tumour on imaging.

**Synonyms:**

### **Radiation Oncologist**

A physician who uses ionizing radiation and related treatments to manage cancer and selected other diseases.

**Synonyms:**

### **Radiation Oncology**

A medical specialty that uses high-energy radiation (such as X-rays or gamma rays) to shrink tumors and destroy cancer cells.

**Synonyms:**

### **Radiation Physics**

The study and application of physical principles governing radiation production, detection, imaging, therapy, and protection.

**Synonyms:**

### **Radiation Pneumonitis**

An inflammatory lung injury occurring weeks to months after thoracic radiation. It may cause dry cough, fever, dyspnea, and hypoxemia within the irradiated field and can progress to radiation fibrosis.

**Synonyms:**

### **Radiation Poisoning**

Illness caused by substantial exposure to ionizing radiation, potentially producing skin injury, bone-marrow suppression, gastrointestinal symptoms, or organ failure.

**Synonyms:**

### **Radiation Pregnancy Screening**

Assessment of pregnancy status before procedures involving ionizing radiation or radioactive materials

when pregnancy is possible. The decision to proceed requires clinical justification, risk optimization, and consideration of gestational age and fetal dose.

**Synonyms:**

### **Radiation Protection**

The practice of keeping radiation exposure as low as reasonably achievable while obtaining the required diagnostic or therapeutic result. It relies on justification, optimization, time reduction, distance, shielding, and appropriate contamination control.

**Synonyms:**

### **Radiation recall**

An inflammatory reaction that occurs in previously irradiated skin or mucosa after administration of certain chemotherapeutic agents, particularly antimetabolites and anthracyclines. It manifests as erythema, desquamation, or mucositis in the previously irradiated field, mimicking acute radiation dermatitis.

**Synonyms:**

### **Radiation Safety**

Principles: time, distance, shielding. ALARA (As Low As Reasonably Achievable). Radioactive materials handled in designated areas. Waste disposal per regulations. Pregnancy screening for women of childbearing age.

**Synonyms:**

### **Radiation Sickness**

Acute radiation syndrome caused by high-dose whole-body or substantial partial-body exposure to ionizing radiation. It may produce nausea, vomiting, marrow failure, infection, bleeding, gastrointestinal injury, neurovascular collapse, and death depending on dose.

**Synonyms:**

### **Radiation Therapy**

Use of ionizing radiation to kill cancer cells. Types: external beam, brachytherapy, stereotactic. Mechanisms: DNA damage, cell death. Side effects: fatigue, skin reactions, site-specific effects.



---

**Synonyms:**

### **Radiation-induced angiosarcoma**

A rare, aggressive soft tissue sarcoma arising in previously irradiated tissue, typically with a long latency period. It carries a poor prognosis due to local recurrence and metastatic potential.

**Synonyms:**

### **Radiation-Recall Dermatitis**

An inflammatory skin reaction that occurs in a previously irradiated area after exposure to a triggering substance, often months or years later. The area may become red, swollen, painful, or blistered and requires clinical evaluation.

**Synonyms:**

### **Radiculitis**

Inflammation or irritation of a spinal nerve root, causing radiating pain, paresthesia, sensory loss, weakness, or reflex change in a dermatomal or myotomal distribution. Causes include infection, inflammatory disease, disc pathology, and compression.

**Synonyms:**

### **Radiculopathy**

Dysfunction of a spinal nerve root, usually from disc herniation, narrowing, or inflammation. It may cause shooting pain, tingling, numbness, weakness, or altered reflexes along the affected nerve pathway.

**Synonyms:**

### **Radioactive Iodine**

Used for thyroid imaging and treatment. I-131 emits beta particles (therapy) and gamma rays (imaging). Half-life: 8 days. Used for hyperthyroidism (Graves, toxic nodules) and thyroid cancer ablation. I-123 for diagnostics (shorter half-life, pure gamma).

**Synonyms:**

### **Radioactive Iodine Ablation**

Treatment of differentiated thyroid carcinoma using iodine-131 to destroy residual thyroid tissue after total thyroidectomy. Indications include intermedi-

ate and high-risk disease for remnant ablation and treatment of residual or recurrent disease. Patients must be hypothyroid or receive recombinant TSH to maximize iodine uptake.

**Synonyms:**

### **Radioactivity**

The spontaneous transformation of unstable atomic nuclei with emission of particles or electromagnetic radiation. Activity is the rate of nuclear transformations and is measured in becquerels.

**Synonyms:**

### **Radiobiology**

Study of radiation effects on biological systems. DNA damage, cell death, repair mechanisms.

**Synonyms:**

### **Radiocarpal Joint**

The wrist joint between the distal radius and articular disc proximally and the scaphoid, lunate, and triquetrum distally. It permits flexion, extension, radial deviation, ulnar deviation, and circumduction.

**Synonyms:**

### **Radiochemical Purity**

The fraction of total radioactivity present in the intended chemical form of a radiopharmaceutical. Impurities may alter biodistribution, reduce target uptake, and increase radiation dose to nontarget tissues.

**Synonyms:**

### **Radiochemistry**

Chemistry of radiopharmaceuticals. Labeling, purification, quality control.

**Synonyms:**

### **Radiocontrast**

A substance administered during imaging to make selected tissues, vessels, or body spaces more visible.

**Synonyms:**

---

## Radioembolization

Intra-arterial delivery of radioactive microspheres (yttrium-90) to liver tumors through the hepatic artery, used for hepatocellular carcinoma and liver metastases.

**Synonyms:**

## Radiofrequency Ablation

A procedure that uses high-frequency electrical energy to heat and destroy selected tissue, often under imaging guidance.

**Synonyms:**

## Radioimmunoassay

Sensitive immunoassay using radiolabeled antigens or antibodies. Competitive binding principle. Used for hormone measurement (thyroid, reproductive), tumor markers, drug levels. Largely replaced by non-radioactive methods (ELISA) but still used for some assays.

**Synonyms:**

## Radiologic Technologist

A trained health professional who performs selected medical-imaging examinations and helps protect patients from unnecessary radiation exposure.

**Synonyms:**

## Radiologic-Pathologic Correlation

Integration of imaging findings with gross and microscopic pathology to explain lesion location, extent, tissue composition, and sampling adequacy. It is important for discordant biopsy and imaging results.

**Synonyms:**

## Radiologist

A physician trained to interpret medical images and, in some specialties, perform image-guided procedures.

**Synonyms:**

## Radiology Report

Document describing imaging findings and interpretation. Structure: indication, technique, findings, impression. Clear, concise language essential. Criti-

cal findings require immediate communication.

**Synonyms:**

## Radiology-Patient Identification

Verification of the correct patient, examination, body site, indication, pregnancy status when relevant, allergies, renal function, and prior imaging before image acquisition or intervention. It is a core diagnostic and procedural safety step.

**Synonyms:**

## Radiolucent

Describing a material that allows relatively greater passage of X-rays and therefore appears darker on a radiograph or CT image. Air is highly radiolucent; some stones, foreign bodies, and lesions may also be radiolucent.

**Synonyms:**

## Radionuclide Therapy

Internal radiation therapy using radiopharmaceuticals. Examples: I-131 (thyroid), Lu-177 DOTATATE (neuroendocrine tumors), Lu-177 PSMA (prostate cancer), Ra-223 (bone metastases), Y-90 microspheres (liver cancer).

**Synonyms:**

## Radionuclidic Purity

The fraction of radioactivity arising from the intended radionuclide rather than contaminating radionuclides. It is important because contaminants may change radiation type, energy, half-life, dosimetry, and patient risk.

**Synonyms:**

## Radiopaque

Describing a material that attenuates X-rays strongly and therefore appears relatively white on a radiograph or CT image. Bone, metal, and some contrast agents are radiopaque.

**Synonyms:**

## Radiopharmaceutical

Radioactive compound used for diagnostic or therapeutic purposes. Components: radionuclide + tar-

---

getting molecule. Selectivity determines biodistribution and image quality.

**Synonyms:**

### **Radiopharmaceutical Extravasation**

Inadvertent leakage of a radiopharmaceutical from the injection vessel into surrounding tissue. It can reduce diagnostic accuracy and, with therapeutic agents, cause local radiation injury; the event requires documentation and dose assessment.

**Synonyms:**

### **Radiopharmaceutical Labeling Kit**

A prepared set of reagents used to attach a radionuclide, commonly technetium-99m, to a compound for diagnostic imaging.

**Synonyms:**

### **Radiopharmaceutical Quality Control**

Testing performed to verify identity, radionuclidic purity, radiochemical purity, pH, sterility, endotoxin limits, and other release specifications before clinical administration. Requirements depend on the preparation and jurisdiction.

**Synonyms:**

### **Radiopharmacy**

Preparation and dispensing of radiopharmaceuticals. Good manufacturing practice (GMP) required. Sterility, pyrogen testing, quality control.

**Synonyms:**

### **Radiosensitization**

Increased susceptibility of cells or tissues to injury from ionizing radiation.

**Synonyms:**

### **Radiotracer**

A compound containing a radioactive nuclide that follows a biologic pathway and permits in-vivo imaging or measurement. Its distribution reflects the target physiology, receptor, enzyme, transporter, or tissue process.

**Synonyms:**

### **Radium-223**

Alpha emitter, half-life 11.4 days. Used for bone metastases from prostate cancer. Mimics calcium, targets bone turnover sites.

**Synonyms:**

### **Radius**

Lateral forearm bone in the anatomical position. Proximal end: head, neck, radial tuberosity. Shaft. Distal end: styloid process, articular surfaces. The radial head articulates with the capitulum and ulnar notch, allowing pronation/supination. Bears approximately 80 percent of wrist axial load.

**Synonyms:**

### **Rampant Caries**

Widespread severe caries affecting multiple surfaces. Associated with sugary drinks, xerostomia, bulimia.

**Synonyms:**

### **Ramsay Hunt Syndrome**

Reactivation of varicella-zoster virus in the geniculate ganglion causing ipsilateral facial paralysis, severe ear pain, and vesicular eruption in or around the ear or oral cavity. Hearing loss and vertigo may occur; prompt treatment is important.

**Synonyms:**

### **Random Events**

Coincidence events from unrelated photons. Reduced by timing window and energy discrimination.

**Synonyms:**

### **Randomization**

Assignment of study participants to intervention groups by chance, helping reduce systematic differences between groups.

**Synonyms:**

### **Randomized Controlled Trial**

An experimental study in which participants are assigned by chance to different interventions or a control condition and followed for specified outcomes.

**Synonyms:**

---

## Range of Motion

ROM: joint movement capacity. Goniometer measurement. Restrictions from contracture, pain, swelling.

**Synonyms:**

## Ranson Criteria

Clinical scoring system for acute pancreatitis severity incorporating eleven parameters at two time points. Admission parameters include age, white blood cell count, glucose, LDH, and AST. Forty-eight hour parameters include hematocrit drop, BUN increase, calcium, oxygen tension, base deficit, and fluid sequestration.

**Synonyms:**

## Ranula

A mucocele (mucus extravasation cyst) of the sublingual salivary gland, presenting as a blue-translucent, fluctuant swelling in the floor of the mouth, typically lateral to the lingual frenulum. A ranula results from trauma or obstruction of a sublingual gland duct, causing mucus accumulation in the sublingual space.

**Synonyms:**

## Rape

Sexual penetration of the mouth, vagina, or anus accomplished without consent or with a person unable to consent, often through force, threat, fraud, or impairment; many statutes subsume it under sexual assault.

**Synonyms:**

## Rapid Sequence Induction

An intubation technique designed to minimize aspiration risk in patients with full stomach.

**Synonyms:**

## Rapid Strep Test

A test performed on a throat swab to detect Group A Streptococcus. It provides a rapid result, but a negative result may require confirmatory testing depending on the patient's age, symptoms, and local guidance.

**Synonyms:**

## Rapid-Sequence Intubation

A planned emergency airway technique using a sedative-hypnotic and a neuromuscular blocker in rapid succession to facilitate tracheal intubation while minimizing aspiration risk. Preparation includes preoxygenation, backup airway plans, hemodynamic assessment, and confirmation of tube position.

**Synonyms:**

## Rapidly Progressive Glomerulonephritis

A syndrome of rapidly worsening kidney function accompanied by glomerular inflammation, often with crescent formation on biopsy. Causes include anti-glomerular-basement-membrane disease, immune-complex disease, and pauci-immune vasculitis. It requires urgent evaluation and treatment.

**Synonyms:**

## Rasburicase

A recombinant urate-oxidase enzyme that converts uric acid to the more soluble allantoin. It is used in selected patients at risk of or experiencing tumor-lysis-related hyperuricemia. It can cause serious hypersensitivity or hemolysis in people with glucose-6-phosphate dehydrogenase deficiency and requires appropriate screening and monitoring.

**Synonyms:**

## Rash

A general term for any visible skin eruption, change in skin color, texture, or appearance.

**Synonyms:**

## Rashes

Visible eruptions or changes in skin color, texture, or appearance that may result from infection, inflammation, allergy, medicines, or other causes.

**Synonyms:**

## Rat bite fever

A systemic bacterial infection caused by *Streptobacillus moniliformis* or *Spirillum minus*, trans-

---

mitted through rat bites or contact with rat-contaminated food or water. It presents with relapsing fever, rash, polyarthritis, and lymphadenopathy. The characteristic rash is petechial or maculopapular on the extremities.

**Synonyms:**

### **Rat-Bite Fever**

Systemic infection caused by *Streptobacillus moniliformis* or *Spirillum minus* after exposure to infected rodents. Fever, migratory arthralgia, vomiting, and a maculopapular or petechial rash may occur.

**Synonyms:**

### **Raynaud Phenomenon**

Exaggerated vasospastic response of digital arteries to cold or stress, causing well-demarcated color changes (white-blue-red) in fingers or toes. Primary Raynaud: idiopathic, symmetric, no tissue damage, normal capillaries.

**Synonyms:**

### **Raynaud Syndrome**

A vasospastic disorder causing episodic digital color changes (white → blue → red) triggered by cold or stress, due to exaggerated vasoconstriction of digital arteries. Primary Raynaud: benign, symmetric, in young women, no underlying disease.

**Synonyms:**

### **Raynaud's phenomenon**

Episodic constriction of small arteries in the fingers or toes, causing color changes, numbness, or pain after cold exposure or emotional stress.

**Synonyms:**

### **Reaction Time**

Time from stimulus to response. Declines with age, neurological disease.

**Synonyms:**

### **Reactivation Tuberculosis**

Reactivation of latent infection, typically years later. Characteristically affects apical and posterior upper lobe segments. Features include chronic cough,

hemoptysis, night sweats, weight loss, and cavitation.

**Synonyms:**

### **Reactive Arthritis**

An inflammatory arthritis that develops after certain genitourinary or gastrointestinal infections. It may involve the joints, eyes, skin, or urinary tract; not every person has all of these features.

**Synonyms:**

### **Reactive Attachment Disorder**

A pattern of inhibited, emotionally withdrawn behavior toward adult caregivers. The child rarely or minimally seeks comfort when distressed and rarely or minimally responds to comfort when distressed. The child shows a pattern of persistently irritable and sad mood that is not limited to interactions with caregivers.

**Synonyms:**

### **Reactive Oxygen Species**

Superoxide, hydrogen peroxide, hydroxyl radical. Normal metabolism byproducts.

**Synonyms:**

### **Reactive perforating collagenosis**

A perforating dermatosis in which dermal collagen is extruded through the epidermis, presenting as discrete, dome-shaped papules with a central keratotic plug, most commonly on the extensor extremities.

**Synonyms:**

### **Receiver Operating Characteristic**

ROC curve: plot of sensitivity vs. 1-specificity. Area under curve measures test accuracy.

**Synonyms:**

### **Receptor**

A protein that binds a specific signaling molecule (ligand) and initiates a cellular response. Types: (1) Cell surface: ion channel (nicotinic AChR), G-protein coupled (GPCR: adrenergic, muscarinic, opioid), enzyme-linked (RTK: insulin receptor, cytokine receptors).

---

**Synonyms:**

### Receptor Desensitization

A rapid decrease in the response of a receptor to continuous or repeated agonist stimulation, occurring within minutes to hours.

**Synonyms:**

### Receptor Downregulation

A decrease in the number or sensitivity of receptors in response to chronic receptor stimulation by agonists. When receptors are chronically activated, the cells compensate by internalizing and degrading receptors, reducing receptor density on the cell surface, and decreasing receptor responsiveness.

**Synonyms:**

### Receptor Tyrosine Kinases

Single-pass transmembrane receptors with intrinsic tyrosine kinase activity in their intracellular domain. Ligand binding (e.g., insulin, EGF, PDGF, FGF) induces receptor dimerization and autophosphorylation of tyrosine residues.

**Synonyms:**

### Receptor Upregulation

An increase in the number or sensitivity of receptors in response to chronic receptor blockade or decreased neurotransmitter activity. When receptors are chronically blocked by antagonists, the cells compensate by synthesizing more receptors to maintain homeostatic signaling, leading to increased sensitivity to agonists.

**Synonyms:**

### Recessive

Allele whose phenotype is masked in heterozygotes. Autosomal recessive disorders: cystic fibrosis, sickle cell anemia, Tay-Sachs disease. Requires two copies for expression.

**Synonyms:**

### RECIST

Response Evaluation Criteria in Solid Tumors, standardized imaging-based criteria that categorize re-

sponse to anticancer therapy as complete response, partial response, stable disease, or progressive disease.

**Synonyms:**

### Recombinant DNA

DNA molecule formed by combining genetic material from different sources. Basis of biotechnology. Used to produce insulin, growth hormone, vaccines, gene therapy vectors.

**Synonyms:**

### Recreational Therapy

Use of recreation for therapeutic purposes. Improves quality of life, socialization, coping.

**Synonyms:**

### Rectal Bleeding

Passage of bright-red or dark blood from the rectum, caused by hemorrhoids, fissures, polyps, inflammatory bowel disease, diverticular disease, or cancer. Persistent, heavy, or unexplained bleeding requires evaluation.

**Synonyms:**

### Rectal Prolapse

Protrusion of rectal tissue through the anal opening. Complete prolapse involves all layers of the rectal wall and presents as a concentric cylindrical mass with visible mucosal folds. Partial prolapse involves only the mucosa. Associated with chronic straining, pelvic floor dysfunction, and neurological conditions.

**Synonyms:**

### Rectocele

A weakening of the vaginal wall that allows the rectum to bulge into the vagina.

**Synonyms:**

### Rectovaginal Fistula

Abnormal connection between the rectum and vagina causing passage of stool or gas through the vagina. Causes include obstetric injury particularly third and fourth degree perineal tears, Crohn dis-



---

ease, radiation therapy, and surgical complications. Presents with vaginal discharge of stool, flatus, or recurrent vaginal infections.

**Synonyms:**

### **Rectum**

The final straight section of the large intestine, approximately 12-15 cm long, extending from the sigmoid colon to the anal canal. The rectum stores feces before defecation.

**Synonyms:**

### **Rectus Abdominis Muscle**

Long flat vertical anterior abdominal wall muscle from pubic symphysis to xiphoid process/costal cartilages 5-7, divided by tendinous intersections ("six-pack"). Innervated by T7-T12. Flexes trunk, compresses abdomen, increases intra-abdominal pressure. Diastasis recti common in pregnancy/obesity.

**Synonyms:**

### **Rectus Abdominis Sheath**

A fibrous aponeurotic envelope formed by the abdominal wall muscles and surrounding the rectus abdominis muscle. It contains the superior and inferior epigastric vessels and related nerves.

**Synonyms:**

### **Recurrence**

Return of cancer after treatment. Can be local, regional, or distant.

**Synonyms:**

### **Recurrence Risk**

The probability that a genetic condition will occur again in a future pregnancy or relative, estimated from the inheritance pattern, parental testing, penetrance, and observed or presumed pathogenic variant.

**Synonyms:**

### **Recurrence-Free Survival**

Time without cancer return after treatment.

**Synonyms:**

### **Recurrent**

Disease returning after remission. Examples: recurrent UTI, herpes.

**Synonyms:**

### **Recurrent Caries**

Caries under or around restoration. Due to microleakage, marginal breakdown.

**Synonyms:**

### **Red Blood Cell Labeling**

Nuclear medicine technique labeling RBCs with Tc-99m. Used for GI bleeding detection, cardiac blood pool imaging.

**Synonyms:**

### **Red Flag**

A symptom, sign, or test result suggesting a potentially serious condition that requires urgent assessment or escalation of care. Red flags are context-specific and should not be used as a substitute for clinical judgment.

**Synonyms:**

### **Red Infarction**

Red infarction, also known as hemorrhagic infarction, occurs in tissues with dual blood supply, loose tissue architecture, or venous obstruction, allowing blood to accumulate in the necrotic area and produce a dark red appearance.

**Synonyms:** hemorrhagic infarction, occurs in tissues with dual blood.

### **Redundant mitral valve**

Excess leaflet tissue of the mitral valve, most commonly the posterior leaflet, which may prolapse into the left atrium during systole. Often associated with myxomatous degeneration and mitral valve prolapse. May be asymptomatic or cause mild mitral regurgitation detected incidentally on echocardiography.

**Synonyms:**

### **Reemerging Disease**

Previously controlled disease increasing. Examples: tuberculosis, measles, drug-resistant infections.

---

**Synonyms:**

### **Reexpansion pulmonary edema**

Noncardiogenic pulmonary edema developing rapidly after rapid reexpansion of a collapsed lung, typically following chest tube drainage of a large or long-standing pneumothorax.

**Synonyms:**

### **Refeeding Syndrome**

Life-threatening fluid and electrolyte shifts when nutrition restarted in malnourished patient. Hypophosphatemia, hypokalemia, hypomagnesemia, fluid overload, cardiac failure. Prevention: start low (25-30 kcal/kg), advance slowly, supplement electrolytes, monitor closely.

**Synonyms:**

### **Reference Interval**

The range of laboratory results expected in a defined reference population, usually encompassing the central 95 percent of values. A result outside the interval is not by itself diagnostic and must be interpreted with clinical context, biologic variation, and the laboratory's method-specific range.

**Synonyms:**

### **Referred Pain**

An unpleasant sensory and emotional experience associated with actual or potential tissue damage, serving as a protective alerting system but becoming maladaptive when chronic (lasting >3 months). See pain.

**Synonyms:**

### **Reflex anoxic seizure**

A brief seizure-like episode caused by transient cerebral hypoperfusion after a sudden painful or emotional stimulus, usually with pallor, bradycardia, and rapid recovery.

**Synonyms:**

### **Reflex Arc**

The neural pathway that mediates a reflex action, bypassing conscious brain processing for rapid, au-

tomatic responses. A reflex arc consists of five components: (1) Receptor—sensory nerve ending detecting a stimulus (e.g., pain, stretch).

**Synonyms:**

### **Reflux**

Gastroesophageal reflux in infants: effortless regurgitation of gastric contents, very common (physiologic 'spitting up') and usually benign, resolving by 12 months with maturation of the lower esophageal sphincter.

**Synonyms:**

### **Reflux Nephropathy**

Renal scarring and chronic kidney damage caused by vesicoureteral reflux, recurrent urinary infection, or both. It may lead to hypertension, proteinuria, impaired growth, and chronic kidney disease.

**Synonyms:**

### **Refraction**

The bending of light rays as they pass through the eye's optical system (cornea, aqueous humour, crystalline lens, vitreous humour) to focus a sharp image on the retina. The refractive power of the eye is measured in dioptres (D). Emmetropia: normal refractive state—parallel light rays focus exactly on the retina without accommodation.

**Synonyms:**

### **Refractive Errors and Astigmatism**

Refractive errors are vision disorders caused by the eye's inability to properly focus light onto the retina, resulting in blurred vision.

**Synonyms:**

### **Refractive Surgery**

Surgical procedures that reshape the cornea or alter the eye to correct refractive errors and reduce dependence on eyeglasses or contact lenses. Laser techniques include LASIK (corneal flap with excimer ablation), photorefractive keratectomy (surface ablation), and small-incision lenticule extraction (SMILE).

**Synonyms:**

---

## Refractory

Resistant to a treatment or not responding adequately to it. The term may refer to cancer or other diseases.

**Synonyms:**

## Refractory Period

The period after an action potential during which a cell cannot (absolute refractory period) or can only partially (relative refractory period) generate a new action potential.

**Synonyms:**

## Refsum Disease

An autosomal-recessive peroxisomal disorder of phytanic-acid metabolism. It causes retinitis pigmentosa, anosmia, peripheral neuropathy, ataxia, hearing loss, ichthyosis, and shortened metacarpals or metatarsals with variable onset.

**Synonyms:**

## Regadenoson Pharmacological Stress

Selective A2A adenosine receptor agonist used as a pharmacological vasodilator for nuclear myocardial perfusion imaging. Single IV bolus injection produces coronary vasodilation with fewer side effects than adenosine (less bronchospasm, AV block). Contraindicated in severe asthma or COPD requiring oxygen.

**Synonyms:**

## Regional Anesthesia

Regional anesthesia involves the administration of local anesthetic agents to specific nerves or nerve plexuses to provide surgical anesthesia and postoperative analgesia for a defined body region.

**Synonyms:**

## Regulatory Approval

Authorization by a competent regulatory authority for a medicine, device, or procedure to be marketed or used for specified purposes after review of evidence.

**Synonyms:**

## Regulatory T Cells

Tregs (CD4+ CD25+ FOXP3+): essential for peripheral tolerance. Thymic (tTreg) vs peripheral (pTreg) origin. FOXP3: master transcription factor; mutations cause IPEX.

**Synonyms:**

## Regurgitation

The backward flow of blood through a heart valve that fails to close properly (valvular incompetence or insufficiency).

**Synonyms:**

## Rehabilitation

A coordinated process that helps a person restore or adapt physical, cognitive, psychological, and social function after illness, injury, surgery, or disability.

**Synonyms:**

## Rehabilitation Clinic

Outpatient rehabilitation facility.

**Synonyms:**

## Rehabilitation Engineering

Technology development for disability: prosthetics, orthotics, assistive devices, environmental control.

**Synonyms:**

## Rehabilitation Hospital

Inpatient facility specializing in rehabilitation.

**Synonyms:**

## Rehabilitation Medicine

Physician specialty focusing on function, quality of life for patients with impairment, disability. Also called physiatry.

**Synonyms:** physiatry.

## Rehabilitation Motivation

Patient factors that influence participation in rehabilitation, including intrinsic and extrinsic motivation and engagement with therapeutic goals.

**Synonyms:**

---

## Rehabilitation Potential

The expected capacity to improve function, independence, participation, or quality of life through rehabilitation. It depends on diagnosis, prognosis, cognition, motivation, comorbidity, social support, and environmental resources.

**Synonyms:**

## Rehabilitation Unit

Hospital ward dedicated to rehabilitation.

**Synonyms:**

## Reinfection

A new episode of infection by the same or a related pathogen after the original infection has resolved. Reinfection is distinct from relapse, in which the original infection persists or returns from an incompletely eradicated focus.

**Synonyms:**

## Relapse

Return or worsening of a disease after a period of improvement or remission. The term is used for cancer and many noncancerous disorders.

**Synonyms:**

## Relapse-Free Survival

The time from completion of treatment to recurrence of the cancer or death from any cause.

**Synonyms:**

## Relapsing Fever

An acute febrile illness caused by *Borrelia* species, characterized by recurrent episodes of fever separated by afebrile intervals.

**Synonyms:**

## Relapsing Polychondritis

A systemic autoimmune disorder causing inflammation and destruction of cartilage throughout the body. Airway involvement can cause tracheal and bronchial stenosis. Other features include auricular chondritis, nasal chondritis, ocular inflammation, and arthritis. Treatment is corticosteroids and immunosuppressants.

**Synonyms:**

## Relative Afferent Pupillary Defect

An asymmetric reduction in the direct pupillary light response caused by unequal afferent input from the retina or optic nerve. It is detected with the swinging-flashlight test and is also called a Marcus Gunn pupil.

**Synonyms:** a Marcus Gunn pupil.

## Relative Biological Effectiveness

Ratio of dose of reference radiation to dose of test radiation for same effect. Alpha particles: RBE 10-20.

**Synonyms:**

## Relative Risk

Ratio of disease risk in exposed vs. unexposed.  $RR = (a/(a+b)) / (c/(c+d))$ .  $RR > 1$ : increased risk.  $RR < 1$ : protective.

**Synonyms:**

## Reliability

Consistency of measurement. Test-retest, inter-rater reliability.

**Synonyms:**

## REM Sleep Behavior Disorder

A sleep disorder in which the normal muscle paralysis of REM sleep is reduced or absent, allowing a person to move or vocalize while dreaming.

**Synonyms:**

## Remifentanyl

An ultra-short-acting synthetic opioid analgesic metabolized by non-specific plasma and tissue esterases, producing context-sensitive half-time of approximately 3 to 10 minutes regardless of infusion duration. This makes it ideal for total intravenous anesthesia (TIVA) combined with propofol, and for procedures requiring rapid emergence.

**Synonyms:**

## Remission

Decrease or disappearance of cancer signs. Com-

---

plete remission: no detectable disease. Partial remission: significant reduction but not complete.

**Synonyms:**

### **Remitting Seronegative Symmetrical Synovitis with Pitting Edema**

RS3PE: an acute-onset, symmetric polyarthritis (usually in elderly) with pitting edema of the hands/feet, negative rheumatoid factor and anti-CCP, and marked response to low-dose corticosteroids.

**Synonyms:**

### **Remodeling**

Bone adaptation to implant stress. Wolff's law: bone remodels along lines of stress.

**Synonyms:**

### **Renal Abscess**

A localized collection of pus within or around the kidney, usually caused by infection. Diagnosis and treatment may require imaging, antibiotics, and drainage.

**Synonyms:**

### **Renal Agenesis**

Congenital absence of one (unilateral, 1 in 1,000) or both (bilateral, 1 in 4,000) kidneys. Unilateral renal agenesis: usually asymptomatic, discovered incidentally — the solitary kidney undergoes compensatory hypertrophy. The contralateral kidney may have VUR, UPJ obstruction, or ectopia.

**Synonyms:**

### **Renal Anemia**

Anemia associated with chronic kidney disease, caused by reduced erythropoietin production and other factors such as iron deficiency, inflammation, and shortened red-cell survival. Evaluation and treatment are individualized; iron replacement and erythropoiesis-stimulating therapy may be considered when appropriate.

**Synonyms:**

### **Renal Artery**

A paired branch of the abdominal aorta supplying a kidney. It divides into segmental, interlobar, arcuate, and interlobular arteries within the renal parenchyma.

**Synonyms:**

### **Renal Artery Aneurysm**

A focal enlargement of a renal artery, often asymptomatic but capable of causing hypertension, thromboembolism, or rupture. Management depends on size, symptoms, anatomy, pregnancy, and growth, and may involve surveillance, endovascular treatment, or surgery.

**Synonyms:**

### **Renal Artery Doppler**

Ultrasound assessing renal artery stenosis. Screening for renovascular hypertension.

**Synonyms:**

### **Renal Artery Embolism**

Acute occlusion of renal artery from cardiac emboli typically from atrial fibrillation or mural thrombus. Presents with acute flank pain and hematuria. CT angiography shows filling defect. Treat with anticoagulation and possibly thrombolysis or embolectomy if caught early.

**Synonyms:**

### **Renal Artery Stenosis**

Narrowing of renal artery causing renovascular hypertension. Atherosclerotic most common in elderly at ostium. Fibromuscular dysplasia in young women causing mid-distal stenosis with string-of-beads appearance. Flash pulmonary edema and declining function on ACE inhibitors indicate intervention.

**Synonyms:**

### **Renal Biopsy**

Percutaneous needle biopsy for histological diagnosis. Indicated for unexplained AKI, nephrotic syndrome, hematuria with renal involvement, and transplant dysfunction. Ultrasound-guided for accuracy. Complications include bleeding, arteriovenous

---

fistula, and rarely loss of kidney.

**Synonyms:**

### **Renal Calculi (Kidney Stones)**

Crystalline mineral deposits that form in the kidneys or urinary tract. They may cause severe colicky pain, blood in the urine, urinary obstruction, or infection.

**Synonyms:** Kidney Stones

### **Renal Cell Carcinoma**

A malignant tumor arising from the kidney's renal tubular epithelium. Major subtypes include clear-cell, papillary, and chromophobe carcinoma; symptoms and treatment depend on the tumor's extent.

**Synonyms:**

### **Renal Changes in Pregnancy**

Pregnancy increases renal blood flow and glomerular filtration. These changes lower usual serum creatinine values and may increase urinary loss of glucose and amino acids.

**Synonyms:**

### **Renal Clearance**

The volume of plasma completely cleared of a substance by the kidneys per unit time, measured in mL/min. Clearance of any substance X is calculated as:  $CX = (Ux \times V)/Px$ , where  $Ux$  is urine concentration,  $V$  is urine flow rate, and  $Px$  is plasma concentration.

**Synonyms:**

### **Renal Colic**

Severe, paroxysmal flank pain caused by ureteral obstruction, typically by a kidney stone, with radiation to the groin; often the worst pain experienced.

**Synonyms:**

### **Renal Cortex**

Outer kidney portion between capsule and medulla. Granular tissue with glomeruli, convoluted tubules, and cortical collecting ducts. Extends between pyramids as renal columns. Receives approximately 90 percent of renal blood flow; primary filtration site.

**Synonyms:**

### **Renal cryptococcosis**

Infection of the kidney by *Cryptococcus* species, usually as part of disseminated cryptococcosis in an immunocompromised person.

**Synonyms:**

### **Renal Diet**

Restricted protein, sodium, potassium, phosphorus for kidney disease. Individualized based on stage. Dialysis increases protein need requirement.

**Synonyms:**

### **Renal Dose Adjustment**

Modification of a medication dose, dosing interval, or both to account for reduced kidney clearance. The adjustment should use an appropriate estimate of renal function, drug-specific pharmacokinetics, treatment indication, and therapeutic monitoring when available.

**Synonyms:**

### **Renal Drug Excretion**

The elimination of drugs by the kidney through glomerular filtration, active tubular secretion, and passive tubular reabsorption. Drugs eliminated renally (e.g., aminoglycosides, vancomycin, lithium, metformin) require dose adjustment in renal impairment.

**Synonyms:**

### **Renal Failure**

Decline in kidney function leading to accumulation of waste products (azotemia) and electrolyte abnormalities. Acute kidney injury (AKI): rapid decline over hours to days, potentially reversible. Chronic kidney disease (CKD): progressive decline over months to years.

**Synonyms:**

### **Renal Infarction**

Renal infarction results from occlusion of the renal artery or its branches, causing coagulative necrosis of the renal parenchyma. The kidney has end-



---

arterial supply with limited collateral circulation, making it susceptible to ischemic injury even from small vessel occlusion.

**Synonyms:**

### Renal Leukemia Infiltration

Kidney involvement by chronic lymphocytic leukemia or other hematological malignancies causing bilateral renomegaly and renal dysfunction. Leukemic cells infiltrate the interstitium and peritubular capillaries. May cause AKI from compression of tubules and vessels or chronic kidney disease.

**Synonyms:**

### Renal Mass

Abnormality in kidney detected on imaging. Solid masses may be renal cell carcinoma. Cystic masses classified by Bosniak system.

**Synonyms:**

### Renal Medulla

The inner part of the kidney containing the renal pyramids, loops of Henle, vasa recta, and collecting ducts. Its structure and blood supply help establish the concentration gradient used to concentrate urine.

**Synonyms:**

### Renal Osteodystrophy

Bone disease in CKD including osteitis fibrosa, osteomalacia, adynamic bone disease, and osteoporosis. Results from calcium-phosphate imbalance, secondary hyperparathyroidism, and vitamin D deficiency. Manage with phosphate binders, vitamin D analogues, and parathyroidectomy for refractory hyperparathyroidism.

**Synonyms:**

### Renal Pelvis

The funnel-shaped expansion of the ureter within the kidney, formed by the union of major calyces. It collects urine from the renal papillae and directs it into the ureter.

**Synonyms:**

### Renal Replacement Therapy

Treatment that substitutes for inadequate kidney excretory and regulatory function. Modalities include intermittent hemodialysis, continuous kidney replacement therapy, peritoneal dialysis, and kidney transplantation.

**Synonyms:**

### Renal Replacement Therapy Indications

Urgent indications for dialysis include refractory hyperkalemia, severe metabolic acidosis, toxin exposure by a dialyzable agent, refractory fluid overload or pulmonary edema, and symptomatic uremia. The decision incorporates the patient's trajectory and overall goals of care.

**Synonyms:**

### Renal Scan

Nuclear medicine imaging using Tc-99m compounds. Evaluates renal function, obstruction, blood flow. MAG3 for function, DTPA for GFR.

**Synonyms:**

### Renal Scintigraphy

Renal imaging using Tc-99m compounds. MAG3 (tubular secretion) for functional assessment, DTPA (glomerular filtration) for GFR measurement. Used for obstruction, function, transplant monitoring, renin-mediated hypertension.

**Synonyms:**

### Renal Transplant (Renal Transplantation)

Surgical placement of a functioning donor kidney into a person with advanced kidney failure. It can restore kidney function but requires suitability assessment and long-term immunosuppression.

**Synonyms:** Renal Transplantation

### Renal Trauma

Kidney injury from trauma. CT staging guides management. Grades I-V based on injury severity.

**Synonyms:**

---

### Renal Tubular Acidosis

Group of disorders with normal anion gap metabolic acidosis from impaired renal acid excretion or bicarbonate reabsorption. Type 1 distal with impaired H<sup>+</sup> secretion and urine pH greater than 5.5. Type 2 proximal with impaired bicarbonate reabsorption. Type 4 hyperkalemic from aldosterone deficiency or resistance.

**Synonyms:**

### Renal Ultrasound

Noninvasive imaging used to assess kidney size, structure, blood flow, and urinary obstruction. It is particularly useful when obstruction, cystic disease, or structural abnormality is suspected and is often used in the evaluation of acute or chronic kidney disease.

**Synonyms:**

### Renal Vein

A paired vein draining each kidney into the inferior vena cava. The left renal vein is longer and crosses anterior to the aorta, receiving the left gonadal and suprarenal veins.

**Synonyms:**

### Renin Inhibitor

A class of antihypertensive drugs that directly inhibit renin, the first and rate-limiting enzyme in the renin-angiotensin-aldosterone system. Renin catalyzes the conversion of angiotensinogen to angiotensin I, which is then converted to angiotensin II by ACE. Aliskiren is the only direct renin inhibitor available.

**Synonyms:**

### Renin-Angiotensin-Aldosterone System

A hormonal system in which renin initiates formation of angiotensin II, promoting vasoconstriction and aldosterone secretion. Aldosterone increases distal sodium reabsorption and potassium and hydrogen-ion secretion; RAAS dysregulation contributes to hypertension, heart failure, and CKD progression.

**Synonyms:**

### Renin-Angiotensin-Aldosterone System Physiology

The RAAS regulates blood pressure and fluid electrolyte balance. Renin released from juxtaglomerular cells cleaves angiotensinogen to angiotensin I. Angiotensin converting enzyme converts angiotensin I to angiotensin II which causes vasoconstriction and stimulates aldosterone secretion from the adrenal cortex.

**Synonyms:**

### Renography

Nuclear medicine imaging of kidneys. Evaluates function, obstruction, blood flow.

**Synonyms:**

### Renovascular Hypertension

Hypertension due to renal artery stenosis. Diagnosis: Doppler ultrasound, CTA, MRA, renography. Treatment: angioplasty, stenting, surgery.

**Synonyms:**

### Reperfusion Injury

Tissue damage following restoration of blood flow after ischemia. Mechanisms: oxidative stress, calcium overload, inflammation. Examples: myocardial reperfusion injury, stroke reperfusion injury. Mitigation: antioxidants, reperfusion protocols.

**Synonyms:**

### Replantation of an Avulsed Tooth

Replacement of an avulsed permanent tooth into its socket after trauma, followed by flexible stabilization and endodontic and periodontal follow-up when indicated. Prognosis depends strongly on extraoral dry time, storage conditions, root maturity, and contamination.

**Synonyms:**

### Repolarization

The return of the membrane potential toward the resting value after depolarization. In neurons and skeletal/cardiac muscle, repolarization is primarily caused by the efflux of potassium through voltage-gated potassium channels and inactivation

---

of sodium channels.

**Synonyms:**

### Reporting Standards

Standards for structured reporting. ACR guidelines, BI-RADS, LI-RADS, PI-RADS.

**Synonyms:**

### Reproductive Organs

The organs involved in reproduction. Female: ovaries (produce eggs and hormones), fallopian tubes (transport eggs, site of fertilization), uterus (nurtures the developing fetus), cervix (lower part of uterus, dilates during labor), vagina (passage for sperm and baby), and vulva (external genitalia).

**Synonyms:**

### Reproductive Toxicity

Effects on reproduction: infertility, teratogenesis, fetal toxicity, developmental toxicity. Testing required for pharmaceuticals.

**Synonyms:**

### Reproductive Years

The period of a woman's life during which she is capable of conceiving, typically from menarche (first menstrual period, average age 12-13) to menopause (final menstrual period, average age 51).

**Synonyms:**

### Research

The systematic investigation and scientific study of new materials, methods, or clinical trials to advance medical knowledge and patient care.

**Synonyms:**

### Research Ethics

Principles that protect the rights, safety, welfare, privacy, and informed participation of people or animals involved in research.

**Synonyms:**

### Reservoir

A human, animal, or environmental habitat in which

an infectious agent normally lives, multiplies, and persists. A reservoir may serve as the source from which the agent is transmitted to a susceptible host.

**Synonyms:**

### Residual Limb

The portion of a limb remaining after amputation. Care includes edema control, skin inspection, shaping, strengthening, desensitization, contracture prevention, and prosthetic preparation.

**Synonyms:**

### Residual Volume

The volume of air remaining in the lungs after a maximal forced expiration, approximately 1.2 L in adults. Residual volume cannot be measured by simple spirometry because it cannot be exhaled; it is measured by body plethysmography, helium dilution, or nitrogen washout.

**Synonyms:**

### Resilience

Ability to recover from stressors. Important for healthy aging.

**Synonyms:**

### Resolution

Ability to distinguish small structures. Spatial, temporal, contrast resolution.

**Synonyms:**

### Resolution Recovery

Correction for detector resolution degradation with distance.

**Synonyms:**

### Resorption Atelectasis

Atelectasis caused by complete obstruction of an airway, leading to absorption of trapped air by the pulmonary capillaries. Common causes include mucus plugging, foreign body, tumor, and post-surgical shallow breathing. The affected area appears as increased density on CXR with volume loss.

**Synonyms:**

---

## Respiratory Acidosis

Acid-base disturbance due to accumulation of CO<sub>2</sub> from hypoventilation, lowering pH (acidemia). Causes: respiratory depression (opioids, sedatives, CNS disease), airway obstruction, neuromuscular weakness (GBS, myasthenia), chest wall restriction, severe COPD/asthma, and ventilation-perfusion mismatch.

**Synonyms:**

## Respiratory Alkalosis

Acid-base disturbance from excessive elimination of CO<sub>2</sub> by hyperventilation, raising pH (alkalemia). Causes: anxiety/hyperventilation, hypoxia, pulmonary embolism, sepsis, fever, pain, salicylate toxicity, liver failure, pregnancy, high altitude. Compensation: renal bicarbonate excretion (days).

**Synonyms:**

## Respiratory Changes in Pregnancy

The growing uterus elevates the diaphragm, while hormonal changes increase ventilatory drive. Tidal volume and minute ventilation generally increase, while functional residual capacity decreases.

**Synonyms:**

## Respiratory Depression

Breathing that is abnormally slow or shallow, causing inadequate ventilation and possible carbon-dioxide retention or low oxygen. Medicines, brain disorders, and metabolic illness can cause it.

**Synonyms:**

## Respiratory Distress

Difficulty breathing due to various causes. Assessment: work of breathing (retractions, nasal flaring, tripod position), oxygen saturation, breath sounds. Causes: asthma, COPD, pneumonia, pulmonary embolism, pneumothorax, anaphylaxis, heart failure.

**Synonyms:**

## Respiratory Distress Syndrome

A condition primarily affecting premature infants caused by pulmonary surfactant deficiency, leading

to alveolar collapse and respiratory failure. Presents with tachypnea, grunting, nasal flaring, retractions, and cyanosis. Chest X-ray shows diffuse ground-glass opacity.

**Synonyms:**

## Respiratory Drive

The neural output that stimulates respiratory muscles and determines ventilation. It is generated by brainstem networks and modified by chemoreceptor input, mechanoreceptors, wakefulness, metabolic state, medications, and behavioral control.

**Synonyms:**

## Respiratory Failure

Inadequate gas exchange resulting in hypoxemia (PaO<sub>2</sub> <60 mmHg), hypercapnia (PaCO<sub>2</sub> >50 mmHg), or both. Type 1 (hypoxemic): V/Q mismatch, shunt, diffusion impairment. Type 2 (hypercapnic): hypoventilation from neuromuscular disease, COPD exacerbation, or opioid overdose.

**Synonyms:**

## Respiratory Health

The proper functioning of the lungs and airways, enabling efficient gas exchange and oxygen delivery to the body. Maintaining respiratory health involves avoiding tobacco smoke, minimizing exposure to air pollutants and occupational hazards, and receiving vaccinations against respiratory infections like influenza and pneumococcal disease.

**Synonyms:**

## Respiratory Infections

Illnesses caused by pathogens including viruses, bacteria, and fungi that affect the airways and lungs.

**Synonyms:**

## Respiratory Physiology

The study of pulmonary function encompassing ventilation (movement of air), gas exchange (diffusion of O<sub>2</sub> and CO<sub>2</sub> across the alveolar-capillary membrane), transport of gases in blood, and regulation of breathing.

**Synonyms:**

---

## Respiratory Protection

Measures and equipment used to reduce inhalation of harmful dusts, fumes, gases, aerosols, or infectious particles.

**Synonyms:**

## Respiratory Quotient

The ratio of carbon dioxide production to oxygen consumption for a particular substrate or metabolic state. It differs from the respiratory exchange ratio measured at the mouth and is used in metabolic and ventilatory physiology.

**Synonyms:**

## Respiratory Rate

The number of breaths taken per minute. The expected rate varies with age, activity, temperature, illness, and other factors.

**Synonyms:**

## Respiratory Rehabilitation

A program of exercise, education, breathing techniques, and self-management that improves function and quality of life in people with chronic respiratory disease.

**Synonyms:**

## Respiratory Syncytial Virus

A respiratory virus that commonly causes bronchiolitis and pneumonia in infants and young children. Infection is usually mild in adults but may be severe in infants, older adults, and people with chronic heart or lung disease.

**Synonyms:**

## Respiratory System

The anatomical and physiological system responsible for gas exchange—delivering oxygen to the blood and removing carbon dioxide. Components: (1) Upper respiratory tract—nose, nasal cavity, paranasal sinuses, pharynx (nasopharynx, oropharynx, laryngopharynx).

**Synonyms:**

## Respiratory Tract Infections

Infections affecting any part of the respiratory tract, classified by anatomical location into upper respiratory tract infections (URTIs) and lower respiratory tract infections (LRTIs).

**Synonyms:**

## Respiratory viruses

Viruses that cause respiratory tract infections. Major respiratory viruses include influenza, respiratory syncytial virus (RSV), parainfluenza virus, adenovirus, and human metapneumovirus. SARS-CoV-2 causes COVID-19. Symptoms range from mild upper respiratory illness to severe pneumonia.

**Synonyms:**

## Response Assessment

Evaluation of treatment response. RECIST criteria for solid tumors. PET response criteria for lymphoma.

**Synonyms:**

## Response Evaluation Criteria

RECIST criteria for tumor response. PERCIST for PET.

**Synonyms:**

## Resting Membrane Potential

The steady electrical potential difference across the cell membrane of an unstimulated cell, typically -70 mV in neurons, -80 to -90 mV in skeletal and cardiac muscle, and -50 to -60 mV in smooth muscle.

**Synonyms:**

## Restless Legs Syndrome

An urge to move the legs, usually accompanied by uncomfortable sensations, that begins or worsens during rest, is relieved by movement, and occurs predominantly in the evening or night. The condition causes significant distress or impairment. It is associated with iron deficiency, renal failure, pregnancy, and peripheral neuropathy.

**Synonyms:**

---

## Restorative Dentistry

Specialty of restoring damaged teeth. Procedures: fillings, inlays, onlays, crowns, bridges, implants. Goals: function, aesthetics, durability.

**Synonyms:**

## Restraint

Device or medication limiting movement. Physical restraints: vests, wrist restraints, lap traps. Chemical restraints: antipsychotics, benzodiazepines for behavior control. Should be last resort, time-limited, with monitoring. Alternatives: addressing underlying causes, environmental modification.

**Synonyms:**

## Restraint-Related Harm

Physical or psychological injury associated with using a device, medication, or environmental restriction to limit a person's movement. Older adults are at risk of falls, pressure injury, delirium, aspiration, and functional decline; the least restrictive alternatives should be prioritized.

**Synonyms:**

## Restriction Enzyme

Bacterial enzyme cutting DNA at specific recognition sequences. Used in molecular cloning, DNA fingerprinting, restriction fragment length polymorphism (RFLP) analysis.

**Synonyms:**

## Restrictive Cardiomyopathy

A cardiomyopathy characterized by impaired ventricular relaxation and filling due to stiff, noncompliant myocardium, with preserved systolic function and normal or reduced ventricular volumes. Causes include amyloidosis, sarcoidosis, hemochromatosis, endomyocardial fibrosis, and radiation.

**Synonyms:**

## Retained Placenta

Failure of the placenta to deliver after birth within the interval expected for safe management. It may result from failure of separation, abnormal placental attachment, or trapping behind a closed cervix and

can cause severe bleeding.

**Synonyms:**

## Retained Products of Conception

Fragments of placental or fetal tissue retained in the uterus after delivery, miscarriage, or abortion. Causes: incomplete placental separation, succenturiate lobe, and placenta accreta. Presents: persistent or heavy bleeding, pain, and fever in the postpartum period.

**Synonyms:**

## Retention Time

The time required for a compound to pass through a chromatographic system from injection to detection. In analytical toxicology, comparison with validated standards helps identify compounds, but retention time alone is not definitive identification.

**Synonyms:**

## Reticular Formation

A network of interconnected nuclei in the brainstem (midbrain, pons, medulla) that regulates arousal, consciousness, sleep-wake transitions, and alertness (ascending reticular activating system), as well as muscle tone, posture, cardiovascular and respiratory control (vasomotor and respiratory centers), pain modulation, and attention.

**Synonyms:**

## Reticulocyte Count

The number or percentage of immature red blood cells in blood. It reflects recent bone-marrow red-cell production and helps assess anemia, especially when interpreted with the hemoglobin and clinical context.

**Synonyms:**

## Retina

Innermost eye layer, a thin neural tissue layer lining the posterior two-thirds of the globe for phototransduction (light to neural signals). Ten layers, with photoreceptors (rods for low-light vision, cones for color vision) in the outer nuclear layer.

**Synonyms:**



---

## Retinal Detachment

A separation of the neurosensory retina from the underlying retinal pigment epithelium, creating a potential space that fills with fluid and resulting in progressive vision loss in the affected area, and it is classified into three main types based on the underlying mechanism.

**Synonyms:**

## Retinal Artery Occlusion

Blockage of a retinal artery causing sudden, usually painless loss of vision. It requires urgent ophthalmic and vascular evaluation because it may indicate a systemic embolic or vascular disorder.

**Synonyms:**

## Retinal Detachment Repair

Surgical or pneumatic treatment to close retinal breaks and reattach the retina. Techniques include vitrectomy, scleral buckling, and pneumatic retinopexy, selected according to the type and location of detachment.

**Synonyms:**

## Retinal Hemorrhages

Bleeding within the retina, a hallmark finding in abusive head trauma (shaken baby syndrome). Found on dilated fundoscopic examination, often bilateral and multi-layered. Also seen in severe accidental trauma, bleeding disorders, and increased intracranial pressure.

**Synonyms:**

## Retinal ischemia

Inadequate blood flow to the retina, often caused by a retinal artery occlusion or severe vascular disease. It may cause sudden, painless visual loss and requires emergency ophthalmic and vascular assessment; treatment depends on the cause and time of presentation.

**Synonyms:**

## Retinal Layers

The retina consists of ten distinct layers that process visual information through a complex neural circuit.

**Synonyms:**

## Retinal Prosthesis

Experimental device for blindness. Argus II system: camera to processor to electrode array stimulates retina. Indications: retinitis pigmentosa. Provides light perception, pattern recognition.

**Synonyms:**

## Retinal Tear

A full-thickness break in the neurosensory retina, often caused by vitreoretinal traction. It can permit fluid to enter the subretinal space and progress to rhegmatogenous retinal detachment; symptomatic tears are generally treated urgently with laser photocoagulation or cryotherapy.

**Synonyms:**

## Retinal Vein Occlusion

Obstruction of a retinal vein producing retinal hemorrhages, edema, and variable visual loss. Branch and central forms may cause macular edema, retinal ischemia, and neovascular complications.

**Synonyms:**

## Retinitis Pigmentosa

A group of inherited retinal disorders in which rod and cone photoreceptors gradually degenerate. Symptoms may include night blindness, narrowing of the visual field, and progressive loss of vision.

**Synonyms:**

## Retinoblastoma

Childhood eye cancer. RB1 gene mutation (autosomal dominant inheritance, but sporadic cases common). Hereditary form: bilateral, multifocal, earlier onset. Sporadic: unilateral, single focus. Treatment: chemotherapy, radiation, surgery, enucleation.

**Synonyms:**

## Retinol

Vitamin A (retinol) is a fat-soluble vitamin essential for vision, immune function, cell differentiation, and reproduction. See Vitamin A: Retinal.

**Synonyms:**

---

## Retinopathy

Disease or damage of the retina, often related to diabetes, hypertension, vascular disease, inflammation, or inherited disorders.

**Synonyms:**

## Retinopathy of Prematurity

Abnormal vascularization of the retina in premature infants, a leading cause of childhood blindness. Affects infants less than 32 weeks gestation and less than 1500 grams. Stages range from mild (avascular retina) to severe (retinal detachment). Screening began at 31-33 weeks corrected gestational age or 4 weeks chronological age.

**Synonyms:**

## Retinoschisis

Splitting of the retinal layers, producing a separation between inner and outer retinal tissue. It may be degenerative and peripheral or inherited and juvenile, and can cause visual-field loss, reduced acuity, or complications resembling retinal detachment.

**Synonyms:**

## Retract (Vascular)

To pull a vessel or tissue away from an operative field using a surgical retractor.

**Synonyms:** Vascular

## Retraction (Self-Retaining)

Holding tissue away from an operative field with a retractor that remains in position without continuous manual support.

**Synonyms:** Self-Retaining

## Retractor

Holds tissue aside for exposure. Types: handheld, self-retaining (Weitlaner, Gelpi).

**Synonyms:**

## Retractor (Abdominal)

A surgical instrument used to hold back the abdominal wall or organs to improve access and visibility during an operation.

**Synonyms:** Abdominal

## Retractor (Hand)

A handheld surgical instrument used to hold tissue or an organ away from the operative field.

**Synonyms:** Hand

## Retractor (Surgical)

An instrument used to separate or hold tissues aside during a surgical procedure.

**Synonyms:** Surgical

## Retrograde Ejaculation

Semen enters bladder instead of exiting urethra. Causes: diabetes, surgery, medications. Dry orgasm. Treatment: medications, sperm retrieval for fertility.

**Synonyms:**

## Retroperitoneal Fibrosis

Chronic fibroinflammatory tissue formation in the retroperitoneum, often encasing the ureters and great vessels. It can cause hydronephrosis, flank pain, reduced kidney function, hypertension, or lower-limb edema and may be idiopathic, immune-mediated, drug-related, or secondary to malignancy.

**Synonyms:**

## Retroperitoneal hemorrhage

Bleeding into the retroperitoneal space, which may result from aortic rupture, anticoagulation therapy, retroperitoneal hematoma following femoral catheterization, trauma, or retroperitoneal neoplasms. Presents with flank pain, abdominal distension, hypotension, and anemia.

**Synonyms:**

## Retroperitoneum

The anatomical space posterior to the peritoneum. It contains the kidneys, adrenal glands, ureters, aorta, and inferior vena cava, as well as portions of the duodenum, pancreas, and colon. Some organs are secondarily retroperitoneal after development. It is divided into anterior pararenal, perirenal, and posterior pararenal spaces.

**Synonyms:**

---

### **Retropharyngeal Abscess**

A collection of pus in the retropharyngeal space, located between the posterior pharyngeal wall and the prevertebral fascia. Most common in children aged 2-4 years, arising from suppurative lymphadenitis of the retropharyngeal lymph nodes that drain the nasopharynx, adenoids, and sinuses.

**Synonyms:**

### **Retrovirus**

An RNA virus that replicates by reverse transcribing its RNA genome into DNA, which is then integrated into the host cell genome. Family Retroviridae. Key enzyme: reverse transcriptase (RNA-dependent DNA polymerase) converts viral RNA into double-stranded DNA; integrase inserts the viral DNA (provirus) into the host chromosome.

**Synonyms:**

### **Rett Syndrome**

An X-linked dominant neurodevelopmental disorder affecting almost exclusively females, caused by mutations in the MECP2 gene.

**Synonyms:**

### **Return of Spontaneous Circulation**

Restoration of sustained cardiac mechanical activity after cardiac arrest, evidenced by a palpable pulse or measurable blood pressure and signs of circulation. Post-arrest care addresses oxygenation, ventilation, blood pressure, temperature, neurologic injury, and the cause of arrest.

**Synonyms:**

### **Reverberation Artifact**

Ultrasound artifact from multiple reflections. Reduced by changing angle, using tissue harmonic imaging.

**Synonyms:**

### **Reverse Transcription**

Synthesis of DNA from an RNA template by the enzyme reverse transcriptase.

**Synonyms:**

### **Reversible Cell Injury**

Cellular dysfunction caused by a harmful stimulus that can resolve when the stimulus is removed. Common changes include cellular swelling, fatty change, membrane blebbing, and reduced oxidative phosphorylation without irreversible membrane or nuclear destruction.

**Synonyms:**

### **Revision Arthroplasty**

Surgical replacement, exchange, or repair of a failed or painful joint prosthesis. Indications include infection, aseptic loosening, instability, periprosthetic fracture, wear, and recurrent dislocation.

**Synonyms:**

### **Reye Syndrome**

A rare acute encephalopathy with hepatic dysfunction, classically occurring in children recovering from a viral illness. It causes persistent vomiting, altered mental status, cerebral edema, and elevated liver enzymes without primary inflammatory liver failure.

**Synonyms:**

### **Reynolds Pentad**

Extension of the Charcot triad to include hypotension and altered mental status representing suppurative cholangitis, a severe life-threatening form of ascending cholangitis. Patients present with high fever, rigors, right upper quadrant pain, jaundice, hypotension, and confusion.

**Synonyms:**

### **Rezafungin**

A long-acting echinocandin antifungal medicine that inhibits fungal cell-wall synthesis. It is used for selected invasive candidiasis infections; its long duration permits an intermittent dosing schedule under specialist supervision.

**Synonyms:**

### **Rh Factor**

A system of blood group antigens (the Rh system) on the surface of red blood cells, the most important of which is the D antigen (RhD). See Rhesus (Rh)

---

Factor.

**Synonyms:**

### **Rh Isoimmunization**

Maternal alloantibody production against fetal Rh D-positive red blood cells in an Rh D-negative mother, occurring when fetal RBCs enter the maternal circulation (fetomaternal hemorrhage).

**Synonyms:**

### **Rhabdoid Tumor**

A highly aggressive malignant tumor of infancy, occurring in the kidney (malignant rhabdoid tumor) or brain (atypical teratoid/rhabdoid tumor), characterized by loss of the SMARCB1 (INI1) gene.

**Synonyms:**

### **Rhabdomyolysis**

Rapid breakdown of skeletal muscle that releases muscle proteins into the bloodstream. Causes include crush injury, extreme exertion, seizures, heat illness, and some diseases; it can lead to acute kidney injury and requires prompt medical assessment.

**Synonyms:**

### **Rhabdomyolysis and AKI**

Severe muscle breakdown releases myoglobin and other intracellular contents, potentially causing acute kidney injury, electrolyte abnormalities, and cardiac arrhythmias. Findings may include muscle pain, weakness, dark urine, and elevated creatine kinase; treatment requires urgent assessment and cause-directed fluid and supportive therapy.

**Synonyms:**

### **Rhabdomyoma**

A benign cardiac tumour composed of striated muscle cells, occurring predominantly in infants and children and strongly associated with tuberous sclerosis. It commonly involves the ventricular myocardium and may regress spontaneously, although large or multiple tumours can cause obstruction or arrhythmias.

**Synonyms:**

### **Rhabdomyosarcoma**

A malignant tumor showing skeletal-muscle differentiation, occurring primarily in children and commonly involving the head and neck, genitourinary tract, or extremities.

**Synonyms:**

### **Rhegmatogenous Retinal Detachment**

The most common type of retinal detachment, caused by a full-thickness break or tear in the retina that allows liquefied vitreous humor to enter the subretinal space, separating the neurosensory retina from the underlying retinal pigment epithelium.

**Synonyms:**

### **Rhesus (Rh) Factor**

A system of antigens on the surface of red blood cells, especially the D antigen. A person is Rh-positive when the D antigen is present and Rh-negative when it is absent. Rh incompatibility can affect pregnancy and transfusion safety.

**Synonyms:** Rh

### **Rheumatic Fever**

A nonsuppurative inflammatory complication of Group A Streptococcal pharyngitis, occurring 2-4 weeks after infection. Diagnosed by Jones criteria: major manifestations (carditis, polyarthritides, chorea, erythema marginatum, subcutaneous nodules) plus evidence of prior streptococcal infection. Major criterion plus two minor criteria.

**Synonyms:**

### **Rheumatic Heart Disease**

Valvular damage resulting from acute rheumatic fever, an autoimmune response to Group A streptococcal pharyngitis. Most commonly affects the mitral valve (stenosis/regurgitation), followed by aortic. Prevention through prompt treatment of streptococcal pharyngitis.

**Synonyms:**

### **Rheumatoid Arthritis**

A chronic autoimmune inflammatory disease that commonly causes symmetric pain, swelling, and

---

progressive damage in the small joints of the hands and feet. It may also affect other organs.

**Synonyms:**

### Rheumatoid Factor

An autoantibody, usually of the IgM class, directed against part of IgG. It may support a diagnosis of rheumatoid arthritis but can also occur in other autoimmune diseases, infections, and healthy people.

**Synonyms:**

### Rhinencephalon

The part of the brain concerned chiefly with the sense of smell and related limbic functions.

**Synonyms:**

### Rhinitis

Inflammation or dysfunction of the nasal mucosa causing congestion, rhinorrhea, sneezing, or itching.

**Synonyms:**

### Rhinophyma

A severe, end-stage subtype of phymatous rosacea occurring predominantly in elderly men. Characterized by progressive nodular thickening, hypertrophy, and lobular enlargement of the nasal skin with prominent, dilated pilosebaceous pores. Pathophysiology: sebaceous gland hyperplasia, fibrosis, and chronic inflammation.

**Synonyms:**

### Rhinoplasty

A surgical procedure to alter the shape, size, or function of the nose, performed for cosmetic reasons (aesthetic rhinoplasty—improving nasal appearance) or functional reasons (functional rhinoplasty—improving nasal airflow by correcting internal/external nasal valve collapse, deviated septum, or turbinate hypertrophy).

**Synonyms:**

### Rhinovirus

A genus of non-enveloped, positive-sense RNA viruses in the Picornaviridae family. Rhinoviruses are a common cause of the common cold and spread

mainly through respiratory secretions and contaminated hands or surfaces.

**Synonyms:**

### RhoGAM

Rh immune globulin containing anti-D antibodies, used to prevent Rh isoimmunization in Rh-negative mothers. Administered intramuscularly at 28 weeks gestation and within 72 hours after delivery of an Rh-positive infant. Also given after amniocentesis, chorionic villus sampling, miscarriage, ectopic pregnancy, or abdominal trauma.

**Synonyms:**

### Rhonchi

Low-pitched, continuous adventitious sounds heard primarily during expiration, caused by secretions in the large airways. They may clear with coughing. They are heard in COPD, bronchitis, and bronchiectasis. They are different from wheezes in their lower pitch and coarser quality.

**Synonyms:**

### Rib

One of 12 paired, curved bones forming the thoracic cage, protecting the heart, lungs, and great vessels. True ribs (1–7) attach directly to the sternum via costal cartilage. False ribs (8–10) attach indirectly to the sternum via the costal cartilage of rib 7. Floating ribs (11–12) have no anterior attachment.

**Synonyms:**

### Riboflavin (Vitamin B2)

A water-soluble vitamin that forms the coenzymes FAD and FMN. These cofactors participate in oxidation-reduction reactions, including electron transfer, fatty-acid oxidation, and energy metabolism.

**Synonyms:** Vitamin B2

### Ribosomal RNA

RNA component of ribosomes, catalyzing peptide bond formation (peptidyl transferase activity). Eukaryotic ribosome: 60S (28S, 5.8S, 5S rRNAs + proteins) + 40S (18S rRNA + proteins) = 80S.

---

Prokaryotic: 50S (23S, 5S rRNAs) + 30S (16S rRNA) = 70S. rRNA genes are highly conserved, used in phylogenetics.

**Synonyms:**

### Ribosome

Ribonucleoprotein complexes (rRNA + proteins) that synthesize proteins by translating mRNA. Two subunits: 60S (large, 28S/5.8S/5S rRNA) and 40S (small, 18S rRNA) in eukaryotes (80S complete). Prokaryotes have 50S/30S (70S complete).

**Synonyms:**

### Ribozyme

RNA molecule with catalytic activity. Peptidyl transferase is a ribozyme.

**Synonyms:**

### Rickets

A disorder of growing bones caused by inadequate mineralization, often from vitamin D deficiency or phosphate disorders. It may cause bone pain, poor growth, deformity, fractures, or widening at the growth plates.

**Synonyms:**

### Rickettsia

A genus of obligate intracellular Gram-negative coccobacillary bacteria transmitted by arthropod vectors (ticks, fleas, lice, mites). Rickettsia are the causative agents of the spotted fever group (SFG) and typhus group (TG) rickettsioses.

**Synonyms:**

### Rickettsialpox

A mite-borne infection caused by Rickettsia akari, producing a vesicular rash, fever, headache, and an inoculation eschar. It is usually self-limited but may resemble other febrile exanthems.

**Synonyms:**

### Ridge Preservation

Socket grafting after extraction to maintain bone volume. Reduces ridge resorption.

**Synonyms:**

### Right Atrium

Receives deoxygenated blood from superior vena cava, inferior vena cava, and coronary sinus. Smooth posterior part (sinus venosus) and rough anterior auricle with pectinate muscles. The fossa ovalis is the fetal foramen ovale remnant. The SA node pacemaker is near the superior vena cava opening.

**Synonyms:**

### Right Bundle Branch

A continuation of the bundle of His that travels along the right side of the interventricular septum to the right ventricle. It supplies the right ventricular myocardium and Purkinje fibers. Right bundle branch block (RBBB) occurs when this branch is damaged, causing delayed right ventricular activation.

**Synonyms:**

### Right Coronary Artery

Arises from the right aortic sinus and travels in the right atrioventricular groove. It supplies the right atrium, right ventricle, SA node (60% of individuals), AV node (85% of individuals), and the inferior wall of the left ventricle.

**Synonyms:**

### Right coronary artery occlusion

Blockage of the right coronary artery, reducing blood flow to areas of the heart it supplies and potentially causing myocardial infarction or rhythm disturbances.

**Synonyms:**

### Right Heart Failure

Failure of the right ventricle to adequately pump blood to the lungs, causing systemic venous congestion. Causes include left heart failure (most common), pulmonary hypertension, right ventricular infarction, pulmonary embolism, and constrictive pericarditis. Signs include elevated JVD, peripheral edema, hepatomegaly, and ascites.

**Synonyms:**



---

### Right Hypochondriac Region

One of nine abdominal regions in the upper right abdomen, bounded medially by the right midclavicular line and superiorly by the right costal margin. Contains the cecum, appendix, ascending colon, and inferior right liver lobe. Pain here may indicate appendicitis (McBurney's point), cecal pathology, or hepatic disease.

**Synonyms:**

### Right Iliac Region

Lower right abdomen containing the cecum, appendix, and terminal ileum. McBurney's point (junction of lateral and middle thirds from umbilicus to ASIS) is critical for appendicitis diagnosis. Also significant for evaluating inguinal and femoral hernias, and the right ureter's course.

**Synonyms:**

### Right Lymphatic Duct

Short lymphatic vessel (approximately 1.5 cm) draining lymph from the right upper quadrant: right arm, right side of the head and neck, and right thorax. Formed by the junction of right jugular, subclavian, and bronchomediastinal trunks, emptying into the right venous angle (junction of right internal jugular and subclavian veins).

**Synonyms:**

### Right sixth cranial nerve palsy

Weakness or paralysis of the right abducens nerve (CN VI), causing inability to abduct the right eye and resulting in horizontal diplopia worse at distance and on right gaze.

**Synonyms:**

### Right ureterovesical calculus

A stone lodged at the junction of the right ureter and bladder, causing flank pain, hematuria, and urinary urgency or frequency. May require endoscopic or lithotripsy intervention.

**Synonyms:**

### Right Ventricle

Receives deoxygenated blood from the right atrium

through the tricuspid valve, pumping into the pulmonary trunk via the pulmonary valve. Thinner walls (3-5 mm) than the left ventricle due to low pulmonary resistance.

**Synonyms:**

### Rigor Mortis

Post-mortem stiffening of body muscles resulting from loss of ATP synthesis following death. Without ATP, actin and myosin filaments remain permanently cross-linked in a rigid state.

**Synonyms:**

### Ring in the Ears

Perception of ringing, buzzing, hissing, or other sound without an external source, medically called tinnitus. It may be associated with hearing loss, loud-noise exposure, earwax, ear infection, medicines, or jaw disorders. Sudden hearing loss, one-sided symptoms, or pulsatile ringing requires medical evaluation.

**Synonyms:**

### Ringworm

Dermatophytosis: superficial fungal infection of keratinized tissue (skin, hair, nails) by dermatophytes (*Trichophyton*, *Microsporum*, *Epidermophyton*). See Tinea.

**Synonyms:**

### Rinne Test

The Rinne test is a screening test that compares air conduction and bone conduction hearing using a vibrating tuning fork (typically 512 Hz) to help differentiate between conductive and sensorineural hearing loss.

**Synonyms:**

### RIPE Therapy

Standard 4-drug regimen for active TB: Rifampin, Isoniazid, Pyrazinamide, Ethambutol. Intensive phase 2 months, continuation phase 4 months (total 6 months). Pyridoxine prevents isoniazid-induced neuropathy.

**Synonyms:**

---

### **Rippling Muscle Disease**

A rare, benign myopathy characterized by mechanically-induced muscle contractions that spread across the muscle as a visible wave (rippling), typically triggered by stretch, percussion, or movement.

**Synonyms:**

### **RIS**

Radiology Information System. Workflow management for radiology department.

**Synonyms:**

### **Risk Assessment**

Process: hazard identification, dose-response, exposure assessment, risk characterization. Used for regulatory decisions.

**Synonyms:**

### **Risk Factor**

Attribute increasing probability of disease. Examples: smoking (lung cancer), hypertension (stroke), obesity (diabetes).

**Synonyms:**

### **Risk Factor Modification**

Smoking cessation, blood pressure control, lipid management, diabetes control, exercise.

**Synonyms:**

### **Risk-Benefit Analysis**

Weighing therapeutic benefit against potential harm.

**Synonyms:**

### **Ristocetin-Induced Platelet Aggregation**

A platelet-function assay that evaluates platelet agglutination in the presence of ristocetin, which depends on von Willebrand factor and platelet glycoprotein Ib.

**Synonyms:**

### **Ritalin**

A central nervous system stimulant, a piperidine

derivative that blocks the reuptake of dopamine and noradrenaline (norepinephrine) by inhibiting the dopamine transporter (DAT) and noradrenaline transporter (NAT) in the prefrontal cortex, increasing their synaptic concentrations. See Methylphenidate.

**Synonyms:**

### **River Blindness**

Onchocerciasis, a parasitic infection caused by *Onchocerca volvulus* and transmitted by blackflies. It can cause severe itching, skin disease, and visual impairment.

**Synonyms:**

### **RNA**

Ribonucleic acid, single-stranded nucleic acid (ribose sugar, uracil instead of thymine).

**Synonyms:**

### **Robot-Assisted Rehabilitation**

Robotic devices for repetitive task training. Upper extremity, lower extremity, gait training. Objective measurement, high repetition.

**Synonyms:**

### **Romberg Test**

The Romberg test is a clinical neurological test used to assess the integrity of the dorsal column-medial lemniscus pathway (proprioception) and the cerebellum in maintaining balance. The test is performed by asking the patient to stand with feet together and eyes open, and then to close the eyes.

**Synonyms:**

### **Romberg's sign**

Increased unsteadiness when a person stands with the feet together and closes the eyes, suggesting impaired proprioception or vestibular function.

**Synonyms:**

### **Root Caries**

Caries on exposed root surfaces. Common in elderly with recession. Fluoride effective.

**Synonyms:**

---

## Root Fracture

Vertical or horizontal fracture of root. Prognosis depends on location and direction. Vertical root fractures typically require extraction.

**Synonyms:**

## Rooting Reflex

A primitive reflex present from birth to 3-4 months, triggered by stroking the infant's cheek or corner of the mouth. The infant turns toward the stimulus and opens the mouth, searching for the nipple. Facilitates breastfeeding. Absence may indicate neurologic impairment. Disappears as voluntary feeding develops.

**Synonyms:**

## Ropinirole

A non-ergot dopamine agonist (D2/D3) used for Parkinson disease and restless legs syndrome. Adverse effects: nausea, dizziness, somnolence (sudden sleep attacks), orthostatic hypotension, impulse control disorders (gambling, hypersexuality), hallucinations, and leg edema. Extended-release for once-daily Parkinson dosing.

**Synonyms:**

## Rosacea

A chronic inflammatory disorder characterized by persistent or recurrent centrofacial erythema, flushing, telangiectasia, inflammatory papules or pustules, phymatous change, or ocular involvement. It is classified by phenotype rather than by obligatory subtypes.

**Synonyms:**

## Roseola

A common childhood viral illness, usually caused by human herpesvirus 6, with several days of fever followed by a rash as the fever resolves.

**Synonyms:**

## Roseola Infantum

A viral illness caused by Human Herpesvirus 6 (HHV-6), affecting children 6 months to 2 years. Characterized by high fever (39-40.5 degrees Cel-

sus) for 3-5 days followed by defervescence and appearance of a maculopapular rash starting on the trunk and spreading outward. Rash appears as fever resolves. Diagnosis is clinical.

**Synonyms:**

## Rostral

Positioned toward the snout or front of the head; in the brain, it means toward the forehead.

**Synonyms:**

## Rotator Cuff

A group of four muscles and their tendons that stabilize the glenohumeral (shoulder) joint and allow a wide range of motion. The muscles are the supraspinatus (abduction), infraspinatus (external rotation), teres minor (external rotation), and subscapularis (internal rotation)—collectively remembered by the acronym SITS.

**Synonyms:**

## Rotator Cuff Arthropathy

Glenohumeral joint degeneration associated with chronic, irreparable rotator-cuff deficiency. Superior migration of the humeral head, altered joint mechanics, pain, and loss of elevation may lead to consideration of reverse shoulder arthroplasty.

**Synonyms:**

## Rotavirus

A double-stranded RNA virus that is the leading cause of severe gastroenteritis in children worldwide. The virus has a segmented genome and infects enterocytes of the small intestine. Rotavirus causes profuse watery diarrhea, vomiting, and dehydration. Diagnosis is made by antigen detection in stool.

**Synonyms:**

## Rotavirus Vaccine

An oral live attenuated vaccine that protects infants and young children against severe rotavirus gastroenteritis. The product, schedule, and age limits depend on the immunization program; mild fever or diarrhea may occur.

**Synonyms:**

---

## Roth Spots

Retinal hemorrhages with pale centers, seen on fundoscopic examination in infective endocarditis. They are a minor criterion in the Duke criteria. Roth spots are caused by immune complex-mediated vasculitis of retinal vessels.

**Synonyms:**

## Rothmund-Thomson Syndrome

A genetically heterogeneous disorder characterized by poikiloderma beginning in infancy, short stature, sparse hair, skeletal abnormalities, juvenile cataracts in some forms, and increased risk of osteosarcoma or other cancers.

**Synonyms:**

## Rouleau

A stack or column of red blood cells, commonly seen in blood with increased plasma proteins.

**Synonyms:**

## Round Pneumonia

Pneumonia appearing as a round opacity on CXR rather than typical consolidation. More common in children and elderly. May mimic lung mass.

**Synonyms:**

## Roundworm

Ascariasis: infection by *Ascaris lumbricoides*, the most common human soil-transmitted helminth, acquired by ingesting eggs from contaminated food/soil.

**Synonyms:**

## Route of Administration

The path by which a drug enters the body, influencing absorption, onset, bioavailability, and first-pass metabolism. Enteral routes: oral, sublingual, buccal, rectal. Parenteral: intravenous (100 percent bioavailability, immediate onset), intramuscular, subcutaneous, intradermal.

**Synonyms:**

## Rovsing Sign

Physical exam sign of acute appendicitis: palpation

of the left lower quadrant elicits pain in the right lower quadrant due to displacement of gas stretching the inflamed appendix. See Appendicitis.

**Synonyms:**

## RPR/VDRL (Syphilis Serology)

Nontreponemal blood tests used to screen for and monitor syphilis. Reactive results require interpretation with clinical findings and, usually, a treponemal confirmatory test.

**Synonyms:** Syphilis Serology

## RSV

Respiratory syncytial virus, a contagious respiratory virus that can cause bronchiolitis and pneumonia, especially in infants and young children.

**Synonyms:**

## Rubella

German measles caused by Rubivirus. Mild illness with fever, rash, and lymphadenopathy in children. Dangerous in pregnancy due to congenital rubella syndrome (cataracts, heart defects, deafness). Rash similar to measles but milder, with postauricular and suboccipital lymphadenopathy. Prevention by MMR vaccination.

**Synonyms:**

## Rubella virus

A togavirus that causes rubella (German measles), a mild febrile illness with rash. The virus is transmitted by respiratory droplets. Rubella is most dangerous during pregnancy, causing congenital rubella syndrome (CRS) with deafness, cataracts, and cardiac defects. Diagnosis involves serology. Treatment is supportive.

**Synonyms:**

## Rubin Maneuver

An internal rotational maneuver for shoulder dystocia: the operator inserts a hand and applies pressure to the posterior aspect of the anterior fetal shoulder, rotating it toward the fetal chest (adducting the shoulders). This reduces the bisacromial diameter and disimpacts the anterior shoulder from the pubic

---

symphysis.

**Synonyms:**

### **Rubinstein-Taybi Syndrome**

A genetic developmental disorder associated with characteristic facial features, short stature, broad thumbs and toes, and intellectual disability. It is commonly caused by pathogenic variants in CREBBP or EP300.

**Synonyms:**

### **Rumination Disorder**

Recurrent effortless regurgitation of recently ingested food, followed by rechewing, reswallowing, or spitting, without the retching typical of vomiting. It can cause weight loss, malnutrition, and dental complications.

**Synonyms:**

### **Running Total**

The cumulative amount of a measured exposure, dose, or other quantity up to a specified time.

**Synonyms:**

### **Runny Nose**

Excess nasal drainage, medically called rhinorrhea, caused by infection, allergy, irritation, or structural nasal disease. It may occur with congestion, sneezing, cough, or sore throat. Persistent one-sided, bloody, or clear drainage after head injury requires medical assessment.

**Synonyms:**

### **Ruptured Abdominal Aortic Aneurysm**

A tear through an abdominal aortic aneurysm causing internal bleeding, shock, and usually sudden abdominal or back pain. It requires emergency repair.

**Synonyms:**

### **Russell-Silver Syndrome**

A congenital growth disorder involving prenatal and postnatal growth restriction, relative macrocephaly, triangular face, body asymmetry, and feeding difficulty. It is often associated with abnormalities of

genomic imprinting on chromosomes 7 or 11.

**Synonyms:**

### **Rx**

Prescription or treatment. Symbol derives from Latin "requirere" (to take). Also used as abbreviation for remedy. Rx symbol: Rx or %x;.

**Synonyms:**

### **Reverse Trendelenburg Position**

A supine position in which the head and upper body are elevated above the feet.

**Synonyms:**

### **Rapid Gastric Emptying**

Abnormally rapid movement of food from the stomach into the small intestine, sometimes called dumping syndrome.

**Synonyms:**

### **Rectal Cancer**

Cancer that develops in the tissues of the rectum.

**Synonyms:**

### **Recurrent Breast Cancer**

Breast cancer that returns after a period in which it was undetectable.

**Synonyms:**

### **Residual Limb Pain**

Pain in the remaining portion of a limb after amputation.

**Synonyms:**

### **Retinal Diseases**

Disorders that damage the retina, the light-sensitive tissue at the back of the eye.

**Synonyms:**

### **Reye's Syndrome**

A rare condition causing sudden brain and liver dysfunction, most often in children recovering from a viral infection.

**Synonyms:**

---

### Ringworm of the Body

A contagious fungal infection causing an itchy, ring-shaped rash on the skin.

**Synonyms:**

### Ringworm of the Scalp

A fungal infection of the scalp and hair that can cause scaling, broken hairs, and hair loss.

**Synonyms:**

### Rotator Cuff Injury

Damage to one or more tendons or muscles that stabilize and move the shoulder.

**Synonyms:**

### Rales

Crackling or bubbling sounds heard in the lungs, often caused by fluid or narrowed airways.

**Synonyms:**

### Retinitis

Inflammation of the retina that may impair vision.

**Synonyms:**

### Romberg Sign

Loss of balance when standing with the feet together and the eyes closed, suggesting impaired proprioception or vestibular function.

**Synonyms:**

### Rule of Nines

A method for estimating the percentage of body-surface area affected by burns.

**Synonyms:**

### Rongeur

A strong, jawed surgical instrument used to bite and remove small pieces of bone or other hard tissue.

**Synonyms:**

### Rabies Virus

The virus that causes rabies, a usually fatal viral infection of the central nervous system transmitted most often through the saliva of an infected animal.

**Synonyms:**

### Radioactive Iodine Uptake Test

A nuclear medicine test that measures how much radioactive iodine the thyroid gland absorbs. It helps evaluate hyperthyroidism and some thyroid disorders.

**Synonyms:**

### Radiography

Medical imaging that uses X-rays to create two-dimensional images of internal structures, especially bones and the chest.

**Synonyms:**

### Radiology

The medical specialty that uses imaging to diagnose and sometimes treat disease.

**Synonyms:**

### Radioisotope (Radionuclide)

An unstable isotope that emits radiation as it decays; radioisotopes are used in medical imaging, diagnosis, and selected treatments.

**Synonyms:** Radionuclide

### Rale (Rhonchus)

An abnormal sound heard through a stethoscope during breathing, caused by air moving through fluid, mucus, narrowed airways, or abnormal lung tissue.

**Synonyms:** Rhonchus

### Respiratory Arrest

Complete cessation of breathing, resulting in rapid loss of oxygen and requiring immediate resuscitation.

**Synonyms:**

### Renal Dialysis

A treatment that removes waste products and excess fluid from the blood when the kidneys cannot do so adequately, using haemodialysis or peritoneal dialysis.



---

**Synonyms:**

### **Retinol (Vitamin A)**

A fat-soluble vitamin required for vision, epithelial health, immune function, and normal growth; deficiency may cause night blindness and xerophthalmia.

**Synonyms:** Vitamin A

### **Revascularisation**

Restoration of blood flow to an organ or limb by a procedure such as angioplasty, stenting, or surgical bypass.

**Synonyms:**

### **Root Canal Therapy**

Dental treatment in which infected or inflamed pulp is removed from a tooth, the canal is cleaned and sealed, and the tooth is restored.

**Synonyms:**

### **Roth's Spots**

Small retinal haemorrhages with pale centres, associated with conditions such as infective endocarditis, severe anaemia, leukaemia, and diabetes.

**Synonyms:**

### **Radionuclide**

An unstable atom that emits radiation as it decays. Radionuclides are used in diagnostic imaging and some treatments.

**Synonyms:**

### **Radionuclide Heart Scan**

A nuclear medicine study that uses a radioactive tracer to evaluate myocardial blood flow, heart muscle viability, or ventricular function.

**Synonyms:**

### **Rasp**

A roughened surgical instrument used to file, shape, or smooth bone or other hard tissue.

**Synonyms:**

### **Red Blood Cells**

Blood cells that contain hemoglobin and transport oxygen from the lungs to tissues while carrying some carbon dioxide back to the lungs.

**Synonyms:**

### **Reed-Sternberg Cells**

Large abnormal cells derived from B lymphocytes and characteristic of classic Hodgkin lymphoma.

**Synonyms:**

### **Reflexes**

Automatic, rapid responses to stimuli mediated through neural pathways called reflex arcs.

**Synonyms:**

### **Renal Corpuscle**

The filtration unit at the beginning of a nephron, consisting of the glomerulus enclosed by Bowman capsule.

**Synonyms:**

### **Renal Pyramids**

Cone-shaped structures in the renal medulla that contain tubules and collecting ducts and drain urine toward the renal papillae.

**Synonyms:**

### **Renin**

An enzyme released mainly by juxtaglomerular cells of the kidney. It initiates the renin-angiotensin-aldosterone system and helps regulate blood pressure and fluid balance.

**Synonyms:**

### **Repetitive Strain Injury**

Pain or dysfunction caused by repeated forceful movements, sustained positions, or overuse of muscles, tendons, nerves, or other tissues.

**Synonyms:**

### **Resection**

Surgical removal of part or all of an organ, tissue, or lesion.

---

**Synonyms:**

### **Resectoscope**

An endoscopic surgical instrument with a viewing system and working loop used to remove or cauterize tissue, especially during prostate or bladder procedures.

**Synonyms:**

### **Resorption**

The removal and absorption of tissue, especially the breakdown of bone by osteoclasts.

**Synonyms:**

### **Respiration**

The process of exchanging oxygen and carbon dioxide between an organism and its environment, including ventilation and gas exchange in the lungs.

**Synonyms:**

### **Reticular Activating System**

A network involving the brainstem reticular formation and related structures that helps regulate wakefulness, alertness, attention, and sleep-wake transitions.

**Synonyms:**

### **Retinoscope**

An instrument that shines light into the eye to help determine refractive error.

**Synonyms:**

### **Rheumatology**

The medical specialty concerned with musculoskeletal disorders and systemic autoimmune and inflammatory diseases.

**Synonyms:**

### **Rh Incompatibility**

An immune reaction that can occur when an Rh-negative pregnant person carries an Rh-positive fetus and forms antibodies against fetal red blood cells. Anti-D immune globulin can prevent sensitization.

**Synonyms:**

### **Ribonucleic Acid**

A nucleic acid involved in carrying, translating, and regulating genetic information, especially during protein synthesis.

**Synonyms:**

### **Rift Valley Fever**

A mosquito-borne viral disease that usually causes fever and muscle pain but can occasionally cause hepatitis, eye disease, encephalitis, or hemorrhage.

**Synonyms:**

### **Rods**

Retinal photoreceptor cells that provide vision in dim light and contribute to peripheral vision but do not detect color.

**Synonyms:**

### **Rubeola**

Measles, a highly contagious viral illness caused by measles virus and characterized by fever, cough, conjunctivitis, and a widespread maculopapular rash.

**Synonyms:**

### **Radius Fracture**

A break in the radius, one of the two bones of the forearm, often occurring near the wrist after a fall onto an outstretched hand.

**Synonyms:**

### **Rotator Cuff Tear**

A partial or complete tear of one or more tendons stabilizing the shoulder, causing pain, weakness, and difficulty raising or rotating the arm.

**Synonyms:**

### **Radial Nerve Palsy**

Dysfunction of the radial nerve causing weakness of wrist and finger extension, often producing wrist drop, with sensory loss over part of the back of the hand in some cases.

**Synonyms:**

---

### **Radiation Proctitis**

Inflammation and injury of the rectum after pelvic radiation therapy, causing rectal pain, urgency, diarrhea, mucus, or bleeding.

**Synonyms:**

### **Rhinorrhea**

Excessive watery or mucoid discharge from the nose, commonly caused by infection, allergy, irritants, or changes in temperature.

**Synonyms:**

### **Rib Fracture**

A break in one or more ribs, usually causing localized chest pain worsened by breathing, coughing, or movement and sometimes associated with injury to underlying organs.

**Synonyms:**

### **Rocky Mountain Spotted Fever**

A potentially severe tick-borne infection caused by *Rickettsia rickettsii*, often producing fever, headache, and a rash that may involve the palms and soles.

**Synonyms:**

### **Retrograde Amnesia**

Loss of memory for events that occurred before an injury, illness, or other triggering event, with variable preservation of more remote memories.

### **rabeprazole**

rabeprazole concerns rabeprazole, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **rabies vaccine**

rabies vaccine refers to rabies vaccine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **raclopride**

raclopride refers to raclopride, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **radiation dosage**

radiation dosage refers to radiation dosage, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **radiation exposure**

radiation exposure refers to radiation exposure, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **radiation field**

radiation field refers to radiation field, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **radiation leukemia**

radiation leukemia denotes a neoplastic condition involving radiation leukemia; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### **radiation oncologists**

radiation oncologists refers to radiation oncologists, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **radiation tolerance**

radiation tolerance refers to radiation tolerance, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### **radical cystoprostatectomy**

radical cystoprostatectomy is used in relation to radical cystoprostatectomy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **radical hysterectomy**

radical hysterectomy is used in relation to radical hysterectomy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **radical lymphadenectomy**

radical lymphadenectomy is used in relation to radical lymphadenectomy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **radical mastectomy**

radical mastectomy is used in relation to radical mastectomy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **radical nephrectomy**

radical nephrectomy is used in relation to radical nephrectomy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **radicular cyst**

radicular cyst refers to radicular cyst, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **radiodermatitis**

radiodermatitis refers to radiodermatitis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **radioembolisation**

radioembolisation refers to radioembolisation, a

medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **radioimmunodetection**

radioimmunodetection refers to radioimmunodetection, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **radioimmunoguided surgery**

radioimmunoguided surgery is used in relation to radioimmunoguided surgery during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **radioimmunotherapy**

radioimmunotherapy is used in relation to radioimmunotherapy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **radioisotope**

radioisotope refers to radioisotope, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **radiologic health**

radiologic health refers to radiologic health, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **radiologic response**

radiologic response refers to radiologic response, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### **radiometry**

radiometry refers to radiometry, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **radionuclide angiography**

radionuclide angiography refers to radionuclide angiography, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **radionuclide generator**

radionuclide generator denotes radionuclide generator, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **radionuclide imaging**

radionuclide imaging is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat radionuclide imaging.

**Synonyms:**

### **radioprotective agent**

radioprotective agent refers to radioprotective agent, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **radiosurgery**

radiosurgery is used in relation to radiosurgery during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **radiotherapy bolus**

radiotherapy bolus is used in relation to radiotherapy bolus during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **radiotherapy dosage**

radiotherapy dosage is used in relation to radiotherapy dosage during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **radium**

radium refers to radium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **radon**

radon refers to radon, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **raffinose**

raffinose refers to raffinose, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **rahnella**

rahnella identifies rahnella, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **rahnella aquatilis**

rahnella aquatilis identifies rahnella aquatilis, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **rale**

rale refers to rale, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**raloxifene**

raloxifene refers to raloxifene, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**raloxifene hydrochloride**

raloxifene hydrochloride refers to raloxifene hydrochloride, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ralstonia**

ralstonia identifies ralstonia, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**ralstonia mannitolilytica**

ralstonia mannitolilytica identifies ralstonia mannitolilytica, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**ralstonia pickettii**

ralstonia pickettii identifies ralstonia pickettii, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**raltegravir potassium**

raltegravir potassium refers to raltegravir potassium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**raltitrexed**

raltitrexed refers to raltitrexed, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ramipril**

ramipril concerns ramipril, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**ramucirumab**

ramucirumab concerns ramucirumab, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**random allocation**

random allocation refers to random allocation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**randomization validation**

randomization validation refers to randomization validation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ranibizumab**

ranibizumab concerns ranibizumab, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**ranitidine**

ranitidine refers to ranitidine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ranolazine**

ranolazine refers to ranolazine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**



---

**ranpirnase**

ranpirnase denotes ranpirnase, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**raoultella**

raoultella identifies raoultella, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**raoultella planticola**

raoultella planticola identifies raoultella planticola, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**raoultella terrigena**

raoultella terrigena identifies raoultella terrigena, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**raphe nuclei**

raphe nuclei refers to raphe nuclei, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**rare diseases**

rare diseases denotes a clinical condition or finding involving rare diseases; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**ras peptide**

ras peptide is a defined chemical or biologic substance involved in ras peptide and studied in physiology, pharmacology, laboratory medicine, or treatment.

**Synonyms:**

**ratio**

ratio refers to ratio, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**rationalization**

rationalization refers to rationalization, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**rauscher virus**

rauscher virus is a virus or viral group associated with rauscher virus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

**rauwolfia alkaloid**

rauwolfia alkaloid refers to rauwolfia alkaloid, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ravuconazole**

ravuconazole concerns ravuconazole, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**Raynaud's disease**

Raynaud's disease denotes a clinical condition or finding involving raynaud's disease; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**razoxane**

razoxane refers to razoxane, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

---

**Synonyms:**

**reaction**

reaction refers to reaction, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**reactive hypoglycemia**

reactive hypoglycemia refers to reactive hypoglycemia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**reagent**

reagent refers to reagent, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**reality testing**

reality testing is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat reality testing.

**Synonyms:**

**rebeccamycin**

rebeccamycin concerns rebeccamycin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**receive**

receive refers to receive, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**receptor binding**

receptor binding denotes receptor binding, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**recombinant**

recombinant refers to recombinant, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**recombinant protein**

recombinant protein denotes recombinant protein, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**recombinase**

recombinase refers to recombinase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**recombinational repair**

recombinational repair refers to recombinational repair, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**record**

record refers to record, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**recreation therapy**

recreation therapy is used in relation to recreation therapy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

**rectal**

rectal refers to rectal, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

---

**Synonyms:**

**rectal carcinoma**

rectal carcinoma denotes a neoplastic condition involving rectal carcinoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**rectal disease**

rectal disease denotes a clinical condition or finding involving rectal disease; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**rectal fistula**

rectal fistula refers to rectal fistula, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**rectal hemorrhage**

rectal hemorrhage denotes a clinical condition or finding involving rectal hemorrhage; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**rectal mucositis**

rectal mucositis refers to rectal mucositis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**rectal necrosis**

rectal necrosis refers to rectal necrosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**rectal neoplasm**

rectal neoplasm denotes a neoplastic condition involving rectal neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

ment.

**Synonyms:**

**rectal obstruction**

rectal obstruction denotes a clinical condition or finding involving rectal obstruction; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**rectal perforation**

rectal perforation refers to rectal perforation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**rectal polyposis**

rectal polyposis refers to rectal polyposis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**rectal route**

rectal route refers to rectal route, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**rectal stenosis**

rectal stenosis denotes a clinical condition or finding involving rectal stenosis; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**rectal tenesmus**

rectal tenesmus refers to rectal tenesmus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**rectosigmoid neoplasm**

rectosigmoid neoplasm denotes a neoplastic condition involving rectosigmoid neoplasm; evaluation

---

establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### **rectus abdominis**

rectus abdominis refers to rectus abdominis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **recurrent disease**

recurrent disease denotes a clinical condition or finding involving recurrent disease; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **recurrent fractures**

recurrent fractures denotes a clinical condition or finding involving recurrent fractures; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **red nucleus**

red nucleus refers to red nucleus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **reducing agents**

reducing agents refers to reducing agents, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **reducing diet**

reducing diet refers to reducing diet, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **reductase deficiency**

reductase deficiency denotes a clinical condition or

finding involving reductase deficiency; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **reduviidae**

reduviidae identifies reduviidae, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **referral**

referral refers to referral, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **reflex**

reflex refers to reflex, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **reflex epilepsy**

reflex epilepsy refers to reflex epilepsy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **refractive error**

refractive error refers to refractive error, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **refractometer**

refractometer refers to refractometer, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **refractometry**

refractometry refers to refractometry, a medical condition or clinical finding defined by its features,

---

causes, affected system, and patient context.

**Synonyms:**

### **refractory anemia**

refractory anemia refers to refractory anemia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **refractory cancer**

refractory cancer denotes a neoplastic condition involving refractory cancer; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### **refractory disease**

refractory disease denotes a clinical condition or finding involving refractory disease; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **regeneration**

regeneration denotes regeneration, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **regional**

regional refers to regional, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **regional chemotherapy**

regional chemotherapy is used in relation to regional chemotherapy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **regulatory assessment**

regulatory assessment refers to regulatory assessment, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **regulatory authority**

regulatory authority refers to regulatory authority, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **regulatory gene**

regulatory gene denotes regulatory gene, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **regulatory report**

regulatory report refers to regulatory report, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **reifenstein syndrome**

reifenstein syndrome denotes a clinical condition or finding involving reifenstein syndrome; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **reiki**

reiki refers to reiki, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Reiter's syndrome**

Reiter's syndrome denotes a clinical condition or finding involving reiter's syndrome; evaluation identifies mechanism, affected system, severity, complications, and management.

---

**Synonyms:**

**relaxation**

relaxation refers to relaxation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**relaxation therapy**

relaxation therapy is used in relation to relaxation therapy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

**relaxin**

relaxin refers to relaxin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**religion**

religion refers to religion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**REM sleep**

REM sleep refers to rem sleep, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**removal technique**

removal technique refers to removal technique, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**renal adenoma**

renal adenoma refers to renal adenoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**renal carcinoma**

renal carcinoma denotes a neoplastic condition involving renal carcinoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**renal circulation**

renal circulation refers to renal circulation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**renal cyst**

renal cyst refers to renal cyst, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**renal function**

renal function refers to renal function, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**renal glomerulus**

renal glomerulus refers to renal glomerulus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**renal hamartoma**

renal hamartoma refers to renal hamartoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**renal hypertension**

renal hypertension refers to renal hypertension, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**



---

**renal hypertrophy**

renal hypertrophy refers to renal hypertrophy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**renal insufficiency**

renal insufficiency refers to renal insufficiency, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**renal necrosis**

renal necrosis refers to renal necrosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**renal oncocytoma**

renal oncocytoma refers to renal oncocytoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**renal parenchyma**

renal parenchyma refers to renal parenchyma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**renal reabsorption**

renal reabsorption refers to renal reabsorption, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**renal sarcoma**

renal sarcoma denotes a neoplastic condition involving renal sarcoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**renal tubule**

renal tubule refers to renal tubule, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**renal tubule acidosis**

renal tubule acidosis denotes renal tubule acidosis, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**renaut body**

renaut body refers to renaut body, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**renshaw cell**

renshaw cell denotes renshaw cell, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**reoviridae**

reoviridae identifies reoviridae, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**reoviridae infection**

reoviridae infection identifies reoviridae infection, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**repeat surgery**

repeat surgery is used in relation to repeat surgery during assessment, diagnosis, treatment, monitoring, or patient support.

---

**Synonyms:**

### **replication initiation**

replication initiation refers to replication initiation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **replicon**

replicon refers to replicon, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **reporter gene**

reporter gene denotes reporter gene, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **repression**

repression refers to repression, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **reproduction**

reproduction refers to reproduction, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **reproduction spores**

reproduction spores refers to reproduction spores, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **reproductive behavior**

reproductive behavior refers to reproductive behavior, a medical condition or clinical finding defined by its features, causes, affected system, and patient

context.

**Synonyms:**

### **reproductive history**

reproductive history refers to reproductive history, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **reproductive process**

reproductive process refers to reproductive process, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **reproductive system**

reproductive system refers to reproductive system, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **reproductive technique**

reproductive technique refers to reproductive technique, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **reprogram**

reprogram refers to reprogram, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **reptiles**

reptiles refers to reptiles, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**research activity**

research activity refers to research activity, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**research design**

research design refers to research design, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**research personnel**

research personnel refers to research personnel, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**research study**

research study refers to research study, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**resectable**

resectable refers to resectable, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**reserpine**

reserpine refers to reserpine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**residential mobility**

residential mobility refers to residential mobility, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**residual neoplasm**

residual neoplasm denotes a neoplastic condition involving residual neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**residual risk**

residual risk refers to residual risk, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**residual tumor**

residual tumor denotes a neoplastic condition involving residual tumor; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**resin**

resin refers to resin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**resiquimod**

resiquimod refers to resiquimod, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**resistance training**

resistance training refers to resistance training, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**resistant starch**

resistant starch refers to resistant starch, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**respiratory burst**

respiratory burst refers to respiratory burst, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**respiratory disorder**

respiratory disorder denotes a clinical condition or finding involving respiratory disorder; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**respiratory infection**

respiratory infection denotes an infectious or toxic condition involving respiratory infection; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

**respiratory muscle**

respiratory muscle refers to respiratory muscle, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**respiratory neoplasm**

respiratory neoplasm denotes a neoplastic condition involving respiratory neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**respiratory paralysis**

respiratory paralysis refers to respiratory paralysis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**respiratory therapy**

respiratory therapy is used in relation to respiratory therapy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

**respiratory transport**

respiratory transport refers to respiratory transport, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**respirovirus**

respirovirus is a virus or viral group associated with respirovirus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

**respite care**

respite care refers to respite care, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**response element**

response element refers to response element, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**restlessness**

restlessness refers to restlessness, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**restriction mapping**

restriction mapping refers to restriction mapping, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**resveratrol**

resveratrol refers to resveratrol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

---

**Synonyms:**

**retainer**

retainer refers to retainer, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**retching**

retching refers to retching, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**reticular dermis**

reticular dermis refers to reticular dermis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**reticulin**

reticulin refers to reticulin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**reticulocyte**

reticulocyte refers to reticulocyte, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**reticulocytopenia**

reticulocytopenia refers to reticulocytopenia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**reticulocytosis**

reticulocytosis refers to reticulocytosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**reticuloendothelial system**

reticuloendothelial system refers to reticuloendothelial system, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**reticulophagy**

reticulophagy refers to reticulophagy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**reticulosarcoma**

reticulosarcoma denotes a neoplastic condition involving reticulosarcoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**reticulum**

reticulum refers to reticulum, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**retina disorder**

retina disorder denotes a clinical condition or finding involving retina disorder; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**retina hemorrhage**

retina hemorrhage denotes a clinical condition or finding involving retina hemorrhage; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**retinal cone**

retinal cone refers to retinal cone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### retinal damage

retinal damage refers to retinal damage, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### retinal degeneration

retinal degeneration denotes retinal degeneration, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### retinal dysplasia

retinal dysplasia refers to retinal dysplasia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### retinal dystrophy

retinal dystrophy refers to retinal dystrophy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### retinal fold

retinal fold refers to retinal fold, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### retinal ganglion

retinal ganglion refers to retinal ganglion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### retinal macula

retinal macula refers to retinal macula, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### retinal neoplasm

retinal neoplasm denotes a neoplastic condition involving retinal neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### retinal perforation

retinal perforation refers to retinal perforation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### retinal pigment

retinal pigment refers to retinal pigment, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### retinal vasculitis

retinal vasculitis refers to retinal vasculitis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### retinaldehyde

retinaldehyde refers to retinaldehyde, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### retinoblastoma protein

retinoblastoma protein denotes retinoblastoma protein, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### retirement

retirement refers to retirement, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**



---

**retortamonas intestinalis**

retortamonas intestinalis is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat retortamonas intestinalis.

**Synonyms:**

**retractile testis**

retractile testis is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat retractile testis.

**Synonyms:**

**retreatment**

retreatment is used in relation to retreatment during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

**retrobulbar hemorrhage**

retrobulbar hemorrhage denotes a clinical condition or finding involving retrobulbar hemorrhage; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**retroesophageal**

retroesophageal refers to retroesophageal, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**retrognathia**

retrognathia refers to retrognathia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**retrograde degeneration**

retrograde degeneration denotes retrograde degeneration, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**retroperitoneal neoplasm**

retroperitoneal neoplasm denotes a neoplastic condition involving retroperitoneal neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**retroperitoneal space**

retroperitoneal space refers to retroperitoneal space, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**retrospective studies**

retrospective studies refers to retrospective studies, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**retrotracheal**

retrotracheal refers to retrotracheal, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**retrotransposition**

retrotransposition refers to retrotransposition, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**retroviral vector**

retroviral vector refers to retroviral vector, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**retroviridae**

retroviridae identifies retroviridae, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

---

**Synonyms:**

**retroviridae infection**

retroviridae infection identifies retroviridae infection, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**revascularization surgery**

revascularization surgery is used in relation to revascularization surgery during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

**reversal learning**

reversal learning refers to reversal learning, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**R-factor**

R-factor refers to r-factor, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**rgs proteins**

rgs proteins denotes rgs proteins, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**rhabdoviridae**

rhabdoviridae identifies rhabdoviridae, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**rhamnose**

rhamnose refers to rhamnose, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**rhesus incompatibility**

rhesus incompatibility refers to rhesus incompatibility, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**rheumatic chorea**

rheumatic chorea refers to rheumatic chorea, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**rheumatoid nodule**

rheumatoid nodule refers to rheumatoid nodule, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**rhinocephaly**

rhinocephaly refers to rhinocephaly, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**rhinoscopy**

rhinoscopy refers to rhinoscopy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**rhinovirus A**

rhinovirus A is a virus or viral group associated with rhinovirus a; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

**rhinovirus C**

rhinovirus C is a virus or viral group associated with rhinovirus c; disease risk depends on strain, transmission route, host, and tissue tropism.

---

**Synonyms:**

**rhizobiaceae**

rhizobiaceae refers to rhizobiaceae, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**rhizobium**

rhizobium refers to rhizobium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**rhizomucor**

rhizomucor refers to rhizomucor, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**rhizomucor pusillus**

rhizomucor pusillus refers to rhizomucor pusillus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**rhizopus**

rhizopus refers to rhizopus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**rhizopus oryzae**

rhizopus oryzae refers to rhizopus oryzae, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**rhizoxin**

rhizoxin refers to rhizoxin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**rhodium**

rhodium refers to rhodium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**rhodobacteraceae**

rhodobacteraceae denotes an infectious or toxic condition involving rhodobacteraceae; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

**rhodococcus**

rhodococcus refers to rhodococcus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**rhodococcus equi**

rhodococcus equi refers to rhodococcus equi, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**rhodopseudomonas**

rhodopseudomonas refers to rhodopseudomonas, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**rhodopsin**

rhodopsin refers to rhodopsin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**rhodospirillaceae**

rhodospirillaceae refers to rhodospirillaceae, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**rhodospirillales**

rhodospirillales refers to rhodospirillales, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**rhodospirillum**

rhodospirillum refers to rhodospirillum, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**rhodotorula glutinis**

rhodotorula glutinis refers to rhodotorula glutinis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**rhombencephalon**

rhombencephalon refers to rhombencephalon, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ribavirin**

ribavirin refers to ribavirin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**riboflavin**

riboflavin refers to riboflavin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**riboflavin assay**

riboflavin assay is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat riboflavin assay.

**Synonyms:**

**riboflavin deficiency**

riboflavin deficiency denotes a clinical condition or finding involving riboflavin deficiency; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**ribonuclease**

ribonuclease refers to ribonuclease, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ribonuclease h**

ribonuclease h refers to ribonuclease h, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ribonuclease iii**

ribonuclease iii refers to ribonuclease iii, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ribonucleoprotein**

ribonucleoprotein denotes ribonucleoprotein, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**ribonucleoside**

ribonucleoside refers to ribonucleoside, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ribonucleotide reductase**

ribonucleotide reductase refers to ribonucleotide reductase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### ribonucleotides

ribonucleotides refers to ribonucleotides, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### ribophagy

ribophagy refers to ribophagy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### ribose

ribose refers to ribose, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### ribosomal protein

ribosomal protein denotes ribosomal protein, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### ribosome subunit

ribosome subunit refers to ribosome subunit, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### ribostamycin

ribostamycin concerns ribostamycin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### Richter's syndrome

Richter's syndrome denotes a clinical condition or finding involving richter's syndrome; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### ricin

ricin refers to ricin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### rickettsia felis

rickettsia felis identifies rickettsia felis, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### rickettsia infections

rickettsia infections identifies rickettsia infections, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### rickettsia japonica

rickettsia japonica identifies rickettsia japonica, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### rickettsia prowazekii

rickettsia prowazekii identifies rickettsia prowazekii, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### rickettsia rickettsii

rickettsia rickettsii identifies rickettsia rickettsii, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### rickettsia typhi

rickettsia typhi identifies rickettsia typhi, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site

---

involved.

**Synonyms:**

### **rickettsiaceae**

rickettsiaceae identifies rickettsiaceae, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **ridaforolimus**

ridaforolimus refers to ridaforolimus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ridged nail**

ridged nail refers to ridged nail, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Riedel's thyroiditis**

Riedel's thyroiditis refers to riedel's thyroiditis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Rieger syndrome**

Rieger syndrome denotes a clinical condition or finding involving rieger syndrome; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **rifabutin**

rifabutin refers to rifabutin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **rifampin**

rifampin refers to rifampin, a medical condition

or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **rifamycin**

rifamycin concerns rifamycin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **rifaximin**

rifaximin refers to rifaximin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **right eye**

right eye refers to right eye, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **right kidney**

right kidney refers to right kidney, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **right lung**

right lung refers to right lung, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **righting reflex**

righting reflex refers to righting reflex, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **rigosertib sodium**

rigosertib sodium refers to rigosertib sodium, a medical condition or clinical finding defined by its fea-



---

tures, causes, affected system, and patient context.

**Synonyms:**

### **rilotumumab**

rilotumumab concerns rilotumumab, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **rilpivirine**

rilpivirine refers to rilpivirine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **riluzole**

riluzole refers to riluzole, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **rimantadine**

rimantadine refers to rimantadine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ring chromosome**

ring chromosome denotes ring chromosome, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **risedronate sodium**

risedronate sodium refers to risedronate sodium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **risk**

risk refers to risk, a medical condition or clinical

finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **risk adjustment**

risk adjustment refers to risk adjustment, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **risk factors**

risk factors refers to risk factors, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **risk management**

risk management refers to risk management, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **risk-taking**

risk-taking refers to risk-taking, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **risperidone**

risperidone refers to risperidone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ristocetin**

ristocetin refers to ristocetin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ritodrine**

ritodrine refers to ritodrine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

---

**Synonyms:**

**ritonavir**

ritonavir concerns ritonavir, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**ritual**

ritual refers to ritual, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**rituximab**

rituximab concerns rituximab, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**rivaroxaban**

rivaroxaban concerns rivaroxaban, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**RNA binding**

RNA binding denotes rna binding, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**RNA biosynthesis**

RNA biosynthesis denotes rna biosynthesis, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**RNA degradation**

RNA degradation denotes rna degradation, a bio-

logical component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**RNA folding**

RNA folding denotes rna folding, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**RNA helicase**

RNA helicase denotes rna helicase, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**RNA interference**

RNA interference denotes rna interference, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**RNA splicing**

RNA splicing denotes rna splicing, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**RNA transport**

RNA transport denotes rna transport, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**RNA virus**

RNA virus is a virus or viral group associated with rna virus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

---

**RNase P**

RNase P denotes rnase p, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**Robinow syndrome**

Robinow syndrome denotes a clinical condition or finding involving robinow syndrome; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**rod photoreceptor**

rod photoreceptor denotes rod photoreceptor, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**roentgen**

roentgen refers to roentgen, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**rofecoxib**

rofecoxib refers to rofecoxib, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**romidepsin**

romidepsin refers to romidepsin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**romiplostim**

romiplostim refers to romiplostim, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ronnel**

ronnel refers to ronnel, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ropivacaine**

ropivacaine concerns ropivacaine, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**ropivacaine hydrochloride**

ropivacaine hydrochloride refers to ropivacaine hydrochloride, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**rose bengal**

rose bengal refers to rose bengal, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**roseolovirus**

roseolovirus is a virus or viral group associated with roseolovirus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

**roseomonas**

roseomonas refers to roseomonas, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**roseomonas gilardii**

roseomonas gilardii refers to roseomonas gilardii, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**roseomonas mucosa**

roseomonas mucosa refers to roseomonas mucosa, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**rosiglitazone**

rosiglitazone refers to rosiglitazone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**rosiglitazone maleate**

rosiglitazone maleate refers to rosiglitazone maleate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ross river virus**

ross river virus is a virus or viral group associated with ross river virus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

**rostaporfin**

rostaporfin refers to rostaporfin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**rosuvastatin calcium**

rosuvastatin calcium refers to rosuvastatin calcium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**rotation**

rotation refers to rotation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**rotavirus infection**

rotavirus infection is a virus or viral group associated with rotavirus infection; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

**rotenone**

rotenone refers to rotenone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**rothia dentocariosa**

rothia dentocariosa refers to rothia dentocariosa, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**rothia mucilaginosa**

rothia mucilaginosa refers to rothia mucilaginosa, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**rotifera**

rotifera refers to rotifera, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**round ligament**

round ligament refers to round ligament, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**roxithromycin**

roxithromycin concerns roxithromycin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

---

**rubber**

rubber refers to rubber, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**rubber dams**

rubber dams refers to rubber dams, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**rubeosis iridis**

rubeosis iridis refers to rubeosis iridis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**rubidium**

rubidium refers to rubidium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**rubitecan**

rubitecan refers to rubitecan, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**rubivirus**

rubivirus is a virus or viral group associated with rubivirus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

**rubredoxins**

rubredoxins refers to rubredoxins, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**rubricyte count**

rubricyte count refers to rubricyte count, a medical

condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**rubulavirus**

rubulavirus is a virus or viral group associated with rubulavirus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

**rumen**

rumen refers to rumen, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**rumination**

rumination refers to rumination, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ruminococcus**

ruminococcus is a microorganism or microbial group associated with ruminococcus; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

**ruminococcus gnavus**

ruminococcus gnavus is a microorganism or microbial group associated with ruminococcus gnavus; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

**rural health**

rural health refers to rural health, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**Russell-Siver syndrome**

Russell-Siver syndrome denotes a clinical condition

---

or finding involving russell-siver syndrome; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **ruthenium**

ruthenium refers to ruthenium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **rutin**

rutin refers to rutin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ryanodine**

ryanodine refers to ryanodine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Red eye**

Redness of the white part of the eye caused by irritation, dryness, allergy, infection, injury, inflammation, or increased surface blood flow. **Synonyms:**

### **RA**

Alternate index label; see *Rheumatoid arthritis*. **Synonyms:**

### **Rapid eye movement sleep behavior disorder**

Alternate index label; see *REM sleep behavior disorder*. **Synonyms:**

### **Rapid heartbeat**

Alternate index label; see *Tachycardia*. **Synonyms:**

### **Rash, poison ivy**

Alternate index label; see *Poison ivy rash*. **Synonyms:**

### **Reading disability, specific**

Alternate index label; see *Dyslexia*. **Synonyms:**

### **Rebound headache**

Alternate index label; see *Medication overuse headaches*. **Synonyms:**

### **Rectal inflammation**

Alternate index label; see *Proctitis*. **Synonyms:**

### **Rectal itching**

Alternate index label; see *Anal itching*. **Synonyms:**

### **Rectal ulcer**

Alternate index label; see *Solitary rectal ulcer syndrome*. **Synonyms:**

### **Recurrent oral ulcers**

Alternate index label; see *Canker sore*. **Synonyms:**

### **Recurrent prostate cancer**

Alternate index label; see *Prostate cancer recurrence*. **Synonyms:**

### **Reflux, bile**

Alternate index label; see *Bile reflux*. **Synonyms:**

### **Reflux, vesicoureteral**

Alternate index label; see *Vesicoureteral reflux*. **Synonyms:**

### **Regurgitation, aortic valve**

Alternate index label; see *Aortic valve regurgitation*. **Synonyms:**

### **Regurgitation, mitral valve**

Alternate index label; see *Mitral valve regurgitation*. **Synonyms:**

### **Renal artery disease**

Alternate index label; see *Renal artery stenosis*. **Synonyms:**



---

**Renal cancer**

Alternate index label; see *Kidney cancer*. **Synonyms:**

**Synonyms:**

**Renal lithiasis**

Alternate index label; see *Kidney stones*. **Synonyms:**

**Renal vascular disease**

Alternate index label; see *Renal artery stenosis*. **Synonyms:**

**Retinopathy, diabetic**

Alternate index label; see *Diabetic retinopathy*. **Synonyms:**

**Rhinitis, allergic**

Alternate index label; see *Hay fever*. **Synonyms:**

**Rhinitis, nonallergic**

Alternate index label; see *Nonallergic rhinitis*. **Synonyms:**

**Rhinitis, vasomotor**

Alternate index label; see *Nonallergic rhinitis*. **Synonyms:**

**Ringing in the ear**

Alternate index label; see *Tinnitus*. **Synonyms:**

**Ringworm of the foot**

Alternate index label; see *Athlete's foot*. **Synonyms:**

**Road rage**

Alternate index label; see *Intermittent explosive disorder*. **Synonyms:**

**Round back**

Alternate index label; see *Kyphosis*. **Synonyms:**

**Runner's knee**

Alternate index label; see *Patellofemoral pain syndrome*. **Synonyms:**

## S

### 16S Ribosomal RNA Sequencing

Molecular identification of bacteria and archaea using conserved and variable regions of the 16S ribosomal RNA gene. It is useful for difficult-to-culture organisms but may not distinguish closely related species or provide susceptibility data.

**Synonyms:**

### SAD

Seasonal affective disorder, a recurring mood disorder linked to seasonal changes and reduced daylight.

**Synonyms:** Seasonal affective disorder

### Saline

A sterile water solution containing sodium chloride, commonly used for fluids, irrigation, or drug delivery.

**Synonyms:** Normal saline

### Sarcolemma

The specialized cell membrane surrounding a muscle fiber. **Synonyms:**

### Satisficer

A person who chooses an option that meets acceptable criteria without seeking the absolute best option. **Synonyms:**

### Sausage Digit

Diffuse swelling of an entire finger or toe, often seen with inflammatory arthritis. **Synonyms:** Dactylitis

### Scapulothoracic Joint

The functional gliding connection between the scapula and the back of the chest wall. **Synonyms:**

### Schlemm's Canal

A circular channel that drains aqueous humor from the eye. **Synonyms:** Canal of Schlemm

### Scintillations

Perceived flashes or zigzag lines, often occurring during a migraine aura. **Synonyms:**

### Secondary Osteoporosis

Bone loss caused by another illness, medication, or prolonged immobility. **Synonyms:**

### Sed Rate

A blood test measuring how quickly red blood cells settle, used as a nonspecific marker of inflammation.

**Synonyms:** Erythrocyte sedimentation rate; ESR

### Selective Estrogen Receptor Modulators

Medicines that activate estrogen receptors in some tissues and block them in others. **Synonyms:** SERMs

### Selective Serotonin Reuptake Inhibitors

Antidepressants that increase serotonin signaling by reducing its reuptake into nerve cells. **Synonyms:** SSRIs

### Self-Help Group

A peer group in which members support one another while changing a harmful behavior or coping with a problem. **Synonyms:** Support group

### Seminal Vesicles

Glands behind the bladder that produce much of the fluid in semen. **Synonyms:**

---

### Senescence

Gradual biological decline associated with aging. **Synonyms:** Biological aging

### Senile Dementia

An outdated term formerly used for dementia in older adults. **Synonyms:** Dementia

### Sensate Focus Techniques

Structured touch exercises used in sex therapy to reduce performance pressure and improve intimacy. **Synonyms:** Sensate focus

### SERMs

Selective estrogen receptor modulators that have estrogen-like effects in some tissues and blocking effects in others. **Synonyms:** Selective estrogen receptor modulators

### Seroma

A pocket of clear fluid that develops near a surgical incision or injured tissue. **Synonyms:**

### Serotonin

A neurotransmitter involved in mood, sleep, appetite, and pain regulation. **Synonyms:** 5-hydroxytryptamine; 5-HT

### Sesamoiditis

Inflammation and pain around a small sesamoid bone, often beneath the big toe. **Synonyms:**

### Set

A group of consecutive repetitions of an exercise. **Synonyms:**

### Short-Term Memory

The temporary storage and use of information over seconds to minutes. **Synonyms:** Working memory

### Sigmoidoscopy

Examination of the rectum and sigmoid colon with a flexible viewing instrument. **Synonyms:**

### Signature Strengths

Personal character strengths that a person values and naturally uses. **Synonyms:**

### Silent Heart Attack

A myocardial infarction without recognized pain or typical warning symptoms. **Synonyms:** Unrecognized myocardial infarction

### Silent Ischemia

Inadequate blood flow to heart muscle without noticeable symptoms. **Synonyms:** Asymptomatic ischemia

### Single-Photon Absorptiometry

An older technique using gamma rays to measure bone density, usually in an arm or peripheral bone. **Synonyms:** SPA

### Sinus Node

The heart's natural pacemaker, located in the right atrium. **Synonyms:** Sinoatrial node

### Skeletal Muscles

Muscles attached to bones that produce voluntary movement. **Synonyms:** Voluntary muscles

### Skin Resurfacing

Procedures that improve skin texture or pigmentation by removing or remodeling superficial skin layers. **Synonyms:**

### Sleep Architecture

The pattern and organization of sleep stages across a sleep period. **Synonyms:**

### Sleep Spindles

Brief bursts of rhythmic brain activity during stage 2 non-REM sleep. **Synonyms:**

### Sling

A supportive device or surgically placed strip used to support an injured limb or urinary structures. **Synonyms:**

---

### Slipped Disk

A spinal disk that bulges or herniates through a tear in its outer layer. **Synonyms:** Herniated disk

### Slipped Vertebra

Forward displacement of one vertebra relative to the one below it. **Synonyms:** Spondylolisthesis

### Slit Lamp

An instrument using magnification and a narrow beam of light to examine the eye. **Synonyms:** Biomicroscope

### Slow-Twitch Fiber

A muscle fiber adapted for sustained, aerobic activity and fatigue resistance. **Synonyms:** Type I muscle fiber

### Slow-Wave Sleep

Deep non-REM sleep characterized by slow brain waves and reduced responsiveness. **Synonyms:** Deep sleep

### SMART

A goal-setting framework emphasizing specific, measurable, achievable, realistic, and time-bound goals. **Synonyms:** SMART goals

### Somatization

Expression of psychological distress through physical symptoms. **Synonyms:**

### Somniloquy

Talking during sleep. **Synonyms:** Sleep talking

### Sorbitol

A sugar alcohol used as a sweetener and, in larger amounts, as an osmotic laxative. **Synonyms:**

### Spacer

A chamber used with a metered-dose inhaler to improve delivery of medicine to the lungs. **Synonyms:** Valved holding chamber

### Sphincter

A ring-shaped muscle that regulates an opening by contracting and relaxing. **Synonyms:**

### Spinal Tap

A procedure that withdraws cerebrospinal fluid from the lower spinal canal for testing. **Synonyms:** Lumbar puncture

### Spinous Process

The posterior bony projection of a vertebra to which muscles and ligaments attach. **Synonyms:**

### Splenic Flexure Syndrome

Left-upper-abdominal pain caused by gas trapped at the bend between the transverse and descending colon. **Synonyms:**

### Spongy Bone

Porous trabecular bone found inside many bones, especially near joints. **Synonyms:** Cancellous bone; trabecular bone

### Squamous Cell

A thin, flat epithelial cell. **Synonyms:**

### Stable Angina

Predictable exertional chest pain caused by temporary inadequate coronary blood flow. **Synonyms:** Chronic stable angina

### Stable Coronary Artery Disease

Coronary artery narrowing causing a consistent, predictable pattern of angina. **Synonyms:** Stable ischemic heart disease

### Stages of Change

A model describing gradual phases people pass through while changing behavior. **Synonyms:** Transtheoretical model

### Standardized Extract

An herbal extract adjusted to contain a specified amount of a selected constituent. **Synonyms:**

---

## Statins

Cholesterol-lowering medicines that inhibit HMG-CoA reductase. **Synonyms:** HMG-CoA reductase inhibitors

## Steroids

Hormone-like medicines or compounds with a four-ring chemical structure; corticosteroids are used to reduce inflammation. **Synonyms:** Corticosteroids

## Stimulant

A substance that increases activity of the central nervous system or other body systems. **Synonyms:**

## Stratum Corneum

The outermost layer of the epidermis, composed mainly of dead keratinized cells. **Synonyms:**

## Strength

The ability of a muscle or muscle group to exert force. **Synonyms:**

## Strength Training

Exercise using resistance to increase muscle strength and capacity. **Synonyms:** Resistance training; weight training

## Stress Response

Physiological changes that prepare the body to respond to a perceived threat. **Synonyms:** Fight-or-flight response

## Stressors

Events, conditions, or circumstances that trigger a stress response. **Synonyms:**

## Stria

A line, streak, or band in tissue, such as a stretch mark. **Synonyms:** Striae

## Stricture

Abnormal narrowing of a hollow body passage. **Synonyms:**

## Subarachnoid Space

The space between the arachnoid and pia mater containing cerebrospinal fluid. **Synonyms:**

## Subcutaneous

Located or administered beneath the skin. **Synonyms:** Subcuticular

## Subendocardial Myocytes

Heart-muscle cells in the inner layer of the myocardium, which are especially vulnerable to reduced blood flow. **Synonyms:**

## S3 Gallop Pathology

A third heart sound produced during rapid ventricular filling. In some adults it may indicate volume overload or ventricular dysfunction, although it can be physiologic in children, young adults, and pregnancy. Its significance depends on the complete clinical assessment.

**Synonyms:**

## S4 Gallop Pathology

A fourth heart sound indicates atrial contraction against a stiff ventricle (decreased compliance). Associated with left ventricular hypertrophy from hypertension, aortic stenosis, and hypertrophic cardiomyopathy. S4 is best heard at the apex with the bell, and is accentuated by exertion, expiration, and isorhythmic AV dissociation.

**Synonyms:**

## Sacral Nerve Stimulation

Neuromodulation for urinary/fecal incontinence, constipation. Sacral nerve root (S3) stimulation. Implantable pulse generator + electrode. Indications: refractory urge incontinence, fecal incontinence, non-obstructive urinary retention.

**Synonyms:**

## Sacral Nerve Stimulator

An implanted device that delivers electrical stimulation to sacral nerves to alter bladder, bowel, or pelvic-floor function in selected patients.

**Synonyms:**

---

## Sacral Vertebrae

Five vertebrae fused to form the sacrum. They transmit body weight from the vertebral column to the pelvic girdle and contain anterior and posterior sacral foramina for spinal nerves.

**Synonyms:**

## Sacroiliac Joint

The synovial joint between the sacrum and the ilium (auricular surfaces), forming the connection between the axial skeleton and the pelvis. The sacroiliac joint is reinforced by strong ligaments (anterior, interosseous, and posterior sacroiliac ligaments, sacrotuberous and sacrospinous ligaments).

**Synonyms:**

## Sacroiliitis

Inflammation of one or both sacroiliac joints, causing pain in the lower back, buttock, or posterior thigh that may worsen with prolonged rest. Causes include axial spondyloarthritis, psoriatic or enteropathic arthritis, infection, trauma, and degenerative disease.

**Synonyms:**

## Sacrum

Large triangular bone from 5 fused sacral vertebrae between the hip bones. Articulates with L5 superiorly and coccyx inferiorly. The sacral promontory is an obstetric landmark. Contains 4 pairs of sacral foramina. Forms the posterior pelvic wall. Sacroiliac joints are important for force transmission between spine and lower limbs.

**Synonyms:**

## Safety Plan

A collaboratively written, practical plan for responding to escalating suicidal thoughts or emotional crisis. It identifies warning signs, internal coping strategies, supportive contacts, professional resources, and methods to restrict access to lethal means.

**Synonyms:**

## Sagittal Plane

A vertical plane that divides the body or an organ

into right and left sides.

**Synonyms:**

## Salbutamol (Albuterol)

A selective beta-2 adrenergic agonist bronchodilator used for acute relief and prevention of bronchospasm in asthma and COPD. Relaxes airway smooth muscle; short-acting (SABA), onset 5-15 minutes, duration 4-6 hours via inhaler or nebulizer. Adverse effects: tremor, tachycardia, palpitations, hypokalemia, and headache.

**Synonyms:** Albuterol

## Salicylate

A group of compounds that includes aspirin and has analgesic, antipyretic, and anti-inflammatory effects.

**Synonyms:**

## Salicylate Toxicity

Poisoning caused by excessive aspirin or another salicylate, potentially producing vomiting, ringing in the ears, fever, abnormal breathing, confusion, and acid-base disturbances.

**Synonyms:**

## Saline Infusion Sonohysterography

Ultrasound evaluation of uterus using saline contrast. Evaluates intrauterine pathology.

**Synonyms:**

## Saliva

Secretion of salivary glands (1-1.5 L/day). Functions: lubrication, digestion (amylase), buffering, antimicrobial, remineralization. Xerostomia (dry mouth) increases caries risk. Causes: medications, Sjogren syndrome, radiation, dehydration.

**Synonyms:**

## Salivary Gland

Any exocrine gland that secretes saliva into the oral cavity. The major paired glands are the parotid, submandibular, and sublingual glands; numerous minor glands occur throughout the oral mucosa.

**Synonyms:**



---

## Salivary Gland Cancer

A rare malignancy most often arising in the parotid gland. Histologic types include mucoepidermoid carcinoma, adenoid cystic carcinoma, and acinic cell carcinoma; facial nerve preservation is a key surgical consideration.

**Synonyms:**

## Salivary Gland Infection

Infection of a salivary gland, usually bacterial and often involving the parotid or submandibular gland. Painful swelling, fever, dry mouth, and purulent drainage from the duct may occur.

**Synonyms:**

## Salivary Gland Scintigraphy

Salivary gland function assessment using Tc-99m pertechnetate. Used for Sjogren syndrome, obstruction, radiation sialadenitis.

**Synonyms:**

## Salivary Gland Tumors

Tumors arising in the salivary glands. Many are benign, especially in the parotid gland; pleomorphic adenoma is a common benign type. Malignant types include mucoepidermoid, adenoid cystic, and acinic cell carcinoma.

**Synonyms:**

## Salivation

The secretion of saliva by the salivary glands.

**Synonyms:**

## Salmonella

A genus of Gram-negative, facultatively anaerobic, rod-shaped bacteria in the Enterobacteriaceae family. It includes non-typhoidal strains that cause gastroenteritis and typhoidal strains that can cause enteric fever.

**Synonyms:**

## Salmonellosis

Infection with Salmonella bacteria (non-typhoidal), typically acquired from contaminated food (eggs, poultry, meat). Presents with acute gastroenteritis:

diarrhea, fever, and abdominal cramps within 6-72 hours of ingestion. Self-limited in immunocompetent patients. Bacteremia can occur, especially in immunocompromised.

**Synonyms:**

## Salpingectomy

Surgical removal of a fallopian tube. It may be used to treat a tubal ectopic pregnancy, hydrosalpinx, or other tubal disease. The approach and whether the tube is removed depend on the clinical condition, fertility plans, and the state of the opposite tube.

**Synonyms:**

## Salpingitis

Inflammation of the fallopian tubes, most commonly caused by ascending infection from the lower genital tract. Salpingitis is a component of pelvic inflammatory disease and is often bilateral.

**Synonyms:**

## Salpingo-oophorectomy

Surgical removal of one or both fallopian tubes and ovaries. Bilateral salpingo-oophorectomy treats and stages ovarian cancer and is used as risk-reducing surgery in BRCA mutation carriers.

**Synonyms:**

## Salpingography

Contrast imaging of fallopian tubes. Part of hysterosalpingography.

**Synonyms:**

## Salpingostomy (Salpingotomy)

A fertility-preserving surgical procedure for tubal ectopic pregnancy: a linear incision on the antimesenteric border of the fallopian tube to remove the ectopic gestation, leaving the tube in situ. Indications: unruptured ectopic, desire for future fertility, contralateral tubal damage or absence.

**Synonyms:** Salpingotomy

## Saltatory Conduction

The rapid propagation of action potentials along myelinated nerve fibers, where the action potential

---

appears to "jump" from one Node of Ranvier to the next. Myelin (produced by Schwann cells in the PNS and oligodendrocytes in the CNS) insulates the axon, preventing ion flow across the internodal membrane.

**Synonyms:**

### Salvage Therapy

Treatment given for cancer that has not responded to, or has returned after, an earlier course of treatment.

**Synonyms:**

### Sandhoff Disease

An autosomal-recessive lysosomal storage disorder caused by deficiency of beta-hexosaminidase A and B, leading to accumulation of GM2 ganglioside. It causes progressive neurodegeneration, developmental regression, seizures, hypotonia, and sometimes organ enlargement.

**Synonyms:**

### Sandpaper Tooth

Rough enamel surface retains plaque. May indicate early demineralization or fluorosis.

**Synonyms:**

### Saphenous Vein

A superficial vein of the lower limb that drains the foot and leg. The great and small saphenous veins are clinically important in venous disease and may be used as graft material in selected vascular or cardiac bypass procedures.

**Synonyms:**

### SAPHO Syndrome

A rare inflammatory disorder involving synovitis, acne, pustulosis, hyperostosis, and osteitis. It commonly affects the anterior chest wall, spine, or jaw and may resemble infection or malignancy. Diagnosis is clinical and treatment may include anti-inflammatory or specialist immunomodulatory therapy.

**Synonyms:**

### Sarcoidosis

A multisystem inflammatory disorder of uncertain cause characterized by noncaseating granulomas. It commonly affects the lungs and lymph nodes but may involve the skin, eyes, heart, nervous system, or other organs.

**Synonyms:**

### Sarcoidosis Skin Manifestations

Cutaneous sarcoidosis affects 25 percent of patients with systemic sarcoidosis.

**Synonyms:**

### Sarcoma

A malignant tumor arising from connective or supporting tissues, including bone, cartilage, fat, muscle, and blood vessels. Examples include osteosarcoma, liposarcoma, and rhabdomyosarcoma.

**Synonyms:**

### Sarcopenia

Age-related loss of muscle mass and function. Prevalence increases with age. Risk factors: reduced protein intake, decreased physical activity, chronic disease. Assessment: grip strength, gait speed, muscle mass measurement. Treatment: protein supplementation, resistance exercise, vitamin D, hormonal therapy if deficient.

**Synonyms:**

### Sarcopenic Obesity

The coexistence of excess adiposity with reduced skeletal-muscle mass, strength, or physical performance. It increases risks of disability, falls, metabolic disease, and poor surgical outcomes and requires assessment beyond body-mass index alone.

**Synonyms:**

### Sarcoptes scabiei

A mite that causes scabies, a contagious skin infestation transmitted by prolonged skin-to-skin contact. The female mite burrows into the stratum corneum, laying eggs along the burrow, which appears as a greyish, serpiginous line. The life cycle from egg to adult takes approximately 10-14 days.

---

**Synonyms:**

### **SARS-CoV-2**

A coronavirus belonging to the Coronaviridae family that causes COVID-19. SARS-CoV-2 has a positive-sense single-stranded RNA genome and a spike glycoprotein that mediates attachment to ACE2 receptors. The virus replicates in the cytoplasm using its own RNA-dependent RNA polymerase.

**Synonyms:**

### **Satiety**

Feeling of fullness after eating. Affected by meal composition, volume, fiber, protein. Satiety hormones: CCK, PYY, GLP-1.

**Synonyms:**

### **Saturated Fat**

Solid at room temperature. Sources: meat, dairy, coconut oil, palm oil. Controversial cardiovascular effects. Current guidelines limit intake.

**Synonyms:**

### **Saturation**

Occupancy of available binding, metabolic, transport, or elimination capacity such that further increases in concentration or dose produce a nonlinear response. Saturable metabolism can cause disproportionate rises in plasma concentration and toxicity.

**Synonyms:**

### **Scabies**

A highly contagious, intensely pruritic parasitic infestation of the skin caused by the mite *Sarcoptes scabiei* var. *hominis*. The hallmark symptom is severe, generalized pruritus that characteristically worsens at night, driven by a hypersensitivity reaction to the mite's proteins, eggs, and feces.

**Synonyms:**

### **Scaffold**

Three-dimensional structure for tissue engineering. Porous, biodegradable. Cells populate scaffold.

**Synonyms:**

### **Scaling and Root Planing**

Nonsurgical periodontal instrumentation that removes supra- and subgingival deposits and smooths contaminated root surfaces. It reduces inflammation and pocket depth in appropriate patients but does not regenerate lost periodontal attachment by itself.

**Synonyms:**

### **Scalp Psoriasis**

Psoriasis affecting the scalp, causing sharply demarcated red plaques covered by silvery scale that may extend beyond the hairline. It can itch, crack, or bleed and is not contagious. Treatment may include medicated shampoos, topical corticosteroids, vitamin-D analogues, or systemic therapy for extensive disease.

**Synonyms:**

### **Scalpel**

Surgical knife with interchangeable blades. Blade numbers indicate size and shape. #10: common for incisions. #11: puncture. #15: precise work.

**Synonyms:**

### **Scalpel Handle**

Handle for holding scalpel blades. #3 handle common.

**Synonyms:**

### **Scaphoid**

Largest proximal carpal row bone on the radial wrist side. Most commonly fractured carpal bone from falls on an outstretched hand. Unique distal blood supply makes waist fractures prone to proximal fragment avascular necrosis. Anatomical snuffbox tenderness is characteristic.

**Synonyms:**

### **Scaphoid Fractures**

Scaphoid fractures: most common carpal fracture (young males, FOOSH). Classification: Herbert: A (incomplete), B (complete: B1 distal waist, B2 proximal waist, B3 proximal pole, B4 distal tubercle, B5 transverse). Vascularity: retrograde from distal

---

radius -> proximal pole at risk for AVN.

**Synonyms:**

### Scapula

Flat triangular bone on the posterior thorax between ribs 2-7. Key features: acromion, coracoid process, glenoid cavity, spine, supraspinous/infraspinous fossae. Stabilized by 17 muscles and serves as rotator cuff attachment. Has 3 borders, 3 angles, and 2 surfaces. Fractures are uncommon, usually from high-energy trauma.

**Synonyms:**

### Scar Management

Measures used to reduce symptoms and abnormal scar formation. Options include silicone products, pressure therapy, massage, corticosteroid injections, or other specialist treatments, depending on the scar and its cause.

**Synonyms:**

### Scarlatina

Scarlet fever, an illness caused by toxin-producing group A Streptococcus and characterized by sore throat, fever, and a fine rough-textured rash.

**Synonyms:**

### Scarlet Fever

A toxin-mediated illness caused by Group A Streptococcus producing erythrogenic toxin. Presents with fever, pharyngitis, and a characteristic diffuse, erythematous, sandpaper-textured rash that blanches with pressure. Circumoral pallor, Pastia lines (linear petechiae in skin folds), and strawberry tongue are classic findings.

**Synonyms:**

### Scarring Alopecia

Permanent hair loss caused by destruction and fibrosis of the hair follicle. Causes include lichen planopilaris, discoid lupus, central centrifugal cicatricial alopecia, folliculitis decalvans, and severe infection; early diagnosis and biopsy can prevent progression.

**Synonyms:**

### Scatter Correction

Correction for scattered photons. Dual energy window method.

**Synonyms:**

### Scatter Events

Photons deflected from original path. Corrected by energy windowing and scatter correction algorithms.

**Synonyms:**

### Scavenging System

The anesthesia gas scavenging system collects and removes waste anesthetic gases from the operating room environment to protect staff from chronic exposure. Active scavenging uses negative pressure from vacuum source; passive scavenging vents to exhaust through gravity.

**Synonyms:**

### Schatzki Ring

Thin circumferential mucosal ring located at the squamocolumnar junction of the distal esophagus at the superior margin of a hiatal hernia. The ring is composed of mucosa and submucosa. May be asymptomatic or cause episodic dysphagia particularly to solid food and acute food bolus impaction.

**Synonyms:**

### Schedule I

A United States controlled-substance category for drugs with high misuse potential and no accepted medical use under federal law.

**Synonyms:**

### Schedule II

A United States controlled-substance category for drugs with accepted medical uses but high misuse potential.

**Synonyms:**

### Schedule III

A United States controlled-substance category for drugs with lower misuse potential than Schedule II drugs.

**Synonyms:**

---

### Schedule IV

A United States controlled-substance category for drugs with accepted medical uses and lower misuse potential than Schedule III drugs.

**Synonyms:**

### Schedule V

A United States controlled-substance category for drugs with the lowest level of misuse potential among the federal schedules.

**Synonyms:**

### Schilling Test

A historical test of vitamin B12 absorption, formerly used to investigate pernicious anaemia and intestinal malabsorption. It has largely been replaced by serum vitamin B12, methylmalonic acid, homocysteine, and intrinsic-factor antibody testing.

**Synonyms:**

### Schistocytes

Fragmented, helmet-shaped, or triangular red blood cells produced by mechanical shearing as erythrocytes pass through obstructed or fibrin-laden microvessels.

**Synonyms:**

### Schistosoma haematobium

A parasitic blood fluke that can cause urinary schistosomiasis, including hematuria and chronic injury of the urinary tract.

**Synonyms:**

### Schistosomiasis

A parasitic disease, also called bilharzia, caused by blood flukes of the genus *Schistosoma*. Infection occurs when cercariae in contaminated freshwater penetrate the skin.

**Synonyms:** bilharzia, caused by blood flukes of the genus.

### Schizencephaly

A rare brain malformation characterized by a full-thickness, gray matter-lined cleft extending from the pial surface to the lateral ventricle. Caused

by early focal neuronal migration abnormalities, often associated with prenatal vascular disruption or COL4A1 mutations. Closed-lip (Type I): the cleft walls are apposed.

**Synonyms:**

### Schizoaffective Disorder

A disorder characterized by an uninterrupted period of illness during which there is a major mood episode concurrent with criterion A of schizophrenia (delusions, hallucinations, disorganized speech, grossly disorganized or catatonic behavior, or negative symptoms).

**Synonyms:**

### Schizoid Personality Disorder

A pattern of detachment from social relationships with a restricted range of emotional expression.

**Synonyms:**

### Schizophrenia

A severe chronic mental illness characterized by psychotic symptoms (hallucinations, delusions, disorganized thinking) and negative symptoms (avolition, alogia, anhedonia, blunted affect), with cognitive impairment and functional decline. Diagnosis: at least two core symptoms for  $\geq 1$  month with continuous signs for  $\geq 6$  months.

**Synonyms:**

### Schizotypal Personality Disorder

A pattern of social and interpersonal deficits marked by acute discomfort with and reduced capacity for close relationships, cognitive or perceptual distortions, and eccentricities of behavior.

**Synonyms:**

### Schnitzler Syndrome

A rare autoinflammatory syndrome characterized by chronic urticarial rash, intermittent fever, bone pain, arthralgia or arthritis, and elevated inflammatory markers, usually with a monoclonal IgM protein and less commonly IgG.

**Synonyms:**

---

## School-Based Rehabilitation

Therapy and other support services provided in a school setting to help a child participate in education and daily school activities.

**Synonyms:**

## Schwannoma

A benign peripheral nerve sheath tumor arising from Schwann cells. It presents as a solitary, slow-growing, painless nodule along a peripheral nerve course. It can be moved laterally but not longitudinally along the nerve. Vestibular schwannoma (acoustic neuroma) arises from CN VIII. Diagnosis is by MRI.

**Synonyms:**

## Sciatic Nerve

Body's largest nerve (L4-S3), formed from the lumbosacral plexus, exiting via the greater sciatic foramen below the piriformis. Descends in the posterior thigh, dividing into tibial and common peroneal nerves at the popliteal fossa. Innervates hamstrings and provides lower leg/foot motor/sensory innervation via its branches.

**Synonyms:**

## Sciatica

Pain radiating along the distribution of the sciatic nerve (L4-S3), from the lower back through the buttock and down the posterior thigh to the foot. Most commonly caused by lumbar disc herniation compressing the nerve root (L4-L5 or L5-S1). Other causes: spinal stenosis, spondylolisthesis, piriformis syndrome, and epidural abscess.

**Synonyms:**

## Scimitar Syndrome

A congenital cardiopulmonary anomaly involving partial or total anomalous pulmonary venous return from the right lung to the inferior vena cava, often with right-lung hypoplasia and dextroposition of the heart. It may cause recurrent respiratory infection, pulmonary hypertension, or heart failure.

**Synonyms:**

## Scintillation

The emission of light by a material after it absorbs ionizing radiation. Scintillation detectors use this light to measure radiation.

**Synonyms:**

## Scintillation Crystal

Sodium iodide doped with thallium (NaI:Tl) crystal converts gamma rays to light photons. Coupled to photomultiplier tubes.

**Synonyms:**

## Scissors

Cutting instruments. Types: Mayo (tissue), Metzenbaum (delicate), suture.

**Synonyms:**

## Scissors (Surgical)

Cutting instruments used to divide tissue, sutures, dressings, or other materials during medical procedures.

**Synonyms:** Surgical

## Scissors (Vascular)

A surgical instrument with two blades used to cut tissue, sutures, dressings, or other materials during vascular procedures.

**Synonyms:** Vascular

## Sclera

Dense fibrous opaque outer eye coat providing structural integrity and extraocular muscle attachment. White, covering approximately five-sixths of the globe. Continuous with cornea anteriorly (limbus) and dura mater posteriorly through the optic nerve sheath. May appear yellowish in elderly or with jaundice (icterus).

**Synonyms:**

## Scleral Buckling

A retinal-detachment repair procedure in which a silicone band or buckle is placed around the outside of the eye to support the retinal break and reduce traction.

**Synonyms:**



---

### Scleritis

Painful, deep inflammation of the white outer coat of the eye. It may cause redness, light sensitivity, blurred vision, and tenderness and can be associated with autoimmune disease; vision changes or severe eye pain require urgent ophthalmic assessment.

**Synonyms:**

### Scleroderma

An autoimmune connective-tissue disease that can cause fibrosis of the skin and internal organs. See Systemic Sclerosis.

**Synonyms:**

### Scleromyxedema

A rare, chronic, progressive mucinosis characterised by generalised papular and sclerodermoid thickening of the skin with firm, waxy papules in a "peau d'orange" pattern, most prominently on the face, neck, and hands.

**Synonyms:**

### Sclerosing sialadenitis

A chronic fibrosing inflammation of the salivary glands characterized by progressive glandular enlargement and firmness, sometimes associated with IgG4-related disease.

**Synonyms:**

### Sclerosteosis

A rare inherited sclerosing bone dysplasia characterized by progressive thickening of the skull and long bones, tall stature or syndactyly in some forms, and possible cranial-nerve compression. Hearing loss, facial palsy, headache, and raised intracranial pressure may occur.

**Synonyms:**

### Scoliosis

A lateral and rotational curvature of the spine, diagnosed by measuring the Cobb angle on standing radiographs. It may be idiopathic, congenital, or associated with neuromuscular disease.

**Synonyms:**

### Scotoma

A focal area of diminished or absent vision within an otherwise intact visual field, classified by location and morphology.

**Synonyms:**

### Screening

Testing people without symptoms to identify a disease or an increased risk of disease. The appropriate test, age range, interval, and follow-up depend on the condition, individual risk, and current guidance; screening benefits must be balanced against harms.

**Synonyms:**

### Screening (Geriatric)

Detection of disease in asymptomatic elderly. Balance benefits vs. harms, life expectancy, preferences. Examples: bone density, abdominal aortic aneurysm, colorectal cancer (individualized), depression, falls.

**Synonyms:** Geriatric

### Screening Guidelines

Recommendations describing who should be screened for a disease, which test to use, and when to begin or repeat testing.

**Synonyms:**

### Screening Program

An organized public-health service that systematically invites a defined population to undergo testing for an asymptomatic condition, with quality-assured follow-up, diagnosis, treatment, and evaluation of benefits and harms.

**Synonyms:**

### Screening Test

A test applied to people without symptoms or a known diagnosis to identify those at increased risk of a condition. A screening result usually requires a diagnostic or confirmatory evaluation before treatment is initiated.

**Synonyms:**

---

## Screws

Threaded devices used to hold bone fragments together or attach implants to bone.

**Synonyms:**

## Scrofula

Tuberculous lymphadenitis, most commonly affecting the cervical and submandibular lymph nodes, caused by *Mycobacterium tuberculosis* or atypical mycobacteria. It presents as chronic, painless, matted lymphadenopathy that may develop into cold abscesses with draining sinuses.

**Synonyms:**

## Scrotal calcinosis

The deposition of calcium within the scrotal skin, presenting as multiple, firm, whitish, painless nodules on the scrotum, which may be solitary or numerous and may ulcerate. The exact aetiology is debated and may involve dystrophic calcification of pre-existing epidermal inclusion cysts, dermal cysts, or eccrine duct abnormalities.

**Synonyms:**

## Scrotal Infection

Infection of the scrotal skin or underlying structures, which may cause redness, swelling, warmth, pain, or drainage. Rapidly worsening pain, fever, discoloration, or severe swelling is an emergency because serious soft-tissue infection must be excluded.

**Synonyms:**

## Scrotal Pain

Pain in the scrotum caused by infection, trauma, hernia, fluid collections, varicocele, or testicular torsion. Sudden severe pain, nausea, a high-riding testis, or abnormal testicular position requires immediate assessment for torsion.

**Synonyms:**

## Scrotum

Pouch of skin and superficial fascia containing the testes, epididymides, and lower spermatic cords. The scrotal wall has multiple layers reflecting the abdominal wall layers.

**Synonyms:**

## Scurvy

A nutritional disease caused by a chronic deficiency of ascorbic acid (Vitamin C), which is essential for collagen synthesis. Vitamin C serves as a cofactor for prolyl and lysyl hydroxylases, which hydroxylate collagen fibers to allow stable cross-linking.

**Synonyms:**

## Seasonal Affective Disorder

A specifier of recurrent major depressive episodes that occur at a specific time of year, most commonly winter (with remission in spring/summer). Symptoms: hypersomnia, hyperphagia with carbohydrate craving, weight gain, fatigue, and low energy.

**Synonyms:**

## Sebaceous Gland

A small gland in the skin that secretes sebum (oil) into hair follicles to lubricate and waterproof the skin and hair.

**Synonyms:**

## Seborrheic Dermatitis

A chronic inflammatory skin condition affecting sebum-rich areas: scalp, face (nasolabial folds, eyebrows), chest, and intertriginous areas. Presents with erythematous patches with greasy, yellowish scales. Dandruff is a mild form. More common and severe in Parkinson disease, HIV/AIDS, and Down syndrome.

**Synonyms:**

## Seborrheic keratoses

Common, benign, epidermal skin tumors presenting as waxy, stuck-on, pigmented plaques with a rough, verrucous surface, typically appearing on the trunk and face of middle-aged and older adults. They are the most common benign skin neoplasm and are caused by keratinocyte proliferation.

**Synonyms:**

## Seborrheic Keratosis

A benign epidermal tumor appearing as stuck-on,

---

waxy, hyperpigmented plaques with a verrucous surface. They are extremely common in older adults and increase in number with age. Seborrheic keratoses are not premalignant.

**Synonyms:**

### Seborrhoea

A chronic inflammatory skin condition affecting sebum-rich areas: scalp, face (nasolabial folds, eyebrows), chest, and intertriginous areas. See Seborrheic Dermatitis.

**Synonyms:**

### Seckel Syndrome

A rare recessive primordial dwarfism syndrome featuring severe proportionate growth restriction, microcephaly, characteristic facial features, and developmental or intellectual impairment. Skeletal, hematological, and other congenital abnormalities may occur.

**Synonyms:**

### Second Malignancy

New cancer after initial cancer treatment. Risk from radiation, chemotherapy.

**Synonyms:**

### Second Messenger Systems

Intracellular signaling molecules that relay extracellular signals (first messengers: hormones, neurotransmitters, growth factors) to cellular responses.

**Synonyms:**

### Second Messengers

Intracellular signaling molecules generated in response to extracellular signals (first messengers like hormones or neurotransmitters). cAMP (cyclic adenosine monophosphate): produced from ATP by adenylyl cyclase, activated by Gs-protein coupled receptors, activates protein kinase A (PKA); degraded by phosphodiesterase.

**Synonyms:**

### Second Opinion

An independent medical assessment by another qual-

ified clinician to help confirm or clarify a diagnosis, prognosis, or treatment plan.

**Synonyms:**

### Second Stage of Labor

From full cervical dilatation (10 cm) to delivery of the baby. The mother feels the urge to push as the presenting part descends. Pushing: closed-glottis (Valsalva) or open-glottis. Duration: up to 3 hours in nulliparas with regional anesthesia (2 hours without), and 2 hours in multiparas (1 hour without).

**Synonyms:**

### Second Trimester

The period from 13 to 27 weeks gestational age. Fetal growth accelerates, mother begins to feel quickening (fetal movement) between 16-20 weeks. Anatomy ultrasound at 18-22 weeks screens for structural anomalies. Maternal serum screening offered. Nausea typically resolves. Uterus becomes palpable above the symphysis pubis.

**Synonyms:**

### Second-Degree AV Block

Intermittent failure of AV conduction. Mobitz Type I (Wenckebach): progressive PR prolongation then dropped QRS; usually benign (AV nodal, narrow QRS). Mobitz Type II: constant PR interval with sudden dropped QRS; more serious (infranodal, wide QRS), risk of progression to complete heart block and Stokes-Adams attacks.

**Synonyms:**

### Second-Degree Burn

Partial-thickness burn involving the epidermis and dermis: superficial partial-thickness (blisters, moist, painful, pink) vs. deep partial-thickness (blanching, painful, may have thrombosed capillaries). Causes: thermal (scalds, flames), chemical, electrical.

**Synonyms:**

### Second-Hand Smoke

Smoke inhaled from burning tobacco products or exhaled by a person who is smoking. It contains toxic

---

substances and increases health risks in exposed people.

**Synonyms:**

### Secondary Attack Rate

The proportion of susceptible contacts who develop infection after exposure to a primary case within a defined period. It helps estimate transmissibility in households, schools, healthcare settings, and other close-contact groups.

**Synonyms:**

### Secondary Hyperparathyroidism

Compensatory PTH increase in CKD from decreased phosphate excretion, low calcitriol, and hypocalcemia. Leads to renal osteodystrophy and vascular calcification. Managed with dietary phosphorus restriction, phosphate binders, active vitamin D, and calcimimetics. Refractory cases may require parathyroidectomy.

**Synonyms:**

### Secondary Immune Response

The rapid, enhanced immune response on re-exposure to an antigen, mediated by memory B cells and memory T cells generated during the primary response. Features: shorter lag phase, higher and faster antibody titers (predominantly high-affinity IgG), and more effective cell-mediated responses.

**Synonyms:**

### Secondary Immunodeficiency

Reduced immune function caused by an acquired condition or exposure rather than a primary genetic disorder. Causes include HIV infection, cancer, malnutrition, medicines, and chronic disease; the manifestations depend on which immune functions are impaired.

**Synonyms:**

### Secondary Prevention

Early detection and treatment. Examples: screening (mammography, colonoscopy, blood pressure), self-examination.

**Synonyms:**

### Secondary syphilis

The systemic dissemination stage of *Treponema pallidum* infection, occurring weeks to months after the primary chancre, characterised by a generalised maculopapular rash (including the palms and soles), mucous patches, condylomata lata, lymphadenopathy, and systemic symptoms such as fever and malaise.

**Synonyms:**

### Secondary Tumor

A tumor formed when cancer cells spread from the original site to another part of the body.

**Synonyms:**

### Secretin

A peptide hormone produced by S-cells in the duodenal and jejunal mucosa in response to acidic chyme (pH less than 4.5) entering the duodenum from the stomach.

**Synonyms:**

### Secretion

Active movement of a substance from cells into a body fluid, lumen, or external environment. In toxicokinetics, renal tubular or biliary secretion can contribute to elimination of a toxin or metabolite.

**Synonyms:**

### Secretory Diarrhea

Diarrhea caused by active secretion or reduced absorption of electrolytes and water by the intestine. It persists despite fasting and may result from infections, medications, bile-acid disorders, endocrine tumors, or inflammatory disease.

**Synonyms:**

### Sedation Dentistry

Pharmacological techniques for anxiety management: nitrous oxide (laughing gas), oral sedation, IV sedation, general anesthesia. Indications: dental phobia, special needs, prolonged procedures. Monitoring required for deeper sedation.

**Synonyms:**

---

## Sedation Levels

A continuum ranging from minimal sedation, in which normal responses to verbal commands are preserved, to moderate or deep sedation, in which responses and airway or breathing support may be reduced. The level can change and requires appropriate monitoring.

**Synonyms:**

## Sedative

A medication that reduces central nervous system activity, producing calming effects, drowsiness, and sleep at higher doses. Sedatives are used for anxiety, procedural sedation, insomnia, and as adjuncts in anesthesia.

**Synonyms:**

## Sedative-Hypnotic

CNS depressants. Benzodiazepines, barbiturates, Z-drugs. Overdose: respiratory depression, coma. Treatment: supportive, flumazenil (benzodiazepines only), airway management.

**Synonyms:**

## Segmental Pressures

Blood pressure measurements at different leg levels. Localizes level of obstruction.

**Synonyms:**

## Segmentation

A pattern of intestinal motility involving localized, rhythmic contractions of circular muscle that segment the intestinal contents, mixing them with digestive secretions and increasing contact with the absorptive mucosal surface. Unlike peristalsis, segmentation does not propel contents distally.

**Synonyms:**

## Seizure

A transient occurrence of signs and/or symptoms due to abnormal, excessive, or synchronous neuronal activity in the brain. Provoked seizures have an identifiable acute cause (fever, electrolyte disturbance, drug toxicity, withdrawal). Unprovoked seizures occur without an acute trigger.

**Synonyms:**

## Selective Estrogen Receptor Modulator

A class of medications that bind to estrogen receptors (ER-alpha and ER-beta) with tissue-specific agonist or antagonist activity, depending on the target tissue and differential co-regulator recruitment.

**Synonyms:**

## Selective Mutism

Consistent failure to speak in specific social situations where speaking is expected despite speaking in other situations. The disturbance interferes with educational or occupational achievement or social communication. Must last for at least one month and is not attributable to lack of knowledge of or comfort with the spoken language.

**Synonyms:**

## Selenium

Trace mineral, component of antioxidant enzymes. Deficiency: Keshan disease (cardiomyopathy), Kashin-Beck disease (osteoarthritis). Sources: Brazil nuts, seafood, meat.

**Synonyms:**

## Selenium-75

Calibration source. Half-life 119 days. Used for uniformity correction.

**Synonyms:**

## Self-Efficacy

Patient belief in ability to manage condition. Influences adherence, outcomes.

**Synonyms:**

## Self-Experimentation

Research in which an investigator deliberately uses an intervention or procedure on themselves. It requires careful attention to consent, safety, and scientific validity.

**Synonyms:**

## Self-Harm

Intentional self-inflicted injury without suicidal in-

---

tent, also termed non-suicidal self-injury; common methods include cutting, burning, and self-hitting. Prevalent in adolescents and in borderline personality disorder, depression, eating disorders, and trauma, serving affect regulation or self-punishment.

**Synonyms:**

### Self-Management

Actions a person takes to monitor and manage a health condition, including treatment use, symptom monitoring, and lifestyle measures.

**Synonyms:**

### Semen

The fluid ejaculated from the male reproductive tract, containing sperm (produced in the testes) suspended in seminal plasma (produced by the seminal vesicles, prostate, and bulbourethral glands). Semen provides nutrients (fructose, amino acids), protective agents (zinc, antioxidants), and a medium for sperm transport.

**Synonyms:**

### Semen Analysis

Laboratory assessment of ejaculate volume, sperm concentration, total count, motility, morphology, vitality, and other characteristics. It is a key initial test in male-factor infertility and should usually be repeated because results vary biologically.

**Synonyms:**

### Semicircular Canals

Three fluid-filled (endolymph) loops in each inner ear, oriented approximately orthogonally to detect angular (rotational) acceleration in three planes: horizontal (lateral), anterior (superior), and posterior. Each has an ampulla with a crista containing hair cells embedded in a gelatinous cupula.

**Synonyms:**

### Seminal Vesicle

One of a paired set of male accessory reproductive glands behind the urinary bladder. Its fructose-rich secretion contributes substantially to semen and joins the vas deferens through the ejaculatory duct.

**Synonyms:**

### Seminoma

A malignant germ-cell tumor of the testis, typically presenting as a painless testicular mass and highly sensitive to radiation and chemotherapy.

**Synonyms:**

### Senna

A stimulant laxative containing anthraquinone glycosides (sennosides) that are activated by colonic bacteria to stimulate colonic motility and fluid secretion. Onset: 6-12 hours; used for constipation and bowel preparation. Common side effects: abdominal cramps, nausea; chronic use may cause melanosis coli and electrolyte disturbances.

**Synonyms:**

### Sensitivity

The proportion of people who truly have a disease who obtain a positive test result. A highly sensitive test has few false-negative results and is useful when a negative result is intended to help rule out disease in an appropriate clinical setting.

**Synonyms:**

### Sensorineural Hearing Loss

Hearing loss from pathology of the cochlea or auditory (eighth cranial) nerve, characterized on pure-tone audiometry by elevated bone conduction thresholds and no air-bone gap.

**Synonyms:**

### Speech Audiometry

Hearing testing that measures detection or recognition of speech at different loudness levels. It commonly includes speech reception threshold and word-recognition testing, complementing pure-tone audiometry.

**Synonyms:** Speech testing; speech audiometric testing.

### Sensorium

The state or level of consciousness and awareness of one's surroundings.



---

**Synonyms:**

### Sensory Level

A sharply demarcated horizontal boundary below which sensation is altered on the trunk or limbs. A sensory level strongly suggests a spinal-cord lesion, although its localization requires correlation with motor, reflex, and autonomic findings.

**Synonyms:**

### Sensory Nerves

Nerves that transmit sensory information from peripheral receptors to the central nervous system. Sensory (afferent) neurons have their cell bodies in the dorsal root ganglia (spinal nerves) or cranial nerve ganglia (cranial nerves).

**Synonyms:**

### Sentinel Event

Unexpected occurrence involving death or serious physical/psychological injury. Requires root cause analysis.

**Synonyms:**

### Sentinel Injury

A minor but potentially significant injury in a non-mobile infant, such as unexplained bruising, oral injury, or a fracture, that may precede more severe abuse. It warrants careful history, complete examination, safeguarding assessment, and documentation.

**Synonyms:**

### Sentinel Lymph Node

First lymph node draining tumor site. Biopsy assesses nodal spread.

**Synonyms:**

### Sentinel Lymph-Node Biopsy

Surgical removal and pathologic examination of the first draining lymph node or nodes from a primary skin cancer. It is used for selected melanomas and other tumors to assess regional metastatic risk and guide staging.

**Synonyms:**

### Sentinel Surveillance

Ongoing collection of health data from selected reporting sites, providers, or populations chosen to represent trends rather than enumerate every event. It can provide early warning and monitor changes in disease activity.

**Synonyms:**

### Separation Anxiety Disorder

Developmentally inappropriate and excessive fear or anxiety concerning separation from attachment figures. The individual may have recurrent excessive distress when anticipating or experiencing separation from home or major attachment figures.

**Synonyms:**

### Separation of the iris

Disinsertion or dialysis of the iris root from its attachment at the ciliary body, typically caused by blunt ocular trauma. It appears as a peripheral iridodialysis visible on slit-lamp examination and may cause monocular double vision, glare, or secondary glaucoma if extensive.

**Synonyms:**

### Sepsis

Life-threatening organ dysfunction caused by dysregulated host response to infection. Sepsis-3 definition: infection + SOFA score increase  $\geq 2$ . Septic shock: sepsis with vasopressor requirement and lactate  $>2$  mmol/L.

**Synonyms:**

### Sepsis Syndrome

The spectrum of the host's dysregulated response to infection: sepsis (infection + organ dysfunction, SOFA increase  $\geq 2$ ), septic shock (sepsis + hypotension requiring vasopressors with lactate  $>2$  mmol/L despite adequate fluid), and severe organ dysfunction/multi-organ failure.

**Synonyms:**

### Septal Hematoma

Accumulation of blood between the perichondrium and the septal cartilage of the nose, typically fol-

---

lowing nasal trauma (nasal fracture). Presents with nasal obstruction, pain, and a bluish, boggy swelling of the nasal septum.

**Synonyms:**

### Septic Arthritis

Joint infection, usually bacterial (Staph, Strept, Gonorrhea). Emergency: fever, severe joint pain, swelling, inability to bear weight. Diagnosis: joint aspiration (WBC >50,000, positive culture). Treatment: antibiotics, joint drainage (arthroscopy/open).

**Synonyms:**

### Septic Embolism

Septic embolism occurs when infected material, typically thrombi containing bacteria, embolizes through the bloodstream to distant sites, causing metastatic infection. The most common source is infective endocarditis, where infected vegetations on heart valves break off and lodge in peripheral vessels.

**Synonyms:**

### Septic Shock

A life-threatening form of sepsis in which infection-related circulatory and cellular dysfunction causes persistent inadequate tissue perfusion, often requiring vasopressor support despite fluid resuscitation. It can cause multiorgan failure and requires urgent treatment.

**Synonyms:**

### Septicaemia

An older term often used for sepsis, a life-threatening condition in which a dysregulated response to infection causes organ dysfunction.

**Synonyms:**

### Septicemia

An older term sometimes used for microorganisms or their toxins in the bloodstream. Modern clinical usage generally favors bacteremia or sepsis, depending on the condition described.

**Synonyms:**

### Septo-Optic Dysplasia

A congenital disorder characterized by variable combinations of optic-nerve hypoplasia, midline brain abnormalities, and pituitary hormone deficiencies. It may cause visual impairment, nystagmus, developmental differences, seizures, and growth or endocrine problems.

**Synonyms:**

### Septoplasty

A surgical procedure to straighten a deviated nasal septum, relieving obstruction, improving sinus drainage, and correcting related epistaxis or sleep disturbance, most often through an endonasal approach. It reshapes rather than resects the cartilaginous and bony septum while preserving support to avoid saddle nose deformity.

**Synonyms:**

### Sequelae

Conditions resulting from previous disease. Examples: post-polio syndrome, stroke sequelae.

**Synonyms:**

### Sequential Therapy

Treatments given in sequence. Used when combination not suitable.

**Synonyms:**

### Serodiagnostic

Relating to diagnosis by detecting antibodies or other markers in blood serum.

**Synonyms:**

### Serology

The laboratory evaluation of serum for antibodies, antigens, or other immune markers. Results may indicate current infection, previous exposure, vaccination, autoimmune reactivity, or passive antibody transfer and must be interpreted with timing and clinical context.

**Synonyms:**

### Seronegative Arthritis

Arthritis with negative rheumatoid factor and

---

anti-CCP. Includes spondyloarthropathies, psoriatic arthritis, reactive arthritis.

**Synonyms:**

### Serotonin Syndrome

A potentially life-threatening condition caused by excessive serotonergic activity in the central and peripheral nervous systems, typically resulting from drug interactions or overdose involving serotonergic medications.

**Synonyms:**

### Serotonin-Norepinephrine Reuptake Inhibitors

Antidepressants that block the reuptake of both serotonin and norepinephrine. They include venlafaxine, duloxetine, desvenlafaxine, and levomilnacipran. SNRIs are used for major depressive disorder, generalized anxiety disorder, diabetic neuropathy, fibromyalgia, and chronic pain.

**Synonyms:**

### Serotonin-Norepinephrine-Dopamine Reuptake Inhibitors

A class of antidepressants that inhibit reuptake of serotonin, norepinephrine, and dopamine. The primary agent is bupropion, which also acts as a norepinephrine-dopamine reuptake inhibitor. It is used for depression, smoking cessation, and as augmentation. It lacks sexual side effects and weight gain associated with SSRIs.

**Synonyms:**

### Serotype

A group within a species of microorganisms (or viruses) distinguished by antigenic differences, usually surface antigens (capsular polysaccharides, O/H antigens, viral surface proteins).

**Synonyms:**

### Serpentine supravenuous hyperpigmentation

A dermatological finding characterized by dark, wavy, serpiginous hyperpigmentation along the course of superficial veins, most commonly on the

upper chest and neck. Associated with venous stasis, thrombophlebitis, and certain malignancies. The pigmentation results from hemosiderin deposition in the perivenous dermis.

**Synonyms:**

### Serrated Pathway

Alternative molecular pathway to colorectal carcinogenesis accounting for fifteen to thirty percent of cases. It involves serrated polyps as precursors including sessile serrated lesions with dysplasia. Molecular features include CpG island methylator phenotype, BRAF mutations, and microsatellite instability from MLH1 silencing.

**Synonyms:**

### Serratus Anterior Muscle

Fan-shaped muscle from ribs 1-8/9 to the medial scapular border. Innervated by long thoracic nerve (C5-C7). Protracts scapula, upwardly rotates glenoid for overhead elevation, stabilizes against thorax. Long thoracic nerve injury causes medial scapular winging, especially visible during wall push-ups. Commonly injured in breast surgery.

**Synonyms:**

### Sertoli-cell tumor

A sex-cord stromal tumor that may produce androgens or estrogens and can cause endocrine manifestations.

**Synonyms:**

### Serum Concentration

The concentration of a substance measured in the liquid component of clotted blood. Interpretation depends on sampling time, exposure history, distribution, metabolism, elimination, and the relationship between concentration and toxicity.

**Synonyms:**

### Serum Osmolal Gap

The difference between measured serum osmolality and calculated osmolality. An increased gap suggests unmeasured osmoles, including toxic alcohols, but interpretation must consider timing, renal

---

function, lactate, ketones, and laboratory variation.

**Synonyms:**

### **Serum Protein Electrophoresis**

Separation of serum proteins by electrophoresis into 5 fractions: albumin, alpha-1, alpha-2, beta, and gamma. Monoclonal gammopathy: M-spike in gamma region (multiple myeloma, MGUS, Waldenstrom macroglobulinemia). Immunofixation: identifies heavy chain (IgG, IgA, IgM, IgD, IgE) and light chain (kappa, lambda) isotype.

**Synonyms:**

### **Serum Sickness**

Type III hypersensitivity reaction. Fever, rash, arthritis, proteinuria. Caused by drugs (penicillin, cephalosporins), antivenoms. Treatment: stop of offending agent, antihistamines, corticosteroids.

**Synonyms:**

### **Sever Disease**

Calcaneal apophysitis in children/adolescents. Heel pain, worse with activity. Treatment: rest, heel cups, stretching.

**Synonyms:**

### **Severe Acute Respiratory Syndrome**

A severe respiratory illness caused by SARS coronavirus, characterized by fever, dry cough, dyspnea, and viral pneumonia that may progress to respiratory failure.

**Synonyms:**

### **Severe Combined Immunodeficiency**

Severe combined immunodeficiency (SCID) represents a group of genetic disorders characterized by profoundly defective T cell development and function, with variable B and NK cell involvement, resulting in severe susceptibility to life-threatening infections in infancy.

**Synonyms:**

### **Sevoflurane**

A volatile inhaled anesthetic with relatively low blood-gas solubility, permitting rapid changes in

anesthetic depth and recovery. It can cause dose-dependent cardiovascular and respiratory depression and is a recognized trigger of malignant hyperthermia in susceptible patients.

**Synonyms:**

### **Sexual Assault**

A broad legal category of any non-consensual sexual contact or penetration, encompassing rape, indecent assault, and drug-facilitated assault. Examination documents general and anogenital injuries, collects biological and trace samples, and screens for drug-facilitated assault by extended-window testing.

**Synonyms:**

### **Sexual Dysfunction**

Persistent difficulty in sexual activity causing distress. In women: low sexual desire (hypoactive), arousal disorder, orgasmic disorder (anorgasmia), and genito-pelvic pain/penetration disorder (dyspareunia, vaginismus). In men, it may involve erectile dysfunction, delayed or premature ejaculation, or reduced sexual desire. Causes include medical and psychological conditions, relationship factors, and adverse effects of substances or medicines.

**Synonyms:**

### **Sexual Intercourse (Coitus)**

The insertion of a penis into a partner's body for sexual pleasure, reproduction, or both. Most commonly vaginal intercourse (penile-vaginal penetration) but may also include anal intercourse. Sexual intercourse is a key component of human pair bonding and reproduction.

**Synonyms:** Coitus

### **Sexual Masochism Disorder**

A paraphilic disorder characterized by recurrent, intense sexual arousal from the act of being humiliated, beaten, bound, or otherwise made to suffer, lasting  $\geq 6$  months and causing distress or impairment or involving acting on these urges.

**Synonyms:**

---

### **Sexual Rehabilitation**

Address sexual function after injury, illness. Counseling, devices, medications.

**Synonyms:**

### **Sexual Sadism Disorder**

A paraphilic disorder characterized by recurrent, intense sexual arousal from the physical or psychological suffering of another person, lasting  $\geq 6$  months and causing distress or impairment or involving acting on these urges with a nonconsenting person.

**Synonyms:**

### **Sexually Transmitted Infection**

STI: infection transmitted via sexual contact. Examples: syphilis, gonorrhea, chlamydia, HIV.

**Synonyms:**

### **SGLT2 Inhibitor**

A drug that reduces sodium-glucose cotransport in the proximal renal tubule, increasing urinary glucose and sodium excretion.

**Synonyms:**

### **Shadowing Artifact**

Ultrasound artifact from attenuating structures. Enhanced by harmonic imaging.

**Synonyms:**

### **Shaken Baby Syndrome**

A form of abusive head trauma caused by violent shaking, typically in infants under 1 year. The triad: subdural hemorrhage, retinal hemorrhages, and encephalopathy. May present with irritability, lethargy, vomiting, seizures, and apnea. CT shows subdural hematoma; MRI shows diffuse axonal injury.

**Synonyms:**

### **Shared Decision-Making**

A collaborative process in which clinicians and patients combine best available evidence with patient values, preferences, goals, and circumstances to choose among reasonable options.

**Synonyms:**

### **Sharp Force Trauma**

Injury produced by an edged or pointed instrument that cuts or penetrates the skin, divided into incised wounds (longer than deep, clean margins) and stab wounds (deeper than wide). Wound length, depth, angle, hesitation marks, and defense injuries infer weapon type and manner.

**Synonyms:**

### **Sharps Container**

Puncture-resistant container for used needles and sharp instruments. Red, labeled biohazard.

**Synonyms:**

### **Sharps Injury**

A percutaneous or mucocutaneous injury caused by a needle or other sharp instrument that may expose a person to blood or body fluids. Immediate wound care, incident reporting, risk assessment, and pathogen-specific post-exposure management are required.

**Synonyms:**

### **Shave Biopsy**

Removal of a raised skin lesion by horizontal slicing with a scalpel at the level of the dermis; used for exophytic lesions such as seborrheic keratoses and superficial basal cell carcinomas.

**Synonyms:**

### **Sheehan Syndrome**

Postpartum pituitary necrosis resulting from severe hemorrhage and hypotension during delivery. The pituitary gland is enlarged during pregnancy and particularly vulnerable to ischemic injury from blood loss. Presentation varies from fatigue and failure to lactate to panhypopituitarism. Growth hormone and prolactin deficiency occur first.

**Synonyms:**

### **Sheehan Syndrome (Postpartum Pituitary Necrosis)**

Ischemic necrosis of the anterior pituitary gland

---

due to severe postpartum hemorrhage (PPH) and hypotension. The pituitary enlarges during pregnancy and is vulnerable to ischemia from hypotensive episodes.

**Synonyms:** Postpartum Pituitary Necrosis

### Shielding

Lead, tungsten, acrylic shielding for radiation protection.

**Synonyms:**

### Shigellosis

Acute infectious colitis caused by *Shigella* species (*S. sonnei* most common in developed countries). Presents with fever, abdominal cramps, tenesmus, and frequent bloody, mucoid stools. Highly contagious with low infectious dose. Diagnosis: stool culture. Treatment: azithromycin, ciprofloxacin, or ceftriaxone (resistance patterns vary).

**Synonyms:**

### Shingles

Herpes zoster: reactivation of varicella-zoster virus (VZV) from dorsal root ganglia, causing a painful, unilateral vesicular rash in a dermatomal distribution ('belt-like'), often preceded by burning pain. Risk increases with age and immunosuppression.

**Synonyms:**

### Shirodkar Cerclage

A transvaginal cervical cerclage technique that involves dissection of the bladder and rectum to place the suture (Mersilene tape) as high as possible at the level of the internal os. Technically more difficult than McDonald cerclage with higher risk of hemorrhage and bladder injury.

**Synonyms:**

### Shivering

Involuntary, rhythmic skeletal muscle contraction generating heat in response to cold exposure or fever, a key thermoregulatory response under hypothalamic (preoptic area) control. Shivering can increase heat production 3-5 fold.

**Synonyms:**

### Shock

A state of inadequate tissue perfusion causing cellular dysfunction. Causes include blood loss, infection, pump failure, and severe loss of vascular tone.

**Synonyms:**

### Shock Wave Lithotripsy

Non-invasive procedure using extracorporeal shock waves to fragment renal and ureteral stones. The patient is positioned over a water cushion coupling the shock wave generator to the body. Shock waves are focused on the stone under fluoroscopic or ultrasound guidance.

**Synonyms:**

### Shone Complex

A group of congenital left-sided obstructive heart lesions, classically including supraventricular mitral ring, parachute mitral valve, subaortic stenosis, and coarctation of the aorta. The combination and severity vary and may lead to heart failure or systemic outflow obstruction.

**Synonyms:**

### Short Bowel Syndrome

Clinical condition resulting from surgical resection or functional loss of a significant portion of the small intestine leading to inadequate absorption of nutrients.

**Synonyms:**

### Shortness of Breath

An uncomfortable awareness of difficult or insufficient breathing. See Dyspnea.

**Synonyms:**

### Shoulder Dislocation

Complete displacement of the upper arm bone from the shoulder socket, usually caused by a fall, collision, or forceful twisting. It causes severe pain, deformity, and inability to move the arm; urgent reduction and assessment for associated fractures or nerve and blood-vessel injury are required.

**Synonyms:**



---

## Shoulder Dystocia

An obstetric emergency where the fetal head delivers but the anterior shoulder is impacted behind the maternal symphysis pubis. Defined as head-to-body delivery time exceeding 60 seconds or need for ancillary maneuvers. Risk factors include macrosomia, diabetes, prior shoulder dystocia, and operative vaginal delivery.

**Synonyms:**

## Shoulder Impingement

Pain associated with movement of the shoulder, often involving the rotator-cuff tendons or subacromial tissues. Symptoms include pain with overhead activity and sometimes weakness; assessment and treatment are individualized and may include exercise-based rehabilitation.

**Synonyms:**

## Shoulder Instability

Excessive or recurrent movement of the shoulder joint caused by injury, laxity, or altered joint anatomy. Associated lesions may include a Bankart tear, Hill-Sachs lesion, or injury to the joint capsule or ligaments.

**Synonyms:**

## Shoulder Pain

Pain in or around the shoulder caused by injury, tendon or bursa disorders, arthritis, nerve disease, or referred pain. Sudden weakness, deformity, chest symptoms, fever, or pain after major trauma requires prompt evaluation.

**Synonyms:**

## Shunt

Tube diverting fluid. Types: ventriculoperitoneal (CSF), ventriculoatrial, lumboperitoneal, ventriculopleural. Indications: hydrocephalus. Complications: obstruction, infection, overdrainage, migration. Valves regulate pressure.

**Synonyms:**

## Shunt (Vascular)

A surgically created or implanted pathway that

redirects blood or another fluid from one vessel or body space to another.

**Synonyms:** Vascular

## Shwachman Syndrome

An inherited multisystem disorder usually involving exocrine pancreatic insufficiency, bone-marrow dysfunction, and skeletal abnormalities. Children may have steatorrhea, poor growth, recurrent infections, neutropenia, anemia, or increased risk of myeloid malignancy.

**Synonyms:**

## SIADH

Syndrome of Inappropriate Antidiuretic Hormone secretion characterized by hyponatremia (dilutional) with inappropriately concentrated urine ( $>100$  mOsm/kg) and elevated urine sodium ( $>40$  mEq/L). Euvolemic hyponatremia.

**Synonyms:**

## SIADH (Syndrome of Inappropriate Antidiuretic Hormone Secretion)

Excessive vasopressin activity causing impaired free-water excretion, euvolemic hyponatremia, and inappropriately concentrated urine after exclusion of other causes. Treatment depends on severity and cause and may include fluid restriction or carefully monitored hypertonic saline for severe symptomatic cases.

**Synonyms:** Syndrome of Inappropriate Antidiuretic Hormone Secretion

## Sialadenitis

Inflammation of salivary gland. Acute (bacterial) or chronic (recurrent). Treatment: antibiotics, hydration, gland massage, surgery if chronic.

**Synonyms:**

## Sialography

Contrast imaging of salivary ducts. Evaluates obstruction, stricture, tumors. Rarely performed now.

**Synonyms:**

---

### Sialolithiasis

Formation of a stone in a salivary gland or its duct, most often the submandibular gland. It may cause recurrent swelling and pain, especially during meals, and can lead to infection or obstruction.

**Synonyms:**

### Sialorrhea

Excessive salivation. Neurological causes, medications, dental causes. Treatment: hydration, glycopyrrolate, botulinum toxin, surgery.

**Synonyms:**

### Sialorrhoea

Excessive saliva production or inability to clear saliva, resulting in drooling. Causes include medicines, oral disease, and neurologic or swallowing disorders.

**Synonyms:**

### Sialuria

A rare inherited disorder of sialic-acid metabolism caused by abnormal regulation of the GNE enzyme. Excess free sialic acid accumulates in cells and urine and may cause developmental delay, coarse facial features, hepatosplenomegaly, and variable intellectual disability.

**Synonyms:**

### Sicca Syndrome

Dry eyes and dry mouth due to decreased tear and saliva production. Primary: Sjogren syndrome. Secondary: associated with RA, SLE, scleroderma, graft-versus-host disease, hepatitis C, sarcoidosis, HIV, medications (anticholinergics, antidepressants). Diagnosis: Schirmer test (<5 mm/5 min), rose bengal staining, salivary gland biopsy.

**Synonyms:**

### Sick Sinus Syndrome

Sinus node dysfunction causing a spectrum of arrhythmias: sinus bradycardia, sinus arrest, sinoatrial block, and tachycardia-bradycardia syndrome. Most common in elderly patients. Presents with syncope, fatigue, palpitations, and exercise intolerance.

ance. Diagnosis: ECG, Holter monitor (pauses >3 seconds).

**Synonyms:**

### Sickle Cell Anemia

The most severe form of sickle cell disease (HbSS), causing chronic hemolytic anemia and vaso-occlusive crises. Features: jaundice, splenomegaly (infancy), pain crises, acute chest syndrome, stroke, and increased infection risk from functional asplenia. Diagnosis: hemoglobin electrophoresis showing HbS.

**Synonyms:**

### Sickle Cell Crisis

An acute clinical complication of sickle cell disease, most commonly a vaso-occlusive episode producing ischemic pain. Other acute crises include acute chest syndrome, splenic or hepatic sequestration, and aplastic crisis; treatment depends on the specific complication and severity.

**Synonyms:**

### Sickle Cell Dactylitis

Painful swelling of the hands or feet caused by blockage of small blood vessels during a sickle-cell episode, especially in infants and young children. It may be an early sign of sickle-cell disease and requires appropriate clinical evaluation.

**Synonyms:**

### Sickle Cell Disease

Autosomal recessive hemoglobinopathy (HbS). Glutamic acid → valine at position 6 of beta-globin. Homozygous (HbSS) most severe. Sickling under hypoxia causes vaso-occlusion, hemolysis. Symptoms: pain crises, acute chest syndrome, stroke, splenic sequestration, aplastic crisis (parvovirus B19).

**Synonyms:**

### Sickle Cell Trait

An inherited carrier state in which a person has one hemoglobin S allele and one normal beta-globin allele, usually producing both hemoglobin A and hemoglobin S. Most people are asymptomatic, but complications can occur in severe physiologic conditions.

---

tions.

**Synonyms:**

### Side Effect

An unintended pharmacological effect of a drug occurring at therapeutic doses, usually predictable from the drug's mechanism of action (a Type A reaction).

**Synonyms:**

### Siderosis

Benign pneumoconiosis from iron dust, seen in welders. Causes small opacities on CXR but minimal impairment. Reversible with removal of exposure.

**Synonyms:**

### SIDS

Sudden unexpected death of an apparently healthy infant during sleep that remains unexplained after investigation.

**Synonyms:**

### Sievert (Sv)

The SI unit used for equivalent and effective dose, incorporating radiation type and, for effective dose, tissue sensitivity. It is used to estimate stochastic radiation risk rather than simply physical energy deposition.

**Synonyms:** Sv

### Sigmoid Colon

S-shaped segment from descending colon to rectum in the left iliac fossa, approximately 40-50 cm, with complete mesentery (intraperitoneal, mobile). Most common diverticular disease site from narrow lumen and high pressure. Common volvulus site, particularly in elderly/institutionalized patients. Second most common colorectal cancer site.

**Synonyms:**

### Sigmoid volvulus

Axial twisting of the sigmoid colon around its mesentery, the most common cause of colonic volvulus, typically occurring in elderly, institutionalized, or

neuropsychiatric patients with chronic constipation and a redundant sigmoid. Presents with acute large bowel obstruction, abdominal distension, and absent bowel sounds.

**Synonyms:**

### Sign

Objective evidence of disease. Examples: rash, murmur, edema. Observed by examiner.

**Synonyms:**

### Signal Transduction

The process by which an extracellular signal (hormone, neurotransmitter, growth factor, drug) binding to a cell-surface or intracellular receptor is converted into a specific intracellular response.

**Synonyms:**

### Signal-to-Noise Ratio

Ratio of true counts to statistical noise. Improved by longer acquisition, higher activity.

**Synonyms:**

### Signet Ring Cell Carcinoma

A poorly differentiated adenocarcinoma in which intracellular mucin displaces the nucleus to the periphery, most often of the stomach or colon; associated with an aggressive course and diffuse growth pattern.

**Synonyms:**

### Silicone oil hyperoleon

Emulsification of silicone oil tamponade used in vitreoretinal surgery, where the oil breaks into tiny droplets that migrate into the anterior chamber or trabecular meshwork. It can cause elevated intraocular pressure, band keratopathy, and chronic inflammation requiring oil removal and anterior chamber washout.

**Synonyms:**

### Silicosis

Fibrotic lung disease caused by inhalation of crystalline silica dust, typically in mining, quarrying, construction, or stone-cutting work. It causes pro-

---

gressive breathlessness and increases the risk of tuberculosis, chronic airflow limitation, and lung cancer.

**Synonyms:**

### **Silver Diamine Fluoride**

Liquid that arrests caries and stains cavity black. Used in young children, special needs patients.

**Synonyms:**

### **Sinding-Larsen-Johansson Syndrome**

Traction apophysitis of inferior patellar pole in adolescents. Similar to Osgood-Schlatter but at knee. Treatment: rest, activity modification.

**Synonyms:**

### **single nucleotide polymorphism**

Single base pair variation occurring in >1% of population. Most common genetic variation. Used in GWAS, forensics, pharmacogenetics.

**Synonyms:**

### **Single Photon Emission Computed Tomography**

Nuclear medicine imaging using gamma-emitting isotopes (technetium-99m most common). Rotating gamma camera acquires images. Applications: myocardial perfusion, bone scans, thyroid imaging, renal scans, brain perfusion. Lower resolution than PET but more widely available and cost-effective.

**Synonyms:**

### **Single Ventricle**

A group of congenital heart defects where one functional ventricle supports both the systemic and pulmonary circulations. Includes tricuspid atresia, mitral atresia, double inlet left ventricle, hypoplastic left heart syndrome, and unbalanced AV canal.

**Synonyms:**

### **Single-Dose Toxicity**

Harm caused by one exposure to a substance or medicine, assessed according to dose, route, timing, and the exposed person's characteristics.

**Synonyms:**

### **Sinoatrial Node**

The heart's natural pacemaker, located at the junction of the superior vena cava and right atrium. It consists of specialized cells that spontaneously depolarize at a rate of 60-100 beats per minute, setting the normal sinus rhythm.

**Synonyms:**

### **Sinus Lift**

Procedure to increase bone height in posterior maxilla. Subperiosteal or transalveolar approach. Graft material placed.

**Synonyms:**

### **Sinus Pain**

Pressure or pain around the forehead, cheeks, nose, or eyes caused by sinus inflammation, infection, migraine, or other conditions. Severe headache, eye swelling, vision change, high fever, or neurologic symptoms requires urgent assessment.

**Synonyms:**

### **Sinus Rhomboidalis**

A diamond-shaped depression in the floor of the fourth ventricle of the brain.

**Synonyms:**

### **Sinuses**

Air-filled cavities within the skull bones lined by respiratory mucosa, connected to the nasal cavity via ostia.

**Synonyms:**

### **Sinusitis**

Inflammation of the paranasal sinus mucosa. Acute sinusitis: viral (most common, resolves in <10 days) or bacterial (symptoms >10 days, double worsening, or severe: *Streptococcus pneumoniae*, *Haemophilus influenzae*, *Moraxella catarrhalis*). Chronic sinusitis: symptoms >12 weeks with radiographic evidence.

**Synonyms:**

### **Sinusitis and Sinus Problems**

Inflammation or infection of the paranasal sinuses that may cause nasal congestion, discharge, facial

---

pressure, headache, or reduced smell. Symptoms may also arise from other nasal or facial conditions and require assessment when persistent or severe.

**Synonyms:**

### **Sinusoidal Fetal Heart Rate Pattern**

A rare, ominous FHR pattern characterized by a smooth, sine-wave-like undulation with a fixed frequency (2-5 cycles/minute) and absent variability. Strongly associated with severe fetal anemia (Rh isoimmunization, fetomaternal hemorrhage, parvovirus B19), fetal hypoxia, and fetal acidosis.

**Synonyms:**

### **Sirenomelia**

A rare congenital malformation in which the lower limbs are partially or completely fused. It is usually associated with severe abnormalities of the genitourinary, gastrointestinal, vascular, and spinal systems and is often fatal in the neonatal period.

**Synonyms:**

### **Sister Mary Joseph's nodule**

A firm, hard nodule in the umbilicus resulting from metastatic malignancy, most commonly from intra-abdominal or pelvic cancers including gastric, ovarian, and colorectal carcinoma. It indicates advanced, disseminated disease with a poor prognosis. Diagnosis is by fine needle aspiration biopsy.

**Synonyms:**

### **Sitosterolemia**

An autosomal-recessive disorder of plant-sterol transport caused by ABCG5 or ABCG8 variants. It can produce premature atherosclerosis, xanthomas, hemolytic anemia, macrothrombocytopenia, and elevated plasma plant sterols.

**Synonyms:**

### **Situs Inversus**

A congenital condition in which the thoracic and abdominal organs are reversed or mirrored from their normal positions. Complete situs inversus (situs inversus totalis) involves all organs.

**Synonyms:**

### **Situs inversus totalis**

A congenital condition in which the major visceral organs are mirrored from their normal positions, with the liver on the left, heart on the right, and other viscera similarly reversed.

**Synonyms:**

### **Sjogren Syndrome**

Primary Sjogren syndrome (pSS) is a chronic autoimmune exocrinopathy characterized by lymphocytic infiltration of lacrimal and salivary glands causing dry eyes (keratoconjunctivitis sicca) and dry mouth (xerostomia), with female predominance (9:1) and peak onset 40-60. Secondary SS occurs with RA, SLE, SSc.

**Synonyms:**

### **Sjögren Syndrome**

A systemic autoimmune disease characterized by lymphocytic destruction and dysfunction of lacrimal and salivary glands, producing dry eyes and dry mouth. It may involve multiple organs and increases the risk of salivary-gland lymphoma.

**Synonyms:**

### **Sjögren's syndrome**

A chronic autoimmune disorder characterized by lymphocytic infiltration and destruction of exocrine glands, primarily the salivary and lacrimal glands, resulting in dry eyes (keratoconjunctivitis sicca) and dry mouth (xerostomia).

**Synonyms:**

### **Skeletal Muscle**

Voluntary, striated muscle attached to bones by tendons or directly by connective tissue. Its contraction produces movement, maintains posture, and generates heat.

**Synonyms:**

### **Skeletal Muscle Relaxant**

A medication that reduces muscle spasm, spasticity, and associated pain.

**Synonyms:**

---

## Skeletal Survey

A series of radiographs obtained when child abuse is suspected. Includes AP and lateral views of the skull, chest (including oblique views), abdomen, spine, and bilateral upper and lower extremities. Identifies fractures of varying ages, which is highly suggestive of non-accidental trauma.

**Synonyms:**

## Skeletonization

Final stage of postmortem decomposition where soft tissues, organs, and skin have completely decayed or been scavenged, leaving only clean osseous skeletal remains.

**Synonyms:**

## Skilled Nursing Facility

Inpatient facility providing skilled nursing and therapy. For recovery after hospitalization.

**Synonyms:**

## Skin

The largest organ of the body (approximately 1.5–2 m<sup>2</sup>), forming a protective barrier against physical injury, pathogens, UV radiation, and water loss.

**Synonyms:**

## Skin Absorption

Movement of a substance through the skin into underlying tissues or the bloodstream. Absorption depends on the substance, skin condition, contact time, and exposed area.

**Synonyms:**

## Skin Aging

Skin aging has intrinsic (chronological) and extrinsic (photoaging) components. Photoaging causes wrinkle formation, telangiectasias, lentigines, leather-like texture, and actinic keratoses. Intrinsic aging causes thinning, wrinkling, and delayed wound healing. Prevention includes sun protection (broad-spectrum SPF 30 or greater daily).

**Synonyms:**

## Skin Aging and Appearance

Skin aging is a complex biological process influenced by both intrinsic factors, such as genetics and natural aging, and extrinsic factors, particularly ultraviolet radiation exposure.

**Synonyms:**

## Skin Allergies and Contact Dermatitis

Inflammatory skin reactions triggered by exposure to allergens or irritants that come into direct contact with the skin.

**Synonyms:**

## Skin Allergy Testing

Skin allergy testing includes prick testing (immediate hypersensitivity, IgE-mediated) and intradermal testing (more sensitive, used for drug and venom allergy). Prick testing introduces allergen extract into the epidermis; wheal and flare reaction at 15 minutes indicates sensitization. Intradermal testing injects dilute allergen into the dermis.

**Synonyms:**

## Skin and Aging

Skin aging involves intrinsic and extrinsic changes. Intrinsic aging causes thinning, wrinkling, and fragility. Extrinsic (photo)aging causes wrinkles, telangiectasias, lentigines, and actinic keratoses. Collagen loss, elastin degradation, and decreased cell turnover contribute to aging skin.

**Synonyms:**

## Skin and Environment

Environmental factors significantly affect skin health. Pollution causes oxidative stress, inflammation, and accelerated aging. Particulate matter penetrates skin, generating free radicals. Blue light from screens causes hyperpigmentation, particularly in darker skin tones. Indoor heating and air conditioning cause dryness.

**Synonyms:**

## Skin Appendages

Skin structures include hair follicles, sebaceous glands, eccrine sweat glands, and apocrine sweat



---

glands. Hair follicles cycle through anagen (growth), catagen (transition), and telogen (resting) phases. Sebaceous glands produce sebum, an oily substance lubricating skin and hair.

**Synonyms:**

### **Skin Barrier Function**

The skin barrier prevents water loss and protects against environmental insults. The stratum corneum acts as a physical barrier, while the acid mantle (pH 4 to 6) provides chemical defense. Lipids (ceramides, cholesterol, free fatty acids) in the intercellular space form a waterproof barrier.

**Synonyms:**

### **Skin Biopsy Methods**

Skin biopsy methods vary by lesion characteristics. Punch biopsy (2 to 6 mm circular blade) provides full-thickness specimen for most diagnoses. Shave biopsy (razor or scalpel) removes superficial lesions; deep shave (saucerization) includes subcutaneous fat for suspected melanoma.

**Synonyms:**

### **Skin Biopsy Techniques**

Skin biopsy is selected according to the suspected diagnosis and lesion depth. Punch biopsy samples full-thickness skin; shave biopsy samples superficial lesions; excisional biopsy removes an entire small lesion; and incisional biopsy samples part of a large lesion.

**Synonyms:**

### **Skin Cancer**

Most common cancer. Types: basal cell, squamous cell, melanoma. Prevention: sun protection. Early detection critical.

**Synonyms:**

### **Skin Cancer Epidemiology**

Skin cancers are common and include basal-cell carcinoma, squamous-cell carcinoma, and melanoma. Incidence and mortality vary by tumor type, geography, skin phenotype, ultraviolet exposure, immune status, and access to diagnosis and treatment.

**Synonyms:**

### **Skin Cancer Prevention**

Prevention focuses on reducing ultraviolet exposure through shade, protective clothing, hats, sunglasses, and appropriately used broad-spectrum sunscreen. Avoiding tanning beds also reduces ultraviolet exposure.

**Synonyms:**

### **Skin Cancer Screening**

Skin cancer screening uses the ABCDE criteria for melanoma, the ugly duckling sign, and total body skin examination. Dermoscopy (dermatoscopy) magnifies skin lesions revealing structures invisible to the naked eye, improving diagnostic accuracy. Skin self-examination teaches patients to monitor moles for changes.

**Synonyms:**

### **Skin Cancer Staging**

Skin cancer staging guides treatment and prognosis. Melanoma: Breslow thickness (most important prognostic factor), ulceration, mitotic rate, sentinel lymph node status (AJCC 8th edition).

**Synonyms:**

### **Skin Cancer Surgery**

Skin cancer surgical techniques maximize cure while minimizing morbidity. Wide local excision with appropriate margins (BCC: 4 mm, SCC: 4 to 6 mm, melanoma: based on Breslow thickness). Mohs micrographic surgery provides 99 percent cure rate for BCC and 97 percent for SCC with tissue preservation.

**Synonyms:**

### **Skin Flaps**

Skin flaps transfer tissue with its blood supply. Rotation flaps rotate adjacent tissue into defect. Advancement flaps slide tissue forward. Transposition flaps move tissue across intervening skin. Random pattern flaps rely on dermal plexus; axial pattern flaps have named vascular pedicle.

**Synonyms:**

---

## Skin Graft

Transfer of skin from a donor site to a recipient site to cover a wound. Split-thickness skin graft (STSG): epidermis + partial dermis (0.008-0.018 inches), harvested with dermatome, donor site heals spontaneously (2-3 weeks). Full-thickness skin graft (FTSG): epidermis + full dermis, donor site requires closure, better cosmetic outcome.

**Synonyms:**

## Skin Immune System

The skin immune system (SALT: skin-associated lymphoid tissue) provides immunological surveillance. Langerhans cells (dendritic cells in epidermis) capture antigens and present them to T cells. Dermal dendritic cells, mast cells, and resident T cells form an innate and adaptive immune network.

**Synonyms:**

## Skin Infection

Infection of the skin or underlying soft tissue, commonly caused by bacteria, fungi, or viruses. Redness, warmth, swelling, pain, drainage, or fever may occur; rapidly spreading redness, severe pain, blisters, or systemic illness requires prompt medical assessment.

**Synonyms:**

## Skin Integrity

Localized damage to the skin and/or underlying soft tissue caused by prolonged pressure, shear, or friction, most commonly over bony prominences. See pressure injury.

**Synonyms:**

## Skin Irritation

Inflammation or discomfort caused by direct contact with an irritant, often producing redness, burning, itching, dryness, or scaling.

**Synonyms:**

## Skin Microbiome

The skin microbiome is the community of microorganisms (bacteria, fungi, viruses) residing on the skin. *Staphylococcus aureus* colonization is in-

creased in atopic dermatitis and psoriasis. *Cutibacterium acnes* plays a role in acne. Diversity is decreased in diseased skin.

**Synonyms:**

## Skin of Color

Skin of color (Fitzpatrick IV to VI) has unique dermatologic considerations. It is more prone to hyperpigmentation disorders (post-inflammatory hyperpigmentation, melasma, acanthosis nigricans) and keloid formation. It is less prone to skin cancer but presents with more advanced disease when it occurs.

**Synonyms:**

## Skin Pigmentation

Determined by melanin produced by melanocytes in the stratum basale. Eumelanin (brown-black) and pheomelanin (red-yellow) are the two types. Melanin production is stimulated by UV radiation through melanocyte-stimulating hormone (MSH). Fitzpatrick skin type classification (I to VI) describes pigmentation and sun response.

**Synonyms:**

## Skin Tags

Benign fibroepithelial polyps occurring in intertriginous areas (neck, axillae, groin, under breasts). They are associated with obesity, insulin resistance, and pregnancy. Skin tags are asymptomatic but may become irritated or bleed. Treatment includes snipping, cryotherapy, electrocautery, and shave excision.

**Synonyms:**

## Skull

Bony framework of the head with 22 bones: cranium (8: frontal, 2 parietal, 2 temporal, occipital, sphenoid, ethmoid) and facial (14). Joined by sutures: coronal, sagittal, lambdoid, squamous. The skull base has foramina for cranial nerves and vessels.

**Synonyms:**

## Skull fracture

A break in one or more of the cranial bones from blunt force trauma, classified as linear, depressed,

---

basilar, or comminuted, with potential for intracranial injury and cerebrospinal fluid leak.

**Synonyms:**

### **SLAP Lesion**

Superior labrum anterior to posterior tear. Associated with overhead activities, trauma. Treatment: rest, physical therapy, surgical repair if symptomatic.

**Synonyms:**

### **SLAP Tears**

Tears of the superior glenoid labrum extending from anterior to posterior, sometimes involving the biceps tendon attachment. They may cause pain, clicking, or instability, especially with overhead activity.

**Synonyms:**

### **Sleep**

A naturally recurring physiological state characterized by altered consciousness, reduced sensory responsiveness, and distinct brain wave patterns that is essential for physical restoration, memory consolidation, and metabolic regulation.

**Synonyms:**

### **Sleep (Geriatric)**

Sleep patterns and sleep problems in older adults, including insomnia, sleep apnea, circadian changes, and medication-related disturbances.

**Synonyms:** Geriatric

### **Sleep Apnea**

Repeated pauses or reductions in breathing during sleep. It may be obstructive, central, or mixed and can disturb sleep and oxygenation.

**Synonyms:**

### **Sleep Apnea (Dental)**

Oral appliance for obstructive sleep apnea. Mandibular advancement device. Indications: mild to moderate OSA, CPAP intolerance.

**Synonyms:** Dental

### **Sleep Apnea (Obstructive Sleep Apnea -**

### **OSA)**

A sleep disorder characterized by repeated episodes of partial or complete upper airway obstruction during sleep (obstructive sleep apnea—OSA, most common) or cessation of respiratory drive (central sleep apnea—CSA), causing intermittent hypoxia, hypercapnia, and sleep fragmentation.

**Synonyms:** Obstructive Sleep Apnea - OSA

### **Sleep Bruxism**

Repeated grinding or clenching of the teeth during sleep, which may cause tooth wear, jaw pain, or headaches.

**Synonyms:**

### **Sleep Hygiene**

A set of behavioral and environmental practices designed to promote consistent, uninterrupted, and restorative sleep. Key elements include maintaining a regular sleep schedule, creating a cool, dark, and quiet sleep environment, avoiding caffeine and electronic screens before bedtime, and engaging in relaxing pre-sleep routines.

**Synonyms:**

### **Sleep Medications and Supplements**

Pharmacological agents used to treat insomnia and other sleep disorders when behavioral interventions alone are insufficient.

**Synonyms:**

### **Sleep Paralysis**

Temporary inability to move or speak when falling asleep or waking, while awareness is partly or fully preserved. Episodes usually last seconds to minutes and may include frightening hallucinations. Recurrent episodes can be associated with sleep deprivation, irregular sleep, narcolepsy, or other sleep disorders.

**Synonyms:**

### **Sleep Studies (Polysomnography)**

Sleep tests, most commonly polysomnography, are diagnostic studies used to evaluate sleep architecture and identify sleep disorders. Polysomnography

---

records brain waves, eye movements, heart rate, breathing patterns, blood oxygen levels, and limb movements throughout the night in a controlled laboratory setting.

**Synonyms:** Polysomnography

### **Sleep-Related Hypoventilation**

Inadequate ventilation during sleep causing elevated carbon dioxide, oxygen desaturation, or both. Causes include obesity, neuromuscular disease, chest-wall disorders, chronic lung disease, medications, and central respiratory-control abnormalities.

**Synonyms:**

### **Sleepwalking**

A parasomnia involving complex behaviors or walking during partial arousal from non-REM sleep, usually with little or no memory afterward. It is more common in children and may be triggered by sleep deprivation, stress, fever, or other sleep disorders; injury prevention and evaluation of recurrent or dangerous episodes are important.

**Synonyms:**

### **Sleeve Gastrectomy**

Removal of major stomach, leaving sleeve. Restrictive procedure. Lower malabsorption risk than bypass. Effective weight loss.

**Synonyms:**

### **Sliding Filament**

The mechanism of muscle contraction in which actin filaments slide past myosin filaments, shortening the sarcomere without changing filament lengths. Myosin cross-bridges bind actin, undergo a power stroke using ATP hydrolysis, detach, and reattach to new actin sites in a cyclic manner.

**Synonyms:**

### **Slipped Capital Femoral Epiphysis**

Displacement of the femoral head relative to the femoral neck through the growth plate (physis) in adolescents. Most common hip disorder in adolescents (10-16 years). Risk factors: obesity, male

sex, African American, and endocrine disorders (hypothyroidism, growth hormone deficiency).

**Synonyms:**

### **Slit Lamp Biomicroscopy**

A fundamental ophthalmological examination technique that uses a high-intensity, adjustable slit beam of light combined with a binocular microscope to provide a magnified, stereoscopic view of the anterior segment and, with the use of auxiliary lenses, the posterior segment of the eye.

**Synonyms:**

### **Small Airway Disease**

Disease affecting airways with diameter  $< 2$  mm (bronchioles). It is the earliest site of damage in COPD and is often subclinical until advanced. It is characterized by narrowing, mucus plugging, and inflammation of small airways. PFTs may show air trapping (increased RV/TLC) before FEV1 decline.

**Synonyms:**

### **Small Bowel Follow-Through**

Extended upper GI series tracking barium through small bowel.

**Synonyms:**

### **Small Bowel Obstruction**

Partial or complete blockage of the small intestine. Common causes include adhesions, hernias, tumors, and inflammatory narrowing. Symptoms may include abdominal pain, vomiting, distension, and inability to pass stool or gas.

**Synonyms:**

### **Small Bowel Series**

X-ray imaging of small intestine using barium. Evaluates Crohn disease, tumors, obstructions.

**Synonyms:**

### **Small Cell Carcinoma**

A high-grade neuroendocrine carcinoma, most often of the lung, strongly associated with smoking. Highly responsive initially to chemotherapy and radiation but prone to rapid recurrence and early

---

brain metastases.

**Synonyms:**

### **Small Cell Lung Cancer**

Aggressive lung cancer, strongly associated with smoking. Early metastasis, responds to chemotherapy.

**Synonyms:**

### **Small Fiber Neuropathy**

Damage to small sensory and autonomic nerve fibers, often causing burning pain, tingling, altered temperature or pain sensation, abnormal sweating, or gastrointestinal and cardiovascular symptoms. Diabetes, autoimmune disease, vitamin deficiency, toxins, and inherited disorders may contribute; evaluation seeks an underlying cause.

**Synonyms:**

### **Small Intestinal Bacterial Overgrowth**

An abnormal increase or change in bacteria within the small intestine, often causing bloating, abdominal pain, nausea, diarrhea, fullness, weight loss, or nutrient deficiency. Causes include impaired intestinal movement, structural problems, surgery, and some systemic diseases; persistent symptoms require medical evaluation.

**Synonyms:**

### **Small Intestine**

Longest GI segment (approximately 6 meters) from pylorus to ileocecal valve. Primary nutrient digestion and absorption site. Three segments: duodenum (25 cm, chyme/bile/pancreatic enzymes), jejunum (2.5 m, prominent folds/villi for absorption), ileum (3.5 m, Peyer's patches for immunity).

**Synonyms:**

### **Small-bowel volvulus**

Twisting of the small intestine around its mesentery, causing mechanical obstruction and potentially compromising mesenteric blood flow. It may be primary (idiopathic, more common in developing countries) or secondary to adhesions, malrotation, hernias, or intraluminal tumors.

**Synonyms:**

### **Smallpox**

A severe contagious disease caused by variola virus. It historically caused fever followed by a characteristic widespread pustular rash; it was eradicated through vaccination, although variola virus is retained in authorized high-security laboratories.

**Synonyms:**

### **SMART Goals for Antibiotic Stewardship**

Stewardship objectives that are specific, measurable, achievable, relevant, and time-limited. They define a clear antimicrobial-use or patient-outcome target and a way to monitor progress.

**Synonyms:**

### **SMILE**

Small incision lenticule extraction, commonly known as SMILE, is a minimally invasive refractive surgical procedure that corrects myopia and myopic astigmatism by creating and removing a thin, disc-shaped piece of corneal stroma called a lenticule through a small incision, without creating a corneal flap.

**Synonyms:**

### **Smile Design**

Planning smile based on facial features, gum display, tooth proportions. Digital smile design software available.

**Synonyms:**

### **Smith-Lemli-Opitz Syndrome**

An autosomal recessive disorder of cholesterol metabolism caused by mutations in DHCR7, encoding 7-dehydrocholesterol reductase, the final enzyme in the cholesterol biosynthetic pathway.

**Synonyms:**

### **Smith-Magenis Syndrome**

A genetic neurodevelopmental disorder, usually involving deletion of 17p11.2 or an RAI1 variant. It causes developmental delay, intellectual disability, distinctive facial features, sleep disturbance, behavioral dysregulation, and variable congenital abnor-

---

malities.

**Synonyms:**

### **Smoke Evacuator**

A device that captures and filters airborne surgical plume generated by electrosurgery, laser use, or ultrasonic energy. Evacuation reduces exposure to particulate matter, toxic gases, and potentially infectious biologic material.

**Synonyms:**

### **Smoke Inhalation Injury**

Pulmonary injury caused by inhalation of toxic products of combustion.

**Synonyms:**

### **Smoking Cessation**

The process of stopping tobacco or nicotine use. It may involve counseling, behavioral support, medicines, or nicotine replacement.

**Synonyms:**

### **Smooth Muscle**

Involuntary, non-striated muscle found in the walls of hollow organs and blood vessels. It produces slow, sustained contractions under autonomic, hormonal, and local control.

**Synonyms:**

### **Smothering**

Mechanical obstruction of the external nose and mouth that prevents effective ventilation. It may be caused by a covering, compression, or an obstructing soft material; findings are often nonspecific and must be interpreted with the scene, history, and complete examination.

**Synonyms:**

### **Snapping Hip Syndrome**

Hip pain/clicking from tendon snapping over bony prominence. Internal (iliopsoas), external (IT band), intra-articular (labral tear). Treatment: physical therapy, injection, surgery if refractory.

**Synonyms:**

### **Sneddon Syndrome**

A non-inflammatory thrombotic vasculopathy characterized by livedo racemosa and recurrent ischemic cerebrovascular events. Headache, hypertension, cognitive impairment, and cardiac-valve abnormalities may occur; evaluation addresses vascular risk and autoimmune or thrombophilic causes.

**Synonyms:**

### **Snoring and Sleep Apnea**

Snoring is the sound produced by vibrating soft tissues in the upper airway during sleep, often resulting from partial airway obstruction. Sleep apnea is a more serious condition characterized by repeated episodes of complete or partial airway collapse during sleep, leading to intermittent hypoxia, frequent arousal, and fragmented sleep.

**Synonyms:**

### **SNRIs**

Serotonin-norepinephrine reuptake inhibitors are a class of antidepressant drugs that inhibit the reuptake of both serotonin and norepinephrine from the synaptic cleft, increasing both serotonergic and noradrenergic neurotransmission. Common SNRIs include venlafaxine, duloxetine, desvenlafaxine, and levomilnacipran.

**Synonyms:**

### **Social Anxiety Disorder**

Marked fear or anxiety about one or more social situations in which the individual may be scrutinized by others. The individual fears acting in a way or showing anxiety symptoms that will be negatively evaluated.

**Synonyms:**

### **Social Isolation**

Limited contact or interaction with other people. Persistent isolation may adversely affect mental and physical health.

**Synonyms:**

### **Sodium**

Major extracellular cation. Fluid balance, nerve



---

function, muscle contraction. Recommended intake <2300 mg/day. Excess associated with hypertension. Sources: salt, processed foods.

**Synonyms:**

### **Sodium Bicarbonate Therapy**

Alkalinizing agent for metabolic acidosis in CKD. Target serum bicarbonate greater than 22 mEq/L. Slows CKD progression and improves muscle wasting. Dose titrated to serum levels.

**Synonyms:**

### **Sodium Polystyrene Sulfonate**

Potassium-binding resin for hyperkalemia. Risk: colonic necrosis, especially with sorbitol.

**Synonyms:**

### **Soft Markers for Aneuploidy**

Sonographic findings in the second trimester that are common in normal fetuses but have a statistically higher prevalence in aneuploid fetuses (especially trisomy 21).

**Synonyms:**

### **Soft Tissue Injury**

Damage to muscles, tendons, ligaments, fascia, skin, or other non-bony tissues, often caused by trauma or overuse.

**Synonyms:**

### **Soft Tissue Rheumatism**

Pain conditions affecting muscles, tendons, ligaments, bursae. Examples: frozen shoulder, lateral epicondylitis, rotator cuff tendinopathy. Treatment: rest, physiotherapy, injections, surgery if refractory.

**Synonyms:**

### **Soft Tissue Sarcoma**

A group of malignant tumors arising in muscle, fat, fibrous tissue, blood vessels, or other connective tissues. Treatment depends on the subtype, location, stage, and relationship to nearby structures.

**Synonyms:**

### **Soft Tissue Tumors**

Lipoma: most common benign soft tissue tumor, subcutaneous, encapsulated. Liposarcoma: most common malignant STS in adults, deep, subtypes (well-differentiated/dedifferentiated, myxoid/round cell, pleomorphic). Synovial sarcoma: t(X;18), SS18-SSX, young adults, deep extremity, "triple sign" on MRI.

**Synonyms:**

### **Soft-tissue calcinosis**

The deposition of insoluble calcium phosphate salts in soft tissues such as skin, subcutaneous tissue, muscles, and tendons, which may be metastatic (due to hypercalcaemia or hyperphosphataemia), dystrophic (in damaged or devitalised tissue), or idiopathic.

**Synonyms:**

### **Soil Contamination**

Environmental toxicology. Heavy metals, pesticides, industrial waste. Remediation: excavation, bioremediation, containment.

**Synonyms:**

### **Solar Urticaria**

A rare form of inducible urticaria triggered by ultraviolet or visible light, producing pruritic erythema and wheals within minutes on exposed skin. Symptoms usually improve after removal from the light source. Diagnosis may involve phototesting.

**Synonyms:**

### **Soleus Muscle**

Broad flat deep posterior leg muscle from posterior tibia, fibula, and tendinous arch to the calcaneus via the Achilles tendon. Innervated by tibial nerve (S1-S2). Powerful ankle plantarflexor, the primary anti-gravity muscle for upright posture. One-joint muscle.

**Synonyms:**

### **Solitary Pulmonary Nodule**

Single, well-circumscribed lesion < 3 cm surrounded by normal lung. Differential includes granuloma,

---

hamartoma, and carcinoma. PET-CT and tissue sampling help determine etiology.

**Synonyms:**

### **Solution**

A homogeneous mixture in which a drug (solute) is dissolved in a liquid vehicle (solvent, usually water, saline, alcohol, or polyethylene glycol). Solutions provide rapid absorption (oral solutions, parenteral IV solutions), ease of swallowing, and flexible dosing; they require preservatives and have limited stability.

**Synonyms:**

### **Solvent Exposure**

Contact with organic solvents by inhalation, ingestion, or skin absorption. Acute exposure may cause irritation or central nervous system effects; repeated exposure may damage organs.

**Synonyms:**

### **Somatic Mutation**

Acquired genetic change in cancer cells. Not inherited.

**Synonyms:**

### **Somatic Symptom Disorder**

Characterized by one or more somatic symptoms that are distressing or result in significant disruption of daily life, accompanied by excessive thoughts, feelings, or behaviors related to the somatic symptoms.

**Synonyms:**

### **Somatic Variant**

A DNA variant acquired after conception in a non-germline cell lineage. It is not usually transmitted to offspring and may produce mosaic disease or contribute to cancer when it affects growth-control pathways.

**Synonyms:**

### **Somatostatin Analog**

A class of synthetic peptides that mimic the actions of native somatostatin, a hormone that inhibits the secretion of growth hormone, thyroid-stimulating

hormone, insulin, glucagon, gastrin, and other GI hormones.

**Synonyms:**

### **Somatostatinoma**

Rare pancreatic or duodenal tumor producing somatostatin causing diabetes, gallstones, steatorrhea, and hypochlorhydria from suppression of insulin, gallbladder contraction, pancreatic enzymes, and gastric acid respectively. Diagnosed by elevated somatostatin levels. Treatment is surgical resection for localized disease.

**Synonyms:**

### **Somatotropic pituitary adenoma**

A benign neoplasm of the anterior pituitary arising from growth hormone-secreting cells, causing acromegaly in adults and gigantism in children if occurring before epiphyseal closure.

**Synonyms:**

### **Sonographer**

A healthcare professional trained to perform ultrasound scans (sonography).

**Synonyms:**

### **Sore Throat**

Pain, scratchiness, or irritation of the throat, most often caused by pharyngitis, typically viral but also bacterial, allergic, irritant, reflux, voice strain, traumatic, or neoplastic.

**Synonyms:**

### **Source Control**

A procedure or intervention that eliminates, drains, debrides, or otherwise controls an anatomic focus of infection or contamination. Examples include drainage of an abscess, removal of infected tissue or device, and repair of a perforation.

**Synonyms:**

### **Soy Protein Intolerance**

Adverse gastrointestinal reaction to soy proteins, most often seen in infants and young children. It may cause vomiting, diarrhoea, abdominal pain,

---

blood or mucus in the stool, feeding difficulty, or poor growth.

**Synonyms:**

### Spasm

A sudden, involuntary, sustained or repetitive contraction of a muscle or group of muscles.

**Synonyms:**

### Spasticity

A velocity-dependent increase in muscle tone caused by hyperexcitability of the stretch reflex after an upper motor-neuron lesion. It may impair movement, hygiene, positioning, comfort, gait, and function.

**Synonyms:**

### Spasticity Management

Assessment and treatment of abnormal muscle stiffness and spasms. Measures may include stretching, therapy, positioning, medicines, injections, or surgery.

**Synonyms:**

### Spatial Resolution

Ability to distinguish small objects. PET: 4-6 mm. SPECT: 8-12 mm.

**Synonyms:**

### Special Care Baby Unit

A ward within a hospital that provides specialist care for newborn babies who need additional support but not intensive care.

**Synonyms:**

### Special Stain

A histochemical stain that highlights a particular tissue component, organism, or deposited substance not adequately demonstrated by routine hematoxylin and eosin. Examples include periodic acid-Schiff, Ziehl-Neelsen, Congo red, and Gomori methenamine silver stains.

**Synonyms:**

### Specific Absorbed Fraction

Fraction of emitted energy absorbed in target organ.

**Synonyms:**

### Specific Activity

Radioactivity per unit mass of compound. High specific activity essential for receptor targeting (low receptor density).

**Synonyms:**

### Specific Gravity

Ratio of urine density to water density reflecting solute concentration. Normal 1.005 to 1.030. Less precise than osmolality but faster to measure. Elevated in dehydration, glycosuria, proteinuria, and contrast. Decreased in diabetes insipidus and fluid overload.

**Synonyms:**

### Specific Learning Disorder

A neurodevelopmental disorder causing persistent difficulty acquiring or using academic skills in reading, writing, or mathematics. The difficulties interfere with functioning and are not better explained by another condition or inadequate instruction.

**Synonyms:**

### Specific Phobia

A disorder involving marked, persistent fear or anxiety about a particular object or situation. The fear is excessive relative to the actual danger, leads to avoidance or intense distress, and interferes with daily functioning.

**Synonyms:**

### Specificity

The proportion of people who do not have a disease who obtain a negative test result. A highly specific test has few false-positive results and a positive result can provide strong evidence for disease when applied to the intended population.

**Synonyms:**

### Specimen Adequacy

The degree to which a collected clinical specimen is

---

sufficient in quantity, correctly identified, properly transported, and representative of the site being tested. Inadequacy can cause invalid, misleading, or falsely negative results.

**Synonyms:**

### **Specimen Container**

Container for collecting specimens. Types: urine cup, stool container, sputum cup, biohazard bag.

**Synonyms:**

### **Specimen Cup**

Container for urine or stool samples.

**Synonyms:**

### **Specimen Transport Medium**

A formulated medium that preserves the viability and diagnostic characteristics of microorganisms during transport from the collection site to the laboratory. The required medium, temperature, container, and transport time depend on the specimen and suspected pathogen.

**Synonyms:**

### **SPECT Scan (Single Photon Emission CT)**

Nuclear medicine imaging using gamma-emitting radioisotopes (Tc-99m, Tl-201, I-123) with a rotating gamma camera to create 3D images.

**Synonyms:** Single Photon Emission CT

### **Spectral Analysis**

Energy discrimination to reject scatter. Energy window typically 20% centered on photopeak.

**Synonyms:**

### **Speculum**

Device for opening body passage for examination. Types: vaginal, nasal, ear, anal.

**Synonyms:**

### **Speech**

Phonation and articulation. Teeth, tongue, lips, palate involved. Dental prostheses may affect speech

initially.

**Synonyms:**

### **Speech Delay**

A delay in language development compared to peers: by 12 months—no single words; 18 months—<10-20 words/no word combinations by 24 months; or regression.

**Synonyms:**

### **Speech Discrimination**

Speech discrimination testing, also known as word recognition scoring, measures the ability to understand speech at a comfortable listening level, and it is an important component of the audiometric evaluation that provides information about cochlear and neural function beyond what pure tone audiometry alone can reveal.

**Synonyms:** word recognition scoring, measures the.

### **Speech Therapy**

Assessment and treatment of disorders affecting speech, language, voice, communication, or swallowing.

**Synonyms:**

### **Speech-Language Pathology Assessment**

Evaluate communication, swallowing, cognition. Standardized tests, clinical observation.

**Synonyms:**

### **Sperm**

The male gamete (reproductive cell), produced in the seminiferous tubules of the testis through spermatogenesis. Sperm consists of: head (contains the haploid nucleus and acrosome containing enzymes for egg penetration), midpiece (contains mitochondria for energy), and tail (flagellum for motility).

**Synonyms:**

### **Spermatocele**

Benign, painless, fluid-filled cystic retention cavity arising from the epididymis (usually the head/caput), containing avascular fluid and non-

---

viable spermatozoa. Etiology: obstruction of an efferent ductule of the epididymis.

**Synonyms:**

### **Spermatogonium**

A germ cell in the testis that divides and develops into primary spermatocytes.

**Synonyms:**

### **Spermarche**

The onset of sperm production and the first ejaculation, marking an important stage of male puberty.

**Synonyms:**

### **Spermatorrhea**

Involuntary discharge of semen, especially without orgasm.

**Synonyms:**

### **Sphenoid Bone**

Butterfly-shaped bone at the skull base, with body (sphenoid sinuses), greater/lesser wings, and pterygoid processes. The sella turcica houses the pituitary gland.

**Synonyms:**

### **Sphenoid Sinusitis**

Inflammation or infection of the sphenoid sinus, which lies deep behind the nasal cavity. It may cause deep headache, facial pain, or visual symptoms and can rarely spread to nearby nerves or the brain; persistent or severe symptoms require medical assessment.

**Synonyms:**

### **Sphenoidal Sinus**

A paired air-filled sinus within the sphenoid bone at the base of the skull. It lies near important nerves and blood vessels, so inflammation or surgery in this area requires careful assessment.

**Synonyms:**

### **Spherocytes**

Small, dark, sphere-shaped red blood cells lacking

central pallor. Formed when RBC membrane is lost without loss of volume, reducing the surface area-to-volume ratio.

**Synonyms:**

### **Sphygmomanometer**

An instrument used to measure arterial blood pressure, consisting of an inflatable cuff and a pressure-measuring system. Manual devices use Korotkoff sounds; automated devices use an electronic sensor. Correct cuff size and technique are essential for reliable measurement.

**Synonyms:**

### **Spider angioma**

A benign vascular lesion consisting of a central arteriole with radiating small vessels, resembling a spider, most commonly found on the face, neck, and upper trunk. They are associated with hyperestrogenic states including pregnancy, oral contraceptive use, and chronic liver disease, particularly cirrhosis.

**Synonyms:**

### **Spider bite**

A cutaneous envenomation resulting from the bite of a spider, ranging from minor local reactions to severe systemic envenomation. The brown recluse spider may cause loxoscelism with necrotic skin lesions, while the black widow spider may cause latrodectism with muscle cramps, hypertension, and autonomic dysfunction.

**Synonyms:**

### **Spina Bifida**

A neural tube defect: incomplete closure of the neural tube (days 22-28), causing spinal cord/meningeal malformation.

**Synonyms:**

### **Spina Bifida Meningocele**

A form of spina bifida where the meninges (but not neural tissue) herniate through a vertebral defect, forming a CSF-filled sac. The spinal cord remains in its normal position and is not involved. Presents as a visible, fluid-filled, translucent sac on the back,

---

typically without neurologic deficits.

**Synonyms:**

### **Spina Bifida Myelomeningocele**

The most severe form of spina bifida, where both the meninges and neural tissue (spinal cord and nerve roots) herniate through a vertebral defect. Presents as a visible, flat or sac-like lesion on the back with neurologic deficits below the level of the lesion (paralysis, sensory loss, bowel/bladder dysfunction).

**Synonyms:**

### **Spina Bifida Occulta**

A usually mild form of spina bifida in which the vertebral arch does not fully close without herniation of the spinal cord or meninges. It is often asymptomatic but may be associated with a skin dimple, hair tuft, or other finding over the lower spine.

**Synonyms:**

### **Spinal Analgesia**

Intrathecal administration of a local anesthetic and/or opioid primarily to provide analgesia, often with limited motor block. Intrathecal opioids can extend postoperative pain relief but may cause pruritus, urinary retention, respiratory depression, and other opioid effects.

**Synonyms:**

### **Spinal Anesthesia**

Injection of local anesthetic into the lumbar subarachnoid space to produce temporary sensory, motor, and sympathetic blockade below the level of injection. Complications include hypotension, bradycardia, urinary retention, post-dural puncture headache, high or total spinal block, infection, and bleeding.

**Synonyms:**

### **Spinal Anesthesia for Cesarean Delivery**

A neuraxial anesthetic technique used for elective and many emergency cesarean deliveries. A small dose of local anesthetic (hyperbaric bupivacaine 12-

15 mg) with opioid (fentanyl 15-25 mcg, morphine 0.15-0.25 mg) is injected into the subarachnoid space. Produces rapid surgical anesthesia (T4 sensory level for cesarean).

**Synonyms:**

### **Spinal Angiography**

Contrast imaging of spinal vessels. Evaluates vascular malformations.

**Synonyms:**

### **Spinal Cord**

The cylindrical bundle of nerve fibers extending from the medulla oblongata (at the foramen magnum) to the conus medullaris (L1-L2 in adults), surrounded by the vertebral column and meninges (dura mater, arachnoid mater, pia mater). The spinal cord is divided into 31 segments: 8 cervical, 12 thoracic, 5 lumbar, 5 sacral, and 1 coccygeal.

**Synonyms:**

### **Spinal Cord Compression**

Oncologic emergency. Back pain, weakness, sensory loss, bowel/bladder dysfunction. MRI diagnostic. Treatment: steroids, radiation, surgery.

**Synonyms:**

### **Spinal Cord Injury**

Spinal cord injury: ASIA impairment scale (A-E). Complete (ASIA A) vs incomplete.

**Synonyms:**

### **Spinal dysraphism**

A group of congenital malformations resulting from incomplete closure of the neural tube during embryonic development, affecting the spinal cord and overlying vertebral structures. Includes open defects (myelomeningocele) and closed defects (spina bifida occulta, lipomyelomeningocele, dermal sinus).

**Synonyms:**

### **Spinal Epidural Abscess**

A collection of pus in the spinal epidural space, usually caused by haematogenous or contiguous infection. It may present with severe local back pain,



---

fever, spinal tenderness, radicular pain, neurological deficit, or sphincter disturbance, although the classic triad is often incomplete.

**Synonyms:**

### Spinal Fusion

Surgical union of two or more vertebrae using bone graft or bone graft substitutes with instrumentation (rods, screws, cages). Approaches: posterior (posterolateral fusion, transforaminal lumbar interbody fusion TLIF), anterior (anterior lumbar interbody fusion ALIF), and lateral (extreme lateral interbody fusion XLIF).

**Synonyms:**

### Spinal Muscular Atrophy

An inherited disorder causing progressive loss of motor neurons and muscle weakness, often beginning in infancy or childhood but sometimes appearing in adulthood. Severity varies; breathing, swallowing, and mobility may be affected. Early diagnosis allows genetic counseling and disease-modifying care.

**Synonyms:**

### Spinal Nerve

A mixed nerve formed by the union of dorsal and ventral roots as it exits the vertebral canal. There are 31 pairs, carrying sensory, motor, and autonomic fibers to and from the spinal cord.

**Synonyms:**

### Spinal Precautions

Immobilization of spine in trauma patients to prevent neurological injury. Indications: mechanism (fall >3 feet, MVC, gunshot), altered mental status, focal neurological deficit, midline spinal tenderness. Technique: cervical collar, backboard, log roll. Clearance: NEXUS criteria or Canadian C-spine rule.

**Synonyms:**

### Spinal Shock

A state of transient physiological areflexia and flaccid paralysis occurring immediately after acute spinal cord injury, below the level of the lesion.

**Synonyms:**

### Spinal Stenosis

Narrowing of the spinal canal causing compression of the spinal cord or nerve roots. Lumbar stenosis (most common): neurogenic claudication (leg pain/weakness with walking, relieved by sitting/leaning forward), often bilateral.

**Synonyms:**

### Spindle-cell sarcoma

A group of sarcomas characterized by elongated, spindle-shaped malignant cells. It includes entities like leiomyosarcoma, fibrosarcoma, and malignant peripheral nerve sheath tumor, with variable behavior.

**Synonyms:**

### Spine

The vertebral column, consisting of stacked vertebrae that support the body and protect the spinal cord.

**Synonyms:**

### Spine Disorders

The spine, or vertebral column, is a complex bony and soft-tissue structure that provides axial support, protects the spinal cord, and enables flexible movement of the trunk. It consists of 33 vertebrae divided into cervical, thoracic, lumbar, sacral, and coccygeal regions, separated by intervertebral discs that act as shock absorbers.

**Synonyms:**

### Spinocerebellar Ataxias

A group of autosomal dominant neurodegenerative disorders characterized by progressive cerebellar ataxia, often with additional neurological features. Over forty different SCA types have been identified, with SCA1, SCA2, SCA3 (Machado-Joseph disease, the most common worldwide), SCA6, and SCA7 being the most prevalent.

**Synonyms:**

---

## Spirochaete

A slender, spiral-shaped bacterium of the group Spirochaetes.

**Synonyms:**

## Spirochete

A thin, coiled gram-negative bacterium with internal periplasmic flagella conferring corkscrew motility, requiring darkfield or special stains. Pathogenic genera include *Treponema* (syphilis), *Borrelia* (Lyme disease, relapsing fever), and *Leptospira* (leptospirosis), diagnosed mainly by serology and darkfield microscopy.

**Synonyms:**

## Spirometry

Most common PFT measuring air volume and flow during forced breathing. Key measurements: FVC, FEV1, FEV1/FVC ratio. Used to diagnose and classify obstructive and restrictive diseases.

**Synonyms:**

## Spirolactone

A nonselective aldosterone (mineralocorticoid) receptor antagonist and potassium-sparing diuretic. Used for heart failure with reduced ejection fraction (NYHA II-IV—reduces mortality, often with ACE/ARB + beta-blocker), resistant hypertension, primary hyperaldosteronism, ascites in cirrhosis, and acne/hirsutism in women (off-label).

**Synonyms:**

## Spleen

Largest lymphoid organ in the left upper quadrant under ribs 9-11, approximately 12 cm long and 150-200 g. Red pulp filters blood (removing old/damaged RBCs and platelets); white pulp mounts immune responses (lymphoid follicles and periarteriolar lymphoid sheaths). Enclosed by a fibroelastic capsule with trabeculae.

**Synonyms:**

## Spleen Hilum

Concave medial surface where the tortuous splenic artery (celiac trunk branch) enters and splenic vein

exits, with lymphatics and nerves. Artery divides into 5 segmental branches at the hilum (basis for partial splenectomy). Splenic vein joins the superior mesenteric vein forming the portal vein.

**Synonyms:**

## Splenectomy

Indications: trauma (grade IV/V, hemodynamic instability), ITP (refractory), hereditary spherocytosis/elliptocytosis, thalassemia major, sickle cell (sequestration crisis), TTP (refractory), lymphoma staging (historical), hypersplenism, splenic cysts/tumors, Wandering spleen. Laparoscopic preferred.

**Synonyms:**

## Splenic cyst

A fluid-filled lesion within the spleen, classified as true cysts with an epithelial lining, including congenital, epidermoid, and dermoid cysts, or pseudocysts without a lining, typically resulting from trauma, infection, or pancreatitis. Most are asymptomatic and discovered incidentally on imaging.

**Synonyms:**

## Splenic Infarction

Splenic infarction occurs when the splenic artery or its branches are occluded, typically by emboli from the heart. The spleen has end-arterial supply with limited collateral circulation, making it vulnerable to infarction even with small vessel occlusion.

**Synonyms:**

## Splenic Rupture

Traumatic or spontaneous splenic injury. CT diagnosis. May require splenectomy.

**Synonyms:**

## Splenomegaly

Enlargement of the spleen beyond its normal size (12 cm, weight 150–200 g). Splenomegaly can be detected by percussion (Castell sign—dullness in the lowest intercostal space on inspiration) and palpation (normal spleen is not palpable; a palpable spleen indicates at least 2–3 times enlargement).

---

**Synonyms:**

### Splice-Site Variant

A variant affecting the sequences required for accurate removal of introns and joining of exons during RNA processing. It may cause abnormal transcripts, exon skipping, intron retention, or reduced functional protein.

**Synonyms:**

### Splint

Immobilizes injured body part. Types: aluminum, plastic, canvas, pneumatic.

**Synonyms:**

### Splint (Dental)

Fixation of mobile teeth or fractured tooth. Wire and composite, orthodontic bracket splint.

**Synonyms:** Dental

### Splinter Hemorrhages

Linear hemorrhages under the nail bed, oriented longitudinally. In infective endocarditis, they are caused by septic microemboli to the nail bed capillaries. They are a minor Duke criterion. Splinter hemorrhages can also result from trauma, psoriasis, and systemic vasculitis.

**Synonyms:**

### Splitting

A psychological defense pattern in which a person or situation is viewed as entirely good or entirely bad, with difficulty integrating positive and negative qualities. It can occur in several mental-health conditions and is not diagnostic by itself.

**Synonyms:**

### Spondyloarthritis

Group of inflammatory arthritis associated with HLA-B27. Includes ankylosing spondylitis, psoriatic arthritis, reactive arthritis, enteropathic arthritis. Features: axial involvement, enthesitis, dactylitis.

**Synonyms:**

### Spondylolisthesis

Forward slippage of one vertebral body relative to the vertebra below it. Isthmic (Type II, most common in children/adolescents): defect in pars interarticularis (spondylolysis), often L5-S1. Degenerative (Type III, most common in adults): facet joint and disc degeneration, often L4-L5.

**Synonyms:**

### Sponge (Vascular)

A sterile absorbent material used during vascular procedures to control minor bleeding or protect tissue.

**Synonyms:** Vascular

### Spontaneous Bacterial Peritonitis

Infection of ascitic fluid without an identifiable intra-abdominal source representing a serious complication of cirrhosis with ascites. The pathogenesis involves impaired immune function, bacterial translocation from the intestinal lumen, and seeding of ascitic fluid which provides a favorable medium for bacterial growth.

**Synonyms:**

### Spontaneous Breathing Trial

A period of unsupported breathing to assess a patient's readiness for extubation. The patient breathes through a T-piece or with minimal pressure support for 30–120 minutes. Successful SBT predicts successful extubation.

**Synonyms:**

### Spontaneous Pneumothorax

Pneumothorax without trauma. Primary in healthy individuals; secondary with underlying lung disease. Treatment depends on size.

**Synonyms:**

### Spore

A resistant reproductive or survival structure produced by some fungi and bacteria. Bacterial endospores can survive unfavorable environmental conditions and germinate when conditions become suitable. Their resistance has important implications

---

for infection control and sterilization.

**Synonyms:**

### **Sporotrichosis**

A subcutaneous fungal infection caused by *Sporothrix schenckii*, a dimorphic fungus found in soil, moss, and plant matter (rose thorns, sphagnum moss).

**Synonyms:**

### **Sports Rehabilitation**

Rehabilitation that restores safe movement and performance after a sports-related injury.

**Synonyms:**

### **Sprain**

An injury to a ligament (connective tissue connecting bone to bone) caused by excessive stretching or tearing. Grading: Grade I (mild stretching, microscopic tears), Grade II (partial tear with laxity), Grade III (complete tear with instability).

**Synonyms:**

### **Sprengel Deformity**

A congenital elevation of the scapula due to failure of the scapula to descend from its embryonic cervical position to its normal thoracic position during weeks 9-12 of gestation. The scapula is higher, smaller, and rotated inferiorly compared to the normal side. Range of motion is limited, especially in shoulder abduction.

**Synonyms:**

### **Spur-cell hemolytic anemia**

A severe hemolytic anemia seen in advanced liver disease where acanthocytosis develops due to altered membrane cholesterol, causing premature red cell destruction in the spleen.

**Synonyms:**

### **Sputum**

Mucus or phlegm produced in the lower airways and expelled by coughing. Its amount, color, odor, or blood content may provide clues to infection, inflammation, or bleeding, but appearance alone

does not establish a diagnosis.

**Synonyms:**

### **Squamous Cell Carcinoma**

Cutaneous squamous cell carcinoma is a malignant keratinocyte tumor commonly arising on chronically sun-exposed skin or in areas of chronic inflammation or immunosuppression. It may present as a scaly, indurated, hyperkeratotic papule, plaque, or ulcer.

**Synonyms:**

### **Squint**

A misalignment of the visual axes of the two eyes, where one eye is deviated inward (esotropia), outward (exotropia), upward (hypertropia), or downward (hypotropia) relative to the other, disrupting binocular vision and potentially leading to amblyopia in children. See Strabismus.

**Synonyms:**

### **SSRIs**

Selective serotonin reuptake inhibitors are a class of antidepressant drugs that selectively inhibit the reuptake of serotonin from the synaptic cleft into the presynaptic neuron by blocking the serotonin transporter, increasing serotonergic neurotransmission.

**Synonyms:**

### **ST Segment**

The isoelectric period between ventricular depolarization (QRS) and repolarization (T wave). It corresponds to the plateau phase of ventricular action potentials. ST segment elevation (>1 mm in limb leads or >2 mm in precordial leads) suggests acute myocardial infarction, pericarditis, or early repolarization.

**Synonyms:**

### **ST-Segment Elevation**

Elevation of the ECG ST segment above the isoelectric baseline, reflecting abnormal ventricular repolarization. It may indicate acute coronary occlusion but can also occur in pericarditis, early repolarization, ventricular aneurysm, or other conditions;

---

interpretation requires clinical context and serial testing.

**Synonyms:**

### **St. John's Wort**

Herbal supplement. CYP3A4 inducer, reduces efficacy of many drugs (oral contraceptives, warfarin, antiretrovirals).

**Synonyms:**

### **Stab Wound**

A penetrating sharp-force injury in which wound track depth exceeds skin defect length, produced by a pointed or sharp-edged implement. The skin defect approximates blade width only when perpendicular to Langer's lines, and a single-edged blade produces one sharp and one blunt end.

**Synonyms:**

### **Stable Disease**

Cancer neither growing nor shrinking significantly.

**Synonyms:**

### **Stage I**

A cancer stage that generally indicates limited disease, although the exact definition and prognosis depend on the cancer type and staging system.

**Synonyms:**

### **Stage II**

A cancer stage whose meaning depends on the cancer type and may indicate a larger primary tumor or limited local spread without distant metastasis.

**Synonyms:**

### **Stage III**

A cancer stage that often indicates more extensive local or regional disease, with the precise criteria depending on the cancer type.

**Synonyms:**

### **Stage IV**

A cancer stage that generally indicates spread to distant organs or sites. Prognosis and treatment

vary by cancer type and individual factors.

**Synonyms:**

### **Stages of Labor**

Four stages describing the progression from uterine contractions to delivery of the placenta. First stage: onset of regular contractions to full cervical dilatation (10 cm). Second stage: full dilatation to delivery of the baby. Third stage: delivery of the baby to delivery of the placenta.

**Synonyms:**

### **Staghorn Calculus**

A large renal stone that occupies the renal pelvis and extends into at least two calyces, creating a cast of the collecting system. Composition: struvite (magnesium ammonium phosphate), associated with urease-producing bacteria (*Proteus mirabilis*, *Klebsiella*, *Pseudomonas*) causing urinary tract infection.

**Synonyms:**

### **Staining**

A laboratory technique applying dyes to microbial smears or tissue sections to visualise microorganisms and reveal structural characteristics. Major methods include Gram, acid-fast, Giemsa, and fluorescent stains, providing rapid presumptive identification from clinical specimens and guiding initial empiric therapy.

**Synonyms:**

### **Stainless Steel**

Alloy for preformed crowns, orthodontic bands, instruments. Corrosion-resistant.

**Synonyms:**

### **Standard of Care**

The conduct, skill, diligence, and judgment a reasonably prudent practitioner of the same specialty would exercise under similar circumstances; the benchmark for medical negligence. It is established through guidelines, peer practice, and expert testimony rather than fixed statute.

**Synonyms:**

---

## Standard Precautions

Precautions for all patient care. Examples: hand hygiene, PPE, safe injection, respiratory hygiene.

**Synonyms:**

## Standardized Uptake Value

Quantitative PET measure: tissue activity divided by injected dose per body weight. Normalizes for body size, injection dose. SUVmax: maximum pixel value in lesion. SUVmean: average lesion uptake. Background: blood pool, liver.

**Synonyms:**

## Stapedectomy

A microsurgical procedure performed to treat otosclerosis, a condition characterized by abnormal bone remodeling in the otic capsule that fixes the stapes footplate in the oval window, preventing its normal vibratory movement and causing progressive conductive hearing loss.

**Synonyms:**

## Stapes

The stapes, commonly known as the stirrup, is the smallest bone in the human body and the most medially positioned ossicle in the middle ear, articulating with the incus at the incudostapedial joint and transmitting sound vibrations to the inner ear through its footplate, which is attached to the oval window by the annular ligament.

**Synonyms:**

## Staph Infection

Infections caused by *Staphylococcus aureus* (and coagulase-negative staphylococci), a gram-positive coccus in clusters.

**Synonyms:**

## Staphylococcal Infection

An infection caused by *Staphylococcus aureus* or another *Staphylococcus* species. It may affect the skin, bone, joints, lungs, heart valves, blood, or other tissues. Diagnosis and antimicrobial treatment depend on the site, severity, and susceptibility of the organism.

**Synonyms:**

## Staphylococcal Pneumonia

Severe pneumonia from *S. aureus*, often post-influenza. May cause necrotizing pneumonia, lung abscess, and empyema.

**Synonyms:**

## Staphylococcal scalded skin

A toxin-mediated *Staphylococcus aureus* infection causing superficial separation and tenderness of the outer skin, usually in infants or young children. Widespread redness and fragile blisters may rupture to leave painful, moist areas resembling a scald burn and require prompt medical assessment.

**Synonyms:**

## Staphylococcus aureus

A gram-positive, catalase-positive, coagulase-positive coccus that causes a wide range of infections including skin infections, pneumonia, endocarditis, and osteomyelitis. *S. aureus* produces numerous virulence factors including toxins, enzymes, and surface proteins. MRSA strains carry the *mecA* gene encoding PBP2a.

**Synonyms:**

## Staple (Vascular)

A small metal or polymer device used to close tissue or connect vascular structures.

**Synonyms:** Vascular

## Stargardt Disease

The most common inherited macular dystrophy, usually autosomal recessive and caused by ABCA4 gene mutations. Presents in childhood or adolescence with progressive central vision loss, retinal flecks, and bull's-eye maculopathy; no curative treatment exists.

**Synonyms:**

## Starling Forces

Starling forces describe the balance of hydrostatic and oncotic pressures that govern fluid movement across capillary walls, determining the distribution



---

of fluid between the intravascular and extravascular compartments.

**Synonyms:**

### **Statin**

An inhibitor of HMG-CoA reductase that lowers hepatic cholesterol synthesis and increases hepatic LDL-receptor expression. Statins reduce atherosclerotic cardiovascular events; adverse effects include muscle symptoms, rare severe myopathy, and liver-enzyme abnormalities.

**Synonyms:**

### **Statins in Diabetes**

Use of HMG-CoA reductase inhibitors to reduce atherosclerotic cardiovascular risk in people with diabetes. The decision, intensity, and treatment target are individualized according to age, cardiovascular risk, kidney function, and other clinical factors.

**Synonyms:**

### **Station**

The relationship of the fetal presenting part to the level of the ischial spines, measured in centimeters.

**Synonyms:**

### **Status Asthmaticus**

A severe, life-threatening asthma exacerbation unresponsive to standard bronchodilator therapy. Characterized by severe airflow obstruction, hypoxemia, and hypercapnia. Treatment includes continuous nebulized albuterol, IV magnesium sulfate, systemic corticosteroids, and possibly intubation.

**Synonyms:**

### **Status Epilepticus**

A seizure lasting at least 5 minutes or recurrent seizures without recovery to baseline consciousness between them, requiring urgent treatment. Ongoing convulsive or nonconvulsive status can cause neuronal injury, systemic complications, and death.

**Synonyms:**

### **Steady State**

The condition where the rate of drug administration equals the rate of elimination, resulting in constant average plasma concentrations with repeated dosing. During regular dosing at fixed intervals, steady state is achieved after approximately 4 to 5 half-lives, regardless of the dosing frequency or dose size.

**Synonyms:**

### **Steal Syndrome**

Ischemia of distal extremity due to blood flow diversion to bypass graft or AV fistula. Most common: upper extremity after AV fistula creation. Symptoms: hand pain, pallor, numbness, weakness. Treatment: banding, ligation, revision.

**Synonyms:**

### **Steatorrhea**

The passage of excess fat in the stool, causing greasy, pale, foul-smelling, floating stools—a hallmark of fat malabsorption.

**Synonyms:**

### **Stem Cell Transplantation**

Hematopoietic stem cell transplantation (HSCT) replaces diseased or ablated bone marrow with healthy donor or autologous stem cells.

**Synonyms:**

### **STEMI**

ST-elevation myocardial infarction: transmural myocardial necrosis from acute total occlusion of a coronary artery, an emergency requiring immediate reperfusion. ECG: ST-segment elevation in contiguous leads (or new LBBB); troponin elevated.

**Synonyms:**

### **Stenosis**

Narrowing of vessel lumen. Causes: atherosclerosis, thrombosis, dissection, external compression. Symptoms depend on location and severity. Treatment: medical, angioplasty, stenting, bypass.

**Synonyms:**

### **Stenosis of the left anterior descending**

---

## artery

Narrowing of the left anterior descending coronary artery, which can reduce blood flow to the front of the heart and cause ischemia.

**Synonyms:**

## Stenotrophomonas maltophilia resistance

Resistance in *Stenotrophomonas maltophilia* results from intrinsic and acquired mechanisms that limit the activity of several antibiotics. Treatment should be guided by the site of infection, susceptibility testing, illness severity, and specialist advice.

**Synonyms:**

## Stent

Tubular scaffold maintaining vessel/duct patency. Materials: metal (stainless steel, cobalt-chrome, nitinol), polymer. Types: bare-metal, drug-eluting. Applications: coronary, peripheral, biliary, ureteral, tracheal. Complications: restenosis, thrombosis, migration, fracture.

**Synonyms:**

## Stent (Vascular)

A small mesh or tube placed inside a narrowed or blocked vessel to help keep it open.

**Synonyms:** Vascular

## Stent Balloon (Vascular)

A balloon catheter used to expand a stent against the wall of a blood vessel.

**Synonyms:** Vascular

## Stent Graft

A fabric-covered stent placed inside a blood vessel to reinforce the vessel wall or exclude an aneurysm from blood flow.

**Synonyms:**

## Stent Placement

Image-guided deployment of stent. Vascular, biliary, ureteral, esophageal. Maintains patency.

**Synonyms:**

## Stent-Graft (Vascular)

A fabric-covered vascular stent used to reinforce a vessel or exclude an aneurysm or leak.

**Synonyms:** Vascular

## Stenting

Placement of mesh tube to keep vessel open. Drug-eluting stents reduce restenosis.

**Synonyms:**

## Stepping Reflex

A primitive reflex present from birth to 2 months, elicited by holding the infant upright with feet touching a flat surface. The infant makes stepping-like movements as if walking. Disappears by 2 months as voluntary motor control develops. Reappears around 9-10 months as voluntary walking emerges.

**Synonyms:**

## Stereotactic Biopsy

Biopsy using stereotactic guidance. Breast, brain, lung.

**Synonyms:**

## Stereotactic Body Radiation Therapy

A highly precise form of external radiation delivering high-dose ablative treatment in few fractions, used for early-stage lung cancer and selected liver, pancreatic, spinal, and kidney tumors.

**Synonyms:**

## Stereotactic Radiosurgery

Single high-dose radiation to small target. Used for brain metastases, AVMs, acoustic neuroma.

**Synonyms:**

## Sterile Field

A designated area maintained free of viable microorganisms during an invasive procedure. Only sterile equipment and materials may contact the field or the sterile portions of instruments.

**Synonyms:**

---

### **Sterile Site**

A body site or specimen type expected to contain no viable microorganisms in health, such as blood, cerebrospinal fluid, synovial fluid, or tissue from a closed space. Recovery of a pathogen from a sterile site is generally clinically significant, subject to contamination assessment.

**Synonyms:**

### **Sterilisation**

A permanent method of contraception. Female sterilization (tubal occlusion): the fallopian tubes are blocked or cut to prevent the egg from reaching the uterus, performed by laparoscopy (clip or diathermy) or at the time of cesarean delivery.

**Synonyms:**

### **Sterilization**

A process eliminating all microbial life including spores, achieving a sterility assurance level of at least  $10^{-6}$ .

**Synonyms:**

### **Sternoclavicular Joint**

A saddle-type synovial joint between the clavicle and manubrium of the sternum. It is the only bony connection between the upper limb and axial skeleton and permits movement of the shoulder girdle.

**Synonyms:**

### **Sternocleidomastoid Muscle**

Strap-like anterior neck muscle from manubrium and medial clavicle to the mastoid process. Innervated by CN XI and C2-C3. Divides neck into anterior/posterior triangles. Unilaterally: laterally flexes to opposite side, rotates face to same side. Bilaterally: flexes neck, assists forced inspiration.

**Synonyms:**

### **Sternum**

Flat bone in the anterior midline thorax, with manubrium, body, and xiphoid process. The sternal angle (of Louis) at the manubriosternal junction is a key landmark at the 2nd costal cartilage, T4-T5, and tracheal bifurcation. Common site for bone

marrow biopsy. Median sternotomy is the standard cardiac surgical approach.

**Synonyms:**

### **Stethoscope**

Acoustic device for listening to internal body sounds. Components: chest piece (bell and diaphragm), tubing, earpieces. Bell: low-frequency sounds. Diaphragm: high-frequency sounds. Essential for cardiac, pulmonary, abdominal auscultation.

**Synonyms:**

### **Stevens-Johnson Syndrome**

A severe, life-threatening mucocutaneous reaction characterized by widespread skin erythema, necrosis, and bullae formation with mucosal involvement (oral, ocular, genital). It is most commonly caused by drug reactions (sulfonamides, anticonvulsants, allopurinol, NSAIDs) and infections (*Mycoplasma pneumoniae*).

**Synonyms:**

### **Stickler Syndrome**

An autosomal dominant connective tissue disorder caused by mutations in collagen genes (COL2A1 most common, also COL11A1, COL11A2, COL9A1).

**Synonyms:**

### **Stillbirth**

Intrauterine fetal death (IUFD) at or after 20-24 weeks (definition varies by country); fetal death before viability (<20 weeks) is miscarriage.

**Synonyms:**

### **Stimulant Use Disorder**

A problematic pattern of stimulant use (cocaine, amphetamines, methamphetamine, MDMA) leading to significant impairment. Stimulants increase dopamine and norepinephrine activity. Withdrawal is characterized by fatigue, depression, increased appetite, hypersomnia, psychomotor retardation, and vivid unpleasant dreams.

**Synonyms:**

---

### Stippling (Tattooing)

Patterned dermal abrasions and punctate hemorrhages surrounding a firearm entrance wound, caused by unburned and partially burned gunpowder grains striking the skin at close range (15–75 cm).

**Synonyms:** Tattooing

### Stochastic Effects

Random radiation effects with no threshold. Cancer, genetic effects. Probability increases with dose.

**Synonyms:**

### Stoma Complications

Complications related to intestinal or urinary stomas.

**Synonyms:**

### Stomach

J-shaped muscular organ in the left upper quadrant, connecting esophagus to duodenum. Regions: cardia, fundus, body, antrum, pylorus. Functions: food storage, mechanical churning, chemical digestion (pepsin, HCl), intrinsic factor secretion (B12 absorption). Mucosa has rugae (folds) allowing expansion.

**Synonyms:**

### Stomach Cancer

Malignant cancer arising in the stomach, most often an adenocarcinoma. Risk factors include *Helicobacter pylori* infection, smoking, certain dietary exposures, chronic gastric inflammation, and inherited syndromes. Symptoms, stage, and tumor type guide treatment.

**Synonyms:**

### Stomach Ulcer

An open sore in the lining of the stomach, commonly associated with *Helicobacter pylori* infection or medicines such as NSAIDs.

**Synonyms:**

### Stomatitis

Inflammation of the oral mucosa, presenting as ery-

thema, ulceration, pain, and difficulty eating.

**Synonyms:**

### STOPP/START

Screening Tool of Older Person's Prescriptions (STOPP) and Potential Older Person's Prescriptions (START). Identifies inappropriate prescribing.

**Synonyms:**

### Storage Diseases

A group of inherited metabolic disorders characterized by accumulation of substrates within cells due to specific enzyme deficiencies. Lysosomal storage diseases result from defects in lysosomal hydrolytic enzymes, leading to accumulation of undigested macromolecules within lysosomes.

**Synonyms:**

### Strabismus

A misalignment of the visual axes of the two eyes, where one eye is deviated inward (esotropia), outward (exotropia), upward (hypertropia), or downward (hypotropia) relative to the other, disrupting binocular vision and potentially leading to amblyopia in children.

**Synonyms:**

### Strain

An injury to a muscle or tendon (connective tissue connecting muscle to bone) caused by excessive stretching, contraction, or overload. Grading: Grade I (mild stretching with few muscle fibers torn), Grade II (moderate partial tear), Grade III (complete muscle/tendon rupture).

**Synonyms:**

### Strain Imaging

Echocardiographic or magnetic-resonance imaging that measures deformation of the myocardium during contraction and relaxation. It can detect abnormalities in myocardial function that may not be apparent from ejection fraction alone.

**Synonyms:**

---

## Strangulation

Compression of the neck that impairs breathing or blood flow to and from the brain. It may cause voice changes, neck injury, loss of consciousness, or delayed complications and requires urgent medical assessment.

**Synonyms:**

## Strength Testing

Manual muscle testing, dynamometry, isokinetic testing. Quantifies weakness, tracks progress.

**Synonyms:**

## Strep Throat

Acute streptococcal pharyngitis caused by group A *Streptococcus* (*S. pyogenes*), most common in children 5-15 years. Features: sudden sore throat, fever, tonsillar exudate, palatal petechiae, anterior cervical lymphadenopathy, and headache/abdominal pain; cough, coryza, and oral ulcers suggest viral.

**Synonyms:**

## Streptococcal cellulitis with lymphangitis

Streptococcal infection of the skin and subcutaneous tissue with inflammation of the draining lymphatic vessels.

**Synonyms:**

## Streptococcal Infection

Infections caused by *Streptococcus pyogenes* (Group A Strep, GAS). Common presentations: pharyngitis (strep throat), scarlet fever (pharyngitis with erythematous rash), impetigo, cellulitis, and necrotizing fasciitis.

**Synonyms:**

## Streptococcal pharyngitis

Sore throat caused by infection with group A *Streptococcus*, often accompanied by fever and swollen cervical lymph nodes.

**Synonyms:**

## *Streptococcus agalactiae*

A gram-positive, beta-hemolytic streptococcus (Group B *Streptococcus*) that is a leading cause

of neonatal sepsis, meningitis, and pneumonia. The organism colonises the gastrointestinal and genital tracts. Transmission occurs during birth. Risk factors include prematurity, prolonged rupture of membranes, and maternal colonisation.

**Synonyms:**

## *Streptococcus pneumoniae*

A gram-positive, encapsulated diplococcus that causes pneumonia, otitis media, sinusitis, meningitis, and sepsis.

**Synonyms:**

## *Streptococcus pyogenes*

A gram-positive, beta-hemolytic streptococcus (Group A *Streptococcus*) that causes pharyngitis, skin infections, and post-infectious complications including rheumatic fever and glomerulonephritis. The organism produces streptolysins, erythrogenic toxin, and streptokinase.

**Synonyms:**

## Streptokinase

A thrombolytic agent that forms a plasminogen activator complex, converting plasminogen to plasmin and lysing fibrin clots. Used for STEMI, massive pulmonary embolism, and deep vein thrombosis (largely replaced by tissue plasminogen activator, which is more fibrin-specific and less antigenic).

**Synonyms:**

## Stress

A physiological and psychological response to perceived threats or demands that activates the sympathetic nervous system and the hypothalamic-pituitary-adrenal axis.

**Synonyms:**

## Stress Cardiomyopathy

A temporary weakening of the heart muscle, often following intense emotional or physical stress, with symptoms that can resemble acute coronary syndrome.

**Synonyms:**

---

### Stress Echocardiography

Echocardiography during exercise or pharmacological stress. Detects coronary artery disease by identifying wall motion abnormalities.

**Synonyms:**

### Stress Fracture

A bone injury caused by repetitive submaximal loading that exceeds the rate of remodeling and repair. It often presents with gradually increasing, localized activity-related pain and may progress to a complete fracture if loading continues.

**Synonyms:**

### Stress Shielding

Reduction in physiologic loading of adjacent bone caused by an implant that carries a disproportionate share of mechanical force. Chronic stress shielding may lead to bone resorption and compromise fixation.

**Synonyms:**

### Stress Ulcer Prophylaxis

Prevention of stress-related mucosal disease in critically ill patients. Risk factors: mechanical ventilation >48 hours, coagulopathy, trauma, burns, sepsis. Agents: H<sub>2</sub> blockers, proton pump inhibitors. Duration: while risk factors present.

**Synonyms:**

### Stress Urinary Incontinence

Involuntary leakage of urine, significantly affecting psychological, social, and physical well-being. See urinary incontinence.

**Synonyms:**

### Stretch Reflex

A monosynaptic spinal reflex in which stretching a muscle (e.g., a tap on the patellar tendon) excites muscle spindles, generating an afferent signal (Ia fibers) that directly excites the alpha motor neurons of the same muscle, causing contraction and resistance to stretch.

**Synonyms:**

### Striae Gravidarum

Stretch marks that develop during pregnancy, commonly on the abdomen, breasts, thighs, or buttocks. They may begin as red or purple lines and gradually fade to lighter bands.

**Synonyms:**

### Stridor

A harsh, often high-pitched respiratory sound caused by turbulent airflow through a narrowed upper airway. Inspiratory stridor usually indicates supraglottic or glottic obstruction; biphasic or expiratory patterns help localize disease, but any severe or progressive stridor is an airway emergency.

**Synonyms:**

### Stripping of Membranes (Membrane Sweep)

A procedure performed during a cervical exam where the examiner inserts a finger through the internal os and sweeps the membranes circumferentially, separating them from the lower uterine segment. Releases endogenous prostaglandins, promoting cervical ripening and potentially initiating labor.

**Synonyms:** Membrane Sweep

### Stroke

A medical emergency caused by the interruption of blood flow to the brain, resulting in neuronal death and neurological deficits.

**Synonyms:**

### Stroke Volume

The volume of blood ejected by the left ventricle with each heartbeat, normally 60-100 mL. It is determined by three factors: preload, afterload, and myocardial contractility. Stroke volume equals end-diastolic volume minus end-systolic volume. Reduced stroke volume occurs in heart failure, hypovolemia, and cardiogenic shock.

**Synonyms:**

### Strongyloides stercoralis

A soil-transmitted nematode that can infect the



---

human intestine and cause strongyloidiasis.

**Synonyms:**

### **Strongyloidiasis**

Infection with *Strongyloides stercoralis*, a unique helminth capable of autoinfection. Most infections asymptomatic or mild (abdominal pain, diarrhea, urticaria). Larvae migration causes larva currens (rapidly migrating serpiginous rash, perianal).

**Synonyms:**

### **Structured Reporting**

Reporting using standardized templates. Improves consistency, completeness.

**Synonyms:**

### **Struvite Stones**

Infection stones composed of magnesium ammonium phosphate. Form in alkaline urine with urease-producing organisms including *Proteus* and *Klebsiella*. Staghorn calculi fill renal pelvis almost exclusively from *Proteus*. Treatment requires complete stone removal with antibiotics and urinary acidification. High recurrence if infection persists.

**Synonyms:**

### **Stupor**

A state of reduced consciousness in which the patient is unresponsive to most environmental stimuli but can be temporarily aroused by vigorous, repeated stimulation (painful stimuli, loud shouting).

**Synonyms:**

### **Sturge-Weber Syndrome**

A neurocutaneous syndrome (phakomatosis) characterized by a facial capillary malformation (port-wine stain) in the V1 distribution of the trigeminal nerve (forehead and upper eyelid) and ipsilateral leptomeningeal angiomas (venous malformations of the pia mater). Caused by a somatic activating mutation in *GNAQ*.

**Synonyms:**

### **Stye**

A common infection of the eyelid. External horde-

olum: acute bacterial infection of the Zeis or Moll glands at the eyelash follicle, typically caused by *Staphylococcus aureus*. Presents as a tender, red, well-localized swelling at the lid margin. Internal hordeolum: infection of the meibomian gland, larger and more painful than external.

**Synonyms:**

### **Subacute**

Between acute and chronic. Examples: subacute thyroiditis.

**Synonyms:**

### **Subacute Rehabilitation**

Less intensive than acute rehab. For patients needing continued therapy but not as intensive. Skilled nursing facility setting.

**Synonyms:**

### **Subacute Thyroiditis**

Inflammatory condition of the thyroid most likely viral in etiology presenting with painful tender thyroid enlargement, fever, and malaise. Associated with elevated erythrocyte sedimentation rate and C-reactive protein.

**Synonyms:**

### **Subarachnoid**

Situated beneath the arachnoid membrane surrounding the brain and spinal cord.

**Synonyms:**

### **Subarachnoid Hemorrhage**

Bleeding into the subarachnoid space, the area between the arachnoid membrane and the pia mater surrounding the brain, most commonly caused by rupture of a cerebral (berry) aneurysm.

**Synonyms:**

### **Subclavian Artery**

The artery supplying the upper limb, arising on the right from the brachiocephalic trunk and on the left directly from the aortic arch, passing over the first rib and becoming the axillary artery. Branches: vertebral, internal thoracic, thyrocervical trunk, cos-

---

tocervical trunk.

**Synonyms:**

### **Subclavian Vein**

The continuation of the axillary vein beyond the lateral border of the first rib. It joins the internal jugular vein behind the sternoclavicular joint to form the brachiocephalic vein.

**Synonyms:**

### **Subclavian vein thrombosis**

Formation of a blood clot in the subclavian vein, often associated with central venous catheterization, thoracic outlet syndrome, or Paget-Schroetter syndrome (effort-related thrombosis in young, active individuals). Presents with arm swelling, pain, and cyanosis.

**Synonyms:**

### **Subcorneal pustular dermatosis**

A chronic relapsing skin disorder characterized by superficial sterile pustules beneath the stratum corneum, often on the trunk and flexural areas. It may be associated with IgA or other monoclonal gammopathies and can resemble pustular psoriasis.

**Synonyms:**

### **Subculture**

The transfer of microorganisms from one culture to fresh culture medium, used to maintain pure cultures, isolate colonies, increase viability, prepare standardized inocula, and perform identification/susceptibility testing. On solid media, subculture aims to obtain isolated single colonies from a mixed or stock culture.

**Synonyms:**

### **Subcutaneous Emphysema**

Air in the subcutaneous tissues, often from pneumothorax, pneumomediastinum, or chest trauma. It causes a characteristic crepitus on palpation. It is usually benign and resolves when the underlying air leak is treated. Severe cases may cause skin necrosis and compartment syndrome.

**Synonyms:**

### **Subcutaneous Tissue**

Subcutaneous tissue (hypodermis, superficial fascia) lies beneath the dermis and connects skin to underlying structures. It contains adipose tissue (fat), blood vessels, nerves, and the superficial muscular aponeurotic system (SMAS). Subcutaneous fat provides insulation, cushioning, and energy storage.

**Synonyms:**

### **Subdural Hematoma**

A collection of blood between the dura mater and the arachnoid mater, caused by tearing of bridging veins that traverse the subdural space.

**Synonyms:**

### **Subgaleal Hemorrhage**

A potentially life-threatening accumulation of blood in the space beneath the scalp's epicranial aponeurosis. It can expand rapidly in a newborn, particularly after vacuum-assisted delivery, and requires urgent recognition and treatment.

**Synonyms:**

### **Sublingual epidermoid cyst**

A benign cyst lined by stratified squamous epithelium beneath the tongue mucosa, presenting as a slow-growing midline swelling that may require surgical excision if symptomatic.

**Synonyms:**

### **Sublingual Gland**

One of the paired major salivary glands, located beneath the tongue. It produces mainly mucous saliva that enters the mouth through several small ducts and helps lubricate the oral cavity.

**Synonyms:**

### **Submandibular Gland**

One of the three paired major salivary glands, located in the submandibular triangle beneath the mandible. Mixed gland (predominantly serous) secreting saliva via Wharton's duct opening at the sublingual caruncle (floor of mouth). Saliva contains amylase, mucins, lysozyme, IgA.

**Synonyms:**

---

### Subscapular Artery

An artery arising from the axillary artery that supplies the scapular region and adjacent muscles.

**Synonyms:**

### Substance Abuse

An older, nonspecific term for harmful or problematic substance use. Current clinical language generally uses substance-use disorder.

**Synonyms:**

### Substance Abuse Psychiatry

The subspecialty focused on the evaluation and treatment of substance use disorders and co-occurring psychiatric conditions. Dual diagnosis patients require integrated treatment addressing both disorders simultaneously.

**Synonyms:**

### Substance Dependence

A state in which repeated substance use produces physiologic adaptation, so that reducing or stopping the substance may cause withdrawal. It is distinct from, but may occur with, substance-use disorder.

**Synonyms:**

### Substance Intoxication

A reversible substance-specific syndrome caused by recent use that produces clinically significant behavioral or physiologic changes. Diagnosis requires assessing timing, dose or exposure, expected pharmacology, co-ingestants, and medical complications.

**Synonyms:**

### Substance Use

The consumption of alcohol, drugs, or other chemical substances, which can lead to health, social, and psychological issues if used excessively.

**Synonyms:**

### Substance Use Disorder

A problematic pattern of substance use leading to clinically significant impairment or distress, manifested by at least two of eleven criteria within a twelve-month period.

**Synonyms:**

### Substance Use in Pregnancy

Use of alcohol, tobacco, cannabis, opioids, cocaine, or other substances during pregnancy. Effects depend on the substance, dose, timing, and other factors and may include maternal complications, impaired fetal growth, preterm birth, or neonatal withdrawal. Evaluation and treatment should be individualized.

**Synonyms:**

### Substance Withdrawal

A substance-specific syndrome occurring after reduction or cessation of heavy or prolonged use. Withdrawal can range from discomfort to life-threatening complications such as seizures, delirium tremens, severe autonomic instability, or respiratory depression depending on the substance.

**Synonyms:**

### Substernal goiter

Extension of thyroid tissue into the mediastinum, typically arising from the thyroid gland in the neck and growing downward through the thoracic inlet. It may cause compressive symptoms including dyspnea, dysphagia, and superior vena cava syndrome. Most are multinodular goiters. Diagnosis is by CT or MRI.

**Synonyms:**

### Succenturial Lobe

An accessory lobe of the placenta, connected to the main placenta by blood vessels that traverse the membranes. If undetected after delivery, the succenturial lobe may be retained in the uterus, causing postpartum hemorrhage or infection. Diagnosis: careful inspection of the placenta and membranes after delivery.

**Synonyms:**

### Succinate Dehydrogenase

Complex II of electron transport chain. Also TCA cycle enzyme. Produces FADH<sub>2</sub>.

**Synonyms:**

---

### Succinylcholine

A depolarizing neuromuscular-blocking drug that produces rapid, brief skeletal-muscle paralysis by activating nicotinic acetylcholine receptors at the neuromuscular junction. It can cause hyperkalemia, bradycardia, myalgia, masseter spasm, prolonged apnea in pseudocholinesterase deficiency, and malignant hyperthermia.

**Synonyms:**

### Sucking Reflex

A primitive reflex present from birth, elicited by placing an object in the infant's mouth. The infant rhythmically sucks on the object. Coordinated sucking and swallowing typically develop by 34-36 weeks gestational age. Premature infants may lack coordinated suck-swallow, requiring gavage feeding.

**Synonyms:**

### Sucrose Lysis Test

A historical screening test for paroxysmal nocturnal haemoglobinuria in which patient red blood cells are exposed to serum in a low-ionic-strength sucrose solution, allowing complement-mediated lysis to be detected.

**Synonyms:**

### Suction (Vascular)

A suction device used during a vascular procedure to remove blood or other fluid from the operative field.

**Synonyms:** Vascular

### Suction Device

Creates negative pressure for fluid removal. Components: canister, tubing, suction catheter. Used for airway clearance, surgical field, wound drainage.

**Synonyms:**

### Suction Tip

The end attachment of a suction device used to remove blood, fluid, secretions, or debris. Common types include the Yankauer tip for oropharyngeal suction and surgical suction tips such as the Frink tip.

**Synonyms:**

### Sudden Cardiac Death

Unexpected death from a cardiac cause, usually occurring rapidly after symptom onset or without witnessed symptoms. Causes include coronary disease, cardiomyopathy, inherited arrhythmia syndromes, and bradyarrhythmia; prevention depends on the underlying risk.

**Synonyms:**

### Sudden Infant Death Syndrome

SIDS: the sudden, unexplained death of an infant <1 year (peak 2-4 months) that remains unexplained after a thorough investigation (autopsy, scene examination, and review of clinical history). Risk factors: prone sleep, bed-sharing, soft bedding, overheating, maternal smoking, prematurity/low birth weight, and co-sleeping.

**Synonyms:**

### Sudden Sensorineural Hearing Loss

Rapid sensorineural hearing loss, conventionally at least 30 dB over three contiguous frequencies within 72 hours. It requires urgent audiologic and otologic assessment because early treatment may improve recovery in selected patients.

**Synonyms:**

### Sudden Unexpected Infant Death

The sudden and unexpected death of an infant younger than 1 year, whether or not the cause is known before investigation. Sudden infant death syndrome is the unexplained subtype after complete scene, history, and autopsy evaluation.

**Synonyms:**

### Suffocation

Death or injury from failure of oxygen to reach the lungs, a category of asphyxia distinct from strangulation. Subtypes include smothering (airway obstruction), choking or foreign-body obstruction, mechanical asphyxia (positional, chest compression), and entrapment in oxygen-deficient environments.

**Synonyms:**

---

## Sugammadex

A selective relaxant binding agent that reverses aminosteroid neuromuscular blockers (rocuronium and vecuronium) by encapsulating them in a cyclodextrin molecule, forming a 1:1 complex that is renally excreted. Onset of action is within 2 to 3 minutes.

**Synonyms:**

## Suicidal Ideation

Thoughts about killing oneself, ranging from passive (wish to be dead, wishes to fall asleep and not wake) to active (thoughts of killing oneself with varying degrees of intent, plan, and means). The C-SSRS grades severity from 1 (wish to be dead) to 5 (active suicidal ideation with specific plan and intent).

**Synonyms:**

## Suicide

The intentional act of taking one's own life. Suicide is a major public health problem worldwide, causing 700,000 deaths annually.

**Synonyms:**

## Suicide Risk Assessment

A clinical evaluation of suicidal thoughts, intent, plan, access to means, past attempts, self-harm, psychiatric and medical illness, substance use, protective factors, and immediate safety. It informs but does not replace ongoing clinical judgment and safety planning.

**Synonyms:**

## Sulfa Drugs

A class of bacteriostatic antibiotics that competitively inhibit dihydropteroate synthase, an enzyme essential for folic acid synthesis in bacteria. See sulfonamides.

**Synonyms:**

## Sulfasalazine

A DMARD combining sulfapyridine and 5-aminosalicylic acid, used in rheumatoid arthritis, psoriatic arthritis, and inflammatory bowel disease (ulcerative colitis). Slows disease progression in RA;

onset over 1-3 months.

**Synonyms:**

## Sulfatide

A sulfated glycolipid found particularly in myelin and nervous tissue.

**Synonyms:**

## Sulfonamide

A class of antibiotics (sulfamethoxazole, sulfadiazine, sulfasalazine) that inhibit bacterial dihydropteroate synthase, blocking folate synthesis—bacteriostatic. Often combined with trimethoprim (co-trimoxazole: TMP-SMX). Used for UTIs, PCP (pneumocystis pneumonia), toxoplasmosis, Nocardia, and MRSA.

**Synonyms:**

## Sulfonylureas

Oral antidiabetic agents that stimulate insulin secretion from pancreatic beta cells by blocking ATP-sensitive potassium channels on the beta cell membrane. This causes membrane depolarization, opening of voltage-gated calcium channels, calcium influx, and exocytosis of insulin-containing granules.

**Synonyms:**

## Sulfur Colloid Scan

Nuclear medicine imaging using Tc-99m sulfur colloid. Evaluates liver, spleen, bone marrow, lymph nodes.

**Synonyms:**

## Sulphonamides

A class of antimicrobial agents containing the sulfonamide group ( $\text{SO}_2\text{NH}_2$ ). Sulphonamides were the first effective systemic antibacterial agents (Prontosil, 1935—Gerhard Domagk). Mechanism: competitive inhibition of dihydropteroate synthase, blocking folate synthesis (para-aminobenzoic acid analogue)—bacteriostatic.

**Synonyms:**

## Sun Protection (Photoprotection)

Sun protection involves measures taken to reduce exposure to ultraviolet radiation from the sun, which

---

is the primary environmental risk factor for skin cancer and photoaging.

**Synonyms:** Photoprotection

### Sunburn

Acute erythema (and later edema, pain, blistering, peeling) of skin from excessive ultraviolet (UV) radiation (UVB predominantly), causing DNA damage and inflammatory response. Risk: repeated sunburn increases skin cancer risk (melanoma, basal/squamous cell carcinoma) and photoaging.

**Synonyms:**

### Superantigen

A protein that bypasses antigen processing and non-specifically activates large T-cell populations by binding MHC class II and the T-cell receptor V region, triggering massive cytokine release. Staphylococcal TSST-1 and enterotoxins, and streptococcal pyrogenic exotoxins, cause toxic shock and scarlet fever.

**Synonyms:**

### Superficial

Located near or on the surface of the body.

**Synonyms:**

### Superficial Fascia

A layer of loose connective tissue beneath the dermis, also called subcutaneous tissue or the hypodermis.

**Synonyms:** subcutaneous tissue.

### Superficial thrombophlebitis

Inflammation and clot formation in a superficial vein, causing a tender, firm, reddened cord along the vein.

**Synonyms:**

### Superimposed Preeclampsia

Preeclampsia developing in a person who already has chronic hypertension. It may present with new or worsening proteinuria, thrombocytopenia, abnormal liver or kidney tests, neurologic symptoms, or other features of maternal organ dysfunction.

**Synonyms:**

### Superinfection

A new infection that develops during or after treatment of a previous infection, often involving an antimicrobial-resistant organism or an organism not susceptible to the original therapy, such as *Clostridioides difficile* after antibiotic exposure.

**Synonyms:**

### Superior

Positioned higher or closer to the head.

**Synonyms:**

### Superior Mesenteric Artery

Second major abdominal aortic branch at L1, the midgut artery. Supplies distal duodenum through proximal two-thirds of transverse colon. Branches: inferior pancreaticoduodenal, jejunal, ileal, ileocolic, right colic, middle colic. Arises anterior to the pancreatic uncinate process, crosses the third duodenal part.

**Synonyms:**

### Superior mesenteric artery syndrome

Compression of the duodenum between the aorta and the superior mesenteric artery, causing proximal duodenal obstruction. Presents with postprandial nausea, vomiting, and epigastric pain, often after significant weight loss that narrows the SMA-aortic angle. Treatment includes nutritional rehabilitation and surgical duodenal mobilization.

**Synonyms:**

### Superior Semicircular Canal Dehiscence

A defect or marked thinning of the bony covering of the superior semicircular canal that can produce sound- or pressure-induced vertigo, autophony, and conductive-appearing hearing findings. Diagnosis combines characteristic symptoms, physiologic testing, and high-resolution temporal-bone CT.

**Synonyms:**

### Superior Vena Cava

Formed by brachiocephalic vein junction at the first right costal cartilage, returning upper body deoxygenated blood to the right atrium. Approximately



---

7 cm, valveless. Related to right lung/pleura, right phrenic nerve, and azygos vein.

**Synonyms:**

### **Superior Vena Cava Syndrome**

Obstruction of SVC by tumor. Facial swelling, dyspnea, dilated neck veins. Emergency: radiation, stenting.

**Synonyms:**

### **Superior vena caval obstruction**

Compression or thrombosis of the superior vena cava impairing venous return from the head, neck, and upper extremities. Most commonly caused by malignancy (lung cancer, lymphoma) or indwelling central venous devices. Presents with facial swelling, plethora, distended neck veins, and upper extremity edema.

**Synonyms:**

### **Supernumerary rib**

An extra rib beyond the typical twelve pairs, most commonly a cervical rib above the first thoracic rib, which may compress the brachial plexus or subclavian vessel causing thoracic outlet syndrome.

**Synonyms:**

### **Supernumerary Teeth**

Extra teeth beyond normal complement. Most common: mesiodens between maxillary centrals. May cause impaction or malocclusion.

**Synonyms:**

### **Supervised Exercise Therapy**

A structured, monitored exercise program used to improve walking ability and reduce claudication symptoms in people with peripheral artery disease. The exercise plan is adjusted to the person's symptoms and functional capacity.

**Synonyms:**

### **Supination**

Rotation of the forearm so that the palm faces anteriorly in anatomical position, or upward when the elbow is flexed. The radius and ulna become

parallel.

**Synonyms:**

### **Supine Hypotensive Syndrome**

Compression of the inferior vena cava by the gravid uterus when the pregnant woman lies flat on her back after 20 weeks gestation. Results in decreased venous return, reduced cardiac output, and maternal hypotension, dizziness, pallor, and syncope.

**Synonyms:**

### **Supplement Safety**

Supplements not strictly regulated. Contamination, mislabeling risks. Consult healthcare provider before use.

**Synonyms:**

### **Supplemental Oxygen Therapy**

Administration of oxygen at a concentration above that of room air to treat or prevent clinically important hypoxemia. Delivery method and oxygen target depend on the illness, baseline oxygenation, risk of carbon-dioxide retention, and monitoring results; excessive oxygen can also cause harm.

**Synonyms:**

### **Supplementation**

Use of a vitamin, mineral, protein, fiber, or other nutrient preparation to correct a deficiency or meet a clinically identified increased requirement. The indication, dose, interactions, product quality, and risk of toxicity should be assessed before use.

**Synonyms:**

### **Supportive Care**

Treatment that maintains essential body functions, relieves symptoms, prevents complications, and supports recovery while the underlying cause is treated.

**Synonyms:**

### **Suppository**

A solid, single-dose dosage form designed to be inserted into a body orifice (rectum, vagina, or urethra) where it melts, softens, or dissolves, releasing the active pharmaceutical ingredient for local or

---

systemic effects.

**Synonyms:**

### Supraglottic Airway Device

An airway device positioned above the glottis to maintain oxygenation and ventilation without passing through the vocal cords. It is used for selected anesthetized or unconscious patients and is not a definitive substitute for a cuffed tracheal tube when aspiration protection is required.

**Synonyms:**

### Suprascapular Nerve

A branch of the brachial plexus that supplies the supraspinatus and infraspinatus muscles.

**Synonyms:**

### Supraventricular Tachycardia

A rapid rhythm (150-250 bpm) originating above the ventricles, characterized by narrow QRS complexes. Most common forms are AV nodal reentrant tachycardia (AVNRT) and AV reentrant tachycardia (AVRT). Episodes are typically paroxysmal with sudden onset and offset. Vagal maneuvers and adenosine are diagnostic and therapeutic.

**Synonyms:**

### Surfactant

A phospholipid-protein complex produced by type II pneumocytes that reduces alveolar surface tension, preventing atelectasis. Deficiency causes respiratory distress syndrome in premature infants. Exogenous surfactant (beractant, poractant alfa) administered via endotracheal tube.

**Synonyms:**

### Surgery

Treatment in which an operation is performed to diagnose, remove, repair, reconstruct, or otherwise treat a disease or injury.

**Synonyms:**

### Surgical Drain

A device placed to remove blood, pus, bile, urine, lymph, or other fluid from a surgical site or body

cavity. Indications, output characteristics, duration, and removal criteria should be documented because drains can also cause infection, bleeding, or tissue injury.

**Synonyms:**

### Surgical Hemostasis

Control of bleeding during an operation using pressure, ligation, sutures, clips, electrosurgery, topical agents, vessel sealing, or other techniques. Effective hemostasis requires identification of the bleeding source and correction of coagulopathy when present.

**Synonyms:**

### Surgical Instruments

Instruments for surgery. Categories: cutting (scalpel, scissors), grasping (forceps, clamps), retraction, hemostasis (hemostat, electrocautery).

**Synonyms:**

### Surgical Margin

The edge of tissue removed during an excision or resection, assessed microscopically for residual disease. A negative margin has no tumor at the examined edge; a positive margin indicates tumor extends to the inked or designated margin.

**Synonyms:**

### Surgical Repair

An operation that restores or reconstructs damaged tissue, an organ, or an anatomic function.

**Synonyms:**

### Surgical Risk Stratification

Estimation of the likelihood of perioperative complications using patient factors, urgency, procedure risk, functional capacity, and disease-specific assessment. It informs optimization, monitoring level, shared decisions, and postoperative planning but cannot eliminate uncertainty.

**Synonyms:**

### Surgical Safety Checklist

A structured checklist used at defined points before anesthesia, before incision, and before leaving

---

the operating room to verify patient identity, procedure, site, consent, equipment, specimens, and team communication.

**Synonyms:**

### **Surgical Site Infection**

Infection involving the incision, organ, or operative space within the surveillance period after surgery. It may be superficial incisional, deep incisional, or organ-space and requires appropriate culture, antimicrobial therapy, drainage, debridement, or reoperation when indicated.

**Synonyms:**

### **Surgical Time-Out**

A deliberate team pause immediately before incision to verify patient identity, procedure, site, consent, allergies, antibiotics, imaging, implants, equipment, and anticipated critical events. It is a core surgical-safety intervention.

**Synonyms:**

### **Surgical Wound Classification**

Categorization of an operative wound as clean, clean-contaminated, contaminated, or dirty/infected according to the degree of microbial exposure and existing infection. The class helps estimate surgical-site infection risk and guide prophylaxis.

**Synonyms:**

### **Surrogate Decision-Maker**

A person authorized to make healthcare decisions for someone who lacks decision-making capacity, guided by the person's known values and preferences.

**Synonyms:**

### **Surveillance**

Systematic collection, analysis, interpretation of health data. Types: passive (reporting), active (proactive case finding), sentinel (selected sites).

**Synonyms:**

### **Surveillance Imaging**

Repeat imaging to detect recurrence. Protocol varies by cancer type, stage, treatment.

**Synonyms:**

### **Survival**

Length of life after diagnosis or event. In elderly, consider comorbidities, functional status, preferences. Life expectancy estimates based on age, sex, health status. Shared decision-making essential.

**Synonyms:**

### **Survival Rate**

Percentage of patients surviving for specified time after diagnosis. 5-year survival commonly used.

**Synonyms:**

### **Survivorship**

Care for cancer survivors. Addresses late effects, surveillance, quality of life.

**Synonyms:**

### **Survivorship Care Plan**

Document summarizing treatment, follow-up, late effects. Provided to cancer survivors.

**Synonyms:**

### **Susac Syndrome**

An autoimmune microangiopathy affecting the brain, retina, and inner ear. The characteristic triad is encephalopathy, branch retinal-artery occlusions, and sensorineural hearing loss, though all features may not be present initially.

**Synonyms:**

### **Susceptibility Testing**

Laboratory tests determining the sensitivity of a bacterial isolate to antimicrobials to guide therapy. Methods: disk diffusion (Kirby-Bauer—zone sizes), broth dilution (MIC—minimum inhibitory concentration, MBC—minimum bactericidal concentration), E-test (gradient strips), and automated systems (VITEK).

**Synonyms:**

### **Suspected Cause**

A condition or factor believed to explain a disease or symptom but not yet confirmed.

---

**Synonyms:**

### **Suspension**

A pharmaceutical formulation in which fine solid drug particles are dispersed (not dissolved) in a liquid vehicle, often with suspending agents and stabilizers. Suspensions are used when a drug is poorly soluble, for oral (antibiotic suspensions, antacids), topical, ophthalmic, and parenteral (depot) administration.

**Synonyms:**

### **Suture**

A thread or strand of material used to approximate tissues (bring wound edges together) and hold them in place until healing occurs.

**Synonyms:**

### **Suture (Perineal)**

A thread or strand of material used to approximate tissues (bring wound edges together) and hold them in place until healing occurs. See Suture.

**Synonyms:** Perineal

### **Suture Anchor**

A small implant that secures a tendon, ligament, or other soft tissue to bone. It may be made from metal, polymer, or bioabsorbable material and can fail through pullout, breakage, migration, or inflammatory reaction.

**Synonyms:**

### **SUV**

Standardized uptake value, a semiquantitative measure of radiotracer concentration used mainly in PET imaging.

**Synonyms:**

### **SVC Syndrome**

Obstruction of the superior vena cava causing facial swelling, plethora, and distended neck veins. Commonly from lung cancer (SCLC, squamous) and lymphoma. Oncologic emergency.

**Synonyms:**

### **Swallow Study**

X-ray imaging of swallowing using barium. Evaluates dysphagia, aspiration, structural abnormalities.

**Synonyms:**

### **Swallowing**

Difficulty swallowing, classified as oropharyngeal (difficulty initiating a swallow, choking, coughing, nasal regurgitation) or esophageal (sensation of food sticking retrosternally). See dysphagia.

**Synonyms:**

### **Swallowing Assessment**

Clinical and, when indicated, instrumental evaluation of oral, pharyngeal, and esophageal swallowing to identify dysphagia, aspiration, and appropriate food or liquid consistency. Videofluoroscopic or endoscopic studies may be required when bedside assessment is insufficient.

**Synonyms:**

### **Swallowing Therapy**

Assessment and treatment to improve the safety and efficiency of swallowing and reduce aspiration risk.

**Synonyms:**

### **Sweat Chloride Test**

A test that measures chloride concentration in sweat after pilocarpine stimulation. It is an important diagnostic test for cystic fibrosis, but results must be interpreted with the clinical findings and, when needed, genetic or other testing. Some illnesses and technical factors can produce misleading results.

**Synonyms:**

### **Sweat Gland**

A skin gland that produces sweat, which contributes mainly to temperature regulation and skin surface function.

**Synonyms:**

### **Sweating**

The secretion of sweat by eccrine glands, the primary heat-loss mechanism in humans, controlled

---

by sympathetic cholinergic innervation (in contrast to the catecholaminergic sympathetic response elsewhere).

**Synonyms:**

### Sweet Syndrome

An inflammatory skin disorder characterized by sudden fever and tender red or violaceous plaques or nodules containing many neutrophils. It may be associated with infection, medicines, inflammatory disease, or cancer.

**Synonyms:**

### Sweet's syndrome

Acute febrile neutrophilic dermatosis, characterized by fever, neutrophilia, and painful, erythematous plaques or nodules on the skin, histologically showing dense neutrophilic infiltration of the dermis. It may be idiopathic, drug-induced, or associated with malignancy, particularly hematological cancers.

**Synonyms:**

### Swine Flu

A contagious respiratory illness caused by influenza A or B viruses, characterized by sudden onset of fever, myalgia, headache, malaise, nonproductive cough, sore throat, and nasal congestion. See Influenza.

**Synonyms:**

### Swollen Ankles and Swollen Feet

Enlargement of the ankles or feet caused by injury, venous insufficiency, lymphatic disease, medication, pregnancy, or systemic fluid retention from heart, kidney, or liver disease. Sudden one-sided swelling with pain, redness, warmth, or breathlessness may indicate thrombosis or infection and requires urgent assessment.

**Synonyms:**

### Symblepharon

Adhesion of the palpebral conjunctiva (inner eyelid) to the bulbar conjunctiva or cornea, most commonly resulting from chemical burns, Stevens-Johnson syndrome, ocular cicatricial pemphigoid, or repeated

surgical intervention. It restricts eye movement and may require surgical lysis with amniotic membrane or mucous membrane grafting.

**Synonyms:**

### Sympathetic Nervous System

The division of the autonomic nervous system responsible for the 'fight or flight' response, preparing the body for intense physical activity or stress. Sympathetic preganglionic neurons originate in the intermediolateral column of the spinal cord gray matter (T1–L2), making it the thoracolumbar system.

**Synonyms:**

### Sympatholytic

An agent that blocks the sympathetic nervous system, used to treat hypertension, sympathetic overactivity, and catecholamine excess. Classes: beta-blockers (propranolol, metoprolol), alpha-blockers (prazosin, doxazosin, phenoxybenzamine), centrally acting agents (clonidine, methyldopa), and neuron blockers (reserpine, guanethidine).

**Synonyms:**

### Symptom

Subjective experience of disease. Examples: pain, fatigue, nausea. Reported by patient.

**Synonyms:**

### Synapse

The specialized junction between a neuron and another neuron (or effector cell—muscle, gland) where information is transmitted from one cell to another.

**Synonyms:**

### Synaptic Plasticity

Activity-dependent change in the strength or structure of synaptic transmission. Long-term potentiation and long-term depression are important cellular mechanisms underlying learning, memory, adaptation, and some forms of chronic pain.

**Synonyms:**

### Synaptic Transmission

The fundamental process by which neurons commu-

---

nicate with each other through specialized junctions called synapses.

**Synonyms:**

### **Syncope**

A transient loss of consciousness caused by temporary global cerebral hypoperfusion. See Fainting.

**Synonyms:**

### **Syncope (Fainting)**

A transient loss of consciousness caused by temporary global cerebral hypoperfusion. See Fainting.

**Synonyms:** Fainting

### **Syndactyly**

A congenital connection of two or more adjacent digits by skin, and sometimes by bone or other tissues. It may occur alone or as part of a genetic syndrome; treatment depends on function, anatomy, and associated abnormalities.

**Synonyms:**

### **Syndrome**

Group of symptoms and signs occurring together. Examples: metabolic syndrome, irritable bowel syndrome.

**Synonyms:**

### **Syndrome of inappropriate ADH secretion**

Excessive antidiuretic hormone activity causing eu-volemic hyponatremia with inappropriately concentrated urine and elevated urinary sodium.

**Synonyms:**

### **Syndrome Surveillance**

The public health monitoring of pre-diagnostic clinical indicators (symptoms, syndromes—fever, rash, GI illness, influenza-like illness) in real time to detect outbreaks, bioterrorism, or emerging infections earlier than laboratory confirmation.

**Synonyms:**

### **Syndromic Surveillance**

Monitoring of symptoms, clinical encounters, laboratory requests, or other near-real-time signals before definitive diagnoses are available. It supports early detection of outbreaks and public-health threats but may have lower specificity.

**Synonyms:**

### **Synovial chondromatosis**

A benign, metaplastic condition characterized by the formation of multiple cartilaginous loose bodies within joint synovium, bursae, or tendon sheaths. It presents with joint pain, swelling, locking, and restricted range of motion, most commonly affecting the knee, hip, and elbow.

**Synonyms:**

### **Synovial Fluid Analysis**

Laboratory examination of aspirated joint fluid for appearance, viscosity, leukocyte count and differential, crystals under polarized light, Gram stain, and culture. It helps distinguish noninflammatory, inflammatory, crystal-associated, and septic arthritis.

**Synonyms:**

### **Synovial Sarcoma**

A soft tissue sarcoma typically arising near joints of the extremities in young adults, characterized by the t(X;18) chromosomal translocation.

**Synonyms:**

### **Synovitis**

Inflammation of the synovial membrane lining a joint, causing swelling, pain, warmth, and joint effusion. Causes: inflammatory arthritis (RA, psoriatic, gout, reactive, septic), autoimmune (SLE), and trauma/overuse.

**Synonyms:**

### **Synovium**

The inner layer of the joint capsule in synovial joints, composed of synovial lining cells (type A macrophage-like, type B fibroblast-like) on a vascularized connective tissue base. Produces synovial fluid (hyaluronic acid, lubricin, proteinases) for lu-



---

brication and chondrocyte nutrition.

**Synonyms:**

### Synovography

Contrast imaging of joint cavity. Evaluates synovial pathology.

**Synonyms:**

### Synthesis Module

Automated system for radiopharmaceutical preparation. PET tracer synthesis: FDG, Florbetapir. Quality control: radiochemical purity, pH, sterility.

**Synonyms:**

### Syphilis

A sexually transmitted infection caused by *Treponema pallidum*. It may progress through primary, secondary, latent, and tertiary stages, although the stages can overlap or be unrecognized. Diagnosis uses clinical assessment and serologic testing. Treatment depends on the stage and site of infection; penicillin is used in many cases.

**Synonyms:**

### Syphilitic alopecia

Non-scarring hair loss occurring as a manifestation of secondary syphilis, presenting with diffuse thinning or patchy, moth-eaten alopecia of the scalp, eyebrows, or beard. It is thought to result from direct spirochaetal invasion of hair follicles during the spirochaetaemic phase.

**Synonyms:**

### Syphilitic gumma

A destructive, granulomatous lesion occurring in tertiary syphilis, characterized by a center of necrotic tissue surrounded by plasma cells, lymphocytes, and fibroblasts. Gummas may affect any organ, most commonly the skin, bones, liver, and central nervous system. They present as painless, firm nodules that may ulcerate.

**Synonyms:**

### Syringe

Cylindrical device for injecting or withdrawing fluids.

Components: barrel, plunger, luer lock. Various sizes: 1 mL to 60 mL.

**Synonyms:**

### Syringomyelia

A condition characterized by the formation of a fluid-filled cyst (syrinx) within the spinal cord, which can expand and elongate over time, compressing and destroying the surrounding spinal cord tissue.

**Synonyms:**

### Syrinx

A syrinx is a fluid-filled cavity within the spinal cord, typically containing cerebrospinal fluid or a similar fluid, that develops as a result of abnormal CSF flow dynamics within the spinal cord. Syringomyelia: a syrinx in the central spinal cord. Hydromyelia: dilation of the central canal.

**Synonyms:**

### Systematic Review

Comprehensive summary of research on specific question. Uses explicit methods to minimize bias. Cochrane reviews example.

**Synonyms:**

### Systemic Antifungals

Antifungal medicines taken orally or given intravenously for infections that are extensive, invasive, refractory, or unsuitable for topical treatment. Choice and duration depend on the organism, site, severity, drug interactions, organ function, and local resistance patterns.

**Synonyms:**

### Systemic Effects

Whole-body effects of toxins. Cardiac, neurological, renal, hepatic, hematological.

**Synonyms:**

### Systemic Inflammatory Response Syndrome

A systemic inflammatory response that may occur with infection, trauma, burns, pancreatitis, surgery, or other insults. It can involve abnormal tempera-

---

ture, heart rate, respiratory rate, or white-cell count. Modern sepsis assessment uses broader clinical criteria rather than SIRS alone.

**Synonyms:**

### Systemic Juvenile Idiopathic Arthritis

A subtype of juvenile idiopathic arthritis with prominent systemic inflammation—daily spiking fevers, evanescent salmon-pink rash, arthritis, lymphadenopathy, hepatosplenomegaly, and elevated inflammatory markers (ferritin).

**Synonyms:**

### Systemic Lupus Erythematosus

Multisystem autoimmune disease, more common in women. Features: malar rash, photosensitivity, oral ulcers, arthritis, serositis, renal disorder, neurologic disorder, hematologic disorder, immunologic disorder. Diagnosis: ANA positive plus clinical/immunologic criteria.

**Synonyms:**

### Systemic Sclerosis

Systemic sclerosis, also known as scleroderma, is a chronic autoimmune disease characterized by progressive fibrosis of the skin and internal organs, vasculopathy, and immune dysfunction.

**Synonyms:** scleroderma, is a chronic autoimmune disease.

### Systemic Therapy

Treatment that reaches the whole body, including chemotherapy, endocrine therapy, targeted therapy, and immunotherapy, as opposed to local therapies such as surgery and radiation.

**Synonyms:**

### Systemic Vascular Resistance

The resistance to blood flow offered by the systemic circulation, determined mainly by arteriolar tone. It is calculated from the pressure gradient across the systemic circulation and cardiac output and is a major determinant of arterial pressure.

**Synonyms:**

### Systolic Murmurs

Murmurs occurring between S1 and S2. Ejection systolic murmurs (crescendo-decrescendo) are caused by flow across semilunar valves (aortic stenosis, pulmonary stenosis) or increased flow across normal valves.

**Synonyms:**

### Sézary Syndrome

The leukemic variant of cutaneous T-cell lymphoma, characterized by erythroderma, lymphadenopathy, pruritus, and circulating atypical lymphocytes (Sézary cells).

**Synonyms:**

### Sclerosing Peritonitis

Thickening and scarring of the peritoneum that can restrict movement of the intestines.

**Synonyms:**

### Scheuermann's Disease

A condition in adolescents that causes abnormal rounding of the upper back because of vertebral growth changes.

**Synonyms:**

### Sjogren's Syndrome

An autoimmune disease that commonly causes dry eyes and dry mouth by damaging tear- and saliva-producing glands.

**Synonyms:**

### Staghorn Calculi

Large branching kidney stones that fill part or all of the renal collecting system.

**Synonyms:**

### Sunstroke

A life-threatening form of heat illness in which body temperature rises dangerously high and the nervous system is impaired.

**Synonyms:**

---

### **Systemic Mastocytosis**

A disorder in which excessive mast cells accumulate in one or more organs and release inflammatory chemicals.

**Synonyms:**

### **Semi-Fowler Position**

A semiupright position in which the head and upper body are elevated about 30 to 45 degrees.

**Synonyms:**

### **Sitting Position**

An upright or semiupright position in which the patient's torso is elevated and the hips and knees are flexed; it is used for selected shoulder and neurosurgical procedures.

**Synonyms:**

### **Supine Position**

A position in which the patient lies on the back with the face upward; it is the most commonly used surgical position.

**Synonyms:**

### **Sacral Dimple**

A small indentation in the skin over the lower spine that is present at birth.

**Synonyms:**

### **Salmonella Infection**

An intestinal infection caused by *Salmonella* bacteria, usually acquired through contaminated food or water.

**Synonyms:**

### **Schwannomatosis**

A disorder in which multiple schwannomas, tumors of nerve-sheath cells, develop.

**Synonyms:**

### **Sclerosing Mesenteritis**

A rare inflammatory and fibrotic disorder affecting the mesentery, the tissue supporting the intestines.

**Synonyms:**

### **Scorpion Sting**

A venomous injury caused by a scorpion, producing local pain and sometimes systemic toxicity.

**Synonyms:**

### **Scrotal Masses**

Abnormal lumps or swellings in the tissues of the scrotum.

**Synonyms:**

### **Sebaceous Carcinoma**

An uncommon skin cancer arising from oil-producing sebaceous glands.

**Synonyms:**

### **Secondary Hypertension**

High blood pressure caused by another medical condition or by a medication.

**Synonyms:**

### **Selective IgA Deficiency**

An immune disorder characterized by very low or absent immunoglobulin A levels.

**Synonyms:**

### **Sex Headaches**

Headaches triggered by sexual activity, including orgasm.

**Synonyms:**

### **Sexually Transmitted Diseases**

Infections transmitted primarily through sexual contact; also called sexually transmitted infections.

**Synonyms:** sexually transmitted infections.

### **Sezary Syndrome**

An uncommon form of cutaneous T-cell lymphoma involving widespread red skin and abnormal lymphocytes in the blood.

**Synonyms:**

### **Sinus Rhythm**

The normal heart rhythm generated by electrical impulses from the sinoatrial node.

---

**Synonyms:**

### **Suppuration**

Formation or discharge of pus during an inflammatory or infectious process.

**Synonyms:**

### **Surgical Drill**

A powered instrument used to cut, shape, or bore bone during surgery.

**Synonyms:**

### **Surgical Stapler**

A device that places metal or absorbable staples to close skin, tissue, or a hollow organ.

**Synonyms:**

### **Schwann Cells**

Glial cells of the peripheral nervous system that form myelin around many axons and support the repair and maintenance of peripheral nerves.

**Synonyms:**

### **Scintigraphy**

Nuclear medicine imaging in which a radiotracer is administered and its distribution is recorded to evaluate the structure or function of an organ.

**Synonyms:**

### **Senile Lentigines**

Flat, sharply defined brown or tan spots caused by chronic ultraviolet exposure, commonly appearing on sun-exposed skin with age.

**Synonyms:**

### **Sensory Neuron**

A nerve cell that carries information from sensory receptors toward the central nervous system.

**Synonyms:**

### **Sensory Receptors**

Specialized cells or nerve endings that detect stimuli such as touch, temperature, pain, light, sound, or chemical changes.

**Synonyms:**

### **Sentinel Node Biopsy**

Removal and examination of the first lymph node or nodes to which a tumor is likely to spread, used to assess regional metastasis.

**Synonyms:**

### **Septal Defect**

An abnormal opening in the septum between the heart's chambers that permits blood to pass between the right and left sides of the heart.

**Synonyms:**

### **Seroconversion**

The development of detectable antibodies in the blood after infection, vaccination, or another immune stimulus.

**Synonyms:**

### **Sella Turcica**

A saddle-shaped depression in the sphenoid bone that houses the pituitary gland.

**Synonyms:**

### **Semilunar Valves**

The aortic and pulmonary valves, which open during ventricular contraction and close during ventricular relaxation to prevent backflow into the ventricles.

**Synonyms:**

### **Single-Photon Emission Computed Tomography**

A nuclear medicine imaging technique that detects gamma rays from an injected radiotracer to create cross-sectional images of organ function and blood flow.

**Synonyms:**

### **Simmonds Disease**

An uncommon form of hypopituitarism caused by inadequate pituitary hormone production, often resulting in fatigue, weight loss, low blood pressure, and impaired endocrine function.

---

**Synonyms:**

### **Skin Turgor**

The skin's ability to return to its normal position after being gently pinched. Reduced turgor may occur with dehydration, although it is less reliable in older adults.

**Synonyms:**

### **Slit-Lamp Biomicroscope**

An instrument that provides a magnified, illuminated view of the eye, especially the cornea, anterior chamber, iris, lens, and conjunctiva.

**Synonyms:**

### **Snellen Chart**

An eye chart used to measure distance visual acuity by testing the smallest line of letters a person can identify at a standard distance.

**Synonyms:**

### **Somatoform Disorders**

A former term for disorders involving prominent physical symptoms or health concerns associated with significant psychological distress. Current classifications use more specific diagnoses, such as somatic symptom disorder.

**Synonyms:**

### **Somatotropin**

Growth hormone, a pituitary hormone that promotes growth and influences protein, fat, and carbohydrate metabolism.

**Synonyms:**

### **Somnambulism**

Sleepwalking; a parasomnia involving complex behaviors that arise during partial arousal from non-rapid-eye-movement sleep.

**Synonyms:**

### **Sound**

A mechanical wave produced by vibration and transmitted through a medium. Hearing depends on its frequency, intensity, and processing by the auditory

system.

**Synonyms:**

### **Spermatic Cord**

A bundle extending from the abdomen to the testis that contains the vas deferens, testicular vessels, lymphatic vessels, nerves, and associated connective tissue.

**Synonyms:**

### **Spermatozoa**

Mature male reproductive cells, commonly called sperm, that carry genetic material and can fertilize an oocyte.

**Synonyms:** sperm, that carry genetic material and can fertilize an oocyte.

### **Spermatozoon**

A single mature male reproductive cell, or sperm cell.

**Synonyms:**

### **Sphincter of Oddi**

A muscular valve controlling the flow of bile and pancreatic secretions into the duodenum.

**Synonyms:**

### **Spinal Cavity**

The posterior body cavity formed by the vertebral column that contains and protects the spinal cord.

**Synonyms:**

### **Spiral Organ**

The organ of Corti, a sensory structure in the cochlea containing hair cells that convert sound vibrations into nerve signals.

**Synonyms:**

### **Spirogram**

A graphical record of air volumes and flow during pulmonary function testing.

**Synonyms:**

---

### **Spirometer**

An instrument that measures the volume and flow of air inhaled and exhaled during pulmonary function testing.

**Synonyms:**

### **Splenic Flexure**

The bend of the colon where the transverse colon becomes the descending colon, near the spleen.

**Synonyms:**

### **Split-Thickness Skin Graft**

A graft containing the epidermis and part of the dermis, used to cover wounds or burns and allowing the donor site to heal from remaining skin structures.

**Synonyms:**

### **Spondee**

A two-syllable test word with equal emphasis on both syllables, used in speech audiometry.

**Synonyms:**

### **Spondylolysis**

A stress fracture or defect in the pars interarticularis of a vertebral arch, most often in the lower lumbar spine.

**Synonyms:**

### **Spondylosis**

Degenerative changes of the spine, including disc degeneration and bony overgrowth, commonly associated with aging.

**Synonyms:**

### **Staging**

Assessment of the extent of cancer, including the size of the primary tumor, lymph-node involvement, and distant metastases.

**Synonyms:**

### **Stapedius**

A small middle-ear muscle that helps limit movement of the stapes and may protect the inner ear from loud sounds.

**Synonyms:**

### **Stapling**

Closure or joining of tissue with surgical staples.

**Synonyms:**

### **Stasis**

Slowing or stopping of the normal flow of a body fluid, such as blood, lymph, or urine.

**Synonyms:**

### **Sterility**

The inability to reproduce. In clinical use, the term may refer to infertility or to the absence of viable microorganisms, depending on context.

**Synonyms:**

### **Steroid Hormones**

Lipid-soluble hormones derived from cholesterol, including cortisol, aldosterone, estrogen, progesterone, and testosterone.

**Synonyms:**

### **Stimulants**

Substances that increase activity in the central nervous system, often causing greater alertness, attention, heart rate, or energy.

**Synonyms:**

### **Stress Incontinence**

Involuntary leakage of urine during activities that increase intra-abdominal pressure, such as coughing, sneezing, lifting, or exercise.

**Synonyms:**

### **Stress Injuries**

Tissue injuries caused by repeated loading or overuse without sufficient recovery. Examples include stress fractures, tendinopathy, and muscle strain.

**Synonyms:**

### **Stress Tests**

Diagnostic tests that assess organ function under controlled physical, pharmacologic, or physiologic



---

stress, commonly evaluating the heart for inducible ischemia or abnormal rhythm.

**Synonyms:**

### **Striae Atrophicae**

Linear bands of thin, wrinkled skin caused by stretching and disruption of dermal connective tissue; commonly called stretch marks.

**Synonyms:** stretch marks.

### **Student's Elbow**

Olecranon bursitis, an inflammation of the bursa over the point of the elbow, often related to repeated pressure or trauma.

**Synonyms:**

### **Subacute Bacterial Endocarditis**

A slowly progressive infection of the endocardium or heart valves, usually caused by less-virulent bacteria and often involving previously abnormal valves.

**Synonyms:**

### **Subcutaneous Layer**

The layer of tissue beneath the dermis, composed mainly of fat and connective tissue. It insulates the body, stores energy, and contains larger vessels and nerves.

**Synonyms:**

### **Subluxation**

A partial loss of normal contact between the articular surfaces of a joint.

**Synonyms:**

### **Surgical Fixation**

Stabilization of a bone, joint, or other structure with devices such as plates, screws, rods, wires, or external frames.

**Synonyms:**

### **Swan-Ganz Catheter**

A pulmonary artery catheter used to measure pressures in the right heart and pulmonary artery and, when indicated, estimate cardiac output and pul-

monary capillary wedge pressure.

**Synonyms:**

### **Sympathectomy**

Surgical interruption or destruction of sympathetic nerves to reduce abnormal vasoconstriction, sweating, or pain in selected conditions.

**Synonyms:**

### **Symphysis**

A cartilaginous joint in which two bones are united by fibrocartilage, such as the pubic symphysis.

**Synonyms:**

### **Symphysis Pubis**

The fibrocartilaginous joint connecting the left and right pubic bones at the front of the pelvis.

**Synonyms:**

### **Synechia**

An abnormal adhesion between adjacent tissues, especially between parts of the iris or between the iris and the lens or cornea.

**Synonyms:**

### **Synergist**

A muscle that assists the prime mover during a movement or helps stabilize a joint.

**Synonyms:**

### **Synovial Fluid**

A viscous fluid within a synovial joint that lubricates articular surfaces and helps nourish cartilage.

**Synonyms:**

### **Synovial Joint**

A freely movable joint in which the articulating bones are separated by a fluid-filled joint cavity enclosed by a capsule.

**Synonyms:**

### **Systemic Circuit**

The circulation that carries oxygenated blood from the left ventricle through the body and returns

---

deoxygenated blood to the right atrium.

**Synonyms:**

### **Systole**

The phase of the cardiac cycle during which the ventricles contract and eject blood into the pulmonary artery and aorta.

**Synonyms:**

### **Suprapubic**

Located above or immediately behind the pubic bone, especially in reference to the lower abdominal or urinary-bladder region.

**Synonyms:**

### **Salter-Harris Fracture**

A fracture involving the growth plate of a child or adolescent. Types I through V describe progressively different patterns and risks to bone growth.

**Synonyms:**

### **Sternotomy**

Surgical division of the sternum, usually along the midline, to provide access to the heart or mediastinal structures.

**Synonyms:**

### **Telangiectasia**

A visible, permanent dilation of small superficial blood vessels, appearing as fine red lines or web-like marks on the skin or mucous membranes.

**Synonyms:**

### **Serrated Polyposis Syndrome**

A disorder characterized by multiple serrated lesions or polyps in the colon and an increased risk of colorectal cancer, requiring colonoscopic surveillance and removal of significant lesions.

**Synonyms:**

### **Staphylococcal Scalded Skin Syndrome**

A toxin-mediated skin disorder caused by *Staphylococcus aureus*, usually affecting infants or young children and producing widespread superficial blis-

tering and peeling of the skin.

**Synonyms:**

### **Stent Restenosis**

Re-narrowing of a blood vessel within or adjacent to a previously placed stent, usually caused by tissue growth, recurrent atherosclerosis, or thrombosis.

**Synonyms:**

### **Sinus Tachycardia**

A heart rhythm originating in the sinoatrial node with a rate faster than normal, commonly occurring as a physiologic response to exercise, fever, pain, dehydration, or stress.

**Synonyms:**

### **Status Migrainosus**

A severe migraine attack that persists for more than 72 hours and may require urgent medical treatment, especially when dehydration, vomiting, or medication overuse is present.

**Synonyms:**

### **Subclinical Hypothyroidism**

A condition with an elevated thyroid-stimulating hormone level and normal circulating free thyroid-hormone levels, often without symptoms or with only mild nonspecific symptoms.

**Synonyms:**

### **Syndrome of Inappropriate Antidiuretic Hormone**

Excessive release or effect of antidiuretic hormone causing impaired free-water excretion, low serum sodium, and inappropriately concentrated urine in the absence of an appropriate physiologic stimulus.

**Synonyms:**

### **Sclerotherapy**

A treatment in which an irritating or closing agent is injected into a blood vessel or body cavity to make it scar and seal, commonly used for varicose veins and selected vascular lesions.

**Synonyms:**

---

## Septum

A wall or partition separating two spaces, such as the nasal septum between the nasal cavities or the cardiac septum between heart chambers.

**Synonyms:**

## Serum

The clear, liquid part of blood that remains after clotting and contains water, electrolytes, proteins, hormones, antibodies, and other dissolved substances.

**Synonyms:**

## Sleep Apnoea

Repeated pauses or reductions in breathing during sleep, most commonly because of upper-airway obstruction or less commonly inadequate respiratory drive.

**Synonyms:**

## Snoring

A noisy vibration of tissues in the upper airway during sleep, sometimes associated with obstructive sleep apnoea.

**Synonyms:**

## Smoking

Inhaling smoke from burning tobacco or other substances; it is a major cause of cardiovascular disease, chronic lung disease, cancer, and pregnancy complications.

**Synonyms:**

## Steatorrhoea

Excess fat in the stool, producing pale, bulky, greasy, foul-smelling stools that may be difficult to flush and indicate fat malabsorption.

**Synonyms:**

## Strangulated Hernia

A hernia in which the blood supply to the trapped tissue is cut off, causing ischaemia and possible tissue death; it is a surgical emergency.

**Synonyms:**

## Subarachnoid Haemorrhage

Bleeding into the space between the arachnoid membrane and pia mater around the brain, classically causing a sudden severe thunderclap headache.

**Synonyms:**

## Subdural Haematoma

Accumulation of blood between the dura mater and arachnoid membrane, usually caused by tearing of bridging veins after head injury and sometimes developing gradually.

## s phase

s phase refers to s phase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

## sabarubicin

sabarubicin concerns sabarubicin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

## saccade

saccade refers to saccade, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

## saccharomyces

saccharomyces refers to saccharomyces, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

## saccharomyces cerevisiae

saccharomyces cerevisiae refers to saccharomyces cerevisiae, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### saccular aneurysm

saccular aneurysm refers to saccular aneurysm, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### sacral fistula

sacral fistula refers to sacral fistula, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### sacral region

sacral region refers to sacral region, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### sacral vertebra

sacral vertebra refers to sacral vertebra, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### sacroccygeal teratoma

sacroccygeal teratoma refers to sacroccygeal teratoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### sad mood

sad mood refers to sad mood, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### s-adenosylmethionine

s-adenosylmethionine refers to s-adenosylmethionine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### safety

safety refers to safety, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### safety study

safety study refers to safety study, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### safflower oil

safflower oil refers to safflower oil, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### safingol

safingol refers to safingol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### safrole

safrole refers to safrole, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### sagopilone

sagopilone refers to sagopilone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### salicylic acid

salicylic acid denotes salicylic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

---

**salivary gland neoplasm**

salivary gland neoplasm denotes a neoplastic condition involving salivary gland neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**salmonella arizonae**

salmonella arizonae identifies salmonella arizonae, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**salmonella choleraesuis**

salmonella choleraesuis identifies salmonella choleraesuis, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**salmonella enterica**

salmonella enterica identifies salmonella enterica, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**salmonella gallinarum**

salmonella gallinarum identifies salmonella gallinarum, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**salmonella pullorum**

salmonella pullorum identifies salmonella pullorum, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**salmonella typhi**

salmonella typhi identifies salmonella typhi, a biological taxon or infectious-disease concept whose

clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**salmonella typhimurium**

salmonella typhimurium identifies salmonella typhimurium, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**salmonella typhisuis**

salmonella typhisuis identifies salmonella typhisuis, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**salmonella vaccines**

salmonella vaccines identifies salmonella vaccines, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**salt**

salt refers to salt, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**salt gland**

salt gland refers to salt gland, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**sample fixation**

sample fixation refers to sample fixation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### **sample size**

sample size refers to sample size, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **sanitation**

sanitation refers to sanitation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **sapovirus**

sapovirus is a virus or viral group associated with sapovirus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

### **sapporo virus**

sapporo virus is a virus or viral group associated with sapporo virus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

### **sapropterin**

sapropterin refers to sapropterin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **saquinavir**

saquinavir concerns saquinavir, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **saquinavir mesylate**

saquinavir mesylate refers to saquinavir mesylate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **saracatinib**

saracatinib concerns saracatinib, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **saralasin**

saralasin refers to saralasin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **sarcocystis**

sarcocystis refers to sarcocystis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **sarcocystis hominis**

sarcocystis hominis refers to sarcocystis hominis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **sarcocystis suihominis**

sarcocystis suihominis refers to sarcocystis suihominis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **sarcocystosis**

sarcocystosis refers to sarcocystosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **sarcoglycan complex**

sarcoglycan complex refers to sarcoglycan complex, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**



---

**sarcomere**

sarcomere refers to sarcomere, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**sarcoplasm**

sarcoplasm refers to sarcoplasm, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**sarcoplasmic reticulum**

sarcoplasmic reticulum refers to sarcoplasmic reticulum, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**sarcosine**

sarcosine refers to sarcosine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**sarcosinemia**

sarcosinemia refers to sarcosinemia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**sardomozide**

sardomozide refers to sardomozide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**sargramostim**

sargramostim refers to sargramostim, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**SARS virus**

SARS virus is a virus or viral group associated with sars virus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

**satellite DNA**

satellite DNA denotes satellite dna, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**satellite virus**

satellite virus is a virus or viral group associated with satellite virus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

**satiation**

satiation refers to satiation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**satisfaction**

satisfaction refers to satisfaction, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**satraplatin**

satraplatin concerns satraplatin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**saturated phytosterol**

saturated phytosterol concerns saturated phytosterol, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

---

**saxitoxin**

saxitoxin denotes an infectious or toxic condition involving saxitoxin; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

**scab**

scab refers to scab, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**scaffold seeding**

scaffold seeding refers to scaffold seeding, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**scalp**

scalp refers to scalp, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**scan gallium**

scan gallium is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat scan gallium.

**Synonyms:**

**scanning**

scanning is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat scanning.

**Synonyms:**

**scanning electron microscopy**

scanning electron microscopy is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat scanning electron microscopy.

**Synonyms:**

**scaphoid abdomen**

scaphoid abdomen refers to scaphoid abdomen, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**scaphoid bone**

scaphoid bone refers to scaphoid bone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**scaphycephaly**

scaphycephaly refers to scaphycephaly, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**scar**

scar refers to scar, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**scavenger receptor**

scavenger receptor denotes scavenger receptor, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**scedosporium**

scedosporium refers to scedosporium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**scedosporium apiospermum**

scedosporium apiospermum refers to scedosporium apiospermum, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**scedosporium prolifican**

scedosporium prolifican refers to scedosporium prolifican, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**schaalia radingae**

schaalia radingae refers to schaalia radingae, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**schaalia turicensis**

schaalia turicensis refers to schaalia turicensis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**scheduled notification**

scheduled notification refers to scheduled notification, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**schiff base**

schiff base refers to schiff base, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**Schiller test**

Schiller test is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat schiller test.

**Synonyms:**

**schistocyte count**

schistocyte count refers to schistocyte count, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**schistosoma**

schistosoma refers to schistosoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**schistosoma intercalatum**

schistosoma intercalatum refers to schistosoma intercalatum, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**scolecobasidium terreum**

scolecobasidium terreum refers to scolecobasidium terreum, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**scopolamine**

scopolamine refers to scopolamine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**scopolamine hydrobromide**

scopolamine hydrobromide refers to scopolamine hydrobromide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**scopoletin**

scopoletin refers to scopoletin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**scopulariopsis**

scopulariopsis refers to scopulariopsis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**scrapie**

scrapie refers to scrapie, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**screening procedure**

screening procedure is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat screening procedure.

**Synonyms:**

**screening study**

screening study is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat screening study.

**Synonyms:**

**sea-blue histiocyte**

sea-blue histiocyte refers to sea-blue histiocyte, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**sebaceous adenoma**

sebaceous adenoma refers to sebaceous adenoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**sebaceous gland carcinoma**

sebaceous gland carcinoma denotes a neoplastic condition involving sebaceous gland carcinoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**sebum**

sebum refers to sebum, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**secondary amenorrhea**

secondary amenorrhea refers to secondary amenorrhea, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**secondary hypothyroidism**

secondary hypothyroidism refers to secondary hypothyroidism, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**secondary metabolism**

secondary metabolism refers to secondary metabolism, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**second-look surgery**

second-look surgery is used in relation to second-look surgery during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

**sign language**

sign language refers to sign language, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**signal peptide**

signal peptide is a defined chemical or biologic substance involved in signal peptide and studied in physiology, pharmacology, laboratory medicine, or treatment.

**Synonyms:**

**sildenafil citrate**

sildenafil citrate refers to sildenafil citrate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**silent mutation**

silent mutation refers to silent mutation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**silicate**

silicate refers to silicate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**silicon dioxide**

silicon dioxide refers to silicon dioxide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**silicone**

silicone refers to silicone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**silicone elastomer**

silicone elastomer refers to silicone elastomer, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**silk**

silk refers to silk, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**siltuximab**

siltuximab concerns siltuximab, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**silver**

silver refers to silver, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**silver nitrate**

silver nitrate refers to silver nitrate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**silver sulfadiazine**

silver sulfadiazine refers to silver sulfadiazine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**silymarin**

silymarin refers to silymarin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**simeprevir**

simeprevir concerns simeprevir, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**simethicone**

simethicone refers to simethicone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**simian virus 40**

simian virus 40 is a virus or viral group associated with simian virus 40; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

---

### **simple mastectomy**

simple mastectomy is used in relation to simple mastectomy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **simplexvirus**

simplexvirus is a virus or viral group associated with simplexvirus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

### **simuliidae**

simuliidae refers to simuliidae, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **simultanagnosia**

simultanagnosia refers to simultanagnosia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **simvastatin**

simvastatin concerns simvastatin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **sincalide**

sincalide refers to sincalide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **sindbis virus**

sindbis virus is a virus or viral group associated with sindbis virus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

### **sinecatechins**

sinecatechins refers to sinecatechins, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **singlet oxygen**

singlet oxygen refers to singlet oxygen, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **sinuatrial node**

sinuatrial node refers to sinuatrial node, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **sinus**

sinus refers to sinus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **sinus arrhythmia**

sinus arrhythmia refers to sinus arrhythmia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **sinus bradycardia**

sinus bradycardia refers to sinus bradycardia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **sinus histiocytosis**

sinus histiocytosis refers to sinus histiocytosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**



---

**sinusoid**

sinusoid refers to sinusoid, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**siplizumab**

siplizumab concerns siplizumab, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**sipuleucel-T**

sipuleucel-T refers to sipuleucel-t, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**sirolimus**

sirolimus refers to sirolimus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**sisomicin**

sisomicin refers to sisomicin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**sitagliptin phosphate**

sitagliptin phosphate concerns sitagliptin phosphate, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**site-directed mutagenesis**

site-directed mutagenesis denotes site-directed mutagenesis, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**sitosterols**

sitosterols refers to sitosterols, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**situs ambiguus**

situs ambiguus refers to situs ambiguus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**size perception**

size perception refers to size perception, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**sizofiran**

sizofiran refers to sizofiran, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**skeletal development**

skeletal development refers to skeletal development, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**skeletal dysplasia**

skeletal dysplasia refers to skeletal dysplasia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**skeletal muscle tissue**

skeletal muscle tissue refers to skeletal muscle tissue, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### **skeletal myocytes**

skeletal myocytes refers to skeletal myocytes, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **skeletal system**

skeletal system refers to skeletal system, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **skeleton**

skeleton refers to skeleton, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **skin carcinoma**

skin carcinoma denotes a neoplastic condition involving skin carcinoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### **skin care**

skin care refers to skin care, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **skin erosion**

skin erosion refers to skin erosion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **skin examination**

skin examination refers to skin examination, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **skin induration**

skin induration refers to skin induration, a medical

condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **skin mastocytoma**

skin mastocytoma refers to skin mastocytoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **skin necrosis**

skin necrosis refers to skin necrosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **skin neoplasm**

skin neoplasm denotes a neoplastic condition involving skin neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### **spinal artery**

spinal artery refers to spinal artery, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **spinal block**

spinal block refers to spinal block, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **spinal canal**

spinal canal refers to spinal canal, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **spinal cord disease**

spinal cord disease denotes a clinical condition or finding involving spinal cord disease; evaluation

---

identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **spinal cord neoplasms**

spinal cord neoplasms denotes a neoplastic condition involving spinal cord neoplasms; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### **spinal disease**

spinal disease denotes a clinical condition or finding involving spinal disease; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **spinal fracture**

spinal fracture denotes a clinical condition or finding involving spinal fracture; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **spinal ganglion**

spinal ganglion refers to spinal ganglion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **spinal neoplasms**

spinal neoplasms denotes a neoplastic condition involving spinal neoplasms; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### **spindle pole**

spindle pole refers to spindle pole, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **spindle pole body**

spindle pole body refers to spindle pole body, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **spine injury**

spine injury denotes a clinical condition or finding involving spine injury; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **spinocerebellar ataxia**

spinocerebellar ataxia refers to spinocerebellar ataxia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **spiral colon**

spiral colon refers to spiral colon, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **spiramycin**

spiramycin concerns spiramycin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **spirillum**

spirillum refers to spirillum, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **spirillum minus**

spirillum minus refers to spirillum minus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**spiritual support**

spiritual support refers to spiritual support, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**spirochaetaceae**

spirochaetaceae identifies spirochaetaceae, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**spirochaetales infection**

spirochaetales infection identifies spirochaetales infection, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**spitting**

spitting refers to spitting, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**splanchnic nerve**

splanchnic nerve refers to splanchnic nerve, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**spleen development**

spleen development refers to spleen development, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**spleen disorder**

spleen disorder denotes a clinical condition or finding involving spleen disorder; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**spleen hemangioma**

spleen hemangioma refers to spleen hemangioma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**splenic abscess**

splenic abscess refers to splenic abscess, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**splenic infection**

splenic infection denotes an infectious or toxic condition involving splenic infection; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

**splenic neoplasm**

splenic neoplasm denotes a neoplastic condition involving splenic neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**spliceosome**

spliceosome refers to spliceosome, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**split brain**

split brain refers to split brain, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**spondylarthritis**

spondylarthritis refers to spondylarthritis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**spondylitis**

spondylitis refers to spondylitis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**sponge**

sponge refers to sponge, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**spontaneous abortion**

spontaneous abortion refers to spontaneous abortion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**spontaneous perforation**

spontaneous perforation refers to spontaneous perforation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**sporothrix**

sporothrix refers to sporothrix, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**sporothrix schenckii**

sporothrix schenckii refers to sporothrix schenckii, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**sports medicine**

sports medicine refers to sports medicine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**spousal abuse**

spousal abuse refers to spousal abuse, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**spouse**

spouse refers to spouse, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**spray drying**

spray drying refers to spray drying, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**spumavirus**

spumavirus is a virus or viral group associated with spumavirus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

**squalamine lactate**

squalamine lactate refers to squalamine lactate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**squalene**

squalene refers to squalene, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**square foot**

square foot refers to square foot, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### **square inch**

square inch refers to square inch, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **square metres**

square metres refers to square metres, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **sscp analysis**

sscp analysis refers to sscp analysis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **sweat**

sweat refers to sweat, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **symbolism**

symbolism refers to symbolism, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **sympathetic ganglion**

sympathetic ganglion refers to sympathetic ganglion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **symptomatic**

symptomatic denotes a clinical condition or finding involving symptomatic; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **synapse assembly**

synapse assembly refers to synapse assembly, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **synapsins**

synapsins refers to synapsins, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **synaptic cleft**

synaptic cleft refers to synaptic cleft, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **synaptic membrane**

synaptic membrane refers to synaptic membrane, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **synaptic vesicle**

synaptic vesicle refers to synaptic vesicle, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **synaptonemal complex**

synaptonemal complex refers to synaptonemal complex, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **synaptophysin**

synaptophysin refers to synaptophysin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**



---

**synaptosome**

synaptosome refers to synaptosome, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**synaptotagmin**

synaptotagmin refers to synaptotagmin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**synarthrosis**

synarthrosis refers to synarthrosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**syncephalastrum**

syncephalastrum refers to syncephalastrum, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**synchrotron**

synchrotron refers to synchrotron, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**syndecan**

syndecan refers to syndecan, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**synesthesia**

synesthesia refers to synesthesia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**syngeneic**

syngeneic denotes syngeneic, a biological component

or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**synovectomy**

synovectomy is used in relation to synovectomy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

**synovial bursa**

synovial bursa refers to synovial bursa, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**synovial cyst**

synovial cyst refers to synovial cyst, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**synovial membrane**

synovial membrane refers to synovial membrane, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**synoviocytes**

synoviocytes refers to synoviocytes, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**syntax**

syntax refers to syntax, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**synthesis**

synthesis refers to synthesis, a medical condition or clinical finding defined by its features, causes,

---

affected system, and patient context.

**Synonyms:**

### **synthetic androgen**

synthetic androgen refers to synthetic androgen, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **syringoma**

syringoma refers to syringoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **syrup**

syrup refers to syrup, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **systemic chemotherapy**

systemic chemotherapy is used in relation to systemic chemotherapy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **systemic disease**

systemic disease denotes a clinical condition or finding involving systemic disease; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **systemic scleroderma**

systemic scleroderma refers to systemic scleroderma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **systemic venous**

systemic venous refers to systemic venous, a medical

condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **systolic pressure**

systolic pressure refers to systolic pressure, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **A**

A refers to a, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **B**

B refers to b, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **C**

C refers to c, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **D**

D refers to d, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **E**

E refers to e, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **F**

F refers to f, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

---

**Synonyms:**

**G**

G refers to g, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**H**

H refers to h, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**I**

I refers to i, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**J**

J refers to j, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**K**

K refers to k, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**L**

L refers to l, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**M**

M refers to m, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**N**

N refers to n, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**O**

O refers to o, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**P**

P refers to p, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**Q**

Q refers to q, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**R**

R refers to r, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**S**

S refers to s, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**T**

T refers to t, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**U**

U refers to u, a medical condition or clinical finding

---

defined by its features, causes, affected system, and patient context.

**Synonyms:**

## V

V refers to v, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

## W

W refers to w, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

## X

X refers to x, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

## Y

Y refers to y, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

## Z

Z refers to z, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### Sarcoma, bone cancer

Alternate index label; see *Bone cancer*. **Synonyms:**

### Sarcoma, soft tissue

Alternate index label; see *Soft tissue sarcoma*. **Synonyms:**

### SBBO

Alternate index label; see *Small intestinal bacterial overgrowth (SIBO)*. **Synonyms:**

### SCAD

Alternate index label; see *Spontaneous coronary artery dissection (SCAD)*. **Synonyms:**

### Scalded mouth syndrome

Alternate index label; see *Burning mouth syndrome*. **Synonyms:**

### Schizophrenia, adolescent

Alternate index label; see *Childhood schizophrenia*. **Synonyms:**

### Schizophrenia, childhood

Alternate index label; see *Childhood schizophrenia*. **Synonyms:**

### Schizophrenia, juvenile

Alternate index label; see *Childhood schizophrenia*. **Synonyms:**

### SCI

Alternate index label; see *Spinal cord injury*. **Synonyms:**

### Sclerosing cholangitis

Alternate index label; see *Primary sclerosing cholangitis (PSC)*. **Synonyms:**

### Sclerosis, multiple

Alternate index label; see *Multiple sclerosis*. **Synonyms:**

### Sclerosis, systemic

Alternate index label; see *Scleroderma*. **Synonyms:**

### Seasonal allergy

Alternate index label; see *Hay fever*. **Synonyms:**

### Sebaceous cysts

Alternate index label; see *Epidermoid cysts*. **Synonyms:**

### Secondary brain cancer

Alternate index label; see *Brain metastases*. **Synonyms:**

---

onyms:

### **SEID**

Alternate index label; see *Myalgic encephalomyelitis/chronic fatigue syndrome (ME/CFS)*. **Synonyms:**

### **Seizure disorder**

Alternate index label; see *Epilepsy*. **Synonyms:**

### **Seizure, absence**

Alternate index label; see *Absence seizure*. **Synonyms:**

### **Seizure, febrile**

Alternate index label; see *Febrile seizure*. **Synonyms:**

### **Seizure, grand mal**

Alternate index label; see *Tonic-clonic (grand mal) seizure*. **Synonyms:**

### **Seizure, petit mal**

Alternate index label; see *Absence seizure*. **Synonyms:**

### **Seizure, temporal lobe**

Alternate index label; see *Temporal lobe seizure*. **Synonyms:**

### **Self harming**

Alternate index label; see *Self-injury/cutting*. **Synonyms:**

### **Septal defect, atrioventricular**

Alternate index label; see *Atrioventricular canal defect*. **Synonyms:**

### **Septal defect, ventricular**

Alternate index label; see *Ventricular septal defect (VSD)*. **Synonyms:**

### **Severe brain injury, coma**

Alternate index label; see *Coma*. **Synonyms:**

### **Sexual dysfunction, female**

Alternate index label; see *Female sexual dysfunction*. **Synonyms:**

### **Sexual obsession**

Alternate index label; see *Compulsive sexual behavior*. **Synonyms:**

### **Sezary disease**

Alternate index label; see *Sezary syndrome*. **Synonyms:**

### **Shy-Drager syndrome**

Alternate index label; see *Multiple system atrophy*. **Synonyms:**

### **SIBO**

Alternate index label; see *Small intestinal bacterial overgrowth (SIBO)*. **Synonyms:**

### **Sin Nombre virus infection**

Alternate index label; see *Hantavirus pulmonary syndrome*. **Synonyms:**

### **Sinusitis, acute**

Alternate index label; see *Acute sinusitis*. **Synonyms:**

### **Sinusitis, chronic**

Alternate index label; see *Chronic sinusitis*. **Synonyms:**

### **SJS**

Alternate index label; see *Stevens-Johnson syndrome*. **Synonyms:**

### **Skin cancer, melanoma**

Alternate index label; see *Melanoma*. **Synonyms:**

### **Skin writing**

Alternate index label; see *Dermatographia (Dermatographism)*. **Synonyms:**

---

### Skin, itchy

Alternate index label; see *Itchy skin (pruritus)*. **Synonyms:**

### Skipped heartbeats

Alternate index label; see *Heart palpitations*. **Synonyms:**

### Slapped cheek disease

Alternate index label; see *Parvovirus infection*. **Synonyms:**

### Sleep apnea in children, obstructive

Alternate index label; see *Pediatric obstructive sleep apnea*. **Synonyms:**

### Sleep apnea, central

Alternate index label; see *Central sleep apnea*. **Synonyms:**

### Sleep apnea, obstructive

Alternate index label; see *Obstructive sleep apnea*. **Synonyms:**

### Sleepiness, daytime

Alternate index label; see *Narcolepsy*. **Synonyms:**

### Sleeplessness

Alternate index label; see *Insomnia*. **Synonyms:**

### SLL

Alternate index label; see *Small lymphocytic lymphoma*. **Synonyms:**

### Slow heartbeat

Alternate index label; see *Bradycardia*. **Synonyms:**

### Small bowel bacterial overgrowth

Alternate index label; see *Small intestinal bacterial overgrowth (SIBO)*. **Synonyms:**

### Small bowel prolapse

Alternate index label; see *Small bowel prolapse (enterocele)*. **Synonyms:**

### Small intestine prolapse

Alternate index label; see *Small bowel prolapse (enterocele)*. **Synonyms:**

### Solar keratosis

Alternate index label; see *Actinic keratosis*. **Synonyms:**

### Solar lentigines

Alternate index label; see *Age spots (liver spots)*. **Synonyms:**

### Spasmodic torticollis

Alternate index label; see *Cervical dystonia*. **Synonyms:**

### Specific reading disability

Alternate index label; see *Dyslexia*. **Synonyms:**

### Spinal curvature

Alternate index label; see *Scoliosis*. **Synonyms:**

### Spinal fluid leak

Alternate index label; see *CSF leak (Cerebrospinal fluid leak)*. **Synonyms:**

### Spondylosis, cervical

Alternate index label; see *Cervical spondylosis*. **Synonyms:**

### Stage 4 prostate cancer

Alternate index label; see *Metastatic (stage 4) prostate cancer*. **Synonyms:**

### Stammering

Alternate index label; see *Stuttering*. **Synonyms:**

### STDs

Alternate index label; see *Sexually transmitted diseases (STDs)*. **Synonyms:**

### Steele-Richardson-Olszewski syndrome

Alternate index label; see *Progressive supranuclear palsy*. **Synonyms:**



---

### Stein-Leventhal syndrome

Alternate index label; see *Polyendocrine metabolic ovarian syndrome (PMOS)*. **Synonyms:**

### Stenosing tenosynovitis

Alternate index label; see *Trigger finger*. **Synonyms:**

### Stenosis, aortic valve

Alternate index label; see *Aortic valve stenosis*. **Synonyms:**

### Stenosis, mitral valve

Alternate index label; see *Mitral valve stenosis*. **Synonyms:**

### Stenosis, pulmonary valve

Alternate index label; see *Pulmonary valve stenosis*. **Synonyms:**

### Stenosis, pyloric

Alternate index label; see *Pyloric stenosis*. **Synonyms:**

### Stenosis, spinal

Alternate index label; see *Spinal stenosis*. **Synonyms:**

### Stings, bee

Alternate index label; see *Bee sting*. **Synonyms:**

### Stings, jellyfish

Alternate index label; see *Jellyfish stings*. **Synonyms:**

### Stings, scorpion

Alternate index label; see *Scorpion sting*. **Synonyms:**

### Stomach flu

Alternate index label; see *Viral gastroenteritis (stomach flu)*. **Synonyms:**

### Stomatodynia

Alternate index label; see *Burning mouth syndrome*. **Synonyms:**

### Stool holding

Alternate index label; see *Encopresis*. **Synonyms:**

### Strawberry hemangioma

Alternate index label; see *Hemangioma*. **Synonyms:**

### Stump pain

Alternate index label; see *Residual limb pain*. **Synonyms:**

### Subfertility

Alternate index label; see *Infertility*. **Synonyms:**

### Substance abuse disorder

Alternate index label; see *Drug addiction (substance use disorder)*. **Synonyms:**

### Sun poisoning

Alternate index label; see *Polymorphous light eruption*. **Synonyms:**

### Sunken chest

Alternate index label; see *Pectus excavatum*. **Synonyms:**

### Supranuclear palsy

Alternate index label; see *Progressive supranuclear palsy*. **Synonyms:**

### SVT

Alternate index label; see *Supraventricular tachycardia*. **Synonyms:**

### Sweating, abnormally excessive

Alternate index label; see *Hyperhidrosis*. **Synonyms:**

### Swelling

Alternate index label; see *Edema*. **Synonyms:**

---

## Syndrome X

Alternate index label; see *Metabolic syndrome*. **Synonyms:**

## Synostosis

Alternate index label; see *Craniosynostosis*. **Synonyms:**

## Systemic exertional intolerance disease

Alternate index label; see *Myalgic encephalomyelitis/chronic fatigue syndrome (ME/CFS)*. **Synonyms:**

**Synonyms:**



## T

### Sensory Processing Disorder

Difficulty detecting, interpreting, or responding to sensory input such as sound, touch, movement, light, or body position. It may affect behavior, learning, coordination, or daily activities and can occur with other neurodevelopmental conditions. Assessment and occupational-therapy strategies are individualized.

**Synonyms:**

### Thyroid-Stimulating Hormone

A pituitary hormone that stimulates the thyroid to produce thyroid hormones. **Synonyms:** TSH

### Thyroxine

The main thyroid hormone containing four iodine atoms. **Synonyms:** T4

### TIA

A transient ischemic attack, a temporary episode of neurological dysfunction from reduced brain blood flow. **Synonyms:** Transient ischemic attack; mini-stroke

### Ticlopidine

An antiplatelet medicine that reduces platelet aggregation and clot formation. **Synonyms:**

### Tolerable Upper Intake Level

The highest usual daily nutrient intake unlikely to cause harm in nearly all healthy people. **Synonyms:** UL

### Toll-Like Receptors

Innate-immune receptors that detect characteristic microbial or tissue-danger signals. **Synonyms:**

TLRs

### Tonic

A substance or preparation traditionally believed to invigorate or strengthen the body. **Synonyms:**

### Tonometry

Measurement of pressure inside the eye, commonly used to screen for glaucoma. **Synonyms:**

### Tooth Decay

Destruction of tooth structure caused by acids produced by bacteria. **Synonyms:** Dental caries; cavities

### Topical

Applied directly to a body surface, usually the skin or a mucous membrane. **Synonyms:**

### Toxic

Poisonous or capable of causing injury to living tissue. **Synonyms:**

### Toxic Nodular Goiter

An enlarged thyroid with nodules that produce excessive thyroid hormone. **Synonyms:**

### Toxin

A poisonous substance produced by a living organism. **Synonyms:** Biological poison

### tPA

Tissue plasminogen activator, a clot-dissolving enzyme or medicine. **Synonyms:** Tissue plasminogen activator

---

### Trabecular Bone

Porous, lattice-like bone tissue found inside bones and near many joints. **Synonyms:** Spongy bone; cancellous bone

### Trabecular Meshwork

A porous tissue in the eye through which aqueous humor drains. **Synonyms:**

### Trabeculoplasty

Laser treatment that improves aqueous-humor drainage through the trabecular meshwork. **Synonyms:**

### Trace Mineral

A mineral required by the body in very small amounts. **Synonyms:**

### Trans Fatty Acid

An unsaturated fatty acid with trans configuration, often formed during industrial oil processing. **Synonyms:** Trans fat

### Transcranial Doppler Scanning

Ultrasound measurement of blood flow through major arteries at the base of the brain. **Synonyms:** Transcranial Doppler; TCD

### Transcutaneous Electrical Nerve Stimulation

Low-voltage electrical stimulation delivered through skin electrodes to reduce pain. **Synonyms:** TENS

### Transferrin Saturation

The percentage of transferrin iron-binding sites occupied by iron. **Synonyms:** TSAT

### Transfusion

Administration of donated blood or blood components into a person's circulation. **Synonyms:**

### Transient Pain

Pain that is brief and resolves rather than persisting. **Synonyms:**

### Transmural Infarction

A heart attack involving the full thickness of part of the heart wall. **Synonyms:**

### Transplantation

Transfer of an organ, tissue, or cells from a donor to a recipient. **Synonyms:** Transplant

### Transrectal Ultrasonography

Ultrasound imaging of the prostate or nearby structures using a rectal probe. **Synonyms:** TRUS

### Transurethral Incision of the Prostate

An operation using small prostate incisions to relieve obstruction of urine flow. **Synonyms:** TUIP

### Transurethral Microwave Thermotherapy

Heat treatment using microwaves to destroy prostate tissue obstructing urine flow. **Synonyms:** TUMT

### Transurethral Needle Ablation

Treatment using radiofrequency heat delivered by needles to destroy obstructing prostate tissue. **Synonyms:** TUNA

### Stasis Dermatitis

Inflammation of the lower-leg skin caused by chronic venous hypertension and edema. It may cause itching, redness, scaling, brown discoloration, weeping, or ulcers around the ankles. Management focuses on treating venous disease, compression when safe, skin care, and evaluation for infection or arterial insufficiency.

**Synonyms:**

### T Wave

The electrocardiographic deflection representing ventricular repolarization. Its shape and direction vary by lead and clinical context. Abnormal T waves may occur with ischemia, electrolyte disorders, ventricular strain, or other conditions.

**Synonyms:**

---

## **T-Cell Lymphomas**

Lymphomas arising from mature or immature T lymphocytes. They include several biologically distinct diseases that may involve lymph nodes, skin, blood, or other organs; behavior and treatment depend on the subtype.

**Synonyms:**

## **T-Cell Receptor**

A clonally distributed receptor on T lymphocytes that recognizes a peptide antigen presented by a major histocompatibility complex molecule. TCR signaling requires accessory and co-stimulatory signals for effective T-cell activation.

**Synonyms:**

## **T-Cells (T-Lymphocytes)**

A type of lymphocyte that matures in the thymus and is the central effector of cell-mediated immunity. T-cells express the T-cell receptor (TCR) on their surface, which recognises peptide antigens presented by major histocompatibility complex (MHC) molecules on antigen-presenting cells.

**Synonyms:** T-Lymphocytes

## **T3**

Triiodothyronine, the most biologically active thyroid hormone, produced by deiodination of T4 in peripheral tissues (liver, kidney) and secreted by the thyroid. Regulates metabolism (BMR), protein/carbohydrate/lipid metabolism, growth, and development.

**Synonyms:**

## **T4**

Thyroxine, the main hormone secreted by the thyroid gland (thyroxine, 80-90 percent of secretion), converted to the active T3 in tissues. Bound largely to thyroxine-binding globulin (TBG); free T4 is the active unbound fraction. Regulates metabolism, growth, and development.

**Synonyms:**

## **Tabes dorsalis**

A late manifestation of syphilis involving degenera-

tion of sensory pathways in the spinal cord, causing loss of proprioception, sensory ataxia, and characteristic pain.

**Synonyms:**

## **Tablet**

A solid dosage form of compressed drug plus excipients (binders, fillers, disintegrants, lubricants, coatings). Types: immediate-release, enteric-coated (resistant to gastric acid), sustained/controlled-release, sublingual, buccal, effervescent, chewable, and orally disintegrating.

**Synonyms:**

## **Tachyarrhythmia**

An abnormally fast heart rhythm, which may arise from the atria, ventricles, or the heart's conduction system. Symptoms can include palpitations, dizziness, chest discomfort, shortness of breath, or fainting; fainting or severe symptoms require urgent assessment.

**Synonyms:**

## **Tachycardia**

A faster-than-expected heart rate that may be a normal response or a sign of disease. See Fast Heart Rate.

**Synonyms:**

## **Tachyphylaxis**

A rapid, acute decrease in response to a drug after repeated administration over a short period, distinct from tolerance which develops more gradually. Tachyphylaxis results from rapid depletion of neurotransmitter stores, receptor desensitization, or receptor downregulation.

**Synonyms:**

## **Tachypnea**

Abnormally rapid respiratory rate (adult >20 breaths/min). Physiologic (exercise, anxiety) or pathologic: hypoxia, fever, sepsis, metabolic acidosis (Kussmaul), pulmonary embolism, pneumonia, heart failure, pain, and compensation for metabolic derangement.



---

**Synonyms:**

### **Tachypnoea**

Abnormally rapid breathing, defined as a respiratory rate >20 breaths per minute in adults (age-dependent: >60 in neonates, >40 in 1–12 months, >30 in 1–5 years, >20 in >5 years). Tachypnoea is a non-specific sign of respiratory or metabolic distress.

**Synonyms:**

### **Tachysystole (Uterine Hyperstimulation)**

More than 5 contractions in 10 minutes averaged over 30 minutes, or contractions lasting  $\geq 2$  minutes. Tachysystole with fetal heart rate changes (late decelerations, prolonged deceleration, loss of variability) is more concerning. Causes: oxytocin (most common), prostaglandins (misoprostol > dinoprostone), and cocaine.

**Synonyms:** Uterine Hyperstimulation

### **TACO**

Transfusion-Associated Circulatory Overload, a complication of blood transfusion due to volume overload causing pulmonary edema. Risk factors: pre-existing cardiac or renal disease, extremes of age, large transfusion volume, rapid infusion rate.

**Synonyms:**

### **Tactile Fremitus**

Vibrations transmitted through the lung to the chest wall, felt during palpation. It is increased in consolidation (pneumonia) due to better sound transmission through solid tissue. It is decreased in pleural effusion, pneumothorax, and atelectasis due to impaired transmission.

**Synonyms:**

### **Taeniasis (Tapeworm Infection)**

Intestinal infection caused by adult *Taenia* tapeworms, usually acquired by eating undercooked meat containing larval cysts. *Taenia solium* and *Taenia saginata* are important species; *Taenia solium* eggs can also cause cysticercosis in tissues.

**Synonyms:** Tapeworm Infection

### **Takayasu Arteritis**

A chronic granulomatous vasculitis primarily affecting the aorta and its major branches, most commonly diagnosed in women under 50 years of age, particularly in Asian populations.

**Synonyms:**

### **Takayasu Disease**

A large-vessel vasculitis that primarily affects the aorta and its major branches. It may cause limb claudication, weak or unequal pulses, blood-pressure differences, bruits, fever, fatigue, or arterial narrowing and aneurysms. Imaging and inflammatory assessment guide immunosuppressive and vascular treatment.

**Synonyms:**

### **Takayasu's arteritis**

A chronic granulomatous vasculitis of the aorta and its major branches, predominantly affecting young women of Asian descent. Causes arterial stenosis, occlusion, or aneurysm formation. Presents with limb claudication, absent pulses, bruit, hypertension, and constitutional symptoms. Treatment: corticosteroids and immunosuppressives.

**Synonyms:**

### **Takotsubo Cardiomyopathy**

Transient left ventricular apical ballooning resembling a Japanese octopus trap (takotsubo), typically triggered by emotional or physical stress. ECG may show ST elevation mimicking STEMI. Coronary angiography shows no obstructive disease. Most patients recover normal ventricular function within weeks.

**Synonyms:**

### **Talcosis**

Pneumoconiosis from talc dust inhalation or IV injection of crushed oral medications. Causes upper lobe nodular fibrosis. HRCT may show "galaxy sign" of calcified nodules.

**Synonyms:**

---

## Talus

Second largest tarsal bone articulating with tibia/fibula proximally at the ankle. Approximately 60 percent of its surface is articular cartilage with no muscular attachments. Transmits entire body weight to the calcaneus. Talar neck fractures may disrupt blood supply causing avascular necrosis in up to 50 percent.

**Synonyms:**

## Tangier Disease

An autosomal-recessive disorder of HDL metabolism caused by ABCA1 dysfunction. It produces very low HDL cholesterol, enlarged yellow-orange tonsils, hepatosplenomegaly, peripheral neuropathy, thrombocytopenia, and premature atherosclerosis in some patients.

**Synonyms:**

## Tanner Staging

A scale for assessing sexual maturity during puberty. Stage 1: prepubertal. Stage 2: breast buds (girls), testicular enlargement (boys). Stage 3: breast enlargement, pubic hair. Stage 4: areolar development, more pubic hair. Stage 5: adult breasts and genitalia, adult hair pattern.

**Synonyms:**

## Thelarche

The onset of breast development, usually the first visible sign of female puberty. It commonly begins between ages 8 and 13, with substantial normal variation.

**Synonyms:**

## Tapeworm

A parasitic flatworm with a segmented body that may live in the intestine or form larval cysts in tissues. People acquire different species by eating infected meat or fish or by ingesting eggs from contaminated sources. Symptoms and complications depend on the species and site.

**Synonyms:**

## Tapeworm Infection

Infection caused by parasitic tapeworms. *Taenia* species may live as adult worms in the intestine, while some tapeworm larvae can form cysts in tissues.

**Synonyms:**

## Tardive Dyskinesia

Involuntary, repetitive, purposeless movements caused by prolonged use of antipsychotic medications, typically developing after months to years of exposure. Movements include choreoathetoid movements of the tongue, face, and extremities (lip smacking, tongue protrusion, grimacing, choreiform movements of limbs).

**Synonyms:**

## Target-Controlled Infusion

A computerized infusion pump system that maintains a predetermined drug concentration in plasma or effect site using pharmacokinetic modeling. TCI systems use three-compartment pharmacokinetic models to calculate infusion rates that achieve and maintain target concentration.

**Synonyms:**

## Targeted Temperature Management

Controlled therapeutic hypothermia for comatose survivors of cardiac arrest. Target: 32-36 degrees C for 24-72 hours followed by gradual rewarming. Mechanism: reduces metabolic demand, limits reperfusion injury, and reduces free radical generation. TTM2 trial showed 33 degrees C was not superior to 36 degrees C.

**Synonyms:**

## Targeted Therapy

Drugs targeting specific molecular abnormalities in cancer. Examples: imatinib (BCR-ABL), trastuzumab (HER2), rituximab (CD20), tyrosine kinase inhibitors. Requires molecular testing.

**Synonyms:**

## Tarlov Cyst

A cerebrospinal-fluid-filled perineural cyst, usually

---

located near the dorsal root ganglia in the sacral spine. Many are incidental, but larger or symptomatic cysts can cause sacral pain, radiculopathy, sensory change, bowel or bladder dysfunction, or sexual dysfunction.

**Synonyms:**

### **Tarsal Coalition**

An abnormal connection between two bones in the rear or middle foot, usually present from birth. It can cause a stiff, painful flatfoot, recurrent ankle sprains, and limited foot motion, often becoming more noticeable during adolescence.

**Synonyms:**

### **Tarsal Tunnel Syndrome**

Tibial nerve compression at ankle. Symptoms: burning pain, tingling in foot sole. Tinel sign at ankle. Treatment: orthotics, corticosteroid injection, surgical decompression.

**Synonyms:**

### **Tarsus**

The collection of seven bones forming the posterior part of the foot, between the tibia/fibula and the metatarsals.

**Synonyms:**

### **Taste**

The sensation produced by the interaction of chemical substances with taste receptor cells (TRCs) on the tongue, palate, pharynx, epiglottis, and upper esophagus. Taste is one of the five primary senses (gustation).

**Synonyms:**

### **Tau PET**

Tracers: Flortaucipir, MK-6240. Detect tau tangles in neurodegenerative diseases.

**Synonyms:**

### **Taurodontism**

Enlarged pulp chamber, short roots. Molars most affected. Associated with genetic conditions.

**Synonyms:**

### **Tay-Sachs Disease**

Autosomal recessive lysosomal storage disorder (HEXA gene, hexosaminidase A). Accumulation of GM2 ganglioside in neurons. Ashkenazi Jewish prevalence higher. Symptoms: developmental regression, cherry-red spot on macula, seizures, paralysis, death by age 4. No cure. Carrier screening recommended.

**Synonyms:**

### **TCA Cycle**

The tricarboxylic acid (Krebs) cycle occurs in the mitochondrial matrix, completing the oxidation of acetyl-CoA (from carbohydrates, fats, and proteins) to CO<sub>2</sub> while generating reducing equivalents (NADH, FADH<sub>2</sub>) for the electron transport chain.

**Synonyms:**

### **TCAs**

Tricyclic antidepressants are a class of drugs that inhibit the reuptake of serotonin and norepinephrine, similar to SNRIs, but also block histamine H<sub>1</sub> receptors, muscarinic acetylcholine receptors, and alpha-1 adrenergic receptors, producing numerous side effects.

**Synonyms:**

### **TCAs (Tricyclic Antidepressants)**

Antidepressants that block reuptake of serotonin and norepinephrine, with additional anticholinergic, antihistaminic, and alpha-adrenergic blocking effects. Examples include amitriptyline, nortriptyline, imipramine, and desipramine. They are effective for depression, neuropathic pain, and migraine prophylaxis.

**Synonyms:** Tricyclic Antidepressants

### **Tdap Vaccination in Pregnancy**

Administration of tetanus, diphtheria, and acellular pertussis (Tdap) vaccine during each pregnancy, optimally at 27-36 weeks. The goal: boost maternal antibodies to protect the newborn from pertussis (whooping cough) before the infant can be vaccinated at 2 months.

**Synonyms:**

---

## **Tdap Vaccine**

Tetanus, Diphtheria, and acellular Pertussis booster given at 11-12 years and during each pregnancy (27-36 weeks gestation). Replaces one dose of Td. Important for pertussis protection, particularly for protecting newborns through maternal antibody transfer. Also given to adolescents and adults to maintain tetanus and diphtheria immunity.

**Synonyms:**

## **Technetium-99m**

Most widely used radionuclide in nuclear medicine. Half-life: 6 hours. Emits 140 keV gamma rays. Produced from molybdenum-99/technetium-99m generator. Used with various ligands: MDP (bone), sestamibi (myocardium), DTPA (renal), nanocolloid (lymphatic), HMPAO (brain perfusion).

**Synonyms:**

## **Technique**

The method, equipment, and protocol used to perform a medical examination, procedure, or imaging study.

**Synonyms:**

## **Tedizolid pharmacokinetics**

The study of how tedizolid is absorbed, distributed, metabolized, and eliminated. Tedizolid is available orally and intravenously and has pharmacokinetic properties that support once-daily treatment; its clinical use depends on the infection and patient factors.

**Synonyms:**

## **Teenage Pregnancy**

Pregnancy in adolescents (usually 10-19 years), associated with higher maternal and fetal risks: preterm birth, low birth weight, preeclampsia, anemia, and increased neonatal mortality; also socioeconomic and educational consequences. Causes: unprotected intercourse, lack of contraception/education, poverty, and peer/family factors.

**Synonyms:**

## **Teeth**

Hard, mineralized structures in the mouth used for cutting, tearing, and grinding food.

**Synonyms:**

## **Teething**

The eruption of primary (deciduous) teeth, usually starting around 6 months (range 3-12), with lower central incisors first; 20 teeth by 2-3 years.

**Synonyms:**

## **Tele radiology**

Remote interpretation of imaging studies.

**Synonyms:**

## **Tele-Rehabilitation**

Remote rehabilitation via technology. Video consultations, remote monitoring, home exercise programs. Increases access, especially rural.

**Synonyms:**

## **Telemedicine**

Remote delivery of healthcare using technology. Examples: video visits, remote monitoring, store-and-forward. Increases access.

**Synonyms:**

## **Telogen Effluvium**

Diffuse hair shedding caused by premature entry of hair follicles into the telogen (resting) phase. Triggers include severe illness, surgery, childbirth, rapid weight loss, emotional stress, medications (beta-blockers, retinoids, anticoagulants), and nutritional deficiencies (iron, zinc, vitamin D).

**Synonyms:**

## **Telomere**

Protective DNA sequence at chromosome ends. Shortens with cell division. Associated with aging.

**Synonyms:**

## **Temperature**

A measurement of body heat. The result varies with the measurement site, time, activity, age, and

---

illness.

**Synonyms:**

### **Temperature (Body Temperature)**

The balance between heat production (metabolism, muscle activity) and heat loss (radiation, conduction, convection, evaporation). Normal core body temperature: 36.5–37.5°C (97.7–99.5°F), regulated by the hypothalamus (preoptic anterior hypothalamus—thermoregulatory center).

**Synonyms:** Body Temperature

### **Temple Syndrome**

A genomic-imprinting disorder involving chromosome 14q32 that causes prenatal and postnatal growth restriction, hypotonia, developmental delay, feeding difficulty, short stature, and abnormal pubertal development.

**Synonyms:**

### **Temporal Arteritis**

A vasculitic disorder affecting medium and large arteries, particularly the temporal artery, predominantly occurring in adults over 50 years of age.

**Synonyms:**

### **Temporal Bones**

Paired bones forming the cranial floor and lateral wall, with squamous, petrous, mastoid, tympanic, and styloid parts. Contain the external auditory canal, middle and inner ear, and foramina: carotid canal (internal carotid), jugular foramen (CN IX-XI, IJV), and foramen lacerum.

**Synonyms:**

### **Temporal Lobe**

One of the four major lobes of the cerebral hemisphere, located beneath the lateral fissure (Sylvian fissure) on the lateral surface of the brain, extending medially to the parahippocampal gyrus. The temporal lobe is involved in auditory processing, language comprehension, memory, and emotion.

**Synonyms:**

### **Temporal Lobe Epilepsy**

The most common form of focal (partial) epilepsy, arising from the medial temporal lobe structures (hippocampus, amygdala, parahippocampal gyrus).

**Synonyms:**

### **Temporomandibular Joint**

Synovial ginglymoarthrodial joint between mandibular condyle and temporal bone's mandibular fossa, separated by an articular disc. Only bilateral body joint, allowing hinge and sliding movements. Disc divides into superior/inferior compartments. Temporomandibular disorders cause pain, clicking, limited movement, common with bruxism.

**Synonyms:**

### **Temporomandibular Joint Disorder**

Pain and dysfunction of TMJ and masticatory muscles. Symptoms: jaw pain, clicking, limited opening, headache, ear pain. Etiology: multifactorial (bruxism, stress, trauma, occlusion). Treatment: conservative (reassurance, self-care, splint, NSAIDs), physical therapy, rare surgery.

**Synonyms:**

### **Temporomandibular Joint Replacement**

Total joint replacement for severe TMJ pathology. Indications: ankylosis, severe degenerative disease, failed previous surgery.

**Synonyms:**

### **Temporomandibular Joint Syndrome**

Pain or dysfunction involving the jaw joint and chewing muscles, often causing jaw pain, clicking, restricted opening, headache, or tooth-related symptoms. Causes include clenching, trauma, arthritis, and stress-related muscle tension. Persistent locking, severe pain, or inability to eat requires dental or medical evaluation.

**Synonyms:**

### **Tendinitis**

Inflammation of a tendon. Many painful tendon conditions are instead degenerative tendinopathy without substantial inflammation.

---

**Synonyms:**

### **Tendon**

Dense regular connective tissue connecting muscle to bone, composed primarily of type I collagen fibers arranged in parallel bundles. Transmits muscle force to bone to produce movement. Poor vascularity (slower healing). Enclosed in tendon sheath (synovial) at friction points.

**Synonyms:**

### **Tendon Transfer**

Surgical relocation of a functioning tendon to restore movement or balance when the original muscle-tendon unit is absent, paralyzed, or irreparable. Successful transfer requires an adequate donor, appropriate excursion, and a stable recipient joint.

**Synonyms:**

### **Tendonitis**

Tendinopathy: inflammation or degeneration of a tendon from overuse, repetitive strain, or trauma, causing localized pain, swelling, and tenderness with activity. Common sites: rotator cuff (supraspinatus), lateral elbow (tennis elbow), medial elbow (golfer's elbow), Achilles, patellar (jumper's knee), biceps, and De Quervain.

**Synonyms:**

### **Tenecteplase**

A modified tissue plasminogen activator (TNK-tPA) thrombolytic with longer half-life, higher fibrin specificity, and resistance to PAI-1. Used for acute ischemic stroke and STEMI. Given as a single IV bolus (weight-based), simplifying administration. Adverse effects: hemorrhage (intracranial—major concern), allergic reactions.

**Synonyms:**

### **Tenesmus**

A sensation of incomplete defecation, characterized by a constant feeling of needing to pass stool accompanied by straining, pain, and cramping, despite little or no stool being passed. Tenesmus is a symptom, not a diagnosis.

**Synonyms:**

### **Tennis Elbow**

Lateral epicondylitis, a tendinopathy of the common extensor tendon at the lateral epicondyle (extensor carpi radialis brevis). Caused by repetitive wrist extension and overuse, not limited to tennis. Presents with lateral elbow pain worsened by wrist extension and grip. Tenderness over the lateral epicondyle.

**Synonyms:**

### **Tenosynovitis**

Inflammation of a tendon and its synovial sheath, causing pain, swelling, and crepitus along the tendon.

**Synonyms:**

### **Tension Headache**

The most common headache type, characterized by bilateral, pressing/tightening head pain of mild-moderate intensity (like a band around the head), lasting 30 min to days, without nausea or vomiting; photophobia or phonophobia may be present but not both.

**Synonyms:**

### **Tension Pneumothorax**

Life-threatening pneumothorax with mediastinal shift. Emergency needle decompression (2nd intercostal space, midclavicular line) followed by chest tube. Signs: respiratory distress, hypotension, tracheal deviation, distended neck veins, unilateral absent breath sounds.

**Synonyms:**

### **Teratogen**

Substance causing birth defects. Examples: thalidomide, isotretinoin, alcohol, warfarin, valproate, ACE inhibitors. Prenatal exposure critical.

**Synonyms:**

### **Teratogenicity**

The ability of a drug, chemical, or infectious agent to cause birth defects or developmental abnormalities when exposure occurs during pregnancy. The



---

risk of teratogenic effects depends on the timing of exposure, with the embryonic period from 3 to 8 weeks after fertilization being the most critical for organogenesis.

**Synonyms:**

### **Teratoma**

A type of germ cell tumor composed of tissues derived from two or three germ layers (ectoderm, endoderm, mesoderm), reflecting pluripotent differentiation.

**Synonyms:**

### **Terbinafine**

An allylamine antifungal agent that inhibits squalene epoxidase, an early enzyme in the ergosterol biosynthesis pathway, causing accumulation of squalene and depletion of ergosterol in the fungal cell membrane. The accumulation of squalene is fungicidal, while ergosterol depletion disrupts membrane function.

**Synonyms:**

### **Teriparatide for Osteoporosis**

Recombinant human parathyroid hormone fragments one through thirty-four that stimulate osteoblast-mediated bone formation. Indicated for severe osteoporosis with fractures or very low T-scores and for patients who have failed or are intolerant to bisphosphonates. Daily subcutaneous injection for up to two years.

**Synonyms:**

### **Terminal Delirium**

Delirium occurring near the end of life, often caused by advanced organ failure, medication effects, metabolic disturbance, infection, or reduced cerebral perfusion. Management prioritizes comfort, reversible contributors when consistent with goals, and support for the patient and family.

**Synonyms:**

### **Terminal Illness**

An advanced disease that is expected to lead to death, although the timing and response to available

treatment may vary.

**Synonyms:**

### **Tertiary Prevention**

Reducing complications from established disease. Examples: rehabilitation, chronic disease management, palliative care.

**Synonyms:**

### **Test Strips**

Reagents for diagnostic testing. Types: urine dipstick, blood glucose, ketone.

**Synonyms:**

### **Testicular Cancer**

Most common solid malignancy in young men 15-35 years. Types: germ cell tumors (seminoma, non-seminoma), sex cord-stromal tumors. Presentation: painless testicular mass, heaviness, ache. Diagnosis: scrotal ultrasound, tumor markers (AFP, beta-hCG, LDH).

**Synonyms:**

### **Testicular Disorders**

Conditions affecting the testes or surrounding structures, including torsion, infection, inflammation, trauma, tumors, and hormonal disorders. Symptoms may include pain, swelling, a mass, infertility, or changes in sexual development and require appropriate evaluation.

**Synonyms:**

### **Testicular Microlithiasis**

Multiple tiny calcifications within the testicular tissue seen on ultrasound. The finding alone does not establish cancer, and follow-up depends on other risk factors and clinical findings.

**Synonyms:**

### **Testicular Torsion**

Surgical emergency caused by twisting of the spermatic cord around its longitudinal axis, cutting off venous return and leading to arterial occlusion, ischemia, and infarction of the testicle.

**Synonyms:**

---

## Testicular Torsion Emergency

Rotation of the spermatic cord that compromises testicular blood flow, causing sudden unilateral scrotal pain, nausea, a high-riding testis, and an abnormal cremasteric reflex. Immediate surgical exploration and detorsion are required; imaging must not delay treatment when suspicion is high.

**Synonyms:**

## Testis

The male reproductive gland that produces spermatozoa in seminiferous tubules and secretes testosterone from interstitial Leydig cells. It is normally located in the scrotum.

**Synonyms:**

## Testis (Testicle)

The male gonad, a paired ovoid organ (4–5 cm × 2–3 cm, weight 15–20 g) located in the scrotum, responsible for sperm production (spermatogenesis) and testosterone secretion. Each testis is covered by the tunica vaginalis (peritoneal remnant) and tunica albuginea (dense fibrous capsule).

**Synonyms:** Testicle

## Testosterone

The primary male sex hormone, an androgen produced mainly in the testicles that is essential for the development of male reproductive tissues, secondary sexual characteristics, and overall health.

**Synonyms:**

## Tetanus

An acute neurological disease caused by tetanospasmin toxin from *Clostridium tetani*, introduced through wounds. Characterized by generalized rigidity and painful muscle spasms (trismus/lockjaw, risus sardonicus, opisthotonos). Autonomic instability can occur in severe cases. Diagnosis: clinical.

**Synonyms:**

## Tetany

A clinical syndrome of neuromuscular hyperexcitability caused by hypocalcaemia (most common—total calcium <2.1 mmol/L, ionised calcium

<1.1 mmol/L), but also caused by hypomagnesaemia, hypokalaemia, and alkalosis (respiratory or metabolic).

**Synonyms:**

## Tethered Cord Syndrome

A congenital or acquired condition where the spinal cord is abnormally attached (tethered) to surrounding tissues, restricting its normal upward movement within the spinal canal. Caused by a thickened filum terminale, lipomeningomyelocele, diastematomyelia, or previous myelomeningocele repair.

**Synonyms:**

## Tetracycline Stain

Intrinsic discoloration from tetracycline antibiotics during tooth development. Gray or brown bands. Treatment: bleaching, veneers, crowns.

**Synonyms:**

## Tetracyclines

A class of bacteriostatic antibiotics that bind reversibly to the 30S ribosomal subunit and block the attachment of aminoacyl-tRNA to the acceptor site, inhibiting protein synthesis. They include tetracycline, doxycycline, and minocycline.

**Synonyms:**

## Tetralogy of Fallot

A congenital heart defect consisting of a ventricular septal defect, obstruction of blood flow from the right ventricle, an overriding aorta, and right-ventricular hypertrophy.

**Synonyms:**

## Th1/Th2/Th17/Tfh/Treg Balance

CD4+ T helper subsets defined by master transcription factors and signature cytokines: Th1 (Tbet, IFN-gamma, IL-12, STAT4): intracellular pathogens, autoimmunity (RA, MS, type 1 diabetes). Th2 (GATA3, IL-4/5/13, IL-4/STAT6): helminths, allergy, asthma.

**Synonyms:**

---

## Thalamus

Bilateral ovoid gray matter structure forming the third ventricle's lateral walls, the brain's relay station for nearly all sensory (except olfaction), motor, and limbic information to the cortex. Numerous nuclei: VPL (spinothalamic, dorsal column), VPM (trigeminal), LGN (visual), MGN (auditory), VL/VA (motor).

**Synonyms:**

## thalassemia

A group of inherited hemoglobin disorders caused by reduced or absent synthesis of one or more globin chains, leading to microcytic hypochromic anemia.

**Synonyms:**

## Thalassemia Major

Beta-thalassemia, an autosomal recessive hemoglobin disorder with absent or minimal beta-globin chain production. Presents in infancy with severe anemia, failure to thrive, hepatosplenomegaly, and skeletal deformities. Diagnosis by hemoglobin electrophoresis showing absent HbA and elevated HbF and HbA2.

**Synonyms:**

## Thallium Scan

Nuclear medicine imaging using Tl-201. Myocardial perfusion, tumor detection. Largely replaced by Tc-99m agents.

**Synonyms:**

## Thallium-201

SPECT radionuclide, half-life 73 hours. Used for myocardial perfusion imaging. Mechanism: K<sup>+</sup> analog, taken up by Na<sup>+</sup>/K<sup>+</sup> ATPase.

**Synonyms:**

## Thanatology

The scientific study of death, dying, postmortem changes, and the psychological, social, and ethical aspects of bereavement. In forensic medicine, it also examines the circumstances and evidence surrounding death.

**Synonyms:**

## Thanatophoric Dysplasia

A severe skeletal dysplasia, usually caused by an FGFR3 variant, with markedly shortened limbs, narrow thorax, macrocephaly, and characteristic skull and vertebral abnormalities. The severe thoracic restriction commonly causes neonatal respiratory failure.

**Synonyms:**

## Theranostic Pair

Combined therapy and diagnostics using matched radiopharmaceutical pairs. See theranostics.

**Synonyms:**

## Theranostics

Combined therapy and diagnostics using matched radiopharmaceutical pairs. Diagnostic isotope (e.g., Ga-68) identifies target, therapeutic isotope (e.g., Lu-177) delivers treatment. Examples: Ga-68/Lu-177 DOTATATE (neuroendocrine tumors), PSMA theranostics (prostate cancer).

**Synonyms:**

## Therapeutic Alliance

The collaborative, trusting relationship between therapist and patient that is foundational to effective psychotherapy. It includes agreement on goals, tasks, and the bond between therapist and patient. It is the strongest predictor of psychotherapy outcome across all therapeutic modalities.

**Synonyms:**

## Therapeutic Drug Monitoring

The clinical practice of measuring specific drug concentrations in blood or plasma to individualize drug dosing and ensure therapeutic effectiveness while minimizing toxicity. TDM is particularly important for drugs with narrow therapeutic indices, where small changes in concentration can lead to therapeutic failure or toxicity.

**Synonyms:**

## Therapeutic Exercise

Exercise prescribed to improve function, reduce pain, prevent disability. Types: stretching, strengthening,

---

aerobic, balance, functional. Progression: low to high intensity.

**Synonyms:**

### **Therapeutic Hypothermia**

Controlled cooling of the body temperature used in psychiatric practice for severe catatonia and neuroleptic malignant syndrome. In NMS, cooling is a key treatment alongside discontinuation of the offending agent and dantrolene administration.

**Synonyms:**

### **Therapeutic Index**

The therapeutic index is a quantitative measure of the relative safety of a drug, defined as the ratio of the dose that produces toxicity in 50 percent of the population to the dose that produces the desired therapeutic effect in 50 percent of the population.

**Synonyms:**

### **Therapeutic Window**

The range of plasma drug concentrations between the minimum effective concentration (producing a therapeutic effect) and the minimum toxic concentration (producing toxicity), in which efficacy is achieved with acceptable toxicity.

**Synonyms:**

### **Therapeutics**

The branch of medicine concerned with the treatment of disease, encompassing all interventions used to prevent, manage, or cure illness.

**Synonyms:**

### **Therapy**

Treatment intended to prevent, relieve, or cure disease or to improve function and quality of life.

**Synonyms:**

### **Therapy Monitoring**

Repeated clinical assessment, laboratory testing, or imaging used to evaluate response, adverse effects, and ongoing need for treatment.

**Synonyms:**

### **Thermal Injury**

Tissue damage caused by heat, flame, hot liquid, steam, or cold. Burn severity depends on depth, total body surface area, location, inhalation injury, associated trauma, and patient factors; assessment should include airway and circulatory complications.

**Synonyms:**

### **Thermal Injury (Burns)**

Tissue damage caused by heat. Initial care includes stopping the exposure, removing loose constricting material, cooling briefly with clean water, covering the injury, and assessing depth and extent. Larger or deeper burns require specialized evaluation, fluid management, pain control, wound care, and tetanus assessment.

**Synonyms:** Burns

### **Thermal Therapy**

Treatment using heat or cold to influence pain, swelling, muscle tension, or tissue temperature. Effects and safety depend on the condition and method used.

**Synonyms:**

### **Thermogenesis**

Heat production from food digestion, muscle activity, brown fat. Diet-induced thermogenesis 10% of TDEE.

**Synonyms:**

### **Thermometer**

Device measuring body temperature. Types: mercury (phased out), digital, tympanic, temporal artery, infrared. Normal oral: 36.5-37.5°C.

**Synonyms:**

### **Thermoneutral Zone**

The range of ambient temperatures over which body temperature is maintained by basal metabolic heat production alone, without additional thermoregulatory responses such as shivering or sweating. In humans the zone is approximately 27-32 degrees C for a resting nude adult. Within the zone, vasomotor tone adjusts heat loss.

---

**Synonyms:**

### **Thermoplasty**

A bronchoscopic procedure that uses radiofrequency energy to ablate smooth muscle in the airways, reducing bronchospasm. It is approved for severe, persistent asthma in adults not controlled with ICS/LABA. It reduces exacerbations and emergency department visits but does not improve lung function.

**Synonyms:**

### **Thermoregulation**

The physiological maintenance of core body temperature near the set point ( 37 degrees C) via a balance of heat production and heat loss, controlled by the preoptic area of the hypothalamus.

**Synonyms:**

### **Thiamine**

Vitamin B1, a water-soluble vitamin required for carbohydrate metabolism and nerve function. Severe deficiency can cause beriberi or Wernicke encephalopathy.

**Synonyms:**

### **Thiamine (Vitamin B1)**

A water-soluble vitamin whose active coenzyme form, thiamine pyrophosphate, is required by pyruvate dehydrogenase, alpha-ketoglutarate dehydrogenase, transketolase, and branched-chain ketoacid dehydrogenase. Deficiency causes beriberi and Wernicke encephalopathy.

**Synonyms:** Vitamin B1

### **Thiazide Diuretics**

Thiazide diuretics act on the distal convoluted tubule by inhibiting the sodium-chloride cotransporter, reducing sodium and chloride reabsorption and producing natriuresis and diuresis. They are less potent than loop diuretics but have a longer duration of action, typically 6 to 12 hours.

**Synonyms:**

### **Thiazolidinediones**

Insulin sensitizers activating peroxisome proliferator-activated receptors primarily in adipose tissue and skeletal muscle. Agents include pioglitazone and rosiglitazone. Mechanisms include enhanced insulin-mediated glucose uptake, altered adipokine secretion, and reduced hepatic glucose output.

**Synonyms:**

### **Thiopental Sodium**

An ultra-short-acting barbiturate, used for induction of general anesthesia (IV, onset 30–60 seconds, duration 5–10 minutes) and as a third-line agent for raised intracranial pressure (cerebroprotective effect: reduces cerebral metabolism, cerebral blood flow, and intracranial pressure).

**Synonyms:**

### **Third Stage of Labor**

From delivery of the baby to delivery of the placenta. The placenta separates from the uterine wall and is expelled spontaneously or with gentle cord traction. Normal duration: 5-30 minutes.

**Synonyms:**

### **Third Trimester**

The period from 28 weeks to delivery. Rapid fetal weight gain occurs, lungs mature with surfactant production. Fetal movements become regular and countable. Braxton Hicks contractions begin. Group B Streptococcus screening at 36 weeks. Fetal positioning assessed for delivery. Viability generally considered at 23-24 weeks.

**Synonyms:**

### **Third-Degree AV Block**

Complete heart block with no conduction between atria and ventricles. Atria and ventricles beat independently (AV dissociation). Ventricular escape rhythm: junctional (40-60, narrow QRS) or ventricular (20-40, wide QRS).

**Synonyms:**

### **Third-Degree Burn**

A full-thickness burn that destroys the epidermis

---

and dermis and may extend into subcutaneous tissue. The skin may appear white, brown, or charred and sensation may be reduced. Assessment includes burn depth, extent, inhalation injury, and associated trauma; deep or extensive burns require specialist treatment and may need grafting.

**Synonyms:**

### **Thoracentesis**

Removal of pleural fluid via needle insertion through the chest wall. Performed for diagnosis and symptom relief. Ultrasound guidance improves safety.

**Synonyms:**

### **Thoracic Aortic Aneurysm**

Aneurysm of thoracic aorta. Associated with hypertension, Marfan syndrome, bicuspid aortic valve.

**Synonyms:**

### **Thoracic Cage**

The bony and cartilaginous framework formed by the thoracic vertebrae, ribs, costal cartilages, and sternum. It protects thoracic organs and assists respiratory movements.

**Synonyms:**

### **Thoracic Cavity**

The chest cavity, enclosed by the ribs and chest muscles, containing the lungs, heart, esophagus, and trachea.

**Synonyms:**

### **Thoracic Duct**

Body's largest lymphatic vessel, approximately 40 cm long, draining lymph from the entire body below the diaphragm and left side above it (approximately 75 percent of total lymph).

**Synonyms:**

### **Thoracic endometriosis**

Endometrial tissue within the thoracic cavity causing catamenial pneumothorax, hemothorax, or lung nodules, recurring cyclically with menstruation and often requiring hormonal suppression.

**Synonyms:**

### **Thoracic Outlet Syndrome**

Compression of neurovascular bundle at thoracic outlet. Types: neurogenic (most common), venous, arterial. Symptoms: neck/shoulder/arm pain, paresthesia, weakness, vascular symptoms. Diagnosis: clinical, imaging, nerve conduction. Treatment: physical therapy, surgical decompression.

**Synonyms:**

### **Thoracic Vertebrae**

Have costal facets on bodies and transverse processes for rib articulation. Heart-shaped bodies, long downward spinous processes, coronally-oriented facets allowing rotation and lateral flexion but limiting flexion/extension. Small circular vertebral foramen.

**Synonyms:**

### **Thoracolumbar Spine Trauma**

Injury to the thoracic or lumbar spine. Assessment includes fracture morphology, posterior ligamentous complex integrity, and neurologic status. Classification systems such as AO Spine and TLICS help guide management, which depends on stability and the clinical context.

**Synonyms:**

### **Thoracotomy**

A surgical incision into the chest wall to access the thoracic cavity (pleural space, lungs, heart, great vessels, esophagus, diaphragm, mediastinum).

**Synonyms:**

### **Thought Blocking**

An abrupt interruption in the train of thought before it is completed, as if the thought was removed or pushed out of the patient's mind. The patient may pause mid-sentence, appear confused, and report that the thought was "taken out" or "blocked." It is a formal thought disorder seen in schizophrenia.

**Synonyms:**

### **Threadworm (Enterobiasis)**

An intestinal parasitic infection caused by *Enterobius vermicularis*, also called pinworm. Infection



---

spreads when eggs are swallowed, often after contact with contaminated hands, bedding, food, or surfaces.

**Synonyms:** Enterobiasis

### Three-Dimensional Ultrasound

Ultrasound creating 3D images. Used in obstetrics, gynecology.

**Synonyms:**

### Throat Cancer

Cancer arising in the pharynx or nearby structures of the throat. Persistent hoarseness, difficulty or pain with swallowing, a neck lump, unexplained weight loss, or persistent sore throat requires medical evaluation, especially in people who use tobacco or alcohol.

**Synonyms:**

### Thrombectomy

A surgical or interventional radiology procedure to remove a blood clot (thrombus) from a blood vessel, restoring blood flow. Types: (1) Endovascular thrombectomy (mechanical thrombectomy)—for acute ischemic stroke due to large vessel occlusion (LVO—internal carotid artery, middle cerebral artery M1 segment).

**Synonyms:**

### Thrombectomy (Vascular)

Removal of a blood clot from a blood vessel, using an open surgical or catheter-based procedure.

**Synonyms:** Vascular

### Thromboangiitis Obliterans (Buerger Disease)

An inflammatory disease of small and medium blood vessels, strongly associated with tobacco use. It can cause pain, color changes, ulcers, or gangrene in the hands or feet. Complete tobacco cessation is essential; further treatment depends on ischemia, tissue loss, and other complications.

**Synonyms:** Buerger Disease

### Thrombocytes

Small, anucleate, disc-shaped cell fragments (2–4  $\mu\text{m}$  diameter) derived from megakaryocytes in the bone marrow, circulating at  $150\text{--}400 \times 10^9/\text{L}$ . See Platelets (Thrombocytes).

**Synonyms:**

### Thrombocytopathy

A disorder of platelet function that impairs primary hemostasis despite a normal or near-normal platelet count. It may be inherited or acquired and can cause mucocutaneous bleeding, easy bruising, prolonged bleeding after procedures, or menorrhagia.

**Synonyms:**

### Thrombocytopenia

A platelet count below the reference range, commonly below 150,000 per microliter. Bleeding risk depends on the count, its rate of change, platelet function, and other factors.

**Synonyms:**

### Thrombocytosis

An elevated platelet count ( $>450,000/\mu\text{L}$ ). Reactive (secondary): infection, inflammation, iron deficiency, malignancy, post-splenectomy, hemorrhage, exercise—usually mild, no thrombotic risk.

**Synonyms:**

### Thromboelastography

A viscoelastic whole-blood assay that measures the initiation, formation, strength, and breakdown of a clot. It provides a functional overview of coagulation and fibrinolysis and may guide targeted blood-component therapy in major bleeding.

**Synonyms:**

### Thromboembolism

Obstruction of a blood vessel by a clot that formed elsewhere and traveled through the circulation.

**Synonyms:**

### Thrombolysis

The dissolution of a blood clot using a medicine such as a fibrinolytic agent. It is used only in selected

---

conditions because it can cause serious bleeding.

**Synonyms:**

### **Thrombolysis for PE**

Systemic thrombolytics (alteplase) for massive PE with hemodynamic instability. Rapid clot dissolution but significant bleeding risk.

**Synonyms:**

### **Thrombolysis for Stroke**

Thrombolysis with intravenous alteplase (tPA) is the primary acute treatment for ischemic stroke when administered within the time window of symptom onset. Alteplase is a recombinant tissue plasminogen activator that converts plasminogen to plasmin, which degrades fibrin in the thrombus, restoring blood flow to the ischemic brain.

**Synonyms:**

### **Thrombolytic**

A drug that dissolves blood clots by activating plasminogen to plasmin, which degrades fibrin. Agents: alteplase (tPA), tenecteplase (TNK-tPA), reteplase, streptokinase, urokinase. Indications: acute ischemic stroke (within 4.5 hours), STEMI, massive pulmonary embolism, and acute limb ischemia.

**Synonyms:**

### **Thrombophilia**

A tendency to develop venous thromboembolism (VTE) due to inherited or acquired hypercoagulable states. Inherited: factor V Leiden, prothrombin G20210A mutation, antithrombin deficiency, protein C deficiency, protein S deficiency.

**Synonyms:**

### **Thrombophilia Testing**

Thrombophilia testing evaluates for inherited and acquired hypercoagulable states in patients with venous thromboembolism, recurrent pregnancy loss, or strong family history of VTE.

**Synonyms:**

### **Thrombophlebitis**

Inflammation of a vein associated with a blood clot,

commonly affecting a superficial vein in the leg. It may cause a tender, red, firm cord under the skin. Deep-vein involvement can lead to pulmonary embolism and requires prompt medical assessment.

**Synonyms:**

### **Thrombopoiesis**

The production of platelets from megakaryocytes in the bone marrow. It is regulated principally by thrombopoietin and involves megakaryocyte maturation, proplatelet formation, and release of circulating platelets.

**Synonyms:**

### **Thrombosed intracranial aneurysm**

An intracranial arterial aneurysm that has undergone partial or complete thrombosis of its lumen, which may reduce rupture risk but can cause mass effect on adjacent brain structures. Presents with headache, cranial nerve palsies, or seizures depending on location. Diagnosis: CT, MRI, or conventional angiography.

**Synonyms:**

### **Thrombosis**

The formation of a blood clot within the cardiovascular system during life, potentially obstructing blood flow and causing tissue ischemia or infarction. Arterial thrombi typically form on ruptured atherosclerotic plaques, are composed primarily of platelets and fibrin, and appear pale and grossly attached to the vessel wall.

**Synonyms:**

### **Thrombosis of the inferior vena cava**

Formation of a blood clot within the inferior vena cava, which may occur in the setting of IVC filters, malignancy, hypercoagulable states, or extension from iliofemoral deep vein thrombosis. May cause bilateral lower extremity edema, abdominal pain, and hepatic or renal dysfunction. Requires anticoagulation and possible thrombectomy.

**Synonyms:**

---

### Thrombotic Microangiopathy

Endothelial damage with platelet-rich microthrombi causing MAHA with schistocytes, thrombocytopenia, and organ ischemia. TTP from ADAMTS13 deficiency treated with plasmapheresis. HUS from Shiga toxin managed supportively. Atypical HUS from complement dysregulation responds to eculizumab.

**Synonyms:**

### Thrombotic Thrombocytopenic Purpura

A life-threatening thrombotic microangiopathy usually caused by acquired or inherited deficiency of ADAMTS13, the enzyme that cleaves large von Willebrand factor multimers. It causes platelet consumption, red-cell fragmentation, and possible organ ischemia.

**Synonyms:**

### Thrombotic vasculopathy

A spectrum of disorders characterized by thrombus formation within blood vessels of various sizes, often associated with antiphospholipid syndrome, disseminated intravascular coagulation, thrombotic thrombocytopenic purpura, or malignancy.

**Synonyms:**

### Thrombus Organization

The process by which a thrombus is gradually replaced by granulation tissue and eventually fibrous scar tissue. The process begins when inflammatory cells, particularly macrophages, infiltrate the thrombus and begin digesting the fibrin and dead cells through fibrinolysis.

**Synonyms:**

### Thrush

A common vaginal infection caused by the yeast *Candida albicans* (also called candidiasis, vaginal thrush, or candida vulvovaginitis). Symptoms: itching, soreness, white discharge (like cottage cheese), dyspareunia, and external dysuria. Risk factors: pregnancy, antibiotic use, diabetes, immunosuppression, and high estrogen states.

**Synonyms:** candidiasis, vaginal thrush, or candida

vulvovaginitis).

### Thumb CMC Arthritis

Thumb carpometacarpal (CMC) arthritis: Eaton-Littler classification: I (normal), II (slight narrowing, osteophytes <2mm), III (narrowing, osteophytes >2mm, subluxation), IV (pantrapezial arthritis). Clinical: base of thumb pain, pinch weakness, thenar wasting, squaring (subluxation).

**Synonyms:**

### Thymoma

A tumor of thymic epithelial cells, associated with myasthenia gravis, pure red cell aplasia, and hypogammaglobulinemia. Malignant behavior is determined by capsular invasion and stage.

**Synonyms:**

### Thymus

Primary lymphoid organ in the anterior mediastinum, largest in childhood, involutes with age. Site of T-cell maturation (thymopoiesis): thymocytes undergo positive and negative selection to produce self-tolerant, MHC-restricted T cells. Epithelial cells produce thymic hormones (thymosin, thymopoietin).

**Synonyms:**

### Thyroglobulin Surveillance

Thyroglobulin produced only by thyroid follicular cells serves as a tumor marker after total thyroidectomy for differentiated thyroid carcinoma. In patients who have undergone complete thyroidectomy and radioactive iodine ablation thyroglobulin should be undetectable.

**Synonyms:**

### Thyroglossal Duct Cyst

Congenital midline neck mass resulting from persistence of the thyroglossal duct the embryological tract of thyroid descent. Most common congenital neck mass presenting in childhood. Located at or near the hyoid bone and moves with swallowing and tongue protrusion. Diagnosis is by ultrasound demonstrating a cystic midline neck mass.

---

**Synonyms:**

### **Thyroid Cancer**

A malignant tumor of the thyroid. Major types include papillary, follicular, medullary, and anaplastic carcinoma, which differ in behavior and treatment.

**Synonyms:**

### **Thyroid Cancer Staging**

American Joint Committee on Cancer TNM staging for differentiated thyroid carcinoma incorporates tumor size, extent of invasion, lymph node metastases, and distant metastases. Age is a critical prognostic factor with patients under fifty having more favorable outcomes. Stage I is any tumor without metastases in patients under fifty.

**Synonyms:**

### **Thyroid Cartilage**

The largest cartilage of the larynx, formed by two plates that meet in front and create the laryngeal prominence. It protects the vocal folds and provides attachment for muscles and ligaments.

**Synonyms:**

### **Thyroid Disorders**

Conditions affecting the thyroid gland, a butterfly-shaped endocrine organ in the neck that produces hormones regulating metabolism, growth, and development.

**Synonyms:**

### **Thyroid Eye Disease**

Autoimmune inflammatory disorder of the orbital tissues associated with Graves disease characterized by expansion of extraocular muscles and orbital fat. Pathogenesis involves orbital fibroblasts expressing the TSH receptor targeted by the same thyroid-stimulating immunoglobulins affecting the thyroid.

**Synonyms:**

### **Thyroid Fine-Needle Aspiration**

Image-guided sampling of thyroid-nodule cells for cytologic classification. Results are commonly reported using the Bethesda system and guide surveil-

lance, molecular testing, surgery, or other management.

**Synonyms:**

### **Thyroid Follicular Carcinoma**

approximately 10 to 15 percent of thyroid cancers and is the second most common differentiated thyroid malignancy. Unlike papillary carcinoma, follicular carcinoma typically spreads hematogenously to distant sites including bone, lung, and liver, rather than to regional lymph nodes.

**Synonyms:**

### **Thyroid Function Tests**

Laboratory assessment of the hypothalamic-pituitary-thyroid axis. TSH is the most sensitive screening test with elevated levels indicating primary hypothyroidism and suppressed levels indicating hyperthyroidism. Free T4 measures the biologically active unbound thyroxine.

**Synonyms:**

### **Thyroid Gland**

An endocrine gland located in the anterior neck, consisting of two lobes (right and left) connected by an isthmus, lying anterior to the trachea between the cricoid cartilage and the suprasternal notch.

**Synonyms:**

### **Thyroid Hormone**

T3 and T4. Increase basal metabolic rate. Required for normal development.

**Synonyms:**

### **Thyroid Nodule**

A discrete lump within the thyroid gland that may be solid, cystic, benign, or malignant. Most are benign, but evaluation uses clinical assessment, thyroid testing, ultrasound, and biopsy when indicated.

**Synonyms:**

### **Thyroid Nodule Evaluation**

Systematic approach to evaluation of thyroid nodules detected by physical examination or imaging. Thyroid ultrasound characterizes nodule features

---

including size, composition, echogenicity, margins, calcifications, and shape. TI-RADS classification stratifies malignancy risk and guides biopsy decisions.

**Synonyms:**

### Thyroid Papillary Carcinoma

The most common differentiated thyroid cancer, arising from thyroid follicular cells. It often grows slowly and has a favorable prognosis, although outcome depends on tumor features, spread, age, and response to treatment.

**Synonyms:**

### Thyroid Peroxidase Antibody

An autoantibody against thyroid peroxidase, an enzyme required for thyroid-hormone synthesis. It supports autoimmune thyroid disease, especially Hashimoto thyroiditis, but may be present in some euthyroid individuals.

**Synonyms:**

### Thyroid Scan

Nuclear medicine imaging using I-123 or Tc-99m. Evaluates thyroid function and nodules. Hot nodules rarely malignant. Cold nodules require further evaluation.

**Synonyms:**

### Thyroid Scintigraphy

Thyroid imaging using I-123, I-131, or Tc-99m pertechnetate. Assesses function, nodules, ectopic tissue. Hot nodules (functioning) rarely malignant; cold nodules require ultrasound/FNA.

**Synonyms:**

### Thyroid Stimulating Hormone

TSH (thyrotropin): the anterior pituitary hormone that stimulates the thyroid to produce and release T4 and T3, controlled by TRH (hypothalamus) and negative feedback from thyroid hormones.

**Synonyms:**

### Thyroid Storm

Life-threatening exacerbation of thyrotoxicosis pre-

sented with hyperpyrexia, tachycardia, heart failure, altered mental status, and multi-organ dysfunction. Precipitated by infection, surgery, trauma, or iodine load in patients with untreated hyperthyroidism. Mortality rates range from twenty to thirty percent.

**Synonyms:**

### Thyroid Surgery

Operations that remove part or all of the thyroid gland. They may be performed for selected cancers, enlarging or compressive nodules, goiter, hyperthyroidism, or diagnostic uncertainty; the procedure depends on the disease and its extent.

**Synonyms:**

### Thyroid Ultrasound

High-frequency sonographic imaging used to evaluate thyroid size, nodules, cysts, cervical lymph nodes, and structural features associated with malignancy. Suspicious nodules may require ultrasound-guided fine-needle aspiration.

**Synonyms:**

### Thyroiditis

Inflammation of the thyroid gland with various etiologies. Hashimoto thyroiditis: autoimmune, most common cause of hypothyroidism in iodine-sufficient areas. Subacute (De Quervain) thyroiditis: post-viral, presents with painful thyroid and transient hyperthyroidism followed by hypothyroidism.

**Synonyms:**

### Thyroiditis Classification

Inflammatory conditions of the thyroid classified by clinical presentation and etiology. Hashimoto thyroiditis is chronic autoimmune with hypothyroidism. Graves disease is autoimmune with hyperthyroidism. Subacute thyroiditis is painful and likely viral.

**Synonyms:**

### Thyrotoxic Periodic Paralysis

Recurrent episodes of transient flaccid weakness associated with thyrotoxicosis, usually accompanied by hypokalemia caused by intracellular potassium

---

shift. Attacks often affect the proximal limbs and are triggered by rest after exercise or carbohydrate-rich meals.

**Synonyms:**

### **TI-RADS**

The Thyroid Imaging Reporting and Data System is an ultrasound-based system that assigns a risk category to thyroid nodules using features such as composition, echogenicity, shape, margins, and calcification. It helps guide follow-up and biopsy decisions.

**Synonyms:**

### **Tibia**

Larger leg bone, the main weight-bearer transmitting body weight from knee to ankle. Proximal: tibial plateau (medial/lateral condyles) and tibial tuberosity (patellar ligament insertion). Shaft: sharp subcutaneous anterior border. Distal: medial malleolus articulating with the talus at the ankle.

**Synonyms:**

### **Tibial Nerve**

Sciatic division (L4-S3) continuing from posterior thigh through the popliteal fossa into the deep posterior leg, innervating gastrocnemius, soleus, tibialis posterior, flexor digitorum longus, and flexor hallucis longus. Passes behind the medial malleolus as the tarsal tunnel, dividing into medial/lateral plantar nerves for the foot.

**Synonyms:**

### **Tibial Shaft Fractures**

Tibial shaft fractures: most common long bone fracture. AO/OTA: 42-A (simple), 42-B (wedge), 42-C (complex). Soft tissue critical: Gustilo for open.

**Synonyms:**

### **Tibialis Anterior Muscle**

Superficial anterior leg muscle from lateral tibial condyle and shaft to medial cuneiform and first metatarsal base. Innervated by deep peroneal nerve (L4-L5). Primary dorsiflexor for foot clearance dur-

ing gait swing phase; inverts foot. Weakness causes foot drop with steppage gait.

**Synonyms:**

### **Tibialis Posterior Muscle**

Deepest posterior leg muscle from posterior tibia, fibula, and interosseous membrane to navicular tuberosity, medial cuneiform, and sustentaculum tali. Innervated by tibial nerve (L4-L5). Plantarflexes and inverts foot; primary dynamic medial longitudinal arch stabilizer.

**Synonyms:**

### **Tic Douloureux**

A chronic pain condition characterized by recurrent, sudden, severe, electric shock-like pain in the distribution of the trigeminal nerve (typically V2/V3). See Trigeminal Neuralgia.

**Synonyms:**

### **Tick Paralysis**

Acute, progressive flaccid paralysis caused by neurotoxin released by an attached tick. Weakness usually begins in the legs and ascends; respiratory failure can occur and symptoms improve after prompt tick removal.

**Synonyms:**

### **Tickborne relapsing fever**

A vector-borne illness caused by *Borrelia hermsii* and related species, transmitted by *Ornithodoros* ticks. It presents with recurrent episodes of fever, headache, myalgia, and arthralgia, separated by afebrile intervals. The relapsing pattern results from antigenic variation of the spirochete's surface lipoproteins.

**Synonyms:**

### **Tics**

Sudden, rapid, recurrent, nonrhythmic stereotyped movements (motor tics) or vocalizations (vocal tics) that are usually brief and suppressible. Transient tics (most common in childhood) vs. chronic tic disorder; Tourette syndrome: multiple motor + at least one vocal tic for >1 year beginning before age



---

18.

**Synonyms:**

### **Tidal Volume**

The volume of air inspired or expired during each normal breath, approximately 500 mL (6-8 mL/kg) in a resting adult. Tidal volume is measured by spirometry. Minute ventilation = tidal volume x respiratory rate ( 6 L/min). Only a portion reaches the alveoli (alveolar ventilation) after subtracting dead space ( 150 mL).

**Synonyms:**

### **Tilt Table Test**

Evaluation of unexplained syncope by reproducing orthostatic stress. Patient is strapped to a motorized table tilted from supine to 60-80 degrees for 20-45 minutes. Positive: reproduction of symptoms with hypotension and/or bradycardia (vasovagal syncope, delayed orthostatic hypotension).

**Synonyms:**

### **Time in Range**

Percentage of time that continuous glucose monitoring readings remain within the target glucose range of seventy to one hundred eighty milligrams per deciliter for most adults with diabetes. General target is greater than seventy percent corresponding to approximately seventeen hours per day.

**Synonyms:**

### **Time of Death**

The moment or estimated time at which biological death occurred, a key medicolegal question. Estimated from postmortem changes: body cooling (algor mortis), rigor mortis, lividity (livor mortis), decomposition/putrefaction, insect colonization, and chemical changes (vitreous potassium, vitreous glucose, body temperature).

**Synonyms:**

### **Time-of-Flight PET**

A PET acquisition and reconstruction technique that uses the measured arrival-time difference of coincident annihilation photons to improve local-

ization of the annihilation event. It can improve signal-to-noise performance, especially in larger patients.

**Synonyms:**

### **Timed Up-and-Go Test**

A functional mobility test measuring the time required to stand from a chair, walk a short distance, turn, return, and sit. Prolonged performance suggests impaired mobility and increased fall risk but must be interpreted with gait, vision, cognition, and environment.

**Synonyms:**

### **Timothy Syndrome**

A rare multisystem disorder caused by pathogenic variants in CACNA1C, characterized by marked QT prolongation and congenital heart disease with syndactyly. Developmental, neurological, immune, and facial features may also occur.

**Synonyms:**

### **Tin**

Component of dental amalgam. Reduces strength, increases creep.

**Synonyms:**

### **Tincture**

Alcohol extract of plant or chemical substance. Common concentration: 10-40% alcohol. Examples: tincture of iodine (antiseptic), tincture of benzoin (skin protector). Also used for liquid medications.

**Synonyms:**

### **Tinea**

Dermatophytosis: superficial fungal infection of keratinized tissue (skin, hair, nails) by dermatophytes (Trichophyton, Microsporum, Epidermophyton).

**Synonyms:**

### **Tinea (Dermatophytosis)**

Superficial fungal infection by dermatophytes. Tinea corporis (ringworm): annular, scaly, erythematous plaque with central clearing. Tinea pedis (athlete's foot): interdigital scaling, maceration, and

---

fissuring. Tinea cruris (jock itch): erythematous, pruritic rash in groin with raised border.

**Synonyms:** Dermatophytosis

### **Tinea barbae**

Dermatophyte infection of the beard and mustache area, presenting with erythematous, scaly, follicular papulopustules or deep inflammatory nodules, often acquired from contact with infected animals or through grooming. It may be inflammatory (kerion-like) or superficial, and differential diagnosis includes bacterial folliculitis and acne.

**Synonyms:**

### **Tinea Capitis**

A dermatophyte infection of the scalp and hair shafts, most common in children. It may cause scaling, alopecia, broken hairs, black dots, or an inflammatory kerion.

**Synonyms:**

### **Tinea circinata**

An older term for tinea corporis (ringworm) of the body, presenting as annular, erythematous, scaly plaques with active, raised borders and central clearing. It is caused by dermatophyte fungi and may be acquired through direct contact with infected humans, animals, or fomites.

**Synonyms:**

### **Tinea Corporis**

A dermatophyte infection of glabrous skin, presenting as annular, erythematous, scaly plaques with raised, active borders and central clearing. It is contagious through direct contact with infected persons, animals, or contaminated objects. Diagnosis is by KOH preparation showing branching septate hyphae.

**Synonyms:**

### **Tinea faciei**

Dermatophyte infection of the facial skin, often presenting with erythematous, scaly, annular or ill-defined plaques that may mimic eczema or rosacea, leading to frequent misdiagnosis. It is commonly

caused by *Trichophyton* or *Microsporum* species and may be acquired from pets, other humans, or self-inoculation from other body sites.

**Synonyms:**

### **Tinea imbricata**

A chronic dermatophyte infection caused by *Trichophyton concentricum*, endemic in the South Pacific and Southeast Asia, characterised by widespread, concentric, overlapping, polycyclic scaly rings producing a "wood-grain" pattern on the trunk and limbs.

**Synonyms:**

### **Tinea Incognito**

A dermatophyte infection whose clinical appearance has been altered by inappropriate topical corticosteroid or immunosuppressive treatment. It may become less scaly and more extensive or atypical; fungal testing is often needed before directed therapy.

**Synonyms:**

### **Tinea nigra**

A superficial fungal infection of the stratum corneum caused by *Hortaea werneckii*, presenting as a painless, brown to black, non-scaly macule or patch, most commonly on the palms or soles. It is acquired in tropical and subtropical regions and is often confused with acral melanoma.

**Synonyms:**

### **Tinea Pedis**

A dermatophyte infection of the feet presenting in interdigital, moccasin, vesiculobullous, or ulcerative patterns. It may coexist with tinea unguium. Diagnosis is clinical or mycologic when uncertain; treatment uses topical antifungals for limited disease and oral therapy for extensive, refractory, or nail-associated infection.

**Synonyms:**

### **Tinea Versicolor**

A superficial fungal infection caused by *Malassezia* species, presenting as hypo- or hyperpigmented mac-

---

ules with fine scale on the trunk and proximal extremities. It is more noticeable after sun exposure due to unaffected tanning of surrounding skin.

**Synonyms:**

### **Tinel Sign**

Tapping over nerve produces tingling in distribution. Indicates nerve irritation/regeneration. Used for carpal tunnel, cubital tunnel, tarsal tunnel.

**Synonyms:**

### **Tinnitus**

The perception of sound without an external acoustic source. See Ringing in the Ears.

**Synonyms:**

### **Tiotropium Bromide**

A long-acting muscarinic antagonist (LAMA) bronchodilator used for maintenance therapy in COPD. Once-daily dosing provides sustained bronchodilation. It reduces exacerbations and improves lung function. It is often combined with a LABA for additive bronchodilation.

**Synonyms:**

### **TIPS (Transjugular Intrahepatic Portosystemic Shunt)**

A radiologically placed shunt connecting the portal vein to a hepatic vein within the liver, creating a portosystemic shunt to reduce portal pressure. Indications: variceal bleeding (refractory or recurrent), refractory ascites, and hepatic hydrothorax.

**Synonyms:** Transjugular Intrahepatic Portosystemic Shunt

### **Tissue**

A group of similar cells and their surrounding materials that work together to perform a specific function.

**Synonyms:**

### **Tissue Distribution**

Reversible movement of a chemical from blood into tissues and organs. Distribution is influenced by perfusion, lipid solubility, protein binding, tissue

affinity, barriers, body composition, and time after exposure.

**Synonyms:**

### **Tissue Expander**

Balloon implanted under skin/muscle, gradually filled with saline to expand tissue. Used for breast reconstruction, scalp reconstruction, burn coverage. Removed after expansion, replaced with permanent implant or flap.

**Synonyms:**

### **Tissue Fixation**

Preservation of tissue morphology and molecular components by chemical or physical methods before processing. Neutral buffered formalin is commonly used for routine histopathology, while fixation choice affects antigen detection, nucleic-acid testing, and tissue architecture.

**Synonyms:**

### **Tissue plasminogen activator-associated angioedema**

Angioedema occurring as a complication of tissue plasminogen activator therapy for acute ischemic stroke or myocardial infarction, affecting approximately 1 to 5 percent of patients. It typically involves the face, tongue, and upper airway and may be life-threatening.

**Synonyms:**

### **Titanium**

Biocompatible metal for implants and frameworks. Osseointegration capability.

**Synonyms:**

### **Titer**

A laboratory measure of the concentration of an antibody (or other substance) in serum, expressed as the highest dilution that still produces a detectable reaction (e.g., 1:128).

**Synonyms:**

### **TLC**

Thin-layer chromatography for radiochemical purity.

---

**Synonyms:**

### **TNF Alpha**

Tumor necrosis factor alpha is a potent pro-inflammatory cytokine produced primarily by activated macrophages, as well as by T cells, NK cells, mast cells, and endothelial cells. TNF-alpha exists as a 26-kilodalton transmembrane protein that is cleaved by the metalloprotease TACE to release a soluble 17-kilodalton active form.

**Synonyms:**

### **TNM Staging**

A cancer-staging system describing the primary tumor, regional lymph nodes, and distant metastases to estimate disease extent and prognosis.

**Synonyms:**

### **Tobacco**

A plant product containing nicotine and many toxic combustion or processing chemicals. Its use causes dependence and increases the risk of cancer, cardiovascular disease, and lung disease.

**Synonyms:**

### **Tocolysis**

The use of medication to delay preterm birth for a limited time, often to allow corticosteroid treatment or transfer to a facility with appropriate neonatal care. The drug, gestational-age range, and contraindications depend on local guidance and the clinical situation.

**Synonyms:**

### **Tocolytic Therapy**

Medications used to inhibit uterine contractions temporarily to prolong pregnancy, allowing time for corticosteroid administration and transport to a tertiary care center. Indications: preterm labor with intact membranes, 24-34 weeks.

**Synonyms:**

### **Tocolytics**

Medications used to suppress preterm labor (contractions before 37 weeks gestation), to delay de-

livery for corticosteroid administration (fetal lung maturity) and in utero transport to a tertiary care center.

**Synonyms:**

### **Toe Pressure**

Pressure in toe digits. Useful when ankle pressures non-compressible (diabetes, renal disease).

**Synonyms:**

### **Toe-Brachial Index**

The ratio of systolic toe pressure to brachial systolic pressure. It can support diagnosis of peripheral arterial disease when ankle arteries are noncompressible because of medial arterial calcification.

**Synonyms:**

### **Tolbutamide**

A first-generation sulfonylurea oral hypoglycaemic agent used in the management of type 2 diabetes. Mechanism: stimulates insulin secretion from pancreatic  $\beta$ -cells by binding to the sulfonylurea receptor (SUR1) on ATP-sensitive potassium (KATP) channels, causing membrane depolarisation, calcium influx, and exocytosis of insulin granules.

**Synonyms:**

### **Tolerance**

A decreased response to a drug after repeated administration, requiring dose escalation to achieve the same effect. Unlike tachyphylaxis, tolerance develops over weeks to months of chronic use.

**Synonyms:**

### **Toll-Like Receptor**

A class of single-pass membrane-spanning pattern recognition receptors (PRRs) expressed on innate immune cells (macrophages, dendritic cells). Recognize evolutionary conserved microbial structures (PAMPs).

**Synonyms:**

### **Tongue**

A muscular organ in the mouth that aids in tasting, chewing, swallowing, and speech.

---

**Synonyms:**

### **Tongue Cleaning**

Removal of tongue coating using scraper or brush.  
Reduces bad breath.

**Synonyms:**

### **Tonic Neck Reflex**

A primitive reflex present from birth to 6 months, also called fencer's pose. When the head is turned to one side, the arm on that side extends while the opposite arm flexes. Present in both directions. Asymmetry may indicate neurologic injury. Disappears as voluntary head control develops.

**Synonyms:** fencer's pose.

### **Tonic-clonic seizure**

A generalized seizure with a tonic stiffening phase followed by rhythmic clonic jerking, impaired consciousness, and a postictal state.

**Synonyms:**

### **Tonsillar cancer**

A malignancy arising from the palatine tonsils, most commonly squamous cell carcinoma associated with HPV infection. It often presents with throat pain, otalgia, and cervical lymphadenopathy.

**Synonyms:**

### **Tonsillectomy**

Surgical removal of the palatine tonsils. It may be considered for recurrent or complicated tonsillitis, obstructive sleep apnea, or other selected conditions after assessment of potential benefits and risks.

**Synonyms:**

### **Tonsillitis**

Inflammation of the tonsils, most commonly the palatine tonsils, which are lymphoid tissue structures located in the oropharynx between the palatoglossal and palatopharyngeal.

**Synonyms:**

### **Tonsils**

Aggregated lymphoid tissue forming Waldeyer's ring

at the pharyngeal entrance. Pharyngeal tonsils (adenoids) in the nasopharynx, palatine tonsils at the oropharyngeal pillars, lingual tonsils at the tongue base, and tubal tonsils near the Eustachian tube orifices. They are the first line of defense against inhaled or ingested pathogens.

**Synonyms:**

### **Tooth**

A mineralized organ composed primarily of enamel, dentin, cementum, and dental pulp. Teeth cut and grind food, contribute to speech and facial support, and are anchored in alveolar bone by the periodontal ligament.

**Synonyms:**

### **Tooth Eruption**

Process by which tooth moves from intraosseous position to functional occlusion. Primary (deciduous) dentition: 20 teeth, eruption 6-30 months. Permanent dentition: 32 teeth (including third molars), eruption 6-21 years. Delayed eruption may indicate systemic conditions, local obstruction, or normal variant.

**Synonyms:**

### **Tooth Infection**

Infection of the tooth, its pulp, or surrounding tissues, commonly caused by untreated decay, cracks, or gum disease. It may cause toothache, sensitivity, swelling, fever, or drainage. Facial swelling, difficulty swallowing or breathing, or spreading infection requires emergency assessment.

**Synonyms:**

### **Tooth Luxation**

Traumatic displacement of a tooth without complete avulsion. Concussion and subluxation involve periodontal injury with little or no displacement, whereas extrusive, lateral, and intrusive luxation involve increasingly marked displacement and require prompt dental evaluation.

**Synonyms:**

---

## **Tooth Replantation**

Replacement of an accidentally displaced or avulsed tooth into its socket, followed by stabilization and dental follow-up.

**Synonyms:**

## **Tooth Sensibility Testing**

Clinical testing of a tooth's response to thermal, electric, or dentin stimulation. It assesses neural response rather than directly measuring pulp blood flow, so results must be interpreted with history, examination, and imaging.

**Synonyms:**

## **Tooth Sensitivity**

Pain in response to thermal, sweet, acidic, or tactile stimulus. Caused by dentin exposure (recession, erosion, abrasion, abfraction). Management: desensitizing toothpaste, fluoride varnish, restorative coverage, gum graft for recession.

**Synonyms:**

## **Tooth Whiteness**

Aesthetic concern driving bleaching. Natural shade varies. Over-bleaching causes sensitivity and translucency.

**Synonyms:**

## **Toothache**

Common dental symptom indicating underlying pathology. Causes: dental caries, pulpitis (reversible or irreversible), periapical abscess, cracked tooth, periodontal disease, sinusitis (referred pain). Evaluation: history, clinical exam, radiographs. Management: treat underlying cause, analgesics, antibiotics if infection present.

**Synonyms:**

## **Tophaceous gout**

Chronic tophaceous gout represents advanced gout with deposition of large, visible tophi consisting of monosodium urate crystals surrounded by granulomatous inflammation. Tophi typically develop after years of inadequately treated gout and occur on the ears, fingers, toes, and olecranon bursa.

**Synonyms:**

## **Tophus**

Deposits of monosodium urate crystals in soft tissues, characteristic of chronic gout. Appear as subcutaneous nodules over joints, ears, olecranon, Achilles tendon. Can erode through skin, forming draining sinus tracts. Radiographically: punched-out erosions with overhanging edges.

**Synonyms:**

## **Topical Antibiotics**

Antibiotics applied to the skin to treat selected superficial bacterial infections. The choice and duration depend on the organism, site, extent of infection, resistance patterns, and local guidance. Unnecessary or prolonged use can cause irritation and antimicrobial resistance.

**Synonyms:**

## **Topical Antifungals**

Topical antifungals treat superficial fungal infections. Allylamines (terbinafine, naftifine) inhibit squalene epoxidase, fungicidal. Azoles (clotrimazole, miconazole, ketoconazole, econazole) inhibit ergosterol synthesis, fungistatic. Ciclopirox has broad-spectrum activity. Tolnaftate is effective against dermatophytes.

**Synonyms:**

## **Topical Calcineurin Inhibitors**

Non-steroidal anti-inflammatory agents used for atopic dermatitis and facial eczema. They inhibit T-cell activation by blocking calcineurin, preventing cytokine production. Advantages over corticosteroids: no skin atrophy, safe for face and intertriginous areas. Side effects include transient burning and itching at application site.

**Synonyms:**

## **Topical Corticosteroid Potency**

Topical corticosteroids are classified into seven potency groups. Group 1 (ultra-high): clobetasol propionate 0.05 percent. Group 2 (high): betamethasone dipropionate 0.05 percent. Group 3



---

to 4 (medium): triamcinolone acetonide 0.1 percent. Group 5 to 6 (low): hydrocortisone 1 percent. Group 7 (lowest): hydrocortisone 0.5 percent.

**Synonyms:**

### Topical Retinoids

Vitamin A derivatives used for acne, photoaging, and hyperpigmentation. Tretinoin (all-trans retinoic acid) is the most studied. Adapalene is more stable and less irritating. Tazarotene is the most potent. Mechanism: normalizes follicular keratinization, increases cell turnover, and stimulates collagen production.

**Synonyms:**

### TORCH Panel

Serologic screening for congenital infections: Toxoplasma, Rubella, CMV, Herpes simplex (and others: syphilis, parvovirus B19, VZV, Zika). IgM: indicates recent/active infection (maternal or fetal). IgG: past infection or passive immunity. Paired maternal and neonatal testing.

**Synonyms:**

### Torsades de Pointes

A specific form of polymorphic ventricular tachycardia with QRS complexes that twist around the baseline, occurring in the setting of QT prolongation. It may degenerate to ventricular fibrillation.

**Synonyms:**

### Torticollis

A condition in which the head is held tilted to one side because of neck-muscle spasm or contracture.

**Synonyms:**

### Torticollis (Wryneck)

A condition in which the head is tilted to one side (ear toward the shoulder) and rotated to the opposite side (chin toward opposite shoulder), due to contraction or shortening of the sternocleidomastoid muscle.

**Synonyms:** Wryneck

### Torus mandibularis

A bony outgrowth arising from the lingual surface of the mandible, typically bilateral and located in the premolar region above the mylohyoid ridge. It is a common, asymptomatic developmental anomaly, more prevalent in women and certain ethnic populations.

**Synonyms:**

### Torus palatinus

A bony exostosis arising from the midline of the hard palate, typically presenting as a slow-growing, asymptomatic, hard, bony protuberance discovered incidentally. It is more common in women and certain ethnic groups.

**Synonyms:**

### Total Anomalous Pulmonary Venous Return

A congenital heart defect in which the pulmonary veins drain into the systemic venous circulation instead of the left atrium. The clinical effects depend on the anatomic type, the degree of obstruction, and associated defects; affected newborns require specialist cardiac evaluation.

**Synonyms:**

### Total Body Surface Area

The percentage of body surface involved by a burn or other extensive skin process. It is estimated using methods such as the rule of nines, Lund-Browder chart, or the patient's palm and is used to guide burn severity assessment and resuscitation.

**Synonyms:**

### Total Breech Extraction

A maneuver where the operator grasps the fetal feet and delivers the entire baby in breech presentation. The most common indication is delivery of the second twin (malpresentation). Contraindicated for term singleton breech due to high risk of head entrapment, nuchal arms, and birth trauma.

**Synonyms:**

---

### **Total Daily Energy Expenditure**

Total calories burned in 24 hours: BMR + thermic effect of food + physical activity. Estimation guides dietary recommendations. Activity factor multiplies BMR.

**Synonyms:**

### **Total Haemolytic Complement Test**

A functional assay of the classical complement pathway, commonly reported as CH50.

**Synonyms:**

### **Total Hip Arthroplasty**

Replacement of the hip joint with prosthetic components. Acetabular component: metal shell + polyethylene liner. Femoral component: metal stem + femoral head (cobalt-chrome or ceramic). Fixation: cemented (PMMA, for elderly, osteoporotic bone), cementless (porous-coated, for younger patients, biologic fixation), and hybrid.

**Synonyms:**

### **Total Intravenous Anesthesia**

Total intravenous anesthesia (TIVA) uses intravenous agents exclusively for induction and maintenance of anesthesia, avoiding volatile inhalation agents. The most common TIVA regimen combines propofol infusion (50 to 200 mcg/kg/min) with remifentanyl infusion (0.1 to 0.5 mcg/kg/min).

**Synonyms:**

### **Total Iron Binding Capacity**

TIBC: a measure of the maximum iron-binding capacity of transferrin in serum, reflecting total iron-transport capacity. Calculated from transferrin or measured directly.

**Synonyms:**

### **Total Knee Arthroplasty**

Replacement of the knee joint with prosthetic components. Femoral component (cobalt-chrome), tibial component (titanium tray + polyethylene insert), and patellar component (polyethylene, optional). Fixation: cement (PMMA) most common in older adults; cementless in younger.

**Synonyms:**

### **Total Lesion Glycolysis**

Product of metabolic tumor volume and mean SUV. Prognostic marker.

**Synonyms:**

### **Total Lung Capacity**

The total volume of air in the lungs after maximal inspiration. It is measured by lung-volume testing, such as body plethysmography, and may be increased in hyperinflation or decreased in restrictive lung disease.

**Synonyms:**

### **Total Parenteral Nutrition**

Intravenous administration of nutrients sufficient to meet essentially all nutritional requirements when the gastrointestinal tract cannot be used adequately.

**Synonyms:**

### **Tourette Disorder**

A neurodevelopmental disorder characterized by multiple motor tics and one or more vocal tics lasting >1 year, with onset before age 18. Motor tics: eye blinking, head jerking, shoulder shrugging, facial grimacing. Vocal tics: throat clearing, sniffing, grunting, barking, coprolalia (obscene words, occurs in <10%).

**Synonyms:**

### **Tourette Syndrome**

A neurodevelopmental disorder characterized by multiple motor tics and at least one vocal tic occurring over at least one year. Tics are sudden, rapid, recurrent, stereotyped movements or vocalizations. They are often preceded by premonitory urges. Tics typically worsen in adolescence and may improve in adulthood.

**Synonyms:**

### **Tourniquet**

A device applied proximally to a limb to compress arterial inflow and control life-threatening extremity hemorrhage when direct pressure is inadequate or

---

impractical. Application time, bleeding control, distal perfusion, and the need for definitive hemorrhage management must be documented.

**Synonyms:**

### **Townes Syndrome**

A congenital disorder caused by pathogenic variants in *SALL1*, classically involving anal atresia and characteristic thumb abnormalities. Renal, cardiac, hearing, foot, and genital anomalies are common and variable.

**Synonyms:**

### **Toxemia**

An outdated term formerly used for preeclampsia. Preeclampsia is a pregnancy-associated disorder of hypertension with proteinuria or other maternal organ dysfunction, usually developing after 20 weeks of gestation.

**Synonyms:**

### **Toxic Dose**

Dose causing toxicity. Varies by substance, individual, route, duration.

**Synonyms:**

### **Toxic Encephalopathy**

Brain dysfunction caused by exposure to a toxic substance or medicine. Symptoms may include confusion, altered behavior, seizures, or reduced consciousness.

**Synonyms:**

### **Toxic Epidermal Necrolysis**

A severe, potentially fatal mucocutaneous reaction, usually to a medication, causing extensive epidermal necrosis and skin detachment. It is on the severe end of the Stevens–Johnson syndrome and toxic epidermal necrolysis spectrum and requires urgent specialist care.

**Synonyms:**

### **Toxic Megacolon**

Acute life-threatening dilation of the colon associated with systemic toxicity, representing one of the

most serious complications of inflammatory bowel disease, particularly ulcerative colitis. It can also occur in infectious colitis caused by *Clostridioides difficile* and cytomegalovirus.

**Synonyms:**

### **Toxic Shock Syndrome**

An acute, life-threatening illness caused by bacterial exotoxins. Staphylococcal TSS: associated with tampon use, surgical wounds, and nasal packing; presents with fever, hypotension, diffuse rash, and multi-organ involvement. Streptococcal TSS: associated with invasive GAS infections. Diagnosis: CDC case definition.

**Synonyms:**

### **Toxicokinetics**

The study of absorption, distribution, metabolism, and excretion of a toxic substance and its relationship to concentration over time. Toxicokinetics helps estimate exposure, timing, accumulation, and expected duration of toxicity.

**Synonyms:**

### **Toxicology**

Study of poisons and their effects. Branches: clinical, forensic, environmental, occupational, regulatory.

**Synonyms:**

### **Toxicology Specimen Preservation**

Collection, labeling, storage, and transport of biological specimens to preserve analytes and prevent contamination or degradation. Appropriate specimens may include peripheral blood, urine, vitreous humor, bile, liver, hair, or gastric contents depending on the suspected exposure and timing.

**Synonyms:**

### **Toxidrome**

A recognizable pattern of signs and symptoms produced by a class of toxins. Important patterns include opioid, sympathomimetic, anticholinergic, cholinergic, sedative-hypnotic, and serotonin toxidromes; treatment combines supportive care, tar-

---

geted antidotes when available, and decontamination decisions.

**Synonyms:**

### **Toxocariasis**

Infection by dog roundworm (*Toxocara canis*) or cat (*T. cati*), acquired by ingesting infective eggs from soil contaminated by animal feces (pica in children a risk).

**Synonyms:**

### **Toxoid vaccines**

Vaccines that protect against harmful bacterial toxins. These vaccines contain toxins that have been detoxified and rendered inactive.

**Synonyms:**

### **Toxoplasma gondii**

An obligate intracellular protozoan parasite that causes toxoplasmosis. The definitive host is the cat (family Felidae), which sheds environmentally resistant oocysts in feces.

**Synonyms:**

### **Toxoplasmosis**

Infection caused by the intracellular protozoan *Toxoplasma gondii*. Definitive host: cats (shed oocysts in feces). Humans are intermediate hosts, infected via ingestion of undercooked meat (containing tissue cysts), cat feces, or transplacentally. Immunocompetent: usually asymptomatic or mild flu-like illness with lymphadenopathy.

**Synonyms:**

### **TPMT Polymorphism**

Thiopurine S-methyltransferase is an enzyme that metabolizes thiopurine drugs including azathioprine, 6-mercaptopurine, and thioguanine, which are used in the treatment of leukemia, inflammatory bowel disease, and autoimmune conditions.

**Synonyms:**

### **Trabeculectomy**

A conventional glaucoma filtration surgery that creates a new drainage pathway for aqueous humor

by removing a small piece of the trabecular meshwork and creating a partial-thickness scleral flap under which aqueous humor filters from the anterior chamber into the subconjunctival space, forming a filtering bleb.

**Synonyms:**

### **Trace Elements**

Minerals needed in small amounts. Zinc, copper, manganese, selenium, chromium, molybdenum, iodine. Deficiency or toxicity possible.

**Synonyms:**

### **Tracer Principle**

Administered in amounts too small to produce pharmacological effect. Dose optimized for imaging, not therapeutic.

**Synonyms:**

### **Trachea**

The windpipe, a 10-12 cm fibrocartilaginous tube from the larynx (C6) to the carina (T4/T5) where it bifurcates into main bronchi. Sixteen to twenty C-shaped hyaline cartilage rings (open posteriorly, completed by trachealis muscle) maintain patency.

**Synonyms:**

### **Tracheal agenesis with bronchoesophageal fistula**

Congenital malformation characterized by absent or severely hypoplastic trachea with an abnormal communication between the bronchus and esophagus, a rare and typically fatal condition presenting in neonates with respiratory distress, cyanosis, and inability to intubate.

**Synonyms:**

### **Tracheal Foreign Body**

A foreign object lodged in the trachea, causing severe respiratory distress, stridor, and complete airway obstruction. It is a medical emergency requiring immediate bronchoscopic removal. In complete obstruction, emergency cricothyrotomy may be needed.

**Synonyms:**

---

### Tracheal Stenosis

Narrowing of the trachea, often a complication of prolonged endotracheal intubation or tracheostomy. It presents with progressive dyspnea, stridor, and wheezing that may be mistaken for asthma. Diagnosis is by bronchoscopy or CT. Treatment is balloon dilation, stenting, or surgical resection.

**Synonyms:**

### Tracheitis

Inflammation of the tracheal mucosa. Acute bacterial tracheitis: a rare but life-threatening cause of upper airway obstruction in children, typically presenting as a superinfection following viral croup (parainfluenza).

**Synonyms:**

### Tracheobronchomalacia

Abnormal softening of the trachea and/or bronchi causing excessive airway collapse during breathing. It may be congenital or acquired. Symptoms include chronic cough, recurrent infections, and expiratory airflow obstruction. Diagnosis is by dynamic CT or bronchoscopy. Treatment includes CPAP, stenting, or surgical reconstruction.

**Synonyms:**

### Tracheobronchomegaly

Abnormal enlargement of the trachea and main bronchi, usually associated with connective-tissue weakness. It may cause recurrent lower-respiratory infection, bronchiectasis, ineffective cough, dyspnea, and difficulty clearing airway secretions.

**Synonyms:**

### Tracheoesophageal Fistula

An abnormal connection between the trachea and esophagus, often associated with esophageal atresia. Presents with recurrent aspiration, coughing with feedings, and cyanosis during meals. The H-type fistula may present later in infancy with chronic aspiration and failure to thrive. Diagnosis by esophagram or bronchoscopy.

**Synonyms:**

### Tracheomalacia

Softening of the tracheal cartilage causing excessive collapse of the trachea during expiration. It may be congenital or acquired (prolonged intubation, relapsing polychondritis). Symptoms include expiratory stridor and difficulty clearing secretions. Diagnosis is by dynamic CT or bronchoscopy.

**Synonyms:**

### Tracheostomy

Creation of a surgical opening from the anterior neck into the trachea with placement of a tube. Indications include prolonged airway support, upper-airway obstruction, and selected secretion-management needs; complications include bleeding, infection, obstruction, displacement, and tracheal injury.

**Synonyms:**

### Tracheostomy Tube

A tube inserted through a tracheostomy opening to maintain access to the airway and permit breathing, suction, or mechanical ventilation.

**Synonyms:**

### Tracheotomy

An operation that creates an opening through the neck into the trachea. The opening is called a tracheostomy.

**Synonyms:**

### Trachoma

A chronic keratoconjunctivitis caused by *Chlamydia trachomatis* (serovars A-C), the leading infectious cause of blindness worldwide. Repeated infection causes conjunctival scarring, trichiasis (in-turned eyelashes), corneal abrasion, opacification, and blindness. Transmission: direct contact, flies, fomites.

**Synonyms:**

### Traction

Pulling force on limb. Types: skin, skeletal. Used for fractures, deformities.

**Synonyms:**

---

### **Tractional retinal detachment**

Separation of the neurosensory retina caused by contraction of fibrovascular membranes, commonly associated with proliferative diabetic retinopathy.

**Synonyms:**

### **Tractotomy**

Surgical interruption of a nerve tract in the brain or spinal cord.

**Synonyms:**

### **Train-of-Four Monitoring**

Train-of-four monitoring assesses neuromuscular blockade by delivering four supramaximal electrical stimuli at 2 Hz to a peripheral nerve, commonly the ulnar nerve at the wrist. The ratio of the fourth twitch height to the first twitch height estimates recovery from non-depolarizing blockade.

**Synonyms:**

### **Trained Immunity**

Innate immune memory: epigenetic/metabolic reprogramming of monocytes/macrophages/NK cells after initial stimulus (BCG, beta-glucan, Candida, oxidized LDL) -> enhanced response to secondary challenge (heterologous protection).

**Synonyms:**

### **Trajectory**

The path a projectile follows in flight and, in wound ballistics, the course it traverses through tissue from entrance to exit or rest. Internal trajectory is reconstructed from entrance and exit defects, the organ track, recovered fragments, and clothing damage; angles disclose shooter position and victim posture.

**Synonyms:**

### **TRALI**

Transfusion-Related Acute Lung Injury, a life-threatening complication of blood transfusion characterized by acute hypoxemia and bilateral pulmonary edema within 6 hours of transfusion, without evidence of volume overload.

**Synonyms:**

### **Tram-Track Appearance**

Histological finding on silver stain of MPGN representing GBM duplication. Results from mesangial cell interposition into capillary wall with new basement membrane formation. Creates double-contour pattern on Jones methenamine silver stain.

**Synonyms:**

### **Tranexamic Acid**

An antifibrinolytic agent that inhibits lysine-binding sites on plasminogen and reduces clot breakdown. It is used in selected trauma, obstetric, cardiac, orthopedic, and bleeding indications according to current protocols. Dose and route depend on the indication and renal function.

**Synonyms:**

### **Tranquillisers**

A class of drugs that have a calming or sedative effect, reducing anxiety, tension, and agitation. Historically classified as major tranquilisers (antipsychotics/neuroleptics—for psychosis) and minor tranquilisers (anxiolytics—for anxiety). The term is now less common in clinical practice.

**Synonyms:**

### **Trans Fat**

A type of unsaturated fat with at least one trans double bond. Industrial trans fats are associated with increased cardiovascular risk and have been restricted in many jurisdictions.

**Synonyms:**

### **Transabdominal Scan**

An ultrasound scan performed with the transducer placed on the maternal abdomen. A full bladder improves visualization of pelvic structures. Used in early pregnancy to confirm viability and gestational age, and throughout pregnancy to assess fetal growth, anatomy, amniotic fluid volume, and placental location.

**Synonyms:**

### **Transarterial Chemoembolization**

A procedure in which chemotherapy and embolizing



---

particles are infused selectively into tumor-feeding hepatic arteries, combining regional chemotherapy with ischemic tumor necrosis; used for unresectable hepatocellular carcinoma.

**Synonyms:**

### **Transbronchial Biopsy**

Bronchoscopic biopsy of lung parenchyma obtained through the bronchial wall. It is used to diagnose interstitial lung diseases (sarcoidosis, HP), reject lung transplant rejection, and sample peripheral lung lesions. It carries a higher risk of pneumothorax than endobronchial biopsy.

**Synonyms:**

### **Transcervical Foley Catheter for Cervical Ripening**

A mechanical method for cervical ripening: a Foley catheter (16-30 Fr) is inserted through the cervix, the balloon is inflated with 30-60 mL of saline, and traction is applied (or the catheter is taped to the thigh with gentle tension). The balloon applies direct pressure to the internal os, stimulating endogenous prostaglandin release.

**Synonyms:**

### **Transcranial Doppler**

Ultrasound measuring blood flow velocity in cerebral arteries. Used for vasospasm detection, stroke risk assessment.

**Synonyms:**

### **Transcription**

Synthesis of RNA from DNA template by RNA polymerase. Eukaryotic: RNA Pol II transcribes mRNA, rRNA, snRNA; RNA Pol I transcribes rRNA; RNA Pol III transcribes tRNA, 5S rRNA. Steps: initiation (promoter recognition, transcription factors), elongation (5' to 3'), termination. Promoter elements: TATA box, CAAT box, GC box.

**Synonyms:**

### **Transcription Factor**

Protein binding to specific DNA sequences, regulating transcription. Activators enhance transcription;

repressors inhibit. Examples: p53, NF-kB, steroid hormone receptors.

**Synonyms:**

### **Transdermal**

A route of drug administration delivering drug through intact skin into the systemic circulation via a patch or gel, bypassing first-pass metabolism and providing steady plasma concentrations over hours to days. Examples: nitroglycerin, fentanyl, nicotine, estrogen, clonidine, rotigotine.

**Synonyms:**

### **Transfer Training**

Teaching safe transfer techniques: bed to chair, chair to toilet, floor to standing. Use of transfer boards, lift equipment.

**Synonyms:**

### **Transferase**

An enzyme that transfers a functional group from one molecule to another.

**Synonyms:**

### **Transference**

A psychoanalytic concept in which feelings, attitudes, and expectations originally directed toward a significant figure from childhood are unconsciously redirected onto the therapist. In psychodynamic therapy, transference is a therapeutic tool for understanding the patient's relational patterns and resolving conflicts.

**Synonyms:**

### **Transferrin**

An iron transport protein synthesized by the liver, carrying iron in plasma (2 iron-binding sites). In iron deficiency: transferrin is elevated with low ferritin, giving high TIBC and low transferrin saturation; in iron overload/inflammation/chronic disease: transferrin is low (acute phase).

**Synonyms:**

### **Transfusion Medicine**

Blood components: PRBCs (leukoreduced, ir-

---

radiated for at-risk), FFP (coagulation factors), platelets (apheresis pooled, leukoreduced), cryoprecipitate (fibrinogen, vWF, factor VIII, XIII). ABO/Rh compatibility.

**Synonyms:**

### Transfusion of Neonate

Administration of a blood product to a newborn for clinically significant anemia, bleeding, or another specific indication. The decision, product characteristics, volume, and rate depend on the infant's symptoms, laboratory results, gestational age, and local transfusion protocol.

**Synonyms:**

### Transfusion Reaction

An adverse reaction to transfusion of blood products. Acute hemolytic transfusion reaction: ABO incompatibility, immediate fever/chills, hypotension, back pain, DIC, renal failure; management: STOP transfusion, maintain BP/urine output, supportive care.

**Synonyms:**

### Transient Ischemic Attack

A transient ischemic attack (TIA) is a temporary episode of neurological dysfunction caused by focal brain, spinal cord, or retinal ischemia without acute infarction.

**Synonyms:**

### Transient Tachypnea of the Newborn

Temporary rapid breathing after birth, usually caused by delayed clearance of fetal lung fluid. It is more common after caesarean birth and typically improves within one to three days with supportive care.

**Synonyms:**

### Transition to Adulthood

Support for youth with disabilities transitioning to adult services.

**Synonyms:**

### Transitional Care

Coordinated care provided when a person moves between healthcare settings or levels of care, such as from hospital to home.

**Synonyms:**

### Translation

Decoding of mRNA sequence into polypeptide chain by ribosomes. Occurs in cytoplasm. tRNAs carry specific amino acids and recognize codons via anticodons. Steps: initiation, elongation, termination. Energy: GTP hydrolysis. Antibiotics targeting translation: tetracyclines (30S), chloramphenicol (50S), erythromycin (50S), streptomycin (30S).

**Synonyms:**

### Translocation

Movement of chromosomal segment to non-homologous chromosome. Reciprocal: exchange between chromosomes. Robertsonian: fusion of two acrocentric chromosomes. Balanced: no genetic material lost; unbalanced: gain or loss.

**Synonyms:**

### Transplacental

Passing through or occurring across the placenta.

**Synonyms:**

### Transplant Immunology

Hyperacute rejection: preformed anti-donor antibodies (ABO, HLA) -> immediate graft failure (minutes-hours); prevented by crossmatch.

**Synonyms:**

### Transplant Rejection

Immune-mediated destruction of a transplanted organ or tissue, classified by timing and mechanism. Hyperacute: preformed donor-specific antibodies, minutes to hours post-transplant, immediate graft thrombosis, irreversible; prevention by cross-matching.

**Synonyms:**

### Transplant Surgery

Transplant surgery involves replacing a failing organ

---

with a healthy donor organ. Kidney transplant: living donors (laparoscopic nephrectomy, left kidney preferred) or deceased donors (standard criteria, expanded criteria, DCD).

**Synonyms:**

### Transport

Regulations for shipping radioactive materials. Package types: excepted, A, B.

**Synonyms:**

### Transposition of the Great Arteries

A congenital heart defect in which the aorta arises from the right ventricle and the pulmonary artery from the left ventricle. This creates parallel circulations, so survival after birth depends on adequate mixing through an associated opening or ductus until definitive treatment is provided.

**Synonyms:**

### Transposons

Mobile genetic elements that can move between different locations within the bacterial genome or between the chromosome and plasmids. Transposons carry genes including antibiotic resistance genes and can facilitate the spread of resistance.

**Synonyms:**

### Transudate

A transudate is a type of edema fluid with low protein content and few cells, resulting from imbalances in hydrostatic and oncotic pressures across capillary walls rather than from inflammation or increased vascular permeability.

**Synonyms:**

### Transudative Pleural Effusion

From systemic factors altering hydrostatic/oncotic pressures. Most commonly from heart failure. Low protein, low LDH. Treatment addresses the underlying cause.

**Synonyms:**

### Transurethral Resection of the Prostate

An endoscopic operation that removes obstructing

prostate tissue to improve urine flow in selected people with benign prostatic enlargement. Alternatives and indications depend on symptoms, prostate size, complications, and patient preference.

**Synonyms:**

### Transverse Colon

Longest, most mobile colonic segment from hepatic to splenic flexure, approximately 45 cm, with complete mesentery (transverse mesocolon). Crosses anterior to duodenum, pancreas, and major vessels. Splenic flexure is the highest colon point and common gas trapping site. Most common diverticular disease site along with the sigmoid.

**Synonyms:**

### Transverse Lie

A fetal lie where the long axis of the fetus is perpendicular to the long axis of the mother. The presenting part is a shoulder or arm. Occurs in approximately 1% of term pregnancies. Risk of cord prolapse and obstructed labor. Cesarean delivery required as vaginal delivery is not possible.

**Synonyms:**

### Transverse Myelitis

An inflammatory disorder of the spinal cord causing acute or subacute motor, sensory, and autonomic dysfunction.

**Synonyms:**

### Transverse Plane

A horizontal plane that divides the body or an organ into upper (superior) and lower (inferior) portions.

**Synonyms:**

### Transversus Abdominis Muscle

Deepest flat abdominal muscle with horizontal fibers, from inguinal ligament, iliac crest, thoracolumbar fascia, and inner lower six costal cartilages. Innervated by T7-T12 and L1. Compresses abdomen without trunk movement, providing core stability and increased intra-abdominal pressure during coughing, lifting, Valsalva.

**Synonyms:**

---

## Transvestic Disorder

A paraphilic disorder involving recurrent sexual arousal from cross-dressing that causes marked distress, impairment, or harm, or is acted on without consent. It is distinct from gender dysphoria, which concerns gender identity rather than sexual arousal.

**Synonyms:**

## TRAP Sequence

Twin Reversed Arterial Perfusion sequence, a complication of monochorionic twin gestations where one twin (the pump twin) perfuses the other (the acardiac twin) via arterioarterial anastomoses.

**Synonyms:**

## Trapezium

Saddle-shaped distal row carpal bone on the radial side, articulating with the first metacarpal at the CMC joint of the thumb. This saddle joint allows thumb opposition essential for grip and fine motor function. Basal joint arthritis is common in postmenopausal women, causing pinch grip pain and weakness.

**Synonyms:**

## Trapezius Muscle

Large triangular muscle from occipital bone and C7-T12 spinous processes to clavicle, acromion, and scapular spine. Innervated by CN XI and C3-C4. Upper fibers elevate scapula, middle fibers retract, lower fibers depress. Essential for shoulder stability and scapulothoracic motion.

**Synonyms:**

## Trapezoid

Smallest distal row carpal bone between trapezium and capitate, articulating with the second metacarpal. Wedge shape provides stability for the firmly fixed second metacarpal. Fractures rare (less than 1 percent of carpal fractures). Contributes to the radial column wrist stability.

**Synonyms:**

## Trauma

Physical injury from external force. Primary survey:

ABCDE (Airway, Breathing, Circulation, Disability, Exposure). Secondary survey: head-to-toe examination, history (AMPLE), diagnostic tests. Injuries: fractures, dislocations, internal bleeding, organ damage. ATLS protocol guides management.

**Synonyms:**

## Trauma (Vascular)

Injury to a blood vessel caused by blunt force, penetrating injury, fracture, medical procedures, or other mechanisms.

**Synonyms:** Vascular

## Trauma Center

Hospital designated to provide comprehensive care for injured patients. Levels: Level I (complete care, research, prevention), Level II (similar but limited resources), Level III (stabilization, transfer), Level IV (advanced trauma life support, transfer). Transfer criteria: need for higher level of care, specific injuries.

**Synonyms:**

## Trauma Surgery

Trauma surgery encompasses the acute care of injured patients, guided by ATLS (ABCDE) principles: Airway maintenance with cervical spine protection, Breathing and ventilation, Circulation with hemorrhage control, Disability/neurologic assessment, and Exposure/environmental control.

**Synonyms:**

## Traumatic bleb

A filtering bleb formed after glaucoma filtration surgery (trabeculectomy) that develops complications from trauma, or a thin-walled, elevated bleb that leaks or is at risk of rupture. Traumatic bleb failure or overfiltering can lead to hypotony, choroidal detachment, and endophthalmitis risk.

**Synonyms:**

## Traumatic Brain Injury

Disruption of brain function caused by an external mechanical force. Severity: mild (GCS 13-15, concussion), moderate (GCS 9-12), severe (GCS 3-8).

---

Primary injury: direct damage at moment of impact (contusion, diffuse axonal injury, intracranial hemorrhage).

**Synonyms:**

### **Traumatic spondylolisthesis of the axis (hangman's fracture)**

A bilateral fracture of the pars interarticularis of the C2 vertebra (axis), typically caused by hyperextension of the head. Classically associated with judicial hanging but also occurs in motor vehicle accidents and falls. May present with neck pain, torticollis, or neurological deficits if the spinal cord is compressed.

**Synonyms:** hangman's fracture

### **Travel medicine**

The branch of medicine dealing with health problems associated with international travel. Pre-travel consultation includes vaccinations, malaria prophylaxis, and travel advice. Common travel-related illnesses include traveller's diarrhea, malaria, and hepatitis A.

**Synonyms:**

### **Treacher Collins Syndrome**

An autosomal dominant craniofacial disorder caused by mutations in TCOF1 (most common), POLR1C, or POLR1D genes, encoding ribosomal RNA transcription factors.

**Synonyms:**

### **Treat-to-Target Strategy**

A management approach in which treatment is adjusted at regular intervals toward a predefined goal such as remission or low disease activity. It requires validated disease-activity measures, shared decisions, monitoring, and timely escalation or modification.

**Synonyms:**

### **Treatment**

Medical intervention for disease. Includes pharmacological, surgical, lifestyle, supportive.

**Synonyms:**

### **Treatment-Resistant Depression**

Depression that does not improve adequately after appropriate trials of standard treatments. It requires reassessment of diagnosis, adherence, comorbidity, and treatment options.

**Synonyms:**

### **Tremor**

An involuntary, rhythmic oscillation of a body part. It may occur at rest, during posture, or during movement and can result from neurologic disease, medicines, metabolic disorders, or normal physiologic responses.

**Synonyms:**

### **Trephining (Trepanation)**

A surgical procedure in which a hole is drilled or scraped into the skull (cranium), exposing the dura mater. Historically, trephining dates back to Neolithic times (10,000 BCE) and was performed for ritual, therapeutic (releasing 'evil spirits'), and post-traumatic indications.

**Synonyms:** Trepanation

### **Treponema pallidum**

A spirochete that causes syphilis, a sexually transmitted infection. The organism is transmitted through sexual contact or transplacentally (congenital syphilis). Primary syphilis presents with a painless genital ulcer (chancre). Secondary syphilis presents with rash, mucous patches, and condylomata lata.

**Synonyms:**

### **Treponema pallidum infection**

Infection with the bacterium *Treponema pallidum*, which causes syphilis and can affect the skin, nervous system, cardiovascular system, and other organs.

**Synonyms:**

### **Trepopnea**

Dyspnea that occurs in one lateral decubitus position but not the other. It is typically worse when lying on the side of the affected lung. It may be caused by unilateral lung disease, pleural effusion,

---

or mediastinal mass.

**Synonyms:**

### **Triage**

The rapid sorting of patients according to urgency, clinical risk, and expected resource needs so that those requiring immediate intervention are prioritized. Triage is dynamic and must be repeated when a patient's condition changes.

**Synonyms:**

### **Trial of Labor After Cesarean**

An attempt to give birth vaginally after a previous cesarean delivery. Whether it is appropriate depends on the prior uterine incision, obstetric history, current pregnancy, facility resources, and the person's preferences. Counseling includes the possibility of successful VBAC, repeat cesarean delivery, and uterine rupture.

**Synonyms:**

### **Triceps Brachii Muscle**

Three-headed posterior arm muscle. Long head from infraglenoid tubercle, lateral head from posterior humerus above radial groove, medial head below. All insert on the olecranon. Innervated by radial nerve (C7-C8). Primary elbow extensor; assists shoulder extension/adduction. Triceps reflex (C7) tests radial nerve/spinal cord integrity.

**Synonyms:**

### **Trichinosis**

A parasitic infection caused by *Trichinella spiralis*, acquired by eating undercooked pork or wild game (bear, boar) containing encysted larvae. Larvae are released in the intestine (enteric phase: diarrhea, abdominal pain), then migrate to skeletal muscle (parenteral phase: myositis, periorbital edema, fever, eosinophilia).

**Synonyms:**

### **Trichobezoar**

A gastrointestinal mass composed mainly of swallowed hair, usually located in the stomach.

**Synonyms:**

### **Trichomonas**

A flagellated protozoan, *Trichomonas vaginalis*, that infects the urogenital tract and causes trichomoniasis. It is transmitted mainly through sexual contact and may cause discharge, irritation, or no symptoms.

**Synonyms:**

### **Trichomoniasis**

A sexually transmitted infection caused by the protozoan *Trichomonas vaginalis*. Often asymptomatic in men; women present with vaginal discharge (frothy, yellow-green, malodorous), itching, dysuria, and inflammation. Associated with preterm birth and increased HIV acquisition risk. Diagnosis: wet mount microscopy, culture, NAAT.

**Synonyms:**

### **Trichothiodystrophy Syndrome**

A group of inherited disorders characterized by brittle sulfur-deficient hair with a distinctive banded appearance, often accompanied by photosensitivity, ichthyosis, developmental delay, short stature, or recurrent infection.

**Synonyms:**

### **Trichotillomania**

Recurrent pulling out of one's hair, resulting in hair loss. The individual has made repeated attempts to decrease or stop hair pulling. The hair pulling causes clinically significant distress or impairment. It is not attributable to another medical condition.

**Synonyms:**

### **Tricuspid Atresia**

Absence of the tricuspid valve, resulting in no direct communication between the right atrium and right ventricle. Blood flow depends on an atrial septal defect and ventricular septal defect for mixing. Presents with cyanosis.

**Synonyms:**

### **Tricuspid Regurgitation**

Incomplete closure of the tricuspid valve allowing blood to flow backward from the right ventricle to



---

the right atrium during systole. Causes include right ventricular dilation (from pulmonary hypertension or left heart failure), endocarditis, rheumatic disease, and carcinoid syndrome.

**Synonyms:**

### Tricuspid Stenosis

Narrowing of the tricuspid valve opening, most commonly caused by rheumatic heart disease. It is often associated with mitral stenosis. Symptoms include fatigue, edema, and hepatic congestion. Murmur: low-pitched mid-diastolic rumble at the left lower sternal border that increases with inspiration.

**Synonyms:**

### Tricuspid Valve

Right atrioventricular valve with anterior, posterior, and septal cusps supported by chordae tendineae and three papillary muscles. Largest cardiac valve. Most commonly affected in IV drug use-associated endocarditis. Tricuspid regurgitation from right ventricular dilation, endocarditis, or carcinoid. Stenosis is rare, mostly rheumatic.

**Synonyms:**

### Tricyclic Antidepressant Overdose

Anticholinergic effects, cardiac toxicity (QRS prolongation, arrhythmias), seizures, hypotension. Treatment: sodium bicarbonate (QRS >100 ms), seizure control, supportive care.

**Synonyms:**

### Tricyclic Antidepressants

Older antidepressants that non-selectively inhibit the reuptake of serotonin and norepinephrine. They include amitriptyline, nortriptyline, imipramine, clomipramine, and desipramine.

**Synonyms:**

### Trigeminal Nerve

The fifth cranial nerve, providing most sensation from the face, scalp, mouth, and cornea. Its mandibular division also supplies the muscles of chewing.

**Synonyms:**

### Trigeminal Neuralgia

A chronic pain condition characterized by recurrent, sudden, severe, electric shock-like pain in the distribution of the trigeminal nerve (typically V2/V3). Often triggered by light touch, chewing, or brushing teeth. Most cases are caused by vascular compression of the trigeminal nerve root.

**Synonyms:**

### Trigger Finger

Trigger finger (stenosing tenosynovitis): A1 pulley thickening, flexor tendon nodule -> catching/locking. Clinical: triggering, palpable nodule at distal palmar crease, morning stiffness. Grades: I (pain only), II (catching, active extension), III (catching, passive extension), IV (locked flexed).

**Synonyms:**

### Triglyceride

A blood lipid consisting of three fatty acids attached to glycerol. Persistently high levels increase the risk of pancreatitis and contribute to cardiovascular risk.

**Synonyms:**

### Trimethoprim-sulfamethoxazole

A fixed-dose combination of trimethoprim and sulfamethoxazole that synergistically inhibits folate synthesis. TMP-SMX is indicated for urinary tract infections, Pneumocystis jirovecii pneumonia, and community-acquired pneumonia. The combination is bactericidal against many gram-positive and gram-negative organisms.

**Synonyms:**

### Trimethylaminuria

A metabolic disorder in which impaired oxidation of trimethylamine causes a characteristic fish-like body odor in sweat, urine, and breath. It may be inherited or acquired and can cause substantial psychosocial distress despite limited physical illness.

**Synonyms:**

### trinucleotide repeat

Expansion of three-nucleotide sequences causes diseases: Huntington (CAG), Fragile X (CGG), my-

---

otonic dystrophy (CTG), Friedreich ataxia (GAA). Anticipation common.

**Synonyms:**

### **Tripe palms**

Diffuse, velvety, thickened hyperkeratosis of the palmar skin with a cerebriform, corrugated appearance resembling the lining of a cow's stomach (tri-pe), which is strongly associated with underlying malignancy, most commonly gastric adenocarcinoma. It may occur alone or in conjunction with acanthosis nigricans.

**Synonyms:**

### **Triple-Negative Breast Cancer**

Breast cancer lacking ER, PR, HER2. Aggressive, limited treatment options.

**Synonyms:**

### **Triplets**

A multiple pregnancy with three fetuses (trichorionic, dichorionic, or monochorionic combinations); commonly results from assisted reproductive technology. High-risk: preterm delivery (average 32-33 weeks), low birth weight, preeclampsia, gestational diabetes, growth restriction, and complications of monochorionicity (TTTS).

**Synonyms:**

### **Triploidy Syndrome**

A chromosomal condition in which cells contain three complete haploid chromosome sets. It causes severe fetal growth restriction and multiple congenital anomalies and is usually incompatible with prolonged survival; partial or mosaic forms vary.

**Synonyms:**

### **Triptan**

A class of medications used for acute migraine treatment, acting as 5-HT<sub>1B/1D</sub> receptor agonists. 5-HT<sub>1B</sub> receptors are located on cranial blood vessels; activation causes vasoconstriction of dilated meningeal arteries.

**Synonyms:**

### **Triquetrum**

Pyramidal proximal row carpal bone on the ulnar side, articulating with lunate, hamate, pisiform, and TFCC. Second most commonly fractured carpal bone. Contributes to proximal carpal row and ulnar wrist stability. Pisiform articulates with its volar surface.

**Synonyms:**

### **Trisomy**

Presence of three copies of a chromosome instead of two. Trisomy 21 (Down syndrome): intellectual disability, characteristic facies, heart defects. Trisomy 18 (Edwards): severe intellectual disability, multiple anomalies. Trisomy 13 (Patau): severe intellectual disability, holoprosencephaly, cleft lip/palate.

**Synonyms:**

### **Trisomy 21**

Down syndrome: the most common chromosomal disorder, caused by an extra chromosome 21 (trisomy 21; 95 percent meiotic nondisjunction, mosaicism, translocation).

**Synonyms:**

### **Trophoderm**

The outer cellular layer of a blastocyst that contributes to formation of the placenta.

**Synonyms:**

### **Tropical Sprue**

Chronic diarrhea and malabsorption syndrome of uncertain etiology occurring predominantly in tropical and subtropical regions. The condition is characterized by villous atrophy of the small intestinal mucosa leading to malabsorption of nutrients including folate, iron, and vitamin B12.

**Synonyms:**

### **Troponin**

Cardiac-specific troponin I and T, the preferred biomarkers for myocardial injury (MI). Highly sensitive and specific. Rise 2-4 hours after symptom onset, peak at 12-24 hours, remain elevated for 7-10 days. High-sensitivity troponin (hs-cTn) allows

---

earlier detection (1-2 hours).

**Synonyms:**

### **Trousseau Sign of Latent Tetany**

A sensitive and specific clinical sign of hypocalcemia. Elicited by inflating a blood pressure cuff on the upper arm to a pressure greater than systemic systolic blood pressure for 3 minutes.

**Synonyms:**

### **Trousseau Syndrome**

Recurrent or migratory venous thrombosis associated with active malignancy, particularly mucin-producing adenocarcinoma. It reflects tumor-associated activation of coagulation and is distinct from Trousseau sign of latent tetany.

**Synonyms:**

### **True Ribs**

Ribs 1-7 articulating directly with the sternum via their own costal cartilages. Each has a head, neck, tubercle, and shaft. The first two are short and strongly curved for neck/shoulder muscle attachment. Costal cartilages provide thoracic cage elasticity for respiratory expansion.

**Synonyms:**

### **Truncus Arteriosus**

A congenital heart defect where a single large vessel arises from both ventricles, receiving a mixed blood supply. Associated with a large ventricular septal defect and abnormal semilunar valve. Presents with cyanosis and heart failure early in life.

**Synonyms:**

### **Trypanosoma brucei**

A protozoan parasite transmitted by tsetse flies that causes African trypanosomiasis, or sleeping sickness. The human-infecting subspecies differ in geographic distribution and typical disease course; infection can progress from fever and lymph-node enlargement to neurologic involvement.

**Synonyms:**

### **Trypanosomiasis**

Two forms: African trypanosomiasis (sleeping sickness, transmitted by tsetse fly, caused by *Trypanosoma brucei gambiense* – chronic West African form, or *T. b. rhodesiense* – acute East African form) and American trypanosomiasis (Chagas disease, transmitted by triatomine bugs, caused by *Trypanosoma cruzi*).

**Synonyms:**

### **TSH-Receptor Antibody**

An antibody that binds the thyrotropin receptor. Stimulating antibodies cause Graves disease, while blocking antibodies can cause hypothyroidism; measurement supports diagnosis and can help assess fetal or neonatal risk in pregnancy.

**Synonyms:**

### **Tubal Ligation**

Surgical sterilization by occluding the fallopian tubes, preventing the ovum from reaching the uterus. Postpartum tubal ligation: after vaginal or cesarean delivery (Pomeroy technique, Parkland). Interval: laparoscopic (bands, clips, bipolar cautery) or mini-laparotomy (Hulka or Filshie clip).

**Synonyms:**

### **Tubal Pregnancy**

An ectopic pregnancy implanted in a fallopian tube rather than in the uterine cavity. Risk factors include a previous ectopic pregnancy, tubal disease or surgery, pelvic inflammatory disease, smoking, and assisted reproduction. Symptoms may include abdominal pain, missed menstruation, and vaginal bleeding.

**Synonyms:**

### **Tuberculin Skin Test**

Intradermal injection of purified protein derivative (PPD) to test for *Mycobacterium tuberculosis* infection. Read at 48-72 hours measuring induration (not erythema). Positive: greater than 5 mm in HIV or close contacts; greater than 10 mm in high-risk groups; greater than 15 mm in low-risk populations.

**Synonyms:**

---

### **Tuberculoid leprosy**

The paucibacillary pole of the leprosy spectrum characterized by strong cell-mediated immunity to *Mycobacterium leprae*, resulting in well-formed granulomas and few or no organisms in tissue.

**Synonyms:**

### **Tuberculosis**

A chronic infection caused by *Mycobacterium tuberculosis*, transmitted by airborne droplets; pulmonary TB is most common, extrapulmonary forms occur (lymph node, pleural, meningeal, miliary, skeletal, renal). Features: chronic cough (>3 weeks), hemoptysis, fever, night sweats, weight loss; Ghon complex, apical cavitation on imaging.

**Synonyms:**

### **Tuberculosis in Children**

Infection with *Mycobacterium tuberculosis*, often from household contacts. Latent TB infection (LTBI) positive tuberculin skin test or interferon-gamma release assay with no symptoms or radiographic findings. Active TB presents with cough, fever, weight loss, and lymphadenopathy. Diagnosis by PPD, chest X-ray, and sputum culture.

**Synonyms:**

### **Tuberous sclerosis**

An autosomal dominant neurocutaneous disorder caused by mutations in *TSC1* (hamartin) or *TSC2* (tuberin) genes, leading to benign tumor growth in multiple organs. Neurological manifestations include cortical tubers, subependymal nodules, subependymal giant cell astrocytomas (SEGAs), and epilepsy (often infantile spasms).

**Synonyms:**

### **Tuberous Sclerosis Complex**

An autosomal dominant genetic disorder caused by mutations in *TSC1* (hamartin) or *TSC2* (tuberin) genes, leading to mTOR pathway activation. Features: cortical tubers, subependymal nodules, cardiac rhabdomyomas, angiomyolipomas, facial angiofibromas, and seizures (often infantile spasms).

**Synonyms:**

### **Tubography**

Contrast imaging of fallopian tubes. Evaluates patency.

**Synonyms:**

### **Tubular Reabsorption**

The process by which the renal tubules return filtered water and solutes from the tubular lumen to the blood, reclaiming 99 percent of the glomerular filtrate. Proximal tubule: reabsorbs 65 percent of sodium, most glucose, amino acids, water, bicarbonate, phosphate, and urate.

**Synonyms:**

### **Tubular Secretion**

The transport of substances from the peritubular capillary blood into the tubular lumen, a second mechanism (besides filtration) by which the kidney eliminates waste and regulates ions.

**Synonyms:**

### **Tubuloglomerular Feedback**

A feedback mechanism at the juxtaglomerular apparatus (JGA) that adjusts GFR based on tubular fluid NaCl concentration. The macula densa cells (specialized tubular epithelial cells in the thick ascending limb) sense NaCl concentration via the NKCC2 cotransporter.

**Synonyms:**

### **Tularemia**

A zoonotic bacterial infection caused by *Francisella tularensis*, transmitted through tick bites, handling infected animals (rabbits, rodents), contaminated water, or aerosolization. Ulceroglandular (most common): ulcer at inoculation site + tender lymphadenopathy.

**Synonyms:**

### **Tumor**

Abnormal mass of tissue, may be benign or malignant. Tumors classified by tissue of origin. Terminology: -oma usually benign, but exceptions (melanoma, lymphoma, seminoma are malignant).

**Synonyms:**

---

### **Tumor Board**

A multidisciplinary conference of oncologists, surgeons, radiologists, and pathologists who review individual cancer cases to coordinate diagnosis and treatment planning.

**Synonyms:**

### **Tumor Burden**

The total amount of cancer in the body, estimated from the number, size, and extent of tumor deposits; higher burden is generally associated with worse prognosis.

**Synonyms:**

### **Tumor Differentiation**

The degree to which neoplastic cells morphologically and functionally resemble their normal counterparts of origin.

**Synonyms:**

### **Tumor Embolism**

Tumor embolism occurs when malignant cells, tumor fragments, or tumor thrombi enter the venous circulation and travel to distant sites. The pulmonary vasculature is the most common site of embolization, as venous blood from most organs drains to the lungs through the pulmonary arteries.

**Synonyms:**

### **Tumor Grade**

A histologic measure of how much tumor cells resemble normal tissue; low-grade (well-differentiated) tumors behave less aggressively than high-grade (poorly differentiated) tumors. Grading is a prognostic, not staging, feature.

**Synonyms:**

### **Tumor Grading**

A description of a tumor based on how abnormal the cancer cells look under a microscope compared to normal cells; a lower grade indicates slower-growing cancer.

**Synonyms:**

### **Tumor Heterogeneity**

The presence of genetically, epigenetically, or phenotypically distinct subpopulations within the same tumor or between primary and metastatic sites. Heterogeneity can influence prognosis, sampling, treatment response, and resistance.

**Synonyms:**

### **Tumor Lysis Syndrome**

Metabolic emergency from rapid cell death. Hyperuricemia, hyperkalemia, hyperphosphatemia, hypocalcemia. Prevention: hydration, allopurinol, rasburicase.

**Synonyms:**

### **Tumor Marker**

Substance produced by cancer or body in response to cancer. Used for diagnosis, monitoring, prognosis. Examples: PSA (prostate), CA-125 (ovarian), CEA (colon), AFP (liver), CA 19-9 (pancreas).

**Synonyms:**

### **Tumor Microenvironment**

Surrounding tissue influencing tumor growth. Includes immune cells, blood vessels, fibroblasts, signaling molecules.

**Synonyms:**

### **Tumor Mutational Burden**

The number of somatic mutations per unit of coding DNA in a tumor specimen. TMB may correlate with production of neoantigens and response to some immune checkpoint inhibitors, but interpretation requires a validated assay and disease-specific context.

**Synonyms:**

### **Tumor Necrosis Factor**

A proinflammatory cytokine (TNF-alpha) produced mainly by macrophages, acting on TNFR1/TNFR2 receptors. Functions: activation of endothelium and leukocytes, fever, cachexia, apoptosis, and coordination of inflammation and the acute-phase response.

**Synonyms:**

---

### **Tumor Necrosis Factor Inhibitor**

TNF inhibitor (biologic): monoclonal antibodies/fusion proteins blocking TNF-alpha—infliximab, adalimumab (monoclonals), etanercept (soluble receptor), certolizumab, golimumab. Used in rheumatoid arthritis (after methotrexate failure), ankylosing spondylitis, psoriatic arthritis, psoriasis, IBD (Crohn, UC).

**Synonyms:**

### **Tumor Staging**

A system of describing the size of a cancer and how far it has spread throughout the body from its original location (e.g., using the TNM system).

**Synonyms:**

### **Tumor Suppressor**

A gene or protein that helps limit cell growth, repair DNA damage, or promote removal of abnormal cells. Loss of its function can contribute to cancer.

**Synonyms:**

### **Tumor Suppressor Gene**

Gene that prevents uncontrolled cell growth. Examples: TP53, RB1, BRCA1, BRCA2, APC. Loss of function contributes to cancer.

**Synonyms:**

### **Tumor-Suppressor Gene**

A gene whose normal product restrains cell proliferation, promotes DNA repair, induces apoptosis, or maintains genomic stability. Loss or inactivation of both functional copies is common in the development of many cancers, although mechanisms vary by gene.

**Synonyms:**

### **Tungiasis**

A skin infestation caused by the sand flea *Tunga* penetrans, producing an itchy or painful lesion, usually on the feet.

**Synonyms:**

### **Tunica Adventitia**

The outer connective-tissue layer of a blood-vessel

wall. It contains collagen and elastic fibers that provide structural support, along with nerves and, in larger vessels, small vessels called vasa vasorum that supply the outer wall. It is relatively prominent in veins and helps anchor vessels to surrounding tissues.

**Synonyms:**

### **Tunica Media**

The middle layer of a blood-vessel wall, located between the tunica intima and tunica adventitia. It consists primarily of smooth muscle and elastic fibers; its contraction or relaxation changes vascular diameter, regulating blood pressure and tissue perfusion. It is thickest in arteries and thinner in veins.

**Synonyms:**

### **Turbinates**

Curved bony shelves on the lateral walls of the nasal cavity, covered by vascular mucosa. They increase surface area and help warm, humidify, and filter inhaled air.

**Synonyms:**

### **Turbinates Hypertrophy**

Chronic enlargement of the nasal turbinates, most commonly the inferior turbinates, resulting in nasal airway obstruction, which can be caused by chronic inflammation from allergic rhinitis, non-allergic rhinitis, chronic sinusitis, hormonal changes, or vasomotor dysfunction.

**Synonyms:**

### **Turner Hypoplasia**

Enamel defect on permanent tooth from infection of overlying primary tooth. Localized hypoplasia.

**Synonyms:**

### **Turner Syndrome**

Chromosomal abnormality in females with complete or partial absence of one X chromosome most commonly with a karyotype of 45,X occurring in one in two thousand five hundred live female births.

**Synonyms:**



---

### **Twin-to-Twin Transfusion Syndrome**

A complication of monochorionic twin pregnancy in which shared placental vessels cause unequal blood flow between the twins.

**Synonyms:**

### **Twin-Twin Transfusion Syndrome**

A complication of monochorionic diamniotic twin pregnancies where placental vascular anastomoses (arteriovenous connections) cause unbalanced blood flow from one twin (the donor) to the other (the recipient). The donor twin becomes hypovolemic, anemic, and growth-restricted with oligohydramnios ("stuck twin").

**Synonyms:**

### **Tympanic Cavity**

The air-filled space of the middle ear containing the malleus, incus, and stapes.

**Synonyms:**

### **Tympanic hyperectasis**

Abnormal outward bulging or retraction of the tympanic membrane from chronic middle ear pressure changes, potentially causing conductive hearing loss and requiring tympanostomy tube placement.

**Synonyms:**

### **Tympanic membrane**

The tympanic membrane (eardrum) is a thin, cone-shaped, translucent membrane at the medial end of the external auditory canal that separates the external ear from the middle ear and serves as the interface for sound transmission by converting acoustic energy into mechanical vibrations of the ossicular chain.

**Synonyms:**

### **Tympanometry**

An objective, quantitative test that measures the compliance (mobility) of the tympanic membrane and the pressure within the middle ear as a function of air pressure in the external auditory canal, providing information about middle ear function that supplements otoscopic examination.

**Synonyms:**

### **Tympanosclerosis**

Scarring and calcification of the tympanic membrane or middle-ear lining, often following recurrent infection or previous inflammation. It may be asymptomatic or cause conductive hearing loss when the ossicles are affected.

**Synonyms:** Tympanic-membrane sclerosis; myringosclerosis when limited to the tympanic membrane.

### **Tympanostomy Tubes**

Small tubes inserted through the tympanic membrane to ventilate the middle ear and prevent fluid accumulation. Indicated for recurrent acute otitis media (3 episodes in 6 months or 4 in 12 months) or persistent otitis media with effusion greater than 3 months with hearing loss. Performed as outpatient procedure under general anesthesia.

**Synonyms:**

### **Type 1 Diabetes Mellitus**

Type 1 diabetes is an autoimmune disease in which the immune system attacks and destroys the insulin-producing beta cells of the pancreas, resulting in absolute insulin deficiency.

**Synonyms:**

### **Type 2 Diabetes Mellitus**

Type 2 diabetes is a chronic metabolic disorder characterized by insulin resistance and progressive pancreatic beta-cell dysfunction, leading to hyperglycemia.

**Synonyms:**

### **Type I Hypersensitivity**

An immediate (anaphylactic) hypersensitivity reaction mediated by allergen-specific IgE bound to mast cells and basophils; re-exposure cross-links IgE, triggering degranulation and release of histamine and mediators within minutes. Manifestations: allergic rhinitis, asthma, urticaria, food allergy, and anaphylaxis.

**Synonyms:**

---

## Type II Hypersensitivity

An antibody-mediated (cytotoxic) hypersensitivity reaction in which IgG or IgM binds to cell-surface or matrix antigens, causing cell destruction by complement activation (MAC), opsonization/phagocytosis, or antibody-dependent cellular cytotoxicity.

**Synonyms:**

## Type III Hypersensitivity

An immune complex-mediated hypersensitivity reaction in which circulating antigen-antibody complexes deposit in tissues and vessels, activating complement and attracting neutrophils, causing inflammation and tissue damage. Local forms: Arthus reaction, serum sickness.

**Synonyms:**

## Type III hypersensitivity reaction

Tissue injury caused by deposition of antigen-antibody complexes, activating complement and inflammation.

**Synonyms:**

## Type IV Hypersensitivity

A delayed-type hypersensitivity (cell-mediated) reaction mediated by sensitized T cells (not antibody), occurring 24-72 hours after antigen exposure.

**Synonyms:**

## Typhlitis

Inflammation of the cecum in immunocompromised patients particularly those with neutropenia from chemotherapy. Also known as neutropenic enterocolitis. Presents with right lower quadrant pain, fever, and diarrhea. Diagnosis is by CT showing cecal wall thickening.

**Synonyms:** neutropenic enterocolitis.

## Typhoid

A systemic infection caused by *Salmonella enterica* serovar Typhi, usually acquired through contaminated food or water and characterized by prolonged fever and gastrointestinal or systemic symptoms.

**Synonyms:**

## Typhoid Fever

A systemic infection caused by *Salmonella typhi*, acquired through contaminated food or water. Incubation 7-14 days. Presents with prolonged fever, headache, abdominal pain, rose spots, and relative bradycardia. Diagnosis: blood culture (first week), stool culture (second week), Widal test.

**Synonyms:**

## Typhus

A group of acute febrile illnesses caused by *Rickettsia* species, transmitted by arthropod vectors. Three main forms: (1) Epidemic (louse-borne) typhus—*Rickettsia prowazekii*, transmitted by the human body louse (*Pediculus humanus corporis*). Associated with overcrowding, poverty, cold climate, and refugees ('war typhus').

**Synonyms:**

## Typical Antipsychotics

Typical antipsychotics, also known as first-generation antipsychotics, primarily block dopamine D2 receptors in the mesolimbic pathway, reducing positive symptoms of schizophrenia including hallucinations, delusions, and disorganized thinking.

**Synonyms:** first-generation antipsychotics, primarily block.

## Tyramine

A naturally occurring amine found in some aged or fermented foods. In people taking monoamine oxidase inhibitors, excessive tyramine can cause a dangerous rise in blood pressure.

**Synonyms:**

## Tyrosine Kinase Inhibitor

A class of targeted cancer therapy drugs that inhibit tyrosine kinases, enzymes that phosphorylate tyrosine residues on proteins and activate signaling pathways involved in cell growth, proliferation, differentiation, and survival. Tyrosine kinase mutations or overexpression drive many cancers.

**Synonyms:**

---

### **Tyrosinemia**

An inherited disorder of tyrosine metabolism that causes accumulation of tyrosine or its metabolites. Type I can cause severe liver and kidney disease and is associated with fumarylacetoacetate hydrolase deficiency.

**Synonyms:**

### **Tonic Seizures**

Seizures that cause sustained stiffening of muscles, usually lasting seconds to minutes.

**Synonyms:**

### **Traumatic Shock**

A life-threatening state in which severe injury causes inadequate blood flow and oxygen delivery to tissues.

**Synonyms:**

### **Trendelenburg Position**

A supine position in which the head and upper body are lower than the feet.

**Synonyms:**

### **Teen Depression**

A depressive disorder in an adolescent that causes persistent low mood or loss of interest and impairs daily functioning.

**Synonyms:**

### **Temporal Lobe Seizure**

A seizure that begins in the temporal lobe of the brain and may cause altered awareness, unusual sensations, or repetitive movements.

**Synonyms:**

### **Tendinopathy**

A disorder involving tendon pain and impaired tendon structure, usually related to overuse or degeneration.

**Synonyms:**

### **Thyrotoxicosis**

A clinical state caused by excessive thyroid hormone

activity in the body.

**Synonyms:**

### **Tuberculin Test**

A skin test that assesses whether the immune system has reacted to tuberculosis proteins.

**Synonyms:**

### **Towel Clamp**

A clamp used to secure surgical drapes or hold them in position.

**Synonyms:**

### **Trocar**

A pointed instrument used to create access through tissue, usually to place a cannula for minimally invasive surgery.

**Synonyms:**

### **Tactile Sense**

The ability to perceive touch, pressure, vibration, texture, and related mechanical stimuli through receptors in the skin and deeper tissues.

**Synonyms:**

### **Target Tissue**

A tissue containing receptors or other molecular targets on which a hormone, drug, toxin, or signaling molecule acts.

**Synonyms:**

### **Tarsorrhaphy**

A procedure that partially or completely closes the eyelids to protect the cornea or reduce exposure in conditions such as severe dry eye or facial nerve palsy.

**Synonyms:**

### **Testes**

The paired male reproductive glands that produce sperm and secrete testosterone.

**Synonyms:**

---

### Thyroxine-Binding Globulin

The principal transport protein for thyroid hormones in the blood, binding most circulating thyroxine and triiodothyronine.

**Synonyms:**

### Tissue Plasminogen Activator

An enzyme that converts plasminogen to plasmin, helping dissolve fibrin in blood clots. Recombinant forms are used as thrombolytic medicines in selected emergencies.

**Synonyms:**

### Tomosynthesis

An imaging technique that acquires multiple low-dose X-ray projections and reconstructs thin section images, commonly used for three-dimensional breast imaging.

**Synonyms:**

### Tonometer

An instrument used to measure intraocular pressure, an important part of glaucoma assessment.

**Synonyms:**

### Tonus

The normal resting partial contraction of a muscle or the baseline tension of a tissue.

**Synonyms:**

### Tussis

Cough; a forceful reflex expiration that helps clear secretions, irritants, or foreign material from the airways.

**Synonyms:**

### Tenodesis

Surgical fixation of a tendon to bone or another tendon to restore function, stabilize a joint, or treat tendon imbalance.

**Synonyms:**

### Tibial Fracture

A break in the tibia, the major weight-bearing bone

of the lower leg, often caused by high-energy trauma, twisting injury, or repetitive stress.

**Synonyms:**

### Transaminitis

Elevation of blood levels of aminotransferase enzymes, usually alanine aminotransferase and aspartate aminotransferase, indicating possible liver-cell injury but not identifying its cause.

**Synonyms:**

### Travelers' Diarrhea

Acute diarrhea occurring during or shortly after travel, usually caused by contaminated food or water and commonly involving bacterial, viral, or parasitic infection.

**Synonyms:**

### Tubular Adenoma

A benign glandular polyp, most often in the colon, that can develop dysplastic changes and is considered a precursor lesion for some colorectal cancers.

**Synonyms:**

### Tympanoplasty

Surgical repair or reconstruction of the tympanic membrane and, when necessary, the middle-ear ossicles to close a perforation or improve hearing.

**Synonyms:**

### Tympanic Membrane Perforation

A tear or hole in the eardrum caused by infection, trauma, pressure changes, or instrumentation, potentially producing pain, drainage, or conductive hearing loss.

**Synonyms:**

### Tachycardia-Induced Cardiomyopathy

Weakening and dilation of the heart muscle caused by a persistent or frequently recurring rapid heart rhythm, often improving when the arrhythmia is controlled.

**Synonyms:**

---

### **Toxic Metabolic Encephalopathy**

Diffuse brain dysfunction caused by systemic metabolic or toxic disturbances, producing confusion, altered alertness, agitation, seizures, or coma.

**Synonyms:**

### **Tensile Strength**

The ability of a tissue or material to resist being pulled apart; it is important in wound healing and the integrity of sutures, tendons, and other connective tissues.

**Synonyms:**

### **Teratogenesis**

The process by which an exposure or genetic factor causes abnormal development of an embryo or fetus.

**Synonyms:**

### **Terminal Care**

Care focused on comfort, symptom relief, dignity, and support for a person with an advanced illness who is approaching the end of life.

**Synonyms:**

### **Terry's Nails**

A nail change in which most of the nail plate appears white with a narrow pink or brown distal band; it may be associated with liver disease, heart failure, diabetes, or ageing.

**Synonyms:**

### **Tertian Fever**

A fever pattern in which attacks recur approximately every 48 hours, classically associated with *Plasmodium vivax* or *Plasmodium falciparum* malaria.

**Synonyms:**

### **Tetraplegia (Quadriplegia)**

Paralysis or severe weakness affecting all four limbs and usually the trunk, commonly caused by cervical spinal-cord injury or disease.

**Synonyms:** Quadriplegia

### **Thalassaemia**

An inherited disorder of haemoglobin production causing microcytic anaemia of variable severity; severe forms may require regular transfusions.

**Synonyms:**

### **Thirst**

The conscious desire to drink, usually triggered by increased plasma osmolality, reduced circulating volume, or both.

**Synonyms:**

### **Thoracoscopy**

A minimally invasive procedure using a camera inserted through the chest wall to examine or treat the pleura, lungs, or mediastinum.

**Synonyms:**

### **Threadworms (Pinworms)**

Small intestinal worms, *Enterobius vermicularis*, whose females lay eggs around the anus and commonly cause nocturnal itching.

**Synonyms:** Pinworms

### **Thymus Gland**

A lymphoid organ in the upper chest where T lymphocytes mature, especially active during childhood and gradually involuting after puberty.

**Synonyms:**

### **Transient Ischaemic Attack (TIA)**

A brief episode of neurological dysfunction caused by temporary focal brain, spinal-cord, or retinal ischaemia without persistent tissue infarction.

**Synonyms:** TIA

### **Tick-Borne Encephalitis**

A viral infection transmitted mainly by ticks that can cause fever, meningitis, encephalitis, or lasting neurological complications.

**Synonyms:**

### **Tiredness (Fatigue)**

A subjective lack of energy or exhaustion that may

---

result from inadequate sleep, illness, psychological stress, anaemia, or many other causes.

**Synonyms:** Fatigue

### **Tongue-Tie (Ankyloglossia)**

Restricted movement of the tongue caused by an unusually short or tight lingual frenulum, sometimes affecting feeding, speech, or oral hygiene.

**Synonyms:** Ankyloglossia

### **Tourette's Syndrome**

A neurodevelopmental disorder involving persistent motor and vocal tics that begin in childhood and fluctuate in severity.

**Synonyms:**

### **Trimester**

One of the three approximately three-month divisions of pregnancy: first, second, and third trimester.

**Synonyms:**

### **Tropical Diseases**

Diseases occurring predominantly in tropical and subtropical regions, including malaria, dengue, schistosomiasis, leishmaniasis, and other parasitic or infectious diseases.

**Synonyms:**

### **Tumour (Neoplasm)**

An abnormal mass of tissue produced by uncontrolled or inappropriate cell growth; it may be benign or malignant.

**Synonyms:** Neoplasm

### **Turner's Syndrome**

A chromosomal condition affecting females, usually involving complete or partial absence of one X chromosome and commonly causing short stature, ovarian insufficiency, and characteristic physical features.

**Synonyms:**

### **Tzanck Smear**

A microscopic examination of cells from the base of a skin blister or erosion, historically used to support diagnoses such as herpesvirus infection or pemphigus.

**Synonyms:**

### **Twin Pregnancy**

A pregnancy involving two fetuses. Clinical risk depends on chorionicity and amnionicity, with increased risks including preterm birth, fetal growth problems, and hypertensive disorders.

### **TAC regimen**

TAC regimen refers to tac regimen, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tacedinaline**

tacedinaline refers to tacedinaline, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tachykinin**

tachykinin refers to tachykinin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tachyphrenia**

tachyphrenia refers to tachyphrenia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tacrine**

tacrine refers to tacrine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**



---

**tacrolimus**

tacrolimus refers to tacrolimus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tactile agnosia**

tactile agnosia refers to tactile agnosia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tadalafil**

tadalafil refers to tadalafil, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**taenia**

taenia refers to taenia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**taenia saginata**

taenia saginata refers to taenia saginata, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**taenia solium**

taenia solium refers to taenia solium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**taeniasis**

taeniasis refers to taeniasis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tail**

tail refers to tail, a medical condition or clinical find-

ing defined by its features, causes, affected system, and patient context.

**Synonyms:**

**talabostat**

talabostat refers to talabostat, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**talactoferrin alfa**

talactoferrin alfa refers to talactoferrin alfa, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**talaporfin sodium**

talaporfin sodium refers to talaporfin sodium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**talc**

talc refers to talc, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**talipes**

talipes refers to talipes, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**talipes calcaneovalgus**

talipes calcaneovalgus refers to talipes calcaneovalgus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tall stature**

tall stature refers to tall stature, a medical condition

---

or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **talotrexin**

talotrexin refers to talotrexin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tamoxifen**

tamoxifen refers to tamoxifen, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tamoxifen citrate**

tamoxifen citrate refers to tamoxifen citrate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tamsulosin**

tamsulosin refers to tamsulosin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tamsulosin hydrochloride**

tamsulosin hydrochloride refers to tamsulosin hydrochloride, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tandutinib**

tandutinib concerns tandutinib, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **tanespimycin**

tanespimycin concerns tanespimycin, a pharmaco-

logic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **tannic acid**

tannic acid denotes tannic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **tanomastat**

tanomastat refers to tanomastat, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tantalum**

tantalum refers to tantalum, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tapentadol**

tapentadol refers to tapentadol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **taq polymerase**

taq polymerase refers to taq polymerase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tarenflurbil**

tarenflurbil refers to tarenflurbil, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **target population**

target population refers to target population, a med-

---

ical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tariquidar**

tariquidar refers to tariquidar, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tarsal bones**

tarsal bones refers to tarsal bones, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tarsal joints**

tarsal joints refers to tarsal joints, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **taste bud**

taste bud refers to taste bud, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **taste disorder**

taste disorder denotes a clinical condition or finding involving taste disorder; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **tenascin**

tenascin refers to tenascin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tendon injury**

tendon injury denotes a clinical condition or finding involving tendon injury; evaluation identifies mech-

anism, affected system, severity, complications, and management.

**Synonyms:**

### **tendon sheath**

tendon sheath refers to tendon sheath, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tenericutes**

tenericutes refers to tenericutes, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **teniposide**

teniposide refers to teniposide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tenofovir**

tenofovir concerns tenofovir, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **tension-type headache**

tension-type headache refers to tension-type headache, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tenuazonic acid**

tenuazonic acid denotes tenuazonic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

---

**teprotumumab**

teprotumumab concerns teprotumumab, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**terameprocol**

terameprocol refers to terameprocol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**teratocarcinoma**

teratocarcinoma denotes a neoplastic condition involving teratocarcinoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**teratozoospermia**

teratozoospermia refers to teratozoospermia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**terazosin**

terazosin refers to terazosin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**terazosin hydrochloride**

terazosin hydrochloride refers to terazosin hydrochloride, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**terbufos**

terbufos refers to terbufos, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**terbutaline**

terbutaline refers to terbutaline, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**terfenadine**

terfenadine refers to terfenadine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**terlipressin**

terlipressin refers to terlipressin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**term birth**

term birth refers to term birth, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**terminal insomnia**

terminal insomnia refers to terminal insomnia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**terpene**

terpene refers to terpene, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tertiary hyperparathyroidism**

tertiary hyperparathyroidism refers to tertiary hyperparathyroidism, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**tertiary protein**

tertiary protein denotes tertiary protein, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**tesetaxel**

tesetaxel concerns tesetaxel, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**testicular atrophy**

testicular atrophy is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat testicular atrophy.

**Synonyms:**

**testicular feminization**

testicular feminization is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat testicular feminization.

**Synonyms:**

**testicular gonadoblastoma**

testicular gonadoblastoma is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat testicular gonadoblastoma.

**Synonyms:**

**testicular hydrocele**

testicular hydrocele is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat testicular hydrocele.

**Synonyms:**

**testicular mass**

testicular mass is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat testicular mass.

**Synonyms:**

**testis disorder**

testis disorder is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat testis disorder.

**Synonyms:**

**testis neoplasm**

testis neoplasm is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat testis neoplasm.

**Synonyms:**

**testolactone**

testolactone is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat testolactone.

**Synonyms:**

**testosterone propionate**

testosterone propionate is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat testosterone propionate.

**Synonyms:**

**tetanus toxin**

tetanus toxin denotes an infectious or toxic condition involving tetanus toxin; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

**tetracaine**

tetracaine concerns tetracaine, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**tetrachloroethylene**

tetrachloroethylene refers to tetrachloroethylene, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### tetrachlorvinphos

tetrachlorvinphos refers to tetrachlorvinphos, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### thyroidectomy

thyroidectomy is used in relation to thyroidectomy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### thyrotroph adenoma

thyrotroph adenoma refers to thyrotroph adenoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### thyrotropin

thyrotropin concerns thyrotropin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### thyrotropin alfa

thyrotropin alfa refers to thyrotropin alfa, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### tiazofurin

tiazofurin refers to tiazofurin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### tibia vara

tibia vara refers to tibia vara, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### tibial artery

tibial artery refers to tibial artery, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### tibialcrural artery

tibialcrural artery refers to tibialcrural artery, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### tibialis cranialis

tibialis cranialis refers to tibialis cranialis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### tic disorder

tic disorder denotes a clinical condition or finding involving tic disorder; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### ticarcillin

ticarcillin concerns ticarcillin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### tick

tick refers to tick, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### tigecycline

tigecycline concerns tigecycline, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**



---

**tight junction**

tight junction refers to tight junction, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tilorone**

tilorone refers to tilorone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**time**

time refers to time, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**time perception**

time perception refers to time perception, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**timolol**

timolol concerns timolol, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**tinea favosa**

tinea favosa refers to tinea favosa, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tinidazole**

tinidazole concerns tinidazole, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**tinzaparin**

tinzaparin concerns tinzaparin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**tinzaparin sodium**

tinzaparin sodium refers to tinzaparin sodium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tiopronin**

tiopronin refers to tiopronin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tipifarnib**

tipifarnib concerns tipifarnib, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**tirapazamine**

tirapazamine refers to tirapazamine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tirbanibulin**

tirbanibulin refers to tirbanibulin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tirofiban**

tirofiban refers to tirofiban, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**tissierella**

tissierella refers to tissierella, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tissierella praeacuta**

tissierella praeacuta refers to tissierella praeacuta, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tissue adhesions**

tissue adhesions refers to tissue adhesions, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tissue banks**

tissue banks refers to tissue banks, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tissue congestion**

tissue congestion refers to tissue congestion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tissue culture**

tissue culture refers to tissue culture, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tissue elastance**

tissue elastance refers to tissue elastance, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tissue engineering**

tissue engineering refers to tissue engineering, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tissue kallikrein**

tissue kallikrein refers to tissue kallikrein, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tissue membrane**

tissue membrane refers to tissue membrane, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tissue processor**

tissue processor refers to tissue processor, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tissue scaffold**

tissue scaffold refers to tissue scaffold, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**t-lymphocyte**

t-lymphocyte refers to t-lymphocyte, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tmax**

tmax refers to tmax, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**tobacco use**

tobacco use refers to tobacco use, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tobramycin**

tobramycin concerns tobramycin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**tocolytic agents**

tocolytic agents refers to tocolytic agents, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tocopherol**

tocopherol refers to tocopherol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tocotrienols**

tocotrienols refers to tocotrienols, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**toe**

toe refers to toe, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**toe joint**

toe joint refers to toe joint, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**togaviridae**

togaviridae identifies togaviridae, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**togaviridae infections**

togaviridae infections identifies togaviridae infections, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**toilet training**

toilet training refers to toilet training, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tolazamide**

tolazamide refers to tolazamide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tolcapone**

tolcapone refers to tolcapone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tolmetin**

tolmetin refers to tolmetin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tolnaftate**

tolnaftate refers to tolnaftate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**tolonium chloride**

tolonium chloride refers to tolonium chloride, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tolterodine tartrate**

tolterodine tartrate refers to tolterodine tartrate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**toluene**

toluene refers to toluene, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tolvaptan**

tolvaptan refers to tolvaptan, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tomography**

tomography refers to tomography, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tomotherapy**

tomotherapy is used in relation to tomotherapy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

**tongue carcinoma**

tongue carcinoma denotes a neoplastic condition involving tongue carcinoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**tongue disease**

tongue disease denotes a clinical condition or finding involving tongue disease; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**tongue neoplasm**

tongue neoplasm denotes a neoplastic condition involving tongue neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**tonic pupil**

tonic pupil refers to tonic pupil, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tonsil**

tonsil refers to tonsil, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tonsillar neoplasm**

tonsillar neoplasm denotes a neoplastic condition involving tonsillar neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**tooth abrasion**

tooth abrasion refers to tooth abrasion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tooth ankylosis**

tooth ankylosis refers to tooth ankylosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**tooth attrition**

tooth attrition refers to tooth attrition, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tooth calcification**

tooth calcification refers to tooth calcification, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tooth component**

tooth component refers to tooth component, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tooth crowding**

tooth crowding refers to tooth crowding, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tooth crown**

tooth crown refers to tooth crown, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tooth discoloration**

tooth discoloration refers to tooth discoloration, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tooth disease**

tooth disease denotes a clinical condition or finding involving tooth disease; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**tooth enamel**

tooth enamel refers to tooth enamel, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tooth extraction**

tooth extraction refers to tooth extraction, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tooth fracture**

tooth fracture denotes a clinical condition or finding involving tooth fracture; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**tooth loss**

tooth loss refers to tooth loss, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tooth resorption**

tooth resorption refers to tooth resorption, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tooth root**

tooth root refers to tooth root, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**toothbrushing**

toothbrushing refers to toothbrushing, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**toothpaste**

toothpaste refers to toothpaste, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**topiramate**

topiramate refers to topiramate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**topoisomerase ii**

topoisomerase ii refers to topoisomerase ii, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**topoisomerase inhibitors**

topoisomerase inhibitors refers to topoisomerase inhibitors, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**topotecan**

topotecan refers to topotecan, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**topotecan hydrochloride**

topotecan hydrochloride refers to topotecan hydrochloride, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**toremifene**

toremifene refers to toremifene, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**torsade de pointes**

torsade de pointes refers to torsade de pointes, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**torsemide**

torsemide concerns torsemide, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**torsion dystonia**

torsion dystonia refers to torsion dystonia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**torulaspora**

torulaspora refers to torulaspora, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**torulaspora delbrueckii**

torulaspora delbrueckii refers to torulaspora delbrueckii, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tositumomab**

tositumomab concerns tositumomab, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**total laryngectomy**

total laryngectomy is used in relation to total laryngectomy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**



---

**total pancreatectomy**

total pancreatectomy is used in relation to total pancreatectomy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

**total tissue**

total tissue refers to total tissue, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**touch**

touch refers to touch, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**touch perception**

touch perception refers to touch perception, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**toxaphene**

toxaphene denotes an infectious or toxic condition involving toxaphene; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

**toxic effect**

toxic effect denotes an infectious or toxic condition involving toxic effect; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

**toxicity grade**

toxicity grade denotes an infectious or toxic condition involving toxicity grade; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

**toxicity test**

toxicity test is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat toxicity test.

**Synonyms:**

**toxicogenomics**

toxicogenomics denotes an infectious or toxic condition involving toxicogenomics; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

**toxicokinetic description**

toxicokinetic description denotes an infectious or toxic condition involving toxicokinetic description; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

**toxocara**

toxocara denotes an infectious or toxic condition involving toxocara; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

**toxocara canis**

toxocara canis denotes an infectious or toxic condition involving toxocara canis; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

**toxocara cati**

toxocara cati denotes an infectious or toxic condition involving toxocara cati; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

**toxoid**

toxoid denotes an infectious or toxic condition involving toxoid; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

---

### **toxoplasma**

toxoplasma denotes an infectious or toxic condition involving toxoplasma; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

### **tra gene**

tra gene denotes tra gene, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **trabectedin**

trabectedin refers to trabectedin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **trabulsiella**

trabulsiella refers to trabulsiella, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **trabulsiella guamensis**

trabulsiella guamensis refers to trabulsiella guamensis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **transitional epithelium**

transitional epithelium refers to transitional epithelium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **transitory**

transitory refers to transitory, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **translation initiation**

translation initiation refers to translation initiation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **translucent**

translucent refers to translucent, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **transmembrane transport**

transmembrane transport refers to transmembrane transport, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **transmission**

transmission refers to transmission, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **transplant**

transplant refers to transplant, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **transplantation conditioning**

transplantation conditioning refers to transplantation conditioning, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **transplantation immunology**

transplantation immunology refers to transplantation immunology, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**transport protein**

transport protein denotes transport protein, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**transport vesicle**

transport vesicle refers to transport vesicle, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**transtracheal**

transtracheal refers to transtracheal, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**transtympanic**

transtympanic refers to transtympanic, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**transvestism**

transvestism refers to transvestism, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**trapezoid bone**

trapezoid bone refers to trapezoid bone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**trastuzumab**

trastuzumab concerns trastuzumab, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**traumatic injury**

traumatic injury denotes a clinical condition or finding involving traumatic injury; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**Traumeel S**

Traumeel S refers to traumeel s, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**travoprost**

travoprost concerns travoprost, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**trazodone**

trazodone refers to trazodone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**trb gene**

trb gene denotes trb gene, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**trd gene**

trd gene denotes trd gene, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**treatment epoch**

treatment epoch is used in relation to treatment epoch during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

---

**trematoda**

trematoda refers to trematoda, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**trematosphaeria grisea**

trematosphaeria grisea refers to trematosphaeria grisea, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tremelimumab**

tremelimumab concerns tremelimumab, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**trendelenburg**

trendelenburg refers to trendelenburg, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**treosulfan**

treosulfan refers to treosulfan, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**trephine**

trephine refers to trephine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**treponema**

treponema refers to treponema, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**treponemal infections**

treponemal infections denotes an infectious or toxic condition involving treponemal infections; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

**tretinoin**

tretinoin refers to tretinoin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**TRG gene**

TRG gene denotes trg gene, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**trial compliance**

trial compliance refers to trial compliance, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**trial indication**

trial indication refers to trial indication, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**trial phase**

trial phase refers to trial phase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**trial screening**

trial screening is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat trial screening.

**Synonyms:**

---

**triamcinolone**

triamcinolone refers to triamcinolone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**triamcinolone acetonide**

triamcinolone acetonide refers to triamcinolone acetonide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**triamterene**

triamterene refers to triamterene, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**triazenes**

triazenes refers to triazenes, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**triazine**

triazine refers to triazine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**triaziquone**

triaziquone refers to triaziquone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**triazolam**

triazolam refers to triazolam, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**triazole**

triazole concerns triazole, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**triazophos**

triazophos refers to triazophos, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tributyryn**

tributyryn refers to tributyrin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**T-wave alternans**

T-wave alternans denotes t-wave alternans, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**twin**

twin refers to twin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tympanic bulla**

tympanic bulla refers to tympanic bulla, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tyrosinase peptide**

tyrosinase peptide is a defined chemical or biologic substance involved in tyrosinase peptide and studied in physiology, pharmacology, laboratory medicine, or treatment.

**Synonyms:**

---

## tyrosine

tyrosine refers to tyrosine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

### Synonyms:

**Synonyms:** Twin gestation; twin-bearing pregnancy.

## TAPVR

Alternate index label; see *Total anomalous pulmonary venous return (TAPVR)*. **Synonyms:**

## TB

Alternate index label; see *Tuberculosis*. **Synonyms:**

## TBI

Alternate index label; see *Traumatic brain injury*. **Synonyms:**

## Tears, decreased production

Alternate index label; see *Dry eyes*. **Synonyms:**

## Teeth grinding

Alternate index label; see *Teeth grinding (bruxism)*. **Synonyms:**

## Temporomandibular disorders

Alternate index label; see *TMJ disorders*. **Synonyms:**

## Temporomandibular joint disorders

Alternate index label; see *TMJ disorders*. **Synonyms:**

## TEN

Alternate index label; see *Toxic epidermal necrolysis*. **Synonyms:**

## Tendinitis, Achilles

Alternate index label; see *Achilles tendinitis*. **Synonyms:**

## Tendinitis, patellar

Alternate index label; see *Patellar tendinitis*. **Syn-**

**onyms:**

## Tenosynovitis, de Quervain's

Alternate index label; see *De Quervain tenosynovitis*. **Synonyms:**

## Testicle, retractile

Alternate index label; see *Retractile testicle*. **Synonyms:**

## Testicle, undescended

Alternate index label; see *Undescended testicle*. **Synonyms:**

## Testosterone deficiency

Alternate index label; see *Male hypogonadism*. **Synonyms:**

## TGA

Alternate index label; see *Transient global amnesia*. **Synonyms:**

## Three-day measles

Alternate index label; see *Rubella*. **Synonyms:**

## Thromboangiitis obliterans

Alternate index label; see *Buerger disease*. **Synonyms:**

## Thrush, oral

Alternate index label; see *Oral thrush*. **Synonyms:**

## Thyroid gland enlargement

Alternate index label; see *Goiter*. **Synonyms:**

## Thyroid, overactive

Alternate index label; see *Hyperthyroidism (overactive thyroid)*. **Synonyms:**

## Thyroiditis, chronic lymphocytic

Alternate index label; see *Hashimoto's disease*. **Synonyms:**



---

**Tinea cruris**

Alternate index label; see *Jock itch*. **Synonyms:**

**TMD**

Alternate index label; see *TMJ disorders*. **Synonyms:**

**TNBC**

Alternate index label; see *Triple-negative breast cancer (TNBC)*. **Synonyms:**

**Toenail fungus**

Alternate index label; see *Nail fungus*. **Synonyms:**

**Tongue tie**

Alternate index label; see *Tongue-tie (ankyloglossia)*. **Synonyms:**

**Tonic-clonic seizure**

Alternate index label; see *Tonic-clonic (grand mal) seizure*. **Synonyms:**

**Tooth decay**

Alternate index label; see *Cavities and tooth decay*. **Synonyms:**

**Torsion, testicular**

Alternate index label; see *Testicular torsion*. **Synonyms:**

**Torticollis, spasmodic**

Alternate index label; see *Cervical dystonia*. **Synonyms:**

**Total anomalous pulmonary venous connection**

Alternate index label; see *Total anomalous pulmonary venous return (TAPVR)*. **Synonyms:**

**Tourette's**

Alternate index label; see *Tourette syndrome*. **Synonyms:**

**Transposition of great vessels**

Alternate index label; see *Transposition of the great arteries*. **Synonyms:**

**Traumatic grief**

Alternate index label; see *Complicated grief*. **Synonyms:**

**Trisomy 21 syndrome**

Alternate index label; see *Down syndrome*. **Synonyms:**

**Trisomy X**

Alternate index label; see *Triple X syndrome*. **Synonyms:**

**Trouble swallowing**

Alternate index label; see *Dysphagia*. **Synonyms:**

**Trypanosomiasis, American**

Alternate index label; see *Chagas disease*. **Synonyms:**

**Tumor, salivary gland**

Alternate index label; see *Salivary gland tumors*. **Synonyms:**

**Tumor, spinal**

Alternate index label; see *Spinal tumor and spinal mass*. **Synonyms:**

## U

### U Wave

A small deflection following the T wave, best seen in precordial leads V2-V3. U waves are thought to represent repolarization of the Purkinje fibers or papillary muscles. Prominent U waves are associated with hypokalemia, bradycardia, and certain drugs (digitalis, quinidine).

**Synonyms:**

### Unopposed Estrogen

Estrogen therapy given without a progestogen in a person with a uterus. **Synonyms:**

### Unresolved Losses

Significant losses that have not been fully acknowledged or emotionally processed. **Synonyms:**

### Unsaturated Fat

A dietary fat containing one or more carbon-carbon double bonds. **Synonyms:**

### Upper Airway Resistance Syndrome

Increased effort to breathe through a narrowed upper airway, often causing sleep disruption and daytime sleepiness. **Synonyms:** UARS

### Upper Esophageal Sphincter

A muscular valve at the top of the esophagus that opens during swallowing. **Synonyms:** UES

### Urethral Hypermobility

Excessive movement of the urethra during increased abdominal pressure, contributing to stress incontinence. **Synonyms:**

### Urinary Tract

The kidneys, ureters, bladder, and urethra, which produce, transport, store, and excrete urine. **Synonyms:**

### Urologist

A physician specializing in urinary-tract disorders and the male reproductive system. **Synonyms:**

### Uvulopalatopharyngoplasty

Surgery that removes or reshapes the uvula, tonsils, and soft-palate tissue to treat obstructive sleep apnea. **Synonyms:** UPPP

### Ulcer, aphthous

Alternate index label; see *Canker sore*. **Synonyms:**

### Ulcer, peptic

Alternate index label; see *Peptic ulcer*. **Synonyms:**

### Ulcer, rectal

Alternate index label; see *Solitary rectal ulcer syndrome*. **Synonyms:**

### Ulnar-sided wrist pain

Alternate index label; see *Ulnar wrist pain*. **Synonyms:**

### Uncontrollable laughter and crying

Alternate index label; see *Pseudobulbar affect*. **Synonyms:**

### Underactive thyroid

Alternate index label; see *Hypothyroidism (underactive thyroid)*. **Synonyms:**

---

### Under-eye puffiness

Alternate index label; see *Bags under eyes*. **Synonyms:**

### Upset stomach

Alternate index label; see *Indigestion*. **Synonyms:**

### Urine, blood in

Alternate index label; see *Blood in urine (hematuria)*. **Synonyms:**

### Uterine leiomyoma

Alternate index label; see *Uterine fibroids*. **Synonyms:**

### Uterine myoma

Alternate index label; see *Uterine fibroids*. **Synonyms:**

### Uterus didelphys

Alternate index label; see *Double uterus*. **Synonyms:**

### Unexplained weight loss

Unintentional loss of body weight without a clear cause, which may be associated with inadequate intake, gastrointestinal disease, infection, endocrine disease, cancer, or other illness. **Synonyms:**

### Urine odor

An unusual or unusually strong smell of urine that may result from diet, dehydration, medicines, urinary infection, or metabolic conditions. **Synonyms:**

### Ubiquinone

A lipid-soluble electron carrier in the mitochondrial membrane. See Coenzyme Q.

**Synonyms:**

### Uhl Anomaly

A rare congenital absence or severe deficiency of right-ventricular myocardium, leaving a thin-walled right ventricle. It may cause right-sided heart failure, arrhythmia, cyanosis, or sudden deterioration

in infancy or childhood.

**Synonyms:**

### Ulcer

Full-thickness loss of epidermis extending into the dermis or deeper tissue, often healing with a scar. Causes include vascular disease, pressure, infection, neuropathy, inflammatory disease, trauma, and malignancy.

**Synonyms:**

### Ulcer (Vascular)

A persistent break in the skin caused or maintained by inadequate blood flow, venous hypertension, neuropathy, or related vascular disease.

**Synonyms:** Vascular

### Ulcerative Colitis

A chronic inflammatory disease of the colon and rectum, usually causing continuous mucosal inflammation that begins in the rectum and extends proximally. Symptoms may include bloody diarrhea, urgency, abdominal pain, and extraintestinal manifestations.

**Synonyms:**

### Ulna

Medial forearm bone, longer than the radius. Proximal end: trochlear notch, olecranon, coronoid process. Shaft. Distal end: head, styloid process. The trochlear notch articulates with the trochlea forming the primary elbow hinge. Bears approximately 20 percent of wrist axial load.

**Synonyms:**

### Ulnar

Relating to the ulna bone of the forearm or the ulnar side (medial side) of the hand. Ulnar nerve compression causes paresthesia in medial one and a half fingers.

**Synonyms:**

### Ulnar Artery

The larger terminal branch of the brachial artery at the cubital fossa, running medially down the fore-

---

arm to the wrist (palpable medial to the pisiform) and hand. Supplies the medial forearm and ulnar side of the hand; forms the superficial palmar arch. Provides the common interosseous artery.

**Synonyms:**

### Ulnar Hypoplasia

Underdevelopment or partial absence of the ulna, usually presenting as a congenital forearm and hand anomaly. It may cause forearm shortening, radial deviation of the hand, limited elbow or wrist movement, and associated digital or systemic abnormalities.

**Synonyms:**

### Ulnar Nerve

From medial cord (C8-T1), passing behind the medial epicondyle (cubital tunnel), into the forearm innervating flexor carpi ulnaris and medial FDP half. In the hand innervates hypothenar muscles, interossei, medial two lumbricals, and adductor pollicis. Sensation to medial 1.5 digits.

**Synonyms:**

### Ulnar Nerve Dysfunction

Impairment of the ulnar nerve, commonly caused by compression at the elbow (cubital tunnel) or wrist (Guyon canal). Symptoms include numbness or tingling in the little and ring fingers, weakened grip, and hand-muscle wasting; severe lesions may produce an ulnar claw.

**Synonyms:**

### Ultrasonography

Imaging that uses high-frequency sound waves to produce pictures of tissues and organs.

**Synonyms:**

### Ultrasound

Imaging using high-frequency sound waves (2-18 MHz). No ionizing radiation. Right upper quadrant (RUQ): gallbladder (gallstones, cholecystitis), liver (steatosis, cysts), kidneys, and pancreas. Pelvic: uterus, ovaries, adnexa. Renal: hydronephrosis, stones, cysts, tumors. Scrotal: testicular torsion,

epididymitis, varicocele, hydrocele.

**Synonyms:**

### Ultrasound Contrast

A substance administered during ultrasound to increase the visibility of blood flow or selected tissues.

**Synonyms:**

### Ultrasound Therapy

Therapeutic ultrasound for tissue healing, pain, scar tissue.

**Synonyms:**

### Ultrasound Transducer

A device that emits and receives high-frequency sound waves to generate diagnostic images or guide procedures. Linear, curvilinear, phased-array, and endocavitary transducers are selected according to depth and anatomic application.

**Synonyms:**

### Umbilical Artery Doppler

Ultrasound assessment of blood flow in the umbilical arteries to evaluate placental resistance. Normal flow shows a pulsatility index decreasing throughout pregnancy with forward diastolic flow. Absent or reversed end-diastolic flow indicates severe placental dysfunction and is associated with increased perinatal morbidity and mortality.

**Synonyms:**

### Umbilical Cord

The connection between the fetus and the placenta, containing two umbilical arteries (carrying deoxygenated blood from the fetus to the placenta) and one umbilical vein (carrying oxygenated blood from the placenta to the fetus). The vessels are embedded in Wharton jelly, a mucopolysaccharide matrix that prevents compression.

**Synonyms:**

### Umbilical Cord Blood Gas

Analysis of arterial and venous cord blood collected after delivery. The umbilical artery best reflects fetal acid-base status, while the umbilical vein re-

---

flects placental blood. Results are interpreted using gestational age, delivery circumstances, pH, carbon dioxide, and base deficit or excess.

**Synonyms:**

### **Umbilical Cord Prolapse**

Descent of the umbilical cord through the cervix alongside or past the presenting fetal part, occurring when the membranes rupture. Risk factors: malpresentation (transverse lie, breech), preterm/low birth weight, polyhydramnios, multiparity, and artificial ROM with high presenting part.

**Synonyms:**

### **Umbilical Hernia**

A hernia through the umbilical ring, common in infants (most umbilical hernias close spontaneously by age 4-5) and adults (risk factors: obesity, pregnancy, ascites, cirrhosis). Presents as a reducible bulge at the umbilicus, worse with increased intra-abdominal pressure. In adults: risk of incarceration and strangulation is higher.

**Synonyms:**

### **Umbilical Region**

Central region around the umbilicus containing small intestine, transverse colon, and great vessels. The umbilicus is a landmark for assessing ascites, caput medusae in portal hypertension, and umbilical hernias. Percussion and auscultation here are essential components of the abdominal examination.

**Synonyms:**

### **Umbilication**

Formation of a central depression or navel-like indentation in a lesion or structure.

**Synonyms:**

### **Umbilicus (Navel)**

The scar on the anterior abdominal wall marking the site of attachment of the umbilical cord in fetal life, located at the level of the L3-L4 intervertebral disc, approximately midway between the xiphoid process and the pubic symphysis.

**Synonyms:** Navel

### **Uncompetitive Inhibition**

A type of enzyme inhibition where the inhibitor binds only to the enzyme-substrate (ES) complex at a site distinct from the active site, forming an inactive ESI complex. The inhibitor cannot bind to the free enzyme.

**Synonyms:**

### **Unconsciousness**

Loss of awareness and responsiveness, ranging from brief fainting to prolonged coma.

**Synonyms:**

### **Underweight**

BMI < 18.5 kg/m<sup>2</sup>. Associated with osteoporosis, infertility, anemia, weakened immunity, surgical complications. Causes: hypermetabolism, malabsorption, eating disorders, malignancy, chronic infection.

**Synonyms:**

### **Undescended Testis**

Failure of one or both testes to descend into the scrotum. Some descend during early infancy, but persistent cryptorchidism can impair fertility and increase the risk of torsion, hernia, or testicular cancer.

**Synonyms:**

### **Undescended Testis (Cryptorchidism)**

Congenital failure of one or both testes to descend along the normal path into the scrotum. Persistent cases require evaluation because they may affect fertility and increase the risk of torsion, hernia, or testicular cancer.

**Synonyms:** Cryptorchidism

### **Undulant Fever**

A zoonotic infectious disease caused by gram-negative coccobacilli of the genus *Brucella*, transmitted to humans through contact with infected animals (cattle, goats, pigs, sheep) or consumption of unpasteurized dairy products. See Brucellosis.

**Synonyms:**

---

## Unguentum

A semisolid, greasy preparation intended for application to the skin or, when formulated for that purpose, to mucous membranes or the eyes.

**Synonyms:**

## Uniparental Disomy

Inheritance of both copies of a chromosome or chromosome segment from one parent and none from the other. It can cause disease through abnormal genomic imprinting, homozygosity for a recessive variant, or chromosomal dosage effects.

**Synonyms:**

## Unresponsive Coma

A state of profound unresponsiveness in which the person cannot be awakened or follow commands.

**Synonyms:**

## Unstable Angina

Myocardial ischemia at rest, new-onset severe angina, or a crescendo pattern (more frequent, longer, lower-threshold) without evidence of myocardial necrosis (normal troponin). Pathophysiology: acute plaque rupture with thrombosis causing transient severe coronary obstruction.

**Synonyms:**

## Upper Airway Obstruction

Narrowing of the airway above the carina, causing inspiratory stridor, dyspnea, and characteristic changes on flow-volume loops (flattening of the inspiratory limb). Causes include tumors, stenosis, goiter, and vocal cord dysfunction. It is a medical emergency when severe.

**Synonyms:**

## Upper Endoscopy

Upper endoscopy: flexible endoscopic examination of the esophagus, stomach, and duodenum. See Esophagogastroduodenoscopy (EGD).

**Synonyms:**

## Upper Extremity Venous Doppler

An ultrasound examination of the arm and related

veins that assesses compressibility and blood flow, commonly to evaluate suspected venous thrombosis.

**Synonyms:**

## Upper Gastrointestinal Bleeding

Bleeding from esophagus, stomach, or duodenum. Causes: peptic ulcer, varices, Mallory-Weiss tear, gastritis. Presentation: hematemesis, melena, hematochezia. Management: ABCs, IV access, type and crossmatch, PPI infusion, endoscopy within 24 hours. Variceal bleeding: octreotide, antibiotics, band ligation.

**Synonyms:**

## Upper GI Series

Fluoroscopic examination of the esophagus, stomach, and duodenum after oral barium contrast. Single-contrast: looks for gross abnormalities (obstruction, masses). Double-contrast (barium + gas): better mucosal detail for ulcers, erosions, and early malignancies.

**Synonyms:**

## Upper Motor Neuron Syndrome

A pattern caused by injury to corticospinal pathways above the anterior horn cell or cranial motor nucleus. Findings may include weakness with spasticity, hyperreflexia, clonus, and an extensor plantar response, although acute lesions can initially produce flaccidity.

**Synonyms:**

## Upright Labor Positions

Maternal positions during labor, such as walking, standing, squatting, kneeling, or sitting upright. They may improve comfort and mobility and can be used when safe and acceptable to the laboring person and clinical team.

**Synonyms:**

## Uptake

Cellular accumulation of radiotracer. Depends on blood flow, membrane transport, metabolism, binding.

**Synonyms:**



---

## Urachal Cyst

A cystic remnant of the embryonic urachus between the bladder and umbilicus. It may be asymptomatic or become infected, causing lower-abdominal pain, fever, umbilical discharge, or urinary symptoms.

**Synonyms:**

## Urachal mucinous cystic tumor

A rare tumor arising from the urachal remnant between the bladder dome and umbilicus. It may be benign or malignant, with mucinous histology, and requires surgical excision.

**Synonyms:**

## Uraemia

The clinical syndrome resulting from accumulation of urea and other nitrogenous waste products in the blood in advanced chronic kidney disease (CKD stage 4-5) and acute kidney injury.

**Synonyms:**

## Urate-Lowering Therapy

Long-term treatment that reduces serum urate to dissolve monosodium urate deposits and prevent gout flares and structural damage. Xanthine oxidase inhibitors and uricosuric medicines are selected according to renal function, comorbidity, and treatment goals.

**Synonyms:**

## Urea Cycle

A metabolic pathway occurring in both the mitochondria and cytoplasm of hepatocytes that converts toxic ammonia (NH<sub>3</sub>), derived from amino acid catabolism, into nontoxic, water-soluble urea for excretion by the kidneys.

**Synonyms:**

## Urea Cycle Disorder

A group of inherited disorders caused by deficiency of an enzyme or transporter in the urea cycle, leading to impaired ammonia clearance. Ornithine transcarbamylase deficiency is an X-linked form; presentation and severity vary by the gene and residual enzyme activity.

**Synonyms:**

## Uremia

A clinical syndrome caused by advanced kidney failure and accumulation of waste products and other biologically active substances. Symptoms may include nausea, itching, fatigue, confusion, bleeding, or pericarditis; laboratory values and symptoms must be interpreted together.

**Synonyms:**

## Uremic Encephalopathy

Neurological syndrome in severe renal failure. Confusion, asterixis, seizures, coma. Results from uremic toxin accumulation. Diagnosis is clinical in context of advanced renal failure. Emergent dialysis indicated with rapid neurological improvement typically.

**Synonyms:**

## Uremic Frost

Urea crystallization on skin in severe untreated uremia. Rare finding indicating extremely advanced uremia. White crystalline deposits on skin. Indicates immediate need for dialysis. Extremely rare in developed countries due to early detection.

**Synonyms:**

## Uremic Pericarditis

Pericardial inflammation in advanced uremia. Pleuritic chest pain, friction rub, diffuse ST elevation. Indicates need for emergent dialysis. Does not respond to anti-inflammatory therapy. Complications include tamponade. Emergent hemodialysis produces resolution within 2 to 3 weeks.

**Synonyms:**

## Uremic Platelet Dysfunction

Impaired platelet adhesion and aggregation in uremia causing bleeding tendency. Easy bruising, epistaxis, GI bleeding. Improves with dialysis and desmopressin. Cryoprecipitate provides temporary benefit before procedures.

**Synonyms:**

---

### Uremic stomatitis

Oral mucosal inflammation occurring in advanced kidney failure, presenting as white plaques, ulceration, or bleeding of the gums and tongue due to accumulation of uremic toxins.

**Synonyms:**

### Ureter

The paired muscular tubes (25-30 cm) conveying urine from the renal pelvis to the urinary bladder, crossing the pelvic brim at the pelvic inlet. Three anatomical narrowings (pelviureteric junction, pelvic brim, vesicoureteric junction) are common sites of ureteric stone impaction.

**Synonyms:**

### Ureter Duplex

A congenital duplication of the ureter, complete or partial, draining one kidney. It may be asymptomatic or associated with vesicoureteral reflux, ureterocele, obstruction, recurrent urinary infection, or impaired renal drainage.

**Synonyms:**

### Ureteral Obstruction

Blockage of urine flow causing proximal dilation and increased pressure. Acute causes renal colic with flank pain. Chronic leads to hydronephrosis and CKD. Emergent decompression with stent or nephrostomy for infected obstructed kidney. Diagnosis by CT or ultrasound showing hydronephrosis.

**Synonyms:**

### Ureteral Perforation

A tear or hole in the ureter, sometimes caused by a stone, trauma, surgery, or an endoscopic procedure. Urine may leak into surrounding tissues, causing pain, infection, or inflammation; prompt imaging and urologic assessment are required.

**Synonyms:**

### Ureteral Stent

Double-J stent maintaining ureteral patency. Indications: obstruction (stone, stricture, malignancy), post-ureteroscopy. Materials: silicone,

polyurethane. Sizes: 4.7-7 Fr, lengths 24-30 cm. Complications: irritation, hematuria, encrustation, migration.

**Synonyms:**

### Ureteral Stent (Double-J Stent)

A tube placed in the ureter from the renal pelvis to the bladder to maintain patency, with pigtail coils at both ends (hence double-J). Indications: ureteral obstruction (stones, stricture, malignancy), after ureteroscopy (prevent post-op obstruction), and as a pre-treatment for complex ureteral stones.

**Synonyms:** Double-J Stent

### Ureteral Stricture

Narrowing of the ureter caused by fibrosis, surgery, instrumentation, radiation, infection, malignancy, or congenital disease. It can produce upstream hydronephrosis, pain, infection, and declining renal function.

**Synonyms:**

### Ureteritis

Inflammation of the ureter, usually related to infection, obstruction, stone passage, instrumentation, or adjacent inflammatory disease. It may cause flank or abdominal pain, urinary symptoms, hematuria, and fever.

**Synonyms:**

### Ureterocele

A cystic dilatation of the distal ureter within the bladder wall or bladder lumen. It can obstruct urine flow and cause urinary infection, hydronephrosis, reflux, stone formation, or impaired renal function.

**Synonyms:**

### Ureterolithiasis

The presence of kidney stones (calculi) within the ureter, causing ureteral obstruction and renal colic. Stones form from calcium oxalate/phosphate (most), uric acid, struvite (infection), and cystine.

**Synonyms:**

---

### Ureteropelvic Junction Obstruction

Impaired drainage from the renal pelvis into the proximal ureter, caused by intrinsic narrowing, aberrant vessels, scarring, or functional peristaltic abnormality. It may cause hydronephrosis, flank pain, infection, stones, or loss of renal function.

**Synonyms:**

### Ureteroscopy

Endoscopic procedure utilizing a thin, flexible or semirigid ureteroscope passed through the urethra, bladder, and into the ureter or renal collecting system. Used primarily for the diagnostic evaluation and therapeutic management of ureteral and renal calculi, ureteral strictures, and upper tract urothelial carcinoma (UTUC).

**Synonyms:**

### Urethra

The tube conveying urine from the bladder to the exterior. Male urethra (18-20 cm): prostatic, membranous, and spongy (penile) parts; carries urine and semen; longer and more tortuous than female. Female urethra (3-4 cm): short, straight, predisposing to ascending urinary tract infections.

**Synonyms:**

### Urethracele

A herniation or prolapse of the urethra into the anterior vaginal wall, often occurring together with a cystocele (bladder prolapse). Urethracele is caused by weakening of the pubocervical fascia, often from childbirth, aging, or increased intra-abdominal pressure.

**Synonyms:**

### Urethral Diverticulum

A periurethral outpouching that communicates with the urethral lumen, usually arising from infected or obstructed periurethral glands. It may cause dysuria, post-void dribbling, recurrent urinary infection, dyspareunia, or a palpable anterior-vaginal wall mass.

**Synonyms:**

### Urethral Infection

Infection involving the urethra, commonly caused by bacteria, including sexually transmitted organisms. Symptoms may include burning urination, discharge, frequency, or pelvic discomfort; testing and appropriate treatment help prevent complications and transmission.

**Synonyms:**

### Urethral Meatus

External opening of urethra. Position abnormal in hypospadias, epispadias.

**Synonyms:**

### Urethral Pressure Profile

Measurement of urethral closure pressure along urethra. Used in incontinence evaluation.

**Synonyms:**

### Urethral Pressures

Measurements of pressure within or along the urethra used to assess urethral closure and urinary continence.

**Synonyms:**

### Urethral Sling

Synthetic or fascial tape supporting urethra for stress incontinence. Mid-urethral sling (TVT, TOT) standard. Minimally invasive. Complications: erosion, urgency, retention.

**Synonyms:**

### Urethral Stricture

Narrowing of the urethra caused by scar tissue. It may produce a weak urinary stream, spraying, straining, incomplete emptying, infections, or urinary retention and can result from injury, instrumentation, infection, or inflammatory disease.

**Synonyms:**

### Urethritis

Inflammation of the urethra, most commonly caused by sexually transmitted infections (*Chlamydia trachomatis*, *Neisseria gonorrhoeae*) or non-infectious causes. Presents with dysuria, urethral discharge,

---

and meatal itching. Diagnosis: urine nucleic acid amplification testing (NAAT).

**Synonyms:**

### Urethrography

Contrast imaging of urethra. Evaluates urethral strictures, trauma, anomalies.

**Synonyms:**

### Urge Urinary Incontinence

Involuntary leakage of urine, significantly affecting psychological, social, and physical well-being. See urinary incontinence.

**Synonyms:**

### Urgency

A sudden, compelling desire to urinate that is difficult to defer—a lower urinary tract symptom. Causes: overactive bladder (detrusor overactivity, often idiopathic), urinary tract infection (urgency + dysuria), bladder outlet obstruction (BPH), neurogenic bladder, interstitial cystitis, and pelvic floor disorders.

**Synonyms:**

### Uric Acid Nephropathy

Acute kidney injury from uric acid crystal precipitation in tubules. Occurs in tumor lysis syndrome and severe hyperuricemia. Prevent with hydration and rasburicase. Alkalinization of urine may be harmful as uric acid precipitates at alkaline pH unlike other stone types.

**Synonyms:**

### Uric Acid Stones

Kidney stones composed primarily of uric acid. They form more readily in acidic urine and are associated with hyperuricemia, gout, high purine intake, or chronic diarrhea. Some can dissolve when urine is alkalinized.

**Synonyms:**

### Urinal

Male bedside container.

**Synonyms:**

### Urinalysis

Analysis of urine. Dipstick: specific gravity, pH, leukocyte esterase (WBCs), nitrite (bacteria), protein, glucose, ketones, bilirubin, urobilinogen, blood, and hemoglobin.

**Synonyms:**

### Urinary Bladder

A hollow, distensible muscular organ located in the pelvic cavity posterior to the pubic symphysis, serving as a reservoir for urine.

**Synonyms:**

### Urinary Incontinence

Involuntary leakage of urine, significantly affecting psychological, social, and physical well-being.

**Synonyms:**

### Urinary Retention

Inability to completely empty the bladder, which can be acute (sudden, painful, inability to void) or chronic (gradual, often painless, with overflow incontinence). Causes: benign prostatic hyperplasia, urethral stricture, neurogenic bladder, medications (anticholinergics), and pelvic organ prolapse.

**Synonyms:**

### Urinary Retraining

Scheduled voiding and behavioral techniques used to improve bladder control and reduce urgency or incontinence.

**Synonyms:**

### Urinary Tract Infection

Infection of the urinary tract, classified as lower infection such as cystitis or urethritis, or upper infection such as pyelonephritis. Symptoms vary; dysuria, frequency, urgency, fever, flank pain, or nausea may occur. *Escherichia coli* is a common cause, but organisms vary by setting and patient factors.

**Synonyms:**

### Urinary Tract Infection in Pregnancy

A urinary infection or asymptomatic bacterial

---

growth occurring during pregnancy. Pregnancy increases the risk of upper urinary infection, so screening and treatment follow pregnancy-specific clinical guidance.

**Synonyms:**

### Urinary Urgency

A sudden, difficult-to-delay need to urinate. It may occur with urinary infection, bladder irritation, overactive bladder, stones, neurologic disease, or other conditions. Urgency with fever, flank pain, blood in the urine, or inability to urinate requires medical assessment.

**Synonyms:**

### Urination

The biological process of releasing urine from the bladder through the urethra out of the body; also known as micturition.

**Synonyms:** micturition.

### Urine Albuminuria

Abnormal urinary loss of albumin resulting from increased glomerular permeability or impaired tubular reclamation. Persistent albuminuria is independently associated with CKD progression and cardiovascular risk, even when eGFR is preserved.

**Synonyms:**

### Urine Analysis

Laboratory examination of urine for cells, blood, proteins, glucose, microorganisms, and other substances.

**Synonyms:**

### Urine Drug Screen

Immunoassay-based screening for common drugs of abuse in urine. Detects: amphetamines, benzodiazepines, cocaine (benzoylecgonine), opiates (morphine, codeine, heroin), oxycodone, methadone, fentanyl, barbiturates, PCP, THC (cannabinoids), and alcohol. Pros: rapid (minutes at POC), inexpensive.

**Synonyms:**

### Urine Formation

The process by which the kidney produces urine through three steps: glomerular filtration (formation of 180 L/day ultrafiltrate), tubular reabsorption (return of 99 percent of water and most solutes), and tubular secretion (active addition of waste and ions).

**Synonyms:**

### Urine hCG (Pregnancy Test)

Rapid point-of-care test detecting human chorionic gonadotropin in urine. Sensitivity: detects as low as 25 mIU/mL. Positive as early as 12-14 days after conception (before missed period). Results in 3-5 minutes. False negative: dilute urine, very early pregnancy, ectopic pregnancy.

**Synonyms:** Pregnancy Test

### Urine Osmolality

Concentration of urine relative to plasma normally 50 to 1200 mOsm/kg. High greater than 500 in prerenal states reflecting intact concentrating ability. Low less than 350 indicates impaired concentrating ability in diabetes insipidus, chronic kidney disease, and excessive fluid intake. More precise than specific gravity.

**Synonyms:**

### Urine Sediment

Microscopic examination of centrifuged urine providing diagnostic information about renal pathology. Normal findings include few RBCs, WBCs, and hyaline casts.

**Synonyms:**

### Urine Sodium

Concentration of sodium in urine measured in mEq/L. Low less than 20 in prerenal states reflecting avid tubular reabsorption. High greater than 40 in intrinsic renal disease, diuretic use, and salt-wasting nephropathies. Should be interpreted in context of volume status, medications, and concurrent therapies.

**Synonyms:**

---

## Urine Toxicology

Laboratory analysis of urine for medicines, drugs, or their metabolites. Results require interpretation because detection does not always establish impairment or the timing of exposure.

**Synonyms:**

## Urodynamic Testing

Suite of diagnostic procedures designed to evaluate the physiological function of the lower urinary tract (bladder and urethral sphincter) during filling, storage, and emptying phases.

**Synonyms:**

## Urodynamics

A set of tests that assess the function of the lower urinary tract (bladder and urethra).

**Synonyms:**

## Uroflow

Measurement of the rate and pattern of urine flow during voiding.

**Synonyms:**

## Uroflowmetry

Measurement of urine-flow rate and pattern during voiding. Results depend on voided volume, age, sex, and testing conditions; a low or abnormal flow may reflect obstruction, weak bladder contraction, or inadequate effort and requires clinical correlation.

**Synonyms:**

## Urolithiasis

Formation of stones in the urinary tract, including the kidneys, ureters, bladder, or urethra. Stone composition varies by population and may include calcium oxalate, calcium phosphate, uric acid, struvite, or cystine.

**Synonyms:**

## Urologic Diagnostic Yield

The proportion of urologic diagnostic procedures or tests that provide a definitive and clinically useful result.

**Synonyms:**

## Urology

Surgical and medical specialty concerned with the study, diagnosis, and management of diseases affecting the male and female urinary tract (kidneys, ureters, urinary bladder, urethra) and the male reproductive system (prostate, testes, epididymis, seminal vesicles, penis).

**Synonyms:**

## Urothelial Carcinoma

Urothelial carcinoma, previously called transitional cell carcinoma, is the most common malignancy of the urinary tract, arising from the urothelium that lines the renal pelvis, ureters, bladder, and proximal urethra.

**Synonyms:**

## Urothelium

The specialized transitional epithelium lining the renal pelvis, ureters, bladder, and part of the urethra.

**Synonyms:**

## Urticaria

A skin reaction causing transient, itchy raised welts that change location and usually resolve within 24 hours. It may occur with angioedema, which is deeper swelling often affecting the lips, eyelids, tongue, or extremities.

**Synonyms:**

## Urticaria multiforme

A hypersensitivity reaction in children, often triggered by infections or medications, characterised by widespread, annular or polycyclic erythematous plaques with dusky, ecchymotic, or targetoid centres and pseudovesication, differing from true urticaria by the presence of dusky discolouration and prolonged lesion duration.

**Synonyms:**

## Urticaria Pigmentosa

A cutaneous form of mastocytosis in which excessive mast cells accumulate in the skin, producing tan or brown macules or papules that may swell and itch



---

when rubbed. Flushing, abdominal symptoms, or systemic involvement can occur.

**Synonyms:**

### **Usher Syndrome**

An inherited disorder combining sensorineural hearing loss with retinitis pigmentosa, the most common cause of combined deaf-blindness. Three types are distinguished by severity and age of onset; management requires coordinated audiological, ophthalmological, and genetic care.

**Synonyms:**

### **Usual Interstitial Pneumonia**

The histopathological pattern in IPF with temporal heterogeneity, fibroblast foci, and honeycombing. HRCT shows basal-predominant, subpleural reticular opacities with traction bronchiectasis.

**Synonyms:**

### **Uterine Atony**

Failure of the uterus to contract adequately after delivery, resulting in postpartum hemorrhage. The most common cause of PPH. Risk factors include prolonged labor, multiple gestation, macrosomia, oxytocin augmentation, and uterine fibroids. Diagnosis is clinical: boggy, soft uterus with excessive bleeding.

**Synonyms:**

### **Uterine Balloon Tamponade**

A minimally invasive technique for managing postpartum hemorrhage due to uterine atony when uterotonics fail. A balloon (Bakri Postpartum Balloon, 500-1000 mL capacity) is inserted transvaginally into the uterine cavity and inflated with saline until bleeding stops. The balloon provides mechanical compression against the uterine wall.

**Synonyms:**

### **Uterine Cancer**

Cancer arising in the uterus, most commonly from the endometrium. Abnormal vaginal bleeding, bleeding after menopause, pelvic pain, or unusual discharge requires evaluation; early diagnosis often

permits effective treatment.

**Synonyms:**

### **Uterine Fibroid (Leiomyoma)**

A benign tumor arising from the smooth muscle of the uterus. Fibroids may be submucosal, intramural, or subserosal and may cause heavy menstrual bleeding, pelvic pressure, pain, urinary symptoms, or reproductive problems.

**Synonyms:** Leiomyoma

### **Uterine Fibroids**

Benign tumors of uterine smooth muscle, also called leiomyomas. They may cause heavy menstrual bleeding, pelvic pressure, pain, infertility, or no symptoms.

**Synonyms:** leiomyomas.

### **Uterine Hemorrhage**

Heavy or abnormal bleeding from the uterus, occurring during pregnancy, after childbirth, or at other times. Causes include pregnancy complications, fibroids, hormonal disorders, and malignancy; severe bleeding with dizziness or weakness is an emergency.

**Synonyms:**

### **Uterine Inversion**

A rare but life-threatening obstetric emergency where the uterus turns inside out, protruding through the cervix or vaginal introitus. Occurs in 1:2000-1:20,000 deliveries. Causes: fundal pressure, excessive cord traction (especially with fundal placenta), uterine atony, and fundal fibroids.

**Synonyms:**

### **Uterine perforation**

A full-thickness breach of the uterine wall, most commonly occurring during instrumentation such as dilation and curettage or hysteroscopy, potentially causing hemorrhage and requiring surgical repair.

**Synonyms:**

### **Uterine Prolapse**

Descent of the uterus toward or through the vaginal opening because the supporting pelvic floor and

---

ligaments have weakened. Risk factors include childbirth, aging, obesity, and conditions that increase chronic pressure in the abdomen.

**Synonyms:**

### **Uterine Rupture**

A full-thickness tear through the uterine wall, potentially life-threatening to both mother and fetus. Risk factors include prior caesarean section (especially classical incision), oxytocin augmentation, and operative vaginal delivery. Presents with sudden abdominal pain, loss of fetal heart rate, and maternal hemorrhage.

**Synonyms:**

### **Uterine Tachysystole**

More than five uterine contractions in 10 minutes averaged over 30 minutes, whether or not accompanied by fetal heart-rate abnormalities. It can reduce uteroplacental perfusion, particularly when caused by oxytocin or prostaglandins.

**Synonyms:**

### **Uterotonic**

A medication that stimulates uterine contraction, used for induction/augmentation of labor, prevention and treatment of postpartum hemorrhage, and medical termination of pregnancy.

**Synonyms:**

### **Uterus**

Hollow muscular organ in the pelvis between the bladder and rectum, approximately 7.5 cm long in adult females, responsible for menstruation, implantation, and fetal development during pregnancy.

**Synonyms:**

### **UTI**

Infection of the urinary tract, classified as lower (cystitis, urethritis) or upper (pyelonephritis). See Urinary Tract Infection.

**Synonyms:**

### **UV Light**

Ultraviolet radiation, an invisible part of sunlight

or artificial light that can affect the skin and eyes and may cause sunburn, aging, or skin cancer.

**Synonyms:**

### **Uvea**

The vascular middle layer of the eye, consisting of the iris, ciliary body, and choroid. It helps regulate light entry, lens focus, and blood supply to the eye.

**Synonyms:**

### **Uveal melanoma**

The most common primary intraocular malignancy in adults, arising from melanocytes within the uveal tract (choroid, ciliary body, or iris), presenting with visual symptoms, a pigmented intraocular mass, or incidental finding on examination.

**Synonyms:**

### **Uveitis**

Inflammation inside the eye involving the uveal tract or adjacent tissues. It may cause pain, redness, light sensitivity, floaters, or reduced vision; causes include infection, autoimmune disease, and other inflammatory conditions.

**Synonyms:**

### **Uveoparotid fever**

A manifestation of sarcoidosis characterized by the triad of bilateral parotid gland enlargement, anterior uveitis, and fever, sometimes associated with facial nerve palsy. It reflects granulomatous inflammation and is treated with systemic corticosteroids and potentially disease-modifying agents.

**Synonyms:**

### **Uvula**

A small, fleshy flap of tissue that hangs from the back of the throat over the root of the tongue.

**Synonyms:**

### **Uvulitis**

Inflammation and swelling of the uvula, often caused by infection, trauma, allergy, dehydration, or irritation. It may cause throat pain, difficulty swallowing, gagging, or a foreign-body sensation; marked

---

swelling with breathing difficulty requires urgent assessment.

**Synonyms:**

### **Vibrio Infection**

Infection caused by *Vibrio* bacteria, acquired through contaminated seafood or exposure of wounds to warm seawater. It may cause watery diarrhea, wound infection, or rapidly progressive sepsis, especially in people with liver disease or impaired immunity. Severe wound pain, blistering, fever, or shock requires emergency treatment.

**Synonyms:**

### **VOR Reflex**

The vestibulo-ocular reflex stabilizes vision by producing eye movements opposite to head movement. Dysfunction can cause oscillopsia, vertigo, blurred vision, or imbalance and may result from inner-ear or brainstem disease. Vestibular and neurologic assessment can identify the cause.

**Synonyms:**

### **Ureteral Calculi**

Stones that form in or pass through a ureter, the tube carrying urine from a kidney to the bladder.

**Synonyms:**

### **Urea**

The principal nitrogen-containing waste product of protein metabolism, formed in the liver and excreted mainly by the kidneys.

**Synonyms:**

### **Urinary Frequency**

The need to urinate more often than usual, which may result from infection, bladder irritation, increased urine production, or other urinary disorders.

**Synonyms:**

### **Urinary Lithiasis**

The formation or presence of stones anywhere in the urinary tract, including the kidneys, ureters, bladder, or urethra.

**Synonyms:**

### **Urinary Stasis**

Slowing or stopping of normal urine flow, which can promote urinary infection, stone formation, or obstruction-related kidney injury.

**Synonyms:**

### **Urinometer**

A hydrometer used to measure the specific gravity of urine.

**Synonyms:**

### **Urogenital Tract**

The combined urinary and reproductive organs and passages, which develop from related embryologic structures.

**Synonyms:**

### **Uterine Fibroid Embolization**

A minimally invasive procedure that blocks the arteries supplying uterine fibroids, causing them to shrink.

**Synonyms:**

### **Uterine Tube**

A paired muscular tube that transports the oocyte from the ovary toward the uterus and is the usual site of fertilization.

**Synonyms:**

### **Ulnar Wrist Pain**

Pain on the side of the wrist nearest the little finger, often involving the ulna or nearby tendons and ligaments.

**Synonyms:**

### **Undescended Testicle**

A testicle that has not moved into the scrotum before birth.

**Synonyms:**

### **Undifferentiated Pleomorphic Sarcoma**

An uncommon aggressive cancer of soft tissue or bone whose cells have no clearly identifiable line of differentiation.

---

**Synonyms:**

### **Urinary Catheter**

A hollow, flexible tube inserted through the urethra into the bladder to drain urine; it may be used intermittently or left in place.

**Synonyms:**

### **Upper Respiratory Infection**

An infection of the nose, sinuses, pharynx, or larynx, most often caused by a virus and producing symptoms such as congestion, sore throat, cough, or runny nose.

**Synonyms:**

### **Ulnar Nerve Entrapment**

Compression or irritation of the ulnar nerve, commonly at the elbow or wrist, causing numbness or tingling in the ring and little fingers and sometimes weakness of the hand.

**Synonyms:**

### **Ulcerative Proctitis**

Inflammation and ulceration limited to the lining of the rectum, often causing rectal bleeding, urgency, tenesmus, mucus, and diarrhea.

**Synonyms:**

### **Ulcerative Keratitis**

An ulcerative infection or inflammatory defect of the cornea that can cause pain, redness, photophobia, and impaired vision and may threaten sight if untreated.

**Synonyms:**

### **Urticarial Vasculitis**

Inflammation of small blood vessels associated with hive-like lesions that often last longer than ordinary urticaria and may burn, bruise, or leave residual discoloration.

**Synonyms:**

### **Ulnar Paradox**

The clinical observation that a lesion of the ulnar nerve at the wrist may cause more clawing of the

fingers than a lesion higher in the forearm, because the ulnar-innervated finger flexors remain intact.

**Synonyms:**

### **Uraemic Syndrome**

The collection of symptoms and biochemical abnormalities caused by severe accumulation of uraemic waste products in advanced kidney failure.

**Synonyms:**

### **Urethral Syndrome**

Urinary frequency, urgency, dysuria, or discomfort without a clear bacterial urinary-tract infection; causes may include irritation, pelvic-floor dysfunction, or inflammation.

**Synonyms:**

### **Urethroplasty**

Surgical reconstruction or widening of the urethra, most commonly to treat a urethral stricture.

**Synonyms:**

### **Urethroscopy**

Endoscopic examination of the urethra using a urethroscope, sometimes combined with treatment of a stricture or other lesion.

**Synonyms:**

### **Urinary Casts**

Cylindrical structures formed in renal tubules and passed in urine; their type can help identify kidney disease, such as glomerular inflammation or tubular injury.

**Synonyms:**

### **Urobilinogen**

A colourless product formed in the intestine from bilirubin and partly reabsorbed and excreted in urine; abnormal levels may provide clues to liver disease or haemolysis.

**Synonyms:**

### **Utricle**

One of the otolith organs of the inner ear, detect-

---

ing horizontal linear acceleration and head position relative to gravity.

**Synonyms:**

### **Uvulopalatopharyngoplasty (UPPP)**

An operation that removes or reshapes selected tissues of the soft palate, uvula, and throat to enlarge the upper airway, sometimes used for obstructive sleep apnoea.

### **ubidecarenone**

ubidecarenone refers to ubidecarenone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ubiquitin**

ubiquitin refers to ubiquitin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ubiquitination**

ubiquitination refers to ubiquitination, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ulocladium**

ulocladium refers to ulocladium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ultracentrifugation**

ultracentrifugation refers to ultracentrifugation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ultradian rhythm**

ultradian rhythm refers to ultradian rhythm, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ultrafiltration**

ultrafiltration refers to ultrafiltration, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ultralente insulin**

ultralente insulin refers to ultralente insulin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ultrasonic therapy**

ultrasonic therapy is used in relation to ultrasonic therapy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **ultrasound biomicroscopy**

ultrasound biomicroscopy refers to ultrasound biomicroscopy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ultraviolet microscopy**

ultraviolet microscopy refers to ultraviolet microscopy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ultraviolet rays**

ultraviolet rays refers to ultraviolet rays, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ultraviolet therapy**

ultraviolet therapy is used in relation to ultraviolet therapy during assessment, diagnosis, treatment, monitoring, or patient support.

---

**Synonyms:**

**umbilical vein**

umbilical vein refers to umbilical vein, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**uncertainty**

uncertainty refers to uncertainty, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**underage drinking**

underage drinking refers to underage drinking, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**undetermined**

undetermined refers to undetermined, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**undifferentiated**

undifferentiated refers to undifferentiated, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**undifferentiated carcinoma**

undifferentiated carcinoma denotes a neoplastic condition involving undifferentiated carcinoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**undulate ribs**

undulate ribs refers to undulate ribs, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**unencoded data**

unencoded data refers to unencoded data, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**unequivocal**

unequivocal refers to unequivocal, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**unerupted tooth**

unerupted tooth refers to unerupted tooth, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**unevaluable**

unevaluable refers to unevaluable, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**unilaminar epithelium**

unilaminar epithelium refers to unilaminar epithelium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**unilateral**

unilateral refers to unilateral, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**unilateral microphthalmos**

unilateral microphthalmos refers to unilateral microphthalmos, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.



---

**Synonyms:**

**uninodular goiter**

uninodular goiter refers to uninodular goiter, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**unipolar neuron**

unipolar neuron refers to unipolar neuron, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**unknown**

unknown refers to unknown, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**unresectable**

unresectable refers to unresectable, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**unsaturated phytosterol**

unsaturated phytosterol concerns unsaturated phytosterol, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**untranslated region**

untranslated region refers to untranslated region, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**upamostat**

upamostat refers to upamostat, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**upper arm**

upper arm refers to upper arm, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**upper extremity**

upper extremity refers to upper extremity, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**urachus**

urachus refers to urachus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**uracil**

uracil refers to uracil, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**uracil mustard**

uracil mustard refers to uracil mustard, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**uracil nucleotides**

uracil nucleotides refers to uracil nucleotides, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**uranium**

uranium refers to uranium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### **ureaplasma**

ureaplasma identifies ureaplasma, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **ureaplasma urealyticum**

ureaplasma urealyticum identifies ureaplasma urealyticum, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

### **ureter fissus**

ureter fissus refers to ureter fissus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ureter obstruction**

ureter obstruction denotes a clinical condition or finding involving ureter obstruction; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **ureteral catheters**

ureteral catheters refers to ureteral catheters, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ureteral polyp**

ureteral polyp refers to ureteral polyp, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ureteral stenosis**

ureteral stenosis denotes a clinical condition or finding involving ureteral stenosis; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **ureteric perforation**

ureteric perforation refers to ureteric perforation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ureteroscopes**

ureteroscopes refers to ureteroscopes, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ureterostomy procedure**

ureterostomy procedure is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat ureterostomy procedure.

**Synonyms:**

### **urethan**

urethan refers to urethan, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **urethra disorder**

urethra disorder denotes a clinical condition or finding involving urethra disorder; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **urethral carcinoma**

urethral carcinoma denotes a neoplastic condition involving urethral carcinoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### **urethral catheter**

urethral catheter refers to urethral catheter, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

---

**Synonyms:**

**urethral fistula**

urethral fistula refers to urethral fistula, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**urethral obstruction**

urethral obstruction denotes a clinical condition or finding involving urethral obstruction; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**urethral sphincter**

urethral sphincter refers to urethral sphincter, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**urethral stenosis**

urethral stenosis denotes a clinical condition or finding involving urethral stenosis; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**uric acid**

uric acid denotes uric acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**uricosuric agent**

uricosuric agent refers to uricosuric agent, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**uridine**

uridine refers to uridine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**uridine diphosphate**

uridine diphosphate concerns uridine diphosphate, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**uridine monophosphate**

uridine monophosphate concerns uridine monophosphate, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**uridine triacetate**

uridine triacetate refers to uridine triacetate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**uridine triphosphate**

uridine triphosphate concerns uridine triphosphate, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**urinary**

urinary refers to urinary, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**urinary bladder disorder**

urinary bladder disorder denotes a clinical condition or finding involving urinary bladder disorder; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**urinary calculi**

urinary calculi refers to urinary calculi, a medical condition or clinical finding defined by its features,

---

causes, affected system, and patient context.

**Synonyms:**

### **urinary catheterization**

urinary catheterization refers to urinary catheterization, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **urinary diversion**

urinary diversion refers to urinary diversion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **urinary fistula**

urinary fistula refers to urinary fistula, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **urinary hesitation**

urinary hesitation refers to urinary hesitation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **urinary system**

urinary system refers to urinary system, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **urinary tract disorder**

urinary tract disorder denotes a clinical condition or finding involving urinary tract disorder; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **urinary tract neoplasm**

urinary tract neoplasm denotes a neoplastic condi-

tion involving urinary tract neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### **urination disorder**

urination disorder denotes a clinical condition or finding involving urination disorder; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **urine**

urine refers to urine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **urine conductivity**

urine conductivity refers to urine conductivity, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **urine cytology**

urine cytology refers to urine cytology, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **urochordata**

urochordata refers to urochordata, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **urogenital fistula**

urogenital fistula refers to urogenital fistula, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### **urogenital system**

urogenital system refers to urogenital system, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **urostomy leak**

urostomy leak refers to urostomy leak, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **urostomy procedure**

urostomy procedure is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat urostomy procedure.

**Synonyms:**

### **urostomy prolapse**

urostomy prolapse refers to urostomy prolapse, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **urostomy stenosis**

urostomy stenosis denotes a clinical condition or finding involving urostomy stenosis; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **ursodeoxycholic acid**

ursodeoxycholic acid denotes ursodeoxycholic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **ustekinumab**

ustekinumab concerns ustekinumab, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **ustilago**

ustilago refers to ustilago, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **uterine adnexae**

uterine adnexae refers to uterine adnexae, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **uterine cavity**

uterine cavity refers to uterine cavity, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **uterine fistula**

uterine fistula refers to uterine fistula, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **uterine gland**

uterine gland refers to uterine gland, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **uterine leiomyosarcoma**

uterine leiomyosarcoma denotes a neoplastic condition involving uterine leiomyosarcoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### **uterine monitoring**

uterine monitoring refers to uterine monitoring, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

---

**Synonyms:**

**uterine myomectomy**

uterine myomectomy is used in relation to uterine myomectomy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

**uterine obstruction**

uterine obstruction denotes a clinical condition or finding involving uterine obstruction; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**uterus disorder**

uterus disorder denotes a clinical condition or finding involving uterus disorder; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**uterus neoplasm**

uterus neoplasm denotes a neoplastic condition involving uterus neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**uveal disease**

uveal disease denotes a clinical condition or finding involving uveal disease; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**uveal neoplasm**

uveal neoplasm denotes a neoplastic condition involving uveal neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**tabes dorsalis**

tabes dorsalis refers to tabes dorsalis, a medical condition or clinical finding defined by its features,

causes, affected system, and patient context.

**Synonyms:**

**tablet**

tablet refers to tablet, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**TAC regimen**

TAC regimen refers to tac regimen, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tacedinaline**

tacedinaline refers to tacedinaline, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tachyarrhythmia**

tachyarrhythmia refers to tachyarrhythmia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tachycardia**

tachycardia refers to tachycardia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tachykinin**

tachykinin refers to tachykinin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tachyphrenia**

tachyphrenia refers to tachyphrenia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**



---

**tachypnea**

tachypnea refers to tachypnea, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tacrine**

tacrine refers to tacrine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tacrolimus**

tacrolimus refers to tacrolimus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tactile agnosia**

tactile agnosia refers to tactile agnosia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tadalafil**

tadalafil refers to tadalafil, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**taenia**

taenia refers to taenia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**taenia saginata**

taenia saginata refers to taenia saginata, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**taenia solium**

taenia solium refers to taenia solium, a medical

condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**taeniasis**

taeniasis refers to taeniasis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tail**

tail refers to tail, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**takayasu arteritis**

takayasu arteritis refers to takayasu arteritis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**takotsubo cardiomyopathy**

takotsubo cardiomyopathy refers to takotsubo cardiomyopathy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**talabostat**

talabostat refers to talabostat, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**talactoferrin alfa**

talactoferrin alfa refers to talactoferrin alfa, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**talaporfin sodium**

talaporfin sodium refers to talaporfin sodium, a medical condition or clinical finding defined by its

---

features, causes, affected system, and patient context.

**Synonyms:**

**talc**

talc refers to talc, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**talipes**

talipes refers to talipes, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**talipes calcaneovalgus**

talipes calcaneovalgus refers to talipes calcaneovalgus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tall stature**

tall stature refers to tall stature, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**talotrexin**

talotrexin refers to talotrexin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**talus**

talus refers to talus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tamoxifen**

tamoxifen refers to tamoxifen, a medical condition or clinical finding defined by its features, causes,

affected system, and patient context.

**Synonyms:**

**tamoxifen citrate**

tamoxifen citrate refers to tamoxifen citrate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tamsulosin**

tamsulosin refers to tamsulosin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tamsulosin hydrochloride**

tamsulosin hydrochloride refers to tamsulosin hydrochloride, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tandutinib**

tandutinib concerns tandutinib, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**tanespimycin**

tanespimycin concerns tanespimycin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**Tangier disease**

Tangier disease denotes a clinical condition or finding involving tangier disease; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

---

**tannic acid**

tannic acid denotes tannic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**tanomastat**

tanomastat refers to tanomastat, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tantalum**

tantalum refers to tantalum, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tapentadol**

tapentadol refers to tapentadol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**taq polymerase**

taq polymerase refers to taq polymerase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tardive dyskinesia**

tardive dyskinesia refers to tardive dyskinesia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tarenflurbil**

tarenflurbil refers to tarenflurbil, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**target population**

target population refers to target population, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**targeted therapy**

targeted therapy is used in relation to targeted therapy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

**tariquidar**

tariquidar refers to tariquidar, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**Tarlov cyst**

Tarlov cyst refers to tarlov cyst, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tarsal bones**

tarsal bones refers to tarsal bones, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tarsal coalition**

tarsal coalition refers to tarsal coalition, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tarsal joints**

tarsal joints refers to tarsal joints, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**taste**

taste refers to taste, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

---

cal finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **taste bud**

taste bud refers to taste bud, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **taste disorder**

taste disorder denotes a clinical condition or finding involving taste disorder; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **tenascin**

tenascin refers to tenascin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tendinitis**

tendinitis refers to tendinitis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tendon**

tendon refers to tendon, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tendon injury**

tendon injury denotes a clinical condition or finding involving tendon injury; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **tendon sheath**

tendon sheath refers to tendon sheath, a medical

condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tenecteplase**

tenecteplase refers to tenecteplase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tenericutes**

tenericutes refers to tenericutes, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **teniposide**

teniposide refers to teniposide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tennis elbow**

tennis elbow refers to tennis elbow, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tenofovir**

tenofovir concerns tenofovir, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **tenosynovitis**

tenosynovitis refers to tenosynovitis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tensile strength**

tensile strength refers to tensile strength, a medical condition or clinical finding defined by its features,

---

causes, affected system, and patient context.

**Synonyms:**

### **tension-type headache**

tension-type headache refers to tension-type headache, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tenuazonic acid**

tenuazonic acid denotes tenuazonic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **teprotumumab**

teprotumumab concerns teprotumumab, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **terameprocol**

terameprocol refers to terameprocol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **teratocarcinoma**

teratocarcinoma denotes a neoplastic condition involving teratocarcinoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### **teratogen**

teratogen refers to teratogen, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **teratogenesis**

teratogenesis denotes teratogenesis, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **teratoma**

teratoma refers to teratoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **teratozoospermia**

teratozoospermia refers to teratozoospermia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **terazosin**

terazosin refers to terazosin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **terazosin hydrochloride**

terazosin hydrochloride refers to terazosin hydrochloride, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **terbinafine**

terbinafine refers to terbinafine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **terbufos**

terbufos refers to terbufos, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**terbutaline**

terbutaline refers to terbutaline, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**terfenadine**

terfenadine refers to terfenadine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**terlipressin**

terlipressin refers to terlipressin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**term birth**

term birth refers to term birth, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**terminal illness**

terminal illness refers to terminal illness, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**terminal insomnia**

terminal insomnia refers to terminal insomnia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**terpene**

terpene refers to terpene, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tertiary hyperparathyroidism**

tertiary hyperparathyroidism refers to tertiary hyperparathyroidism, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tertiary protein**

tertiary protein denotes tertiary protein, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**tesetaxel**

tesetaxel concerns tesetaxel, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**testicular atrophy**

testicular atrophy is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat testicular atrophy.

**Synonyms:**

**testicular feminization**

testicular feminization is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat testicular feminization.

**Synonyms:**

**testicular gonadoblastoma**

testicular gonadoblastoma is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat testicular gonadoblastoma.

**Synonyms:**

**testicular hydrocele**

testicular hydrocele is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat testicular hydrocele.

**Synonyms:**



---

**testicular mass**

testicular mass is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat testicular mass.

**Synonyms:**

**testicular torsion**

testicular torsion is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat testicular torsion.

**Synonyms:**

**testis**

testis is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat testis.

**Synonyms:**

**testis disorder**

testis disorder is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat testis disorder.

**Synonyms:**

**testis neoplasm**

testis neoplasm is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat testis neoplasm.

**Synonyms:**

**testolactone**

testolactone is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat testolactone.

**Synonyms:**

**testosterone**

testosterone concerns testosterone, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**testosterone propionate**

testosterone propionate is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat testosterone propionate.

**Synonyms:**

**tetanus**

tetanus refers to tetanus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tetanus toxin**

tetanus toxin denotes an infectious or toxic condition involving tetanus toxin; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

**tetany**

tetany refers to tetany, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tetracaine**

tetracaine concerns tetracaine, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**tetrachloroethylene**

tetrachloroethylene refers to tetrachloroethylene, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tetrachlorvinphos**

tetrachlorvinphos refers to tetrachlorvinphos, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### **thyroidectomy**

thyroidectomy is used in relation to thyroidectomy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **thyroiditis**

thyroiditis refers to thyroiditis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **thyrotoxicosis**

thyrotoxicosis denotes an infectious or toxic condition involving thyrotoxicosis; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

### **thyrotroph adenoma**

thyrotroph adenoma refers to thyrotroph adenoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **thyrotropin**

thyrotropin concerns thyrotropin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **thyrotropin alfa**

thyrotropin alfa refers to thyrotropin alfa, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **thyroxine**

thyroxine refers to thyroxine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tiazofurin**

tiazofurin refers to tiazofurin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tibia**

tibia refers to tibia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tibia vara**

tibia vara refers to tibia vara, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tibial artery**

tibial artery refers to tibial artery, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tibial fracture**

tibial fracture denotes a clinical condition or finding involving tibial fracture; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **tibial nerve**

tibial nerve refers to tibial nerve, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tibialcrural artery**

tibialcrural artery refers to tibialcrural artery, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**tibialis cranialis**

tibialis cranialis refers to tibialis cranialis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tic disorder**

tic disorder denotes a clinical condition or finding involving tic disorder; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**ticarcillin**

ticarcillin concerns ticarcillin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**tick**

tick refers to tick, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ticlopidine**

ticlopidine refers to ticlopidine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tidal volume**

tidal volume refers to tidal volume, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tigecycline**

tigecycline concerns tigecycline, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**tight junction**

tight junction refers to tight junction, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tilorone**

tilorone refers to tilorone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**time**

time refers to time, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**time perception**

time perception refers to time perception, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**timolol**

timolol concerns timolol, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**Timothy syndrome**

Timothy syndrome denotes a clinical condition or finding involving timothy syndrome; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**tincture**

tincture refers to tincture, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**tinea**

tinea refers to tinea, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tinea capitis**

tinea capitis refers to tinea capitis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tinea favosa**

tinea favosa refers to tinea favosa, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tinea pedis**

tinea pedis refers to tinea pedis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tinea versicolor**

tinea versicolor refers to tinea versicolor, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tinidazole**

tinidazole concerns tinidazole, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**tinnitus**

tinnitus refers to tinnitus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tinzaparin**

tinzaparin concerns tinzaparin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**tinzaparin sodium**

tinzaparin sodium refers to tinzaparin sodium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tiopronin**

tiopronin refers to tiopronin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tiotropium bromide**

tiotropium bromide refers to tiotropium bromide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tipifarnib**

tipifarnib concerns tipifarnib, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**tirapazamine**

tirapazamine refers to tirapazamine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tirbanibulin**

tirbanibulin refers to tirbanibulin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**tirofiban**

tirofiban refers to tirofiban, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tissierella**

tissierella refers to tissierella, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tissierella praeacuta**

tissierella praeacuta refers to tissierella praeacuta, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tissue**

tissue denotes tissue, an anatomical structure or tissue whose clinical importance depends on location, connections, blood supply, innervation, and function.

**Synonyms:**

**tissue adhesions**

tissue adhesions refers to tissue adhesions, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tissue banks**

tissue banks refers to tissue banks, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tissue congestion**

tissue congestion refers to tissue congestion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tissue culture**

tissue culture refers to tissue culture, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tissue elastance**

tissue elastance refers to tissue elastance, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tissue engineering**

tissue engineering refers to tissue engineering, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tissue kallikrein**

tissue kallikrein refers to tissue kallikrein, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tissue membrane**

tissue membrane refers to tissue membrane, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tissue processor**

tissue processor refers to tissue processor, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tissue scaffold**

tissue scaffold refers to tissue scaffold, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**titanium**

titanium refers to titanium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**t-lymphocyte**

t-lymphocyte refers to t-lymphocyte, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tmax**

tmax refers to tmax, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**TNM staging**

TNM staging refers to tnm staging, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tobacco**

tobacco refers to tobacco, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tobacco use**

tobacco use refers to tobacco use, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tobramycin**

tobramycin concerns tobramycin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**tocolytic agents**

tocolytic agents refers to tocolytic agents, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tocopherol**

tocopherol refers to tocopherol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tocotrienols**

tocotrienols refers to tocotrienols, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**toe**

toe refers to toe, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**toe joint**

toe joint refers to toe joint, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**togaviridae**

togaviridae identifies togaviridae, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**togaviridae infections**

togaviridae infections identifies togaviridae infections, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**



---

**toilet training**

toilet training refers to toilet training, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tolazamide**

tolazamide refers to tolazamide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tolbutamide**

tolbutamide refers to tolbutamide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tolcapone**

tolcapone refers to tolcapone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tolerance**

tolerance refers to tolerance, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tolmetin**

tolmetin refers to tolmetin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tolnaftate**

tolnaftate refers to tolnaftate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tolonium chloride**

tolonium chloride refers to tolonium chloride, a med-

ical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tolterodine tartrate**

tolterodine tartrate refers to tolterodine tartrate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**toluene**

toluene refers to toluene, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tolvaptan**

tolvaptan refers to tolvaptan, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tomography**

tomography refers to tomography, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tomotherapy**

tomotherapy is used in relation to tomotherapy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

**tongue**

tongue refers to tongue, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

**tongue carcinoma**

tongue carcinoma denotes a neoplastic condition involving tongue carcinoma; evaluation establishes

---

tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### **tongue disease**

tongue disease denotes a clinical condition or finding involving tongue disease; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **tongue neoplasm**

tongue neoplasm denotes a neoplastic condition involving tongue neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### **tonic pupil**

tonic pupil refers to tonic pupil, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tonic seizures**

tonic seizures refers to tonic seizures, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tonometer**

tonometer refers to tonometer, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tonometry**

tonometry refers to tonometry, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tonsil**

tonsil refers to tonsil, a medical condition or clinical

finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tonsillar neoplasm**

tonsillar neoplasm denotes a neoplastic condition involving tonsillar neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### **tonsillectomy**

tonsillectomy is used in relation to tonsillectomy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **tonsillitis**

tonsillitis refers to tonsillitis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tooth**

tooth refers to tooth, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

### **tooth abrasion**

tooth abrasion refers to tooth abrasion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tooth ankylosis**

tooth ankylosis refers to tooth ankylosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tooth attrition**

tooth attrition refers to tooth attrition, a medical condition or clinical finding defined by its features,

---

causes, affected system, and patient context.

**Synonyms:**

### **tooth calcification**

tooth calcification refers to tooth calcification, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tooth component**

tooth component refers to tooth component, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tooth crowding**

tooth crowding refers to tooth crowding, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tooth crown**

tooth crown refers to tooth crown, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tooth discoloration**

tooth discoloration refers to tooth discoloration, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tooth disease**

tooth disease denotes a clinical condition or finding involving tooth disease; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **tooth enamel**

tooth enamel refers to tooth enamel, a medical

condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tooth eruption**

tooth eruption refers to tooth eruption, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tooth extraction**

tooth extraction refers to tooth extraction, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tooth fracture**

tooth fracture denotes a clinical condition or finding involving tooth fracture; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **tooth infection**

tooth infection denotes an infectious or toxic condition involving tooth infection; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

### **tooth loss**

tooth loss refers to tooth loss, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tooth resorption**

tooth resorption refers to tooth resorption, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tooth root**

tooth root refers to tooth root, a medical condition

---

or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **toothache**

toothache refers to toothache, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **toothbrushing**

toothbrushing refers to toothbrushing, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **toothpaste**

toothpaste refers to toothpaste, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **topical**

topical refers to topical, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **topiramate**

topiramate refers to topiramate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **topoisomerase ii**

topoisomerase ii refers to topoisomerase ii, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **topoisomerase inhibitors**

topoisomerase inhibitors refers to topoisomerase inhibitors, a medical condition or clinical finding defined by its features, causes, affected system, and

patient context.

**Synonyms:**

### **topotecan**

topotecan refers to topotecan, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **topotecan hydrochloride**

topotecan hydrochloride refers to topotecan hydrochloride, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **toremifene**

toremifene refers to toremifene, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **torsade de pointes**

torsade de pointes refers to torsade de pointes, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **torsemide**

torsemide concerns torsemide, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **torsion dystonia**

torsion dystonia refers to torsion dystonia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **torticollis**

torticollis refers to torticollis, a medical condition

---

or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **torulaspora**

torulaspora refers to torulaspora, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **torulaspora delbrueckii**

torulaspora delbrueckii refers to torulaspora delbrueckii, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tositumomab**

tositumomab concerns tositumomab, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **total laryngectomy**

total laryngectomy is used in relation to total laryngectomy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **total pancreatectomy**

total pancreatectomy is used in relation to total pancreatectomy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **total tissue**

total tissue refers to total tissue, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **touch**

touch refers to touch, a medical condition or clinical

finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **touch perception**

touch perception refers to touch perception, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Tourette's syndrome**

Tourette's syndrome denotes a clinical condition or finding involving tourette's syndrome; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **tourniquet**

tourniquet refers to tourniquet, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Townes syndrome**

Townes syndrome denotes a clinical condition or finding involving townes syndrome; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **toxaphene**

toxaphene denotes an infectious or toxic condition involving toxaphene; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

### **toxic**

toxic denotes an infectious or toxic condition involving toxic; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

### **toxic effect**

toxic effect denotes an infectious or toxic condition

---

involving toxic effect; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

### **toxic shock syndrome**

toxic shock syndrome denotes an infectious or toxic condition involving toxic shock syndrome; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

### **toxicity grade**

toxicity grade denotes an infectious or toxic condition involving toxicity grade; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

### **toxicity test**

toxicity test is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat toxicity test.

**Synonyms:**

### **toxicogenomics**

toxicogenomics denotes an infectious or toxic condition involving toxicogenomics; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

### **toxicokinetic description**

toxicokinetic description denotes an infectious or toxic condition involving toxicokinetic description; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

### **toxicokinetics**

toxicokinetics denotes an infectious or toxic condition involving toxicokinetics; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

### **toxicology**

toxicology denotes an infectious or toxic condition involving toxicology; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

### **toxin**

toxin denotes an infectious or toxic condition involving toxin; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

### **toxocara**

toxocara denotes an infectious or toxic condition involving toxocara; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

### **toxocara canis**

toxocara canis denotes an infectious or toxic condition involving toxocara canis; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

### **toxocara cati**

toxocara cati denotes an infectious or toxic condition involving toxocara cati; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

### **toxocariasis**

toxocariasis denotes an infectious or toxic condition involving toxocariasis; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

### **toxoid**

toxoid denotes an infectious or toxic condition involving toxoid; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**



---

**toxoplasma**

toxoplasma denotes an infectious or toxic condition involving toxoplasma; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

**toxoplasma gondii**

toxoplasma gondii denotes an infectious or toxic condition involving toxoplasma gondii; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

**toxoplasmosis**

toxoplasmosis denotes an infectious or toxic condition involving toxoplasmosis; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

**tra gene**

tra gene denotes tra gene, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**trabectedin**

trabectedin refers to trabectedin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**trabecular meshwork**

trabecular meshwork refers to trabecular meshwork, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**trabeculectomy**

trabeculectomy is used in relation to trabeculectomy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

**trabulsiella**

trabulsiella refers to trabulsiella, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**trabulsiella guamensis**

trabulsiella guamensis refers to trabulsiella guamensis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**transitional epithelium**

transitional epithelium refers to transitional epithelium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**transitory**

transitory refers to transitory, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**translation initiation**

translation initiation refers to translation initiation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**translucent**

translucent refers to translucent, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**transmembrane transport**

transmembrane transport refers to transmembrane transport, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**transmission**

transmission refers to transmission, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**transplacental**

transplacental refers to transplacental, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**transplant**

transplant refers to transplant, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**transplant rejection**

transplant rejection refers to transplant rejection, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**transplantation**

transplantation refers to transplantation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**transplantation conditioning**

transplantation conditioning refers to transplantation conditioning, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**transplantation immunology**

transplantation immunology refers to transplantation immunology, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**transport protein**

transport protein denotes transport protein, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**transport vesicle**

transport vesicle refers to transport vesicle, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**transtracheal**

transtracheal refers to transtracheal, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**transtympanic**

transtympanic refers to transtympanic, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**transverse colon**

transverse colon refers to transverse colon, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**transvestism**

transvestism refers to transvestism, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**trapezoid bone**

trapezoid bone refers to trapezoid bone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**trastuzumab**

trastuzumab concerns trastuzumab, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**traumatic injury**

traumatic injury denotes a clinical condition or finding involving traumatic injury; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**traumatic shock**

traumatic shock refers to traumatic shock, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**Traumeel S**

Traumeel S refers to traumeel s, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**travoprost**

travoprost concerns travoprost, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**trazodone**

trazodone refers to trazodone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**trb gene**

trb gene denotes trb gene, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**trd gene**

trd gene denotes trd gene, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**treatment epoch**

treatment epoch is used in relation to treatment epoch during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

**trematoda**

trematoda refers to trematoda, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**trematosphaeria grisea**

trematosphaeria grisea refers to trematosphaeria grisea, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tremelimumab**

tremelimumab concerns tremelimumab, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**tremor**

tremor refers to tremor, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**trendelenburg**

trendelenburg refers to trendelenburg, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**treosulfan**

treosulfan refers to treosulfan, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**trephine**

trephine refers to trephine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**treponema**

treponema refers to treponema, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**treponema pallidum**

treponema pallidum refers to treponema pallidum, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**treponemal infections**

treponemal infections denotes an infectious or toxic condition involving treponemal infections; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

**tretinoin**

tretinoin refers to tretinoin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**TRG gene**

TRG gene denotes trg gene, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**trial compliance**

trial compliance refers to trial compliance, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**trial indication**

trial indication refers to trial indication, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**trial phase**

trial phase refers to trial phase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**trial screening**

trial screening is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat trial screening.

**Synonyms:**

**triamcinolone**

triamcinolone refers to triamcinolone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**triamcinolone acetonide**

triamcinolone acetonide refers to triamcinolone acetonide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**triamterene**

triamterene refers to triamterene, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**triazenes**

triazenes refers to triazenes, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**triazine**

triazine refers to triazine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**triaziquone**

triaziquone refers to triaziquone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**triazolam**

triazolam refers to triazolam, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**triazole**

triazole concerns triazole, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**triazophos**

triazophos refers to triazophos, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tributyrim**

tributyrim refers to tributyrin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**T-wave alternans**

T-wave alternans denotes t-wave alternans, a bio-

logical component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**twin**

twin refers to twin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tympanic bulla**

tympanic bulla refers to tympanic bulla, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tympanic membrane**

tympanic membrane refers to tympanic membrane, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tympanometry**

tympanometry refers to tympanometry, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tympanoplasty**

tympanoplasty is used in relation to tympanoplasty during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

**typhlitis**

typhlitis refers to typhlitis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**typhoid**

typhoid refers to typhoid, a medical condition or

---

clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tyramine**

tyramine refers to tyramine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tyrosinase peptide**

tyrosinase peptide is a defined chemical or biologic substance involved in tyrosinase peptide and studied in physiology, pharmacology, laboratory medicine, or treatment.

**Synonyms:**

### **tyrosine**

tyrosine refers to tyrosine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**Synonyms:** UPPP





## V

### Uveal Disease

A disorder affecting the uvea, the pigmented middle layer of the eye containing the iris, ciliary body, and choroid. Inflammation, infection, tumors, or vascular disease may cause pain, floaters, light sensitivity, or vision loss and require ophthalmic assessment.

**Synonyms:**

### Vacuum Erection Devices

Pumps that draw blood into the penis to produce an erection. **Synonyms:** Vacuum erection pump

### Variant Angina Pectoris

Chest pain caused by temporary coronary-artery spasm, often occurring at rest. **Synonyms:** Prinzmetal angina; vasospastic angina

### Vascular

Relating to blood vessels. **Synonyms:**

### Vascular Surgery

Surgery that repairs or reroutes blood vessels to improve circulation. **Synonyms:**

### Vasoconstrictor

A substance that narrows blood vessels. **Synonyms:**

### Vasodilator

A substance that widens blood vessels. **Synonyms:**

### Vasospasm

Sudden involuntary narrowing caused by contraction of a blood vessel. **Synonyms:**

### Venous

Relating to veins. **Synonyms:**

### Venous Leak

Inadequate retention of blood in the penis during erection because blood escapes through veins. **Synonyms:** Veno-occlusive dysfunction

### Ventricular Myocardium

Heart muscle forming the walls of the ventricles. **Synonyms:**

### Ventricular Rupture

A tear in a ventricular wall, often a life-threatening complication of myocardial infarction. **Synonyms:**

### Venules

Very small veins that collect blood from capillaries. **Synonyms:**

### Vertebral Artery

An artery ascending through the neck that supplies blood to the brainstem and posterior brain. **Synonyms:**

### Very Low-Calorie Diet

A medically supervised diet providing about 800 or fewer calories per day. **Synonyms:** VLCD

### Very-Low-Density Lipoprotein

A lipoprotein that transports liver-produced triglycerides and can become LDL. **Synonyms:** VLDL

### Vestibular System

Inner-ear and brain structures responsible for bal-

---

ance and spatial orientation. **Synonyms:**

### **Viral**

Caused by or relating to a virus. **Synonyms:**

### **Virtues**

Positive character qualities valued across cultures, such as courage, justice, and wisdom. **Synonyms:**

### **Virulent**

Highly harmful, severe, or capable of causing serious disease. **Synonyms:**

### **Visualized Laser-Assisted Prostatectomy**

Laser prostate surgery performed with direct visualization to remove obstructing tissue. **Synonyms:** VLAP

### **Vitamin D**

A hormone-like nutrient important for calcium absorption and bone health. **Synonyms:**

### **VO2 Max**

The maximum rate at which the body can use oxygen during intense exercise. **Synonyms:** Maximal oxygen consumption

### **Volatile Oils**

Plant oils containing compounds that evaporate readily at room temperature. **Synonyms:** Essential oils

### **VSD**

Ventricular septal defect, a hole in the wall separating the heart's ventricles. **Synonyms:** Ventricular septal defect

### **Vulnerable**

A substance traditionally believed to promote wound healing. **Synonyms:**

### **Vaccination**

Administration of a vaccine to stimulate immune response and provide protection against infectious disease. Types: live attenuated, inactivated, subunit,

mRNA, viral vector. Schedule varies by country. Herd immunity achieved when sufficient proportion immune.

**Synonyms:**

### **Vaccination Schedule**

A time-based plan for administering vaccines according to age, previous doses, medical conditions, exposure risks, and public-health guidance. Schedules vary by country and are updated as recommendations change.

**Synonyms:**

### **Vaccine**

A biological preparation that stimulates an immune response to a pathogen or its components. Vaccines are used mainly to prevent infection or reduce disease severity; a limited number are used in therapeutic settings.

**Synonyms:**

### **Vaccine Immunology**

The study of how vaccines stimulate innate and adaptive immune responses. Vaccine types include live attenuated, inactivated, subunit, conjugate, toxoid, viral-vector, and nucleic-acid vaccines; their immune responses, precautions, and schedules vary.

**Synonyms:**

### **Vaccines and Immunizations**

Biological preparations that stimulate the immune system to develop protection against specific infectious diseases. By exposing the body to harmless components of a pathogen, vaccines enable the immune system to generate memory B and T cells that can mount a rapid response upon future exposure.

**Synonyms:**

### **VACTERL Association**

A pattern of congenital abnormalities involving vertebral, anal, cardiac, tracheoesophageal, renal, and limb development. The diagnosis is considered when several component abnormalities occur together and other syndromes have been excluded.

**Synonyms:**

---

## Vacuum Delivery

Assisted vaginal delivery using a vacuum extractor (cup applied to the fetal scalp with negative pressure) to expedite delivery for prolonged second stage, fetal distress, or maternal indications.

**Synonyms:**

## Vacuum-Assisted Delivery

Operative vaginal delivery using a vacuum extractor applied to the fetal scalp. Types: soft cup (Kiwi OmniCup, Mityvac, for outlet and low deliveries) and rigid cup (metal Kiwi, for posterior positions and midpelvic deliveries).

**Synonyms:**

## Vagina

Muscular fibromembranous canal extending from the cervix to the vulva, approximately 7-9 cm long in adult females. Functions include receiving the penis during intercourse, serving as the birth canal, and channeling menstrual flow.

**Synonyms:**

## Vaginal Atresia

Congenital absence or complete obstruction of the vaginal canal. It may cause absent menstrual flow, cyclic pelvic pain, or difficulty with sexual activity and requires specialist evaluation.

**Synonyms:**

## Vaginal Birth After Cesarean

Vaginal delivery after a previous cesarean birth. The likelihood of success and the risk of uterine rupture depend on the prior uterine incision, number and indications of previous cesareans, medical and obstetric factors, and the resources available for emergency care.

**Synonyms:**

## Vaginal Cancer

A rare gynecologic malignancy, most commonly squamous cell carcinoma linked to human papillomavirus. Treatment depends on stage and includes surgery, radiation, and chemotherapy.

**Synonyms:**

## Vaginal Delivery (Spontaneous)

The spontaneous passage of the fetus through the birth canal without the use of operative instruments (vacuum or forceps). Typically occurs in the second stage of labor with maternal pushing.

**Synonyms:** Spontaneous

## Vaginal Dryness

Reduced vaginal lubrication, commonly associated with menopause, breastfeeding, hormonal changes, medications, or irritation. It may cause discomfort, itching, painful intercourse, or minor bleeding.

**Synonyms:**

## Vaginal Dryness and Atrophy (Genitourinary Syndrome of Menopause)

Vaginal dryness and atrophy, collectively termed genitourinary syndrome of menopause, result from declining estrogen levels that cause thinning, drying, and loss of elasticity of the vaginal tissues. Symptoms include vaginal dryness, irritation, burning, dyspareunia, and urinary symptoms such as frequency and recurrent infections.

**Synonyms:** Genitourinary Syndrome of Menopause

## Vaginal Foreign Body

An object retained in the vagina, most often a tampon or other inserted material. It may cause discharge, odor, bleeding, pain, or infection and should be removed safely with examination when necessary.

**Synonyms:**

## Vaginal Intercourse

The insertion of the penis into the vagina for sexual pleasure or reproduction. The most common form of sexual intercourse. Vaginal intercourse can lead to pregnancy if sperm are deposited in the vagina.

**Synonyms:**

## Vaginal Itching

Itching or irritation of the vulva or vagina caused by candidiasis, bacterial vaginosis, sexually transmitted infections, dermatitis, hormonal changes, or other conditions. It may occur with discharge, odor,

---

soreness, or burning; recurrent or unexplained symptoms require examination and appropriate testing rather than self-diagnosis.

**Synonyms:**

### **Vaginal Microbiome**

The community of microorganisms living in the vagina, commonly dominated by *Lactobacillus* species that help maintain an acidic environment. Changes in this community may contribute to bacterial vaginosis, candidiasis, or other symptoms.

**Synonyms:**

### **Vaginal Stenosis**

Narrowing or shortening of the vaginal canal, which may result from surgery, radiation, scarring, inflammation, trauma, or congenital development. It can cause pain, difficult examination, or difficulty with penetration.

**Synonyms:**

### **Vaginal Trauma**

Injury to the vaginal tissues caused by childbirth, sexual activity, foreign objects, procedures, or blunt or penetrating trauma. Bleeding, pain, swelling, or urinary symptoms require assessment; severe bleeding or suspected deep injury is urgent.

**Synonyms:**

### **Vaginal Hemorrhage**

Heavy or clinically significant bleeding from the vagina. Causes include childbirth, pregnancy complications, trauma, infection, structural disease, hormonal disorders, and gynecologic malignancy; severe or pregnancy-related bleeding requires urgent evaluation.

**Synonyms:**

### **Vaginismus**

Involuntary spasms of the vaginal muscles.

**Synonyms:**

### **Vaginitis**

Inflammation of the vaginal mucosa, one of the most common gynecologic complaints.

**Synonyms:**

### **Vaginospasm**

Involuntary contraction of the pelvic-floor muscles surrounding the vagina, causing pain or difficulty with vaginal penetration. It may be associated with fear of pain, prior trauma, pelvic-floor dysfunction, infection, hormonal factors, or other genitopelvic pain conditions.

**Synonyms:**

### **Vagus Nerve (Cranial Nerve X)**

The tenth cranial nerve (CN X), the longest and most widely distributed cranial nerve in the body. It contains sensory, motor, and parasympathetic fibers, exiting the skull via the jugular foramen.

**Synonyms:** Cranial Nerve X

### **Vagus Nerve Stimulation**

A neuromodulation treatment involving electrical stimulation of the left vagus nerve via an implanted device. It is FDA-approved for treatment-resistant depression and epilepsy. It requires surgical implantation and delivers intermittent stimulation. Improvement may take months to develop.

**Synonyms:**

### **Valgus/Varus Stress Test**

Examination of a joint by applying inward or outward force to assess a collateral ligament. At the knee, valgus stress tests the medial collateral ligament and varus stress tests the lateral collateral ligament.

**Synonyms:**

### **Valinemia**

A rare inherited disorder of branched-chain amino-acid metabolism causing elevated plasma valine. It may present with developmental delay, feeding difficulty, hypotonia, or neurological symptoms, although some individuals are minimally affected.

**Synonyms:**

### **Valley Fever**

The common name for coccidioidomycosis, a fun-

---

gal infection caused by *Coccidioides* species and acquired by inhaling airborne spores from soil. It usually causes a mild respiratory illness but can disseminate to skin, bone, joints, or meninges, especially in people at higher risk.

**Synonyms:**

### Valproate (Sodium Valproate)

Valproate is a broad-spectrum antiseizure medicine used for several generalized and focal seizure disorders and for selected mood disorders. Choice requires consideration of age, pregnancy potential, liver disease, interactions, and other safety risks.

**Synonyms:** Sodium Valproate

### Valsalva's Manoeuvre

Forced expiratory effort against a closed airway (glottis closed or mouth and nose pinched shut), typically performed by bearing down as if straining during a bowel movement. The manoeuvre has four phases: Phase I (onset of straining): increased intrathoracic pressure compresses the aorta, causing a transient rise in blood pressure.

**Synonyms:**

### Valvular Heart Disease

Valvular heart disease involves dysfunction of one or more heart valves, leading to stenosis, regurgitation, or a combination of both. The most common causes are degenerative calcification of aortic and mitral valves, rheumatic heart disease, infective endocarditis, and ischemic papillary muscle dysfunction.

**Synonyms:**

### Vancomycin-resistant Enterococcus

Enterococcus bacteria that are resistant to vancomycin, usually because of altered cell-wall precursors. VRE can cause healthcare-associated urinary, bloodstream, wound, or other infections and may require susceptibility-guided treatment.

**Synonyms:**

### Variable Decelerations

Abrupt decreases in fetal heart rate that vary in timing, shape, and duration, commonly caused by

umbilical-cord compression. Their significance depends on frequency, duration, associated baseline changes, variability, and the clinical setting.

**Synonyms:**

### Variceal Hemorrhage

Life-threatening complication of portal hypertension involving rupture of dilated esophageal or gastric varices. The risk is determined by variceal size, red color signs, liver disease severity, and portal hypertension degree.

**Synonyms:**

### Varicella

A primary infection with varicella-zoster virus that causes fever and a generalized itchy rash. See Chickenpox.

**Synonyms:**

### Varicella Vaccine

A live attenuated vaccine that prevents or reduces the severity of chickenpox. The number and timing of doses depend on age, vaccination history, immune status, pregnancy, and local recommendations. It is generally avoided during pregnancy and in people with certain immune deficiencies.

**Synonyms:**

### Varicella-zoster virus

A herpesvirus that causes chickenpox (varicella) and shingles (herpes zoster). VZV establishes latent infections in dorsal root ganglia and can reactivate decades later. Chickenpox is highly contagious and typically occurs in childhood. Reactivation as shingles causes painful dermatomal vesicular rash.

**Synonyms:**

### Varicocele

Abnormal dilation and tortuosity of the pampiniform venous plexus within the spermatic cord, resulting from incompetent or absent venous valves.

**Synonyms:**

### Varicose Ulcer

Impaired venous return from the lower extremities



---

due to venous valve incompetence or obstruction. See chronic venous insufficiency.

**Synonyms:**

### **Varicose Veins**

Dilated, tortuous superficial veins, most commonly in the lower extremities. Caused by venous valve incompetence leading to venous reflux. Risk factors: family history, prolonged standing, obesity, pregnancy, and older age. Symptoms: leg heaviness, swelling, aching. Complications: skin changes, ulceration, thrombophlebitis.

**Synonyms:**

### **Variegate Porphyria**

An inherited hepatic porphyria caused by reduced protoporphyrinogen oxidase activity. It can cause acute neurovisceral attacks with abdominal pain and neuropathy and/or photosensitive blistering skin disease.

**Synonyms:**

### **Variola**

A highly contagious and deadly disease caused by variola virus, eradicated globally by 1980 through vaccination. See Smallpox.

**Synonyms:**

### **Vas Deferens**

Muscular duct (approximately 45 cm long) transporting sperm from the epididymal tail to the ejaculatory duct. It ascends through the spermatic cord, passes through the inguinal canal, enters the pelvis, crosses over the ureter, and joins the seminal vesicle duct to form the ejaculatory duct (in the prostate).

**Synonyms:**

### **Vasa Previa**

Fetal blood vessels traverse the membranes over or near the internal cervical os without protection from placental tissue or the umbilical cord. Rupture of membranes can cause rapid fetal exsanguination, so antenatal diagnosis and planned cesarean delivery are important.

**Synonyms:**

### **Vascular Access**

A route into the bloodstream for treatment or monitoring. Hemodialysis access may be an arteriovenous fistula, arteriovenous graft, or central venous catheter; the choice depends on vascular anatomy, urgency, expected duration, and individual risks.

**Synonyms:**

### **Vascular Access for Hemodialysis**

A surgically created or catheter-based route that permits high-flow blood removal and return during hemodialysis. Arteriovenous fistulae are generally preferred when feasible, followed by grafts; central venous catheters have higher infection and thrombosis risks.

**Synonyms:**

### **Vascular Dementia**

Cognitive impairment caused by cerebrovascular disease, such as strokes or chronic small-vessel injury. Symptoms may develop suddenly or gradually and can include problems with attention, executive function, memory, or walking. Management addresses the underlying vascular risks and functional needs.

**Synonyms:**

### **Vascular Diagnostic Yield**

The proportion of vascular diagnostic procedures or tests that provide a clinically useful result.

**Synonyms:**

### **Vascular Graft**

Synthetic or biologic conduit for vascular reconstruction. PTFE, Dacron, saphenous vein.

**Synonyms:**

### **Vascular Graft Patency**

Continued openness and functional blood flow through a vascular graft or bypass. Patency is monitored clinically and with duplex or other imaging because thrombosis, stenosis, infection, intimal hyperplasia, and anastomotic problems can cause failure.

**Synonyms:**

---

## Vascular Imaging

Techniques for visualizing blood vessels: duplex ultrasound, CT angiography, MR angiography, conventional angiography.

**Synonyms:**

## Vascular Malformation

Abnormal blood vessel development. Arteriovenous malformation, venous malformation, lymphatic malformation.

**Synonyms:**

## Vascular Ring

A congenital abnormality of the aortic arch or its branches that encircles and may compress the trachea, esophagus, or both. Symptoms include stridor, wheezing, recurrent respiratory infection, dysphagia, feeding difficulty, or respiratory distress.

**Synonyms:**

## Vascular Trauma

Injury to an artery or vein from blunt, penetrating, iatrogenic, or crush mechanisms. Assessment prioritizes hemorrhage control, distal perfusion, ischemia, expanding hematoma, bruit, thrill, and associated nerve or bone injury.

**Synonyms:**

## Vascularity

The amount and distribution of blood vessels supplying a tissue or lesion.

**Synonyms:**

## Vasculitis

Inflammation of blood vessels causing tissue ischemia and necrosis. Classification by vessel size. Large vessel: giant cell arteritis, Takayasu arteritis. Medium vessel: polyarteritis nodosa (PAN), Kawasaki disease.

**Synonyms:**

## Vasculitis (Systemic)

Inflammation of blood vessels that may involve large, medium, or small vessels and impair blood flow or cause tissue injury. Examples include ANCA-

associated vasculitis and IgA vasculitis.

**Synonyms:** Systemic

## Vasectomy

Minor surgical procedure for permanent male contraception involving surgical interruption, occlusion, or excision of a segment of both vasa deferentia, preventing spermatozoa from entering the ejaculate. Performed under local anesthesia using traditional incisional or no-scalpel vasectomy (NSV) techniques.

**Synonyms:**

## Vasoconstriction

Narrowing of a blood vessel caused by contraction of its muscular wall.

**Synonyms:**

## Vasodilation

The widening of blood vessels during inflammation, resulting in increased blood flow to the affected area. This process is mediated primarily by histamine released from mast cell granules acting on H1 receptors, nitric oxide produced by endothelial nitric oxide synthase, and prostaglandins particularly PGE2.

**Synonyms:**

## Vasomotor Rhinitis

Nonallergic inflammation of the nasal lining causing congestion, runny nose, or sneezing, often triggered by odors, temperature changes, or irritants.

**Synonyms:**

## Vasopressin (Antidiuretic Hormone, ADH)

A hormone that increases water reabsorption in the kidney and can constrict blood vessels. It is released from the posterior pituitary.

**Synonyms:** Antidiuretic Hormone, ADH

## Vasopressors in Anesthesia

Medicines that increase vascular tone or cardiac output to support blood pressure during anesthesia or critical illness. The choice and dose depend on the cause of hypotension, heart rate, cardiac function,

---

and local protocol; monitoring is required.

**Synonyms:**

### **Vasovagal Syncope**

Reflex syncope mediated by increased vagal tone and withdrawal of sympathetic activity, causing bradycardia and/or vasodilation resulting in transient cerebral hypoperfusion. Triggers: prolonged standing, heat, pain, emotional stress. Preceded by prodrome (lightheadedness, nausea, diaphoresis, visual tunneling).

**Synonyms:**

### **Vaughan Williams Classification**

The Vaughan Williams classification categorizes antiarrhythmic drugs into four classes based on their primary mechanism of action.

**Synonyms:**

### **VEAL CHOP Mnemonic**

A memory aid for interpreting fetal heart rate patterns. VEAL: Variable decelerations Cord compression, Early decelerations Head compression, Accelerations OK (fetal well-being), Late decelerations Placental insufficiency.

**Synonyms:**

### **Vector**

A living carrier, commonly an arthropod, that transmits an infectious agent between hosts. Biological vectors support replication or development of the agent; mechanical vectors transfer it without such biologic change.

**Synonyms:**

### **Vector Control**

Reduction of vector populations. Examples: insecticides, larvicides, environmental modification, personal protection.

**Synonyms:**

### **Vector-Borne Disease**

Disease transmitted by vector (insect, tick). Examples: malaria, dengue, Lyme disease.

**Synonyms:**

### **Vector-borne diseases**

Diseases transmitted by arthropod vectors including mosquitoes, ticks, fleas, and sandflies. Major vector-borne diseases include malaria, dengue, Zika, chikungunya, Lyme disease, and leishmaniasis. Prevention through vector control, personal protection, and chemoprophylaxis is essential.

**Synonyms:**

### **Vegan Diet**

Excludes all animal products. Risk of deficiencies: vitamin B12, iron, calcium, vitamin D, omega-3, zinc, iodine. Requires planning or supplementation. Associated with lower BMI, reduced cardiovascular risk.

**Synonyms:**

### **Vegetarian Diet**

Excludes meat, fish, poultry. Lacto-ovo includes dairy and eggs. Vegan excludes all animal products. Nutrient adequacy requires attention.

**Synonyms:**

### **Vegetation**

A vegetation is a mass composed of platelets, fibrin, and microorganisms that forms on a heart valve or endocardial surface in the setting of infective endocarditis. The vegetation typically attaches to the valve leaflet on the low-pressure side and may progressively destroy the underlying valve tissue, causing valvular regurgitation.

**Synonyms:**

### **Vein**

A blood vessel that carries deoxygenated blood toward the heart (except pulmonary veins, which carry oxygenated blood). Veins have thinner walls and larger lumens than arteries, with less smooth muscle and elastic tissue.

**Synonyms:**

### **Vein-graft aneurysms**

Focal dilation of a venous bypass graft, most commonly a saphenous vein graft used in coronary artery bypass surgery. Rare but may cause graft

---

thrombosis, distal embolization, compression of adjacent structures, or rupture. Diagnosis: coronary angiography or CT angiography. Treatment: re-intervention or medical management.

**Synonyms:**

### **Vena Cava**

The two largest systemic veins returning deoxygenated blood to the right atrium. Superior Vena Cava (SVC): formed by brachiocephalic veins, drains head, neck, upper limbs, thorax (no valves). Inferior Vena Cava (IVC): formed by common iliac veins at L5, drains abdomen, pelvis, lower limbs (receives hepatic, renal, gonadal, lumbar veins).

**Synonyms:**

### **Venereal Diseases**

Sexually transmitted infections are infections passed from one person to another through sexual contact, including vaginal, anal, and oral sex. See Sexually Transmitted Infections (STIs).

**Synonyms:**

### **Venesection (Phlebotomy)**

The controlled removal of blood from a vein for therapeutic or diagnostic purposes.

**Synonyms:** Phlebotomy

### **Venipuncture**

Puncture of a vein to obtain blood specimens or administer IV therapy. Common sites: median cubital vein (most common), cephalic vein, basilic vein, and dorsal hand veins.

**Synonyms:**

### **Venography**

Imaging of veins, usually after contrast material is administered, to assess venous anatomy, obstruction, thrombosis, or malformation.

**Synonyms:**

### **Venom**

A biological poison produced by a microorganism, plant, or animal that damages host tissues at low concentrations. See toxin.

**Synonyms:**

### **Venomous Bite**

A bite that injects venom from an animal such as a snake, spider, or arthropod. Effects range from local pain and swelling to bleeding, paralysis, or systemic toxicity.

**Synonyms:**

### **Venous Insufficiency**

Impaired venous return from the lower extremities due to venous valve incompetence or obstruction. See chronic venous insufficiency.

**Synonyms:**

### **Venous Stasis Ulcer**

A chronic leg wound caused by venous hypertension and chronic venous insufficiency. It often occurs near the ankle and may be accompanied by edema, varicose veins, skin darkening, and lipodermatosclerosis.

**Synonyms:**

### **Venous Thromboembolism in Pregnancy**

Pregnancy increases the risk of VTE (DVT and PE) by 5-10 fold due to a hypercoagulable state (increased fibrinogen, factors VII-XII, vWF, decreased protein S, and venous stasis from the gravid uterus).

**Synonyms:**

### **Venous Thromboembolism Prophylaxis**

Measures used to reduce perioperative deep-vein thrombosis and pulmonary embolism, including early mobilization, mechanical compression, and pharmacologic anticoagulation when bleeding risk permits.

**Synonyms:**

### **Venous Thrombosis**

The formation of a blood clot (thrombus) within a vein, most commonly in the deep veins of the lower extremities (deep vein thrombosis, DVT).

**Synonyms:**

---

## Venous Ulcer

A chronic wound caused by impaired venous drainage, usually occurring near the ankle in a limb with chronic venous insufficiency.

**Synonyms:**

## Ventilation-Perfusion Scan

Lung imaging assessing ventilation and perfusion. Mismatch indicates pulmonary embolism. Alternative to CTPA in renal impairment or contrast allergy.

**Synonyms:**

## Ventilation-Perfusion Mismatch

Unequal matching of air reaching the alveoli and blood reaching the pulmonary capillaries. Low or high regional ratios can impair oxygen exchange and occur in conditions such as COPD, pneumonia, or pulmonary embolism.

**Synonyms:**

## Ventilation-Perfusion Ratio

The relationship between alveolar ventilation and pulmonary capillary perfusion. Regional mismatch is a major cause of impaired oxygenation; low V/Q produces venous admixture, while high V/Q reflects wasted ventilation.

**Synonyms:**

## Ventilation/Perfusion Scan

Pulmonary embolism diagnosis. Ventilation: inhaled Tc-99m DTPA aerosol. Perfusion: injected Tc-99m MAA. Mismatch (perfusion defect with preserved ventilation) suggests PE. High single-photon emission computed tomography (SPECT) sensitivity.

**Synonyms:**

## Ventilator

Mechanical device providing ventilatory support. Modes: assist-control, SIMV, CPAP, PRVC. Parameters: tidal volume, respiratory rate, FiO<sub>2</sub>, PEEP.

**Synonyms:**

## Ventilator-Associated Pneumonia

Pneumonia developing after at least 48 hours of mechanical ventilation. Diagnosis is based on clinical findings and respiratory evaluation; cultures may help identify the organism but are not interpreted in isolation.

**Synonyms:**

## Ventilator-Induced Lung Injury

Lung injury caused or amplified by mechanical ventilation, including volutrauma, barotrauma, atelectrauma, and biotrauma. Lung-protective ventilation limits tidal volume and excessive airway pressures while maintaining appropriate oxygenation and carbon-dioxide targets.

**Synonyms:**

## Ventral

Relating to the belly or front side of the body; synonym for anterior in human anatomy.

**Synonyms:**

## Ventricle

One of the two lower, thicker-walled chambers of the heart that pump blood out of the heart. The right ventricle pumps deoxygenated blood into the pulmonary artery (low-pressure system); the left ventricle pumps oxygenated blood into the aorta (high-pressure system, generating systemic blood pressure).

**Synonyms:**

## Ventricle (Brain)

The interconnected system of fluid-filled cavities within the brain producing and containing cerebrospinal fluid: two lateral ventricles (cerebrum), third ventricle (diencephalon), and fourth ventricle (pons/medulla, continuous with the central canal).

**Synonyms:** Brain

## Ventricular Arrhythmia

An abnormal heart rhythm arising from the ventricles. It may cause palpitations, dizziness, fainting, chest discomfort, or sudden cardiac arrest; fainting or severe symptoms require emergency care.

---

**Synonyms:**

### **Ventricular Assist Device**

A mechanical pump supporting circulation in advanced heart failure. Types include left-, right-, and biventricular devices. Uses may include temporary support, a bridge to transplantation, or long-term therapy; complications include bleeding, infection, stroke, and pump thrombosis.

**Synonyms:**

### **Ventricular Fibrillation**

Chaotic electrical activity in ventricles, causing no cardiac output. Immediate defibrillation is treatment. Causes: coronary artery disease, cardiomyopathy, electrolyte disturbances, drug toxicity. Post-resuscitation care: targeted temperature management, coronary angiography, ICU admission.

**Synonyms:**

### **Ventricular Septal Defect**

An opening in the wall between the ventricles that can allow blood to flow from the left ventricle to the right. The effects depend on the size and location of the defect and may range from no symptoms to heart failure or pulmonary vascular disease.

**Synonyms:**

### **Ventricular Tachycardia**

A wide-complex tachycardia (QRS >0.12 s) originating from the ventricles, with a rate of 100-250 bpm. Monomorphic VT has uniform QRS complexes; polymorphic VT has varying QRS morphology. VT is life-threatening and may degenerate to ventricular fibrillation.

**Synonyms:**

### **Ventriculoatrial**

Relating to or connecting a ventricle of the brain or heart with an atrium; often describing a cerebrospinal-fluid shunt to the right atrium.

**Synonyms:**

### **Ventriculography**

Imaging ventricular function. Radionuclide ven-

triculography (MUGA scan) accurately measures ejection fraction. Cardiac MRI also accurate.

**Synonyms:**

### **Ventriculoperitoneal Shunt**

A surgically implanted system that drains cerebrospinal fluid from a brain ventricle into the abdominal cavity, where the fluid can be absorbed.

**Synonyms:**

### **Venturi Mask**

Precise FiO<sub>2</sub> delivery. Color-coded adapters.

**Synonyms:**

### **Venule**

A small vessel that drains blood from capillary beds into veins. Postcapillary venules are important sites for leukocyte migration and inflammatory fluid exchange.

**Synonyms:**

### **Vernal conjunctivitis**

A bilateral, recurrent, allergic conjunctivitis affecting children and young adults, typically occurring in spring and summer. It presents with intense ocular itching, tearing, photophobia, and mucous discharge. Palpable cobblestone papillae on the upper tarsal conjunctiva are characteristic. It is associated with atopy and elevated IgE.

**Synonyms:**

### **Vernal keratoconjunctivitis**

A recurrent allergic inflammation of the conjunctiva and cornea, usually affecting children or adolescents and causing itching, redness, and light sensitivity.

**Synonyms:**

### **Verruca (Wart)**

Benign epidermal hyperplasia caused by human papillomavirus (HPV). Common warts (verruca vulgaris): rough papules on hands/fingers. Plantar warts: painful lesions on soles, grow inward due to pressure. Flat warts (verruca plana): smooth, flat-topped papules on face, hands, legs. Filiform warts: finger-like projections, often on face.



---

**Synonyms:** Wart

### **Verruciform Xanthoma**

A rare benign lesion characterized by a verrucous epithelial surface with lipid-laden macrophages in the underlying connective tissue. It most often occurs in oral or genital mucosa and may resemble a wart or malignant lesion clinically.

**Synonyms:**

### **Verrucous carcinoma**

A low-grade, well-differentiated variant of squamous cell carcinoma with a warty, exophytic appearance. It is locally invasive but rarely metastasizes, commonly affecting the oral cavity, skin, or genitalia.

**Synonyms:**

### **Vertebra**

The individual bone of the vertebral column (33 vertebrae: 7 cervical, 12 thoracic, 5 lumbar, 5 sacral fused, 4 coccygeal). Parts: vertebral body, vertebral arch (pedicles, laminae), spinous and transverse processes, articular processes/facets, and vertebral foramen (spinal canal).

**Synonyms:**

### **Vertebral Canal**

The bony canal formed by the vertebrae that encloses and protects the spinal cord.

**Synonyms:**

### **Vertebral Column**

33 vertebrae: 7 cervical, 12 thoracic, 5 lumbar, 5 fused sacral, 4 fused coccygeal. Protects the spinal cord, supports the head/trunk, provides muscle/rib attachment. Each typical vertebra has a body, vertebral arch, and 7 processes. Intervertebral discs (nucleus pulposus/annulus fibrosus) provide cushioning.

**Synonyms:**

### **Vertebrobasilar Insufficiency**

A condition of reduced blood flow through the vertebral arteries or basilar artery to the posterior circulation of the brain, including the brainstem,

cerebellum, occipital lobes, and thalami.

**Synonyms:**

### **Vertebroplasty**

Percutaneous injection of bone cement into fractured vertebra. Provides pain relief, stabilization.

**Synonyms:**

### **Vertical Talus**

A congenital rigid flatfoot deformity in which the talus is positioned vertically and the midfoot is dorsiflexed. It may be isolated or associated with neuromuscular or genetic syndromes and usually requires early orthopedic assessment and treatment.

**Synonyms:**

### **Vertigo**

A false sensation of rotational or linear movement of the self or the environment, and it is a symptom rather than a disease, requiring differentiation from dizziness, disequilibrium, and presyncope.

**Synonyms:**

### **Vesical**

Relating to bladder. Vesical carcinoma, vesical diverticulum, vesical neck.

**Synonyms:**

### **Vesicovaginal Fistula**

An abnormal connection between the bladder and vagina that causes continuous or frequent leakage of urine through the vagina. It may follow childbirth injury, pelvic surgery, radiation, or advanced infection and usually requires specialist repair.

**Synonyms:**

### **Vesicle**

A small (<1 cm) fluid-filled blister within the epidermis, containing clear fluid (serum) or, if infected, pus. Causes: viral (herpes simplex, herpes zoster, varicella, hand-foot-mouth disease), dermatitis (contact, dyshidrotic eczema), autoimmune (pemphigus, bullous pemphigoid early), and friction burns.

**Synonyms:**

---

### **Vesicoureteral Reflux**

Retrograde flow of urine from the bladder into the ureters and potentially the kidneys, most commonly due to incompetent ureterovesical valve. Predisposes to pyelonephritis and renal scarring. More common in children, presenting with recurrent febrile UTIs. Diagnosis: voiding cystourethrogram (VCUG). Grading I-V.

**Synonyms:**

### **Vestibular Migraine**

Episodic vestibular symptoms associated with migraine biology, with or without simultaneous headache. Episodes may include vertigo, motion sensitivity, visual aura, or sound sensitivity; diagnosis is clinical after exclusion of other vestibular and neurologic causes.

**Synonyms:**

### **Vestibular Neuritis**

Acute vestibular dysfunction due to inflammation of the vestibular nerve, typically viral in origin. Presents with acute onset of vertigo, nausea, vomiting, and nystagmus lasting days. Hearing is normal (unlike labyrinthitis). Diagnosis: clinical, HINTS exam (Head Impulse, Nystagmus, Test of Skew) to differentiate from central causes.

**Synonyms:**

### **Vestibular papillomatosis**

A normal anatomical variant of the female vulva characterised by multiple, soft, finger-like or filiform papules on the labia minora and vestibule, often mistaken for genital warts (condylomata acuminata).

**Synonyms:**

### **Vestibular Rehabilitation**

Exercise-based therapy that improves balance, gaze stability, and adaptation in people with vestibular disorders or dizziness.

**Synonyms:**

### **Vestibular Schwannoma**

A benign, slow-growing tumor of the vestibular portion of the eighth cranial nerve. See Acoustic Neu-

roma.

**Synonyms:**

### **Vestibule**

Central bony labyrinth between cochlea and semicircular canals, containing utricle (horizontal linear acceleration and head tilt detection) and saccule (vertical linear acceleration detection). Each has a macula with hair cells covered by gelatinous membrane embedded with otoconia (calcium carbonate crystals).

**Synonyms:**

### **VEXAS Syndrome**

VEXAS (Vacuoles, E1 ubiquitin-activating enzyme, X-linked, Autoinflammatory, Somatic) syndrome is an adult-onset autoinflammatory disorder caused by somatic UBA1 mutations in hematopoietic stem cells, affecting men >50.

**Synonyms:**

### **Viagra (Sildenafil)**

Sildenafil is a phosphodiesterase type 5 (PDE5) inhibitor used primarily for erectile dysfunction (ED) and pulmonary arterial hypertension (PAH, as Revatio).

**Synonyms:** Sildenafil

### **Vibrio cholerae**

A gram-negative, curved rod that causes cholera, a severe diarrhoeal illness. The organism produces cholera toxin, which causes profuse watery diarrhea (rice-water stools). Transmission occurs through contaminated water and food. The infectious dose varies depending on stomach acidity.

**Synonyms:**

### **Vibrio vulnificus infections**

Infections caused by *Vibrio vulnificus*, a gram-negative bacterium found in warm seawater and raw seafood. It can cause wound infection, bloodstream infection, or gastroenteritis, with particularly severe disease in people with chronic liver disease or other risk factors.

**Synonyms:**

---

## **Video Laryngoscope**

An airway device with a camera near the blade tip that displays the laryngeal view on a monitor. It may improve visualization during tracheal intubation, particularly when direct laryngoscopy is difficult, but does not eliminate aspiration or airway-trauma risk.

**Synonyms:**

## **Video Laryngoscopy**

Video laryngoscopy uses a camera-equipped blade to display an indirect view of the glottis on a screen.

**Synonyms:**

## **Videofluoroscopic Swallow Study**

Real-time X-ray imaging of swallowing. Detailed assessment of oropharyngeal phase.

**Synonyms:**

## **Videostroboscopy**

A diagnostic technique that uses synchronized stroboscopic light to create a slow-motion view of vocal-fold vibration. It assesses the mucosal wave, amplitude, symmetry, and glottic closure.

**Synonyms:**

## **Villous atrophy**

Flattening and loss of the normal small-intestinal villi, reducing absorptive surface area and occurring in conditions such as coeliac disease.

**Synonyms:**

## **VIPoma**

A rare pancreatic neuroendocrine tumor secreting vasoactive intestinal peptide (VIP), causing WDHA syndrome: watery diarrhea (large volume, 3-5 L/day), hypokalemia, and achlorhydria/acidosis. Most are malignant and located in the pancreatic tail. Diagnosis: elevated VIP levels, pancreatic tumor on imaging.

**Synonyms:**

## **Viral assembly**

The process of packaging newly synthesised viral genomes and proteins into complete virions. As-

sembly typically occurs in the nucleus or cytoplasm, depending on the virus type. The process involves self-assembly of capsid proteins around the viral genome.

**Synonyms:**

## **Viral attachment**

The initial step in viral infection where viral surface proteins bind to specific receptors on host cells. Attachment determines viral tropism and host range. The viral attachment protein is called the ligand, and the host cell receptor is typically a protein or glycan.

**Synonyms:**

## **Viral Conjunctivitis**

The most common form of infectious conjunctivitis, caused predominantly by adenoviruses (serotypes 3, 4, 7, 8, 19, and 37), and it is highly contagious, spreading through direct contact with infected ocular secretions or contaminated surfaces.

**Synonyms:**

## **Viral culture**

Growth of a virus in susceptible cell cultures to identify an infectious agent. It can be useful for selected viruses, but molecular and antigen-based tests are often faster or more sensitive; the appropriate method depends on the suspected infection and specimen.

**Synonyms:**

## **Viral cytopathic effects**

Observable changes in host cells caused by viral infection. CPE include cell rounding, detachment, syncytia formation (fusion of infected cells), inclusion bodies, and cell lysis. CPE are used in viral diagnosis and can be observed by light microscopy.

**Synonyms:**

## **Viral entry**

The process by which viruses cross the host cell membrane to deliver their genome into the cytoplasm. Entry occurs through membrane fusion (enveloped viruses) or endocytosis (enveloped and

---

non-enveloped viruses). For membrane fusion, viral fusion proteins mediate merger of the viral envelope with the host cell membrane.

**Synonyms:**

### **Viral gastroenteritis**

Inflammation of the stomach or intestines caused by a virus. Common symptoms include watery diarrhea, vomiting, abdominal cramps, and fever. Diagnosis is usually clinical; stool testing is reserved for selected situations. Treatment focuses on fluid replacement and symptom control.

**Synonyms:**

### **Viral hepatitis**

Inflammation of the liver caused by viral infections. The major hepatitis viruses include A, B, C, D, and E. Hepatitis A and E are transmitted through the fecal-oral route and cause acute, self-limited infections.

**Synonyms:**

### **Viral immune evasion**

Mechanisms by which viruses evade host immune responses. Strategies include antigenic variation, inhibition of interferon signalling, downregulation of MHC molecules, and encoding viral homologues of cytokines. Understanding viral immune evasion is essential for developing effective vaccines and antiviral therapies.

**Synonyms:**

### **Viral Infections**

Illnesses caused by viruses, which are intracellular pathogens that hijack host cellular machinery to replicate. They range from self-limited conditions such as the common cold and gastroenteritis to serious diseases including influenza, hepatitis, HIV, and COVID-19.

**Synonyms:**

### **Viral latency**

A state in which viral genomes persist in host cells without producing infectious particles. Latent viruses can reactivate under certain conditions

including immunosuppression. Herpesviruses establish latent infections in specific cell types (HSV in neurons, EBV in B cells, CMV in myeloid cells).

**Synonyms:**

### **Viral latency mechanisms**

The strategies by which viruses establish and maintain latent infections. Herpesviruses maintain their genomes as episomes in the nucleus. HIV integrates into the host genome as a provirus. Latent viruses express minimal proteins to avoid immune detection. Reactivation can be triggered by immunosuppression, stress, or other stimuli.

**Synonyms:**

### **Viral Load (HIV RNA)**

The amount of HIV RNA in plasma, measured by a laboratory assay. It is used to assess viral replication and response to antiretroviral therapy. An undetectable result indicates that the amount is below the assay's reporting limit; testing intervals and treatment decisions follow current clinical guidance.

**Synonyms:** HIV RNA

### **Viral Meningitis**

Inflammation of the meninges caused by viruses, usually Enteroviruses. Presents similarly to bacterial meningitis but generally less severe. CSF shows lymphocytic pleocytosis, normal glucose, and mildly elevated protein. Self-limited in most cases; supportive treatment.

**Synonyms:**

### **Viral pathogenesis**

The mechanisms by which viruses cause disease. Pathogenesis involves attachment, entry, replication, and spread within the host. Viral damage can be direct (cytopathic effects) or indirect (immune-mediated). Direct effects include cell death, altered cell function, and cell transformation.

**Synonyms:**

### **Viral pneumonia**

Infection and inflammation of the lungs caused by a virus, producing cough, fever, breathing difficulty,

---

or low oxygen in more severe cases.

**Synonyms:**

### **Viral release**

The process by which newly assembled virions exit the host cell to infect other cells. Release occurs through budding (enveloped viruses) or cell lysis (non-enveloped viruses). Budding allows the virus to acquire an envelope from host cell membranes without killing the cell.

**Synonyms:**

### **Viral replication**

The process of synthesising new viral genomes and proteins within host cells. The mechanism varies by virus type. DNA viruses typically replicate in the nucleus using host cell DNA polymerases (except poxviruses). RNA viruses typically replicate in the cytoplasm using viral RNA-dependent RNA polymerase.

**Synonyms:**

### **Viral replication cycle**

The series of steps by which viruses reproduce within host cells.

**Synonyms:**

### **Viral structure**

The basic components of viral particles (virions). Viruses consist of a nucleic acid genome (DNA or RNA) surrounded by a protein coat called a capsid. Some viruses have an outer lipid envelope derived from host cell membranes. The capsid is composed of structural units called capsomeres.

**Synonyms:**

### **Viral uncoating**

The process by which the viral capsid is disassembled to release the viral genome into the host cell cytoplasm. Uncoating occurs after entry and before replication. The mechanism varies by virus type and can involve pH-dependent conformational changes, proteolytic cleavage, or disassembly of capsid proteins.

**Synonyms:**

### **Virchow's Triad**

Virchow's triad describes three broad categories of factors that contribute to thrombosis: endothelial injury or dysfunction, stasis or turbulent blood flow, and hypercoagulability. Endothelial injury exposes subendothelial collagen and tissue factor, initiating platelet adhesion and the coagulation cascade.

**Synonyms:**

### **Viremia**

The presence of virus in the bloodstream. Viremia may be transient or persistent and can enable dissemination to target organs; it may be detected by culture, antigen testing, or nucleic-acid amplification.

**Synonyms:**

### **Virilisation**

The development of male secondary sexual characteristics in females, resulting from excessive androgen production or exposure.

**Synonyms:**

### **Virilism Foetal**

Prenatal or neonatal masculinization of a genetically female fetus or infant due to excess androgen exposure. Causes include congenital adrenal hyperplasia, maternal androgen-producing disease, or placental and fetal steroidogenic disorders.

**Synonyms:**

### **Virology**

The branch of microbiology concerned with viruses: structure, classification (DNA/RNA, enveloped/nonenveloped, Baltimore scheme), replication, pathogenesis, epidemiology, diagnosis, treatment, and prevention. Diagnostic methods: cell culture, antigen detection, nucleic acid amplification (PCR), and serology (IgM/IgG).

**Synonyms:**

### **Virtual Reality**

Immersive technology for rehabilitation. Engaging, motivates exercise. Used for balance, coordination, cognitive training.

---

**Synonyms:**

### **Virulence**

The relative capacity of a microorganism to cause disease or tissue injury in a host. It depends on microbial factors such as toxins, adhesins, invasiveness, and immune evasion, together with host susceptibility.

**Synonyms:**

### **Virulence Factor**

A microbial product or characteristic that helps an organism colonize, evade host defenses, injure tissue, or otherwise cause disease. Examples include adhesins, toxins, capsules, enzymes, and mechanisms that alter immune recognition.

**Synonyms:**

### **Viscera**

The internal organs of the body, particularly those within the thoracic and abdominal cavities. The thoracic viscera include the heart, lungs, esophagus, trachea, and thymus.

**Synonyms:**

### **Vision**

The sensory ability to perceive light and interpret visual information processed by the eyes and brain, enabling recognition of shapes, colors, depth, and motion. Normal vision depends on the proper function of the cornea, lens, retina, and optic nerve, as well as intact neural pathways to the visual cortex.

**Synonyms:**

### **Vision and Hearing**

The two primary sensory modalities through which humans perceive and interact with their environment. Age-related declines in both senses are common, with presbyopia and cataracts affecting vision and presbycusis affecting hearing, often beginning as early as the fourth decade of life.

**Synonyms:**

### **Vision Impairment**

Reduced visual acuity or visual-field function that

affects daily activities. Causes include refractive error, cataract, glaucoma, retinal disease, optic-nerve injury, and neurologic disease. Evaluation and treatment depend on the cause; rehabilitation and visual aids may improve function.

**Synonyms:**

### **Vision Loss**

A decrease in the ability to see that cannot be fully corrected with eyeglasses, contact lenses, or medical treatment. It ranges from partial impairment to complete blindness and can result from conditions such as macular degeneration, glaucoma, diabetic retinopathy, cataracts, and traumatic injury.

**Synonyms:**

### **Vision Problems**

Changes in visual acuity, field, color, or clarity caused by refractive error, eye disease, neurologic disease, or systemic illness. Sudden vision loss is an emergency.

**Synonyms:**

### **Vision Screening**

Screening for visual problems in children: newborn—red reflex examination (cataract, retinoblastoma); 3-5 years—visual acuity, strabismus screening (cover test, photostrengthening), and amblyopia risk factors.

**Synonyms:**

### **Visual Acuity**

The resolving power of the eye, defined as the ability to distinguish two points as distinct, and the most common clinical measure of visual function.

**Synonyms:**

### **Visual Agnosia**

Inability to recognize or identify visually presented objects, faces, or symbols despite adequate vision and attention. It results from dysfunction of higher-order visual association cortex and may follow stroke, trauma, neurodegenerative disease, or other brain injury.

**Synonyms:**



---

### Visual Field Defect

Loss or alteration of a portion of the normally perceived visual field caused by dysfunction of the retina, optic nerve, chiasm, optic tract, radiations, or visual cortex. The pattern can help localize the lesion.

**Synonyms:**

### Visual Field Perimetry

A systematic method of measuring the sensitivity of the retina across the entire visual field using standardized light stimuli, providing a quantitative map of visual function that can detect, characterize, and monitor visual field loss caused by diseases of the retina, optic nerve, and visual pathways.

**Synonyms:**

### Visual Impairment

Reduced vision that cannot be fully corrected by ordinary glasses or contact lenses. Causes include refractive error, cataract, glaucoma, retinal disease, optic-nerve injury, and neurologic disease; new or sudden loss of vision requires urgent assessment.

**Synonyms:**

### Vital Signs

Basic measurements of physiologic status, commonly including temperature, pulse, respiratory rate, blood pressure, and oxygen saturation. Values vary with age, activity, illness, and measurement conditions; trends and clinical context are important.

**Synonyms:**

### Vital Tooth Bleaching

Whitening of natural teeth with peroxide gel. In-office or take-home trays. Effect temporary.

**Synonyms:**

### Vitamin A deficiency

A nutritional disorder resulting from inadequate intake or absorption of retinol, causing xerophthalmia, night blindness, follicular hyperkeratosis, and impaired immunity. Severe deficiency leads to corneal ulceration and blindness, and is a leading cause of

preventable childhood blindness worldwide.

**Synonyms:**

### Vitamin A: Retinal

Vitamin A (retinol) is a fat-soluble vitamin essential for vision, immune function, cell differentiation, and reproduction. In the eye, retinol is oxidized to retinal (retinaldehyde), which binds to opsin in the photoreceptor outer segments forming rhodopsin (in rods) and photopsins (in cones).

**Synonyms:**

### Vitamin B Complex

A group of eight water-soluble vitamins that support energy metabolism, blood-cell production, nervous-system function, and other biochemical processes. The group includes vitamins B1 through B7 and B9, as well as vitamin B12.

**Synonyms:**

### Vitamin B1 (Thiamine)

Water-soluble vitamin, coenzyme in carbohydrate metabolism. Deficiency: beriberi (wet, dry), Wernicke-Korsakoff. Risk: alcoholism, bariatric surgery, dialysis. Treatment: supplementation.

**Synonyms:** Thiamine

### Vitamin B12 (Cobalamin)

Required for nerve function, red blood cell formation, DNA synthesis. Deficiency: megaloblastic anemia, neurological damage. Risk: vegans, elderly, pernicious anemia, metformin use, bariatric surgery. Requires intrinsic factor for absorption.

**Synonyms:** Cobalamin

### Vitamin B12 Deficiency

Megaloblastic anemia, neurological symptoms. Pernicious anemia, vegan diet. Treated with B12 supplementation.

**Synonyms:**

### Vitamin B12 Deficiency in Older Adults

Deficiency caused by inadequate intake, malabsorption, autoimmune intrinsic-factor deficiency, gastric surgery, or medications. It may cause megaloblastic

---

anemia, neuropathy, cognitive changes, gait impairment, and glossitis; neurologic injury can occur without anemia.

**Synonyms:**

### **Vitamin B12: Cobalamin**

A water-soluble vitamin needed for red-blood-cell formation, DNA synthesis, and normal nerve function. Deficiency can cause megaloblastic anemia and neurologic abnormalities.

**Synonyms:**

### **Vitamin B1: Thiamine**

A water-soluble vitamin that acts as a cofactor in carbohydrate and amino-acid metabolism and supports nerve function. Severe deficiency can cause beriberi or Wernicke-Korsakoff syndrome.

**Synonyms:**

### **Vitamin B2 (Riboflavin)**

Precursor for FAD and FMN. Deficiency: cheilosis, glossitis, seborrheic dermatitis. Common with B-complex deficiency.

**Synonyms:** Riboflavin

### **Vitamin B3 (Niacin)**

Precursor for NAD<sup>+</sup> and NADP<sup>+</sup>. Deficiency: pellagra (diarrhea, dermatitis, dementia). Sources: meat, fish, poultry, grains.

**Synonyms:** Niacin

### **Vitamin B3: Niacin**

A water-soluble vitamin that forms the coenzymes NAD and NADP, which participate in many oxidation-reduction and energy-producing reactions. Severe deficiency causes pellagra.

**Synonyms:**

### **Vitamin B5 (Pantothenic Acid)**

Component of coenzyme A. Deficiency rare. Involved in fatty acid metabolism.

**Synonyms:** Pantothenic Acid

### **Vitamin B6 (Pyridoxine)**

Coenzyme in amino acid metabolism. Deficiency: seizures, anemia, dermatitis. Risk: isoniazid therapy, alcoholism.

**Synonyms:** Pyridoxine

### **Vitamin B6: Pyridoxine**

Pyridoxine (pyridoxal phosphate, PLP, the active form) is a water-soluble B vitamin essential as a cofactor for over 100 enzymatic reactions, particularly in amino acid metabolism.

**Synonyms:**

### **Vitamin B7 (Biotin)**

Coenzyme for carboxylation reactions. Deficiency rare, may occur with raw egg consumption (avidin binds biotin).

**Synonyms:** Biotin

### **Vitamin B9 (Folate)**

Essential for DNA synthesis, red blood cell formation. Deficiency: megaloblastic anemia, neural tube defects in pregnancy. Sources: leafy greens, legumes, fortified grains. Supplementation recommended before and during pregnancy.

**Synonyms:** Folate

### **Vitamin B9: Folate**

Folate (folic acid, tetrahydrofolate/THF) is a water-soluble B vitamin essential for one-carbon transfer reactions in nucleotide synthesis (thymidylate synthesis for DNA, purine synthesis), amino acid metabolism (methionine synthesis from homocysteine), and methylation reactions.

**Synonyms:**

### **Vitamin C (Ascorbic Acid)**

A water-soluble vitamin and a powerful antioxidant, essential for collagen synthesis (required for proline and lysine hydroxylation in collagen triple helix formation), carnitine synthesis, neurotransmitter synthesis (dopamine to norepinephrine), and iron absorption (reduces ferric to ferrous iron in the gut).

**Synonyms:** Ascorbic Acid

---

### **Vitamin D Deficiency**

Inadequate vitamin-D status causing impaired calcium and phosphate homeostasis and, in severe cases, defective bone mineralization. It may result from low exposure or intake, malabsorption, liver or kidney disease, or altered metabolism.

**Synonyms:**

### **Vitamin D: Calcitriol**

Vitamin D is a fat-soluble vitamin (actually a pro-hormone) essential for calcium and phosphorus homeostasis and bone health. Cholecalciferol (D3) is synthesized in the skin from 7-dehydrocholesterol by UVB radiation, or obtained from diet (ergocalciferol/D2 from plants, D3 from animal sources).

**Synonyms:**

### **Vitamin E: Tocopherol**

Vitamin E (alpha-tocopherol) is a fat-soluble vitamin and the body's primary lipid-soluble antioxidant, protecting polyunsaturated fatty acids in cell membranes from lipid peroxidation by free radicals (reactive oxygen species). It donates a hydrogen atom to lipid peroxyl radicals, breaking the chain reaction of lipid peroxidation.

**Synonyms:**

### **Vitamin K Deficiency**

Coagulopathy, bleeding. Newborns receive prophylaxis. Antibiotics can cause deficiency.

**Synonyms:**

### **Vitamin K Prophylaxis**

Administration of vitamin K to a newborn soon after birth to prevent vitamin K deficiency bleeding. Newborns have limited vitamin K stores, so the recommended route and dose are chosen according to local guidance and the infant's clinical circumstances.

**Synonyms:**

### **Vitamin K: Phyloquinone**

Vitamin K is a fat-soluble vitamin essential for the post-translational gamma-carboxylation of glutamate residues to gamma-carboxyglutamate (Gla) in

specific clotting factors (II, VII, IX, X, protein C, protein S) and anticoagulant proteins (protein C, protein S, protein Z).

**Synonyms:**

### **Vitamins**

Organic micronutrients required in small amounts for metabolic function, cannot be synthesized in sufficient quantities. Fat-soluble (A, D, E, K) absorbed with lipids, stored in liver/fat. Water-soluble (B complex, C) not stored, excess excreted.

**Synonyms:**

### **Vitiligo**

An acquired disorder of depigmentation characterized by well-demarcated pale or depigmented macules and patches caused by loss or dysfunction of epidermal melanocytes.

**Synonyms:**

### **Vitiligo and Pigmentation Disorders**

Vitiligo is a chronic skin condition characterized by the loss of melanocytes, resulting in well-defined white patches on the skin and sometimes mucous membranes.

**Synonyms:**

### **Vitiligo Treatment**

Management may include topical medicines, phototherapy, camouflage, or selected surgical procedures. Choice depends on the extent, location, activity, age, and effect on the person; treatment may restore or even out pigmentation but does not always stop progression.

**Synonyms:**

### **Vitreotomy**

Surgical removal of the vitreous gel, typically via the pars plana approach, using a cutting probe under microscopic visualization. Indications include vitreous hemorrhage, complicated retinal detachment, macular holes, epiretinal membranes, intraocular foreign bodies, and endophthalmitis.

**Synonyms:**

---

## **Vitreous Body**

The clear gel that fills the space between the lens and retina. It helps maintain the shape of the eye and transmits light to the retina.

**Synonyms:**

## **Vitreous Chemistry**

Analysis of the fluid from the eye after death for substances such as electrolytes, glucose, urea, creatinine, and ethanol. It may support assessment of postmortem interval or metabolic disturbance but is not independently diagnostic of cause or time of death.

**Synonyms:**

## **Vitreous Hemorrhage**

Bleeding into the vitreous cavity that causes sudden painless floaters, cobwebs, haze, or loss of vision. Common causes include proliferative diabetic retinopathy, retinal tear or detachment, trauma, and posterior vitreous separation.

**Synonyms:**

## **Vitreous Humor**

The clear gel that fills the space between the lens and retina. It helps maintain the shape of the eye and transmits light to the retina.

**Synonyms:**

## **Vitriolage**

The deliberate throwing or application of a corrosive chemical (vitriol—sulfuric acid, historically; now any strong acid/base) onto a person to disfigure, disable, or kill; a form of assault. Injuries: severe facial and body burns, scarring, blindness, respiratory injury from fumes, and psychological trauma.

**Synonyms:**

## **VLDL**

Very low-density lipoprotein. Transports endogenous triglycerides.

**Synonyms:**

## **Vocal Cord Dysfunction**

Episodic inappropriate narrowing or adduction of the vocal folds, often during inspiration, causing noisy breathing, throat tightness, or breathlessness. It can resemble asthma. Diagnosis is supported by laryngoscopy during symptoms, and treatment may include breathing or speech therapy and management of triggers.

**Synonyms:**

## **Vocal Cord Nodules**

Benign, usually paired thickened areas of the vocal folds caused by repeated voice strain or overuse. They can cause hoarseness, vocal fatigue, and a rough or breathy voice.

**Synonyms:**

## **Vocal Cord Paralysis**

Immobility of one or both vocal cords due to disruption of the recurrent laryngeal nerve (RLN). Unilateral vocal cord paralysis: hoarseness, breathy voice, aspiration, and ineffective cough.

**Synonyms:**

## **Vocal Cord Paresis**

Partial paralysis or weakness of one or both vocal cords due to impaired function of the recurrent laryngeal nerve (RLN) or the vagus nerve. Unilateral paresis is more common and presents with hoarseness, breathy dysphonia, vocal fatigue, and sometimes aspiration.

**Synonyms:**

## **Vocal Cord Polyp**

Vocal cord polyps are benign, unilateral, sessile or pedunculated lesions that arise from the vocal cord mucosa, typically as a result of a single traumatic vocal event such as shouting, screaming, or coughing, causing hemorrhage and edema in the superficial lamina propria (Reinke space).

**Synonyms:**

## **Vocal Cords**

The vocal folds are two bands of tissue within the larynx that vibrate as air passes between them to

---

produce voice.

**Synonyms:**

### **Vocal Folds**

Paired mucosal folds within the larynx that vibrate as air passes between them to produce sound. They also close to protect the airway and assist in raising intrathoracic pressure.

**Synonyms:**

### **Vocal Resonance**

The transmission of vocal sounds to the chest wall, assessed by having the patient speak while auscultating. It is increased in consolidation and decreased in pleural effusion or pneumothorax. It correlates with bronchophony and whispered pectoriloquy.

**Synonyms:**

### **Vocal-Cord Dysfunction**

Episodic inappropriate adduction of the vocal folds, especially during inspiration, causing throat tightness, noisy breathing, and apparent asthma-like attacks. Diagnosis is supported by laryngoscopy during symptoms; speech therapy and trigger management are central treatments.

**Synonyms:**

### **Voice and Speech**

The products of complex coordinated activity of the respiratory, laryngeal, and articulatory systems.

**Synonyms:**

### **Voiding Cystourethrogram**

Fluoroscopic imaging of the bladder and urethra during voiding, after filling the bladder with contrast via a catheter. Indications: evaluation of vesicoureteral reflux (VUR) in children with recurrent UTIs, posterior urethral valves in males, and post-surgical assessment of the bladder/urethra.

**Synonyms:**

### **Volatile Anesthetics**

Halogenated inhaled anesthetic agents, including sevoflurane, desflurane, and isoflurane, that reversibly depress central nervous system function.

They provide dose-dependent hypnosis and immobility but may cause hypotension, respiratory depression, postoperative nausea, and malignant hyperthermia in susceptible individuals.

**Synonyms:**

### **Volkmann Contracture**

Permanent flexion deformity of the wrist, hand, and fingers caused by ischemic fibrosis of forearm muscles, usually after compartment syndrome or severe vascular injury. It can produce pain, weakness, sensory deficits, and major loss of hand function.

**Synonyms:**

### **Volume of Distribution**

A theoretical pharmacokinetic parameter that relates the total amount of drug in the body to the plasma concentration, calculated as  $V_d$  equals amount of drug in the body divided by plasma concentration. It represents the apparent volume into which a drug distributes and is not a true anatomical volume.

**Synonyms:**

### **Volutrauma**

Lung injury caused by excessive mechanical stretch, usually from an inappropriately large tidal volume during ventilation. Risk is reduced by lung-protective ventilation tailored to the patient's predicted body weight, lung mechanics, and clinical condition.

**Synonyms:**

### **Volvulus**

Twisting of a loop of intestine around its mesenteric attachment point causing luminal obstruction and compromise of the mesenteric blood supply which can rapidly progress to bowel ischemia.

**Synonyms:**

### **Vomiting**

Reflex expulsion of gastric contents. Causes: GI, neurological, metabolic, toxic, psychological. Treatment: antiemetics, identify cause, prevent aspiration.

---

**Synonyms:**

### **Von Hippel-Lindau Disease**

Autosomal dominant syndrome caused by mutations in the VHL tumor suppressor gene on chromosome three predisposing to hemangioblastomas of the central nervous system and retina, clear cell renal cell carcinoma, pheochromocytoma, pancreatic cysts and neuroendocrine tumors, and endolymphatic sac tumors.

**Synonyms:**

### **von Willebrand Disease**

An inherited or acquired bleeding disorder caused by deficient or abnormal von Willebrand factor, which helps platelets adhere and carries factor VIII. It commonly causes nosebleeds, easy bruising, heavy menstrual bleeding, or prolonged bleeding after procedures.

**Synonyms:**

### **Voriconazole**

A triazole antifungal agent used in the treatment of invasive aspergillosis, candidemia, and other serious fungal infections. Voriconazole inhibits the fungal cytochrome P450 enzyme lanosterol 14-alpha demethylase, preventing ergosterol synthesis and disrupting fungal cell membrane integrity.

**Synonyms:**

### **Voyeuristic Disorder**

A paraphilic disorder involving recurrent, intense sexual arousal from observing an unsuspecting person who is naked, disrobing, or engaging in sexual activity. The individual has acted on these urges or they cause marked distress or interpersonal difficulty. Duration  $\geq$  6 months. Most common in males with onset in adolescence.

**Synonyms:**

### **VRE**

Enterococcus bacteria that are resistant to vancomycin, often because of acquired changes in cell-wall precursors. VRE can cause urinary, bloodstream, wound, or other healthcare-associated in-

fections. Treatment requires susceptibility-guided selection of an effective antimicrobial and source control when needed.

**Synonyms:**

### **Vulva**

The external female genital structures, including the mons pubis, labia majora, labia minora, clitoris, vestibule, and associated glands. It protects the openings of the urinary and reproductive tracts.

**Synonyms:**

### **Vulvar Cancer**

A malignant tumor of the vulva, most often arising from squamous cells. Risk factors include human papillomavirus, chronic vulvar inflammation, smoking, immunosuppression, and age; other tumor types can occur.

**Synonyms:**

### **Vulvar vestibulitis**

Pain and inflammation of the vulvar vestibule.

**Synonyms:**

### **Vulvitis**

Inflammation of the vulva (external female genitalia), often presenting with pruritus, burning, irritation, erythema, edema, and discharge. Vulvitis is rarely isolated and is most commonly part of vulvovaginitis (inflammation of both vulva and vagina).

**Synonyms:**

### **Vulvodynia**

Pain in the vulva that may or may not be brought on by touch or pressure.

**Synonyms:**

### **Vulvovaginal Candidiasis**

Symptomatic infection of the vulva and vagina, usually caused by *Candida albicans*. Pruritus, soreness, erythema, and thick discharge are common; diagnosis is clinical with microscopy or culture when recurrent, severe, atypical, or treatment-resistant.

**Synonyms:**



---

### **Weber-Christian Disease**

A historical term for idiopathic relapsing febrile lobular panniculitis, involving recurrent painful inflammation of subcutaneous fat with fever and nodules. The term is used inconsistently and other causes, including infection, autoimmune disease, and malignancy, must be excluded.

**Synonyms:**

### **Vagal Paraganglioma**

A usually slow-growing tumor arising from paraganglion cells near the vagus nerve in the neck.

**Synonyms:**

### **Vaginal Agenesis**

A condition in which the vagina is absent or incompletely developed.

**Synonyms:**

### **Vaginal Atrophy**

Thinning, drying, and inflammation of vaginal tissues caused by reduced estrogen.

**Synonyms:**

### **Vaginal Fistula**

An abnormal opening connecting the vagina to another organ, such as the bladder or rectum.

**Synonyms:**

### **Vertebral Tumor**

A tumor arising in or near a vertebra of the spinal column.

**Synonyms:**

### **Valgus**

An abnormal position in which a distal body segment angles away from the body's midline.

**Synonyms:**

### **Valsalva Maneuver**

Forceful attempted exhalation against a closed airway, which increases pressure inside the chest and abdomen.

**Synonyms:**

### **Vagotomy**

Surgical cutting of selected vagus-nerve branches, historically used to reduce stomach acid secretion.

**Synonyms:**

### **Vascular System**

The network of arteries, veins, and capillaries that transports blood through the body.

**Synonyms:**

### **Verruca**

A wart caused by infection with human papillomavirus.

**Synonyms:**

### **Vaginal Speculum**

An instrument inserted into the vagina to separate its walls and permit examination of the vagina and cervix or collection of specimens.

**Synonyms:**

### **Valves**

Flap-like structures that open and close to direct blood flow through the heart and veins and prevent backward flow.

**Synonyms:**

### **Vernix Caseosa**

A white, greasy protective coating on the skin of a fetus or newborn, composed mainly of water, lipids, and shed skin cells.

**Synonyms:**

### **Vestibulocochlear Nerve**

The eighth cranial nerve, carrying information for hearing and balance from the inner ear to the brain.

**Synonyms:**

### **Vibrios**

Comma-shaped bacteria, usually Gram-negative, that include species capable of causing cholera and wound or gastrointestinal infections.

**Synonyms:**

---

### **Villi**

Finger-like projections that increase the absorptive surface of the small-intestinal lining; similar structures occur in the placenta and other tissues.

**Synonyms:**

### **Vincent Disease**

Acute necrotizing ulcerative gingivitis associated with fusospirochetal bacteria, causing painful bleeding gums, ulceration, and foul breath.

**Synonyms:**

### **Vision Receptors**

Photoreceptors in the retina, mainly rods and cones, that convert light into neural signals.

**Synonyms:**

### **Vaginal Hematoma**

A collection of blood within the vaginal wall or surrounding tissues, usually caused by childbirth, trauma, or surgery and potentially producing severe pain, swelling, or blood loss.

**Synonyms:**

### **Vertebral Compression Fracture**

Collapse of a vertebral body, often caused by osteoporosis, trauma, or malignancy, producing back pain, loss of height, or progressive kyphosis.

**Synonyms:**

### **Veno-Occlusive Disease**

Obstruction of small veins, particularly in the liver after certain chemotherapy or hematopoietic stem-cell transplantation, causing painful hepatomegaly, fluid retention, jaundice, and weight gain.

**Synonyms:**

### **Vaginal Intraepithelial Neoplasia**

Precancerous abnormal growth of squamous cells in the vaginal epithelium, usually associated with human papillomavirus and graded according to the severity of dysplasia.

**Synonyms:**

### **Vitreous Detachment**

Separation of the vitreous gel from the retina, usually related to aging and often causing new floaters or flashes. Sudden symptoms require assessment for retinal tears or detachment.

**Synonyms:**

### **Viral Exanthem**

A widespread skin eruption caused by a viral infection, often accompanied by fever or other systemic symptoms.

**Synonyms:**

### **Vulvar Dermatitis**

Inflammation and irritation of the vulvar skin caused by irritants, allergens, moisture, infection, or inflammatory skin disease, producing itching, burning, redness, or scaling.

**Synonyms:**

### **Valvuloplasty**

A procedure used to widen or repair a narrowed or abnormal heart valve, by balloon catheter or open surgery depending on the valve and condition.

**Synonyms:**

### **Valvulotomy**

Surgical incision of a stenosed heart valve to improve the opening through which blood flows.

**Synonyms:**

### **Varices**

Abnormally dilated and tortuous veins, commonly occurring in the legs or in the oesophagus and stomach as a result of portal hypertension.

**Synonyms:**

### **Vasodilatation**

Widening of blood vessels caused by relaxation of vascular smooth muscle, increasing blood flow and potentially lowering blood pressure.

**Synonyms:**

---

### **Vasomotor**

Relating to the control of blood-vessel diameter by nerves, hormones, and local chemical factors.

**Synonyms:**

### **Vasopressor**

An agent or physiological signal that raises blood pressure mainly by constricting blood vessels and sometimes by increasing cardiac activity.

**Synonyms:**

### **Venous Pressure**

The pressure within the venous circulation, influenced by blood volume, venous tone, and the function of the right side of the heart.

**Synonyms:**

### **Ventilation**

Movement of air into and out of the lungs; effective ventilation brings oxygen to the alveoli and removes carbon dioxide.

**Synonyms:**

### **Vesicoureteric Reflux**

Backward flow of urine from the bladder into one or both ureters and sometimes the kidneys, increasing the risk of urinary infection and renal scarring.

**Synonyms:**

### **Visual Fields**

The total area that can be seen while the eyes are fixed in one position; defects may indicate retinal, optic-nerve, or brain disease.

**Synonyms:**

### **Vital Capacity**

The largest volume of air that can be exhaled after a maximal inhalation, equal to inspiratory reserve volume plus tidal volume plus expiratory reserve volume.

**Synonyms:**

### **Voice**

Sound produced by vibration of the vocal folds as

air passes through the larynx, then shaped by the throat, mouth, and nose for speech.

**Synonyms:**

### **Vomiting of Pregnancy (Morning Sickness)**

Nausea and vomiting occurring during pregnancy, usually in early pregnancy; severe persistent vomiting may be hyperemesis gravidarum.

**Synonyms:** Morning Sickness

### **Von Willebrand's Disease**

An inherited or acquired bleeding disorder caused by deficient or dysfunctional von Willebrand factor, impairing platelet adhesion and sometimes factor VIII stability.

**Synonyms:**

### **Vulvectomy**

Surgical removal of part or all of the vulva, performed for selected cancers, precancerous lesions, or severe persistent disease.

**Synonyms:**

### **Vulvovaginitis**

Inflammation affecting both the vulva and vagina, commonly causing itching, soreness, redness, discharge, or pain and resulting from infection, irritation, or inflammatory disease.

### **vaccine adjuvant**

vaccine adjuvant refers to vaccine adjuvant, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **vaccine development**

vaccine development refers to vaccine development, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **vaccine therapy**

vaccine therapy is used in relation to vaccine therapy

---

during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **vaccinia virus**

vaccinia virus is a virus or viral group associated with vaccinia virus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

### **vacuole**

vacuole refers to vacuole, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **vacuum curettage**

vacuum curettage refers to vacuum curettage, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **vadimezan**

vadimezan refers to vadimezan, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **vagina carcinoma**

vagina carcinoma denotes a neoplastic condition involving vagina carcinoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### **vagina neoplasm**

vagina neoplasm denotes a neoplastic condition involving vagina neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### **vaginal**

vaginal refers to vaginal, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **vaginal adenosis**

vaginal adenosis refers to vaginal adenosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **vaginal diaphragm**

vaginal diaphragm refers to vaginal diaphragm, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **vaginal dilator**

vaginal dilator refers to vaginal dilator, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **vaginal discharge**

vaginal discharge refers to vaginal discharge, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **vaginal disease**

vaginal disease denotes a clinical condition or finding involving vaginal disease; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **vaginal douching**

vaginal douching refers to vaginal douching, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### **vaginal hysterectomy**

vaginal hysterectomy is used in relation to vaginal hysterectomy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **vaginal obstruction**

vaginal obstruction denotes a clinical condition or finding involving vaginal obstruction; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **vaginal perforation**

vaginal perforation refers to vaginal perforation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **vaginal polyp**

vaginal polyp refers to vaginal polyp, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **vaginal pruritus**

vaginal pruritus refers to vaginal pruritus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **vaginal stricture**

vaginal stricture refers to vaginal stricture, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **vaginal system**

vaginal system refers to vaginal system, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **vaginectomy**

vaginectomy is used in relation to vaginectomy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **vagococcus**

vagococcus refers to vagococcus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **vagus nerve**

vagus nerve refers to vagus nerve, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **valacyclovir**

valacyclovir concerns valacyclovir, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **valdecoxib**

valdecoxib refers to valdecoxib, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **valganciclovir**

valganciclovir concerns valganciclovir, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **valid**

valid refers to valid, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**validation**

validation refers to validation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**valine**

valine refers to valine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**valinomycin**

valinomycin concerns valinomycin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**valproic acid**

valproic acid denotes valproic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**valrubicin**

valrubicin concerns valrubicin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**valsartan**

valsartan concerns valsartan, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**valspodar**

valspodar refers to valspodar, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**valvular stenosis**

valvular stenosis denotes a clinical condition or finding involving valvular stenosis; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**vanadium**

vanadium refers to vanadium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**vancomycin**

vancomycin concerns vancomycin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**vandetanib**

vandetanib concerns vandetanib, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**vanrija humicola**

vanrija humicola refers to vanrija humicola, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**vaping**

vaping refers to vaping, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**vapor**

vapor refers to vapor, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**



---

**vapreotide**

vapreotide concerns vapreotide, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**varenicline**

varenicline refers to varenicline, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**variant**

variant refers to variant, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**varibaculum**

varibaculum refers to varibaculum, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**varibaculum cambriense**

varibaculum cambriense refers to varibaculum cambriense, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**varicellovirus**

varicellovirus is a virus or viral group associated with varicellovirus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

**varicose vein**

varicose vein refers to varicose vein, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**vascular calcification**

vascular calcification refers to vascular calcification, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**vascular diseases**

vascular diseases denotes a clinical condition or finding involving vascular diseases; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**vascular endothelium**

vascular endothelium refers to vascular endothelium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**vascular headache**

vascular headache refers to vascular headache, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**vascular neoplasm**

vascular neoplasm denotes a neoplastic condition involving vascular neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**vascular resistance**

vascular resistance refers to vascular resistance, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**vasculostatin**

vasculostatin concerns vasculostatin, a pharmacologic or chemical agent; clinical use depends on

---

its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **vasoactive**

vasoactive refers to vasoactive, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **vasoconstrictor agent**

vasoconstrictor agent refers to vasoconstrictor agent, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **vasodilator agent**

vasodilator agent refers to vasodilator agent, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **vasomotion**

vasomotion refers to vasomotion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **vasopressin antagonist**

vasopressin antagonist refers to vasopressin antagonist, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **vasopressin receptor**

vasopressin receptor denotes vasopressin receptor, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **vasotocin**

vasotocin refers to vasotocin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **vasovagal reaction**

vasovagal reaction refers to vasovagal reaction, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **vasovasostomy**

vasovasostomy refers to vasovasostomy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **vatalanib**

vatalanib concerns vatalanib, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **vecuronium bromide**

vecuronium bromide refers to vecuronium bromide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **vegan**

vegan refers to vegan, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **veillonella**

veillonella refers to veillonella, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**veillonella atypica**

veillonella atypica refers to veillonella atypica, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**veillonella dispar**

veillonella dispar refers to veillonella dispar, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**veillonella parvula**

veillonella parvula refers to veillonella parvula, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**veillonellaceae**

veillonellaceae refers to veillonellaceae, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**VeIP regimen**

VeIP regimen refers to veip regimen, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**velafermin**

velafermin refers to velafermin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**veliparib**

veliparib refers to veliparib, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**veltuzumab**

veltuzumab concerns veltuzumab, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**vemurafenib**

vemurafenib concerns vemurafenib, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**venae cava**

venae cava refers to venae cava, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**venlafaxine**

venlafaxine refers to venlafaxine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**venlafaxine hydrochloride**

venlafaxine hydrochloride refers to venlafaxine hydrochloride, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**venous injury**

venous injury denotes a clinical condition or finding involving venous injury; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**venous plasma**

venous plasma refers to venous plasma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**venous stenosis**

venous stenosis denotes a clinical condition or finding involving venous stenosis; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**venous thromboembolism**

venous thromboembolism refers to venous thromboembolism, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ventral hernia**

ventral hernia refers to ventral hernia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ventral roots**

ventral roots refers to ventral roots, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ventricular ablation**

ventricular ablation refers to ventricular ablation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ventricular dysfunction**

ventricular dysfunction refers to ventricular dysfunction, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ventricular flutter**

ventricular flutter refers to ventricular flutter, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ventricular hypertrophy**

ventricular hypertrophy refers to ventricular hypertrophy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ventriculostomy**

ventriculostomy refers to ventriculostomy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ventrolateral**

ventrolateral refers to ventrolateral, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**verapamil**

verapamil refers to verapamil, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**veratrum alkaloids**

veratrum alkaloids refers to veratrum alkaloids, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**verbal behavior**

verbal behavior refers to verbal behavior, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**verbal learning**

verbal learning refers to verbal learning, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

---

**Synonyms:**

**vernier caliper**

vernier caliper refers to vernier caliper, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**vero cell**

vero cell denotes vero cell, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**versican**

versican refers to versican, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**vertebrate**

vertebrate refers to vertebrate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**verteporfin**

verteporfin refers to verteporfin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**vertical transmission**

vertical transmission refers to vertical transmission, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**verticillium hypocreales**

verticillium hypocreales refers to verticillium hypocreales, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**vesiculovirus**

vesiculovirus is a virus or viral group associated with vesiculovirus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

**vestibular labyrinth**

vestibular labyrinth refers to vestibular labyrinth, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**vestibular nerve**

vestibular nerve refers to vestibular nerve, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**vestibular nuclei**

vestibular nuclei refers to vestibular nuclei, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**veterinarian**

veterinarian refers to veterinarian, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**veterinary medicine**

veterinary medicine refers to veterinary medicine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**vial device**

vial device refers to vial device, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

---

**Synonyms:**

**vibration problem**

vibration problem refers to vibration problem, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**vibrator**

vibrator refers to vibrator, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**vibrio**

vibrio identifies vibrio, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**vibrio alginolyticus**

vibrio alginolyticus identifies vibrio alginolyticus, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**vibrio fluvialis**

vibrio fluvialis identifies vibrio fluvialis, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**vibrio furnissii**

vibrio furnissii identifies vibrio furnissii, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**vibrio infection**

vibrio infection identifies vibrio infection, a biological taxon or infectious-disease concept whose clinical

importance depends on the organism, host, and site involved.

**Synonyms:**

**vibrio metschnikovii**

vibrio metschnikovii identifies vibrio metschnikovii, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**vibrio mimicus**

vibrio mimicus identifies vibrio mimicus, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**vibrio parahaemolyticus**

vibrio parahaemolyticus identifies vibrio parahaemolyticus, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**vibrio vulnificus**

vibrio vulnificus identifies vibrio vulnificus, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**vibrionaceae**

vibrionaceae identifies vibrionaceae, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**vibrissae**

vibrissae refers to vibrissae, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**



---

**vidarabine**

vidarabine refers to vidarabine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**vidarabine phosphate**

vidarabine phosphate concerns vidarabine phosphate, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**video microscopy**

video microscopy refers to video microscopy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**vildagliptin**

vildagliptin concerns vildagliptin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**villous adenoma**

villous adenoma refers to villous adenoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**villus**

villus refers to villus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**vimentin**

vimentin refers to vimentin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**vinblastine**

vinblastine refers to vinblastine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**vinblastine sulfate**

vinblastine sulfate concerns vinblastine sulfate, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**vinca alkaloid**

vinca alkaloid refers to vinca alkaloid, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**vincristine**

vincristine refers to vincristine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**vincristine sulfate**

vincristine sulfate concerns vincristine sulfate, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**vinculin**

vinculin refers to vinculin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**vindesine**

vindesine refers to vindesine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**vinflunine**

vinflunine refers to vinflunine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**vinorelbine**

vinorelbine refers to vinorelbine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**vinorelbine tartrate**

vinorelbine tartrate refers to vinorelbine tartrate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**vinyl chloride**

vinyl chloride refers to vinyl chloride, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**violence**

violence refers to violence, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**viomycin**

viomycin concerns viomycin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**viral antibody**

viral antibody concerns viral antibody, a biologic or physiologic concept used in research, laboratory medicine, and the explanation of disease.

**Synonyms:**

**viral carcinogenesis**

viral carcinogenesis denotes viral carcinogenesis, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**viral encephalitis**

viral encephalitis refers to viral encephalitis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**viral envelope**

viral envelope refers to viral envelope, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**viral genome**

viral genome refers to viral genome, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**viral vaccine**

viral vaccine refers to viral vaccine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**virginiamycin**

virginiamycin concerns virginiamycin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**viridans streptococci**

viridans streptococci is a microorganism or microbial group associated with viridans streptococci; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

---

**virion**

virion refers to virion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**virogenic stroma**

virogenic stroma refers to virogenic stroma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**viroid**

viroid refers to viroid, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**virosome**

virosome refers to virosome, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**virulizin**

virulizin refers to virulizin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**virus**

virus is a virus or viral group associated with virus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

**virus activation**

virus activation is a virus or viral group associated with virus activation; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

**virus assembly**

virus assembly is a virus or viral group associated

with virus assembly; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

**virus diseases**

virus diseases is a virus or viral group associated with virus diseases; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

**virus integration**

virus integration is a virus or viral group associated with virus integration; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

**virus protein**

virus protein is a virus or viral group associated with virus protein; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

**virus receptor**

virus receptor is a virus or viral group associated with virus receptor; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

**virus replication**

virus replication is a virus or viral group associated with virus replication; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

**virus uncoating**

virus uncoating is a virus or viral group associated with virus uncoating; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

**visceral**

visceral refers to visceral, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

---

**Synonyms:**

**visceral pleura**

visceral pleura refers to visceral pleura, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**viscosity**

viscosity refers to viscosity, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**visilizumab**

visilizumab concerns visilizumab, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**vision disorder**

vision disorder denotes a clinical condition or finding involving vision disorder; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**vision test**

vision test is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat vision test.

**Synonyms:**

**vismodegib**

vismodegib refers to vismodegib, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**visual accommodation**

visual accommodation refers to visual accommodation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**visual cortex**

visual cortex refers to visual cortex, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**visual field**

visual field refers to visual field, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**visual learning**

visual learning refers to visual learning, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**visual pathway**

visual pathway refers to visual pathway, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**visual perception**

visual perception refers to visual perception, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**vital sign**

vital sign refers to vital sign, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**vital statistics**

vital statistics refers to vital statistics, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**vitamin**

vitamin refers to vitamin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**vitamin A**

vitamin A refers to vitamin a, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**vitamin B12**

vitamin B12 refers to vitamin b12, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**vitamin B6**

vitamin B6 refers to vitamin b6, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**vitamin deficiency**

vitamin deficiency denotes a clinical condition or finding involving vitamin deficiency; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**vitamin E**

vitamin E refers to vitamin e, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**vitamin K**

vitamin K refers to vitamin k, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**vitellin**

vitellin refers to vitellin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**vitelline membrane**

vitelline membrane refers to vitelline membrane, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**vitellogenesis**

vitellogenesis denotes vitellogenesis, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**vitellogenin**

vitellogenin refers to vitellogenin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**vitespen**

vitespen refers to vitespen, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**vitreous floaters**

vitreous floaters refers to vitreous floaters, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**vitritis**

vitritis refers to vitritis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**vitronectin**

vitronectin refers to vitronectin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**vivax malaria**

vivax malaria refers to vivax malaria, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**vocabulary**

vocabulary refers to vocabulary, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**vocal cord**

vocal cord refers to vocal cord, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**vocational guidance**

vocational guidance refers to vocational guidance, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**vocational rehabilitation**

vocational rehabilitation refers to vocational rehabilitation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**voice disorder**

voice disorder denotes a clinical condition or finding involving voice disorder; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**volatile oil**

volatile oil refers to volatile oil, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**volition**

volition refers to volition, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**Volkmann's canal**

Volkmann's canal refers to volkmann's canal, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**volociximab**

volociximab concerns volociximab, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**volt**

volt refers to volt, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**volume fraction**

volume fraction refers to volume fraction, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**vomer bone**

vomer bone refers to vomer bone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**



---

**vomit**

vomit refers to vomit, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**vorinostat**

vorinostat refers to vorinostat, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**voyeurism**

voyeurism refers to voyeurism, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**vulva neoplasm**

vulva neoplasm denotes a neoplastic condition involving vulva neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**vulval infection**

vulval infection denotes an infectious or toxic condition involving vulval infection; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

**vulvar adenocarcinoma**

vulvar adenocarcinoma denotes a neoplastic condition involving vulvar adenocarcinoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**vulvar disease**

vulvar disease denotes a clinical condition or finding involving vulvar disease; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**vulvar melanoma**

vulvar melanoma refers to vulvar melanoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ubidecarenone**

ubidecarenone refers to ubidecarenone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ubiquitin**

ubiquitin refers to ubiquitin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ubiquitination**

ubiquitination refers to ubiquitination, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**uhl anomaly**

uhl anomaly refers to uhl anomaly, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ulcer**

ulcer refers to ulcer, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ulcerative colitis**

ulcerative colitis refers to ulcerative colitis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ulna**

ulna refers to ulna, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

---

cal finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ulnar hypoplasia**

ulnar hypoplasia refers to ulnar hypoplasia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ulocladium**

ulocladium refers to ulocladium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ultracentrifugation**

ultracentrifugation refers to ultracentrifugation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ultradian rhythm**

ultradian rhythm refers to ultradian rhythm, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ultrafiltration**

ultrafiltration refers to ultrafiltration, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ultralente insulin**

ultralente insulin refers to ultralente insulin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ultrasonic therapy**

ultrasonic therapy is used in relation to ultrasonic therapy during assessment, diagnosis, treatment,

monitoring, or patient support.

**Synonyms:**

### **ultrasonography**

ultrasonography refers to ultrasonography, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ultrasound biomicroscopy**

ultrasound biomicroscopy refers to ultrasound biomicroscopy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ultraviolet microscopy**

ultraviolet microscopy refers to ultraviolet microscopy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ultraviolet rays**

ultraviolet rays refers to ultraviolet rays, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ultraviolet therapy**

ultraviolet therapy is used in relation to ultraviolet therapy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **umbilical cord**

umbilical cord refers to umbilical cord, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **umbilical hernia**

umbilical hernia refers to umbilical hernia, a medical condition or clinical finding defined by its features,

---

causes, affected system, and patient context.

**Synonyms:**

### **umbilical vein**

umbilical vein refers to umbilical vein, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **uncertainty**

uncertainty refers to uncertainty, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **unconsciousness**

unconsciousness refers to unconsciousness, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **underage drinking**

underage drinking refers to underage drinking, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **undetermined**

undetermined refers to undetermined, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **undifferentiated**

undifferentiated refers to undifferentiated, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **undifferentiated carcinoma**

undifferentiated carcinoma denotes a neoplastic condition involving undifferentiated carcinoma; evaluation establishes tissue of origin, extent, biologic

behavior, and treatment.

**Synonyms:**

### **undulate ribs**

undulate ribs refers to undulate ribs, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **unencoded data**

unencoded data refers to unencoded data, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **unequivocal**

unequivocal refers to unequivocal, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **unerupted tooth**

unerupted tooth refers to unerupted tooth, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **unevaluable**

unevaluable refers to unevaluable, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **unilaminar epithelium**

unilaminar epithelium refers to unilaminar epithelium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **unilateral**

unilateral refers to unilateral, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

---

**Synonyms:**

**unilateral microphthalmos**

unilateral microphthalmos refers to unilateral microphthalmos, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**uninodular goiter**

uninodular goiter refers to uninodular goiter, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**uniparental disomy**

uniparental disomy refers to uniparental disomy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**unipolar neuron**

unipolar neuron refers to unipolar neuron, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**unknown**

unknown refers to unknown, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**unresectable**

unresectable refers to unresectable, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**unsaturated phytosterol**

unsaturated phytosterol concerns unsaturated phytosterol, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**unstable angina**

unstable angina refers to unstable angina, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**untranslated region**

untranslated region refers to untranslated region, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**upamostat**

upamostat refers to upamostat, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**upper arm**

upper arm refers to upper arm, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**upper extremity**

upper extremity refers to upper extremity, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**urachal cyst**

urachal cyst refers to urachal cyst, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**urachus**

urachus refers to urachus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**uracil**

uracil refers to uracil, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**uracil mustard**

uracil mustard refers to uracil mustard, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**uracil nucleotides**

uracil nucleotides refers to uracil nucleotides, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**uranium**

uranium refers to uranium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**urea**

urea refers to urea, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**urea cycle**

urea cycle refers to urea cycle, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ureaplasma**

ureaplasma identifies ureaplasma, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**ureaplasma urealyticum**

ureaplasma urealyticum identifies ureaplasma urealyticum, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**uremia**

uremia refers to uremia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ureter**

ureter refers to ureter, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ureter duplex**

ureter duplex refers to ureter duplex, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ureter fissus**

ureter fissus refers to ureter fissus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ureter obstruction**

ureter obstruction denotes a clinical condition or finding involving ureter obstruction; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**ureteral calculi**

ureteral calculi refers to ureteral calculi, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### **ureteral catheters**

ureteral catheters refers to ureteral catheters, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ureteral polyp**

ureteral polyp refers to ureteral polyp, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ureteral stenosis**

ureteral stenosis denotes a clinical condition or finding involving ureteral stenosis; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **ureteric perforation**

ureteric perforation refers to ureteric perforation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ureteritis**

ureteritis refers to ureteritis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ureterocele**

ureterocele refers to ureterocele, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ureterolithiasis**

ureterolithiasis refers to ureterolithiasis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ureteroscopes**

ureteroscopes refers to ureteroscopes, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ureterostomy procedure**

ureterostomy procedure is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat ureterostomy procedure.

**Synonyms:**

### **urethan**

urethan refers to urethan, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **urethra**

urethra refers to urethra, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **urethra disorder**

urethra disorder denotes a clinical condition or finding involving urethra disorder; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **urethral carcinoma**

urethral carcinoma denotes a neoplastic condition involving urethral carcinoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### **urethral catheter**

urethral catheter refers to urethral catheter, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**



---

### **urethral diverticulum**

urethral diverticulum refers to urethral diverticulum, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **urethral fistula**

urethral fistula refers to urethral fistula, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **urethral infection**

urethral infection denotes an infectious or toxic condition involving urethral infection; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

### **urethral obstruction**

urethral obstruction denotes a clinical condition or finding involving urethral obstruction; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **urethral sphincter**

urethral sphincter refers to urethral sphincter, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **urethral stenosis**

urethral stenosis denotes a clinical condition or finding involving urethral stenosis; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **urethritis**

urethritis refers to urethritis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **uric acid**

uric acid denotes uric acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **uricosuric agent**

uricosuric agent refers to uricosuric agent, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **uridine**

uridine refers to uridine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **uridine diphosphate**

uridine diphosphate concerns uridine diphosphate, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **uridine monophosphate**

uridine monophosphate concerns uridine monophosphate, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **uridine triacetate**

uridine triacetate refers to uridine triacetate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **uridine triphosphate**

uridine triphosphate concerns uridine triphosphate, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

---

**Synonyms:**

**urinal**

urinal refers to urinal, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**urinalysis**

urinalysis refers to urinalysis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**urinary**

urinary refers to urinary, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**urinary bladder**

urinary bladder refers to urinary bladder, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**urinary bladder disorder**

urinary bladder disorder denotes a clinical condition or finding involving urinary bladder disorder; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**urinary calculi**

urinary calculi refers to urinary calculi, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**urinary catheter**

urinary catheter refers to urinary catheter, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**urinary catheterization**

urinary catheterization refers to urinary catheterization, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**urinary diversion**

urinary diversion refers to urinary diversion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**urinary fistula**

urinary fistula refers to urinary fistula, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**urinary hesitation**

urinary hesitation refers to urinary hesitation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**urinary incontinence**

urinary incontinence refers to urinary incontinence, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**urinary retention**

urinary retention refers to urinary retention, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**urinary system**

urinary system refers to urinary system, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**urinary tract**

urinary tract refers to urinary tract, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**urinary tract disorder**

urinary tract disorder denotes a clinical condition or finding involving urinary tract disorder; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**urinary tract infection**

urinary tract infection denotes an infectious or toxic condition involving urinary tract infection; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

**urinary tract neoplasm**

urinary tract neoplasm denotes a neoplastic condition involving urinary tract neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**urinary urgency**

urinary urgency refers to urinary urgency, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**urination**

urination refers to urination, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**urination disorder**

urination disorder denotes a clinical condition or finding involving urination disorder; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**urine**

urine refers to urine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**urine conductivity**

urine conductivity refers to urine conductivity, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**urine cytology**

urine cytology refers to urine cytology, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**urochordata**

urochordata refers to urochordata, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**urogenital fistula**

urogenital fistula refers to urogenital fistula, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**urogenital system**

urogenital system refers to urogenital system, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**urolithiasis**

urolithiasis refers to urolithiasis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### urologist

urologist refers to urologist, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### urology

urology refers to urology, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### urostomy leak

urostomy leak refers to urostomy leak, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### urostomy procedure

urostomy procedure is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat urostomy procedure.

**Synonyms:**

### urostomy prolapse

urostomy prolapse refers to urostomy prolapse, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### urostomy stenosis

urostomy stenosis denotes a clinical condition or finding involving urostomy stenosis; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### urothelium

urothelium refers to urothelium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### ursodeoxycholic acid

ursodeoxycholic acid denotes ursodeoxycholic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### urticaria

urticaria refers to urticaria, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### urticaria pigmentosa

urticaria pigmentosa refers to urticaria pigmentosa, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### Usher syndrome

Usher syndrome denotes a clinical condition or finding involving usher syndrome; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### ustekinumab

ustekinumab concerns ustekinumab, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### ustilago

ustilago refers to ustilago, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### uterine adnexae

uterine adnexae refers to uterine adnexae, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**uterine cancer**

uterine cancer denotes a neoplastic condition involving uterine cancer; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**uterine cavity**

uterine cavity refers to uterine cavity, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**uterine fibroids**

uterine fibroids refers to uterine fibroids, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**uterine fistula**

uterine fistula refers to uterine fistula, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**uterine gland**

uterine gland refers to uterine gland, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**uterine hemorrhage**

uterine hemorrhage denotes a clinical condition or finding involving uterine hemorrhage; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**uterine leiomyosarcoma**

uterine leiomyosarcoma denotes a neoplastic condition involving uterine leiomyosarcoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

**uterine monitoring**

uterine monitoring refers to uterine monitoring, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**uterine myomectomy**

uterine myomectomy is used in relation to uterine myomectomy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

**uterine obstruction**

uterine obstruction denotes a clinical condition or finding involving uterine obstruction; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**uterine perforation**

uterine perforation refers to uterine perforation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**uterine prolapse**

uterine prolapse refers to uterine prolapse, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**uterine rupture**

uterine rupture refers to uterine rupture, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**uterus**

uterus refers to uterus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### uterus disorder

uterus disorder denotes a clinical condition or finding involving uterus disorder; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### uterus neoplasm

uterus neoplasm denotes a neoplastic condition involving uterus neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### uvea

uvea refers to uvea, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### uveal melanoma

uveal melanoma refers to uveal melanoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### uveal neoplasm

uveal neoplasm denotes a neoplastic condition involving uveal neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### uveitis

uveitis refers to uveitis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### uvula

uvula refers to uvula, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### tabes dorsalis

tabes dorsalis refers to tabes dorsalis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### tablet

tablet refers to tablet, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### TAC regimen

TAC regimen refers to tac regimen, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### tacedinaline

tacedinaline refers to tacedinaline, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### tachyarrhythmia

tachyarrhythmia refers to tachyarrhythmia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### tachycardia

tachycardia refers to tachycardia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### tachykinin

tachykinin refers to tachykinin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### tachyphrenia

tachyphrenia refers to tachyphrenia, a medical con-



---

dition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tachypnea**

tachypnea refers to tachypnea, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tacrine**

tacrine refers to tacrine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tacrolimus**

tacrolimus refers to tacrolimus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tactile agnosia**

tactile agnosia refers to tactile agnosia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tadalafil**

tadalafil refers to tadalafil, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**taenia**

taenia refers to taenia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**taenia saginata**

taenia saginata refers to taenia saginata, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**taenia solium**

taenia solium refers to taenia solium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**taeniasis**

taeniasis refers to taeniasis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tail**

tail refers to tail, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**takayasu arteritis**

takayasu arteritis refers to takayasu arteritis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**takotsubo cardiomyopathy**

takotsubo cardiomyopathy refers to takotsubo cardiomyopathy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**talabostat**

talabostat refers to talabostat, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**talactoferrin alfa**

talactoferrin alfa refers to talactoferrin alfa, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**talaporfin sodium**

talaporfin sodium refers to talaporfin sodium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**talc**

talc refers to talc, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**talipes**

talipes refers to talipes, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**talipes calcaneovalgus**

talipes calcaneovalgus refers to talipes calcaneovalgus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tall stature**

tall stature refers to tall stature, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**talotrexin**

talotrexin refers to talotrexin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**talus**

talus refers to talus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tamoxifen**

tamoxifen refers to tamoxifen, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tamoxifen citrate**

tamoxifen citrate refers to tamoxifen citrate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tamsulosin**

tamsulosin refers to tamsulosin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tamsulosin hydrochloride**

tamsulosin hydrochloride refers to tamsulosin hydrochloride, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tandutinib**

tandutinib concerns tandutinib, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**tanespimycin**

tanespimycin concerns tanespimycin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**Tangier disease**

Tangier disease denotes a clinical condition or finding involving tangier disease; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

---

**tannic acid**

tannic acid denotes tannic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**tanomastat**

tanomastat refers to tanomastat, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tantalum**

tantalum refers to tantalum, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tapentadol**

tapentadol refers to tapentadol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**taq polymerase**

taq polymerase refers to taq polymerase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tardive dyskinesia**

tardive dyskinesia refers to tardive dyskinesia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tarenflurbil**

tarenflurbil refers to tarenflurbil, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**target population**

target population refers to target population, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**targeted therapy**

targeted therapy is used in relation to targeted therapy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

**tariquidar**

tariquidar refers to tariquidar, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**Tarlov cyst**

Tarlov cyst refers to tarlov cyst, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tarsal bones**

tarsal bones refers to tarsal bones, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tarsal coalition**

tarsal coalition refers to tarsal coalition, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tarsal joints**

tarsal joints refers to tarsal joints, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**taste**

taste refers to taste, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

---

cal finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **taste bud**

taste bud refers to taste bud, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **taste disorder**

taste disorder denotes a clinical condition or finding involving taste disorder; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **tenascin**

tenascin refers to tenascin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tendinitis**

tendinitis refers to tendinitis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tendon**

tendon refers to tendon, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tendon injury**

tendon injury denotes a clinical condition or finding involving tendon injury; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **tendon sheath**

tendon sheath refers to tendon sheath, a medical

condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tenecteplase**

tenecteplase refers to tenecteplase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tenericutes**

tenericutes refers to tenericutes, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **teniposide**

teniposide refers to teniposide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tennis elbow**

tennis elbow refers to tennis elbow, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tenofovir**

tenofovir concerns tenofovir, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **tenosynovitis**

tenosynovitis refers to tenosynovitis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tensile strength**

tensile strength refers to tensile strength, a medical condition or clinical finding defined by its features,

---

causes, affected system, and patient context.

**Synonyms:**

### **tension-type headache**

tension-type headache refers to tension-type headache, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tenuazonic acid**

tenuazonic acid denotes tenuazonic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **teprotumumab**

teprotumumab concerns teprotumumab, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **terameprocol**

terameprocol refers to terameprocol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **teratocarcinoma**

teratocarcinoma denotes a neoplastic condition involving teratocarcinoma; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### **teratogen**

teratogen refers to teratogen, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **teratogenesis**

teratogenesis denotes teratogenesis, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **teratoma**

teratoma refers to teratoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **teratozoospermia**

teratozoospermia refers to teratozoospermia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **terazosin**

terazosin refers to terazosin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **terazosin hydrochloride**

terazosin hydrochloride refers to terazosin hydrochloride, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **terbinafine**

terbinafine refers to terbinafine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **terbufos**

terbufos refers to terbufos, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**terbutaline**

terbutaline refers to terbutaline, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**terfenadine**

terfenadine refers to terfenadine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**terlipressin**

terlipressin refers to terlipressin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**term birth**

term birth refers to term birth, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**terminal illness**

terminal illness refers to terminal illness, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**terminal insomnia**

terminal insomnia refers to terminal insomnia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**terpene**

terpene refers to terpene, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tertiary hyperparathyroidism**

tertiary hyperparathyroidism refers to tertiary hyperparathyroidism, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tertiary protein**

tertiary protein denotes tertiary protein, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**tesetaxel**

tesetaxel concerns tesetaxel, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**testicular atrophy**

testicular atrophy is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat testicular atrophy.

**Synonyms:**

**testicular feminization**

testicular feminization is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat testicular feminization.

**Synonyms:**

**testicular gonadoblastoma**

testicular gonadoblastoma is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat testicular gonadoblastoma.

**Synonyms:**

**testicular hydrocele**

testicular hydrocele is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat testicular hydrocele.

**Synonyms:**



---

**testicular mass**

testicular mass is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat testicular mass.

**Synonyms:**

**testicular torsion**

testicular torsion is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat testicular torsion.

**Synonyms:**

**testis**

testis is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat testis.

**Synonyms:**

**testis disorder**

testis disorder is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat testis disorder.

**Synonyms:**

**testis neoplasm**

testis neoplasm is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat testis neoplasm.

**Synonyms:**

**testolactone**

testolactone is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat testolactone.

**Synonyms:**

**testosterone**

testosterone concerns testosterone, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**testosterone propionate**

testosterone propionate is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat testosterone propionate.

**Synonyms:**

**tetanus**

tetanus refers to tetanus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tetanus toxin**

tetanus toxin denotes an infectious or toxic condition involving tetanus toxin; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

**tetany**

tetany refers to tetany, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tetracaine**

tetracaine concerns tetracaine, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**tetrachloroethylene**

tetrachloroethylene refers to tetrachloroethylene, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tetrachlorvinphos**

tetrachlorvinphos refers to tetrachlorvinphos, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### **thyroidectomy**

thyroidectomy is used in relation to thyroidectomy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **thyroiditis**

thyroiditis refers to thyroiditis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **thyrotoxicosis**

thyrotoxicosis denotes an infectious or toxic condition involving thyrotoxicosis; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

### **thyrotroph adenoma**

thyrotroph adenoma refers to thyrotroph adenoma, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **thyrotropin**

thyrotropin concerns thyrotropin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **thyrotropin alfa**

thyrotropin alfa refers to thyrotropin alfa, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **thyroxine**

thyroxine refers to thyroxine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tiazofurin**

tiazofurin refers to tiazofurin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tibia**

tibia refers to tibia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tibia vara**

tibia vara refers to tibia vara, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tibial artery**

tibial artery refers to tibial artery, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tibial fracture**

tibial fracture denotes a clinical condition or finding involving tibial fracture; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **tibial nerve**

tibial nerve refers to tibial nerve, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tibialcrural artery**

tibialcrural artery refers to tibialcrural artery, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**tibialis cranialis**

tibialis cranialis refers to tibialis cranialis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tic disorder**

tic disorder denotes a clinical condition or finding involving tic disorder; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**ticarcillin**

ticarcillin concerns ticarcillin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**tick**

tick refers to tick, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**ticlopidine**

ticlopidine refers to ticlopidine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tidal volume**

tidal volume refers to tidal volume, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tigecycline**

tigecycline concerns tigecycline, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**tight junction**

tight junction refers to tight junction, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tilorone**

tilorone refers to tilorone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**time**

time refers to time, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**time perception**

time perception refers to time perception, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**timolol**

timolol concerns timolol, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**Timothy syndrome**

Timothy syndrome denotes a clinical condition or finding involving timothy syndrome; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**tincture**

tincture refers to tincture, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**tinea**

tinea refers to tinea, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tinea capitis**

tinea capitis refers to tinea capitis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tinea favosa**

tinea favosa refers to tinea favosa, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tinea pedis**

tinea pedis refers to tinea pedis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tinea versicolor**

tinea versicolor refers to tinea versicolor, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tinidazole**

tinidazole concerns tinidazole, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**tinnitus**

tinnitus refers to tinnitus, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tinzaparin**

tinzaparin concerns tinzaparin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**tinzaparin sodium**

tinzaparin sodium refers to tinzaparin sodium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tiopronin**

tiopronin refers to tiopronin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tiotropium bromide**

tiotropium bromide refers to tiotropium bromide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tipifarnib**

tipifarnib concerns tipifarnib, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**tirapazamine**

tirapazamine refers to tirapazamine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tirbanibulin**

tirbanibulin refers to tirbanibulin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**tirofiban**

tirofiban refers to tirofiban, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tissierella**

tissierella refers to tissierella, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tissierella praeacuta**

tissierella praeacuta refers to tissierella praeacuta, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tissue**

tissue denotes tissue, an anatomical structure or tissue whose clinical importance depends on location, connections, blood supply, innervation, and function.

**Synonyms:**

**tissue adhesions**

tissue adhesions refers to tissue adhesions, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tissue banks**

tissue banks refers to tissue banks, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tissue congestion**

tissue congestion refers to tissue congestion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tissue culture**

tissue culture refers to tissue culture, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tissue elastance**

tissue elastance refers to tissue elastance, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tissue engineering**

tissue engineering refers to tissue engineering, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tissue kallikrein**

tissue kallikrein refers to tissue kallikrein, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tissue membrane**

tissue membrane refers to tissue membrane, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tissue processor**

tissue processor refers to tissue processor, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tissue scaffold**

tissue scaffold refers to tissue scaffold, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**titanium**

titanium refers to titanium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**t-lymphocyte**

t-lymphocyte refers to t-lymphocyte, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tmax**

tmax refers to tmax, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**TNM staging**

TNM staging refers to tnm staging, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tobacco**

tobacco refers to tobacco, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tobacco use**

tobacco use refers to tobacco use, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tobramycin**

tobramycin concerns tobramycin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**tocolytic agents**

tocolytic agents refers to tocolytic agents, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tocopherol**

tocopherol refers to tocopherol, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tocotrienols**

tocotrienols refers to tocotrienols, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**toe**

toe refers to toe, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**toe joint**

toe joint refers to toe joint, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**togaviridae**

togaviridae identifies togaviridae, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**

**togaviridae infections**

togaviridae infections identifies togaviridae infections, a biological taxon or infectious-disease concept whose clinical importance depends on the organism, host, and site involved.

**Synonyms:**



---

**toilet training**

toilet training refers to toilet training, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tolazamide**

tolazamide refers to tolazamide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tolbutamide**

tolbutamide refers to tolbutamide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tolcapone**

tolcapone refers to tolcapone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tolerance**

tolerance refers to tolerance, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tolmetin**

tolmetin refers to tolmetin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tolnaftate**

tolnaftate refers to tolnaftate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tolonium chloride**

tolonium chloride refers to tolonium chloride, a med-

ical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tolterodine tartrate**

tolterodine tartrate refers to tolterodine tartrate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**toluene**

toluene refers to toluene, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tolvaptan**

tolvaptan refers to tolvaptan, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tomography**

tomography refers to tomography, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tomotherapy**

tomotherapy is used in relation to tomotherapy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

**tongue**

tongue refers to tongue, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

**tongue carcinoma**

tongue carcinoma denotes a neoplastic condition involving tongue carcinoma; evaluation establishes

---

tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### **tongue disease**

tongue disease denotes a clinical condition or finding involving tongue disease; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **tongue neoplasm**

tongue neoplasm denotes a neoplastic condition involving tongue neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### **tonic pupil**

tonic pupil refers to tonic pupil, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tonic seizures**

tonic seizures refers to tonic seizures, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tonometer**

tonometer refers to tonometer, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tonometry**

tonometry refers to tonometry, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tonsil**

tonsil refers to tonsil, a medical condition or clinical

finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tonsillar neoplasm**

tonsillar neoplasm denotes a neoplastic condition involving tonsillar neoplasm; evaluation establishes tissue of origin, extent, biologic behavior, and treatment.

**Synonyms:**

### **tonsillectomy**

tonsillectomy is used in relation to tonsillectomy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **tonsillitis**

tonsillitis refers to tonsillitis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tooth**

tooth refers to tooth, an anatomical or physiologic concept used to describe a body structure, process, or function.

**Synonyms:**

### **tooth abrasion**

tooth abrasion refers to tooth abrasion, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tooth ankylosis**

tooth ankylosis refers to tooth ankylosis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tooth attrition**

tooth attrition refers to tooth attrition, a medical condition or clinical finding defined by its features,

---

causes, affected system, and patient context.

**Synonyms:**

### **tooth calcification**

tooth calcification refers to tooth calcification, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tooth component**

tooth component refers to tooth component, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tooth crowding**

tooth crowding refers to tooth crowding, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tooth crown**

tooth crown refers to tooth crown, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tooth discoloration**

tooth discoloration refers to tooth discoloration, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tooth disease**

tooth disease denotes a clinical condition or finding involving tooth disease; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **tooth enamel**

tooth enamel refers to tooth enamel, a medical

condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tooth eruption**

tooth eruption refers to tooth eruption, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tooth extraction**

tooth extraction refers to tooth extraction, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tooth fracture**

tooth fracture denotes a clinical condition or finding involving tooth fracture; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **tooth infection**

tooth infection denotes an infectious or toxic condition involving tooth infection; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

### **tooth loss**

tooth loss refers to tooth loss, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tooth resorption**

tooth resorption refers to tooth resorption, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tooth root**

tooth root refers to tooth root, a medical condition

---

or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **toothache**

toothache refers to toothache, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **toothbrushing**

toothbrushing refers to toothbrushing, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **toothpaste**

toothpaste refers to toothpaste, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **topical**

topical refers to topical, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **topiramate**

topiramate refers to topiramate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **topoisomerase ii**

topoisomerase ii refers to topoisomerase ii, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **topoisomerase inhibitors**

topoisomerase inhibitors refers to topoisomerase inhibitors, a medical condition or clinical finding defined by its features, causes, affected system, and

patient context.

**Synonyms:**

### **topotecan**

topotecan refers to topotecan, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **topotecan hydrochloride**

topotecan hydrochloride refers to topotecan hydrochloride, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **toremifene**

toremifene refers to toremifene, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **torsade de pointes**

torsade de pointes refers to torsade de pointes, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **torsemide**

torsemide concerns torsemide, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **torsion dystonia**

torsion dystonia refers to torsion dystonia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **torticollis**

torticollis refers to torticollis, a medical condition

---

or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **torulaspora**

torulaspora refers to torulaspora, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **torulaspora delbrueckii**

torulaspora delbrueckii refers to torulaspora delbrueckii, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **tositumomab**

tositumomab concerns tositumomab, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **total laryngectomy**

total laryngectomy is used in relation to total laryngectomy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **total pancreatectomy**

total pancreatectomy is used in relation to total pancreatectomy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

### **total tissue**

total tissue refers to total tissue, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **touch**

touch refers to touch, a medical condition or clinical

finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **touch perception**

touch perception refers to touch perception, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Tourette's syndrome**

Tourette's syndrome denotes a clinical condition or finding involving tourette's syndrome; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **tourniquet**

tourniquet refers to tourniquet, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Townes syndrome**

Townes syndrome denotes a clinical condition or finding involving townes syndrome; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **toxaphene**

toxaphene denotes an infectious or toxic condition involving toxaphene; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

### **toxic**

toxic denotes an infectious or toxic condition involving toxic; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

### **toxic effect**

toxic effect denotes an infectious or toxic condition

---

involving toxic effect; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

### **toxic shock syndrome**

toxic shock syndrome denotes an infectious or toxic condition involving toxic shock syndrome; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

### **toxicity grade**

toxicity grade denotes an infectious or toxic condition involving toxicity grade; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

### **toxicity test**

toxicity test is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat toxicity test.

**Synonyms:**

### **toxicogenomics**

toxicogenomics denotes an infectious or toxic condition involving toxicogenomics; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

### **toxicokinetic description**

toxicokinetic description denotes an infectious or toxic condition involving toxicokinetic description; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

### **toxicokinetics**

toxicokinetics denotes an infectious or toxic condition involving toxicokinetics; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

### **toxicology**

toxicology denotes an infectious or toxic condition involving toxicology; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

### **toxin**

toxin denotes an infectious or toxic condition involving toxin; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

### **toxocara**

toxocara denotes an infectious or toxic condition involving toxocara; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

### **toxocara canis**

toxocara canis denotes an infectious or toxic condition involving toxocara canis; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

### **toxocara cati**

toxocara cati denotes an infectious or toxic condition involving toxocara cati; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

### **toxocariasis**

toxocariasis denotes an infectious or toxic condition involving toxocariasis; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

### **toxoid**

toxoid denotes an infectious or toxic condition involving toxoid; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**



---

**toxoplasma**

toxoplasma denotes an infectious or toxic condition involving toxoplasma; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

**toxoplasma gondii**

toxoplasma gondii denotes an infectious or toxic condition involving toxoplasma gondii; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

**toxoplasmosis**

toxoplasmosis denotes an infectious or toxic condition involving toxoplasmosis; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

**tra gene**

tra gene denotes tra gene, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**trabectedin**

trabectedin refers to trabectedin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**trabecular meshwork**

trabecular meshwork refers to trabecular meshwork, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**trabeculectomy**

trabeculectomy is used in relation to trabeculectomy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

**trabulsiella**

trabulsiella refers to trabulsiella, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**trabulsiella guamensis**

trabulsiella guamensis refers to trabulsiella guamensis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**transitional epithelium**

transitional epithelium refers to transitional epithelium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**transitory**

transitory refers to transitory, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**translation initiation**

translation initiation refers to translation initiation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**translucent**

translucent refers to translucent, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**transmembrane transport**

transmembrane transport refers to transmembrane transport, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**transmission**

transmission refers to transmission, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**transplacental**

transplacental refers to transplacental, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**transplant**

transplant refers to transplant, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**transplant rejection**

transplant rejection refers to transplant rejection, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**transplantation**

transplantation refers to transplantation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**transplantation conditioning**

transplantation conditioning refers to transplantation conditioning, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**transplantation immunology**

transplantation immunology refers to transplantation immunology, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**transport protein**

transport protein denotes transport protein, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**transport vesicle**

transport vesicle refers to transport vesicle, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**transtracheal**

transtracheal refers to transtracheal, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**transtympanic**

transtympanic refers to transtympanic, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**transverse colon**

transverse colon refers to transverse colon, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**transvestism**

transvestism refers to transvestism, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**trapezoid bone**

trapezoid bone refers to trapezoid bone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**trastuzumab**

trastuzumab concerns trastuzumab, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**traumatic injury**

traumatic injury denotes a clinical condition or finding involving traumatic injury; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**traumatic shock**

traumatic shock refers to traumatic shock, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**Traumeel S**

Traumeel S refers to traumeel s, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**travoprost**

travoprost concerns travoprost, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**trazodone**

trazodone refers to trazodone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**trb gene**

trb gene denotes trb gene, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**trd gene**

trd gene denotes trd gene, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**treatment epoch**

treatment epoch is used in relation to treatment epoch during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

**trematoda**

trematoda refers to trematoda, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**trematosphaeria grisea**

trematosphaeria grisea refers to trematosphaeria grisea, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tremelimumab**

tremelimumab concerns tremelimumab, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**tremor**

tremor refers to tremor, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**trendelenburg**

trendelenburg refers to trendelenburg, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**treosulfan**

treosulfan refers to treosulfan, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**trephine**

trephine refers to trephine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**treponema**

treponema refers to treponema, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**treponema pallidum**

treponema pallidum refers to treponema pallidum, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**treponemal infections**

treponemal infections denotes an infectious or toxic condition involving treponemal infections; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:**

**tretinoin**

tretinoin refers to tretinoin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**TRG gene**

TRG gene denotes trg gene, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**trial compliance**

trial compliance refers to trial compliance, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**trial indication**

trial indication refers to trial indication, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**trial phase**

trial phase refers to trial phase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**trial screening**

trial screening is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat trial screening.

**Synonyms:**

**triamcinolone**

triamcinolone refers to triamcinolone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**triamcinolone acetonide**

triamcinolone acetonide refers to triamcinolone acetonide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**triamterene**

triamterene refers to triamterene, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**triazenes**

triazenes refers to triazenes, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**triazine**

triazine refers to triazine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**triaziquone**

triaziquone refers to triaziquone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**triazolam**

triazolam refers to triazolam, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**triazole**

triazole concerns triazole, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

**triazophos**

triazophos refers to triazophos, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tributylin**

tributylin refers to tributyrin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**T-wave alternans**

T-wave alternans denotes t-wave alternans, a bio-

logical component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**twin**

twin refers to twin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tympanic bulla**

tympanic bulla refers to tympanic bulla, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tympanic membrane**

tympanic membrane refers to tympanic membrane, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tympanometry**

tympanometry refers to tympanometry, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**tympanoplasty**

tympanoplasty is used in relation to tympanoplasty during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

**typhlitis**

typhlitis refers to typhlitis, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**typhoid**

typhoid refers to typhoid, a medical condition or

---

clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### tyramine

tyramine refers to tyramine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### tyrosinase peptide

tyrosinase peptide is a defined chemical or biologic substance involved in tyrosinase peptide and studied in physiology, pharmacology, laboratory medicine, or treatment.

**Synonyms:**

### tyrosine

tyrosine refers to tyrosine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### Vaginal bleeding

Bleeding from the vagina outside an expected menstrual period or after menopause; causes include hormonal changes, infection, pregnancy-related conditions, structural lesions, or cancer. **Synonyms:**

### Vaginal odor

An unusual or unpleasant odor from vaginal discharge that may result from bacterial vaginosis, infection, retained material, hormonal changes, or other conditions. **Synonyms:**

### Vomiting blood

Vomiting blood or material that looks like coffee grounds, usually from bleeding in the upper digestive tract; it requires urgent medical evaluation. **Synonyms:**

### Vaginal candidiasis

Alternate index label; see *Yeast infection (vaginal)*. **Synonyms:**

### Vaginal prolapse, posterior

Alternate index label; see *Posterior vaginal prolapse (rectocele)*. **Synonyms:**

### Variant CJD

Alternate index label; see *Creutzfeldt-Jakob disease*. **Synonyms:**

### Varices, esophageal

Alternate index label; see *Esophageal varices*. **Synonyms:**

### Vascular claudication

Alternate index label; see *Claudication*. **Synonyms:**

### vCJD

Alternate index label; see *Creutzfeldt-Jakob disease*. **Synonyms:**

### Velocardiofacial syndrome

Alternate index label; see *DiGeorge syndrome (22q11.2 deletion syndrome)*. **Synonyms:**

### Venereal warts

Alternate index label; see *Genital warts*. **Synonyms:**

### Ventricular premature contraction

Alternate index label; see *Premature ventricular contractions (PVCs)*. **Synonyms:**

### Vertebral hemangioma

Alternate index label; see *Spinal hemangioma*. **Synonyms:**

### V-fib

Alternate index label; see *Ventricular fibrillation*. **Synonyms:**

### Vocal fold paralysis

Alternate index label; see *Vocal cord paralysis*. **Synonyms:**



---

### **Von Recklinghausen's disease**

Alternate index label; see *Neurofibromatosis type 1*.

**Synonyms:**

### **Von Recklinghausen's neurofibromatosis**

Alternate index label; see *Neurofibromatosis type 1*.

**Synonyms:**

### **Von Recklinghausen's phakomatosis**

Alternate index label; see *Neurofibromatosis type 1*.

**Synonyms:**

### **VPCs**

Alternate index label; see *Premature ventricular contractions (PVCs)*. **Synonyms:**

**Synonyms:**

## W

### Waardenburg Syndrome

A group of inherited disorders characterized by sensorineural hearing loss and pigmentary abnormalities of the eyes, hair, or skin. Dystopia canthorum, limb abnormalities, or intestinal aganglionosis may occur in particular genetic forms.

**Synonyms:**

### Wall Stress

Force exerted on a heart chamber wall by pressure inside the chamber. **Synonyms:**

### Warfarin

An anticoagulant that reduces blood clot formation by inhibiting vitamin-K-dependent clotting factors. **Synonyms:**

### Wart

A benign skin growth caused by infection with human papillomavirus. **Synonyms:** Verruca

### Water Brash

A sudden increase in salty saliva associated with acid reflux. **Synonyms:**

### Wernicke's Area

A brain region important for understanding spoken and written language. **Synonyms:** Wernicke area

### White-Coat Hypertension

High blood pressure in a medical setting with normal readings outside it. **Synonyms:** White-coat effect

### Will

A legal document specifying how a person's property

should be distributed after death. **Synonyms:** Last will and testament

### Withdrawal

Physical or psychological symptoms that occur when an addictive substance is reduced or stopped. **Synonyms:** Withdrawal syndrome

### Working Memory

The short-term holding and manipulation of information during a task. **Synonyms:**

### WAGR Syndrome

A contiguous-gene deletion syndrome involving Wilms tumor predisposition, aniridia, genitourinary anomalies, and variable developmental delay. It usually involves chromosome 11p13 and requires tumor surveillance and multidisciplinary care.

**Synonyms:**

### Waist Circumference

A measure of abdominal adiposity taken at a standardized site. Larger measurements are associated with increased cardiometabolic risk, but clinically used thresholds vary by sex, ancestry, and guideline; it complements, rather than replaces, body-mass index and other assessment.

**Synonyms:**

### Waldenstrom Macroglobulinemia

A rare B-cell lymphoplasmacytic lymphoma characterized by bone marrow infiltration by lymphoplasmacytic cells and production of monoclonal IgM paraprotein. It accounts for less than 2 percent of hematologic malignancies and typically affects older adults (median age 63-65 years).

---

**Synonyms:**

### **Waldenstrom's macroglobulinemia**

A lymphoplasmacytic cancer of the bone marrow that produces excess IgM and may cause anemia, enlarged lymph nodes, or hyperviscosity symptoms.

**Synonyms:**

### **Waldenström's macroglobulinemia**

An indolent B-cell lymphoplasmacytic lymphoma characterized by the production of a monoclonal IgM paraprotein, causing hyperviscosity syndrome with visual disturbances, bleeding, and neurological symptoms. It typically affects elderly patients and involves the bone marrow, lymph nodes, spleen, and liver.

**Synonyms:**

### **Walker**

Walking aid for stability. Types: standard, rollator (wheels), knee walkers.

**Synonyms:**

### **Wallerian Degeneration**

The breakdown of the portion of a nerve fiber separated from its cell body after nerve injury.

**Synonyms:**

### **Walking Speed**

The rate at which a person walks, often measured over a defined distance. It can provide information about mobility and function, but no single speed determines disability in every person.

**Synonyms:**

### **Wandering Spleen**

Abnormal mobility of the spleen caused by laxity or absence of its supporting ligaments. It may be asymptomatic or cause abdominal pain, splenic enlargement, torsion, infarction, or acute abdomen.

**Synonyms:**

### **Warthin Tumor**

A benign salivary-gland neoplasm composed of oncocytic epithelial and lymphoid tissue, usually arising

in the parotid gland. It is strongly associated with tobacco exposure, may be multifocal or bilateral, and is generally managed according to symptoms, diagnosis, and growth.

**Synonyms:**

### **Warts**

Small, usually benign growths of the skin or mucous membranes caused by human papillomavirus infection.

**Synonyms:**

### **Warty Dyskeratoma**

A benign follicular keratinizing tumor presenting as a solitary umbilicated papule or nodule, often on the head or neck. Histology shows a cup-shaped invagination filled with keratin and acantholytic dyskeratotic cells.

**Synonyms:**

### **Watchful Waiting**

Planned observation without immediate active treatment, with clinical review and treatment if symptoms develop or the condition progresses. It may be used for selected cancers and other slowly progressive conditions.

**Synonyms:**

### **Water Birth (Underwater Delivery)**

Delivery of a baby while the birthing person remains in a tub or pool of warm water. It may reduce perceived labor pain for some people, but evidence about delivery-related benefits and risks is limited. Eligibility, monitoring, and facility policies determine whether it is offered.

**Synonyms:** Underwater Delivery

### **Water Flosser**

Device using water stream to clean between teeth. Adjunct to brushing and flossing.

**Synonyms:**

### **Water Intoxication**

A potentially life-threatening dilutional hyponatremia caused by excessive water intake or retention

---

relative to the body's ability to excrete free water. Severe cases can cause headache, confusion, seizures, or coma.

**Synonyms:**

### **Water Soluble Toxins**

Toxic substances that dissolve readily in water. Their elimination depends on the substance, kidney function, metabolism, protein binding, and other properties; some may be removed by dialysis.

**Synonyms:**

### **Water-Borne Disease**

Disease transmitted via contaminated water. Examples: cholera, typhoid, hepatitis A.

**Synonyms:**

### **Water-Deprivation Test**

A supervised dynamic test assessing the kidney's ability to concentrate urine when free-water intake is withheld, followed when appropriate by desmopressin. It helps distinguish central diabetes insipidus, nephrogenic diabetes insipidus, and primary polydipsia but requires careful monitoring for hypernatremia and dehydration.

**Synonyms:**

### **Watery Eyes**

Excessive tearing caused by irritation, allergy, infection, dry-eye reflex tearing, or blockage of the tear-drainage system. Persistent unilateral tearing or pain requires ocular assessment.

**Synonyms:**

### **Waxy Casts**

Broad refractile cylindrical structures with smooth appearance indicating severe chronic kidney disease. Form from degeneration of granular casts in dilated tubules. Broad diameter reflects formation in dilated collecting ducts. Relatively specific for advanced CKD with significant tubular atrophy.

**Synonyms:**

### **Weakness**

Reduced muscle strength or ability to generate force,

which may be generalized or limited to one body region. Causes include nerve or muscle disease, stroke, spinal disorders, metabolic abnormalities, infection, and deconditioning; sudden one-sided weakness is an emergency.

**Synonyms:**

### **Wear Debris**

Particles generated by mechanical abrasion or degradation of implant materials. Macrophage-mediated inflammation around debris can produce osteolysis, implant loosening, and failure of an arthroplasty.

**Synonyms:**

### **Weaver Syndrome**

A congenital overgrowth and neurodevelopmental disorder associated with pathogenic variants in EZH2. It may cause prenatal overgrowth, advanced bone age, characteristic facial features, hypotonia, developmental delay, and variable intellectual disability.

**Synonyms:**

### **Weber Test**

The Weber test is a screening test for lateralization of hearing that uses a vibrating tuning fork (typically 512 Hz) placed on the midline of the skull (vertex or forehead) to determine whether the sound is heard equally in both ears or louder in one ear, providing information about the type and side of hearing loss.

**Synonyms:**

### **Wedge resection**

Surgical removal of a wedge-shaped piece of tissue, typically lung or breast. Used for diagnosis or treatment of localized lesions. Less extensive than lobectomy.

**Synonyms:**

### **Wegener's Granulomatosis**

Wegener's granulomatosis, now called granulomatosis with polyangiitis, is a systemic vasculitis characterized by necrotizing granulomatous inflammation of the upper and lower respiratory tracts and pauci-

---

immune necrotizing glomerulonephritis.

**Synonyms:**

### Weight Gain in Pregnancy

Recommended gestational weight gain according to the Institute of Medicine (IOM) guidelines, based on prepregnancy BMI. Underweight (BMI <18.5): 28-40 lbs (12.5-18 kg). Normal weight (BMI 18.5-24.9): 25-35 lbs (11.5-16 kg). Overweight (BMI 25-29.9): 15-25 lbs (7-11.5 kg). Obese (BMI ≥ 30): 11-20 lbs (5-9 kg).

**Synonyms:**

### Weight Loss

The intentional reduction of body weight, typically through a combination of dietary modification, increased physical activity, and behavioral changes. Achieving sustainable weight loss requires creating a consistent calorie deficit while preserving lean muscle mass through adequate protein intake and strength training.

**Synonyms:**

### Weight Loss and Management

Weight loss and management encompasses the ongoing process of achieving and maintaining a healthy body weight through sustainable lifestyle modifications.

**Synonyms:**

### Weight Loss Medications

Pharmacologic agents approved for the treatment of obesity when used in conjunction with lifestyle modifications.

**Synonyms:**

### Weil's Disease

A zoonotic bacterial infection caused by spirochaetes of the genus *Leptospira*, transmitted through contact with water or soil contaminated with the urine of infected animals (rodents, cattle, dogs). See *Leptospirosis*.

**Synonyms:**

### Wen (Epidermoid Cyst)

A common benign cyst beneath the skin that is lined by squamous epithelium and contains keratin debris.

**Synonyms:** Epidermoid Cyst

### Werner Syndrome

An autosomal-recessive progeroid disorder caused most often by pathogenic variants in the *WRN* gene. It typically presents after puberty with premature ageing, short stature, bilateral cataracts, scleroderma-like skin changes, thin limbs, diabetes, osteoporosis, vascular disease, and increased risk of malignancy.

**Synonyms:**

### Wernicke's Encephalopathy

An acute neurologic disorder caused by thiamine deficiency, classically involving confusion, eye-movement abnormalities, and gait or coordination impairment. It requires prompt thiamine treatment.

**Synonyms:**

### Wernicke-Korsakoff Syndrome

A neurologic disorder caused by thiamine deficiency, combining acute or previous Wernicke encephalopathy with persistent memory impairment and confabulation in some patients. Causes include alcohol-use disorder, malnutrition, and prolonged vomiting.

**Synonyms:**

### West Nile Encephalitis

Inflammation of the brain caused by neuroinvasive West Nile virus, transmitted mainly by mosquitoes. It may cause fever, headache, confusion, tremor, weakness, seizures, or coma. There is no specific routine antiviral treatment; severe illness requires hospital-based supportive care.

**Synonyms:**

### West Nile Virus

A mosquito-borne flavivirus that can cause asymptomatic infection, a febrile illness, or neuroinvasive disease such as meningitis, encephalitis, or acute flaccid paralysis. Risk of severe disease is higher

---

in older adults and people with certain medical conditions.

**Synonyms:**

### **West Syndrome**

An infantile epileptic encephalopathy characterized by epileptic spasms, hypsarrhythmia on electroencephalography, and developmental regression or arrest. Causes include structural brain disease, genetic disorders, metabolic disease, or acquired brain injury.

**Synonyms:**

### **Westermarck Sign**

A focal area of decreased pulmonary vascularity distal to an occluded pulmonary artery segment on a chest radiograph. It may occur with pulmonary embolism but is neither sensitive nor specific.

**Synonyms:**

### **Wharton Jelly**

A gelatinous substance (mucopolysaccharide matrix) surrounding the umbilical cord vessels, composed primarily of hyaluronic acid and chondroitin sulfate. It protects the umbilical vessels from compression and kinking during fetal movement and uterine contractions.

**Synonyms:**

### **Wheal**

Raised, itchy swelling of skin (urticaria/hives). Caused by mast cell degranulation and histamine release. Examples: insect bite, allergic reaction, dermatographism.

**Synonyms:**

### **Wheelchair**

Mobility device for patients with walking difficulties. Types: manual, power. Components: seat, backrest, wheels, footrests, armrests. Assessment: seating evaluation, pressure relief, posture. Training: mobility, transfers, safety.

**Synonyms:**

### **Wheelchair Seating and Positioning**

Assessment and configuration of a wheelchair, cushion, supports, and posture to optimize stability, propulsion, comfort, function, pressure distribution, and prevention of musculoskeletal deformity.

**Synonyms:**

### **Wheelchair Skills**

Training for wheelchair users: propulsion, maneuvering, obstacles, slopes, stairs, transfers.

**Synonyms:**

### **Wheezing**

A continuous, high-pitched, musical adventitious lung sound produced by turbulent airflow through narrowed or compressed lower airways during expiration (and occasionally inspiration). Pathophysiology: bronchospasm, mucosal edema, airway inflammation, or intraluminal secretions.

**Synonyms:**

### **Whiplash Injury**

An acceleration-deceleration injury to the cervical spine, most commonly resulting from rear-end motor vehicle collisions. Mechanism: sudden hyperextension followed by hyperflexion of the neck causes stretching or tearing of cervical muscles, ligaments, facet joint capsules, and annulus fibrosus of intervertebral discs.

**Synonyms:**

### **Whipple Disease**

A rare systemic bacterial infection caused by *Tropheryma whipplei*, affecting the small intestine and multiple organ systems. Presents with arthralgias (prodromal, years before GI symptoms), weight loss, chronic diarrhea, steatorrhea, and abdominal pain.

**Synonyms:**

### **Whipple Procedure**

Pancreaticoduodenectomy for cancers of the pancreatic head, distal bile duct, or ampulla. Involves removal of the pancreatic head, duodenum, distal bile duct, and gallbladder with three anastomoses: hepaticojejunostomy, pancreaticojejunostomy, and



---

gastrojejunostomy. The pylorus-preserving variant maintains the entire stomach.

**Synonyms:**

### Whipple Triad

A clinical framework supporting the diagnosis of symptomatic hypoglycemia: symptoms consistent with hypoglycemia, a documented low blood-glucose concentration, and improvement after the glucose level is raised. It is used when evaluating possible hypoglycemia, including suspected insulinoma.

**Synonyms:**

### Whipworm (Trichuriasis)

Intestinal infection caused by the soil-transmitted helminth *Trichuris trichiura* (whipworm), endemic in tropical and subtropical regions with poor sanitation. Humans acquire infection by ingesting embryonated eggs from contaminated soil, food, or water.

**Synonyms:** Trichuriasis

### Whispered Pectoriloquy

The ability to hear whispered words clearly through the stethoscope over consolidated lung tissue. It is a sign of pulmonary consolidation. Normally, whispered words are barely audible over the lung fields. It is one of the classic signs of pneumonia on physical examination.

**Synonyms:**

### White Blood Cell Count

WBC count: the total number of leukocytes per unit volume (normal  $4.0\text{--}11.0 \times 10^9/\text{L}$ ), part of the CBC with differential (neutrophils, lymphocytes, monocytes, eosinophils, basophils). Leukocytosis: infection (neutrophilia), inflammation, stress, steroids, leukemia (marked), corticosteroids.

**Synonyms:**

### White Blood Cell Labeling

Nuclear medicine technique labeling WBCs with Tc-99m. Used for infection localization.

**Synonyms:**

### White Cell

The cells of the immune system that defend the body against infection and foreign substances. Produced in the bone marrow from hematopoietic stem cells.

**Synonyms:**

### White Cell Count

A laboratory measurement of the number of white blood cells (leukocytes) in a given volume of blood, part of the complete blood count (CBC). Normal range: 4,000-11,000 cells/ $\mu\text{L}$  ( $4\text{--}11 \times 10^9/\text{L}$ ). Differential white cell count measures the proportion of each leukocyte type: neutrophils, lymphocytes, monocytes, eosinophils, basophils.

**Synonyms:**

### White Infarction

White infarction, also known as anemic infarction, occurs in solid organs with end-arterial circulation where collateral blood supply is limited, resulting in pale, well-demarcated areas of coagulative necrosis.

**Synonyms:** anemic infarction, occurs in solid organs with.

### White Matter

Regions of the brain and spinal cord composed primarily of myelinated nerve fibers, responsible for transmitting signals between brain regions.

**Synonyms:**

### Whites (Leucorrhoea)

A non-bloody, physiological or pathological vaginal discharge. Physiological leucorrhoea: normal, clear to whitish, odourless discharge that varies with the menstrual cycle (increased at ovulation, pre-menstrually, during pregnancy, sexual arousal, and with oral contraceptive use).

**Synonyms:** Leucorrhoea

### Whole Exome Sequencing

Sequencing the protein-coding regions of the genome, which make up a small fraction of total DNA. It can identify variants associated with disease but does not detect all genetic causes; its yield depends on the disorder, test quality, and interpre-

---

tation.

**Synonyms:**

### Whole Genome Sequencing

Determining complete DNA sequence of an individual's genome. Cost decreasing, clinical applications expanding. Identifies coding and non-coding variants.

**Synonyms:**

### Whole-Body Scan

Acquisition of images covering entire body. Used for oncology staging, infection localization. PET/CT typically neck-to-mid-thigh or full body.

**Synonyms:**

### Whole-Brain Radiation Therapy

Radiation directed at the entire brain, used for multiple brain metastases, leptomeningeal disease, and prophylactic cranial irradiation in small cell lung cancer and acute lymphoblastic leukemia.

**Synonyms:**

### Whole-Genome Sequencing

Sequencing of nearly the complete nuclear genome, including coding and noncoding regions, together with mitochondrial DNA when covered by the assay. It can detect a broad range of variants but generates substantial interpretation and incidental-finding challenges.

**Synonyms:**

### Whooping Cough

A highly contagious bacterial infection caused by *Bordetella pertussis*, producing characteristic paroxysmal cough with whooping inspiratory sound. See Pertussis.

**Synonyms:**

### Williams Syndrome

A microdeletion syndrome involving the elastin gene on chromosome 7q11.23. Features: elfin facies, supravalvular aortic stenosis, hypercalcemia, intellectual disability with strong verbal skills, and overly friendly personality. Often associated with

connective tissue abnormalities.

**Synonyms:**

### Wilms Tumor

A malignant embryonal tumor of the kidney in children. It may present as an abdominal mass, pain, hematuria, or an incidental finding and may be associated with syndromes such as WAGR or Beckwith-Wiedemann syndrome. Treatment and prognosis depend on stage and tumor biology.

**Synonyms:**

### Wilms' tumor (Nephroblastoma)

An embryonal malignant tumor of the kidney that usually occurs in young children. It may be associated with congenital syndromes, and treatment and prognosis depend on tumor stage, histology, and molecular features.

**Synonyms:** Nephroblastoma

### Wilson Disease

Autosomal recessive copper metabolism disorder (ATP7B gene). Copper accumulation in liver, brain, cornea. Kayser-Fleischer rings, hepatopathy, movement disorder, psychiatric symptoms. Treatment: chelation (penicillamine, trientine), zinc, liver transplant.

**Synonyms:**

### Wilson's disease

An autosomal recessive disorder of copper metabolism caused by mutations in the ATP7B gene, leading to impaired biliary copper excretion and toxic copper accumulation in the liver, brain, cornea, and other organs.

**Synonyms:**

### Windowing

Adjusting CT image brightness and contrast to optimize visualization of specific tissues. Bone window: wide window width, high level. Soft tissue window: narrow width, mid level. Lung window: wide width, low level.

**Synonyms:**

---

## Windpipe

The windpipe, a 10-12 cm fibrocartilaginous tube from the larynx (C6) to the carina (T4/T5) where it bifurcates into main bronchi. See Trachea.

**Synonyms:**

## Wireless Motility Capsule

Ingestible capsule that measures pH, pressure, and temperature throughout the gastrointestinal tract. Provides regional transit times through the stomach, small bowel, and colon in a single test. The pH sensor identifies transition points between segments based on characteristic pH changes.

**Synonyms:**

## Wiskott-Aldrich Syndrome

X-linked recessive disorder (WAS gene mutation, encodes WASP protein, regulates actin polymerization in hematopoietic cells). Triad: microthrombocytopenia (small platelets, <70 fl), eczema, recurrent infections (encapsulated bacteria, viruses). Combined immunodeficiency with progressive T-cell lymphopenia.

**Synonyms:**

## Withdrawal Reflex

A protective polysynaptic spinal reflex in which a painful stimulus causes flexion (withdrawal) of the stimulated limb, removing it from the source of injury, with reciprocal extension of the contralateral limb (crossed extensor reflex) to maintain posture.

**Synonyms:**

## Withdrawal Symptoms

Physical or psychological symptoms that occur when a person stops or reduces a substance or medicine after the body has adapted to it. The symptoms depend on the substance, duration of use, and the person's health.

**Synonyms:**

## Withdrawal Syndrome

A predictable set of signs and symptoms that occur when a drug is discontinued or the dose is reduced after chronic use, reflecting the physiological rebound

from drug adaptation.

**Synonyms:**

## Wolff-Parkinson-White Syndrome

A pre-excitation syndrome caused by an accessory pathway (bundle of Kent) connecting atria and ventricles, bypassing the AV node. ECG shows short PR interval (<0.12 s), delta wave (slurred upstroke of QRS), and widened QRS.

**Synonyms:**

## Wolfram Syndrome

Autosomal recessive disorder caused by mutations in the WFS1 gene encoding wolframin. Classic triad of diabetes mellitus, optic atrophy, and diabetes insipidus. Additional features include sensorineural deafness, neurodegeneration, and psychiatric illness. Onset of diabetes typically in the first decade.

**Synonyms:**

## Wolman's Disease

A severe lysosomal acid-lipase deficiency presenting in infancy with hepatosplenomegaly, adrenal calcification, malabsorption, vomiting, diarrhea, and failure to thrive. It is a severe form of lysosomal acid-lipase deficiency and can be fatal early without treatment.

**Synonyms:**

## Wood Lamp Examination

Inspection of skin under long-wave ultraviolet A light in a darkened room. It can accentuate pigimentary differences and produce characteristic fluorescence in selected infections, but findings are not independently diagnostic.

**Synonyms:**

## Woods Corkscrew Maneuver

An internal rotation maneuver for shoulder dystocia where the operator inserts a hand and rotates the fetal shoulders 180 degrees by applying pressure to the posterior aspect of the anterior shoulder. This disimpacts the shoulder from behind the symphysis pubis. Can be repeated if the shoulder re-impacts in the new position.

---

**Synonyms:**

### **Woods Screw Maneuver**

A rotational maneuver used during shoulder dystocia to rotate the fetal shoulders and assist delivery.

**Synonyms:**

### **Word Recognition Scoring**

An audiologic test measuring how accurately a person repeats or identifies spoken words at a comfortable listening level.

**Synonyms:**

### **Word Salad**

Severe disorganized speech consisting of a jumble of words and phrases that lack meaning or logical connection. It is a hallmark of formal thought disorder in schizophrenia and represents the most severe form of disorganized speech. It reflects profound disruption of language processing.

**Synonyms:**

### **Wound**

An injury in which tissue is damaged by trauma, surgery, pressure, heat, chemicals, or other causes. Wounds may be open or closed and vary in depth, contamination, and effect on nearby structures.

**Synonyms:**

### **Wound Care**

Management of traumatic wounds: irrigation, debridement, closure (sutures, staples, glue), dressing. Tetanus prophylaxis based on vaccination history and wound type. Antibiotics for contaminated wounds, animal/human bites, or signs of infection. Healing: primary, secondary, tertiary intention.

**Synonyms:**

### **Wound Complication**

A problem that develops during healing, such as infection, separation of wound edges, bleeding, fluid collection, tissue death, or excessive scarring. Increasing pain, redness, swelling, drainage, fever, or wound opening should be assessed promptly.

**Synonyms:**

### **Wound Dehiscence**

Separation of the layers of a surgical wound after closure, most commonly occurring within 3-14 days postoperatively.

**Synonyms:**

### **Wound Healing**

Complex process of tissue repair. Phases: hemostasis, inflammation, proliferation, remodeling. Implant integration depends on healing.

**Synonyms:**

### **Wound Healing Phases**

Wound healing involves overlapping stages of hemostasis, inflammation, tissue formation, epithelial coverage, and remodeling. The duration and result depend on the wound, blood supply, infection, nutrition, and overall health.

**Synonyms:**

### **Wound Infection**

Infection of a wound by microorganisms, causing findings such as increasing pain, redness, warmth, swelling, pus, fever, or delayed healing.

**Synonyms:**

### **Wound VAC**

Vacuum-assisted closure for wound healing. Foam dressing connected to vacuum pump. Removes exudate, reduces edema, promotes granulation. Used for complex wounds, surgical sites, pressure ulcers.

**Synonyms:**

### **Wrisberg Ganglion**

A sensory ganglion associated with the intermediate nerve of the facial nerve.

**Synonyms:**

### **Wrist Drop**

Inability to extend the wrist and fingers, usually caused by radial nerve dysfunction.

**Synonyms:**

---

### Wrist Joint

Condylod joint between distal radius and articular disc proximally and scaphoid/lunate/triquetrum distally. Allows flexion, extension, radial/ulnar deviation, circumduction. The triangular fibrocartilage complex absorbs ulnar side load.

**Synonyms:**

### Wrist Pain

Pain in or around the wrist, commonly caused by sprain, fracture, tendinitis, arthritis, or nerve compression such as carpal tunnel syndrome. Persistent pain, deformity, numbness, or weakness requires assessment.

**Synonyms:**

### Wuchereria

A genus of filarial nematodes that includes *Wuchereria bancrofti*, a major cause of lymphatic filariasis. Infection is transmitted by mosquitoes and may cause lymphangitis, chronic lymphedema, hydrocele, and elephantiasis.

**Synonyms:**

### Wheat Allergy

An immune reaction to proteins in wheat that may cause skin, digestive, or breathing symptoms.

**Synonyms:**

### Whiplash

A neck injury caused by a rapid back-and-forth movement of the head.

**Synonyms:**

### Whipple's Disease

A rare bacterial infection that can impair intestinal absorption and affect multiple organs.

**Synonyms:**

### Wheeze

A high-pitched whistling sound produced by narrowed airways during breathing.

**Synonyms:**

### Wright Stain

A blood-cell stain used to identify and classify cells in a blood smear.

**Synonyms:**

### White Blood Cells

Leukocytes, immune cells that circulate in blood and protect the body against infection, foreign substances, and abnormal cells.

**Synonyms:**

### Wolman Disease

A rare autosomal-recessive lysosomal storage disorder caused by lysosomal acid lipase deficiency, leading to accumulation of cholesteryl esters and triglycerides, adrenal calcification, hepatosplenomegaly, diarrhea, and severe early-onset disease.

**Synonyms:**

### Wernicke Encephalopathy

An acute neurologic disorder caused by thiamine deficiency, classically producing confusion, impaired coordination, and abnormal eye movements. It is a medical emergency requiring prompt thiamine treatment.

**Synonyms:**

### Wrist Fracture

A break in one or more bones near the wrist, most commonly the distal radius or ulna, usually caused by a fall, direct trauma, or weakened bone.

**Synonyms:**

### Wrist Sprain

Stretching or tearing of one or more ligaments supporting the wrist, causing pain, swelling, bruising, and reduced movement after injury.

**Synonyms:**

### Wet Macular Degeneration

The neovascular form of age-related macular degeneration in which abnormal blood vessels grow beneath or within the retina and leak fluid or blood, causing rapid central-vision loss.

**Synonyms:**

---

### Wound Evisceration

Separation of a surgical wound with protrusion of internal organs or tissue through the opening. It is a surgical emergency requiring protection of the exposed tissue and urgent medical evaluation.

**Synonyms:**

### Common Warts (Verruca Vulgaris)

Benign, rough-surfaced skin growths caused by infection with human papillomavirus (HPV), commonly affecting the hands and fingers.

**Synonyms:** Verruca Vulgaris

### Plane Warts (Verruca Plana)

Small, smooth, relatively flat warts caused by HPV, often occurring in groups on the face, hands, or legs.

**Synonyms:** Verruca Plana

### Digitate Warts (Verruca Digitata)

Filiform or finger-like warts, usually arising on the face or neck and caused by HPV infection.

**Synonyms:** Verruca Digitata

### Plantar Warts (Verruca Plantaris)

Warts on the soles of the feet caused by HPV. Pressure may push them inward and produce pain during walking.

**Synonyms:** Verruca Plantaris

### Mucosal Warts

HPV-associated warts arising on mucous membranes, including the oral, genital, or anorectal mucosa.

**Synonyms:**

### Laryngeal Warts (Recurrent Respiratory Papillomatosis)

Benign papillomatous growths caused by HPV in the larynx or respiratory tract. They may cause hoarseness, stridor, or airway obstruction.

**Synonyms:** Recurrent Respiratory Papillomatosis

### Wassermann Reaction

A historical complement-fixation blood test for

syphilis. It has largely been replaced by modern treponemal and nontreponemal serologic tests.

**Synonyms:**

### Wasp Sting

A venomous insect sting that may cause localized pain, redness, and swelling; severe reactions can include anaphylaxis or, rarely, systemic envenomation.

**Synonyms:**

### Water-Hammer Pulse (Corrigan Pulse)

A pulse with a rapid upstroke and collapse, classically associated with significant aortic regurgitation and other states of increased pulse pressure.

**Synonyms:** Corrigan Pulse

### Weaning

Gradual reduction and eventual discontinuation of breastfeeding, bottle-feeding, or a medicine or other treatment, according to the relevant clinical context.

**Synonyms:**

### Wenckebach Phenomenon (Mobitz Type I AV Block)

Progressive prolongation of the PR interval followed by a nonconducted atrial impulse and a dropped QRS complex. It reflects intermittent impairment of atrioventricular conduction.

**Synonyms:** Mobitz Type I AV Block

### White Finger

Episodic pallor or whitening of the fingers caused by vasospasm, commonly associated with Raynaud phenomenon or hand-arm vibration syndrome.

**Synonyms:**

### White Leg (Phlegmasia Alba Dolens)

Painful, marked swelling and pallor of a limb caused by extensive deep venous thrombosis, usually involving major venous outflow. It requires urgent assessment.

**Synonyms:** Phlegmasia Alba Dolens



---

### **Whitlow (Paronychia)**

Acute or chronic infection and inflammation of the tissues around a fingernail or toenail, usually caused by bacteria, fungi, or repeated moisture and trauma.

**Synonyms:** Paronychia

### **Widal Reaction**

An agglutination test historically used to detect antibodies associated with Salmonella Typhi and paratyphoid infection. Its diagnostic accuracy is limited, and results require clinical interpretation.

**Synonyms:**

### **Wisdom Tooth (Third Molar)**

The last molar in each dental quadrant, usually erupting in late adolescence or early adulthood. Impaction may cause pain, infection, or damage to adjacent teeth.

**Synonyms:** Third Molar

### **Witch's Milk (Neonatal Galactorrhea)**

A temporary milk-like breast secretion in a newborn caused by exposure to maternal hormones. It usually resolves without treatment; the breasts should not be squeezed.

**Synonyms:** Neonatal Galactorrhea

### **Wool-Sorter's Disease (Anthrax)**

An occupational form of inhalational anthrax caused by inhalation of spores of Bacillus anthracis, historically associated with handling contaminated wool or animal products.

**Synonyms:** Anthrax

### **Word Blindness (Alexia)**

An acquired neurological disorder in which a person loses or markedly impairs the ability to read despite adequate vision and previously acquired language skills.

**Synonyms:** Alexia

### **Word Deafness (Auditory Verbal Agnosia)**

An acquired inability to understand spoken words despite adequate hearing, often caused by dysfunction

of auditory-language pathways.

**Synonyms:** Auditory Verbal Agnosia

### **Worm Infestation (Helminthiasis)**

Infection by parasitic worms, including nematodes, cestodes, and trematodes. Manifestations depend on the species and the organs involved.

**Synonyms:** Helminthiasis

### **Writer's Cramp**

A task-specific focal dystonia causing involuntary muscle contractions and abnormal postures during writing or closely related fine-motor activities.

**Synonyms:**

### **Wryneck (Torticollis)**

Abnormal tilting or rotation of the head caused by involuntary contraction, shortening, or dysfunction of neck muscles. It may be congenital, acquired, painful, or neurological.

### **wafer**

wafer refers to wafer, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **waist-hip ratio**

waist-hip ratio refers to waist-hip ratio, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **wakefulness**

wakefulness refers to wakefulness, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Ward's triangle**

Ward's triangle refers to ward's triangle, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### **Warfarin syndrome**

Warfarin syndrome denotes a clinical condition or finding involving warfarin syndrome; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### **warm ischemia**

warm ischemia refers to warm ischemia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **washout period**

washout period refers to washout period, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **water**

water refers to water, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **water channel**

water channel refers to water channel, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **water consumption**

water consumption refers to water consumption, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **water pollution**

water pollution refers to water pollution, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **water supply**

water supply refers to water supply, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **water-soluble vitamin**

water-soluble vitamin refers to water-soluble vitamin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **watt**

watt refers to watt, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **webbed neck**

webbed neck refers to webbed neck, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **weber**

weber refers to weber, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **wedge excision**

wedge excision refers to wedge excision, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **weeksella**

weeksella refers to weeksella, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**weeksella virosa**

weeksella virosa refers to weeksella virosa, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**weight gain**

weight gain refers to weight gain, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**Werner's syndrome**

Werner's syndrome denotes a clinical condition or finding involving werner's syndrome; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

**wernicke area**

wernicke area refers to wernicke area, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**western blotting**

western blotting refers to western blotting, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**wheeled stretcher**

wheeled stretcher refers to wheeled stretcher, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**whirlpool bath**

whirlpool bath refers to whirlpool bath, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**whole-body irradiation**

whole-body irradiation refers to whole-body irradiation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**wickerhamiella pararugosa**

wickerhamiella pararugosa refers to wickerhamiella pararugosa, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**widow**

widow refers to widow, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**wolinella**

wolinella refers to wolinnella, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**wolinella succinogenes**

wolinella succinogenes denotes wolinnella succinogenes, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**women's health**

women's health refers to women's health, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**worker compensation**

worker compensation refers to worker compensation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### world health organization

world health organization refers to world health organization, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### wortmannin

wortmannin refers to wortmannin, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### wrist

wrist refers to wrist, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### wrist injury

wrist injury denotes a clinical condition or finding involving wrist injury; evaluation identifies mechanism, affected system, severity, complications, and management.

**Synonyms:**

### written documentation

written documentation refers to written documentation, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**Synonyms:** Torticollis

### White tongue

A white coating or patches on the tongue caused by debris, dry mouth, irritation, infection, inflammation, or other oral conditions. **Synonyms:**

### Warts, common

Alternate index label; see *Common warts*. **Synonyms:**

### Warts, genital

Alternate index label; see *Genital warts*. **Synonyms:**

### Warts, plantar

Alternate index label; see *Plantar warts*. **Synonyms:**

### Warts, venereal

Alternate index label; see *Genital warts*. **Synonyms:**

### Water on the knee

Alternate index label; see *Swollen knee*. **Synonyms:**

### Wermer syndrome

Alternate index label; see *Multiple endocrine neoplasia, type 1 (MEN 1)*. **Synonyms:**

### Wermer's syndrome

Alternate index label; see *Multiple endocrine neoplasia, type 1 (MEN 1)*. **Synonyms:**

### Wet age-related macular degeneration

Alternate index label; see *Wet macular degeneration*. **Synonyms:**

### Wet AMD

Alternate index label; see *Wet macular degeneration*. **Synonyms:**

### White blood cell disorders in children

Alternate index label; see *Pediatric white blood cell disorders*. **Synonyms:**

### White spot disease

Alternate index label; see *Lichen sclerosus*. **Synonyms:**

### Whiteheads

Alternate index label; see *Acne*. **Synonyms:**

---

### **Wisdom teeth, impacted**

Alternate index label; see *Impacted wisdom teeth*.

**Synonyms:**

### **Wolff-Parkinson-White accessory pathway-related tachycardia**

Alternate index label; see *Wolff-Parkinson-White (WPW) syndrome*. **Synonyms:**

### **Wrinkle**

Alternate index label; see *Wrinkles*. **Synonyms:**

# X

## X Chromosome

One of the two human sex chromosomes, carrying genes involved in sex development and many non-sex-specific biological functions. Individuals typically have one or two X chromosomes, and dosage is partly regulated by X-chromosome inactivation.

**Synonyms:**

## XXX syndrome

Alternate index label; see *Triple X syndrome* (trisomy X), a sex-chromosome variation in which a female has an additional X chromosome.

**Synonyms:**

## X-Inactivation

Process inactivating one X chromosome in female mammals, forming Barr body. Occurs early in development, random in most tissues. Ensures dosage compensation.

**Synonyms:**

## X-Linked Agammaglobulinemia

An inherited immunodeficiency, usually caused by a pathogenic variant in the BTK gene, that prevents normal B-cell maturation. It causes very low immunoglobulin levels and recurrent bacterial or enteroviral infections, usually beginning in infancy or early childhood.

**Synonyms:**

## X-Linked Inheritance

Transmission of a pathogenic variant on the X chromosome. Phenotypes differ by sex, X-inactivation, and variant mechanism; fathers do not transmit an X-linked variant to their sons.

**Synonyms:**

## X-linked retinoschisis

An inherited vitreoretinal dystrophy caused by mutations in the RS1 gene, characterized by splitting of the retinal nerve fibre layer producing a spoke-wheel pattern of cystic spaces at the macula and peripheral retinal schisis.

**Synonyms:**

## X-ray

An imaging method that uses ionizing radiation to create pictures of internal body structures.

**Synonyms:**

## X-Ray (Plain Radiography)

An imaging method that uses X-rays to create a two-dimensional projection of internal structures. It is used to assess bones, the chest, abdomen, teeth, and other selected body regions.

**Synonyms:** Plain Radiography

## X-ray (Radiography)

Projectional imaging using ionizing radiation. Dense structures (bone, contrast) appear white; air appears black. Fast, inexpensive, widely available. Two-dimensional projection of three-dimensional structures. Mammography: specialized breast X-ray for screening.

**Synonyms:** Radiography

## X-ray Attenuation

Reduction in the intensity of an X-ray beam as it passes through tissue or another material.

**Synonyms:**



---

### **X-ray Shield**

Lead apron, thyroid shield for radiation protection during imaging.

**Synonyms:**

### **X-Rays (Röntgen Rays)**

Electromagnetic radiation used in radiography and other imaging techniques to create images by measuring differences in tissue attenuation.

**Synonyms:** Röntgen Rays

### **Xanax**

A brand name for alprazolam, a benzodiazepine that enhances GABA-A receptor activity and produces anxiolytic and sedative effects. It can cause impaired coordination, dependence, and respiratory depression, especially when combined with other sedatives.

**Synonyms:**

### **Xanthelasma**

Xanthelasma palpebrarum are soft, yellow, lipid-filled papules or plaques on the medial canthus of the eyelids (upper more commonly than lower), the most common form of cutaneous xanthoma. They are composed of foam cells (lipid-laden macrophages) in the superficial dermis.

**Synonyms:**

### **Xanthine Oxidase Inhibitor**

A class of medications that inhibit xanthine oxidase, the enzyme that catalyzes the final steps of purine metabolism: hypoxanthine to xanthine and xanthine to uric acid. By inhibiting this enzyme, XOIs reduce uric acid production and lower serum uric acid levels, used for management of chronic gout and tumor lysis syndrome.

**Synonyms:**

### **Xanthogranulomatous**

Chronic destructive renal infection with replacement of parenchyma by lipid-laden macrophages. See xanthogranulomatous pyelonephritis.

**Synonyms:**

### **Xanthogranulomatous Pyelonephritis**

A chronic destructive kidney infection in which renal tissue is replaced by lipid-laden macrophages. It is often associated with obstruction or stones and may require antibiotics, drainage, surgery, or nephrectomy depending on the extent of damage.

**Synonyms:**

### **Xanthoma**

Cutaneous deposits of lipids (cholesterol, triglycerides) in the dermis or tendons, presenting as yellow-orange papules, nodules, or plaques.

**Synonyms:**

### **Xanthomatosis**

A disorder in which fatty deposits called xanthomas develop in the skin, tendons, or organs. It may be associated with inherited or acquired lipid disorders and can signal increased cardiovascular or organ-specific risk requiring medical evaluation.

**Synonyms:**

### **Xenobiotic**

Foreign chemical substance in body. Drugs, pollutants, pesticides, industrial chemicals. Metabolized by liver enzymes.

**Synonyms:**

### **Xenograft**

Tissue or a biological material transplanted between different species, often used as a temporary graft or tissue substitute.

**Synonyms:**

### **Xenograft (Heterograft)**

A surgical graft taken from a donor of a different species (xenos = foreign, Greek). Xenografts are used as temporary biological dressings or as tissue replacements.

**Synonyms:** Heterograft

### **Xeroderma**

Abnormally dry skin that may cause scaling, roughness, itching, or cracking. It can result from environmental exposure, skin disease, age, or medicines.

---

**Synonyms:**

### **Xeroderma Pigmentosum**

A rare autosomal recessive disorder of nucleotide-excision DNA repair that causes extreme sun sensitivity and a greatly increased risk of skin and eye damage and cancers. It is caused by pathogenic variants in genes involved in DNA repair.

**Synonyms:**

### **Xenophobia**

An intense or persistent fear of unfamiliar people, cultures, or situations; when clinically significant, it may be considered a specific phobia.

**Synonyms:**

### **Xerophthalmia**

Dryness of the conjunctiva and cornea, often caused by vitamin A deficiency. Severe disease can damage the cornea and impair vision.

**Synonyms:**

### **Xerosis**

Abnormally dry skin, common in elderly patients and winter months. It results from decreased sebaceous and sweat gland activity, impaired skin barrier function, and environmental factors. Treatment includes regular emollient application (cream or ointment rather than lotion), gentle cleansing, and humidification.

**Synonyms:**

### **Xerostomia**

The sensation of dry mouth caused by reduced or altered saliva production. It may result from medicines, dehydration, salivary-gland disease, radiation, or systemic illness and can impair speaking, swallowing, taste, and dental health.

**Synonyms:**

### **Xerostomia (Dry Mouth)**

A subjective sensation of oral dryness caused by reduced or altered saliva production. It may result from medicines, dehydration, salivary-gland disease, radiation, or systemic illness and can contribute to

difficulty speaking, swallowing, and dental decay.

**Synonyms:** Dry Mouth

### **Xylitol Toxicity**

Poisoning caused by excessive xylitol exposure. It can cause marked hypoglycemia in dogs and may cause gastrointestinal symptoms in people.

**Synonyms:**

### **X-Linked Adrenoleukodystrophy**

An inherited disorder of peroxisomal fatty-acid metabolism, usually affecting boys, that can cause progressive damage to the adrenal glands, nervous system, and myelin.

**Synonyms:**

### **X-Linked Ichthyosis**

An inherited skin disorder caused by deficiency of steroid sulfatase, producing generalized dry, dark, plate-like scaling that often begins in infancy or early childhood.

**Synonyms:**

### **X-Linked Severe Combined Immunodeficiency**

A severe inherited immune disorder, usually caused by defects affecting the interleukin-2 receptor gamma chain, resulting in profound T-cell dysfunction and vulnerability to serious infections.

**Synonyms:**

### **X-Linked Hypophosphatemia**

An inherited disorder of phosphate regulation, commonly caused by excess fibroblast growth factor 23, leading to renal phosphate wasting, rickets or osteomalacia, bone pain, and growth abnormalities.

**Synonyms:**

### **XYY Syndrome**

A sex-chromosome variation in which a male has an extra Y chromosome. Many affected individuals have few or no obvious symptoms, though some have tall stature, learning difficulties, or developmental differences.

---

**xanthine**

xanthine refers to xanthine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**xanthine dehydrogenase**

xanthine dehydrogenase refers to xanthine dehydrogenase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**xanthine oxidase**

xanthine oxidase refers to xanthine oxidase, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**xanthomonadaceae**

xanthomonadaceae refers to xanthomonadaceae, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**xanthomonas**

xanthomonas refers to xanthomonas, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**xenobiotic metabolism**

xenobiotic metabolism refers to xenobiotic metabolism, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**xenograft procedure**

xenograft procedure is a clinical assessment, measurement, or procedure used to investigate, monitor, classify, or treat xenograft procedure.

**Synonyms:**

**xenon**

xenon refers to xenon, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**xenophagy**

xenophagy refers to xenophagy, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**xeroradiograph**

xeroradiograph refers to xeroradiograph, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**xipamide**

xipamide refers to xipamide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**X-ray crystallography**

X-ray crystallography refers to x-ray crystallography, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**X-ray therapy**

X-ray therapy is used in relation to x-ray therapy during assessment, diagnosis, treatment, monitoring, or patient support.

**Synonyms:**

**xylose**

xylose refers to xylose, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**Synonyms:**

## Y

### Y Chromosome

The sex chromosome that typically carries the SRY gene and other genes involved in testicular development and male sex differentiation. It is present in most individuals with a typical 46,XY karyotype and is transmitted through the paternal line.

**Synonyms:**

### Yohimbine

A plant-derived alkaloid that has been studied for erectile dysfunction and other uses. **Synonyms:**

### YAG Capsulotomy

A laser procedure that creates an opening in an opaque posterior lens capsule after cataract surgery. It can improve vision when posterior capsule opacification is causing visual symptoms.

**Synonyms:**

### Yaws

A chronic infectious disease caused by *Treponema pallidum pertenue* and transmitted mainly through skin-to-skin contact in children. It begins with a skin lesion and may progress to destructive lesions of skin, bone, and cartilage if untreated.

**Synonyms:**

### Yaws (Frambesia)

A chronic, non-venereal treponematosis caused by *Treponema pallidum* subspecies *pertenue*, closely related to the syphilis spirochete (*T. pallidum pallidum*).

**Synonyms:** Frambesia

### Yeast

Unicellular fungi that reproduce by budding (blastoconidia formation) or fission. The clinically most important yeasts are *Candida* species (*Candida albicans*, *C. glabrata*, *C. parapsilosis*, *C. tropicalis*, *C. krusei*, *C. auris*) and *Cryptococcus* species (*C. neoformans*, *C. gattii*).

**Synonyms:**

### Yeast Infection

Vulvovaginal candidiasis: infection by *Candida albicans* (most common), causing vulvar and vaginal itching, burning, thick white 'cottage cheese' discharge, dyspareunia, and erythema; more common in pregnancy, diabetes, antibiotic use, and immunosuppression. Diagnosis: clinical; wet mount (budding yeast/hyphae), KOH, or culture.

**Synonyms:**

### Yellow Fever

A mosquito-borne viral hemorrhagic fever caused by yellow fever virus (Flavivirus), endemic in tropical Africa and South America. Incubation 3-6 days. Presents with fever, myalgia, headache, and vomiting. A proportion of patients progress to toxic phase with jaundice, hemorrhagic fever, and multi-organ failure (hepatorenal).

**Synonyms:**

### Yellow-nail syndrome

A rare triad of yellow, thickened, slow-growing nails, lymphedema, and chronic respiratory disease including bronchiectasis and pleural effusions. The nail changes result from impaired lymphatic drainage affecting nail growth. It typically affects middle-aged adults.

---

**Synonyms:**

### **Yersinia Enterocolitica**

A gram-negative coccobacillus of the family Enterobacteriaceae, a common cause of enterocolitis and mesenteric lymphadenitis, especially in children and young adults in temperate climates.

**Synonyms:**

### **Yersinia Infection**

Infection caused by Yersinia bacteria, commonly producing diarrhea, abdominal pain, fever, or vomiting. Some cases mimic appendicitis; severe illness, dehydration, bloody diarrhea, or persistent symptoms requires medical assessment.

**Synonyms:**

### **Yersinia pestis**

A gram-negative rod that causes plague, a severe and potentially fatal infection; see *Plague*. The organism is transmitted by flea bites or direct contact with infected animals. Bubonic plague presents with painful lymphadenopathy (buboes). Pneumonic plague involves the lungs and is transmitted by respiratory droplets.

**Synonyms:**

### **Yolk Sac**

An extraembryonic structure that supports the early embryo before the placenta is fully functional. It contributes to early blood-cell formation and development of the primitive gut and is assessed on early pregnancy ultrasound.

**Synonyms:**

### **Yolk-sac tumor**

A malignant germ-cell tumor that commonly occurs in children and produces alpha-fetoprotein.

**Synonyms:**

### **Yttrium-90**

Beta emitter, half-life 64 hours. Used in radioembolization (Y-90 microspheres) for liver cancer. Bremsstrahlung imaging possible.

**Synonyms:**

### **Yips**

Sudden involuntary movements or muscle spasms that interfere with a skilled task, often in athletes or musicians.

**Synonyms:**

### **Yergason Test**

A shoulder examination maneuver used to assess the long head of the biceps tendon and transverse humeral ligament by resisted supination and external rotation.

**Synonyms:**

### **Yersiniosis**

Infection caused by Yersinia bacteria, most often *Y. enterocolitica* or *Y. pseudotuberculosis*, producing diarrhea, abdominal pain, fever, or pseudoappendicitis.

**Synonyms:**

### **YAG Laser Capsulotomy**

A laser procedure that creates an opening in a cloudy posterior lens capsule after cataract surgery, restoring the passage of light and improving vision.

### **yarrowia**

yarrowia refers to yarrowia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **yarrowia lipolytica**

yarrowia lipolytica refers to yarrowia lipolytica, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **yawn**

yawn refers to yawn, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

### yeast present

yeast present refers to yeast present, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### yellow fever virus

yellow fever virus is a virus or viral group associated with yellow fever virus; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

### yersinia

yersinia is a microorganism or microbial group associated with yersinia; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### yersinia aldovae

yersinia aldovae is a microorganism or microbial group associated with yersinia aldovae; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### yersinia bercovieri

yersinia bercovieri is a microorganism or microbial group associated with yersinia bercovieri; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### yersinia frederiksenii

yersinia frederiksenii is a microorganism or microbial group associated with yersinia frederiksenii; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### yersinia intermedia

yersinia intermedia is a microorganism or microbial group associated with yersinia intermedia; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### yersinia kristensenii

yersinia kristensenii is a microorganism or microbial group associated with yersinia kristensenii; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### yersinia mollaretii

yersinia mollaretii is a microorganism or microbial group associated with yersinia mollaretii; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### yersinia pseudotuberculosis

yersinia pseudotuberculosis is a microorganism or microbial group associated with yersinia pseudotuberculosis; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### yersinia rohdei

yersinia rohdei is a microorganism or microbial group associated with yersinia rohdei; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### yersinia ruckeri

yersinia ruckeri is a microorganism or microbial group associated with yersinia ruckeri; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

### yoga

yoga refers to yoga, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### yokenella

yokenella refers to yokenella, a medical condition



---

or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **yokenella regensburgei**

yokenella regensburgei refers to yokenella regensburgei, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ytterbium**

ytterbium refers to ytterbium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **yttrium**

yttrium refers to yttrium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **Yellow tongue**

Yellow discoloration or coating of the tongue that may result from oral hygiene, smoking, dry mouth, diet, medicines, or an underlying illness. **Syn-**

**onyms:**

**Synonyms:**

## Z

### Z-Plasty

Surgical technique for contracture release using Z-shaped incision. Lengthens tissue, changes scar orientation.

**Synonyms:**

### Zonules

Fibrous ligaments that suspend the lens from the ciliary body. **Synonyms:** Zonular fibers

### Zoonotic Disease

An infection that can naturally pass between animals and humans. **Synonyms:** Zoonosis

### Zavanelli Maneuver

The final, rarely performed maneuver for an irreducible shoulder dystocia: the fetal head is replaced into the vagina (cephalic replacement) and the patient undergoes emergency cesarean delivery.

**Synonyms:**

### Zellweger Syndrome

The severe end of the Zellweger spectrum of peroxisomal biogenesis disorders, usually caused by PEX-gene variants. It presents in neonates with hypotonia, seizures, feeding difficulty, distinctive facial features, liver dysfunction, neuronal migration defects, and profound developmental impairment.

**Synonyms:**

### Zenker Diverticulum

Pulsion diverticulum at the junction of the thyropharyngeus and cricopharyngeus muscles in the proximal esophagus. It presents with dysphagia, regurgitation of undigested food, halitosis, and aspiration. Diagnosis is by barium swallow showing

the characteristic outpouching.

**Synonyms:**

### Zenker's diverticulum

A pouch formed through the wall near the upper esophagus, causing difficulty swallowing, regurgitation, cough, or aspiration.

**Synonyms:**

### Ziehl-Neelsen Stain

An acid-fast stain retaining carbol fuchsin in waxy mycolic-acid cell walls despite acid-alcohol decolorization, with methylene blue counterstain rendering acid-fast organisms red. Clinically important for *Mycobacterium tuberculosis*, *M. leprae*, *Nocardia*, and *Cryptosporidium* oocysts, it is a rapid initial sputum test for tuberculosis.

**Synonyms:**

### Zieve's Syndrome

A triad of haemolytic anemia, hyperlipidaemia, and jaundice occurring in the setting of chronic alcohol use disorder and alcoholic liver disease (acute alcoholic steatohepatitis or alcoholic cirrhosis).

**Synonyms:**

### Zika

Zika virus: a mosquito-borne (*Aedes*) flavivirus, also sexually transmitted. Usually asymptomatic or mild (fever, rash, conjunctivitis, arthralgia). Major concern: congenital Zika syndrome if acquired in pregnancy—microcephaly, brain abnormalities, eye defects; also Guillain-Barré syndrome.

**Synonyms:**

---

### Zika virus

A positive-sense RNA virus belonging to the Flaviviridae family that causes mild febrile illness. Zika virus is transmitted by Aedes mosquitoes and can also be transmitted sexually. Infection during pregnancy can cause congenital Zika syndrome including microcephaly. Most infections are asymptomatic or mild.

**Synonyms:**

### Zinc

An essential trace element that acts as a structural or catalytic component of numerous proteins and enzymes, including DNA-binding zinc-finger proteins. Deficiency may impair growth, wound healing, immunity, taste, and reproductive function.

**Synonyms:**

### Zinc Deficiency

A nutritional or malabsorptive disorder causing impaired wound healing, dermatitis, alopecia, diarrhoea, taste disturbance, and increased infection risk. Causes include inadequate intake, malabsorption, chronic diarrhoea, excessive losses, and inherited zinc-transport disorders.

**Synonyms:**

### Zinc Ointment (Zinc Oxide)

A topical preparation that forms a protective barrier on the skin. It is used for irritation, moisture-associated dermatitis, minor skin injury, and selected dermatologic conditions.

**Synonyms:** Zinc Oxide

### Zirconia

Strong ceramic material for dental restorations. High flexural strength. Can be monolithic or layered with porcelain.

**Synonyms:**

### Zollinger-Ellison Syndrome

A disorder caused by a gastrin-secreting tumor, or gastrinoma, leading to excessive gastric-acid production. It may cause recurrent or difficult-to-treat peptic ulcers, abdominal pain, diarrhea, and reflux;

tumors commonly arise in the duodenum or pancreas.

**Synonyms:**

### Zooglea

A gelatinous mass of bacteria embedded in a polysaccharide matrix.

**Synonyms:**

### Zoon Balanitis

A chronic benign inflammatory disorder of the glans penis, usually presenting as a sharply demarcated shiny orange-red or rust-colored patch in uncircumcised men.

**Synonyms:**

### Zoonosis

An infectious disease naturally transmitted between vertebrate animals and humans; the plural is *zoonoses*. Transmission may occur through direct contact, animal products, food, water, or arthropod vectors. Examples include rabies, brucellosis, leptospirosis, Lyme disease, psittacosis, toxoplasmosis, and avian influenza.

**Synonyms:**

### Zoster

A painful, vesicular rash caused by reactivation of latent varicella-zoster virus (VZV, human herpesvirus 3) in the dorsal root ganglia; see *Shingles*.

**Synonyms:**

### Zygoma (Zygomatic Bone)

A paired, quadrangular facial bone forming the prominence of the cheek and part of the lateral wall and floor of the orbit. It articulates with the frontal, sphenoid, temporal, and maxillary bones and transmits forces from the face to the cranial skeleton.

**Synonyms:** Zygomatic Bone

### Zygomycosis

An infection caused by fungi historically classified in the class Zygomycetes, including organisms now placed among mucormycetes. It can produce rapidly

---

invasive disease of the nose, sinuses, orbit, lungs, skin, or gastrointestinal tract, especially in immunocompromised patients.

**Synonyms:**

### **Zygote**

The cell formed when a sperm and an oocyte fuse at fertilization. It is usually diploid and begins the developmental process that follows fertilization.

**Synonyms:**

### **Zymogen**

An inactive enzyme precursor that is converted into an active enzyme, often by cleavage.

**Synonyms:**

### **Zymogen (Proenzyme)**

An inactive precursor of an enzyme that requires proteolytic cleavage to become catalytically active.

**Synonyms:** Proenzyme

### **Zonule**

Fibers that suspend the lens of the eye from the ciliary body and help change its shape for focusing.

**Synonyms:**

### **Zieve Syndrome**

A reversible complication of heavy alcohol use characterized by acute alcohol-associated hepatitis, hemolytic anemia, and transient hyperlipidemia, often accompanied by abdominal pain, nausea, or jaundice.

**Synonyms:**

### **Zygomatic Fracture**

A break in the cheekbone or zygomatic complex, usually caused by facial trauma and potentially associated with orbital injury, numbness, double vision, or difficulty opening the mouth.

**Synonyms:**

### **Zinc Toxicity**

Harmful effects caused by excessive zinc exposure or supplementation, which may produce nausea,

vomiting, abdominal symptoms, copper deficiency, anemia, or impaired immune function.

### **zafirlukast**

zafirlukast concerns zafirlukast, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **zalcitabine**

zalcitabine refers to zalcitabine, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **zanamivir**

zanamivir concerns zanamivir, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **zebrafish**

zebrafish refers to zebrafish, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **zibotentan**

zibotentan refers to zibotentan, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **ziconotide**

ziconotide concerns ziconotide, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **zidovudine**

zidovudine refers to zidovudine, a medical condition or clinical finding defined by its features, causes,

---

affected system, and patient context.

**Synonyms:**

### **zileuton**

zileuton refers to zileuton, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **zimmermannella**

zimmermannella refers to zimmermannella, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **zinc acetate**

zinc acetate refers to zinc acetate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **zinc oxide**

zinc oxide refers to zinc oxide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **zinc sulfate**

zinc sulfate concerns zinc sulfate, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse effects.

**Synonyms:**

### **zingiber officinale**

zingiber officinale refers to zingiber officinale, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **zinostatin**

zinostatin concerns zinostatin, a pharmacologic or chemical agent; clinical use depends on its mechanism, indication, dose, interactions, and adverse

effects.

**Synonyms:**

### **zirconium**

zirconium refers to zirconium, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **zoledronic acid**

zoledronic acid denotes zoledronic acid, a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

### **zolpidem**

zolpidem refers to zolpidem, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **zolpidem tartrate**

zolpidem tartrate refers to zolpidem tartrate, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **zona pellucida**

zona pellucida refers to zona pellucida, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **zonisamide**

zonisamide refers to zonisamide, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

### **zonula adherens**

zonula adherens refers to zonula adherens, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

---

**Synonyms:**

**zoology**

zoology refers to zoology, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**zoophobia**

zoophobia refers to zoophobia, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**zygomatic bone**

zygomatic bone refers to zygomatic bone, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**zygomatic gland**

zygomatic gland refers to zygomatic gland, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**A**

A refers to a, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**B**

B refers to b, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**C**

C refers to c, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**D**

D refers to d, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**E**

E refers to e, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**F**

F refers to f, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**G**

G refers to g, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**H**

H refers to h, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**I**

I refers to i, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**J**

J refers to j, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**K**

K refers to k, a medical condition or clinical finding



---

defined by its features, causes, affected system, and patient context.

**Synonyms:**

**L**

L refers to l, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**M**

M refers to m, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**N**

N refers to n, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**O**

O refers to o, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**P**

P refers to p, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**Q**

Q refers to q, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**R**

R refers to r, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**S**

S refers to s, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**T**

T refers to t, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**U**

U refers to u, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**V**

V refers to v, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**W**

W refers to w, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**X**

X refers to x, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**Y**

Y refers to y, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

---

**Z**

---

**Z**

---

— refers to z —

---

—, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**A disease caused by infection with the yellow fever virus, which is carried by mosquitos. Symptoms include body aches, chills, fever, severe headache, weakness, and a yellow skin color. Bleeding, vomiting, and failure of the liver and other organs may occur in late stages of the disease.**

A disease caused by infection with the yellow fever virus, which is carried by mosquitos. Symptoms include body aches, chills, fever, severe headache, weakness, and a yellow skin color. Bleeding, vomiting, and failure of the liver and other organs may occur in late stages of the disease. is a virus or viral group associated with a disease caused by infection with the yellow fever virus, which is carried by mosquitos. symptoms include body aches, chills, fever, severe headache, weakness, and a yellow skin color. bleeding, vomiting, and failure of the liver and other organs may occur in late stages of the disease.; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

**Acute infectious disease primarily of the tropics, caused by a flavivirus and transmitted to humans by mosquito vectors.**

Acute infectious disease primarily of the tropics, caused by a flavivirus and transmitted to humans by mosquito vectors. is a virus or viral group associated with acute infectious disease primarily of the tropics, caused by a flavivirus and transmitted to humans by mosquito vectors.; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

**An acute infectious disease primarily of the tropics, caused by a virus and transmitted to man by mosquitoes of the genera Aedes and Haemagogus. The severe form is characterized by fever, HEMOLYTIC JAUNDICE, and renal damage.**

An acute infectious disease primarily of the tropics, caused by a virus and transmitted to man by mosquitoes of the genera Aedes and Haemagogus. The severe form is characterized by fever, HEMOLYTIC JAUNDICE, and renal damage. is a virus or viral group associated with an acute infectious disease primarily of the tropics, caused by a virus and transmitted to man by mosquitoes of the genera aedes and haemagogus. the severe form is characterized by fever, hemolytic jaundice, and renal damage.; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

**An infection that is caused by the yellow fever virus, which is transmitted to humans by mosquitoes; the signs and symptoms range from a mild febrile illness to liver damage with jaundice and bleeding.**

An infection that is caused by the yellow fever virus, which is transmitted to humans by mosquitoes; the signs and symptoms range from a mild febrile illness to liver damage with jaundice and bleeding. is a virus or viral group associated with an infection that is caused by the yellow fever virus, which is transmitted to humans by mosquitoes; the signs and symptoms range from a mild febrile illness to liver damage with jaundice and bleeding.; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

**Yellow fever (YF), caused by YF virus, is a zoonotic disease characterized by fever and constitutional symptoms, with the potential to progress to severe and fatal viral hemorrhagic fever with shock and**

---

### **multi-organ system failure.**

Yellow fever (YF), caused by YF virus, is a zoonotic disease characterized by fever and constitutional symptoms, with the potential to progress to severe and fatal viral hemorrhagic fever with shock and multi-organ system failure. is a virus or viral group associated with yellow fever (yf), caused by yf virus, is a zoonotic disease characterized by fever and constitutional symptoms, with the potential to progress to severe and fatal viral hemorrhagic fever with shock and multi-organ system failure.; disease risk depends on strain, transmission route, host, and tissue tropism.

#### **Synonyms:**

**(yellow fever virus infection) A viral infection caused by a flavivirus called yellow fever virus. It is transmitted to humans from infected mosquitoes. The signs and symptoms range from a mild febrile illness to liver damage with jaundice and hemorrhages.**

(yellow fever virus infection) A viral infection caused by a flavivirus called yellow fever virus. It is transmitted to humans from infected mosquitoes. The signs and symptoms range from a mild febrile illness to liver damage with jaundice and hemorrhages. is a virus or viral group associated with (yellow fever virus infection) a viral infection caused by a flavivirus called yellow fever virus. it is transmitted to humans from infected mosquitoes. the signs and symptoms range from a mild febrile illness to liver damage with jaundice and hemorrhages.; disease risk depends on strain, transmission route, host, and tissue tropism.

#### **Synonyms:**

**Yellow fever is a mosquito-borne flavivirus infection endemic in tropical South America and sub-Saharan Africa. Symptoms may include sudden onset of fever, relative bradycardia, headache, and, if severe, jaundice, hemorrhage, and multiple organ failure. Diagnosis is with viral culture, reverse**

### **transcription-polymerase chain reaction...**

Yellow fever is a mosquito-borne flavivirus infection endemic in tropical South America and sub-Saharan Africa. Symptoms may include sudden onset of fever, relative bradycardia, headache, and, if severe, jaundice, hemorrhage, and multiple organ failure. Diagnosis is with viral culture, reverse transcription-polymerase chain reaction... is a virus or viral group associated with yellow fever is a mosquito-borne flavivirus infection endemic in tropical south america and sub-saharan africa. symptoms may include sudden onset of fever, relative bradycardia, headache, and, if severe, jaundice, hemorrhage, and multiple organ failure. diagnosis is with viral culture, reverse transcription-polymerase chain reaction...; disease risk depends on strain, transmission route, host, and tissue tropism.

#### **Synonyms:**

**Yellow fever is one of many causes of viral hemorrhagic fever. It is a member of the flavivirus family (group B arbovirus).**

Yellow fever is one of many causes of viral hemorrhagic fever. It is a member of the flavivirus family (group B arbovirus). is a virus or viral group associated with yellow fever is one of many causes of viral hemorrhagic fever. it is a member of the flavivirus family (group b arbovirus).; disease risk depends on strain, transmission route, host, and tissue tropism.

#### **Synonyms:**

**A viral hemorrhagic fever caused by a flavivirus transmitted by the Aedes or Haemagogus mosquito. It is endemic in South America, the Caribbean, and Africa, and has been resurging in the last 2 decades. The clinical disease is variable, ranging from a nonspecific viral illness to hemorrhagic fever and death.**

A viral hemorrhagic fever caused by a flavivirus transmitted by the Aedes or Haemagogus mosquito. It is endemic in South America, the Caribbean, and Africa, and has been resurging in the last 2 decades. The clinical disease is variable, ranging from a non-specific viral illness to hemorrhagic fever and death. is a virus or viral group associated with a viral hem-

---

orrhagic fever caused by a flavivirus transmitted by the aedes or haemagogus mosquito. it is endemic in south america, the caribbean, and africa, and has been resurging in the last 2 decades. the clinical disease is variable, ranging from a nonspecific viral illness to hemorrhagic fever and death.; disease risk depends on strain, transmission route, host, and tissue tropism.

**Synonyms:**

**(xenograft) The transplant of an organ, tissue, or cells to an individual of another species.**

(xenograft) The transplant of an organ, tissue, or cells to an individual of another species. denotes (xenograft) the transplant of an organ, tissue, or cells to an individual of another species., a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**(xenotransplantation) Procedures in which live cells, tissues, or organs derived from one species are transplanted, implanted, or infused into another species; includes those procedures from an animal into a human or from one animal into another; also includes procedures in which human body fluids, cells, tissues, or organs are removed from the body, come into contact with live animal cells, tissues, or organs, and are then placed back into a human patient; this definition is based upon the DHHS definition; where appropriate, index donor and recipient species.**

(xenotransplantation) Procedures in which live cells, tissues, or organs derived from one species are transplanted, implanted, or infused into another species; includes those procedures from an animal into a human or from one animal into another; also includes procedures in which human body fluids, cells, tissues, or organs are removed from the body, come into contact with live animal cells, tissues, or organs, and are then placed back into a human patient; this definition is based upon the DHHS definition; where

appropriate, index donor and recipient species. denotes (xenotransplantation) procedures in which live cells, tissues, or organs derived from one species are transplanted, implanted, or infused into another species; includes those procedures from an animal into a human or from one animal into another; also includes procedures in which human body fluids, cells, tissues, or organs are removed from the body, come into contact with live animal cells, tissues, or organs, and are then placed back into a human patient; this definition is based upon the dhhs definition; where appropriate, index donor and recipient species., a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**(xenotransplantation) The transfer of cells, tissues, or organs from a donor into a recipient of another species.**

(xenotransplantation) The transfer of cells, tissues, or organs from a donor into a recipient of another species. denotes (xenotransplantation) the transfer of cells, tissues, or organs from a donor into a recipient of another species., a biological component or molecular process interpreted through relevant cells, pathways, tissues, and laboratory findings.

**Synonyms:**

**(transplantation, heterologous) Transplantation between animals of different species.**

(transplantation, heterologous) Transplantation between animals of different species. refers to (transplantation, heterologous) transplantation between animals of different species., a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**Xenotransplantation involves the transplantation of nonhuman tissues or organs into human recipients. The concept was pioneered a century ago, when transplanting human organs was**

---

**considered ethically controversial.**

Xenotransplantation involves the transplantation of nonhuman tissues or organs into human recipients. The concept was pioneered a century ago, when transplanting human organs was considered ethically controversial. refers to xenotransplantation involves the transplantation of nonhuman tissues or organs into human recipients. the concept was pioneered a century ago, when transplanting human organs was considered ethically controversial, a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:****A human and animal pathogen causing mesenteric lymphadenitis, diarrhea, and bacteremia.**

A human and animal pathogen causing mesenteric lymphadenitis, diarrhea, and bacteremia. denotes an infectious or toxic condition involving a human and animal pathogen causing mesenteric lymphadenitis, diarrhea, and bacteremia.; diagnosis considers exposure or pathogen, affected site, severity, and host response.

**Synonyms:****A species of facultatively anaerobic, Gram negative, rod shaped bacteria in the phylum Proteobacteria. This species is motile, urease positive and negative for ornithine decarboxylase, oxidase, indole, and pyrazinamidase. It is able to ferment rhamnose, and melibiose but not cellobiose, sorbitol, sorbose, sucrose, fucose, or raffinose. Y.**

pseudotuberculosis is found in many animal hosts and is a pathogen that can cause gastroenteritis in humans and many types of zoonotic infections.

A species of facultatively anaerobic, Gram negative, rod shaped bacteria in the phylum Proteobacteria. This species is motile, urease positive and negative for ornithine decarboxylase, oxidase, indole, and pyrazinamidase. It is able to ferment rhamnose, and melibiose but not cellobiose, sorbitol, sorbose,

sucrose, fucose, or raffinose. Y. pseudotuberculosis is found in many animal hosts and is a pathogen that can cause gastroenteritis in humans and many types of zoonotic infections. is a microorganism or microbial group associated with a species of facultatively anaerobic, gram negative, rod shaped bacteria in the phylum proteobacteria. this species is motile, urease positive and negative for ornithine decarboxylase, oxidase, indole, and pyrazinamidase. it is able to ferment rhamnose, and melibiose but not cellobiose, sorbitol, sorbose, sucrose, fucose, or raffinose. y. pseudotuberculosis is found in many animal hosts and is a pathogen that can cause gastroenteritis in humans and many types of zoonotic infections.; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:****Any bacterial organism that can be assigned to the species Yersinia pseudotuberculosis.**

Any bacterial organism that can be assigned to the species Yersinia pseudotuberculosis. is a microorganism or microbial group associated with any bacterial organism that can be assigned to the species yersinia pseudotuberculosis.; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:****A species of facultatively anaerobic, Gram negative, rod shaped bacteria in the phylum Proteobacteria. This species is motile, positive for coagulase and fibrinolysin and negative for urease, indole, ornithine decarboxylase, oxidase, and pyrazinamidase. Some strains are able to ferment melibiose but none can metabolize sorbose, rhamnose, cellobiose, sucrose, or sorbitol. Y. pestis is found in rodents and fleas and is a pathogen that can cause pneumonic, septicemic and bubonic plague types in humans.**

A species of facultatively anaerobic, Gram negative, rod shaped bacteria in the phylum Proteobacteria. This species is motile, positive for coagulase and fibrinolysin and negative for urease, indole, ornithine



---

decarboxylase, oxidase, and pyrazinamidase. Some strains are able to ferment melibiose but none can metabolize sorbose, rhamnose, cellobiose, sucrose, or sorbitol. *Y. pestis* is found in rodents and fleas and is a pathogen that can cause pneumonic, septicemic and bubonic plague types in humans. is a microorganism or microbial group associated with a species of facultatively anaerobic, gram negative, rod shaped bacteria in the phylum proteobacteria. this species is motile, positive for coagulase and fibrinolysin and negative for urease, indole, ornithine decarboxylase, oxidase, and pyrazinamidase. some strains are able to ferment melibiose but none can metabolize sorbose, rhamnose, cellobiose, sucrose, or sorbitol. *y. pestis* is found in rodents and fleas and is a pathogen that can cause pneumonic, septicemic and bubonic plague types in humans.; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

**Any bacterial organism that can be assigned to the species *Yersinia pestis*.**

Any bacterial organism that can be assigned to the species *Yersinia pestis*. is a microorganism or microbial group associated with any bacterial organism that can be assigned to the species *Yersinia pestis*.; clinical relevance depends on pathogenicity, exposure, site, and antimicrobial susceptibility.

**Synonyms:**

**Etiologic agent of plague in humans, rats, ground squirrels, and other rodents.**

Etiologic agent of plague in humans, rats, ground squirrels, and other rodents. refers to etiologic agent of plague in humans, rats, ground squirrels, and other rodents., a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**The etiologic agent of PLAGUE in man, rats, ground squirrels, and other rodents.**

The etiologic agent of PLAGUE in man, rats, ground squirrels, and other rodents. refers to the etiologic agent of plague in man, rats, ground squirrels,

and other rodents., a medical condition or clinical finding defined by its features, causes, affected system, and patient context.

**Synonyms:**

**Synonyms:**





## Bibliography and Sources

This is a selected bibliography of standard medical dictionaries and authoritative biomedical terminology resources used to guide terminology, spelling, synonyms, and general definitions in this dictionary. The source material is not mapped term-by-term, so this list should not be read as a claim that every entry was copied from every source. Clinical decisions should be based on current guidelines, specialist references, and primary literature.

### **BMA Illustrated Medical Dictionary**

British Medical Association. *The British Medical Association Illustrated Medical Dictionary*. Dorling Kindersley; 2007. ISBN 978-1-4053-1997-3. Bibliographic record available from: <https://obnb.uk/p13578671-the-british-medical-association-illustrated-medical-dictionary>

### **Black's Medical Dictionary**

Marcovitch H, editor. *Black's Medical Dictionary*. 43rd ed. Bloomsbury Publishing; 2023. ISBN 978-1-3994-1231-5. Available from: <https://www.bloomsbury.com/us/blacks-medical-dictionary-9781399412315/>

### **Dorland's Illustrated Medical Dictionary**

Dorland. *Dorland's Illustrated Medical Dictionary*. 33rd ed. Elsevier; 2020. ISBN 978-1-4557-5643-8. Available from: <https://www.us.elsevierhealth.com/dorlands-illustrated-medical-dictionary-9781455756438.html>

### **Mosby's Medical Dictionary**

Mosby. *Mosby's Medical Dictionary*. 11th ed. Elsevier; 2021. ISBN 978-0-323-63915-6. Available from: <https://shop.elsevier.com/books/mosbys-medical-dictionary/mosby/978-0-323-63915-6>

### **Stedman's Medical Dictionary**

Stedman. *Stedman's Medical Dictionary*. 28th ed. Lippincott Williams & Wilkins; 2013. ISBN 978-0-7817-3390-8. Available from: <https://www.wolterskluwer.com/en/solutions/ovid/stedmans-medical-dictionary-13117>

### **Taber's Cyclopedic Medical Dictionary**

Venes D, editor. *Taber's Cyclopedic Medical Dictionary*. 25th ed. F.A. Davis; 2025. Available from: [https://www.tabers.com/tabersonline/view/Tabers-Dictionary/729000/all/Taber%27s\\_Cyclopedic\\_Medical\\_Dictionary](https://www.tabers.com/tabersonline/view/Tabers-Dictionary/729000/all/Taber%27s_Cyclopedic_Medical_Dictionary)

### **Merriam-Webster Medical Dictionary**

Merriam-Webster. *Medical Dictionary*. Online reference. Available from: <https://www.merriam-webster.com/medical>

### **Medical Subject Headings (MeSH)**

National Library of Medicine. *Medical Subject Headings (MeSH)*. Controlled and hierarchical biomedical terminology resource. Available from: <https://www.nlm.nih.gov/mesh/meshhome.html>

### **MeSH Data Downloads**

National Library of Medicine. *MeSH Data*. Current production data and download information. Available from: <https://www.nlm.nih.gov/databases/download/mesh.html>

---

**MedlinePlus**

National Library of Medicine. *MedlinePlus*. Health information, medical encyclopedia, and patient-oriented reference resource. Available from: <https://medlineplus.gov/>

**National Institutes of Health (NIH)**

National Institutes of Health. *Health Information*. Federal biomedical research and health-information portal. Available from: <https://www.nih.gov/health-information>

**Centers for Disease Control and Prevention (CDC)**

Centers for Disease Control and Prevention. *Health Topics*. Public health and disease information resource. Available from: <https://www.cdc.gov/health-topics.html>

**MedicineNet**

MedicineNet. *MedicineNet*. Doctor-authored health and medical information resource. Available from: <https://www.medicinenet.com/>

**WebMD**

WebMD. *WebMD*. Consumer health and medical information resource. Available from: <https://www.webmd.com/>

**Medscape**

Medscape. *Medscape*. Medical reference and professional health information resource. Available from: <https://www.medscape.com/>

**Mayo Clinic**

Mayo Clinic. *Health Information*. Diseases, symptoms, tests, procedures, and general health information resource. Available from: <https://www.mayoclinic.org/patient-consumer>

**OpenMD Medical Dictionary**

OpenMD. *OpenMD Medical Dictionary*. Online medical terminology reference with definitions, abbreviations, and word parts. Available from: <https://openmd.com/dictionary/>

Online resources accessed 24 August 2026.

## Index

- 16S Ribosomal RNA Sequencing, 677
- 21-Hydroxylase deficiency, 353
- 5-Alpha Reductase Inhibitor, 1
- 5-alpha Reductase, 65
  
- A-a Gradient, 1
- A1c, 1
- AAA Repair, 1
- Aarskog Syndrome, 64
- Abasia, 1
- ABCDE Assessment, 1
- ABCDE Rule for Melanoma, 1
- Abdomen, 1
- Abdominal Abscess, 1
- Abdominal Angina, 69
- Abdominal Aorta, 1
- Abdominal Aortic Aneurysm, 1
- Abdominal Aortic Aneurysm Screening, 1
- Abdominal Aortic Ultrasound, 2
- Abdominal Binder, 70
- Abdominal Bloating, 2
- Abdominal Bruit, 2
- Abdominal Cavity, 2
- Abdominal Circumference, 2
- Abdominal Colic, 2
- Abdominal Compartment Syndrome, 2
- Abdominal CT, 2
- Abdominal Distention, 2
- Abdominal Girth, 2
- Abdominal Hernia, 70
- Abdominal Mass, 2
- Abdominal Migraine, 70
- Abdominal Pain, 2
- Abdominal Pregnancy, 3
- Abdominal Radiography, 3
- Abdominal Reflex, 3
- Abdominal Regions, 68
- Abdominal Rigidity, 3
- Abdominal Swelling, 3
- Abdominal Wall, 3
- Abdominal Wall Hernia, 3
- Abdominal X-Ray, 3
- Abdominocentesis, 70
- Abdominopelvic Cavity, 68
- Abdominoplasty, 65
- Abducens Nerve, 3
- Abduction, 3
- Abetalipoproteinemia, 3
- Abfraction, 3
- ABI, 3
- Ablation, 65
- Ablative Surgery, 70
- Abnormal Uterine Bleeding, 3
- ABO Blood Group, 4
- ABO Blood Types, 80
- ABO Blood Typing, 4
- ABO Incompatibility, 4
- Abortifacient, 68
- Abortion, 4
- Abrasion, 4
- Abruptio Placentae, 4
- Abscess, 4
- Abscessed Tooth, 4
- Absence Seizure, 4
- Absent Breath Sounds, 4
- Absolute Neutrophil Count, 4
- Absorption, 4
- Abulia, 71
- Abusive Head Trauma, 4
- Abutment, 65
- Acalculia, 4
- Acalculous Cholecystitis, 5
- Acanthamoeba Keratitis, 5
- Acanthocytes (Spur Cells), 5
- Acanthosis Nigricans, 5
- Acapnia, 5
- Acardia, 5
- Acariasis, 5
- Access Needle (Interventional), 5

---

Accessory Nerve, [5](#)  
Accident and Emergency Medicine (A&E Medicine), [65](#)  
Accommodation, [65](#)  
ACE Inhibitor, [5](#)  
Acetabular Labrum, [5](#)  
Acetabular Notch, [5](#)  
Acetabuloplasty, [5](#)  
Acetabulum, [5](#)  
Acetaldehyde, [65](#)  
Acetaminophen (Paracetamol) Toxicity, [5](#)  
Acetone, [66](#)  
Acetyl-CoA Carboxylase, [6](#)  
Acetyl-Coenzyme A, [6](#)  
Acetylcholine, [6](#)  
Acetylsalicylic Acid, [55](#)  
Achalasia, [6](#)  
Achenbach's syndrome, [6](#)  
Achilles Tendinitis, [67](#)  
Achilles Tendinopathy, [6](#)  
Achilles Tendon, [65](#)  
Achilles Tendon (Calcaneal Tendon), [6](#)  
Achilles Tendon Rupture, [6](#)  
Achilles Tendinitis, [6](#)  
Achlorhydria, [6](#)  
Achondroplasia, [6](#)  
Acid, [6](#)  
Acid Base Balance, [6](#)  
Acid Reflux, [7](#)  
Acid-Base Analysis, [7](#)  
Acid-Base Disorder, [7](#)  
Acid-Fast Bacillus Smear, [7](#)  
Acidosis, [7](#)  
Acinetobacter baumannii resistance, [7](#)  
ACL Injuries, [7](#)  
ACL Injury, [67](#)  
ACL Reconstruction, [7](#)  
Acne, [7](#)  
Acne Rosacea Subtypes, [7](#)  
Acne Vulgaris, [7](#)  
Acoustic Nerve, [7](#)  
Acoustic Neuroma, [7](#)  
Acoustic Neuroma (Vestibular Schwannoma), [7](#)  
Acoustic Trauma, [8](#)  
Acquisition Time, [8](#)  
Acral lentiginous melanoma, [8](#)  
Acrochordon, [55](#)  
Acrocyanosis, [71](#)  
Acrodermatitis Enteropathica, [8](#)  
Acromegaly, [8](#)  
Acromegaly Complications, [8](#)  
Acromioclavicular Joint, [8](#)  
Acromioclavicular Joint Injuries, [8](#)  
Acromion, [8](#)  
ACTH Stimulation Test, [8](#)  
Actinic granuloma, [8](#)  
Actinic Keratosis, [8](#)  
Actinic Keratosis (Solar Keratosis), [444](#)  
Actinic Keratosis Management, [8](#)  
Actinic Purpura, [9](#)  
Actinomycetoma, [9](#)  
Actinomycosis, [9](#)  
Action Potential, [9](#)  
Activated Charcoal, [9](#)  
Activated Partial Thromboplastin Time, [9](#)  
Active Caries, [9](#)  
Active Management of Third Stage, [9](#)  
Active Phase of Labor, [9](#)  
Active Site, [9](#)  
Active Surveillance, [9](#)  
Active Transport, [9](#)  
Activities of Daily Living, [9](#)  
Acupressure, [65](#)  
Acupuncture, [65](#)  
Acute, [9](#)  
Acute Abdomen, [65](#)  
Acute Agitation, [10](#)  
Acute Alcohol Intoxication, [10](#)  
Acute Angle-Closure Glaucoma, [10](#)  
Acute Aortic Syndrome, [10](#)  
Acute Bacterial Rhinosinusitis, [10](#)  
Acute blood loss, [10](#)  
Acute Bronchitis, [10](#)  
Acute Caries, [10](#)  
Acute Chest Syndrome, [70](#)  
Acute Cholecystitis, [10](#)  
Acute Coronary Syndrome, [10](#)  
Acute Cough, [10](#)  
Acute dacryocystitis, [10](#)  
Acute Diarrhea, [10](#)  
Acute Disseminated Encephalomyelitis, [11](#)  
Acute esophageal necrosis, [11](#)  
Acute Exacerbation of Asthma, [11](#)  
Acute Fatty Liver of Pregnancy, [11](#)  
Acute Flaccid Myelitis, [11](#)  
Acute Generalized Exanthematous Pustulosis, [11](#)

---

---

Acute glomerulonephritis, 11  
 Acute Hepatitis, 11  
 Acute HIV Syndrome, 11  
 Acute Hypercapnic Respiratory Failure, 11  
 Acute Hypoxemic Respiratory Failure, 11  
 Acute Inflammation, 11  
 Acute Inflammatory Demyelinating Polyradiculoneuropathy, 70  
 Acute Interstitial Nephritis, 12  
 Acute Ischemic Stroke, 12  
 Acute Kidney Failure, 64  
 Acute Kidney Injury, 12  
 Acute Kidney Injury Staging, 12  
 Acute Leukemia, 12  
 Acute Limb Ischemia, 12  
 Acute Limb Ischemia Six Ps, 12  
 Acute Liver Failure, 12  
 Acute lymphangitis, 12  
 Acute Lymphoblastic Leukemia, 12  
 Acute lymphocytic leukemia, 12  
 Acute Megakaryoblastic Leukemia, 12  
 Acute mesenteric ischemia, 13  
 Acute Mountain Sickness, 13  
 Acute Myelogenous Leukemia, 67  
 Acute Myeloid Leukemia, 13  
 Acute Nephritic Syndrome, 70  
 Acute obstructive uropathy, 13  
 Acute Otitis Media, 13  
 Acute Pain, 65  
 Acute Pancreatitis, 13  
 Acute Promyelocytic Leukemia, 13  
 Acute Radiation Sickness, 67  
 Acute Rehabilitation, 13  
 Acute Respiratory Distress Syndrome, 13  
 Acute Retroviral Syndrome, 70  
 Acute Rhinitis, 68  
 Acute Sinusitis, 13  
 Acute Stress Disorder, 13  
 Acute Transverse Myelitis, 70  
 Acute Tubular Necrosis, 13  
 Acute Urinary Retention, 65  
 Acute viral illness, 14  
 Acute-on-Chronic Liver Failure, 14  
 Adam's Apple, 14  
 Adaptive Equipment, 14  
 Adaptive Immunity, 14  
 Addiction, 14  
 Addison Disease, 14  
 Addison's Disease, 64  
 Addisonian Crisis, 14  
 Adduction, 14  
 Adductor Muscles, 14  
 Adenitis, 66  
 Adenocarcinoma, 14  
 Adenocarcinoma of the colon, 14  
 Adenoid Cystic Carcinoma, 14  
 Adenoidectomy, 14  
 Adenoids, 15  
 Adenoma, 15  
 Adenoma-Carcinoma Sequence, 15  
 Adenomatous Polyp, 15  
 Adenomyosis, 15  
 Adenosine Triphosphate, 65  
 Adenovirus, 15  
 Adenovirus Infection, 15  
 Adenovirus Vaccine, 15  
 ADHD, 15  
 Adherence, 15  
 Adherence (Geriatric), 15  
 Adhesiolysis, 71  
 Adhesion, 65  
 Adhesive Capsulitis, 15  
 Adhesive Tape, 16  
 Adie Tonic Pupil, 16  
 Adipocere (Grave Wax), 16  
 Adiponectin, 16  
 Adipose Tissue, 16  
 Adipsia, 71  
 Adjustment Disorder, 16  
 Adjustment Disorder with Anxiety, 16  
 Adjuvant Therapy, 16  
 ADL Training, 16  
 Administered Activity, 16  
 Adnexa, 69  
 Adolescence, 66  
 Adolescent Confidentiality and Consent, 16  
 Adolescent Health, 16  
 Adolescent Obesity, 543  
 Adoptive Cell Therapy, 16  
 ADP (Adenosine Diphosphate), 16  
 Adrenal Cortex, 64  
 Adrenal Cortex Physiology, 17  
 Adrenal Cortical Carcinoma, 17  
 Adrenal Crisis, 17  
 Adrenal Gland, 17  
 Adrenal Hemorrhage, 17

---



---

Adrenal Hyperplasia, [17](#)  
Adrenal Insufficiency, [17](#)  
Adrenal Medulla Physiology, [17](#)  
Adrenal Myelolipoma, [17](#)  
Adrenal Tumors, [17](#)  
Adrenal Venous Sampling, [17](#)  
Adrenalectomy, [18](#)  
Adrenergic Receptors, [66](#)  
Adrenocortical Carcinoma, [18](#)  
Adrenocorticotrophic Hormone, [18](#)  
Adrenogenital Syndrome, [69](#)  
Adult Polycystic Kidney Disease, [70](#)  
Adult Spinal Deformity, [18](#)  
Adult Still's Disease, [18](#)  
Adult-Onset Still Disease, [18](#)  
Advance Care Directive, [65](#)  
Advance Care Planning, [18](#)  
Advance Directive, [18](#)  
Advanced Cancer, [18](#)  
Advanced Cardiac Life Support, [55](#)  
Advanced Cardiovascular Life Support, [18](#)  
Advanced Maternal Age, [18](#)  
Adverse Drug Event, [18](#)  
Adverse Drug Reaction, [18](#)  
Adverse Event, [19](#)  
Aerobe, [19](#)  
Aerobic, [19](#)  
Aerophagia, [71](#)  
Aerophagy, [19](#)  
Aesthetic Dentistry, [19](#)  
Aetiology (Etiology), [66](#)  
Affective Flattening, [19](#)  
Afferent Loop Syndrome, [70](#)  
Afferent Neuron, [69](#)  
AFP (Alpha-Fetoprotein), [19](#)  
Afterload, [19](#)  
Afterpains, [66](#)  
Agar, [19](#)  
Age-Related Macular Degeneration, [19](#)  
Age-Standardized Rate, [19](#)  
Ageism, [19](#)  
Agenesis, [66](#)  
Agenesis of the Corpus Callosum, [19](#)  
Ageusia, [20](#)  
Agglutination, [20](#)  
Aggregation, Platelet, [20](#)  
Aggression, [20](#)  
Aggressive Cancer, [20](#)  
Agility, [20](#)  
Aging, [20](#)  
Agitation, [20](#)  
Agnathia, [20](#)  
Agnosia, [20](#)  
Agonist, [20](#)  
Agonist-Antagonist, [20](#)  
Agoraphobia, [20](#)  
Agranulocytes, [69](#)  
Agranulocytosis, [20](#)  
Agraphesthesia, [21](#)  
Agraphia, [21](#)  
Aicardi-Goutieres Syndrome, [21](#)  
AIDS, [21](#)  
AIDS Dementia, [65](#)  
Air Abrasion, [21](#)  
Air bronchogram, [21](#)  
Air Contaminants, [21](#)  
Air Embolism, [21](#)  
Air Polishing, [21](#)  
Air Quality, [21](#)  
Airborne Disease, [21](#)  
Airborne precautions, [21](#)  
Airplane Ear, [67](#)  
Airway, [69](#)  
Airway Clearance Techniques, [21](#)  
Airway Management, [22](#)  
Airway Obstruction, [22](#)  
Airway Resistance, [22](#)  
Akathisia, [22](#)  
Akinesia, [22](#)  
Alagille Syndrome, [22](#)  
Alanine Aminotransferase (ALT), [22](#)  
ALARA Principle, [22](#)  
Albinism, [66](#)  
Albinism (Oculocutaneous Albinism), [22](#)  
Albright's hereditary osteodystrophy, [22](#)  
Albumin, [22](#)  
Albumin-to-Creatinine Ratio, [22](#)  
Albuminuria, [23](#)  
Alcohol, [23](#)  
Alcohol dependency, [23](#)  
Alcohol Intolerance, [68](#)  
Alcohol Intoxication, [23](#)  
Alcohol Poisoning, [68](#)  
Alcohol Swab, [23](#)  
Alcohol Use, [23](#)  
Alcohol Use Disorder, [23](#)

---

---

Alcohol Withdrawal, 23  
Alcohol Withdrawal Syndrome, 70  
Alcoholic Cardiomyopathy, 23  
Alcoholic Ketoacidosis, 23  
Alcoholic Neuropathy, 23  
Aldosterone, 23  
Alexia, 23  
Algor Mortis, 24  
Aliasing Artifact, 24  
Alkaline phosphatase, 24  
Alkalosis, 24  
Allele, 24  
Allen Test, 55  
Allergen, 24  
Allergen Immunotherapy, 24  
Allergic Bronchopulmonary Aspergillosis, 24  
Allergic Conjunctivitis, 24  
Allergic Dermatitis, 24  
Allergic Reactions, 24  
Allergic Rhinitis, 24  
Allergic Rhinitis (Hay Fever), 24  
Allergies, 25  
Allergy Testing, 25  
Allis Clamp, 69  
Allodynia, 25  
Allograft, 25  
Allosteric Regulation, 25  
Alogia, 25  
Alopecia, 25  
Alopecia Areata, 25  
Alopecia Totalis, 66  
Alopecia Universalis, 66  
Alpha Blockers, 66  
Alpha Thalassemia, 71  
Alpha-1 Antitrypsin Deficiency, 25  
Alpha-Agonists, 25  
Alpha-Gal Syndrome, 68  
Alpha-Glucosidase Inhibitors, 25  
Alpha-Ketoglutarate, 25  
Alport Syndrome, 25  
ALS, 26  
Altitude Illness, 26  
Aluminum Phosphide, 26  
Alvarado Score, 26  
Alveolar Bone, 26  
Alveolar Gas Equation, 26  
Alveolar Ventilation, 26  
Alveolar Ventilation Equation, 26  
Alveoli, 66  
Alveolus, 26  
Alzheimer Disease, 26  
Alzheimer's Disease, 66  
Amalgam, 26  
Amaurosis Fugax, 26  
Ambiguous Genitalia, 27  
Amblyopia, 27  
Ambu Bag, 27  
Ambulatory Blood Pressure Monitoring, 27  
Amebiasis, 27  
Amebic Liver Abscess, 27  
Amelanotic melanoma, 27  
Amelia, 27  
Ameloblastoma, 27  
Amelogenesis, 27  
Amelogenesis Imperfecta, 27  
Amenorrhea, 27  
Amino Acid, 27  
Amino Acid Catabolism, 28  
Aminoglycoside nephrotoxicity, 28  
Aminoglycoside ototoxicity, 28  
Aminoglycosides, 28  
Amiodarone-induced skin discoloration, 28  
Amiodarone-Induced Thyroid Dysfunction, 28  
Amiodarone-induced vortex keratopathy, 28  
Ammonia, 28  
Amnesia, 28  
Amniocentesis, 28  
Amnion, 28  
Amniotic Band Syndrome, 28  
Amniotic Fluid, 29  
Amniotic Fluid Embolism, 29  
Amniotic Fluid Index, 29  
Amoebiasis, 29  
Amoxicillin rash in infectious mononucleosis, 29  
AMP (Adenosine Monophosphate), 29  
AMPK, 29  
Ampullary Cancer, 68  
Amputation, 29  
Amputation Stump, 29  
AMR (Antimicrobial Resistance), 29  
Amsler Grid, 66  
Amygdala, 29  
Amylase, 29  
Amylase and Lipase, 29  
Amylin Analogues, 30  
Amyloid, 66

---

---

Amyloid PET, [30](#)  
Amyloid purpura, [30](#)  
Amyloidosis, [30](#)  
Amyotrophic Lateral Sclerosis, [30](#)  
Anabolic Steroids, [30](#)  
Anabolism, [30](#)  
Anaemia, [30](#)  
Anaerobe, [30](#)  
Anagen, [67](#)  
Anal Abscess, [30](#)  
Anal Canal, [30](#)  
Anal Cancer, [31](#)  
Anal Fissure, [31](#)  
Anal Fistula, [31](#)  
Anal Intercourse, [31](#)  
Anal Itching, [31](#)  
Analgesia, [67](#)  
Analgesic, [31](#)  
Analgesic Nephropathy, [31](#)  
Analysis of Urine, [31](#)  
Analytic Sensitivity, [31](#)  
Anaphylactic Shock, [31](#)  
Anaphylaxis, [31](#)  
Anaphylaxis During Anesthesia, [31](#)  
Anaplasia, [31](#)  
Anaplastic Thyroid Cancer, [32](#)  
Anasarca, [71](#)  
Anastomosis, [69](#)  
Anastomosis (Vascular), [32](#)  
Anastomotic Leak, [32](#)  
Anatomic Snuffbox, [55](#)  
Anatomical Axis, [32](#)  
Anatomical Planes, [32](#)  
Anatomical Position, [32](#)  
Anatomical Snuffbox, [32](#)  
Anatomy, [32](#)  
Anatomy Survey (Level II Ultrasound), [32](#)  
ANCA-Associated Vasculitis, [32](#)  
Ancillary Test (Pathology), [32](#)  
Ancylostoma (Hookworm), [32](#)  
Androgen, [67](#)  
Androgen Deficiency, [32](#)  
Androgen Insensitivity Syndrome, [32](#)  
Androgenetic Alopecia, [33](#)  
Andropause, [33](#)  
Anejaculation, [33](#)  
Anemia, [33](#)  
Anemia (Cancer), [33](#)  
Anemia of Chronic Disease, [33](#)  
Anemia of Inflammation, [70](#)  
Anencephaly, [33](#)  
Anergy, [33](#)  
Anesthesia, [33](#)  
Anesthesia for Coagulopathy, [33](#)  
Anesthesia for Epilepsy, [33](#)  
Anesthesia for Hemophilia, [33](#)  
Anesthesia for Neurosurgery, [33](#)  
Anesthesia for Pheochromocytoma, [33](#)  
Anesthesia for Porphyria, [34](#)  
Anesthesia Gas Analyzers, [34](#)  
Anesthesia Informatics, [34](#)  
Anesthesia Machine, [34](#)  
Anesthesia Monitoring, [34](#)  
Anesthesia Pharmacogenomics, [34](#)  
Aneuploidy, [34](#)  
Aneurysm, [34](#)  
Aneurysm Clip, [34](#)  
Aneurysm Coils, [34](#)  
Aneurysm Repair, [34](#)  
Angelman Syndrome, [34](#)  
Angina Pectoris, [34](#)  
Angiodysplasia, [34](#)  
Angioedema, [35](#)  
Angiogenesis, [35](#)  
Angiography, [35](#)  
Angiomyolipoma, [35](#)  
Angioplasty, [35](#)  
Angioplasty Balloon (Vascular), [35](#)  
Angiosarcoma, [35](#)  
Angiotensin converting-enzyme inhibitor, [35](#)  
Angiotensin I, [67](#)  
Angiotensin II, [67](#)  
Angiotensin Receptor Blockers, [35](#)  
Anhedonia, [35](#)  
Anhidrosis, [35](#)  
Animal-Assisted Therapy, [35](#)  
Anion Gap, [35](#)  
Anisocoria, [36](#)  
Anisocytosis, [36](#)  
Ankle Arthroplasty, [36](#)  
Ankle Dislocation, [36](#)  
Ankle Fractures, [36](#)  
Ankle Joint, [36](#)  
Ankle Pain, [36](#)  
Ankle Sprain, [36](#)  
Ankle Swelling, [36](#)

---

---

Ankle-Brachial Index, [36](#)  
Ankle-Foot Orthosis, [55](#)  
Ankyloglossia (Tongue-Tie), [36](#)  
Ankylosing Spondylitis, [36](#)  
Ankylosis, [37](#)  
Annihilation, [37](#)  
Annular Pancreas, [37](#)  
Anodontia, [37](#)  
Anophthalmia, [37](#)  
Anorectal Abscess, [37](#)  
Anorectal Malformation, [37](#)  
Anorectal Manometry, [37](#)  
Anorexia, [37](#)  
Anorexia Nervosa, [37](#)  
Anorgasmia, [37](#)  
Anoscopy, [37](#)  
Anosmia, [37](#)  
Anosognosia, [37](#)  
Anovulation, [37](#)  
Anoxia, [38](#)  
Antacids, [38](#)  
Antecubital Fossa, [38](#)  
Antemortem Injury, [38](#)  
Antenatal, [38](#)  
Antepartum Fetal Surveillance, [38](#)  
Antepartum Hemorrhage, [38](#)  
Anterior, [38](#)  
Anterior Chamber Angle, [38](#)  
Anterior Cord Syndrome, [70](#)  
Anterior Cruciate Ligament Injury, [38](#)  
Anterior Cruciate Ligament Tear, [38](#)  
Anterior Pituitary, [38](#)  
Anterior Tibial Artery, [39](#)  
Anterior Uveitis, [39](#)  
Anterior/Posterior Drawer Test, [39](#)  
Anthrax, [39](#)  
Anthropometry, [39](#)  
Anti-CCP, [39](#)  
Anti-CCP Antibody, [39](#)  
Anti-citrullinated peptide antibody, [39](#)  
Anti-dsDNA Antibody, [39](#)  
Anti-GBM Disease, [39](#)  
Anti-IgE Therapy, [39](#)  
Anti-IL4 Receptor Therapy, [39](#)  
Anti-IL5 Therapy, [39](#)  
Anti-inflammatory, [40](#)  
Anti-MDA5 dermatomyositis, [40](#)  
Anti-Mullerian Hormone, [40](#)  
Anti-Reflux Surgery, [40](#)  
Antianginal, [40](#)  
Antiarrhythmic, [40](#)  
Antibiogram, [40](#)  
Antibiotic, [40](#)  
Antibiotic cycling, [40](#)  
Antibiotic de-escalation, [40](#)  
Antibiotic mixing, [40](#)  
Antibiotic Resistance, [40](#)  
Antibiotic resistance genes, [40](#)  
Antibiotic Stewardship, [40](#)  
Antibiotic-Associated Diarrhea, [68](#)  
Antibodies, [40](#)  
Antibody, [67](#)  
Anticholinergic Burden, [41](#)  
Anticholinergic Cognitive Burden Scale, [41](#)  
Anticoagulant, [67](#)  
Anticoagulant Monitoring, [41](#)  
Anticoagulation, [41](#)  
Anticodon, [41](#)  
Anticonvulsant Mood Stabilizers, [41](#)  
Anticonvulsants, [41](#)  
Antideformity Position, [69](#)  
Antidepressant, [67](#)  
Antidiabetic, [41](#)  
Antidiarrheal, [41](#)  
Antidiuretic Hormone, [41](#)  
Antidiuretic Hormone Physiology, [41](#)  
Antidiuretic Hormone Resistance, [41](#)  
Antidote, [42](#)  
Antiemetic, [42](#)  
Antiepileptic Drugs, [42](#)  
Antifungal, [42](#)  
Antifungal drug classes, [42](#)  
Antifungal prophylaxis, [42](#)  
Antifungal resistance, [42](#)  
Antigen, [42](#)  
Antigen Detection Test, [42](#)  
Antigen-Presenting Cell, [42](#)  
Antigenic Drift, [42](#)  
Antigenic Shift, [42](#)  
Antigenic variation, [42](#)  
Antigout, [43](#)  
Antihistamine, [43](#)  
Antihypertensive, [43](#)  
Antihypertensives in Pregnancy, [43](#)  
Antimicrobial, [43](#)  
Antimicrobial adverse effects, [43](#)

---

---

Antimicrobial desensitization, [43](#)  
Antimicrobial dosing optimization, [43](#)  
Antimicrobial drug interactions, [43](#)  
Antimicrobial hypersensitivity reactions, [43](#)  
Antimicrobial pharmacodynamics, [43](#)  
Antimicrobial pharmacokinetics, [43](#)  
Antimicrobial Resistance, [43](#)  
Antimicrobial Resistance Mechanisms, [44](#)  
Antimicrobial resistance surveillance, [44](#)  
Antimicrobial Sensitivity Test, [69](#)  
Antimicrobial Stewardship, [44](#)  
Antimicrobial susceptibility testing, [44](#)  
Antineoplastic, [44](#)  
Antinuclear Antibody, [44](#)  
Antioxidant, [44](#)  
Antiparasitic, [44](#)  
Antiparkinson, [44](#)  
Antiparkinsonian, [44](#)  
Antiphospholipid Antibodies, [44](#)  
Antiphospholipid Antibody, [44](#)  
Antiphospholipid Syndrome, [44](#)  
Antiplatelet Agents, [67](#)  
Antiplatelet Therapy, [44](#)  
Antipruritic, [44](#)  
Antipsychotic, [45](#)  
Antipsychotic-Induced Parkinsonism, [45](#)  
Antipyretic, [45](#)  
Antiretroviral therapy, [45](#)  
Antiseptic, [45](#)  
Antisocial Personality Disorder, [45](#)  
Antispasmodic, [45](#)  
Antistreptolysin O Titer, [45](#)  
Antisynthetase Syndrome, [45](#)  
Antithrombin, [45](#)  
Antithrombin Deficiency, [45](#)  
Antithrombin III deficiency, [45](#)  
Antithyroid, [45](#)  
Antitubercular Agents, [46](#)  
Antitussive, [46](#)  
Antiviral, [46](#)  
Antiviral drug classes, [46](#)  
Antrochoanal polyp, [46](#)  
Anuria, [46](#)  
Anus, [46](#)  
Anxiety, [46](#)  
Anxiety Disorder, [46](#)  
Anxiolytic, [46](#)  
Aorta, [46](#)  
Aortic Aneurysm, [46](#)  
Aortic Aneurysm Rupture, [46](#)  
Aortic Aneurysm Screening, [46](#)  
Aortic Arch, [47](#)  
Aortic Coarctation, [47](#)  
Aortic Dissection, [47](#)  
Aortic embolism, [47](#)  
Aortic Graft Infection, [47](#)  
Aortic Regurgitation, [47](#)  
Aortic Regurgitation Murmur, [47](#)  
Aortic Stenosis, [47](#)  
Aortic Stenosis Grading, [47](#)  
Aortic Valve, [47](#)  
Aortic Valve Disease, [47](#)  
Aortic Valve Insufficiency, [64](#)  
Aortic Valve Stenosis, [64](#)  
Aortitis, [64](#)  
Aortography, [47](#)  
APACHE II Score, [48](#)  
APC Tumor Suppressor, [48](#)  
Apert Syndrome, [48](#)  
APGAR Score, [48](#)  
Aphagia, [69](#)  
Aphasia, [48](#)  
Apheresis, [48](#)  
Aphonia, [48](#)  
Aphthous Stomatitis, [48](#)  
Aphthous Ulcer, [48](#)  
Apical Pulse, [69](#)  
Apicoectomy, [48](#)  
Aplastic Anemia, [48](#)  
Apnea, [48](#)  
Apnea of Prematurity, [48](#)  
Apnea-Hypopnea Index, [48](#)  
Apneustic Breathing, [48](#)  
Apnoea, [49](#)  
Apoenzyme, [49](#)  
Apolipoproteins, [67](#)  
Apoptosis, [49](#)  
Apoptosis Extrinsic Pathway, [49](#)  
Apoptosis Intrinsic Pathway, [49](#)  
Apparent Mineralocorticoid Excess, [49](#)  
Appendectomy, [49](#)  
Appendiceal Tumors, [49](#)  
Appendicitis, [49](#)  
Appendix, [49](#)  
Appendix Cancer, [68](#)  
Appetite Regulation, [49](#)

---

---

Applied Behavior Analysis, 49  
Apraxia, 49  
Aquagenic keratoderma, 50  
Aquatic Therapy, 50  
Aqueous Humor, 50  
Arachnoid cyst, 50  
Arachnoid Mater, 50  
Arachnoiditis, 65  
ARB-Nepriylsin Inhibitor, 50  
Arbovirus, 50  
ARBs, 50  
Arcus Senilis (Corneal Arcus), 50  
ARDS, 50  
Area Under the Concentration-Time Curve, 50  
Areola, 69  
Argininosuccinic Aciduria, 50  
Argyll Robertson Pupil, 51  
Armpit Lump, 51  
Arnold-Chiari Malformation, 51  
Aromatase Excess Syndrome, 51  
Aromatase Inhibitor, 51  
Arrector Pili Muscle, 51  
Arrested Caries, 51  
Arrhythmia, 51  
Arrhythmogenic right ventricular cardiomyopathy, 51  
Arsenic toxicity, 51  
Art Therapy, 51  
Arterial Blood Gas, 51  
Arterial Blood Gas Analyzer, 52  
Arterial Catheter, 52  
Arterial Catheterization, 52  
Arterial Duplex, 52  
Arterial insufficiency, 52  
Arterial Line, 52  
Arterial Ulcer, 52  
Arteriole, 52  
Arteriosclerosis, 52  
Arteriovenous Fistula, 52  
Arteriovenous Graft, 52  
Arteriovenous Malformation, 52  
Artery, 53  
Arthralgia, 52  
Arthritis, 53  
Arthrocentesis, 53  
Arthrodesis, 53  
Arthrography, 53  
Arthrogryposis, 53  
Arthroplasty, 53  
Arthroscopy, 53  
Articular Cartilage, 67  
Articular Cartilage Injuries, 53  
Artifacts, 53  
Artificial Pacemaker, 53  
Artificial Rupture of Membranes, 53  
Artificial Ventricle (Total Artificial Heart), 53  
Arytenoid Cartilage, 53  
ASA Physical Status Classification System, 54  
Asbestosis, 54  
Ascariasis, 54  
Ascending Aorta, 54  
Ascending aortic aneurysm, 54  
Ascending Colon, 54  
Ascites, 54  
Aseptic Loosening, 54  
Aseptic Technique, 54  
Asherman Syndrome, 54  
Asperger Syndrome, 54  
Aspergillosis, 55  
Asphyxia, 55  
Aspiration, 55  
Aspiration Pneumonia, 55  
Aspiration Pneumonitis, 55  
Aspiration Risk, 55  
Aspirin (Salicylate) Toxicity, 55  
Aspirin-Exacerbated Respiratory Disease, 55  
Assist-Control Ventilation, 56  
Assisted Breech Delivery, 56  
Assisted Living, 56  
Assisted Reproductive Technology, 56  
Assistive Device, 56  
Assistive Device Training, 56  
Association Study, 56  
Astereognosis, 56  
Asterixis, 56  
Asthenia, 69  
Asthenopia, 56  
Asthma, 56  
Asthma Attack, 68  
Asthma exacerbation, 56  
Asthma-COPD Overlap, 56  
Astigmatism, 56  
Astrocytoma, 57  
Asymptomatic Bacteriuria in Pregnancy, 57  
Asystole, 57  
Ataxia, 57

---



---

Ataxia-Telangiectasia, [57](#)  
Ataxic Breathing, [57](#)  
Atelectasis, [57](#)  
Atherectomy, [57](#)  
Atherectomy (Vascular), [57](#)  
Atheroembolic Renal Disease, [57](#)  
Atherosclerosis, [57](#)  
Atherosclerotic Plaque, [57](#)  
Athetosis, [57](#)  
Athlete Foot, [57](#)  
Athlete's Foot, [58](#)  
Atlanto-occipital dislocation, [58](#)  
Atlas, [58](#)  
Atopic Dermatitis, [58](#)  
Atopic eruption of pregnancy, [58](#)  
Atopy, [58](#)  
Atovaquone-proguanil, [58](#)  
ATP (Adenosine Triphosphate), [58](#)  
ATP Synthase, [58](#)  
Atransferrinemia, [58](#)  
Atrial Fibrillation, [58](#)  
Atrial Fibrillation Ablation, [58](#)  
Atrial Flutter, [58](#)  
Atrial Natriuretic Peptide, [59](#)  
Atrial Septal Defect, [59](#)  
Atrial Tachycardia, [59](#)  
Atrioventricular Block, [65](#)  
Atrioventricular Canal Defect, [68](#)  
Atrioventricular Nodal Reentry Tachycardia, [68](#)  
Atrioventricular Node, [59](#)  
Atrioventricular Valves, [69](#)  
Atrium, [59](#)  
Atrophy, [67](#)  
Atropine in Organophosphate Poisoning, [59](#)  
Attachment (Dental), [59](#)  
Attack Rate, [59](#)  
Attention-Deficit/Hyperactivity Disorder, [59](#)  
Attenuation Correction, [59](#)  
Attributable Risk, [59](#)  
Atypia, [59](#)  
Atypical Antipsychotics, [59](#)  
Atypical Facial Pain, [60](#)  
Atypical Features, [60](#)  
Atypical Genitalia, [68](#)  
Atypical Hyperplasia of the Breast, [68](#)  
Atypical Pneumonia, [60](#)  
Atypical Teratoid Rhabdoid Tumor, [68](#)  
Audiogram, [60](#)  
Audiologist, [60](#)  
Audiometry, [60](#)  
Auditory Nerve, [67](#)  
Auer Rods, [60](#)  
Auger Electrons, [60](#)  
Augmentation of Labor, [60](#)  
Aura, [67](#)  
Auricle, [60](#)  
Auscultation, [60](#)  
Auscultatory Gap, [60](#)  
Austin Flint Murmur, [60](#)  
Autism Spectrum Disorder, [60](#)  
Autoantibodies, [67](#)  
Autoantibody, [61](#)  
Autoclave, [61](#)  
Autogenic Drainage, [61](#)  
Autograft, [61](#)  
Autoimmune Disease, [61](#)  
Autoimmune Disorder, [61](#)  
Autoimmune Encephalitis, [68](#)  
Autoimmune Enteropathy, [61](#)  
Autoimmune Epilepsy, [68](#)  
Autoimmune Gastritis, [61](#)  
Autoimmune Hemolytic Anemia, [61](#)  
Autoimmune Hepatitis, [61](#)  
Autoimmune keratitis, [61](#)  
Autoimmune Pancreatitis, [61](#)  
Autoimmune Polyendocrine Syndromes, [61](#)  
Autoimmunity: Mechanisms, [62](#)  
Autologous Blood Donation, [62](#)  
Autonomic Dysreflexia, [62](#)  
Autonomic Nervous System, [62](#)  
Autonomic Neuropathy, [62](#)  
Autophagy, [62](#)  
Autopsy, [62](#)  
Autopsy (Medicolegal), [62](#)  
Autopsy (Post-Mortem Examination), [62](#)  
Autosomal Dominant Inheritance, [69](#)  
Autosomal Dominant PKD, [62](#)  
Autosomal dominant polycystic kidney disease, [62](#)  
Autosomal Inheritance, [63](#)  
Autosomal Recessive Inheritance, [69](#)  
Autosomal Recessive PKD, [63](#)  
Avascular Necrosis, [63](#)  
Avascular Necrosis (Osteonecrosis), [63](#)  
Avian Influenza, [63](#)  
Avoidant Personality Disorder, [63](#)  
Avolition, [63](#)

---

---

Avulsed Tooth, [63](#)  
Avulsion, [63](#)  
Avulsion Fracture, [63](#)  
Awake Fiberoptic Intubation, [63](#)  
Awareness Under Anesthesia, [63](#)  
Axilla, [63](#)  
Axillary Artery, [64](#)  
Axillary Nerve, [64](#)  
Axis, [64](#)  
Axon, [64](#)  
Axon Terminal, [67](#)  
Azole Antifungals, [64](#)  
Azoospermia, [64](#)  
Azotemia, [69](#)  
Azygos Vein, [64](#)  
Azygous vein, [64](#)  
  
B Cell (B Lymphocyte), [73](#)  
B Chromosome, [73](#)  
B-Cell Lymphoma, [117](#)  
B-Cell Receptor, [73](#)  
B-Lynch Suture, [73](#)  
B-Mode Ultrasound, [119](#)  
Babcock Clamp, [117](#)  
Babesiosis, [73](#)  
Babinski Reflex, [73](#)  
Babinski Sign, [73](#)  
Baby Acne, [116](#)  
Bacillary Angiomatosis, [73](#)  
Bacillary Dysentery, [117](#)  
Bacilluria, [73](#)  
Bacillus, [118](#)  
Bacillus Anthracis, [117](#)  
Bacillus Cereus, [117](#)  
Back Injury, [73](#)  
Back Pain, [74](#)  
Backache, [74](#)  
Bacteremia, [74](#)  
Bacteria, [74](#)  
Bacterial adherence, [74](#)  
Bacterial biofilms, [74](#)  
Bacterial capsule, [74](#)  
Bacterial cell wall, [74](#)  
Bacterial classification, [74](#)  
Bacterial conjugation, [74](#)  
Bacterial Conjunctivitis, [74](#)  
Bacterial dermatitis, [75](#)  
Bacterial dormancy, [75](#)  
Bacterial Endocarditis, [75](#)  
Bacterial Endocarditis Vegetations, [75](#)  
Bacterial endospores, [75](#)  
Bacterial flagella, [75](#)  
Bacterial Gastroenteritis, [75](#)  
Bacterial genetics, [75](#)  
Bacterial growth phases, [75](#)  
Bacterial Infections, [75](#)  
Bacterial Meningitis, [75](#)  
Bacterial metabolism, [75](#)  
Bacterial morphology, [76](#)  
Bacterial Overgrowth, [76](#)  
Bacterial pathogenesis, [76](#)  
Bacterial Peritonitis, [118](#)  
Bacterial Pharyngitis, [118](#)  
Bacterial pili, [76](#)  
Bacterial Pneumonia, [76](#)  
Bacterial Spore, [76](#)  
Bacterial toxins, [76](#)  
Bacterial Tracheitis, [76](#)  
Bacterial transduction, [76](#)  
Bacterial transformation, [76](#)  
Bacterial Vaginosis, [76](#)  
Bacterial virulence factors, [76](#)  
Bactericide, [76](#)  
Bacteriology, [77](#)  
Bacteriophage, [77](#)  
Bacteriophage therapy, [77](#)  
Bacteriostasis, [117](#)  
Bacteriostatic, [117](#)  
Bacterium, [77](#)  
Bacteriuria, [77](#)  
Bad Breath, [116](#)  
Bag-Mask Ventilation, [77](#)  
Bagassosis, [77](#)  
Bags Under Eyes, [116](#)  
Bainbridge Reflex, [77](#)  
Baker Cyst, [77](#)  
Baker's cyst, [77](#)  
Balamuthia mandrillaris Infection, [77](#)  
Balance, [77](#)  
Balance Assessment, [78](#)  
Balance Disorders and Vertigo, [78](#)  
Balance Impairment, [78](#)  
Balance Problems, [116](#)  
Balance Training, [78](#)  
Balanitis, [78](#)  
Balanoposthitis, [78](#)

---

---

Baldness, [78](#)  
Ballard Score, [78](#)  
Ballism, [78](#)  
Ballistocardiography, [78](#)  
Balloon (Vascular), [78](#)  
Balloon Angioplasty, [115](#)  
Balloon Aortic Valvuloplasty, [78](#)  
Balloon Catheter, [78](#)  
Balloon Tamponade, [118](#)  
Band Cell, [95](#)  
Band Keratopathy, [78](#)  
Bandage, [79](#)  
Bandage Scissors, [79](#)  
Bankart Lesion, [79](#)  
Bannayan-Riley-Ruvalcaba Syndrome, [79](#)  
Banti Disease, [79](#)  
Banti Syndrome, [79](#)  
Barbiturate, [79](#)  
Bardet-Biedl Syndrome, [116](#)  
Bare Stent (Vascular), [79](#)  
Bariatric Surgery, [79](#)  
Barium, [79](#)  
Barium Enema, [79](#)  
Barium Study, [79](#)  
Barium Swallow, [79](#)  
Barium-133, [79](#)  
Barognosis, [79](#)  
Baroreceptor, [118](#)  
Baroreceptor Reflex, [80](#)  
Baroreflex, [115](#)  
Barotrauma, [80](#)  
Barrel Chest, [80](#)  
Barrett Esophagus, [80](#)  
Barrett Esophagus Surveillance, [80](#)  
Barrett's Esophagus, [116](#)  
Barrier Creams, [80](#)  
Barrier Nursing (Isolation Nursing), [118](#)  
Barthel Index, [80](#)  
Bartholin Cyst, [80](#)  
Bartholin Gland, [80](#)  
Bartholin's Cyst, [116](#)  
Bartonella, [117](#)  
Bartonellosis, [80](#)  
Bartter Disease, [115](#)  
Bartter Syndrome, [80](#)  
Basal Cell Carcinoma, [81](#)  
Basal Ganglia, [81](#)  
Basal Ganglia Dysfunction, [81](#)  
Basal Metabolic Rate, [81](#)  
Base, [81](#)  
Base Excision Repair, [81](#)  
Basement Membrane, [81](#)  
Basic Life Support, [81](#)  
Basic Metabolic Panel, [81](#)  
Basic Reproduction Number, [81](#)  
Basilar Artery, [116](#)  
Basilar artery aneurysm, [81](#)  
Basilic Vein, [118](#)  
Basophil, [81](#)  
Basophilia, [118](#)  
Bath Salts Abuse and Addiction, [81](#)  
Batten Disease, [118](#)  
Battered Child Syndrome, [82](#)  
Bauhin Valve, [82](#)  
BCG Vaccine, [82](#)  
Beach Chair Position, [115](#)  
Beals Syndrome, [82](#)  
Beam Hardening Artifact, [82](#)  
Beau Lines, [82](#)  
Beau's Lines, [82](#)  
Bechterew Disease, [82](#)  
Beck Triad, [82](#)  
Becker Muscular Dystrophy, [82](#)  
Becker's nevus, [82](#)  
Beckwith-Wiedemann Syndrome, [82](#)  
Becquerel (Bq), [82](#)  
Bedbug Bites, [83](#)  
Bednar Aphthae, [118](#)  
Bedpan, [83](#)  
Bedsore, [83](#)  
Bedwetting, [83](#)  
Beers Criteria, [83](#)  
Behavioral Rehabilitation, [83](#)  
Behcet Disease, [83](#)  
Behcet Syndrome, [115](#)  
Belching, [83](#)  
Bell Palsy, [83](#)  
Bell's Palsy, [83](#)  
Bence Jones Protein, [83](#)  
Bence-Jones Protein, [83](#)  
Bends, [83](#)  
Beneficence and Non-Maleficence, [83](#)  
Benign Intracranial Hypertension, [84](#)  
Benign Mixed Tumor, [84](#)  
Benign Neoplasm, [84](#)  
Benign Paroxysmal Positional Vertigo, [84](#)

---

---

Benign Positional Vertigo, [84](#)  
Benign Prostatic Hyperplasia, [84](#)  
Benign Prostatic Obstruction, [84](#)  
Benign Tumor, [84](#)  
Bent Spine Syndrome, [84](#)  
Benzene, [84](#)  
Benzo(a)pyrene, [84](#)  
Benzodiazepine Use Disorder, [84](#)  
Benzodiazepine Withdrawal, [84](#)  
Benzodiazepines, [85](#)  
Bereavement, [85](#)  
Bereavement reaction, [85](#)  
Berger Disease, [85](#)  
Beriberi, [85](#)  
Bernard–Soulier syndrome, [85](#)  
Berry Aneurysm, [85](#)  
Berylliosis, [85](#)  
Beta Blockers, [85](#)  
Beta Cells, [116](#)  
Beta Thalassemia, [115](#)  
Beta-Adrenergic Blocker, [85](#)  
Beta-Blocker Overdose, [85](#)  
Beta-Blockers, [85](#)  
Beta-Lactam Antibiotics, [85](#)  
Beta-lactamase inhibitor combinations, [86](#)  
Beta-Oxidation, [86](#)  
Beta-thalassemia, [86](#)  
Bezoar, [86](#)  
BI-RADS, [86](#)  
Bicarbonate, [86](#)  
Biceps Brachii Muscle, [86](#)  
Biceps Reflex, [86](#)  
Bicipital Groove, [86](#)  
Bicipital Tuberosity, [86](#)  
Bicuspid Aortic Valve, [86](#)  
Bicuspid Valve, [86](#)  
Bietti’s Crystalline Dystrophy, [86](#)  
Biguanide, [87](#)  
Bilateral peritonsillar abscesses, [87](#)  
Bile, [116](#)  
Bile Acids, [87](#)  
Bile Duct, [87](#)  
Bile Duct Cancer, [116](#)  
Bile Reflux, [87](#)  
Bile Salt Emulsification, [87](#)  
Bile Salt Malabsorption, [87](#)  
Bilevel Positive Airway Pressure, [116](#)  
Bilharzia, [87](#)  
Biliary Atresia, [87](#)  
Biliary Cirrhosis, [87](#)  
Biliary Colic, [87](#)  
Biliary Dyskinesia, [87](#)  
Biliary Fever, [87](#)  
Biliary Stent, [88](#)  
Biliary Tract, [88](#)  
Biliary Tract Injuries, [88](#)  
Bilious Vomiting, [88](#)  
Bilirubin, [88](#)  
Bilirubin Encephalopathy, [88](#)  
Bilirubin Metabolism, [88](#)  
Bilirubinuria, [88](#)  
Binet-Simon Scale, [88](#)  
Binge Eating Disorder, [88](#)  
Binge-Eating Disorder, [116](#)  
Binocular visual loss, [88](#)  
Bioabsorbable Stent (Vascular), [88](#)  
Bioavailability, [88](#)  
Bioburden, [89](#)  
Biochemical Assessment, [89](#)  
Biochemistry, [118](#)  
Biocompatibility, [89](#)  
Biodegradable Implant, [89](#)  
Biodistribution, [89](#)  
Bioequivalence, [89](#)  
Bioethics, [89](#)  
Bioethics (Geriatric), [89](#)  
Biofeedback, [118](#)  
Biofilm, [89](#)  
Biofilm-associated infections, [89](#)  
Biologic Therapy, [89](#)  
Biologic Therapy in Dermatology, [89](#)  
Biologic Variation, [89](#)  
Biological Half-Life, [90](#)  
Biological Warfare, [118](#)  
Biomarker, [90](#)  
Biomarker Testing, [90](#)  
Biomechanics, [90](#)  
Biomolecule, [90](#)  
Biomonitoring, [90](#)  
Biophysical Profile, [90](#)  
Biopsy, [90](#)  
Biopsy Needle, [90](#)  
Biosensor, [90](#)  
Biosimilar, [90](#)  
Biot Breathing, [90](#)  
Biotelemetry, [90](#)

---

---

Bioterrorism Agents, [90](#)  
Biotinidase Deficiency, [91](#)  
Biotransformation, [91](#)  
Biotrauma, [91](#)  
BiPAP, [91](#)  
BiPAP Machine, [91](#)  
Biparietal Diameter, [91](#)  
Bipolar Disorder, [91](#)  
Bipolar I Disorder, [91](#)  
Bipolar II Disorder, [91](#)  
Bird Fancier's Lung, [91](#)  
Bird Flu, [91](#)  
Birt-Hogg-Dube Syndrome, [91](#)  
Birth Asphyxia, [118](#)  
Birth Control, [91](#)  
Birth Defect (Congenital Anomaly), [118](#)  
Birth Rate, [119](#)  
Birthmarks, [91](#)  
Bishop Score, [92](#)  
Bisphenol A, [92](#)  
Bisphosphonate, [116](#)  
Bitemporal Hemianopia, [92](#)  
Bitewing, [92](#)  
Bitewing Radiograph, [92](#)  
Bitot's Spots, [92](#)  
BK Virus Nephropathy, [92](#)  
Black Eye, [92](#)  
Black Hairy Tongue, [92](#)  
Black Lung, [92](#)  
Black Stain, [92](#)  
Black Triangle, [92](#)  
Blackheads, [92](#)  
Blackwater Fever, [119](#)  
Bladder Cancer, [93](#)  
Bladder Carcinoma, [93](#)  
Bladder diverticula, [93](#)  
Bladder Diverticulum, [93](#)  
Bladder Exstrophy, [93](#)  
Bladder Fistula, [93](#)  
Bladder Health and Disorders, [93](#)  
Bladder Outlet Obstruction, [93](#)  
Bladder Pain Syndrome, [93](#)  
Bladder Perforation, [93](#)  
Bladder Problems, [93](#)  
Bladder Retraining, [93](#)  
Bladder Spasm, [93](#)  
Bladder Stone, [94](#)  
Blalock-Taussig Operation, [94](#)  
Blast Crisis, [94](#)  
Blast Injury, [94](#)  
Blastic plasmacytoid dendritic-cell neoplasm, [94](#)  
Blastocyst, [94](#)  
Blastocystis Hominis, [117](#)  
Blastoma, [94](#)  
Blastomyces dermatitidis, [94](#)  
Blastomycosis, [94](#)  
Bleeding, [94](#)  
Bleeding Disorders, [94](#)  
Bleeding Esophageal Varices, [94](#)  
Bleeding Gums, [94](#)  
Bleeding into a thyroid nodule, [95](#)  
Blennorrhea, [95](#)  
Blepharitis, [95](#)  
Blepharoconjunctivitis, [95](#)  
Blepharoplasty, [95](#)  
Blepharospasm, [95](#)  
Blind Loop Syndrome, [95](#)  
Blinding, [95](#)  
Blindness, [95](#)  
Blocked Tear Duct, [117](#)  
Blood Alcohol Concentration, [95](#)  
Blood Alcohol Level, [95](#)  
Blood Clot, [95](#)  
Blood Coagulation, [96](#)  
Blood Coagulation Disorder, [96](#)  
Blood Culture, [96](#)  
Blood Culture Contamination, [96](#)  
Blood Donor, [119](#)  
Blood Film (Peripheral Blood Smear), [96](#)  
Blood Flow, [96](#)  
Blood Gas (Venous), [96](#)  
Blood Glucose Monitoring, [96](#)  
Blood Group, [96](#)  
Blood in Semen, [96](#)  
Blood Loss, [96](#)  
Blood Poisoning (Septicaemia), [119](#)  
Blood Pressure, [96](#)  
Blood Products, [97](#)  
Blood Smear, [97](#)  
Blood Spatter Analysis, [97](#)  
Blood Sugar Test, [97](#)  
Blood Transfusion, [97](#)  
Blood Urea Nitrogen, [97](#)  
Blood Urea Nitrogen Test, [116](#)  
Blood Vessels, [119](#)  
Blood Viscosity, [97](#)

---

---

Blood-Borne Disease, [97](#)  
Blood-Brain Barrier, [97](#)  
Bloom Syndrome, [97](#)  
Blount Disease, [97](#)  
Blue Baby, [97](#)  
Blue Bloater, [97](#)  
Blunt Abdominal Trauma, [97](#)  
Blunt Force Trauma, [98](#)  
BMI (Body Mass Index), [98](#)  
BNP, [98](#)  
Bocavirus Infection, [98](#)  
Bochdalek Hernia, [98](#)  
Body Aches, [98](#)  
Body Dysmorphic Disorder, [98](#)  
Body Identification, [98](#)  
Body Lice, [98](#)  
Body Plethysmography, [98](#)  
Body Ringworm, [98](#)  
Body Surface Area, [117](#)  
Body Temperature, [98](#)  
Boeck's Sarcoid, [98](#)  
Boerhaave Syndrome, [99](#)  
Bohn Nodules, [99](#)  
Bohr Effect, [99](#)  
Boil, [99](#)  
Boil (Furuncle), [99](#)  
Boils and Carbuncles, [117](#)  
Bolus, [117](#)  
Bone, [99](#)  
Bone Cancer, [99](#)  
Bone Cement (Polymethylmethacrylate—PMMA), [99](#)  
Bone Densitometry, [99](#)  
Bone Density, [99](#)  
Bone Density Screening, [99](#)  
Bone Fracture, [99](#)  
Bone Graft, [100](#)  
Bone Graft (Dental), [100](#)  
Bone Health, [100](#)  
Bone Infection, [100](#)  
Bone Marrow, [100](#)  
Bone Marrow Aspiration, [100](#)  
Bone Marrow Aspiration and Biopsy, [100](#)  
Bone Marrow Biopsy, [100](#)  
Bone Marrow Depression, [100](#)  
Bone marrow hyperplasia, [100](#)  
Bone marrow necrosis, [100](#)  
Bone Metastases, [100](#)  
Bone Metastasis, [100](#)  
Bone Saw, [117](#)  
Bone Scan, [100](#)  
Bone Scan (Nuclear Scintigraphy), [101](#)  
Bone Spurs, [117](#)  
Bone Turnover Markers, [101](#)  
Bones and Joints, [101](#)  
Bony Exostosis, [101](#)  
Borborygmi, [119](#)  
Borderline Personality Disorder, [101](#)  
Bordetella pertussis, [101](#)  
Bornholm Disease, [101](#)  
Borrelia, [101](#)  
Borrelia burgdorferi, [101](#)  
Borreliosis, [101](#)  
Bosniak Classification, [101](#)  
Bot fly, [101](#)  
Botryomycosis, [101](#)  
Botulism, [102](#)  
Bouchard Nodes, [80](#)  
Bouchard's Node, [102](#)  
Bougie, [117](#)  
Bougienage, [102](#)  
Bourbon Virus, [102](#)  
Boutonneuse Fever, [102](#)  
Bouveret Syndrome, [102](#)  
Bovine Spongiform Encephalopathy, [102](#)  
Bow Legs (Genu Varum), [119](#)  
Bowel Incontinence, [102](#)  
Bowel infarction, [102](#)  
Bowel ischemia, [102](#)  
Bowel Obstruction, [102](#)  
Bowel Program, [102](#)  
Bowenoid papulosis, [102](#)  
Bowlegs, [102](#)  
Bowman Capsule, [103](#)  
Bowman's Gland, [103](#)  
Boxed Warning, [103](#)  
BPH, [103](#)  
Brachial Artery, [103](#)  
Brachial Plexopathy, [103](#)  
Brachial Plexus, [103](#)  
Brachial Plexus Cords, [103](#)  
Brachial Plexus Injuries, [103](#)  
Brachial Plexus Injury, [103](#)  
Brachial Plexus Neuropathies, [115](#)  
Brachial Plexus Roots, [103](#)  
Brachial Plexus Trunks, [103](#)

---



---

Brachialis Muscle, [104](#)  
Brachiocephalic Trunk, [104](#)  
Brachytherapy, [104](#)  
Brachytherapy Seed, [104](#)  
Bradycardia, [104](#)  
Bradycardia of Prematurity, [104](#)  
Bradykinesia, [104](#)  
Bradypnea, [104](#)  
Brain, [104](#)  
Brain Abscess, [104](#)  
Brain Concussion, [104](#)  
Brain Death, [104](#)  
Brain Edema, [105](#)  
Brain Health, [105](#)  
Brain Herniation, [105](#)  
Brain Injuries, [105](#)  
Brain Injury, [105](#)  
Brain Metastases, [105](#)  
Brain Metastasis, [105](#)  
Brain Monitoring, [105](#)  
Brain Natriuretic Peptide, [105](#)  
Brain SPECT, [105](#)  
Brain Stem, [116](#)  
Brain Stem Glioma, [115](#)  
Brain Tumor, [105](#)  
Brain Ventricles, [105](#)  
Brainstem, [105](#)  
Brainstem Tumor, [117](#)  
Branchial Arch, [106](#)  
Branchial Cleft, [106](#)  
Branchial Cleft Anomaly, [106](#)  
Branchial Cleft Cyst, [106](#)  
Braxton Hicks Contractions, [106](#)  
BRCA, [106](#)  
BRCA1 and BRCA2, [106](#)  
Breakbone Fever, [106](#)  
Breakthrough Pain, [115](#)  
Breast Abscess, [106](#)  
Breast Cancer, [106](#)  
Breast Cancer Genetics, [106](#)  
Breast Cyst, [106](#)  
Breast Density, [106](#)  
Breast Discharge, [107](#)  
Breast Engorgement, [107](#)  
Breast Examination, [119](#)  
Breast Health, [107](#)  
Breast Infection, [107](#)  
Breast Lump, [107](#)  
Breast Milk, [119](#)  
Breast MRI, [107](#)  
Breast Pain, [107](#)  
Breast Reconstruction, [119](#)  
Breast Screening, [119](#)  
Breast Surgery, [107](#)  
Breast Ultrasound, [107](#)  
Breastfeeding, [107](#)  
Breath Sounds, [107](#)  
Breath Stacking, [107](#)  
Breath-Holding Spells, [107](#)  
Breathlessness (Dyspnoea), [119](#)  
Breech Delivery, [108](#)  
Breech Presentation, [108](#)  
Bremsstrahlung, [108](#)  
Brenner Tumor, [108](#)  
Breslow Thickness, [108](#)  
Bridge (Dental), [108](#)  
Brief Psychotic Disorder, [108](#)  
Brief Resolved Unexplained Event, [108](#)  
Bright's Disease, [108](#)  
Brill's Disease, [108](#)  
Brittle Asthma, [108](#)  
Brittle Diabetes, [108](#)  
Broca Aphasia, [109](#)  
Broca's Aphasia, [109](#)  
Broca's Area, [109](#)  
Broken Finger, [109](#)  
Broken Foot, [109](#)  
Broken Heart Syndrome, [109](#)  
Broken Toe, [109](#)  
Bromhidrosis, [109](#)  
Bromoderma, [109](#)  
Bronchi, [109](#)  
Bronchial Artery, [109](#)  
Bronchial Biopsy, [109](#)  
Bronchial Carcinoid, [109](#)  
Bronchial Stenosis, [110](#)  
Bronchial Tree, [110](#)  
Bronchial Vein, [110](#)  
Bronchiectasis, [110](#)  
Bronchiole, [110](#)  
Bronchiolectasis, [110](#)  
Bronchiolitis, [110](#)  
Bronchiolitis Obliterans, [110](#)  
Bronchitis, [110](#)  
Bronchoalveolar Lavage, [110](#)  
Bronchodilator, [116](#)

---

---

Bronchodilator Response, [110](#)  
 Bronchodilator Reversibility, [110](#)  
 Bronchoesophageal fistula, [111](#)  
 Bronchogenic Cyst, [111](#)  
 Bronchophony, [111](#)  
 Bronchopleural Fistula, [111](#)  
 Bronchopneumonia, [111](#)  
 Bronchopulmonary Dysplasia, [111](#)  
 Bronchoscope, [117](#)  
 Bronchoscopy, [111](#)  
 Bronchospasm, [111](#)  
 Bronchostenosis, [111](#)  
 Bronchus, [111](#)  
 Bronze Diabetes, [111](#)  
 Brow Presentation, [111](#)  
 Brown Lung Disease, [112](#)  
 Brown Sequard Syndrome, [112](#)  
 Brown Stain, [112](#)  
 Brucellosis, [112](#)  
 Brudzinski Sign, [112](#)  
 Brugada Syndrome, [112](#)  
 Bruise, [112](#)  
 Bruising, [112](#)  
 Bruit, [116](#)  
 Brunner's Gland, [112](#)  
 Bruxism, [112](#)  
 Bubo, [119](#)  
 Buccal Gland, [112](#)  
 Budd-Chiari Syndrome, [112](#)  
 Buerger Disease, [112](#)  
 Buerger's Disease, [112](#)  
 Buffer, [113](#)  
 Buffy Coat, [80](#)  
 Bulbar Conjunctiva, [113](#)  
 Bulbar Paralysis, [113](#)  
 Bulimia Nervosa, [113](#)  
 Bullae, [113](#)  
 Bullet Track, [113](#)  
 Bullous Impetigo, [113](#)  
 Bullous Pemphigoid, [113](#)  
 Bumetanide, [113](#)  
 Bundle Branch Block, [113](#)  
 Bundle of His, [113](#)  
 Bundle-Branch Block, [115](#)  
 Bunion, [113](#)  
 Bunionectomy, [114](#)  
 Buphthalmos, [114](#)  
 Burkitt Lymphoma, [114](#)  
 Burkitt's Lymphoma, [115](#)  
 Burn, [114](#)  
 Burn (Oral), [114](#)  
 Burn Surgery, [114](#)  
 Burning Mouth Syndrome, [114](#)  
 Bursa, [116](#)  
 Bursectomy, [114](#)  
 Bursitis, [114](#)  
 Button magnets in the nasal cavity, [114](#)  
 Bypass, [114](#)  
 Bypass (Vascular), [114](#)  
 Bypass Graft, [114](#)  
 Bypass Surgery, [114](#)  
 Byssinosis, [115](#)  
  
 C-Peptide, [121](#)  
 C-Reactive Protein, [121](#)  
 C-Section, [121](#)  
 C. difficile, [121](#)  
 C. Difficile Infection, [209](#)  
 C1 Esterase Inhibitor, [122](#)  
 C1q Nephropathy, [122](#)  
 C282Y Mutation, [121](#)  
 CA 19-9, [121](#)  
 CA-125, [121](#)  
 CA125, [121](#)  
 CABG (Coronary Artery Bypass Grafting), [121](#)  
 Cabot Ring, [121](#)  
 Cachexia, [121](#)  
 Cacosmia, [122](#)  
 CADASIL Syndrome, [207](#)  
 Cadaver, [122](#)  
 Cadaveric Spasm, [122](#)  
 Caecitis, [122](#)  
 Caecopexy, [122](#)  
 Caecostomy, [122](#)  
 Caecotomy, [122](#)  
 Caesarean Birth, [122](#)  
 Cafe-au-lait Macules, [122](#)  
 Caffeine, [122](#)  
 Caffeine Intoxication, [122](#)  
 Caffeine Withdrawal, [122](#)  
 Café au Lait Spot, [122](#)  
 Café Coronary, [122](#)  
 Café-au-Lait Macules, [122](#)  
 Caisson Disease, [122](#)  
 Calcaneus, [122](#)  
 Calciferol, [123](#)

---

---

Calcific Tendinitis, [212](#)  
 Calcific Uremic Arteriolopathy, [123](#)  
 Calcification, [123](#)  
 Calcinosis, [123](#)  
 Calcinosis, [123](#)  
 Calciphylaxis, [123](#)  
 Calcitonin, [123](#)  
 Calcitriol and Analogues, [123](#)  
 Calcium, [123](#)  
 Calcium Blood Test, [123](#)  
 Calcium Channel Blocker Overdose, [123](#)  
 Calcium Channel Blockers, [123](#)  
 Calcium phosphate, [123](#)  
 Calcium Pyrophosphate Arthritis, [124](#)  
 Calcium Pyrophosphate Deposition Disease, [124](#)  
 Calcium Sensing Receptor, [124](#)  
 Calcium Stones, [124](#)  
 Calculus (Tartar), [124](#)  
 Calculus Removal, [124](#)  
 Caldwell-Luc Operation, [124](#)  
 Callosotomy, [212](#)  
 Callus, [208](#)  
 Caloric Restriction, [124](#)  
 Calorie, [124](#)  
 Calvaria, [211](#)  
 Calyx, [211](#)  
 Cambridge Classification, [124](#)  
 Cameron Lesions, [124](#)  
 Campimetry, [124](#)  
 Camptocormia, [124](#)  
 Camptodactyly, [125](#)  
 Campylobacter Infection, [125](#)  
 Campylobacteriosis, [125](#)  
 Canal of Schlemm, [125](#)  
 Canalith Repositioning Maneuver, [125](#)  
 Canavan Disease, [125](#)  
 Cancellous Bone, [208](#)  
 Cancer, [125](#)  
 Cancer Care Team, [125](#)  
 Cancer Cell, [125](#)  
 Cancer Genetics, [125](#)  
 Cancer Grading, [212](#)  
 Cancer Nutrition, [125](#)  
 Cancer of Unknown Primary, [125](#)  
 Cancer Pain, [125](#)  
 Cancer Registry, [126](#)  
 Cancer Screening, [126](#)  
 Cancer Staging, [126](#)  
 Cancer Surveillance, [126](#)  
 Cancer Survivor, [126](#)  
 Cancer Susceptibility Genes, [126](#)  
 Cancer Vaccine, [126](#)  
 Cancer-Associated Thrombosis, [126](#)  
 Cancrum Oris, [126](#)  
 Candida albicans infection, [126](#)  
 Candida Auris, [126](#)  
 Candidal Intertrigo, [126](#)  
 Candidal Vaginitis, [212](#)  
 Candidemia, [126](#)  
 Candidiasis, [126](#)  
 Cane, [127](#)  
 Canicola Fever, [127](#)  
 Canker Sore, [127](#)  
 Cannabis Use Disorder, [127](#)  
 Cannot Intubate Cannot Oxygenate, [127](#)  
 Cannula, [211](#)  
 Cannulation, [127](#)  
 Canthotomy, [211](#)  
 Canthus, [211](#)  
 Cantlie Line, [127](#)  
 Capacity, [127](#)  
 Capacity and Competence, [127](#)  
 Capgras Syndrome, [127](#)  
 Capillaries, [208](#)  
 Capillaroscopy, [127](#)  
 Capillary, [127](#)  
 Capillary Bed, [127](#)  
 Capillary Leak Syndrome, [128](#)  
 Capillary Refill, [128](#)  
 Capillary Refill Time, [128](#)  
 Capitata, [128](#)  
 Capnocytophaga canimorsus, [128](#)  
 Capnocytophaga Infection, [207](#)  
 Capnography, [128](#)  
 Capsaicin, [208](#)  
 Capsular Contracture, [128](#)  
 Capsule Endoscopy, [128](#)  
 Capsule of Glisson, [128](#)  
 Capsule of Tenon, [128](#)  
 Capsulectomy, [128](#)  
 Caput Medusae, [128](#)  
 Caput Succedaneum, [128](#)  
 CAR T-Cell, [129](#)  
 Carbapenem-Resistant Enterobacteriaceae Infection, [129](#)  
 Carbapenem-resistant organisms, [129](#)

---

---

Carbidopa, [129](#)  
Carbohydrate, [129](#)  
Carbohydrate Counting, [129](#)  
Carbolic Acid (Phenol), [129](#)  
Carbon Dioxide, [211](#)  
Carbon Dioxide Absorber, [129](#)  
Carbon Dioxide Transport, [129](#)  
Carbon Ion Therapy, [129](#)  
Carbon Monoxide, [208](#)  
Carbon Monoxide Poisoning, [129](#)  
Carbonic Anhydrase Inhibitors, [129](#)  
Carboxyhemoglobin, [129](#)  
Carbuncle, [130](#)  
Carcinogen, [130](#)  
Carcinogenesis, [208](#)  
Carcinoid Heart Disease, [130](#)  
Carcinoid Syndrome, [130](#)  
Carcinoid Tumor, [130](#)  
Carcinoma, [130](#)  
Carcinoma en cuirasse, [130](#)  
Carcinoma in Situ, [130](#)  
Carcinoma of Unknown Primary, [209](#)  
Carcinomatosis, [207](#)  
Carcinosarcoma, [130](#)  
Cardia, [211](#)  
Cardiac Ablation, [207](#)  
Cardiac allograft, [130](#)  
Cardiac Amyloidosis, [130](#)  
Cardiac Amyloidosis Diagnosis, [130](#)  
Cardiac Amyloidosis Staging, [131](#)  
Cardiac Arrest, [131](#)  
Cardiac Arrest Survival, [131](#)  
Cardiac Arrhythmias, [212](#)  
Cardiac Axis, [131](#)  
Cardiac Biomarkers, [131](#)  
Cardiac Catheterization, [131](#)  
Cardiac Conduction System, [131](#)  
Cardiac CT, [131](#)  
Cardiac CT Angiography, [131](#)  
Cardiac Cycle, [131](#)  
Cardiac Defibrillation, [131](#)  
Cardiac Device Infections, [131](#)  
Cardiac Diet, [132](#)  
Cardiac Gated SPECT, [132](#)  
Cardiac Index, [132](#)  
Cardiac Metastases, [132](#)  
Cardiac MRI, [132](#)  
Cardiac Muscle, [132](#)  
Cardiac Myocytes, [208](#)  
Cardiac Output, [132](#)  
Cardiac Output Measurement, [132](#)  
Cardiac Pacemaker Types, [132](#)  
Cardiac PET, [132](#)  
Cardiac PET Imaging, [132](#)  
Cardiac Radiation Injury, [132](#)  
Cardiac Rehab Outcomes, [132](#)  
Cardiac Rehabilitation, [133](#)  
Cardiac Resynchronization Therapy, [133](#)  
Cardiac Sarcoidosis, [133](#)  
Cardiac Skeleton, [133](#)  
Cardiac SPECT, [133](#)  
Cardiac Stress Test, [133](#)  
Cardiac Stress Testing, [133](#)  
Cardiac tamponade, [133](#)  
Cardiac Tamponade Physiology, [133](#)  
Cardiac Tumors, [133](#)  
Cardiac Tumors Management, [133](#)  
Cardio-Oncology, [133](#)  
Cardiogenic Shock, [134](#)  
Cardiogenic Shock Management, [134](#)  
Cardiology, [134](#)  
Cardiomegaly, [134](#)  
Cardiomyopathy, [134](#)  
Cardiomyopathy Classification, [134](#)  
Cardioplegia, [134](#)  
Cardiopulmonary Bypass, [208](#)  
Cardiopulmonary Exercise Testing, [134](#)  
Cardiopulmonary Resuscitation, [134](#)  
Cardiorenal Syndrome, [134](#)  
Cardioselective Beta-Blockers, [134](#)  
Cardiospasm, [134](#)  
Cardiotocography, [135](#)  
Cardiotoxicity, [135](#)  
Cardiotoxicity from Chemotherapy, [135](#)  
Cardiovascular, [208](#)  
Cardiovascular Changes in Pregnancy, [135](#)  
Cardiovascular disease, [135](#)  
Cardiovascular Health, [135](#)  
Cardiovascular Screening, [135](#)  
Cardiovascular System, [135](#)  
Cardioversion, [135](#)  
Cardioversion (Synchronized), [135](#)  
Carditis, [135](#)  
Care Coordination, [135](#)  
Caregiver, [135](#)  
Caregiver Burden, [136](#)

---

---

Caregiver Stress, [136](#)  
Caries, [136](#)  
Caries (Dental), [136](#)  
Caries Risk Assessment, [136](#)  
Carina, [136](#)  
Cariogenic, [136](#)  
Cariogram, [136](#)  
Carney Complex, [136](#)  
Carnitine, [136](#)  
Caroli Disease, [136](#)  
Carotid Artery, [136](#)  
Carotid Artery Disease, [136](#)  
Carotid Artery Stenting, [136](#)  
Carotid Bruit, [137](#)  
Carotid cavernous fistula, [137](#)  
Carotid cavernous sinus fistula, [137](#)  
Carotid Duplex, [137](#)  
Carotid Duplex Doppler Scanning, [208](#)  
Carotid Duplex Ultrasound, [137](#)  
Carotid Endarterectomy, [137](#)  
Carotid Stenosis, [137](#)  
Carpal Tunnel, [137](#)  
Carpal Tunnel Syndrome, [137](#)  
Carpal Tunnel Syndrome Tests, [137](#)  
Carrier, [137](#)  
Carrier State, [137](#)  
Cartilage, [137](#)  
Cartilaginous Joint, [208](#)  
Carvedilol, [138](#)  
Case Definition, [138](#)  
Case Fatality Rate, [138](#)  
Case Management, [138](#)  
Case-Control Study, [138](#)  
Case-Fatality Rate, [138](#)  
Caseous Necrosis, [138](#)  
Cast, [211](#)  
Castleman Disease, [138](#)  
Cat Scratch Disease, [138](#)  
Cat-Scratch Disease, [138](#)  
Cat-Scratch Fever, [138](#)  
Catabolism, [138](#)  
Catalepsy, [138](#)  
Catalyst, [138](#)  
Cataplexy, [208](#)  
Cataract, [139](#)  
Catastrophic Aging, [139](#)  
Catatonia, [139](#)  
Catch-Up Immunization, [139](#)  
Catecholamine Crisis, [139](#)  
Catecholamines (Urine/Plasma), [139](#)  
Category I Fetal Heart Tracing, [139](#)  
Category II Fetal Heart Tracing, [139](#)  
Category III Fetal Heart Tracing, [139](#)  
Catheter, [139](#)  
Catheter-Associated UTI, [139](#)  
Catheter-Related Infections, [139](#)  
Catheterization (Urinary), [139](#)  
Cauda Equina Syndrome, [140](#)  
Caudal, [140](#)  
Cauliflower Ear, [140](#)  
Cause of Death, [140](#)  
Cauterization, [211](#)  
Cavernous Hemangioma, [207](#)  
Cavernous Malformations, [209](#)  
Cavernous Sinus Thrombosis, [140](#)  
Cavities and Tooth Decay, [209](#)  
CD4 Count, [140](#)  
CD4-Positive T Cell, [140](#)  
CD8-Positive T Cell, [140](#)  
CEA (Carcinoembryonic Antigen), [140](#)  
Cecal volvulus, [140](#)  
Cecostomy, [207](#)  
Cecum, [140](#)  
Ceftazidime-avibactam, [140](#)  
Celiac Artery, [141](#)  
Celiac Crisis, [141](#)  
Celiac Disease, [141](#)  
Celiac Plexus, [208](#)  
Celiac Trunk, [141](#)  
Celiac Trunk Stenosis, [141](#)  
Cell, [141](#)  
Cell-Free Fetal DNA Screening, [141](#)  
Cell-mediated immunity, [141](#)  
Cellular Adaptation, [141](#)  
Cellular Swelling, [141](#)  
Cellulitis, [141](#)  
Cemento-Enamel Junction, [141](#)  
Cementum, [141](#)  
Centenarian, [142](#)  
Central, [142](#)  
Central Auditory Processing Disorder, [142](#)  
Central Deafness, [142](#)  
Central Diabetes Insipidus, [142](#)  
Central Hypothyroidism, [207](#)  
Central Line Placement, [142](#)  
Central Line-Associated Bloodstream Infection, [142](#)

---

---

Central Nervous System, [142](#)  
Central Nervous System Lymphoma, [209](#)  
Central Nervous System Vascular Malformations, [209](#)  
Central pontine myelinolysis, [142](#)  
Central Retinal Artery Occlusion, [142](#)  
Central Serous Chorioretinopathy, [142](#)  
Central Sleep Apnea, [142](#)  
Central Venous Catheter, [142](#)  
Central Venous Pressure, [143](#)  
Centriacinar Emphysema, [143](#)  
Centrifuge, [143](#)  
Cephalalgia, [143](#)  
Cephalgia, [204](#)  
Cephalhaematoma, [143](#)  
Cephalohematoma, [143](#)  
Cephalopelvic Disproportion, [143](#)  
Cephalosporin, [143](#)  
Ceramide, [143](#)  
Cerclage, [143](#)  
Cerebellar Ataxia, [143](#)  
Cerebellar tumor, [143](#)  
Cerebellitis, [143](#)  
Cerebellopontine Angle, [144](#)  
Cerebellopontine Angle Tumor, [144](#)  
Cerebellum, [144](#)  
Cerebral Amyloid Angiopathy, [144](#)  
Cerebral Aneurysm, [144](#)  
Cerebral Angiography, [144](#)  
Cerebral Arteriovenous Malformation, [144](#)  
Cerebral Autoregulation, [144](#)  
Cerebral cavernous malformations, [144](#)  
Cerebral Cortex, [144](#)  
Cerebral Edema, [144](#)  
Cerebral Hemorrhage, [144](#)  
Cerebral Hypoxia, [145](#)  
Cerebral Infarction, [145](#)  
Cerebral Lobes, [145](#)  
Cerebral Palsy, [145](#)  
Cerebral Peduncle, [145](#)  
Cerebral Perfusion Pressure, [145](#)  
Cerebral Salt Wasting, [145](#)  
Cerebral Thrombosis, [212](#)  
Cerebral tumor, [145](#)  
Cerebral Vasospasm, [212](#)  
Cerebral Venous Sinus Thrombosis, [145](#)  
Cerebral Visual Impairment, [145](#)  
Cerebriform nevus sebaceous, [145](#)  
Cerebritis, [145](#)  
Cerebroplacental Ratio, [146](#)  
Cerebrospinal Fluid, [146](#)  
Cerebrospinal Fluid Analysis, [146](#)  
Cerebrovascular Accident, [146](#)  
Cerebrovascular Accident (Stroke), [146](#)  
Cerebrum, [146](#)  
Ceruloplasmin, [146](#)  
Cerumen, [146](#)  
Cerumen Impaction, [146](#)  
Cervical Cancer, [146](#)  
Cervical carcinoma, [146](#)  
Cervical Cerclage, [146](#)  
Cervical Dilatation, [146](#)  
Cervical Dilation, [147](#)  
Cervical Disc Herniation, [147](#)  
Cervical Dysplasia, [147](#)  
Cervical Dystonia, [147](#)  
Cervical Effacement, [147](#)  
Cervical Exam in Labor, [147](#)  
Cervical Incompetence, [147](#)  
Cervical Intraepithelial Neoplasia (CIN), [212](#)  
Cervical Length Screening, [147](#)  
Cervical Mucus, [147](#)  
Cervical Myelopathy, [212](#)  
Cervical Polyps, [147](#)  
Cervical Pregnancy, [147](#)  
Cervical Radiculopathy, [147](#)  
Cervical Rib, [148](#)  
Cervical Ripening Agents, [148](#)  
Cervical Screening (Pap Smear), [148](#)  
Cervical Spine, [148](#)  
Cervical Spine Trauma, [148](#)  
Cervical spondyloarthropathy, [148](#)  
Cervical Spondylosis, [148](#)  
Cervical Vertebrae, [148](#)  
Cervicitis, [148](#)  
Cervix, [148](#)  
Cesarean Delivery, [148](#)  
Cesarean Section, [148](#)  
Cesarean Section (C-section), [149](#)  
Cestodiasis, [149](#)  
CFTR Modulator Therapy, [149](#)  
Chagas Disease, [149](#)  
Chagoma, [149](#)  
Chain of Custody, [149](#)  
Chalazion, [149](#)  
Chancre, [149](#)

---



---

Chancroid, [149](#)  
Channelopathy, [149](#)  
Charcoal, [149](#)  
Charcot Arthropathy, [149](#)  
Charcot Foot, [149](#)  
Charcot Joint, [150](#)  
Charcot Triad, [150](#)  
Charcot Triad (Cholangitis), [150](#)  
Charcot-Marie-Tooth Disease, [150](#)  
CHARGE Syndrome, [150](#)  
Checkpoint Inhibitor, [150](#)  
Checkpoints, [150](#)  
Chediak-Higashi Syndrome, [150](#)  
Cheilectropion, [150](#)  
Cheilitis, [150](#)  
Cheiloplasty, [150](#)  
Cheiloschisis, [150](#)  
Cheilosis, [150](#)  
Cheiropompholyx, [150](#)  
Chelation, [151](#)  
Chelation Study, [151](#)  
Chelation Therapy, [151](#)  
Chemical Eye Injury, [151](#)  
Chemical Injury, [151](#)  
Chemical Peels, [151](#)  
Chemical Pneumonitis, [151](#)  
Chemo Brain, [210](#)  
Chemodectoma, [151](#)  
Chemoembolization, [151](#)  
Chemokine, [151](#)  
Chemokinesis, [151](#)  
Chemophobia, [151](#)  
Chemoprevention, [151](#)  
Chemoradiation, [152](#)  
Chemoradiotherapy, [207](#)  
Chemoreceptor, [152](#)  
Chemoreceptor Trigger Zone, [152](#)  
Chemoresistance, [152](#)  
Chemosensitivity, [152](#)  
Chemosis, [152](#)  
Chemotaxis, [152](#)  
Chemotherapy, [152](#)  
Chemotherapy Extravasation, [152](#)  
Cherry Angioma, [152](#)  
Cherry Eye, [152](#)  
Cherry-Red Spot, [152](#)  
Cherubism, [152](#)  
Chest Pain, [152](#)  
Chest Physiotherapy, [152](#)  
Chest Tube, [210](#)  
Chest Tube Insertion, [153](#)  
Chest Tube Thoracostomy, [153](#)  
Chest Wall, [153](#)  
Chest Wall Deformity, [153](#)  
Chest X-ray, [153](#)  
Chewing, [153](#)  
Cheyne-Stokes Respiration, [153](#)  
Chiari I malformation, [153](#)  
Chiari Malformation, [153](#)  
Chiari-Frommel Syndrome, [153](#)  
Chickenpox, [153](#)  
Chigger Bites, [115](#)  
Chignon, [153](#)  
Chikungunya, [153](#)  
Chikungunya Fever, [154](#)  
Chikungunya virus, [154](#)  
Chilblain, [154](#)  
Chilblains (Pernio), [212](#)  
Child Abuse, [154](#)  
Child Neglect, [154](#)  
Child Poisoning, [154](#)  
Child-Pugh Classification, [154](#)  
Childbirth, [154](#)  
Childhood Absence Epilepsy, [154](#)  
Childhood Obesity, [154](#)  
Chills, [154](#)  
Chimerism, [154](#)  
Chionablepsia, [155](#)  
Chlamydia, [155](#)  
Chlamydia trachomatis, [211](#)  
Chlamydia trachomatis infection, [155](#)  
Chlamydial Disease, [207](#)  
Chlamydial pneumonia, [155](#)  
Chlamydiosis, [155](#)  
Chlamydophila Pneumonia, [155](#)  
Chloasma, [155](#)  
Chloracne, [155](#)  
Chloramphenicol, [155](#)  
Chloranemia, [155](#)  
Chloroleukemia, [155](#)  
Chloroma, [155](#)  
Chloropsia, [155](#)  
Choanal Atresia, [155](#)  
Choking, [155](#)  
Cholangiitis, [156](#)  
Cholangiocarcinoma, [156](#)

---

---

Cholangiography, 156  
 Cholangitis, 156  
 Cholecystectomy, 156  
 Cholecystitis, 156  
 Cholecystography, 156  
 Cholecystokinin, 156  
 Choledochal Cyst, 156  
 Choledocholithiasis, 156  
 Cholelithiasis, 156  
 Cholera, 156  
 Cholestasis, 156  
 Cholestasis of Pregnancy, 210  
 Cholesteatoma, 157  
 Cholesterol and Lipids, 157  
 Cholesterol crystal embolization, 157  
 Cholesterol crystals, 157  
 Cholesterol emboli, 157  
 Cholesterol embolism, 157  
 Cholesterol embolization, 157  
 Cholesterol Synthesis, 157  
 Cholesterolemia, 157  
 Cholinergic Crisis, 157  
 Cholinesterase Inhibitor, 157  
 Chondritis, 157  
 Chondroblastic osteosarcoma, 157  
 Chondrocalcinosis, 157  
 Chondrodysplasia, 157  
 Chondroma, 158  
 Chondromalacia, 158  
 Chondrosarcoma, 158  
 Chopart's Joint, 158  
 Chordae Tendineae, 158  
 Chordoma, 158  
 Chorea, 158  
 Chorioamnionitis, 158  
 Chorioamnionitis (Intraamniotic Infection), 158  
 Choriocarcinoma, 158  
 Chorion, 158  
 Chorionic Villus Sampling, 158  
 Chorioretinitis, 158  
 Choroid, 159  
 Choroid Plexus Carcinoma, 210  
 Choroid Plexus Cyst, 159  
 Choroid Plexus Tumor, 159  
 Choroidal Neovascularization, 159  
 Christmas Disease, 159  
 Chromaffinoma, 159  
 Chromatin, 159  
 Chromatopsia, 159  
 Chromhidrosis, 159  
 Chromoblastomycosis, 159  
 Chromosomal Abnormality, 159  
 Chromosome, 159  
 Chronic, 159  
 Chronic Allograft Nephropathy, 159  
 Chronic Atrophic Gastritis, 207  
 Chronic autoimmune Hashimoto thyroiditis, 160  
 Chronic autoimmune thyroiditis, 160  
 Chronic Bronchitis, 160  
 Chronic Caries, 160  
 Chronic Cough, 160  
 Chronic Daily Headaches, 209  
 Chronic Eosinophilic Leukaemia, 160  
 Chronic eosinophilic pneumonia, 160  
 Chronic Fatigue Syndrome, 160  
 Chronic Granulomatous Disease, 160  
 Chronic Hives, 209  
 Chronic Hypertension in Pregnancy, 160  
 Chronic Inflammation, 160  
 Chronic Inflammatory Demyelinating Polyneuropathy, 160  
 Chronic Inflammatory Response Syndrome, 160  
 Chronic Intestinal Pseudo-Obstruction, 161  
 Chronic Kidney Disease, 161  
 Chronic Kidney Disease Staging, 161  
 Chronic lead poisoning, 161  
 Chronic Leukemia, 161  
 Chronic Limb-Threatening Ischemia, 161  
 Chronic Liver Disease, 161  
 Chronic Lymphocytic Leukemia, 161  
 Chronic Mesenteric Ischemia, 161  
 Chronic Migraine, 161  
 Chronic Mucocutaneous Candidiasis, 161  
 Chronic myelogenous leukemia, 161  
 Chronic Myeloid Leukemia, 162  
 Chronic Myelomonocytic Leukemia, 162  
 Chronic Neutrophilic Leukaemia, 162  
 Chronic Obstructive Pulmonary Disease, 162  
 Chronic Pain, 162  
 Chronic Pain Management, 162  
 Chronic Pain Syndrome, 208  
 Chronic Pancreatitis, 162  
 Chronic Pelvic Pain, 210  
 Chronic Rhinitis, 162  
 Chronic Rhinosinusitis, 162  
 Chronic sinusitis, 162

---

---

Chronic Tension-Type Headache, [162](#)  
Chronic Thromboembolic Pulmonary Hypertension, [162](#)  
Chronic Toxicity, [163](#)  
Chronic Traumatic Encephalopathy, [210](#)  
Chronic Venous Disease, [163](#)  
Chronic Venous Insufficiency, [163](#)  
Chronic venous stasis, [163](#)  
Churg-Strauss Syndrome, [163](#)  
Chvostek Sign, [163](#)  
Chylangioma, [163](#)  
Chylomicron, [163](#)  
Chylothorax, [163](#)  
Chyluria, [163](#)  
Ciclopia, [163](#)  
CIDP, [163](#)  
Ciguatera, [163](#)  
Ciguatera Poisoning, [293](#)  
Cilia, [209](#)  
Ciliary Body, [163](#)  
Ciliary Dyskinesia, [207](#)  
Ciliopathy, [163](#)  
Cineangiocardiology, [164](#)  
Cinefluorography, [164](#)  
Cineplasty, [164](#)  
Cingulotomy, [164](#)  
Circadian Rhythm, [164](#)  
Circle of Willis, [164](#)  
Circulating Tumor DNA, [164](#)  
Circumcision, [164](#)  
Circumflex Artery, [164](#)  
Cirrhosis, [164](#)  
Citrate Synthase, [164](#)  
Citric Acid Cycle (Krebs Cycle), [164](#)  
Citrullinemia, [207](#)  
CKD, [164](#)  
CKD-Mineral Bone Disorder, [165](#)  
Clamp, [211](#)  
Class IA Antiarrhythmics, [165](#)  
Class IB Antiarrhythmics, [165](#)  
Class IC Antiarrhythmics, [165](#)  
Class III Antiarrhythmics, [165](#)  
Classic Migraine, [209](#)  
Claudication, [165](#)  
Claudication Distance, [165](#)  
Claustrophobia, [165](#)  
Clavicle, [165](#)  
Clavicle Fracture, [165](#)  
Clavicle Fracture (Intentional), [165](#)  
Claw Foot, [165](#)  
Claw Hand, [165](#)  
Claw Toe, [166](#)  
Clean-Catch Specimen, [211](#)  
Clear Margins, [166](#)  
Clearance, [166](#)  
Cleft Lip, [166](#)  
Cleft Lip and Palate, [166](#)  
Cleft Palate, [166](#)  
Cleidocranial Dysplasia, [166](#)  
Climacteric, [166](#)  
Clinical Communication, [166](#)  
Clinical Counseling, [166](#)  
Clinical Depression, [166](#)  
Clinical Deterioration, [166](#)  
Clinical Documentation, [166](#)  
Clinical Frailty Scale, [166](#)  
Clinical Guideline, [167](#)  
Clinical Handover, [167](#)  
Clinical Practice Guideline, [167](#)  
Clinical Presentation, [167](#)  
Clinical Reasoning, [167](#)  
Clinical Research, [167](#)  
Clinical Research Bias, [167](#)  
Clinical Trial, [167](#)  
Clinical Trial Phases, [167](#)  
Clinicopathologic Correlation, [167](#)  
Clinodactyly, [167](#)  
Clinoid Process, [167](#)  
Clip (Vascular), [167](#)  
Clitoridectomy, [167](#)  
Clitoris, [167](#)  
Cloacal Exstrophy, [168](#)  
Cloacitis, [168](#)  
Clonal Evolution, [168](#)  
Clonic Seizure, [168](#)  
Clonorchiasis, [168](#)  
Clonus, [168](#)  
Closed Comedo, [168](#)  
Closed Fracture, [168](#)  
Closed Reduction, [168](#)  
Closed-Angle Glaucoma, [168](#)  
Closed-Loop Insulin Delivery, [168](#)  
Clostridioides difficile, [168](#)  
Clostridioides difficile infection, [168](#)  
Clostridioides difficile pathogenesis, [168](#)  
Clostridium, [169](#)

---

---

Clostridium botulinum, 169  
Clostridium Difficile, 169  
Clostridium difficile Infection, 169  
Clostridium perfringens, 169  
Clostridium tetani, 169  
Clot Buster, 209  
Clotting, 169  
Clubbing, 169  
Clubfoot, 169  
Clubfoot (Talipes Equinovarus), 169  
Clubhand, 169  
Cluster Headache, 169  
Clutton's Joints, 170  
CMV, 170  
CMV Colitis, 170  
CO Poisoning, 170  
Coagulation Cascade, 170  
Coagulation Factor Deficiencies, 170  
Coagulation Profile, 170  
Coagulative Necrosis, 170  
Coagulopathy, 170  
Coal Worker's Pneumoconiosis, 170  
Coarctation, 170  
Coarctation of the Aorta, 170  
Coarse Crackles, 170  
Coats Disease, 171  
Cobalamin Deficiency, 171  
Cobalt-57, 171  
Cobalt-Chromium, 171  
Cocaine Cardiotoxicity, 171  
Cocaine Toxicity, 171  
Coccidioidomycosis, 171  
Coccidiosis, 171  
Coccydynia, 171  
Coccygectomy, 171  
Coccyx, 171  
Cochlea, 171  
Cochlear Implant, 171  
Cockayne Syndrome, 171  
Code Blue, 172  
Codman Triangle, 172  
Codon, 172  
Coenzyme, 172  
Coenzyme Q, 172  
Cofactor, 172  
Cogan's syndrome, 172  
Cognition, 213  
Cognitive Behavior Therapy, 207  
Cognitive Behavioral Therapy, 172  
Cognitive Behavioral Therapy for Insomnia, 172  
Cognitive Decline, 172  
Cognitive Distortions, 172  
Cognitive Fitness, 172  
Cognitive Health and Memory, 172  
Cognitive Impairment, 173  
Cognitive Rehabilitation, 173  
Cognitive Reserve, 209  
Cognitive Screening, 173  
Cohort Study, 173  
Coil (Vascular), 173  
Coincidence Detection, 173  
Cold Abscess, 173  
Cold Agglutinin, 173  
Cold Agglutinin Disease, 173  
Cold agglutinin syndrome, 173  
Cold agglutinins, 173  
Cold Injury, 173  
Cold intolerance, 173  
Cold Sore, 173  
Cold Urticaria, 210  
Colectomy, 174  
Colibacillosis, 174  
Colic, 174  
Colitis, 174  
Collagen, 174  
Collagen Disease, 174  
Collagen Implant, 174  
Collagenous Colitis, 174  
Collapsed Lung, 174  
Collateral Circulation, 174  
Collateral Ligament Injury, 174  
Collecting Duct, 174  
Colles Fracture, 174  
Collimator, 175  
Colloids, 175  
Coloboma, 175  
Colocolonic intussusception, 175  
Colon, 175  
Colon cancer, 175  
Colon Polyps, 210  
Colonic Inertia, 207  
Colonic Ischemia, 175  
Colonic Stenosis, 208  
Colonization, 175  
Colonoscopy, 175  
Colony-Forming Unit, 175

---

---

Color Blindness, [175](#)  
Color Doppler, [175](#)  
Color Vision Deficiency, [175](#)  
Colorado Tick Fever, [176](#)  
Colorectal Adenocarcinoma, [176](#)  
Colorectal Adenoma, [209](#)  
Colorectal Cancer, [176](#)  
Colorectal Cancer Genetics, [176](#)  
Colorectal Cancer Screening, [176](#)  
Colorectal Cancer Screening Tests, [176](#)  
Colorectal Surgery, [176](#)  
Colostomy, [176](#)  
Colostrum, [176](#)  
Colpitis, [176](#)  
Colposcope, [211](#)  
Colposcopy, [176](#)  
Coma, [176](#)  
Coma Scale, [176](#)  
Combination Inhalers, [177](#)  
Combination Therapy, [177](#)  
Combined Spinal-Epidural Analgesia, [177](#)  
Comedocarcinoma, [177](#)  
Comfort Measures Only, [177](#)  
Comminuted, [177](#)  
Comminuted Fracture, [177](#)  
Commissurotomy, [177](#)  
Commode, [177](#)  
Common Bile Duct, [177](#)  
Common Cold, [177](#)  
Common Cold in Babies, [210](#)  
Common Iliac Arteries, [177](#)  
Common Peroneal Nerve, [177](#)  
Common peroneal neuropathy, [177](#)  
Common Variable Immunodeficiency, [177](#)  
Common wart, [178](#)  
Common Warts (Verruca Vulgaris), [825](#)  
Commotio Cordis, [178](#)  
Communicable disease, [178](#)  
Communicating Hydrocephalus, [178](#)  
Community Acquired Infection, [178](#)  
Community Health Worker, [178](#)  
Community Rehabilitation, [178](#)  
Community Reintegration, [178](#)  
Community-Acquired, [178](#)  
Community-Acquired Pneumonia, [178](#)  
Comorbidity, [178](#)  
Comparison, [178](#)  
Compartment Pressure, [178](#)  
Compartment Syndrome, [178](#)  
Competence, [179](#)  
Competitive Antagonist, [179](#)  
Competitive Inhibition, [179](#)  
Complement C1q Deficiency, [179](#)  
Complement C2/C4 Deficiency, [179](#)  
Complement C3, [179](#)  
Complement Cascade, [179](#)  
Complement Deficiencies, [179](#)  
Complement Deficiency, [208](#)  
Complement System, [209](#)  
Complete Blood Count, [179](#)  
Complete Cystectomy, [208](#)  
Complete Denture, [179](#)  
Complete Response, [179](#)  
Complex Carbohydrates, [179](#)  
Complex Regional Pain Syndrome, [179](#)  
Compliance, [180](#)  
Complicated Grief, [180](#)  
Complicated Urinary Tract Infection, [180](#)  
Complication, [180](#)  
Complications (Vascular), [180](#)  
Composite Resin, [180](#)  
Compound Fracture (Open Fracture), [213](#)  
Compound Presentation, [180](#)  
Compounding, [180](#)  
Comprehensive Geriatric Assessment, [180](#)  
Comprehensive Metabolic Panel, [180](#)  
Compression Fracture, [209](#)  
Compression Therapy, [180](#)  
Compression Ultrasound, [180](#)  
Compressive Atelectasis, [180](#)  
Compton Scattering, [180](#)  
Compulsions, [180](#)  
Compulsive Sexual Behavior, [210](#)  
Computed Tomography, [181](#)  
Computed Tomography Scan, [181](#)  
Concato's Disease, [181](#)  
Concealed Pregnancy, [181](#)  
Concentration, [181](#)  
Conception, [209](#)  
Conception (Fertilization), [181](#)  
Conchae, [181](#)  
Conclusion, [181](#)  
Concomitant, [181](#)  
Concordance, [181](#)  
Concrescence, [181](#)  
Concretio Cordis, [181](#)

---

---

Concussion, [181](#)  
Condition, [181](#)  
Conduct Disorder, [182](#)  
Conduction Deafness, [182](#)  
Conductive Deafness, [182](#)  
Conductive Hearing Loss, [182](#)  
Condylar Process, [182](#)  
Condyle, [209](#)  
Condyloma Acuminata, [182](#)  
Condyloma acuminatum, [182](#)  
Condyloma Latum, [182](#)  
Condylomata lata, [182](#)  
Cone-Beam Computed Tomography, [182](#)  
Confabulation, [182](#)  
Confidentiality, [182](#)  
Confirmatory Test, [182](#)  
Confounding, [182](#)  
Confusion (Delirium), [183](#)  
Confusion Assessment Method, [183](#)  
Congenital Adrenal Hyperplasia, [183](#)  
Congenital Cataract, [183](#)  
Congenital CMV, [183](#)  
Congenital Contractural Arachnodactyly, [183](#)  
Congenital cytomegalovirus infection, [183](#)  
Congenital Diaphragmatic Hernia, [183](#)  
Congenital Disorder, [183](#)  
Congenital Glaucoma, [183](#)  
Congenital Heart Defects in Children, [210](#)  
Congenital Heart Disease, [183](#)  
Congenital Heart Disease in Adults, [210](#)  
Congenital Heart Murmur, [183](#)  
Congenital Hip Dislocation, [183](#)  
Congenital Hyperinsulinism, [184](#)  
Congenital Hyperthyroidism, [184](#)  
Congenital Hypothyroidism, [184](#)  
Congenital Megacolon, [184](#)  
Congenital melanocytic nevus, [184](#)  
Congenital Mitral Valve Anomalies, [210](#)  
Congenital Myasthenic Syndromes, [210](#)  
Congenital nevus, [184](#)  
Congenital Penile Curvature, [583](#)  
Congenital Pneumonia, [184](#)  
Congenital Rubella Syndrome, [184](#)  
Congenital Scoliosis, [184](#)  
Congenital Syphilis, [184](#)  
Congenital Zika Syndrome, [184](#)  
Congestion, [184](#)  
Congestive Heart Failure, [185](#)  
Conization, [185](#)  
Conjoined Twins, [185](#)  
Conjunctiva, [185](#)  
Conjunctival squamous-cell carcinoma, [185](#)  
Conjunctivitis, [185](#)  
Conjunctivoplasty, [185](#)  
Conn's Syndrome, [185](#)  
Connective Tissue, [185](#)  
Connective Tissue Disease, [185](#)  
Conscious Sedation, [185](#)  
Consolidation, [185](#)  
Consolidation Therapy, [185](#)  
Constipation, [185](#)  
Constipation in Children, [210](#)  
Constitutional delay in puberty, [186](#)  
Constraint-Induced Movement Therapy, [186](#)  
Constrictive Pericarditis, [186](#)  
Consultation-Liaison Psychiatry, [186](#)  
Contact Allergen Testing, [186](#)  
Contact Dermatitis, [186](#)  
Contact precautions, [186](#)  
Contact Tracing, [186](#)  
Contagious Disease, [186](#)  
Contamination, [186](#)  
Continuing Medical Education, [186](#)  
Continuity of Care, [186](#)  
Continuous Bladder Irrigation, [211](#)  
Continuous Electronic Fetal Monitoring, [186](#)  
Continuous Glucose Monitoring, [186](#)  
Continuous Kidney Replacement Therapy, [187](#)  
Continuous Murmurs, [187](#)  
Continuous Positive Airway Pressure, [187](#)  
Continuous Subcutaneous Insulin Infusion, [211](#)  
Contraception, [187](#)  
Contraception and Birth Control, [187](#)  
Contraception for Adolescents, [187](#)  
Contracted Pelvis, [187](#)  
Contraction Stress Test, [187](#)  
Contractions, [187](#)  
Contracture, [187](#)  
Contracture Prevention, [187](#)  
Contraindication, [187](#)  
Contralateral, [187](#)  
Contrast Agent, [187](#)  
Contrast Echocardiography, [188](#)  
Contrast Reaction, [188](#)  
Contrast-Associated Acute Kidney Injury, [188](#)  
Contrast-Enhanced Ultrasound, [188](#)

---



---

Contrast-Induced Nephropathy, 188  
Contrecoup, 188  
Control Group, 188  
Controlled Cord Traction, 188  
Controlled Substance, 188  
Contusion, 188  
Conus Medullaris Syndrome, 188  
Convergence, 211  
Convergence Insufficiency, 188  
Conversion Disorder (Functional Neurological Symptom Disorder), 213  
Coombs Test, 188  
Cooper's Ligament, 188  
Coordination, 189  
COPD, 189  
COPD Exacerbation, 189  
COPD Rehabilitation, 189  
Copper, 189  
copy number variation, 189  
Cor Pulmonale, 189  
Cor Triatriatum, 189  
Coracoid Process, 189  
Cord Presentation, 189  
Cordocentesis, 189  
Cordotomy, 189  
Core Biopsy, 189  
Core Needle Biopsy, 190  
Cori Cycle, 190  
Cornea, 190  
Corneal Abrasion, 190  
Corneal Cross-Linking, 190  
Corneal Edema, 190  
Corneal Graft (Corneal Transplant), 213  
Corneal Implant, 190  
Corneal Ulcer, 190  
Corneitis, 190  
Cornelia de Lange Syndrome, 190  
Corns and Calluses, 190  
Coronal Caries, 190  
Coronal Plane, 190  
Coronary Aneurysm, 208  
Coronary Angiography, 190  
Coronary Arteries, 190  
Coronary Artery, 191  
Coronary Artery Aneurysm, 191  
Coronary Artery Bypass, 191  
Coronary Artery Bypass Grafting, 191  
Coronary Artery Disease, 191  
Coronary Artery Spasm, 191  
Coronary Calcium Score, 191  
Coronary Calcium Scoring, 191  
Coronary Care Unit (CCU), 213  
Coronary Circulation, 191  
Coronary Dominance, 191  
Coronary Heart Disease, 191  
Coronary Insufficiency, 191  
Coronary Microvascular Dysfunction, 191  
Coronary Occlusion, 192  
Coronary Sinus, 192  
Coronary Stent, 192  
Coronary Thrombosis, 192  
Coronavirus Disease 2019, 192  
Corpse, 192  
Corpus Callosum, 192  
Corrected Age, 192  
Corrigan Pulse, 192  
Corrosive, 192  
Corti's Ganglion, 192  
Cortical Cataract, 192  
Corticobasal Degeneration, 192  
Corticosteroids, 193  
Corticosteroids Mechanism, 193  
Cortisol, 193  
Coryza, 193  
Cosmetic Dermatology, 193  
Cost-Effectiveness, 193  
Costochondritis, 193  
Cot Death, 193  
Cough, 193  
Cough Augmentation, 193  
Cough Headaches, 210  
Count Rate, 193  
Countercurrent Multiplication, 193  
Countertransference, 193  
Coup-Contrecoup Injury, 194  
Courvoisier Sign, 194  
Covered Stent (Vascular), 194  
COVID Toe, 194  
COVID-19, 194  
COVID-19 in Pregnancy, 194  
COVID-19 Test, 194  
Cowden Syndrome, 194  
Cowper's Gland, 194  
Cowpox, 194  
COX Inhibitor, 194  
Coxa Vara, 194

---

---

Coxalgia, 194  
Coxiella burnetii, 195  
Coxsackie virus type A16, 195  
Coxsackievirus, 195  
CPAP, 195  
CPAP Machine, 195  
Cracked Tooth Syndrome, 195  
Crackles (Rales), 195  
Cradle Cap, 195  
Cranial Arteritis, 195  
Cranial Cavity, 195  
Cranial Implant, 195  
Cranial Nerve, 195  
Cranial Nerve Palsy, 195  
Craniectomy, 195  
Craniocerebral Injury, 195  
Craniofacial Dysostosis, 196  
Craniopharyngioma, 196  
Cranioplasty, 196  
Craniosynostosis, 196  
Craniotomy, 196  
Crazy Paving Pattern, 196  
CRE, 196  
Cream, 196  
Creatine, 211  
Creatine Kinase, 196  
Creatinine, 196  
Crepitation (Crepitus), 213  
Crescentic Glomerulonephritis, 208  
CREST Syndrome, 196  
Cretinism, 196  
Creutzfeld-Jakob disease, 196  
Creutzfeldt Jakob Disease, 197  
Creutzfeldt-Jakob Disease, 197  
Cri du Chat Syndrome, 197  
Cri-du-Chat Syndrome, 197  
Cricoid Cartilage, 197  
Cricoid Pressure, 197  
Cricothyrotomy, 197  
Criminal Abortion, 197  
CRISPR-Cas9, 197  
Critical Care, 197  
Critical Findings, 197  
Critical Limb Ischemia, 197  
Critical Results, 197  
Critical Value, 197  
Crohn Disease, 197  
Crohn Disease Cobblestoning, 198  
Crohn's Disease, 209  
Cross-Matching, 211  
Cross-Sectional Study, 198  
Cross-Tolerance, 198  
Croup, 198  
Crouzon Syndrome, 198  
Crown (Dental), 198  
Crown Lengthening, 198  
Crown-Rump Length, 198  
Crowning, 198  
CRP, 198  
Crush Syndrome, 198  
Crushing Injury, 198  
Crusted scabies, 198  
Crutches, 199  
Cryoablation, 199  
Cryobiopsy, 199  
Cryoglobulinemia, 208  
Cryoglobulinemic vasculitis, 199  
Cryoglobulins, 199  
Cryopexy, 199  
Cryoprecipitate, 199  
Cryopreservation, 199  
Cryopyrin-Associated Periodic Syndromes, 199  
Cryosurgery, 199  
Cryotherapy, 199  
Cryptitis, 199  
Cryptococcal meningitis, 199  
Cryptococcosis, 199  
Cryptococcus neoformans, 199  
Cryptogenic Organizing Pneumonia, 200  
Cryptorchidism, 200  
Cryptosporidiosis, 200  
Crystal Arthropathy, 200  
Crystalline Lens, 209  
Crystalloids, 200  
Crystalluria, 200  
CSF Analysis, 200  
CSF Rhinorrhea, 200  
CT Angiography, 200  
CT Chest, 200  
CT Colonography, 200  
CT Colonography (Virtual Colonoscopy), 200  
CT Contrast, 200  
CT Coronary Angiography, 201  
CT Dose-Length Product, 201  
CT Enterography, 201  
CT Perfusion, 201

---

---

CT Pulmonary Angiography, [201](#)  
CT Scan, [201](#)  
CT Scan (Computed Tomography), [201](#)  
Cubital Tunnel Syndrome, [201](#)  
Cubitus Valgus, [201](#)  
Cubitus Varus, [201](#)  
Cuboid, [201](#)  
Culdocentesis, [201](#)  
Cullen's Sign, [201](#)  
Cultural Psychiatry, [201](#)  
Culture, [211](#)  
Culture and Sensitivity, [202](#)  
Culture Media, [202](#)  
Culture Swab, [202](#)  
Cumulative Dose, [202](#)  
Cumulative Trauma Disorder, [202](#)  
Cup-to-Disc Ratio, [202](#)  
CURB-65 Score, [202](#)  
Curettage, [202](#)  
Curettage Specimen, [202](#)  
Curette, [202](#)  
Curling Ulcer, [202](#)  
Curling's Ulcer, [202](#)  
Curvularia alcornii, [202](#)  
Cushing Disease, [202](#)  
Cushing Syndrome, [202](#)  
Cushing Syndrome Complications, [203](#)  
Cushing Ulcer, [203](#)  
Cushing's Disease, [203](#)  
Cushing's Syndrome, [203](#)  
Cusp Fracture, [203](#)  
Cutaneous B-Cell Lymphoma, [210](#)  
Cutaneous diphtheria, [203](#)  
Cutaneous Drug Eruptions, [203](#)  
Cutaneous larva migrans, [203](#)  
Cutaneous leishmaniasis, [203](#)  
Cutaneous lupus, [203](#)  
Cutaneous Lupus Erythematosus, [203](#)  
Cutaneous Lymphoma, [203](#)  
Cutaneous metastases, [203](#)  
Cutaneous Small-Vessel Vasculitis, [204](#)  
Cutaneous T-Cell Lymphoma, [204](#)  
Cutting Balloon (Vascular), [204](#)  
CVA, [204](#)  
Cyanide Poisoning, [204](#)  
Cyanosis, [204](#)  
Cycle Time, [204](#)  
Cyclic Neutropenia, [208](#)  
Cyclic Vomiting Syndrome, [210](#)  
Cyclooxygenase Inhibitor, [208](#)  
Cyclospora Infection, [397](#)  
Cyclosporiasis, [210](#)  
Cyclothymia, [210](#)  
Cyclothymic Disorder, [204](#)  
CYP2C19 Polymorphism, [204](#)  
CYP2D6 Polymorphism, [204](#)  
CYP450 System, [204](#)  
Cyst, [204](#)  
Cystadenoma, [205](#)  
Cystic echinococcosis, [205](#)  
Cystic Fibrosis, [205](#)  
Cystic Hygroma, [205](#)  
Cysticercosis, [205](#)  
Cystine and triple phosphate (struvite) crystals, [205](#)  
Cystine Stones, [205](#)  
Cystinuria, [205](#)  
Cystitis, [205](#)  
Cystocele, [205](#)  
Cystography, [205](#)  
Cystoid Macular Edema, [209](#)  
Cystometrogram, [205](#)  
Cystometry, [205](#)  
Cystoscope, [212](#)  
Cystoscopy, [205](#)  
Cystostomy, [206](#)  
Cystotome, [212](#)  
Cystourethrography, [206](#)  
Cytochrome c, [206](#)  
Cytochrome P450, [206](#)  
Cytogenetics, [206](#)  
Cytogenetics (Karyotype), [206](#)  
Cytokine, [206](#)  
Cytokine Release Syndrome, [206](#)  
Cytokine Storm, [206](#)  
Cytology, [206](#)  
Cytomegalovirus, [206](#)  
Cytomegalovirus Infection, [206](#)  
Cytopathology, [206](#)  
Cytopenia, [206](#)  
Cyto-reductive Surgery, [206](#)  
Cytoskeleton, [207](#)  
Cytotoxic T Cell, [207](#)  
Cytotoxicity, [207](#)  
D and C, [215](#)  
D and E, [215](#)

---

---

D-Dimer, [215](#)  
D2 Receptor, [249](#)  
D&C Instruments, [215](#)  
Dacrocyes (Teardrop Cells), [215](#)  
Dacryoadenitis, [215](#)  
Dacryocystitis, [215](#)  
Dacryocystocele, [249](#)  
Dacryocystography, [215](#)  
Dacryocystorhinostomy, [215](#)  
Dacryolithiasis, [252](#)  
Dacryostenosis, [215](#)  
Dactylitis, [215](#)  
Dactylomegaly, [247](#)  
Dactylosymphysis, [215](#)  
Daily Value, [215](#)  
Dakin Solution, [252](#)  
Daltonism, [216](#)  
DALY, [216](#)  
Damage-Control Resuscitation, [216](#)  
Damage-Control Surgery, [216](#)  
Dandruff, [216](#)  
Dandruff and Scalp Conditions, [216](#)  
Dandy Fever, [216](#)  
Dandy-Walker Malformation, [216](#)  
Dandy-Walker Syndrome, [216](#)  
Dane Particle, [216](#)  
Danon Disease, [252](#)  
Daptomycin resistance, [216](#)  
Darier's Disease, [216](#)  
Dark Adaptation, [216](#)  
Dartos, [216](#)  
Darwin's Tubercle, [217](#)  
DASH Diet, [217](#)  
Daubenton's Plane, [217](#)  
Dawn Phenomenon, [217](#)  
De Lange Syndrome, [253](#)  
De Novo Variant, [217](#)  
De Quervain Tendinitis, [217](#)  
De Quervain Tenosynovitis, [217](#)  
De Quervain's Tendonitis, [249](#)  
De-Escalation, [217](#)  
Dead Space, [217](#)  
Dead Space Ventilation, [217](#)  
Dead Time, [217](#)  
Deafferentation, [217](#)  
Deafness, [217](#)  
Death, [217](#)  
Death Rattle, [253](#)  
Deauville Criteria, [218](#)  
Debridement, [218](#)  
Debulking, [218](#)  
Decalcification, [253](#)  
Decannulation, [252](#)  
Decapitation, [218](#)  
Decay Correction, [218](#)  
Decerebrate Posture, [218](#)  
Decerebrate Posturing, [218](#)  
Decerebration, [218](#)  
Decibel, [218](#)  
Decidua, [218](#)  
Deciduitis, [218](#)  
Deciduoosis, [218](#)  
Decision-Making Capacity, [218](#)  
Declarative Memory, [249](#)  
Decompensated Cirrhosis, [218](#)  
Decomposition, [219](#)  
Decompression sickness, [219](#)  
Deconditioning, [219](#)  
Decongestant, [249](#)  
Decontamination, [219](#)  
Decorticate Posture, [219](#)  
Decorticate Posturing, [219](#)  
Decreased Breath Sounds, [219](#)  
Decubitus Ulcer, [219](#)  
Deep, [219](#)  
Deep Brain Stimulation, [252](#)  
Deep Sleep, [249](#)  
Deep Tendon Reflex, [219](#)  
Deep Vein Thrombosis, [219](#)  
Deep Vein Thrombosis Ultrasound, [219](#)  
Deep Venous Reflux, [219](#)  
Deep venous thrombosis, [220](#)  
Defecation, [220](#)  
Defecography, [220](#)  
Defense Mechanisms, [220](#)  
Defense Mechanisms (Forensic), [220](#)  
Defense Wounds, [220](#)  
Defense Wounds (Inscribed), [220](#)  
Defibrillation, [220](#)  
Defibrillator, [220](#)  
Defibrillator Implant, [220](#)  
Degenerative Spine Disease, [220](#)  
Deglutition (Swallowing), [253](#)  
Dehiscence, [253](#)  
Dehydration, [220](#)  
Dehydration in Children, [220](#)

---

---

Deiodinase, [253](#)  
Dejerine-Roussy Syndrome, [253](#)  
Delayed Cord Clamping, [220](#)  
Delayed Ejaculation, [221](#)  
Delayed Emergence, [221](#)  
Delayed Hypersensitivity, [221](#)  
Delayed Puberty, [221](#)  
Delayed Sleep Phase, [250](#)  
Delayed Sleep Phase Syndrome, [249](#)  
Deletion, [221](#)  
Delirium, [221](#)  
Delirium in Anesthesia, [221](#)  
Delirium Tremens, [221](#)  
Delivery, [221](#)  
Delivery of Posterior Arm, [221](#)  
Deltoid Muscle, [221](#)  
Delusion, [221](#)  
Delusional Disorder, [222](#)  
Dementia, [222](#)  
Dementia (Major Neurocognitive Disorder), [222](#)  
Dementia Pugilistica, [249](#)  
Demineralization, [250](#)  
Demyelinating Disease, [222](#)  
Demyelination, [249](#)  
Dendrite, [222](#)  
Dendritic Cell, [222](#)  
Dendritic Ulcer, [222](#)  
Dengue, [222](#)  
Dengue fever, [222](#)  
Dengue virus, [222](#)  
Denial, [222](#)  
Denosumab for Osteoporosis, [222](#)  
Dens, [222](#)  
Dens Evaginatus, [223](#)  
Dens Invaginatus, [223](#)  
Dental Abscess, [223](#)  
Dental Age, [223](#)  
Dental Anesthesia, [223](#)  
Dental Calculus, [249](#)  
Dental Caries, [223](#)  
Dental Cavities, [223](#)  
Dental Ceramic, [223](#)  
Dental Disease, [223](#)  
Dental Extraction, [223](#)  
Dental Implant, [223](#)  
Dental Plaque, [223](#)  
Dental Pulp Necrosis, [223](#)  
Dental Pulpitis, [223](#)  
Dental Radiographs, [223](#)  
Dental Radiography, [224](#)  
Dental Restorative Materials, [224](#)  
Dental Screening, [224](#)  
Dental Sealant, [224](#)  
Dental Traumatology, [224](#)  
Dentin, [224](#)  
Dentinogenesis Imperfecta, [224](#)  
Dentistry (Geriatric), [224](#)  
Dentition, [224](#)  
Denture, [224](#)  
Denys-Drash Syndrome, [249](#)  
Dependence, [224](#)  
Dependent Personality Disorder, [224](#)  
Depersonalization-Derealization Disorder, [224](#)  
Depolarization, [224](#)  
Depot Implant, [225](#)  
Deprescribing, [225](#)  
Depression, [225](#)  
Depression (Geriatric), [225](#)  
Depression Screening, [225](#)  
Dermabrasion, [251](#)  
Dermal Papilla, [250](#)  
Dermal Structure, [225](#)  
Dermatitis, [225](#)  
Dermatitis Herpetiformis, [225](#)  
Dermatofibroma, [225](#)  
Dermatofibrosarcoma, [225](#)  
Dermatofibrosarcoma Protuberans, [225](#)  
Dermatographia, [250](#)  
Dermatographic Urticaria, [249](#)  
Dermatographism, [226](#)  
Dermatology, [251](#)  
Dermatome, [251](#)  
Dermatomyositis, [226](#)  
Dermatopathology, [226](#)  
Dermatophytosis, [226](#)  
Dermatoplasty, [251](#)  
Dermis, [226](#)  
Dermoid, [226](#)  
Dermoid Cyst, [226](#)  
Dermoscopy, [226](#)  
Descending Colon, [226](#)  
Descending Thoracic Aorta, [226](#)  
Desensitization, [251](#)  
Desmoid Tumor, [226](#)  
Desmoplastic Small Round Cell Tumors, [251](#)  
Desquamative Interstitial Pneumonia, [226](#)

---

---

Detached Retina, [226](#)  
Deterministic Effects, [227](#)  
Detoxification, [227](#)  
Detrusor Instability, [250](#)  
Detrusor Muscle, [250](#)  
Detumescence, [250](#)  
Deutanopia, [249](#)  
Developmental Dysplasia of the Hip, [227](#)  
Developmental Milestones, [227](#)  
Developmental Regression, [227](#)  
Developmental Surveillance, [227](#)  
Deviated Septum, [227](#)  
Devic Disease, [227](#)  
DEXA (Dual-Energy X-ray Absorptiometry), [227](#)  
Dexamethasone Suppression Test, [227](#)  
Dextrocardia, [227](#)  
Diabetes, [227](#)  
Diabetes and Metabolic Health, [227](#)  
Diabetes Complications, [228](#)  
Diabetes insipidus, [228](#)  
Diabetes Management, [228](#)  
Diabetes Medications, [228](#)  
Diabetes Mellitus, [228](#)  
Diabetes Mellitus Type 1, [228](#)  
Diabetes Mellitus Type 2, [228](#)  
Diabetes Prevention, [228](#)  
Diabetic Angiopathy, [249](#)  
Diabetic Autonomic Neuropathy, [228](#)  
Diabetic Cardiomyopathy, [228](#)  
Diabetic Coma, [251](#)  
Diabetic Complications, [228](#)  
Diabetic Diet, [229](#)  
Diabetic Foot, [229](#)  
Diabetic Foot Disease, [229](#)  
Diabetic Foot Ulcer, [229](#)  
Diabetic Hyperosmolar Hyperglycemic State, [229](#)  
Diabetic Hypoglycemia, [251](#)  
Diabetic Ketoacidosis, [229](#)  
Diabetic Ketoacidosis Monitoring, [229](#)  
Diabetic Macular Edema, [229](#)  
Diabetic Nephropathy, [229](#)  
Diabetic Neuropathy, [229](#)  
Diabetic Peripheral Neuropathy, [229](#)  
Diabetic Retinopathy, [229](#)  
Diagnosis, [230](#)  
Diagnostic microbiology, [230](#)  
Diagnostic Radiology, [230](#)  
Diagnostic Test, [230](#)  
Diagnostic Uncertainty, [230](#)  
Dialectical Behavior Therapy, [230](#)  
Dialysis, [230](#)  
Dialysis Access, [230](#)  
Dialysis Adequacy, [230](#)  
Dialysis Disequilibrium Syndrome, [230](#)  
Diapedesis, [247](#)  
Diaper Rash, [230](#)  
Diaphoresis, [252](#)  
Diaphragm, [230](#)  
Diaphragmatic Hernia, [230](#)  
Diaphragmatic rupture, [231](#)  
Diaphysis, [231](#)  
Diarrhea, [231](#)  
Diarrhea, Constipation, Gas, and Bloating, [231](#)  
Diarthrosis, [252](#)  
Diastasis Recti, [231](#)  
Diastole, [231](#)  
Diastolic Blood Pressure, [250](#)  
Diastolic Dysfunction, [231](#)  
Diastolic Heart Failure, [250](#)  
Diastolic Murmur, [249](#)  
Diathermy, [231](#)  
Diathesis, [253](#)  
Diatom Test, [231](#)  
Dichorionic Twins, [231](#)  
DICOM, [231](#)  
Diencephalon, [252](#)  
Dietary Assessment, [231](#)  
Dietary Fat, [231](#)  
Dietary Fiber, [250](#)  
Dietary Reference Intakes, [232](#)  
Dieulafoy Lesion, [232](#)  
Differential Diagnosis, [232](#)  
Differentiation, [232](#)  
Difficult Airway, [232](#)  
Difficult Intubation, [232](#)  
Diffuse Axonal Injury, [232](#)  
Diffuse Esophageal Spasm, [232](#)  
Diffuse Large B-Cell Lymphoma, [251](#)  
Diffuse Midline Glioma, [251](#)  
Diffusing Capacity, [232](#)  
Diffusing Capacity of the Lung, [232](#)  
Diffusion, [232](#)  
Diffusion Restriction, [232](#)  
Diffusion-Weighted Imaging, [232](#)  
DiGeorge Syndrome, [233](#)  
Digestion, [233](#)

---



---

Digestive Health, [233](#)  
Digestive System, [252](#)  
Digit, [252](#)  
Digital Clubbing, [233](#)  
Digital ischemia, [233](#)  
Digital Mucous Cyst, [233](#)  
Digital Rectal Examination, [250](#)  
Digital Subtraction Angiography, [233](#)  
Digitalis, [250](#)  
Digitalis (Digoxin) Toxicity, [233](#)  
Digitalis toxicity, [233](#)  
Digitate Warts (Verruca Digitata), [825](#)  
Digoxin Immune Fab, [233](#)  
Dihydrotestosterone, [250](#)  
Dilated Cardiomyopathy, [233](#)  
Dilated Cardiomyopathy Prognosis, [233](#)  
Dilation and Curettage, [233](#)  
Dilation and Evacuation, [252](#)  
Dilator, [234](#)  
Dilute Russell Viper Venom Time, [234](#)  
Dimercaprol, [234](#)  
Dinoprostone (Cervidil, Prepidil), [234](#)  
Diopther, [252](#)  
Dipeptidyl Peptidase-4 Inhibitors, [234](#)  
Diphtheria, [234](#)  
Diphtheria Vaccine, [234](#)  
Diphyllbothrium latum, [234](#)  
Diplegia, [253](#)  
Diplopia, [234](#)  
Diplopia (Double Vision), [234](#)  
Direct Antiglobulin Test, [234](#)  
Direct Coombs Test, [234](#)  
Direct Oral Anticoagulants, [234](#)  
Direct Transmission, [250](#)  
Direct Veneer, [235](#)  
Directly Observed Therapy, [235](#)  
Dirofilaria repens, [235](#)  
Disability, [235](#)  
Disability Evaluation, [235](#)  
Disability-Adjusted Life Year, [235](#)  
Disarticulation, [253](#)  
Disaster Preparedness, [235](#)  
Discectomy, [235](#)  
Discharge Planning, [235](#)  
Discitis, [235](#)  
Discography, [235](#)  
Discoid Lupus Erythematosus, [250](#)  
Disease, [235](#)  
Disease Reporting, [235](#)  
Disease-Free Survival, [235](#)  
Disease-Modifying Antirheumatic Drug, [235](#)  
Disinfection, [236](#)  
Disk Diffusion Susceptibility Test, [236](#)  
Diskectomy, [236](#)  
Diskitis, [236](#)  
Dislocated Shoulder, [251](#)  
Dislocation, [236](#)  
Dislocation of the lens, [236](#)  
Disofenin Scan, [236](#)  
Disorder, [236](#)  
Disorientation, [236](#)  
Dissection, [236](#)  
Disseminated coccidioidomycosis, [236](#)  
Disseminated cutaneous blastomycosis, [236](#)  
Disseminated Intravascular Coagulation, [236](#)  
Disseminated Mycobacterium avium–intracellulare infection, [236](#)  
Disseminated varicella infection, [237](#)  
Dissociation, [237](#)  
Dissociative Amnesia, [237](#)  
Dissociative Disorder, [237](#)  
Dissociative Identity Disorder, [237](#)  
Distal, [237](#)  
Distal Pancreatectomy, [249](#)  
Distal Radius Fractures, [237](#)  
Distal Tubule, [237](#)  
Distraction Osteogenesis, [237](#)  
Distributive Shock, [237](#)  
Diuresis, [237](#)  
Diuretic, [237](#)  
Diverticular Disease, [237](#)  
Diverticulitis, [237](#)  
Diverticulosis, [238](#)  
Diverticulosis and Diverticulitis, [238](#)  
Diverticulum, [250](#)  
Dix-Hallpike Maneuver, [238](#)  
Dizziness, [238](#)  
DMFT Index, [238](#)  
DMSA Scan, [238](#)  
DNA, [238](#)  
DNA (Deoxyribonucleic Acid), [238](#)  
DNA Damage, [249](#)  
DNA Double Helix, [238](#)  
DNA Profiling, [238](#)  
DNA Repair, [238](#)  
DNA Repair Mechanisms, [238](#)

---

---

DNA Replication, 238  
DNA Sequencing, 239  
Do Not Resuscitate, 239  
DOACs, 239  
Dobutamine Stress Echocardiography, 239  
Docusate, 239  
Dog Bite, 115  
Domestic Violence, 239  
Dominant, 239  
Donor Insemination, 239  
Donovanosis, 239  
Dopamine Agonist, 239  
Doppler Echocardiography, 252  
Doppler Ultrasound, 239  
Doppler Velocimetry, 239  
Doravirine, 239  
Dorsal, 239  
Dorsal Blocking Splint, 247  
Dorsal Kyphosis, 250  
Dorsal Root Ganglion, 240  
Dosage, 240  
Dose, 240  
Dose-Limiting Toxicity, 240  
Dose-Response Curve, 240  
Dose-Response Relationship, 240  
Dosimetry, 240  
DOTATATE, 240  
Double Outlet Right Ventricle, 240  
Double Uterus, 251  
Double-Balloon Enteroscopy, 240  
Double-Blind Study, 250  
Double-Outlet Right Ventricle, 251  
Douche, 240  
Down Syndrome, 240  
DPP-4 Inhibitors, 240  
Dracunculosis, 247  
Drain (Surgical), 240  
Drainage Procedures, 241  
Dreams (Geriatric), 241  
DRESS Syndrome, 241  
Dressing, 253  
Dressler Syndrome, 241  
Drift (Sit-to-Stand), 241  
Drip (Intravenous Infusion), 253  
Driving Evaluation, 241  
Driving Rehabilitation, 241  
Drooling, 241  
Droplet precautions, 241  
Drowning, 241  
Drowning (Dry/Wet Signs), 241  
Drowsiness, 241  
Drug Allergy, 241  
Drug Antagonism, 241  
Drug Bioavailability, 242  
Drug Classification Systems, 242  
Drug Clearance, 242  
Drug Dependence, 242  
Drug Hypersensitivity Reactions, 242  
Drug Hypersensitivity Syndrome, 242  
Drug Interaction, 242  
Drug Metabolism Pharmacogenomics, 242  
Drug Overdose, 242  
Drug Overdose Management, 242  
Drug reaction with eosinophilia and systemic symptoms, 242  
Drug Resistance, 242  
Drug Screening, 242  
Drug Testing, 242  
Drug Therapeutics, 243  
Drug Tolerance, 243  
Drug Toxicity, 243  
Drug Withdrawal, 243  
Drug-Drug Interactions, 243  
Drug-Eluting Balloon (Vascular), 243  
Drug-Eluting Stent, 243  
Drug-Eluting Stent (Vascular), 243  
Drug-Facilitated Sexual Assault, 243  
Drug-Induced Autoimmunity, 243  
Drug-Induced Liver Injury, 243  
Drusen, 243  
Dry Eye Disease, 243  
Dry Eye Syndrome, 243  
Dry Eyes, 251  
Dry Gangrene, 352  
Dry Macular Degeneration, 251  
Dry Mouth, 251  
Dry Powder Inhaler, 244  
Dry Skin, 244  
Dry Socket, 253  
Dry Socket (Alveolar Osteitis), 244  
Dry-Powder Inhaler, 250  
DTaP Vaccine, 244  
Dual Antiplatelet Therapy, 244  
Dual-Energy CT, 244  
Dual-Energy X-Ray Absorptiometry, 250  
Duane Retraction Syndrome, 249

---

---

Dubin-Johnson syndrome, [244](#)  
 Duchenne Muscular Dystrophy, [244](#)  
 Ductal Carcinoma In Situ, [251](#)  
 Ductal-Dependent Lesions, [244](#)  
 Ductus Arteriosus, [244](#)  
 Dukes Classification, [252](#)  
 Dumping Syndrome, [244](#)  
 Duodenal Atresia, [244](#)  
 Duodenal Bulb, [252](#)  
 Duodenal Obstruction, [249](#)  
 Duodenal Papilla, [252](#)  
 Duodenal perforation, [245](#)  
 Duodenal Ulcer, [245](#)  
 Duodenitis, [245](#)  
 Duodenum, [245](#)  
 Duplex Surveillance, [245](#)  
 Duplex Ultrasound, [245](#)  
 Duplication, [245](#)  
 Dupuyten's contracture, [245](#)  
 Dupuytren contracture, [245](#)  
 Dupuytren's Disease, [250](#)  
 Dura Mater, [245](#)  
 Durable Power of Attorney, [245](#)  
 Dural Arteriovenous Fistulas, [251](#)  
 Dural Venous Sinuses, [245](#)  
 DVT, [245](#)  
 DVT Prevention, [246](#)  
 Dwarfism, [246](#)  
 DWI FLAIR Mismatch, [246](#)  
 Dx, [246](#)  
 DXA Scan (Dual-Energy X-ray Absorptiometry), [246](#)  
 Dying, [246](#)  
 Dynamometer, [252](#)  
 Dysarthria, [246](#)  
 Dysautonomia, [246](#)  
 Dysbiosis, [246](#)  
 Dyscalculia, [246](#)  
 Dyscrasia, [246](#)  
 Dysentery, [246](#)  
 Dysesthesia, [246](#)  
 Dysfibrinogenemia, [249](#)  
 Dysgeusia, [247](#)  
 Dysgraphia, [247](#)  
 Dyshidrosis, [251](#)  
 Dyskinesia, [253](#)  
 Dyslexia, [247](#)  
 Dyslipidemia, [247](#)  
 Dysmenorrhea, [247](#)  
 Dysmenorrhoea, [247](#)  
 Dysmetria, [252](#)  
 Dyspareunia, [247](#)  
 Dyspepsia, [247](#)  
 Dysphagia, [247](#)  
 Dysphagia (Geriatric), [247](#)  
 Dysphagia Diet, [247](#)  
 Dysphagia Rehabilitation, [248](#)  
 Dysphasia, [248](#)  
 Dysphonia, [248](#)  
 Dysplasia, [248](#)  
 Dysplastic Nevus, [248](#)  
 Dyspnea, [248](#)  
 Dyspnea on Exertion, [248](#)  
 Dyspnoea, [248](#)  
 Dyspraxia (Developmental Coordination Disorder), [253](#)  
 Dysreflexia (Autonomic Dysreflexia), [253](#)  
 Dysthymia, [251](#)  
 Dysthymia (Persistent Depressive Disorder), [248](#)  
 Dystocia, [254](#)  
 Dystonia, [248](#)  
 Dystrophic Calcification, [248](#)  
 Dystrophy, [254](#)  
 Dysuria, [248](#)  
 E Coli Enteritis, [255](#)  
 E Coli Infection, [255](#)  
 E. Coli Infection, [289](#)  
 Eales Disease, [290](#)  
 Ear, [255](#)  
 Ear Barotrauma, [255](#)  
 Ear canal, [255](#)  
 Ear Diseases, [255](#)  
 Ear Infection, [255](#)  
 Ear Wax, [255](#)  
 Ear, Nose, and Throat, [255](#)  
 Earache, [255](#)  
 Earache (Otalgia), [255](#)  
 Eardrum, [256](#)  
 Early Decelerations, [256](#)  
 Early Detection, [256](#)  
 Early Intervention, [256](#)  
 Earwax, [256](#)  
 Earwax Blockage, [289](#)  
 Eating Disorder, [256](#)  
 Ebola, [256](#)

---

---

Ebola virus, [256](#)  
Ebola Virus Disease, [256](#)  
Ebstein Anomaly, [256](#)  
Ecchymosis, [256](#)  
Eccrine Gland, [256](#)  
ECG/EKG Machine, [257](#)  
Echinocandins, [257](#)  
Echinococcal cysts, [257](#)  
Echinococcosis, [257](#)  
Echinococcus granulosus, [257](#)  
Echinocytes (Burr Cells), [257](#)  
Echo, [257](#)  
Echocardiogram, [257](#)  
Echocardiography, [257](#)  
Echogenic Bowel, [257](#)  
Echogenic Intracardiac Focus, [257](#)  
Echolalia, [257](#)  
Echovirus, [257](#)  
Eclampsia, [258](#)  
ECOG Performance Status, [258](#)  
Ectasia, [291](#)  
Ecthyma, [290](#)  
Ecthyma gangrenosum, [258](#)  
Ectoderm, [258](#)  
Ectodermal Dysplasia, [258](#)  
Ectopia Cordis, [288](#)  
Ectopia lentis, [258](#)  
Ectopic ACTH Syndrome, [258](#)  
Ectopic Cushing Syndrome, [258](#)  
Ectopic Heartbeat, [258](#)  
Ectopic Pregnancy, [258](#)  
Ectopic thyroid, [258](#)  
Ectopic Thyroid Tissue, [258](#)  
Ectrodactyly, [258](#)  
Ectropion, [259](#)  
Eczema, [259](#)  
Eczema (Atopic Dermatitis), [259](#)  
Eczema herpeticum, [259](#)  
Edema, [259](#)  
Edema (historically Dropsy), [259](#)  
Edentulism, [259](#)  
Edentulousness, [291](#)  
Edward Syndrome, [259](#)  
Edwards Syndrome, [259](#)  
EFAST Examination, [259](#)  
Effacement, [259](#)  
Effective Dose, [259](#)  
Effective Half-Life, [260](#)  
Effective Reproduction Number (Rt), [260](#)  
Efferent Neuron, [290](#)  
Efficacy, [260](#)  
Effusion, [289](#)  
EGD, [260](#)  
EGFR inhibition, [260](#)  
Egg Allergy, [289](#)  
Eggshell Nail, [260](#)  
Egophony, [260](#)  
Ehlers-Danlos Syndrome, [260](#)  
EHR, [260](#)  
Ehrlichia and Anaplasma, [260](#)  
Ehrlichiosis, [260](#)  
Eisenmenger Complex, [288](#)  
Eisenmenger Syndrome, [260](#)  
Eisenmenger's syndrome, [260](#)  
Ejaculation, [261](#)  
Ejaculatory Duct, [289](#)  
Ejection Click, [261](#)  
Ejection Fraction, [261](#)  
Elastic Cartilage, [261](#)  
Elastography, [261](#)  
Elbow Joint, [261](#)  
Elder Abuse, [261](#)  
Elderly, [261](#)  
Electrical Cardioversion, [261](#)  
Electrical Injury, [261](#)  
Electrical Stimulation, [261](#)  
Electrocardiogram, [261](#)  
Electrocautery, [289](#)  
Electrocoagulation, [261](#)  
Electroconvulsive Therapy, [262](#)  
Electrocution, [262](#)  
Electroencephalogram, [262](#)  
Electroencephalography, [262](#)  
Electrolyte Balance, [262](#)  
Electrolyte Imbalance, [262](#)  
Electrolytes, [262](#)  
Electromagnetic Navigation Bronchoscopy, [262](#)  
Electromyography, [262](#)  
Electron Transport Chain, [262](#)  
Electronystagmography, [289](#)  
Electrophoresis, [289](#)  
Electrophysiologic Testing, [289](#)  
Electrophysiology Study, [262](#)  
Electroretinography, [288](#)  
Electrosurgical Unit, [262](#)  
Elephantiasis, [263](#)

---

---

Elevation, [263](#)  
 Elevator, [289](#)  
 Elimination Half-Life, [263](#)  
 Elliptocytosis, [288](#)  
 Emaciation, [291](#)  
 Embolectomy, [263](#)  
 Embolectomy (Vascular), [263](#)  
 Embolic Stroke, [289](#)  
 Embolism, [263](#)  
 Embolization, [263](#)  
 Embolization (Vascular), [263](#)  
 Embolization Therapy, [263](#)  
 Embolus, [291](#)  
 Embryo, [263](#)  
 Embryology, [291](#)  
 Emergence Agitation, [263](#)  
 Emergency Contraception, [263](#)  
 Emergency Department, [263](#)  
 Emergency Procedures, [263](#)  
 Emerging Infectious Disease, [264](#)  
 Emesis, [264](#)  
 Emetics, [264](#)  
 Emission, [264](#)  
 Emmetropia, [289](#)  
 Emollient, [291](#)  
 Emotional Eating, [264](#)  
 Emphysema, [264](#)  
 Emphysematous aortitis due to *Clostridium septicum*, [264](#)  
 Emphysematous cholecystitis, [264](#)  
 Emphysematous hepatitis, [264](#)  
 Emphysematous prostatitis, [264](#)  
 Emphysematous Pyelonephritis, [264](#)  
 Empty Calories, [264](#)  
 Empty Sella Syndrome, [264](#)  
 Empyema, [264](#)  
 Empyema Necessitans, [265](#)  
 EMR, [265](#)  
 Enamel, [265](#)  
 Enamel Hypoplasia, [265](#)  
 Enamel Pearl, [265](#)  
 Encapsulating peritoneal sclerosis, [265](#)  
 Encephalitis, [265](#)  
 Encephalocele, [265](#)  
 Encephalomalacia, [288](#)  
 Encephalomyelitis, [288](#)  
 Encephalopathy, [265](#)  
 Encopresis, [265](#)  
 End-of-Life Care, [265](#)  
 End-Stage Kidney Disease, [265](#)  
 End-Stage Renal Disease, [265](#)  
 Endarterectomy, [291](#)  
 Endemic, [265](#)  
 Endemic fungi, [266](#)  
 Endobronchial Foreign Body, [266](#)  
 Endobronchial Tumor, [266](#)  
 Endobronchial Ultrasound, [266](#)  
 Endobronchial Valve, [266](#)  
 Endocardial Cushion Defect, [266](#)  
 Endocardial Fibroelastosis, [288](#)  
 Endocarditis, [266](#)  
 Endocarditis Prophylaxis, [266](#)  
 Endocarditis Surgical Indications, [266](#)  
 Endocardium, [266](#)  
 Endocrine Disrupting Chemicals, [266](#)  
 Endocrine Disruptor, [266](#)  
 Endocrine Glands, [266](#)  
 Endocrine System, [290](#)  
 Endocrine Therapy, [267](#)  
 Endocrine Tissues, [290](#)  
 Endocrinology, [267](#)  
 Endocytosis, [267](#)  
 Endoderm, [267](#)  
 Endodontic Therapy (Root Canal), [267](#)  
 Endoleak, [267](#)  
 Endometrial Ablation, [290](#)  
 Endometrial Biopsy, [288](#)  
 Endometrial Cancer, [267](#)  
 Endometrial Hyperplasia, [267](#)  
 Endometrioma, [267](#)  
 Endometriosis, [267](#)  
 Endometritis, [267](#)  
 Endometrium, [267](#)  
 Endomyocardial Fibrosis, [288](#)  
 Endophthalmitis, [267](#)  
 Endoplasmic Reticulum, [267](#)  
 Endoprosthesis, [268](#)  
 Endorphin, [268](#)  
 Endoscope, [268](#)  
 Endoscopic Mucosal Resection, [268](#)  
 Endoscopic Retrograde Cholangiopancreatography, [268](#)  
 Endoscopic Submucosal Dissection, [268](#)  
 Endoscopic Ultrasound, [268](#)  
 Endoscopy, [268](#)  
 Endosteum, [268](#)

---

---

Endothelin Receptor Antagonists, [268](#)  
Endotracheal Intubation, [268](#)  
Endotracheal Tube, [268](#)  
Endovascular, [268](#)  
Endovascular Aneurysm Repair, [269](#)  
Endovascular Graft, [269](#)  
Endovascular Repair, [269](#)  
Endurance, [269](#)  
Enema, [269](#)  
Energy Conservation, [269](#)  
Energy Resolution, [269](#)  
Energy Window, [269](#)  
Engagement, [269](#)  
Enhanced Recovery After Surgery, [269](#)  
Enhancement Artifact, [269](#)  
Enhancer, [269](#)  
Enophthalmos, [288](#)  
Enrichment, [269](#)  
Entamoeba histolytica, [269](#)  
Enteral Formula, [269](#)  
Enteral Nutrition, [270](#)  
Enteric duplication cyst, [270](#)  
Enteric Nervous System, [289](#)  
Enteritis, [270](#)  
Enterobacteriaceae carbapenem resistance, [270](#)  
Enterobiasis, [270](#)  
Enterobius vermicularis, [270](#)  
Enterocolitis, [270](#)  
Enterohepatic Circulation, [270](#)  
Enteropathic Arthritis, [270](#)  
Enteropathy, [291](#)  
Enterovesical Fistula, [288](#)  
Enterovirus D68, [270](#)  
Enthesis, [270](#)  
Enthesitis, [270](#)  
Entrance Wound, [270](#)  
Entropion, [271](#)  
Enucleation, [290](#)  
Enuresis, [271](#)  
Enuresis (Bedwetting), [271](#)  
Environmental Health, [271](#)  
Enzyme, [271](#)  
Enzyme Induction, [271](#)  
Enzyme Inhibition, [271](#)  
Enzyme Kinetics, [271](#)  
Enzyme-Linked Immunosorbent Assay, [271](#)  
Eosinophil, [271](#)  
Eosinophilia, [271](#)  
Eosinophilic Bronchitis, [271](#)  
Eosinophilic Esophagitis, [272](#)  
Eosinophilic fasciitis, [272](#)  
Eosinophilic Gastroenteritis, [272](#)  
Eosinophilic Granuloma, [288](#)  
Eosinophilic Granulomatosis with Polyangiitis, [272](#)  
Ependyma, [290](#)  
Ependymoma, [272](#)  
Epicardium, [272](#)  
Epicondyle, [290](#)  
Epidemic, [272](#)  
Epidemiology, [272](#)  
Epidermal Inclusion Cyst, [272](#)  
Epidermal Layers, [272](#)  
Epidermis, [272](#)  
Epidermoid Cyst, [272](#)  
Epidermolysis Bullosa, [273](#)  
Epididymal Cyst, [273](#)  
Epididymis, [273](#)  
Epididymitis, [273](#)  
Epidural, [273](#)  
Epidural Abscess, [273](#)  
Epidural Analgesia, [273](#)  
Epidural Analgesia for Labor, [273](#)  
Epidural Anesthesia, [273](#)  
Epidural Blood Patch, [273](#)  
Epidural Hematoma, [273](#)  
Epidural Space, [289](#)  
Epigastric Region, [274](#)  
Epigastrium, [290](#)  
Epigenetics, [274](#)  
Epiglottis, [274](#)  
Epiglottitis, [274](#)  
Epilepsy, [274](#)  
Epilepsy Surgery, [274](#)  
Epinephrin (Adrenaline), [274](#)  
Epinephrine (Adrenaline), [274](#)  
Epiphora, [274](#)  
Epiphyseal Plate, [274](#)  
Epiphysis, [274](#)  
Epiretinal Membrane, [288](#)  
Episcleritis, [274](#)  
Episiotomy, [274](#)  
Episiotomy Repair, [275](#)  
Episodic Ataxia, [288](#)  
Epispadias, [275](#)  
Epistasis, [275](#)  
Epistaxis, [275](#)

---



---

Epithelial Tissue, [275](#)  
Epithelium, [275](#)  
Epley Maneuver, [275](#)  
Epstein Pearls, [275](#)  
Epstein-Barr Virus, [275](#)  
Equilibrium Receptors, [290](#)  
Erb's Palsy, [275](#)  
Erdheim-Chester Disease, [291](#)  
Erdheim-Chester disease, [275](#)  
Erectile Disorder, [275](#)  
Erectile Dysfunction, [275](#)  
Ergonomics, [275](#)  
Ergotism, [276](#)  
Erosion, [276](#)  
Erosion (Tooth), [276](#)  
Erosive Esophagitis, [290](#)  
Erosive Gastritis, [276](#)  
Eruption Cyst, [276](#)  
Eruptive xanthomas, [276](#)  
Erysipelas, [276](#)  
Erythema, [276](#)  
Erythema ab igne, [276](#)  
Erythema gyratum repens, [276](#)  
Erythema Infectiosum, [276](#)  
Erythema marginatum, [276](#)  
Erythema Migrans, [276](#)  
Erythema Multiforme, [277](#)  
Erythema Nodosum, [277](#)  
Erythrasma, [277](#)  
Erythroblastosis Fetalis, [288](#)  
Erythrocyte, [277](#)  
Erythrocyte Sedimentation Rate, [277](#)  
Erythrocytosis, [277](#)  
Erythroderma, [290](#)  
Erythrodermic psoriasis, [277](#)  
Erythromelalgia, [277](#)  
Erythromycin Ophthalmic Prophylaxis, [277](#)  
Erythroplakia, [277](#)  
Erythropoiesis, [277](#)  
Erythropoiesis-Stimulating Agents, [277](#)  
Erythropoietin, [278](#)  
ESBL, [278](#)  
ESBL-producing organisms, [278](#)  
Eschar, [290](#)  
Escharotomy, [290](#)  
Escherichia coli, [278](#)  
Escherichia coli O157:H7 Infection, [278](#)  
ESKD, [278](#)  
Esophageal Achalasia, [278](#)  
Esophageal Atresia, [278](#)  
Esophageal Cancer, [278](#)  
Esophageal Candidiasis, [278](#)  
Esophageal Dilation, [278](#)  
Esophageal Diverticulum, [279](#)  
Esophageal Foreign Body, [279](#)  
Esophageal Intramural Pseudodiverticulosis, [279](#)  
Esophageal Leukoplakia, [279](#)  
Esophageal Manometry, [279](#)  
Esophageal Perforation, [279](#)  
Esophageal pH Monitoring, [279](#)  
Esophageal Spasm, [279](#)  
Esophageal Stent, [279](#)  
Esophageal Stricture, [279](#)  
Esophageal Surgery, [279](#)  
Esophageal Varices, [279](#)  
Esophageal Web, [280](#)  
Esophagectomy, [288](#)  
Esophagitis, [280](#)  
Esophagogastric bypass, [280](#)  
Esophagogastroduodenoscopy, [280](#)  
Esophagram, [288](#)  
Esophagus, [280](#)  
Esophagus (esophagus), [280](#)  
Esotropia, [280](#)  
ESR, [280](#)  
Essential Hypertension, [280](#)  
Essential Medicines, [280](#)  
Essential Mixed Cryoglobulinemia, [280](#)  
Essential Nutrient, [280](#)  
Essential Thrombocythemia, [280](#)  
Essential Tremor, [280](#)  
Estimated Due Date, [281](#)  
Estimated Fetal Weight, [281](#)  
Estimated Glomerular Filtration Rate, [281](#)  
Estrogen, [281](#)  
Ethmoid Bone, [281](#)  
Ethmoidal Air Cells, [281](#)  
Ethmoidal Sinus, [281](#)  
Ethylene Glycol, [281](#)  
Ethylene Glycol Poisoning, [281](#)  
Etiology, [281](#)  
Euphoria, [281](#)  
Eustachian Tube, [281](#)  
Eustachian Tube Dysfunction, [291](#)  
Eustachian-Tube Dysfunction, [281](#)  
Euthanasia, [282](#)

---

---

Euthanasia and Assisted Dying, 282  
 Euthyroid Goiter, 288  
 Euthyroid Sick Syndrome, 282  
 Evans Syndrome, 288  
 Event Monitor, 282  
 Event-Free Survival, 282  
 Eversion, 282  
 Evidence-Based Medicine, 282  
 Evidence-Based Practice, 282  
 Evisceration, 282  
 Evoked Potential, 288  
 Evoked Potentials (VEP, BAER, SSEP), 282  
 Ewart Sign, 282  
 Ewing Sarcoma, 282  
 Exacerbation of COPD, 282  
 Examination, 283  
 Exanthema, 283  
 Exanthematous pustulosis, 283  
 Excessive Tearing, 288  
 Exchange Transfusion, 283  
 Excision, 283  
 Excisional Biopsy, 283  
 Excitation-Contraction Coupling, 283  
 Excoriation, 290  
 Excoriation Disorder, 283  
 Excretion, 283  
 Exercise Headaches, 289  
 Exercise Intolerance, 283  
 Exercise Stress Test, 283  
 Exercise-Induced Arrhythmias, 283  
 Exercise-Induced Asthma, 284  
 Exercise-Induced Bronchoconstriction, 284  
 Exfoliative Dermatitis, 288  
 Exhalation, 291  
 Exhaled Nitric Oxide, 284  
 Exhibitionistic Disorder, 284  
 Exhumation, 284  
 Existential Distress, 284  
 Exit Wound, 284  
 Exocrine Pancreatic Insufficiency, 291  
 Exocytosis, 284  
 Exon, 284  
 Exophthalmos, 284  
 Exotropia, 284  
 Expectorants, 284  
 Expectoration, 285  
 Expiration, 290  
 Expiratory Grunting, 285  
 Explantation, 285  
 Exploratory Laparotomy, 285  
 Exposure Route, 285  
 Expressivity, 285  
 Exsanguination, 289  
 Extension, 285  
 Extensively Drug-Resistant TB, 285  
 Extensor Digitorum, 285  
 External Auditory Canal, 285  
 External Beam Radiation Therapy, 285  
 External Cephalic Version, 285  
 External Fixation, 285  
 External Iliac Artery, 285  
 External Jugular Vein, 286  
 External Oblique Muscle, 286  
 External Otitis, 289  
 External Resorption, 286  
 Extracellular Fluid, 286  
 Extracellular Matrix, 286  
 Extracellular pathogens, 286  
 Extracorporeal Membrane Oxygenation, 286  
 Extracorporeal Shock Wave Lithotripsy, 286  
 Extrahepatic Cholestasis, 289  
 Extranodal natural killer T-cell lymphoma, 286  
 Extraocular Muscle Function Testing, 286  
 Extraocular Muscles, 286  
 Extrapulmonary manifestation of tuberculosis, 286  
 Extrapylamidal Disorder, 289  
 Extrapylamidal Symptoms, 286  
 Extrapylamidal System, 291  
 Extrauterine Pregnancy, 287  
 Extravasation, 287  
 Extremity, 291  
 Extrinsic Allergic Alveolitis (Hypersensitivity Pneumonitis), 291  
 Extubation, 290  
 Extubation Criteria, 287  
 Exudate, 287  
 Exudative Pleural Effusion, 287  
 Eye, 287  
 Eye Disorders, 287  
 Eye Drops, 292  
 Eye Floaters, 287  
 Eye Health, 287  
 Eye Irritation, 287  
 Eye Melanoma, 289  
 Eye Pain, 287  
 Eye Redness, 287

---

---

Eye Trauma, [287](#)  
Eyeball (Globe), [292](#)  
Eyebrow, [292](#)  
Eyelashes, [292](#)  
Eyelids, [292](#)  
Eyesight (Vision), [292](#)  
Eyestrain, [289](#)

Fabry Disease, [293](#)  
Fabry's Disease, [320](#)  
Face Presentation, [293](#)  
Facet Joints, [293](#)  
Facet Rhizotomy, [321](#)  
Facial Edema, [293](#)  
Facial Nerve, [320](#)  
Facial Nerve Problems, [293](#)  
Facial Pain, [293](#)  
Facial paralysis, [293](#)  
Facies, [321](#)  
Facilitated Diffusion, [293](#)  
Factitious Disorder, [293](#)  
Factor H Deficiency, [294](#)  
Factor I Deficiency, [294](#)  
Factor IX, [323](#)  
Factor V, [320](#)  
Factor V Deficiency, [294](#)  
Factor V Leiden, [294](#)  
Factor V Leiden mutation, [294](#)  
Factor VII, [294](#)  
Factor VIII, [294](#)  
Factor XI Deficiency, [322](#)  
Facultative Anaerobe, [294](#)  
FAD (Flavin Adenine Dinucleotide), [294](#)  
Fahr Disease, [322](#)  
Failed Induction of Labor, [294](#)  
Failed Intubation, [294](#)  
Failure to Thrive, [294](#)  
Fainting, [294](#)  
Falciform ligament, [295](#)  
Falciparum Malaria, [322](#)  
Fall, [295](#)  
Fall Prevention, [295](#)  
Fall Risk, [295](#)  
Fall Screening, [295](#)  
Fallopian Tube, [295](#)  
Fallopian Tube Cancer, [295](#)  
Fallopian tube torsion, [295](#)  
False Positive, [320](#)  
False Ribs, [295](#)  
False-Negative Result, [295](#)  
False-Positive Result, [295](#)  
Familial Adenomatous Polyposis, [295](#)  
Familial Dysautonomia, [320](#)  
Familial Hypercholesterolemia, [295](#)  
Familial Hypocalciuric Hypercalcemia, [296](#)  
Familial Mediterranean Fever, [296](#)  
Familial multiple lipomatosis, [296](#)  
Family Involvement, [296](#)  
Fanconi Anemia, [296](#)  
Fanconi Syndrome, [296](#)  
Farmer's Lung, [296](#)  
Farsightedness, [296](#)  
Fascia, [321](#)  
Fascial Loop, [296](#)  
Fasciculation, [321](#)  
Fasciitis, [296](#)  
Fascioliasis, [296](#)  
Fasciotomy, [296](#)  
Fast Heart Rate, [297](#)  
Fasting Guidelines, [297](#)  
Fasting Plasma Glucose Test, [321](#)  
Fat Embolism, [297](#)  
Fat Necrosis, [297](#)  
Fat-Soluble Toxins, [297](#)  
Fatigue, [297](#)  
Fatigue (Cancer), [297](#)  
Fatty Acid, [297](#)  
Fatty Acid Synthase, [297](#)  
Fatty Liver, [320](#)  
Fatty Liver Disease, [297](#)  
Febrile, [297](#)  
Febrile Neutropenia, [297](#)  
Febrile Seizure, [297](#)  
Fecal Calprotectin, [297](#)  
Fecal Elastase, [298](#)  
Fecal Immunochemical Test, [298](#)  
Fecal Impaction, [298](#)  
Fecal Incontinence, [298](#)  
Fecal microbiota transplantation, [298](#)  
Fecal Occult Blood Test, [321](#)  
Fecalith, [322](#)  
Fecaluria, [322](#)  
Fecundity, [298](#)  
Federal Register, [298](#)  
Feedback Inhibition, [298](#)  
Feeding Jejunostomy, [298](#)

---

---

Feeding Tube, 298  
Feltsy Syndrome, 298  
Female Athlete Triad, 322  
Female Genital Mutilation, 298  
Female Infertility, 299  
Female Orgasmic Disorder (Anorgasmia), 299  
Female Sexual Dysfunction, 321  
Female Sexual Interest/Arousal Disorder, 299  
Femoral Artery, 299  
Femoral Hernia, 299  
Femoral Nerve, 299  
Femoral Neuropathy, 320  
Femoral Shaft Fractures, 299  
Femoral Triangle, 299  
Femoral Vein, 299  
Femur, 299  
Femur Length, 299  
Fencer's Pose, 299  
FeNO (Fractional Exhaled Nitric Oxide), 300  
Fenofibrate, 300  
Fentanyl Derivatives, 300  
Ferritin, 300  
Fertilisation, 300  
Fertility, 300  
Fertility Preservation, 300  
FESS, 300  
Fetal Acid-Base Status, 300  
Fetal Alcohol Spectrum Disorder, 300  
Fetal Alcohol Syndrome, 300  
Fetal Attitude, 300  
Fetal Bradycardia, 300  
Fetal Circulation, 322  
Fetal Distress, 301  
Fetal Echocardiography, 301  
Fetal Growth Restriction, 301  
Fetal Heart Rate, 301  
Fetal Hydrops, 301  
Fetal Hypoxia, 301  
Fetal Kick Counts (Fetal Movement Counting), 301  
Fetal Lie, 301  
Fetal Macrosomia, 301  
Fetal Presentation, 301  
Fetal Scalp Electrode, 301  
Fetal Scalp Stimulation, 301  
Fetal Tachycardia, 301  
Fetal Ultrasound, 302  
Fetal Viability, 302  
Fetishistic Disorder, 302  
Fetomaternal Hemorrhage, 302  
Fetus, 302  
FEV1/FVC Ratio, 302  
Fever, 302  
Fever of Unknown Origin, 302  
Fexofenadine, 302  
Fiber, 302  
Fiber Optic, 302  
Fibrillation, 323  
Fibrin Sealant, 302  
Fibrinogen, 302  
Fibrinoid Necrosis, 303  
Fibrinolysis, 303  
Fibrinous Pericarditis, 303  
Fibroadenoma, 303  
Fibrocartilage, 303  
Fibrocystic Breast Changes, 303  
Fibrocystic Breasts, 303  
Fibroids, Cysts, and Polyps, 303  
Fibroma, 303  
Fibromuscular Dysplasia, 303  
Fibromyalgia, 303  
Fibrosarcoma, 303  
FibroScan, 303  
Fibrosing alopecia, 304  
Fibrosis, 304  
Fibrous Dysplasia, 304  
Fibula, 304  
Field of View, 304  
Fifth Disease, 304  
Filarial Elephantiasis, 320  
Filariasis, 304  
Filoviruses, 304  
Filter (Vascular), 304  
Filtered Back Projection, 304  
Filtering Procedure, 321  
Filtration Fraction, 304  
Fimbriae, 304  
Financial Abuse, 305  
Findings, 305  
Fine Crackles, 305  
Fine Motor Skills, 305  
Fine Needle Aspiration, 305  
Finger Dislocation, 305  
Finkelstein Test, 305  
First Aid, 323  
First Stage of Labor, 305  
First Trimester, 305

---

---

First-Degree AV Block, [305](#)  
First-Degree Burn, [305](#)  
First-Episode Psychosis, [305](#)  
First-Pass Effect, [306](#)  
First-Pass Metabolism, [306](#)  
FISH (Fluorescence In Situ Hybridization), [306](#)  
Fissured Tongue, [306](#)  
Fistula, [306](#)  
Fistula (Pathology), [306](#)  
Fistula-in-Ano, [306](#)  
Fits (Seizures), [323](#)  
Fitz-Hugh-Curtis Syndrome, [306](#)  
Five-Year Survival Rate, [306](#)  
Fixation, [322](#)  
Fixed Drug Eruption, [306](#)  
Flail Chest, [306](#)  
Flakka, [306](#)  
Flank Pain, [306](#)  
Flashes, [307](#)  
Flat Affect, [320](#)  
Flat Feet, [307](#)  
Flatfoot, [307](#)  
Flatulence, [307](#)  
Flecainide, [307](#)  
Flexibility, [307](#)  
Flexible Nasolaryngoscopy, [307](#)  
Flexible Sigmoidoscopy, [307](#)  
Flexion, [307](#)  
Flexor Digitorum Profundus, [307](#)  
Flexor Digitorum Superficialis, [307](#)  
Floaters, [307](#)  
Floating Ribs, [308](#)  
Floor of the Mouth Cancer, [321](#)  
Flossing, [308](#)  
Flow Cytometry, [308](#)  
Flow-Volume Loop, [308](#)  
Flu, [308](#)  
Fludeoxyglucose F-18, [308](#)  
Fluid Balance, [323](#)  
Fluid Imbalance, [308](#)  
Fluid Overload, [308](#)  
Fluorescein Angiography, [308](#)  
Fluorescence In-Situ Hybridization, [308](#)  
Fluoride, [308](#)  
Fluoride Varnish, [308](#)  
Fluorine-18, [309](#)  
Fluoroquinolones, [309](#)  
Fluoroscopy, [309](#)  
Fluorosis, [309](#)  
Fluorouracil side effect, [309](#)  
Flushing, [309](#)  
Flutter Valve, [309](#)  
FNA, [309](#)  
Focal Glomerulosclerosis, [320](#)  
Focal Nodular Hyperplasia, [309](#)  
Focal Segmental Glomerulosclerosis, [309](#)  
Focal Seizure, [309](#)  
Focal-Onset Seizure, [309](#)  
FODMAP Diet, [310](#)  
Folate Deficiency, [310](#)  
Folate-deficiency anemia, [310](#)  
Foley Catheter, [310](#)  
Folic Acid Supplementation, [310](#)  
Follicle Stimulating Hormone, [310](#)  
Follicular Lymphoma, [310](#)  
Follicular Thyroid Carcinoma, [310](#)  
Folliculitis, [310](#)  
Follow-Up, [310](#)  
Follow-Up Recommendations, [310](#)  
Fomepizole, [310](#)  
Fomite, [310](#)  
Fontanel, [321](#)  
Fontanelle, [311](#)  
Food Allergy, [311](#)  
Food Intolerance, [311](#)  
Food Poisoning, [311](#)  
Food-Borne Disease, [311](#)  
Food-Drug Interaction, [311](#)  
Foodborne Disease, [320](#)  
Foodborne Illness, [311](#)  
Foot Drop, [311](#)  
Foot Pain, [311](#)  
Foramen, [321](#)  
Foramen Ovale, [323](#)  
Force Plates, [311](#)  
Forced Expiratory Volume, [311](#)  
Forced Oscillation Technique, [311](#)  
Forced Vital Capacity, [311](#)  
Forceps, [312](#)  
Forceps (Obstetric), [312](#)  
Forceps (Surgical), [312](#)  
Forceps (Vascular), [312](#)  
Forceps Delivery, [312](#)  
Forceps-Assisted Delivery, [312](#)  
Fordyce's angiokeratomas, [312](#)  
Foreign Body, [312](#)

---

---

Foreign Body Aspiration, [312](#)  
 Foreign Body Reaction, [312](#)  
 Foreign-Body Aspiration, [312](#)  
 Forensic Anthropology, [312](#)  
 Forensic Entomology, [312](#)  
 Forensic Evidence, [312](#)  
 Forensic Examination, [313](#)  
 Forensic Medicine (Legal Medicine), [313](#)  
 Forensic Odontology, [313](#)  
 Forensic Pathology, [313](#)  
 Forensic Psychiatry, [313](#)  
 Forensic Radiography, [313](#)  
 Forensic Toxicology, [313](#)  
 Forensic Toxicology Screen, [313](#)  
 Foreskin (Prepuce), [323](#)  
 Formaldehyde, [313](#)  
 Formalin-Fixed Paraffin-Embedded Tissue, [313](#)  
 Formed Elements of Blood, [394](#)  
 Formication, [313](#)  
 Formula Feeding, [313](#)  
 Fornix, [313](#)  
 Fortification, [314](#)  
 Fossa, [321](#)  
 Four-Dimensional Ultrasound, [314](#)  
 Fournier Gangrene, [314](#)  
 Fourth Stage of Labor, [323](#)  
 Fourth-Degree Tear, [314](#)  
 Fovea, [314](#)  
 Fovea Centralis, [314](#)  
 Fowler Position, [321](#)  
 Fractional Excretion of Sodium, [314](#)  
 Fractional Excretion of Urea (FEUrea), [314](#)  
 Fractional Flow Reserve, [314](#)  
 Fractional IPV, [314](#)  
 Fracture, [314](#)  
 Fracture Displacement, [314](#)  
 Fracture Liaison Service, [314](#)  
 Fracture of the temporal bone, [314](#)  
 Fracture Prevention, [315](#)  
 Fracture-Fixation Device, [315](#)  
 Fragile X Syndrome, [315](#)  
 FRAIL Scale, [315](#)  
 Frailty, [315](#)  
 Frameshift Mutation, [315](#)  
 Francisella tularensis, [315](#)  
 Frank-Starling Mechanism, [315](#)  
 Frasier Syndrome, [320](#)  
 Freckles (Ephelides), [323](#)  
 Free Radical, [315](#)  
 Free Radical Injury, [315](#)  
 Free Thyroxine Index, [322](#)  
 Free Water Clearance, [315](#)  
 Fremitus, [321](#)  
 Frenectomy, [315](#)  
 Frenulum Breve, [315](#)  
 Frenum (Frenulum), [323](#)  
 Frequency, [316](#)  
 Frey's syndrome, [316](#)  
 Friedman Curve, [316](#)  
 Friedreich Ataxia, [316](#)  
 Friedreich's Ataxia, [320](#)  
 Frontal Bone, [316](#)  
 Frontal Lobe, [316](#)  
 Frontal Sinus, [316](#)  
 Frontal Sinusitis, [316](#)  
 Frontotemporal Dementia, [316](#)  
 Frontotemporal Lobar Degeneration, [321](#)  
 Frostbite, [316](#)  
 Frotteuristic Disorder, [316](#)  
 Frozen Section, [316](#)  
 Frozen Shoulder, [317](#)  
 Fructosamine, [317](#)  
 Fructose Malabsorption, [317](#)  
 Fructose Metabolism, [317](#)  
 Fuchs Dystrophy, [317](#)  
 Fuchs' Dystrophy, [320](#)  
 Fucosidosis, [321](#)  
 Fulguration, [321](#)  
 Full Agonist, [317](#)  
 Full Blood Count (FBC), [323](#)  
 Full-Thickness Skin Graft, [322](#)  
 Fulminant Hepatitis, [323](#)  
 Functional Asplenia, [317](#)  
 Functional Assessment, [317](#)  
 Functional Capacity, [317](#)  
 Functional Disorder, [323](#)  
 Functional Dyspepsia, [317](#)  
 Functional Electrical Stimulation, [317](#)  
 Functional Independence Measure, [317](#)  
 Functional MRI, [318](#)  
 Functional Murmur, [322](#)  
 Functional Neurologic Disorder, [321](#)  
 Functional Neurological Disorder, [318](#)  
 Functional Neurological Symptom Disorder, [318](#)  
 Functional Neurological Symptom Disorder (Conversion Disorder), [318](#)

---



---

Functional Residual Capacity, [318](#)  
Functional Screening, [318](#)  
Functional Status, [318](#)  
Functional Urinary Incontinence, [318](#)  
Fundal Height, [318](#)  
Fundoplication, [321](#)  
Fundus, [322](#)  
Fundus Photography, [318](#)  
Fungal Arthritis, [318](#)  
Fungal endophthalmitis, [318](#)  
Fungal Infection, [319](#)  
Fungal Infection (Tinea/Dermatophytosis), [319](#)  
Fungal Nail Infection, [319](#)  
Fungal Nails, [319](#)  
Fungal pathogenesis, [319](#)  
Fungal resistance mechanisms, [319](#)  
Fungal Skin Infections, [319](#)  
Fungemia, [319](#)  
Fungus, [319](#)  
Funisitis, [321](#)  
Furuncle, [319](#)  
Furuncle and Carbuncle, [319](#)  
Furuncular myiasis, [319](#)  
Furunculosis, [320](#)  
Fusariosis, [320](#)  
Fusion, [320](#)  
  
G-Protein Coupled Receptors, [325](#)  
G6PD Deficiency, [325](#)  
GABA (Gamma-Aminobutyric Acid), [325](#)  
Gadolinium-Based Contrast Agent, [325](#)  
Gadolinium-Induced Nephrogenic Systemic Fibrosis, [325](#)  
GAG (Glycosaminoglycan), [352](#)  
Gag Reflex (Pharyngeal Reflex), [352](#)  
Gagging, [325](#)  
Gait, [325](#)  
Gait Abnormality, [325](#)  
Gait Assessment, [325](#)  
Gait Disturbance, [326](#)  
Gait Speed, [326](#)  
Gait Training, [326](#)  
Galactoceles, [326](#)  
Galactagogue, [326](#)  
Galactorrhea, [326](#)  
Galactorrhoea, [326](#)  
Galactosaemia, [326](#)  
Galactose Metabolism, [326](#)  
  
Galactosemia, [326](#)  
Galant Reflex, [326](#)  
Gall-Bladder, [326](#)  
Gall-Bladder, Diseases of, [326](#)  
Gallavardin Phenomenon, [327](#)  
Gallbladder, [327](#)  
Gallbladder Cancer, [327](#)  
Gallbladder Carcinoma, [350](#)  
Gallbladder Infection, [350](#)  
Gallbladder volvulus, [327](#)  
Gallium Scan, [327](#)  
Gallium-68, [327](#)  
Gallstone Ileus, [327](#)  
Gallstones, [327](#)  
Gallstones (Cholelithiasis), [327](#)  
Galvanism, [327](#)  
Gambling Addiction, [327](#)  
Gamete, [352](#)  
Gamma Camera, [327](#)  
Gamma Globulin, [351](#)  
Gamma-Globulin, [327](#)  
Ganglioglioma, [351](#)  
Ganglion, [327](#)  
Ganglion Cyst, [351](#)  
Ganglioneuroblastoma, [328](#)  
Ganglionic Blocker, [328](#)  
Gangrene, [328](#)  
Gargalesthesia, [328](#)  
Gargle, [328](#)  
Gartner duct cyst, [328](#)  
Gas and Gas Pains, [351](#)  
Gas Gangrene, [328](#)  
Gas Transport, [351](#)  
Gaskin Maneuver (All-Fours Position), [328](#)  
Gastralgia, [328](#)  
Gastrectomy, [328](#)  
Gastric Acid, [328](#)  
Gastric Bezoar, [328](#)  
Gastric Bypass, [329](#)  
Gastric cancer, [329](#)  
Gastric Carcinoid Tumor, [329](#)  
Gastric Emptying, [329](#)  
Gastric Emptying Study, [329](#)  
Gastric Lymphoma, [329](#)  
Gastric Malignancy, [329](#)  
Gastric Outlet Obstruction, [329](#)  
Gastric pneumatosis, [329](#)  
Gastric Polyps, [329](#)

---

---

Gastric Surgery, [329](#)  
Gastric Ulcer, [329](#)  
Gastric Varices, [351](#)  
Gastric Volvulus, [329](#)  
Gastrin, [330](#)  
Gastrin Secretion, [330](#)  
Gastrinoma, [330](#)  
Gastritis, [330](#)  
Gastrocnemius, [330](#)  
Gastrocnemius Muscle, [330](#)  
Gastroduodenal Crohn Disease, [330](#)  
Gastroduodenostomy, [351](#)  
Gastroenteritis, [330](#)  
Gastroenterology, [330](#)  
Gastroenterostomy, [352](#)  
Gastroesophageal Junction Adenocarcinoma, [330](#)  
Gastroesophageal Reflux, [330](#)  
Gastroesophageal Reflux Disease, [331](#)  
Gastrogastic intussusception, [331](#)  
Gastrografen Study, [331](#)  
Gastrointestinal amyloidosis, [331](#)  
Gastrointestinal Bleeding, [331](#)  
Gastrointestinal Bleeding Scan, [331](#)  
Gastrointestinal Decontamination, [331](#)  
Gastrointestinal Obstruction, [331](#)  
Gastrointestinal Pain, [331](#)  
Gastrointestinal Perforation, [331](#)  
Gastrointestinal Stromal Tumor, [331](#)  
Gastrointestinal Tract, [350](#)  
Gastrointestinal Villi, [331](#)  
Gastrojejunostomy, [351](#)  
Gastroparesis, [331](#)  
Gastroschisis, [332](#)  
Gastrosphenic fistulization, [332](#)  
Gastrostomy, [332](#)  
Gastrostomy Tube, [332](#)  
Gastrulation, [332](#)  
Gaucher Disease, [332](#)  
Gaucher's disease, [332](#)  
Gauze, [332](#)  
Gavage, [332](#)  
Gel, [332](#)  
Gelfoam, [332](#)  
Gemfibrozil, [332](#)  
Gemination, [332](#)  
Gender Dysphoria, [332](#)  
Gene, [332](#)  
Gene Expression, [333](#)  
Gene Panel, [333](#)  
Gene Therapy, [333](#)  
General Anesthesia, [333](#)  
General Anesthetic, [333](#)  
Generalized Anxiety Disorder, [333](#)  
Generalized granuloma annulare, [333](#)  
Generalized Tonic-Clonic Seizure, [333](#)  
Generalized-Onset Seizure, [333](#)  
Generator, [333](#)  
Generic Medicine, [333](#)  
Genetic Counseling, [333](#)  
Genetic Counselor, [333](#)  
Genetic Heterogeneity, [334](#)  
Genetic Screening, [334](#)  
Genetic Sonogram, [334](#)  
Genetic Testing, [334](#)  
Genetic Testing (Sequencing), [334](#)  
Genetic Variant of Uncertain Significance, [334](#)  
Genetics, [352](#)  
Genital Herpes, [334](#)  
Genital Injury, [334](#)  
Genital Warts, [334](#)  
Genital Warts (Condylomata Acuminata), [334](#)  
Genitalia, [334](#)  
Genitals, [334](#)  
Genito-Pelvic Pain/Penetration Disorder, [334](#)  
Genitourinary Tract, [322](#)  
Genodermatoses, [334](#)  
Genome, [352](#)  
Genomic Imprinting, [335](#)  
Genotoxicity, [335](#)  
Genotype, [335](#)  
Genu Valgum (Knock-Knee), [352](#)  
Genu Varum, [351](#)  
Geographic Atrophy, [335](#)  
Geographic tongue, [335](#)  
Geriatric Assessment, [335](#)  
Geriatric Dentistry, [335](#)  
Geriatric Depression Scale, [335](#)  
Geriatric Medical Ethics, [335](#)  
Geriatric Nutrition, [335](#)  
Geriatric Rehabilitation, [335](#)  
Geriatric Syndrome, [335](#)  
Geriatrician, [335](#)  
Geriatrics, [335](#)  
Geriatric, [336](#)  
Germ, [336](#)  
Germ Cell Tumor, [336](#)

---

---

Germ Theory of Disease, [336](#)  
German Measles (Rubella), [336](#)  
Germinoma, [336](#)  
Germline Mutation, [336](#)  
Germline Testing, [336](#)  
Germline Variant, [336](#)  
Gerontologist, [336](#)  
Gerontology, [336](#)  
Gestation, [336](#)  
Gestational Age, [336](#)  
Gestational Diabetes, [336](#)  
Gestational Diabetes Mellitus, [337](#)  
Gestational Hypertension, [337](#)  
Gestational Sac, [337](#)  
Gestational Trophoblastic Disease, [337](#)  
Gestational Trophoblastic Neoplasia, [337](#)  
Gettler Test, [337](#)  
Ghrelin, [337](#)  
Giant Cell Arteritis, [337](#)  
Giant Cell Arteritis Emergency, [337](#)  
Giant Cell Tumor, [350](#)  
Giant Coronary Aneurysm, [337](#)  
Giant right atrium, [337](#)  
Giardia Infection, [337](#)  
Giardia lamblia, [337](#)  
Giardiasis, [338](#)  
Giemsa Stain, [338](#)  
Gigantism, [338](#)  
Gigli Saw, [322](#)  
Gilbert Syndrome, [338](#)  
Gingival Hyperplasia, [338](#)  
Gingival melanoma, [338](#)  
Gingival Recession, [338](#)  
Gingivectomy, [338](#)  
Gingivitis, [338](#)  
Gingivoplasty, [338](#)  
Gingivostomatitis, [338](#)  
Gitelman Syndrome, [338](#)  
Gland, [338](#)  
Glandular Fever (Infectious Mononucleosis), [339](#)  
Glans Penis, [352](#)  
Glanzmann thrombasthenia, [339](#)  
Glasgow Coma Scale, [339](#)  
Glass Ionomer, [339](#)  
Glaucoma, [339](#)  
Glaucoma Drainage Implant, [339](#)  
Gleason Tumor Grade, [322](#)  
Glenohumeral Joint, [339](#)  
Glenoid Cavity, [339](#)  
GLIM Criteria, [339](#)  
Glioblastoma, [339](#)  
Glioma, [339](#)  
Glisson's Capsule, [339](#)  
Global Aphasia, [352](#)  
Global Health, [339](#)  
Globin, [339](#)  
Globulin, [340](#)  
Globus Sensation, [340](#)  
Glomerular Capsule, [351](#)  
Glomerular Filtrate, [351](#)  
Glomerular Filtration Rate, [340](#)  
Glomerulonephritis, [340](#)  
Glomerulopathy, [340](#)  
Glomerulosclerosis, [350](#)  
Glomerulus, [340](#)  
Glomus Tumor, [340](#)  
Glomus tympanicum, [340](#)  
Glossitis, [340](#)  
Glossopharyngeal Neuralgia, [340](#)  
Glottis, [340](#)  
Gloves, [340](#)  
GLP-1 Receptor Agonist, [341](#)  
Glucagon, [341](#)  
Glucagon Signaling, [341](#)  
Glucagonoma, [341](#)  
Glucocorticoid Replacement Therapy, [341](#)  
Glucocorticoid-Sparing Therapy, [341](#)  
Glucocorticoids, [341](#)  
Glucometer, [341](#)  
Gluconeogenesis, [341](#)  
Glucosamine, [351](#)  
Glucose, [341](#)  
Glucose Intolerance, [341](#)  
Glucose Management Indicator, [341](#)  
Glucose Sensor, [341](#)  
Glucose Tolerance Test, [341](#)  
Glucose-6-Phosphatase, [342](#)  
Glucose-6-phosphate dehydrogenase deficiency, [342](#)  
Glue (Vascular), [342](#)  
Glue Ear (Secretory Otitis Media), [352](#)  
Glutamate, [342](#)  
Glutathione, [342](#)  
Gluteal Injury, [342](#)  
Gluten, [342](#)  
Gluten-Free Diet, [342](#)  
Gluten-Sensitive Enteropathy (Celiac Disease), [342](#)

---

---

Gluteus Maximus Muscle, [342](#)  
Gluteus Medius Muscle, [342](#)  
Gluteus Minimus Muscle, [342](#)  
Glycaemia, [343](#)  
Glycemic Control, [343](#)  
Glycemic Index, [343](#)  
Glycemic Load, [343](#)  
Glycerin, [343](#)  
Glycerol (Glycerine), [343](#)  
Glycogen, [343](#)  
Glycogen Storage Disease, [343](#)  
Glycogenesis, [343](#)  
Glycogenolysis, [343](#)  
Glycolysis, [343](#)  
Glycosuria, [343](#)  
GnRH Agonist, [343](#)  
GnRH Antagonist, [344](#)  
Goal Attainment Scaling, [344](#)  
Goal Setting, [344](#)  
Goals-of-Care Discussion, [344](#)  
Goiter, [344](#)  
Gold Alloy, [344](#)  
Goldenhar Syndrome, [344](#)  
Goldmann Tonometry, [344](#)  
Golfer Elbow, [344](#)  
Golfer's Elbow, [351](#)  
Golgi Apparatus, [344](#)  
Golgi Tendon Organ, [344](#)  
Gonadal Dysgenesis, [344](#)  
Gonadoblastoma, [350](#)  
Gonadotrophins, [344](#)  
Gonads, [345](#)  
Goniometer, [351](#)  
Gonioscopy, [345](#)  
Gonococcal Arthritis, [345](#)  
Gonococcal pharyngitis, [345](#)  
Gonococcal Urethritis, [350](#)  
Gonorrhea, [345](#)  
Goodpasture Syndrome, [345](#)  
Gottron Papules, [345](#)  
Gout, [345](#)  
Gout Flare, [345](#)  
Gout nodulosis, [345](#)  
Gowers Sign, [351](#)  
Gown, [345](#)  
Graafian Follicle, [351](#)  
Grade, [345](#)  
Graded Potentials, [345](#)  
Graft, [346](#)  
Graft (Periodontal), [346](#)  
Graft-Versus-Host Disease, [346](#)  
Graft-versus-Host Reaction, [351](#)  
Grafting, [346](#)  
Gram Negative Bacilli, [346](#)  
Gram Positive Cocci, [346](#)  
Gram stain, [346](#)  
Gram-Negative Bacteria, [346](#)  
Gram-Negative Meningitis, [346](#)  
Gram-Positive Bacteria, [346](#)  
Grand Mal, [346](#)  
Granular Casts, [346](#)  
Granulocyte, [346](#)  
Granuloma, [347](#)  
Granuloma Annulare, [347](#)  
Granuloma Inguinale, [350](#)  
Granulomatosis, [350](#)  
Granulomatosis with Polyangiitis, [347](#)  
Granulomatous amebic encephalitis, [347](#)  
Granulomatous Inflammation, [347](#)  
Granulosa Cell Tumor, [347](#)  
Graves Disease, [347](#)  
Gray (Gy), [347](#)  
Gray Matter, [347](#)  
Greater Curvature, [347](#)  
Greater Omentum, [351](#)  
Greater Trochanter, [347](#)  
Greenstick Fracture, [322](#)  
Grey Turner's Sign, [347](#)  
Grid Implant, [347](#)  
Grief, [348](#)  
Griping, [348](#)  
Grippe, [348](#)  
Griscelli Syndrome, [348](#)  
Groin, [352](#)  
Gross Examination, [348](#)  
Gross Motor Skills, [348](#)  
Ground-Glass Opacity, [348](#)  
Group A Strep, [348](#)  
Group A streptococcus, [348](#)  
Group B Strep, [348](#)  
Group B Streptococcal Disease, [351](#)  
Group B Streptococcal Infection in Pregnancy, [323](#)  
Group B Streptococcus, [348](#)  
Growing Pains, [348](#)  
Growth Chart, [348](#)  
Growth Factor, [349](#)

---

---

Growth Failure, [350](#)  
 Growth Hormone, [349](#)  
 Growth Hormone Deficiency, [349](#)  
 Growth Hormone Physiology, [349](#)  
 Growth Medium, [349](#)  
 Growth Retardation, [349](#)  
 Growth Scan, [349](#)  
 Guaifenesin, [349](#)  
 Guided Tissue Regeneration, [349](#)  
 Guillain-Barre Syndrome, [349](#)  
 Gummy Smile, [349](#)  
 Gunshot Wound, [349](#)  
 Gustation, [351](#)  
 Gut Microbiome, [349](#)  
 Guttate Psoriasis, [350](#)  
 Gynaecologist, [350](#)  
 Gynaecomastia, [350](#)  
 gynecology, [350](#)  
 Gynecomastia, [350](#)  
 Gyrate Atrophy, [350](#)  
 Gyrus, [350](#)

H Influenzae Meningitis, [353](#)  
 H1N1 Influenza, [353](#)  
 Habenula, [353](#)  
 Haem- / Haema- / Haemato- / Haemo- (Prefixes relating to blood), [353](#)  
 Haemangioma, [353](#)  
 Haemarthrosis, [353](#)  
 Haematocrit, [353](#)  
 Haematologist, [353](#)  
 Haematoma, [353](#)  
 Haematuria, [354](#)  
 Haemodialysis, [354](#)  
 Haemoglobinuria (Hemoglobinuria), [395](#)  
 Haemolytic Disease of the Newborn, [354](#)  
 Haemophilia, [354](#)  
 Haemophilus influenzae, [354](#)  
 Haemoptysis, [354](#)  
 Haemorrhagic Disease of the Newborn (Vitamin K Deficiency Bleeding), [395](#)  
 Haemorrhoids, [354](#)  
 Hair Cells, [354](#)  
 Hair Follicle, [354](#)  
 Hair Loss, [354](#)  
 Hair Loss (Alopecia), [354](#)  
 Hair Loss Classification, [354](#)  
 Hairy Cell Leukemia, [354](#)

Hairy Tongue, [355](#)  
 Haldane Effect, [355](#)  
 Half-Life, [355](#)  
 Half-life (Physical), [355](#)  
 Half-Life ( $t_{1/2}$ ), [355](#)  
 Halitosis, [355](#)  
 Hallucination, [355](#)  
 Hallux, [394](#)  
 Hallux Rigidus, [392](#)  
 Hallux Valgus, [355](#)  
 Hallux Valgus (Bunion), [355](#)  
 Halo nevus, [355](#)  
 Hamartoma, [355](#)  
 Hamate, [355](#)  
 Hamman's Sign, [355](#)  
 Hammer, [356](#)  
 Hammer Toe, [356](#)  
 Hampton Hump, [356](#)  
 Hampton's Hump, [356](#)  
 Hamstring, [356](#)  
 Hamstring Injury, [393](#)  
 Hamstring Muscles, [356](#)  
 Hand Foot and Mouth Disease, [356](#)  
 Hand hygiene, [356](#)  
 Hand Prolapse, [356](#)  
 Hand, Foot, and Mouth Disease, [356](#)  
 Hand-Foot-and-Mouth Disease, [393](#)  
 Hand-Foot-and-Mouth Syndrome, [356](#)  
 Hand-Foot-Mouth Disease, [356](#)  
 Hanging (Complete vs Incomplete), [356](#)  
 Hanging and Strangulation Signs, [357](#)  
 Hansen's Disease (Leprosy), [357](#)  
 Hantavirus, [357](#)  
 Hantavirus Infection, [395](#)  
 Hantavirus Pulmonary Syndrome, [357](#)  
 Haplotype, [357](#)  
 Haptoglobin, [357](#)  
 Harlequin color change, [357](#)  
 Harm Reduction, [357](#)  
 Hartmann Procedure, [357](#)  
 Hartnup Disease, [357](#)  
 Hashimoto Thyroiditis, [357](#)  
 Hay Fever (Allergic Rhinitis), [357](#)  
 HbA1c (Glycated Hemoglobin), [358](#)  
 hCG (Human Chorionic Gonadotropin), [358](#)  
 HDL, [358](#)  
 Head and Neck Cancer, [358](#)  
 Head Circumference, [358](#)

---

---

Head Injury, [358](#)  
 Head lice, [358](#)  
 Headache, [358](#)  
 Headache and Migraine, [358](#)  
 Health Behavior, [358](#)  
 Health Behavior Change, [358](#)  
 Health Behavior Motivation, [358](#)  
 Health Care Proxy, [393](#)  
 Health Disparities, [359](#)  
 Health Disparity, [359](#)  
 Health Equity, [359](#)  
 Health Inequity, [359](#)  
 Health Information Technology, [359](#)  
 Health Literacy, [359](#)  
 Health Promotion, [359](#)  
 Health Surveillance, [359](#)  
 Health-Related QoL, [359](#)  
 Healthcare Associated Infection, [359](#)  
 Healthcare Provider, [359](#)  
 Healthcare Proxy, [359](#)  
 Healthcare-Associated Pneumonia, [359](#)  
 Healthy Aging, [359](#)  
 Healthy Eating for Diabetes, [359](#)  
 Healthy Years, [359](#)  
 Healthy Years Lost, [360](#)  
 Hearing Aid, [360](#)  
 Hearing Aids and Devices, [360](#)  
 Hearing Impairment, [360](#)  
 Hearing Loss, [360](#)  
 Hearing Screening, [360](#)  
 Heart, [360](#)  
 Heart Attack, [360](#)  
 Heart Attack (Myocardial Infarction), [360](#)  
 Heart Block, [360](#)  
 Heart Disease, [360](#)  
 Heart Failure, [360](#)  
 Heart Failure Stages, [360](#)  
 Heart Failure with Preserved Ejection Fraction, [361](#)  
 Heart Failure with Reduced Ejection Fraction, [361](#)  
 Heart Health, [361](#)  
 Heart Murmur, [361](#)  
 Heart Palpitations, [361](#)  
 Heart Rate, [361](#)  
 Heart Sounds, [361](#)  
 Heart Surgery, [361](#)  
 Heart Transplantation, [395](#)  
 Heart Valve, [361](#)  
 Heart Valve Disorders, [361](#)  
 Heart Valve Prosthesis, [361](#)  
 Heart Ventricles, [361](#)  
 Heart-Healthy Eating, [361](#)  
 Heart-Lung Machine (Cardiopulmonary Bypass Machine), [395](#)  
 Heartburn, [362](#)  
 Heat Cramps, [362](#)  
 Heat Exhaustion, [362](#)  
 Heat Intolerance, [362](#)  
 Heat Pack, [362](#)  
 Heat Rash, [362](#)  
 Heat Stroke, [362](#)  
 Heatstroke, [393](#)  
 Heavy Menstrual Bleeding, [393](#)  
 Heavy Metal Poisoning, [362](#)  
 Heberden Node, [362](#)  
 Heel Pain, [362](#)  
 Heel Spur, [362](#)  
 Heimlich Manoeuvre, [362](#)  
 Heinz Bodies, [362](#)  
 Helicobacter pylori, [363](#)  
 Helicobacter Pylori Infection, [363](#)  
 HELLP Syndrome, [363](#)  
 Helminths, [363](#)  
 Helper T Cell, [363](#)  
 HELPERR Mnemonic, [363](#)  
 Hemangioblastoma, [363](#)  
 Hemangioma, [363](#)  
 Hemangiosarcoma, [363](#)  
 Hemarthrosis, [393](#)  
 Hematemesis, [363](#)  
 Hematochezia, [363](#)  
 Hematocrit, [363](#)  
 Hematologic Changes in Pregnancy, [363](#)  
 hematology, [363](#)  
 Hematoma, [394](#)  
 Hematometrocopolpos, [364](#)  
 Hematomyelia, [394](#)  
 Hematopoiesis, [364](#)  
 Hematopoietic Stem Cell Transplantation, [364](#)  
 Hematosis, [395](#)  
 Hematuria, [364](#)  
 Hemianopia, [364](#)  
 Hemiballism, [394](#)  
 Hemicolectomy, [364](#)  
 Hemifacial Microsomia, [364](#)  
 Hemifacial Spasm, [364](#)  
 Hemiparesis, [364](#)

---



---

Hemiplegia, [364](#)  
Hemochromatosis, [364](#)  
Hemochromatosis Cardiomyopathy, [364](#)  
Hemodialysis, [365](#)  
Hemofiltration, [365](#)  
Hemoglobin, [365](#)  
Hemoglobin A1c, [365](#)  
Hemoglobin A1c Variability, [365](#)  
Hemoglobin C Disease, [365](#)  
Hemoglobin Electrophoresis, [365](#)  
Hemoglobinopathies: Thalassemias, [365](#)  
Hemoglobinopathy, [365](#)  
hemolysis, [365](#)  
Hemolytic Anemia, [365](#)  
Hemolytic Anemias: Autoimmune, [365](#)  
Hemolytic Anemias: Hereditary, [366](#)  
hemolytic Disease of the Newborn, [366](#)  
Hemolytic Jaundice, [366](#)  
Hemolytic Uremic Syndrome, [366](#)  
Hemolytic-Uremic Syndrome, [366](#)  
Hemoperfusion, [366](#)  
Hemopericardium, [393](#)  
Hemoperitoneum, [393](#)  
Hemophagocytic Lymphohistiocytosis, [366](#)  
Hemophagocytosis of sickle cells, [366](#)  
Hemophilia, [366](#)  
Hemophilia A, [366](#)  
Hemophilia B, [366](#)  
Hemopoietic Stem Cell, [394](#)  
Hemoptysis, [366](#)  
Hemorrhage, [366](#)  
Hemorrhagic, [366](#)  
Hemorrhagic Anemia, [394](#)  
Hemorrhagic Shock, [366](#)  
Hemorrhagic Stroke, [367](#)  
Hemorrhoid, [393](#)  
Hemorrhoidectomy, [367](#)  
hemorrhoids (Piles), [367](#)  
Hemosiderin, [367](#)  
Hemosiderosis, [394](#)  
hemostasis, [367](#)  
Hemostat, [367](#)  
Hemostat (Perineal), [367](#)  
Hemostat (Surgical), [367](#)  
Hemostat (Vascular), [367](#)  
Hemothorax, [367](#)  
Henoch-Schonlein Purpura, [367](#)  
Henoch-Schönlein purpura, [367](#)  
Heparin-Induced Thrombocytopenia, [367](#)  
Hepatectomy, [367](#)  
Hepatic Cyst, [368](#)  
Hepatic Dose Adjustment, [368](#)  
Hepatic Drug Metabolism, [368](#)  
Hepatic Encephalopathy, [368](#)  
Hepatic Flexure, [394](#)  
Hepatic Hemangioma, [368](#)  
Hepatic Hydrothorax, [368](#)  
Hepatic Ischemia, [368](#)  
Hepatic Jaundice (Hepatocellular Jaundice), [435](#)  
Hepatic Portal System, [368](#)  
Hepatic Surgery, [368](#)  
Hepatic Synthetic Dysfunction, [368](#)  
Hepatic Trauma, [368](#)  
Hepatic Vein, [368](#)  
Hepatitis, [369](#)  
Hepatitis (Viral Hepatitis), [369](#)  
Hepatitis A, [369](#)  
Hepatitis A Virus, [369](#)  
Hepatitis A, B, C, D, E, [369](#)  
Hepatitis B, [369](#)  
Hepatitis B Vaccine, [369](#)  
Hepatitis B Vaccine (Birth Dose), [369](#)  
Hepatitis B Virus, [369](#)  
Hepatitis C, [369](#)  
Hepatitis C Virus, [369](#)  
Hepatitis D, [394](#)  
Hepatitis D Virus, [369](#)  
Hepatitis E, [394](#)  
Hepatitis E Virus, [370](#)  
Hepatitis Serology, [370](#)  
Hepatitis Viruses, [370](#)  
Hepatobiliary Scintigraphy, [370](#)  
Hepatoblastoma, [370](#)  
Hepatocellular Carcinoma, [370](#)  
Hepatocellular Jaundice, [370](#)  
Hepatojugular Reflux, [370](#)  
Hepatoma, [370](#)  
Hepatomegaly, [370](#)  
Hepatopulmonary Syndrome, [370](#)  
Hepatorenal Syndrome, [370](#)  
Hepatosplenomegaly, [371](#)  
Hepatotoxicity, [371](#)  
HER2 Inhibitor, [394](#)  
HER2-Positive, [371](#)  
Herd Immunity, [371](#)  
Hereditary Angioedema, [371](#)

---

---

Hereditary Cancer, [371](#)  
Hereditary Hemorrhagic Telangiectasia, [371](#)  
Hereditary Hemorrhagic Telangiectasia (Osler-Weber-Rendu Disease), [371](#)  
Hereditary Spherocytosis, [371](#)  
Hereditry, [395](#)  
Hermansky-Pudlak Syndrome, [371](#)  
Hernia, [371](#)  
Hernia Mesh, [371](#)  
Hernia Repair (Herniorrhaphy), [371](#)  
Herniated Disc, [372](#)  
Herniated disk, [372](#)  
Herniorrhaphy, [394](#)  
Herpangina, [372](#)  
Herpes, [372](#)  
Herpes Encephalitis, [393](#)  
Herpes gestationis, [372](#)  
Herpes Simplex, [372](#)  
Herpes Simplex (Cold Sores / Genital Herpes), [372](#)  
Herpes Simplex Encephalitis, [372](#)  
Herpes Simplex Skin Infection, [372](#)  
Herpes simplex virus, [372](#)  
Herpes simplex virus infection, [372](#)  
Herpes vegetans, [372](#)  
Herpes Zoster, [372](#)  
Herpes Zoster (Shingles), [373](#)  
Herpes zoster ophthalmicus, [373](#)  
Herpetic glossitis, [373](#)  
Herpetic Whitlow, [373](#)  
Hertz, [394](#)  
Hesitation Wounds, [373](#)  
Hesselbach Triangle, [395](#)  
Heteroplasmy, [373](#)  
Heterotaxy Syndrome, [393](#)  
Heterotopic Pregnancy, [373](#)  
Heterozygous, [373](#)  
Hexokinase, [373](#)  
Hiatal Hernia, [373](#)  
Hiatus Hernia, [373](#)  
Hib, [373](#)  
Hiccough (Hiccup), [373](#)  
Hiccups, [373](#)  
Hiccups (Singultus), [374](#)  
Hidradenitis, [374](#)  
Hidradenitis Suppurativa, [374](#)  
High Arch, [374](#)  
High-Altitude Pulmonary Edema, [395](#)  
High-Density Lipoprotein, [393](#)  
High-Dependency Unit, [374](#)  
High-Flow Nasal Cannula, [374](#)  
High-Intensity Focused Ultrasound, [374](#)  
High-Level Disinfection, [374](#)  
Hilar Cholangiocarcinoma, [394](#)  
Hill-Sachs Lesion, [374](#)  
Hilum, [394](#)  
Hip Dislocation, [374](#)  
Hip Disorders, [374](#)  
Hip Dysplasia, [374](#)  
Hip Fracture, [374](#)  
Hip Joint, [375](#)  
Hip Labral Tear, [394](#)  
Hip Prosthesis, [375](#)  
Hip Replacement, [375](#)  
Hip-Fracture Rehabilitation, [375](#)  
Hippocampus, [375](#)  
Hippotherapy, [375](#)  
Hirschsprung Disease, [375](#)  
Hirschsprung's Disease, [375](#)  
Hirsutism, [375](#)  
Histamine, [375](#)  
Histamine-2 Receptor Antagonist, [353](#)  
Histiocytosis, [375](#)  
Histology, [375](#)  
Histopathology, [375](#)  
Histoplasma capsulatum, [376](#)  
Histoplasmosis, [376](#)  
Histrionic Personality Disorder, [376](#)  
HIV, [376](#)  
HIV (Human Immunodeficiency Virus), [376](#)  
HIV Infection, [66](#)  
HIV infection, [376](#)  
HIV Test, [376](#)  
HIV/AIDS, [376](#)  
HIV/AIDS Immunopathogenesis, [376](#)  
HIV/AIDS Nutrition, [376](#)  
Hives, [376](#)  
Hives (Urticaria), [376](#)  
HLA-B27, [376](#)  
HMG-CoA Reductase, [377](#)  
Hoarding Disorder, [377](#)  
Hoarseness, [377](#)  
Hodgkin Lymphoma, [377](#)  
Hodgkin's Disease, [393](#)  
Hodgkin's Lymphoma, [377](#)  
Holoprosencephaly, [377](#)  
Holosystolic Murmur Differential, [377](#)

---

---

Holt-Oram Syndrome, [377](#)  
Holter Monitor, [377](#)  
Holter Monitoring, [377](#)  
Homans Sign, [395](#)  
Home Care, [377](#)  
Home Health, [377](#)  
Home Health Rehabilitation, [377](#)  
Home Rehabilitation, [377](#)  
Homeostasis, [378](#)  
Homocysteine, [394](#)  
Homocystinuria, [378](#)  
Homozygous, [378](#)  
Hookworm, [378](#)  
Hookworm Infection, [378](#)  
Hookworm infestation, [378](#)  
Hordeolum (Stye), [378](#)  
Horizontal gene transfer, [378](#)  
Hormone, [378](#)  
Hormone Replacement Therapy, [378](#)  
Hormone Therapy, [378](#)  
Hormone-Receptor Positive, [378](#)  
Hormone-Sensitive Lipase, [378](#)  
Horner Syndrome, [378](#)  
Horner's Syndrome, [393](#)  
Horseshoe Kidney, [379](#)  
Hospice, [379](#)  
Hospice Rehabilitation, [379](#)  
Hospital-Acquired Infection, [379](#)  
Hospital-acquired infections, [379](#)  
Hospital-Acquired Pneumonia, [379](#)  
Hospitalization (Geriatric), [379](#)  
Host, [379](#)  
Host Response, [379](#)  
Hot Flashes, [379](#)  
Hounsfield Units, [379](#)  
Howell-Jolly Bodies, [379](#)  
HPLC, [379](#)  
HPV, [379](#)  
HPV Vaccine, [380](#)  
HRT, [380](#)  
Human Chorionic Gonadotropin, [380](#)  
Human immunodeficiency virus, [380](#)  
Human Leukocyte Antigen (HLA), [396](#)  
Human microbiome, [380](#)  
Human Papillomavirus, [380](#)  
Human Placental Lactogen, [380](#)  
Humeroradial Joint, [380](#)  
Humeroulnar Joint, [380](#)  
Humerus, [380](#)  
Humoral Immunity, [380](#)  
Hunger, [381](#)  
Hungry Bone Syndrome, [381](#)  
Hunter Syndrome, [381](#)  
Huntington Disease, [381](#)  
Huntington's Disease, [381](#)  
Huntington's Disease (Chorea), [381](#)  
Hurler Syndrome, [381](#)  
Hyaline Cartilage, [381](#)  
Hyaline Casts, [381](#)  
Hyaline Membrane, [381](#)  
Hyaline Membrane Disease, [381](#)  
Hydatid cyst, [381](#)  
Hydatidiform Mole, [381](#)  
Hydranencephaly, [382](#)  
Hydrocele, [382](#)  
Hydrocephalus, [382](#)  
Hydrochloric Acid, [394](#)  
Hydrocolpos, [382](#)  
Hydrofluoric Acid Exposure, [382](#)  
Hydrogen Bond, [382](#)  
Hydrogen Breath Test, [382](#)  
Hydronephrosis, [382](#)  
Hydrophobia, [382](#)  
Hydropneumothorax, [382](#)  
Hydrops Fetalis, [382](#)  
Hydrosalpinx, [396](#)  
Hydrotherapy, [382](#)  
Hydrothorax, [393](#)  
Hydroureter, [393](#)  
Hydroxocobalamin, [383](#)  
Hymen, [383](#)  
Hyoid Bone, [383](#)  
Hyper-IgM Syndromes, [383](#)  
Hyperacusis, [393](#)  
Hyperaldosteronism, [383](#)  
Hyperaldosteronism Complications, [383](#)  
Hyperammonemia, [383](#)  
Hyperbaric Oxygen Therapy, [383](#)  
Hypercalcemia, [383](#)  
Hypercalcemia of Malignancy, [383](#)  
Hypercapnia, [383](#)  
Hypercholesterolemia, [383](#)  
Hypercoagulable State, [384](#)  
Hypercyanotic Tetralogy, [384](#)  
Hyperemesis, [384](#)  
Hyperemesis Gravidarum, [384](#)

---

---

Hyperesthesia, 384  
 Hyperglycemia, 384  
 Hypergonadotropic Hypogonadism, 384  
 Hyperhidrosis, 384  
 Hyperkalemia, 384  
 Hyperlipidemia, 384  
 Hyperlordotic Posture, 395  
 Hypermobile Ehlers-Danlos Syndrome, 384  
 Hypernatremia, 384  
 Hyperopia, 385  
 Hyperosmolar Hyperglycemic State, 385  
 Hyperparathyroidism, 385  
 Hyperphagia, 393  
 Hyperphosphatemia, 385  
 Hyperpigmentation, 385  
 Hyperplasia, 385  
 Hyperpnea, 394  
 Hyperpolarization, 385  
 Hyperprolactinaemia, 385  
 Hyperprolactinemia, 385  
 Hyperreflexia, 393  
 Hypersensitivity, 385  
 Hypersensitivity Pneumonitis, 385  
 Hypersensitivity Reactions, 385  
 Hypersensitivity Type I, 385  
 Hypersensitivity Type II, 385  
 Hypersensitivity Type III, 385  
 Hypersensitivity Type IV, 386  
 Hypersomnia, 393  
 Hypertelorism, 386  
 Hypertension, 386  
 Hypertension (High Blood Pressure), 386  
 Hypertension in Anesthesia, 386  
 Hypertensive, 386  
 Hypertensive Crisis, 386  
 Hypertensive Emergency, 386  
 Hypertensive Heart Disease, 386  
 Hypertensive Nephropathy, 386  
 Hypertensive Nephrosclerosis, 386  
 Hypertensive Retinopathy, 386  
 Hyperthermia, 393  
 Hyperthermia in Anesthesia, 387  
 Hyperthermic Intraperitoneal Chemotherapy, 387  
 Hyperthyroidism, 387  
 Hyperthyroidism (Thyrotoxicosis), 387  
 Hypertonic Saline, 387  
 Hypertonic Saline Inhalation, 387  
 Hypertrichosis, 387  
 Hypertriglyceridemia, 387  
 Hypertrophic Cardiomyopathy, 387  
 Hypertrophic Cardiomyopathy Genetics, 387  
 Hypertrophic Cardiomyopathy Treatment, 387  
 Hypertrophic Pyloric Stenosis, 387  
 Hypertrophic Scar, 388  
 Hypertrophy, 388  
 Hyperuricemia, 395  
 Hyperventilation, 388  
 Hyperventilation Syndrome, 388  
 Hyphema, 388  
 Hypnosis, 388  
 Hypnotic, 388  
 Hypoactive Sexual Desire Disorder, 388  
 Hypocalcemia, 388  
 Hypocalcemia, hypophosphatemia, and hyperkalemia, 388  
 Hypodermis, 388  
 Hypodontia, 388  
 Hypoesthesia, 388  
 Hypogammaglobulinemia, 389  
 Hypogastric Region, 389  
 Hypoglossal nerve injury, 389  
 Hypoglossal nerve palsy, 389  
 Hypoglycemia, 389  
 Hypoglycemia in Diabetes, 389  
 Hypoglycemia Unawareness, 389  
 Hypogonadism, 389  
 Hypogonadism in Men, 389  
 Hypogonadism in Women, 389  
 Hypogonadotropic Hypogonadism, 389  
 Hypohidrosis, 389  
 Hypokalemia, 389  
 Hypolipidemic Agent, 395  
 Hypomagnesemia, 390  
 Hypomania, 390  
 Hypomanic Episode, 390  
 Hyponatremia, 390  
 Hypoparathyroidism, 390  
 Hypoparathyroidism Management, 390  
 Hypopharynx, 396  
 Hypophosphatasia, 393  
 Hypophosphatemia, 390  
 Hypophysis (Pituitary Gland), 396  
 Hypopituitarism, 390  
 Hypoplasia, 390  
 Hypoplastic Left Heart Syndrome, 390  
 Hypopnea, 395

---

---

Hypoproteinemia, [395](#)  
 Hypopyon, [390](#)  
 Hyposmia, [391](#)  
 Hypospadias, [391](#)  
 Hypotension, [391](#)  
 Hypotension in Anesthesia, [391](#)  
 Hypothalamic-Pituitary-Adrenal Axis (HPA Axis), [391](#)  
 Hypothalamic-Pituitary-Adrenal Axis Physiology, [391](#)  
 Hypothalamic-Pituitary-Gonadal Axis Physiology, [391](#)  
 Hypothalamic-Pituitary-Thyroid Axis Physiology, [391](#)  
 Hypothalamus, [391](#)  
 Hypothermia, [391](#)  
 Hypothermia in Anesthesia, [391](#)  
 Hypothyroidism, [391](#)  
 Hypotonia, [392](#)  
 Hypoventilation, [395](#)  
 Hypovolemia, [394](#)  
 Hypovolemic Shock, [392](#)  
 Hypoxemia, [392](#)  
 Hypoxia, [392](#)  
 Hypoxic Cell Injury, [392](#)  
 Hypoxic Pulmonary Vasoconstriction, [392](#)  
 Hypoxic-Ischemic Brain Injury, [392](#)  
 Hysterectomy, [392](#)  
 Hysterectomy and Surgical Menopause, [392](#)  
 Hysterosalpingo-Contrast-Sonography, [392](#)  
 Hysterosalpingo-Contrast-Sonography (HyCoSy), [392](#)  
 Hysterosalpingogram, [392](#)  
 Hysterosalpingography, [392](#)  
 Hysteroscopy, [395](#)  
 Hysterotomy, [396](#)  
  
 IADL Training, [397](#)  
 Iatrogenic, [397](#)  
 Iatrogenic Injury, [397](#)  
 ICD Shock Therapy, [397](#)  
 Ice Pack, [397](#)  
 ICF Framework, [397](#)  
 Ichthyosis, [397](#)  
 Ichthyosis Vulgaris, [397](#)  
 Icterus, [427](#)  
 Ictus, [427](#)  
 ICU Psychosis, [397](#)  
  
 Ideas of Reference, [398](#)  
 Idiopathic, [398](#)  
 Idiopathic Hypersomnia, [398](#)  
 Idiopathic Intracranial Hypertension, [398](#)  
 Idiopathic Pulmonary Fibrosis, [398](#)  
 Idiosyncratic Reaction, [398](#)  
 Idioventricular Rhythm, [398](#)  
 IgA, [398](#)  
 IgA Nephropathy, [398](#)  
 IgA Vasculitis, [398](#)  
 IgA Vasculitis (Henoch-Schonlein Purpura), [398](#)  
 IgD, [398](#)  
 IgE, [398](#)  
 IgG, [399](#)  
 IgG and complement deposition at the dermis-epidermis junction, [399](#)  
 IgG4-Related Disease, [399](#)  
 IgG4-related disease arteritis, [399](#)  
 IgG4-related ophthalmic disease, [399](#)  
 IgM, [399](#)  
 IGRA (Interferon-Gamma Release Assay), [399](#)  
 Ileal Atresia, [399](#)  
 Ileal Conduit, [427](#)  
 Ileal Obstruction, [399](#)  
 Ileal Pouch-Anal Anastomosis, [399](#)  
 Ileitis, [399](#)  
 Ileocecal Valve, [399](#)  
 Ileostomy, [400](#)  
 Ileum, [400](#)  
 Ileus, [400](#)  
 Iliac Artery, [427](#)  
 Iliotibial Band Syndrome, [400](#)  
 Ilium, [400](#)  
 Illness Anxiety Disorder, [400](#)  
 Image Display, [400](#)  
 Image Processing, [400](#)  
 Image Quality, [400](#)  
 Image Reconstruction, [400](#)  
 Image-Guided Ablation, [400](#)  
 Image-Guided Biopsy, [400](#)  
 Image-Guided Drainage, [400](#)  
 Image-Guided Therapy, [400](#)  
 Imaging, [401](#)  
 Imaging-Guided Biopsy, [401](#)  
 Iminoacetic Acid Scan, [401](#)  
 Immediate Hypersensitivity, [401](#)  
 Immersion Foot (Trench Foot), [429](#)  
 Immune and Infectious Diseases, [401](#)

---

---

Immune Checkpoint, [401](#)  
Immune Complex, [401](#)  
Immune Evasion, [401](#)  
Immune Hemolytic Anemia, [401](#)  
Immune Response, [401](#)  
Immune Thrombocytopenia, [401](#)  
Immune Thrombocytopenic Purpura, [401](#)  
Immune Tolerance, [401](#)  
Immune-Mediated Necrotizing Myopathy, [402](#)  
Immune-Related Adverse Event, [402](#)  
Immunity, [428](#)  
Immunization, [402](#)  
Immunocompromised Host, [402](#)  
Immunodeficiency, [402](#)  
Immunodeficiency and infections, [402](#)  
Immunodeficiency Diseases, [402](#)  
Immunofluorescence, [402](#)  
Immunoglobulin, [426](#)  
Immunoglobulin (Antibody), [402](#)  
Immunoglobulin A, [427](#)  
Immunoglobulin G, [427](#)  
Immunoglobulin M, [427](#)  
Immunoglobulin Replacement Therapy, [402](#)  
Immunohistochemistry, [402](#)  
Immunological Memory, [402](#)  
Immunology, [428](#)  
Immunomodulators in Dermatology, [403](#)  
Immunophenotyping, [403](#)  
Immunosenescence, [403](#)  
Immunosuppressant, [403](#)  
Immunosuppressant Drug, [426](#)  
Immunosuppression, [428](#)  
Immunosuppression in Transplant, [403](#)  
Immunosuppression Screening, [403](#)  
Immunosuppressive Drug, [403](#)  
Immunotherapy, [403](#)  
Immunotherapy and Biologic Treatments, [403](#)  
Immunotherapy in Dermatology, [403](#)  
Immunotoxicity, [403](#)  
Impacted Fracture, [429](#)  
Impacted Tooth, [403](#)  
Impacted Wisdom Teeth, [427](#)  
Impaired Fasting Glucose, [426](#)  
Impaired Glucose Tolerance, [426](#)  
Impedance Hearing Testing, [403](#)  
Impella Device, [403](#)  
Imperforate Anus, [404](#)  
Imperforate Hymen, [404](#)  
Impetigo, [404](#)  
Impingement Syndrome, [428](#)  
Implant (Dental), [404](#)  
Implant Failure, [404](#)  
Implant Sterilization, [404](#)  
Implant-Associated Infection, [404](#)  
Implant-Supported Prosthesis, [404](#)  
Implantable Cardioverter Defibrillator, [404](#)  
Implantable Cardioverter-Defibrillator, [404](#)  
Implantable Loop Recorder, [404](#)  
Implantable Port, [404](#)  
Implantation, [404](#)  
Impression, [405](#)  
Imprinting, [405](#)  
Impulse Oscillometry, [405](#)  
In Situ Carcinoma, [405](#)  
In Vitro Fertilisation, [405](#)  
In Vitro Fertilization, [428](#)  
Inactivated Polio Vaccine, [405](#)  
Inborn Error of Metabolism, [405](#)  
Incarcerated Hernia, [428](#)  
Incentive Spirometry, [405](#)  
Incidence, [405](#)  
Incidental Finding, [405](#)  
Incidentaloma, [405](#)  
Incised Wound, [405](#)  
Incision, [429](#)  
Incisional Biopsy, [405](#)  
Incisional Hernia, [405](#)  
Incisor, [429](#)  
Inclusion Body Myositis, [405](#)  
Inclusion-Cell (I-Cell) Disease, [405](#)  
Incompetence, [429](#)  
Incompetent Cervix, [427](#)  
Incontinence, [406](#)  
Incontinence (Fecal), [406](#)  
Incontinence (Urinary), [406](#)  
Incontinentia Pigmenti, [406](#)  
Incoordination (Ataxia), [429](#)  
Increased Intracranial Pressure, [406](#)  
Increased Vascular Permeability, [406](#)  
Incubation period, [406](#)  
Incubator, [406](#)  
Incus, [406](#)  
Independence, [406](#)  
India Immunization Schedule, [406](#)  
Indication, [406](#)  
Indigestion, [406](#)

---



---

Indirect Antiglobulin Test, [406](#)  
 Indirect Calorimetry, [407](#)  
 Indirect Veneer, [407](#)  
 Indium-111, [407](#)  
 Indium-111 Scan, [407](#)  
 Indoor Allergens, [407](#)  
 Induced Sputum Analysis, [407](#)  
 Induction of Labor, [407](#)  
 Induction Therapy, [407](#)  
 Infant Botulism, [407](#)  
 Infant Feeding, [407](#)  
 Infant harlequin syndrome, [407](#)  
 Infant Jaundice, [427](#)  
 Infant Mortality, [429](#)  
 Infant Reflux, [427](#)  
 Infant Sleep Position, [407](#)  
 Infanticide, [407](#)  
 Infantile Colic, [407](#)  
 Infantile hepatic hemangiomas, [408](#)  
 Infantile Spasms, [429](#)  
 Infarct, [426](#)  
 Infarction, [408](#)  
 Infection, [408](#)  
 Infection (Geriatric), [408](#)  
 Infection Control, [408](#)  
 Infection Imaging, [408](#)  
 Infection Prevention, [408](#)  
 Infections in Pregnancy, [408](#)  
 Infectious Arthritis, [408](#)  
 Infectious Disease, [408](#)  
 Infectious Dose, [408](#)  
 Infectious Encephalitis, [427](#)  
 Infectious Esophagitis, [408](#)  
 Infectious Meningitis, [408](#)  
 Infectious Mononucleosis, [427](#)  
 Infectious Myringitis, [408](#)  
 Infective Endocarditis, [409](#)  
 Inferior, [409](#)  
 Inferior Alveolar Nerve Block, [409](#)  
 Inferior hemifield loss, [409](#)  
 Inferior Mesenteric Artery, [409](#)  
 Inferior Vena Cava, [409](#)  
 Infertility, [409](#)  
 Infestation, [429](#)  
 Infiltrate, [409](#)  
 Inflammaging, [409](#)  
 Inflammasomes, [409](#)  
 Inflammation, [409](#)  
 Inflammation (Dietary), [409](#)  
 Inflammation Imaging, [409](#)  
 Inflammatory Back Pain, [410](#)  
 Inflammatory Bowel Disease, [410](#)  
 Inflammatory Bowel Disease Diet, [410](#)  
 Inflammatory Breast Cancer, [427](#)  
 Inflammatory Myopathies, [410](#)  
 Influenza, [410](#)  
 Influenza Test, [410](#)  
 Influenza Vaccination in Pregnancy, [410](#)  
 Influenza Vaccine, [410](#)  
 Influenza virus, [410](#)  
 Informed Consent, [410](#)  
 Informed Consent (Geriatric), [410](#)  
 Infusion Pump, [410](#)  
 Ingestion, [410](#)  
 Ingrown Hair, [427](#)  
 Ingrown Toenail, [411](#)  
 Inguinal Canal, [411](#)  
 Inguinal Hernia, [411](#)  
 Inguinal Region, [411](#)  
 Inhalation Injury, [411](#)  
 Inhalational Anesthesia, [411](#)  
 Inhaled Corticosteroids, [411](#)  
 Inhaled Nitric Oxide, [411](#)  
 Inhaler, [411](#)  
 Iniencephaly, [411](#)  
 Injection, [428](#)  
 Injury Classification (Abrasion, Laceration, Contusion, Incised Wounds), [411](#)  
 Injury Dating, [411](#)  
 Innate immune evasion, [412](#)  
 Innate Immunity, [412](#)  
 Innate Lymphoid Cells, [412](#)  
 Inner ear, [412](#)  
 Innervation, [429](#)  
 Inoculation, [412](#)  
 Inotrope, [412](#)  
 Inotropes in Anesthesia, [412](#)  
 Inpatient Rehabilitation, [412](#)  
 INR, [412](#)  
 Insect bite, [412](#)  
 Insect Sting Allergies, [412](#)  
 Insertion, [428](#)  
 Insomnia, [412](#)  
 Insomnia Disorder, [412](#)  
 Inspection, [413](#)  
 Inspiration, [428](#)

---

---

Inspiratory Crackles, [413](#)  
Instrument Sterilization, [413](#)  
Instrumental Activities of Daily Living, [413](#)  
Instrumental ADL, [413](#)  
Insufficient Cervix, [413](#)  
Insulin Aspart, [413](#)  
Insulin Autoantibodies, [413](#)  
Insulin Glargine, [413](#)  
Insulin Injection Technique, [413](#)  
Insulin lipohypertrophy, [413](#)  
Insulin Pen Devices, [413](#)  
Insulin Preparations, [413](#)  
Insulin Pump Therapy, [414](#)  
Insulin Resistance, [414](#)  
Insulin Resistance Syndromes, [414](#)  
Insulin Secretion, [414](#)  
Insulin Shock, [428](#)  
Insulin Signaling, [414](#)  
Insulin-induced lipohypertrophy, [414](#)  
Insulin-like Growth Factor, [414](#)  
Insulinoma, [414](#)  
Integrative Rehabilitation, [414](#)  
Integrins, [414](#)  
Integumentary System, [414](#)  
Intellectual Disability, [414](#)  
Intensity-Modulated Radiation Therapy, [414](#)  
Intensive Care Medicine, [415](#)  
Intensive Care Rehabilitation, [415](#)  
Intensive Care Unit, [415](#)  
Interatrial Septum, [415](#)  
Intercostal Retraction, [415](#)  
Interdental Brush, [415](#)  
Interference, [415](#)  
Interferon Signaling, [415](#)  
Interferon-Gamma Release Assay, [415](#)  
Interferonopathies, [415](#)  
Interleukin, [415](#)  
Interleukin-6, [415](#)  
Intermediate Cuneiform, [415](#)  
Intermediate Uveitis, [416](#)  
Intermittent Auscultation, [416](#)  
Intermittent Claudication, [416](#)  
Intermittent Explosive Disorder, [416](#)  
Intermittent Fasting, [416](#)  
Internal Capsule, [429](#)  
Internal Hernia, [416](#)  
Internal Iliac Artery, [416](#)  
Internal Jugular Vein, [416](#)  
Internal Oblique Muscle, [416](#)  
Internal Podalic Version, [416](#)  
Internal Resorption, [416](#)  
Interneurons, [428](#)  
Internuclear Ophthalmoplegia, [416](#)  
Interpersonal Psychotherapy, [417](#)  
Interpreter, [417](#)  
Interproximal Caries, [417](#)  
Interstitial (Cornual) Pregnancy, [417](#)  
Interstitial Cystitis, [417](#)  
Interstitial Keratitis, [417](#)  
Interstitial Lung Disease, [417](#)  
Interstitial Nephritis, [417](#)  
Interstitial Pneumonia, [417](#)  
Intertrigo, [417](#)  
Interventional Procedures, [417](#)  
Interventional Radiologist, [417](#)  
Interventional Radiology, [417](#)  
Interventricular Septum, [417](#)  
Intervertebral Disc, [418](#)  
Intestinal Atresia, [418](#)  
Intestinal Ganglioneuromatosis, [418](#)  
Intestinal Ischemia, [427](#)  
Intestinal lipomatosis, [418](#)  
Intestinal Lymphoma, [418](#)  
Intestinal Malrotation, [418](#)  
Intestinal Metaplasia, [429](#)  
Intestinal Obstruction, [418](#)  
Intestinal Perforation, [418](#)  
Intestinal Pseudo-Obstruction, [418](#)  
Intestine, [429](#)  
Intimal Hyperplasia, [418](#)  
Intimate Partner Violence in Pregnancy, [418](#)  
Intoxication, [418](#)  
Intra-Abdominal Abscess, [418](#)  
Intra-Abdominal Hypertension, [419](#)  
Intra-aortic Balloon Pump, [419](#)  
Intraabdominal cancer, [419](#)  
Intraabdominal hernia, [419](#)  
Intraaortic Balloon Pump, [428](#)  
Intracellular Fluid, [419](#)  
Intracellular pathogens, [419](#)  
Intracerebral Hemorrhage, [419](#)  
Intracranial Aneurysm, [427](#)  
Intracranial Hemorrhage, [419](#)  
Intracranial Pressure, [419](#)  
Intracranial Venous Malformations, [427](#)  
Intraductal Papilloma, [419](#)

---

---

Intrahepatic Cholestasis, [427](#)  
Intrahepatic Cholestasis of Pregnancy, [419](#)  
Intramedullary Nail, [419](#)  
Intramural Hematoma, [419](#)  
Intramuscular, [420](#)  
Intraocular Lens, [420](#)  
Intraocular lens dislocation, [420](#)  
Intraocular Pressure, [420](#)  
Intraocular tumor, [420](#)  
Intraoperative Blood Transfusion, [420](#)  
Intraoperative Neuromonitoring, [420](#)  
Intraoperative Temperature Monitoring, [420](#)  
Intraosseous Access, [420](#)  
Intraosseous Infusion, [420](#)  
Intrapartum, [420](#)  
Intrapulmonary Shunt, [420](#)  
Intrathecal Chemotherapy, [421](#)  
Intrathoracic localized obstruction, [421](#)  
Intrauterine Device, [421](#)  
Intrauterine Fetal Demise / Stillbirth, [421](#)  
Intrauterine Growth Restriction, [421](#)  
Intrauterine Pressure Catheter, [421](#)  
Intrauterine Transfusion, [421](#)  
Intravascular Catheter Infections, [421](#)  
Intravascular Filter, [421](#)  
Intravascular lymphoma, [421](#)  
Intravascular Ultrasound, [421](#)  
Intravenous Anesthesia, [421](#)  
Intravenous Lipid Emulsion Therapy, [422](#)  
Intravenous pyelogram, [422](#)  
Intravenous Pyelography, [428](#)  
Intraventricular Hemorrhage, [422](#)  
Intravitreal Injection, [422](#)  
Intrinsic Factor, [428](#)  
Intrinsic Renal AKI, [422](#)  
Introitus, [429](#)  
Intron, [422](#)  
Intubation, [428](#)  
Intussusception, [422](#)  
Invasive Candidiasis, [422](#)  
Invasive ductal carcinoma, [422](#)  
Invasive Lobular Carcinoma, [422](#)  
Inverse Agonist, [422](#)  
Inversion, [422](#)  
Involuntary Muscle, [429](#)  
Involuntary Psychiatric Treatment, [422](#)  
Involution, [423](#)  
Iodide-associated sialadenitis, [423](#)  
Iodinated Contrast Media, [423](#)  
Iodine, [423](#)  
Iodine Deficiency, [429](#)  
Iodine Swab, [423](#)  
Iodine-123, [423](#)  
Iodine-131, [423](#)  
Iododerma, [423](#)  
Ionizing Radiation, [423](#)  
Iontophoresis, [428](#)  
Ipecac, [423](#)  
Ipratropium Bromide, [423](#)  
Ipsilateral, [423](#)  
Iridocyclitis, [423](#)  
Iridotomy, [423](#)  
Iris, [424](#)  
Iris atrophy, [424](#)  
Iritis, [424](#)  
Iron, [424](#)  
Iron deficiency, [424](#)  
Iron Deficiency Anemia, [424](#)  
Iron-Deficiency Anaemia, [430](#)  
Iron-Deficiency Anaemia in Adolescents, [424](#)  
Iron-Deficiency Anemia, [424](#)  
Irregular Sleep-Wake Syndrome, [424](#)  
Irreversible Cell Injury, [424](#)  
Irrigation, [428](#)  
Irritable Bowel Syndrome, [424](#)  
Irritable Bowel Syndrome Diet, [424](#)  
Irritant Contact Dermatitis, [429](#)  
Isaacs Syndrome, [425](#)  
Isavuconazole, [425](#)  
Ischaemia, [430](#)  
Ischaemic Heart Disease (IHD), [430](#)  
Ischemia, [425](#)  
Ischemia-Reperfusion Injury, [425](#)  
Ischemic Cardiomyopathy, [425](#)  
Ischemic Colitis, [425](#)  
Ischemic gangrene, [425](#)  
Ischemic Stroke, [425](#)  
Ischium, [425](#)  
Islets of Langerhans, [427](#)  
Isocitrate Dehydrogenase, [425](#)  
Isokinetic Exercise, [425](#)  
Isolated Systolic Hypertension, [429](#)  
Isolation, [425](#)  
Isolation (Social), [425](#)  
Isolation Precautions, [425](#)  
Isometric, [428](#)

---

---

Isoniazid Toxicity, [426](#)  
 Isosorbide Dinitrate, [426](#)  
 Isoporiasis, [426](#)  
 Isotonic, [428](#)  
 Isotope, [426](#)  
 Isotretinoin, [426](#)  
 Itching, [426](#)  
 Iterative Reconstruction, [426](#)  
 IV Fluids, [426](#)  
 IVC Filter, [426](#)  
 IVF, [426](#)  
  
 Jaccoud Arthropathy, [434](#)  
 Jaccoud's arthropathy, [431](#)  
 Jackknife Position, [434](#)  
 Jacksonian Epilepsy (Focal Seizures), [431](#)  
 JAK-STAT Pathway, [431](#)  
 JAK2, [431](#)  
 Janeway Lesions, [431](#)  
 Janus Kinase Inhibitors, [431](#)  
 Japanese Encephalitis, [431](#)  
 Japanese Encephalitis Vaccine, [431](#)  
 Jarisch-Herxheimer Reaction, [434](#)  
 Jaundice, [431](#)  
 Jaundice (Icterus), [431](#)  
 Jaundice in newborns, [432](#)  
 Jaw Fracture, [434](#)  
 Jaw Jerk Reflex, [435](#)  
 Jaw Pain, [432](#)  
 Jaw Tumors and Cysts, [434](#)  
 Jejunal Atresia, [432](#)  
 Jejunostomy, [432](#)  
 Jejunum, [432](#)  
 Jellyfish Stings, [434](#)  
 Jet Lag, [434](#)  
 Jet Lag Disorder, [434](#)  
 Job Modification, [432](#)  
 Job Syndrome, [432](#)  
 Jock Itch, [432](#)  
 Joint, [432](#)  
 Joint Contracture, [432](#)  
 Joint Diseases, [432](#)  
 Joint Effusion, [432](#)  
 Joint Pain, [432](#)  
 Joint Prosthesis, [433](#)  
 Joint Replacement, [433](#)  
 Joint Replacement (Arthroplasty), [433](#)  
 Joint Replacement Rehabilitation, [433](#)  
  
 Joint Stiffness, [433](#)  
 Joint Swelling, [433](#)  
 Jugular Vein, [433](#)  
 Jugular Venous Pressure (JVP), [435](#)  
 Junctional Rhythm, [434](#)  
 Juvenile angiofibroma, [433](#)  
 Juvenile Arthritis, [433](#)  
 Juvenile Astrocytoma, [433](#)  
 Juvenile Dermatomyositis, [433](#)  
 Juvenile Hypermobility Syndrome, [433](#)  
 Juvenile Idiopathic Arthritis, [433](#)  
 Juvenile Myoclonic Epilepsy, [434](#)  
 Juvenile Osteoporosis, [433](#)  
 Juvenile Polyposis Syndrome, [434](#)  
 Juvenile Rheumatoid Arthritis, [434](#)  
 Juvenile Xanthogranuloma, [434](#)  
 Juxta-articular, [434](#)  
 Juxtaglomerular Apparatus, [434](#)  
 Juxtavesical, [434](#)  
  
 Kala-Azar (Visceral Leishmaniasis), [444](#)  
 Kallmann Syndrome, [437](#)  
 Kangaroo Care (Skin-to-Skin Contact), [437](#)  
 Kaposi Sarcoma, [437](#)  
 Kaposi's Sarcoma, [443](#)  
 Kaposi's sarcoma, [437](#)  
 Karnofsky Performance Status, [437](#)  
 Kartagener Syndrome, [437](#)  
 Kartagener Triad, [437](#)  
 Karyotype, [437](#)  
 Karyotyping, [437](#)  
 Katayama Fever (Acute Schistosomiasis), [444](#)  
 Katz Index, [437](#)  
 Kawasaki Disease, [437](#)  
 Kawasaki's disease, [438](#)  
 Kayser-Fleischer Rings, [438](#)  
 Kearns-Sayre Syndrome, [438](#)  
 Kegel, [438](#)  
 Kegel Exercise, [438](#)  
 Kelly Clamp, [444](#)  
 Keloid, [438](#)  
 Keloid Scar, [443](#)  
 Keratectomy, [443](#)  
 Keratin, [444](#)  
 Keratinocyte, [438](#)  
 Keratitis, [438](#)  
 Keratoacanthoma, [438](#)  
 Keratoconjunctivitis Sicca, [438](#)

---

---

Keratoconus, [438](#)  
Keratoderma, [438](#)  
Keratoderma Blennorrhagica, [443](#)  
Keratoderma blennorrhagicum, [438](#)  
Keratoderma blenorrhagicum, [439](#)  
Keratolysis, [444](#)  
Keratomalacia, [444](#)  
Keratometer, [444](#)  
Keratoplasty, [439](#)  
Keratoprosthesis, [439](#)  
Keratosis Pilaris, [439](#)  
Kerion, [444](#)  
Kernicterus, [439](#)  
Kernicterus (Nuclear Jaundice), [435](#)  
Kernig Sign, [439](#)  
Keshan disease, [439](#)  
Ketoacidosis, [444](#)  
Ketogenesis, [439](#)  
Ketogenic Diet, [439](#)  
Ketone Bodies, [439](#)  
Ketones, [439](#)  
Ketonuria (Acetonuria), [445](#)  
Ketosis, [439](#)  
Kidney, [439](#)  
Kidney and Urinary Health, [440](#)  
Kidney Calculi, [443](#)  
Kidney Cancer, [440](#)  
Kidney Failure, [440](#)  
Kidney Function Tests, [440](#)  
Kidney Infection, [444](#)  
Kidney Position, [443](#)  
Kidney Stone, [440](#)  
Kidney stones, [440](#)  
Kidney Stones (Nephrolithiasis / Urolithiasis), [440](#)  
Kidney Transplant, [444](#)  
Kidney Transplant Rejection, [440](#)  
Kidney Transplantation, [440](#)  
Kienbock Disease, [440](#)  
Kiesselbach Plexus, [440](#)  
Killian's triangle, [440](#)  
Killip Classification, [440](#)  
Kimmelstiel-Wilson Nodules, [440](#)  
Kimura Disease, [441](#)  
Kinase, [445](#)  
Kinesio Taping, [441](#)  
Kinesiology, [441](#)  
Kinesthesia, [444](#)  
Kinetic Modeling, [441](#)  
Kinetics, [441](#)  
Klebsiella, [445](#)  
Klebsiella Pneumonia, [441](#)  
Klebsiella rhinoscleromatis, [441](#)  
Kleptomania, [444](#)  
Klinefelter Syndrome, [441](#)  
Klinefelter's Syndrome, [443](#)  
Klippel-Feil Syndrome, [441](#)  
Klippel-Trenaunay Syndrome, [441](#)  
Klippel-Trenaunay-Weber Syndrome, [441](#)  
Klumpke Paralysis, [441](#)  
Knee Bursitis, [117](#)  
Knee Disorders, [441](#)  
Knee Joint, [441](#)  
Knee Pain, [442](#)  
Knee Prosthesis, [442](#)  
Knee-Chest Position, [443](#)  
Kneecap, [442](#)  
Kniest Dysplasia, [442](#)  
Knife-cut ulcers from Crohn's disease, [442](#)  
Knock Knees, [442](#)  
Knotless Anchor, [442](#)  
Koch's Bacillus (Mycobacterium Tuberculosis), [445](#)  
Kocher Clamp, [444](#)  
KOH Preparation, [442](#)  
Koilonychia, [442](#)  
Koplik Spots, [442](#)  
Korotkoff Sounds, [445](#)  
Korsakoff Syndrome, [444](#)  
Krabbe Disease, [442](#)  
Krabbe's Disease, [443](#)  
Krebs Cycle (Citric Acid Cycle), [445](#)  
Krukenberg Tumor, [443](#)  
Kt/V, [442](#)  
Kulchitsky Cells (Enterochromaffin Cells), [445](#)  
Kuru, [443](#)  
Kussmaul Breathing, [443](#)  
Kussmaul Respiration, [444](#)  
Kussmaul Sign, [443](#)  
Kwashiorkor, [443](#)  
Kyphoplasty, [443](#)  
Kyphoscoliosis, [443](#)  
Kyphosis, [443](#)  
  
Labia, [474](#)  
Labiaplasty, [473](#)  
Labile Hypertension, [471](#)  
Labor, [447](#)

---

---

Labor Dystocia, [447](#)  
Laboratory Test, [447](#)  
Labour, [447](#)  
Labral Tear, [473](#)  
Labyrinth, [447](#)  
Labyrinth Disorder, [472](#)  
Labyrinthitis, [447](#)  
Laceration, [447](#)  
Laceration (Forensic), [447](#)  
Lachman Test, [447](#)  
Lacrimal Apparatus, [447](#)  
Lacrimal Duct, [447](#)  
Lacrimal Gland, [448](#)  
Lactase, [471](#)  
Lactate, [448](#)  
Lactate Dehydrogenase, [448](#)  
Lactation, [448](#)  
Lactation (Breastfeeding), [448](#)  
Lactation Nutrition, [448](#)  
Lactational Amenorrhea, [474](#)  
Lacteals, [473](#)  
Lactic Acid, [448](#)  
Lactic Acidosis, [448](#)  
Lactobacillus, [474](#)  
Lactose, [448](#)  
Lactose Fermentation, [448](#)  
Lactose intolerance, [448](#)  
Lactose Tolerance Test, [448](#)  
Lacunar Stroke, [471](#)  
Lafora Disease, [448](#)  
Lambert-Eaton Myasthenic Syndrome, [448](#)  
Laminectomy, [449](#)  
Lancet, [449](#)  
Langer Lines, [473](#)  
Langerhans Cells, [471](#)  
Langerhans-cell histiocytosis, [449](#)  
Language Barrier, [449](#)  
Language Therapy, [449](#)  
Lanugo, [449](#)  
Laparoscopy, [449](#)  
Laparotomy, [449](#)  
Large Airway Obstruction, [449](#)  
Large Bowel Obstruction, [449](#)  
Large for Gestational Age, [449](#)  
Large Intestine, [449](#)  
Laron Syndrome, [449](#)  
Larva currens from Strongyloides, [450](#)  
Larva Migrans, [474](#)  
Laryngeal Cancer, [450](#)  
Laryngeal candidiasis, [450](#)  
Laryngeal Edema, [473](#)  
Laryngeal Nerve Damage, [450](#)  
Laryngeal Prosthesis, [450](#)  
Laryngeal Stridor, [474](#)  
Laryngeal Warts (Recurrent Respiratory Papillomatosis), [825](#)  
Laryngectomy, [450](#)  
Laryngectomy Tube, [450](#)  
Laryngitis, [450](#)  
Laryngocele, [450](#)  
Laryngomalacia, [450](#)  
Laryngopharyngeal Reflux, [450](#)  
Laryngopharynx, [473](#)  
Laryngoscope, [450](#)  
Laryngoscopy, [450](#)  
Laryngospasm, [450](#)  
Laryngostenosis, [472](#)  
Larynx, [451](#)  
Laser, [473](#)  
Laser (Vascular), [451](#)  
Laser Ablation, [451](#)  
Laser Dentistry, [451](#)  
Laser Fiber, [451](#)  
Laser Photocoagulation, [472](#)  
Laser Prostatectomy, [472](#)  
Laser Trabeculoplasty, [451](#)  
LASIK, [451](#)  
LASIK (Laser-Assisted In Situ Keratomileusis), [451](#)  
Lassa Fever, [451](#)  
Last Menstrual Period, [451](#)  
Latarjet Procedure, [451](#)  
Late Decelerations, [451](#)  
Late Effects, [451](#)  
Late Preterm (34-36 weeks), [451](#)  
Latent Infection, [452](#)  
Latent Phase of Labor, [452](#)  
Latent Tuberculosis, [472](#)  
Latent Tuberculosis Infection, [452](#)  
Lateral, [452](#)  
Lateral Collateral Ligament Injury, [452](#)  
Lateral Cuneiform, [452](#)  
Lateral Decubitus Position, [472](#)  
Lateral Rotation, [452](#)  
Latex Allergy, [452](#)  
Latissimus Dorsi Muscle, [452](#)  
Lavage, [473](#)

---



---

Lawton IADL Scale, [452](#)  
Laxative, [452](#)  
Lazy Eye, [472](#)  
LD50, [452](#)  
LDL, [452](#)  
Lead Poisoning, [452](#)  
Lead-Time Bias, [453](#)  
Learned Insomnia, [472](#)  
Leber Congenital Amaurosis, [453](#)  
Left Anterior Descending Artery, [453](#)  
Left Atrial Myxoma, [453](#)  
Left Atrium, [453](#)  
Left Bundle Branch, [453](#)  
Left hemiparesis, gaze deviated to the right, [453](#)  
Left Hypochondriac Region, [453](#)  
Left Iliac Region, [453](#)  
Left Main Coronary Artery, [453](#)  
Left testicular torsion, [453](#)  
Left Ventricle, [453](#)  
Left Ventricular Hypertrophy, [472](#)  
Left Ventricular Noncompaction, [454](#)  
Left-sided superior vena cava, [454](#)  
Left-Ventricular Assist Device, [472](#)  
Leg Ulcer, [454](#)  
Legg-Calve-Perthes Disease, [454](#)  
Legg-Calvé-Perthes Disease (Perthes Disease), [474](#)  
Legg-Calvé-Perthes disease, [454](#)  
Legionella Pneumonia, [454](#)  
Legionella pneumophila, [454](#)  
Legionnaires Disease, [473](#)  
Legionnaires' Disease, [454](#)  
Leiomyoma, [454](#)  
Leiomyoma (Fibroid), [454](#)  
Leiomyosarcoma, [454](#)  
Leishmania donovani, [454](#)  
Leishmaniasis, [454](#)  
Lemierre Syndrome, [473](#)  
Length-Time Bias, [455](#)  
Lens, [455](#)  
Lentigo maligna, [455](#)  
Leopold Maneuvers, [455](#)  
Lepromatous leprosy, [455](#)  
Leprosy, [455](#)  
Leprosy (Hansen's Disease), [455](#)  
Leptin, [455](#)  
Leptomeningeal Metastasis, [455](#)  
Leptomeninges, [473](#)  
Leptomeningitis, [474](#)  
Leptospirosis, [455](#)  
Leriche Syndrome, [455](#)  
Lesion, [455](#)  
Lesser Curvature, [455](#)  
Lesser Trochanter, [456](#)  
Lethal-Means Counseling, [456](#)  
Leucocyte (White Blood Cell), [456](#)  
Leucoderma (Vitiligo), [474](#)  
Leucopenia, [456](#)  
Leucorrhoea (Leukorrhoea), [474](#)  
Leukemia, [456](#)  
Leukemia cutis, [456](#)  
Leukemia Genetics, [456](#)  
Leukemic infiltration of the gingiva, [456](#)  
Leukemoid Reaction, [456](#)  
Leukocyte Adhesion Deficiency, [456](#)  
Leukocyte Alkaline Phosphatase, [456](#)  
Leukocytes, [473](#)  
Leukocytoclastic Vasculitis, [456](#)  
Leukocytosis, [457](#)  
Leukonychia, [457](#)  
Leukopenia, [473](#)  
Leukoplakia, [457](#)  
Leukopoiesis, [457](#)  
Leukorrhea, [473](#)  
Leukotomy, [457](#)  
Leukotriene Modifiers, [472](#)  
Levator Ani, [457](#)  
Lewy Body Dementia, [457](#)  
Lewy Body Disease, [457](#)  
Leydig Cell Tumor, [457](#)  
Lfgren Syndrome, [457](#)  
Li-Fraumeni Syndrome, [457](#)  
LI-RADS, [457](#)  
Libido, [457](#)  
Libido and Sexual Performance, [457](#)  
Lice, [458](#)  
Lice Infestations, [458](#)  
Lichen, [458](#)  
Lichen Planus, [458](#)  
Lichen Sclerosus, [458](#)  
Lichen Simplex Chronicus, [458](#)  
Lichenification, [473](#)  
Liddle Syndrome, [458](#)  
Liddle Syndrome Treatment, [458](#)  
Life Expectancy, [458](#)  
Ligament, [458](#)  
Ligand, [458](#)

---

---

Ligation, [458](#)  
Ligation (Vascular), [459](#)  
Ligature, [459](#)  
Light Therapy, [459](#)  
Light's Criteria, [459](#)  
Light-near dissociation, [459](#)  
Likelihood Ratio, [459](#)  
Limbic Encephalitis, [459](#)  
Limbic System, [459](#)  
Linea Aspera, [459](#)  
Linea Nigra, [459](#)  
Linear Energy Transfer, [459](#)  
Linear IgA bullous dermatosis, [459](#)  
Lingua villosa nigra, [459](#)  
Lingual artery, [459](#)  
Lingual Tonsils, [473](#)  
Linitis Plastica, [460](#)  
Linkage, [460](#)  
Liothyronine Sodium, [472](#)  
Lip Cancer, [472](#)  
Lipase, [460](#)  
Lipedema, [460](#)  
Lipemia retinalis, [460](#)  
Lipid, [460](#)  
Lipid Emulsion Therapy, [460](#)  
Lipid Panel, [460](#)  
Lipoatrophy, [460](#)  
Lipodystrophy, [460](#)  
Lipodystrophy Syndromes, [460](#)  
Lipofuscin, [460](#)  
Lipogenesis, [461](#)  
Lipoid Nephrosis, [461](#)  
Lipoid Pneumonia, [461](#)  
Lipolysis, [461](#)  
Lipoma, [461](#)  
Lipomatosis, [461](#)  
Lipoprotein, [461](#)  
Lipoprotein Lipase, [461](#)  
Lipoprotein Metabolism, [461](#)  
Liposarcoma, [461](#)  
Liposomal amphotericin B, [461](#)  
Liquefactive Necrosis, [461](#)  
Liquid Biopsy, [461](#)  
Lisch Nodules, [462](#)  
Lissencephaly, [462](#)  
Listeria Infection, [472](#)  
Listeria monocytogenes, [462](#)  
Listeriosis, [462](#)  
Listeriosis in Pregnancy, [462](#)  
Lithiasis, [462](#)  
Lithium Toxicity, [462](#)  
Lithotomy Position, [472](#)  
Lithotripsy, [462](#)  
Lithotripsy Probe, [462](#)  
Lithotripter Probe, [462](#)  
Little Area, [462](#)  
Livedo Reticularis, [462](#)  
Liver, [462](#)  
Liver Abscess, [462](#)  
Liver Biopsy, [463](#)  
Liver Cancer, [463](#)  
Liver Cirrhosis, [463](#)  
Liver Disease, [472](#)  
Liver Disease Diet, [463](#)  
Liver Enzymes, [463](#)  
Liver Failure, [463](#)  
Liver Fibrosis, [472](#)  
Liver Function Tests, [463](#)  
Liver Health, [463](#)  
Liver Lobule, [463](#)  
Liver Mass, [463](#)  
Liver Transplant, [463](#)  
Liver Transplantation, [463](#)  
Living Will, [463](#)  
Living Will (Advance Directive), [474](#)  
Living Will (Advance Statements), [463](#)  
Livor Mortis (Lividity), [463](#)  
Livor Mortis (Postmortem Lividity), [464](#)  
LLETZ, [464](#)  
Lloyd-Davies Position, [472](#)  
Loa loa, [464](#)  
Loading Dose, [464](#)  
Lobar Pneumonia, [464](#)  
Lobectomy, [464](#)  
Lobular Carcinoma in Situ, [472](#)  
Local Anesthesia, [464](#)  
Local Anesthetic, [464](#)  
Local Anesthetic Systemic Toxicity, [464](#)  
Local Anesthetic Toxicity, [464](#)  
Local Invasion, [464](#)  
Lochia, [464](#)  
Locked-in Syndrome, [464](#)  
Lockjaw (Tetanus), [465](#)  
Locomotor Ataxia (Tabes Dorsalis), [465](#)  
Locus, [465](#)  
Loneliness, [465](#)

---

---

Long COVID, [465](#)  
Long QT Syndrome, [465](#)  
Long-Acting Beta-2 Agonists, [465](#)  
Long-Term Care, [465](#)  
Long-Term Effect, [465](#)  
Long-Term Rehabilitation, [465](#)  
Loop Diuretics, [465](#)  
Loop of Henle, [465](#)  
Loratadine, [465](#)  
Lordosis, [465](#)  
Loss of Appetite, [466](#)  
Loss-of-Function Variant, [466](#)  
Low Back Pain, [466](#)  
Low Birth Weight, [466](#)  
Low FODMAP Diet, [466](#)  
Low Molecular Weight Heparin, [466](#)  
Low Sex Drive in Women, [473](#)  
Low Sperm Count, [473](#)  
Low Testosterone (Hypogonadism), [466](#)  
Low Vision, [466](#)  
Low-Dose CT Scan, [466](#)  
Low-Phosphorus Diet, [466](#)  
Low-Potassium Diet, [466](#)  
Low-Residue Diet, [466](#)  
Lower Airway Obstruction, [466](#)  
Lower Extremity Venous Doppler, [466](#)  
Lower Motor Neuron Syndrome, [467](#)  
Lower Urinary Tract Symptoms, [467](#)  
Ludwig Angina, [467](#)  
Ludwig's Angina, [467](#)  
Lugano Classification, [467](#)  
Lumbago, [467](#)  
Lumbar Disc Herniation, [467](#)  
Lumbar puncture, [467](#)  
Lumbar Puncture (Spinal Tap), [467](#)  
Lumbar Radiculopathy, [467](#)  
Lumbar Stenosis, [472](#)  
Lumbar Vertebrae, [467](#)  
Lumen, [473](#)  
Lumpectomy, [467](#)  
Lunate, [467](#)  
Lung, [468](#)  
Lung Abscess, [468](#)  
Lung Cancer, [468](#)  
Lung Compliance, [468](#)  
Lung Disease, [468](#)  
Lung Function Tests, [468](#)  
Lung herniation, [468](#)  
Lung Nodule, [474](#)  
Lung Protective Ventilation, [468](#)  
Lung Transplant, [468](#)  
Lung Transplantation, [468](#)  
Lupus, [468](#)  
Lupus Erythematosus, [468](#)  
Lupus Erythematosus (Systemic Lupus Erythematosus - SLE), [468](#)  
Lupus Nephritis, [469](#)  
Lupus pernio, [469](#)  
Lupus Vulgaris, [469](#)  
Luteinizing Hormone, [469](#)  
Lutetium-177, [469](#)  
Lyme Disease, [469](#)  
Lymph, [469](#)  
Lymph Node / Gland, [469](#)  
Lymph Node Dissection, [469](#)  
Lymph Node Structure, [469](#)  
Lymphadenectomy, [469](#)  
Lymphadenitis, [469](#)  
Lymphadenopathy, [469](#)  
Lymphangiectasis, [470](#)  
Lymphangiography, [470](#)  
Lymphangioleiomyomatosis, [470](#)  
Lymphangioma, [470](#)  
Lymphangiomatosis, [472](#)  
Lymphangitis, [470](#)  
Lymphatic System, [470](#)  
Lymphedema, [470](#)  
Lymphedema (Lymphoedema), [470](#)  
Lymphedema Management, [470](#)  
Lymphocyte, [470](#)  
Lymphocytic Colitis, [470](#)  
Lymphocytic Interstitial Pneumonia, [470](#)  
Lymphocytopenia, [470](#)  
Lymphocytosis, [473](#)  
Lymphogranuloma venereum, [470](#)  
Lymphokine, [471](#)  
Lymphoma, [471](#)  
Lymphoma (Hodgkin's and Non-Hodgkin's), [471](#)  
Lymphopoiesis, [471](#)  
Lymphoscintigraphy, [471](#)  
Lynch Syndrome, [471](#)  
Lysergic Acid Diethylamide, [471](#)  
Lysogenic Conversion, [471](#)  
Lysosome, [471](#)  
MacConkey Agar, [475](#)

---

---

Macrobiotics, [475](#)  
Macrocephaly, [516](#)  
Macrocytic Anemia, [514](#)  
Macroductyly, [516](#)  
Macrodonia, [475](#)  
Macroglossia, [475](#)  
Macrolides, [475](#)  
Macronutrients, [475](#)  
Macrophage Activation Syndrome, [475](#)  
Macropsia, [516](#)  
Macroscopic Hematuria, [471](#)  
Macrosomia, [475](#)  
Macula, [475](#)  
Macula Lutea, [475](#)  
Macular, [475](#)  
Macular degeneration, [476](#)  
Macular Edema, [514](#)  
Macular Hole, [476](#)  
Macular Pucker, [476](#)  
Macule, [476](#)  
Madura Foot (Mycetoma), [516](#)  
Maffucci Syndrome, [476](#)  
MAG3 Renal Scan, [476](#)  
Magnesium, [476](#)  
Magnesium Deficiency, [476](#)  
Magnesium Sulfate for Neuroprotection, [476](#)  
Magnetic Resonance Angiography, [476](#)  
Magnetic Resonance Cholangiopancreatography, [476](#)  
Magnetic Resonance Imaging, [476](#)  
Magnetic Resonance Safety, [476](#)  
Magnetic Resonance Spectroscopy, [477](#)  
Magnetic Seed, [477](#)  
Magnetic Therapy, [477](#)  
Mahvash Disease, [477](#)  
Maintenance Dose, [477](#)  
Maintenance of Wakefulness Test, [514](#)  
Maintenance Therapy, [477](#)  
Major Depressive Disorder, [477](#)  
Major Histocompatibility Complex, [477](#)  
Malabsorption, [477](#)  
Malacoplakia, [477](#)  
Malaise, [477](#)  
Malakoplakia, [477](#)  
Malar Rash, [477](#)  
Malaria, [477](#)  
Malate Dehydrogenase, [478](#)  
MALDI-TOF Mass Spectrometry, [478](#)  
Male Breast Cancer, [515](#)  
Male Hypoactive Sexual Desire Disorder, [478](#)  
Male Hypogonadism, [478](#)  
Male Infertility, [478](#)  
Male Menopause, [478](#)  
Malignancy, [478](#)  
Malignant acanthosis nigricans, [478](#)  
Malignant Ascites, [478](#)  
Malignant Hypertension, [478](#)  
Malignant Hyperthermia, [478](#)  
Malignant melanoma, [478](#)  
Malignant Mesothelioma, [478](#)  
Malignant Neoplasm, [479](#)  
Malignant Peripheral Nerve Sheath Tumor, [515](#)  
Malignant Pleural Effusion, [479](#)  
Malignant syphilis, [479](#)  
Malignant Tumor, [479](#)  
Malingering, [479](#)  
Mallampati Classification, [479](#)  
Mallet, [517](#)  
Mallet Finger, [517](#)  
Malleus, [479](#)  
Mallory-Weiss Tear, [479](#)  
Malnutrition, [479](#)  
Malocclusion, [479](#)  
Malpractice, [479](#)  
Malpresentation, [479](#)  
Malrotation, [479](#)  
Maltol, [479](#)  
Mammary Duct Ectasia, [515](#)  
Mammary Gland, [480](#)  
Mammary Implant, [480](#)  
Mammogram, [480](#)  
Mammography, [480](#)  
Mandible, [480](#)  
Mandible (Lower Jaw), [435](#)  
Mandibular fracture, [480](#)  
Manganese, [480](#)  
Mania, [480](#)  
Manic Episode, [480](#)  
Manifestation, [480](#)  
Manner of Death, [480](#)  
Mannitol, [480](#)  
Mannose-Binding Lectin Deficiency, [480](#)  
Manometry, [517](#)  
Mantle Cell Lymphoma, [481](#)  
Manual Removal of Placenta, [481](#)  
MAOIs, [481](#)

---

---

Maple Syrup Urine Disease, [481](#)  
Marasmus, [481](#)  
Maraviroc, [481](#)  
Marfan Syndrome, [481](#)  
Marfanoid Habitus, [481](#)  
Marfan's syndrome, [481](#)  
Marginal Zone Lymphoma, [515](#)  
Marrow hyperplasia, [481](#)  
Mask, [481](#)  
Mass, [481](#)  
Mass Casualty Incident, [481](#)  
Masseter Muscle, [482](#)  
Massive Hemoptysis, [482](#)  
Massive Transfusion Protocol, [482](#)  
Mast Cell, [482](#)  
Mast Cell Activation Syndrome, [482](#)  
Mastalgia, [480](#)  
Mastectomy, [482](#)  
Mastication, [517](#)  
Mastitis, [482](#)  
Mastocytosis, [482](#)  
Mastoid Bone, [514](#)  
Mastoidectomy, [482](#)  
Mastoiditis, [482](#)  
Masturbation, [482](#)  
Maternal Physiologic Changes in Pregnancy, [482](#)  
Maternal Pushing (Second Stage), [483](#)  
Maternal Sepsis, [483](#)  
Maturity Onset Diabetes of the Young, [483](#)  
Maxilla, [483](#)  
Maxilla (Upper Jaw), [435](#)  
Maxillary Sinusitis, [515](#)  
Maxillofacial Prosthesis, [483](#)  
Maximum Plasma Concentration (Cmax), [483](#)  
Maximum Tolerated Dose, [483](#)  
May-Thurner Syndrome, [483](#)  
Mayo Scissors, [517](#)  
MCA Peak Systolic Velocity, [483](#)  
MCAD Deficiency, [515](#)  
McCune-Albright Syndrome, [483](#)  
McDonald Cerclage, [483](#)  
McMurray Test, [483](#)  
McRoberts Maneuver, [483](#)  
Mean Arterial Pressure, [484](#)  
Mean Corpuscular Hemoglobin Concentration, [484](#)  
Mean Corpuscular Volume, [484](#)  
Measles, [484](#)  
Measles virus, [484](#)  
Measles-Rubella Vaccine, [484](#)  
Measurable Residual Disease, [484](#)  
Meatus, [517](#)  
Meatuses, [484](#)  
Mebrofenin Scan, [484](#)  
Mechanical Circulatory Support, [484](#)  
Mechanical Insufflation-Exsufflation, [484](#)  
Mechanical Ventilation, [484](#)  
Mechanism of Death, [484](#)  
Mechanism of Toxicity, [485](#)  
Meckel Diverticulum, [485](#)  
Meckel's diverticulum, [485](#)  
Meconium Aspiration, [485](#)  
Meconium Aspiration Syndrome, [485](#)  
Meconium Ileus, [485](#)  
Meconium Peritonitis, [485](#)  
Meconium-Stained Amniotic Fluid, [485](#)  
Medial, [485](#)  
Medial Collateral Ligament Injury, [485](#)  
Medial Cuneiform, [485](#)  
Medial Rotation, [485](#)  
Median Arcuate Ligament Syndrome, [516](#)  
Median Nerve, [485](#)  
Median Plane, [486](#)  
Median rhomboid glossitis, [486](#)  
Median Survival, [486](#)  
Mediastinal Mass, [517](#)  
Mediastinitis, [486](#)  
Mediastinoscopy, [486](#)  
Mediastinum, [486](#)  
Mediators of Inflammation, [486](#)  
Medical Cannabis and Cannabidiol, [486](#)  
Medical Condition, [486](#)  
Medical Ethics, [486](#)  
Medical Examiner, [486](#)  
Medical Illness, [486](#)  
Medical Jargon, [486](#)  
Medical Jurisprudence, [486](#)  
Medical Negligence (Malpractice), [486](#)  
Medical Nutrition Therapy, [487](#)  
Medical Physicist, [487](#)  
Medical Physics, [487](#)  
Medical Privacy, [487](#)  
Medical Records, [487](#)  
Medical Tattooing, [487](#)  
Medical Tests, [487](#)  
Medication Adherence, [487](#)  
Medication Adverse-Effect Profile, [487](#)

---

---

Medication Cascade, [487](#)  
Medication Deprescribing, [487](#)  
Medication Error, [487](#)  
Medication Management, [487](#)  
Medication Overuse Headaches, [516](#)  
Medication Reconciliation, [487](#)  
Medication Review, [488](#)  
Medication Safety, [488](#)  
Medication Side Effects, [488](#)  
Medications and Treatments, [488](#)  
Medicolegal, [488](#)  
Mediterranean Diet, [488](#)  
Medulla, [517](#)  
Medulla Oblongata, [488](#)  
Medullary Sponge Kidney, [488](#)  
Medullary Thyroid Carcinoma, [488](#)  
Medulloblastoma, [488](#)  
Megaloblastic Anemia, [514](#)  
Meige Syndrome, [488](#)  
Meigs Syndrome, [488](#)  
Meiosis, [488](#)  
Melancholic Features, [489](#)  
Melanocytes, [489](#)  
Melanoma, [489](#)  
Melanoma Surveillance, [489](#)  
Melanoma Treatment, [489](#)  
Melasma, [489](#)  
Melasma (Chloasma), [489](#)  
Melatonin Receptor Agonists, [489](#)  
MELD Score, [489](#)  
melenas, [489](#)  
Melioidosis, [489](#)  
Melorheostosis, [489](#)  
Memantine, [490](#)  
Membrane Potential, [490](#)  
Membranoproliferative Glomerulonephritis, [490](#)  
Membranous Nephropathy, [490](#)  
Memory, [490](#)  
Memory Cell, [490](#)  
Memory Loss, [490](#)  
Menarche, [492](#)  
Mendelson Syndrome, [490](#)  
Meniere Disease, [490](#)  
Meninges, [490](#)  
Meningioma, [490](#)  
Meningitis, [491](#)  
Meningocele, [491](#)  
Meningococcal Disease, [491](#)  
Meningococcal infection, [491](#)  
Meningococcal Vaccine, [491](#)  
Meningoencephalitis, [491](#)  
Meningomyelocele, [515](#)  
Meniscal Injuries, [491](#)  
Meniscal Tear, [491](#)  
Menkes Disease, [491](#)  
Menkes Kinky Hair Syndrome, [491](#)  
Menopausal Hormone Therapy, [491](#)  
Menopause, [491](#)  
Menopause and Perimenopause, [492](#)  
Menorrhagia, [492](#)  
Menstrual Cramps, [492](#)  
Menstrual Cycle, [492](#)  
Menstruation, [492](#)  
Mental Health, [492](#)  
Mental Status Examination, [492](#)  
Meralgia Paresthetica, [516](#)  
Mercury, [492](#)  
Mercury Poisoning, [492](#)  
Merkel Cell Carcinoma, [492](#)  
Meropenem-vaborbactam, [492](#)  
MERRF Syndrome, [492](#)  
Mesenteric Artery Ischemia, [493](#)  
Mesenteric Ischemia, [493](#)  
Mesenteric Lymphadenitis, [516](#)  
Mesentery, [493](#)  
Mesh, [493](#)  
Mesoderm, [493](#)  
Mesothelioma, [515](#)  
Messenger RNA, [493](#)  
Meta-Analysis, [493](#)  
Metabolic Acidosis, [493](#)  
Metabolic Alkalosis, [493](#)  
Metabolic Rate, [493](#)  
Metabolic Syndrome, [493](#)  
Metabolic Tumor Volume, [493](#)  
Metabolism, [493](#)  
Metacarpals, [493](#)  
Metacarpophalangeal Joint, [494](#)  
Metachromatic Leukodystrophy, [516](#)  
Metagenomic Sequencing, [494](#)  
Metal Artifact, [494](#)  
Metal Fume Fever, [516](#)  
Metaphyseal Corner Fractures, [494](#)  
Metaphysis, [494](#)  
Metaplasia, [494](#)  
Metastasectomy, [494](#)

---



---

Metastasis, [494](#)  
Metastasis of colorectal cancer, [494](#)  
Metastasis-Free Survival, [494](#)  
Metastatic adenocarcinoma, [494](#)  
Metastatic Breast Cancer, [516](#)  
Metastatic Calcification, [494](#)  
Metastatic Cascade, [494](#)  
Metastatic Castration-Resistant Prostate Cancer, [515](#)  
Metastatic colon cancer, [495](#)  
Metastatic inguinal lymphadenopathy, [495](#)  
Metastatic lung cancer, [495](#)  
Metatarsalgia, [516](#)  
Metatarsals, [495](#)  
Metered-Dose Inhaler, [495](#)  
Metformin in Prediabetes, [495](#)  
Methacholine Challenge Test, [495](#)  
Methaemoglobinaemia, [516](#)  
Methanol Poisoning, [495](#)  
Methemoglobinemia, [495](#)  
Methicillin-resistant Staphylococcus aureus, [495](#)  
Methotrexate in Dermatology, [495](#)  
Methylation, [495](#)  
Methylene Blue, [496](#)  
Methylmalonic Acid Level, [496](#)  
Metoclopramide, [496](#)  
Metronidazole, [496](#)  
Metronidazole-associated encephalopathy, [496](#)  
Metrorrhagia, [496](#)  
Metzenbaum Scissors, [517](#)  
MIBG Scan, [496](#)  
Micafungin, [496](#)  
Michaelis-Menten Kinetics, [496](#)  
Microalbuminuria, [496](#)  
Microaneurysm, [514](#)  
Microangiopathic hemolysis, [496](#)  
Microangiopathic Hemolytic Anemia, [517](#)  
Microarray, [496](#)  
Microbiology, [516](#)  
Microbiome, [496](#)  
Microcalcification, [517](#)  
Microcephaly, [497](#)  
Microcytic Anemia, [515](#)  
Micrognathia, [497](#)  
Micrograms, [497](#)  
Micrometastasis, [497](#)  
Micromolar, [497](#)  
Micronutrients, [497](#)  
Micropenis, [517](#)  
Microphthalmia, [497](#)  
MicroRNA, [497](#)  
Microsatellite Instability, [497](#)  
Microscope, [497](#)  
Microscopic Colitis, [497](#)  
Microscopic Examination, [497](#)  
Microscopic Polyangiitis, [497](#)  
Microtia, [516](#)  
Microvascular Disease, [514](#)  
Microwave Ablation, [497](#)  
Micturition, [498](#)  
Mid-Systolic Click, [498](#)  
Mid-Upper-Arm Circumference, [498](#)  
Midaxillary Line, [498](#)  
Midbrain, [498](#)  
Midclavicular Line, [498](#)  
Middle Ear, [498](#)  
Middle East Respiratory Syndrome, [498](#)  
Middle Lobe Syndrome, [498](#)  
Midtrimester, [498](#)  
Midwife, [516](#)  
Migraine, [498](#)  
Migraine With Aura, [498](#)  
Migraine Without Aura, [498](#)  
Migrating Motor Complex, [499](#)  
Mild Cognitive Impairment, [499](#)  
Milia, [499](#)  
Miliaria crystallina, [499](#)  
Miliary TB, [499](#)  
Miliary Tuberculosis, [499](#)  
Milk-Alkali Syndrome, [499](#)  
Milliequivalent, [499](#)  
Millimolar, [499](#)  
Milrinone, [499](#)  
Milroy Disease, [499](#)  
Milroy's Disease, [516](#)  
Mindful Eating, [499](#)  
Mineralocorticoid Receptor, [499](#)  
Mineralocorticoid Receptor Antagonist, [499](#)  
Mini-Mental State Examination, [500](#)  
Minimal Change Disease, [500](#)  
Minimal Residual Disease, [500](#)  
Minimum Alveolar Concentration, [500](#)  
Minimum Bactericidal Concentration, [500](#)  
Minimum Effect Concentration, [500](#)  
Minimum inhibitory concentration, [500](#)  
Minimum Lethal Concentration, [500](#)

---

---

Minute Ventilation, [500](#)  
 Miosis, [500](#)  
 MIRD Schema, [500](#)  
 Mirizzi Syndrome, [500](#)  
 Mirror Therapy, [500](#)  
 Miscarriage, [501](#)  
 Mismatch Repair Deficiency, [501](#)  
 Misoprostol (Cytotec), [501](#)  
 Missense Variant, [501](#)  
 Mitochondria, [501](#)  
 Mitochondrial Diabetes, [501](#)  
 Mitochondrial Disease, [501](#)  
 Mitochondrial Inheritance, [501](#)  
 Mitochondrial Myopathy, [515](#)  
 Mitosis, [501](#)  
 Mitotic Figure, [501](#)  
 MitraClip, [501](#)  
 Mitral Regurgitation, [501](#)  
 Mitral Stenosis, [501](#)  
 Mitral Stenosis Murmur, [502](#)  
 Mitral Valve, [502](#)  
 Mitral Valve Insufficiency, [515](#)  
 Mitral Valve Prolapse, [502](#)  
 Mitral Valve Stenosis, [514](#)  
 Mitral-valve repair, [502](#)  
 Mittelschmerz, [515](#)  
 Mixed Connective Tissue Disease, [502](#)  
 Mixed Hearing Loss, [502](#)  
 Mixed Urinary Incontinence, [502](#)  
 MMR Vaccine, [502](#)  
 Mobile genetic elements, [502](#)  
 Mobile Health (mHealth), [502](#)  
 Mobius Syndrome, [515](#)  
 Modafinil, [502](#)  
 Modified Biophysical Profile (Modified BPP), [503](#)  
 Mohs Surgery, [503](#)  
 Molar Pregnancy, [503](#)  
 Molar Pregnancy (Hydatidiform Mole), [516](#)  
 Mole, [503](#)  
 Molecular Pathology, [503](#)  
 Molecular Testing, [503](#)  
 Molecular Weight, [503](#)  
 Molluscum Contagiosum, [503](#)  
 Molybdenum-99, [503](#)  
 Mondor's disease, [503](#)  
 Monitored Anesthesia Care, [503](#)  
 Monitoring Test, [503](#)  
 Monoamine Oxidase Inhibitors, [503](#)  
 Monoclonal Antibody, [503](#)  
 Monocyte, [504](#)  
 Mononucleosis, [504](#)  
 Monosodium urate, [504](#)  
 Monosomy, [504](#)  
 Monospot (EBV Heterophile Antibody), [504](#)  
 Monounsaturated Fat, [504](#)  
 Montevideo Units, [504](#)  
 Montgomery Tubercles, [504](#)  
 Montreal Cognitive Assessment, [504](#)  
 Mood Stabilizers, [504](#)  
 Morbid Obesity, [504](#)  
 Morbidity, [504](#)  
 Morgagni Hernia, [505](#)  
 Morning Sickness, [505](#)  
 Moro Reflex, [505](#)  
 Morphea, [517](#)  
 Mortality, [505](#)  
 Mortality Rate, [505](#)  
 Morton Neuroma, [505](#)  
 Morton's Neuroma, [514](#)  
 Mosaicism, [505](#)  
 Mosquito Clamp, [517](#)  
 Motion Analysis, [505](#)  
 Motion Artifact, [505](#)  
 Motion Correction, [505](#)  
 Motion Sickness, [505](#)  
 Motivational Interviewing, [505](#)  
 Motor Cortex, [505](#)  
 Motor Learning, [505](#)  
 Motor Unit, [506](#)  
 Motor Vehicle Accident, [490](#)  
 Mouth, [506](#)  
 Mouth Ulcers, [506](#)  
 Mouthwash, [506](#)  
 Movement Disorder, [506](#)  
 Moyamoya Disease, [506](#)  
 Mpox, [506](#)  
 Mpox (monkeypox), [506](#)  
 MR Angiography, [506](#)  
 MR Enterography, [506](#)  
 MR Neurography, [506](#)  
 MRCP (Magnetic Resonance Cholangiopancreatography), [506](#)  
 MRI, [506](#)  
 MRI (Magnetic Resonance Imaging), [507](#)  
 MRI Brain, [507](#)  
 MRI Contrast, [507](#)

---

---

MRI Joint, [507](#)  
 MRI Sequences, [507](#)  
 mRNA Vaccine, [507](#)  
 MRSA, [507](#)  
 MRSA decolonization, [507](#)  
 MRV (Magnetic Resonance Venography), [507](#)  
 mTOR, [507](#)  
 Mucocele, [507](#)  
 Mucolytic Therapy, [507](#)  
 Mucopolysaccharidosis, [515](#)  
 Mucormycosis, [507](#)  
 Mucosal Irritation, [508](#)  
 Mucosal Warts, [825](#)  
 Mucositis, [508](#)  
 Mucus Plugging, [508](#)  
 Muenke Syndrome, [508](#)  
 MUGA Scan (Multigated Acquisition Scan), [508](#)  
 Multicystic Dysplastic Kidney, [508](#)  
 Multidisciplinary Disaster Victim Identification, [508](#)  
 Multidisciplinary Team, [508](#)  
 Multidrug-Resistant TB, [508](#)  
 Multifocal Atrial Tachycardia, [508](#)  
 Multimodal Analgesia, [508](#)  
 Multimorbidity, [508](#)  
 Multiparametric MRI of the Prostate, [508](#)  
 Multiple bacterial abscesses, [509](#)  
 Multiple biliary hamartomas, [509](#)  
 Multiple Endocrine Neoplasia, [515](#)  
 Multiple Endocrine Neoplasia Type 1, [509](#)  
 Multiple Endocrine Neoplasia Type 2, [509](#)  
 Multiple endocrine neoplasia type 2B, [509](#)  
 Multiple Myeloma, [509](#)  
 Multiple Pregnancy, [509](#)  
 Multiple Sclerosis, [509](#)  
 Multiple Sleep Latency Test, [514](#)  
 Multiple System Atrophy, [509](#)  
 Multiplex PCR (BioFire, FilmArray), [509](#)  
 Multisystem Inflammatory Syndrome in Children, [518](#)  
 Mummification, [509](#)  
 Mumps, [509](#)  
 Mumps virus, [510](#)  
 Mural Thrombus, [510](#)  
 Murmur, [510](#)  
 Murmur Classification, [510](#)  
 Muscle, [510](#)  
 Muscle Atrophy, [510](#)  
 Muscle Contraction, [510](#)  
 Muscle Pain (Myalgia), [510](#)  
 Muscle Tissue, [510](#)  
 Muscle Weakness, [510](#)  
 Muscular Dystrophy, [510](#)  
 Musculocutaneous Nerve, [510](#)  
 Musculoskeletal Pain, [510](#)  
 Music Therapy, [511](#)  
 Mutagen, [511](#)  
 Mutation, [511](#)  
 Mutation Rate, [511](#)  
 Myalgic Encephalomyelitis, [511](#)  
 Myalgic Encephalomyelitis/Chronic Fatigue Syndrome, [511](#)  
 Myasthenia, [514](#)  
 Myasthenia Gravis, [511](#)  
 Myasthenic (Lambert-Eaton) syndrome, [511](#)  
 Mycobacterium abscessus, [511](#)  
 Mycobacterium avium complex, [511](#)  
 Mycobacterium leprae, [511](#)  
 Mycobacterium marinum, [511](#)  
 Mycobacterium tuberculosis, [511](#)  
 Mycology, [511](#)  
 Mycoplasma genitalium, [512](#)  
 Mycoplasma Pneumonia, [512](#)  
 Mycoplasma pneumoniae-associated mucositis, [512](#)  
 Mycosis Fungoides, [512](#)  
 Mydriasis, [512](#)  
 Myelin, [512](#)  
 Myelin Sheath, [512](#)  
 Myelodysplastic Syndrome, [512](#)  
 Myelofibrosis, [512](#)  
 Myelogram, [517](#)  
 Myelography, [512](#)  
 Myeloma, [512](#)  
 Myeloma Cast Nephropathy, [512](#)  
 Myelomeningocele, [512](#)  
 Myelopathy, [513](#)  
 Myelosuppression, [513](#)  
 Myiasis, [513](#)  
 Myocardial Infarction, [513](#)  
 Myocardial Perfusion Imaging, [513](#)  
 Myocardial Rupture, [514](#)  
 Myocardial Viability, [513](#)  
 Myocarditis, [513](#)  
 Myocarditis Diagnosis, [513](#)  
 Myocarditis Treatment, [513](#)  
 Myocardium, [513](#)  
 Myoclonus, [515](#)

---

---

Myofascial Pain Syndrome, [517](#)  
Myoglobin, [517](#)  
Myomectomy, [517](#)  
Myometrium, [516](#)  
Myopathy, [515](#)  
Myopia, [513](#)  
Myositis, [513](#)  
Myotonia Congenita, [513](#)  
Myotonic Dystrophy, [514](#)  
Myringitis, [490](#)  
Myringotomy, [517](#)  
Myringotomy with Tympanostomy Tube, [514](#)  
Myxedema, [515](#)  
Myxedema Coma, [514](#)  
Myxoma, [514](#)  
Ménière's Disease, [515](#)  
Ménétrier's disease, [514](#)

N-Acetylcysteine, [519](#)  
Na<sup>+</sup>/K<sup>+</sup> ATPase, [519](#)  
Nabothian Cyst, [519](#)  
NAD<sup>+</sup>, [519](#)  
NAD<sup>+</sup> (Nicotinamide Adenine Dinucleotide), [519](#)  
Nadir, [519](#)  
Naegele Rule, [519](#)  
Naegleria Fowleri, [519](#)  
Naegleria Infection, [519](#)  
Nail, [519](#)  
Nail Changes, [520](#)  
Nail Clubbing, [520](#)  
Nail Infection, [520](#)  
Nail Pits, [520](#)  
Nail Psoriasis, [520](#)  
Nanocolloid, [520](#)  
Narcissistic Personality Disorder, [520](#)  
Narcolepsy, [520](#)  
Narrow angle glaucoma, [520](#)  
Narrow Therapeutic Index, [520](#)  
Narrow-Complex Tachycardia, [520](#)  
Narrowband UVB Phototherapy, [520](#)  
Nasal Cannula, [520](#)  
Nasal Cavity, [520](#)  
Nasal Congestion, [521](#)  
Nasal Endoscopy, [521](#)  
Nasal Flaring, [521](#)  
Nasal Implant, [521](#)  
Nasal Obstruction, [521](#)  
Nasal Polyps, [521](#)  
Nasal Septal Hematoma, [521](#)  
Nasal Septum, [521](#)  
Nasal Septum Perforation, [540](#)  
Nasal Stent, [521](#)  
Nasal Vestibulitis, [542](#)  
Nasogastric Tube, [521](#)  
Nasopharyngeal Airway, [521](#)  
Nasopharyngeal Carcinoma, [521](#)  
Natal Teeth, [521](#)  
Natural Killer Cell, [521](#)  
Nausea, [522](#)  
Navicular, [522](#)  
NDM-1, [522](#)  
Near Miss, [522](#)  
Nearsightedness, [522](#)  
Nebulizer, [522](#)  
Neck Cancer, [522](#)  
Neck Pain, [522](#)  
Necrobiosis Lipoidica, [522](#)  
Necrobiosis lipoidica diabetorum, [522](#)  
Necrolytic migratory erythema, [522](#)  
Necropsy, [523](#)  
Necroptosis, [523](#)  
Necrosis, [523](#)  
Necrotizing anterior scleritis, [523](#)  
Necrotizing Enterocolitis, [523](#)  
Necrotizing Fasciitis, [523](#)  
Necrotizing Pneumonia, [542](#)  
Necrotizing Soft Tissue Infection, [523](#)  
Needle, [523](#)  
Needle Driver, [523](#)  
Needle Driver (Perineal), [523](#)  
Needle Driver (Vascular), [523](#)  
Needle Holder, [523](#)  
Negative Feedback, [523](#)  
Negative Predictive Value, [523](#)  
Negative Pressure Ventilation, [523](#)  
Negative Symptoms, [524](#)  
Neglect, [524](#)  
Neglect Syndrome, [524](#)  
Neisseria gonorrhoeae, [524](#)  
Neisseria meningitidis, [524](#)  
Nelson Syndrome, [524](#)  
Neoadjuvant Therapy, [524](#)  
Neonatal Abstinence Syndrome, [524](#)  
Neonatal Cephalohematoma, [524](#)  
Neonatal Conjunctivitis, [524](#)  
Neonatal Diabetes Mellitus, [524](#)

---

---

Neonatal Herpes Simplex, [524](#)  
Neonatal herpes simplex virus, [524](#)  
Neonatal hyperbilirubinemia, [525](#)  
Neonatal Hypocalcemia, [525](#)  
Neonatal Hypoglycemia, [525](#)  
Neonatal Hypothermia, [525](#)  
Neonatal Hypoxic-Ischemic Encephalopathy, [525](#)  
Neonatal Infections, [525](#)  
Neonatal Jaundice, [525](#)  
Neonatal Jaundice (Jaundice of the Newborn), [525](#)  
Neonatal Polycythemia, [525](#)  
Neonatal Resuscitation, [525](#)  
Neonatal Sepsis, [525](#)  
Neonatal Skin Conditions, [525](#)  
Neonatal thyrotoxicosis, [526](#)  
Neonatal Transition, [526](#)  
Neonatologist, [526](#)  
Neoplasm, [526](#)  
Nephrectomy, [526](#)  
Nephritic Syndrome, [526](#)  
Nephritis, [539](#)  
Nephroblastoma, [526](#)  
Nephrocalcinosis, [526](#)  
Nephrogenic Diabetes Insipidus, [526](#)  
Nephrogenic fibrosing dermopathy, [526](#)  
Nephrogenic Systemic Fibrosis, [526](#)  
Nephrolithiasis, [526](#)  
Nephron, [527](#)  
Nephron Function, [527](#)  
Nephronophthisis, [527](#)  
Nephropathy, [527](#)  
Nephroptosis (Floating Kidney), [541](#)  
Nephrosclerosis, [540](#)  
Nephrosis, [541](#)  
Nephrostomy, [527](#)  
Nephrostomy Tube, [527](#)  
Nephrotic Range Proteinuria, [527](#)  
Nephrotic Syndrome, [527](#)  
Nephrotoxic, [541](#)  
Nephrotoxicity, [527](#)  
Nerve, [527](#)  
Nerve Block, [539](#)  
Nerve Conduction Studies, [527](#)  
Nerve Conduction Study, [527](#)  
Nerve Deafness (Sensorineural Deafness), [541](#)  
Nerve Growth Factor, [541](#)  
Nerve Injury, [541](#)  
Nervous System, [541](#)  
Nervous Tissue, [527](#)  
Nettle Rash, [528](#)  
Neural Tube Defects, [528](#)  
Neuralgia, [528](#)  
Neuraminidase Inhibitors, [528](#)  
Neuritis, [541](#)  
Neuroanatomy, [541](#)  
Neuroblastoma, [528](#)  
Neurocognitive Disorder, [528](#)  
Neurocysticercosis, [528](#)  
Neurodegeneration, [528](#)  
Neuroendocrine Tumor, [528](#)  
Neuroendocrine Tumors Grading, [528](#)  
Neuroendocrinology, [541](#)  
Neurofibroma, [528](#)  
Neurofibromatosis, [528](#)  
Neurofibromatosis Type 1, [528](#)  
Neurofibromatosis Type 2, [529](#)  
Neurogenic Bladder, [529](#)  
Neurogenic megacolon, [529](#)  
Neurogenic Orthostatic Hypotension, [541](#)  
Neurogenic Shock, [529](#)  
Neuroglia, [540](#)  
Neurography, [529](#)  
Neuroleptic, [529](#)  
Neuroleptic Malignant Syndrome, [529](#)  
Neurologic Localization, [529](#)  
Neurological Examination, [529](#)  
Neurological Rehabilitation, [529](#)  
Neurology PET, [529](#)  
Neuromuscular Blocking Agents, [529](#)  
Neuromuscular Junction, [529](#)  
Neuromuscular Junction (Myoneural Junction), [435](#)  
Neuromyelitis Optica, [530](#)  
Neuron, [530](#)  
Neuropathic Pain, [530](#)  
Neuropathic Ulcer, [530](#)  
Neuropathy, [530](#)  
Neuropathy (Peripheral Neuropathy), [530](#)  
Neuroplasticity, [530](#)  
Neurosarcoidosis, [530](#)  
Neurosyphilis, [530](#)  
Neurotransmitter, [530](#)  
Neurovascular Examination, [530](#)  
Neutropenia, [530](#)  
Neutrophil Extracellular Traps, [530](#)  
Neutrophil Recruitment, [531](#)  
Neutrophilic dermatosis, [531](#)

---

---

Neutrophilic eccrine hidradenitis, [531](#)  
 Neutrophils, [540](#)  
 Nevus, [531](#)  
 Nevus comedonicus, [531](#)  
 New Daily Persistent Headache, [531](#)  
 Newborn Circumcision, [531](#)  
 Newborn Hearing Screen, [531](#)  
 Newborn Metabolic Screen, [531](#)  
 Newborn Screening, [531](#)  
 Next-Generation Sequencing, [531](#)  
 Niacin (Nicotinic Acid, Vitamin B3), [541](#)  
 Niacin (Vitamin B3), [531](#)  
 Nickel Allergy, [540](#)  
 Nickel-Chromium, [532](#)  
 Nicotine, [532](#)  
 Niemann-Pick Disease, [532](#)  
 Night Blindness, [532](#)  
 Night Eating Syndrome, [532](#)  
 Night Sweats, [532](#)  
 Night Terrors, [542](#)  
 Nightmare Disorder, [540](#)  
 NIH Stroke Scale, [532](#)  
 Nikolsky Sign, [532](#)  
 Nipah Virus Infection, [532](#)  
 Nipple, [541](#)  
 Nipple Discharge, [541](#)  
 Nipple Inversion or Retraction, [541](#)  
 Nitrates, [532](#)  
 Nitric Oxide, [539](#)  
 Nitrogen Balance, [532](#)  
 Nitrous Oxide, [532](#)  
 Nitrous Oxide for Labor, [532](#)  
 Nocardia asteroides infection, [533](#)  
 Nocardia Infection, [540](#)  
 Nocardiosis, [533](#)  
 Nocebo, [533](#)  
 Nociception, [533](#)  
 Nociceptors, [539](#)  
 Nocturia, [533](#)  
 Nocturnal Emission, [541](#)  
 Nocturnal Enuresis (Bed-Wetting), [541](#)  
 Nocturnal Lagophthalmos, [541](#)  
 Nodular lymphoid hyperplasia, [533](#)  
 Nodule, [533](#)  
 Noma, [540](#)  
 Nomogram, [533](#)  
 Non communicating Hydrocephalus, [533](#)  
 Non-Accidental Trauma, [533](#)  
 Non-Adherence, [533](#)  
 Non-Alcoholic Fatty Liver Disease, [533](#)  
 Non-Allergic Rhinitis, [533](#)  
 Non-Asthmatic Eosinophilic Bronchitis, [533](#)  
 Non-Celiac Gluten Sensitivity, [534](#)  
 Non-Communicable Disease, [534](#)  
 Non-Contact Tonometry, [534](#)  
 Non-Distensible Balloon (Vascular), [534](#)  
 Non-Functioning Pituitary Adenoma, [534](#)  
 Non-Hodgkin Lymphoma, [534](#)  
 Non-Hodgkin's Lymphoma, [540](#)  
 Non-Infectious Cystitis, [540](#)  
 Non-Invasive Prenatal Testing, [534](#)  
 Non-Invasive Ventilation, [534](#)  
 Non-Proliferative Diabetic Retinopathy, [534](#)  
 Non-Radiographic Axial Spondyloarthritis, [534](#)  
 Non-Rapid Eye Movement Sleep, [540](#)  
 Non-Rebreather Mask, [534](#)  
 Non-Small Cell Lung Cancer, [534](#)  
 Non-Stress Test, [534](#)  
 Non-Tuberculous Mycobacteria, [534](#)  
 Nonalcoholic Fatty Liver Disease, [535](#)  
 Nonalcoholic Steatohepatitis, [535](#)  
 Nonallergic Rhinitis, [540](#)  
 Noncompetitive Antagonist, [535](#)  
 Noncompetitive Inhibition, [535](#)  
 Nonconvulsive Status Epilepticus, [542](#)  
 Nondisjunction, [540](#)  
 Noninvasive Prenatal Testing, [535](#)  
 Noninvasive Ventilation, [535](#)  
 Nonketotic Hyperglycemic Hyperosmolar Syndrome, [539](#)  
 Nonmelanoma Skin Cancer, [535](#)  
 Nonselective Beta-Blockers, [535](#)  
 Nonsense Variant, [535](#)  
 Nonspecific Interstitial Pneumonia, [535](#)  
 Nonspecific Interstitial Pneumonitis, [542](#)  
 Nonsteroidal Anti-Inflammatory Drug, [535](#)  
 Nonsteroidal Anti-inflammatory Drugs, [535](#)  
 Nontuberculous Mycobacterial Infection, [540](#)  
 Nontuberculous Mycobacterial Lung Disease, [536](#)  
 Nonunion and Malunion, [536](#)  
 Nonunion Fracture, [542](#)  
 Noonan Syndrome, [536](#)  
 Normal Flora, [536](#)  
 Normal Labour, [474](#)  
 Normal Pressure Hydrocephalus, [536](#)  
 Normal Saline, [540](#)

---



---

Normal-Pressure Hydrocephalus, [539](#)  
Normalization, [536](#)  
Normocalcemic Hyperparathyroidism, [536](#)  
Normocytic Anaemia, [542](#)  
Norovirus, [536](#)  
Norovirus Infection, [536](#)  
Norrie Disease, [536](#)  
Nose, [536](#)  
Nosebleed, [536](#)  
Nosocomial, [537](#)  
Nosocomial Infection, [537](#)  
Notifiable Disease, [537](#)  
NSAIDs, [537](#)  
NSAIDs (Nonsteroidal Anti-Inflammatory Drugs), [537](#)  
NSTEMI, [537](#)  
Nuchal Cord, [542](#)  
Nuchal Rigidity, [540](#)  
Nuchal Translucency Screening, [537](#)  
Nuclear Medicine, [537](#)  
Nuclear Medicine Documentation, [537](#)  
Nuclear Medicine Reporting, [537](#)  
Nuclear Medicine Resolution, [537](#)  
Nuclear Sclerosis, [537](#)  
Nuclear Stress Test, [537](#)  
Nucleoside Analogs, [537](#)  
Nucleus, [537](#)  
Nucleus Accumbens, [539](#)  
Nucleus Pulposus, [540](#)  
Nulligravida, [640](#)  
Nullipara, [640](#)  
Number Needed to Harm, [538](#)  
Number Needed to Treat, [538](#)  
Numbness and Tingling, [538](#)  
Nummular Eczema, [542](#)  
Nummular eczema, [538](#)  
Nursing, [538](#)  
Nursing Home, [538](#)  
Nutcracker esophagus, [538](#)  
Nutcracker Syndrome, [538](#)  
Nutrient Density, [538](#)  
Nutrition, [538](#)  
Nutrition (Geriatric), [538](#)  
Nutrition (Oncology), [538](#)  
Nutrition Education, [538](#)  
Nutrition in Pregnancy, [538](#)  
Nutrition Risk Screening 2002, [539](#)  
Nutrition-Focused Physical Examination, [539](#)  
Nutritional Anemia, [540](#)  
Nutritional Assessment, [539](#)  
Nutritional Dermatoses, [539](#)  
Nutritional Screening, [539](#)  
Nyctalopia, [539](#)  
NYHA Functional Classification, [539](#)  
Nystagmus, [539](#)  
  
Obesity, [543](#)  
Obesity Hypoventilation Syndrome, [543](#)  
Obex Region, [543](#)  
Objective Response Rate, [543](#)  
Oblique Fracture, [564](#)  
Oblique Plane, [543](#)  
Obsessions, [543](#)  
Obsessive-Compulsive Disorder, [543](#)  
Obsessive-Compulsive Personality Disorder, [543](#)  
Obstetric Anal Sphincter Injury, [543](#)  
Obstetric Fistula, [566](#)  
Obstetric Ultrasound, [543](#)  
Obstetrician, [543](#)  
Obstetrics, [544](#)  
Obstipation, [564](#)  
Obstructed Infected Urinary System, [544](#)  
Obstructed Labour, [474](#)  
Obstruction, [544](#)  
Obstructive Hydrocephalus, [563](#)  
Obstructive Jaundice, [544](#)  
Obstructive Nephropathy, [544](#)  
Obstructive parotitis, [544](#)  
Obstructive Shock, [544](#)  
Obstructive Sleep Apnea, [544](#)  
Obstructive Uropathy, [544](#)  
Obturator, [544](#)  
Obturator hernia, [544](#)  
Obtuse Marginal Artery, [544](#)  
Occipital Bone, [545](#)  
Occipital Lobe, [545](#)  
Occipital Neuralgia, [545](#)  
Occiput Posterior Position, [545](#)  
Occiput Transverse Position, [545](#)  
Occlusal Guard, [545](#)  
Occlusion, [545](#)  
Occlusive Vascular Disease, [564](#)  
Occult Blood, [545](#)  
Occult Gastrointestinal Bleeding, [545](#)  
Occupational Asthma, [545](#)  
Occupational COPD, [545](#)

---

---

Occupational Dermatoses, 545  
Occupational Exposure, 545  
Occupational Exposure Limit, 545  
Occupational Health, 546  
Occupational Hearing Loss, 546  
Occupational Medicine, 546  
Occupational Rehabilitation, 546  
Occupational Therapy, 546  
Occupational Therapy Assessment, 546  
OCD, 546  
Ochronosis, 546  
Octreoscan, 546  
Ocular Histoplasmosis Syndrome, 546  
Ocular Hypertension, 546  
Ocular Melanoma, 563  
Ocular Migraine, 565  
Ocular myiasis, 546  
Ocular Pain, 546  
Ocular Rosacea, 564  
Ocular Surface Disease, 546  
Oculocerebrorenal Syndrome, 546  
Oculomotor Nerve, 563  
Oculomotor Nerve Palsy, 565  
Odds Ratio, 547  
Odontogenic cutaneous fistula, 547  
Odontogenic Cyst, 564  
Odontogenic Keratocyst, 547  
Odontoid Process, 547  
Odontoma, 547  
Odor Threshold, 547  
Odynophagia, 547  
Oedema, 565  
Oesophageal Ulcer, 547  
Oesophageal Varices, 547  
Oesophagitis, 547  
Oesophagus, 565  
Oestrogen, 547  
Oestrogen Replacement Therapy, 547  
Off-Label Use, 547  
Ogilvie Syndrome, 547  
Ogilvie's syndrome, 548  
Ointment, 548  
Okiihiro Syndrome, 548  
Olecranon, 564  
Oleothorax, 548  
Olfaction, 564  
Olfactory Nerve, 548  
Oligoclonal Bands, 548  
Oligodendroglioma, 548  
Oligohydramnios, 548  
Oligomenorrhoea, 565  
Oligometastasis, 548  
Oligospermia, 565  
Oliguria, 548  
Olive Pontocerebellar Atrophy, 548  
Omega-3, 548  
Omega-6, 548  
Omenn Syndrome, 549  
Omentectomy, 549  
Omentum, 549  
Omphalitis, 549  
Omphalocele, 549  
Onchocerca volvulus, 549  
Onchocerciasis, 549  
Oncocytoma, 549  
Oncogene, 549  
Oncogenic, 549  
Oncologic Emergency, 549  
Oncologist, 549  
Oncology PET, 549  
Oncology Rehabilitation, 550  
Oncolytic Virus, 550  
Oncosis, 550  
Oncotic Pressure, 550  
Ondine's Curse, 563  
One Health, 550  
One-Hour Glucose Challenge Test, 550  
Onychocryptosis (Ingrowing Toenail), 565  
Onycholysis, 550  
Onychomycosis, 550  
Oocyte, 550  
Oophorectomy, 550  
Oophoritis, 550  
Opacity, 550  
Open Fractures, 550  
Open Prostatectomy, 563  
Open Reduction and Internal Fixation, 551  
Open Surgery, 551  
Open-Angle Glaucoma, 565  
Open-book fracture, 551  
Open-Heart Surgery, 551  
Operative Vaginal Delivery, 551  
Ophthalmia Neonatorum, 564  
Ophthalmic Emergency, 551  
Ophthalmomyiasis, 551  
Ophthalmoplegia, 551

---

---

Ophthalmoscope, [551](#)  
Ophthalmoscopy, [551](#)  
Opiate, [551](#)  
Opioid Agonist Treatment, [551](#)  
Opioid Analgesics, [551](#)  
Opioid Antagonist, [551](#)  
Opioid Overdose, [551](#)  
Opioid Reversal, [552](#)  
Opioid Toxicity, [552](#)  
Opioid Use Disorder, [552](#)  
Opioid Withdrawal, [566](#)  
Opioids, [552](#)  
Opisthotonos, [552](#)  
Opportunistic Infection, [552](#)  
Opposition, [552](#)  
Oppositional Defiant Disorder, [552](#)  
Opsoclonus, [552](#)  
Opsonization, [552](#)  
Optic Atrophy, [552](#)  
Optic Disc, [552](#)  
Optic Disc Edema, [552](#)  
Optic Disk, [564](#)  
Optic Glioma, [553](#)  
Optic Nerve, [553](#)  
Optic Nerve Atrophy, [553](#)  
Optic Neuritis, [553](#)  
Optical Coherence Tomography, [553](#)  
Optometry, [553](#)  
Oral Cancer, [553](#)  
Oral Candidiasis, [553](#)  
Oral Cavity, [553](#)  
Oral Cavity Cancer, [553](#)  
Oral Contraceptive, [553](#)  
Oral Glucose Tolerance Test, [553](#)  
Oral Hygiene, [553](#)  
Oral Hypoglycemic, [554](#)  
Oral Leukoplakia, [554](#)  
Oral Lichen Planus, [554](#)  
Oral Medicine, [554](#)  
Oral Mucosa, [554](#)  
Oral Nutritional Supplement, [554](#)  
Oral Pathology, [554](#)  
Oral Polio Vaccine, [554](#)  
Oral Radiology, [554](#)  
Oral Rehydration Therapy (ORT), [565](#)  
Oral Sex (Fellatio, Cunnilingus), [554](#)  
Oral Squamous Cell Carcinoma, [554](#)  
Oral Surgery, [554](#)  
Oral Toxicity, [554](#)  
Oral Ulcer, [554](#)  
Orbit, [564](#)  
Orbital Cellulitis, [555](#)  
Orbital Fracture, [565](#)  
Orbital Irradiation, [563](#)  
Orbital metastasis, [555](#)  
Orbital Pseudotumor, [555](#)  
Orchiectomy, [555](#)  
Orchitis, [555](#)  
Orexin Receptor Antagonists, [555](#)  
Orf, [555](#)  
Organ, [555](#)  
Organ System, [555](#)  
Organ Transplants, [555](#)  
Organelle, [564](#)  
Organophosphate, [555](#)  
Organophosphate Poisoning, [555](#)  
Orifice, [564](#)  
Orogastric Tube, [555](#)  
Oropharyngeal Airway, [555](#)  
Oropharyngeal Carcinoma, [555](#)  
Oropharyngeal Dysphagia, [566](#)  
Oropharynx, [556](#)  
Orphan Drug, [556](#)  
Orthodontic Bracket, [556](#)  
Orthodontic Retainer, [556](#)  
Orthodontics, [556](#)  
Orthognathic Surgery, [556](#)  
Orthopedic Biologics, [556](#)  
Orthopedic Implant, [556](#)  
Orthopedic Infections, [556](#)  
Orthopedic Rehabilitation, [556](#)  
Orthopedic Screws, [556](#)  
orthopedics, [556](#)  
Orthopnea, [556](#)  
Orthopneic Position, [564](#)  
Orthopnoea, [556](#)  
Orthorexia, [557](#)  
Orthosis, [557](#)  
Orthostatic Hypotension, [557](#)  
Orthostatic Intolerance, [557](#)  
Orthotic Training, [557](#)  
Ortolani's Sign, [565](#)  
Osborn wave, [557](#)  
OSFED, [557](#)  
Osgood-Schlatter Disease, [557](#)  
Osler Nodes, [557](#)

---

---

Osmolality, [557](#)  
Osmosis, [557](#)  
Osmotic Demyelination Syndrome, [557](#)  
Osmotic Diarrhea, [558](#)  
Osmotic Fragility Test, [558](#)  
Osmotic Pressure, [558](#)  
Osseointegration, [558](#)  
Ossicles, [558](#)  
Ossification, [564](#)  
Osteitis, [565](#)  
Osteoarthritis, [558](#)  
Osteoarthritis (Geriatric), [558](#)  
Osteoblast, [558](#)  
Osteochondritis Dissecans, [558](#)  
Osteochondroma, [558](#)  
Osteochondrosis, [564](#)  
Osteoclast, [558](#)  
Osteocyte, [558](#)  
Osteodystrophy, [564](#)  
Osteogenesis Imperfecta, [558](#)  
Osteogenic Sarcoma, [564](#)  
Osteoid Osteoma, [559](#)  
Osteoma, [564](#)  
Osteomalacia, [559](#)  
Osteomyelitis, [559](#)  
Osteonecrosis (Avascular Necrosis), [559](#)  
Osteonecrosis of the Jaw, [566](#)  
Osteopathy, [559](#)  
Osteopenia, [559](#)  
Osteopetrosis, [559](#)  
Osteophyte, [565](#)  
Osteoplasty, [564](#)  
Osteoporosis, [559](#)  
Osteoporosis Fracture Risk Assessment, [559](#)  
Osteosarcoma, [559](#)  
Osteotome, [565](#)  
Osteotomy, [559](#)  
Ostomy, [559](#)  
Ostomy Appliance, [559](#)  
Ostraceous psoriasis, [560](#)  
Otalgia (Earache), [565](#)  
Other Pain Conditions, [560](#)  
Other Specified Sexual Dysfunction, [560](#)  
Otic capsule, [560](#)  
Otitis Externa, [560](#)  
Otitis media, [560](#)  
Otitis Media with Effusion, [560](#)  
Otocephaly, [560](#)  
Otolaryngology, [560](#)  
Otolith, [565](#)  
Otology, [560](#)  
Otorhinolaryngology, [564](#)  
Otorrhea, [560](#)  
Otorrhoea, [565](#)  
Otosclerosis, [560](#)  
Otoscope, [560](#)  
Otoscopy, [560](#)  
Outbreak, [561](#)  
Outcome Measurement, [561](#)  
Outcome Research, [561](#)  
Outer Ear, [561](#)  
Outpatient Rehabilitation, [561](#)  
Ovarian Cancer, [561](#)  
Ovarian Cyst, [561](#)  
Ovarian Hyperstimulation Syndrome, [561](#)  
Ovarian Pregnancy, [561](#)  
Ovarian Torsion, [561](#)  
Ovariectomy, [561](#)  
Ovary, [561](#)  
Over-the-Counter, [561](#)  
Over-the-Counter Drug, [561](#)  
Over-the-Counter Medications, [561](#)  
Overactive Bladder, [562](#)  
Overall Survival, [562](#)  
Overdenture, [562](#)  
Overdose, [562](#)  
Overflow Urinary Incontinence, [562](#)  
Overgrowth Syndrome, [562](#)  
Overlap Myositis, [562](#)  
Overt Proteinuria, [563](#)  
Ovulation, [562](#)  
Ovum, [562](#)  
Oxalate, [562](#)  
Oxaloacetate, [562](#)  
Oxidative Phosphorylation, [562](#)  
Oxidative Stress, [562](#)  
Oxygen, [564](#)  
Oxygen Consumption, [562](#)  
Oxygen Delivery, [563](#)  
Oxygen Enhancement Ratio, [563](#)  
Oxygen Mask, [563](#)  
Oxygen Saturation, [563](#)  
Oxygen Toxicity, [566](#)  
Oxygen-Hemoglobin Dissociation Curve, [563](#)  
Oxytocics, [563](#)  
Oxytocin Infusion, [563](#)

---

---

Ozaena, [563](#)

P Wave, [567](#)

P2Y12 Inhibitor, [567](#)

p53 Tumor Suppressor, [567](#)

Pacemaker, [567](#)

Pacemaker Complications, [567](#)

Pachygyria, [567](#)

Pachymeningitis, [567](#)

Pacing, [567](#)

PACS, [567](#)

PAD Management, [567](#)

Page kidney, [567](#)

Paget Disease of Bone, [568](#)

Paget Disease of the Nipple, [568](#)

Paget's Disease, [568](#)

Pain, [568](#)

Pain (Geriatric), [568](#)

Pain (Vascular), [568](#)

Pain Assessment Scales, [568](#)

Pain Management, [568](#)

Pain Relief (Analgesia), [568](#)

Pair Production, [568](#)

Palate, [639](#)

Palatine Tonsils, [640](#)

Paleness, [568](#)

Palindromic Rheumatism, [568](#)

Palliative Care, [568](#)

Palliative Rehabilitation, [568](#)

Pallister-Hall Syndrome, [569](#)

Pallor, [569](#)

Palmar erythema of pregnancy, [569](#)

Palmar Grasp Reflex, [569](#)

Palpation, [569](#)

Palpebral Conjunctiva, [569](#)

Palpitation, [569](#)

Palsy of the long thoracic nerve, [569](#)

Pancoast Syndrome, [569](#)

Pancoast Tumor, [569](#)

Pancolitis, [638](#)

Pancreas, [569](#)

Pancreas Divisum, [569](#)

Pancreatectomy, [569](#)

Pancreatic Abscess, [569](#)

Pancreatic Adenocarcinoma, [570](#)

Pancreatic Cancer, [570](#)

Pancreatic Cysts, [638](#)

Pancreatic Duct, [570](#)

Pancreatic Elastase, [570](#)

Pancreatic Enzyme, [570](#)

Pancreatic Exocrine Insufficiency, [570](#)

Pancreatic Insufficiency, [570](#)

Pancreatic Islets, [640](#)

Pancreatic Mass, [570](#)

Pancreatic Neuroendocrine Tumors, [570](#)

Pancreatic Pseudocyst, [570](#)

Pancreatic Surgery, [570](#)

Pancreatic Trauma, [570](#)

Pancreatitis, [571](#)

Pancreatoblastoma, [571](#)

Pancreatography, [571](#)

Pancytopenia, [571](#)

PANDAS, [571](#)

Pandemic, [571](#)

Paneth Cell, [571](#)

Panhypopituitarism, [640](#)

Panic Attack, [571](#)

Panic Attacks and Panic Disorder, [638](#)

Panic Disorder, [571](#)

Panlobular Emphysema, [571](#)

Panniculitis, [571](#)

Pannus, [636](#)

Panoramic Radiograph, [571](#)

Panretinal Photocoagulation, [571](#)

Panuveitis, [571](#)

Pap Smear, [571](#)

Papillary Muscle, [572](#)

Papillary Thyroid Carcinoma, [572](#)

Papilledema, [572](#)

Papilloma, [572](#)

Papillomatosis cutis lymphostatica, [572](#)

Papular, [572](#)

Papular Urticaria, [572](#)

Papule, [572](#)

Paracentesis, [572](#)

Paracetamol overdose, [572](#)

Paracetamol Toxicity, [572](#)

Paraesophageal hernia, [572](#)

Paraganglioma, [572](#)

Paragonimiasis, [573](#)

Parainfluenza, [573](#)

Paralysis, [640](#)

Paranasal Sinuses, [573](#)

Paraneoplastic disorder, [573](#)

Paraneoplastic Neurologic Syndrome, [573](#)

Paraneoplastic Syndrome, [573](#)

---

---

Paranoia, [573](#)  
 Paraparesis, [640](#)  
 Paraphilia, [573](#)  
 Paraphimosis, [573](#)  
 Paraplegia, [636](#)  
 Parapneumonic Effusion, [573](#)  
 Parapneumonic Pleural Effusion, [573](#)  
 Paraquat, [573](#)  
 Paraseptal Emphysema, [573](#)  
 Parasite, [573](#)  
 Parasitemia, [573](#)  
 Parasitic Infections, [574](#)  
 Parasitology, [574](#)  
 Parasomnias, [636](#)  
 Parasympathetic Nervous System, [574](#)  
 Parasympatholytic, [574](#)  
 Parasympathomimetic, [574](#)  
 Parathyroid, [574](#)  
 Parathyroid Carcinoma, [640](#)  
 Parathyroid Crisis, [574](#)  
 Parathyroid Hormone, [636](#)  
 Parathyroid Hormone Physiology, [574](#)  
 Parathyroid Hyperplasia, [574](#)  
 Parathyroid Surgery, [574](#)  
 Parathyroidectomy, [574](#)  
 Paratyphoid Fever, [640](#)  
 Parenchyma, [640](#)  
 Parenteral Nutrition, [574](#)  
 Paresthesia, [575](#)  
 Parietal Bone, [641](#)  
 Parietal Lobe, [575](#)  
 Parinaud Syndrome, [575](#)  
 Park-Bench Position, [637](#)  
 Parkinson Disease, [575](#)  
 Parkinson's Disease, [575](#)  
 Parkinsonism, [575](#)  
 Paronychia, [575](#)  
 Parotid Gland, [575](#)  
 Parotid Tumors, [638](#)  
 Parotitis, [575](#)  
 Paroxysmal Hemicrania, [636](#)  
 Paroxysmal Nocturnal Dyspnea, [575](#)  
 Paroxysmal Nocturnal Hemoglobinuria, [575](#)  
 Paroxysmal Supraventricular Tachycardia, [575](#)  
 Partial Agonist, [575](#)  
 Partial Denture, [576](#)  
 Partial Response, [576](#)  
 Partial Thromboplastin Time, [576](#)  
 Partial Volume Artifact, [576](#)  
 Partial-Volume Effect, [576](#)  
 Particle (Vascular), [576](#)  
 Particulate Matter, [576](#)  
 Partograph (Partogram), [576](#)  
 Parturition (Childbirth), [576](#)  
 Parvovirus B19, [576](#)  
 Parvovirus B19 infection, [576](#)  
 Parvovirus Infection, [638](#)  
 Passive Immunity, [636](#)  
 Pasteurella multocida, [576](#)  
 Pasteurellosis, [641](#)  
 Pasteurization, [576](#)  
 Patau Syndrome, [576](#)  
 Patch, [576](#)  
 Patch (Vascular), [577](#)  
 Patch Graft, [577](#)  
 Patch Test, [636](#)  
 Patch Testing, [577](#)  
 Patella, [577](#)  
 Patella (Kneecap), [577](#)  
 Patellofemoral Instability, [577](#)  
 Patellofemoral Pain Syndrome, [577](#)  
 Patent Ductus Arteriosus, [577](#)  
 Patent Foramen Ovale, [577](#)  
 Paternal uniparental disomy 14 (UDP 14 pat) thoro-  
     racic dysplasia, [577](#)  
 Paternity Testing, [577](#)  
 Pathogen, [577](#)  
 Pathogenesis, [577](#)  
 Pathogenic Variant, [577](#)  
 Pathogenicity, [578](#)  
 Pathologic Fracture, [578](#)  
 Pathologic Hypertrophy, [578](#)  
 Pathology, [578](#)  
 Pathology Artifact, [578](#)  
 Pathophysiology, [641](#)  
 Patient, [578](#)  
 Patient Advocacy, [578](#)  
 Patient Communication, [578](#)  
 Patient Education, [578](#)  
 Patient Positioning, [578](#)  
 Patient Preparation, [578](#)  
 Patient Safety, [578](#)  
 Patient-Centered Care, [578](#)  
 Patient-Centered Outcome, [578](#)  
 Patient-Controlled Analgesia, [578](#)  
 Patient-Reported Outcome Measure, [579](#)

---



---

Patlak Plot, [579](#)  
Pattern Recognition Receptors, [579](#)  
Pattern-Recognition Receptors, [636](#)  
Pavor Nocturnus (Night Terrors), [641](#)  
PCL Injuries, [579](#)  
PCOS, [579](#)  
PCR (Polymerase Chain Reaction), [579](#)  
PDE5 Inhibitors, [636](#)  
PE Anticoagulation, [579](#)  
Peak Expiratory Flow Rate, [579](#)  
Peak Flow Meter, [579](#)  
Peanut Allergy, [638](#)  
Pearly penile papules, [579](#)  
Pectoralis Major Muscle, [579](#)  
Pectoralis Minor Muscle, [579](#)  
Pectoriloquy, [641](#)  
Pectus Carinatum, [579](#)  
Pectus Excavatum, [580](#)  
Pediatric Anesthesia, [580](#)  
Pediatric Appendicitis, [580](#)  
Pediatric Brain Tumors, [638](#)  
Pediatric Cancer, [580](#)  
Pediatric Dentistry, [580](#)  
Pediatric Dermatology, [580](#)  
Pediatric Dermatology Conditions, [580](#)  
Pediatric Diabetic Ketoacidosis, [580](#)  
Pediatric Eczema, [580](#)  
Pediatric Fever, [580](#)  
Pediatric Health, [580](#)  
Pediatric Meningitis, [580](#)  
Pediatric Nuclear Medicine, [581](#)  
Pediatric Obstructive Sleep Apnea, [638](#)  
Pediatric Rehabilitation, [581](#)  
Pediatric Shock, [581](#)  
Pediatric Skin Tumors, [581](#)  
Pediatric Toxicology, [581](#)  
Pediatrician, [581](#)  
Pediatrics, [581](#)  
Pediculosis, [581](#)  
Pediculosis Capitis, [581](#)  
Pediculus humanus capitis, [581](#)  
Pedigree, [581](#)  
Pedophilic Disorder, [581](#)  
PEG Tube, [581](#)  
Pellagra, [582](#)  
Pelvic Binder, [582](#)  
Pelvic Cavity, [582](#)  
Pelvic Congestion Syndrome, [582](#)  
Pelvic Floor Dysfunction, [582](#)  
Pelvic Floor Health and Disorders, [582](#)  
Pelvic Girdle Pain in Pregnancy, [642](#)  
Pelvic Inflammatory Disease, [582](#)  
Pelvic Inlet, [582](#)  
Pelvic Organ Prolapse, [582](#)  
Pelvic Outlet, [582](#)  
Pelvic Pain, [582](#)  
Pelvic spleen, [582](#)  
Pelvimetry, [640](#)  
Pelvis, [583](#)  
Pemberton Sign, [583](#)  
Pemberton's sign, [583](#)  
Pemphigoid, [583](#)  
Pemphigoid gestationis, [583](#)  
Pemphigus, [583](#)  
Pemphigus Vulgaris, [583](#)  
Penetrance, [583](#)  
Penetrating Abdominal Trauma, [583](#)  
Penicillin Allergy, [638](#)  
Penile Adhesions, [583](#)  
Penile Cancer, [584](#)  
Penile Discharge, [583](#)  
Penile Edema, [583](#)  
Penile Fracture, [584](#)  
Penile Hygiene, [584](#)  
Penile Implant, [584](#)  
Penile Prosthesis, [584](#)  
Penile Torsion, [584](#)  
Penis, [584](#)  
Pentad of TTP, [584](#)  
Pentavalent Vaccine, [584](#)  
Pentose Phosphate Pathway, [584](#)  
Penumbra, [641](#)  
Peptic Ulcer, [584](#)  
Peptic Ulcer Bleeding, [584](#)  
Peptic Ulcer Disease, [584](#)  
Peptide Bond, [585](#)  
Percussion, [585](#)  
Percussion Note, [585](#)  
Percutaneous Biopsy, [585](#)  
Percutaneous Coronary Intervention, [585](#)  
Percutaneous Discectomy, [637](#)  
Percutaneous Drainage, [585](#)  
Percutaneous Endoscopic Gastrostomy, [581](#)  
Percutaneous Nephrolithotomy, [585](#)  
Percutaneous Transluminal Angioplasty, [585](#)  
Percutaneous Umbilical Blood Sampling, [585](#)

---

---

Perforation, [637](#)  
 Perforation of a viscus, [585](#)  
 Performance Status, [585](#)  
 Perfusion, [585](#)  
 Perfusion Defect, [637](#)  
 Perfusion Imaging, [585](#)  
 Perfusion PET, [585](#)  
 Periapical Abscess, [585](#)  
 Periapical Granuloma, [586](#)  
 Pericardial Cavity, [586](#)  
 Pericardial Effusion, [586](#)  
 Pericardial Effusion Etiology, [586](#)  
 Pericardial Knock, [586](#)  
 Pericardial metastases, [586](#)  
 Pericardial Tamponade, [586](#)  
 Pericardiocentesis, [586](#)  
 Pericarditis, [586](#)  
 Pericardium, [586](#)  
 Perichondritis of the Ear, [586](#)  
 Pericoronitis, [586](#)  
 Periductal mastitis, [587](#)  
 Perilymphatic Fistula, [587](#)  
 Perimenopause, [587](#)  
 Perinatal Asphyxia, [642](#)  
 Perinatal Psychiatry, [587](#)  
 Perineal Laceration, [587](#)  
 Perineal Laceration Classification, [587](#)  
 Perineal Protection, [587](#)  
 Perineal Tear, [587](#)  
 Perineum, [587](#)  
 Periodontal Abscess, [587](#)  
 Periodontal Disease, [587](#)  
 Periodontal Flap Surgery, [587](#)  
 Periodontal Ligament, [587](#)  
 Periodontal Pocket, [587](#)  
 Periodontal Probing, [588](#)  
 Periodontitis, [588](#)  
 Perioperative Antibiotic Prophylaxis, [588](#)  
 Perioral Dermatitis, [588](#)  
 Periosteum, [588](#)  
 Peripancreatic malignancy, [588](#)  
 Peripartum, [640](#)  
 Peripartum Cardiomyopathy, [588](#)  
 Peripartum Cardiomyopathy Prognosis, [588](#)  
 Peripheral, [588](#)  
 Peripheral Arterial Disease, [588](#)  
 Peripheral Artery Disease, [588](#)  
 Peripheral Blood Smear, [588](#)  
 Peripheral Edema, [589](#)  
 Peripheral Nerve Blocks, [589](#)  
 Peripheral Nerve Injuries, [589](#)  
 Peripheral Nerve Tumors, [638](#)  
 Peripheral Nervous System, [589](#)  
 Peripheral Neuropathy, [589](#)  
 Peripherally Inserted Central Catheter, [597](#)  
 Periprosthetic Joint Infection, [589](#)  
 Perirenal extramedullary hematopoiesis, [589](#)  
 Peristalsis, [589](#)  
 Peritoneal Carcinomatosis, [589](#)  
 Peritoneal Dialysis, [589](#)  
 Peritoneal Dialysis Catheter, [589](#)  
 Peritoneal Infection, [589](#)  
 Peritoneum, [589](#)  
 Peritonitis, [590](#)  
 Peritonitis in PD, [590](#)  
 Peritonsillar Abscess, [590](#)  
 Periungual fibroma, [590](#)  
 Periventricular Leukomalacia, [590](#)  
 Permissive Hypercapnia, [590](#)  
 Pernicious Anemia, [590](#)  
 Peroxisome, [590](#)  
 Persistent Asthma, [590](#)  
 Persistent Depressive Disorder, [590](#)  
 Persistent Organic Pollutant, [590](#)  
 Persistent Pulmonary Hypertension of the Newborn, [590](#)  
 Persistent pupillary membranes, [590](#)  
 Personal Protective Equipment, [591](#)  
 Personality Disorder, [591](#)  
 Personalized Medicine, [591](#)  
 Pertussis, [591](#)  
 Pes Anserinus, [640](#)  
 Pessaries, [591](#)  
 Pessary, [591](#)  
 PET Scan, [591](#)  
 PET Scan (Positron Emission Tomography), [591](#)  
 PET Scanner, [591](#)  
 PET Tracers, [591](#)  
 PET/CT, [591](#)  
 PET/MRI, [591](#)  
 Petechiae, [591](#)  
 Petit Mal, [591](#)  
 Peutz-Jeghers Syndrome, [592](#)  
 Peutz-Jeghers's syndrome, [592](#)  
 Peyer Patches, [640](#)  
 Peyronie Disease, [592](#)

---

---

Peyronie's Disease, [637](#)  
Pfeiffer Syndrome, [592](#)  
pH, [592](#)  
pH Monitoring, [592](#)  
Phacoemulsification, [592](#)  
Phagocytes, [637](#)  
Phagocytosis, [592](#)  
Phalanges, [592](#)  
Phalen Test, [592](#)  
Phantom, [592](#)  
Phantom Limb Pain, [592](#)  
Phantosmia, [592](#)  
Pharmaceutical, [592](#)  
Pharmacodynamic Interaction, [592](#)  
Pharmacodynamics, [593](#)  
Pharmacogenetics, [593](#)  
Pharmacogenomics, [593](#)  
Pharmacokinetic Interaction, [593](#)  
Pharmacokinetics, [593](#)  
Pharmacological Stress Test, [593](#)  
Pharmacology, [593](#)  
Pharmacovigilance, [593](#)  
Pharyngeal Tonsil, [593](#)  
Pharyngitis, [593](#)  
Pharynx, [593](#)  
Phase I Metabolism, [593](#)  
Phase II Metabolism, [593](#)  
Phencyclidine, [593](#)  
Phenotype, [593](#)  
Phenylketonuria, [594](#)  
Pheochromocytoma, [594](#)  
Philadelphia Chromosome, [638](#)  
Phimosis, [594](#)  
Phlebitis, [594](#)  
Phlebography, [594](#)  
Phlegmasia cerulea dolens, [594](#)  
Phobias, [594](#)  
Phocomelia, [594](#)  
Phonocardiography, [638](#)  
Phonophobia, [637](#)  
Phorometer, [638](#)  
Phosphate, [594](#)  
Phosphate Binders, [594](#)  
Phosphate Homeostasis, [594](#)  
Phosphodiesterase Inhibitor, [594](#)  
Phosphodiesterase-5 Inhibitors, [595](#)  
Phosphofructokinase-1, [595](#)  
Phospholipase C Pathway, [595](#)  
Phospholipid, [595](#)  
Phosphorus, [595](#)  
Photoallergy, [595](#)  
Photocoagulation, [595](#)  
Photodynamic Therapy, [595](#)  
Photoelectric Effect, [595](#)  
Photomultiplier Tube, [595](#)  
Photopeak, [595](#)  
Photopheresis, [595](#)  
Photophobia, [595](#)  
Photorefractive Keratectomy, [637](#)  
Photosensitivity, [595](#)  
Photosensitization, [638](#)  
Phototherapy, [595](#)  
Phototoxic dermatitis, [596](#)  
Phototoxicity, [596](#)  
Phrenic Nerve, [596](#)  
Phyllodes Tumor, [596](#)  
Physiatrist, [596](#)  
Physical Dependence, [637](#)  
Physical Examination, [638](#)  
Physical Half-Life, [596](#)  
Physical Therapy, [638](#)  
Physical Therapy Assessment, [596](#)  
Physiologic Jaundice of Newborn, [596](#)  
Physiological Dead Space, [596](#)  
Physiology, [596](#)  
Phytomedicine, [639](#)  
Phytomenadione, [596](#)  
PI-RADS, [596](#)  
Pia Mater, [596](#)  
Pica, [596](#)  
Pick's Disease, [637](#)  
Pierre Robin Sequence, [597](#)  
Pierson Syndrome, [597](#)  
Pigment Cirrhosis, [597](#)  
Pigmentary mosaicism, [597](#)  
Pilar Cyst, [597](#)  
Piles (Hemorrhoids), [597](#)  
Pilonidal Cyst, [640](#)  
Pilonidal Disease, [597](#)  
Pilonidal Sinus Disease, [597](#)  
Pineal Gland, [639](#)  
Pineal Gland Tumor, [597](#)  
Pinguecula, [597](#)  
Pink Eye, [597](#)  
Pink Puffer, [597](#)  
Pinna, [598](#)

---

---

Pinworm, [598](#)  
Piriformis Syndrome, [598](#)  
Pisiform, [598](#)  
Pitting Edema, [639](#)  
Pituitary Adenoma, [598](#)  
Pituitary Apoplexy, [598](#)  
Pituitary Gland, [598](#)  
Pituitary tumor, [598](#)  
Pityriasis Rosea, [598](#)  
Placebo, [598](#)  
Placebo Effect, [598](#)  
Placenta, [598](#)  
Placenta increta, [599](#)  
Placenta Praevia, [599](#)  
Placenta Previa, [639](#)  
Placental Abnormalities, [639](#)  
Placental Abruption, [599](#)  
Placental Accreta Spectrum, [599](#)  
Placental Separation Signs, [599](#)  
Plague, [599](#)  
Plane Warts (Verruca Plana), [825](#)  
Plant Thorn Synovitis, [599](#)  
Plantar Fasciitis, [599](#)  
Plantar Wart (Verruca Plantaris), [599](#)  
Plantar warts, [599](#)  
Plantar Warts (Verruca Plantaris), [825](#)  
Plaque, [599](#)  
Plaque Assay, [599](#)  
Plasma Cell, [599](#)  
Plasma Cell Myeloma, [600](#)  
Plasma Concentration, [600](#)  
Plasmacytoma, [600](#)  
Plasmids, [600](#)  
Plasmin, [639](#)  
Plasmodium vivax, [600](#)  
Plastic bronchitis, [600](#)  
Plate Method, [600](#)  
Platelet, [637](#)  
Platelet Aggregation, [600](#)  
Platelet Count, [600](#)  
Platelet Function Disorders, [600](#)  
Platelet Plug Formation, [600](#)  
Platelets (Thrombocytes), [600](#)  
Platypnea, [600](#)  
Pleiotropy, [601](#)  
Pleomorphic Adenoma, [601](#)  
Pleomorphism, [601](#)  
Plethysmography, [639](#)  
Pleura, [601](#)  
Pleural Cavity, [601](#)  
Pleural Disorders, [639](#)  
Pleural Effusion, [601](#)  
Pleural Fluid Glucose, [601](#)  
Pleural Fluid pH, [601](#)  
Pleural Friction Rub, [601](#)  
Pleural perforation, [601](#)  
Pleural Plaque, [601](#)  
Pleural Space, [639](#)  
Pleurectomy, [601](#)  
Pleurisy, [601](#)  
Pleuritis, [601](#)  
Pleurodesis, [602](#)  
Pleurodynia, [602](#)  
Plexus, [602](#)  
Plombage, [602](#)  
Plug (Vascular), [602](#)  
Plummer-Vinson Syndrome, [602](#)  
Pneumatic Otoscopy, [602](#)  
Pneumatic Retinopexy, [602](#)  
Pneumatocele, [602](#)  
Pneumatoxis cystoides coli, [602](#)  
Pneumatoxis Cystoides Intestinalis, [602](#)  
Pneumatoxis Intestinalis, [602](#)  
Pneumocephalus, [602](#)  
Pneumococcal Conjugate Vaccine, [602](#)  
Pneumococcal sepsis, [603](#)  
Pneumoconiosis, [603](#)  
Pneumocystis Jirovecii Pneumonia, [603](#)  
Pneumocystis Pneumonia, [603](#)  
Pneumography, [603](#)  
Pneumomediastinum, [603](#)  
Pneumonectomy, [603](#)  
Pneumonia, [603](#)  
Pneumonitis, [639](#)  
Pneumopericardium, [603](#)  
Pneumoperitoneum, [603](#)  
Pneumoplasty, [639](#)  
Pneumotachometer, [639](#)  
Pneumothorax, [603](#)  
POEMS Syndrome, [603](#)  
Point Mutation, [603](#)  
Point-of-Care Testing, [604](#)  
Point-of-Care Ultrasound, [604](#)  
Poison Control, [604](#)  
Poison-Center Consultation, [604](#)  
Poisoning, [604](#)

---

---

Poland Syndrome, [604](#)  
 Polio, [604](#)  
 Poliomyelitis, [604](#)  
 Poliovirus, [604](#)  
 Polish (Dental), [604](#)  
 Polyarteritis Nodosa, [604](#)  
 Polychondritis, [604](#)  
 Polycystic Kidney Disease, [604](#)  
 Polycystic Liver Disease, [605](#)  
 Polycystic Ovary Syndrome, [605](#)  
 Polycythemia, [605](#)  
 Polycythemia Vera, [605](#)  
 Polydactylism, [605](#)  
 Polydactyly, [605](#)  
 Polydipsia, [605](#)  
 Polyethylene Glycol, [605](#)  
 Polygenic Inheritance, [605](#)  
 Polygenic Risk Score, [605](#)  
 Polyhydramnios, [605](#)  
 Polymastia, [605](#)  
 Polymerase Chain Reaction, [605](#)  
 Polymicrobial infections, [605](#)  
 Polymicrogyria, [606](#)  
 Polymyalgia Rheumatica, [606](#)  
 Polymyositis, [606](#)  
 Polyneuropathy, [640](#)  
 Polyp Surveillance Colonoscopy, [606](#)  
 Polyphagia, [606](#)  
 Polypharmacy, [606](#)  
 Polysomnography, [606](#)  
 Polysomnography (Sleep Study), [606](#)  
 Polyunsaturated Fat, [606](#)  
 Polyuria, [606](#)  
 Pons, [606](#)  
 Popliteal Aneurysm, [606](#)  
 Popliteal Artery, [607](#)  
 Popliteal Fossa, [607](#)  
 Population Attributable Fraction, [607](#)  
 Population Attributable Risk, [607](#)  
 Porcelain Gallbladder, [607](#)  
 Porencephaly, [607](#)  
 Porphyria Cutanea Tarda, [607](#)  
 Porphyrias, [607](#)  
 Portal Hypertension, [607](#)  
 Portal Hypertensive Gastropathy, [607](#)  
 Portal System, [607](#)  
 Portal Vein, [607](#)  
 Portal Vein Thrombosis, [608](#)  
 Portion Control, [608](#)  
 Portopulmonary Syndrome, [608](#)  
 Positional Asphyxia, [608](#)  
 Positive End-Expiratory Pressure, [608](#)  
 Positive Feedback, [608](#)  
 Positive Predictive Value, [608](#)  
 Positive Predictive Value in Surveillance, [608](#)  
 Positive Pressure Ventilation, [608](#)  
 Positive Symptoms, [608](#)  
 Positron, [608](#)  
 Positron Emission Mammography, [608](#)  
 Positron Emission Tomography, [608](#)  
 Post-Acute Rehabilitation, [609](#)  
 Post-Cardiac Arrest Management, [609](#)  
 Post-Concussion Syndrome, [609](#)  
 Post-Dural Puncture Headache, [609](#)  
 Post-exposure prophylaxis, [609](#)  
 Post-hepatic Jaundice (Obstructive Jaundice), [435](#)  
 Post-Infectious Cough, [609](#)  
 Post-Mortem, [609](#)  
 Post-Natal Depression, [641](#)  
 Post-Obstructive Pneumonia, [609](#)  
 Post-Operative Atelectasis, [609](#)  
 Post-Partum Haemorrhage, [641](#)  
 Post-Pneumonectomy Syndrome, [609](#)  
 Post-Streptococcal Glomerulonephritis, [609](#)  
 Post-Surgical Pain, [609](#)  
 Post-Surgical Rehabilitation, [610](#)  
 Post-Term Pregnancy, [610](#)  
 Post-Test Probability, [610](#)  
 Post-Thrombotic Syndrome, [610](#)  
 Post-Transfusion Purpura, [610](#)  
 Post-Traumatic Stress Disorder, [610](#)  
 Post-Void Residual, [610](#)  
 Post-Void Residual Volume, [610](#)  
 Postanesthesia Care Unit, [610](#)  
 Postcholecystectomy Syndrome, [610](#)  
 Postconcussion Syndrome, [638](#)  
 Posterior, [610](#)  
 Posterior Cruciate Ligament Injury, [610](#)  
 Posterior Cruciate Ligament Tear, [610](#)  
 Posterior Descending Artery, [611](#)  
 Posterior Drawer Test, [611](#)  
 Posterior Myocardial Infarction, [637](#)  
 Posterior Pituitary, [611](#)  
 Posterior reversible encephalopathy syndrome, [611](#)  
 Posterior Subcapsular Cataract, [611](#)  
 Posterior Tibial Artery, [611](#)

---

---

Posterior Urethral Valves, [611](#)  
Posterior Uveitis, [611](#)  
Posterior Vitreous Detachment, [611](#)  
Postherpetic Neuralgia, [637](#)  
Postmenopausal osteoporosis, [611](#)  
Postmenopause, [611](#)  
Postmortem Artifact, [611](#)  
Postmortem Interval, [611](#)  
Postmortem Toxicology, [611](#)  
Postnatal depression, [612](#)  
Postoperative Care, [612](#)  
Postoperative Cognitive Dysfunction, [612](#)  
Postoperative Complications, [612](#)  
Postoperative Delirium, [612](#)  
Postoperative Ileus, [612](#)  
Postoperative Nausea and Vomiting, [612](#)  
Postoperative Pain Management, [612](#)  
Postoperative Pulmonary Complication, [612](#)  
Postpartum Anxiety, [612](#)  
Postpartum Blues, [612](#)  
Postpartum Cardiomyopathy (Peripartum Cardiomyopathy), [612](#)  
Postpartum Care, [642](#)  
Postpartum Contraception, [642](#)  
Postpartum Depression, [613](#)  
Postpartum Endometritis, [613](#)  
Postpartum Hemorrhage, [613](#)  
Postpartum Hemorrhage (Secondary), [613](#)  
Postpartum Infection, [613](#)  
Postpartum Preeclampsia, [641](#)  
Postpartum Psychosis, [613](#)  
Postpartum Thyroiditis, [613](#)  
Postpartum Urinary Retention, [642](#)  
Postrenal AKI, [613](#)  
Poststreptococcal pustulosis, [613](#)  
Postterm Pregnancy, [613](#)  
Posttraumatic Stress Disorder, [613](#)  
Postural Drainage, [639](#)  
Postural Orthostatic Tachycardia Syndrome, [613](#)  
Potassium, [614](#)  
Potassium Binders, [614](#)  
Potassium-Sparing Diuretics, [614](#)  
Potency, [614](#)  
Potency vs Efficacy, [614](#)  
Pott Disease, [614](#)  
Potter Syndrome, [614](#)  
Powassan Encephalitis, [614](#)  
PR Interval, [614](#)  
Prader-Willi Syndrome, [614](#)  
Pralidoxime, [614](#)  
Pramipexole, [614](#)  
Pre-Eclampsia, [641](#)  
Pre-hepatic Jaundice (Haemolytic Jaundice), [434](#)  
Prebiotics, [614](#)  
Prebiotics and Probiotics, [615](#)  
Precipitate Labour, [474](#)  
Precision Medicine, [615](#)  
Precocious Puberty, [615](#)  
Preconception Counseling, [615](#)  
Precordium, [638](#)  
Prediabetes, [615](#)  
Predictive Test, [615](#)  
Preeclampsia, [615](#)  
Preeclampsia with Severe Features, [615](#)  
Pregnancy, [615](#)  
Pregnancy Nutrition, [615](#)  
Pregnancy of Unknown Location, [641](#)  
Pregnancy Test, [615](#)  
Pregnancy-Induced Hypertension, [615](#)  
Preload, [615](#)  
Premature (Early) Ejaculation, [615](#)  
Premature Atrial Contraction, [615](#)  
Premature Birth, [641](#)  
Premature Ejaculation, [616](#)  
Premature Labour (Preterm Labour), [474](#)  
Premature Ovarian Insufficiency, [616](#)  
Premature Rupture of Membranes, [616](#)  
Premature Ventricular Contractions, [616](#)  
Premenstrual Dysphoric Disorder, [616](#)  
Premenstrual Syndrome, [616](#)  
Prenatal Care, [616](#)  
Prenatal Diagnosis, [616](#)  
Prenatal Exposure, [616](#)  
Prenatal Vitamins, [616](#)  
Preoperative Assessment, [616](#)  
Preoperative Evaluation, [617](#)  
Prepuce, [639](#)  
Prerenal Azotemia, [617](#)  
Presbycusis (Presbycusis), [641](#)  
Presbycusis, [617](#)  
Presbyopia, [617](#)  
Prescription, [617](#)  
Prescription Drug, [617](#)  
Prescription Medications, [617](#)  
Preseptal Cellulitis, [617](#)  
Pressure Atrophy, [617](#)

---



---

Pressure Injury, [617](#)  
 Pressure Support Ventilation, [617](#)  
 Pressure Ulcer, [617](#)  
 Pressure Ulcer Prevention, [617](#)  
 Pressure Urticaria, [618](#)  
 Pressure-Flow Study, [618](#)  
 Presyncope, [618](#)  
 Preterm Birth, [618](#)  
 Preterm Infant, [618](#)  
 Preterm Labor, [618](#)  
 Preterm Premature Rupture of Membranes, [618](#)  
 Pretest Probability, [618](#)  
 Pretibial Myxedema, [618](#)  
 Prevalence, [618](#)  
 Prevention, [618](#)  
 Preventive Dentistry, [618](#)  
 Prevertebral air, [618](#)  
 Priapism, [619](#)  
 Primary adrenal insufficiency (Addison's disease), [619](#)  
 Primary adrenal lymphoma, [619](#)  
 Primary Aldosteronism, [619](#)  
 Primary Biliary Cholangitis, [619](#)  
 Primary Ciliary Dyskinesia, [619](#)  
 Primary Hyperaldosteronism, [619](#)  
 Primary hyperoxaluria, [619](#)  
 Primary Hyperparathyroidism, [619](#)  
 Primary Hypertension, [637](#)  
 Primary hypertrophic osteoarthropathy, [619](#)  
 Primary Immune Response, [619](#)  
 Primary Immunodeficiency, [619](#)  
 Primary Lateral Sclerosis, [619](#)  
 Primary Metabolism, [620](#)  
 Primary Myelofibrosis, [620](#)  
 Primary Open-Angle Glaucoma, [620](#)  
 Primary Ovarian Insufficiency, [620](#)  
 Primary Prevention, [620](#)  
 Primary Sclerosing Cholangitis, [620](#)  
 Primary Tuberculosis, [620](#)  
 Primary Tumor, [620](#)  
 Primigravida, [640](#)  
 Primipara, [640](#)  
 Primordial Prevention, [620](#)  
 Prion, [620](#)  
 Prion Disease, [620](#)  
 PRK, [620](#)  
 Probable Cause, [620](#)  
 Probe, [621](#)  
 Probiotic, [621](#)  
 Procalcitonin, [621](#)  
 Procalcitonin-guided antibiotic therapy, [621](#)  
 Procedural Memory, [637](#)  
 Procedural Sedation, [621](#)  
 Procedure, [621](#)  
 Proctitis, [621](#)  
 Proctocolitis, [637](#)  
 Prodrome, [637](#)  
 Prodrug, [621](#)  
 Product Liability, [621](#)  
 Progeria, [621](#)  
 Progesterone, [621](#)  
 Progesterone Supplementation, [621](#)  
 Progestogen, [621](#)  
 Prognosis, [621](#)  
 Prognostic Test, [622](#)  
 Progression, [622](#)  
 Progression-Free Survival, [622](#)  
 Progressive Disease, [622](#)  
 Progressive Supranuclear Palsy, [622](#)  
 Projection, [622](#)  
 Prolactin Physiology, [622](#)  
 Prolactinoma, [622](#)  
 Prolactinoma Treatment, [622](#)  
 Prolapse of orbital fat, [622](#)  
 Prolapse of the Uterus (Uterine Prolapse), [622](#)  
 Prolapsed Disk, [637](#)  
 Proliferative Diabetic Retinopathy, [622](#)  
 Proliferative Retinopathy, [637](#)  
 Prolonged Deceleration, [622](#)  
 Prolonged Second Stage, [623](#)  
 Prominent iris collarette, [623](#)  
 Promoter, [623](#)  
 Pronation, [623](#)  
 Prone Position, [638](#)  
 Prone Positioning, [623](#)  
 Propafenone, [623](#)  
 Properdin Deficiency, [623](#)  
 Prophylaxis, [623](#)  
 Propofol Infusion Syndrome, [623](#)  
 Proprioception, [623](#)  
 Proptosis, [637](#)  
 Propylthiouracil, [623](#)  
 Prostacyclin Analogs, [623](#)  
 Prostaglandin Analogs, [624](#)  
 Prostaglandins, [624](#)  
 Prostate, [624](#)

---

---

Prostate Adenocarcinoma, [624](#)  
 Prostate Biopsy, [624](#)  
 Prostate Cancer, [624](#)  
 Prostate-Specific Antigen, [624](#)  
 Prostatectomy, [624](#)  
 Prostatic Urethral Stent, [637](#)  
 Prostatitis, [624](#)  
 Prosthesis, [624](#)  
 Prosthetic Limb, [624](#)  
 Prosthetic Training, [624](#)  
 Prosthetics, [625](#)  
 Prosthodontics, [625](#)  
 Protease inhibitor, [625](#)  
 Protease Inhibitors, [625](#)  
 Protective Factor, [625](#)  
 Protein, [625](#)  
 Protein Binding, [625](#)  
 Protein C, [625](#)  
 Protein C Deficiency, [625](#)  
 Protein Electrophoresis, [639](#)  
 Protein Folding, [625](#)  
 Protein S, [625](#)  
 Protein S Deficiency, [625](#)  
 Protein Synthesis, [625](#)  
 Protein-Energy Malnutrition, [626](#)  
 Proteinuria, [626](#)  
 Prothrombin Time, [626](#)  
 Prothrombin Time (PT), [641](#)  
 Proto-Oncogene, [626](#)  
 Proton Pump Inhibitor, [626](#)  
 Proton Therapy, [626](#)  
 Protozoa, [626](#)  
 Proximal, [626](#)  
 Proximal Humerus Fractures, [626](#)  
 Proximal Radioulnar Joint, [626](#)  
 Proximal Tubule, [626](#)  
 Proximal Tubule Reabsorption, [626](#)  
 Proximate Cause, [626](#)  
 Prune Belly Syndrome, [626](#)  
 Pruritus, [627](#)  
 Pruritus Ani, [627](#)  
 Pruritus in CKD, [627](#)  
 PSA (Prostate-Specific Antigen), [627](#)  
 Pseudoaneurysm, [627](#)  
 Pseudobulbar Affect, [627](#)  
 Pseudoclubbing, [627](#)  
 Pseudocyesis, [641](#)  
 Pseudoephedrine, [627](#)  
 Pseudogout, [627](#)  
 Pseudogout Flare, [627](#)  
 Pseudohypoparathyroidism, [627](#)  
 Pseudomelanosis duodeni, [627](#)  
 Pseudomembranous Colitis, [627](#)  
 Pseudomonas aeruginosa infection, [628](#)  
 Pseudomonas aeruginosa resistance, [628](#)  
 Pseudomyxoma Peritonei, [628](#)  
 Pseudophakia, [639](#)  
 Pseudothrombocytosis due to red cell fragments, [628](#)  
 Pseudoxanthoma elasticum, [628](#)  
 Psittacosis, [628](#)  
 PSMA, [628](#)  
 Psoas Abscess, [628](#)  
 Psoriasis, [628](#)  
 Psoriatic Arthritis, [628](#)  
 Psychoactive Substance, [628](#)  
 Psychodermatology, [628](#)  
 Psychodynamic Therapy, [628](#)  
 Psychogenic Non-Epileptic Seizures, [629](#)  
 Psychological Support, [629](#)  
 Psychopharmacology, [629](#)  
 Psychosis, [629](#)  
 Psychosocial Rehabilitation, [629](#)  
 Psychosocial Support, [629](#)  
 Psychotherapy, [629](#)  
 Pterygium, [629](#)  
 PTH-Related Peptide, [629](#)  
 Pthirus pubis, [629](#)  
 Ptosis, [629](#)  
 PTSD, [629](#)  
 Puberty, [629](#)  
 Pubis, [629](#)  
 Public Exposure, [630](#)  
 Public Health, [630](#)  
 Public Health Emergency, [630](#)  
 Public Health Research Bias, [630](#)  
 Pudendal Block, [630](#)  
 Puerperal Fever, [630](#)  
 Puerperal psychosis, [630](#)  
 Puerperium, [630](#)  
 Pugilistic Stance, [630](#)  
 Pulmonary Alveolar Hemorrhage, [630](#)  
 Pulmonary Alveolar Microlithiasis, [630](#)  
 Pulmonary Alveolar Proteinosis, [630](#)  
 Pulmonary Angiography, [630](#)  
 Pulmonary Arterial Hypertension, [631](#)

---

---

Pulmonary Arteriovenous Fistula, [631](#)  
 Pulmonary Arteriovenous Malformation, [631](#)  
 Pulmonary Artery, [631](#)  
 Pulmonary Artery Catheter, [631](#)  
 Pulmonary Atresia, [631](#)  
 Pulmonary Capillary Wedge Pressure, [631](#)  
 Pulmonary Circuit, [639](#)  
 Pulmonary Contusion, [631](#)  
 Pulmonary Edema, [631](#)  
 Pulmonary Embolism, [631](#)  
 Pulmonary Embolism Treatment, [631](#)  
 Pulmonary Emphysema, [637](#)  
 Pulmonary Fibrosis, [631](#)  
 Pulmonary Function Tests, [632](#)  
 Pulmonary Hemosiderosis, [632](#)  
 Pulmonary Hypertension, [632](#)  
 Pulmonary Hypertension Classification, [632](#)  
 Pulmonary Infarction, [632](#)  
 Pulmonary Lobes, [632](#)  
 Pulmonary Rehabilitation, [632](#)  
 Pulmonary Sequestration, [632](#)  
 Pulmonary Stenosis, [632](#)  
 Pulmonary Surfactant, [632](#)  
 Pulmonary tuberculosis, [632](#)  
 Pulmonary Valve, [632](#)  
 Pulmonary Vascular Resistance, [633](#)  
 Pulmonary Vasodilator Therapy, [633](#)  
 Pulmonary Vein, [633](#)  
 Pulmonary Ventilation, [639](#)  
 Pulmonary Wedge Pressure, [633](#)  
 Pulmonary-artery dissection, [633](#)  
 Pulp, [633](#)  
 Pulp Stone, [633](#)  
 Pulpectomy, [633](#)  
 Pulposus, [633](#)  
 Pulpotomy, [633](#)  
 Pulse, [633](#)  
 Pulse Examination, [633](#)  
 Pulse Oximeter, [633](#)  
 Pulse Oximetry, [633](#)  
 Pulseless Electrical Activity, [633](#)  
 Pulsus Paradoxus, [634](#)  
 Punch Biopsy, [634](#)  
 Punctate Hemorrhages (Tardieu Spots), [634](#)  
 Punctate palmoplantar keratoderma, [634](#)  
 Puncture Wound, [640](#)  
 Pupil, [634](#)  
 Pure Tone Audiometry, [634](#)  
 Purging, [634](#)  
 Purging Disorder, [634](#)  
 Purines, [634](#)  
 Purkinje Fibers, [634](#)  
 Purpura, [634](#)  
 Purpura fulminans, [634](#)  
 Purulent Pericarditis, [635](#)  
 Pus, [635](#)  
 Push Enteroscopy, [635](#)  
 Pustule, [635](#)  
 Putrefaction, [635](#)  
 Pyelonephritis, [635](#)  
 Pyelotomy, [635](#)  
 Pylephlebitis, [635](#)  
 Pyloric Stenosis, [635](#)  
 Pylorus, [635](#)  
 Pyoderma Gangrenosum, [635](#)  
 Pyogenic Granuloma, [635](#)  
 Pyonephrosis, [636](#)  
 Pyostomatitis vegetans, [636](#)  
 Pyramidal Tracts, [639](#)  
 Pyrexia, [636](#)  
 Pyridoxine (Vitamin B6), [636](#)  
 Pyrimidines, [636](#)  
 Pyruvate, [636](#)  
 Pyruvate Dehydrogenase, [636](#)  
 Pyruvate Kinase Deficiency, [636](#)  
 Pyuria, [638](#)  
 Q Fever, [643](#)  
 Q Wave, [643](#)  
 QALY, [643](#)  
 QRS Complex, [643](#)  
 QT Interval, [643](#)  
 QT Prolongation, [643](#)  
 Quad Screen (Maternal Serum Screening), [643](#)  
 Quadrant, [643](#)  
 Quadrantanopia, [645](#)  
 Quadrantectomy, [643](#)  
 Quadriceps Femoris, [643](#)  
 Quadriceps Femoris Muscle, [644](#)  
 Quadriceps Injury, [644](#)  
 Quadriceps Tendinitis, [645](#)  
 Quadriceps Tendon Rupture, [645](#)  
 Quadriceps tendon ruptures, [644](#)  
 Quadripareisis, [645](#)  
 Quadriplegia, [644](#)  
 Quadruplet Pregnancy, [644](#)

---

---

Quality Assurance, [644](#)  
Quality Control, [644](#)  
Quality Control (Laboratory), [644](#)  
Quality Improvement, [644](#)  
Quality of Life, [644](#)  
Quality-Adjusted Life Year, [644](#)  
Quantification, [644](#)  
Quantitative PET, [644](#)  
Quarantine, [644](#)  
Quartan Fever, [645](#)  
Quickening, [645](#)  
Quiescent, [645](#)  
Quincke's Disease (Angioneurotic Oedema), [645](#)  
Quincke's Pulse, [645](#)  
Quincke's Sign, [645](#)  
Quinine, [645](#)  
Quinolone, [645](#)  
Quinsy, [645](#)  
Quinupristin-dalfopristin, [645](#)  
Quorum Sensing, [645](#)  
Quotidian Fever, [646](#)

Rabies, [647](#)  
Rabies vaccination, [647](#)  
Rabies Virus, [674](#)  
Radial Artery, [647](#)  
Radial artery thrombosis, [647](#)  
Radial Club Hand, [647](#)  
Radial keratotomy, [647](#)  
Radial Nerve, [647](#)  
Radial Nerve Palsy, [676](#)  
Radiation Biology, [647](#)  
Radiation Contamination, [647](#)  
Radiation Dose, [647](#)  
Radiation Emergency, [648](#)  
Radiation Enteritis, [648](#)  
Radiation Fibrosis, [648](#)  
Radiation Monitoring, [648](#)  
Radiation Necrosis, [648](#)  
Radiation Oncologist, [648](#)  
Radiation Oncology, [648](#)  
Radiation Physics, [648](#)  
Radiation Pneumonitis, [648](#)  
Radiation Poisoning, [648](#)  
Radiation Pregnancy Screening, [648](#)  
Radiation Proctitis, [676](#)  
Radiation Protection, [648](#)  
Radiation recall, [648](#)

Radiation Safety, [648](#)  
Radiation Sickness, [649](#)  
Radiation Therapy, [649](#)  
Radiation-induced angiosarcoma, [649](#)  
Radiation-Recall Dermatitis, [649](#)  
Radiculitis, [649](#)  
Radiculopathy, [649](#)  
Radioactive Iodine, [649](#)  
Radioactive Iodine Ablation, [649](#)  
Radioactive Iodine Uptake Test, [674](#)  
Radioactivity, [649](#)  
Radiobiology, [649](#)  
Radiocarpal Joint, [649](#)  
Radiochemical Purity, [649](#)  
Radiochemistry, [649](#)  
Radiocontrast, [649](#)  
Radioembolization, [649](#)  
Radiofrequency Ablation, [650](#)  
Radiography, [674](#)  
Radioimmunoassay, [650](#)  
Radioisotope (Radionuclide), [674](#)  
Radiologic Technologist, [650](#)  
Radiologic-Pathologic Correlation, [650](#)  
Radiologist, [650](#)  
Radiology, [674](#)  
Radiology Report, [650](#)  
Radiology-Patient Identification, [650](#)  
Radiolucent, [650](#)  
Radionuclide, [675](#)  
Radionuclide Heart Scan, [675](#)  
Radionuclide Therapy, [650](#)  
Radionuclidic Purity, [650](#)  
Radiopaque, [650](#)  
Radiopharmaceutical, [650](#)  
Radiopharmaceutical Extravasation, [650](#)  
Radiopharmaceutical Labeling Kit, [650](#)  
Radiopharmaceutical Quality Control, [651](#)  
Radiopharmacy, [651](#)  
Radiosensitization, [651](#)  
Radiotracer, [651](#)  
Radium-223, [651](#)  
Radius, [651](#)  
Radius Fracture, [676](#)  
Rale (Rhonchus), [674](#)  
Rales, [674](#)  
Rampant Caries, [651](#)  
Ramsay Hunt Syndrome, [651](#)  
Random Events, [651](#)

---

---

Randomization, [651](#)  
Randomized Controlled Trial, [651](#)  
Range of Motion, [651](#)  
Ranson Criteria, [651](#)  
Ranula, [651](#)  
Rape, [651](#)  
Rapid Gastric Emptying, [673](#)  
Rapid Sequence Induction, [652](#)  
Rapid Strep Test, [652](#)  
Rapid-Sequence Intubation, [652](#)  
Rapidly Progressive Glomerulonephritis, [652](#)  
Rasburicase, [652](#)  
Rash, [652](#)  
Rashes, [652](#)  
Rasp, [675](#)  
Rat bite fever, [652](#)  
Rat-Bite Fever, [652](#)  
Raynaud Phenomenon, [652](#)  
Raynaud Syndrome, [652](#)  
Raynaud's phenomenon, [652](#)  
Reaction Time, [652](#)  
Reactivation Tuberculosis, [652](#)  
Reactive Arthritis, [653](#)  
Reactive Attachment Disorder, [653](#)  
Reactive Oxygen Species, [653](#)  
Reactive perforating collagenosis, [653](#)  
Receiver Operating Characteristic, [653](#)  
Receptor, [653](#)  
Receptor Desensitization, [653](#)  
Receptor Downregulation, [653](#)  
Receptor Tyrosine Kinases, [653](#)  
Receptor Upregulation, [653](#)  
Recessive, [653](#)  
RECIST, [653](#)  
Recombinant DNA, [653](#)  
Recreational Therapy, [653](#)  
Rectal Bleeding, [654](#)  
Rectal Cancer, [673](#)  
Rectal Prolapse, [654](#)  
Rectocele, [654](#)  
Rectovaginal Fistula, [654](#)  
Rectum, [654](#)  
Rectus Abdominis Muscle, [654](#)  
Rectus Abdominis Sheath, [654](#)  
Recurrence, [654](#)  
Recurrence Risk, [654](#)  
Recurrence-Free Survival, [654](#)  
Recurrent, [654](#)  
Recurrent Breast Cancer, [673](#)  
Recurrent Caries, [654](#)  
Red Blood Cell Labeling, [654](#)  
Red Blood Cells, [675](#)  
Red Flag, [654](#)  
Red Infarction, [654](#)  
Redundant mitral valve, [655](#)  
Reed-Sternberg Cells, [675](#)  
Reemerging Disease, [655](#)  
Reexpansion pulmonary edema, [655](#)  
Refeeding Syndrome, [655](#)  
Reference Interval, [655](#)  
Referred Pain, [655](#)  
Reflex anoxic seizure, [655](#)  
Reflex Arc, [655](#)  
Reflexes, [675](#)  
Reflux, [655](#)  
Reflux Nephropathy, [655](#)  
Refraction, [655](#)  
Refractive Errors and Astigmatism, [655](#)  
Refractive Surgery, [655](#)  
Refractory, [655](#)  
Refractory Period, [656](#)  
Refsum Disease, [656](#)  
Regadenoson Pharmacological Stress, [656](#)  
Regional Anesthesia, [656](#)  
Regulatory Approval, [656](#)  
Regulatory T Cells, [656](#)  
Regurgitation, [656](#)  
Rehabilitation, [656](#)  
Rehabilitation Clinic, [656](#)  
Rehabilitation Engineering, [656](#)  
Rehabilitation Hospital, [656](#)  
Rehabilitation Medicine, [656](#)  
Rehabilitation Motivation, [656](#)  
Rehabilitation Potential, [656](#)  
Rehabilitation Unit, [656](#)  
Reinfection, [656](#)  
Relapse, [657](#)  
Relapse-Free Survival, [657](#)  
Relapsing Fever, [657](#)  
Relapsing Polychondritis, [657](#)  
Relative Afferent Pupillary Defect, [657](#)  
Relative Biological Effectiveness, [657](#)  
Relative Risk, [657](#)  
Reliability, [657](#)  
REM Sleep Behavior Disorder, [657](#)  
Remifentanyl, [657](#)

---

---

Remission, [657](#)  
Remitting Seronegative Symmetrical Synovitis with  
Pitting Edema, [657](#)  
Remodeling, [657](#)  
Renal Abscess, [657](#)  
Renal Agenesis, [657](#)  
Renal Anemia, [658](#)  
Renal Artery, [658](#)  
Renal Artery Aneurysm, [658](#)  
Renal Artery Doppler, [658](#)  
Renal Artery Embolism, [658](#)  
Renal Artery Stenosis, [658](#)  
Renal Biopsy, [658](#)  
Renal Calculi (Kidney Stones), [658](#)  
Renal Cell Carcinoma, [658](#)  
Renal Changes in Pregnancy, [658](#)  
Renal Clearance, [658](#)  
Renal Colic, [658](#)  
Renal Corpuscle, [675](#)  
Renal Cortex, [658](#)  
Renal cryptococcosis, [658](#)  
Renal Dialysis, [674](#)  
Renal Diet, [659](#)  
Renal Dose Adjustment, [659](#)  
Renal Drug Excretion, [659](#)  
Renal Failure, [659](#)  
Renal Infarction, [659](#)  
Renal Leukemia Infiltration, [659](#)  
Renal Mass, [659](#)  
Renal Medulla, [659](#)  
Renal Osteodystrophy, [659](#)  
Renal Pelvis, [659](#)  
Renal Pyramids, [675](#)  
Renal Replacement Therapy, [659](#)  
Renal Replacement Therapy Indications, [659](#)  
Renal Scan, [660](#)  
Renal Scintigraphy, [660](#)  
Renal Transplant (Renal Transplantation), [660](#)  
Renal Trauma, [660](#)  
Renal Tubular Acidosis, [660](#)  
Renal Ultrasound, [660](#)  
Renal Vein, [660](#)  
Renin, [675](#)  
Renin Inhibitor, [660](#)  
Renin-Angiotensin-Aldosterone System, [660](#)  
Renin-Angiotensin-Aldosterone System Physiology,  
[660](#)  
Renography, [660](#)  
Renovascular Hypertension, [660](#)  
Reperfusion Injury, [660](#)  
Repetitive Strain Injury, [675](#)  
Replantation of an Avulsed Tooth, [660](#)  
Repolarization, [661](#)  
Reporting Standards, [661](#)  
Reproductive Organs, [661](#)  
Reproductive Toxicity, [661](#)  
Reproductive Years, [661](#)  
Research, [661](#)  
Research Ethics, [661](#)  
Resection, [675](#)  
Resectoscope, [675](#)  
Reservoir, [661](#)  
Residual Limb, [661](#)  
Residual Limb Pain, [673](#)  
Residual Volume, [661](#)  
Resilience, [661](#)  
Resolution, [661](#)  
Resolution Recovery, [661](#)  
Resorption, [675](#)  
Resorption Atelectasis, [661](#)  
Respiration, [675](#)  
Respiratory Acidosis, [661](#)  
Respiratory Alkalosis, [662](#)  
Respiratory Arrest, [674](#)  
Respiratory Changes in Pregnancy, [662](#)  
Respiratory Depression, [662](#)  
Respiratory Distress, [662](#)  
Respiratory Distress Syndrome, [662](#)  
Respiratory Drive, [662](#)  
Respiratory Failure, [662](#)  
Respiratory Health, [662](#)  
Respiratory Infections, [662](#)  
Respiratory Physiology, [662](#)  
Respiratory Protection, [662](#)  
Respiratory Quotient, [662](#)  
Respiratory Rate, [662](#)  
Respiratory Rehabilitation, [663](#)  
Respiratory Syncytial Virus, [663](#)  
Respiratory System, [663](#)  
Respiratory Tract Infections, [663](#)  
Respiratory viruses, [663](#)  
Response Assessment, [663](#)  
Response Evaluation Criteria, [663](#)  
Resting Membrane Potential, [663](#)  
Restless Legs Syndrome, [663](#)  
Restorative Dentistry, [663](#)

---



---

Restraint, [663](#)  
Restraint-Related Harm, [663](#)  
Restriction Enzyme, [663](#)  
Restrictive Cardiomyopathy, [664](#)  
Retained Placenta, [664](#)  
Retained Products of Conception, [664](#)  
Retention Time, [664](#)  
Reticular Activating System, [675](#)  
Reticular Formation, [664](#)  
Reticulocyte Count, [664](#)  
Retina, [664](#)  
Retinal Artery Occlusion, [664](#)  
Retinal Detachment, [664](#)  
Retinal Detachment Repair, [664](#)  
Retinal Diseases, [673](#)  
Retinal Hemorrhages, [664](#)  
Retinal ischemia, [664](#)  
Retinal Layers, [664](#)  
Retinal Prosthesis, [665](#)  
Retinal Tear, [665](#)  
Retinal Vein Occlusion, [665](#)  
Retinitis, [674](#)  
Retinitis Pigmentosa, [665](#)  
Retinoblastoma, [665](#)  
Retinol, [665](#)  
Retinol (Vitamin A), [674](#)  
Retinopathy, [665](#)  
Retinopathy of Prematurity, [665](#)  
Retinoschisis, [665](#)  
Retinoscope, [675](#)  
Retract (Vascular), [665](#)  
Retraction (Self-Retaining), [665](#)  
Retractor, [665](#)  
Retractor (Abdominal), [665](#)  
Retractor (Hand), [665](#)  
Retractor (Surgical), [665](#)  
Retrograde Amnesia, [676](#)  
Retrograde Ejaculation, [665](#)  
Retroperitoneal Fibrosis, [666](#)  
Retroperitoneal hemorrhage, [666](#)  
Retroperitoneum, [666](#)  
Retropharyngeal Abscess, [666](#)  
Retrovirus, [666](#)  
Rett Syndrome, [666](#)  
Return of Spontaneous Circulation, [666](#)  
Revascularisation, [674](#)  
Reverberation Artifact, [666](#)  
Reverse Transcription, [666](#)  
Reverse Trendelenburg Position, [673](#)  
Reversible Cell Injury, [666](#)  
Revision Arthroplasty, [666](#)  
Reye Syndrome, [666](#)  
Reye's Syndrome, [674](#)  
Reynolds Pentad, [666](#)  
Rezafungin, [667](#)  
Rh Factor, [667](#)  
Rh Incompatibility, [676](#)  
Rh Isoimmunization, [667](#)  
Rhabdoid Tumor, [667](#)  
Rhabdomyolysis, [667](#)  
Rhabdomyolysis and AKI, [667](#)  
Rhabdomyoma, [667](#)  
Rhabdomyosarcoma, [667](#)  
Rhegmatogenous Retinal Detachment, [667](#)  
Rhesus (Rh) Factor, [667](#)  
Rheumatic Fever, [667](#)  
Rheumatic Heart Disease, [667](#)  
Rheumatoid Arthritis, [668](#)  
Rheumatoid Factor, [668](#)  
Rheumatology, [676](#)  
Rhinencephalon, [668](#)  
Rhinitis, [668](#)  
Rhinophyma, [668](#)  
Rhinoplasty, [668](#)  
Rhinorrhea, [676](#)  
Rhinovirus, [668](#)  
RhoGAM, [668](#)  
Rhonchi, [668](#)  
Rib, [668](#)  
Rib Fracture, [676](#)  
Riboflavin (Vitamin B2), [668](#)  
Ribonucleic Acid, [676](#)  
Ribosomal RNA, [668](#)  
Ribosome, [668](#)  
Ribozyme, [669](#)  
Rickets, [669](#)  
Rickettsia, [669](#)  
Rickettsialpox, [669](#)  
Ridge Preservation, [669](#)  
Rift Valley Fever, [676](#)  
Right Atrium, [669](#)  
Right Bundle Branch, [669](#)  
Right Coronary Artery, [669](#)  
Right coronary artery occlusion, [669](#)  
Right Heart Failure, [669](#)  
Right Hypochondriac Region, [669](#)

---

---

Right Iliac Region, [669](#)  
Right Lymphatic Duct, [669](#)  
Right sixth cranial nerve palsy, [670](#)  
Right ureterovesical calculus, [670](#)  
Right Ventricle, [670](#)  
Rigor Mortis, [670](#)  
Ringing in the Ears, [670](#)  
Ringworm, [670](#)  
Ringworm of the Body, [674](#)  
Ringworm of the Scalp, [674](#)  
Rinne Test, [670](#)  
RIPE Therapy, [670](#)  
Rippling Muscle Disease, [670](#)  
RIS, [670](#)  
Risk Assessment, [670](#)  
Risk Factor, [670](#)  
Risk Factor Modification, [670](#)  
Risk-Benefit Analysis, [670](#)  
Ristocetin-Induced Platelet Aggregation, [670](#)  
Ritalin, [671](#)  
River Blindness, [671](#)  
RNA, [671](#)  
Robot-Assisted Rehabilitation, [671](#)  
Rocky Mountain Spotted Fever, [676](#)  
Rods, [676](#)  
Romberg Sign, [674](#)  
Romberg Test, [671](#)  
Romberg's sign, [671](#)  
Rongeur, [674](#)  
Root Canal Therapy, [675](#)  
Root Caries, [671](#)  
Root Fracture, [671](#)  
Rooting Reflex, [671](#)  
Ropinirole, [671](#)  
Rosacea, [671](#)  
Roseola, [671](#)  
Roseola Infantum, [671](#)  
Rostral, [672](#)  
Rotator Cuff, [672](#)  
Rotator Cuff Arthropathy, [672](#)  
Rotator Cuff Injury, [674](#)  
Rotator Cuff Tear, [676](#)  
Rotavirus, [672](#)  
Rotavirus Vaccine, [672](#)  
Roth Spots, [672](#)  
Roth's Spots, [675](#)  
Rothmund-Thomson Syndrome, [672](#)  
Rouleau, [672](#)  
Round Ligament Pain, [642](#)  
Round Pneumonia, [672](#)  
Roundworm, [672](#)  
Route of Administration, [672](#)  
Rovsing Sign, [672](#)  
RPR/VDRL (Syphilis Serology), [672](#)  
RSV, [672](#)  
Rubella, [672](#)  
Rubella virus, [673](#)  
Rubeola, [676](#)  
Rubin Maneuver, [673](#)  
Rubinstein-Taybi Syndrome, [673](#)  
Rule of Nines, [674](#)  
Rumination Disorder, [673](#)  
Running Total, [673](#)  
Runny Nose, [673](#)  
Ruptured Abdominal Aortic Aneurysm, [673](#)  
Russell-Silver Syndrome, [673](#)  
Rx, [673](#)  
  
S3 Gallop Pathology, [677](#)  
S4 Gallop Pathology, [677](#)  
Sacral Dimple, [731](#)  
Sacral Nerve Stimulation, [677](#)  
Sacral Nerve Stimulator, [677](#)  
Sacral Vertebrae, [677](#)  
Sacroiliac Joint, [677](#)  
Sacroiliitis, [677](#)  
Sacrum, [677](#)  
Safety Plan, [677](#)  
Sagittal Plane, [678](#)  
Salbutamol (Albuterol), [678](#)  
Salicylate, [678](#)  
Salicylate Toxicity, [678](#)  
Saline Infusion Sonohysterography, [678](#)  
Saliva, [678](#)  
Salivary Gland, [678](#)  
Salivary Gland Cancer, [678](#)  
Salivary Gland Infection, [678](#)  
Salivary Gland Scintigraphy, [678](#)  
Salivary Gland Tumors, [678](#)  
Salivation, [678](#)  
Salmonella, [678](#)  
Salmonella Infection, [731](#)  
Salmonellosis, [678](#)  
Salpingectomy, [678](#)  
Salpingitis, [679](#)  
Salpingo-oophorectomy, [679](#)

---

---

Salpingography, [679](#)  
 Salpingostomy (Salpingotomy), [679](#)  
 Saltatory Conduction, [679](#)  
 Salter-Harris Fracture, [735](#)  
 Salvage Therapy, [679](#)  
 Sandhoff Disease, [679](#)  
 Sandpaper Tooth, [679](#)  
 Saphenous Vein, [679](#)  
 SAPHO Syndrome, [679](#)  
 Sarcoidosis, [679](#)  
 Sarcoidosis Skin Manifestations, [679](#)  
 Sarcoma, [679](#)  
 Sarcopenia, [679](#)  
 Sarcopenic Obesity, [680](#)  
 Sarcoptes scabiei, [680](#)  
 SARS-CoV-2, [680](#)  
 Satiety, [680](#)  
 Saturated Fat, [680](#)  
 Saturation, [680](#)  
 Scabies, [680](#)  
 Scaffold, [680](#)  
 Scaling and Root Planing, [680](#)  
 Scalp Psoriasis, [680](#)  
 Scalpel, [680](#)  
 Scalpel Handle, [680](#)  
 Scaphoid, [680](#)  
 Scaphoid Fractures, [681](#)  
 Scapula, [681](#)  
 Scar Management, [681](#)  
 Scarlatina, [681](#)  
 Scarlet Fever, [681](#)  
 Scarring Alopecia, [681](#)  
 Scatter Correction, [681](#)  
 Scatter Events, [681](#)  
 Scavenging System, [681](#)  
 Schatzki Ring, [681](#)  
 Schedule I, [681](#)  
 Schedule II, [681](#)  
 Schedule III, [681](#)  
 Schedule IV, [681](#)  
 Schedule V, [682](#)  
 Scheuermann's Disease, [731](#)  
 Schilling Test, [682](#)  
 Schistocytes, [682](#)  
 Schistosoma haematobium, [682](#)  
 Schistosomiasis, [682](#)  
 Schizencephaly, [682](#)  
 Schizoaffective Disorder, [682](#)  
 Schizoid Personality Disorder, [682](#)  
 Schizophrenia, [682](#)  
 Schizotypal Personality Disorder, [682](#)  
 Schnitzler Syndrome, [682](#)  
 School-Based Rehabilitation, [682](#)  
 Schwann Cells, [732](#)  
 Schwannoma, [682](#)  
 Schwannomatosis, [731](#)  
 Sciatic Nerve, [682](#)  
 Sciatica, [683](#)  
 Scimitar Syndrome, [683](#)  
 Scintigraphy, [732](#)  
 Scintillation, [683](#)  
 Scintillation Crystal, [683](#)  
 Scissors, [683](#)  
 Scissors (Surgical), [683](#)  
 Scissors (Vascular), [683](#)  
 Sclera, [683](#)  
 Scleral Buckling, [683](#)  
 Scleritis, [683](#)  
 Scleroderma, [683](#)  
 Scleromyxedema, [683](#)  
 Sclerosing Mesenteritis, [731](#)  
 Sclerosing Peritonitis, [731](#)  
 Sclerosing sialadenitis, [683](#)  
 Sclerosteosis, [683](#)  
 Sclerotherapy, [736](#)  
 Scoliosis, [684](#)  
 Scorpion Sting, [731](#)  
 Scotoma, [684](#)  
 Screening, [684](#)  
 Screening (Geriatric), [684](#)  
 Screening Guidelines, [684](#)  
 Screening Program, [684](#)  
 Screening Test, [684](#)  
 Screws, [684](#)  
 Scrofula, [684](#)  
 Scrotal calcinosis, [684](#)  
 Scrotal Infection, [684](#)  
 Scrotal Masses, [732](#)  
 Scrotal Pain, [684](#)  
 Scrotum, [684](#)  
 Scurvy, [684](#)  
 Seasonal Affective Disorder, [685](#)  
 Sebaceous Carcinoma, [732](#)  
 Sebaceous Gland, [685](#)  
 Seborrheic Dermatitis, [685](#)  
 Seborrheic keratoses, [685](#)

---

---

Seborrheic Keratosis, 685  
 Seborrhoea, 685  
 Seborrhoeic Keratosis, 444  
 Seckel Syndrome, 685  
 Second Malignancy, 685  
 Second Messenger Systems, 685  
 Second Messengers, 685  
 Second Opinion, 685  
 Second Stage of Labor, 685  
 Second Trimester, 685  
 Second-Degree AV Block, 686  
 Second-Degree Burn, 686  
 Second-Hand Smoke, 686  
 Secondary Attack Rate, 686  
 Secondary Hyperparathyroidism, 686  
 Secondary Hypertension, 732  
 Secondary Immune Response, 686  
 Secondary Immunodeficiency, 686  
 Secondary Prevention, 686  
 Secondary syphilis, 686  
 Secondary Tumor, 686  
 Secretin, 686  
 Secretion, 686  
 Secretory Diarrhea, 686  
 Sedation Dentistry, 687  
 Sedation Levels, 687  
 Sedative, 687  
 Sedative-Hypnotic, 687  
 Segmental Pressures, 687  
 Segmentation, 687  
 Seizure, 687  
 Selective Estrogen Receptor Modulator, 687  
 Selective IgA Deficiency, 732  
 Selective Mutism, 687  
 Selenium, 687  
 Selenium-75, 687  
 Self-Efficacy, 687  
 Self-Experimentation, 687  
 Self-Harm, 687  
 Self-Management, 688  
 Sella Turcica, 732  
 Semen, 688  
 Semen Analysis, 688  
 Semi-Fowler Position, 731  
 Semicircular Canals, 688  
 Semilunar Valves, 732  
 Seminal Vesicle, 688  
 Seminoma, 688  
 Senile Lentigines, 732  
 Senna, 688  
 Sensitivity, 688  
 Sensorineural Hearing Loss, 688  
 Sensorium, 688  
 Sensory Level, 688  
 Sensory Nerves, 688  
 Sensory Neuron, 732  
 Sensory Processing Disorder, 737  
 Sensory Receptors, 732  
 Sentinel Event, 688  
 Sentinel Injury, 688  
 Sentinel Lymph Node, 689  
 Sentinel Lymph-Node Biopsy, 689  
 Sentinel Node Biopsy, 732  
 Sentinel Surveillance, 689  
 Separation Anxiety Disorder, 689  
 Separation of the iris, 689  
 Sepsis, 689  
 Sepsis Syndrome, 689  
 Septal Defect, 732  
 Septal Hematoma, 689  
 Septic Arthritis, 689  
 Septic Embolism, 689  
 Septic Shock, 689  
 Septicaemia, 689  
 Septicemia, 690  
 Septo-Optic Dysplasia, 690  
 Septoplasty, 690  
 Septum, 736  
 Sequelae, 690  
 Sequential Therapy, 690  
 Seroconversion, 732  
 Serodiagnostic, 690  
 Serology, 690  
 Seronegative Arthritis, 690  
 Serotonin Syndrome, 690  
 Serotonin-Norepinephrine Reuptake Inhibitors, 690  
 Serotonin-Norepinephrine-Dopamine Reuptake Inhibitors, 690  
 Serotype, 690  
 Serpentine supravenuous hyperpigmentation, 690  
 Serrated Pathway, 691  
 Serrated Polyposis Syndrome, 735  
 Serratus Anterior Muscle, 691  
 Sertoli-cell tumor, 691  
 Serum, 736  
 Serum Concentration, 691

---

---

Serum Osmolal Gap, [691](#)  
 Serum Protein Electrophoresis, [691](#)  
 Serum Sickness, [691](#)  
 Sever Disease, [691](#)  
 Severe Acute Respiratory Syndrome, [691](#)  
 Severe Combined Immunodeficiency, [691](#)  
 Sevoflurane, [691](#)  
 Sex Headaches, [732](#)  
 Sexual Assault, [691](#)  
 Sexual Dysfunction, [691](#)  
 Sexual Intercourse (Coitus), [692](#)  
 Sexual Masochism Disorder, [692](#)  
 Sexual Rehabilitation, [692](#)  
 Sexual Sadism Disorder, [692](#)  
 Sexually Transmitted Diseases, [732](#)  
 Sexually Transmitted Infection, [692](#)  
 Sezary Syndrome, [732](#)  
 SGLT2 Inhibitor, [692](#)  
 Shadowing Artifact, [692](#)  
 Shaken Baby Syndrome, [692](#)  
 Shared Decision-Making, [692](#)  
 Sharp Force Trauma, [692](#)  
 Sharps Container, [692](#)  
 Sharps Injury, [692](#)  
 Shave Biopsy, [692](#)  
 Sheehan Syndrome, [692](#)  
 Sheehan Syndrome (Postpartum Pituitary Necrosis), [693](#)  
 Shielding, [693](#)  
 Shigellosis, [693](#)  
 Shingles, [693](#)  
 Shirodkar Cerclage, [693](#)  
 Shivering, [693](#)  
 Shock, [693](#)  
 Shock Wave Lithotripsy, [693](#)  
 Shone Complex, [693](#)  
 Short Bowel Syndrome, [693](#)  
 Shortness of Breath, [693](#)  
 Shoulder Dislocation, [693](#)  
 Shoulder Dystocia, [693](#)  
 Shoulder Impingement, [694](#)  
 Shoulder Instability, [694](#)  
 Shoulder Pain, [694](#)  
 Shunt, [694](#)  
 Shunt (Vascular), [694](#)  
 Shwachman Syndrome, [694](#)  
 SIADH, [694](#)  
 SIADH (Syndrome of Inappropriate Antidiuretic Hormone Secretion), [694](#)  
 Sialadenitis, [694](#)  
 Sialography, [694](#)  
 Sialolithiasis, [694](#)  
 Sialorrhea, [694](#)  
 Sialorrhoea, [694](#)  
 Sialuria, [694](#)  
 Sicca Syndrome, [695](#)  
 Sick Sinus Syndrome, [695](#)  
 Sickle Cell Anemia, [695](#)  
 Sickle Cell Crisis, [695](#)  
 Sickle Cell Dactylitis, [695](#)  
 Sickle Cell Disease, [695](#)  
 Sickle Cell Trait, [695](#)  
 Side Effect, [695](#)  
 Siderosis, [695](#)  
 SIDS, [695](#)  
 Sievert (Sv), [695](#)  
 Sigmoid Colon, [695](#)  
 Sigmoid volvulus, [696](#)  
 Sign, [696](#)  
 Signal Transduction, [696](#)  
 Signal-to-Noise Ratio, [696](#)  
 Signet Ring Cell Carcinoma, [696](#)  
 Silicone oil hyperoleon, [696](#)  
 Silicosis, [696](#)  
 Silver Diamine Fluoride, [696](#)  
 Simmonds Disease, [733](#)  
 Sinding-Larsen-Johansson Syndrome, [696](#)  
 single nucleotide polymorphism, [696](#)  
 Single Photon Emission Computed Tomography, [696](#)  
 Single Ventricle, [696](#)  
 Single-Dose Toxicity, [696](#)  
 Single-Photon Emission Computed Tomography, [733](#)  
 Sinoatrial Node, [696](#)  
 Sinus Lift, [697](#)  
 Sinus Pain, [697](#)  
 Sinus Rhomboidalis, [697](#)  
 Sinus Rhythm, [732](#)  
 Sinus Tachycardia, [736](#)  
 Sinuses, [697](#)  
 Sinusitis, [697](#)  
 Sinusitis and Sinus Problems, [697](#)  
 Sinusoidal Fetal Heart Rate Pattern, [697](#)  
 Sirenomelia, [697](#)

---

---

Sister Mary Joseph's nodule, [697](#)  
Sitosterolemia, [697](#)  
Sitting Position, [731](#)  
Situs Inversus, [697](#)  
Situs inversus totalis, [697](#)  
Sjogren Syndrome, [697](#)  
Sjogren's Syndrome, [731](#)  
Sjögren Syndrome, [697](#)  
Sjögren's syndrome, [698](#)  
Skeletal Muscle, [698](#)  
Skeletal Muscle Relaxant, [698](#)  
Skeletal Survey, [698](#)  
Skeletonization, [698](#)  
Skilled Nursing Facility, [698](#)  
Skin, [698](#)  
Skin Absorption, [698](#)  
Skin Aging, [698](#)  
Skin Aging and Appearance, [698](#)  
Skin Allergies and Contact Dermatitis, [698](#)  
Skin Allergy Testing, [698](#)  
Skin and Aging, [698](#)  
Skin and Environment, [698](#)  
Skin Appendages, [699](#)  
Skin Barrier Function, [699](#)  
Skin Biopsy Methods, [699](#)  
Skin Biopsy Techniques, [699](#)  
Skin Cancer, [699](#)  
Skin Cancer Epidemiology, [699](#)  
Skin Cancer Prevention, [699](#)  
Skin Cancer Screening, [699](#)  
Skin Cancer Staging, [699](#)  
Skin Cancer Surgery, [699](#)  
Skin Flaps, [699](#)  
Skin Graft, [699](#)  
Skin Immune System, [700](#)  
Skin Infection, [700](#)  
Skin Integrity, [700](#)  
Skin Irritation, [700](#)  
Skin Microbiome, [700](#)  
Skin of Color, [700](#)  
Skin Pigmentation, [700](#)  
Skin Tags, [700](#)  
Skin Turgor, [733](#)  
Skull, [700](#)  
Skull fracture, [700](#)  
SLAP Lesion, [700](#)  
SLAP Tears, [700](#)  
Sleep, [701](#)  
Sleep (Geriatric), [701](#)  
Sleep Apnea, [701](#)  
Sleep Apnea (Dental), [701](#)  
Sleep Apnea (Obstructive Sleep Apnea - OSA), [701](#)  
Sleep Apnoea, [736](#)  
Sleep Bruxism, [701](#)  
Sleep Hygiene, [701](#)  
Sleep Medications and Supplements, [701](#)  
Sleep Paralysis, [701](#)  
Sleep Studies (Polysomnography), [701](#)  
Sleep-Related Breathing Disorders, [115](#)  
Sleep-Related Hypoventilation, [701](#)  
Sleepwalking, [701](#)  
Sleeve Gastrectomy, [701](#)  
Sliding Filament, [702](#)  
Slipped Capital Femoral Epiphysis, [702](#)  
Slit Lamp Biomicroscopy, [702](#)  
Slit-Lamp Biomicroscope, [733](#)  
Small Airway Disease, [702](#)  
Small Bowel Follow-Through, [702](#)  
Small Bowel Obstruction, [702](#)  
Small Bowel Series, [702](#)  
Small Cell Carcinoma, [702](#)  
Small Cell Lung Cancer, [702](#)  
Small Fiber Neuropathy, [702](#)  
Small Intestinal Bacterial Overgrowth, [702](#)  
Small Intestine, [702](#)  
Small-bowel volvulus, [702](#)  
Smallpox, [703](#)  
SMART Goals for Antibiotic Stewardship, [703](#)  
SMILE, [703](#)  
Smile Design, [703](#)  
Smith-Lemli-Opitz Syndrome, [703](#)  
Smith-Magenis Syndrome, [703](#)  
Smoke Evacuator, [703](#)  
Smoke Inhalation Injury, [703](#)  
Smoking, [736](#)  
Smoking Cessation, [703](#)  
Smooth Muscle, [703](#)  
Smothering, [703](#)  
Snake Bite, [115](#)  
Snapping Hip Syndrome, [703](#)  
Sneddon Syndrome, [703](#)  
Snellen Chart, [733](#)  
Snoring, [736](#)  
Snoring and Sleep Apnea, [703](#)  
SNRIs, [704](#)  
Social Anxiety Disorder, [704](#)

---



---

Social Isolation, [704](#)  
Sodium, [704](#)  
Sodium Bicarbonate Therapy, [704](#)  
Sodium Polystyrene Sulfonate, [704](#)  
Soft Markers for Aneuploidy, [704](#)  
Soft Tissue Injury, [704](#)  
Soft Tissue Rheumatism, [704](#)  
Soft Tissue Sarcoma, [704](#)  
Soft Tissue Tumors, [704](#)  
Soft-tissue calcinosis, [704](#)  
Soil Contamination, [704](#)  
Solar Urticaria, [704](#)  
Soleus Muscle, [705](#)  
Solitary Pulmonary Nodule, [705](#)  
Solution, [705](#)  
Solvent Exposure, [705](#)  
Somatic Mutation, [705](#)  
Somatic Symptom Disorder, [705](#)  
Somatic Variant, [705](#)  
Somatoform Disorders, [733](#)  
Somatostatin Analog, [705](#)  
Somatostatinoma, [705](#)  
Somatotropic pituitary adenoma, [705](#)  
Somatotropin, [733](#)  
Somnambulism, [733](#)  
Sonographer, [705](#)  
Sore Throat, [705](#)  
Sound, [733](#)  
Source Control, [705](#)  
Soy Protein Intolerance, [705](#)  
Spasm, [706](#)  
Spasticity, [706](#)  
Spasticity Management, [706](#)  
Spatial Resolution, [706](#)  
Special Care Baby Unit, [706](#)  
Special Stain, [706](#)  
Specific Absorbed Fraction, [706](#)  
Specific Activity, [706](#)  
Specific Gravity, [706](#)  
Specific Learning Disorder, [706](#)  
Specific Phobia, [706](#)  
Specificity, [706](#)  
Specimen Adequacy, [706](#)  
Specimen Container, [706](#)  
Specimen Cup, [706](#)  
Specimen Transport Medium, [706](#)  
SPECT Scan (Single Photon Emission CT), [707](#)  
Spectral Analysis, [707](#)  
Speculum, [707](#)  
Speech, [707](#)  
Speech Delay, [707](#)  
Speech Discrimination, [707](#)  
Speech Therapy, [707](#)  
Speech-Language Pathology Assessment, [707](#)  
Sperm, [707](#)  
Spermarche, [707](#)  
Spermatic Cord, [733](#)  
Spermatocele, [707](#)  
Spermatogonium, [707](#)  
Spermatorrhea, [707](#)  
Spermatozoa, [733](#)  
Spermatozoon, [733](#)  
Sphenoid Bone, [707](#)  
Sphenoid Sinusitis, [707](#)  
Sphenoidal Sinus, [707](#)  
Spherocytes, [708](#)  
Sphincter of Oddi, [733](#)  
Sphygmomanometer, [708](#)  
Spider angioma, [708](#)  
Spider bite, [708](#)  
Spina Bifida, [708](#)  
Spina Bifida Meningocele, [708](#)  
Spina Bifida Myelomeningocele, [708](#)  
Spina Bifida Occulta, [708](#)  
Spinal Analgesia, [708](#)  
Spinal Anesthesia, [708](#)  
Spinal Anesthesia for Cesarean Delivery, [708](#)  
Spinal Angiography, [708](#)  
Spinal Cavity, [733](#)  
Spinal Cord, [709](#)  
Spinal Cord Compression, [709](#)  
Spinal Cord Injury, [709](#)  
Spinal dysraphism, [709](#)  
Spinal Epidural Abscess, [709](#)  
Spinal Fusion, [709](#)  
Spinal Muscular Atrophy, [709](#)  
Spinal Nerve, [709](#)  
Spinal Precautions, [709](#)  
Spinal Shock, [709](#)  
Spinal Stenosis, [709](#)  
Spindle-cell sarcoma, [709](#)  
Spine, [709](#)  
Spine Disorders, [710](#)  
Spinocerebellar Ataxias, [710](#)  
Spiral Organ, [733](#)  
Spirochaete, [710](#)

---

---

Spirochete, [710](#)  
Spirogram, [733](#)  
Spirometer, [733](#)  
Spirometry, [710](#)  
Spironolactone, [710](#)  
Spleen, [710](#)  
Spleen Hilum, [710](#)  
Splenectomy, [710](#)  
Splenic cyst, [710](#)  
Splenic Flexure, [734](#)  
Splenic Infarction, [710](#)  
Splenic Rupture, [710](#)  
Splenomegaly, [711](#)  
Splice-Site Variant, [711](#)  
Splint, [711](#)  
Splint (Dental), [711](#)  
Splinter Hemorrhages, [711](#)  
Split-Thickness Skin Graft, [734](#)  
Splitting, [711](#)  
Spondee, [734](#)  
Spondyloarthritis, [711](#)  
Spondylolisthesis, [711](#)  
Spondylolysis, [734](#)  
Spondylosis, [734](#)  
Sponge (Vascular), [711](#)  
Spontaneous Abortion (Miscarriage), [66](#)  
Spontaneous Bacterial Peritonitis, [711](#)  
Spontaneous Breathing Trial, [711](#)  
Spontaneous Pneumothorax, [711](#)  
Spore, [711](#)  
Sporotrichosis, [711](#)  
Sports Rehabilitation, [712](#)  
Sprain, [712](#)  
Sprengel Deformity, [712](#)  
Spur-cell hemolytic anemia, [712](#)  
Sputum, [712](#)  
Squamous Cell Carcinoma, [712](#)  
Squint, [712](#)  
SSRIs, [712](#)  
ST Segment, [712](#)  
ST-Segment Elevation, [712](#)  
St. John's Wort, [712](#)  
Stab Wound, [712](#)  
Stable Disease, [712](#)  
Stage I, [713](#)  
Stage II, [713](#)  
Stage III, [713](#)  
Stage IV, [713](#)  
Stages of Labor, [713](#)  
Staghorn Calculi, [731](#)  
Staghorn Calculus, [713](#)  
Staging, [734](#)  
Staining, [713](#)  
Stainless Steel, [713](#)  
Standard of Care, [713](#)  
Standard Precautions, [713](#)  
Standardized Uptake Value, [713](#)  
Stapedectomy, [713](#)  
Stapedius, [734](#)  
Stapes, [713](#)  
Staph Infection, [713](#)  
Staphylococcal Infection, [714](#)  
Staphylococcal Pneumonia, [714](#)  
Staphylococcal scalded skin, [714](#)  
Staphylococcal Scalded Skin Syndrome, [735](#)  
Staphylococcus aureus, [714](#)  
Staple (Vascular), [714](#)  
Stapling, [734](#)  
Stargardt Disease, [714](#)  
Starling Forces, [714](#)  
Stasis, [734](#)  
Stasis Dermatitis, [737](#)  
Statin, [714](#)  
Statins in Diabetes, [714](#)  
Station, [714](#)  
Status Asthmaticus, [714](#)  
Status Epilepticus, [714](#)  
Status Migrainosus, [736](#)  
Steady State, [714](#)  
Steal Syndrome, [715](#)  
Steatorrhea, [715](#)  
Steatorrhoea, [736](#)  
Stem Cell Transplantation, [715](#)  
STEMI, [715](#)  
Stenosis, [715](#)  
Stenosis of the left anterior descending artery, [715](#)  
Stenotrophomonas maltophilia resistance, [715](#)  
Stent, [715](#)  
Stent (Vascular), [715](#)  
Stent Balloon (Vascular), [715](#)  
Stent Graft, [715](#)  
Stent Placement, [715](#)  
Stent Restenosis, [736](#)  
Stent-Graft (Vascular), [715](#)  
Stenting, [715](#)  
Stepping Reflex, [715](#)

---

---

Stereotactic Biopsy, [715](#)  
Stereotactic Body Radiation Therapy, [715](#)  
Stereotactic Radiosurgery, [716](#)  
Sterile Field, [716](#)  
Sterile Site, [716](#)  
Sterilisation, [716](#)  
Sterility, [734](#)  
Sterilization, [716](#)  
Sternoclavicular Joint, [716](#)  
Sternocleidomastoid Muscle, [716](#)  
Sternotomy, [735](#)  
Sternum, [716](#)  
Steroid Hormones, [734](#)  
Stethoscope, [716](#)  
Stevens-Johnson Syndrome, [716](#)  
Stickler Syndrome, [716](#)  
Stillbirth, [716](#)  
Stimulant Use Disorder, [716](#)  
Stimulants, [734](#)  
Stippling (Tattooing), [717](#)  
Stochastic Effects, [717](#)  
Stoma Complications, [717](#)  
Stomach, [717](#)  
Stomach Cancer, [717](#)  
Stomach Ulcer, [717](#)  
Stomatitis, [717](#)  
STOPP/START, [717](#)  
Storage Diseases, [717](#)  
Strabismus, [717](#)  
Strain, [717](#)  
Strain Imaging, [717](#)  
Strangulated Hernia, [736](#)  
Strangulation, [717](#)  
Strength Testing, [717](#)  
Strep Throat, [718](#)  
Streptococcal cellulitis with lymphangitis, [718](#)  
Streptococcal Infection, [718](#)  
Streptococcal pharyngitis, [718](#)  
Streptococcus agalactiae, [718](#)  
Streptococcus pneumoniae, [718](#)  
Streptococcus pyogenes, [718](#)  
Streptokinase, [718](#)  
Stress, [718](#)  
Stress Cardiomyopathy, [718](#)  
Stress Echocardiography, [718](#)  
Stress Fracture, [718](#)  
Stress Incontinence, [734](#)  
Stress Injuries, [734](#)  
Stress Shielding, [718](#)  
Stress Tests, [734](#)  
Stress Ulcer Prophylaxis, [718](#)  
Stress Urinary Incontinence, [719](#)  
Stretch Reflex, [719](#)  
Striae Atrophicae, [734](#)  
Striae Gravidarum, [719](#)  
Stridor, [719](#)  
Stripping of Membranes (Membrane Sweep), [719](#)  
Stroke, [719](#)  
Stroke Volume, [719](#)  
Strongyloides stercoralis, [719](#)  
Strongyloidiasis, [719](#)  
Structured Reporting, [719](#)  
Struvite Stones, [719](#)  
Student's Elbow, [734](#)  
Stupor, [719](#)  
Sturge-Weber Syndrome, [719](#)  
Stye, [720](#)  
Subacute, [720](#)  
Subacute Bacterial Endocarditis, [734](#)  
Subacute Rehabilitation, [720](#)  
Subacute Thyroiditis, [720](#)  
Subarachnoid, [720](#)  
Subarachnoid Haemorrhage, [736](#)  
Subarachnoid Hemorrhage, [720](#)  
Subchorionic Hemorrhage, [641](#)  
Subclavian Artery, [720](#)  
Subclavian Vein, [720](#)  
Subclavian vein thrombosis, [720](#)  
Subclinical Hypothyroidism, [736](#)  
Subcorneal pustular dermatosis, [720](#)  
Subculture, [720](#)  
Subcutaneous Emphysema, [720](#)  
Subcutaneous Layer, [735](#)  
Subcutaneous Tissue, [720](#)  
Subdural Haematoma, [736](#)  
Subdural Hematoma, [720](#)  
Subgaleal Hemorrhage, [721](#)  
Sublingual epidermoid cyst, [721](#)  
Sublingual Gland, [721](#)  
Subluxation, [735](#)  
Submandibular Gland, [721](#)  
Subscapular Artery, [721](#)  
Substance Abuse, [721](#)  
Substance Abuse Psychiatry, [721](#)  
Substance Dependence, [721](#)  
Substance Intoxication, [721](#)

---

---

Substance Use, [721](#)  
Substance Use Disorder, [721](#)  
Substance Use in Pregnancy, [721](#)  
Substance Withdrawal, [721](#)  
Substernal goiter, [721](#)  
Succenturiated Lobe, [722](#)  
Succinate Dehydrogenase, [722](#)  
Succinylcholine, [722](#)  
Sucking Reflex, [722](#)  
Sucrose Lysis Test, [722](#)  
Suction (Vascular), [722](#)  
Suction Device, [722](#)  
Suction Tip, [722](#)  
Sudden Cardiac Death, [722](#)  
Sudden Infant Death Syndrome, [722](#)  
Sudden Sensorineural Hearing Loss, [722](#)  
Sudden Unexpected Infant Death, [722](#)  
Suffocation, [722](#)  
Sugammadex, [723](#)  
Suicidal Ideation, [723](#)  
Suicide, [723](#)  
Suicide Risk Assessment, [723](#)  
Sulfa Drugs, [723](#)  
Sulfasalazine, [723](#)  
Sulfatide, [723](#)  
Sulfonamide, [723](#)  
Sulfonylureas, [723](#)  
Sulfur Colloid Scan, [723](#)  
Sulphonamides, [723](#)  
Sun Protection (Photoprotection), [723](#)  
Sunburn, [723](#)  
Sunstroke, [731](#)  
Superantigen, [724](#)  
Superficial, [724](#)  
Superficial Fascia, [724](#)  
Superficial thrombophlebitis, [724](#)  
Superimposed Preeclampsia, [724](#)  
Superinfection, [724](#)  
Superior, [724](#)  
Superior Mesenteric Artery, [724](#)  
Superior mesenteric artery syndrome, [724](#)  
Superior Semicircular Canal Dehiscence, [724](#)  
Superior Vena Cava, [724](#)  
Superior Vena Cava Syndrome, [724](#)  
Superior vena caval obstruction, [724](#)  
Supernumerary rib, [724](#)  
Supernumerary Teeth, [725](#)  
Supervised Exercise Therapy, [725](#)  
Supination, [725](#)  
Supine Hypotensive Syndrome, [725](#)  
Supine Position, [731](#)  
Supplement Safety, [725](#)  
Supplemental Oxygen Therapy, [725](#)  
Supplementation, [725](#)  
Supportive Care, [725](#)  
Suppository, [725](#)  
Suppuration, [732](#)  
Supraglottic Airway Device, [725](#)  
Suprapubic, [735](#)  
Suprascapular Nerve, [725](#)  
Supraventricular Tachycardia, [725](#)  
Surfactant, [725](#)  
Surgery, [725](#)  
Surgical Drain, [726](#)  
Surgical Drill, [732](#)  
Surgical Fixation, [735](#)  
Surgical Hemostasis, [726](#)  
Surgical Instruments, [726](#)  
Surgical Margin, [726](#)  
Surgical Repair, [726](#)  
Surgical Risk Stratification, [726](#)  
Surgical Safety Checklist, [726](#)  
Surgical Site Infection, [726](#)  
Surgical Stapler, [732](#)  
Surgical Time-Out, [726](#)  
Surgical Wound Classification, [726](#)  
Surrogate Decision-Maker, [726](#)  
Surveillance, [726](#)  
Surveillance Imaging, [726](#)  
Survival, [726](#)  
Survival Rate, [727](#)  
Survivorship, [727](#)  
Survivorship Care Plan, [727](#)  
Susac Syndrome, [727](#)  
Susceptibility Testing, [727](#)  
Suspected Cause, [727](#)  
Suspension, [727](#)  
Suture, [727](#)  
Suture (Perineal), [727](#)  
Suture Anchor, [727](#)  
SUV, [727](#)  
SVC Syndrome, [727](#)  
Swallow Study, [727](#)  
Swallowing, [727](#)  
Swallowing Assessment, [727](#)  
Swallowing Therapy, [727](#)

---

---

Swan-Ganz Catheter, [735](#)  
 Sweat Chloride Test, [728](#)  
 Sweat Gland, [728](#)  
 Sweating, [728](#)  
 Sweet Syndrome, [728](#)  
 Sweet's syndrome, [728](#)  
 Swine Flu, [728](#)  
 Swollen Ankles and Swollen Feet, [728](#)  
 Symblepharon, [728](#)  
 Sympathectomy, [735](#)  
 Sympathetic Nervous System, [728](#)  
 Sympatholytic, [728](#)  
 Symphysis, [735](#)  
 Symphysis Pubis, [735](#)  
 Symptom, [728](#)  
 Synapse, [728](#)  
 Synaptic Plasticity, [728](#)  
 Synaptic Transmission, [729](#)  
 Syncope, [729](#)  
 Syncope (Fainting), [729](#)  
 Syndactyly, [729](#)  
 Syndrome, [729](#)  
 Syndrome of inappropriate ADH secretion, [729](#)  
 Syndrome of Inappropriate Antidiuretic Hormone, [736](#)  
 Syndrome Surveillance, [729](#)  
 Syndromic Surveillance, [729](#)  
 Synechia, [735](#)  
 Synergist, [735](#)  
 Synovial chondromatosis, [729](#)  
 Synovial Fluid, [735](#)  
 Synovial Fluid Analysis, [729](#)  
 Synovial Joint, [735](#)  
 Synovial Sarcoma, [729](#)  
 Synovitis, [729](#)  
 Synovium, [729](#)  
 Synovography, [729](#)  
 Synthesis Module, [729](#)  
 Syphilis, [730](#)  
 Syphilitic alopecia, [730](#)  
 Syphilitic gumma, [730](#)  
 Syringe, [730](#)  
 Syringomyelia, [730](#)  
 Syrinx, [730](#)  
 Systematic Review, [730](#)  
 Systemic Antifungals, [730](#)  
 Systemic Circuit, [735](#)  
 Systemic Effects, [730](#)  
 Systemic Inflammatory Response Syndrome, [730](#)  
 Systemic Juvenile Idiopathic Arthritis, [730](#)  
 Systemic Lupus Erythematosus, [730](#)  
 Systemic Mastocytosis, [731](#)  
 Systemic Sclerosis, [730](#)  
 Systemic Therapy, [731](#)  
 Systemic Vascular Resistance, [731](#)  
 Systole, [735](#)  
 Systolic Murmurs, [731](#)  
 Sézary Syndrome, [731](#)  
  
 T Wave, [737](#)  
 T-Cell Lymphomas, [737](#)  
 T-Cell Receptor, [737](#)  
 T-Cells (T-Lymphocytes), [737](#)  
 T3, [737](#)  
 T4, [737](#)  
 Tabes dorsalis, [737](#)  
 Tablet, [737](#)  
 Tachyarrhythmia, [738](#)  
 Tachycardia, [738](#)  
 Tachycardia-Induced Cardiomyopathy, [777](#)  
 Tachyphylaxis, [738](#)  
 Tachypnea, [738](#)  
 Tachypnoea, [738](#)  
 Tachysystole (Uterine Hyperstimulation), [738](#)  
 TACO, [738](#)  
 Tactile Fremitus, [738](#)  
 Tactile Sense, [776](#)  
 Taeniasis (Tapeworm Infection), [738](#)  
 Takayasu Arteritis, [738](#)  
 Takayasu Disease, [738](#)  
 Takayasu's arteritis, [738](#)  
 Takotsubo Cardiomyopathy, [739](#)  
 Talcosis, [739](#)  
 Talus, [739](#)  
 Tangier Disease, [739](#)  
 Tanner Staging, [739](#)  
 Tapeworm, [739](#)  
 Tapeworm Infection, [739](#)  
 Tardive Dyskinesia, [739](#)  
 Target Tissue, [776](#)  
 Target-Controlled Infusion, [739](#)  
 Targeted Temperature Management, [739](#)  
 Targeted Therapy, [740](#)  
 Tarlov Cyst, [740](#)  
 Tarsal Coalition, [740](#)  
 Tarsal Tunnel Syndrome, [740](#)

---

---

Tarsorrhaphy, 776  
Tarsus, 740  
Taste, 740  
Tau PET, 740  
Taurodontism, 740  
Tay-Sachs Disease, 740  
TCA Cycle, 740  
TCAs, 740  
TCAs (Tricyclic Antidepressants), 740  
Tdap Vaccination in Pregnancy, 740  
Tdap Vaccine, 740  
Technetium-99m, 741  
Technique, 741  
Tedizolid pharmacokinetics, 741  
Teen Depression, 776  
Teenage Pregnancy, 741  
Teeth, 741  
Teething, 741  
Telangiectasia, 735  
Tele radiology, 741  
Tele-Rehabilitation, 741  
Telemedicine, 741  
Telogen Effluvium, 741  
Telomere, 741  
Temperature, 741  
Temperature (Body Temperature), 741  
Temple Syndrome, 741  
Temporal Arteritis, 742  
Temporal Bones, 742  
Temporal Lobe, 742  
Temporal Lobe Epilepsy, 742  
Temporal Lobe Seizure, 776  
Temporomandibular Joint, 742  
Temporomandibular Joint Disorder, 742  
Temporomandibular Joint Replacement, 742  
Temporomandibular Joint Syndrome, 742  
Tendinitis, 742  
Tendinopathy, 776  
Tendon, 742  
Tendon Transfer, 742  
Tendonitis, 742  
Tenecteplase, 742  
Tenesmus, 743  
Tennis Elbow, 743  
Tenodesis, 777  
Tenosynovitis, 743  
Tensile Strength, 777  
Tension Headache, 743  
Tension Pneumothorax, 743  
Teratogen, 743  
Teratogenesis, 778  
Teratogenicity, 743  
Teratoma, 743  
Terbinafine, 743  
Teriparatide for Osteoporosis, 743  
Terminal Care, 778  
Terminal Delirium, 743  
Terminal Illness, 743  
Terry's Nails, 778  
Tertian Fever, 778  
Tertiary Prevention, 744  
Test Strips, 744  
Testes, 777  
Testicular Cancer, 744  
Testicular Disorders, 744  
Testicular Microlithiasis, 744  
Testicular Torsion, 744  
Testicular Torsion Emergency, 744  
Testis, 744  
Testis (Testicle), 744  
Testosterone, 744  
Tetanus, 744  
Tetany, 744  
Tethered Cord Syndrome, 744  
Tetracycline Stain, 744  
Tetracyclines, 745  
Tetralogy of Fallot, 745  
Tetraplegia (Quadriplegia), 778  
Th1/Th2/Th17/Tfh/Treg Balance, 745  
Thalamus, 745  
Thalassaemia, 778  
thalassemia, 745  
Thalassemia Major, 745  
Thallium Scan, 745  
Thallium-201, 745  
Thanatology, 745  
Thanatophoric Dysplasia, 745  
Thelarche, 739  
Theranostic Pair, 745  
Theranostics, 745  
Therapeutic Abortion, 66  
Therapeutic Alliance, 745  
Therapeutic Drug Monitoring, 746  
Therapeutic Exercise, 746  
Therapeutic Hypothermia, 746  
Therapeutic Index, 746

---



---

Therapeutic Window, [746](#)  
Therapeutics, [746](#)  
Therapy, [746](#)  
Therapy Monitoring, [746](#)  
Thermal Injury, [746](#)  
Thermal Injury (Burns), [746](#)  
Thermal Therapy, [746](#)  
Thermogenesis, [746](#)  
Thermometer, [746](#)  
Thermoneutral Zone, [746](#)  
Thermoplasty, [747](#)  
Thermoregulation, [747](#)  
Thiamine, [747](#)  
Thiamine (Vitamin B1), [747](#)  
Thiazide Diuretics, [747](#)  
Thiazolidinediones, [747](#)  
Thiopental Sodium, [747](#)  
Third Stage of Labor, [747](#)  
Third Trimester, [747](#)  
Third-Degree AV Block, [747](#)  
Third-Degree Burn, [747](#)  
Thirst, [778](#)  
Thoracentesis, [747](#)  
Thoracic Aortic Aneurysm, [747](#)  
Thoracic Cage, [748](#)  
Thoracic Cavity, [748](#)  
Thoracic Duct, [748](#)  
Thoracic endometriosis, [748](#)  
Thoracic Outlet Syndrome, [748](#)  
Thoracic Vertebrae, [748](#)  
Thoracolumbar Spine Trauma, [748](#)  
Thoracoscopy, [778](#)  
Thoracotomy, [748](#)  
Thought Blocking, [748](#)  
Threadworm (Enterobiasis), [748](#)  
Threadworms (Pinworms), [778](#)  
Three-Dimensional Ultrasound, [748](#)  
Throat Cancer, [748](#)  
Thrombectomy, [748](#)  
Thrombectomy (Vascular), [749](#)  
Thromboangiitis Obliterans (Buerger Disease), [749](#)  
Thrombocytes, [749](#)  
Thrombocytopathy, [749](#)  
Thrombocytopenia, [749](#)  
Thrombocytosis, [749](#)  
Thromboelastography, [749](#)  
Thromboembolism, [749](#)  
Thrombolysis, [749](#)  
Thrombolysis for PE, [749](#)  
Thrombolysis for Stroke, [749](#)  
Thrombolytic, [749](#)  
Thrombophilia, [749](#)  
Thrombophilia Testing, [749](#)  
Thrombophlebitis, [750](#)  
Thrombopoiesis, [750](#)  
Thrombosed intracranial aneurysm, [750](#)  
Thrombosis, [750](#)  
Thrombosis of the inferior vena cava, [750](#)  
Thrombotic Microangiopathy, [750](#)  
Thrombotic Thrombocytopenic Purpura, [750](#)  
Thrombotic vasculopathy, [750](#)  
Thrombus Organization, [750](#)  
Thrush, [750](#)  
Thumb CMC Arthritis, [750](#)  
Thymoma, [750](#)  
Thymus, [751](#)  
Thymus Gland, [778](#)  
Thyroglobulin Surveillance, [751](#)  
Thyroglossal Duct Cyst, [751](#)  
Thyroid Cancer, [751](#)  
Thyroid Cancer Staging, [751](#)  
Thyroid Cartilage, [751](#)  
Thyroid Disorders, [751](#)  
Thyroid Eye Disease, [751](#)  
Thyroid Fine-Needle Aspiration, [751](#)  
Thyroid Follicular Carcinoma, [751](#)  
Thyroid Function Tests, [751](#)  
Thyroid Gland, [751](#)  
Thyroid Hormone, [752](#)  
Thyroid Nodule, [752](#)  
Thyroid Nodule Evaluation, [752](#)  
Thyroid Papillary Carcinoma, [752](#)  
Thyroid Peroxidase Antibody, [752](#)  
Thyroid Scan, [752](#)  
Thyroid Scintigraphy, [752](#)  
Thyroid Stimulating Hormone, [752](#)  
Thyroid Storm, [752](#)  
Thyroid Surgery, [752](#)  
Thyroid Ultrasound, [752](#)  
Thyroiditis, [752](#)  
Thyroiditis Classification, [752](#)  
Thyrotoxic Periodic Paralysis, [752](#)  
Thyrotoxicosis, [776](#)  
Thyroxine-Binding Globulin, [777](#)  
TI-RADS, [753](#)  
Tibia, [753](#)

---

---

Tibial Fracture, [777](#)  
 Tibial Nerve, [753](#)  
 Tibial Shaft Fractures, [753](#)  
 Tibialis Anterior Muscle, [753](#)  
 Tibialis Posterior Muscle, [753](#)  
 Tic Douloureux, [753](#)  
 Tick Paralysis, [753](#)  
 Tick-Borne Encephalitis, [778](#)  
 Tickborne relapsing fever, [753](#)  
 Tics, [753](#)  
 Tidal Volume, [753](#)  
 Tilt Table Test, [754](#)  
 Time in Range, [754](#)  
 Time of Death, [754](#)  
 Time-of-Flight PET, [754](#)  
 Timed Up-and-Go Test, [754](#)  
 Timothy Syndrome, [754](#)  
 Tin, [754](#)  
 Tincture, [754](#)  
 Tinea, [754](#)  
 Tinea (Dermatophytosis), [754](#)  
 Tinea barbae, [754](#)  
 Tinea Capitis, [754](#)  
 Tinea circinata, [754](#)  
 Tinea Corporis, [755](#)  
 Tinea faciei, [755](#)  
 Tinea imbricata, [755](#)  
 Tinea Incognito, [755](#)  
 Tinea nigra, [755](#)  
 Tinea Pedis, [755](#)  
 Tinea Versicolor, [755](#)  
 Tinel Sign, [755](#)  
 Tinnitus, [755](#)  
 Tiotropium Bromide, [755](#)  
 TIPS (Transjugular Intrahepatic Portosystemic Shunt), [755](#)  
 Tiredness (Fatigue), [778](#)  
 Tissue, [755](#)  
 Tissue Distribution, [756](#)  
 Tissue Expander, [756](#)  
 Tissue Fixation, [756](#)  
 Tissue Plasminogen Activator, [777](#)  
 Tissue plasminogen activator-associated angioedema, [756](#)  
 Titanium, [756](#)  
 Titer, [756](#)  
 TLC, [756](#)  
 TNF Alpha, [756](#)  
 TNM Staging, [756](#)  
 Tobacco, [756](#)  
 Tocolysis, [756](#)  
 Tocolytic Therapy, [756](#)  
 Tocolytics, [756](#)  
 Toe Pressure, [756](#)  
 Toe-Brachial Index, [757](#)  
 Tolbutamide, [757](#)  
 Tolerance, [757](#)  
 Toll-Like Receptor, [757](#)  
 Tomosynthesis, [777](#)  
 Tongue, [757](#)  
 Tongue Cleaning, [757](#)  
 Tongue-Tie (Ankyloglossia), [778](#)  
 Tonic Neck Reflex, [757](#)  
 Tonic Seizures, [776](#)  
 Tonic-clonic seizure, [757](#)  
 Tonometer, [777](#)  
 Tonsillar cancer, [757](#)  
 Tonsillectomy, [757](#)  
 Tonsillitis, [757](#)  
 Tonsils, [757](#)  
 Tonus, [777](#)  
 Tooth, [757](#)  
 Tooth Eruption, [757](#)  
 Tooth Infection, [758](#)  
 Tooth Luxation, [758](#)  
 Tooth Replantation, [758](#)  
 Tooth Sensibility Testing, [758](#)  
 Tooth Sensitivity, [758](#)  
 Tooth Whiteness, [758](#)  
 Toothache, [758](#)  
 Tophaceous gout, [758](#)  
 Tophus, [758](#)  
 Topical Antibiotics, [758](#)  
 Topical Antifungals, [758](#)  
 Topical Calcineurin Inhibitors, [758](#)  
 Topical Corticosteroid Potency, [759](#)  
 Topical Retinoids, [759](#)  
 TORCH Panel, [759](#)  
 Torsades de Pointes, [759](#)  
 Torticollis, [759](#)  
 Torticollis (Wryneck), [759](#)  
 Torus mandibularis, [759](#)  
 Torus palatinus, [759](#)  
 Total Anomalous Pulmonary Venous Return, [759](#)  
 Total Body Surface Area, [759](#)  
 Total Breech Extraction, [759](#)

---

---

Total Daily Energy Expenditure, 759  
Total Haemolytic Complement Test, 760  
Total Hip Arthroplasty, 760  
Total Intravenous Anesthesia, 760  
Total Iron Binding Capacity, 760  
Total Knee Arthroplasty, 760  
Total Lesion Glycolysis, 760  
Total Lung Capacity, 760  
Total Parenteral Nutrition, 760  
Tourette Disorder, 760  
Tourette Syndrome, 760  
Tourette's Syndrome, 778  
Tourniquet, 760  
Towel Clamp, 776  
Townes Syndrome, 760  
Toxemia, 760  
Toxic Dose, 761  
Toxic Encephalopathy, 761  
Toxic Epidermal Necrolysis, 761  
Toxic Megacolon, 761  
Toxic Metabolic Encephalopathy, 777  
Toxic Shock Syndrome, 761  
Toxicokinetics, 761  
Toxicology, 761  
Toxicology Specimen Preservation, 761  
Toxidrome, 761  
Toxocariasis, 761  
Toxoid vaccines, 761  
Toxoplasma gondii, 761  
Toxoplasmosis, 761  
TPMT Polymorphism, 761  
Trabeculectomy, 762  
Trace Elements, 762  
Tracer Principle, 762  
Trachea, 762  
Tracheal agenesis with bronchoesophageal fistula, 762  
Tracheal Foreign Body, 762  
Tracheal Stenosis, 762  
Tracheitis, 762  
Tracheobronchomalacia, 762  
Tracheobronchomegaly, 762  
Tracheoesophageal Fistula, 762  
Tracheomalacia, 762  
Tracheostomy, 763  
Tracheostomy Tube, 763  
Tracheotomy, 763  
Trachoma, 763  
Traction, 763  
Tractional retinal detachment, 763  
Tractotomy, 763  
Train-of-Four Monitoring, 763  
Trained Immunity, 763  
Trajectory, 763  
TRALI, 763  
Tram-Track Appearance, 763  
Tranexamic Acid, 763  
Tranquillisers, 763  
Trans Fat, 764  
Transabdominal Scan, 764  
Transaminitis, 777  
Transarterial Chemoembolization, 764  
Transbronchial Biopsy, 764  
Transcervical Foley Catheter for Cervical Ripening, 764  
Transcranial Doppler, 764  
Transcription, 764  
Transcription Factor, 764  
Transdermal, 764  
Transfer Training, 764  
Transferase, 764  
Transference, 764  
Transferrin, 765  
Transfusion Medicine, 765  
Transfusion of Neonate, 765  
Transfusion Reaction, 765  
Transient Ischaemic Attack (TIA), 778  
Transient Ischemic Attack, 765  
Transient Tachypnea of the Newborn, 765  
Transition to Adulthood, 765  
Transitional Care, 765  
Translation, 765  
Translocation, 765  
Transplacental, 765  
Transplant Immunology, 765  
Transplant Rejection, 765  
Transplant Surgery, 765  
Transport, 766  
Transposition of the Great Arteries, 766  
Transposons, 766  
Transudate, 766  
Transudative Pleural Effusion, 766  
Transurethral Resection of the Prostate, 766  
Transverse Colon, 766  
Transverse Lie, 766  
Transverse Myelitis, 766

---

---

Transverse Plane, [766](#)  
Transversus Abdominis Muscle, [766](#)  
Transvestic Disorder, [766](#)  
TRAP Sequence, [766](#)  
Trapezium, [766](#)  
Trapezius Muscle, [767](#)  
Trapezoid, [767](#)  
Trauma, [767](#)  
Trauma (Vascular), [767](#)  
Trauma Center, [767](#)  
Trauma Surgery, [767](#)  
Traumatic bleb, [767](#)  
Traumatic Brain Injury, [767](#)  
Traumatic Shock, [776](#)  
Traumatic spondylolisthesis of the axis (hangman's fracture), [767](#)  
Travel medicine, [767](#)  
Travelers' Diarrhea, [777](#)  
Treacher Collins Syndrome, [767](#)  
Treat-to-Target Strategy, [768](#)  
Treatment, [768](#)  
Treatment-Resistant Depression, [768](#)  
Tremor, [768](#)  
Trendelenburg Position, [776](#)  
Trephining (Trepanation), [768](#)  
Treponema pallidum, [768](#)  
Treponema pallidum infection, [768](#)  
Trepopnea, [768](#)  
Triage, [768](#)  
Trial of Labor After Cesarean, [768](#)  
Triceps Brachii Muscle, [768](#)  
Trichinosis, [768](#)  
Trichobezoar, [768](#)  
Trichomonas, [769](#)  
Trichomoniasis, [769](#)  
Trichothiodystrophy Syndrome, [769](#)  
Trichotillomania, [769](#)  
Tricuspid Atresia, [769](#)  
Tricuspid Regurgitation, [769](#)  
Tricuspid Stenosis, [769](#)  
Tricuspid Valve, [769](#)  
Tricyclic Antidepressant Overdose, [769](#)  
Tricyclic Antidepressants, [769](#)  
Trigeminal Nerve, [769](#)  
Trigeminal Neuralgia, [769](#)  
Trigger Finger, [769](#)  
Triglyceride, [770](#)  
Trimester, [778](#)  
Trimethoprim-sulfamethoxazole, [770](#)  
Trimethylaminuria, [770](#)  
trinucleotide repeat, [770](#)  
Tripe palms, [770](#)  
Triple-Negative Breast Cancer, [770](#)  
Triplets, [770](#)  
Triploidy Syndrome, [770](#)  
Triptan, [770](#)  
Triquetrum, [770](#)  
Trisomy, [770](#)  
Trisomy 21, [770](#)  
Trocarn, [776](#)  
Trophoderm, [771](#)  
Tropical Diseases, [778](#)  
Tropical Sprue, [771](#)  
Troponin, [771](#)  
Trousseau Sign of Latent Tetany, [771](#)  
Trousseau Syndrome, [771](#)  
True Ribs, [771](#)  
Truncus Arteriosus, [771](#)  
Trypanosoma brucei, [771](#)  
Trypanosomiasis, [771](#)  
TSH-Receptor Antibody, [771](#)  
Tubal Ligation, [771](#)  
Tubal Pregnancy, [771](#)  
Tuberculin Skin Test, [771](#)  
Tuberculin Test, [776](#)  
Tuberculoid leprosy, [772](#)  
Tuberculosis, [772](#)  
Tuberculosis in Children, [772](#)  
Tuberous sclerosis, [772](#)  
Tuberous Sclerosis Complex, [772](#)  
Tubography, [772](#)  
Tubular Adenoma, [777](#)  
Tubular Reabsorption, [772](#)  
Tubular Secretion, [772](#)  
Tubuloglomerular Feedback, [772](#)  
Tularemia, [772](#)  
Tumor, [772](#)  
Tumor Board, [772](#)  
Tumor Burden, [773](#)  
Tumor Differentiation, [773](#)  
Tumor Embolism, [773](#)  
Tumor Grade, [773](#)  
Tumor Grading, [773](#)  
Tumor Heterogeneity, [773](#)  
Tumor Lysis Syndrome, [773](#)  
Tumor Marker, [773](#)

---

---

Tumor Microenvironment, [773](#)  
Tumor Mutational Burden, [773](#)  
Tumor Necrosis Factor, [773](#)  
Tumor Necrosis Factor Inhibitor, [773](#)  
Tumor Staging, [773](#)  
Tumor Suppressor, [773](#)  
Tumor Suppressor Gene, [774](#)  
Tumor-Suppressor Gene, [774](#)  
Tumour (Neoplasm), [778](#)  
Tungiasis, [774](#)  
Tunica Adventitia, [774](#)  
Tunica Media, [774](#)  
Turbinates, [774](#)  
Turbinates Hypertrophy, [774](#)  
Turner Hypoplasia, [774](#)  
Turner Syndrome, [774](#)  
Turner's Syndrome, [779](#)  
Tussis, [777](#)  
Twin-to-Twin Transfusion Syndrome, [774](#)  
Twin-Twin Transfusion Syndrome, [774](#)  
Tympanic Cavity, [774](#)  
Tympanic hyperectasis, [774](#)  
Tympanic membrane, [774](#)  
Tympanic Membrane Perforation, [777](#)  
Tympanometry, [775](#)  
Tympanoplasty, [777](#)  
Tympanostomy Tubes, [775](#)  
Type 1 Diabetes Mellitus, [775](#)  
Type 2 Diabetes Mellitus, [775](#)  
Type I Hypersensitivity, [775](#)  
Type II Hypersensitivity, [775](#)  
Type III Hypersensitivity, [775](#)  
Type III hypersensitivity reaction, [775](#)  
Type IV Hypersensitivity, [775](#)  
Typhlitis, [775](#)  
Typhoid, [775](#)  
Typhoid Fever, [775](#)  
Typhus, [775](#)  
Typical Antipsychotics, [776](#)  
Tyramine, [776](#)  
Tyrosine Kinase Inhibitor, [776](#)  
Tyrosinemia, [776](#)  
Tzanck Smear, [779](#)  
  
U Wave, [781](#)  
Ubiquinone, [781](#)  
Uhl Anomaly, [781](#)  
Ulcer, [781](#)  
Ulcer (Vascular), [781](#)  
Ulcerative Colitis, [781](#)  
Ulcerative Keratitis, [792](#)  
Ulcerative Proctitis, [792](#)  
Ulna, [781](#)  
Ulnar, [781](#)  
Ulnar Artery, [781](#)  
Ulnar Hypoplasia, [781](#)  
Ulnar Nerve, [781](#)  
Ulnar Nerve Dysfunction, [782](#)  
Ulnar Nerve Entrapment, [792](#)  
Ulnar Paradox, [792](#)  
Ulnar Wrist Pain, [791](#)  
Ultrasonography, [782](#)  
Ultrasound, [782](#)  
Ultrasound Contrast, [782](#)  
Ultrasound Therapy, [782](#)  
Ultrasound Transducer, [782](#)  
Umbilical Artery Doppler, [782](#)  
Umbilical Cord, [782](#)  
Umbilical Cord Blood Gas, [782](#)  
Umbilical Cord Prolapse, [782](#)  
Umbilical Hernia, [782](#)  
Umbilical Region, [782](#)  
Umbilication, [783](#)  
Umbilicus (Navel), [783](#)  
Uncompetitive Inhibition, [783](#)  
Unconsciousness, [783](#)  
Underweight, [783](#)  
Undescended Testicle, [792](#)  
Undescended Testis, [783](#)  
Undescended Testis (Cryptorchidism), [783](#)  
Undifferentiated Pleomorphic Sarcoma, [792](#)  
Undulant Fever, [783](#)  
Unguentum, [783](#)  
Uniparental Disomy, [783](#)  
Unresponsive Coma, [783](#)  
Unstable Angina, [783](#)  
Upper Airway Obstruction, [783](#)  
Upper Endoscopy, [783](#)  
Upper Extremity Venous Doppler, [783](#)  
Upper Gastrointestinal Bleeding, [784](#)  
Upper GI Series, [784](#)  
Upper Motor Neuron Syndrome, [784](#)  
Upper Respiratory Infection, [792](#)  
Upright Labor Positions, [784](#)  
Uptake, [784](#)  
Urachal Cyst, [784](#)

---

---

Urachal mucinous cystic tumor, [784](#)  
Uraemia, [784](#)  
Uraemic Syndrome, [792](#)  
Urate-Lowering Therapy, [784](#)  
Urea, [791](#)  
Urea Cycle, [784](#)  
Urea Cycle Disorder, [784](#)  
Uremia, [784](#)  
Uremic Encephalopathy, [784](#)  
Uremic Frost, [785](#)  
Uremic Pericarditis, [785](#)  
Uremic Platelet Dysfunction, [785](#)  
Uremic stomatitis, [785](#)  
Ureter, [785](#)  
Ureter Duplex, [785](#)  
Ureteral Calculi, [791](#)  
Ureteral Obstruction, [785](#)  
Ureteral Perforation, [785](#)  
Ureteral Stent, [785](#)  
Ureteral Stent (Double-J Stent), [785](#)  
Ureteral Stricture, [785](#)  
Ureteritis, [785](#)  
Ureterocele, [786](#)  
Ureterolithiasis, [786](#)  
Ureteropelvic Junction Obstruction, [786](#)  
Ureteroscopy, [786](#)  
Urethra, [786](#)  
Urethracele, [786](#)  
Urethral Diverticulum, [786](#)  
Urethral Infection, [786](#)  
Urethral Meatus, [786](#)  
Urethral Pressure Profile, [786](#)  
Urethral Pressures, [786](#)  
Urethral Sling, [786](#)  
Urethral Stricture, [786](#)  
Urethral Syndrome, [792](#)  
Urethritis, [786](#)  
Urethrography, [787](#)  
Urethroplasty, [792](#)  
Urethroscopy, [792](#)  
Urge Urinary Incontinence, [787](#)  
Urgency, [787](#)  
Uric Acid Nephropathy, [787](#)  
Uric Acid Stones, [787](#)  
Urinal, [787](#)  
Urinalysis, [787](#)  
Urinary Bladder, [787](#)  
Urinary Casts, [792](#)  
Urinary Catheter, [792](#)  
Urinary Frequency, [791](#)  
Urinary Incontinence, [787](#)  
Urinary Lithiasis, [791](#)  
Urinary Retention, [787](#)  
Urinary Retraining, [787](#)  
Urinary Stasis, [791](#)  
Urinary Tract Infection, [787](#)  
Urinary Tract Infection in Pregnancy, [787](#)  
Urinary Urgency, [787](#)  
Urination, [788](#)  
Urine Albuminuria, [788](#)  
Urine Analysis, [788](#)  
Urine Drug Screen, [788](#)  
Urine Formation, [788](#)  
Urine hCG (Pregnancy Test), [788](#)  
Urine Osmolality, [788](#)  
Urine Sediment, [788](#)  
Urine Sodium, [788](#)  
Urine Toxicology, [788](#)  
Urinometer, [791](#)  
Urobilinogen, [792](#)  
Urodynamic Testing, [788](#)  
Urodynamics, [788](#)  
Uroflow, [788](#)  
Uroflowmetry, [788](#)  
Urogenital Tract, [791](#)  
Urolithiasis, [789](#)  
Urologic Diagnostic Yield, [789](#)  
Urology, [789](#)  
Urothelial Carcinoma, [789](#)  
Urothelium, [789](#)  
Urticaria, [789](#)  
Urticaria multiforme, [789](#)  
Urticaria Pigmentosa, [789](#)  
Urticarial Vasculitis, [792](#)  
Usher Syndrome, [789](#)  
Usual Interstitial Pneumonia, [789](#)  
Uterine Atony, [789](#)  
Uterine Balloon Tamponade, [789](#)  
Uterine Cancer, [789](#)  
Uterine Fibroid (Leiomyoma), [790](#)  
Uterine Fibroid Embolization, [791](#)  
Uterine Fibroids, [790](#)  
Uterine Hemorrhage, [790](#)  
Uterine Inversion, [790](#)  
Uterine perforation, [790](#)  
Uterine Prolapse, [790](#)

---



---

Uterine Rupture, 790  
Uterine Tachysystole, 790  
Uterine Tube, 791  
Uterotonic, 790  
Uterus, 790  
UTI, 790  
Utricle, 792  
UV Light, 790  
Uvea, 790  
Uveal Disease, 795  
Uveal melanoma, 790  
Uveitis, 791  
Uveoparotid fever, 791  
Uvula, 791  
Uvulitis, 791  
Uvulopalatopharyngoplasty (UPPP), 792  
  
Vaccination, 795  
Vaccination Schedule, 795  
Vaccine, 795  
Vaccine Immunology, 795  
Vaccines and Immunizations, 795  
VACTERL Association, 795  
Vacuum Delivery, 795  
Vacuum-Assisted Delivery, 795  
Vagal Paraganglioma, 813  
Vagina, 795  
Vaginal Agenesis, 814  
Vaginal Atresia, 796  
Vaginal Atrophy, 814  
Vaginal Birth After Cesarean, 796  
Vaginal Cancer, 796  
Vaginal Delivery (Spontaneous), 796  
Vaginal Dryness, 796  
Vaginal Dryness and Atrophy (Genitourinary Syndrome of Menopause), 796  
Vaginal Fistula, 814  
Vaginal Foreign Body, 796  
Vaginal Hematoma, 814  
Vaginal Hemorrhage, 796  
Vaginal Intercourse, 796  
Vaginal Intraepithelial Neoplasia, 815  
Vaginal Itching, 796  
Vaginal Microbiome, 796  
Vaginal Speculum, 814  
Vaginal Stenosis, 796  
Vaginal Trauma, 796  
Vaginismus, 797  
  
Vaginitis, 797  
Vaginospasm, 797  
Vagotomy, 814  
Vagus Nerve (Cranial Nerve X), 797  
Vagus Nerve Stimulation, 797  
Valgus, 814  
Valgus/Varus Stress Test, 797  
Valinemia, 797  
Valley Fever, 797  
Valproate (Sodium Valproate), 797  
Valsalva Maneuver, 814  
Valsalva's Manoeuvre, 797  
Valves, 814  
Valvular Heart Disease, 797  
Valvuloplasty, 815  
Valvulotomy, 815  
Vancomycin-resistant Enterococcus, 797  
Variable Decelerations, 797  
Variceal Hemorrhage, 797  
Varicella, 798  
Varicella Vaccine, 798  
Varicella-zoster virus, 798  
Varices, 815  
Varicocele, 798  
Varicose Ulcer, 798  
Varicose Veins, 798  
Variegate Porphyria, 798  
Variola, 798  
Vas Deferens, 798  
Vasa Previa, 798  
Vascular Access, 798  
Vascular Access for Hemodialysis, 798  
Vascular Dementia, 798  
Vascular Diagnostic Yield, 799  
Vascular Graft, 799  
Vascular Graft Patency, 799  
Vascular Imaging, 799  
Vascular Malformation, 799  
Vascular Ring, 799  
Vascular System, 814  
Vascular Trauma, 799  
Vascularity, 799  
Vasculitis, 799  
Vasculitis (Systemic), 799  
Vasectomy, 799  
Vasoconstriction, 799  
Vasodilatation, 815  
Vasodilation, 799

---

---

Vasomotor, [815](#)  
Vasomotor Rhinitis, [799](#)  
Vasopressin (Antidiuretic Hormone, ADH), [800](#)  
Vasopressor, [815](#)  
Vasopressors in Anesthesia, [800](#)  
Vasovagal Syncope, [800](#)  
Vaughan Williams Classification, [800](#)  
VEAL CHOP Mnemonic, [800](#)  
Vector, [800](#)  
Vector Control, [800](#)  
Vector-Borne Disease, [800](#)  
Vector-borne diseases, [800](#)  
Vegan Diet, [800](#)  
Vegetarian Diet, [800](#)  
Vegetation, [800](#)  
Vein, [800](#)  
Vein-graft aneurysms, [800](#)  
Vena Cava, [801](#)  
Venereal Diseases, [801](#)  
Venesection (Phlebotomy), [801](#)  
Venipuncture, [801](#)  
Veno-Occlusive Disease, [814](#)  
Venography, [801](#)  
Venom, [801](#)  
Venomous Bite, [801](#)  
Venous Insufficiency, [801](#)  
Venous Pressure, [815](#)  
Venous Stasis Ulcer, [801](#)  
Venous Thromboembolism in Pregnancy, [801](#)  
Venous Thromboembolism Prophylaxis, [801](#)  
Venous Thrombosis, [801](#)  
Venous Ulcer, [801](#)  
Ventilation, [815](#)  
Ventilation-Perfusion Mismatch, [801](#)  
Ventilation-Perfusion Ratio, [802](#)  
Ventilation-Perfusion Scan, [801](#)  
Ventilation/Perfusion Scan, [802](#)  
Ventilator, [802](#)  
Ventilator-Associated Pneumonia, [802](#)  
Ventilator-Induced Lung Injury, [802](#)  
Ventral, [802](#)  
Ventricle, [802](#)  
Ventricle (Brain), [802](#)  
Ventricular Arrhythmia, [802](#)  
Ventricular Assist Device, [802](#)  
Ventricular Fibrillation, [802](#)  
Ventricular Septal Defect, [802](#)  
Ventricular Tachycardia, [802](#)  
Ventriculoatrial, [803](#)  
Ventriculography, [803](#)  
Ventriculoperitoneal Shunt, [803](#)  
Venturi Mask, [803](#)  
Venule, [803](#)  
Vernal conjunctivitis, [803](#)  
Vernal keratoconjunctivitis, [803](#)  
Vernix Caseosa, [814](#)  
Verruca, [814](#)  
Verruca (Wart), [803](#)  
Verruciform Xanthoma, [803](#)  
Verrucous carcinoma, [803](#)  
Vertebra, [803](#)  
Vertebral Canal, [803](#)  
Vertebral Column, [803](#)  
Vertebral Compression Fracture, [814](#)  
Vertebral Tumor, [814](#)  
Vertebrobasilar Insufficiency, [803](#)  
Vertebroplasty, [804](#)  
Vertical Talus, [804](#)  
Vertigo, [804](#)  
Vesical, [804](#)  
Vesicle, [804](#)  
Vesicoureteral Reflux, [804](#)  
Vesicoureteric Reflux, [815](#)  
Vesicovaginal Fistula, [804](#)  
Vestibular Migraine, [804](#)  
Vestibular Neuritis, [804](#)  
Vestibular papillomatosis, [804](#)  
Vestibular Rehabilitation, [804](#)  
Vestibular Schwannoma, [804](#)  
Vestibule, [804](#)  
Vestibulocochlear Nerve, [814](#)  
VEXAS Syndrome, [804](#)  
Viagra (Sildenafil), [805](#)  
Vibrio cholerae, [805](#)  
Vibrio Infection, [791](#)  
Vibrio vulnificus infections, [805](#)  
Vibrios, [814](#)  
Video Laryngoscope, [805](#)  
Video Laryngoscopy, [805](#)  
Videofluoroscopic Swallow Study, [805](#)  
Videostroboscopy, [805](#)  
Villi, [814](#)  
Villous atrophy, [805](#)  
Vincent Disease, [814](#)  
VIPoma, [805](#)  
Viral assembly, [805](#)

---

---

Viral attachment, [805](#)  
Viral Conjunctivitis, [805](#)  
Viral culture, [805](#)  
Viral cytopathic effects, [806](#)  
Viral entry, [806](#)  
Viral Exanthem, [815](#)  
Viral gastroenteritis, [806](#)  
Viral hepatitis, [806](#)  
Viral immune evasion, [806](#)  
Viral Infections, [806](#)  
Viral latency, [806](#)  
Viral latency mechanisms, [806](#)  
Viral Load (HIV RNA), [806](#)  
Viral Meningitis, [806](#)  
Viral pathogenesis, [806](#)  
Viral pneumonia, [806](#)  
Viral release, [807](#)  
Viral replication, [807](#)  
Viral replication cycle, [807](#)  
Viral structure, [807](#)  
Viral uncoating, [807](#)  
Virchow's Triad, [807](#)  
Viremia, [807](#)  
Virilisation, [807](#)  
Virilism Foetal, [807](#)  
Virology, [807](#)  
Virtual Reality, [807](#)  
Virulence, [807](#)  
Virulence Factor, [807](#)  
Viscera, [808](#)  
Vision, [808](#)  
Vision and Hearing, [808](#)  
Vision Impairment, [808](#)  
Vision Loss, [808](#)  
Vision Problems, [808](#)  
Vision Receptors, [814](#)  
Vision Screening, [808](#)  
Visual Acuity, [808](#)  
Visual Agnosia, [808](#)  
Visual Field Defect, [808](#)  
Visual Field Perimetry, [808](#)  
Visual Fields, [815](#)  
Visual Impairment, [808](#)  
Vital Capacity, [815](#)  
Vital Signs, [809](#)  
Vital Tooth Bleaching, [809](#)  
Vitamin A deficiency, [809](#)  
Vitamin A: Retinal, [809](#)  
Vitamin B Complex, [809](#)  
Vitamin B1 (Thiamine), [809](#)  
Vitamin B12 (Cobalamin), [809](#)  
Vitamin B12 Deficiency, [809](#)  
Vitamin B12 Deficiency in Older Adults, [809](#)  
Vitamin B12: Cobalamin, [809](#)  
Vitamin B1: Thiamine, [809](#)  
Vitamin B2 (Riboflavin), [809](#)  
Vitamin B3 (Niacin), [809](#)  
Vitamin B3: Niacin, [809](#)  
Vitamin B5 (Pantothenic Acid), [809](#)  
Vitamin B6 (Pyridoxine), [810](#)  
Vitamin B6: Pyridoxine, [810](#)  
Vitamin B7 (Biotin), [810](#)  
Vitamin B9 (Folate), [810](#)  
Vitamin B9: Folate, [810](#)  
Vitamin C (Ascorbic Acid), [810](#)  
Vitamin D Deficiency, [810](#)  
Vitamin D: Calcitriol, [810](#)  
Vitamin E: Tocopherol, [810](#)  
Vitamin K Deficiency, [810](#)  
Vitamin K Prophylaxis, [810](#)  
Vitamin K: Phylloquinone, [810](#)  
Vitamins, [810](#)  
Vitiligo, [811](#)  
Vitiligo and Pigmentation Disorders, [811](#)  
Vitiligo Treatment, [811](#)  
Vitreectomy, [811](#)  
Vitreous Body, [811](#)  
Vitreous Chemistry, [811](#)  
Vitreous Detachment, [815](#)  
Vitreous Hemorrhage, [811](#)  
Vitreous Humor, [811](#)  
Vitriolage, [811](#)  
VLDL, [811](#)  
Vocal Cord Dysfunction, [811](#)  
Vocal Cord Nodules, [811](#)  
Vocal Cord Paralysis, [811](#)  
Vocal Cord Paresis, [811](#)  
Vocal Cord Polyp, [812](#)  
Vocal Cords, [812](#)  
Vocal Folds, [812](#)  
Vocal Resonance, [812](#)  
Vocal-Cord Dysfunction, [812](#)  
Voice, [815](#)  
Voice and Speech, [812](#)  
Voiding Cystourethrogram, [812](#)  
Volatile Anesthetics, [812](#)

---

---

Volkman Contracture, 812  
Volume of Distribution, 812  
Volutrauma, 812  
Volvulus, 812  
Vomiting, 812  
Vomiting of Pregnancy (Morning Sickness), 815  
Von Hippel-Lindau Disease, 813  
von Willebrand Disease, 813  
Von Willebrand's Disease, 816  
VOR Reflex, 791  
Voriconazole, 813  
Voyeuristic Disorder, 813  
VRE, 813  
Vulva, 813  
Vulvar Cancer, 813  
Vulvar Dermatitis, 815  
Vulvar vestibulitis, 813  
Vulvectomy, 816  
Vulvitis, 813  
Vulvodynia, 813  
Vulvovaginal Candidiasis, 813  
Vulvovaginitis, 816  
  
Waardenburg Syndrome, 817  
WAGR Syndrome, 817  
Waist Circumference, 817  
Waldenstrom Macroglobulinemia, 817  
Waldenstrom's macroglobulinemia, 817  
Waldenström's macroglobulinemia, 817  
Walker, 817  
Walking Speed, 817  
Wallerian Degeneration, 817  
Wandering Spleen, 817  
Warthin Tumor, 817  
Warts, 818  
Warty Dyskeratoma, 818  
Wasp Sting, 825  
Wassermann Reaction, 825  
Watchful Waiting, 818  
Water Birth (Underwater Delivery), 818  
Water Flosser, 818  
Water Intoxication, 818  
Water Soluble Toxins, 818  
Water-Borne Disease, 818  
Water-Deprivation Test, 818  
Water-Hammer Pulse (Corrigan Pulse), 825  
Watery Eyes, 818  
Waxy Casts, 818  
  
Weakness, 818  
Weaning, 825  
Wear Debris, 818  
Weaver Syndrome, 818  
Weber Test, 819  
Weber-Christian Disease, 813  
Wedge resection, 819  
Wegener's Granulomatosis, 819  
Weight Gain in Pregnancy, 819  
Weight Loss, 819  
Weight Loss and Management, 819  
Weight Loss Medications, 819  
Weil's Disease, 819  
Wen (Epidermoid Cyst), 819  
Wenckebach Phenomenon (Mobitz Type I AV Block), 825  
Werner Syndrome, 819  
Wernicke Encephalopathy, 825  
Wernicke's Encephalopathy, 819  
Wernicke-Korsakoff Syndrome, 819  
West Nile Encephalitis, 819  
West Nile Virus, 820  
West Syndrome, 820  
Westermarck Sign, 820  
Wet Gangrene, 352  
Wet Macular Degeneration, 825  
Wharton Jelly, 820  
Wheal, 820  
Wheat Allergy, 824  
Wheelchair, 820  
Wheelchair Seating and Positioning, 820  
Wheelchair Skills, 820  
Wheeze, 824  
Wheezing, 820  
Whiplash, 824  
Whiplash Injury, 820  
Whipple Disease, 820  
Whipple Procedure, 820  
Whipple Triad, 821  
Whipple's Disease, 824  
Whipworm (Trichuriasis), 821  
Whispered Pectoriloquy, 821  
White Blood Cell Count, 821  
White Blood Cell Labeling, 821  
White Blood Cells, 824  
White Cell, 821  
White Cell Count, 821  
White Finger, 825

---

---

White Infarction, [821](#)  
 White Leg (Phlegmasia Alba Dolens), [826](#)  
 White Matter, [821](#)  
 Whites (Leucorrhoea), [821](#)  
 Whitlow (Paronychia), [826](#)  
 Whole Exome Sequencing, [821](#)  
 Whole Genome Sequencing, [821](#)  
 Whole-Body Scan, [821](#)  
 Whole-Brain Radiation Therapy, [821](#)  
 Whole-Genome Sequencing, [822](#)  
 Whooping Cough, [822](#)  
 Widal Reaction, [826](#)  
 Williams Syndrome, [822](#)  
 Wilms Tumor, [822](#)  
 Wilms' tumor (Nephroblastoma), [822](#)  
 Wilson Disease, [822](#)  
 Wilson's disease, [822](#)  
 Windowing, [822](#)  
 Windpipe, [822](#)  
 Wireless Motility Capsule, [822](#)  
 Wisdom Tooth (Third Molar), [826](#)  
 Wiskott-Aldrich Syndrome, [822](#)  
 Witch's Milk (Neonatal Galactorrhea), [826](#)  
 Withdrawal Reflex, [822](#)  
 Withdrawal Symptoms, [823](#)  
 Withdrawal Syndrome, [823](#)  
 Wolff-Parkinson-White Syndrome, [823](#)  
 Wolfram Syndrome, [823](#)  
 Wolman Disease, [824](#)  
 Wolman's Disease, [823](#)  
 Wood Lamp Examination, [823](#)  
 Woods Corkscrew Maneuver, [823](#)  
 Woods Screw Maneuver, [823](#)  
 Wool-Sorter's Disease (Anthrax), [826](#)  
 Word Blindness (Alexia), [826](#)  
 Word Deafness (Auditory Verbal Agnosia), [826](#)  
 Word Recognition Scoring, [823](#)  
 Word Salad, [823](#)  
 Worm Infestation (Helminthiasis), [826](#)  
 Wound, [823](#)  
 Wound Care, [823](#)  
 Wound Complication, [823](#)  
 Wound Dehiscence, [824](#)  
 Wound Evisceration, [825](#)  
 Wound Healing, [824](#)  
 Wound Healing Phases, [824](#)  
 Wound Infection, [824](#)  
 Wound VAC, [824](#)  
 Wright Stain, [824](#)  
 Wrisberg Ganglion, [824](#)  
 Wrist Drop, [824](#)  
 Wrist Fracture, [825](#)  
 Wrist Joint, [824](#)  
 Wrist Pain, [824](#)  
 Wrist Sprain, [825](#)  
 Writer's Cramp, [826](#)  
 Wryneck (Torticollis), [826](#)  
 Wuchereria, [824](#)  
  
 X Chromosome, [827](#)  
 X-Inactivation, [827](#)  
 X-Linked Adrenoleukodystrophy, [829](#)  
 X-Linked Agammaglobulinemia, [827](#)  
 X-Linked Hypophosphatemia, [829](#)  
 X-Linked Ichthyosis, [829](#)  
 X-Linked Inheritance, [827](#)  
 X-linked retinoschisis, [827](#)  
 X-Linked Severe Combined Immunodeficiency, [829](#)  
 X-ray, [827](#)  
 X-Ray (Plain Radiography), [827](#)  
 X-ray (Radiography), [827](#)  
 X-ray Attenuation, [827](#)  
 X-ray Shield, [827](#)  
 X-Rays (Röntgen Rays), [827](#)  
 Xanax, [827](#)  
 Xanthelasma, [828](#)  
 Xanthine Oxidase Inhibitor, [828](#)  
 Xanthogranulomatous, [828](#)  
 Xanthogranulomatous Pyelonephritis, [828](#)  
 Xanthoma, [828](#)  
 Xanthomatosis, [828](#)  
 Xenobiotic, [828](#)  
 Xenograft, [828](#)  
 Xenograft (Heterograft), [828](#)  
 Xenophobia, [828](#)  
 Xeroderma, [828](#)  
 Xeroderma Pigmentosum, [828](#)  
 Xerophthalmia, [828](#)  
 Xerosis, [828](#)  
 Xerostomia, [828](#)  
 Xerostomia (Dry Mouth), [829](#)  
 Xylitol Toxicity, [829](#)  
 XYY Syndrome, [829](#)  
  
 Y Chromosome, [831](#)  
 YAG Capsulotomy, [831](#)

---

---

YAG Laser Capsulotomy, [832](#)  
Yaws, [831](#)  
Yaws (Frambesia), [831](#)  
Yeast, [831](#)  
Yeast Infection, [831](#)  
Yellow Fever, [831](#)  
Yellow-nail syndrome, [831](#)  
Yergason Test, [832](#)  
Yersinia Enterocolitica, [831](#)  
Yersinia Infection, [831](#)  
Yersinia pestis, [832](#)  
Yersiniosis, [832](#)  
Yips, [832](#)  
Yolk Sac, [832](#)  
Yolk-sac tumor, [832](#)  
Yttrium-90, [832](#)

Z-Plasty, [833](#)  
Zavanelli Maneuver, [833](#)  
Zellweger Syndrome, [833](#)  
Zenker Diverticulum, [833](#)  
Zenker's diverticulum, [833](#)  
Ziehl-Neelsen Stain, [833](#)  
Zieve Syndrome, [834](#)  
Zieve's Syndrome, [833](#)  
Zika, [833](#)  
Zika virus, [833](#)  
Zinc, [833](#)  
Zinc Deficiency, [834](#)  
Zinc Ointment (Zinc Oxide), [834](#)  
Zinc Toxicity, [835](#)  
Zirconia, [834](#)  
Zollinger-Ellison Syndrome, [834](#)  
Zonule, [834](#)  
Zooglea, [834](#)  
Zoon Balanitis, [834](#)  
Zoonosis, [834](#)  
Zoster, [834](#)  
Zygoma (Zygomatic Bone), [834](#)  
Zygomatic Fracture, [835](#)  
Zygomycosis, [834](#)  
Zygote, [834](#)  
Zymogen, [834](#)  
Zymogen (Proenzyme), [834](#)