Snakebite Assessment, Treatment and Monitoring Record

Clinician-use form

Important: This is a documentation form, not a treatment protocol. Stabilize and manage urgently according to current local/regional guidance, the specific antivenom product information, and poison-centre or specialist advice. Antivenom selection, indications, dose, and first-aid recommendations vary by region and snake species.

1. Patient and encounter

Patient name: _____ Record / ID: _____
Date of birth: _____ Age: _____ Weight: _____ Pregnancy status if relevant: _____
Facility / unit: _____
Arrival date / time: _____ Clinician: _____
Local protocol / version used: _____
Poison centre / specialist contacted: _____

2. Bite and pre-hospital history

Bite date / time (or best estimate): _____ Location / region: _____
Time to first aid: _____ Time to facility: _____ Witnessed? _____
Bite site(s), side, number of bites: _____
Pain / symptoms began: _____
Snake description (only if safely observed / photographed; do not delay care for identification):
Color / pattern / size / other description: _____ ☐ Photo from safe distance available
First aid / actions before arrival (check and describe):
☐ Limb rested / immobilized ☐ Constricting items removed ☐ Wound washed / covered
☐ Tourniquet / tight band ☐ Incision / suction ☐ Ice / electric shock ☐ Herbal / traditional application
Other measures, medicines, dose, and time: _____
Relevant history, medicines (especially anticoagulants), allergies: _____

3. Immediate assessment and initial findings

Primary survey / urgent findings:
☐ Airway concern ☐ Breathing difficulty / respiratory weakness ☐ Circulatory instability / shock
☐ Altered consciousness / seizure ☐ Active bleeding ☐ Rapidly progressive swelling / tissue injury
Immediate stabilization, escalation / transfer, time: _____
BP: _____ HR: _____ RR: _____
SpO_2: _____ Temp: _____ GCS / AVPU: _____
Initial symptoms / examination (record present and absent):
☐ Local pain / tenderness ☐ Swelling ☐ Bruising / blistering / necrosis ☐ Fang marks
☐ Ptosis / diplopia / bulbar symptoms ☐ Weakness / paralysis ☐ Bleeding / bruising ☐ Vomiting / abdominal symptoms
☐ Dark urine / reduced urine ☐ Myalgia / muscle tenderness ☐ Nausea / sweating / collapse ☐ Other
Pertinent findings, onset, and progression: _____

4. Examination and serial observation

General / mental status: _____
Airway / voice / swallowing: _____
Respiratory effort / strength: _____ Perfusion / pulses: _____
Bite-site assessment: Site / side: _____ Limb circumference site: _____
Initial swelling extent / landmarks: _____ Time marked: _____
Neurovascular status distal to bite (pulse, sensation, movement, capillary refill): _____
Serial observation record (use local observation schedule):

Date / time	BP / HR	RR / SpO_2	GCS / neuro	Swelling / bleeding / systemic signs	Action / initials

5. Investigations and results

Select tests and intervals according to the clinical picture and regional protocol; record collection time and trend.

Test / specimen	Date / time	Result / trend	Pending / action

Other tests / imaging / ECG and interpretation: _____

6. Clinical impression

☐ No current evidence of envenoming ☐ Local envenoming ☐ Systemic envenoming ☐ Uncertain / evolving
☐ Neurotoxic features ☐ Coagulopathy / bleeding ☐ Cytotoxic / local tissue injury ☐ Myotoxic / renal
☐ Cardiovascular / autonomic ☐ Other: _____
Suspected species / family (certainty and basis): _____
Differential / complications considered: _____
Assessment time and clinician: _____

7. Treatment and antivenom decision

Treatment decision time: _____ Decision-maker: _____
☐ Antivenom given ☐ Not indicated per local protocol ☐ Deferred / unavailable ☐ Specialist advice obtained
Indication / clinical evidence and protocol reference: _____
If not given or deferred, reason and review plan: _____
Antivenom administration (complete for each product / dose):
Product / manufacturer / regional coverage: _____
Dose / units / vials: _____ Route: _____ Dilution / rate per product instructions: _____
Lot / batch: _____ Expiry: _____ Start date / time: _____ Finish: _____
Prescriber: _____ Administrator: _____
Independent check per local policy: _____
Premedication / other medicines (drug, dose, route, time): _____
Clinical response / repeat-dose decision and rationale: _____

8. Antivenom monitoring and reaction record

Monitor and manage reactions according to the product information and local emergency protocol.

Date / time	Vital signs	Symptoms / reaction / severity	Action / response / initials

Reaction type / suspected product: _____
Treatment and outcome: _____

9. Supportive care, disposition, and follow-up

☐ Airway / respiratory support ☐ Circulatory support ☐ Wound care ☐ Analgesia
☐ Blood products / hemostatic support ☐ Renal support ☐ Surgical / specialist review ☐ Other
Other treatment (drug / intervention, dose, route, time): _____
Tetanus / wound-care plan: _____
Fluid balance / urine monitoring: _____
Disposition: _____ Receiving service / facility: _____ Date / time: _____
Pending results owner / action: _____
Counseling, return precautions, follow-up plan: _____
Clinician name / signature: _____ Date / time: _____

References informing this documentation layout: WHO *Guidelines for the Management of Snakebites*, 2nd ed. (2016); CDC/NIOSH venomous snake guidance. Adapt to current local protocols and product information.