Quizrr Chapter-Wise Test for JEE Main - 2025

Q.1

Vitamin D is also known as

(A) sunshine vitamin

(B) ascorbic acid

(C) growth vitamin

(D) reproductive vitamin

Q.2

Night blindness is caused by deficiency of

(A) vitamin B_{12}

(B) vitamin A

(C) vitamin C

(D) vitamin E

Q.3

Two vitamins absorbed from intestine along with fats are

(A) A, D

(B) A, B

(C) A, C

(D) D, B

Q.4

A vitamin that contains both N and P is

(A) Vitamin C

(B) Vitamin K

(C) Vitamin B_{12}

(D) Vitamin D

@IITJEE_Advanced

Q.5

Match List I (name of vitamin) with List II (deficiency result/disease) and select the correct answer using the codes given below the lists :

List I List II \ L. Ascorbic acid A. Beri-beri \ II. Retinol B. Cracked lips

III. Riboflavin C. Scurvy

IV. Thiamine D. Night blindness

(A) $\mathrm{I}-\mathrm{B}, \mathrm{II}-\mathrm{A}, \mathrm{III}-\mathrm{C}, \mathrm{IV}-\mathrm{D}$

(B) I - A, II - B, III - C, IV - D

(C) I - D, II - C, III - B, IV - A

(D) I - C, II - D, III - B, IV - A

Q.6

Vitamin B_6 is known as

(A) pyridoxine

(B) thiamine

(C) tocopherol

(D) riboflavin

Q.7

Among the following vitamins the one whose deficiency causes rickets (bone deficiency) is

(A) Vitamin A

(B) Vitamin B

(C) Vitamin D

(D) Vitamin C

Q.8

Nucleotides in DNA are linked by

(A) hydrogen bond

(B) $3', 5'$ -phosphodiester bond

(C) glycosidic bond

(D) peptide bond

Q.9

@IITJEE_Advanced

If one strand of DNA has the sequence ATGCTTGA, the sequence in the complimentary strand would be

(A) TACGAACT

(B) TCCGAACT

(C) TACGTACT

(D) TACGTAGT

Q.10

A sequence of how many nucleotides in messenger RNA makes a codon for an amino acid?

(A) Three

(B) Four

(C) One

(D) Two

Q.11

The process by which synthesis of protein takes place based on the genetic information present in m -RNA is called

(A) Translation

(B) Transcription

(C) Replication

(D) Messenger hypothesis

Q.12

Which of the following substances is not present in nucleic acids?

(A) Cytosine

(B) Adenine

(C) Thymine

(D) Guanidine

Q.13

Which of the following is not present in a nucleotide?

(A) Guanine

(B) Cytosine

(C) Adenine

@IITJEE_Advanced

(D) Tyrosine

Q.14

The reason for double helical structure of DNA is the operation of:

(A) Electrostatic attractions

(B) van der Waals forces


(C) Dipole - Dipole interactions

(D) Hydrogen bonding


Q.15

Which of the following structures represents thymine?


(A)




(B)



(C)



(D)



@IITJEE_Advanced

Q.1 Answer:

sunshine vitamin

Solution:

Vitamin D is also known as sunshine vitamin.

Q.2 Answer:

vitamin A

Solution:

Vitamin A

Q.3 Answer:

A, D

Solution:

Vitamin A, D are absorbed from the intestine by fats.

Q.4 Answer:

Vitamin B_{12}

Solution:

Vitamin B_{12} contains both N and P

Q.5 Answer:

I - C, II - D, III - B, IV - A

Solution:

Ascorbic acid - Scurvy
Retinol - Night blindness
Riboflavin - Cracked lips
Thiamine- Beri-Beri
Thus option (d) is correct.

Q.6 Answer:

pyridoxine

Solution:

Vitamin B_6 is called pyridoxine. It is found in fruits, green-vegetables, milk, etc.

Q.7 Answer:

@IITJEE_Advanced

Vitamin D

Solution:

Deficiency of vitamin D causes rickets.

Q.8 Answer:

$3', 5'$ -phosphodiester bond

Solution:

Phosphate is linked to 3rd carbon of 1 and 5th carbon of the other sugar molecules.

Q.9 Answer:

TACGAACT

Solution:

On the basis of structure of guanine and complementary bases present in them, we can say that if the sequence of bases in one strand of DNA is I, then the sequence in the second strand should be II

A: $T:G:C:T:T:G:A \quad I$

$T:A:C:G:A:A:C:T \quad II$

Q.10 Answer:

Three

Solution:

The sequence of bases in mRNA are read in a serial order in groups of three at a time. Each triplet of nucleotides (having a specific sequence of bases) is known as codon. Each codon specifies one amino acid. Further since, there are four bases, therefore, $4^3 = 64$ triplets or codons are possible.

Q.11 Answer:

Translation

Solution:


Synthesis of polypeptide is known as translation. For this process three type of RNA are essential.

Q.12 Answer:

Guanidine

Solution:

Guanidine,



@IITJEE_Advanced

is neither a purine nor a pyrimidine base

Q.13 Answer:

Tyrosine

Solution:

Tyrosine is an α -amino acid, and neither a purine nor a pyrimidine base.


Q.14 Answer:

Hydrogen bonding

Solution:


The two polynucleotide chains of DNA molecules are twisted around a common axis but run in opposite directions to form a right handed helix. The two chains are joined together by specific hydrogen bonds.

Q.15 Answer:



Solution:

The correct structure of thymine is



@IITJEE_Advanced