EXERCISE - O


SINGLE CORRECT TYPE QUESTIONS

Electrophillic, aromatic substitutian (ESR) direction Nitration, sulphonation

1. Benzene is a resonance hybrid mainly of two Kekule structures. Hence :
(A) Half of the molecules correspond to one structure, and half of the second structure
(B) At low temperatures benzene can be separated into two structures
(C) Two structures make equal contribution to resonance hybrid
(D) An individual benzene molecule changes back and forth between two structures

CAR110

2. How many π electron are there in the following species:



(A) 2 (B) 4 (C) 6 (D) 8


CAR111


3. The number of benzylic hydrogen atoms in ethylbenzene is:
(A) 3 (B) 5 (C) 2 (D) 7


CAR112


4. p-Nitrotoluene on further nitration gives:

Rankers Academy JEE

(A) 


(B) 


(C) 


(D) 

CAR118

5. Ring nitration of dimethyl benzene results in the formation of only one nitro dimethyl benzene. The dimethyl benzene is:

(A) 


(B) 


(C) 


(D) None of these


CAR122


For More Join: @IITJEE_Advanced

6. 

(A) 

(B) 


(C) 


(D) 


CAR123


Halogenation effect F.C Alkylation, acylation, formylation gattermann koch, Gatterman Aldehyde.

7. If meta-nitroaniline is chlorinated, the major product is:

(A) 

(B) 


(C) 


(D) 


CAR134

Pankers Academy JEE

8.  + $CH_3CH_2CH_2CH_2Cl \xrightarrow{AlCl_3}$ hydrocarbon (X) major product X is:

(A) 

(B) 

(C) 


(D) None is correct


CAR128


9. When sulphonilic acid (p-$H_2NC_6H_4SO_3H$) is treated with excess of bromine water, the product is:
(A) Tribromo product (B) Dibromo product
(C) Monobromo product (D) Tetrebromo product


CAR132

10. Which chloroderivative of benzene among the following would undergo-hydrolysis most readily with a NaOH to furnish the corresponding hydroxy derivative.

(A) 

(B) 


(C) 

(D) 

CAR137

For More Join: @IITJEE_Advanced


11. Major product of this reaction will be:





(A) o-Xylene (B) p-Xylene (C) Both (D) m-Xylene


CAR138

12. Identify correct order of reactivity for electrophilic substitution reaction of the following compounds :–

(A) 

(B) 


(C) 

(D) 

Rankers Academy JEE

CAR141


13. The no. of sp^3 hybridized carbon in major product (A) of given below reaction?




(A) 2 (B) 4 (C) 6 (D) 8


CAR145

14. The correct reaction is -

(A) 

(B) 

For More Join: @IITJEE_Advanced


(C) 


(D) All of these


CAR142


Aromatic nueleophilic substitution of alkyl halide preparation of phenol, by Cummene, dow's, ArSN


15. The structures of the compounds/ions A, B and C in the reaction sequence are given by the set:



(A) 

(B) 


(C) 


(D) 


Pankers Academy JEE


CAR151

16. Which of the following compounds does not show phenolic properties:

(A) 


(B) 


(C) 


(D) 

CAR152

17. Which one is not the vinylic alcohol?

(A) 

(B) 

(C) 

(D) $CH_2=CH-OH$

CAR155

For More Join: @IITJEE_Advanced

18. In following two columns:


Column-I	**Column-II**
(a) $CH_3–CH_2–Br + HS^{\ominus} \longrightarrow CH_3–CH_2–SH + Br^{\ominus}$	(P) Nucleophilic substitution
(b) $(CH_3)_2C=CH_2 + HOCl \longrightarrow (CH_3)_2\overset{OH}{\overset{\vert}{C}}–CH_2–Cl$	(Q) Elimination
(c) $CH_3–CH_2–Br + {}^{\ominus}OH \longrightarrow CH_2=CH_2+H_2O + Br^{\ominus}$	(R) Electrophilic substitution
(d) $(CH_3)_3C–CH_2–OH + H–Br \longrightarrow (CH_3)_2CBrCH_2–CH_3 + H_2O$	(S) Electrophilic addition

(A) a, d → P ; b → S ; c → Q (B) a, d → P ; b → S ; c → Q

(C) a → P ; b → S ; c → Q ; d → R (D) a, c → P ; b → S ; d → Q

CAR157

19. Write the correct reactivity order with NaOH for the following compounds.





(A) I > II > III (B) III > I > II (C) II > III > I (D) III > II > I


Rankers Academy JEE


CAR158

20. Which of the following reaction is S_NAr reaction?

(A) 

(B) 


(C) 

(D) 

CAR159


For More Join: @IITJEE_Advanced

21. The reaction most likely occurs by which of the following mechanism ?



(A) Addition-elimination
(B) addition only
(C) Elimination-addition
(D) Neither of these


CAR162

22. 


The products B & C are respectively :
(A) Phenol & acetic acid
(B) Phenol & acetaldehyde
(C) Benzoic acid & acetone
(D) Phenol & acetone

CAR164


chemical reaction of phenol, RTR, oxidation Dakin reaction, kolbe schmit EAS reactions of aromatic ethers

23. 


Product (A) of the above reaction is:



CAR167

24. 


Major product is -




CAR171


For More Join: @IITJEE_Advanced


25. The major product of given reaction is:




Sodium phenate

(A) 



(B) 



(C) 



(D) 



CAR173

26. Phenol on treatment with dil HNO_3 at low temp (298 K) gives two products P and Q. P is steam volatile but Q is not. P and Q are respectively.

(A)  and 


(B)  and 

(C)  and 


(D)  and 


Rankers Academy JEE


CAR177


27. 

Identify the structure of 'P':-

(A) 


(B) 


(C) 


(D) 


CAR181


For More Join: @IITJEE_Advanced

28.  $\xrightarrow[CH_3COOH]{Br_2}$ product. The major product obtained is

(A) 

(B) 

(C) 

(D) 


CAR186

diazo, BDC, Sand meyer, Coupling reaction of C_6H_5-NH_2, C_2H_5OH, libermann nitroso test

29. Benzene diazonium chloride on hydrolysis gives

(A) Benzene (B) Benzyl alcohol (C) Phenol (D) Chlorobenzene


CAR187


30.  $\xrightarrow{Con.HNO_3/H_2SO_4}$ Major product


(A) p–Nitroaniline (B) m–Nitroaniline (C) o–Nitroaniline (D) None of these


CAR195

31. Major Product (B) is :

(A) 

(B) 


(C) 


(D) 


Pinkers Academy JEE

CAR197

32. Product (C) is :-


(A) 


(B) 


(C) 


(D) None of these


CAR198

33.  2–naphthol + $PhN_2^{\oplus}Cl^{\ominus}$ $\longrightarrow$ major product :

(A) 

(B) 


(C) 


(D) 


CAR201

For More Join: @IITJEE_Advanced

34. Which is the starting reagent used to make the azo compound ?



(A) 


(B) 

(C) p–ethylaniline and phenol

(D) Aniline and p–ethyphenol

CAR203

35. In the reaction given below



What is (A)?


(A) Dichloromethane (B) Dilute acid (C) NaCl (D) Benzene


CAR204


Rankers Academy JEE


Rerrangement (fries, claisen, dienone phenol rearrangement, quick recap of C_6H_6, tolueue and other derivatives of C_6H_6 , Test for phenol, $FeCl_3$ Test, Reaction of Aniline

36. Which of the following compound does not give $FeCl_3$ test.

(A) 


(B) 

(C) 

(D) 

CAR210

37. Which of the following can give purple colour with neutral $FeCl_3$?




(I) (II) (III) (IV)

(A) II and IV (B) I and III (C) II and III (D) III and IV

CAR211

For More Join: @IITJEE_Advanced


38. 


Find the number of C=C and C=O bond in B, respectively:


(A) 2, 3 (B) 3, 1 (C) 2, 2 (D) 3, 2


CAR217


39. Give the product of the following reactions:



(A) 

(B) 


(C) 


(D) 


Rankers Academy JEE


CAR218


40. The structure of the final product (Y) formed in the following reaction sequence is :



(A) 

(B) 

(C) 


(D) 


CAR219


For More Join: @IITJEE_Advanced


41. The major product Y in the following sequence of reaction is :

Aniline $\xrightarrow[(ii)CuCN/KCN]{(i)\ NaNO_2/HCl,\ 273\ K}$ (X) $\xrightarrow[(ii)H_2O]{(i)\ DIBAL-H}$ (Y)

(A) 

(B) 

(C) 

(D) 

CAR220

MULTIPLE CORRECT TYPE QUESTIONS

Electrophillic, aromatic substitutian (ESR) direction Nitration, sulphonation

42. Which of the following are classified as aromatic?

(A) 1, 2, 3-Triphenylcyclopropenium cation (B) Cyclooctatetraenyl dianion

(C) Azulene (D) Cyclobutadiene


CAR127


43. Amongst the following, the moderately activating group is


(A) —NHR (B) —NHCOCH$_3$ (C)  (D) —NO$_2$


CAR126

44. Electrophilic attack of $NO_2^{\oplus}$ at meta position is observed in:

(A) 

(B) 


(C) 

(D) 

CAR124

Halogenation effect F.C Alkylation, acylation, formylation gattermann koch, Gatterman Aldehyde.



45. Which of the following can be used as reagent in Friedel Crafts reaction?


(A) 


(B) CH_2=CH–Cl (C) CH_3CH_2Cl (D) CH_2=CH–CH_2–Cl

CAR146

46. Which of the following does not gives Fridel-Crafts reaction?

(A)  (B) 

(C) 


(D) 


CAR147


Rankers Academy JEE
For More Join: @IITJEE_Advanced

Aromatic nueleophilic substitution of alkyl halide preparation of phenol, by Cummene, dow's, ArSN

47. In which of the following reaction phenol obtained as product

(A) 

(B) 

(C) 

(D) None of these

CAR165

48. Benzene reacts with n-propyl chloride in the presence of anhydrous $AlCl_3$ to give predominantly:


(A) n-Propylbenzene (B) Isopropylbenzene

(C) 3-Propyl-1-chlorobenzene (D) Cumene


CAR166


diazo, BDC, Sand meyer, Coupling reaction of C_6H_5-NH_2, C_2H_5OH, libermann nitroso test

49. Which of the following amines after diazotization will form deeply coloured **azodye** with alkaline solution of β–Naphthol ?

(A) 

(B) 


(C) 


(D) 


CAR206

Rerrangement (fries, claisen, dienone phenol rearrangement, quick recap of C_6H_6, tolueue and other derivatives of C_6H_6 , Test for phenol, $FeCl_3$ Test, Reaction of Aniline

50. Benzoic acid may be prepared by the oxidation of:

(A) 

(B) 

(C) 

(D) None


CAR226

For More Join: @IITJEE_Advanced

EXERCISE - S


Reaction of Alcohols

1. For the reaction




Product B is :

CAR140

2. 


B, C & D are respectively:-

CAR176

3. 

CAR188


4. Select the final product (E) of following sequence of reaction:




Rankers Academy JEE

CAR189

5. What is the product (D) of the reaction sequence ?




CAR194

6. 

Product C is :


CAR196

7. Predict the final product (P) of the following reaction sequence :-




CAR199

For More Join: @IITJEE_Advanced

8. 


The product T is:

CAR205

9. 

The product E is:

CAR214

10. 

The reactant (P) is :


CAR225

Rankers Academy JEE


For More Join: @IITJEE_Advanced


EXERCISE - JEE (Main) PYQ


1. Sodium phenoxide when heated with CO_2 under pressure at 125°C yields a product which on acetylation produces C.




The major product C would be : **[JEE (Main) 2014]**

(1) 

(2) 

(3) 

(4) 

CAR033

Rankers Academy JEE

2. In the following sequence of reactions :

Toluene $\xrightarrow{KMnO_4}$ A $\xrightarrow{SOCl_2}$ B $\xrightarrow[BaSO_4]{H_2/Pd}$ C


the product C is :- **[JEE (Main) 2015]**


(1) $C_6H_5CH_2OH$ (2) C_6H_5CHO


(3) C_6H_5COOH (4) $C_6H_5CH_3$


CAR034

3. Which of the following compounds will significant amont of meta product during mono-nitration reaction ? **[JEE (Main) 2017]**

(1) 

(2) 


(3) 


(4) 


CAR035


For More Join: @IITJEE_Advanced

4. Phenol on treatment with CO_2 in the presence of NaOH followed by acidification produces compound X as the major product. X on treatment with $(CH_3CO)_2O$ in the presence of catalytic amount of H_2SO_4 produces : **[JEE (Main) 2018]**

(1) 



(2) 



(3) 



(4) 



CAR036

5. Phenol reacts with methyl chloroformate in the presence of NaOH to form product A. A reacts with Br_2 to form product B. A and B are respectively : **[JEE (Main) 2018]**

(1)  and 

(2)  and 


(3)  and 



(4)  and 



Rankers Academy JEE

CAR037



6. Products A and B formed in the following reactions are respectively : **[JEE (Main) 2018]**





(1)  and 

(2)  and 


For More Join: @IITJEE_Advanced


(3)  and 


(4)  and 


CAR038


7. The major product of the following reaction is : **[JEE (Main) 2018]**



(1) 

(2) 


(3) 


(4) 


Rankers Academy JEE


CAR039


8. The major product of the following reaction is: **[JEE (Main) 2019]**



(1) 

(2) 

(3) 


(4) 


CAR040


For More Join: @IITJEE_Advanced


9. Coupling of benzene diazonium chloride with 1-napthol in alkaline medium will give

[JEE (Main) 2019]

(1) 

(2) 

(3) 


(4) 


Rankers Academy JEE


CAR041


10. The major product of the following reaction is :


[JEE (Main) 2019]



(1) 


(2) 

(3) 

(4) 

CAR042

11. Consider the following reaction :



The product 'X' is used :

[JEE (Main) 2020]

(1) in acid base titration as an indicator

(2) in protein estimation as an alternative to ninhydrin


(3) in laboratory test for phenols

(4) as food grade colourant


CAR043


For More Join: @IITJEE_Advanced


12. Consider the following reactions,




The compound [P] is : **[JEE (Main) 2020]**

(1) 

(2) 

(3) 

(4) 

CAR044

13. The number of sp^2 hybrid orbitals in a molecule of benzene is : **[JEE (Main) 2020]**

(1) 24 (2) 6 (3) 12 (4) 18

CAR045

14. The correct sequence of reagents used in the preparation of 4-bromo-2-nitroethyl benzene from benzene is : **[JEE (Main) 2021]**

(1) HNO_3/H_2SO_4, $Br_2/AlCl_3$, $CH_3COCl/AlCl_3$, Zn-Hg/HCl

(2) $Br_2/AlBr_3$, $CH_3COCl/AlCl_3$, HNO_3/H_2SO_4, Zn/HCl

(3) $CH_3COCl/AlCl_3$, $Br_2/AlBr_3$, HNO_3/H_2SO_4, Zn/HCl


(4) $CH_3COCl/AlCl_3$, Zn-Hg/HCl, $Br_2/AlBr_3$, HNO_3/H_2SO_4


CAR046


Rankers Academy JEE


15. An organic compound A (C_6H_6O) gives dark green colouration with ferric chloride. On treatment with $CHCl_3$ and KOH, followed by acidification gives compound B. Compound B can also be obtained from compound C on reaction with pyridinium chlorochromate (PCC). Identify A, B and C.


[JEE (Main) 2021]


(1) A = 


B = 


C = 


(2) A = 


B = 


C = 


(3) A = 

B = 

C = 

(4) A = 


B = 


C = 


CAR047


For More Join: @IITJEE_Advanced


16. For the following : **[JEE (Main) 2021]**



(1) 

(2) 

(3) 

(4) 

CAR048


17. Phenol on reaction with dilute nitric acid, gives two products. Which method will be most effective for large scale separation? **[JEE (Main) 2022]**


(1) Chromatographic separation (2) Fractional Crystallisation


(3) Steam distillation (4) Sublimation


CAR227


18. The intermediate X, in the reaction **[JEE (Main) 2022]**



(1) 


(2) 

(3) 


(4) 


CAR228


19. In the following reaction :




The compounds A and B respectively are :- **[JEE (Main) 2022]**

(1) 

(2) 

(3) 

(4) 

CAR229

For More Join: @IITJEE_Advanced

20. Compound 'P' on nitration with dil. HNO_3 yields two isomers (A) and (B). These isomers can be separated by steam distillation. Isomers (A) and (B) show the intramolecular and intermolecular hydrogen bonding respectively. Compound (P) on reaction with conc. HNO_3 yields a yellow compound 'C', a strong acid. The number of oxygen atoms is present in compound 'C' _____.

[JEE (Main) 2022]

CAR230

21. Oxidation of toluene to Benzaldehyde can be easily carried out with which of the following reagents?


[JEE (Main) 2022]

(1) CrO_3/acetic acid, H_3O^+ (2) CrO_3/acetic anhydride, H_3O^+

(3) $KMnO_4$/HCl, H_3O^+ (4) CO/HCl, anhydrous $AlCl_3$

CAR231

22. The incorrect statement regarding the reaction given below is **[JEE (Main) 2023]**



(1) The electrophile involved in the reaction is NO^+

(2) 'B' is N-nitroso ammonium compound


(3) The reaction occurs at low temperature

(4) The product 'B' formed in the above reaction is p-nitroso compound at low temperature

CAR232

Rankers Academy JEE

23. Compound A from the following reaction sequence is: **[JEE (Main) 2023]**




(1) Benzoic Acid (2) Phenol


(3) Salicylic Acid (4) Aniline


CAR233


24. Consider the following sequence of reactions: **[JEE (Main) 2023]**



The product 'B' is

(1) 

(2) 


(3) 

(4) 

CAR234

For More Join: @IITJEE_Advanced

25.



In the above conversion the correct sequence of reagents to be added is **[JEE (Main) 2023]**

(1) (i) Fe/H^+, (ii) HONO, (iii) CuCl, (iv) $KMnO_4$, (v) Br_2

(2) (i) $KMnO_4$, (ii) Br_2/Fe, (iii) Fe/H^+, (iv) Cl_2


(3) (i) Br_2/Fe, (ii) Fe/H^+, (iii) HONO, (iv) CuCl, (v) $KMnO_4$

(4) Br_2/Fe, (ii) Fe/H^+, (iii) $KMnO_4$, (iv) Cl_2


CAR235

26. The major product formed in the Friedel-Craft acylation of chlorobenzene is. **[JEE (Main) 2023]**


(1)




(2)



(3)



(4)



Rankers Academy JEE


CAR236


For More Join: @IITJEE_Advanced


EXERCISE - JEE (Advanced) PYQ


1. Match the reactions in **Column-I** with appropriate types of step/reactive intermediate involved in these reactions as given in **Column-II** **[IIT-2012]**

Column-I

(A) 

(B) 

(C) 

(D) 

Column-II

(P) Nucleophilic substitution

(Q) Electrophilic substitution

(R) Dehydration

(S) Nucleophilic addition

(T) Carbanion

CAR069


(A) (A)→(R,S,T) ; (B)→(P, S) ; (C)→(R, S) ; (D)→(Q, R)

(B) (A)→(R,S) ; (B)→(P, S) ; (C)→(R, S) ; (D)→(Q, R)

(C) (A)→(R) ; (B)→(P, S) ; (C)→(R, S) ; (D)→(Q, R)

(D) (A)→(T) ; (B)→(P, S) ; (C)→(R, S) ; (D)→(Q, R)

2. Among P, Q, R and S, the aromatic compound(s) is / are : **[JEE (Advanced) 2013]**





(A) P (B) Q (C) R (D) S

CAR070


For More Join: @IITJEE_Advanced

3. The major product(s) of the following reaction is (are) - **[JEE (Advanced) 2013]**







(P)



(Q)



(R)




(S)


(A) P (B) Q (C) R (D) S

CAR071


4. In the following reaction, the product (s) formed is (are) **[JEE (Advanced) 2013]**




Rankers Academy JEE




(P)



(Q)



(R)



(S)


(A) P (major) (B) Q (minor) (C) R (minor) (D) S (major)

CAR072


Paragraph for Question 5 and 6

P & Q are isomers of dicarboxylic acid $C_4H_4O_4$. Both decolourize Br_2/H_2O, on heating P forms the cyclic anhydride.


Upon treatment with dilute alkaline $KMnO_4$, P as well as Q could produce one or more than one from S, T and U.



(S)




(T)





(U)



For More Join: @IITJEE_Advanced

5. In the following reaction sequences V and W are, respectively - **[JEE (Advanced) 2013]**





(A)  and 



(V) (W)

(B)  and 

(V) (W)

(C)  and 

(V) (W)

(D)  and 

(V) (W)

CAR073

6. Compounds formed from P and Q are respectively **[JEE (Advanced) 2013]**

(A) Optically active S and optically active pair (T, U)

(B) Optically inactive S and optically inactive pair (T, U)


(C) Optically active pair (T, U) and optically active S


(D) Optically inactive pair (T, U) and optically inactive S


Nankers Academy JEE


CAR074


7. In the reaction shown below, the major product(s) formed is / are : **[JEE (Advanced) 2014]**



(A)  + CH_3COOH

(B)  + CH_3COOH


(C)  + H_2O

(D)  + H_2O

CAR075

For More Join: @IITJEE_Advanced

8. The reactivity of compound Z with different halogens under appropriate conditions is given below :










The observed pattern of electrop hilic substitution can be explained by –

[JEE (Advanced) 2014]

(A) The steric effect of the halogen
(B) The steric effect of the tert-butyl group
(C) The electronic effect of the phenolic group
(D) The electronic effect of the turt-butyl group

CAR076

9. Match the four starting materials (P , Q, R, S) given in List I with the corresponding reaction scheme (I, II, III, IV) provided in List - II and select the correct answer using the code given below in lists.

List - I		List - II	
P		1	**Scheme I** 
Q		2	**Scheme II** 
R		3	**Scheme III** 
S		4	**Scheme IV** 

[JEE (Advanced) 2014]


Code :


	P	Q	R	S
(A)	1	4	2	3
(B)	3	1	4	2
(C)	3	4	2	1
(D)	4	1	3	2


CAR077


For More Join: @IITJEE_Advanced


10. The major product U in the following reactions is : **[JEE (Advanced) 2015]**



(A) 


(B) 

(C) 


(D) 


CAR078


11. In the following reactions, the major product **W** is : **[JEE (Advanced) 2015]**




Rankers Academy JEE

(A) 


(B) 


(C) 


(D) 


CAR079

12. Among the following the number of reaction(s) that produce(s) benzaldehyde is : **[JEE (Advanced) 2015]**

I. 

II. 

III. 


IV. 

CAR080

For More Join: @IITJEE_Advanced

13. The correct statements(s) about of the following reaction sequence is(are)

[JEE (Advanced) 2016]



(A) **R** is steam volatile


(B) **Q** gives dark violet coloration with 1% aqueous $FeCl_3$ solution


(C) **S** gives yellow precipitate with 2, 4-dinitrophenylhydrazine


(D) **S** gives dark violet coloration with 1% aqueous $FeCl_3$ solution


CAR081


14. The product(s) of the following reaction sequence is(are) **[JEE (Advanced) 2016]**



(A) 

(B) 

(C) 


(D) 


Rankers Academy JEE


CAR082


15. Among the following reaction(s) which gives (give) tert-butyl benzene as the major product is(are)

[JEE (Advanced) 2016]

(A) 


(B) 

(C) 

(D) 

CAR083

16. The IUPAC name(s) of the following compound is(are) : **[JEE (Advanced) 2017]**



(A) 4-methylchlorobenzene

(B) 4-chlorotoluene


(C) 1-chloro-4-methylbenzene

(D) 1-methyl-4-chlorobenzene

CAR084

For More Join: @IITJEE_Advanced

17. Among the following, the number of aromatic compound (s) is : **[JEE (Advanced) 2017]**



CAR085

Answer 18, 19 and 20 by appropriately matching the information given in the three columns of the following table.

Columns 1, 2 and 3 contains starting materials, reaction conditions, and type of reactions, respectively .

Column 1	Column 2	Column 3
(I) Toluene	(i) $NaOH/Br_2$	(P) Condensation
(II) Acetophenone	(ii) Br_2 / hν	(Q) Carboxylation
(III) Benzaldehyde	(iii)$(CH_3CO)_2O/CH_3COOK$	(R) Substitution
(IV) Phenol	(iv) $NaOH/CO_2$	(S) Haloform

18. For the synthesis of benzoic acid, the only CORRECT combination is **[JEE (Advanced) 2017]**

(A) (III) (iv) (R) (B) (IV) (ii) (P) (C) (I) (iv) (Q) (D) (II) (i) (S)

CAR086

19. The only CORRECT combination in which the reaction proceeds through radical mechanism is **[JEE (Advanced) 2017]**

(A) (I) (ii) (R) (B) (II) (iii) (R) (C) (III) (ii) (P) (D) (IV) (i) (Q)


CAR087


20. The only **CORRECT** combination that gives two different carboxylic acids is **[JEE (Advanced) 2017]**


(A) (IV) (iii) (Q) (B) (III) (iii) (P) (C) (II) (iv) (R) (D) (I) (i) (S)


CAR088


21. The major product of the following reaction is : **[JEE (Advanced) 2017]**



(A) 

(B) 

(C) 


(D) 

CAR089

Rankers Academy JEE
For More Join: @IITJEE_Advanced

Paragraph for # 22 & 23

The reaction of compound P with CH_3MgBr (excess) in $(C_2H_5)_2O$ followed by addition of H_2O gives **Q**, The compound **Q** on treatment with H_2SO_4 at 0°C gives **R**. The reaction of **R** with CH_3COCl in the presence of anhydrous $AlCl_3$ in CH_2Cl_2 followed by treatment with H_2O produces compounds S. [Et it compounds **P** is ethyl group]



22. The reactions, **Q** to **R** and **R** to **S**, are -

[JEE (Advanced) 2017]

(A) Dehydration and Friedel -Crafts acylation

(B) Friedel-Crafts alkylation, dehydration and Friedel-Crafts acylation


(C) Aromatic sulfonation and Friedel-Crafts acylation


(D) Friedel-Crafts alkylation and Fridel-Crafts acylation


CAR090


23. The product **S** is -

[JEE (Advanced) 2017]

(A) 

(B) 


(C) 


(D) 


CAR091


24. The reaction(s) leading to the formation of 1,3,5-trimethylbenzene is (are)

[JEE (Advanced) 2018]

(A) 

(B) 

(C) 

(D) 


CAR092


For More Join: @IITJEE_Advanced


Paragraph for # 25 & 26


Treatment of benzene with CO/HCl in the presence of anhydrous $AlCl_3$/CuCl followed by reaction with Ac_2O/NaOAc gives compound X as the major product. Compound X upon reaction with Br_2/Na_2CO_3, followed by heating at 473 K with moist KOH furnishes Y as the major product. Reaction of X with H_2/Pd-C, followed by H_3PO_4 treatment gives Z as the major product.
(There are two questions based on PARAGRAPH "X", the question given below is one of them)

25. The compound Y is :- **[JEE (Advanced) 2018]**

(A) 


(B) 


(C) 


(D) 


CAR093

26. The compound Z is :- **[JEE (Advanced) 2018]**

(A) 


(B) 


(C) 


(D) 


CAR094


27. Aniline reacts with mixed acid (conc. HNO_3 and conc. H_2SO_4) at 288 K to give P (51%), Q (47%) and R (2%). The major product(s) the following reaction sequence is (are) :- **[JEE (Advanced) 2018]**



(A) 

(B) 


(C) 

(D) 

CAR095

28. In the following reaction sequence, the amount of D (in g) formed from 10 moles of acetophenone is___.

(Atomic weight in g mol^{-1}: H = 1, C = 12, N = 14, O = 16, Br = 80. The yield (%) corresponding to the product in each step is given in the parenthesis)




[JEE (Advanced) 2018]
CAR096

For More Join: @IITJEE_Advanced


29. Scheme 1 and 2 describe the conversion of **P** to **Q** and **R** to **S**, respectively. Scheme 3 describes the synthesis of **T** from **Q** and **S**. The total number of Br atoms in a molecule of **T** is _____

[JEE (Advanced) 2019]


Scheme 1 :



Scheme 2 :




Scheme 3 :



CAR097

30. Choose the correct option(s) that give(s) an aromatic compound as the major product.


[JEE (Advanced) 2019]



Rankers Academy JEE


CAR098

31. Choose the correct option(s) for the following reaction sequence





Consider **Q**, **R** and **S** as major products


[JEE (Advanced) 2019]




For More Join: @IITJEE_Advanced

(C) 













(D) 



CAR099

Answer the following by appropriately matching the lists based on the information given in the paragraph for Q.32 and Q.33

List-I includes starting materials and reagents of selected chemical reactions. List-II gives structures of compounds that may be formed as intermediate products and/or final products from the reactions of List-I

List-I		List-II	
I		P	
II		Q	
III		R	
IV		S	
		T	
		U	

Rankers Academy JEE

32. Which of the following options has correct combination considering **List-I** and **List-II**?

[JEE (Advanced) 2019]

(A) (III), (S), (R)
(B) (IV), (Q), (R)
(C) (III), (T), (U)
(D) (IV), (Q), (U)

CAR100

For More Join: @IITJEE_Advanced


33. Which of the following options has correct combination considering **List-I** and **List-II**?

[JEE (Advanced) 2019]

(A) (I), (Q), (T), (U) (B) (II), (P), (S), (U)
(C) (II), (P), (S), (T) (D) (I), (S), (Q), (R)

CAR101

34. In the following reaction, compound **Q** is obtained from compound **P** via an ionic intermediate



P

What is the degree of unsaturation of **Q** ?

[JEE (Advanced) 2020]

CAR102

35. An organic compound ($C_8H_{10}O_2$) rotates plane-polarized light. It produces pink color with neutral $FeCl_3$ solution. What is the total number of all the possible isomers for this compound?


[JEE (Advanced) 2020]


CAR103


36. The reaction of Q with PhSNa yields an organic compound (major product) that gives positive Carius test on treatment with Na_2O_2 followed by addition of $BaCl_2$. The correct option(s) for Q is (are).


[JEE (Advanced) 2021]

Rankers Academy JEE

(A) 

(B) 


(C) 


(D) 


CAR104


37. The reaction sequence(s) that would lead to o-xylene as the major product is (are)

[JEE (Advanced) 2021]

(A) 

(B) 


(C) 

(D) 

CAR105

For More Join: @IITJEE_Advanced

38. If the reaction sequence given below is carried out with 15 moles of acetylene, the amount of the product **D** formed (in g) is _____.




The yields of **A, B, C** and **D** are given in parentheses.

[Given : Atomic mass of H = 1, C = 12, O = 16, Cl = 35]

[JEE (Advanced) 2022]

CAR106

39. The weight percentage of hydrogen in **Q**, formed in the following reaction sequence, is _____.




[Given : Atomic mass of H = 1, C = 12, N = 14, O = 16, S = 32, Cl = 35]

[JEE (Advanced) 2022]

CAR107

40. The number of *-CH_2-* (methylene) groups in the product formed from the following reaction sequence is _____.


Rankers Academy JEE



[JEE (Advanced) 2022]

CAR237

41. In the given reaction scheme, **P** is a phenyl alkyl ether, **Q** is an aromatic compound; **R** and **S** are the major products.



The correct statement about **S** is

[JEE (Advanced) 2023]

(A) It primarily inhibits noradrenaline degrading enzymes.

(B) It inhibits the synthesis of prostaglandin.

(C) It is a narcotic drug.

(D) It is *ortho*-acetylbenzoic acid.

CAR238

For More Join: @IITJEE_Advanced

Paragraph for # 42 & 43

A trinitro compound, 1, 3,5 tris-(4-nitrophenyl) benzene, on complete reaction with an excess of Sn/HCl gives major product, which on treatment with an excess of $NaNO_2$/HCl at 0°C provides **P** as the product. **P**, upon treatment with excess of H_2O at room temperature, gives the product **Q.** Bromination of **Q** in aqueous medium furnishes the product **R.** The compound **P** upon treatment with an excess of phenol under basic conditions gives the product **S.**

The molar mass difference between compounds **Q** and **R** is 474 mol^{-1} and between compounds **P** and **S** is 172.5 g mol^{-1}.

42. The number of heteroatoms present in one molecule of **R** is ____.

[Use: Molar mass (in g mol^{-1}): H = 1, C = 12, N = 14, O = 16, Br = 80, Cl = 35.5

Atoms other than C and H are considered as heteroatoms]

[JEE (Advanced) 2023]

CAR239

43. The total number of carbon atoms and heteroatoms present in one molecule of **S** is ____.

[Use: Molar mass in g mol^{-1}]: H = 1, C = 12, N = 14, O = 16, Br = 80, Cl = 35.5

Atoms other than C and H are considered as heteroatoms

Rankers Academy JEE

[JEE (Advanced) 2023]

CAR240

For More Join: @IITJEE_Advanced

JEE (Main) Practice Paper


This paper is for yourself practice and assessment the discussion of this paper is optional though you can see PDF solutions or video solutions or solutions in hardcopy whichever is provided.


SECTION–A


- This section contains **TWENTY** questions.
- Each question has **FOUR** options (1), (2), (3) and (4). **ONLY ONE** of these four options is correct.
- For each question, darken the bubble corresponding to the correct option in the ORS.
- For each question, marks will be awarded in one of the following categories :


Full Marks : +4, if only the bubble corresponding to the correct option is darkened.
Zero Marks : 0, if none of the bubbles is darkened.
Negative Marks : –1 in all other cases


---

1.  Major Product is:

(1) 

(2) 

(3) 

(4) 

Rankers Academy JEE

CAR001

2. Reaction of SO_3 is easier in:

(1) Benzene (2) Toluene (3) Nitrobenzene (4) chlorobenzene


CAR002

3. The highest yield of m-product is possible by the electrophilic substitution of the following:

(1) $C_6H_5CH_3$ (2) $C_6H_5CH_2COOC_2H_5$

(3) $C_6H_5CH(COOC_2H_5)_2$ (4) $C_6H_5C(COOC_2H_5)_3$

CAR003

4. 

Compound A and B respectively are:


(1) o-Bromostyrene, benzoic acid (2) p-Bromostyrene, benzaldehyde

(3) m-Bromostyrene, benzaldehyde (4) Styrene dibromide, benzoic acid

CAR004

For More Join: @IITJEE_Advanced

5. If the mixture of the following four aromatic compounds on oxidation by strong oxidising agent gives:



(1) Mixture of $C_6H_5CH_2OH + C_6H_5COOH$ (2) Mixture of $C_6H_5CHO + C_6H_5COOH$

(3) Only C_6H_5COOH (4) None of the above

CAR005

6. Which of the following is/are produced when a mixture of benzene vapour and oxygen is passed over V_2O_5 catalyst at 775 K?

(1) Oxalic acid (2) Glyoxal (3) Fumaric acid (4) Maleic anhydride

CAR006


7.  + H_2 $\xrightarrow[\text{High pressure}]{\text{Ni, high temp.}}$ (A). Which of the following can be isolated as the product of this reaction.


(1)  (2)  (3)  (4) 


CAR007


8. m-Aminophenol on treatment with NaOH and CO_2 gives which of the following as major product?

Rankers' Academy JEE

(1) 


(2) 

(3) 

(4) 

CAR008

9. Decide the correct order of reactivity of following compounds towards halogenation with ($Cl_2 + AlCl_3$).






(1) I > II > III > IV (2) II > III > IV > I


(3) III > II > IV > I (4) II > III > I > IV


CAR009


For More Join: @IITJEE_Advanced

10. Benzene on reaction with 'A' forms  which on reaction with 'B' forms  'A' and 'B' are:


(1) Zn(Hg) + conc. HCl, 

(2)  , $LiAlH_4$

(3)  , $NaBH_4$

(4)  , Zn(Hg) + conc. HCl

CAR010


11. Chloral +  $\xrightarrow{Conc.H_2SO_4}$ product. The product is:


(1) Lindane
(2) DDT
(3) Teflon
(4) Ethaneperchlorate


CAR011


12. Acetophenone $\xrightarrow{HCO_3H}$ A $\xrightarrow{H_3O^{\oplus}}$ B + C $\xrightarrow[H^{\oplus}]{\text{Pthalic Anhydride}}$ Indicator (D) ; C & D are

Rankers Academy JEE

(1) CH_3OH & 

(2) PhOH & 

(3) PhOH & 

(4) CH_3OH & 


CAR012


13. An organic compound having the molecular formula of C_7H_8O is insoluble in $NaHCO_3$ solution but dissolves in aqueous NaOH. When treated with bromine water the compound rapidly forms a precipitate having the molecular formula $C_7H_5OBr_3$. The organic compound is


(1) o-cresol (2) m-cresol (3) p-cresol (4) anisole


CAR013


For More Join: @IITJEE_Advanced

14.  , The product is :

(1) 


(2) 


(3) 


(4) 


CAR014


15. Identify the product in following reaction?



(1) 


(2) 

(3) 

(4) 

Rankers Academy JEE

CAR015

16. In the reaction sequence  $\xrightarrow[350°]{NaOH}$ A $\xrightarrow{CH_3I}$ B $\xrightarrow{HI}$ C + D

A, B, C and D are given by the set :


(1) Sodium phenate, anisole, C_6H_5I, CH_3OH


(2) Sodium phenate, phenitole, C_2H_5I, C_6H_5OH


(3) Sodium phenate, anisole, C_6H_5OH, CH_3I


(4) Sodium phenate, phenitole, C_6H_5I, C_2H_5OH


CAR016

17.  $\xrightarrow[(ii)\ H_2/Pt]{(i)\ Br_2/Fe}$ (A) $\xrightarrow[(ii)\ Cu_2Cl_2/HCl]{(i)\ NaNO_2/HCl\ 0-5°C}$ (B) . The product (B) is

(1) 


(2) 


(3) 


(4) 


CAR017


For More Join: @IITJEE_Advanced

18.  X (major product). X will be


(1) 

(2) 

(3) 


(4) 


CAR018


19.  X (major product)


Rankers Academy JEE

X - will be:

(1) 

(2) 

(3) 

(4) 

CAR019

20. Which of the following sequence is best suited to convert benzene to 3-chloro aniline ?

(1) nitration, reduction, chlorination

(2) chlorination, nitration, reduction

(3) nitration, chlorination, reduction

(4) nitration, reduction, acetylation, chlorination, hydrolysis

CAR020

For More Join: @IITJEE_Advanced

SECTION-B

- This section will have **TEN questions**. Candidate can choose to attempt any 5 questions out of these 10 questions. In case if candidate attempts more than 5 questions, first 5 attempted questions will be considered for marking.
- The answer to each question is a **NUMERICAL VALUE.**
- For each question, enter the correct numerical value (Answer should be rounded off to the nearest integer).
- Answer to each question will be evaluated according to the following marking scheme:

  Full Marks : +4, if only correct answer is given.

  Zero Marks : 0, if no answer is given.

  Negative Marks : -1 for incorrect answer

---

1. Compare the given characteristics of aniline and cyclohexanamine :

(i) Both are primary amine

(ii) Both can be acylated by RCOCl

(iii) Both reacts with $CHCl_3$/KOH

(iv) Both reacts with $NaNO_2$ + HCl at 0-5°C


(v) Both reacts with $PhSO_2Cl$ to give a compound which is soluble in KOH

(vi) Both gives coupling reaction with phenol


(vii) Both gives electrophilic substitution reaction

How many of the given characteristics are correct?


CAR021


2. Number of compounds which can show faster rate of nucleophilic substitution of halogen than  :


Rankers Academy JEE


(i) 

(ii) 

(iii) 


(iv) 

(v) 

(vi) 

CAR022

3. How many of following compounds are less reactive than benzene for sulphonation by conc. H_2SO_4 :




CAR023

For More Join: @IITJEE_Advanced


4. How many toluidine's on reaction with $NaNO_2/HCl$ followed by H_3PO_2 treatment gives Toluene.

CAR024

5. 

Find the molecular weight of Z.


CAR025

6. 


Molecular weight of T will be:

CAR026

7. How many N atom are present in final product



CAR027

8. 


Find the molecular weight of Y report your answer as $\frac{\text{Molecular weight}}{2}$.

CAR028

9. If p-methoxy toluene is nitrated, the number of hydrogen atom in major product is:

CAR135

10. Identify molecular weight of final product (Y)



CAR030

Rankers Academy JEE

For More Join: @IITJEE_Advanced

JEE (Advanced) Practice Paper

This paper is for yourself practice and assessment the discussion of this paper is optional though you can see PDF solutions or video solutions or solutions in hardcopy whichever is provided.

SECTION–I

- This section contains **TEN** questions.
- Each question has FOUR options (A), (B), (C) and (D). ONLY ONE of these four options is correct.
- For each question, darken the bubble corresponding to the correct option in the ORS.
- For each question, marks will be awarded in one of the following categories:


Full Marks : +3, if only the bubble corresponding to the correct option is darkened.


Zero Marks : 0, if none of the bubbles is darkened.


Negative Marks : –1 in all other cases


---

1. An aromatic compound 'A' $C_7H_6Cl_2$, gives AgCl on bonding with alcoholic $AgNO_3$ solution, and yields C_7H_7OCl on treatment with sodium hydroxide. 'A' on oxidation gives a mono chlorobenzoic acid and A affords only one mononitro derivative. The compound A is:

(A) 

(B) 

(C) 

(D) 

Rankers Academy JEE

CAR049


2. Phenol $\xrightarrow[2.\ CO_2/140°C]{1.\ NaOH}$ A $\xrightarrow{H^{\oplus}/H_2O}$ B $\xrightarrow{Ac_2O}$ C


In this reaction, the end product C is:


(A) salicylaldehyde (B) salicylic acid (C) phenyl acetate (D) aspirin


CAR050

3. Select the reaction giving correct major product :

(A) 

(B) 


(C) 


(D) 


CAR051


For More Join: @IITJEE_Advanced


4. Identify the product in the following reaction.



(A) 


(B) 

(C) 

(D) 

CAR052

5. Compare the properties of two isomeric products x and y formed in the following reaction.



Option	Acid Strength	H_2O Solubility	Volatility	Melting Point
(A)	y > x	y > x	x > y	y > x
(B)	x > y	x > y	y > x	x > y
(C)	y > x	x > y	y > x	y > x
(D)	x > y	y > x	x > y	y > x

Rankers Academy JEE


CAR053


6. Which can be used to generate $NO_2^{\oplus}$ in nitration of benzene ring


(A) $HNO_3 + H_2SO_4$
(B) $HNO_3 + HClO_4$
(C) N_2O_5
(D) All


CAR115

7. Which of the following compound gives fastest S_NAr reaction?

(A) 

(B) 


(C) 


(D) 


CAR160


For More Join: @IITJEE_Advanced

8. What one of the principal product when aniline is treated with $NaNO_2$ and HCl at 0–5°C and this mixture is added to p–toluidine (p-methyl aniline)?

(A) 

(B) 

(C) 

(D) 


CAR202

9. Which order is correct for the decreasing reactivity to ring monobromination of the following compounds:

(I) $C_6H_5CH_3$ (II) C_6H_5COOH (III) C_6H_6 (IV) $C_6H_5NO_2$

(A) I > II > III > IV (B) I > III > II > IV (C) II > III > IV > I (D) III > I > II > IV

CAR130

10. 

The colour of the dye formed is :-

(A) yellow (B) orange (C) violet (D) green

CAR192

Rankers Academy JEE

SECTION-II

- This section contains **FOUR** question.
- Each question has **FOUR** options for correct answer(s). **ONE OR MORE THAN ONE** of these four option(s) is (are) correct option(s).
- For each question, choose the correct option(s) to answer the question.
- Answer to each question will be evaluated according to the following marking scheme:

Full Marks : +4, if only (all) the correct option(s) is (are) chosen.
Partial Marks : +3, if all the four options are correct but ONLY three options are chosen.
Partial Marks : +2, if three or more options are correct but ONLY two options are chosen, both of which are correct options.
Partial Marks : +1, if two or more options are correct but ONLY one option is chosen and it is a correct option.
Zero Marks : 0, if none of the options is chosen (i.e. the question is unanswered).
Negative Marks: –2 in all other cases.

---

11. In which of the following reaction t-butylbenzene is formed:

(A) Benzene + iso-butyl chloride, $AlCl_3$ (B) Benzene + $(CH_3)_2C = CH_2 \xrightarrow{BF_3.HF}$

(C) Benzene + t-butyl alcohol $\xrightarrow{H_2SO_4}$ (D) Benzene + $(CH_3)_2 C= CH_2 \xrightarrow{AlCl_3}$

CAR054


12. The replacement of a hydrogen atom in benzene by alkyl group can be brought about with the following reagents :

(A) Alkyl chloride and $AlCl_3$ (B) Alkene and $AlCl_3$
(C) Alkanol and alkali (D) Alkanol and acid

CAR055

For More Join: @IITJEE_Advanced

13. The good method for converting benzene into n-propyl benzene is:
(A) C_6H_6 + $CH_3CH_2CH_2Cl$ + Anhyd. $AlCl_3$
(B) C_6H_6 + CH_3CH_2COCl + Anhyd. $AlCl_3$ and then treatment with Zn/Hg/HCl
(C) C_6H_6 + CH_3CH_2COCl + Anhyd. $AlCl_3$ and then treatment with H_2 Ni
(D) C_6H_6 + Anhyd. $AlCl_3$ + cyclopropane **CAR056**

14. 





X is/are -
(A) $CHCl_3$ (B) CCl_4 (C) CO_2 (D) HCOOH
CAR058

SECTION–III

- This section contains **ONE** question.
- Each question has matching lists. The codes for the lists have choices (A), (B), (C) and (D) out of which ONLY ONE is correct
- For each question, marks will be awarded in one of the following categories :
  Full Marks : +3, if only the bubble corresponding to the correct option is darkened.
  Zero Marks : 0, if none of the bubbles is darkened.
  Negative Marks : –1 in all other cases.

15. Match the following:

Bankers Academy JEE

Column I (Compound)	**Column II (Properties)**
(A) 	(P) o-p directing
(B) 	(Q) m-directing
(C) 	(R) Activating towards electrophile
(D) 	(S) Deactivating towards electrophile
(A)→P ; (B)→P,R ; (C)→Q,S ; (D)→P,R	(B) →P,S ; (B)→P,R ; (C)→Q,S ; (D)→P,R
(C)→S ; (B)→P ; (C)→Q,S ; (D)→P,R	(D) →P,S ; (B)→P ; (C)→Q,S ; (D)→P,R

CAR061

For More Join: @IITJEE_Advanced

SECTION–IV


- This section contains **ONE** paragraph.
- Based on each paragraph, there are **TWO** questions.
- Each question has **FOUR** options (A), (B), (C) and (D) **ONLY ONE** of these four options is correct.
- For each question, darken the bubble corresponding to the correct option in the ORS.
- For each question, marks will be awarded in one of the following categories:

Full Marks : +3 if only the bubble corresponding to the correct answer is darkened.

Zero Marks : 0 in all other cases.


Paragraph for Q. 16 to 17


Identify reagent used and intermediate products in following conversion.





Rankers Academy JEE

16. Identify II product -

(A) 


(B) 

(C) 


(D) 


CAR064

17. (III) major product is ?

(A) 

(B) 

(C) 

(D) 


CAR065


For More Join: @IITJEE_Advanced

SECTION–V


- This section contains **a** question.
- The answer to each question is a **NUMERICAL VALUE.**
- For each question, enter the correct numerical value (in decimal notation, truncated/rounded-off to the second decimal place; e.g. 6.25, 7.00, –0.33, –.30, 30.27, –127.30, if answer is 11.36777..... then both 11.36 and 11.37 will be correct).
- Answer to each question will be evaluated according to the following marking scheme:
  Full Marks : +3, if ONLY the correct numerical value is entered as answer.
  Zero Marks : 0 in all other cases.

18. Identify total number of reactions incorrectly match with its product ?


(a) 

(b) 


(c) $Et–OH + NaI \xrightarrow[H_2SO_4]{conc.} Et - I$


(d) 

(e) $Me–C\equiv CH + Na/Liq\ NH_3 \longrightarrow Me–CH = CH_2$

(f) 

100 % product [Stereo specific reactions]

(g) 

(h) 

CAR068

Rankers Academy JEE
For More Join: @IITJEE_Advanced


ANSWER KEY

EXERCISE - O

Que.	1	2	3	4	5	6	7	8	9	10
Ans.	C	C	C	A	C	C	B	D	A	A
Que.	11	12	13	14	15	16	17	18	19	20
Ans.	D	D	D	D	B	A	C	B	C	B
Que.	21	22	23	24	25	26	27	28	29	30
Ans.	A	D	A	B	C	A	C	B	C	A
Que.	31	32	33	34	35	36	37	38	39	40
Ans.	C	A	A	C	B	D	A	C	A	C
Que.	41	42	43	44	45	46	47	48	49	50
Ans.	A	ABC	BC	ABC	CD	BCD	AB	BD	BD	AB


EXERCISE - S

1.



(B)
(major)


2.



(D) (C) Aspirin (B)


Rankers Academy JEE

3.




(B)


4.




5.




6.



7.




8.




(T)

9.



(E)

10.



For More Join: @IITJEE_Advanced

EXERCISE - JEE (Main) PYQ

Que.	1	2	3	4	5	6	7	8	9	10
Ans.	3	2	3	4	2	3	4	1	3	1
Que.	11	12	13	14	15	16	17	18	19	20
Ans.	1	2	4	4	1	2	3	3	3	7
Que.	21	22	23	24	25	26				
Ans.	2	2	4	2	3	1				

EXERCISE - JEE (Advanced) PYQ

Que.	1	2	3	4	5	6	7	8	9	10
Ans.	A	ABCD	B	BD	A	B	A	ABC	C	B
Que.	11	12	13	14	15	16	17	18	19	20
Ans.	A	4	BC	B	BCD	BC	5	D	B	B
Que.	21	22	23	24	25	26	27	28	29	30
Ans.	C	B	D	ABD	C	A	D	495	4.00	BD
Que.	31	32	33	34	35	36	37	38	39	40
Ans.	BD	B	B	18.00	6	AD	AB	136	1.31	0
Que.	41	42	43							
Ans.	B	9.00	51.00							

JEE (Main) Practice Paper

Rankers Academy JEE

Section-A	Q.	1	2	3	4	5	6	7	8	9	10
	A.	1	2	4	4	3	4	1	3	1	4
	Q.	11	12	13	14	15	16	17	18	19	20
	A.	2	3	2	2	4	3	2	2	1	3
Section-B	Q.	1	2	3	4	5	6	7	8	9	10
	A.	5	3	5	3	94	78	0	99	9	75

JEE (Advanced) Practice Paper

Section-I	Q.	1	2	3	4	5	6	7	8	9	10
	A.	A	D	A	C	D	D	C	D	B	B
Section-II	Q.	11	12	13	14						
	A.	ABCD	ABD	BD	BC						
Section-III	Q.	15									
	A.	B									
Section-IV	Q.	16	17								
	A.	B	A								
Section-V	Q.	18									
	A.	7.00									

For More Join: @IITJEE_Advanced