

JoeSandbox Cloud BASIC



ID: 225428

Sample Name:

PrivateKit_edu.mit.privatekit_0.5.19.apk

Cookbook:

defaultandroidfilecookbook.jbs

Time: 02:29:59

Date: 27/04/2020

Version: 28.0.0 Lapis Lazuli

Table of Contents

Table of Contents	2
Analysis Report PrivateKit_edu.mit.privatekit_0.5.19.apk	4
Overview	4
General Information	4
Detection	4
Confidence	4
Classification Spiderchart	5
Analysis Advice	5
Mitre Att&ck Matrix	5
Signature Overview	6
Location Tracking:	6
Spreading:	6
Networking:	6
E-Banking Fraud:	6
Spam, unwanted Advertisements and Ransom Demands:	7
Operating System Destruction:	7
Change of System Appearance:	7
System Summary:	7
Data Obfuscation:	7
Persistence and Installation Behavior:	7
Boot Survival:	7
Hooking and other Techniques for Hiding and Protection:	7
Malware Analysis System Evasion:	7
Stealing of Sensitive Information:	7
Remote Access Functionality:	8
Malware Configuration	8
Antivirus, Machine Learning and Genetic Malware Detection	8
Initial Sample	8
Dropped Files	8
Domains	8
URLs	8
Yara Overview	8
Initial Sample	8
PCAP (Network Traffic)	8
Dropped Files	8
Sigma Overview	8
Joe Sandbox View / Context	9
IPs	9
Domains	9
ASN	9
JA3 Fingerprints	9
Dropped Files	9
Screenshots	9
Thumbnails	9
Created / dropped Files	10
Domains and IPs	11
Contacted Domains	11
URLs from Memory and Binaries	11
Contacted IPs	12
Static File Info	12
General	12
File Icon	13
Static APK Info	13
General	13
Activities	13
Receivers	13
Services	13
Permission Requested	13
Certificate	14

Resources	14
Network Behavior	28
APK Behavior	28
Installation	28
Miscellaneous	28
System Calls	29
By Permission (executed)	29
By Permission (non-executed)	29
Disassembly	29
0 Executed Methods	29
0 Non-Executed Methods	29

Analysis Report PrivateKit_edu.mit.privatekit_0.5.19.apk


Overview

General Information		
Joe Sandbox Version:	28.0.0 Lapis Lazuli	
Analysis ID:	225428	
Start date:	27.04.2020	
Start time:	02:29:59	
Joe Sandbox Product:	CloudBasic	
Overall analysis duration:	0h 8m 45s	
Hypervisor based Inspection enabled:	false	
Report type:	light	
Sample file name:	PrivateKit_edu.mit.privatekit_0.5.19.apk	
Cookbook file name:	defaultandroidfilecookbook.jbs	
Analysis system description:	Android 6.0	
APK Instrumentation enabled:	true	
Detection:	SUS	
Classification:	sus36.evad.andAPK@0/254@0/0	
Warnings:	<div>Show All</div> <ul style="list-style-type: none">• An application runtime error occurred• No dynamic data available• No interacted views• No simulation commands forwarded to apk• Not all non-executed APIs are in report• Not all resource files were parsed• Not all resource strings were parsed• Report size exceeded maximum capacity and may have missing disassembly code.• Report size exceeded maximum capacity and may have missing dynamic data code.	

Detection					
Strategy	Score	Range	Reporting	Whitelisted	Detection
Threshold	36	0 - 100		false	<div><div>MALICIOUS</div><div>SUSPICIOUS</div><div>CLEAN</div><div>UNKNOWN</div></div>

Confidence				
Strategy	Score	Range	Further Analysis Required?	Confidence
Threshold	3	0 - 5	true	<div><div>99 %</div><div>80 %</div><div>60 %</div><div>40 %</div><div>20 %</div><div>5 %</div></div>

Classification Spiderchart



Analysis Advice

Unable to instrument or execute APK, no dynamic information has been logged


Unable to instrument or execute APK, runtime error occurred

Mitre Att&ck Matrix

Initial Access	Execution	Persistence	Privilege Escalation	Defense Evasion	Credential Access	Discovery	Lateral Movement	Collection	Exfiltration	Command and Control	Network Effects	Remote Service Effects
Valid Accounts	Windows Remote Management	Winlogon Helper DLL	Port Monitors	Application Discovery 1	Access Stored Application Data 1	System Network Connections Discovery 1	Application Deployment Software	Location Tracking 1 1	Data Compressed	Data Obfuscation	Eavesdrop on Insecure Network Communication	Remote Track D Without Authoriz

Initial Access	Execution	Persistence	Privilege Escalation	Defense Evasion	Credential Access	Discovery	Lateral Movement	Collection	Exfiltration	Command and Control	Network Effects	Remote Service Effects
Replication Through Removable Media	Service Execution	Port Monitors	Accessibility Features	Binary Padding	Network Sniffing	Location Tracking 1 1	Remote Services	Access Stored Application Data 1	Exfiltration Over Other Network Medium	Fallback Channels	Exploit SS7 to Redirect Phone Calls/SMS	Remote Wipe Device Without Authorization
External Remote Services	Windows Management Instrumentation	Accessibility Features	Path Interception	Rootkit	Input Capture	Application Discovery 1	Windows Remote Management	Network Information Discovery 2	Automated Exfiltration	Custom Cryptographic Protocol	Exploit SS7 to Track Device Location	Obtain Device Cloud Backups
Drive-by Compromise	Scheduled Task	System Firmware	DLL Search Order Hijacking	Obfuscated Files or Information	Credentials in Files	System Information Discovery 1	Logon Scripts	Input Capture	Data Encrypted	Multiband Communication	SIM Card Swap	
Exploit Public-Facing Application	Command-Line Interface	Shortcut Modification	File System Permissions Weakness	Masquerading	Account Manipulation	Process Discovery 1	Shared Webroot	Data Staged	Scheduled Transfer	Standard Cryptographic Protocol	Manipulate Device Communication	

Signature Overview



Location Tracking:



Queries the phones location (GPS)

Spreading:



Accesses external storage location

Networking:



Checks an internet connection is available

Loads a webpage with cache disabled

Opens an internet connection

Performs DNS lookups (Java API)

Found strings which match to known social media urls

Urls found in memory or binary data

Uses HTTP for connecting to the internet

E-Banking Fraud:



Has functionality to send UDP packets

Has functionality to add an overlay to other apps

Has permission to query the list of currently running applications

Loads a webpage with cache disabled

May check for popular installed apps

Spam, unwanted Advertisements and Ransom Demands:



May check for popular installed apps

May use Google Cloud Messaging (GCM) or Google's Cloud to Device Messaging (C2DM) services

Operating System Destruction:



Lists and deletes files in the same context

Change of System Appearance:



May access the Android keyguard (lock screen)

Acquires a wake lock

Sets a repeating alarm

System Summary:



Executes native commands

Requests potentially dangerous permissions

Classification label

Creates SQLiteDatabase table

Loads native libraries

Reads shares settings

Registers a Sensor listener (to get data about accelerometer, gyrometer etc.)

Data Obfuscation:



Uses reflection

Persistence and Installation Behavior:



Installs an application shortcut on the screen

Boot Survival:



Has permission to execute code after phone reboot

Installs a new wake lock (to get activate on phone screen on)

Starts/registers a service/receiver on phone boot (autostart)

Hooking and other Techniques for Hiding and Protection:



Has permission to query the list of currently running applications

Has permission to use bluetooth to discover and pair with other devices

Queries list of running processes/tasks

Uses Crypto APIs

Malware Analysis System Evasion:



Accesses android OS build fields

Checks if the Android Monkey is running (UI Automation)

Queries several sensitive phone informations

Queries the unique operating system id (ANDROID_ID)

Stealing of Sensitive Information:



- Uses accessibility services (likely to control other applications)
- Has permissions to create, read or change account settings (including account password settings)
- May take a camera picture
- Queries media storage location field
- Queries stored mail and application accounts (e.g. Gmail or Whatsup)
- Has permission to query the current location

Remote Access Functionality:



Found suspicious command strings (may be related to BOT commands)

Uses DownloadManager to fetch additional components

Malware Configuration

No configs have been found

Antivirus, Machine Learning and Genetic Malware Detection

Initial Sample

Source	Detection	Scanner	Label	Link
PrivateKit_edu.mit.privatekit_0.5.19.apk	0%	Virustotal		Browse

Dropped Files

No Antivirus matches

Domains

No Antivirus matches

URLs

Source	Detection	Scanner	Label	Link
http://ge-map-overlays.appspot.com/images/blue-triangle.png	0%	Virustotal		Browse
http://ge-map-overlays.appspot.com/images/blue-triangle.png	0%	Avira URL Cloud	safe	
http://%s/%s.%s?platform=android&dev=%s&minify=%s	0%	Avira URL Cloud	safe	
http://www.boldmonday.comhttp://www.ibm.comThis	0%	Avira URL Cloud	safe	

Yara Overview

Initial Sample

No yara matches

PCAP (Network Traffic)

No yara matches

Dropped Files

No yara matches

Sigma Overview

No Sigma rule has matched

Joe Sandbox View / Context

IPs

No context

Domains

No context

ASN

No context

JA3 Fingerprints

No context


Dropped Files


No context

Screenshots

Thumbnails

This section contains all screenshots as thumbnails, including those not shown in the slideshow.





Created / dropped Files

/data/user/0/edu.mit.privatekit/lib-main/dso_deps	
File Type:	data
Size (bytes):	104
Entropy (8bit):	3.0682356628076928
Encrypted:	false
MD5:	CC12D06CE5B007ABF935EB12C7B64031
SHA1:	58DC5F0727E65922C9807A2040A9F1643879451E
SHA-256:	C2525AF52493F7D5D328BE357B5708E6286EE9FBA1EFDB7AC91F9EA624D59402
SHA-512:	63332DEF6F2AA207B9310DA43CF9585B2F3A0CEF9AEB038DAD7D16A42F65B3FB7F03B827D6A6EE10405093EDBDE3F226F3AB0F988A55DC5C7F269E65A420DC84
Malicious:	false
Reputation:	low
Preview:	

/data/user/0/edu.mit.privatekit/lib-main/dso_manifest	
File Type:	data
Size (bytes):	5
Entropy (8bit):	0.7219280948873623
Encrypted:	false
MD5:	C06857E9EA338F3F3A24BB78F8FBD6F6F
SHA1:	C5A0A2529D2DEB60FEC041B4FBD722A2EBE31702
SHA-256:	957B88B12730E646E0F33D3618B77DFA579E8231E3C59C7104BE7165611C8027
SHA-512:	29F61516876C25379A7BF4FAA2B3CA6F6B53EAC90E7DE47671FEC4A818D51441B4025CD7909F7C0A0D113AB6C5FF00CB3700C286BAC7319185B77905FEEC4FB1
Malicious:	false
Reputation:	moderate, very likely benign file

/data/user/0/edu.mit.privatekit/lib-main/dso_manifest	
Preview:	
/data/user/0/edu.mit.privatekit/lib-main/dso_state	
File Type:	very short file (no magic)
Size (bytes):	1
Entropy (8bit):	0.0
Encrypted:	false
MD5:	93B885ADFE0DA089CDF634904FD59F71
SHA1:	5BA93C9DB0CFF93F52B521D7420E43F6EDA2784F
SHA-256:	6E340B9CFFB37A989CA544E6BB780A2C78901D3FB33738768511A30617AFA01D
SHA-512:	B8244D028981D693AF7B456AF8EFA4CAD63D282E19FF14942C246E50D9351D22704A802A71C3580B6370DE4CEB93C324A8423342557D4E5C38438F0E36910EE
Malicious:	false
Reputation:	moderate, very likely benign file
Preview:	

Domains and IPs

Contacted Domains

No contacted domains info

URLs from Memory and Binaries

Name	Source	Malicious	Antivirus Detection	Reputation
http://logback.qos.ch/codes.html#smtp_no_layout	android	false		high
https://github.com/facebook/react-native/wiki/Breaking-Changes#d4611211-reactnativeandroidbreaking-m	android	false		high
http://logback.qos.ch/codes.html#appender_order	android	false		high
http://logback.qos.ch/codes.html#layoutInsteadOfEncoder	android	false		high
http://scripts.sil.org/OFLhttp://scripts.sil.org/OFLIBM	IBMPlexSans-MediumItalic.ttf, IBMPlexSans-ExtraLightItalic.ttf, IBMPlexSans-LightItalic.ttf, IBMPlexSans-ExtraLight.ttf, IBMPlexSans-ThinItalic.ttf, IBMPlexSans-Thin.ttf, IBMPlexSans-SemiBold.ttf	false		high
http://logback.qos.ch/codes.html#missingRightParenthesis	android	false		high
http://logback.qos.ch/codes.html#sbtp_size_format	android	false		high
http://logback.qos.ch/codes.html#null_CS	android	false		high
http://logback.qos.ch/codes.html#rfa_file_after	android	false		high
http://logback.qos.ch/css/classic.css	android	false		high
https://twitter.com/intent/tweet?text=	android	false		high
http://xml.org/sax/features/namespaces	android	false		high
http://logback.qos.ch/codes.html#socket_no_port	android	false		high
http://www.slf4j.org/codes.html#unsuccessfulInit	android	false		high
https://pinterest.com/pin/create/button/?url=	android	false		high
http://logback.qos.ch/codes.html#receiver_no_host	android	false		high
http://ge-map-overlays.appspot.com/images/blue-triangle.png	amu_ground_overlay.kml	false	<ul style="list-style-type: none">0%, Virustotal, BrowseAvira URL Cloud: safe	low
http://www.slf4j.org/codes.html#substituteLogger	android	false		high
http://%s/%s.%s?platform=android&dev=%s&minify=%s	android	false	<ul style="list-style-type: none">Avira URL Cloud: safe	low
http://scripts.sil.org/OFLhttp://scripts.sil.org/OFLHow	IBMPlexSans-Bold.ttf, IBMPlexSans-Italic.ttf	false		high
http://logback.qos.ch/codes.html#socket_no_host	android	false		high
http://logback.qos.ch/codes.html#syslog_layout	android	false		high

Name	Source	Malicious	Antivirus Detection	Reputation
http://schemas.android.com/apk/res/android	abc_screen_simple.xml, mtrl_tabs_colored_ripple_color.xml, avd_show_password.xml, mtrl_fab_transformation_sheet_expand_spec.xml, abc_btn_check_material_anim.xml, abc_tint_seek_thumb.xml, abc_btn_colored_material.xml, abc_ic_arrow_drop_right_black_24dp.xml, btn_checkbox_checked_to_unchecked_mtrl_animation.xml, btn_checkbox_to_checked_box_outer_merge_d_animation.xml, abc_alert_dialog_button_bar_material.xml, design_layout_snackbar.xml, mdev_preferences.xml, common_google_signin_btn_text_dark_normal.xml, design_snackbar_in.xml, design_appbar_state_list_animator.xml, design_navigation_item.xml, design_text_input_password_icon.xml, mtrl_fab_show_motion_spec.xml, abc_dialog_title_material.xml, design_bottom_navigation_item.xml, btn_radio_off_to_on_mtrl_animation.xml, ic_launcher.xml, android	false		high
http://www.slf4j.org/codes.html#StaticLoggerBinder	android	false		high
http://www.boldmonday.comhttp://www.ibm.comThis	IBMPlexSans-MediumItalic.ttf, IBMPlexSans-ExtraLightItalic.ttf, IBMPlexSans-Bold.ttf, IBMPlexSans-LightItalic.ttf, IBMPlexSans-ExtraLight.ttf, IBMPlexSans-ThinItalic.ttf, IBMPlexSans-Thin.ttf, IBMPlexSans-SemiBold.ttf, IBMPlexSans-LItalic.ttf	false	<ul style="list-style-type: none"> Avira URL Cloud: safe 	unknown
http://logback.qos.ch/codes.html#1andOnly1	android	false		high
http://logback.qos.ch/codes.html#tbr_fnp_prudent_unsupported	android	false		high
http://www.slf4j.org/codes.html#null_MDCA	android	false		high
http://www.slf4j.org/codes.html#no_static_mdc_binder	android	false		high
http://xml.org/sax/features/validation	android	false		high
http://logback.qos.ch/codes.html#tbr_fnp_not_set	android	false		high
http://schemas.android.com/aapt	avd_show_password.xml	false		high
http://www.slf4j.org/codes.html#multiple_bindings	android	false		high
http://www.slf4j.org/codes.html#loggerNameMismatch	android	false		high
http://www.opengis.net/kml/2.2	amu_visibility_ground_overlay.kml, amu_poly_style_boolean_alpha.kml	false		high
http://logback.qos.ch/codes.html#fwrp_parentFileName_not_set	android	false		high
http://schemas.android.com/apk/res-auto	abc_tint_seek_thumb.xml, design_appbar_state_list_animator.xml, android	false		high
http://logback.qos.ch/codes.html#receiver_no_port	android	false		high
http://www.slf4j.org/codes.html#version_mismatch	android	false		high
http://www.slf4j.org/codes.html#replay	android	false		high
http://www.colorcombos.com/images/colors/FF00FF.png	amu_ground_overlay.kml	false		high
http://www.android.com/	android	false		high

Contacted IPs

No contacted IP infos

Static File Info

General	
File type:	Zip archive data
Entropy (8bit):	7.978001737431711
TrID:	<ul style="list-style-type: none"> Android Package (27504/1) 43.65% Java Archive (13504/1) 21.43% Konfabulator widget (8004/1) 12.70% ZIP compressed archive (8000/1) 12.70% Google Earth saved working session (6004/1) 9.53%
File name:	PrivateKit_edu.mit.privatekit_0.5.19.apk

General	
File size:	8774881
MD5:	cb20ab20d578fdb2429c2063372cadb9
SHA1:	425424bffd4d8b2ae8a7ad96fe4b27983334f60d
SHA256:	b94f538ca8127da843987d8b474aceadec7634706643bdd058b6b6ee87afc00
SHA512:	78002b63927289c3a54ae6bdb00fb73a07e073bd8dd774820b42503ab0160072c8ef0f5d38162457834421b916ef84111f667c5065e0279568cf602875d5362
SSDEEP:	196608:dDVte0qNtDB0meNiP2dPINPSq9V1HqisRqO0gVIO8q:dxY0Ad0m6E2dvqqb1HPsM6IO8q
File Content Preview:	PK.....a....H.....AndroidManifest.xml.Z[.....N.....8 &q..\$.q.....V.....@`...../.....n.h.....AB.*...*.H..E..@..RA.BR.*.o.....g..M.yw.?.....93.Y"Wii.#J.'.B<+.....@5. .L.W.....w./.....<B..z.l...W...O...o.b.8.....u.&g.K.,K.6.<

File Icon



Static APK Info

General	
Label:	PrivateKit
Minimum SDK required:	21
Target SDK required:	28
Version Code:	23
Version Name:	23
Package Name:	edu.mit.privatekit
Is Activity:	true
Is Receiver:	true
Is Service:	true
Requests System Level Permissions:	false
Play Store Compatible:	true

Activities

Name	Is Entrypoint
edu.mit.privatekitedu.mit.privatekit.MainActivity	true
edu.mit.privatekitcom.facebook.react.devsupport.DevSettingsActivity	
edu.mit.privatekitcom.google.android.gms.common.api.GoogleApiActivity	
edu.mit.privatekitcom.intentfilter.androidpermissions.PermissionsActivity	

Receivers

<ul style="list-style-type: none">com.google.firebase.iid.FirebaseInstanceIdReceiver	<ul style="list-style-type: none">Intent: com.google.android.c2dm.intent.RECEIVE
<ul style="list-style-type: none">com.marianhello.bgloc.BootCompletedReceiver	<ul style="list-style-type: none">Intent: android.intent.action.BOOT_COMPLETED
<ul style="list-style-type: none">com.transistorsoft.tsbackgroundfetch.BootReceiver	<ul style="list-style-type: none">Intent: android.intent.action.BOOT_COMPLETED, android.intent.action.MY_PACKAGE_REPLACED
<ul style="list-style-type: none">com.transistorsoft.tsbackgroundfetch.FetchAlarmReceiver	

Services

<ul style="list-style-type: none">com.dieam.reactnativepushnotification.modules.RNPushNotificationListenerService	<ul style="list-style-type: none">Intent: com.google.firebase.MESSAGING_EVENT (Priority 0)
<ul style="list-style-type: none">com.google.firebase.iid.FirebaseInstanceIdService	<ul style="list-style-type: none">Intent: com.google.firebase.INSTANCE_ID_EVENT (Priority -500)
<ul style="list-style-type: none">com.google.firebase.messaging.FirebaseMessagingService	<ul style="list-style-type: none">Intent: com.google.firebase.MESSAGING_EVENT (Priority -500)
<ul style="list-style-type: none">com.marianhello.bgloc.react.headless.HeadlessService	
<ul style="list-style-type: none">com.marianhello.bgloc.service.LocationServiceImpl	
<ul style="list-style-type: none">com.marianhello.bgloc.sync.AuthenticatorService	<ul style="list-style-type: none">Intent: android.accounts.AccountAuthenticator (Priority 0)
<ul style="list-style-type: none">com.marianhello.bgloc.sync.SyncService	<ul style="list-style-type: none">Intent: android.content.SyncAdapter (Priority 0)
<ul style="list-style-type: none">com.transistorsoft.tsbackgroundfetch.FetchJobService	

Permission Requested

<ul style="list-style-type: none">android.hardware.location

• android.permission.ACCESS_BACKGROUND_LOCATION
• android.permission.ACCESS_COARSE_LOCATION
• android.permission.ACCESS_FINE_LOCATION
• android.permission.ACCESS_LOCATION_EXTRA_COMMANDS
• android.permission.ACCESS_NETWORK_STATE
• android.permission.ACCESS_WIFI_STATE
• android.permission.AUTHENTICATE_ACCOUNTS
• android.permission.BIND_JOB_SERVICE
• android.permission.BLUETOOTH
• android.permission.BLUETOOTH_ADMIN
• android.permission.FOREGROUND_SERVICE
• android.permission.GET_TASKS
• android.permission.INTERNET
• android.permission.READ_SYNC_SETTINGS
• android.permission.RECEIVE_BOOT_COMPLETED
• android.permission.VIBRATE
• android.permission.WAKE_LOCK
• android.permission.WRITE_EXTERNAL_STORAGE
• android.permission.WRITE_SYNC_SETTINGS
• com.anddoes.launcher.permission.UPDATE_COUNT
• com.android.vending.CHECK_LICENSE
• com.google.android.c2dm.permission.RECEIVE
• com.google.android.gms.permission.ACTIVITY_RECOGNITION
• com.htc.launcher.permission.READ_SETTINGS
• com.htc.launcher.permission.UPDATE_SHORTCUT
• com.huawei.android.launcher.permission.CHANGE_BADGE
• com.huawei.android.launcher.permission.READ_SETTINGS
• com.huawei.android.launcher.permission.WRITE_SETTINGS
• com.majeur.launcher.permission.UPDATE_BADGE
• com.sec.android.provider.badge.permission.READ
• com.sec.android.provider.badge.permission.WRITE
• com.sonyericsson.home.permission.BROADCAST_BADGE
• com.sonymobile.home.permission.PROVIDER_INSERT_BADGE
• edu.mit.privatekit.permission.C2D_MESSAGE

Certificate	
Name:	classes.dex
Issuer:	CN=Android,OU=Android,O=Google Inc.,L=Mountain View,ST=California,C=US
Subject:	CN=Android,OU=Android,O=Google Inc.,L=Mountain View,ST=California,C=US

Resources		
Name	Type	Size
UByteIterator.kotlin_metadata	data	278
abc_screen_simple.xml	Android binary XML	832
ContractsDsl.kotlin_metadata	data	263
RequireKotlin.kotlin_metadata	data	665
androidx.legacy_legacy-support-v4.version	ASCII text	6
NoWhenBranchMatchedException.kotlin_metadata	data	384
mtrl_tabs_colored_ripple_color.xml	Android binary XML	948
NotImplementedError.kotlin_metadata	data	134
file_provider_paths.xml	Android binary XML	280
abc_edit_text_material.xml	Android binary XML	1172
TestClock.kotlin_metadata	data	359
ReversedViewsKt.kotlin_metadata	data	335
avd_show_password.xml	Android binary XML	660
mtrl_fab_transformation_sheet_expanded_spec.xml	Android binary XML	1888
androidx.core_core.version	ASCII text	6
IBMPlexSans-MediumItalic.ttf	TrueType Font data, 17 tables, 1st "GDEF", 22 names, Microsoft, language 0x409, Copyright 2018 IBM Corp. All rights reserved.IBM Plex Sans MediumItalic3.1;IBM ;IBMPlexSans-Med	191396

Name	Type	Size
androidx.drawerlayout_drawerlayout.version	ASCII text	6
AbstractMutableCollection.kotlin_metadata	data	598
abc_switch_thumb_material.xml	Android binary XML	464
\$avd_show_password__1.xml	Android binary XML	592
ReadOnlyProperty.kotlin_metadata	data	232
abc_btn_check_material_anim.xml	Android binary XML	816
Google_internal.gwt.xml	exported SGML document, ASCII text	213
RingBuffer.kotlin_metadata	data	574
HashSet.kotlin_metadata	data	607
TextHKt.kotlin_metadata	data	2568
abc_ic_ab_back_material.xml	Android binary XML	692
abc_tint_seek_thumb.xml	Android binary XML	604
IBMPlexSans-ExtraLightItalic.ttf	TrueType Font data, 17 tables, 1st "GDEF", 22 names, Microsoft, language 0x409, Copyright 2018 IBM Corp. All rights reserved.IBM Plex Sans ExtraLightItalic3.1;IBM ;IBMPlexSans	193096
amu_multiple_placemarks.kml	ASCII text	824
amu_unsupported.kml	ASCII text	512
Continuation.kotlin_metadata	data	356
LazyKt.kotlin_metadata	data	262
Serializable.kotlin_metadata	data	99
mtrl_chip_text_color.xml	Android binary XML	464
abc_seekbar_tick_mark_material.xml	Android binary XML	516
androidx.recyclerview_recyclerview.version	ASCII text	6
abc_btn_colored_material.xml	Android binary XML	1716
amu_visibility_ground_overlay.kml	XML 1.0 document, ASCII text	696
ArraysKt.kotlin_metadata	data	1020
UShortIterator.kotlin_metadata	data	281
SequenceBuilderIterator.kotlin_metadata	data	739
LateinitKt.kotlin_metadata	data	224
SequenceBuilder.kotlin_metadata	data	499
abc_btn_default_mtrl_shape.xml	Android binary XML	932
ULongArray.kotlin_metadata	data	858
abc_background_cache_hint_selector_material_dark.xml	Android binary XML	468
UnsignedUtilsKt.kotlin_metadata	data	634
abc_ic_arrow_drop_right_black_24dp.xml	Android binary XML	1000
btn_checkbox_checked_to_unchecked_mtrl_animation.xml	Android binary XML	688
switch_thumb_material_dark.xml	Android binary XML	464
btn_checkbox_to_checked_box_outer_merged_animation.xml	Android binary XML	2780
UIntIterator.kotlin_metadata	data	275
abc_list_selector_background_transition_holo_light.xml	Android binary XML	424
tooltip_frame_light.xml	Android binary XML	484
abc_screen_toolbar.xml	Android binary XML	1560
ContinuationKt.kotlin_metadata	data	1040
MapWithDefaultKt.kotlin_metadata	data	482
StandardKt.kotlin_metadata	data	967
abc_fade_out.xml	Android binary XML	388
react-native-webview_release.kotlin_module	data	16
IBMPlexSans-Bold.ttf	TrueType Font data, 17 tables, 1st "GDEF", 20 names, Microsoft, language 0x409, Copyright 2018 IBM Corp. All rights reserved.IBM Plex SansBold3.1;IBM ;IBMPlexSans-BoldIBM Plex	181468
mtrl_linear.xml	Android binary XML	132
app_assets_images_closeicon.png	PNG image data, 128 x 128, 8-bit gray+alpha, non-interlaced	1022
abc_alert_dialog_button_bar_material.xml	Android binary XML	1584
IndexingIterator.kotlin_metadata	data	299
UByteArray.kotlin_metadata	data	858
ULongRange.kotlin_metadata	data	587
SequenceBuilderIterator.kotlin_metadata	data	731

Name	Type	Size
IteratorsKt.kotlin_metadata	data	316
design_bottom_sheet_slide_in.xml	Android binary XML	616
ReversedList.kotlin_metadata	data	380
AbstractMutableSet.kotlin_metadata	data	584
androidx.cardview_cardview.version	ASCII text	6
Typography.kotlin_metadata	data	1212
ContractBuilder.kotlin_metadata	data	519
amu_cdata.kml	ASCII text	328
ReadWriteProperty.kotlin_metadata	data	293
RestrictsSuspension.kotlin_metadata	data	378
design_layout_snackbar.xml	Android binary XML	528
fast_out_slow_in.xml	Android binary XML	400
notification_template_media_custom.xml	Android binary XML	2756
TakeWhileSequence.kotlin_metadata	data	313
app_locales_it.json	UTF-8 Unicode text	8130
RuntimeException.kotlin_metadata	data	202
abc_hint_foreground_material_dark.xml	Android binary XML	564
abc_list_selector_holo_dark.xml	Android binary XML	1064
JvmStatic.kotlin_metadata	data	347
UIntRange.kotlin_metadata	data	584
notification_action_background.xml	Android binary XML	1180
TransformingSequence.kotlin_metadata	data	376
androidx.coordinatorlayout_coordinatorlayout.version	ASCII text	6
abc_cab_background_internal_bg.xml	Android binary XML	372
ic_launcher_foreground.png	PNG image data, 162 x 162, 8-bit/color RGBA, non-interlaced	3858
Result.kotlin_metadata	data	803
ranges.kotlin_builtins	data	2301
mtrl_tabs_icon_color_selector.xml	Android binary XML	464
CombinedContext.kotlin_metadata	data	621
m_dev_preferences.xml	Android binary XML	3056
androidx.interpolator_interpolator.version	ASCII text	6
abc_secondary_text_material_dark.xml	Android binary XML	464
ArithmeticException.kotlin_metadata	data	204
ConditionalEffect.kotlin_metadata	data	242
SuspendKt.kotlin_metadata	data	320
abc_list_divider_material.xml	Android binary XML	516
androidx.vectordrawable_vectordrawable-animated.version	ASCII text	6
btn_radio_to_on_mtrl_dot_group_animation.xml	Android binary XML	1656
HidesMembers.kotlin_metadata	data	320
syncadapter.xml	Targa image data - RLE 244 x 65536 x 9 +1 +28 ""	512
redbox_top_border_background.xml	Android binary XML	956
InlineOnly.kotlin_metadata	data	368
mtrl_layout_snackbar.xml	Android binary XML	528
Effect.kotlin_metadata	data	228
AbstractMutableList.kotlin_metadata	data	739
amu_poly_style_boolean_alpha.kml	XML 1.0 document, ASCII text, with very long lines	11969
ConcurrentModificationException.kotlin_metadata	data	442
EmptySequence.kotlin_metadata	data	304
Duration.kotlin_metadata	data	1864
common_google_signin_btn_text_dark_normal.xml	Android binary XML	584
design_tint_password_toggle.xml	Android binary XML	480
RandomKt.kotlin_metadata	data	720
ArrayList.kotlin_metadata	data	972
design_snackbar_in.xml	Android binary XML	312
TakeSequence.kotlin_metadata	data	349

Name	Type	Size
abc_fade_in.xml	Android binary XML	388
amu_ground_overlay.kml	XML 1.0 document, ASCII text	729
common_google_signin_btn_text_lig ht.xml	Android binary XML	712
IBMPlexSans-LightItalic.ttf	TrueType Font data, 17 tables, 1st "GDEF", 22 names, Microsoft, language 0x409, Copyright 2018 IBM Corp. All rights reserved.IBM Plex Sans LightItalic3.1;IBM ;IBMPlexSans-Ligh	192436
amu_basic_placemark.kml	ASCII text	1120
select_dialog_multichoice_material.x ml	Android binary XML	864
btn_checkbox_unchecked_mtrl_ani mation_interpolator_1.xml	Android binary XML	328
IBMPlexSans-ExtraLight.ttf	TrueType Font data, 17 tables, 1st "GDEF", 22 names, Microsoft, language 0x409, Copyright 2018 IBM Corp. All rights reserved.IBM Plex Sans ExtraLightRegular3.1;IBM ;IBMPlexSan	184948
MatchResult.kotlin_metadata	data	741
design_appbar_state_list_animator.x ml	Android binary XML	1216
NoSuchElementException.kotlin_me tadata	data	157
abc_grow_fade_in_from_bottom.xml	Android binary XML	852
androidx.lifecycle_lifecycle- runtime.version	ASCII text	6
common_google_signin_btn_text_da rk_focused.xml	Android binary XML	892
btn_radio_to_off_mtrl_ring_outer_pat h_animation.xml	Android binary XML	1028
amu_draw_order_ground_overlay.km l	XML 1.0 document, ASCII text	419
CombinedContext.kotlin_metadata	data	933
design_navigation_item.xml	Android binary XML	536
abc_dialog_material_background.xm l	Android binary XML	716
btn_checkbox_checked_mtrl_animat ion_interpolator_0.xml	Android binary XML	316
TransformingIndexedSequence.kotli n_metadata	data	339
amu_document_nest.kml	ASCII text	312
ConstrainedOnceSequence.kotlin_m etadata	data	236
CoroutineContext.kotlin_metadata	data	584
IterablesKt.kotlin_metadata	data	704
Strictfp.kotlin_metadata	data	364
StringBuilderKt.kotlin_metadata	data	655
AbstractLongClock.kotlin_metadata	data	532
ULongProgressionIterator.kotlin_met adata	data	447
abc_hint_foreground_material_light.x ml	Android binary XML	564
Clock.kotlin_metadata	data	214
androidx.media_media.version	ASCII text	6
androidx.transition_transition.version	ASCII text	6
notification_media_action.xml	Android binary XML	564
btn_checkbox_to_unchecked_icon_ null_animation.xml	Android binary XML	1196
notification_template_media.xml	Android binary XML	1292
UnsafeLazyImpl.kotlin_metadata	data	382
ic_launcher_round.png	PNG image data, 144 x 144, 8-bit/color RGBA, non-interlaced	10714
Exception.kotlin_metadata	data	176
btn_radio_to_off_mtrl_animation_inte rpolator_0.xml	Android binary XML	320
app_assets_images_export.png	PNG image data, 91 x 92, 8-bit gray+alpha, non-interlaced	517
IBMPlexSans-ThinItalic.ttf	TrueType Font data, 17 tables, 1st "GDEF", 22 names, Microsoft, language 0x409, Copyright 2018 IBM Corp. All rights reserved.IBM Plex Sans ThinItalic3.1;IBM ;IBMPlexSans-ThinI	193800
KotlinVersion.kotlin_metadata	data	610
JsName.kotlin_metadata	data	390
InvocationKind.kotlin_metadata	data	339
IntrinsicsKt.kotlin_metadata	data	534
amu_nested_multigeometry.kml	XML 1.0 document, ASCII text	807
IBMPlexSans-Thin.ttf	TrueType Font data, 17 tables, 1st "GDEF", 22 names, Microsoft, language 0x409, Copyright 2018 IBM Corp. All rights reserved.IBM Plex Sans ThinRegular3.1;IBM ;IBMPlexSans-Thin	184660

Name	Type	Size
design_text_input_password_icon.xml	Android binary XML	564
btn_radio_off_mtrl.xml	Android binary XML	1728
ic_mtrl_chip_checked_black.xml	Android binary XML	600
\$avd_hide_password__0.xml	Android binary XML	1176
CollectionsKt.kotlin_metadata	data	2014
node_modules_csstree_dist_default_syntax.json	UTF-8 Unicode text, with very long lines, with no line terminators	57784
MapWithDefault.kotlin_metadata	data	220
abc_ic_voice_search_api_material.xml	Android binary XML	828
ic_launcher.png	PNG image data, 72 x 72, 8-bit/color RGBA, non-interlaced	2545
mtrl_fab_show_motion_spec.xml	Android binary XML	796
AccessibleLateinitPropertyLiteral.kotlin_metadata	data	380
KotlinHKt.kotlin_metadata	data	1146
KClass.kotlin_metadata	data	154
node_modules_domserializer_node_modules_entities_lib_maps_xml.json	ASCII text	64
MapAccessorsKt.kotlin_metadata	data	804
androidx.viewpager_viewpager.version	ASCII text	6
common_google_signin_btn_icon_light_focused.xml	Android binary XML	892
catalyst_slide_down.xml	Android binary XML	352
btn_checkbox_to_unchecked_check_path_merged_animation.xml	Android binary XML	2520
androidx.savedstate_savedstate.version	ASCII text	6
ic_launcher.png	PNG image data, 48 x 48, 8-bit/color RGBA, non-interlaced	1642
AbstractIterator.kotlin_metadata	data	364
ic_launcher_foreground.png	PNG image data, 324 x 324, 8-bit/color RGBA, non-interlaced	8950
amu_multigeometry_placemarks.kml	ASCII text	1586
annotation.kotlin_builtins	data	926
abc_action_menu_layout.xml	Android binary XML	576
ic_mtrl_chip_close_circle.xml	Android binary XML	808
ThreadLocal.kotlin_metadata	data	366
Annotations.gwt.xml	exported SGML document, ASCII text	375
common_google_signin_btn_icon_light_normal.xml	Android binary XML	548
app_locales_ht.json	UTF-8 Unicode text	6655
common_google_signin_btn_text_light_focused.xml	Android binary XML	892
UByteArrayKt.kotlin_metadata	data	376
MergingSequence.kotlin_metadata	data	359
common_google_signin_btn_text_disabled.xml	Android binary XML	1152
androidx.print_print.version	ASCII text	6
amu_ground_overlay_color.kml	XML 1.0 document, ASCII text	415
Appendable.kotlin_metadata	data	254
publicsuffixes.gz	gzip compressed data, from FAT filesystem (MS-DOS, OS/2, NT)	34000
IBMPlexSans-SemiBold.ttf	TrueType Font data, 17 tables, 1st "GDEF", 22 names, Microsoft, language 0x409, Copyright 2018 IBM Corp. All rights reserved.IBM Plex Sans SemiBoldRegular3.1;IBM ;IBMPlexSans-	182944
select_dialog_singlechoice_material.xml	Android binary XML	864
LazyThreadSafetyMode.kotlin_metadata	data	155
mtrl_chip_ripple_color.xml	Android binary XML	948
AbstractMap.kotlin_metadata	data	945
abc_popup_enter.xml	Android binary XML	508
design_fab_hide_motion_spec.xml	Android binary XML	796
notification_template_part_time.xml	Android binary XML	440
LowPriorityInOverloadResolution.kotlin_metadata	data	339
HashCodeKt.kotlin_metadata	data	188
design_password_eye.xml	Android binary XML	816
node_modules_domserializer_node_modules_entities_lib_maps_decode.json	ASCII text, with very long lines	356

Name	Type	Size
abc_btn_colored_borderless_text_material.xml	Android binary XML	464
KMutableProperty.kotlin_metadata	data	131
IBMPlexSans-Italic.ttf	TrueType Font data, 17 tables, 1st "GDEF", 20 names, Microsoft, language 0x409, Copyright 2018 IBM Corp. All rights reserved.IBM Plex SansItalic3.1;IBM ;IBMPlexSans-ItalicIBM	190172
design_error.xml	Android binary XML	464
abc_dialog_title_material.xml	Android binary XML	1116
SetsKt.kotlin_metadata	data	629
select_dialog_item_material.xml	Android binary XML	640
SubSequence.kotlin_metadata	data	396
amu_default_balloon.kml	XML 1.0 document, ASCII text	365
kotlin-stdlib-coroutines.kotlin_module	data	381
LinkedHashMap.kotlin_metadata	data	731
MeasureTimeKt.kotlin_metadata	data	504
abc_vector_test.xml	Android binary XML	612
design_bottom_navigation_item.xml	Android binary XML	1492
abc_action_mode_close_item_material.xml	Android binary XML	840
OptionalExpectation.kotlin_metadata	data	354
SequenceBuilderKt.kotlin_metadata	data	791
abc_seekbar_thumb_material.xml	Android binary XML	1100
btn_radio_off_to_on_mtrl_animation.xml	Android binary XML	680
BitwiseOperationsKt.kotlin_metadata	data	479
abc_tint_switch_track.xml	Targa image data - RLE 240 x 65536 x 10 +1 +28 ""	768
android.support.design_material_version	ASCII text, with no line terminators	12
amu_poly_style_boolean_numeric.kml	XML 1.0 document, ASCII text, with very long lines	11962
MutableCollectionsKt.kotlin_metadata	data	1707
abc_ratingbar_indicator_material.xml	Android binary XML	704
ClosedDoubleRange.kotlin_metadata	data	488
ic_launcher.xml	Android binary XML	448
IndentKt.kotlin_metadata	data	524
SlidingWindowKt.kotlin_metadata	data	443
ic_launcher.png	PNG image data, 144 x 144, 8-bit/color RGBA, non-interlaced	5600
Transient.kotlin_metadata	data	276
abc_search_url_text.xml	Android binary XML	588
androidx.versionedparcelable_versionedparcelable.version	ASCII text	6
kotlin-stdlib.kotlin_module	data	3727
btn_radio_to_off_mtrl_dot_group_animation.xml	Android binary XML	1656
amu_basic_folder.kml	ASCII text	264
UIntArray.kotlin_metadata	data	853
notification_template_icon_group.xml	Android binary XML	988
abc_tint_btn_checkable.xml	Android binary XML	728
IBMPlexSans-SemiBoldItalic.ttf	TrueType Font data, 17 tables, 1st "GDEF", 22 names, Microsoft, language 0x409, Copyright 2018 IBM Corp. All rights reserved.IBM Plex Sans SemiBoldItalic3.1;IBM ;IBMPlexSans-S	191940
resources.arsc	data	209560
abc_tooltip_enter.xml	Android binary XML	388
abc_primary_text_material_light.xml	Android binary XML	464
\$avd_show_password__2.xml	Android binary XML	556
mtrl_fab_transformation_sheet_collapsed_spec.xml	Android binary XML	1888
SafeContinuation.kotlin_metadata	data	470
UIntKt.kotlin_metadata	data	526
DynamicExtension.kotlin_metadata	data	324
RegexOption.kotlin_metadata	data	141
mtrl_fast_out_linear_in.xml	Android binary XML	400
DurationUnit.kotlin_metadata	data	292
CoroutineSingletons.kotlin_metadata	data	276
amu_info_window.xml	Android binary XML	552
abc_tint_btn_checkable.xml	Android binary XML	624

Name	Type	Size
androidx.lifecycle_lifecycle-livedata.version	ASCII text	6
Experimental.kotlin_metadata	data	467
design_navigation_item_subheader.xml	Android binary XML	564
common_google_signin_btn_icon_disabled.xml	Android binary XML	1132
abc_list_menu_item_icon.xml	Android binary XML	684
catalyst_push_up_in.xml	Android binary XML	592
fps_view.xml	Android binary XML	708
androidx.slidingpanelayout_slidingpanelayout.version	ASCII text	6
notification_template_big_media.xml	Android binary XML	1696
RegexExtensionsKt.kotlin_metadata	data	278
tooltip_frame_dark.xml	Android binary XML	484
ReversedComparator.kotlin_metadata	data	243
app.json	ASCII text	58
CoroutinesIntrinsicsHKt.kotlin_metadata	data	678
UNumbersKt.kotlin_metadata	data	1690
design_layout_snackbar.xml	Android binary XML	528
Returns.kotlin_metadata	data	238
androidx.swiperefreshlayout_swiperefreshlayout.version	ASCII text	6
abc_tint_spinner.xml	Android binary XML	668
design_navigation_menu_item.xml	Android binary XML	856
UIntArrayKt.kotlin_metadata	data	373
MANIFEST.MF	ASCII text, with CRLF line terminators	80618
btn_checkbox_unchecked_mtrl.xml	Android binary XML	2660
abc_popup_exit.xml	Android binary XML	508
common_google_signin_btn_icon_light.xml	Android binary XML	588
UByte.kotlin_metadata	data	1822
abc_list_selector_holo_light.xml	Android binary XML	1064
app_assets_images_usergreen.png	PNG image data, 64 x 64, 8-bit/color RGBA, non-interlaced	3533
EmptyList.kotlin_metadata	data	800
ExperimentalTypeInference.kotlin_metadata	data	476
amu_ballon_gx_prefix.kml	XML 1.0 document, ASCII text	4959
app_assets_license.json	ASCII text, with very long lines	1172
UIntProgressionIterator.kotlin_metadata	data	442
AbstractDoubleClick.kotlin_metadata	data	538
index.android.bundle	ASCII text, with very long lines	2879098
common_google_signin_btn_text_light.xml	Android binary XML	588
ReturnsNotNull.kotlin_metadata	data	245
common_google_signin_btn_tint.xml	Android binary XML	464
abc_background_cache_hint_selector_material_light.xml	Android binary XML	468
androidx.activity_activity.version	ASCII text	6
abc_btn_colored_text_material.xml	Android binary XML	500
btn_radio_on_mtrl.xml	Android binary XML	1656
ULongIterator.kotlin_metadata	data	278
IndexOutOfBoundsException.kotlin_metadata	data	160
abc_tint_seek_thumb.xml	Android binary XML	500
Annotations.gwt.xml	exported SGML document, ASCII text	119
notification_template_big_media_custom.xml	Android binary XML	3044
design_navigation_item_header.xml	Android binary XML	440
KMutableProperty0.kotlin_metadata	data	218
abc_btn_check_material.xml	Android binary XML	464
mtrl_btn_ripple_color.xml	Android binary XML	948
AbstractSet.kotlin_metadata	data	478
CERT.SF	ASCII text, with CRLF line terminators	80696

Name	Type	Size
DropTakeSequence.kotlin_metadata	data	203
abc_list_selector_background_transition_holo_dark.xml	Android binary XML	424
KProperty.kotlin_metadata	data	126
AbstractCoroutineContextElement.kotlin_metadata	data	248
abc_activity_chooser_view.xml	Android binary XML	1684
WasExperimental.kotlin_metadata	data	455
UArraySortingKt.kotlin_metadata	data	647
notification_bg.xml	Android binary XML	532
com.google.android.material_material.version	ASCII text, with no line terminators	10
design_bottom_sheet_dialog.xml	Android binary XML	1184
app_assets_images_backgroundatri.sk.png	PNG image data, 1125 x 2436, 8-bit colormap, non-interlaced	2753
ExperimentalStdlibApi.kotlin_metadata	data	663
androidx.customview_customview.version	ASCII text	6
mtrl_tabs_default_indicator.xml	Android binary XML	628
abc_tint_edittext.xml	Android binary XML	668
node_modules_reactnavigation_stack_src_views_assets_backiconmask.png	PNG image data, 50 x 85, 8-bit gray+alpha, non-interlaced	722
app_locales_en.json	UTF-8 Unicode text	7921
EmptyCoroutineContext.kotlin_metadata	data	523
DelimitedRangesSequence.kotlin_metadata	data	545
redbox_item_frame.xml	Android binary XML	1000
catalyst_fade_in.xml	Android binary XML	388
KProperty0.kotlin_metadata	data	174
provider_paths.xml	Android binary XML	632
androidx.cursoradapter_cursoradapter.version	ASCII text	6
StringsKt.kotlin_metadata	data	4296
LinkedHashSet.kotlin_metadata	data	613
mtrl_btn_text_color_selector.xml	Android binary XML	464
Exact.kotlin_metadata	data	291
abc_tint_switch_track.xml	Android binary XML	664
design_navigation_menu.xml	Android binary XML	528
EmptyMap.kotlin_metadata	data	673
URandomKt.kotlin_metadata	data	942
amu_extended_data.kml	ASCII text	380
navigation_empty_icon.xml	Android binary XML	516
UByteKt.kotlin_metadata	data	410
MutableMapWithDefault.kotlin_metadata	data	228
mtrl_btn_bg_color_selector.xml	Android binary XML	464
authenticator.xml	Android binary XML	396
KProperty1.kotlin_metadata	data	211
mtrl_bottom_nav_colored_item_tint.xml	Android binary XML	684
ContinuationInterceptor.kotlin_metadata	data	367
UInt.kotlin_metadata	data	1888
MovingSubList.kotlin_metadata	data	362
mtrl_fab_ripple_color.xml	Android binary XML	948
abc_seekbar_track_material.xml	Android binary XML	1408
NaturalOrderComparator.kotlin_metadata	data	246
abc_item_background_holo_dark.xml	Android binary XML	1012
ExperimentalMultiplatform.kotlin_metadata	data	584
ic_launcher.png	PNG image data, 96 x 96, 8-bit/color RGBA, non-interlaced	3554
CallIsInPlace.kotlin_metadata	data	237
abc_ic_clear_material.xml	Android binary XML	684
IntrinsicsKt.kotlin_metadata	data	385

Name	Type	Size
abc_search_view.xml	Android binary XML	3472
abc_color_highlight_material.xml	Android binary XML	544
notification_media_cancel_action.xml	Android binary XML	744
androidx.appcompat.appcompat-resources.version	ASCII text	6
SharedImmutable.kotlin_metadata	data	355
classes.dex	Dalvik dex file version 035	7396168
Lazy.kotlin_metadata	data	155
abc_secondary_text_material_light.xml	Android binary XML	464
btn_checkbox_checked_mtrl_animation_interpolator_1.xml	Android binary XML	328
mtrl_tabs_ripple_color.xml	Android binary XML	1672
EmptyCoroutineContext.kotlin_metadata	data	630
JvmField.kotlin_metadata	data	275
RequireKotlinVersionKind.kotlin_metadata	data	241
btn_radio_to_on_mtrl_ring_outer_animation.xml	Android binary XML	1656
ULongProgression.kotlin_metadata	data	698
catalyst_fade_out.xml	Android binary XML	388
ic_mtrl_chip_checked_circle.xml	Android binary XML	940
DurationKt.kotlin_metadata	data	1514
abc_action_bar_up_container.xml	Android binary XML	440
notification_template_lines_media.xml	Android binary XML	2872
common_google_signin_btn_text_dark.xml	Android binary XML	588
ExperimentalUnsignedTypes.kotlin_metadata	data	627
abc_item_background_holo_light.xml	Android binary XML	1012
btn_radio_on_to_off_mtrl_animation.xml	Android binary XML	680
Random.kotlin_metadata	data	1152
TuplesKt.kotlin_metadata	data	247
btn_radio_to_on_mtrl_ring_outer_path_animation.xml	Android binary XML	1028
loHKt.kotlin_metadata	data	154
PreconditionsKt.kotlin_metadata	data	613
design_bottom_sheet_slide_out.xml	Android binary XML	616
abc_btn_radio_material.xml	Android binary XML	464
amu_unknwon_folder.kml	ASCII text	86
common_google_signin_btn_icon_dark_normal.xml	Android binary XML	548
StringBuilder.kotlin_metadata	data	476
support_simple_spinner_dropdown_item.xml	Android binary XML	464
abc_cascading_menu_item_layout.xml	Android binary XML	1868
abc_tint_default.xml	Android binary XML	1120
FilteringSequence.kotlin_metadata	data	341
\$avd_hide_password_1.xml	Android binary XML	592
abc_action_mode_bar.xml	Android binary XML	464
RandomAccess.kotlin_metadata	data	108
NullPointerException.kotlin_metadata	data	155
abc_tooltip.xml	Android binary XML	1056
UShort.kotlin_metadata	data	1822
androidx.legacy_legacy-support-core-ui.version	ASCII text	6
abc_alert_dialog_button_bar_material.xml	Android binary XML	1208
notification_action_tombstone.xml	Android binary XML	1228
mtrl_layout_snackbar_include.xml	Android binary XML	1404
catalyst_push_up_out.xml	Android binary XML	592
btn_checkbox_to_checked_icon_null_animation.xml	Android binary XML	1196

Name	Type	Size
Triple.kotlin_metadata	data	471
ic_launcher_foreground.png	PNG image data, 108 x 108, 8-bit/color RGBA, non-interlaced	2459
abc_slide_in_bottom.xml	Android binary XML	396
JvmWildcard.kotlin_metadata	data	277
mtrl_bottom_nav_item_tint.xml	Android binary XML	684
androidx.asynclayoutinflater_asynclayoutinflater.version	ASCII text	6
androidx.lifecycle_lifecycle-viewmodel.version	ASCII text	6
KMutableProperty1.kotlin_metadata	data	255
common_google_signin_btn_icon_dark.xml	Android binary XML	588
ComparisonsKt.kotlin_metadata	data	1372
FlatteningSequence.kotlin_metadata	data	349
btn_checkbox_to_unchecked_box_inner_merged_animation.xml	Android binary XML	2360
NumbersKt.kotlin_metadata	data	1323
CERT.RSA	data	2182
mtrl_chip_background_color.xml	Android binary XML	608
abc_ratingbar_small_material.xml	Android binary XML	704
abc_popup_menu_header_item_layout.xml	Android binary XML	848
ResultKt.kotlin_metadata	data	1440
btn_checkbox_to_checked_box_inner_merged_animation.xml	Android binary XML	2124
UninitializedPropertyAccessException.kotlin_metadata	data	392
mtrl_btn_state_list_anim.xml	Android binary XML	2664
abc_alert_dialog_title_material.xml	Android binary XML	1560
splash_icon.png	PNG image data, 420 x 531, 8-bit colormap, non-interlaced	8496
JvmOverloads.kotlin_metadata	data	303
DistinctIterator.kotlin_metadata	data	369
DropSequence.kotlin_metadata	data	349
IBMPlexSans-Light.ttf	TrueType Font data, 17 tables, 1st "GDEF", 22 names, Microsoft, language 0x409, Copyright 2018 IBM Corp. All rights reserved.IBM Plex Sans LightRegular3.1;IBM ;IBMPlexSans-Lig	183676
notification_tile_bg.xml	Android binary XML	304
androidx.arch.core_core-runtime.version	ASCII text	6
UseExperimental.kotlin_metadata	data	652
switch_thumb_material_light.xml	Android binary XML	464
AndroidManifest.xml	Android binary XML	18456
abc_btn_borderless_material.xml	Android binary XML	588
abc_search_dropdown_item_icons_2line.xml	Android binary XML	1916
classes2.dex	Dalvik dex file version 035	2666252
node_modules_domserializer_node_modules_entities_lib_maps_legacy.json	ASCII text, with very long lines	1961
abc_list_menu_item_checkbox.xml	Android binary XML	528
ExperimentalContracts.kotlin_metadata	data	331
abc_tooltip_exit.xml	Android binary XML	388
abc_alert_dialog_material.xml	Android binary XML	2476
amu_text_bubble.xml	Android binary XML	896
IndexingIterable.kotlin_metadata	data	291
design_layout_snackbar_include.xml	Android binary XML	1444
JvmSuppressWildcards.kotlin_metadata	data	386
abc_btn_colored_text_material.xml	Android binary XML	604
CharKt.kotlin_metadata	data	245
\$avd_show_password__0.xml	Android binary XML	1136
kotlin.kotlin_builtins	data	14707
btn_radio_to_off_mtrl_ring_outer_animation.xml	Android binary XML	1656
MatchNamedGroupCollection.kotlin_metadata	data	252
abc_activity_chooser_view_list_item.xml	Android binary XML	1304
MatchGroup.kotlin_metadata	data	136

Name	Type	Size
KProperty2.kotlin_metadata	data	250
abc_tint_spinner.xml	Android binary XML	772
JvmPackageName.kotlin_metadata	data	452
SuccessOrFailureKt.kotlin_metadata	data	354
EmptyIterator.kotlin_metadata	data	300
androidx.localbroadcastmanager_localbroadcastmanager.version	ASCII text	6
ULongKt.kotlin_metadata	data	528
internal.kotlin_builtins	data	758
NumberFormatException.kotlin_metadata	data	164
design_bottom_navigation_item_background.xml	Android binary XML	264
GeneratorSequence.kotlin_metadata	data	348
CoroutinesLibraryKt.kotlin_metadata	data	847
node_modules_domserializer_foreignnames.json	ASCII text	3149
CollectionsHKt.kotlin_metadata	data	1094
DurationUnitKt.kotlin_metadata	data	321
OnlyInputTypes.kotlin_metadata	data	310
app_assets_images_launchscreenbackground.png	PNG image data, 1125 x 2436, 8-bit/color RGBA, non-interlaced	2123366
UProgressionUtilKt.kotlin_metadata	data	422
MatchGroupCollection.kotlin_metadata	data	208
UShortArrayKt.kotlin_metadata	data	379
mtrl_tabs_icon_color_selector_colored.xml	Android binary XML	464
abc_ic_search_api_material.xml	Android binary XML	812
notification_icon_background.xml	Android binary XML	372
abc_tint_default.xml	Android binary XML	1224
abc_slide_in_top.xml	Android binary XML	396
AssertionError.kotlin_metadata	data	135
ObservableProperty.kotlin_metadata	data	477
splits0.xml	Android binary XML	9588
Regex.kotlin_metadata	data	926
abc_slide_out_bottom.xml	Android binary XML	396
mtrl_text_btn_text_color_selector.xml	Android binary XML	464
design_layout_tab_icon.xml	Android binary XML	408
ULong.kotlin_metadata	data	1890
design_fab_show_motion_spec.xml	Android binary XML	796
StringNumberConversionsKt.kotlin_metadata	data	541
UIntProgression.kotlin_metadata	data	677
SafeContinuation.kotlin_metadata	data	469
notification_action.xml	Android binary XML	1052
btn_checkbox_checked_mtrl.xml	Android binary XML	2688
androidx.fragment_fragment.version	ASCII text	6
abc_spinner_textfield_background_material.xml	Android binary XML	1160
collections.kotlin_builtins	data	3685
MathHKt.kotlin_metadata	data	3399
amu_webview.xml	Android binary XML	564
androidx.appcompat_appcompat.version	ASCII text	6
AbstractCollection.kotlin_metadata	data	579
design_menu_item_action_area.xml	Android binary XML	320
abc_btn_colored_borderless_text_material.xml	Android binary XML	500
Continuation.kotlin_metadata	data	306
reflect.kotlin_builtins	data	5019
UShortArray.kotlin_metadata	data	863
node_modules_cssselect_lib_procedure.json	ASCII text	145
abc_expanded_menu_layout.xml	Android binary XML	388
SimpleEffect.kotlin_metadata	data	343
DistinctSequence.kotlin_metadata	data	304

Name	Type	Size
notification_template_custom_big.xml	Android binary XML	2456
IndexedValue.kotlin_metadata	data	378
Pair.kotlin_metadata	data	402
ic_launcher.png	PNG image data, 192 x 192, 8-bit/color RGBA, non-interlaced	7913
UStringsKt.kotlin_metadata	data	1113
MutableMapWithDefaultImpl.kotlin_metadata	data	943
NotNullVar.kotlin_metadata	data	341
IBMPlexSans-Medium.ttf	TrueType Font data, 17 tables, 1st "GDEF", 22 names, Microsoft, language 0x409, Copyright 2018 IBM Corp. All rights reserved.IBM Plex Sans MediumRegular3.1;IBM ;IBMPlexSans-Me	182716
ic_launcher_foreground.png	PNG image data, 432 x 432, 8-bit/color RGBA, non-interlaced	12890
abc_control_background_material.xml	Android binary XML	304
UShortKt.kotlin_metadata	data	412
design_snackbar_out.xml	Android binary XML	312
androidx.vectordrawable_vectordrawable.version	ASCII text	6
app_assets_images_launchscreen2.png	PNG image data, 1103 x 2292, 8-bit colormap, non-interlaced	18239
abc_list_menu_item_layout.xml	Android binary XML	1396
abc_screen_content_include.xml	Android binary XML	548
kotlin-stdlib-common.kotlin_module	data	1339
mtrl_chip_state_list_anim.xml	Android binary XML	1072
IBMPlexSans-Regular.ttf	TrueType Font data, 17 tables, 1st "GDEF", 20 names, Microsoft, language 0x409, Copyright 2018 IBM Corp. All rights reserved.IBM Plex SansRegular3.1;IBM ;IBMPlexSansVersion 3.	181492
mtrl_linear_out_slow_in.xml	Android binary XML	400
JvmMultifileClass.kotlin_metadata	data	283
androidx.documentfile_documentfile.version	ASCII text	6
KMutableProperty2.kotlin_metadata	data	294
common_google_signin_btn_icon_dark_focused.xml	Android binary XML	892
mtrl_btn_text_btn_ripple_color.xml	Android binary XML	948
XorWowRandom.kotlin_metadata	data	321
UMathKt.kotlin_metadata	data	415
mtrl_btn_unelevated_state_list_anim.xml	Android binary XML	120
ClassCastException.kotlin_metadata	data	153
mtrl_layout_snackbar.xml	Android binary XML	528
AbstractList.kotlin_metadata	data	1403
ic_launcher_round.png	PNG image data, 96 x 96, 8-bit/color RGBA, non-interlaced	6797
abc_btn_radio_material_anim.xml	Android binary XML	816
btn_checkbox_unchecked_to_checked_mtrl_animation.xml	Android binary XML	688
abc_shrink_fade_out_from_bottom.xml	Android binary XML	852
abc_alert_dialog_title_material.xml	Android binary XML	1352
Synchronized.kotlin_metadata	data	332
JvmSynthetic.kotlin_metadata	data	316
RangesKt.kotlin_metadata	data	599
Volatile.kotlin_metadata	data	275
node_modules_domserializer_node_modules_entities_lib_maps_entities.json	ASCII text, with very long lines	44868
redbox_item_title.xml	Android binary XML	588
abc_tab_indicator_material.xml	Android binary XML	468
notification_template_big_media_narrow_custom.xml	Android binary XML	3216
common_google_signin_btn_text_light_normal.xml	Android binary XML	584
ContinuationInterceptor.kotlin_metadata	data	511
app_assets_images_backarrow.png	PNG image data, 87 x 84, 8-bit colormap, non-interlaced	701
EmptySet.kotlin_metadata	data	578
ClockKt.kotlin_metadata	data	753
mtrl_fab_hide_motion_spec.xml	Android binary XML	796
btn_checkbox_unchecked_mtrl_animation_interpolator_0.xml	Android binary XML	316

Name	Type	Size
androidx.loader_loader.version	ASCII text	6
abc_action_bar_title_item.xml	Android binary XML	872
redbox_view.xml	Targa image data - RLE 544 x 65536 x 29 +1 +28 ""	2304
app_assets_images_launchscreenbackgroundoverlay.png	PNG image data, 1125 x 2436, 8-bit colormap, non-interlaced	38653
abc_primary_text_disable_only_material_dark.xml	Android binary XML	464
abc_primary_text_material_dark.xml	Android binary XML	464
IBMPlexSans-BoldItalic.ttf	TrueType Font data, 17 tables, 1st "GDEF", 20 names, Microsoft, language 0x409, Copyright 2018 IBM Corp. All rights reserved.IBM Plex SansBold Italic3.1;IBM ;IBMPlexSans-BoldI	190220
mtrl_tabs_legacy_text_color_selector.xml	Android binary XML	464
notification_template_big_media_narrow.xml	Android binary XML	1824
notification_bg_low.xml	Android binary XML	532
share_download_paths.xml	Android binary XML	540
ula.kml	XML 1.0 document, ASCII text	49314
ic_launcher_round.png	PNG image data, 48 x 48, 8-bit/color RGBA, non-interlaced	2900
TypeOfKt.kotlin_metadata	data	188
Jsr305_annotations.gwt.xml	exported SGML document, ASCII text	133
androidx.lifecycle_lifecycle-livedata-core.version	ASCII text	6
androidx.legacy_legacy-support-core-utils.version	ASCII text	6
SequenceBuilderKt.kotlin_metadata	data	1460
IllegalStateException.kotlin_metadata	data	214
HashMap.kotlin_metadata	data	725
abc_action_menu_item_layout.xml	Targa image data - RLE 360 x 65536 x 15 +1 +28 ""	768
CoroutineContext.kotlin_metadata	data	604
ReverseOrderComparator.kotlin_metadata	data	246
Grouping.kotlin_metadata	data	261
ReversedListReadOnly.kotlin_metadata	data	257
NoInfer.kotlin_metadata	data	293
design_navigation_item_separator.xml	Android binary XML	472
ic_launcher_round.png	PNG image data, 192 x 192, 8-bit/color RGBA, non-interlaced	13064
ClosedFloatingPointRange.kotlin_metadata	data	339
BuilderInference.kotlin_metadata	data	443
abc_slide_out_top.xml	Android binary XML	396
abc_action_bar_item_background_material.xml	Android binary XML	264
State.kotlin_metadata	data	161
coroutines.kotlin_builtins	data	200
ic_launcher_round.xml	Android binary XML	448
ComparableRange.kotlin_metadata	data	362
JvmName.kotlin_metadata	data	383
Error.kotlin_metadata	data	172
notification_template_part_chronometer.xml	Android binary XML	440
UNINITIALIZED_VALUE.kotlin_metadata	data	100
abc_alert_dialog_button_bar_material.xml	Targa image data - RLE 440 x 65536 x 20 +1 +28 ""	1536
btn_radio_to_on_mtrl_animation_interpolator_0.xml	Android binary XML	320
abc_screen_toolbar.xml	Android binary XML	1504
InitializedLazyImpl.kotlin_metadata	data	262
DropWhileSequence.kotlin_metadata	data	313
TimedValue.kotlin_metadata	data	492
abc_dialog_material_background.xml	Android binary XML	372
abc_textfield_search_material.xml	Android binary XML	756
mtrl_chip_close_icon_tint.xml	Android binary XML	1092
SequenceScope.kotlin_metadata	data	477
ClockMark.kotlin_metadata	data	360

Name	Type	Size
app_assets_images_forearrow.png	PNG image data, 12 x 20, 8-bit/color RGBA, non-interlaced	308
amu_nested_folders.kml	ASCII text	72
ExperimentalTime.kotlin_metadata	data	634
abc_ic_menu_overflow_material.xml	Android binary XML	792
abc_cab_background_top_material.xml	Android binary XML	336
mtrl_fast_out_slow_in.xml	Android binary XML	400
ArrayAsCollection.kotlin_metadata	data	452
AdjustedClockMark.kotlin_metadata	data	278
Sequence.kotlin_metadata	data	180
abc_list_menu_item_radio.xml	Android binary XML	532
amu_inline_style.kml	XML 1.0 document, ASCII text	1713
ic_launcher_foreground.png	PNG image data, 216 x 216, 8-bit/color RGBA, non-interlaced	5393
ContractBuilderKt.kotlin_metadata	data	360
ULongArrayKt.kotlin_metadata	data	376
abc_screen_simple_overlay_action_mode.xml	Android binary XML	792
abc_ic_go_search_api_material.xml	Android binary XML	640
dev_loading_view.xml	Android binary XML	724
AbstractCoroutineContextElement.kotlin_metadata	data	269
common_google_signin_btn_text_dark.xml	Android binary XML	712
Comparator.kotlin_metadata	data	154
catalyst_slide_up.xml	Android binary XML	352
abc_select_dialog_material.xml	Android binary XML	1020
design_snackbar_background.xml	Android binary XML	484
kotlin-stdlib-common-coroutines.kotlin_module	data	186
IndexingSequence.kotlin_metadata	data	272
UnsupportedOperationException.kotlin_metadata	data	222
GroupingKt.kotlin_metadata	data	1298
design_tint_password_toggle.xml	Android binary XML	376
ic_launcher_round.png	PNG image data, 72 x 72, 8-bit/color RGBA, non-interlaced	4722
AbstractMutableMap.kotlin_metadata	data	692
app_assets_images_saveicon.png	PNG image data, 128 x 128, 8-bit colormap, non-interlaced	1015
custom_dialog.xml	Android binary XML	612
\$avd_hide_password__2.xml	Android binary XML	556
design_fab_background.xml	Android binary XML	372
SequencesKt.kotlin_metadata	data	1108
RestrictsSuspension.kotlin_metadata	data	358
Delegates.kotlin_metadata	data	543
design_layout_tab_text.xml	Android binary XML	436
mtrl_btn_stroke_color_selector.xml	Android binary XML	376
abc_tint_edittext.xml	Android binary XML	772
MapsKt.kotlin_metadata	data	4021
abc_popup_menu_item_layout.xml	Android binary XML	2072
IllegalArgumentException.kotlin_metadata	data	217
MonoClock.kotlin_metadata	data	181
abc_primary_text_disable_only_material_light.xml	Android binary XML	464
MapWithDefaultImpl.kotlin_metadata	data	768
KCallable.kotlin_metadata	data	148
mtrl_snackbar_background.xml	Android binary XML	484
abc_ratingbar_material.xml	Android binary XML	704
CharacterCodingException.kotlin_metadata	data	207
CoroutinesIntrinsicsExperimentalHK.kotlin_metadata	data	612
abc_text_cursor_material.xml	Android binary XML	516
avd_hide_password.xml	Android binary XML	660
dso_state.dr	very short file (no magic)	1
dso_manifest.dr	data	5

Name	Type	Size
dso_deps.dr	data	104

Network Behavior

No network behavior found

APK Behavior

Installation

Installation Messages

Name	Is Error
<ul style="list-style-type: none">Unknown permission android.permission.ACCESS_BACKGROUND_LOCATION in package edu.mit.privatekitUnknown permission android.hardware.location in package edu.mit.privatekitUnknown permission android.permission.FOREGROUND_SERVICE in package edu.mit.privatekitUnknown permission com.sec.android.provider.badge.permission.READ in package edu.mit.privatekitUnknown permission com.sec.android.provider.badge.permission.WRITE in package edu.mit.privatekitUnknown permission com.htc.launcher.permission.READ_SETTINGS in package edu.mit.privatekitUnknown permission com.htc.launcher.permission.UPDATE_SHORTCUT in package edu.mit.privatekitUnknown permission com.sonyericsson.home.permission.BROADCAST_BADGE in package edu.mit.privatekitUnknown permission com.sonymobile.home.permission.PROVIDER_INSERT_BADGE in package edu.mit.privatekitUnknown permission com.anddoes.launcher.permission.UPDATE_COUNT in package edu.mit.privatekitUnknown permission com.majeur.launcher.permission.UPDATE_BADGE in package edu.mit.privatekitUnknown permission com.huawei.android.launcher.permission.CHANGE_BADGE in package edu.mit.privatekitUnknown permission com.huawei.android.launcher.permission.READ_SETTINGS in package edu.mit.privatekitUnknown permission com.huawei.android.launcher.permission.WRITE_SETTINGS in package edu.mit.privatekit	false
<ul style="list-style-type: none">>>>>> START com.android.internal.os.RuntimeInit uid 0 <<<<<<CheckJNI is OFFCalling main entry com.android.commands.am.AmShutting down VMNOTE: attach of thread 'Binder_2' failed>>>>> START com.android.internal.os.RuntimeInit uid 2000 <<<<<<CheckJNI is OFFCalling main entry com.android.commands.am.AmShutting down VMFATAL EXCEPTION: create_react_contextProcess: edu.mit.privatekit, PID: 3516java.lang.UnsatisfiedLinkError: couldn't find DSO to load: libhermes.so>>>>> START com.android.internal.os.RuntimeInit uid 2000 <<<<<<CheckJNI is OFFCalling main entry com.android.commands.am.AmShutting down VM>>>>> START com.android.internal.os.RuntimeInit uid 2000 <<<<<<CheckJNI is OFFCalling main entry com.android.commands.am.AmShutting down VMNOTE: attach of thread 'Binder_2' failedShutting down VM>>>>> START com.android.internal.os.RuntimeInit uid 2000 <<<<<<CheckJNI is OFFCalling main entry com.android.commands.am.AmShutting down VMNOTE: attach of thread 'Binder_2' failed>>>>> START com.android.internal.os.RuntimeInit uid 2000 <<<<<<CheckJNI is OFFCalling main entry com.android.commands.iautomator.LauncherShutting down VM>>>>> START com.android.internal.os.RuntimeInit uid 2000 <<<<<<CheckJNI is OFFCalling main entry com.android.commands.am.AmShutting down VMNOTE: attach of thread 'Binder_2' failed	true

Miscellaneous

System Calls

By Permission (executed)

By Permission (non-executed)

Disassembly

0 Executed Methods

0 Non-Executed Methods