

UPPER ROOF			COLUMN CAGE CODE /REINFORCEMENT	COLUMN SHAPE	COLUMN CAGE CODE /REINFORCEMENT	COLUMN SHAPE	COLUMN CAGE CODE /REINFORCEMENT	COLUMN SHAPE	COLUMN CAGE CODE /REINFORCEMENT	COLUMN SHAPE
WATER TANK	HEIGHT TO THE ARCH DWG	PRECAST								
LOWER ROOF			300x550 10H20 4H32(s) HB-150 LINKS + 1HB-150 HOOKS		300x550 10H20 4H32(s) HB-150 LINKS + 1HB-150 HOOKS		300x550 10H20 4H32(s) HB-150 LINKS + 1HB-150 HOOKS		300x550 10H20 4H32(s) HB-150 LINKS + 1HB-150 HOOKS	
(CONCRETE GRADE 32/40) 30TH	2800	1 TIER								
(CONCRETE GRADE 32/40) 25TH	2800	1 TIER								
(CONCRETE GRADE 32/40) 20TH	2800	1 TIER								
(CONCRETE GRADE 32/40) 19TH	2800	1 TIER								
(CONCRETE GRADE 32/40) 18TH	2800	1 TIER								
(CONCRETE GRADE 32/40) 17TH	2800	1 TIER								
(CONCRETE GRADE 32/40) 16TH	2800	1 TIER	300x700 12H20 4H32(s) HB-150 LINKS + 2HB-150 HOOKS		300x700 12H20 4H32(s) HB-150 LINKS + 2HB-150 HOOKS		300x700 12H20 4H32(s) HB-150 LINKS + 2HB-150 HOOKS		300x700 12H20 4H32(s) HB-150 LINKS + 2HB-150 HOOKS	
(CONCRETE GRADE 32/40) 15TH	2800									
(CONCRETE GRADE 32/40) 8TH	2800	PER STOREY								
(CONCRETE GRADE 40/50) 5TH	2800	PER STOREY								
(CONCRETE GRADE 40/50) 4TH	2800	CAST IN-SITU COLUMN			300x700 12H20 HB-150 LINKS + 2HB-150 HOOKS		300x700 12H20 HB-150 LINKS + 2HB-150 HOOKS		300x700 12H20 HB-150 LINKS + 2HB-150 HOOKS	
(CONCRETE GRADE 40/50) 3RD	2800									
(CONCRETE GRADE 40/50) 2ND	2800		300x700 12H20 HB-150 LINKS + 2HB-150 HOOKS		300x700 12H20 H10-150 LINKS + 2H10-150 HOOKS		300x700 12H20 H10-150 LINKS + 2H10-150 HOOKS		300x700 12H20 H10-150 LINKS + 2H10-150 HOOKS	
(CONCRETE GRADE 40/50) 1ST STY.FL. LEV.	HEIGHT TO THE ARCH DWG		300x700 12H20 HB-100 LINKS + 2HB-100 HOOKS		300x700 12H25 H13-100 LINKS + 2H13-100 HOOKS		300x700 12H25 H13-100 LINKS + 2H13-100 HOOKS		300x700 12H25 H13-100 LINKS + 2H13-100 HOOKS	
FOUNDATION BASE			500x700 12H20 HB-100 LINKS + 2HB-100 HOOKS		500x700 12H25 H13-100 LINKS + 2H13-100 HOOKS		500x700 12H25 H13-100 LINKS + 2H13-100 HOOKS		500x700 12H25 H13-100 LINKS + 2H13-100 HOOKS	
COLUMN MARKS			4-30PC203-1		4-30PC203-2		4-30PC203-3		4-30PC203-4	
COLUMN LOAD	GK (KN)		-		-		-		-	
	QK (KN)		-		-		-		-	

1. NOTES REFER TO DWG NO. HB-D2603-CS-357 (BLK 903B COLUMN DETAILS - 1)
2. COLUMN LOADING REFER TO DWG NO. HB-D2603-CS-068 (PILE LOADING TABLE - 4)

_____ sheet of _____

BUILDING AND CONSTRUCTION AUTHORITY
APPROVED UNDER SECTION 5 / SECTION 5A OF THE
BUILDING CONTROL ACT (CHAPTER 29)

Project Ref No :

_____ for Commissioner of Building Control

AMENDMENT 05

OWNER :



HDB Hub 480 Lorong 6 Toa Payoh
Singapore 310480

DRAWING NO. : HB-D2603-CS- 362

PRECINCT NAME : BTO

PROJECT TITLE :

PROJECT DU

LOT NO :

MUKIM NO. :

JOB TITLE :

DRAWING TITLE :

BLOCK_903B

COLUMN DETAILS - 6

SCALE : AS SHOWN

DATE: MAY 2026

DRAWN BY: KONG YY

CHECKED BY: CHEAU YI FONG

CIVIL & STRUCTURAL CONSULTANT:



KTP Consultants Pte Ltd
SJ Campus
38 Cleantech Loop, #01-31,
Singapore 636741
Tel : 6248 1288

DRAWING NO. : 24.104/BLK903B/C6

REVISION: E

DESIGN ENGINEER :

CUI YAQYAN

1) COLUMN SIZE & REBAR REVISED FOR
4-30PC203-1,4-30PC203-2,4-30PC203-3,
4-30PC203-4.

6.8.26 KONG YUANYUAN HUANG YONG KARYN LIM ZONG DESHAI

REFERENCE

THE OWNERSHIP OF THE COPYRIGHT IN THIS DRAWING IS RETAINED BY
KTP CONSULTANTS WHOSE CONSENT MUST BE SOUGHT BEFORE ANY USE
OR REPRODUCTION OF THE DRAWING OR ANY PART THEREOF CAN BE MADE.