

Doc. Number: CTA-2066

Date: 02/21/2019

Streaming Quality of Experience Events, Properties and Metrics

For further information:

R4 WG20 Chair: Neel Jadia, Email: njadia@conviva.com

CTA Staff: Mark Levine, Phone: 571-236-7921, Email: MLevine@cta.tech

Development History:

02/21/19: Drafts v1 distributed.

Copyright Notice:

This draft **standard or bulletin** is copyrighted by the Consumer Technology Association™ (CTA). No distribution outside of the responsible formulating group, or its company/organization members, is permitted without the prior written permission of CTA staff. In addition, prior written permission of CTA staff is required to incorporate this draft, in whole or in part, into another document. Distribution includes posting this draft to a website, email, paper or other means. Unauthorized distribution or incorporation will be treated as an infringement of CTA's copyright, and will not be permitted.

NOTE—Distribution of this draft for review and comment within a company/organization that is a member of the responsible formulating group is encouraged and does not constitute a copyright infringement.

Patent Disclosure Request: **[Include for standards only. Do NOT include for bulletins.]**

If your company has a patent(s) or pending patents(s) that is/are required to implement this draft standard, CTA requires a statement from the patent applicant or holder indicating compliance with the CTA intellectual property rights policy by stating one of the following:

1. A license shall be made available without charge to applicants desiring to use the patent for the purpose of implementing the standard, or
2. A license shall be made available to applicants under reasonable terms and conditions that are demonstrably free of any unfair discrimination.

If your company knows of existing patent(s) held by another company that is/are required to implement this draft standard, notify CTA staff. CTA staff will contact the company to request the above statement from the patent applicant or holder indicating compliance with the CTA intellectual property rights policy as indicated above.

For further information concerning this statement, please contact responsible CTA staff person at 703-907-7640 or mlevine@ce.org.

REMOVE THIS PAGE PRIOR TO PUBLISHING

FOREWORD

This standard was developed by the Consumer Technology Association R4 Video Systems Committee

(This page intentionally left blank.)**CONTENTS**

Scope **7**

Revision History 7

References **7**

Informative References 7

Compliance Notation 8

Definitions 8

Symbols and Abbreviations 10

Introduction **11**

Expectations for Primary Audiences of this Standard **13**

Media Player API Developer 13

Metrics Aggregator/Reporter, and Analytics Vendor 13

Standardized Aggregate Metrics **14**

A note on video & audio quality metrics 14

The Danger of Averages 15

Standardized Playback Session Metrics **18**

Optional video quality metrics **19**

Standardized Events 21

Standardized Player Properties 23[?]

FIGURES



(This page intentionally left blank.)

**Streaming Quality of Experience Events, Properties
and Metrics**

Scope

CTA-2066 specifies a set of player events, properties, Quality of Experience (QoE) metrics, associated terminology, and attribute access for representing streaming media quality of experience across systems, players and analytics vendors.

This working group aims to define this standard.

Revision History

- 2017-04-12 CTA-2066 r1
- 2017-12-12 CTA-2066 r2

References

Informative References

The following references contain provisions that, through reference in this text, constitute informative provisions of this standard. At the time of publication, the edition indicated was valid. All standards are subject to revision, and parties to agreements based on this standard are encouraged to investigate the possibility of applying the most recent edition of the standard indicated below.

1. QoE WG Events Document, Streaming Video Alliance, Quality of Experience (QoE) Working Group – Recommendations for Standardized Streaming Event Reports, Chair: Edwards, Thomas, 10/24/2016, sva2016.053.01.docx
2. QoE Metrics Document, Streaming Video Alliance, Quality of Experience (QoE) Working Group – Recommendations for Standardized Streaming Metrics, Chair: Edwards, Thomas, 10/24/2016, sva2016.064.00.docx
3. DASH - IF position Paper: Proposed QoE Media Metrics standardization for segmented media playback, version 1.0 published October 7. 2016, DASH Industry Forum, <https://dashif.org/docs/ProposedMediaMetricsforSegmentedMediaDelivery-r12.pdf>
4. ITU-T P.1203 (10/2017), Parametric bitstream-based quality assessment of progressive download and adaptive audiovisual streaming services over reliable transport
5. VMAF

Compliance Notation

As used in this document “shall” and “must” denote mandatory provisions of the standard. “Should” denotes a provision that is recommended but not mandatory. “May” denotes a feature whose presence does not preclude compliance, and implementation of which is optional. “Optional” denotes items that may or may not be present in a compliant device.

Definitions

A data structure, often represented in a text document that describes the available media with various qualitative differences, such as their bitrate. (In HLS this is known as the master playlist, in DASH it is the MPD manifest).

Drawing from ITU-T Recommendation G.1022 - In the context of a streaming media player, an event is a notification of an important change in the operational state of the audio/video player. For example, the player state change from playing to paused constitutes an event.

***Media
Time***

The accumulated length of any media that has been played (i.e. does not include buffering time or paused time). Note that speed changes are not accounted for, so a 60-sec media clip accumulates 60-sec of media time even if played at half speed.

Drawing from IETF RFC7799 Performance Metric - The standard definition of a quantity, produced in an assessment of performance (in this case aimed at Quality of Experience), which has an intended utility and is carefully specified to convey the exact meaning of a measured value. (This definition is consistent with that of Performance Metric in [RFC2330] and [RFC6390]).

***Playhead
Position***

The playhead is a visual clue that indicates the current position along the timeline of the video playback.

***Playback
Session***

A *Playback Session* starts when a user attempts to play media (audio or video) and ends when the media completes.

The content that the viewer is intending to watch or is mostly likely to understand that they are watching. The Primary Content can be an individual video title or a channel that plays multiple video titles.

Any secondary piece of media content that is delaying or interrupting the playback of the Primary Content.

***QoE (Quality of
Experience)***

The degree of delight or annoyance of the user of an application or service (ITU-T P.10/G.100). It is a measure of [viewer perceivable improvement and degradation of the audio and video] and the [viewer's satisfaction with the media experience]. For instance, initial video startup time is a metric of user perceivable latency with multiple contributing factors (Time-to-first-byte, Player load time, rendered video artifacts, download time, CDN congestion...)

A measure of the performance of the different components in the ecosystem that may or may not contribute to the Quality of Experience. For instance, "time-to-first-byte" would be an example of quality of service where a CDN being the component and a measure of latency. QoS may not always have an impact on the user experience.

The wallclock interval for calculating for session level metrics for windowing periods less than the session level of aggregation.

Aggregation Set The population of *Playback Sessions* considered for a given metric. A set can vary with dimensions of interest (ex. time, geography, device, content, service type etc).

Streaming media is video and/or audio content sent in a compressed format over the Internet and played on a user's device.

Media Player The Media Player is a component that "plays" audio and video files or streams on a computer, phone, tablet, set-top-box, television or any devices capable of rendering A/V files or streams.

Wall-clock Time The elapsed real time observed by the user.

Watched Time Watched time accounts for the time when the user would like the content to be playing. Thus, it includes time spent during initial buffering, stalling (rebuffering) and seeking, but excludes time spent when the playback has been paused by the user.

For example, a 60 second video watched to completion, with 10 seconds of stalling, and a pause for 30 seconds, results in 70 seconds of Watched Time.

Watched Time is measured based on wall-clock time, not media time. For instance, a 60-second video watched to completion at half speed would accumulate 120 seconds of Watched Time.

Symbols and Abbreviations

Quality of Experience
Quality of Service

Introduction

Today, devices from different manufacturers, media players, and media delivery companies expose media playback events in different ways often with missing or incomplete data. The

industry hasn't yet agreed to a minimum baseline of *QoE* events. This situation makes it difficult to compute *QoE* metrics and compare performance across Players, Analytics Solutions and distributors.

If every Over-The-Top (OTT) media player consistently surfaced a minimum set of *QoE* events and properties and the analytics ecosystem used these to compute *QoE* metrics in a standardized manner, then all stakeholders would gain a consistent view of the performance. Such consistent, accurate and rich data would in turn lead to an improvement of the quality experienced by end-users.

The goal of this specification is to define a set of player events, properties, *Quality of Experience (QoE)* metrics, associated terminology, and attribute access for representing streaming media quality of experience across systems, players and analytics vendors. This specification guides media player vendors in implementing a minimal set of standardized client-side properties and events, as well as analytics vendors/metric implementers in measuring the quality of experience consistently.

Figure 1 shows a generic over-the-top (OTT) media player application. Inside the physical device, the operating system supports a player execution environment, within which runs the media player and a (possibly 3rd party) analytics client. The job of the analytics client is to collect information from the player by accessing standardized properties and events.

The analytics client will typically use the collected information to calculate and send standardized metrics to an analytics server. The client may also send just the raw data to the server, which in turn derives and computes the required metrics.




Figure 1: Generic player and analytics agent

- **Media Player** – The Media Player is a component that "plays" audio and video files or streams on a computer, phone, tablet, set-top-box, television or any devices capable of rendering A/V files or streams.
- **Analytics Client** – The client-side analytics component queries a media player for playback information (e.g., Play Head Position, Player Buffer Length), listens for playback events (Buffer State Change, Playing State Change), and reports these events to an analytics server for further processing, aggregation, analysis, and display.
- **Analytics Server** – An Analytics Server receives data from the Analytics Client and then logs, aggregates, and computes this information for analysis and displaying the data collected for understanding and optimizing video usage.

Expectations for Primary Audiences of this Standard

Media Player API Developer

- Make available the specific events and properties in complete conformance with their definition in this standard. Additional events and properties may be made available in addition to the minimum specified here.
- Changing the name of events/properties of an existing player is not necessary but provide a clear and reasonably findable mapping between existing events/properties and the matching events/properties defined in this document. Do not map an existing player event/property that does not match the document definition exactly, instead create a new player event/property that does.

Metrics Aggregator/Reporter, and Analytics Vendor

- Calculate reported metrics in complete conformance with their definition in this standard.
- Name reported metrics exactly as defined in this document, or provide a mapping table.
- Additional metrics may be calculated, but at a minimum the metrics defined here should be made available.

Standardized Aggregate Metrics

A goal of this standard is to provide metrics for comparing the viewer experience across players, devices, and other dimensions. For this use case one will want to look at aggregate metrics—calculated from many *Playback Sessions*.

Common problems with the playback experience can be bucketed into four conceptual groups, the latter three of which have much interplay between them (while one improves, the other two may suffer). This standard includes at least one metric in each conceptual group to provide the best chance of capturing major playback problems:

Availability

The video can start and play-through without a playback failure.

Startup Time

The time from when the viewer intends for playback to start to when playback has perceptibly begun.

Continuity

Playback continues without an unintended pause.

Video & Audio Quality

The perceived quality that is presented to the viewer.

Definition of a Set

Following sections enlist key metrics proposed as part of the standard towards tracking and improving quality of experience. The list is minimal by target, without intending to be exhaustive on all possible metrics, with the goal to signal major problems in each of the aforementioned playback experience metric groups. Future versions of the standard may add additional metrics as deemed relevant.

For any metric, the context around it's measurement is of paramount importance. The context should be captured, and presented while interpreting, and/or inferencing based on the metrics. In the scheme of metrics proposed under this standard, "the context" is defined by the population of Playback sessions that play party to measurement, hereafter referred to as the "SET".

What constitutes a SET is closely tied to semantics of the measurement. For example,

- The SET could limit scope to dimensions of interest; like,
 - Geography, Device, Content, Service type, Codec etc.
- The SET could span scope to specific time; like,
 - All new sessions that started in a given time window
 - All active sessions in a given time window, whether new, or continuing from previous window or interval such as started or ended.
- The SET could span scope to only completed Playback sessions, independent of time
- The SET may have inherent scope limit to sessions matching certain pre-conditions; for example:
 - Average Initial Startup Time should only include playback sessions that included a startup time measurement, i.e. the playback session was able to play the first frame of video. Playback sessions that errored or exited before startup was achieved should not be included because the startup time measurement would be *null*, which if incorporated as "zero" would make the resulting metric misleading.

The exact constructs of a SET are not defined as part of the standard, and are left to Vendors/Service Providers. It is a goal of this standard to provide a measurement framework for relatable comparisons across vendor implementations, while leaving room for independent innovations that may drive vendor specific differentiation. For example, a vendor may offer real time metric aggregations to minute granularity on a time continuum, while another may offer same metrics measured only on complete Playback Sessions. A vendor may be looking to provide live monitoring of these metrics, while another may be looking to collect statistics for long term strategic trending/inferences. Such differences in targeted use cases may manifest as different SET definitions.

Normative Aggregate Metrics:

Metric Name	Type	Units	Calculation Definition	Notes
Playback Failure Percentage	percent, to at least one decimal place		The percent of <i>Playback Session</i> within a given <i>Set</i> where <i>playbackFailed</i> is true.	<p>“My platform’s Playback Failure Percentage is 5% with Player A and 3% with Player B”</p> <p><i>Playback Failure Percentage</i> captures how often viewers have a video that fails to play or fails to continue to play due to an error.</p>
Average Initial Startup Time		seconds, to two decimal places	The average <i>initialStartupTime</i> within a given <i>Set</i> .	<p>A <i>Playback Session</i> which failed to generate a <i>startupTime</i> value should not be included in the aggregation.</p> <p>Note that calculating the average directly results in the loss of information. It may be desirable to allocate <i>Playback Session</i> counts into buckets to facilitate later analysis by histogram, or even to retain all <i>Playback Session</i> data for deeper analysis and display.</p>

				Captures the user experience when they are first attempting to watch a video. It measures the delay in wall-clock time from when they initiate an action to launch the video (such as pressing a play button, poster image or thumbnail) to when the video begins smooth playback. If a video autostarts on page or application load without an explicit user-action, then it is counted from when the onload event is dispatched by the page or application.
Average Playback Stalled Count	integer		The average of <i>playbackStallCount</i> across all <i>playbackSessions</i> in a given <i>Set</i> .	
Average Stalled Time Percentage	percent		The sum of <i>playbackStallDuration</i> across <i>Playback Sessions</i> divided by the sum of <i>Watched Time</i> across <i>Playback Sessions</i> .	
<i>Average Playback Bitrate</i>		kbps	The sum of <i>bitsPlayed</i> divided by the sum of session <i>Media Time</i> across a given <i>Set</i> .	This metric uses Media Time instead of Watch Time to track the actual media played.

Standardized Playback Session Metrics

The previous aggregate metrics are calculated by aggregating *Playback Session*-level measurements.

The metrics in this clause define a consistent set that can be used to understand the experience for the end user for a single *Playback Session*.

A *Playback Session* encapsulates the experience of a single viewer while consuming the intended content, represented by the *contentId*. The intended content is determined by user-initiated actions. A *Playback Session* begins when a user requests content to play, and ends when the intended content is finished or the user abandons the content (following sections describe this more thoroughly).

The intended content may be a single video, a playlist, or a channel, and the *contentId* should reflect the user's intent when selecting the content.

An ad (secondary content not requested by the user) does not create a new *Playback Session* and is included in the *Playback Session* of the intended content.

A *Playback Session* starts if:

- The user clicks play for a content resource (event *playbackRequest*)
- The user opens a content resource that has autoplay enabled (event *playbackRequest*)

A *Playback Session* continues if:

- The playout intermittently stops due to rebuffering
- Ad content is shown before or during the primary content playout
- The user seeks within the same content
- The user pauses and restarts the content playout (although very long pauses might end the view due to practical measurement reasons)
- The next chained (e.g. playlist) content is automatically started, in the case where this matches with the user's initial intent.

A *Playback Session* ends if:

- The end of the current content has been played out (event *playbackFinish*)
- The user selects new content e.g. by clicking on an embedded video link (event *playbackRequest*)
- The user ends the session e.g. by closing the player, application window, or web page (e.g. *window.beforeunload*)
- The playback is terminated by the service, by the client (or e.g. as a result of an error condition)
- A measurement timeout expires

Metric Name	Type	Units	Calculation Definition
-------------	------	-------	------------------------

<i>playbackFailed</i>	boolean		The value is 1 true if a <i>playbackFail</i> event occurred at any point during the <i>Playback Session</i> . The value is 0 false otherwise.
<i>initialStartupTime</i>		milliseconds	The watched time in milliseconds between the first <i>playbackRequest</i> event and the first <i>playbackStart</i> event.
<i>playbackStallCount</i>	integer		The number of <i>playbackStall</i> events that occurred during a <i>Playback Session</i> .
<i>playbackStallDuration</i>		milliseconds	The sum of the time deltas between a <i>playbackStall</i> event and the next <i>playbackStart</i> event, <i>playbackPause</i> event or session termination.
<i>bitsPlayed</i>	integer		$(\text{videoReportedBitrate} + \text{audioReportedBitrate}) * \text{playbackRate}$ multiplied by the elapsed <i>Media Time</i> , summed between <i>renditionUpdate</i> events.
<i>watchedTime</i>		seconds, to two decimal places	The sum of the <i>Wall-clock Time</i> intervals between a <i>playbackRequest</i> and the next <i>playbackPause</i> , <i>playbackFinish</i> or <i>playbackFail</i> event.

Standardized Events

Playback Session-level measurements count the occurrence of or time between events.

Events are sent by the player and should be the preferred way for the analytics client to collect information, as this is more efficient than polling separate player properties. Most events include metadata, which gives necessary details to make the events useful for consistent metrics calculations.

Event Name	Dispatch Definition	Notes
<i>adBreakStart</i>	Dispatched at the initiation of an ad break, immediately prior to the <i>playbackRequest</i> event for the first ad	An ad break is composed of one or more ad spots being played
<i>adBreakEnd</i>	Dispatched at the completion of an ad break, immediately prior to the <i>playbackRequest</i> event for the <i>Primary Content</i> .	
<i>playbackRequest</i>	User expectation that playback will start.	This can happen when the user presses play, or when the

	Dispatched when the player receives an instruction to play the media or transitions to another media asset.	media, either primary or ad content, is requested to start automatically and sequentially. Also dispatched when a user wants to resume after a pause.
<i>playbackStart</i>	Dispatched when the first frame of media is rendered after the player previously was not playing.	In practice, this occurs after a the <i>playbackRequest</i> event, or the player was paused, or the playback stalled.
<i>playbackPause</i>	Dispatched when the user pauses playback, or when the media player is programmatically instructed to pause.	
<i>playbackFinish</i>	Dispatched when playback reaches the natural end of media content, whether it is the <i>Primary Content</i> or a <i>Ad Content</i> . This event should not be dispatched if <i>playbackFail</i> has been dispatched.	Skipping an ad content should also fire the <i>playbackFinish</i> event.
<i>playbackStall</i>	Dispatched when the media unintentionally stops playing, usually due to lack of data in the media buffer.	This does not include start up time or subsequent seeking, which is considered starting up at a new time.
<i>playbackFail</i>	Dispatched when a fatal error occurs that prevents further playback.	
<i>playerResize</i>	Dispatched when the player width, height, or both have changed.	
<i>renditionUpdate</i>	Dispatched when the <i>encodedVideoWidth</i> , <i>encodedVideoHeight</i> , <i>videoReportedBitrate</i> , <i>audioReportedBitrate</i> or <i>videoFramerate</i> has been updated.	

Standardized Player Properties

A player property represents the actual value of a certain characteristic at the time of the request. Most events (see xx) already include related properties as metadata, but an analytics client might use specific property requests to gather specific information for other purposes.

Properties may be scalar (returning a single value), or structured (returning more than one value). For structured properties it shall also be possible for the analytics client to directly request the value of a single sub-property.

When time is specified, it is in seconds with precision of up to three decimal places.

Property Name	Type	Units	Definition
<i>encodedVideoWidth</i>	integer	pixel	The encoded width in pixels of the currently playing video rendition
<i>encodedVideoHeight</i>	integer	pixel	The encoded height in pixels of the currently playing video rendition.
<i>playerWidth</i>	integer	pixel	The width of the player viewport.
<i>playerHeight</i>	integer	pixel	The height of the player viewport.
<i>videoReportedBitrate</i>	integer	kbps	The bitrate of the currently playing video as reported by the <i>Adaptive Manifest</i> .
<i>audioReportedBitrate</i>	integer	kbps	The bitrate of the currently playing audio as reported by the <i>Adaptive Manifest</i> .
<i>playbackRate</i>	float, two decimal places	-	The current rate of playback. For a video that is playing twice as fast as the default playback, the <i>playbackRate</i> value should be 2.00
<i>contentId</i>	string		A unique identifier for the content that is playing or is intended to be played. This may be a specific video title, or a channel that may play multiple titles, or even ad content.
<i>currentVideoCodec</i>	string		The currently used video codec as specified in the <i>Adaptive Manifest</i> .
<i>currentAudioCodec</i>			The currently used audio codec as specified in the <i>Adaptive Manifest</i> .
<i>videoFrameRate</i>	number, at least two decimal places		The current frame rate of the video as specified in the adopted manifest.

Video & Audio Quality Metrics

Video and audio quality metrics attempt to give insight into the perceptual quality, or more specifically, differences in perceptual quality.

Playback bitrate is a common metric used for this purpose, however bitrate alone is not enough to understand the perceptual quality as the content type (low vs. high complexity), codec choice, frame rate and resolution can have a dramatic impact on the bitrate. It also does not communicate how well media is addressing a viewer's specific device.

For this reason we have included additional properties (e.g. video codec, frame rate, resolution etc.) that can allow for better understanding of the quality. We also recommend expanding on quality metrics in later releases of this standard, for example with a metric to measure scaling of the media content within the player.


For a more advanced measurement of the streaming quality experienced by the user, the optional P.1203 [4] metric can also be calculated. P.1203 is an ITU-T standard which estimates the video, audio and total user experience, based on different measurable entities. The resulting P.1203 metrics represents a quality value between 1 and 5, with 1 being very bad quality, and 5 being the best quality.

The least complex implementation variant of P.1203 is Mode 0, which uses the following input data:


- The video codec (property `currentVideoCodec`)
- The audio codec (property `currentAudioCodec`)
- Buffering information (events `playbackRequest`, `playbackStart`, `playbackStall`)
- Source information (event `renditionUpdate`, properties `encodedVideoWidth`, `encodedVideoHeight`, `videoReportedBitrate`, `audioReportedBitrate`, `videoFramerate`)
- Device information (event `playerResize`, properties `playerWidth`, `playerHeight`)

Appendix A: Architectural Workflow Models

Playback of One Asset with a Stall and a Pause, Watched Until The Content Is Complete




Playback of three independent assets




Note: The time between *playbackFinish* and *playbackRequest*, or *playbackRequest* and *playbackStart* of later assets may be 0ms, but playback still transitions between those states.

Playback of one asset with incomplete session termination

This solution shows the analytics client polling the player at some interval. Since the *playbackFinish* event is never sent, content watched outside of that last interval is missed.




Pre-roll playback of 2 ads in succession; using non-stitched ads



Note: When in an ad break, all playback events are still possible and valid (e.g. *playbackPause*, *playbackStall*) and should be treated the same when calculating Playback Session metrics, with the exception of *playbackFinish*, which designates the end of an individual unit of content. The contentID is used to differentiate between different ad content and primary content.


Mid-roll playback of 2 ads in succession; using non-stitched ads



Note: when in an ad break, all playback events are still possible and valid (e.g. *playbackPause*, *playbackStalled*) and should be treated the same when calculating Playback Session metrics, with the exception of *playbackFinish*, which designates the end of an individual unit of content. The contentID is used to differentiate between different ad content and primary content.

Playback of one asset with a mid roll ad break containing 2 ads; using server-side stitched ads

The player dispatches *playbackRequest* event when it encounters a discontinuity and/or ad-break in the otherwise continuous stream.



Note: when in an ad break, all playback events are still possible and valid (e.g. *playbackPause*, *playbackStill*) and should be treated the same when calculating Playback Session metrics, with the exception of *playbackFinish*, which designates the end of an individual unit of content. The contentID is used to differentiate between different ad content and primary content.

Appendix B: The Danger of Averages

Startup time can be a difficult metric to measure and interpret. The average is defined as the core metric since this provides a single number with which to compare this QoE dimension across analytics providers. However, average alone is a poor measurement when there isn't a normal (bell curve) distribution, and startup delays typically have a power law distribution. Single percentiles (Median, 95th) can hide important problems within the curve and are not easily aggregated over time. The best option appears to be a histogram, measuring the percent of *Playback Sessions* within buckets of measured startup time. This can give insight across all viewer experiences at time measurements with specific importance. For this reason we suggest that the *Playback Session* data is aggregated in to buckets while keeping a running average. This allows the core metric to trigger a deeper analysis, which can immediately display the bucketed data in a histogram format.

Selecting meaningful bucket boundaries will differ for content types and applications. For example a viewer may be willing to wait 5 seconds for a 2-hour movie to begin playing, but may not wait more than a second for a video in a scrolling news feed. A histogram is a useful graphing construct in this case as it allows platforms to choose buckets which are meaningful to their particular application.