

4.5 ★★★★★ 577

Sponsored

Electronics › Computers & Accessories › Computer Components › Single Board Computers


Last purchased Jan 11, 2025

Color: White

[View order](#) | [Product support](#)



2 VIDEOS



The package contains only 1.3 inch OLED

[Click to see full view](#)

Ask Alexa

Hosyond 5 Pcs 1.3 Inch IIC I2C OLED Display Module 128x64 Pixel SH1106 Screen Module Compatible with Arduino/Raspberry Pi (White)

[Visit the Hosyond Store](#)

4.3 (102) | [Search this page](#)

Amazon's Choice

100+ bought in past month

\$18.99 [Price history](#)

Get a \$50 Amazon Gift Card instantly upon approval for the Mercury Visa Signature Card. [Learn more](#)

Overnight

FREE Returns

Save 5% on 2 select item(s) [Shop items](#) ›

Color: White

\$18.99
FREE Delivery
Overnight 4
AM - 8 AM

\$18.99
FREE Delivery
Monday

Brand	Hosyond
Connectivity Technology	I2C
Included Components	5 x 1.3 inch oled module
Operating System	los
CPU Manufacturer	Broadcom

\$18.99 [Price history](#)

Overnight

FREE delivery **Overnight**
4 AM - 8 AM on qualifying
orders over \$25. Order within **4**
hrs 27 mins

Or FREE delivery **Tuesday, July 21**

Arrives with upcoming delivery

[Deliver to Jerry - Vail 85641](#)

In Stock

Quantity: 1

Add to cart

Add to Tuesday's delivery

Ships from **Amazon**
Sold by **HONGXINBAORUI**
Returns **FREE 30-day
refund/replacement**
Gift options **Available at checkout**

▼ [See more](#)

Add to Auto Buy

Add to List

Sponsored [Why choose Honyond OLED displays?](#)

[Is it easy to install?](#)

[Why you might like this](#)

[Ask something else](#)

power consumption, normal display is only 0.001W. Blue display.

- 128x64 resolution, the display effect is clear and the contrast is high. The viewing angle is greater than 160°. Even small fonts are easy to read.
- Wide voltage power supply (3V~5V), compatible with 3.3V and 5V logic levels, no need for level conversion chips.
- Embedded driver IC: SH1106. Using the IIC/I2C bus, only 2 IOs are needed to light up the display.
- Compatible with R3 board and Mega, Raspberry pi, 51 MCU, STIM 32 etc. Provide underlying driver technical support(Contact us for instructions).

[See more product details](#)

[Report an issue with this product or seller](#)

Sponsored

Honyond products customers bought together



+



+



Total price: \$47.96

[Add all 3 to Cart](#)

This item: Honyond 5 Pcs 1.3 Inch
IIC I2C OLED Display Module
128x64 Pixel SH1106 Screen...

4.3 102

\$18⁹⁹

Sponsored

Honyond 5 Pcs 0.96 Inch OLED
I2C IIC Display Module 12864
128x64 Pixel SSD1306 Mini Sel...

4.6 644

\$14⁹⁸

Sponsored

Honyond 5 Pcs 0.91 Inch I2C
OLED Display Module IIC OLED
Screen DC 3.3V~5V Compatible...

4.3 115

\$13⁹⁹

4 stars and above Sponsored ⓘ

Deliver to Jerry
Vail 85641


Electronics ▾

EN

Hello, Jerry
Account & Lists

Returns
& Orders

0



HiLetgo 1.3" IIC I2C
Serial 128x64 SSH1106
SSD1306 OLED LCD
Display LCD Module...

236

\$8⁴⁹

Overnight

FREE delivery **Overnight**
4AM - 8AM on \$25 of
qualifying items



HiLetgo 0.95" Inch 7 Pin
Colorful 65K SPI OLED
Display Module SSD1331
96 * 64 Resol...

132

\$12⁹⁹

Two-Day

FREE delivery **Mon, Jul 20**



HiLetgo 1.3" SPI 128x64
SSH1106 OLED LCD
Display LCD Module for
Arduino AVR STM32

96

\$8⁹⁹

Two-Day

FREE delivery **Mon, Jul 20**



Frienda 5 Pieces I2C
Display Module 0.91 Inch
I2C OLED Display
Module I2C OLED Scre...

384

\$14⁹⁹

FREE delivery **Wed, Jul 22**




Hosyond 5 Pcs 0.91 Inch
I2C OLED Display
Module IIC OLED Screen
DC 3.3V~5V Compatib...

115

\$13⁹⁹

Tomorrow

FREE delivery **Tomorrow, Jul 19**



HiLetgo 0.96" SSD1306
I2C IIC SPI Serial 128x64
OLED LCD Display 4 Pin
Font Color Blue

423

\$6⁹⁹

Two-Day

FREE delivery **Mon, Jul 20**



Hosyond 5 Pcs 0.96 Inch
OLED I2C IIC Display
Module 128x64 128x64
Pixel SSD1306 Mini...

644

Amazon's Choice

\$14⁹⁸

Overnight

FREE delivery **Overnight**
4AM - 8AM on \$25 of
qualifying items

Customers frequently viewed Sponsored ⓘ | Popular products in the last 7 days

Page 1 of 6



Hosyond 5 Pcs 0.96 Inch
OLED I2C IIC Display
Module 128x64 128x64
Pixel SSD1306 Mini...

644

\$14⁹⁸

Overnight

FREE delivery **Overnight**
4AM - 8AM on \$25 of
qualifying items



ELEGOO 3PCS 0.96 Inch
OLED Display Screen
Module Compact Self-
Luminous SSD1306...

217

#1 Best Seller

\$9⁹⁹

Overnight

FREE delivery **Overnight**
4AM - 8AM on \$25 of
qualifying items



ESP32 Display 2.8 inch,
ESP32-32E WiFi+BT
Dual-core TFT Module
with Acrylic Case, E...

19

-5% \$17⁹⁹

Typical: ~~\$18.99~~

Tomorrow

FREE delivery **Tomorrow, Jul 19**




2.8" inch ESP32 Display
ESP32 Development
Board ESP32-
2432S028R WiFi...

25

\$16⁹⁹

Overnight

FREE delivery **Overnight**
4AM - 8AM on \$25 of
qualifying items




Arduino uno r3 Board
with USB Cable -
atmega328p, 16mhz, 14
Digital i/o pins, pwm S...

18

\$9⁹⁸

Two-Day

FREE delivery **Mon, Jul 20**




5pcs Type-C Supermini
ESP32-S3 Development
Board Supermini
Development Board...

4

\$20⁸⁹

Overnight

FREE delivery **Overnight**
4AM - 8AM on \$25 of
qualifying items



Lonely Binary ESP32-S3
N16R8 PinPulse Shield
GPIO LED 16MB for
Arduino IDE | WROOM-...


60

\$24⁹⁹

Overnight

FREE delivery **Overnight**
4AM - 8AM on \$25 of
qualifying items

From the brand



About Us

We are committed to researching and producing various types of display screens. Currently, we mainly have a variety of touch screens compatible with Raspberry Pi, as well as various screen modules suitable for Arduino. Most importantly, we provide rich usage information and reliable service to make your use more convenient.



Product description

Package List



1.3 Inch Screen Features(2 Colors)

Module interface	IIC , 4PIN
Effective display area	29.4x14.7(mm)
Module size	33.7x35.5(mm)
Field of View	>160°
Pin Definition	GND, VCC, SCL,SDA
Voltage	3.3 V or 5V DC
Working Temperature	-20~60 degree
High Resolution	128 x 64 Pixels
Driver IC	SH1106
Display Color	White, Blue

Interface Definition


Pin	Lable	Pin Description
1	GND	OLED GND
2	VCC	input(3.3V~5V)
3	SCL	clock signal of IIC bus
4	SDA	data signal of IIC bus


MCU


GND
VCC/ 3.3/5V

OLED

GND
VCC
SCL
SDA







- **Parameter:**
- Display Color: white or blue
- Screen Size: 1.3(inch)
- Screen Type: OLED
- Driver IC: SH1106
- Resolution: 128*64 (Pixel)
- Module Interface: I2C interface
- Active Area: 29.42x14.7(mm)
- Module PCB Size: 33.7x35.5(mm)
- Visual Angle: >160°
- Operating Temperature: -20°C~60°C
- Storage Temperature: -30°C~70°C
- Operating Voltage: 3.3V~5V
- Rough Weight: 10(g)
- **Package include:** 5 x 1.3 inch oled display module(each one with plastic box)

Product information

Features & Specs

Warranty & Support

Item details

Deliver to Jerry
Vail 85641

Electronics ▾

EN

Hello, Jerry
Account & Lists

Returns
& Orders

0

customer fee equal to 15 percent of the product sales price if the customer misrepresents the condition of the product. Any returned computer that is damaged through customer misuse, is missing parts, or is in unsellable condition due to customer tampering will result in the customer being charged a higher restocking fee based on the condition of the product. Amazon.com will not accept returns of any desktop or notebook computer more than 30 days after you receive the shipment. New, used, and refurbished products purchased from Marketplace vendors are subject to the returns policy of the individual vendor.

Product Warranty: For warranty information about this product, please [click here](#)

Feedback

Would you like to [tell us about a lower price?](#)

Looking for specific info?

Ask Alexa or search reviews and Q&A

What devices is this display compatible with?

Does it need a backlight?

Is it easy to install?

Can it be used with Arduino?

What is the display resolution?

Product Videos

HONGXINBAORUI

1.3 inch I2C OLED Display Module 128x64 Pixel SH1106



Product guides and documents

[User Manual \(PDF\)](#)

Safety and product resources


Safety documents

[User Manual \(PDF\)](#)

What's in the box

- 5 x 1.3 inch oled module


Related products with free delivery Sponsored ⓘ



HiLetgo 2.42" SSD1309 128x64 OLED Display Module 2.42 Inch OLED LCD Display Module ...

11


\$16.99
Overnight
FREE delivery **Overnight**
4 AM - 8 AM on \$25 of
qualifying items



5Pcs MAX30102 Detection Sensor Module Compatible with for Arduino STM32

1


\$9.99
Two-Day
FREE delivery **Mon, Jul 20**



5 Pack 1.3 inch OLED IIC Display Module 128x64 Pixel Mini Self-Luminous Display Scr...

8

\$18.99
Two-Day
FREE delivery **Mon, Jul 20**



HiLetgo 2pcs 1.3" IIC I2C Serial 128x64 SSH1106 OLED LCD Display LCD Module for Ard...

236

\$12.49
Overnight
FREE delivery **Overnight**
4 AM - 8 AM on \$25 of
qualifying items



2pcs 1.54 Inch OLED I2C IIC Display Module, 128x64 Pixel SSD1309 Driver Self-Lumino...

44

\$14.99
Overnight
FREE delivery **Overnight**
4 AM - 8 AM on \$25 of
qualifying items



HiLetgo 1.3" SPI 128x64 SSH1106 OLED LCD Display LCD Module for Arduino AVR STM32

96

Amazon's Choice
\$8.99
Two-Day
FREE delivery **Mon, Jul 20**



HiLetgo 0.95" Inch 7 Pin Colorful 65K SPI OLED Display Module SSD1331 96 * 64 Resol...

132

\$12.99
Two-Day
FREE delivery **Mon, Jul 20**

Sponsored

Brands in this category on Amazon

Sponsored


Shop seeed studio >



Shop KEYESTUDIO >


Bluetooth Module for Arduino
Shop DSD TECH >

Customer reviews

4.3 out of 5

102 global ratings



How customer reviews and ratings work

Customers say

Customers find the OLED display module easy to use and appreciate its excellent display quality, with one customer noting its high-contrast visuals. However, the functionality receives mixed feedback, with some customers saying it works perfectly while others find it difficult to get working.

 Generated from the text of customer reviews

Select to learn more

 Display (9) |  Ease of use (5) |  Functionality (19)

Top reviews from the United States

 R. C.

A Tiny Display with Big Potential

Reviewed in the United States on March 25, 2025

Color: Blue **Verified Purchase**

The Hosityond 5 Pcs 1.3 Inch IIC I2C OLED Display Modules are an excellent choice for anyone working on projects that require small, high-quality displays. Whether you're a hobbyist, a maker, or a DIY enthusiast, these little screens offer great clarity, ease of use, and versatility.

What Makes Them Great:

 **Super Sharp Display** – The OLED technology provides vibrant, high-contrast visuals, making text and graphics pop without draining your project's power. Perfect for low-energy, high-impact displays.



Sponsored

✓ **Small Size, Big Impact** – At 1.3 inches, these displays are compact enough for tight spaces but large enough to show off useful data, whether it's sensor readings, clocks, or simple graphics.

✓ [Read more](#)

9 people found this helpful

Helpful

Report



RM

Nice Display, need to use SS1106 Driver

Reviewed in the United States on April 8, 2026

Color: White **Verified Purchase**

Displays work fine, just note that they are not drop-in compatible with other 128x64 OLED displays. It's needs a driver for the SS1106 hardware. Likely will not look/work exactly the same way as SSH1306 devices even though they are all called 128x64.

Helpful

Report



I am very feel

PLEASE READ: These work perfectly despite other bad reviews

Reviewed in the United States on December 4, 2024

Color: White **Verified Purchase**

There are many different types of Arduino boards out there and some with the CH340 chip will require a different driver from Adafruit mentioned in description of this product which is downloadable via the Arduino IDE.

Embedded driver IC: SH1106. Using the IIC/I2C bus, only 2 IOs are needed to light up the display.

Search for "SH1106" in <Manage Libraries> in the Arduinio IDE. Install this and ensure that the CH340 drivers also work on your arduino IDE if you are using that device. Restart your IDE. If you also installed the CR340 drivers restart your computer to ensure they are loaded properly. I have tested this method on multiple CH340 devices on Windows, Linux and MAC and this method works perfectly for lighting up your OLED displays. I tested all 5 on each Linux, Windows and MAC OS and they all work with the SH1106 driver. Also make sure to set the <Processor> to "ATmega328P (Old Bootloader)" before uploading your sketch. If the sketch fails to upload, be patient, unplug or reset your arduino and try the upload again. This may sometimes take a few times. This is the one downside of the CH340 chipset but all is not lost cause they still work great!

12 people found this helpful

Helpful

Report



Phill

These are NOT the SSD1306 driver OLED.

Reviewed in the United States on February 20, 2026

Color: White **Verified Purchase**

WARNING! These are NOT the SSD1306 driver OLED, which come standard with the Pi kernel. You will need to jump through hoops to get them to work.



M/G

Good basic display

Reviewed in the United States on April 19, 2026

Color: White **Verified Purchase**

Good basic display, just be sure to use the right library in your IDE.

Helpful

Report



Amazon Customer

It's actually the right one

Reviewed in the United States on April 6, 2026

Color: White **Verified Purchase**

After purchasing the same described display from multiple vendors on Amazon and getting all different sizes and models, I finally got the one I needed! This one is actually the right size, works great and only costs slightly more for 5 than others are selling for ! So far, it's worked for several months for me on a custom Wall-E build and I'm quite happy with it!

Helpful

Report



William Bonilla

Great OLED displays with a caveat

Reviewed in the United States on May 20, 2025

Color: White **Verified Purchase**

These displays work great; however, it is worth noting that these use a SH1106 driver. Meaning you will have to download the SH1106 library which does not support some functions you would use on a SSD1306, like scroll commands. Nonetheless a good purchase.

One person found this helpful

Helpful

Report



Retired Badger

Works With Correct Library

Reviewed in the United States on April 20, 2026

Color: White **Verified Purchase**

Once I figured out to get the display to work, they are awesome. The drivers/tutorials from Hosityond were less than helpful. I used the U8g2 Libraries instead of what they provided. This library works without issue if you select the correct constructor. If you use A4 (SDA), and A5 (SCK), and the following constructor from the U8g2 library, it works.

```
U8G2_SH1106_128X64_NONAME_F_HW_I2C u8g2(U8G2_R0, /* reset=*/ U8X8_PIN_NONE);
```

The U8g2 by Oliver library is the one I used, which can be found and installed from the Arduino IDE Library Manager.

Helpful

Report

[See more reviews](#)

Top reviews from other countries



AK

Size does matter

Reviewed in Canada on March 23, 2024

Color: White **Verified Purchase**

These are only slightly bigger than the regular ones but the difference makes them so much more readable. Would like to see the price lower!

Report

[See more reviews](#)

Sponsored

Get to Know Us

Careers

Amazon
Newsletter

About Amazon

Accessibility

Sustainability

Press Center

Investor Relations

Amazon Devices

Amazon Science

Make Money with Us

Sell on Amazon

Sell apps on Amazon

Supply to Amazon

Protect & Build Your
Brand

Become an Affiliate

Become a Delivery Driver

Start a Package Delivery
Business

Advertise Your Products

Self-Publish with Us

Become an Amazon Hub
Partner

› See More Ways to Make
Money

Amazon Payment Products

Amazon Visa

Amazon Store Card

Amazon Secured Card

Amazon Business Card

Shop with Points

Credit Card Marketplace

Reload Your Balance

Gift Cards

Amazon Currency Converter

Let Us Help You

Your Account

Your Orders

Shipping Rates &
Policies

Amazon Prime

Returns &
Replacements

Manage Your
Content and Devices

Recalls and Product
Safety Alerts

Registry & Gift List

Help

English

United States

Amazon Music
Stream millions
of songs

Amazon Ads
Reach customers
wherever they
spend their time

6pm
Score deals
on fashion brands

AbeBooks
Books, art
& collectibles

ACX
Audiobook
Publishing
Made Easy

Sell on Amazon
Start a Selling
Account

Veeqo
Shipping Software
Inventory
Management

Amazon Business
Everything For
Your Business

Groceries at
Amazon
Groceries & More
Right To Your Door

AmazonGlobal
Ship Orders
Internationally

Home Services
Experienced Pros
Happiness
Guarantee

Amazon Web
Services
Scalable Cloud
Computing
Services

Audible
Listen to Books &
Original
Audio
Performances

Box Office Mojo
Find Movie
Box Office Data

Goodreads
Book reviews
&
recommendations

IMDb
Movies, TV
& Celebrities

IMDbPro
Get Info
Entertainment
Professionals Need

Kindle Direct
Publishing
Indie Digital &
Print Publishing
Made Easy

Amazon Photos
Unlimited Photo
Storage
Free With Prime

Prime Video Direct
Video Distribution
Made Easy

Shopbop
Designer
Fashion Brands

Amazon Resale
Great Deals on
Quality Used
Products

Whole Foods
Market
America's
Healthiest
Grocery Store

Woot!
Deals and
Shenanigans

Zappos
Shoes &
Clothing

Ring
Smart Home
Security Systems

eero WiFi
Stream 4K Video
in Every Room

Blink
Smart Security
for Every Home

Neighbors App
Real-Time Crime
& Safety Alerts

PillPack
Pharmacy
Simplified

Amazon Renewed
Refurbished tech
you can trust

Deliver to Jerry
Vail 85641

Electronics ▼

EN

Hello, Jerry
Account & Lists

Returns
& Orders

0