Arm Cortex-M Processor Comparison Table

The Cortex-M processor family is optimized for cost and energy-efficient microcontrollers. These processors are found in a variety of applications, including IoT, industrial and everyday consumer devices.
The processor family is based on the M-Profile Architecture that provides low-latency and a highly deterministic operation, for deeply embedded systems.

Feature	Cortex-M0	Cortex-M0+	Cortex-M1	Cortex-M23	Cortex-M3	Cortex-M4	Cortex-M33	Cortex-M35P	Cortex-M55	Cortex-M7	Cortex-M85
Instruction Set Architecture	Armv6-M	Armv6-M	Armv6-M	Armv8-M Baseline	Armv7-M	Armv7-M	Armv8-M Mainline	Armv8-M Mainline	Armv8.1-M Mainline	Armv7-M	Armv8.1-M Mainline
TrustZone for Armv8-M	No	No	No	Yes (option)	No	No	Yes (option)	Yes (option)	Yes (option)	No	Yes
Helium (M-Profile Vector Extension)	No	No	No	No	No	No	No	No	Yes (option)	No	Yes (option)
PACBTI Extension	No	No	No	No	No	No	No	No	No	No	Yes (option)
Floating-Point Unit (FPU)	No	No	No	No	No	SP (option)	SP (option)	SP (option)	HP, SP, DP (option)	SP, DP (option)	HP, SP, DP (option)
Digital Signal Processing (DSP) Extension	No	No	No	No	No	Yes	Yes (option)	Yes (option)	Yes	Yes	Yes
Hardware Divide	No	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Arm Custom Instructions	No	No	No	No	No	No	Yes (option)	No	Yes (option)	No	Yes (available in 2022)
Coprocessor Interface	No	No	No	No	No	No	Yes (option)	Yes (option)	Yes (option)	No	Yes (option)
DMIPS/MHz*	0.96	0.99	0.88	1.03	1.24	1.26	1.54	1.50	1.69	2.31	3.13
CoreMark®/MHz*	2.33	2.46	1.83	2.64	3.45	3.54	4.10	4.10	4.40	5.29	6.28
Maximum # External Interrupts	32	32	32	240	240	240	480	480	480	240	480
Maximum MPU Regions	0	8	0	16	8	8	16	16	16	16	16
Main Bus	AHB Lite (32-bit)	AHB Lite (32-bit)	AHB Lite (32-bit)	AHB (32-bit)	AHB Lite (32-bit)	AHB Lite (32-bit)	AHB (32-bit)	AHB (32-bit)	AXI (64-bit)	AXI (64-bit)	AXI (64-bit)
Instruction Cache	No	No	No	No	No	No	No	2-16kB	0-64kB	0-64kB	0-64kB
Data Cache	No	No	No	No	No	No	No	No	0-64kB	0-64kB	0-64kB
Instruction TCM	No	No	0-1MB	No	No	No	No	No	0-16MB	0-16MB	0-16MB
Data TCM	No	No	0-1MB	No	No	No	No	No	0-16MB	0-16MB	0-16MB
Dual Core Lock-Step (DCLS) Configuration	No	No	No	No	No	No	No	Yes	Yes	Yes	Yes (available in 2022)
Common Criteria Certification	No	No	No	No	No	No	Yes	Yes	No	No	No

| Reference Package/System Example | Corstone-101 | Corstone-101 | - | Corstone-102 | Corstone-101 | - | Corstone-201 | - | Corstone-300 | - | Corstone-310 |

*See individual Cortex-M product pages for further information.

SP = Single-Precision

DP = Double-Precision

HP = Half-Precision

For more information, contact your Arm account manager today or explore the processors in more detail here: developer.arm.com/ip-products/processors/cortex-m