

Pinit Package Demo

Pinit provides relative positioning by pins, especially useful for making slides and adding annotations to text.

Basic Highlighting

A simple highlighted text example.

Arrows Between Elements

Let's connect this word to that word.

Mathematical Annotations

Consider the quadratic formula:

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

The famous quadratic formula!

Code Explanation

```
def factorial(n):      # pin(a)
    if n <= 1:         # pin(b)
        return 1      # pin(c)
    return n * factorial(n-1) # pin(d)
```

The function uses recursion to calculate factorials.

Multiple Highlights

This sentence has multiple different highlighted sections throughout.

Advanced Features

Double Arrows

Bidirectional relationship: Client $\longleftrightarrow$ Server

Rectangles Around Content

This entire block of text is surrounded by a rectangle to draw attention to it.

Lines Between Points


Start here and end there.

Key idea!

Pointing To Content

The important concept is explained here.

Complex Diagram Example



Summary

Pinit provides:

- **pin()** - Place invisible markers in text
- **pinit-highlight()** - Highlight between pins
- **pinit-arrow()** - Draw arrows between pins
- **pinit-double-arrow()** - Bidirectional arrows
- **pinit-point-to()** - Arrow pointing to pin
- **pinit-point-from()** - Arrow from pin to content
- **pinit-rect()** - Rectangle around pins

- **pinit-line()** - Simple line between pins
- **pinit-place()** - Place content at pin location

Package: pinit v0.2.2

Source: <https://typst.app/universe/package/pinit>

Best for: Slides, annotations, diagrams