

ISO 7010

ISO 7010 is an International Organization for Standardization technical standard for graphical hazard symbols on hazard and safety signs, including those indicating emergency exits. It uses colours and principles set out in ISO 3864 for these symbols, and is intended to provide "safety information that relies as little as possible on the use of words to achieve understanding."^[1]

The standard was published in October 2003, splitting off from ISO 3864:1984, which set out design standards and colors of safety signage and merging ISO 6309:1987, *Fire protection - Safety signs* to create a unique and distinct standard for safety symbols.^{[2][3]}

As of September 2022, the latest version is ISO 7010:2019, with 10 published amendments.^[4] This revision canceled and replaced ISO 20712-1:2008, incorporating the water safety signs and beach safety flags specified in it.^[5]

Shape and colour

ISO 7010 specifies five combinations of shape and colour to distinguish between the type of information presented.^[6]

ISO 7010:2019

Graphical symbols — Safety colours and safety signs — Registered safety signs

Abbreviation	ISO 7010
Status	Active
Year started	October 2003
First published	October 2003
Latest version	3 2019
Organization	<u>International Organization for Standardization</u>
Committee	ISO/TC 145/SC 2 Safety identification, signs, shapes, symbols and colours
Base standards	<u>ISO 3864</u>
Domain	Safety symbol design
Website	<u>www.iso.org/standard/72424.html</u> (<u>https://www.iso.org/standard/72424.html</u>)

Shape and colour of sign types

Sign type ^[1]	Meaning	Colour (per ISO 3864-4) ^[7]	Shape ^[7]	Example
Prohibition sign	Must not do	Red	Circle with diagonal line	 No open flame
Mandatory sign	Must do	Blue	Circle	 Use hearing protection
Warning sign	Warn of hazard	Yellow	Equilateral triangle with rounded corners	 Explosive materials
Safe condition sign	Identifying of safety equipment and exits	Green	Square or rectangular	 Emergency assembly point
Fire safety sign	Identifying of firefighting equipment	Red	Square	 Fire extinguisher

List

ISO registers and lists recommended pictograms, which it calls "safety signs", on its website, ISO.org. The ISO standard provides a registered number for pictograms that have officially been made part of the ISO 7010 standard. Corresponding with the categories above, in ISO parlance, "E" numbers refer to Emergency (signs showing a safe condition), "F" numbers refer to Fire protection, "P" numbers refer to Prohibited actions, "M" numbers refer to Mandatory actions, and "W" numbers refer to Warnings of hazards.^[8]

According to the related ISO 3864-1 standard, if a symbol does not exist for a situation, the recommended solution is to use the relevant 'general' symbol (M001, P001, W001), along with a supplemental text message.^[9]

Safe condition



E001 – Emergency exit (left hand)



E002 – Emergency exit (right hand)



E003 – First aid



E004 – Emergency telephone



E007 – Evacuation assembly point



E008 – Break to obtain access



E009 – Doctor



E010 – Automated external heart defibrillator



E011 – Eyewash station



E012 – Safety shower



E013 – Stretcher



E014 – Child seat presence and orientation detection system (CPOD)



E015 – Drinking water



E016 – Emergency window with escape ladder



E017 – Rescue window



E018 – Turn anticlockwise to open



E019 – Turn clockwise to open



E020 – Emergency stop button



E021 – Protection shelter




E022 – Door opens by pushing on the left-hand side



E023 – Door opens by pushing on the right-hand side



E024 – Evacuation temporary refuge



E025 – Emergency hammer




E026 – Emergency exit for people unable to walk or with walking impairment (left)



E027 – Medical grab bag




E028 – Oxygen resuscitator




E029 – Emergency escape breathing device



E030 – Emergency exit for people unable to walk or with walking impairment (right)



E031 – Shipboard general alarm



E032 – Shipboard assembly station




E033 – Door slides right to open



E034 – Door slides left to open



E035 – Liferaft knife



E036 – Lifeboat



E037 – Rescue boat



E038 – Liferaft



E039 – Davit-
launched liferaft



E040 – Lifebuoy



E041 – Lifebuoy with
line



E042 – Lifebuoy with
light



E043 – Lifebuoy with
line and light



E044 – Lifejacket



E045 – Child's
lifejacket



E046 – Infant's
lifejacket



E047 – Search and
rescue transponder



E048 – Survival craft
distress signals



E049 – Rocket
parachute flare



E050 – Line-throwing
appliance



E051 – Two-way VHF radiotelephone apparatus



E052 – Emergency position indicating radio beacon



E053 – Embarkment ladder



E054 – Marine evacuation slide



E055 – Marine evacuation chute



E056 – Survival clothing



E057 – Door opens by pulling on the left-hand side



E058 – Door opens by pulling on the right-hand side



E059 – Embarkation ladder



E060 – Evacuation chair



E061 – Water life-saving equipment



E062 – Tsunami evacuation area



E063 – Tsunami evacuation building



E064 – First aid responder



E065 – Natural disaster outdoor refuge area



E067 – Evacuation mattress



E068 – Lifebuoy with light and smoke



E069 – Person overboard call point



E070 – Evacuation lift for people unable to use stairs



E072 – Safe anchorage point



E073 – Emergency descent device



E074 – Emergency rations



E075 – Lifeguard





E076 – Evacuation equipment

Crescent variant

ISO 7010 states on all symbols with a first aid cross, that it "may be replaced with another element appropriate to cultural requirements". In countries with a Muslim-majority population, an appropriate symbol is the crescent.






Fire protection



F001 – Fire extinguisher



F002 – Fire hose reel



F003 – Fire ladder



F004 – Collection of firefighting equipment



F005 – Fire alarm call point



F006 – Fire emergency telephone



F007 – Fire protection door



F008 – Fixed fire extinguishing battery



F009 – Wheeled fire extinguisher



F010 – Portable foam applicator unit



F011 – Water fog applicator



F012 – Fixed fire extinguishing installation



F013 – Fixed fire extinguishing bottle



F014 – Remote release station



F015 – Fire monitor



F016 – Fire blanket



F017 – Firefighters' lift



F018 – Fire alarm flashing light



F019 – Unconnected fire hose

Mandatory



M001 – General mandatory action sign



M002 – Refer to instruction manual/booklet



M003 – Wear ear protection



M004 – Wear eye protection



M005 – Connect an earth terminal to the ground



M006 – Disconnect mains plug from electrical outlet



M007 – Opaque eye protection must be worn



M008 – Wear safety footwear



M009 – Wear protective gloves



M010 – Wear protective clothing



M011 – Wash your hands



M012 – Use handrail



M013 – Wear a face shield



M014 – Wear head protection



M015 – Wear high-visibility clothing



M016 – Wear a mask



M017 – Wear respiratory protection



M018 – Wear a safety harness



M019 – Wear a welding mask



M020 – Wear safety belts



M021 – Disconnect before carrying out maintenance or repair




M022 – Use barrier cream



M023 – Use footbridge



M024 – Use this walkway



M025 – Protect infants' eyes with opaque eye protection



M026 – Use protective apron



M027 — Check guard



M028 — Keep locked



M029 — Sound horn



M030 — Use litter bin



M031 — Use table saw adjustable guard



M032 — Wear anti-static footwear



M033 — Close safety bar of chairlift



M034 — Open safety bar of chairlift



M035 — Immediately leave the tow-track in the event of falling



M036 — Lift ski tips



M037 — Close and secure hatches in launch sequence




M038 — Start engine in launch sequence



M039 — Lower lifeboat to the water in launch sequence



M040 — Lower liferaft to the water in launch sequence




M041 — Lower rescue boat to the water in launch sequence



M042 — Release falls in launch sequence



M043 — Start water spray in launch sequence




M044 — Start air supply in launch sequence



M045 — Release lifeboat gripes in launch sequence



M046 — Secure gas cylinders



M047 — Use self-contained breathing appliance



M048 — Use gas detector



M049 — Wear protective roller sport equipment



M050 — Alighting from toboggan to the left



M051 — Alighting from toboggan to the right



M052 — Keep distance between toboggans



M053 — Wear personal flotation devices



M054 — Keep children under supervision in the aquatic environment




M055 — Keep out of the reach of children^{[10][11]}



M056 — Ventilate before and during entering



M057 — Ensure continuous ventilation



M058 — Entry only with supervisor outside



M059 — Wear laboratory coat



M060 — Hold the trolley handle



M061 – Disinfect your hands



M062 – Disinfect surface



M068 – Lock moving mechanical parts



M069 – Tools must be tethered



M070 – Use lamp in luminaire with shield



M071 – Use anti-tip restraints



M072 – Use decontamination shower

Prohibition



P001 – General prohibition sign



P002 – No smoking



P003 – No open flame; Fire, open ignition source and smoking prohibited



P004 – No thoroughfare



P005 – Not drinking water




P006 – No access for forklift trucks and industrial vehicles



P007 – No access for people with active implanted cardiac devices



P008 – No metallic articles or watches



P009 – No climbing



P010 – Do not touch



P011 – Do not extinguish with water



P012 – No heavy load



P013 – No activated mobile phone



P014 – No access for people with metallic implants



P015 – No reaching in



P016 – Do not spray with water



P017 – No pushing



P018 – No sitting



P019 – No stepping on surface




P020 – Do not use lift in the event of fire



P021 – No dogs



P022 – No eating or drinking



P023 – Do not obstruct



P024 – Do not walk or stand here



P025 – Do not use this incomplete scaffold




P026 – Do not use this device in a bathtub, shower or water-filled reservoir



P027 – Do not use this lift for people



P028 – Do not wear gloves



P029 – No photography



P030 – Do not tie knots in rope



P031 – Do not alter the state of the switch



P032 – Do not use for face grinding



P033 – Do not use for wet grinding



P034 – Do not use with hand-held grinder



P035 – Do not wear metal-studded footwear



P036 – No children allowed



P037 – Do not leave the tow-track



P038 – Do not swing the chair



P039 – Hot works prohibited



P040 – Do not set off fireworks




P041 – No leaning against



P042 – Not for pregnant women



P043 – Not for people in the state of intoxication



P044 – Use of smart glasses prohibited



P045 – No campfire



P046 – Do not stretch out of toboggan



P047 – Do not ram into toboggans



P048 – No running



P049 – No swimming



P050 – No snorkelling



P051 – No sub-aqua diving



P052 – No diving



P053 – No sailing



P054 – No windsurfing



P055 – No manually powered craft



P056 – No mechanically powered craft



P057 – No personal water craft



P058 – No towed water activity



P059 – No surf craft



P060 – No outdoor footwear



P061 – No jumping into water



P062 – No pushing into water



P063 – No body boarding



P064 – No surfing between the red-and-yellow flags



P065 – No kite surfing



P066 – No parasailing



P067 – No sand yachting



P068 – Do not expose to direct sunlight or hot surface



P069 – Not to be serviced by users



P070 – Do not put finger into the nozzle of a hydromassage



P071 – Do not cross barrier



P072 – No jumping down



P073 – Do not shut lid when burners are operating



P074 – Child seat installation prohibited



P075 – Do not stare at light source



P080 – No access for unauthorized persons



P081 – Do not cover appliance

Warning



W001 – General warning sign



W002 – Explosive material



W003 – Radioactive material or ionizing radiation



W004 – Laser beam



W005 – Non-ionizing radiation



W006 – Magnetic field



W007 – Floor-level obstacle



W008 – Drop (fall)



W009 – Biological hazard



W010 – Low temperature/freezing conditions



W011 – Slippery surface



W012 – Electricity



W013 – Guard dog



W014 – Forklift trucks and other industrial vehicles



W015 – Overhead load



W016 – Toxic material



W017 – Hot surface



W018 – Automatic start-up



W019 – Crushing



W020 – Overhead obstacle



W021 – Flammable material



W022 – Sharp element



W023 – Corrosive substance



W024 – Crushing of hands



W025 – Counterrotating rollers



W026 – Battery charging



W027 – Optical radiation



W028 – Oxidizing substance



W029 – Pressurized cylinder



W030 – Hand crushing between press brake tool



W031 – Hand crushing between press brake and material



W032 — Rapid movement of workpiece in press brake



W033 — Barbed wire



W034 — Bull



W035 — Falling objects



W036 — Fragile roof



W037 — Run over by remote operator controlled machine



W038 — Sudden loud noise



W039 — Falling ice



W040 — Roof avalanche



W041 — Asphyxiating atmosphere



W042 — Arc flash



W043 — Thin ice



W044 — Slipway



W045 — Towed water activity area



W046 — Surf craft area



W047 — Deep water



W048 — Shallow water (diving)



W049 — Submerged objects



W050 — Sudden drop in swimming or leisure pools



W051 — Unprotected edge



W052 — Unstable cliff edge



W053 — Unstable cliff



W054 — Shark



W055 — Sewage effluent outfall



W056 — Tsunami hazard zone



W057 — Strong currents



W058 — Boating area



W059 — Sand yachting



W060 — Incoming tides



W061 — Quicksand or mud/deep mud or silt



W062 — Kite surfing



W063 — Parasailing



W064 — Strong winds



W065 — High surf or large breaking waves



W066 — Deep shelving beach



W067 — Crocodiles, alligators or caymans



W068 – Falling into water when stepping on or off a floating surface



W069 – Jellyfish



W070 – Step down



W071 – Substance or mixture presenting a health hazard



W072 – Substance or mixture that can cause an environmental hazard



W073 – Large-scale fire zone



W074 – Tornado zone



W075 – Active volcano zone



W076 – Debris flow zone




W077 – Flood zone



W078 – Landslide zone



W079 – Hot content



W080 – Hot steam



W087 – High sound volume levels



W088 – Moving blades



W089 – Moving gears

Withdrawn symbols

The following symbols were previously part of ISO 7010, but have since been withdrawn from the standard; arrow type D in ISO standard [3864-3](#) are to be used in their stead.



E005 – Direction, arrow (90° increments), safe condition



E006 – Direction, 45° arrow (90° increments), safe condition

Symbols from regional variations of ISO 7010

France



NF ISO 7010
Collection of
firefighting equipment

Netherlands



NEN 3011 – Fire
hose with loose
nozzle



NEN 3011 – Hydrant
with Storz



NEN 3011 –
Underground fire
hydrant




NEN 3011 –
Collection of
emergency response
resources



NEN 3011 –
Authorized access
only



NEN 3011 – Closing
the fire door is
mandatory



NEN 3011 – Keep the
emergency door clear

See also

- [Hazard symbol](#)
- [ISO 3864](#) – Safety colors and safety signs
- [ISO 7001](#) – Public Information Symbols
- [ISO 21482](#) – A separate standard for a specific radiation safety sign for specific applications
- [Pipe marking § ISO 20560-1 & -2](#) Safety information for piping systems
- [ANSI Z535](#) – The United States national standard for safety information
- [Directive 92/58/EEC](#) – Safety signs used in the [European Union](#)
- [GHS hazard pictograms](#) – Symbols used by the [Globally Harmonized System of Classification and Labelling of Chemicals](#)

References

1. "ISO 7010:2011 — Graphical symbols — Safety colours and safety signs — Registered safety signs" (<https://www.iso.org/obp/ui/#iso:std:iso:7010:ed-2:v1:en>). *ISO Online Browsing Platform (OBP)*. International Organization for Standardization. Retrieved 14 July 2018.
2. International Organization for Standardization. "ISO 3864:1984" (<https://web.archive.org/web/20221031202619/https://www.iso.org/standard/9454.html>). *iso.org*. Archived from the original (<https://www.iso.org/standard/9454.html>) on 31 October 2022. Retrieved 21 November 2022.
3. International Organization for Standardization. "ISO 6309:1987" (<https://web.archive.org/web/20220119012319/https://www.iso.org/standard/12596.html>). *iso.org*. Archived from the original (<https://www.iso.org/standard/12596.html>) on 19 January 2022. Retrieved 21 November 2022.
4. "ISO 7010:2019" (<https://www.iso.org/cms/render/live/en/sites/isoorg/contents/data/standard/07/24/72424.html>). *ISO*. 6 January 2021. Retrieved 22 July 2023.
5. Online Browsing Platform (OBP) (<https://www.iso.org/obp/ui/#iso:std:iso:7010:ed-3:v1:en>) ISO Archived (<https://web.archive.org/web/20160617031837/https://www.iso.org/obp/ui/#iso:std:iso:7010:ed-3:v1:en>) 17 June 2016 at the [Wayback Machine](#)
6. "ISO 7010 Safety Signs Guide Book" (https://d37iyw84027v1q.cloudfront.net/Common/ISO7010_Safetysigns_Guidebook_Europe_English.pdf) (PDF). *Brady Corporation*. 12 January 2017.
7. "ISO 3864-4:2011" (<https://www.iso.org/standard/51000.html>). International Organization for Standardization. March 2011. Retrieved 4 April 2018.
8. "ISO Online Browsing Platform" (<https://www.iso.org/obp/ui#search>). *ISO Online Browsing Platform*. International Standards Organization. Retrieved 15 May 2021.
9. "'ISO 3864-2:2016 Standard" (<https://standards.iteh.ai/catalog/standards/sist/f6308c84-29e0-4917-bce2-bbef29dd8d07/sist-iso-3864-2-2017>). Retrieved 1 July 2021.
10. "ISO 7010 — Graphical symbols — Safety colours and safety signs — Registered safety signs, Reference No: M055" (<https://www.iso.org/obp/ui/#iso:grs:7010:M055>). Retrieved 23 July 2021.
11. Erin Earley (30 June 2020). "[Keep Out of Reach of Children Symbol in Focus](https://incompliancemag.com/article/keep-out-of-reach-of-children-symbol-in-focus/)" (<https://incompliancemag.com/article/keep-out-of-reach-of-children-symbol-in-focus/>). *In Compliance*. Retrieved 24 July 2021.

External links

- [ISO 7010:2019 Graphical symbols -- Safety colours and safety signs -- Registered safety signs \(https://www.iso.org/standard/72424.html\)](https://www.iso.org/standard/72424.html)
-

Retrieved from "https://en.wikipedia.org/w/index.php?title=ISO_7010&oldid=1327940902"