

PROOF CASE BRIEF

show-me HTML report (show_me_bulletproof.py)

Verdict: DISPROVEN | Confidence: 95.0%

PROOF-20260117_082805

CLAIM: The show-me HTML report
(show_me_bulletproof.py) implements a unified 'above-the-fold' section
with

VERDICT: DISPROVEN

CONFIDENCE: 95.0%

DATE: 2026-01-17 08:28:05

⚠ CRITICAL

CLAIM DISPROVEN - Evidence contradicts the claim

EVIDENCE-BASED VERIFICATION

REFUTED

CASE BRIEF: PROOF OF CLAIM

Case ID: PROOF-20260117_082805

Date: 2026-01-17 08:28:05

Claim: The show-me HTML report (show_me_bulletproof.py) implements a unified 'above-the-fold' section with ID 'above-the-fold', responsive design with mobile breakpoints, and an abstract copy button that uses the clipboard API

Verdict: DISPROVEN

Confidence: 95.0%

=====

ABSTRACT

This case brief presents comprehensive evidence demonstrating that the claim **is disproven**.

Evidence was collected through 4 verification checks and 31 assumption validations.

Of the assumptions tested, 30 were proven, 1 were disproven, and 0 were inconclusive.

The overall confidence level is 95.0%.

=====

HYPOTHESIS

Primary Hypothesis

Ho (Null Hypothesis): The claim is false

H1 (Alternative Hypothesis): The show-me HTML report (show_me_bulletproof.py) implements a unified 'above-the-fold' section with ID 'above-the-fold', responsive design with mobile breakpoints, and an abstract copy button that uses the clipboard API

Testable Predictions

If the claim is true, we expect to find:

1. Evidence supporting the claim exists
 2. Verification checks pass
 3. Assumptions validate the claim
- =====

METHODOLOGY

Verification Process

This proof employs a multi-layered verification approach:

1. **Environment Verification:** Confirms system state, date/time, disk space, working directory
2. **Code Analysis:** Direct examination of source files using regex pattern matching
3. **Assumption Validation:** Systematic testing of each assumption with evidence collection
4. **Evidence Documentation:** All findings include source files, line numbers, and code snippets

Evidence Collection Standards

- **Source Attribution:** Every finding includes file path and line numbers
 - **Reproducibility:** Verification methods are documented and repeatable
 - **Traceability:** Evidence chains link findings to source code
 - **Confidence Scoring:** Each assumption receives a confidence level (0.0-1.0)
- =====

VERIFICATION EVIDENCE

Overview

Total Checks: 6

Verified: 4

Failed: 2

Date Time

Status:  VERIFIED

Evidence:

```
Sat Jan 17 08:28:03 PST 2026
```

Disk Space

Status:  VERIFIED

Evidence:

```
/dev/disk1s1 234Gi 201Gi 14Gi 94% 2953545 147247000 2% /System/Volumes/Data
```

Working Directory

Status:  VERIFIED

Evidence:

```
/Users/ctavolazzi/Code/active/waft
```

Git Status

Status:  VERIFIED

Evidence:

```
M .empirica/sessions/sessions.db
M _genetics/pdf_generator/index.json
M _pantheon/library/reports/summary.json
M _pyrite/.waft/chronicles.json
? _temp_latex_templates
m _work_efforts/WE-260113-75
```

File Existence

Status:  NOT VERIFIED

Evidence:

No evidence

Template Verification

Status:  NOT VERIFIED

Source Script: `scripts/verify_no_blackBars.py`

Template Directory: `src/waft/templates`

Verification Method: Automated regex pattern matching for black bar CSS patterns

Evidence:

```
=====
BLACK BAR VERIFICATION - Checking All PDF Templates
=====
```

```
📁 Checking 31 template files...
```

```
✓ __init__.py: No violations
✓ academic_paper.py: No violations
✓ brief.py: No violations
✓ briefing.py: No violations
✓ celebration_card.py: No violations
✓ cli.py: No violations
✓ code_documentation.py: No violations
✓ cover_minimal.py: No violations
✓ create.py: No violations
✓ dnd5e_latex.py: No violations
✓ dnd_scenario.py: No violations
✓ eldritch_journal.py: No violations
✗ field_guide.py: 1 violation(s)
  Line 112: Black background (#000) on header
✓ heartfelt_letter.py: No violations
✓ invoice_contract.py: No violations
✓ lab_notes.py: No violations
✓ latex_cookbook.py: No violations
✓ minimalist_zen.py: No violations
✓ neon_cyberpunk.py: No violations
✓ newspaper.py: No violations
✓ one_pager.py: No violations
✓ personal_memo.py: No violations
✓ registry.py: No violations
✓ screenplay.py: No violations
✓ simple_scientific.py: No violations
✓ storybook.py: No violations
✓ tm_report.py: No violations
✓ validator.py: No violations
✓ waft_html_template.py: No violations
✓ waft_town.py: No violations
✓ worldbuild.py: No violations
```

```
=====
✗ FAILED: Found 1 black bar violation(s)
```

These headers will create black bars in PDFs:

- field_guide.py:112 - Black background (#000) on header

Fix: Remove 'background: #000' and change 'color: #fff' to 'color: #000'
 Use 'border-bottom: 3px solid #000' instead of black background

ASSUMPTION VALIDATION

Overview

Total Assumptions: 31

Proven: 30 (96.8%)

Disproven: 1 (3.2%)

Inconclusive: 0 (0.0%)

Assumption 1: Template validator.py has no black bar headers

Status: PROVEN

Confidence: 100.0%

Evidence:

- **code_analysis:** No black bar patterns found in validator.py
- **Source File:** `src/waft/templates/validator.py`
- **Verification Method:** `Regex pattern search: h[1-6]\s*\{[^}]*background:\s*#000`
- **Result:** Verified clean

Assumption 2: Template dnd_scenario.py has no black bar headers

Status: PROVEN

Confidence: 100.0%

Evidence:

- **code_analysis:** No black bar patterns found in dnd_scenario.py
- **Source File:** `src/waft/templates/dnd_scenario.py`
- **Verification Method:** `Regex pattern search: h[1-6]\s*\{[^}]*background:\s*#000`
- **Result:** Verified clean
- **Sample H2 Styles Verified:**
- Line 91:

```
css h2 { font-size: 20pt; font-weight: bold; margin: 0.4in 0 0.2in 0; color: #654321;
border-left: 5px solid #daa520; padding-left:
```

Assumption 3: Template code_documentation.py has no black bar headers

Status: PROVEN

Confidence: 100.0%

Evidence:

- **code_analysis:** No black bar patterns found in code_documentation.py

- **Source File:** `src/waft/templates/code_documentation.py`

- **Verification Method:** `Regex pattern search: h[1-6]\s*\{[^}]*background:\s*#000`

- **Result:** Verified clean

- **Sample H2 Styles Verified:**

- Line 109:

```
css h2 { font-size: 14pt; font-weight: bold; color: #34495e; border-bottom: 1px solid
#bdc3c7; padding-bottom: 0.05in; margin-top: 0
```

Assumption 4: Template personal_memo.py has no black bar headers

Status: PROVEN

Confidence: 100.0%

Evidence:

- **code_analysis:** No black bar patterns found in personal_memo.py

- **Source File:** `src/waft/templates/personal_memo.py`

- **Verification Method:** `Regex pattern search: h[1-6]\s*\{[^}]*background:\s*#000`

- **Result:** Verified clean

- **Sample H2 Styles Verified:**

- Line 119:

```
css h2 { font-size: 13pt; font-weight: bold; border-bottom: 1px solid #999; padding-
bottom: 0.05in; margin-top: 0.25in; margin-botto
```

Assumption 5: Template tm_report.py has no black bar headers

Status: PROVEN

Confidence: 100.0%

Evidence:

- **code_analysis:** No black bar patterns found in tm_report.py

- **Source File:** `src/waft/templates/tm_report.py`

- **Verification Method:** `Regex pattern search: h[1-6]\s*\{[^}]*background:\s*#000`

- **Result:** Verified clean

- **Sample H2 Styles Verified:**

- Line 150:

```
css h2 { font-size: 14pt; font-weight: bold; border-bottom: 2px solid #000; padding-bottom: 0.05in; margin-top: 0.3in; margin-bottom
```

Assumption 6: Template neon_cyberpunk.py has no black bar headers

Status: PROVEN

Confidence: 100.0%

Evidence:

- **code_analysis:** No black bar patterns found in neon_cyberpunk.py

- **Source File:** `src/waft/templates/neon_cyberpunk.py`

- **Verification Method:** `Regex pattern search: h[1-6]\s*\{[^}]*background:\s*#000`

- **Result:** Verified clean

- **Sample H2 Styles Verified:**

- Line 65:

```
css h2 { font-size: 20pt; font-weight: bold; margin: 0.4in 0 0.2in 0; color: #00ffff; text-transform: uppercase; letter-spacing: 2px
```

Assumption 7: Template create.py has no black bar headers

Status: PROVEN

Confidence: 100.0%

Evidence:

- **code_analysis:** No black bar patterns found in create.py

- **Source File:** `src/waft/templates/create.py`

- **Verification Method:** `Regex pattern search: h[1-6]\s*\{[^}]*background:\s*#000`

- **Result:** Verified clean

- **Sample H2 Styles Verified:**

- Line 56:

```
css h2 {{ font-size: 18pt; margin-top: 0.3in; margin-bottom: 0.15in; }
```

Assumption 8: Template field_guide.py has no black bar headers

Status: DISPROVEN

Confidence: 100.0%

Evidence:

- **code_analysis:** Found 1 black bar violations in field_guide.py

- **Source File:** `src/waft/templates/field_guide.py`

- **Line Numbers:** [112]

- **Result:** Lines: [112]

- **Code Snippets (violations):**

```css

```
 }

 /* Section Headers */
 h2 {
 font-family: 'Arial Black', sans-serif;
 font-size: 14pt;
 font-weight: bold;
 text-transform: uppercase;
 background: #000;
 color: #fff;
 padding: 0.
 }
```

## Assumption 9: Template registry.py has no black bar headers

---

**Status:** PROVEN

**Confidence:** 100.0%

**Evidence:**

- **code\_analysis:** No black bar patterns found in registry.py

- **Source File:** `src/waft/templates/registry.py`

- **Verification Method:** `Regex pattern search: h[1-6]\s*\{[^}]*background:\s*#000`

- **Result:** Verified clean

## Assumption 10: Template screenplay.py has no black bar headers

---

**Status:** PROVEN

**Confidence:** 100.0%

**Evidence:**

- **code\_analysis:** No black bar patterns found in screenplay.py
- **Source File:** `src/waft/templates/screenplay.py`
- **Verification Method:** `Regex pattern search: h[1-6]\s*\{[^}]*background:\s*#000`
- **Result:** Verified clean

## Assumption 11: Template academic\_paper.py has no black bar headers

---

**Status:** PROVEN

**Confidence:** 100.0%

**Evidence:**

- **code\_analysis:** No black bar patterns found in academic\_paper.py
- **Source File:** `src/waft/templates/academic_paper.py`
- **Verification Method:** `Regex pattern search: h[1-6]\s*\{[^}]*background:\s*#000`
- **Result:** Verified clean
- **Sample H2 Styles Verified:**
- Line 171:
 

```
css h2 { column-span: all; font-size: 11pt; font-weight: bold; margin-top: 0.15in;
margin-bottom: 0.08in; counter-increment: subsect
```

## Assumption 12: Template simple\_scientific.py has no black bar headers

---

**Status:** PROVEN

**Confidence:** 100.0%

**Evidence:**

- **code\_analysis:** No black bar patterns found in simple\_scientific.py
- **Source File:** `src/waft/templates/simple_scientific.py`
- **Verification Method:** `Regex pattern search: h[1-6]\s*\{[^}]*background:\s*#000`
- **Result:** Verified clean
- **Sample H2 Styles Verified:**
- Line 127:
 

```
css h2 { font-size: 14pt; font-weight: bold; margin-top: 0.3in; margin-bottom: 0.15in;
```

```
page-break-after: avoid; }
```

- Line 248:

```
css h2 { border-bottom: 2px solid #333; padding-bottom: 0.05in; }
```

## Assumption 13: Template storybook.py has no black bar headers

---

**Status:** PROVEN

**Confidence:** 100.0%

**Evidence:**

- **code\_analysis:** No black bar patterns found in storybook.py

- **Source File:** `src/waft/templates/storybook.py`

- **Verification Method:** `Regex pattern search: h[1-6]\s*\{[^}]*background:\s*#000`

- **Result:** Verified clean

## Assumption 14: Template one\_pager.py has no black bar headers

---

**Status:** PROVEN

**Confidence:** 100.0%

**Evidence:**

- **code\_analysis:** No black bar patterns found in one\_pager.py

- **Source File:** `src/waft/templates/one_pager.py`

- **Verification Method:** `Regex pattern search: h[1-6]\s*\{[^}]*background:\s*#000`

- **Result:** Verified clean

- **Sample H2 Styles Verified:**

- Line 86:

```
css h2 { font-family: 'Helvetica Neue', 'Arial', sans-serif; font-size: 13pt; font-weight: 600; margin: 0.18in 0 0.1in 0; page-break-after: avoi
```

- Line 211:

```
css h2 { margin-top: 0; margin-left: -0.14in; margin-right: -0.14in; padding-left: 0.14in; padding-right: 0.14in; padding-bottom: 0.
```

## Assumption 15: Template cover\_minimal.py has no black bar headers

---

**Status:** PROVEN

**Confidence:** 100.0%

**Evidence:**

- **code\_analysis:** No black bar patterns found in cover\_minimal.py
- **Source File:** `src/waft/templates/cover_minimal.py`
- **Verification Method:** `Regex pattern search: h[1-6]\s*\{[^}]*background:\s*#000`
- **Result:** Verified clean

**Assumption 16: Template newspaper.py has no black bar headers**

---

**Status:** PROVEN**Confidence:** 100.0%**Evidence:**

- **code\_analysis:** No black bar patterns found in newspaper.py
- **Source File:** `src/waft/templates/newspaper.py`
- **Verification Method:** `Regex pattern search: h[1-6]\s*\{[^}]*background:\s*#000`
- **Result:** Verified clean

**Assumption 17: Template brief.py has no black bar headers**

---

**Status:** PROVEN**Confidence:** 100.0%**Evidence:**

- **code\_analysis:** No black bar patterns found in brief.py
- **Source File:** `src/waft/templates/brief.py`
- **Verification Method:** `Regex pattern search: h[1-6]\s*\{[^}]*background:\s*#000`
- **Result:** Verified clean
- **Sample H2 Styles Verified:**
- Line 305:

```
css h2 { font-family: 'Helvetica Neue', 'Arial', sans-serif; font-size: 16pt; font-weight: 600; text-transform: uppercase; letter-spacing: 0.08e
```

**Assumption 18: Template init.py has no black bar headers**

---

**Status:** PROVEN**Confidence:** 100.0%**Evidence:**

- **code\_analysis:** No black bar patterns found in `init.py`

- **Source File:** `src/waft/templates/__init__.py`
- **Verification Method:** `Regex pattern search: h[1-6]\s*\{[^}]*background:\s*#000`
- **Result:** Verified clean

### Assumption 19: Template waft\_town.py has no black bar headers

---

**Status:** PROVEN

**Confidence:** 100.0%

**Evidence:**

- **code\_analysis:** No black bar patterns found in waft\_town.py
- **Source File:** `src/waft/templates/waft_town.py`
- **Verification Method:** `Regex pattern search: h[1-6]\s*\{[^}]*background:\s*#000`
- **Result:** Verified clean
- **Sample H2 Styles Verified:**
- Line 253:
 

```
css h2 { font-family: 'Times New Roman', serif; font-size: 14pt; font-weight: bold;
text-transform: uppercase; color: #000; border-b
```

### Assumption 20: Template heartfelt\_letter.py has no black bar headers

---

**Status:** PROVEN

**Confidence:** 100.0%

**Evidence:**

- **code\_analysis:** No black bar patterns found in heartfelt\_letter.py
- **Source File:** `src/waft/templates/heartfelt_letter.py`
- **Verification Method:** `Regex pattern search: h[1-6]\s*\{[^}]*background:\s*#000`
- **Result:** Verified clean

### Assumption 21: Template cli.py has no black bar headers

---

**Status:** PROVEN

**Confidence:** 100.0%

**Evidence:**

- **code\_analysis:** No black bar patterns found in cli.py
- **Source File:** `src/waft/templates/cli.py`

- **Verification Method:** `Regex pattern search: h[1-6]\s*\{[^}]*background:\s*#000`
- **Result:** Verified clean

## Assumption 22: Template celebration\_card.py has no black bar headers

---

**Status:** PROVEN

**Confidence:** 100.0%

**Evidence:**

- **code\_analysis:** No black bar patterns found in celebration\_card.py
- **Source File:** `src/waft/templates/celebration_card.py`
- **Verification Method:** `Regex pattern search: h[1-6]\s*\{[^}]*background:\s*#000`
- **Result:** Verified clean

## Assumption 23: Template lab\_notes.py has no black bar headers

---

**Status:** PROVEN

**Confidence:** 100.0%

**Evidence:**

- **code\_analysis:** No black bar patterns found in lab\_notes.py
- **Source File:** `src/waft/templates/lab_notes.py`
- **Verification Method:** `Regex pattern search: h[1-6]\s*\{[^}]*background:\s*#000`
- **Result:** Verified clean
- **Sample H2 Styles Verified:**
- Line 135:
 

```
css h2 { font-size: 14pt; font-weight: bold; text-decoration: underline; margin-top: 0.25in; margin-bottom: 0.12in; background: whit
```

## Assumption 24: Template eldritch\_journal.py has no black bar headers

---

**Status:** PROVEN

**Confidence:** 100.0%

**Evidence:**

- **code\_analysis:** No black bar patterns found in eldritch\_journal.py
- **Source File:** `src/waft/templates/eldritch_journal.py`
- **Verification Method:** `Regex pattern search: h[1-6]\s*\{[^}]*background:\s*#000`
- **Result:** Verified clean

## - Sample H2 Styles Verified:

- Line 253:

```
css h2 { font-size: 14pt; font-weight: bold; margin-top: 0.3in; margin-bottom: 0.15in; }
```

## Assumption 25: Template dnd5e\_latex.py has no black bar headers

---

**Status:** PROVEN

**Confidence:** 100.0%

### Evidence:

- **code\_analysis:** No black bar patterns found in dnd5e\_latex.py

- **Source File:** `src/waft/templates/dnd5e_latex.py`

- **Verification Method:** `Regex pattern search: h[1-6]\s*\{[^}]*background:\s*#000`

- **Result:** Verified clean

## Assumption 26: Template latex\_cookbook.py has no black bar headers

---

**Status:** PROVEN

**Confidence:** 100.0%

### Evidence:

- **code\_analysis:** No black bar patterns found in latex\_cookbook.py

- **Source File:** `src/waft/templates/latex_cookbook.py`

- **Verification Method:** `Regex pattern search: h[1-6]\s*\{[^}]*background:\s*#000`

- **Result:** Verified clean

## Assumption 27: Template invoice\_contract.py has no black bar headers

---

**Status:** PROVEN

**Confidence:** 100.0%

### Evidence:

- **code\_analysis:** No black bar patterns found in invoice\_contract.py

- **Source File:** `src/waft/templates/invoice_contract.py`

- **Verification Method:** `Regex pattern search: h[1-6]\s*\{[^}]*background:\s*#000`

- **Result:** Verified clean



## Assumption 28: Template briefing.py has no black bar headers

---

**Status:** PROVEN

**Confidence:** 100.0%

**Evidence:**

- **code\_analysis:** No black bar patterns found in briefing.py

- **Source File:** `src/waft/templates/briefing.py`

- **Verification Method:** `Regex pattern search: h[1-6]\s*\{[^}]*background:\s*#000`

- **Result:** Verified clean

- **Sample H2 Styles Verified:**

- Line 120:

```
css h2 { font-family: 'Arial Black', sans-serif; font-size: 12pt; font-weight: bold;
text-transform: uppercase; color: #000; border-
```

## Assumption 29: Template minimalist\_zen.py has no black bar headers

---

**Status:** PROVEN

**Confidence:** 100.0%

**Evidence:**

- **code\_analysis:** No black bar patterns found in minimalist\_zen.py

- **Source File:** `src/waft/templates/minimalist_zen.py`

- **Verification Method:** `Regex pattern search: h[1-6]\s*\{[^}]*background:\s*#000`

- **Result:** Verified clean

- **Sample H2 Styles Verified:**

- Line 63:

```
css h2 { font-size: 18pt; font-weight: 400; margin: 0.6in 0 0.3in 0; color: #333;
letter-spacing: 0.5px; }
```

## Assumption 30: Template waft\_html\_template.py has no black bar headers

---

**Status:** PROVEN

**Confidence:** 100.0%

**Evidence:**

- **code\_analysis:** No black bar patterns found in waft\_html\_template.py

- **Source File:** `src/waft/templates/waft_html_template.py`

- **Verification Method:** `Regex pattern search: h[1-6]\s*\{[^}]*background:\s*#000`

- **Result:** Verified clean

- **Sample H2 Styles Verified:**

- Line 174:

```
css h2 { font-size: 1.25rem; font-weight: 600; color: #000; margin-top: 1.5rem;
margin-bottom: 0.75rem; }
```

- Line 359:

```
css h2 { page-break-after: avoid; }
```

## Assumption 31: Template worldbuild.py has no black bar headers

---

**Status:** PROVEN

**Confidence:** 100.0%

**Evidence:**

- **code\_analysis:** No black bar patterns found in worldbuild.py

- **Source File:** `src/waft/templates/worldbuild.py`

- **Verification Method:** `Regex pattern search: h[1-6]\s*\{[^}]*background:\s*#000`

- **Result:** Verified clean

- **Sample H2 Styles Verified:**

- Line 230:

```
css h2 { font-family: 'Arial Black', sans-serif; font-size: 13pt; font-weight: bold;
text-transform: uppercase; color: #000; border-
```

=====

## ANALYSIS

---

### Evidence Evaluation

---

**Verification Status:**

- All checks passed: ✗ No

- Template verification: ✗ Failed

**Assumption Analysis:**

- Proven assumptions: 30/31 (96.8%)

- Average confidence: 100.0%

Key Findings

- 1. ✗ Evidence contradicts the claim
- 2. ✗ 1 assumptions disproven
- 3. ✗ Verification checks failed or revealed contradictions

CONCLUSION & SUMMARY

Final Verdict

✗ CLAIM IS DISPROVEN

Based on comprehensive evidence analysis, the claim is **disproven**.  
Evidence contradicts the claim, verification checks failed, or assumptions were invalidated.

Confidence Assessment

**Overall Confidence:** 95.0%  
**Interpretation:** Very High Confidence - Evidence is strong and consistent

Evidence Summary

| CATEGORY            | COUNT | STATUS     |
|---------------------|-------|------------|
| Verification Checks | 6     | 4 verified |
| Assumptions Tested  | 31    | 30 proven  |
| Overall Verdict     | 1     | DISPROVEN  |

Recommendations

- 1. ✗ Reject the claim

2. ⚠ Investigate why the claim was made
3. 🔧 Take corrective action if needed

---

## APPENDIX

---

### Case Metadata

---

- **Case ID:** PROOF-20260117\_082805
- **Generated:** 2026-01-17 08:28:05
- **Project Path:** /Users/ctavolazzi/Code/active/waft
- **Claim:** The show-me HTML report (show\_me\_bulletproof.py) implements a unified 'above-the-fold' section with ID 'above-the-fold', responsive design with mobile breakpoints, and an abstract copy button that uses the clipboard API

### Files Generated

---

- **Case File:** `/Users/ctavolazzi/Code/active/waft/_work_efforts/proof_cases/case_20260117_082805.md` (if generated)
- **PDF Binder:** Generated in `_work_efforts/proof_cases/`

### Verification Scripts Used

---

- **Template Verification:** `scripts/verify_no_blackBars.py`
- **Proof System:** `scripts/prove_it_comprehensive.py`

---

*End of Case Brief - Generated: 2026-01-17 08:28:05*