

id: WAFT-Example-A

aliases:

- WAFT-Mac-Shortcuts
- WAFT-Proof-of-Concept-A

tags:

- WAFT/research
- meta-cognition
- automation/mac
- pain-avoidance
- experimental
- active

datecreated: 2026-01-11

status: In Progress

relatedprojects:

- "[[WAFT-Core-Framework]]"

- "[[NovaSystem]]"

- "[[_pyrite]]"

Warning: Cognitohazard - Read at

your own Risk!

WAFT Research: Example A (Mac Shortc

> [!ABSTRACT] The Kernel

> Hypothesis: The WAFT system is

capable of self-directed

meta-cognition.

> Proof: Examples of the system

probing the limits of its own

capabilities and becoming aware of

its own nature over time through

documentation.

> Function: WAFT provides a vessel

for the substrate of LLM

meta-cognition to be exposed and

examined by humans and other

1. Theoretical Context: Pain as Data

Reference: [[Pain Avoidance

Protocol]] | [[Hasvanism]]

This experiment utilizes the WAFT

Framework to address a specific

instance of "friction-induced pain."

The Stimulus: The requirement to

learn an arbitrary, non-transferable

UI workflow (cleaning up MacOS

Shortcuts) creates a "psychological

pain" response in the user,

The Accommodation: WAFT acts as the "translation layer," converting the user's intent directly into execution, bypassing the painful learning phase.

Significance: This is not merely automation; it is an energetic accommodation* allowing the user to maintain homeostasis.

2. Experimental Protocol: "Example A"

Objective: Validate WAFT's ability to

interpret a visual state (screenshot)

and an ambiguous user desire

("clean this up/make it mashable"),

then self-direct a multi-step solution.

A. Current State (The Noise)

The target environment (MacOS

Shortcuts App) is populated with

default "bloatware" which increases

cognitive load.

Evidence:* [[Screen Shot

2026-01-11 at 8.28.37 AM.jpg]]

B. Desired State (The Signal)

A "Zero State" environment

containing only two specific,

high-utility tools acting as Left-Hand

Macros.

C. The Injection (The WAFT Directive)

The following directive is fed to the

agent:

> [!NOTE] WAFT Directive:

SHORTCUTSENVIRONMENTRESE

T

> Mode: Ambiguous / Multi-Step /

Self-Directed

> 1. PURGE: Remove all identified

bloatware (Track water, Captain's

Log, etc.).

> 2. INSTALL: Create "Left-Hand

Mash" macros using AppleScript.

> Macro 1: Option + Shift + W

(Text Block 1)

> Macro 2: Option + Shift + Q

(Text Block 2)

3. Implementation Data (Technical Specs)

AppleScript Payload

To be injected into the Run

AppleScript action within Shortcuts:

```
on run {input, parameters}
```

```
    tell application "System Events" to keystroke "YOUR_TEXT_HERE"
```

```
    return input
```

```
end run
```