

Encapsulated Environments: Beings Telling Stories for Information Exchange

Summary: The system measures Agreement between Beings using Scint, a metric that represents how well two Beings' intentions align.

Generated: 2026-01-12 19:47 UTC | Ideas Extracted: 44

What Happened

The system measures Agreement between Beings using Scint, a metric that represents how well two Beings' intentions align. When Agreement is high, information exchange is safe and effective. When Agreement is low, misunderstandings occur, and the system must react accordingly.

This is the vision of encapsulated environments: isolated simulation spaces where Beings—autonomous entities with skills, memories, and evolutionary fitness—interact through storytelling. The stories they tell encode actionable information: instructions for how to accomplish tasks, and conceptual knowledge for understanding the world.

Scint, in this framework, measures the Agreement between two Beings. It is a value between 0.0 and 1.0, where:.

Intentional Harm: A Being knowingly causes harm to another Being or system. The Arrow of Intent points directly at the target, and the Being is aware of the harm they are causing.

No Harm: The Being's actions do not cause harm, or any harm caused is acceptable within the system's parameters.

How To Understand What Things Are: Conceptual knowledge, definitions, and understanding. For example, a story might encode what a concept means, how a system works, or why something behaves the way it does.

Develop the story encoding and decoding system: Story information schema definition Encoding methods for "How To Do" and "How To Understand" Decoding with Agreement threshold checks.

Encapsulated environments represent a novel approach to evolutionary communication systems, where stories serve as information carriers and Agreement (measured by Scint) ensures safe exchange. By tracking Intent through Arrows and harm through a comprehensive tracking system, the framework enables Beings to evolve communication strategies while minimizing misunderstandings and harm.

The system builds on existing Being, storytelling, and Scint infrastructure, extending these concepts to create a meta-system for information exchange. Through phased implementation and careful testing, this framework can enable new forms of evolutionary learning and knowledge transfer.

Intent Alignment: How well do the Beings' Arrows of Intent point in the same direction?

Shared Understanding: What common knowledge, memories, or lessons do the Beings share?

Exchange History: How many successful information exchanges have occurred between these Beings?

When two Beings have high Scint, they can safely exchange information through stories. When Scint is low, the system must handle misalignment reactions.

When two Beings' Arrows point in the same direction, their intentions are aligned. They can work together, share information, and collaborate effectively. When the Arrows point in different directions, there is misalignment, and the system must determine how to react.

This document presents a framework for creating encapsulated environments where evolving Beings communicate through storytelling to exchange information about "How To Do Things" and "How To Understand What Things Are." The system uses Scint as a measurable Agreement metric between Beings, tracks Intent through an Arrow of Intent mechanism, and enables safe information exchange when Beings' intentions align. This research explores how stories can serve as information carriers, how Agreement can be measured and maintained, and how multi-layered environments can create emergent behaviors through interaction.

Imagine a world where entities evolve not just through natural selection, but through the stories they tell each other. Where information flows not through direct data transfer, but through narrative encoding. Where safety in communication is measured not by encryption strength, but by the alignment of intent between storyteller and listener.

1.0 represents perfect Agreement: both Beings' intentions are fully aligned, they share common understanding, and information exchange is completely safe.

0.7-0.9 represents strong Agreement: Beings can exchange information reliably, with minimal risk of misunderstanding.

0.4-0.6 represents moderate Agreement: Information exchange is possible but may require clarification or result in partial understanding.

0.0-0.3 represents low Agreement: Information exchange is risky, likely to result in misunderstanding or harm.

Every Being has an Arrow of Intent—a directional vector that points from the Being toward their intended destination or goal. The Arrow represents where the Being's actions and decisions are directed.

The Arrow of Intent is not just a metaphor—it is a measurable 3D vector that can be compared between Beings. Alignment is calculated as the cosine similarity between two Arrows: when the Arrows are parallel, alignment is 1.0; when they are perpendicular, alignment is 0.0; when they point in opposite directions, alignment is -1.0.

Additional Details

Harm in this system is tracked through a Harm class that distinguishes between intentional and unintentional harm:.

Harm tracking affects Agreement calculations: intentional harm significantly reduces Scint between Beings, while unintentional harm has a smaller impact. This creates an incentive for Beings to align their intentions and avoid causing harm.

Stories in this system are not just entertainment—they are information carriers. A story encodes two types of information:.

How To Do Things: Actionable instructions, procedures, and methods. For example, a story might encode the steps to solve a problem, the sequence of actions to complete a task, or the technique to perform a skill.

Stories are encoded with a structured information payload that includes: The type of information (How To Do vs. How To Understand) The actual information content The encoding method used The requirements for decoding (what Agreement level is needed) Metadata about the storyteller and context.

When a Being receives a story, they attempt to decode the information. If their Agreement (Scint) with the storyteller is above the story's threshold, decoding succeeds. If Agreement is below the threshold, information is lost or misunderstood.

An encapsulated environment is an isolated simulation space where Beings interact. Each environment is self-contained, with its own set of Beings, stories, Agreement matrix, and harm history.

Environments can be stacked—layered on top of each other like a cosmic soup, foam, pond, puddle, or ocean. Each layer can interact internally (within the layer) and externally (with other layers). This creates complex, emergent behaviors as interactions ripple through the layers.

The Harm class tracks all harm caused by Beings, including: The source Being (who caused the harm) The target Being or system (who or what was harmed) The Arrow of Intent (direction and intent type) The type of harm (physical, emotional, informational, systemic) The severity (0.0 to 1.0) Whether the harm was intentional or unintentional Whether the harm has been resolved.

This tracking enables the system to calculate Agreement accurately and to react appropriately to misalignment.

The Agreement system calculates Scint between Being pairs by: Measuring Arrow of Intent alignment (cosine similarity) Calculating shared understanding (overlap in memories, lessons, skills) Counting successful information exchanges Factoring in harm history (intentional harm reduces Agreement).

Stories are structured with: A story ID and storyteller Being ID The information type (How To Do or How To Understand) The information payload (structured data) The encoding method used The decoding requirements (minimum Agreement threshold) Metadata about context and creation.

The communication protocol handles: Storytelling: A Being tells a story with encoded information Story reception: A Being receives and attempts to decode a story Information exchange: Two Beings attempt to exchange information Agreement checks: Verification that Agreement threshold is met Misalignment reactions: Handling cases where Agreement is too low.

Build the core classes and data structures: Harm class with Arrow of Intent tracking Agreement measurement system using Scint Arrow of Intent visualization and storage.

Create the encapsulated environment simulation: Environment class with Being management Story exchange protocols Multi-layered environment stacking.

Implement Being-to-Being communication: Storytelling and reception methods Information exchange protocols Misalignment reaction handling.

Integrate all components and test the full system: End-to-end simulation with multiple Beings Agreement evolution tracking Stacked environment interaction testing.

Safe Information Transfer: Agreement-based access control ensures information is only exchanged when intentions are aligned, reducing harm from misunderstandings.

Emergent Behaviors: Stacked environments create complex, emergent behaviors as interactions ripple through layers.

Research Date: January 12, 2026 Status: Hypothesis Formulated, Architecture Designed, Implementation Planned Work Effort: WE-260112-z87p.

A Research Framework for Evolutionary Communication Systems.

The result is a Scint value (0.0-1.0) that represents how well two Beings can communicate safely.

Content Breakdown

Type	Count
Decisions	1
Insights	1
Actions	10
Concepts	26
Questions	6