

Another Cycle Command

Another Cycle

****Complete development cycle from**

orientation to evolution.**

Orchestrates all major workflows into

a single comprehensive master

workflow: onboard -> explore ->

check-assumptions -> hypothesis ->

critique ->

comprehensive-orchestration ->

analyze -> engineer -> improve ->

version-bake -> run-it -> prove-it ->

Another Cycle Command

****Use when:**** Starting major new

work, need complete systematic

approach, want full cycle from

onboarding through quality

assurance and evolution.

Purpose

Another Cycle Command

This command provides:

- **Complete Orientation**: Full

onboarding and exploration

- **Comprehensive Analysis**:

Assumption validation, hypothesis

formation, critique, orchestration

- **Full Engineering**: Complete

engineering workflow

- **Quality Assurance**:

Improvements, version-bake, run-it,

proof

- **Evolution**: Being evolution from

Source

Another Cycle Command

- **Reflection**: Journal and learning

capture

- **Planning**: Next steps, goals,

checkpoints

Philosophy

1. Complete Lifecycle Coverage

Another Cycle Command

The workflow covers the entire

development lifecycle:

- **Orientation**: Get oriented and

understand the codebase

- **Analysis**: Validate assumptions,

form hypotheses, critique,

orchestrate

- **Engineering**: Plan and

implement systematically

- **Quality**: Improve, verify, and

prove quality

- **Evolution**: Track Being evolution

and genetic lineage

Another Cycle Command

- **Planning**: Identify next steps

and track goals

2. Systematic Progression

Each phase builds on the previous:

- Orientation provides foundation for

analysis

- Analysis informs engineering

decisions

- Engineering creates work for

quality assurance

- Quality ensures evolution is

meaningful

Another Cycle Command

- Evolution captures learnings for

future cycles

3. Evidence-Based Throughout

Every phase produces evidence:

- Assumptions validated with traces

- Hypotheses verified with evidence

- Decisions supported by data

- All findings documented and

traceable

Another Cycle Command

4. Self-Correcting Balance

The workflow includes self-correcting

mechanisms:

- Deep analysis before critique

(prevents being too harsh)

- Multiple verification points (ensures

accuracy)

- Reflection after work (captures

learnings)

- Evolution tracking (preserves

genetic lineage)

Another Cycle Command

Workflow Sequence

The command executes 17 phases

organized into 6 logical groups:

Group 1: Orientation & Setup

****Phase 1: `/onboard`****

- Standard repository onboarding

- Proceed -> spin-up -> analyze ->

phase1 -> prepare -> recap

- Get oriented to the project

- Initial analysis and setup

Another Cycle Command

****Phase 2: `/explore`****

- Deep codebase exploration
- Structure, architecture, patterns,
dependencies
- Key functionality mapping
- Integration points identification

****Time Estimate****: ~10-15 minutes

Another Cycle Command

Group 2: Analysis & Planning

****Phase 3: `/check-assumptions`****

- Identify and validate all

assumptions

- Categorize by type and risk

- Gather evidence from multiple

sources

- Generate validation report with

traces

Another Cycle Command

****Phase 4: `/hypothesis`****

- Form testable hypotheses based

on findings

- Identify supporting/contradicting

evidence

- Define verification plan

- Assess confidence level

Another Cycle Command

****Phase 5: `/critique`****

- Security-first adversarial review
- Find vulnerabilities, assumptions,
overengineering
- Prioritize by severity (CRITICAL
first)
- Generate critique report

Another Cycle Command

****Phase 6:**

`/comprehensive-orchestration`**

- Full orchestration workflow (prompt

template)

- Spin-up -> consider -> engineer ->

visualize -> analyze -> goal ->

checkpoint -> execute -> hypothesis

-> verify -> reflect -> recap ->

proceed -> decide

- Complete strategic planning

- ****Note****: This is a prompt template,

not an executable command -

execute phases manually or use

Another Cycle Command

****Phase 7: `/analyze`****

- Data analysis, insights, and action

planning

- Health analysis

- Issue identification

- Opportunity discovery

- Pattern analysis

- Prioritized action plan

Another Cycle Command

****Time Estimate****: ~60-90 minutes

Group 3: Engineering & Implementation

****Phase 8: `/engineer`****

- Complete engineering workflow

- Spin-up -> explore -> draft plan ->

- critique plan -> finalize plan -> begin

- Systematic implementation

approach

- Active tool usage (Empirica,

- _pyrite, GitHub MCP, work-efforts)

Another Cycle Command

****Time Estimate****: ~45-80 minutes

Group 4: Quality Assurance

****Phase 9: `/improve`****

- Identify and prioritize improvements

- Code quality, documentation,

architecture, testing, performance,

usability

- Score-based ranking

- Actionable recommendations

Another Cycle Command

****Phase 10: `/version-bake`****

- Complete quality workflow

- Reflect -> run-it -> improve ->

check-assumptions -> verify ->

hypothesis -> prove-it

- Tracks genetic lineage of ideas

- Self-correcting loop

Another Cycle Command

****Phase 11: `/run-it`****

- Comprehensive workflow

orchestration (15 phases)

- Consider -> think ->

check-assumptions -> deep-analyze

-> critique -> status -> hypothesis ->

prove-it -> verify -> proceed -> reflect

-> checkpoint -> decide -> next ->

goal

- Self-correcting balance

Another Cycle Command

****Phase 12: `/prove-it`****

- Prove scientific method tool works

- Run simple and real experiment

proofs

- Show state capture (A & B) and

data collection (C)

- Verify file persistence

Another Cycle Command

****Time Estimate****: ~60-110 minutes

Group 5: Evolution & Reflection

****Phase 13: `/evolve`****

- Spawn new Being from Source

- Run complete version-bake

workflow

- Track genetic lineage from Source

outward and back

- Document Being evolution

Another Cycle Command

****Phase 14: `/journal`****

- AI journal system hub

- View recent entries, search,

statistics

- Write new reflections

- Capture learnings

****Time Estimate**:** ~60-115 minutes

Another Cycle Command

Group 6: Planning & Tracking

****Phase 15: `/next`****

- Identify next step based on goals

- Analyze active goals, work in

progress, context

- Prioritize by importance and

urgency

- Provide actionable

recommendation

Another Cycle Command

****Phase 16: `/goal`****

- Track larger goals and break into

steps

- Review current goals

- Update progress

- Create new goals if needed

****Phase 17: `/checkpoint`****

- Create situation report and status

update

- Recap conversation

- Document current state

- Update devlog and work efforts

Another Cycle Command

****Time Estimate****: ~5-10 minutes

Complete Execution Sequence

...

Group 1: Orientation & Setup

1. /onboard -> Standard

onboarding

2. /explore -> Deep

exploration

Another Cycle Command

Group 2: Analysis & Planning

3. /check-assumptions ->

Validate assumptions

4. /hypothesis -> Form

hypotheses

5. /critique ->

Adversarial review

6. /comprehensive-orchestration ->

Full orchestration

7. /analyze -> Data

analysis

Another Cycle Command

Group 3: Engineering &

Implementation

8. /engineer ->

Complete engineering workflow

Group 4: Quality Assurance

9. /improve ->

Improvement analysis

10. /version-bake -> Quality

workflow

11. /run-it ->

Comprehensive workflow

12. /prove-it -> Scientific

method proof

Another Cycle Command

Group 5: Evolution & Reflection

13. /evolve -> Being

evolution

14. /journal -> Journal

hub

Group 6: Planning & Tracking

15. /next -> Next step

identification

16. /goal -> Goal

tracking

17. /checkpoint -> Status

checkpoint

Another Cycle Command

...

Execution Steps

Step 1: Initialize Cycle

****Purpose**:** Set up for complete

cycle execution

Another Cycle Command

****Actions****:

1. Check current state (date,

directory, git status)
2. Verify prerequisites (tools,

dependencies)
3. Identify current work effort (if

applicable)
4. Create cycle tracking document
5. Display cycle overview

Another Cycle Command

****Output****: Cycle initialized, ready to

begin

Step 2: Execute Group 1 - Orientation & Setup

****Purpose****: Get oriented and

explore codebase

****Actions****:

1. Execute `/onboard` - Standard

onboarding

2. Execute `/explore` - Deep

exploration

3. Document findings from

orientation

Another Cycle Command

4. Update cycle tracking

****Output****: Orientation complete,

codebase understood

Step 3: Execute Group 2 - Analysis & Planning

****Purpose****: Comprehensive

analysis and planning

Another Cycle Command

****Actions****:

1. Execute `/check-assumptions` -

Validate assumptions

2. Execute `/hypothesis` - Form

hypotheses

3. Execute `/critique` - Adversarial

review

4. Execute

`/comprehensive-orchestration` - Full

orchestration

5. Execute `/analyze` - Data analysis

6. Document all analysis findings

7. Update cycle tracking

Another Cycle Command

****Output****: Analysis complete, plan

ready

Step 4: Execute Group 3 - Engineering & Implementation

****Purpose****: Systematic engineering

and implementation

****Actions****:

1. Execute `/engineer` - Complete

engineering workflow

2. Document implementation

progress

3. Update cycle tracking

Another Cycle Command

****Output****: Engineering complete,

implementation done

Step 5: Execute Group 4 - Quality Assurance

****Purpose****: Comprehensive quality

assurance

****Actions****:

1. Execute `/improve` - Improvement

analysis

2. Execute `/version-bake` - Quality

workflow

3. Execute `/run-it` - Comprehensive

workflow

Another Cycle Command

4. Execute `/prove-it` - Scientific

method proof

5. Document quality findings

6. Update cycle tracking

****Output****: Quality assurance

complete, everything verified

Step 6: Execute Group 5 - Evolution & Reflection

Another Cycle Command

****Purpose****: Being evolution and

reflection

****Actions****:

1. Execute `/evolve` - Being

evolution

2. Execute `/journal` - Journal hub

3. Document evolution and

reflections

4. Update cycle tracking

Another Cycle Command

****Output****: Evolution complete,

learnings captured

Step 7: Execute Group 6 - Planning & Tracking

****Purpose****: Next steps and goal

tracking

****Actions****:

1. Execute `/next` - Next step

identification

2. Execute `/goal` - Goal tracking

3. Execute `/checkpoint` - Status

checkpoint

Another Cycle Command

4. Document final state

5. Complete cycle tracking

****Output****: Planning complete, cycle

finished

Configuration Options

`--quick`

Another Cycle Command

Skip non-essential phases for faster

execution:

- Skips comprehensive-orchestration

(uses shorter analysis)

- Skips evolve (no Being evolution)

- Skips some reflection phases

- Focuses on core workflow

Another Cycle Command

****Example**:** `/another-cycle --quick``

``--focus <area>``

Focus on specific area:

- ``orientation`` - Only Group 1

(onboard, explore)

- ``analysis`` - Only Group 2

(check-assumptions, hypothesis,

critique,

comprehensive-orchestration,

analyze)

- ``engineering`` - Only Group 3

(engineering)

Another Cycle Command

- `quality` - Only Group 4 (improve,

version-bake, run-it, prove-it)

- `evolution` - Only Group 5 (evolve,

journal)

- `planning` - Only Group 6 (next,

goal, checkpoint)

****Example**:** `/another-cycle --focus

quality`

Another Cycle Command

`--skip <phases>`

Skip specific phases

(comma-separated):

- List phase numbers or names to

skip

- Useful for customizing workflow

Another Cycle Command

****Example**:** `/another-cycle --skip`

`"evolve,journal"`

`--phases <list>`

Run only specified phases

(comma-separated):

- List phase numbers or names to

run

- Useful for custom workflows

Another Cycle Command

Example: `/another-cycle`

`--phases`

`"onboard,explore,check-assumptions`

`"``

Error Handling

If any phase fails:

Another Cycle Command

1. ****Document the Failure****:

- Note which phase failed
- Document error message
- Capture context at time of failure

2. ****Continue if Possible****:

- Skip failed phase if not critical
- Continue with remaining phases
- Note what was skipped

Another Cycle Command

3. ****Provide Summary****:

- List completed phases
- List failed phases
- Note partial completions

4. ****Suggest Remediation****:

- Provide steps to fix failure
- Suggest alternative approaches
- Recommend when to retry

Another Cycle Command

****Graceful Degradation****: The command continues with available phases even if some fail. Critical phases may cause subsequent phases to skip, but non-critical failures shouldn't stop the entire cycle.

Another Cycle Command

Output Documentation

Each phase generates specific

outputs:

****Group 1 (Orientation)**:**

- Onboard: Orientation documents,

analysis reports

- Explore: Exploration documents in

`\_pyrite/active/`

Another Cycle Command

****Group 2 (Analysis)**:**

- Check-Assumptions: Validation

report with traces

- Hypothesis: Hypothesis file in

`\_pyrite/hypothesis/`

- Critique: Critique report in

`\_work\_efforts/`

- Comprehensive-Orchestration:

Multiple orchestration documents

- Analyze: Analysis report in

`\_pyrite/phase2/`

Another Cycle Command

****Group 3 (Engineering)**:**

- Engineering: Engineering

documents, plans, implementation

****Group 4 (Quality)**:**

- Improve: Improvement report

- Version-Bake: Quality workflow

documents

- Run-It: Multiple workflow

documents

- Prove-It: Proof results in

`scientific_method_tool/experiments/

,

Another Cycle Command

****Group 5 (Evolution)**:**

- Evolve: Being evolution documents,

genetic lineage

- Journal: Journal entries in

`\_pyrite/journal/`

****Group 6 (Planning)**:**

- Next: Next step recommendation

- Goal: Goal tracking updates

- Checkpoint: Checkpoint file in

`\_work\_efforts/`

Another Cycle Command

****Cycle Tracking****: All outputs linked

in cycle tracking document

Time Estimates

****Per Group****:

- Group 1 (Orientation): ~10-15

minutes

- Group 2 (Analysis): ~60-90 minutes

- Group 3 (Engineering): ~45-80

minutes

- Group 4 (Quality): ~60-110 minutes

- Group 5 (Evolution): ~60-115

minutes

Another Cycle Command

- Group 6 (Planning): ~5-10 minutes

****Total****: ~240-420 minutes (4-7

hours) for complete cycle

****With `--quick`****: ~120-180 minutes

(2-3 hours)

****With `--focus`****: Varies by group

selected

Another Cycle Command

Integration

This command orchestrates:

- `/onboard` - Standard onboarding
- `/explore` - Deep exploration
- `/check-assumptions` - Assumption

validation

- `/hypothesis` - Hypothesis

formation

- `/critique` - Adversarial review
- `/comprehensive-orchestration` -

Full orchestration

Another Cycle Command

- `/analyze` - Data analysis
- `/engineer` - Engineering workflow
- `/improve` - Improvement analysis
- `/version-bake` - Quality workflow
- `/run-it` - Comprehensive workflow
- `/prove-it` - Scientific method proof
- `/evolve` - Being evolution
- `/journal` - Journal hub
- `/next` - Next step identification
- `/goal` - Goal tracking
- `/checkpoint` - Status checkpoint

Another Cycle Command

Differences from Other Commands

vs `/run-it`

****`/another-cycle` includes**:**

- Onboard and explore (orientation)

- Comprehensive-orchestration (full

strategic planning)

- Analyze (data analysis)

- Engineering (implementation

workflow)

- Improve (improvement analysis)

- Version-bake (quality workflow)

Another Cycle Command

- Evolve (Being evolution)
- Journal (reflection hub)
- Next, goal, checkpoint (planning)

****`/run-it` focuses on**:**

- Systematic workflow with

verification and critique

- 15 phases of analysis, verification,

decision-making

Another Cycle Command

****Key Difference**:** ``/another-cycle``

is the complete lifecycle, ``/run-it`` is a

focused systematic workflow.

vs ``/version-bake``

****``/another-cycle`` includes**:**

- Full lifecycle from orientation to

planning

- All major workflows combined

Another Cycle Command

`/version-bake` focuses on:

- Quality assurance workflow
- Genetic lineage tracking

Key Difference: **`/another-cycle`**

is broader lifecycle, **`/version-bake`**

is quality-focused.

vs **`/engineer`**

Another Cycle Command

****`/another-cycle` includes**:**

- Engineering plus orientation,

analysis, quality, evolution, planning

****`/engineer` focuses on**:**

- Engineering workflow (spin-up ->

explore -> draft -> critique -> finalize

-> begin)

Another Cycle Command

****Key Difference**:** `/another-cycle``

includes engineering as one phase,

`/engineer`` is the full engineering

workflow.

Best Practices

1. ****Use for Major Initiatives**:** This

is a comprehensive cycle - use for

major work, not quick tasks

Another Cycle Command

2. ****Allow Time****: Full cycle takes

4-7 hours - plan accordingly

3. ****Use Configuration Options****:

Use `--quick`, `--focus`, or `--skip` to

customize

4. ****Review Outputs****: Each phase

generates documentation - review as

you go

Another Cycle Command

5. **Trust the Process**: The

systematic progression is intentional

- trust it

6. **Document Everything**: All

phases create documentation - use it

for future reference

7. **Handle Errors Gracefully**:

Continue with available phases if

some fail

Another Cycle Command

8. **Track Progress**: Use cycle

tracking document to monitor

progress

When to Use

Use `/another-cycle` when:

- [OK] Starting major new initiative

- [OK] Need complete systematic

approach

- [OK] Want full cycle from start to

finish

- [OK] Need comprehensive quality

assurance

Another Cycle Command

- [OK] Want Being evolution tracking

- [OK] Need complete lifecycle

coverage

- [OK] Starting significant new work

****Don't use `/another-cycle` when**:**

- [X] Quick task or simple change

- [X] Already have full understanding

- [X] Time-constrained (use `--quick`

or individual commands)

- [X] Just need one specific workflow

- [X] Routine maintenance work

Another Cycle Command

Usage Examples

Standard Execution

...

/another-cycle

...

Another Cycle Command

Executes all 17 phases in 6 groups.

Use when:

- Starting major new initiative
- Need complete lifecycle coverage
- Want comprehensive quality

assurance

Quick Mode

Another Cycle Command

...

/another-cycle --quick

...

Runs essential phases only. Use

when:

- Time-constrained
- Need faster execution
- Some phases not applicable

Another Cycle Command

Focus on Specific Area

...

/another-cycle --focus quality

...

Runs only quality assurance group.

Use when:

- Need focused quality workflow
- Other areas already complete
- Want targeted analysis

Another Cycle Command

Skip Specific Phases

...

```
/another-cycle --skip "evolve,journal"
```

...

Runs cycle without evolution and

journal. Use when:

- Don't need Being evolution
- Want to skip reflection phases
- Customizing workflow

Another Cycle Command

Custom Phase Selection

...

/another-cycle --phases

"onboard,explore,check-assumptions

,analyze"

...

Another Cycle Command

Runs only specified phases. Use

when:

- Want custom workflow
- Need specific phases only
- Building custom sequence

Output Summary

Another Cycle Command

After completion, provides:

1. ****Orientation Complete****:

Onboarded and explored codebase

2. ****Analysis Complete****:

Assumptions validated, hypotheses

formed, critique done, orchestrated,

analyzed

3. ****Engineering Complete****:

Systematic implementation done

4. ****Quality Complete****:

Improvements identified,

version-baked, run-it executed,

proven

Another Cycle Command

5. ****Evolution Complete****: Being

evolved, learnings captured

6. ****Planning Complete****: Next steps

identified, goals tracked, checkpoint

created

****All outputs documented and linked**

in cycle tracking document**

Another Cycle Command

Command Dependencies

The command requires:

- All individual commands to be

available

- Empirica CLI (for some phases)

- MCP servers (for some phases)

- Git repository (for some checks)

- Scientific method tool (for prove-it)

Another Cycle Command

If dependencies are missing:

- Document which phases are

skipped

- Continue with available phases

- Provide guidance on installing

missing dependencies

Example Workflow

Another Cycle Command

...

User: "/another-cycle"

AI: [Executes Group 1: Orientation]

AI: [Executes Group 2: Analysis]

AI: [Executes Group 3: Engineering]

AI: [Executes Group 4: Quality]

AI: [Executes Group 5: Evolution]

AI: [Executes Group 6: Planning]

Another Cycle Command

AI: [OK] Another Cycle Finished

- Phases completed: 17/17

- Groups completed: 6/6

- Time elapsed: ~5 hours

- All outputs documented

Cycle tracking: [link]

* Next: [Based on /next

recommendation]

...

Another Cycle Command

****This command provides the
complete development lifecycle from
orientation through evolution -
perfect for major initiatives requiring
comprehensive systematic
approach.****