

FIELD GUIDE FG-QT-001

QUANTUM TUNNELING SURVIVAL GUIDE

Essential Protocols for Quantum-Unstable Environments

RESTRICTED - L5+ PERSONNEL ONLY

Issued by: TELEPORT MASSIVE Quantum Safety Office

Date: January 2026

INTRODUCTION

This field guide provides essential protocols for personnel operating in quantum-unstable environments. Quantum tunneling events can occur without warning. Following these procedures may save your life.

WARNING

Quantum tunneling can cause instantaneous molecular displacement. Never enter a quantum zone without proper containment equipment. Failure to follow safety protocols has resulted in 23 fatalities this year.

RESTRICTED - L5+ PERSONNEL ONLY

EQUIPMENT CHECKLIST

REQUIRED EQUIPMENT

- ☐ Quantum Containment Suit (QCS-7 or newer)
- ☐ Wavefunction Stabilizer (calibrated within 24 hours)
- ☐ Emergency Beacon (fresh batteries)
- ☐ Entanglement Detector
- ☐ Reality Anchor Device
- ☐ Backup oxygen supply (minimum 6 hours)

PRE-ENTRY PROCEDURES

- 1 Don full quantum containment suit. Verify all seals are intact. Check pressure gauge reads green (15-20 PSI).
- 2 Activate wavefunction stabilizer. Wait for steady blue light. If light flickers or turns red, ABORT entry.
- 3 Test emergency beacon. Confirm signal reception by control room. Announce your entry time and expected duration.
- 4 Attach reality anchor to belt. Enable auto-stabilization mode. Device should emit faint humming sound.
- 5 Enter airlock. Wait for pressure equalization. Green light indicates safe to proceed into quantum zone.

QUANTUM TUNNELING EVENT RESPONSE

Recognition

You may be experiencing quantum tunneling if you observe:

- Objects phasing through solid barriers
- Duplicate versions of yourself in peripheral vision
- Sudden temperature fluctuations ($\pm 50^{\circ}\text{C}$)
- Gravitational anomalies (floating objects, inverted gravity)
- Time dilation effects (clock discrepancies > 5 seconds)

CAUTION

Do NOT attempt to interact with quantum duplicates. Observation collapses the wavefunction unpredictably.

Immediate Response

- 1

FREEZE. Do not move. Sudden movement can destabilize your quantum state.
- 2

Activate reality anchor emergency mode (red button). This consumes battery rapidly—use only in genuine emergencies.
- 3

Trigger emergency beacon. Control will attempt remote stabilization.
- 4

Close your eyes. Observation affects quantum states. Minimize sensory input until stabilization confirmed.
- 5

Wait for all-clear signal from control (three short beeps). Only then may you resume movement.

EMERGENCY EVACUATION

Evacuate immediately if:

- Wavefunction stabilizer fails (red light or no light)
- Reality anchor battery below 20%
- Oxygen supply below 1 hour
- You experience "quantum sickness" (nausea, disorientation, seeing impossible colors)
- Control orders evacuation

⚠ CRITICAL WARNING

If you become partially tunneled (half your body phased through a wall), DO NOT PANIC. Remain calm. Control will dispatch rescue team with quantum extraction equipment. Movement will worsen your condition.

COMMON HAZARDS

Table 1: Quantum Zone Hazard Reference

Hazard	Severity	Response
Wavefunction Collapse	CRITICAL	Emergency anchor activation
Entanglement Event	HIGH	Isolate affected personnel
Time Dilation (< 1 min)	MODERATE	Recalibrate stabilizer

Quantum Duplication	HIGH	Avoid observation, alert control
Reality Fluctuation	MODERATE	Increase anchor power

POST-EXPOSURE PROTOCOL

After exiting quantum zone:

- Report to medical immediately for quantum coherence scan
- Submit equipment for inspection and recalibration
- Complete incident report (even if uneventful)
- Mandatory 24-hour observation period before next entry

NOTE

Personnel experiencing persistent quantum effects (lingering duplicates, spontaneous tunneling, quantum dreams) must report to Dr. Vasquez in Medical immediately. These symptoms may indicate quantum contamination.

CONTACT INFORMATION

Emergency Hotline: Extension 911
Quantum Safety Office: Dr. Michael Torres, ext. 2847
Medical (Quantum Division): Dr. Elena Vasquez, ext. 3156
Equipment Maintenance: Engineering Bay 7, ext. 5500

APPENDIX A: EQUIPMENT SPECIFICATIONS

Quantum Containment Suit QCS-7

- **Manufacturer:** TELEPORT MASSIVE Defense Systems
- **Quantum Shielding:** 99.7% wavefunction isolation
- **Operating Temperature:** -200°C to +500°C
- **Pressure Rating:** 0.001 to 100 atmospheres
- **Battery Life:** 8 hours continuous use
- **Certification Required:** QSO Level 3

Reality Anchor RA-3000

- **Function:** Maintains quantum coherence in unstable fields
- **Range:** 3 meter radius
- **Power Source:** Quantum battery (6 month lifespan)
- **Emergency Mode:** 300% power boost (15 minute duration)
- **Weight:** 2.3 kg

REMEMBER: Your survival depends on following these procedures.