



Triple-Coincidence Hit #1 | ~50.3234 MHz


LWA-NA | 50.323384 MHz | SNR 19.5 | drift 0.02943 Hz/s



LWA-SV | 50.323384 MHz | SNR 31.3 | drift 0.03924 Hz/s



LWA-1 | 50.323379 MHz | SNR 19.2 | drift 0.01962 Hz/s



Triple-coincidence hit #1

— Per-station —

LWA-NA	freq 50.323384 MHz	drift +0.02943 Hz/s	SNR 19.5
LWA-SV	freq 50.323384 MHz	drift +0.03924 Hz/s	SNR 31.3
LWA-1	freq 50.323379 MHz	drift +0.01962 Hz/s	SNR 19.2

— Pairwise Δ —


NA - SV	Δ freq +0.000 Hz	Δ drift -0.00981 Hz/s
NA - 1	Δ freq +5.000 Hz	Δ drift +0.00981 Hz/s
SV - 1	Δ freq +5.000 Hz	Δ drift +0.01962 Hz/s

— Tolerances applied —


freq ± 10 Hz
drift ± 0.80 Hz/s

Triple-Coincidence Hit #2 | ~54.2975 MHz


LWA-NA | 54.297476 MHz | SNR 69.9 | drift -0.00490 Hz/s



LWA-SV | 54.297477 MHz | SNR 474.4 | drift -0.00981 Hz/s



LWA-1 | 54.297475 MHz | SNR 471.6 | drift -0.01962 Hz/s



Triple-coincidence hit #2

— Per-station —

LWA-NA	freq 54.297476 MHz	drift -0.00490 Hz/s	SNR 69.9
LWA-SV	freq 54.297477 MHz	drift -0.00981 Hz/s	SNR 474.4
LWA-1	freq 54.297475 MHz	drift -0.01962 Hz/s	SNR 471.6

— Pairwise Δ —


NA - SV	Δ freq -1.000 Hz	Δ drift +0.00490 Hz/s
NA - 1	Δ freq +1.000 Hz	Δ drift +0.01471 Hz/s
SV - 1	Δ freq +2.000 Hz	Δ drift +0.00981 Hz/s

— Tolerances applied —


freq ± 10 Hz
drift ± 0.80 Hz/s

Triple-Coincidence Hit #3 | ~54.3214 MHz


LWA-NA | 54.321399 MHz | SNR 168.2 | drift -0.00490 Hz/s



LWA-SV | 54.321403 MHz | SNR 1089.8 | drift -0.00981 Hz/s



LWA-1 | 54.321400 MHz | SNR 1093.2 | drift -0.01962 Hz/s



Triple-coincidence hit #3

— Per-station —

LWA-NA	freq 54.321399 MHz	drift -0.00490 Hz/s	SNR 168.2
LWA-SV	freq 54.321403 MHz	drift -0.00981 Hz/s	SNR 1089.8
LWA-1	freq 54.321400 MHz	drift -0.01962 Hz/s	SNR 1093.2




— Pairwise Δ —

NA - SV	Δ freq -4.000 Hz	Δ drift +0.00490 Hz/s
NA - 1	Δ freq -1.000 Hz	Δ drift +0.01471 Hz/s
SV - 1	Δ freq +3.000 Hz	Δ drift +0.00981 Hz/s

— Tolerances applied —

freq ± 10 Hz
drift ± 0.80 Hz/s

Triple-Coincidence Hit #4 | ~54.3154 MHz



Triple-coincidence hit #4

— Per-station —

LWA-NA	freq 54.315420 MHz	drift -0.00490 Hz/s	SNR 822.1
LWA-SV	freq 54.315424 MHz	drift -0.00981 Hz/s	SNR 5219.0
LWA-1	freq 54.315419 MHz	drift -0.01962 Hz/s	SNR 5103.2

— Pairwise Δ —

NA - SV	Δ freq -4.000 Hz	Δ drift +0.00490 Hz/s
NA - 1	Δ freq +1.000 Hz	Δ drift +0.01471 Hz/s
SV - 1	Δ freq +5.000 Hz	Δ drift +0.00981 Hz/s

— Tolerances applied —

freq ± 10 Hz
drift ± 0.80 Hz/s