

Push API V3

Common Objects

These objects are reusable components that appear in multiple messages. For the actual messages that we send, see the Messages section below.

Address

Fields:

- street - street address
- street_2 - second part of the street address
- street_3 - third part of the street address
- city - city of the address
- county - county of the address
- stateCode - state of the address
- postalCode - postal code of the address
- postalCodeExtension - extension of the postal code for the address
- countryCode - code for the country of the address

JavaScript

```
{
  "street": "STRING",
  "street2": "STRING",
  "street3": "STRING",
  "city": "STRING",
  "county": "STRING",
  "stateCode": "STRING",
  "postalCode": "STRING",
  "postalCodeExtension": "STRING",
  "countryCode": "STRING",
}
```

Company

Fields:

- companyId- id of the company
- name - name of the company

JavaScript

```
{
  "companyId": 1,
  "name": "STRING",
  "customData": {
    "someCustom": "object, if custom data has been created for it"
  }
}
```

Fleet

Fields:

- fleetId- id of the fleet
- name - name of the fleet

JavaScript

```
{
  "fleetId": 1,
  "name": "STRING",
  "customData": {
    "someCustom": "object, if custom data has been created for it"
  }
}
```

Geofence

Fields:

- geofenceId - id of the geofence
- name - name of the geofence
- fenceGroup - name of the geofence group

JavaScript

```
{
  "geofenceId": 1,
  "name": "STRING",
  "fenceGroup": "STRING",
  "customData": {
    "someCustom": "object, if custom data has been created for it"
  }
}
```

Person

Fields:

- personId - id of the person
- name - name of the person

JavaScript

```
{
  "personId": 1,
  "name": "STRING",
  "customData": {
    "someCustom": "object, if custom data has been created for it"
  }
}
```

Tool Tracker

Fields:

- toolTrackerId - id of the tool tracker
- serialNumber - serial number of the tool tracker
- fleetId - id of the fleet that the tool tracker belongs to
- leftBehindAlertExcluded - whether the creation of Tool Left Behind alerts has been suspended for this tracker.
- notes - user-entered notes for this tool tracker
- markerInitials - initials used for this tool tracker on the map screen
- homeBaseGeofenceId: id of the geofence used as this tool tracker's home base.

JSON

```
{
  "toolTrackerId": 1,
  "serialNumber": "STRING",
  "fleetId": 1,
  "leftBehindAlertExcluded": false,
  "notes": "STRING",
  "markerInitials": "STRING",
  "homeBaseGeofenceId": 1,
}
```

Tracked Item

Fields:

- itemId: id of the tracked item
- itemName: name of the tracked item
- makeModel: make and model of the tracked item
- serialNumber: serial number of the tracked item

JSON

```
{
  "itemId": 1,
  "itemName": "STRING",
  "makeModel": "STRING",
  "serialNumber": "STRING"
}
```

Tracker

Fields:

- trackerId - id of the tracker
- name - name of the tracker
- deviceNumber - unique IMEI of the device
- deviceSerialNumber – manufacturer serial number of the device.

JavaScript

```
{
  "trackerId": 1,
  "name": "STRING",
  "deviceNumber": "STRING",
  "deviceSerialNumber": "STRING",
  "customData": {
    "someCustom": "object, if custom data has been created for it"
  }
}
```

Asset

Fields:

- vin - Vin of the vehicle
- make - make of the vehicle
- model - model of the vehicle
- year - year that vehicle was produced
- licensePlate - license plate of the vehicle

JavaScript

```
{
  "vin": "STRING",
  "make": "STRING",
  "model": "STRING",
  "year": 2000,
  "licensePlate": "ABC-1234"
}
```

Messages

Alert

This message is sent when a new alert (as seen in the Alerts report tab) is generated.

Unique fields:

- alertId - id of the alert
- alertCode – code for the type of alert
- alertShortDesc – short description of the alert
- alertDesc – long description of the alert
- alertDateTime - time that the alert was generated
- latitude - latitude of the location where the alert occurred
- longitude - longitude of the location where the alert occurred

JavaScript

```
{
  "alertId": 1,
  "alertCode": "STRING",
  "alertShortDescription": "STRING",
  "alertDescription": "STRING",
  "alertDateTime": 1689963223000,
  "latitude": 0.0,
  "longitude": 0.0,

  "tracker": {
    "id": 1,
    "name": "STRING",
    "deviceNumber": "STRING",
    "deviceSerialNumber": "STRING"
  },
  "asset": {
    "vin": "STRING",
    "make": "STRING",
    "model": "STRING",
    "year": 2000
  },
  "person": {
    "id": 1,
    "name": "STRING"
  },
  "company": {
    "id": 1,
    "name": "STRING"
  }
}
```

```
    },  
    "fleet": {  
      "id": 1,  
      "name": "STRING"  
    },  
    "geofence": {  
      "id": 1,  
      "name": "STRING",  
      "fenceGroup": "STRING",  
    }  
  }  
}
```

Device Status

This message is sent when a device is activated/deactivated, and reflects the new state of the device. At the time of activation, it is possible that some sub-objects won't be fully populated.

Unique fields:

- `statusChangeType` - the type of status change that triggered this message, either `ACTIVATE` or `INACTIVATE`

JavaScript

```
{
  "statusChangeType": "STRING",

  "tracker": {
    "trackerId": 1,
    "name": "STRING",
    "deviceNumber": "STRING",
    "deviceSerialNumber": "STRING"
  },
  "company": {
    "companyId": 1,
    "name": "STRING"
  },
  "fleet": {
    "fleetId": 1,
    "name": "STRING"
  },
  "asset": {
    "vin": "STRING",
    "make": "STRING",
    "model": "STRING",
    "year": 2000
  }
}
```


Device Update

This message is sent when a device is updated: renamed, moved between fleets, etc. It can also trigger when a new driver is assigned to a tracker.

JavaScript

```
{
  "tracker": {
    "trackerId": 1,
    "name": "STRING",
    "deviceNumber": "STRING",
    "deviceSerialNumber": "STRING",
    "customData": {
      "somePartnerField": "STRING"
    }
  },
  "person": {
    "personId": 1,
    "name": "STRING"
  },
  "company": {
    "companyId": 1,
    "name": "STRING"
  },
  "fleet": {
    "fleetId": 1,
    "name": "STRING"
  },
  "asset": {
    "vin": "STRING",
    "make": "STRING",
    "model": "STRING",
    "year": 2000
  }
}
```

Geofence Change

This message is sent when a geofence is created, updated, or deleted.

Unique fields:

- geofenceId - Id of the geofence
- action - trigger for the changes to the geofence: UPDATE, DELETE, or CREATE
- name - name of the geofence
- fenceGroup - geofence group that the geofence belongs to

- color - color of the geofence - will contain a six value sRGB color in hexadecimal format, with no #. e.g. 00FF00
- type - type of the geofence - either Landmark, Polygon, or Circle.
- radius - radius of the geofence if it is of the circle type
- points - all points for the geofence
 - if the geofence is a Circle or Landmark, this should contain a single point, which represents the center
 - if the geofence is a Polygon, these points will define its edges
- notification - settings for the geofences notifications
 - monitorAll - check if the geofence should notify for all trackers
 - groupIds - groupIds set to fire notifications for this geofence
 - trackerIds - trackerIds set to fire notifications for this geofence
 - driverIds - driverIds set to fire notifications for this geofence

JavaScript

```
{
  "geofenceId": 1,
  "action": "delete",
  "name": "STRING",
  "fenceGroup": "STRING",
  "color": "STRING",
  "type": "STRING",
  "radius": 1.0,
  "points": [{
    "latitude": 1.0,
    "longitude": 1.0
  }, {
    "latitude": 2.0,
    "longitude": 2.0
  }, {
    "latitude": 3.0,
    "longitude": 3.0
  }],
  "notification": {
    "monitorAll": false,
    "fleetIds": [1, 2, 3],
    "trackerIds": [1, 2, 3],
    "personIds": [1, 2, 3],
  },
  "company": {
    "companyId": 1,
    "name": "STRING"
  }
}
```


Geofence Event

This message is sent when a tracker enters or exits a geofence.

Unique fields:

- eventType - the event that triggered this message - FENCE_ENTER or FENCE_EXIT
- enterDateTime - date and time of entering event - in Epoch milliseconds
- exitDateTime - date and time of leaving event - in Epoch milliseconds. If the eventType was FENCE_ENTER, exitDateTime will be null
- durationMinutes - length of time spent in geofence. If the eventType was FENCE_ENTER, durationMinutes will be null

JavaScript

```
{
  "eventType": "FENCE_ENTER",
  "enterDateTime": 1,

  // These two fields are only populated if this is an exit.
  "exitDateTime": 1,
  "durationMinutes": 1,

  "company": {
    "companyId": 1,
    "name": "STRING"
  },
  "tracker": {
    "trackerId": 1,
    "name": "STRING",
    "deviceNumber": "STRING",
    "deviceSerialNumber": "STRING"
  },
  "person": {
    "personId": 1,
    "name": "STRING"
  },
  "asset": {
    "vin": "STRING",
    "make": "STRING",
    "model": "STRING",
    "year": 2000
  },
  "fleet": {
    "fleetId": 1,
    "name": "STRING"
  },
}
```

```
"geofence": {  
  "geofenceId": 1,  
  "name": "STRING",  
  "fenceGroup": "STRING"  
}  
}
```

Item Tracking Left Behind

This webhook is triggered when a tracked item has been left behind. This happens when the item is not in its home base, and there are no longer any vehicle trackers that can detect it. Note that this notification is pushed even if the left behind alert is disabled for an item.

JSON

```
{
  "leftBehindTimestamp": 1753730777000,
  "lastSeenTimestamp": 1753730776999,
  "lastSeenLatitude": 37.23502,
  "lastSeenLongitude": -79.984529,
  "lastSeenRssi": 82,
  "lastSeenBatteryPercent": 100
  "company": {
    "id": 1,
    "name": "STRING",
    "customData": {}
  },
  "trackedItem": {
    "itemId": 12000028898,
    "itemName": "88XCC T1",
    "makeModel": "Generator",
    "serialNumber": "ABC-123"
  },
  "toolTracker": {
    "toolTrackerId": 1,
    "serialNumber": "WQTL-131376",
    "fleetId": 8000003335,
    "leftBehindAlertExcluded": false,
    "notes": "",
    "markerInitials": "T1",
    "homeBaseGeofenceId": 8000053893,
  },
  "lastSeenByTracker": {
    "trackerId": 12000030266,
    "name": "some tracker",
    "deviceNumber": "ABC123",
    "deviceSerialNumber": "ABC-123",
    "customData": {}
  }
}
```

Item Tracking Location

This webhook is triggered whenever a new item/tool tracking position is registered. This happens whenever a vehicle/asset tracker detects a tool tracker nearby. Note that item left behind notifications are triggered by new positions, so these will often be sent simultaneously with a new location.

JSON

```
{
  "timestamp": 1,
  "latitude": 1.0,
  "longitude": 1.0,
  "rssi": 1,
  "batteryPercent": 100
  "trackedItem": {
    "itemId": 1,
    "itemName": "STRING",
    "makeModel": "STRING",
    "serialNumber": "STRING"
  }
  "toolTracker": {
    "toolTrackerId": 1,
    "serialNumber": "STRING",
    "fleetId": 1,
    "leftBehindAlertExcluded": false,
    "notes": "STRING",
    "markerInitials": "STRING",
    "homeBaseGeofenceId": 1,
  },
  "company": {
    "id": 1,
    "name": "STRING"
  },
  "tracker": {
    "trackerId": 1,
    "name": "STRING",
    "deviceNumber": "STRING",
    "deviceSerialNumber": "STRING"
  }
}
```

Media

This is the webhook that tells you when a dashcam has uploaded a video from the camera to the system. "Media" is a generic term used to encompass both video clips and thumbnails (snapshots). There is typically a delay between an event being detected and when the associated video from the dashcam can be uploaded.

The media event message is sent when either a new video clip or a new thumbnail is uploaded and stored. Each media event is tied to an alert. There can be multiple media events per alert event - for example, one for the driver-facing camera video and one for the forward-facing camera video. It is possible to receive multiple media events for an alert or a single media for an alert, depending on the make and the status of the camera at the time the event was triggered.

In addition, "media events" are when clips or snapshots from an alert are successfully uploaded to the cloud from the dashcam. Video is saved on the dashcam itself, and is only uploaded either from an alert that is coded to automatically upload a video (such as a tailgating alert with a dashcam) or a historical clip requested via the user interface.

Unique fields:

- mediaId - id of the media/video
- mediaTimestamp - timestamp of the video
- videoInside - url for camera footage inside vehicle
- videoOutside - url for camera footage outside vehicle
- videoAux - url for aux camera footage
- thumbnailInside - url for thumbnail for inside vehicle footage
- thumbnailOutside - url for thumbnail for outside vehicle footage
- thumbnailAux - url for thumbnail for aux footage

JavaScript

```
{
  "mediaId": "STRING",
  "mediaTimestamp": 1,
  "videoInside": "www.some.url",
  "videoOutside": "www.some.url",
  "videoAux": "www.some.url",
  "thumbnailInside": "www.some.url",
  "thumbnailOutside": "www.some.url",
  "thumbnailAux": "www.some.url"
}
```


Position

This message is sent when a new position is received from a tracker. Most trackers will send at least one message per minute while moving, so keep in mind that this can be a high volume of messages if your account has many trackers.

Unique fields:

- date - date that the position was recorded - in Epoch milliseconds
- latitude - latitude value for the position location
- longitude - longitude value for the position location
- altitude - value for altitude at time of position location
- speed - speed at time of the position
- heading - general direction of travel at time of position
 - will contain one of N / NE / E / SE / S / SW / W / NW
- direction - the direction in degrees from north
- battery - status of the battery's charge - Depending on the device, it may be any of the following:
 - Null
 - the percentage of backup battery remaining in the tracker itself (e.g. '56%')
 - the voltage of the vehicle's battery (e.g. '12.753')
 - the voltage of the backup battery with a slash in front of it (e.g. '/4.144')
 - the vehicle battery voltage / the backup battery voltage (e.g. '12.753/4.144')
- fuelLevel - status of the tanks fuel level
- accuracy - the accuracy of the ping to where the vehicle is
- signal - strength of signal at position
- estimatedSpeedLimit - estimated speed limit in the area of position ping
- speeding - lists if tracker is speeding at time of position
- behaviourCode - type of code for how the vehicle is driving
- editDate - date that this position data was last changed. This likely reflects when the position was actually processed and saved in our system
- engineOn - lists if engine is on
- batchedPositions - sub-positions that were recorded between the previous position and this one - will contain a semicolon-delimited list in the format of 'epoch timestamp,latitude,longitude,altitude'.
 - For example,
'1703094231000,37.624531,-77.502407,0.0;1703094241000,37.624524,-77.502404,0.0'
- sensorData - includes data from sensors (if present)

JavaScript

```
{  
  "date": 1,  
  "latitude": 1.0,
```

```
"longitude": 1.0,
"altitude": 1.0,
"speed": 1,
"heading": "NW",
"direction": 315,
"odometer": 1,
"battery": "STRING",
"fuelLevel": "STRING",
"accuracy": "STRING",
"signal": "STRING",
"estimatedSpeedLimit": 60,
"speeding": false,
"behaviorCode": "STRING",
"editDate": 1,
"engineOn": true,
"batchedPositions": "STRING",
"sensorData": [],

"address": {
  "street": "STRING",
  "street2": "STRING",
  "street3": "STRING",
  "city": "STRING",
  "county": "STRING",
  "stateCode": "STRING",
  "postalCode": "STRING",
  "postalCodeExtension": "STRING",
  "countryCode": "STRING",
},
"tracker": {
  "trackerId": 1,
  "name": "STRING",
  "deviceNumber": "STRING",
  "deviceSerialNumber": "STRING"
},
"person": {
  "personId": 1,
  "name": "STRING"
},
"company": {
  "companyId": 1,
  "name": "STRING"
},
"fleet": {
  "fleetId": 1,
```

```
        "name": "STRING"
    },
    "asset": {
        "vin": "STRING",
        "make": "STRING",
        "model": "STRING",
        "year": 2000
    },
    "geofence": {
        "geofenceId": 1,
        "name": "STRING",
        "fenceGroup": "STRING"
    }
}
```

Stop

This message is sent when a vehicle finishes a stop, as viewed in the Stops report tab.

Unique fields:

- latitude - latitude value for the position location
- longitude - longitude value for the position location
- startDateTime - start time of stop - in Epoch milliseconds
- endDateTime - end time of stop - in Epoch milliseconds
- stopType - the type of the stop - Idling (IDLE) or Engine Off (OFF).
- durationMinutes - length of stop in minutes

JavaScript

```
{
  "latitude": 1.0,
  "longitude": 1.0,
  "startDateTime": 1,
  "endDateTime": 1,
  "stopType": "Idling",
  "durationMinutes": 1,

  "address": {
    "street": "STRING",
    "street2": "STRING",
    "street3": "STRING",
    "city": "STRING",
    "county": "STRING",
    "stateCode": "STRING",
    "postalCode": "STRING",
    "postalCodeExtension": "STRING",
    "countryCode": "STRING",
  },
  "tracker": {
    "trackerId": 1,
    "name": "STRING",
    "deviceNumber": "STRING",
    "deviceSerialNumber": "STRING"
  },
  "person": {
    "personId": 1,
    "name": "STRING"
  },
  "company": {
    "companyId": 1,
    "name": "STRING"
  }
}
```

```
    },  
    "fleet": {  
      "fleetId": 1,  
      "name": "STRING"  
    },  
    "asset": {  
      "vin": "STRING",  
      "make": "STRING",  
      "model": "STRING",  
      "year": 2000  
    },  
    "geofence": {  
      "geofenceId": 1,  
      "name": "STRING",  
      "fenceGroup": "STRING"  
    }  
  }  
}
```

Trip

This message is sent when a vehicle completes a trip, as viewed in the Trip report tab. For this purpose, a trip is defined as the period between the ignition being turned on to when it is turned off again.

Unique fields:

- `startDateTime` - start time of trip - in Epoch milliseconds
- `endDateTime` - end time of trip - in Epoch milliseconds
- `startLatitude` - latitude value for start location
- `startLongitude` - longitude value for the start location
- `endLatitude` - latitude value for end location
- `endLongitude` - longitude value for the end location
- `startAddress` - lists address data for start of trip
- `endAddress` - lists address data for end of trip
- `authorized` - states if the trip was authorized
- `durationMinutes` - lists trip duration in minutes
- `distanceMiles` - lists miles for trip
- `authorizedMiles` - lists number of miles authorized for trip
- `unauthorizedMiles` - lists all miles that were not authorized for trip

JavaScript

```
{
  "startDateTime": 1,
  "endDateTime": 1,

  "startLongitude": 1.0,
  "startLatitude": 1.0,
  "endLongitude": 1.0,
  "endLatitude": 1.0,

  "startAddress": {},
  "endAddress": {},

  "authorized": true,

  "durationMinutes": 12,
  "distanceMiles": 1.0,
  "authorizedMiles": 1.0,
  "unauthorizedMiles": 1.0,

  "startGeofence": {
    "geofenceId": 1,
    "name": "Geofence A",
```

```
    "fenceGroup": "Some geofences"
  },
  "endGeofence": {
    "geofenceId": 2,
    "name": "Geofence B",
    "fenceGroup": "Some more geofences"
  },
  "tracker": {
    "trackerId": 1,
    "name": "STRING",
    "deviceNumber": "STRING",
    "deviceSerialNumber": "STRING"
  },
  "person": {
    "personId": 1,
    "name": "STRING"
  },
  "company": {
    "companyId": 1,
    "name": "STRING"
  },
  "fleet": {
    "fleetId": 1,
    "name": "STRING"
  },
  "asset": {
    "vin": "STRING",
    "make": "STRING",
    "model": "STRING",
    "year": 2000
  }
}
```

Usage Hours

This message is sent when a period of asset usage finishes, as shown in the Usage Hours report tab.

Unique fields:

- startDateTime - start time for tracker usage - in Epoch milliseconds
- endDateTime - end time for tracker usage - in Epoch milliseconds
- startLatitude - latitude value for start location
- startLongitude - longitude value for the start location
- endLatitude - latitude value for end location
- endLongitude - longitude value for the end location
- engineOn - states if engine was on
- startAddress - lists address data for start of tracker usage
- endAddress - lists address data for end of tracker usage

JavaScript

```
{
  "startDate": 1,
  "endDate": 1,
  "startLatitude": 1.0,
  "endLatitude": 1.0,
  "startLongitude": 1.0,
  "endLongitude": 1.0,
  "engineOn": true,
  "durationMinutes": 1,

  "startAddress": {
    "street": "STRING",
    "street2": "STRING",
    "street3": "STRING",
    "city": "STRING",
    "county": "STRING",
    "stateCode": "STRING",
    "postalCode": "STRING",
    "postalCodeExtension": "STRING",
    "countryCode": "STRING",
  },
  "endAddress": {
    "street": "STRING",
    "street2": "STRING",
    "street3": "STRING",
    "city": "STRING",
    "county": "STRING",
    "stateCode": "STRING",
```



```
    "postalCode": "STRING",
    "postalCodeExtension": "STRING"
    "countryCode": "STRING",
  },

  "startGeofence": {
    "geofenceId": 1,
    "name": "STRING",
    "fenceGroup": "STRING"
  },
  "endGeofence": {
    "geofenceId": 1,
    "name": "STRING",
    "fenceGroup": "STRING"
  },
  "tracker": {
    "trackerId": 1,
    "name": "STRING",
    "deviceNumber": "STRING",
    "deviceSerialNumber": "STRING"
  },
  "person": {
    "personId": 1,
    "name": "STRING"
  },
  "company": {
    "companyId": 1,
    "name": "STRING"
  },
  "fleet": {
    "fleetId": 1,
    "name": "STRING"
  },
  "asset": {
    "vin": "STRING",
    "make": "STRING",
    "model": "STRING",
    "year": 2000
  }
}
```