

Problem Set 2

Carrie Kathlyn Townley Flores, Filipe Recch, Kaylee Tuggle Matheny,
Klint Kanopka, Kritphong Mongkhonvanit, Paulina Julia Biernacki
EDUC 252L

February 4, 2018

1 Breaking the Classical Test Theory Model

1.1 Coin Flips

Coin flips should not be reliable data - they're random! To look at this a little more analytically:

$$\alpha = \frac{K}{K-1} \left(1 - \frac{\sum_{i=1}^K p_i(1-p_i)}{\sigma_X^2} \right)$$

The interesting thing to note here is that the probability of flipping heads is:

$$p_i = 0.5$$

And the variance on the sum of K coin flips will be:

$$\sigma_X = 0.25K$$

Substituting in the formula for Cronbach's Alpha:

$$\alpha = \frac{K}{K-1} \left(1 - \frac{\sum_{i=1}^K (0.5)(1-0.5)}{0.25K} \right)$$


Cleaning up:

$$\alpha = \frac{K}{K-1} \left(1 - \frac{0.25K}{0.25K} \right)$$

$$\alpha = \frac{K}{K-1} (1-1)$$


$$\alpha = 0$$

The expectation, then, is that α should be zero for each situation.




16
 17 These α plots make sense - they are centered around zero, as predicted, and
 18 as the number of items increases, α is more tightly clustered around zero.

19 1.2 Simulating Item Response Data



20
 21 The feature of the data generation mechanism that makes the α values super
 22 low is that items are getting marked correctly (essentially) at random! Even
 23 though the item responses generated correct p-values and test-level correlations,
 24 the data generation disregarded any internal structure you would expect. More
 25 clearly stated, respondents of similar ability levels did not have similar item
 26 response profiles.




27

28 Looking at the resulting plots, it's clear that even with nonsensical item
 29 response data, the KR-20 estimate of reliability increases as a function of both
 30 true score variance and error variance. This *feels* very wrong. Increasing true
 31 score variance can be done by applying an instrument to a population it may
 32 not have been originally designed for. Increasing error variance can be done
 33 by adding more items or manipulating the quality of items. The challenge
 34 with feeling good about the CTT model is that KR-20 is both heavily valued
 35 and easily manipulated. The worst part is that some of the behaviors that
 36 would increase a KR-20 value could have negative impacts on the validity of the
 37 instrument.

2 Different Link Functions


2.1 The Default

```
## Loading required package: stats4  
## Loading required package: lattice  
## Loading required package: methods
```




The default estimates item difficulties (or item easiness, specifically, because mirt) that are in line with the actual (specified) item difficulties.

2.2 The Normal



44
 45 Using a normal link function, mirt predicts easy items are easier than they
 46 actually are and hard items are harder than they actually are. The farther an
 47 item is from zero, the larger the gap between estimated difficulty and specified
 48 difficulty.

49 **2.3 Heavy Tails**




50


51 Using a link function with heavy tails, mirt does the same as above.

52 2.4 Skewed


```
##
## Attaching package: 'sn'
## The following object is masked from 'package:stats':
##
## sd
```



53



54




55
 56 When using a skewed distribution as the link function, every item is esti-
 57 mated as being harder than it actually is, but where this model really tanks
 58 is for extremely easy items. It finds those to be significantly harder than they
 59 actually are and the difference between actual and estimated difficulty for easy
 60 items diverges wildly. The skew on the link function is set up in a way that
 61 there is essentially no impact of increased θ on the respondent's probability of
 62 getting the item correct until θ gets to a value of -1 . Remember that the input
 63 to the model is of the form $\theta_i + b_j$. If trait values less than -1 don't provide any
 64 increase in probability of scoring correctly on an item, for items with easiness
 65 above 1, the model will view those as significantly harder than they actually
 66 are. If you look at the $b_{estimated}$ vs. b curve, you can see that at $b = 1$, the
 67 estimated easiness starts to take a turn away from actual easiness.

68 3 Simulated IRT Data


69 3.1 The Default

```
##  
Iteration: 1, Log-Lik: -29832.251, Max-Change: 0.24536  
Iteration: 2, Log-Lik: -29802.480, Max-Change: 0.06158  
Iteration: 3, Log-Lik: -29799.897, Max-Change: 0.01843  
Iteration: 4, Log-Lik: -29799.646, Max-Change: 0.00557  
Iteration: 5, Log-Lik: -29799.605, Max-Change: 0.00221  
Iteration: 6, Log-Lik: -29799.602, Max-Change: 0.00070  
Iteration: 7, Log-Lik: -29799.601, Max-Change: 0.00027  
Iteration: 8, Log-Lik: -29799.601, Max-Change: 0.00022  
Iteration: 9, Log-Lik: -29799.601, Max-Change: 0.00006
```




70

71 **3.2 The Normal**




72

73 **3.3 Heavy Tails**




74


75 3.4 Skewed



76



77



78