Abundance


1.Graham (39%)
2.Chase (21%)
3.Klinse-Za (48%)
4.Wolverine (38%)
6.Burnt Pine (80%)
7.Kennedy Siding (41%)
8.Takla (40%)
9.Quintette (86%)
10.Hart North (35%)
11.Narraway AB (87%)
12.Bearhole Redwillow (54%)
13.Telkwa (48%)
14.Redrock/Prairie Creek (39%)
15.Hart South (44%)
16.A La Peche (21%)
17.George Mountain (83%)
18.Narrow Lake (86%)
19.North Cariboo (40%)
20.Tweedsmuir (38%)
21.Barkerville (83%)
22.Maligne (4%)
23.Brazeau (8%)
24.Rainbows (25%)
25.Wells Gray North (45%)
26.Itcha-Ilgachuz (64%)
27.Tonquin (1%)
28.Wells Gray South (32%)
29.Charlotte Alplands (12%)
30.Central Rockies (25%)
31.Groundhog (67%)
32.Columbia North (42%)
33.Banff (8%)
34.Columbia South (27%)
35.Frisby-Boulder (48%)
36.Duncan (35%)
37.Monashee (59%)
38.Nakusp (35%)
39.Purcells Central (40%)
40.Purcells South (66%)
41.South Selkirks (63%)
Legend
Red filled if functionally extirpated
Label in Fig 1A
% habitat disturbed
1.Subpopulation (X%)
Years with data
Abundance
Year
Recovery measures implemented
w = wolf reduction
t = translocation
m = moose reduction
s = sterilization
p = pen
f = feeding
IPM posterior median and 90% interval
Observed counts