HW2

Summary of Mushroom

Ting-Ni, Chen

2025-03-18

目錄

1. Variable Definition									 								 	•
2. Data discription									 								 	2
3. Table One									 								 	

1. Variable Definition

Variable	Data Type	Definition
family	character	The family of the mushroom.
name	character	The name of the mushroom.
class	categorical	edible=e, poisonous=p.
cap-diameter (m)	numerical	Number(s) in cm. Two values = min max, one value = mean.
cap-shape (n)	categorical	bell = b, conical = c, convex = x, flat = f, sunken = s, spherical = p, others = o.
cap-surface (n)	categorical	fibrous = i, grooves = g, scaly = y, smooth = s, shiny = h, leathery = l, silky = k, sticky = t, wrinkled = w, fleshy = e.
cap-color (n)	categorical	brown = n, buff = b, gray = g, green = r, pink = p, purple = u, red = e, white = w, yellow = y, blue = l, orange = o, black = k.
does-bruise-bleed (n)	categorical	bruises-or-bleeding = t, no = f.
gill-attachment (n)	categorical	adnate = a, adnexed = x, decurrent = d, free = e, sinuate = s, pores = p, none = f, unknown = ?.
gill-spacing (n)	categorical	close = c, distant = d, none = f.
gill-color (n)	categorical	see cap-color + none = f.
stem-height (m)	numerical	Number(s) in cm. Two values = min max, one value = mean.
stem-width (m)	numerical	Number(s) in mm. Two values = min max, one value = mean.
stem-root (n)	categorical	bulbous = b, swollen = s, club = c, cup = u, equal = e, rhizomorphs = z, rooted = r.
stem-surface (n)	categorical	see cap-surface + none = f.
stem-color (n)	categorical	see cap-color + none = f.
veil-type (n)	categorical	partial = p, universal = u.
veil-color (n)	categorical	see cap-color + none = f.

has-ring (n)	categorical	ring = t, none = f.
ring-type (n)	categorical	cobwebby = c, evanescent = e, flaring = r, grooved = g, large = l, pendant = p, sheathing = s, zone = z, scaly = y, movable = m, none = f, unknown = ?.
spore-print-color (n)	categorical	see cap-color.
habitat (n)	categorical	grasses = g, leaves = l, meadows = m, paths = p, heaths = h, urban = u, waste = w, woods = d.
season (n)	categorical	spring = s, summer = u, autumn = a, winter = w.

表 1: Mushroom Data Dictionary

2. Data discription

```
library(Hmisc)
library(dplyr)
library(reticulate)
library(stringr)
df <- read.csv("C:/Users/tammy/Desktop/ / / mushroom/primary_data.csv", sep = ";")</pre>
desc_stats <- describe(df)</pre>
latex(desc_stats, descript = "Descriptive Statistics", file = '', caption.placement = "top")
                                                               df
173 Observations
                                           23 Variables
family
                   distinct
lowest : Amanita Family
                              Bolbitius Family
                                                   Bolete Family
                                                                        Bracket Fungi
                                                                                            Chanterelle Family
highest: Russula Family
                              Saddle-Cup Family Stropharia Family Tricholoma Family
                                                                                            Wax Gill Family
name
        missing
0
                   distinct
 173
lowest : Amethyst Deceiver
highest: Yellow-gilled Russula
                                     Aniseed Funnel Cap Apricot Fungus Bare-toothed Russula Yellow-staining Mushroom Yellow-stemmed Bell Cap Yellow Swamp Russula
                                                                                                                      Bay Bolete
Yellow Wax cap
class
   n
        missing
                   distinct
 173
Frequency 77 96
Proportion 0.445 0.555
cap.diameter
                                                                                                   missing
                   distinct
 173
lowest : [0.4, 1]
highest: [8, 14]
                      [0.5, 1.5] [0.5, 1] [0.7, 1.3] [1, 1.5] [8, 15] [8, 20] [8, 25] [8, 30]
cap.shape
        missing
lowest : [b, f, s] [b, f] highest: [x, f] [x, o]
                               [b, x, f] [b, x] [x, s]
```

Cap.surface	
n missing distinct 133 40 40	
lowest: [d, e, y, i] [d, k, s] [d, k] [d, s] [d] highest: [t] [w, t] [w] [y, s] [y]	
cap.color	
n missing distinct 173 0 67	
lowest : [b, p, e, y] [b, u] [b] [e, n, p, w] [e, n, y] highest: [y, n] [y, o, g, n, r] [y, o, r, n] [y, o] [y]	
does.bruise.or.bleed	
n missing distinct 173 0 2	
Value [f] [t] Frequency 143 30 Proportion 0.827 0.173	
gill.attachment	
n missing distinct 145 28 8	
Value [a, d] [a] [d] [e] [f] [p] [s] [x] Frequency 8 32 25 16 10 17 16 21 Proportion 0.055 0.221 0.172 0.110 0.069 0.117 0.110 0.145	
gill.spacing	\mathbf{I} .
n missing distinct 102 71 3	
Value [c] [d] [f] Frequency 70 22 10 Proportion 0.686 0.216 0.098	
gill.color	
n missing distinct 173 0 59	
lowest : [b, p, w] [b, u] [b] [e] [f] highest: [y, o, e] [y, r, k] [y, r] [y, w] [y]	
stem.height	
n missing distinct 173 0 46	
lowest : [0] [1, 2] [1, 3] [10, 12] [10, 15], highest: [8, 12] [8, 15] [8, 20]	[8, 25] [8, 30]
stem.width	
n missing distinct 173 0 48	
lowest : [0.5, 1] [0] [1, 2] [1, 3] [1] , highest: [7, 15] [8, 12] [8, 15]	[8, 18] [8, 20]
stem.root	1 1
n missing distinct 27 146 5	
Value [b] [c] [f] [r] [s] Frequency 9 2 3 4 9 Proportion 0.333 0.074 0.111 0.148 0.333	

```
stem.surface
                                                                                    n missing distinct
       108
       [f] [g] [h] [i, s] [i, t] [i, y] [i] [k, s] [k] [s, h] [s]
Value
                                                                                     [t]
Frequency 3 5 1 1 1 1 1 1 1 4 1 15 7 Proportion 0.046 0.077 0.015 0.015 0.015 0.015 0.015 0.015 0.062 0.015 0.231 0.108
                   [y]
Frequency 1 13
Proportion 0.015 0.200
stem.color
                                                                                     n missing
               distinct
 173
lowest : [b, u]
highest: [w]
                 [e, n] [e, u, y] [e, y] [e] [y, e, n] [y, n] [y, o, k] [y]
veil.type
 n missing distinct value
9 164 1 [u]
                         [u]
Value [u]
Frequency 9
Proportion 1
                                                                                     veil.color
 n missing distinct
21 152 7
                   [k]
                          [n]
                                [u]
                                       [w] [y, w]
                                                    [y]
        [e, n]
Frequency 1 1 1 1 15 1 1
Proportion 0.048 0.048 0.048 0.048 0.714 0.048 0.048
has.ring
  n missing distinct 73 0 2
 173
                [t]
43
Frequency 130 43
Proportion 0.751 0.249
ring.type
                                                                                     n missing distinct
166 7 13
166
Frequency
Proportion 0.036
Spore.print.color
                                                                                     . . . . . . . . .
 n missing distinct
18 155 8
           [g] [k, r] [k, u]
                                [k]
                                       [n] [p, w]
3 1
                                                    [p]
3
                                                           [w]
Frequency 1 1 1 5 3 1 3 3 Proportion 0.056 0.056 0.056 0.056 0.078 0.167 0.056 0.167 0.167
habitat
                                                                                     .1......
 n missing
                distinct
                           [g, d, h] [g, d] [m] [p, d]
                  [d]
lowest : [d, h]
                                              [g, h, d]
highest: [m, d]
                  [m, h]
```

. season missing distinct [a, w] 15 [s, a, w] [s, u, a, w] Value Frequency [a] 16 [s, u, a] [s, u] 0.087 0.092 0.006 0.075 0.029 0.017 Proportion [u, a, w] [u, a] 106 Value [s] [u] Frequency 0.613 0.006 0.069 0.006 Proportion

3. Table One

```
library(table1)
library(tidyr)
library(knitr)
library(kableExtra)
vars_to_split <- c("cap.diameter", "stem.height", "stem.width")</pre>
for (var in vars_to_split) {
  if (var %in% names(df)) {
    df <- df %>%
      mutate(!!var := gsub("\\[|\\]", "", .data[[var]])) %>%
      separate(var, into = c(paste0(var, "_min"), paste0(var, "_max")), sep = ", ", convert = TRUE)
df$class <- as.factor(df$class)</pre>
numerical_vars <- c("cap.diameter_min", "cap.diameter_max",</pre>
                     "stem.height_min", "stem.height_max",
                     "stem.width_min", "stem.width_max")
categorical_vars <- setdiff(names(df), c(numerical_vars, "family", "name"))</pre>
df[categorical_vars] <- lapply(df[categorical_vars], as.factor)</pre>
df_subset <- df[, c(numerical_vars, categorical_vars), drop = FALSE]</pre>
df_subset <- as.data.frame(df_subset)</pre>
df_subset[categorical_vars] <- lapply(df_subset[categorical_vars], as.factor)</pre>
t1 <- table1(~ . | class, data = df_subset)</pre>
kable(t1, format = "latex", booktabs = TRUE, longtable = TRUE) %>%
 kable_styling(latex_options = c("repeat_header"))
```

	е	р	Overall
	(N=77)	(N=96)	(N=173)
cap.diameter_min			

(correinaea)			
	е	р	Overall
Mean (SD) Median [Min, Max] cap.diameter_max	4.75 (5.74) 4.00 [0.500, 50.0]	3.47 (2.27) 3.00 [0.400, 10.0]	4.04 (4.22) 3.00 [0.400, 50.0]
Mean (SD) Median [Min, Max] Missing stem.height_min	10.3 (5.76)	8.29 (5.58)	9.20 (5.73)
	10.0 [1.50, 30.0]	7.00 [1.00, 30.0]	8.00 [1.00, 30.0]
	1 (1.3%)	0 (0%)	1 (0.6%)
Mean (SD)	4.52 (2.20)	4.14 (2.31)	4.31 (2.26)
Median [Min, Max] stem.height_max	4.00 [2.00, 15.0]	4.00 [0, 15.0]	4.00 [0, 15.0]
Mean (SD)	9.58 (5.03)	8.57 (3.80)	9.03 (4.41)
Median [Min, Max]	8.00 [3.00, 35.0]	8.00 [2.00, 20.0]	8.00 [2.00, 35.0]
Missing	0 (0%)	3 (3.1%)	3 (1.7%)
stem.width_min Mean (SD) Median [Min, Max] stem.width_max Mean (SD)	10.1 (6.80)	7.26 (5.71)	8.53 (6.36)
	10.0 [1.00, 40.0]	5.00 [0, 20.0]	8.00 [0, 40.0]
	19.2 (15.9)	14.4 (11.8)	16.6 (13.9)
Median [Min, Max] Missing cap.shape	15.0 [2.00, 100]	10.0 [1.00, 60.0]	15.0 [1.00, 100]
	4 (5.2%)	7 (7.3%)	11 (6.4%)
[b, f, s]	0 (0%)	1 (1.0%)	1 (0.6%)
[b, f]	2 (2.6%)	3 (3.1%)	5 (2.9%)
[b, x, f]	0 (0%)	1 (1.0%)	1 (0.6%)
[b, x]	0 (0%)	3 (3.1%)	3 (1.7%)
[b]	2 (2.6%)	8 (8.3%)	10 (5.8%)
[c, f]	0 (0%)	2 (2.1%)	2 (1.2%)
[c, x, f]	1 (1.3%)	0 (0%)	1 (0.6%)
[c, x]	1 (1.3%)	0 (0%)	1 (0.6%)
[c]	1 (1.3%)	2 (2.1%)	3 (1.7%)
[f, s]	3 (3.9%)	5 (5.2%)	8 (4.6%)
[f, x]	1 (1.3%)	1 (1.0%)	2 (1.2%)
[f]	4 (5.2%)	4 (4.2%)	8 (4.6%)
[o]	1 (1.3%)	7 (7.3%)	8 (4.6%)
[p, b]	1 (1.3%)	2 (2.1%)	3 (1.7%)
[p, c, o]	1 (1.3%)	0 (0%)	1 (0.6%)
[p, f]	2 (2.6%)	0 (0%)	2 (1.2%)

	е	р	Overall
[p, x, f]	2 (2.6%)	0 (0%)	2 (1.2%)
[p, x]	3 (3.9%)	1 (1.0%)	4 (2.3%)
[p]	0 (0%)	1 (1.0%)	1 (0.6%)
[s, o]	2 (2.6%)	0 (0%)	2 (1.2%)
[s]	4 (5.2%)	5 (5.2%)	9 (5.2%)
[x, f, s]	7 (9.1%)	6 (6.3%)	13 (7.5%)
[x, f]	14 (18.2%)	15 (15.6%)	29 (16.8%)
[x, o]	0 (0%)	1 (1.0%)	1 (0.6%)
[x, p]	1 (1.3%)	1 (1.0%)	2 (1.2%)
[x, s]	1 (1.3%)	2 (2.1%)	3 (1.7%)
[x]	23 (29.9%)	25 (26.0%)	48 (27.7%)
Cap.surface			
	19 (24.7%)	21 (21.9%)	40 (23.1%)
[d, e, y, i]	0 (0%)	1 (1.0%)	1 (0.6%)
[d, k, s]	0 (0%)	1 (1.0%)	1 (0.6%)
[d, k]	1 (1.3%)	1 (1.0%)	2 (1.2%)
[d, s]	1 (1.3%)	0 (0%)	1 (0.6%)
[d]	4 (5.2%)	5 (5.2%)	9 (5.2%)
[e, k, s, h]	0 (0%)	1 (1.0%)	1 (0.6%)
[e, t, k]	0 (0%)	1 (1.0%)	1 (0.6%)
[e, y]	1 (1.3%)	0 (0%)	1 (0.6%)
[e]	3 (3.9%)	2 (2.1%)	5 (2.9%)
[g, h]	0 (0%)	1 (1.0%)	1 (0.6%)
[g, s, d]	0 (0%)	1 (1.0%)	1 (0.6%)
[g, s, h, t]	1 (1.3%)	0 (0%)	1 (0.6%)
[g, s, t]	1 (1.3%)	0 (0%)	1 (0.6%)
[g]	5 (6.5%)	7 (7.3%)	12 (6.9%)
[h, s, d]	1 (1.3%)	0 (0%)	1 (0.6%)
[h, s, t]	0 (0%)	1 (1.0%)	1 (0.6%)
[h, t, w]	0 (0%)	1 (1.0%)	1 (0.6%)
[h, t, y]	0 (0%)	1 (1.0%)	1 (0.6%)
[h, t]	6 (7.8%)	4 (4.2%)	10 (5.8%)
[h]	3 (3.9%)	2 (2.1%)	5 (2.9%)
[i, e]	0 (0%)	1 (1.0%)	1 (0.6%)
[i, y]	2 (2.6%)	0 (0%)	2 (1.2%)
[i]	0 (0%)	4 (4.2%)	4 (2.3%)

	е	р	Overall
[k, e]	0 (0%)	1 (1.0%)	1 (0.6%)
[k]	0 (0%)	4 (4.2%)	4 (2.3%)
[l]	2 (2.6%)	2 (2.1%)	4 (2.3%)
[s, d]	1 (1.3%)	0 (0%)	1 (0.6%)
[s, h]	0 (0%)	1 (1.0%)	1 (0.6%)
[s, i]	0 (0%)	1 (1.0%)	1 (0.6%)
[s, t]	2 (2.6%)	2 (2.1%)	4 (2.3%)
[s, y]	1 (1.3%)	2 (2.1%)	3 (1.7%)
[s]	8 (10.4%)	5 (5.2%)	13 (7.5%)
[t, h, s]	1 (1.3%)	0 (0%)	1 (0.6%)
[t, h]	1 (1.3%)	1 (1.0%)	2 (1.2%)
[t, w, d]	0 (0%)	1 (1.0%)	1 (0.6%)
[t]	2 (2.6%)	10 (10.4%)	12 (6.9%)
[w, t]	1 (1.3%)	0 (0%)	1 (0.6%)
[w]	2 (2.6%)	3 (3.1%)	5 (2.9%)
[y, s]	1 (1.3%)	0 (0%)	1 (0.6%)
[y]	7 (9.1%)	7 (7.3%)	14 (8.1%)
cap.color			
[b, p, e, y]	0 (0%)	1 (1.0%)	1 (0.6%)
[b, u]	1 (1.3%)	0 (0%)	1 (0.6%)
[b]	1 (1.3%)	0 (0%)	1 (0.6%)
[e, n, p, w]	0 (0%)	1 (1.0%)	1 (0.6%)
[e, n, y]	2 (2.6%)	0 (0%)	2 (1.2%)
[e, n]	0 (0%)	2 (2.1%)	2 (1.2%)
[e, o, k]	0 (0%)	1 (1.0%)	1 (0.6%)
[e, o]	0 (0%)	1 (1.0%)	1 (0.6%)
[e, p, w]	0 (0%)	1 (1.0%)	1 (0.6%)
[e, u, y]	0 (0%)	1 (1.0%)	1 (0.6%)
[e]	0 (0%)	3 (3.1%)	3 (1.7%)
[g, k]	1 (1.3%)	1 (1.0%)	2 (1.2%)
[g, n, k]	0 (0%)	1 (1.0%)	1 (0.6%)
[g, n]	6 (7.8%)	4 (4.2%)	10 (5.8%)
[g, r, k, n]	0 (0%)	1 (1.0%)	1 (0.6%)
[g, r, n]	0 (0%)	2 (2.1%)	2 (1.2%)
[g, u, n, p]	1 (1.3%)	0 (0%)	1 (0.6%)
[g, u, n]	0 (0%)	1 (1.0%)	1 (0.6%)

	е	р	Overall
[g]	0 (0%)	1 (1.0%)	1 (0.6%)
[k, n, w]	1 (1.3%)	0 (0%)	1 (0.6%)
[l, g, b, w]	1 (1.3%)	0 (0%)	1 (0.6%)
[l, k]	0 (0%)	1 (1.0%)	1 (0.6%)
[l, r, w]	1 (1.3%)	0 (0%)	1 (0.6%)
[l, u, g, n]	1 (1.3%)	0 (0%)	1 (0.6%)
[l, y]	1 (1.3%)	0 (0%)	1 (0.6%)
[n ,w]	1 (1.3%)	0 (0%)	1 (0.6%)
[n, b]	1 (1.3%)	1 (1.0%)	2 (1.2%)
[n, e, y]	0 (0%)	1 (1.0%)	1 (0.6%)
[n, e]	1 (1.3%)	4 (4.2%)	5 (2.9%)
[n, g]	3 (3.9%)	0 (0%)	3 (1.7%)
[n, o, e]	1 (1.3%)	0 (0%)	1 (0.6%)
[n, o, y, w]	0 (0%)	1 (1.0%)	1 (0.6%)
[n, o]	2 (2.6%)	2 (2.1%)	4 (2.3%)
[n, p, e]	1 (1.3%)	1 (1.0%)	2 (1.2%)
[n, r, u, y]	1 (1.3%)	0 (0%)	1 (0.6%)
[n, w]	1 (1.3%)	3 (3.1%)	4 (2.3%)
[n, y, e]	1 (1.3%)	0 (0%)	1 (0.6%)
[n, y, w]	1 (1.3%)	0 (0%)	1 (0.6%)
[n, y]	3 (3.9%)	6 (6.3%)	9 (5.2%)
[n]	22 (28.6%)	16 (16.7%)	38 (22.0%)
[o, b]	1 (1.3%)	0 (0%)	1 (0.6%)
[o, e, n, k]	0 (0%)	1 (1.0%)	1 (0.6%)
[o, n]	1 (1.3%)	0 (0%)	1 (0.6%)
[o, p, e]	1 (1.3%)	0 (0%)	1 (0.6%)
[o, y, r]	0 (0%)	1 (1.0%)	1 (0.6%)
[o, y]	0 (0%)	3 (3.1%)	3 (1.7%)
[0]	0 (0%)	2 (2.1%)	2 (1.2%)
[p]	0 (0%)	2 (2.1%)	2 (1.2%)
[r, l]	0 (0%)	1 (1.0%)	1 (0.6%)
[r, n]	0 (0%)	1 (1.0%)	1 (0.6%)
[r, p, y]	0 (0%)	1 (1.0%)	1 (0.6%)
[r, y]	0 (0%)	1 (1.0%)	1 (0.6%)
[r]	0 (0%)	1 (1.0%)	1 (0.6%)
[u, k]	1 (1.3%)	0 (0%)	1 (0.6%)
[u]	0 (0%)	2 (2.1%)	2 (1.2%)

continuea)	e	р	Overall
[w, g]	1 (1.3%)	1 (1.0%)	2 (1.2%)
[w, n]	2 (2.6%)	2 (2.1%)	4 (2.3%)
[w, p, o]	1 (1.3%)	0 (0%)	1 (0.6%)
[w, u]	0 (0%)	1 (1.0%)	1 (0.6%)
[w, y, g, n]	0 (0%)	1 (1.0%)	1 (0.6%)
[w, y]	1 (1.3%)	1 (1.0%)	2 (1.2%)
[w]	6 (7.8%)	6 (6.3%)	12 (6.9%)
[y, n]	0 (0%)	3 (3.1%)	3 (1.7%)
[y, o, g, n, r]	0 (0%)	1 (1.0%)	1 (0.6%)
[y, o, r, n]	0 (0%)	1 (1.0%)	1 (0.6%)
[y, o]	0 (0%)	1 (1.0%)	1 (0.6%)
[y]	6 (7.8%)	4 (4.2%)	10 (5.8%)
does.bruise.or.blee	d		
[f]	63 (81.8%)	80 (83.3%)	143 (82.7%)
[t]	14 (18.2%)	16 (16.7%)	30 (17.3%)
gill.attachment			
	10 (13.0%)	18 (18.8%)	28 (16.2%)
[a, d]	5 (6.5%)	3 (3.1%)	8 (4.6%)
[a]	11 (14.3%)	21 (21.9%)	32 (18.5%)
[d]	9 (11.7%)	16 (16.7%)	25 (14.5%)
[e]	10 (13.0%)	6 (6.3%)	16 (9.2%)
[f]	4 (5.2%)	6 (6.3%)	10 (5.8%)
[p]	12 (15.6%)	5 (5.2%)	17 (9.8%)
[s]	7 (9.1%)	9 (9.4%)	16 (9.2%)
[x]	9 (11.7%)	12 (12.5%)	21 (12.1%)
gill.spacing			
	31 (40.3%)	40 (41.7%)	71 (41.0%)
[c]	29 (37.7%)	41 (42.7%)	70 (40.5%)
[d]	13 (16.9%)	9 (9.4%)	22 (12.7%)
[f]	4 (5.2%)	6 (6.3%)	10 (5.8%)
gill.color			
[b, p, w]	0 (0%)	1 (1.0%)	1 (0.6%)
[b, u]	1 (1.3%)	0 (0%)	1 (0.6%)
[b]	1 (1.3%)	0 (0%)	1 (0.6%)
[e]	0 (0%)	1 (1.0%)	1 (0.6%)
[f]	4 (5.2%)	6 (6.3%)	10 (5.8%)
[g, k]	1 (1.3%)	1 (1.0%)	2 (1.2%)

(continued)	е	р	Overall
[g, n, u]	0 (0%)	1 (1.0%)	1 (0.6%)
[g, n]	1 (1.3%)	2 (2.1%)	3 (1.7%)
[g, p]	1 (1.3%)	0 (0%)	1 (0.6%)
[g, r, w]	0 (0%)	1 (1.0%)	1 (0.6%)
[g, u]	0 (0%)	1 (1.0%)	1 (0.6%)
[g, w, y]	1 (1.3%)	0 (0%)	1 (0.6%)
[g, w]	2 (2.6%)	0 (0%)	2 (1.2%)
[g]	3 (3.9%)	1 (1.0%)	4 (2.3%)
[k, n]	2 (2.6%)	4 (4.2%)	6 (3.5%)
[k, p, w]	1 (1.3%)	0 (0%)	1 (0.6%)
[k, p]	0 (0%)	1 (1.0%)	1 (0.6%)
[n, e, y]	0 (0%)	1 (1.0%)	1 (0.6%)
[n, p]	0 (0%)	2 (2.1%)	2 (1.2%)
[n, r]	0 (0%)	1 (1.0%)	1 (0.6%)
[n, u]	0 (0%)	1 (1.0%)	1 (0.6%)
[n, w]	0 (0%)	2 (2.1%)	2 (1.2%)
[n, y]	1 (1.3%)	1 (1.0%)	2 (1.2%)
[n]	3 (3.9%)	8 (8.3%)	11 (6.4%)
[o, b]	1 (1.3%)	0 (0%)	1 (0.6%)
[o, e]	1 (1.3%)	1 (1.0%)	2 (1.2%)
[o, y]	1 (1.3%)	4 (4.2%)	5 (2.9%)
[o]	2 (2.6%)	2 (2.1%)	4 (2.3%)
[p, n, k]	1 (1.3%)	0 (0%)	1 (0.6%)
[p, n]	1 (1.3%)	0 (0%)	1 (0.6%)
[p, w]	3 (3.9%)	2 (2.1%)	5 (2.9%)
[p, y, r]	0 (0%)	1 (1.0%)	1 (0.6%)
[p, y]	0 (0%)	1 (1.0%)	1 (0.6%)
[p]	3 (3.9%)	5 (5.2%)	8 (4.6%)
[r, y]	0 (0%)	1 (1.0%)	1 (0.6%)
[r]	1 (1.3%)	0 (0%)	1 (0.6%)
[u, w]	1 (1.3%)	0 (0%)	1 (0.6%)
[w, b, n]	0 (0%)	1 (1.0%)	1 (0.6%)
[w, g, k]	0 (0%)	1 (1.0%)	1 (0.6%)
[w, g, p, n]	0 (0%)	1 (1.0%)	1 (0.6%)
[w, g, u]	0 (0%)	1 (1.0%)	1 (0.6%)
[w, g]	0 (0%)	1 (1.0%)	1 (0.6%)

continuea)			
	е	р	Overall
[w, n]	3 (3.9%)	2 (2.1%)	5 (2.9%)
[w, p, y]	1 (1.3%)	0 (0%)	1 (0.6%)
[w, p]	1 (1.3%)	2 (2.1%)	3 (1.7%)
[w, r]	0 (0%)	1 (1.0%)	1 (0.6%)
[w, u, g, n]	1 (1.3%)	0 (0%)	1 (0.6%)
[w, y, g, n]	0 (0%)	1 (1.0%)	1 (0.6%)
[w, y]	3 (3.9%)	2 (2.1%)	5 (2.9%)
[w]	21 (27.3%)	15 (15.6%)	36 (20.8%)
[y, e, n]	1 (1.3%)	0 (0%)	1 (0.6%)
[y, g, k]	0 (0%)	1 (1.0%)	1 (0.6%)
[y, k]	1 (1.3%)	0 (0%)	1 (0.6%)
[y, n]	1 (1.3%)	4 (4.2%)	5 (2.9%)
[y, o, e]	0 (0%)	1 (1.0%)	1 (0.6%)
[y, r, k]	0 (0%)	1 (1.0%)	1 (0.6%)
[y, r]	1 (1.3%)	0 (0%)	1 (0.6%)
[y, w]	0 (0%)	1 (1.0%)	1 (0.6%)
[y]	6 (7.8%)	7 (7.3%)	13 (7.5%)
stem.root			
	67 (87.0%)	79 (82.3%)	146 (84.4%)
[b]	6 (7.8%)	3 (3.1%)	9 (5.2%)
[c]	0 (0%)	2 (2.1%)	2 (1.2%)
[f]	0 (0%)	3 (3.1%)	3 (1.7%)
[r]	0 (0%)	4 (4.2%)	4 (2.3%)
[s]	4 (5.2%)	5 (5.2%)	9 (5.2%)
stem.surface			
	53 (68.8%)	55 (57.3%)	108 (62.4%)
[f]	0 (0%)	3 (3.1%)	3 (1.7%)
[g]	0 (0%)	5 (5.2%)	5 (2.9%)
[h]	0 (0%)	1 (1.0%)	1 (0.6%)
[i, s]	0 (0%)	1 (1.0%)	1 (0.6%)
[i, t]	1 (1.3%)	0 (0%)	1 (0.6%)
[i, y]	0 (0%)	1 (1.0%)	1 (0.6%)
[i]	4 (5.2%)	7 (7.3%)	11 (6.4%)
[k, s]	1 (1.3%)	0 (0%)	1 (0.6%)
[k]	1 (1.3%)	3 (3.1%)	4 (2.3%)
[s, h]	0 (0%)	1 (1.0%)	1 (0.6%)
[s]	9 (11.7%)	6 (6.3%)	15 (8.7%)

continuea)			
	е	р	Overall
[t]	3 (3.9%)	4 (4.2%)	7 (4.0%)
[y, s]	1 (1.3%)	0 (0%)	1 (0.6%)
[y]	4 (5.2%)	9 (9.4%)	13 (7.5%)
stem.color			
[b, u]	1 (1.3%)	0 (0%)	1 (0.6%)
[e, n]	1 (1.3%)	2 (2.1%)	3 (1.7%)
[e, u, y]	0 (0%)	1 (1.0%)	1 (0.6%)
[e, y]	1 (1.3%)	0 (0%)	1 (0.6%)
[e]	0 (0%)	1 (1.0%)	1 (0.6%)
[f]	0 (0%)	3 (3.1%)	3 (1.7%)
[g, w]	1 (1.3%)	0 (0%)	1 (0.6%)
[g, n]	1 (1.3%)	3 (3.1%)	4 (2.3%)
[g, r, n]	0 (0%)	2 (2.1%)	2 (1.2%)
[g, u, n]	0 (0%)	1 (1.0%)	1 (0.6%)
[g, w]	2 (2.6%)	0 (0%)	2 (1.2%)
[g]	2 (2.6%)	0 (0%)	2 (1.2%)
[k, n]	1 (1.3%)	1 (1.0%)	2 (1.2%)
[k]	0 (0%)	1 (1.0%)	1 (0.6%)
[l, r, w]	1 (1.3%)	0 (0%)	1 (0.6%)
[n, e]	0 (0%)	2 (2.1%)	2 (1.2%)
[n, g]	1 (1.3%)	1 (1.0%)	2 (1.2%)
[n, o]	1 (1.3%)	1 (1.0%)	2 (1.2%)
[n, p, w]	1 (1.3%)	0 (0%)	1 (0.6%)
[n, p]	0 (0%)	1 (1.0%)	1 (0.6%)
[n, w]	2 (2.6%)	1 (1.0%)	3 (1.7%)
[n, y]	1 (1.3%)	1 (1.0%)	2 (1.2%)
[n]	15 (19.5%)	20 (20.8%)	35 (20.2%)
[o, e]	1 (1.3%)	0 (0%)	1 (0.6%)
[o, n]	1 (1.3%)	0 (0%)	1 (0.6%)
[o, y]	1 (1.3%)	4 (4.2%)	5 (2.9%)
[o]	0 (0%)	1 (1.0%)	1 (0.6%)
[p]	0 (0%)	2 (2.1%)	2 (1.2%)
[r, y]	0 (0%)	1 (1.0%)	1 (0.6%)
[u, e]	0 (0%)	1 (1.0%)	1 (0.6%)
[u]	1 (1.3%)	1 (1.0%)	2 (1.2%)
[w, l, n]	0 (0%)	1 (1.0%)	1 (0.6%)
[w, n]	2 (2.6%)	1 (1.0%)	3 (1.7%)

Continuedy			Overall
	е	р	Overall
[w, o]	1 (1.3%)	0 (0%)	1 (0.6%)
[w, u]	0 (0%)	1 (1.0%)	1 (0.6%)
[w, y]	1 (1.3%)	2 (2.1%)	3 (1.7%)
[w]	32 (41.6%)	25 (26.0%)	57 (32.9%)
[y, e, n]	0 (0%)	1 (1.0%)	1 (0.6%)
[y, n]	0 (0%)	4 (4.2%)	4 (2.3%)
[y, o, k]	0 (0%)	1 (1.0%)	1 (0.6%)
[y]	5 (6.5%)	8 (8.3%)	13 (7.5%)
veil.type			
	74 (96.1%)	90 (93.8%)	164 (94.8%)
[u]	3 (3.9%)	6 (6.3%)	9 (5.2%)
veil.color			
	68 (88.3%)	84 (87.5%)	152 (87.9%)
[e, n]	0 (0%)	1 (1.0%)	1 (0.6%)
[k]	0 (0%)	1 (1.0%)	1 (0.6%)
[n]	0 (0%)	1 (1.0%)	1 (0.6%)
[u]	0 (0%)	1 (1.0%)	1 (0.6%)
[w]	7 (9.1%)	8 (8.3%)	15 (8.7%)
[y, w]	1 (1.3%)	0 (0%)	1 (0.6%)
[y]	1 (1.3%)	0 (0%)	1 (0.6%)
has.ring			
[f]	60 (77.9%)	70 (72.9%)	130 (75.1%)
[t]	17 (22.1%)	26 (27.1%)	43 (24.9%)
ring.type	, ,	, ,	, ,
3 71	4 (5.2%)	3 (3.1%)	7 (4.0%)
[e, g]	0 (0%)	1 (1.0%)	1 (0.6%)
[e]	3 (3.9%)	3 (3.1%)	6 (3.5%)
[f]	61 (79.2%)	76 (79.2%)	137 (79.2%)
[g, p]	0 (0%)	2 (2.1%)	2 (1.2%)
[g]	2 (2.6%)	0 (0%)	2 (1.2%)
[l, e]	0 (0%)	1 (1.0%)	1 (0.6%)
[l, p]	1 (1.3%)	0 (0%)	1 (0.6%)
[l, r]	2 (2.6%)	0 (0%)	2 (1.2%)
[l]	1 (1.3%)	1 (1.0%)	2 (1.2%)
[m]	1 (1.3%)	0 (0%)	1 (0.6%)
[p]	1 (1.3%)	1 (1.0%)	2 (1.2%)

	е	р	Overall
[r]	1 (1.3%)	2 (2.1%)	3 (1.7%)
[z]	0 (0%)	6 (6.3%)	6 (3.5%)
Spore.print.color			
	72 (93.5%)	83 (86.5%)	155 (89.6%)
[g]	1 (1.3%)	0 (0%)	1 (0.6%)
[k, r]	0 (0%)	1 (1.0%)	1 (0.6%)
[k, u]	0 (0%)	1 (1.0%)	1 (0.6%)
[k]	1 (1.3%)	4 (4.2%)	5 (2.9%)
[n]	0 (0%)	3 (3.1%)	3 (1.7%)
[p, w]	0 (0%)	1 (1.0%)	1 (0.6%)
[p]	1 (1.3%)	2 (2.1%)	3 (1.7%)
[w]	2 (2.6%)	1 (1.0%)	3 (1.7%)
habitat			
[d, h]	1 (1.3%)	3 (3.1%)	4 (2.3%)
[d]	47 (61.0%)	57 (59.4%)	104 (60.1%)
[g, d, h]	1 (1.3%)	0 (0%)	1 (0.6%)
[g, d]	6 (7.8%)	4 (4.2%)	10 (5.8%)
[g, h, d]	1 (1.3%)	2 (2.1%)	3 (1.7%)
[g, l, d]	0 (0%)	1 (1.0%)	1 (0.6%)
[g, l, m, d]	1 (1.3%)	0 (0%)	1 (0.6%)
[g, m, d]	1 (1.3%)	4 (4.2%)	5 (2.9%)
[g, m]	3 (3.9%)	2 (2.1%)	5 (2.9%)
[g, u, d]	1 (1.3%)	0 (0%)	1 (0.6%)
[g]	1 (1.3%)	10 (10.4%)	11 (6.4%)
[h, d]	0 (0%)	2 (2.1%)	2 (1.2%)
[l, d, h]	1 (1.3%)	0 (0%)	1 (0.6%)
[l, d]	7 (9.1%)	6 (6.3%)	13 (7.5%)
[l, h]	1 (1.3%)	0 (0%)	1 (0.6%)
[1]	1 (1.3%)	0 (0%)	1 (0.6%)
[m, d]	2 (2.6%)	1 (1.0%)	3 (1.7%)
[m, h]	0 (0%)	1 (1.0%)	1 (0.6%)
[m]	1 (1.3%)	1 (1.0%)	2 (1.2%)
[p, d]	0 (0%)	2 (2.1%)	2 (1.2%)
[w]	1 (1.3%)	0 (0%)	1 (0.6%)
season			
[a, w]	9 (11.7%)	6 (6.3%)	15 (8.7%)
[a]	5 (6.5%)	11 (11.5%)	16 (9.2%)

	е	р	Overall
[s, a, w]	1 (1.3%)	0 (0%)	1 (0.6%)
[s, u, a, w]	7 (9.1%)	6 (6.3%)	13 (7.5%)
[s, u, a]	1 (1.3%)	4 (4.2%)	5 (2.9%)
[s, u]	2 (2.6%)	1 (1.0%)	3 (1.7%)
[s]	1 (1.3%)	0 (0%)	1 (0.6%)
[u, a, w]	8 (10.4%)	4 (4.2%)	12 (6.9%)
[u, a]	43 (55.8%)	63 (65.6%)	106 (61.3%)
[u]	0 (0%)	1 (1.0%)	1 (0.6%)