# Noplanlife.com.



```
0000 000 bash 00 0000
In :::: Python 11/20/2014 27425 Views June Park
  Bash
```

### 1. os.system

```
import os
import sys
os.system ('ls -al | grep "user")
// pipe command is available
  subprocess.
```

### 2. subprocess

```
os.system "" "call" .
1 import subprocess
2
3 subprocess.call ('ls -al', shell=True)
     if call check_ouput .
   "AAA" "BBB".
"AAA" "123" "BBB" "456"
    import subprocess
   result = subprocess.check_output ('./program' , shell=True)
   if result == 'AAA' :
    print "123"
elif result == 'BBB' :
    print "456"
```

```
check_output
```

#### 3.

bash

https://docs.python.org/2/library/subprocess.html

http://mervine.net/executing-bash-from-python



## **Category** [ Life\_Log ] (10) :::: Essay (6) :::: Book (0) :::: Culture (4) :::: Photograph (0) [Travel\_Log](3) :::: New York (0) ::: US Trip (2) :::: Paris (0) :::: Korea (1) [ Clipping\_Log ] (2) :::: Tech Trend (2) :::: Useful Info. (0) [ Hack the World ] (45) :::: Hacking (13) :::: Python (7) :::: Reverse Eng. (1) :::: C\_Language (4) :::: News&Info (9) :::: War\_Game (2) :::: Tech\_Docs. (2)

:::: Pentesting (2)		
:::: Mobile Security (1)		
:::: Algorithm (0)		
:::: Forensic (4)		
[ Office English ] (0)		
(1)		