## **The Front-End Checklist**

🛅 The Front-End Checklist Application is perfect for modern websites and meticulous developers! ★ Generated on http://frontendchecklist.io ★

| Project Name Data Visualization Is Fun Page title or URL https://peaceful-empanada-c814a0.netlify.app/ | <ul> <li>42/47 ✓ high priority</li> <li>21/25 ✓ medium priority</li> <li>11/16 ✓ low priority</li> </ul> | В       |
|--|--|---------|
| Developer's name or team  Chris  |  |         |
| HEAD 77 % Head items are ✓   |  |         |
| <ul> <li>Doctype: The Doctype is HTML5 and is at the top of all your</li> </ul>                        | HTML pages.  |         |
| <ul> <li>Charset: The charset declared (UTF-8) is declared correctly.</li> </ul>                       |  |         |
| Viewport: The viewport is declared correctly.  |  |         |
| Title: A title is used on all pages  |  |         |
| <ul> <li>Z Description: A meta description is provided, it is unique and</li> </ul>                    | doesn't possess more than 150 characters.  |         |
| <ul> <li>Favicons: Each favicon has been created and displays corre</li> </ul>                         | ctly.  |         |
| <ul> <li>Apple Web App Meta: Apple meta-tags are present.</li> </ul>                                   |  |         |
| <ul> <li>Windows Tiles: Windows tiles are present and linked.</li> </ul>                               |  |         |
| <ul> <li>Canonical: Use rel="canonical" to avoid duplicate content.</li> </ul>                         |  |         |
| <ul> <li>Language attribute: The <code>lang</code> attribute of you page.</li> </ul>                   | ur website is specified and related to the language of the   | current |
| Direction attribute: The direction of lecture is specified on the                                      | e html tag (It can be used on another HTML tag).   |         |
| <ul> <li>Alternate language: The language tag of your website is specified.</li> </ul>                 | ecified and related to the language of the current page.   |         |
| <ul> <li>Conditional comments: Conditional comments are present to</li> </ul>                          | for IE if needed.  |         |
| <ul> <li>RSS feed: If your project is a blog or has articles, an RSS link</li> </ul>                   | k was provided.  |         |
| Inline critical CSS: The inline critical CSS is correctly injecte                                      | d in the HEAD.   |         |
| <ul> <li>CSS order: All CSS files are loaded before any JavaScript file</li> </ul>                     | es in the HEAD   |         |
| Facebook Open Graph:   |  |         |
| Twitter Card:  |  |         |
| HTML  100 % HTML items are ✓  • WHTML5 Semantic Elements: HTML5 Semantic Elements are                  | e used appropriately (header section footer main )   |         |

- Noopener: In case you are using external links with target="\_blank", your link should have a rel="noopener" attribute to prevent tab nabbing. If you need to support older versions of Firefox, use rel="noopener noreferrer"
- Clean up comments: Unnecessary code needs to be removed before sending the page to production.

Error pages: Error 404 page and 5xx exist

▼ W3C compliant: All pages need to be tested with the W3C validator to identify possible issues in the HTML code. ✓ HTML Lint: I use tools to help me analyze any issues I could have on my HTML code. Link checker: There are no broken links in my page, verify that you don't have any 404 error. ✓ Adblockers test: Your website shows your content correctly with adblockers enabled 66 % Webfonts items are ✓ **WEBFONTS** Webfont format: WOFF, WOFF2 and TTF are supported by all modern browsers. ✓ Webfont size: Webfont sizes don't exceed 100 KB (all variants included). Webfont loader: Control loading behavior with a webfont loader. **Documentation**  Typekit Web Font Loader 88 % CSS items are ✓ CSS Responsive Web Design: The website is using responsive web design. CSS Print: A print stylesheet is provided and is correct on each page. Unique ID: If IDs are used, they are unique to a page. Reset CSS: A CSS reset (reset, normalize or reboot) is used and up to date. ✓ JS prefix: All classes (or id- used in JavaScript files) begin with js- and are not styled into the CSS files. Embedded or inline CSS: Avoid at all cost embeding CSS in <style> tags or using inline CSS Vendor prefixes: CSS vendor prefixes are used and are generated accordingly with your browser support compatibility. Concatenation: CSS files are concatenated in a single file (Not for HTTP/2). Minification: All CSS files are minified. Non-blocking: CSS files need to be non-blocking to prevent the DOM from taking time to load. Stylelint: All CSS or SCSS files are without any errors. Responsive web design: All pages were tested with the correct breakpoints. **CSS Validator:** The CSS was tested and pertinent errors were corrected. 🗸 Desktop Browsers: All pages were tested on all current desktop browsers (Safari, Firefox, Chrome, Internet Explorer, EDGE...) ✓ Mobile Browsers: All pages were tested on all current mobile browsers (Native browser, Chrome, Safari...) OS: All pages were tested on all current OS (Windows, Android, iOS, Mac...) **Reading direction:** All pages need to be tested for LTR and RTL languages if they need to be supported. 100 % JavaScript items are ✓ **JAVASCRIPT** 

JavaScript Inline: You don't have any JavaScript code inline (mixed with your HTML code).

Concatenation: JavaScript files are concatenated.

|   | initial data on pt mod are in                          |  |
|---|--|--|
| • | ✓ JavaScript security:                                 |  |
| • | ✓ noscript tag: Use ` <noscript>` tag</noscript>       | in the HTML body if a script type on the page is unsupported or if scripting is currently turned off |
|   | in the browser. This will be helpful                   | in client-side rendering heavy apps such as React.js.  |
| • | ✓ Non-blocking: JavaScript files are                   | e loaded asynchronously using async or deferred using defer attribute.                               |
| • | ✓ Modernizr: If you need to target so                  | ome specific features you can use a custom Modernizr to add classes in your <html> tag.</html>       |
| • | ✓ ESLint: No errors are flagged by F                   | ESLint (based on your configuration or standards rules).   |
|   |  |  |
| ١ | MAGES 100 % Images iter                                | ms are ✓   |
| • | Optimization: All images are optimed Homepage)         | mized to be rendered in the browser. WebP format could be used for critical pages (like              |
| • | ☐ Picture/Srcset: You use picture/sr                   | reset to provide the most appropriate image for the current viewport of the user.                    |
| • | Retina: You provide layout images                      | s 2x or 3x, support retina display.  |
| • | ☐ <b>Sprite:</b> Small images are in a sprit           | e file (in the case of icons, they can be in an SVG sprite image).                                   |
| • | Width and Height: Set width and I sizing).             | height attributes on <img/> if the final rendered image size is known (can be omitted for CSS        |
| • | ☐ Alternative text: All <img/> have a                  | n alternative text which describe the image visually.  |
| • | ☐ Lazy loading: Images are lazyload                    | ded (A noscript fallback is always provided).  |
|   |  |  |
| Δ | CCESSIBILITY   | 80 % Accessibility items are ✓   |
| • | Progressive enhancement: Majo                          | r functionality like main navigation and search should work without JavaScript enabled.              |
| • | ✓ Color contrast: Color contrast sho                   | ould at least pass WCAG AA (AAA for mobile).   |
| • | ✓ H1: All pages have an H1 which is                    | not the title of the website.  |
| • | ✓ Headings: Headings should be us                      | sed properly and in the right order (H1 to H6).  |
| • | Specific HTML5 input types are of for different types. | used: This is especially important for mobile devices that show customized keypads and widgets       |
| • | ✓ Label: A label is associated with e                  | ach input form element. In case a label can't be displayed, use aria-label instead.                  |
| • | Accessibility standards testing:                       | Use the WAVE tool to test if your page respects the accessibility standards.                         |
| • | Keyboard navigation: Test your w<br>usable.            | vebsite using only your keyboard in a previsible order. All interactive elements are reachable and   |
| • | ☐ Screen reader: All pages were tes                    | sted in two or more screen readers (such as JAWS, VoiceOver, and NVDA).                              |
| • | ✓ Focus style: If the focus is disable                 | ed, it is replaced by visible state in CSS.  |
|   |  |  |
|   |  |  |
| P | PERFORMANCE  | 80 % Performance items are ✓   |
| P | PERFORMANCE  Page weight: The weight of each           |  |

• Lazy loading: Images, scripts and CSS need to be lazy loaded to improve the response time of the current page (See details in

| • 🗸 |  |
|-----|--|
|     | <b>Cookie size:</b> If you are using cookies be sure each cookie doesn't exceed 4096 bytes and your domain name doesn't have more than 20 cookies.   |
| • 🗸 | Third party components:  |
| • 🗸 | <b>DNS resolution:</b> DNS of third-party services that may be needed are resolved in advance during idle time using dns-prefetch.   |
| • 🗸 | <b>Preconnection:</b> DNS lookup, TCP handshake and TLS negotiation with services that will be needed soon is done in advance during idle time using preconnect.   |
| • 🗸 | <b>Prefetching:</b> Resources that will be needed soon (e.g. lazy loaded images) are requested in advance during idle time using prefetch.   |
| • 🗸 | Preloading: Resources needed in the current page (e.g. scripts placed at the end of <body>) in advance using preload.</body>   |
| •   | Google PageSpeed: All your pages were tested (not only the homepage) and have a score of at least 90/100.  |
| SE( | O 57 % SEO items are ✓  Google Analytics: Google Analytics is installed and correctly configured.  |
| • 🗸 | Headings logic: Heading text helps to understand the content in the current page.  |
|     |  |
|     | sitemap.xml: A sitemap.xml exists and was submitted to Google Search Console.  |
| • 🗸 | sitemap.xml: A sitemap.xml exists and was submitted to Google Search Console.  robots.txt: The robots.txt is not blocking webpages.  |
| • 🗸 | •  |
| • • | robots.txt: The robots.txt is not blocking webpages.  Structured Data: Pages using structured data are tested and are without errors. Structured data helps crawlers understand the                              |
| • 🗸 | robots.txt: The robots.txt is not blocking webpages.  Structured Data: Pages using structured data are tested and are without errors. Structured data helps crawlers understand the content in the current page. |