DICON-FIPCO

PRODUCT BROCHURE

DEFENCE INDUSTRIES CORPORATION OF NIGERIA

BUILT FOR A STRONGER TOMORROW.

Engine oil. Radiator coolant. Multi-purpose grease.

WELCOME TO DICON-FIPCO.

Thank you for taking the time to read this brochure. Whether you manage a fleet, run a workshop, supply a depot or sign off on procurement, you carry a responsibility that rarely gets thanked. You keep equipment running so that other people can do their jobs.

LUBRICANTS FROM NIGERIA'S DEFENCE INDUSTRY.

DICON, the Defence Industries Corporation of Nigeria, built its name on equipment that must work when conditions turn against it. DICON lubricants carry that expectation into the engine bay, the cooling circuit and the chassis. The range is deliberately focused.



Figure 1: DICON engine oil range.

01 DEFENCE HERITAGE

Developed under the DICON name, with the discipline of an institution that equips the armed forces.

02 FOCUSED RANGE

Three product lines and a clear grade structure, so a workshop or fleet manager can specify without guesswork.

03 ROAD AND OFF ROAD

Made for the full duty cycle: highway kilometres, construction sites, rough terrain and sustained heat.

04 WIDE GRADE COVERAGE

Five engine oil grades, from SAE 5W-30 to SAE 50, span modern gasoline engines through to older diesel plant.

WHY DEFENCE NEEDS A TRUSTED OIL SOURCE.

Oil is a small line in any budget and a decisive one in any operation. Six reasons a defence fleet should know exactly where its lubricants come from. Oil is a small line in any budget and a decisive one in any operation. Six reasons a defence fleet should know exactly where its lubricants come from.

UNVERIFIED OIL PUTS EQUIPMENT AT RISK

Lubricant that misses its stated specification wears engines, gearboxes and joints faster than it should. The damage surfaces later as unplanned repairs, replacement parts and vehicles off the road.

ADULTERATION IS A SECURITY THREAT

Counterfeit and substandard lubricants circulate in open markets, and oil from uncontrolled channels can be diluted, substituted or deliberately tampered with.



Figure 2: DICON Coolant 4 L.

FIVE GRADES. EVERY ENGINE IN THE FLEET.

SAE 5W-30 serves modern gasoline engines. SAE 15W-40 covers diesel and mixed fleets. SAE 20W-50 suits high-mileage and hot-running engines. SAE 40 and SAE 50 monograde oils look after older engines and plant.

GRADE AND SPECIFICATION	ENGINE TYPE	TYPICAL USE	PACKS
SAE 15W-40 API CI-4 / SL	Diesel and gasoline	Mixed fleets and heavy-duty diesel, including engines with exhaust gas recirculation.	1 L 4 L
SAE 20W-50 API SL / CF	Gasoline and diesel	High-mileage engines with wider clearances and engines that run hot.	1 L 4 L
SAE 40 API SF / CF	Gasoline and diesel	Single-grade oil for older engines, generators and equipment.	1 L 4 L

D S O - 1

FULL SYNTHETIC ENGINE OIL

DICON Oil DSO-1 is a full synthetic engine oil for gasoline engines that specify SAE 5W-30 and API SP.

SAE 5W-30 VISCOSITY

Thin enough to reach bearings and the valve train within seconds of start-up, thick enough at operating temperature to hold a protective film.



P R O D U C T C O D E

DG-2

P A C K

400 g cartridge

S A L E S D E S K

Oqui Ozioko, Lead Consultant

P H O N E

+234 806 409 7009

B U I L T F O R A S T R O N G E R T O M O R R O W

Select lubricants according to the equipment manufacturer's requirements.