PUBLISHED STANDARD · INDEPENDENT AND OPEN

Common Transaction Reporting and Evidence Standard

An open, rail-neutral format for evidencing payment flows and gaming revenue in regulated gambling

Item	Detail
Short name	CTRES v1.1, universal edition
Status	Published, version 1.1. Open for implementation and for public comment. A voluntary, independent standard: it carries no regulatory force and creates no new obligations.
Date	5 November 2026 (version 1.1; version 1.0 first published 2 October 2026)
Register edition	5 November 2026, ninety-seven jurisdictions. Annex B, the Register of jurisdiction profiles, is published separately (CTRES_Register.pdf; ctres.org/profiles/)
Editor	Dmitry Skachko
Contact	hello@ctres.org
Website	https://ctres.org
Coverage	Every payment rail - cards, bank and instant payments, e-money, mobile money, vouchers, cash at retail, virtual assets - and the gaming revenue reconciled to the money they carry, under any jurisdiction's rules, through jurisdiction profiles; delivered as a periodic package or as a stream of the same records (§8.4). Four conformance levels: an operator starts with the return it already files (Level 1) and adds the money behind it step by step (§10)
Licence to use	The text is licensed under Creative Commons Attribution 4.0 International (CC BY 4.0). Any operator, supplier or authority may implement the Standard without fee or permission. The schema and a reference validator for structural and referential checks are published under the Apache License 2.0 at github.com/ctres-standard. Governance is set out in §13.
Comments	Through the public issue tracker at github.com/ctres-standard/spec, or to hello@ctres.org. Every authority is invited to correct its own profile in the Register (Annex B); corrections an authority makes to its own profile are adopted as submitted.

ctres.org

Contents

CTRES in one page
1. Purpose and status
2. Scope
3. Design principles
4. Record model (R1–R15)
5. Jurisdiction profiles
6. Rail modules
7. Mapping to existing regulatory formats
8. Submission and access
9. Evidence pack
10. Conformance levels
11. Validation
12. Data protection, confidentiality and retention
13. Governance and versioning
14. Roadmap
15. Questions for authorities

A. Field catalogue
B. Jurisdiction profiles: the Register (published separately)
C. Example records
D. Conformance declaration (template)
E. Glossary

CTRES
ctres.org · hello@ctres.org

CTRES in one page

CTRES is a file format in which a licensed gambling operator evidences the money it handles and the gaming revenue it declares, in one shape for every payment rail and every regulator. An operator produces a package of JSON Lines files with a manifest; the authority receives it through the channel it already uses and checks it mechanically. The Standard creates no obligation: it formats evidence of duties that already exist, and a jurisdiction profile (§5) sets the parameters - thresholds, deadlines, permitted rails, the levy base - that apply.

Four records are the core. Everything else is a module an authority asks for when it needs it: Custody, Supervision, Venue, or Wagering for an authority that receives each bet.

Core record	One line per…	What it evidences
R3 Deposit / R4 Withdrawal	payment	What came in and went out, on which instrument, when it was credited or paid
R7 Reconciliation Statement	funds location and period; licence and period	Books against statements; player balances against the funds held to cover them
R13 Gaming Revenue Statement	licence, product line, channel, currency and period	Stakes, winnings, refunds and bonus quantities, and the gross gaming revenue declared on them, with the formula used

One identity ties the revenue to the money, for a licence, currency and period - the money bridge (§4.13):

```
(stakes_cash + stakes_bonus − stakes_refunded) − (winnings_cash + winnings_bonus) = deposits − withdrawals − Δ player balances − Δ open-bet liability + bonus_granted − bonus_expired
```

Adoption is stepwise. An operator declares a conformance level (§10) and the package carries at least the records of that level; the authority checks what the level allows it to check.

Level	Records	The authority can check
Level 1: Return	manifest + R13	The return it already receives, in a structure a validator checks: schema, arithmetic, one statement per currency
Level 2: Evidence	+ R3, R4, R7 (+ R14 for venues; + R15 where the authority receives bets)	The money bridge: declared revenue against deposits, withdrawals and balances; venue win against the count
Level 3: Custody	+ R1, R2, R6, R10, R11	Where player money sits, who holds it, provider attestations, segregation
Level 4: Supervision	+ R5, R8, R9, R12	Checks before money moves, exceptions, incidents, reports filed elsewhere

- Delivery is the profile's choice, not the format's: a periodic package, or the same records as a stream of events with daily checkpoints (§8.4) - seconds, hours or a day behind the fact, as the authority requires. The package remains the signed close that the stream must agree with.
- For an operator: Level 1 is the figures of the levy return you already file, as one R13 line per product and period; Level 2 adds the deposits, withdrawals and period balances your payment and wallet systems already hold. The schema and the validator are free (github.com/ctres-standard).
- For an authority: confirm your profile in the Register (Annex B), choose the level you require, and receive packages through your existing channel. The Standard proposes no new system and moves no data across borders (§8).
- Where to look: the record model is §4; profiles and the levy parameters, §5; validation, §11; the Register of ninety-seven jurisdiction profiles is published separately and at ctres.org/profiles/. Questions and corrections: hello@ctres.org.

1. Purpose and status

1.1 The problem this Standard addresses

Every gambling regulator asks operators the same six questions about money. Did it come from the player? Was it checked before it was accepted? Was it credited correctly? Where did it go when it left? Is the money owed to players actually there? What did the house win, by product and period, and does it match the money? Each regulator asks in its own format, on its own calendar and through its own channel.

The research behind this version reviewed the published rules of ninety-seven jurisdictions on six continents (the Register, Annex B). The questions are the same in all of them; what differs is a small set of parameters - which rails are permitted, at what amounts checks and reports are triggered, over what window amounts are aggregated, how quickly a payout must be made, where data is held and for how long, and, for revenue, what counts as a stake, a winning and a bonus and over what period the house win is levied. Without a common format an operator licensed in several jurisdictions rebuilds the same evidence for each; more than half of the jurisdictions reviewed run or are building a central system, data vault or state register, each defining the operator-side data afresh; and an operator that has implemented its controls well cannot prove it more cheaply than one that has not. CTRES defines the shape of the evidence once and lets each jurisdiction set its own parameters.

1.2 What this Standard is not

- It creates no obligation. It formats evidence of duties that already exist under each jurisdiction's law and licence conditions.
- It does not replace any authority's central system, reporting portal or financial intelligence reporting schema, such as goAML, the FINTRAC reporting API, Infostat-UIF or SIGAP. It is the operator-side evidence layer from which those submissions can be produced (§7).
- It is independent of any authority. Every reference to a jurisdiction's rules is a reading of published sources, offered to the authority concerned for review.
- It names no vendor and requires none.
- It does not cover game content or outcomes. Totals of stakes and winnings by product and period are in scope (R13, R14); the money facts of each bet are in scope only through the optional Wagering module (R15), for authorities that receive bet-level data. It does not cover marketing data or behavioural analytics.

CTRES
ctres.org · hello@ctres.org

2. Scope

2.1 In scope

Licensed gambling operators - online and, where an authority so chooses, retail and land-based - and the payment providers acting for them, for:

- Core: player deposits and withdrawals on any rail, with taxes levied or withheld at the payment (R3, R4); reconciliation of each funds location and of total player liabilities against the funds held to cover them (R7); totals of stakes, winnings, refunds and bonus credits by product, channel, currency and period, with the gaming revenue declared on them and, where the profile requires self-assessment, the levy base (R13).
- Custody module: every location where the operator holds money, the instruments linked to players, movements between the operator's own locations, the providers that handle player money and their attestations (R1, R2, R6, R10, R11).
- Supervision module: checks that precede the movement of money - identity and holder verification, sanctions, eligibility and exclusion registers, limits, source of funds, fraud and blockchain analytics - exceptions, incidents, and references to reports filed with other authorities (R5, R8, R9, R12).
- Venue module: for land-based venues, the counts behind the revenue line - meters, drop, fills, credits and the count-room totals (R14).
- Wagering module: for authorities that receive bet-level data, one record per bet, round, ticket or hand - stake, winnings, status and times, by pseudonymous player (R15).

2.2 Out of scope

Game content and outcomes - selections, results, game state - beyond the money facts of a bet that R15 carries where the profile asks for it; marketing and affiliate data; behavioural analytics; and the content of suspicious transaction reports, which remains under the confidentiality rules of each jurisdiction (§12).

3. Design principles

Principle	What it means in practice
No new obligations	The Standard formats evidence of duties that already exist. A field that cannot be traced to a requirement in at least one jurisdiction is optional.
Rail-neutral core, rail modules at the edge	Fields common to every rail live in the core records. Fields that exist on one rail only - a transaction hash, a card BIN, a mobile money receipt, a retail point identifier - live in a rail module (§6).
Jurisdiction as configuration	Thresholds, aggregation windows, deadlines, permitted rails and retention periods are profile parameters, never constants in the format. Records carry the raw facts needed to apply any profile.
Map, don't replace	Regulators keep their own channels and schemas. CTRES records carry the references those systems issue and can be transformed into their formats.
Evidence over assertion	A control is reported as the record it produced, with a timestamp and an actor, not as a statement that the control exists.
Computed, not declared	Where a fact can be derived from other records - a payout to the instrument that funded the account, a movement out of player funds, the time taken to report an incident - validation derives it instead of trusting a flag the operator sets.
Revenue is reconciled to money	The gaming revenue an operator declares (R13) is tied to the deposits, withdrawals, player balances and open-bet liability the same package carries (R3, R4, R7) through the money bridge (§4.13), so that a declared figure can be tested rather than trusted.
Visible gaps	Where a control left no record, the field is reported as not_recorded rather than omitted, so that an absence of evidence is visible and is not mistaken for an export error.
Pseudonymous by default	Periodic submissions carry player references, masked account numbers and hashed phone numbers - never identity documents.
Proportionate	Four conformance levels (§10) let an operator start with the return it already files and add the money behind it step by step; the profile sets the level an authority requires.
Two cadences, one record	The same records are delivered as a periodic package or as a stream of events (§8.4). Timeliness is a profile parameter, not a property of the format; the period package remains the signed close that the stream must agree with.
Deterministic and verifiable	The same inputs produce the same package. Every package carries a manifest with a hash per file and may carry a signature, so a submission can be proved unaltered.
Currency-aware	Amounts are decimal strings with an ISO 4217 code or an asset identifier, plus a reporting-currency value with its rate and source, so that thresholds in any currency can be applied. Thresholds set in indexed units - minimum wages, UMA, UIT, base units - are converted with the value in force on the transaction date, which the profile records.

4. Record model (R1–R15)

Fifteen record types. Each record is one line of JSON; each file holds one record type for one period, and the same line travels as an event in a stream (§8.4). Four of them - R3, R4, R7 and R13, with the package manifest - are the core; the others form four modules, Custody (R1, R2, R6, R10, R11), Supervision (R5, R8, R9, R12), Venue (R14) and Wagering (R15), which the conformance levels of §10 add in steps or the profile asks for. The fields listed below are the ones an implementation needs; rail-module fields are described in §6, and the complete catalogue is maintained as a machine-readable schema (Annex A), published at github.com/ctres-standard/schema.

ID	Record	Core or module	The question it answers
R1	Funds Location	Custody	Where does the operator hold money, for what purpose, and under what protection?
R2	Payment Instrument Link	Custody	Does this instrument belong to this player, and may it receive payouts?
R3	Deposit	Core	What came in, from which instrument, when was it credited, and what was checked first?

ID	Record	Core or module	The question it answers
R4	Withdrawal	Core	What went out, to which instrument, who released it, and how quickly?
R5	Check Decision	Supervision	Which control ran, before which event, with what outcome?
R6	Internal Movement	Custody	Did money move between the operator's own locations, and was segregation kept?
R7	Reconciliation Statement	Core	Do the books match the external statements, and are player liabilities covered?
R8	Exception	Supervision	What could not be explained, for how much, for how long, and who owns it?
R9	Incident	Supervision	What happened that an authority must be told, and when was it told?
R10	Provider Register	Custody	Who handles the money, under whose authorisation, after what due diligence?
R11	Provider Attestation	Custody	Where the operator cannot see the money directly, what does the provider certify?
R12	Report Reference	Supervision	Which reports were filed elsewhere, triggered by which records, against which deadline?
R13	Gaming Revenue Statement	Core	What did the house win, by product and period?
R14	Venue Count	Venue	What did the gaming floor count - meters, drop, fills, credits?
R15	Bet Event	Wagering	What was staked and paid on each bet, by which player, on which product, and when?

4.1 R1 Funds Location

Every place the operator holds money, in any form. This is the record that answers segregation and protection requirements.

Field	Type	Req.	Purpose
location_id	string	M	Stable internal identifier
location_type	enum	M	bank_account | provider_balance | mobile_money_collection | emoney_account | crypto_wallet | cash_float
purpose_class	enum	M	player_funds | operational | treasury | tax_withheld | reserve_or_guarantee
provider_id	string	C	Institution holding the location, from R10
identifier_masked	string	M	Masked account number, paybill or short code, or wallet address
currency_or_asset	string	M	ISO 4217 code or asset identifier
protection_mechanism	enum	M	segregated_account | trust | separate_estate | guarantee | reserve | none
custody_model	enum	M	direct | omnibus_at_provider | hybrid - selects the reconciliation profile (§4.7)
controlling_entity	string	M	Legal entity that controls the location
location_jurisdiction	string	M	Country where the funds are held, for location rules
venue_id	string	O	Land-based venue a cash float or cage belongs to, so that a venue count (R14) can reference it
opened_at / closed_at	datetime	M/C	Lifecycle of the location in the inventory
ownership_evidence_ref	string	M	Reference to the proof of control held on file

4.2 R2 Payment Instrument Link

The link between a player and a payment instrument: whose it is, how that was established, and whether payouts may go to it. R2 is submitted as the full register at period end - every link ever made, including revoked ones with their status - and a player is identified by the pair player_ref_scope and player_ref, so that the same reference in two brands is never merged.

Field	Type	Req.	Purpose
instrument_id	string	M	Stable, tokenised identifier
player_ref / player_ref_scope	string	M	Pseudonymous player reference, and the brand or licence it belongs to
rail	enum	M	card | bank_transfer | emoney | mobile_money | carrier_billing | voucher | cash | virtual_asset
instrument_detail	object	M	Rail-module fields (§6): masked card, masked account number, instant-payment key type, hashed phone number, wallet address
funding_type	enum	C	debit | credit | prepaid | deferred | invoice | bnpl | unknown - needed wherever credit in any form is prohibited
issuer_country	string	C	Country of the institution that issued the instrument - needed wherever only domestic instruments are permitted
holder_match	enum	M	match | partial | no_match | not_checked | not_available
holder_verification_method	enum	C	issuer_check | bank_name_check | open_banking | instant_payment_directory | mobile_operator_kyc | signed_message | micro_transfer | provider_attestation | document
verified_at / verified_by	datetime / string	C	When and by whom
national_id_match	enum	C	match | no_match | not_checked - where accounts must be held under the player's national identifier
payout_status	enum	M	not_eligible | pending | active | revoked

4.3 R3 Deposit and 4.4 R4 Withdrawal

The two records that carry the money. Both reference the instrument, the checks relied upon and the ledger entry, so that the payment, the decision and the player balance can be tied together without further enquiry. At Level 2 (§10) the instrument, provider and check identifiers are the operator's own identifiers, carried in the record and resolved within the package only once the Custody and Supervision modules are included; check_ids may then be empty.

Field	Type	Req.	Purpose
tx_id	string	M	Internal transaction identifier
player_ref / player_ref_scope	string	M	As in R2
direction	enum	M	deposit | withdrawal
rail / instrument_id	enum / string	M	Rail, and the R2 instrument used
provider_id	string	M	From R10
rail_reference / rail_reference_type	string / enum	M	The identifier the rail itself issued: acquirer reference, end-to-end instant-payment ID, mobile operator receipt, voucher serial or transaction hash
authority_reference	string	C	Identifier issued by an authority's central system, where one exists
amount / currency_or_asset	decimal / string	M	As transacted
amount_reporting_ccy / fx_rate / fx_source	decimal / string	M	Value used for thresholds, with the rate and its source
initiated_at / settled_at	datetime	M	When the payment was initiated, and when the rail settled it
credited_at	datetime	M	When the player account was credited or debited - the moment that prior checks must precede
account_currency / account_fx_rate	string / decimal	M/C	Currency of the player account, and the rate applied where it differs from the payment currency
credited_amount / ledger_entry_ref	decimal / string	M	Amount posted to the player account, in the account currency, and the ledger entry
fees	object	M	Rail, provider and network fees charged to the player, separated
operator_cost_reporting_ccy	decimal	O	Rail or network costs borne by the operator, in the reporting currency

Field	Type	Req.	Purpose
tax_lines	array	C	Tax levied or withheld at this payment: type, rate, amount, authority, due date, remittance reference
check_ids	array	M	R5 decisions in force at the moment of crediting or dispatch
limit_check	enum	C	within_limit | blocked | reduced | not_applicable | not_recorded
outcome	enum	M	accepted | rejected | frozen | returned | pending_review
requested_at / paid_at	datetime	M	Withdrawals: measures payout time against the profile's deadline
destination_rule	enum	M	Withdrawals: same_instrument | same_holder_other_instrument | profile_route | exception - the closed-loop evidence
source_instrument_ids	array	C	Withdrawals: deposit instruments the payout is matched to
approved_by / approved_at	string / datetime	M	Withdrawals: the person or rule that released the payment

4.5 R5 Check Decision

Any control that runs before money moves, recorded in a common vocabulary so that outcomes remain comparable across providers and registers. The Standard does not prescribe scoring.

Field	Type	Req.	Purpose
check_id	string	M	Identifier
subject_type / subject_ref	enum / string	M	player | instrument | transaction | address | provider
check_type	enum	M	identity | biometric | holder_match | sanctions | pep | eligibility_register | self_exclusion | limit | cross_operator_limit | credit_register | source_of_funds | financial_risk | fraud | blockchain_analytics | travel_rule
register_or_provider / version	string	M	The register, list or provider consulted
performed_by_party	enum	M	operator | provider | authority_system | other
performed_at	datetime	M	Must precede crediting or dispatch wherever the profile requires a prior check
result_class	enum	M	clear | low | medium | high | prohibited | match | no_match | error
decision	enum	M	allow | step_up | block | freeze | return | refer
decided_by	enum	M	automated | analyst
supersedes	string	C	Earlier decision this one replaces, for example a step-up followed by allow
evidence_ref	string	M	Where the underlying report is retained

4.6 R6 Internal Movement

Movements between the operator's own funds locations - settlement from a provider to a bank, sweeps, tax remittance accounts - which is where segregation either holds or breaks. Fields: movement identifier; source and destination locations, at least one of which must exist in R1 - the other may be a provider from R10, such as an exchange or a settlement account; purpose (settlement \| sweep \| liquidity \| conversion \| tax_remittance \| correction); whether the movement crosses purpose classes, with a justification where it does; approver and time; rail reference; amount and fees.

4.7 R7 Reconciliation Statement

Two kinds of statement turn reconciliation from a claim into a number.

- Location statement - one per funds location per period. Opening and closing balances from the external source (bank statement, provider settlement report, mobile operator statement or chain) and from the ledger, plus the provider's own reported balances where the custody model is omnibus; inflows, outflows and fees; the unexplained delta, stated rather than hidden; exceptions raised; preparer and reviewer.

- Coverage statement - one per licence per period, or per day where the profile requires. Player balances, pending withdrawals and, where the profile counts them, open bets, giving total player liabilities; funds held against them by protection mechanism; funds in transit; any shortfall, and when it was cured.

The custody model declared in R1 selects the reconciliation profile. Applying a direct-custody profile to a pooled arrangement produces an exception on every transaction and tells the reader nothing.

Custody model	What the operator can evidence	Reconciliation profile
Direct - the operator holds the account, wallet or float	Every payment exists in an external statement against a location in R1	Statement against ledger, per location and per period; the unexplained delta is the residual
Omnibus at a provider - player money sits in a payment provider's, mobile money operator's or virtual-asset provider's pooled account	Provider records and references; the provider's own balance in aggregate	Two loops: ledger against provider records by reference, and provider balance against the R11 attestation
Hybrid - collection through a provider, funds then swept to the operator	Both of the above, on different locations	Applied per location; the package carries both

4.8 R8 Exception

Anything the operator could not explain, in a common vocabulary, with a value, an age and an owner. A supervisor rarely needs the whole ledger, but always needs the list of things that did not reconcile. Fields: identifier, category, when and by what process it was raised, related records, amount, status (open | under_review | resolved | accepted_risk), age in days, resolution, owner.

Categories are drawn from a closed list, which includes at least: external movement without a ledger entry; ledger entry without an external movement; amount mismatch; check missing or performed after crediting; payout to an instrument not eligible for payouts; payout outside the closed-loop rule without justification; holder mismatch; credit-funded instrument where credit is prohibited; payout later than the profile deadline; movement across purpose classes without justification; location outside the inventory; provider without due diligence or authorisation; coverage shortfall; tax withheld but not remitted by its due date.

4.9 R9 Incident and 4.10 R10 Provider Register

R9 carries events an authority must be told about, with the deadline clock set by the profile: incident identifier, category, detected and notified times, the deadline that applied, the authority and channel used, related records and status.

R10 records each provider that handles player money - acquirer, bank, payment service provider, e-money institution, mobile money operator, voucher issuer, virtual-asset service provider or cash agent - with the authority that authorised it and the licence reference, whether the gambling regulator was notified of or approved it where the profile requires, the dates of due diligence and next review, where its data is held, and, for virtual-asset providers, Travel Rule capability.

4.11 R11 Provider Attestation

Where money sits in a provider's pooled account, the operator cannot evidence individual movements from its own statements. R11 is the provider's statement standing in their place: the period covered, the balance held for the operator, totals credited and debited, the reference scheme that links the provider's records to the operator's, and a signature. It applies equally to a card acquirer's reserve, a mobile money collection account, an e-money balance and a virtual-asset provider's pooled wallet. An operator whose provider will not supply R11 has not failed this Standard; it has discovered a control it cannot evidence, and reporting that plainly is more useful than reporting a reconciliation that was never possible.

4.12 R12 Report Reference

A link between CTRES records and reports filed with other authorities: suspicious transaction reports, cash and virtual-currency threshold reports, casino disbursement reports, periodic systematic reports, levy returns and revenue declarations (report type levy_return), tax remittances and regulator notifications. Fields: reference identifier; report type; destination authority; channel (goAML, a national reporting API, a regulator portal or other); the profile rule that triggered it; related records; deadline; time filed; the receipt the destination issued.

R12 never carries the content of a suspicious transaction report. Where tipping-off and confidentiality rules apply, R12 is held by the operator and disclosed only to an authority entitled by law to see it; periodic packages then carry counts and timeliness only.

4.13 R13 Gaming Revenue Statement

One line per licence, product line, channel, currency and period: what was staked, what was won, what was returned, what the bonus wallet added, and the gross gaming revenue the operator declares on those quantities. The statement carries quantities that certified gaming platforms already report and transaction-level regulatory models already receive - stakes, winnings, rake and the settled-or-open status of each bet in all of them; refunds and voids, jackpot contributions and payouts and the open-bet position at each cut-off in most - rather than a single taxable amount, so that any profile's levy base that rests on gaming quantities can be computed from it (§5); a base fixed per machine or table rests on the unit rows of R14. Cash and bonus are kept as four separate quantities (cash stakes, bonus stakes, cash winnings, bonus winnings), because bonus treatment is where jurisdictions differ most, and the line names the formula that produced the declared figure. Amounts are reported per currency, one statement per currency, and converted by the validator at the rate the statement carries; conversion is never applied at the level of a bet. Winnings are gross of any tax withheld at payout, and the withholding is a separate quantity, so that cash paid out can be reconciled to winnings recorded. A correction is a statement of kind correction that references the statement it replaces and gives the reason; the original statement is never altered, so a closed period is corrected, never restated in place. A correction statement travels in the next package; it does not require the earlier package to be superseded (§8.2).

For one licence, currency and period - with stakes recognised when settled and winnings when credited - the revenue statements of the licence summed over product lines and channels, the payment records (R3, R4) and the coverage statements (R7) satisfy one identity, the money bridge:

```
(stakes_cash + stakes_bonus − stakes_refunded) − (winnings_cash + winnings_bonus) = deposits − withdrawals − Δ player balances − Δ open-bet liability + bonus_granted − bonus_expired
```

Deposits and withdrawals are the amounts posted to player accounts (credited_amount in R3 and R4, bounded by credited_at), so that a withdrawal counts when the account is debited and gross of any tax withheld at payout; player balances are the R7 totals, bonus wallets included; the open-bet liability is the R7 open-bet position and applies where stakes are recognised when settled - where they are recognised when placed, the term is omitted. The validator derives the right-hand side from R3, R4 and R7 and compares it with the statements within the tolerance the profile sets; a difference outside tolerance is an exception (R8).

The left-hand side is the gross gaming revenue from which the profile's levy base is computed (§5); the right-hand side is what the deposits, withdrawals, player balances, open bets and bonus movements in the same package show. The bridge is tested where the package carries R3 and R4 in full; where the profile allows a sample (§8.1), it is tested on demand against the operator's full records (§9). Where the authority computes the figure in its own system, authority_figure_ref carries that figure and the difference is reported in the same way. A declared figure can therefore be tested rather than trusted.

Records of individual bets, rounds and game outcomes stay where they are produced - in the operator's gaming platform or in the authority's data vault - and the statement points to the platform report behind each line through evidence_ref, as R5 points to the report behind a check. Where the authority receives bet-level data through the Wagering module (R15, §4.15), each line of R13 is the aggregation of its bets under the profile's recognition parameter, and the validator computes the line rather than accept it.

Core fields - every statement carries them:

Field	Type	Req.	Purpose
statement_id	string	M	Identifier
statement_kind	enum	M	period | correction
licence_ref	string	M	Licence under the manifest
product_line	string	M	Operator's product or game-type code
channel	enum	M	online | retail | venue
period_start / period_end	datetime	M	Period boundaries, at the gaming-day cut-off the profile sets
currency	string	M	Currency of the amounts - one statement per currency

Field	Type	Req.	Purpose
stakes_basis / winnings_basis	enum	M	stakes: placed | settled | cash | accrual_at_result; winnings: paid | credited | payable - the recognition rule applied; matches the profile's recognition parameter (§5)
stakes_cash	decimal	M	Stakes funded from real money
stakes_refunded	decimal	M	Returned and voided stakes (0 permitted)
winnings_cash	decimal	M	Winnings paid or credited from real money, gross of any withholding tax
ggr_declared	decimal	M	The operator's gross gaming revenue for the line
ggr_formula	enum	M	all_in (stakes_cash + stakes_bonus − stakes_refunded − winnings_cash − winnings_bonus) | cash_only (stakes_cash − stakes_refunded − winnings_cash) | profile (the terms of the profile's levy formula, §5) - the formula that produced ggr_declared
prepared_by / reviewed_by	string	M	As in R7
evidence_ref	string	M	Where the platform report behind the line is retained

Conditional and optional fields - as the profile and the product require:

Field	Type	Req.	Purpose
corrects_statement_id / correction_reason	string	C	Corrections: the statement replaced, and why (re-settlement, void after settlement, jackpot revaluation)
brand	string	O	Where the profile splits by brand
jurisdiction_category	string	C	Code, in snake_case, from the profile's product taxonomy, where the profile publishes one
venue_id	string	C	Venue the line covers (venue_id in R1, as in R14), where channel is venue and the licence covers more than one venue or the profile splits by premises
player_location	string	C	Country or region code (ISO 3166, as the profile's player-location basis sets) of the players the line covers, where the profile splits by player location
fx_rate / fx_source / fx_at	decimal / string / datetime	C	Where the currency differs from the reporting currency
stakes_bonus / winnings_bonus	decimal	C	Stakes funded from bonus or promotional credits, and winnings credited as non-cashable credits, where such credits exist
winnings_withholding_tax	decimal	C	Tax withheld from winnings at payout, where the profile has one
bonus_granted / bonus_expired	decimal	C	Promotional credits issued and forfeited in the period - needed for the money bridge
bonus_measurement	enum	C	per_round | allocated_from_wallet_totals - how the bonus split was measured
rake_and_fees	decimal	C	Commission, rake, tournament and entry fees, where the product is commission-based
jackpot_contributions / jackpot_payouts	decimal	C	Where progressive or pooled jackpots exist
network_due_to / network_due_from	decimal	C	Pooled or network products: poker networks, shared jackpots, exchanges
open_liability_start / open_liability_end	decimal	C	Unsettled bets and unfinished games at each cut-off, where they can exist
bets_count / rounds_count / active_players	integer	O	Volumes
levy_base_declared / levy_rate / levy_amount_declared	decimal	C	Where the profile requires self-assessment
authority_figure_ref	object	C	Where the profile says the authority computes the figure: the R12 report reference of the return or assessment, which figure it is (ggr | levy_base | levy_amount), the amount and, where it differs from the statement's, its currency

ctres.org

4.14 R14 Venue Count

In a land-based venue money reaches the gaming floor as cash, chips and tickets and, except on a cashless floor, never passes through a player account, so the venue line of R13 rests on the count rather than on payment records. R14 carries the count: one row per venue, unit and gaming day - or per period, where the profile permits - for each slot machine, table and counter, and a venue_total row for the count room. Slot rows carry the accounting meter set at the start and end of the day; table rows carry opening and closing inventory, fills, credits and the drop; counter rows carry opening and closing inventory and, where they apply, fills, credits and the drop; the venue_total row carries the hard and soft count and the variance against the meters. meter_source says how the row's readings were taken: electronic, from a monitoring or management system; manual_read, from a meter reading or from opener and closer slips; not_recorded, where no meter or slip exists.

Each row declares the unit's win and the formula that produced it - the table drop formula (closing inventory + credits + drop − opening inventory − fills), the slot meter formula (coin in − coin out − hand-paid jackpots − cancelled credits − progressive payouts) or the slot drop formula (drop − fills − hand-paid jackpots) - as the profile sets (§5); tips that pass through the drop box are reported separately where the profile excludes them. The rows of a venue sum to the venue line of R13 for the same period, and the drop is tied to money through drop_deposit_ref: the R6 movement or the R1 cash-float location it was banked to, for which R1 carries venue_id. Under "Computed, not declared" (§3) the validator compares meters, count and bankings with one another and with the R13 line rather than accept any of them. Each row states its currency: a venue counts in the currency of the R1 cash-float location it belongs to, and every row of the venue carries that currency. Records of individual games and hand-pay logs stay with the venue; the count is the evidence, as the platform report is for R13.

Field	Type	Req.	Purpose
count_id / venue_id	string	M	Identifier of the count, and the venue (venue_id in R1)
gaming_day / period_start / period_end	date / datetime	M/C	The gaming day counted; or, where the profile permits a period count, the period
unit_type / unit_id	enum / string	M	slot_machine | table | counter | venue_total; the unit
currency	string	M	ISO 4217 code of the amounts in the row
meter_source	enum	M	electronic | manual_read | not_recorded
meters_start / meters_end	object	C	Slot machines: coin_in, coin_out, jackpots_hand_paid, cancelled_credits, progressive_payouts_machine_paid, progressive_payouts_attendant_paid, bill_in, ticket_in, ticket_out, wat_in, wat_out, promo_in, promo_out, games_played - drawn from the GLI-11 §3.9.7 accounting set; a meter the machine does not have is omitted
opening_inventory / closing_inventory / fills / credits / drop_cash / drop_markers / coupons_face_value	decimal	C	Tables and counters
hard_count / soft_count / count_variance	decimal	C	venue_total rows: count-room totals against the meters
tips_excluded	decimal	O	Where tips pass through the drop box
win_declared / win_formula	decimal / enum	M	The unit's win and the formula applied: table_drop_formula | slot_meter_formula | slot_drop_formula | profile
drop_deposit_ref	string	C	venue_total rows: the R6 movement or R1 cash-float location the drop was banked to
prepared_by / reviewed_by	string	M	As in R7

4.15 R15 Bet Event (Wagering module)

Where an authority receives bet-level data - a central system that registers each bet, a tax feed of stakes and payouts, a monitoring system for machines - R15 carries the money facts of each bet, round, ticket or hand: who staked, by pseudonymous reference; on which product and channel; how much, in cash and in bonus credits; when it was placed; and, once it is settled, voided or cashed out, what was paid and when. It carries no game content - no selections, results or game state; game_ref points to the platform's own record, as evidence_ref points to a report. A bet is one record whose state changes: in a stream it is re-emitted on settlement (§8.4); in a package only its final state appears. Under "Computed, not declared" (§3), where R15

is present each R13 line is the aggregation of its bets under the profile's recognition parameter - stakes by placed_at or by settled_at, winnings by settled_at - and the validator computes the line rather than accept it. The module is optional at every level (§10); the profile says whether the authority expects it (§5). Volumes are those of the operator's platform: the format is one line per bet, and a stream carries them as they occur.

Core fields - every bet event carries them:

Field	Type	Req.	Purpose
bet_id	string	M	Identifier of the bet, round, ticket or hand in the operator's platform
player_ref / player_ref_scope	string	M	As in R2
product_line	string	M	Operator's product or game-type code, as in R13
channel	enum	M	online | retail | venue
currency	string	M	Currency of the amounts
stake	decimal	M	Stake funded from real money (0 permitted for a free bet)
placed_at	datetime	M	When the bet was accepted
status	enum	M	open | settled | void | cashed_out

Conditional and optional fields:

Field	Type	Req.	Purpose
stake_bonus	decimal	C	Stake funded from bonus or promotional credits
winnings / winnings_bonus	decimal	C	Paid or credited at settlement, gross of any withholding tax; absent or 0 while the bet is open; non-cashable credits separately
settled_at	datetime	C	When the bet was settled, voided or cashed out - required for those statuses
void_reason	string	C	Required where status is void
jurisdiction_category	string	C	Code from the profile's product taxonomy, where the profile publishes one
venue_id	string	C	Venue the bet was taken in (venue_id in R1), where channel is venue
game_ref	string	C	Game, event or market identifier in the operator's platform - never its content
odds	decimal	O	Price of the bet, where the product has one
rake_and_fees / jackpot_contribution	decimal	C	Where the product is commission-based or feeds a progressive jackpot
ledger_entry_refs	array	C	The ledger entries that debited the stake and credited the winnings
authority_reference	string	C	Identifier a central system issued for this bet, where one exists
evidence_ref	string	C	Where the platform record behind the bet is retained

5. Jurisdiction profiles

A profile is a short configuration, in the machine-readable structure defined by the schema (Annex A), that turns the neutral record model into one authority's rule set. It contains parameters only and never adds fields. The table lists the parameters, with examples drawn from the profiles in the Register (Annex B).

Parameter	Examples from the Register
Permitted rails and instrument types	Credit cards prohibited (United Kingdom, Ireland, Belgium, Brazil); credit in any form, including invoice and buy-now-pay-later (Sweden); virtual assets permitted with conditions (Malta, Isle of Man, Curaçao, Estonia) or not accepted (Italy, Greece, Germany, Brazil, Peru, Ontario)
Holder and ownership rules	Instruments in the player's name (Italy, Greece, Brazil, Buenos Aires Province); ownership confirmed above set amounts (Greece: deposits from €5,000, withdrawals from €800)
Closed loop and payout routing	Withdrawal to the account used to deposit (Buenos Aires Province; planned in Ireland); payout route set by amount (Kenya)

Parameter	Examples from the Register
Check thresholds and aggregation windows	€2,000 (most EU jurisdictions), €3,000 over 30 days (Isle of Man), NAf 4,000 (Curaçao), AED 11,000 (United Arab Emirates); rolling 180 days (Malta); fixed 24-hour window (Canada); gaming day (United States, Curaçao); lifetime deposits (Alderney); indexed units (Mexico, Peru, Argentina)
Report triggers and deadlines	Cash from R49,999.99 within 3 days (South Africa); from C$10,000 under the 24-hour rule (Canada); suspicious reports from 24 hours (Nigeria) to 15 days (South Africa)
Payout time limits	120 minutes (Brazil); 48 hours (Buenos Aires Province); 5 working days (Malta, Gibraltar)
Taxes at the point of payment	Excise on deposits and withholding on winnings (Kenya); withholding on winnings (Malawi, Lagos, Uganda), at rates that differ by product (Tanzania); withholding on withdrawals (Georgia)
Player-funds protection and coverage	At least 90% of liabilities in the account plus funds in transit (Malta); shortfall cured within 3 business days (Greece); separate estate covering balances and open bets (Brazil)
Submission mode, cadence and streams	Real-time central system (Italy, Greece, Bulgaria, Serbia, Kenya - a stream with a latency of seconds and bet-level data, R15); hourly financial summaries (Portugal - R13 interim statements hourly); daily and monthly files (Brazil, Spain - daily checkpoints and snapshots); monthly player-funds report (Malta); quarterly returns (United Kingdom, Gibraltar). The profile sets the mode (periodic, continuous or both), the latency per record type, the checkpoint cadence, whether bet-level data is expected, and the transport - push, pull or the authority's own protocol (§8.4)
Cross-operator limits and registers	Real-time query to a central limit file before each deposit (Germany: €1,000 a month); weekly cap per operator, raised only after a credit-register check (Belgium); per-player monthly limits in a state register (Kazakhstan, Uzbekistan)
Eligibility screening at payment	Self-exclusion registers (Denmark, Sweden, Netherlands, Germany, Spain and many others); insolvency and benefit recipients (Czech Republic); debtors (Kazakhstan); welfare recipients (Brazil); minimum age of 25 (Georgia, Uganda); biometric check on each stake and payout claim (Ghana)
Mandatory hubs and gateways	Payments or bets that must pass through a state register or gateway (Uzbekistan, Kazakhstan; planned in Uganda), with a unique identifier per transaction (Ukraine)
Instrument origin and currency	Domestic banks or cards only (Ukraine, Armenia, Uzbekistan); a single settlement currency (Montenegro, Georgia, Angola, Colombia); one nominated account per player (Tanzania, Ukraine)
Withdrawal conditions	Share of deposits wagered before withdrawal and withdrawals per day (Colombia); winnings-only withdrawal and return of dormant balances (Croatia); cash payout of online winnings at a venue (Lithuania)
Payment-blocking lists	Lists that bind payment providers by operator or domain (Romania, Poland, Lithuania, Kazakhstan), by bank account (Czech Republic), by merchant category (Norway, Armenia), or for a whole category of games (India)
Data vault and integrity	Operator-hosted vault in the regulator's schema (Netherlands, Denmark, Spain, Germany, Romania), sealed daily with a regulator-issued token (Denmark), or pulled through a national data-exchange layer (Estonia)
Data location	Tier-IV data centre in Curaçao; European Economic Area (Italy, Greece); Nigeria from 2027
Retention	5 years in most jurisdictions; 7 years (Kenya, Malawi, Portugal); 10 years (Argentina, Serbia, Switzerland, Mexico; Italy, Greece, Spain and New Jersey for some records); tied to the tax limitation period (Bulgaria, Peru)

A second block, Revenue and levy, fixes how the jurisdiction defines and collects the operator-level levy, so that the gaming revenue statement (R13) and the venue count (R14) can be computed under the profile rather than read. It has five parameters and a notes block. The parameters are what a validator reads; the notes carry, with their sources, what the parameters do not express. Every value below is in force in at least one of the jurisdictions reviewed; the examples are read from published sources.

Parameter - revenue and levy	What it fixes, with examples
Levy formula, per product line	The base type - gross gaming revenue for the main products (71 of the ninety profiles reviewed for revenue in November 2026); turnover (Germany, 5.3% of stakes; Poland, 12% of betting stakes); a fixed amount per machine or table (Latvia, Romania); commission for exchanges and poker (Malta, Spain, United Kingdom); fee bands (Gibraltar, Alderney); the prize pool (Hungary, lotteries) - then the R13 quantities that

Parameter - revenue and levy	What it fixes, with examples
	enter the base, each with its sign and any cap, and the rate, bands or fixed amount. Bonus, refund, chargeback, jackpot and tax treatments are terms of the formula, not separate switches: bonus-funded stakes in (Malta, Denmark, Romania, Ghana, Brazil) or out (Ontario); bonus credits counted at face value with no deduction (United Kingdom, Denmark, Gibraltar, Ireland), deducted when credited (Colombia, Ontario) or deducted with a cap (Michigan, by year; New York, by product; New Jersey, above an industry-wide threshold); returned stakes deducted (Germany, Czech Republic, Hungary, Mexico, Colombia, New Jersey) or not (Denmark); chargebacks deductible (Gibraltar, Delaware) or no relief (United Kingdom, Philippines); progressive contributions deductible when made (Nevada, Philippines, South Africa - Western Cape and Gauteng) or when paid (Denmark, Romania); goods and services tax in the base (Australia), value added tax out of it (Austria, Chile), the levy itself netted from the base (Germany, Mauritius). For venues, the win formula per unit type (§4.14): the table drop formula (Nevada, Mississippi, New York, Philippines, Croatia, Montenegro, South Africa - Western Cape, with coupon face value added), the slot meter or slot drop formula (Nevada, Ghana, Kenya), chips bought less chips exchanged (Czech Republic).
Recognition	When a stake enters the base - when the bet is accepted (United Kingdom, Sweden, Germany, Australia - New South Wales); when it is settled or the cash is received (Nevada counter games, Mexico, Peru, Hungary, Poland); when the result is known (Colombia, South Africa - Eastern Cape) - and when winnings leave it: when credited (Sweden); only where withdrawable and notified (United Kingdom); when paid or payable (Australia - Victoria; Mauritius); non-convertible credits excluded (New South Wales); the returned stake counted inside the payout (Philippines, Angola). R13 carries the pair as stakes_basis and winnings_basis.
Period and filing	The period and its cut-off: monthly in about sixty profiles, due between the 5th (Serbia, North Macedonia) and the end of the following month (Cyprus, Angola); weekly (South Africa - Gauteng, Tanzania and Uganda by Wednesday; Philippines; New York); quarterly (United Kingdom, Spain, Czech Republic, Kazakhstan); annual with monthly instalments (Malta, New Jersey); gaming-day cut-offs and Sunday-to-Saturday weeks (Philippines, Iowa, Nebraska); estimates with a later true-up (Romania, Switzerland, Liechtenstein). The collector - tax authority (United Kingdom, Spain, Netherlands, Germany, Denmark, Kenya, Brazil), regulator (Malta, Gibraltar, Serbia, Ontario, Nevada) or both (Italy, Romania, Bulgaria, Philippines) - the channel and form (Spain modelo 763; Poland POG-5; Nevada NGC-01 and NGC-31; New Jersey DGE-101, 105 and 107; Latvia EDS; the URA portal in Uganda), and whose figure is the figure of record: the operator's declaration, or the authority's own computation (Italy, Colombia, Ontario; Kenya and Uganda through central monitoring), with an attestation layer where one exists (auditor-attested figures in Norway and Malta; an accuracy certificate in Botswana; six-monthly certification in Greece).
Negative periods	A period in which winnings exceed stakes: the loss carried forward within the product or class (United Kingdom, Nevada, Michigan, Ghana, Iowa, South Africa - Gauteng); floored at zero per unit (Montenegro, per shop; Colombia); no netting across products (Poland, Czech Republic, the United Kingdom betting duty classes); a minimum per unit (Slovakia, Serbia, North Macedonia). The netting scope - line, product class or licence - goes with the rule.
Aggregation	The axes along which R13 lines are split, required in 62 of the ninety profiles reviewed for revenue in November 2026: by licence type (Denmark, Malta, Bulgaria, Romania, Tanzania); by game within a licence (Czech Republic, eleven partial bases; Poland; Hungary; Nevada; New Jersey); by channel (Czech Republic, Italy, Portugal, Austria, Ukraine); by premises, table or machine, daily (Croatia, Montenegro, Serbia, Switzerland, Nevada); by player residence or territory (Spain, Latvia, Colombia, Malta, South Africa); by currency, with a conversion rule (Czech Republic, Zimbabwe). The profile carries the jurisdiction's product code list, versioned - Spain, Denmark, Ontario and Italy each define their own.
Notes	Free text, each with its source, for what the parameters do not express: the scope of a stake (entry and admission fees in the base in the Czech Republic, the Netherlands and Malawi; chips bought rather than cash staked in the Czech Republic and the Philippines; deposits deemed stakes in Pennsylvania interactive gaming); winnings gross or net of the tax withheld at payout, wherever one exists (Malawi, Uganda, Tanzania, Nigeria); expired credits (Romania, New Jersey, West Virginia); uncollectible receivables capped (Virginia, 2%) and markers counted in table win (Nevada, Delaware); tips and tickets in venues (Croatia, Montenegro, Denmark; expired tickets 25% in Nevada); and whether the authority expects per-transaction data behind the statement (Romania, Serbia, Colombia, Denmark, Portugal, Ukraine, Belarus) or aggregates only (United Kingdom, Sweden, Netherlands), which decides whether R13 reconciles to the transaction records line by line or by totals.

The validator computes the base of each R13 line as the signed sum of the quantities the formula names, applies the rate, bands or fixed amount, the negative-period rule and the aggregation, and compares the

result with the operator's declared figure, rather than accept the declaration; where the base is fixed per machine or table, it counts the unit rows of R14. Where the authority computes the figure in its own system, the profile says so, R13 carries that figure as authority_figure_ref, and the difference between the two is an exception (R8).

Profiles carry effective dates, so a new rule, a market opening or a change of regulator becomes a new profile version rather than an edit - Finland's licensing from July 2027 and Latvia's transfer of supervision to its tax authority are examples. Where a market is closed to online gambling, as in India and Kosovo, the profile covers payment-side blocking only.

The submission parameters of a profile - mode, latency, checkpoint cadence, whether bet-level data is expected, and transport (§8.4) - are read from Part 3 of the Register.

Profiles belong to the authorities. The editor publishes a profile as confirmed only when the authority concerned has reviewed it; until then it is marked as researched from published sources, as most profiles in the Register are today. Where a federal or provincial system has several licensing bodies, a profile may inherit from a shared base and override only what differs, so that provinces or states agree the common part once.

6. Rail modules

Each rail adds the identifiers it naturally carries and the external evidence it naturally produces. A jurisdiction that does not permit a rail leaves it out of its profile; nothing else changes.

Rail	Identifiers carried	Holder verification typically available	External evidence for reconciliation
Card	Tokenised card number, BIN, last four digits, funding type, acquirer reference	Issuer name check where offered; strong customer authentication	Acquirer settlement reports
Bank transfer and instant payments (e.g. SEPA, Pix, TED, Interac, CBU/CVU, EFT)	Masked account number, instant-payment key type, end-to-end identifier	Account-name or national-ID check against the bank or directory; open banking	Bank statements; instant-payment confirmations
E-money and e-wallets	Wallet account identifier, funding-source type	Provider identity attestation; funding-source disclosure	Provider statements
Mobile money and carrier billing	Hashed phone number, pay-bill or short code, operator receipt or billing reference	Registered-name check with the mobile operator	Mobile operator statements; tax-integration records where they exist
Vouchers and prepaid	Voucher serial, issuer, point of sale	None at purchase; holder established at redemption	Issuer redemption reports
Cash at retail or venue	Retail point or cage identifier, cashier, receipt	Identity at the counter	Till and float reconciliations
Virtual assets	Chain, asset, transaction hash, address, confirmations, counterparty type, wallet temperature, off-chain flag	Signed message, micro-transfer, provider attestation, Travel Rule data	On-chain data; provider attestations (R11)

The virtual-asset module covers wallet purpose classes and temperature, key-control models, same-asset and same-wallet withdrawals, blockchain analytics as a check type, and custody models for pooled provider wallets.

7. Mapping to existing regulatory formats

CTRES does not compete with the formats authorities already receive. It is the source those submissions are produced from, and the place an authority can look when a submission raises a question.

Destination	What it receives today	CTRES source
Financial intelligence units and national reporting APIs (goAML and national equivalents; FINTRAC)	Suspicious and threshold reports in the unit's own schema	R3, R4 and R5 populate transactions and parties; profile windows drive aggregation; R12 keeps the receipt

Destination	What it receives today	CTRES source
Central control systems and data vaults (e.g. Italy, Greece, Bulgaria, Serbia, Kenya; Netherlands, Denmark, Germany, Spain, Romania)	Transaction and account records in the authority's protocol or schema, in real time or by upload	authority_reference on R3 and R4 links each payment to the code the system issued; R12 keeps the seal or upload receipt
Central limit files, registers and state hubs (e.g. Germany, Czech Republic, Kazakhstan, Uzbekistan)	A query before each deposit or bet, and the hub's transaction identifier	R5 records each query and response, performed by the authority system; authority_reference carries the hub identifier
Tax-authority feeds (e.g. Mexico, Kenya, Uganda, Ghana)	Transactions and taxes, in real time or daily	tax_lines on R3 and R4; R12 keeps remittance receipts
Player-funds reports and periodic regulatory returns (e.g. Malta's monthly report; United Kingdom and Gibraltar returns)	Balances, liabilities, supporting statements and aggregated figures	R7 coverage statement with evidence references; totals derived from R3, R4 and R7
Revenue and levy returns and data models (e.g. Spain SCI operator account, Denmark SAFE end-of-day records, Netherlands CDB, Romania safe-server summaries, United Kingdom regulatory returns)	Stakes, winnings, voids, rake, jackpots and liabilities per game type and period - as per-bet records, daily totals or a periodic return	R13 lines per product, channel, currency and period, with the profile's formula applied; R14 where the licence covers venues; R12 keeps the filing receipt and, where the authority computes the figure, that figure
Gaming-system protocols and wager/win reporting schemas (e.g. IGSA G2S/S2S meters, RRI; CEN EN 17531)	Machine meters and gaming-system events in a protocol; wager and win reports in a published schema	R14 meters per unit and gaming day; R12 report references for the wager and win reports produced from R13

The mappings above are indicative. Detailed mappings are maintained separately from this Standard, versioned, and tested against the destination's own schema wherever that schema is public.

CTRES hello@ctres.org

8. Submission and access

8.1 Modes

The profile chooses the mode. None of them adds a channel.

Mode	When	Contents
Continuous	Where the authority runs a central system or requires real-time or near-real-time data	The same records as a stream of events, as they occur, with sequence numbers and daily checkpoints (§8.4); the period package remains the close. The authority's system remains the channel; CTRES is the operator-side source and audit trail.
Periodic package	On the profile's cadence - monthly, quarterly or semi-annual	The records of the declared conformance level (§10): R13 at Level 1; R3, R4, R7 and R13 at Level 2, with R14 where the licence covers venues; the Custody module from Level 3; the Supervision module at Level 4: with the conformance declaration. R2 to R6 as a full extract or a sample, as the profile sets
On demand	Within the profile's deadline for information requests	The evidence pack (§9), per player, per transaction or per period
Incident	Within the profile's incident deadline	R9, with the affected records referenced by identifier

8.2 Formats and integrity

- JSON Lines, UTF-8, one record per line, one record type per file. A CSV profile with identical field names is permitted at Level 1. A stream carries the same lines inside an event envelope (§8.4).
- Timestamps in ISO 8601 with an explicit offset. Amounts as decimal strings, never floating point. Currencies as ISO 4217 codes; virtual assets by chain and contract.
- Every package carries manifest.json: the name and version of the Standard (standard_version - 1.1 for any package that lists an R13 or R14 file; a package without them may still declare 1.0), the package identifier, licensee, licensing authority and licence, profile identifier and version, the declared conformance level (§10), period, one entry per file with its record type, record count and SHA-256 hash, and the

generating software and version. The SHA-256 of manifest.json is the package fingerprint: a receipt that quotes it proves which package was submitted. The manifest may be signed with the operator's certificate where the profile requires.

- Corrections are submitted as a new package that supersedes an earlier one by identifier and reason, so that the record of what was known when is preserved.

8.3 Transport and location

Through the authority's existing channel. Periodic packages are pseudonymous, so a package seen in transit reveals no player identity. Data location follows the profile. The Standard proposes no new channel and moves no data across borders.

8.4 Streaming

A stream delivers the same records as a periodic package, one event per line, as they occur or at the cadence the profile sets. Nothing in a record changes between the two; an event is a record in an envelope:

```
{"stream_id":"LIC-A:R3","sequence":10482,"emitted_at":"2026-11-05T10:15:02Z","licence_number":"LIC-A","standard_version":"1.1","profile_id":"XJ-2026-1","record_type":"R3","op":"create","record":{"tx_id":"D-2026-104511","player_ref":"P-20931", "…":"the deposit exactly as it would appear in a package"}}
```

- Envelope. stream_id names the stream - by convention licence and record type; sequence is strictly increasing per stream, without gaps; emitted_at is when the event left the operator; licence_number, standard_version and, optionally, profile_id make each line self-describing; record_type names the record; op is create for the first emission of a record identifier, update for the whole record re-sent when its state changes - a withdrawal paid, an exception closed, a bet settled - and void for a record withdrawn, with a reason. Delivery is at least once: a receiver ignores a repeated sequence with identical bytes and flags one with different bytes.
- What streams. R3, R4, R5, R6, R8, R9 and R15 as events, as they occur; R1, R2, R10, R11 and R12 on creation and change; R7, R13 and R14 as snapshots at their cut-off - R13 with statement_kind interim for hourly or daily statements, which the period statement later supersedes.
- Checkpoints. At least once per gaming day per stream the operator emits a checkpoint: the first and last sequence, the event count and the SHA-256 of the event lines as transmitted. The checkpoints of a period are listed in the manifest of the period package. A checkpoint is to a stream what the manifest hash is to a package: a receipt that quotes it proves what was received. No per-event hash or signature is required; integrity rests on the transport, the sequence and the checkpoint, which may be signed.
- Latency. The profile sets, per record type, how soon after the fact an event must be emitted - seconds for a central system, an hour for summaries, a day for snapshots - and the checkpoint cadence. A regime that receives files daily is a stream with a daily checkpoint; a regime that receives each payment within a minute is the same stream with a shorter latency.
- Reconciliation. The period package carries the final state of every record streamed in the period, and the stream's checkpoints. The validator checks that the two agree (§11): a streamed record missing from the package, a package record never streamed, a final state that differs, or a checkpoint that does not match is a finding; interim statements sum to the period statement within the profile's tolerance.
- Transport. The authority's existing channel, as for packages (§8.3). Where none exists, the schema repository publishes a reference interface: push - the operator posts events to the authority's endpoint and receives the last accepted sequence; pull - the authority reads events and checkpoints from the operator's endpoint from a given sequence, the data-vault model. An authority's own protocol may carry the envelope as its payload. Authentication is the authority's choice; the Standard models none.
- Pre-authorisation. A hub that must be queried before money moves or a bet is accepted - a limit file, an exclusion register, a state gateway - is not a stream. Its response is recorded as a check (R5, performed by the authority system) and the identifier it issued as authority_reference, so that the order of check and event is evidenced in the stream and in the package alike.

```
{"stream_id":"LIC-A:R3","sequence":11241,"emitted_at":"2026-11-06T00:05:00Z","licence_number":"LIC-A","standard_version":"1.1","record_type":"checkpoint","op":"create","record":{"stream_id":"LIC-A:R3","licence_number":"LIC-A","period_start":"2026-11-05T00:00:00Z","period_end":"2026-11-05T23:59:59Z","first_sequence":10001,"last_sequence":11240,"event_count":1240,"chain_hash":"3f9c…e1","generated_at":"2026-11-06T00:05:00Z"}}
```

9. Evidence pack

The pack answers a single supervisory question on any rail: show me this money, end to end. It is assembled from records already defined and contains, for one deposit and the withdrawal that followed it: the player reference, verification status and the level of due diligence applied at the relevant threshold; the deposit - rail, instrument, holder-match result, amount, rail reference and any authority reference; the checks that preceded crediting, with timestamps that prove the order; the crediting entry and any difference from the amount received, with its reason; taxes levied at the payment and their remittance; the withdrawal - destination, closed-loop result, checks, approver, and the times requested and paid; the location and coverage statements for the period, any exception referencing the transaction, and any report reference the requester is entitled to see.

A second pack answers the revenue question: show me what the house won, and show me that it matches the money. For one licence, product line and period it contains the R13 line - stakes, winnings, refunds, bonus quantities, rake, jackpots and the open-bet position at each cut-off, the formula applied and the gaming revenue declared; for a venue, the R14 rows for the period - meters, inventory, fills, credits and drop per unit, the count and its variance, and the win declared per unit; the R7 coverage statements at each cut-off, giving the player balances and open bets the money bridge uses; the totals of deposits (R3) and withdrawals (R4) for the licence and period, so that the money bridge (§4.13) can be recomputed; and the levy return filed with the authority, as an R12 report reference of type levy_return, with its receipt and, where the authority computes the figure, its figure for the same line.

An auditor can sample directly from these packs. An operator that can produce them in minutes rather than weeks has reduced the cost of its own audit - the commercial reason to adopt the Standard, irrespective of supervision.

10. Conformance levels

The record model has a core and three modules. The core is the package manifest with R3 Deposit, R4 Withdrawal, R7 Reconciliation Statement and R13 Gaming Revenue Statement: the money that came in and went out, the balances, and the revenue declared on them. The Custody module (R1, R2, R6, R10, R11) says where player money sits and who holds it; the Supervision module (R5, R8, R9, R12) carries the checks, exceptions, incidents and the reports filed elsewhere; the Venue module (R14) carries the count behind a land-based revenue line; the Wagering module (R15) carries each bet where the authority receives bet-level data. Four conformance levels add them in steps, so that an operator can start from the return it already files and an authority can ask for exactly as much evidence as it will use.

Level	Records required (minimum)	What the authority can check	Typical operator
Level 1: Return	manifest + R13	The return it already receives, in a structure a validator checks: schema, the arithmetic of each line under its formula, one statement per currency, corrections that reference what they correct	Any operator, from the figures of its levy return; CSV permitted (§8.2)
Level 2: Evidence	Level 1 + R3, R4, R7; + R14 where any R13 line is a venue line	The money bridge (§4.13): declared revenue against deposits, withdrawals and period balances; the venue win against the count, and the drop against what was banked	An online operator with a player wallet; a venue with a count room
Level 3: Custody	Level 2 + R1, R2, R6, R10, R11	Where player money sits, who holds it, whether segregation held, what pooled providers attest; references between records resolve within the package	Operators using pooled providers, mobile money, virtual assets or several funds locations
Level 4: Supervision	Level 3 + R5, R8, R9, R12	Checks before money moves, exceptions to closure with ageing, incidents against their deadlines, reports filed elsewhere - the full model	Operators under AML supervision duties; operators connected to a central system

- Any record type may be included at any level; the level fixes the minimum set. The profile may set the level the authority requires (§5, minimum_conformance_level). The Wagering module (R15) is optional at every level; the profile says whether the authority expects it.
- Field requirements inside a record do not change with the level. At Levels 1 and 2 the instrument, provider, location and check identifiers that R3, R4, R7 and R14 carry are the operator’s own identifiers:

present in the record, resolved within the package only once the module that defines them is included; check_ids may be empty.

- The package manifest declares the level (conformance_level_declared); the reference validator checks that the records of the declared level are present and resolves references by level (§11). An operator declares its level in the conformance statement at Annex D, signed by the responsible officer. Delivery - files on request, a periodic package or a stream of the same records (§8.4) - is the submission mode of §8.1 and is independent of the level.

11. Validation

A format helps only if conformance can be checked mechanically. Validation is defined here by class, not by rule, so that rules can evolve without reopening the Standard.

Class	Question it answers	Examples
Structural	Is the package well formed?	Required fields present; types and enumerations valid; manifest hashes match the files; the record types of the declared conformance level present (§10); R13 and R14 conform to their schemas, one statement per currency
Referential	Does the package hold together?	Every payment references an instrument in R2 and a provider in R10, and every check reference resolves, once the module that defines them is in the package (§10); each transfer is booked once; statement totals agree with the records behind them; a revenue statement's period lies within the manifest period, its product code is in the profile's taxonomy, a correction references an existing statement, a venue count references a venue in R1, and authority_figure_ref resolves to a report reference in R12
Profile conformance	Does the evidence show the control operated under this jurisdiction's rules?	Checks precede crediting; payouts follow the profile's closed-loop rule or carry a justification; no credit-funded instrument where credit is prohibited; payout times within the profile's deadline; coverage at or above the required level; the gaming revenue and levy on each R13 line follow the profile's formula, base and rate, at the profile's cut-off and under its bonus rule; the money bridge (§4.13) holds within the profile's tolerance
Stream	Is the stream complete, ordered and intact, and does the period package agree with it?	Envelope valid; sequence strictly increasing without gaps or conflicting duplicates; each event validates against its record schema; checkpoints match the events and their hash; emission within the profile's latency; every streamed record appears in the package in its final state and every package record of a streamed type was streamed; interim statements sum to the period statement within tolerance
Completeness	Is anything missing that should be there?	External movements on inventory locations that appear in no record; rail references the external source does not confirm; funding instruments missing from R2; periods with no statement; differences no exception owns; exceptions open beyond their ageing limit; the venue win in R14 agrees with the R13 venue line; the drop agrees with the bankings in R6 and R7

The catalogue of individual checks, their severities, the tolerances that separate a rounding difference from a discrepancy, and the materiality thresholds that make an exception reportable are deliberately not fixed in this Standard. They belong to each authority to set, and they will change more often than the format. They are maintained separately as a versioned conformance suite, so that a package can be tested against a named suite version and a named profile version, and the result reproduced later.

Wherever an independent source exists - the chain for virtual assets, bank and provider statements, an authority's own central system - completeness is checked against that source and not only against the operator's account of it.

An open reference validator for the Structural and Referential classes, and for the structure, order and checkpoints of a stream and its reconciliation with a package, validator-lite, is published under the Apache License 2.0 at github.com/ctres-standard/validator-lite. Validation under the Profile conformance and Completeness classes depends on the parameters this section leaves to each authority and is provided separately. No validator is a condition of using this Standard; an implementation validated by any other means is equally conformant.

12. Data protection, confidentiality and retention

- Periodic packages carry pseudonymous player references, masked account numbers and hashed phone numbers. Names, addresses and identity documents are not included.
- Gaming revenue statements (R13) and venue counts (R14) carry no personal data: they are totals by product, channel, period and unit, and reference no player. Bet events (R15) carry the pseudonymous player reference and the money facts of a bet, never game content. A stream carries the same data as a package and no more.
- Identity data is provided only in an evidence pack answering a specific lawful request, and travels under the same arrangements as existing regulatory correspondence.
- Retention follows the profile. An operator licensed in several jurisdictions retains for the longest period that applies.
- Suspicious-report confidentiality is preserved: R12 holds references only and is disclosed only to authorities entitled to see it (§4.12).
- Data location follows the profile.
- Virtual-asset addresses are public by nature; the link between an address and a player is not, and is treated as personal data throughout.

13. Governance and versioning

Element	Arrangement
Editor	Dmitry Skachko. Maintains the text, the schema, the register of profiles and the conformance suite, and publishes versions.
Authorities	Own their profiles. Corrections an authority makes to its own profile are adopted as submitted.
Contributors	Operators, suppliers, auditors and associations comment through the public issue tracker at github.com/ctres-standard/spec or to hello@ctres.org. Substantive changes are published for comment before adoption.
Versioning	Major versions change existing record types or fields; minor versions add record types, fields, rails or profile parameters without changing existing ones; patches correct text. Annex B, the Register of jurisdiction profiles, is published separately as a dated edition: adding or correcting jurisdiction profiles publishes a new Register edition and does not change the version of the Standard. Mapping files and the conformance suite are versioned separately.
Licence	The text is licensed under CC BY 4.0. The schema (record types R1–R15, the package manifest, the stream envelope and checkpoint, and the structure of a jurisdiction profile) and the reference validator for the Structural and Referential classes (§11) are licensed under the Apache License 2.0. Profiles are published in human-readable form in the Register (Annex B) and at ctres.org/profiles/. Anyone may implement the Standard without fee or permission.
Conformance claims	“CTRES Conformant” describes an implementation tested against a named conformance suite version. A claim states the suite and profile versions it was tested against.
Working group	The editor proposes to convene a working group of authorities and practitioners once at least three authorities have reviewed their profiles.

14. Roadmap

When	Step	Who
November 2026	Version 1.1: four conformance levels over a core of four records; gaming revenue statements, venue counts and bet events; revenue and levy profile parameters; streaming mode; the Register of profiles published separately	Editor
Q4 2026	Authorities review their profiles	Authorities, editor
Q1 2027	Pilots with volunteer operators and at least one authority, across three rail mixes and one land-based floor	Operators, authorities, editor
Q2 2027	Version 1.2 with authority-confirmed profiles and the conformance suite versioned alongside	Editor
From July 2027	Alignment review as the EU Anti-Money Laundering Regulation (EU) 2024/1624 (AMLR) begins to apply	Editor, with EU authorities

15. Questions for authorities

Each answer changes the Standard materially.

- Is the profile for your jurisdiction in the Register (Annex B) correct, and what is missing?
- Which conformance level (§10) would you require of your licensees, and in which submission mode (§8.1): files on request, periodic packages, or a continuous feed?
- How is your levy base defined - which quantities enter it, with what treatment of bonuses, refunds and jackpots - and is the operator's declaration or your own computation the figure of record?
- Would a common operator-side format reduce the cost of connecting operators to your central system or reporting channel? If you run a central register, hub or data vault, would you publish its schema, so that a mapping can be maintained and tested against it?
- Which rails do you expect to permit, restrict or review over the next two years - in particular virtual assets and new instant-payment schemes?
- Where player money sits in a provider's pooled account - a payment provider, mobile money operator or virtual-asset provider - does a provider attestation (R11) satisfy you, or do you expect the operator to evidence it directly?
- Should report references (R12) be visible to you in periodic packages, as counts only, or not at all?
- May operators refer to this Standard, in the policies and procedures they file with you, as the format in which they will evidence their controls?

Annex A. Field catalogue

The extracts in §4 and §6 are sufficient to build a working implementation of every record type. The complete catalogue adds formats, enumerations, conditional requirements and examples for each field, together with the profile schema, and states for each record type whether it belongs to the core or to a module (§10). It is maintained as a versioned machine-readable schema - JSON Schema for record types R1–R15, the package manifest, the stream envelope and checkpoint, and the structure of a jurisdiction profile, with a reference interface for streams - published under the Apache License 2.0 at github.com/ctres-standard/schema, so that implementations can be tested automatically rather than read.

Annex B. Jurisdiction profiles: the Register

Annex B is the Register of jurisdiction profiles: ninety-seven jurisdictions, read from published sources and re-verified against the primary instruments, summarised to the parameters of §5 and grouped by region, in three parts - Part 1, payments, player funds and reporting; Part 2, revenue and levy; Part 3, submission and streams - with the principal sources. It is published separately from this text, as CTRES_Register.pdf and CTRES_Register.docx at ctres.org/profiles/, where each jurisdiction also has its own page, in dated editions; the edition current at the date of this text is named on the cover (5 November 2026).

Register editions change as profiles are added or corrected, without changing the version of the Standard (§13). They are a reference, not legal advice. "Not found" means that no published rule was located, not that none exists. Each row is offered to the authority concerned for review, and a corrected row replaces it as submitted; rows marked reviewed carry the authority's own wording. The machine-readable profile of a jurisdiction (§5, Annex A) is derived from its Register row and is maintained with the authority.

Annex C. Example records

Synthetic records with illustrative values, abbreviated. They show the shape of the data and are not drawn from any operator.

Card deposit (R3), with holder match and limit check:


```
{"tx_id":"D-2026-104511","player_ref":"P-20931","player_ref_scope":"licence-
A","direction":"deposit","rail":"card","instrument_id":"I-77812","provider_id":"PSP-
03","rail_reference_type":"acquirer_reference","rail_reference":"749875062910001234567 89","amount":"150.00",
"currency_or_asset":"EUR","amount_reporting_ccy":"150.00","initiated_at":"2026-11-
04T19:02:11+01:00","credited_at":"2026-11-
04T19:02:14+01:00","credited_amount":"150.00","ledger_entry_ref":"L-552019","check_ids":["C-90211","C-
90212"],"limit_check":"within_limit","outcome":"accepted"}
```

Mobile money deposit (R3), with a tax line and an authority reference:


```
{"tx_id":"D-2026-339120","player_ref":"P-
55102","direction":"deposit","rail":"mobile_money","instrument_id":"I-MM-0931","provider_id":"MMO-
01","rail_reference_type":"operator_receipt","rail_reference":"TJK4X9ZQ2L","authority_reference":"CMS-
20261104-0081734","amount":"1000.00","currency_or_asset":"KES","credited_at":"2026-11-
04T20:15:09+03:00","credited_amount":"950.00","tax_lines":[{"type":"excise_on_deposit","rate":"0.05","amount
":"50.00","authority":"tax_authority","due_at":"2026-11-05","remittance_ref":"TR-20261105-
01"}],"ledger_entry_ref":"L-881204","check_ids":["C-71820"],"outcome":"accepted"}
```


Instant-payment withdrawal (R4), with closed-loop evidence and payout timing:


```
{"tx_id":"W-2026-220871","player_ref":"P-
31007","direction":"withdrawal","rail":"bank_transfer","instrument_id":"I-
77990","rail_reference_type":"instant_payment_e2e_id","rail_reference":"E12345678202611041935123456789 01","a
mount":"420.00","currency_or_asset":"BRL","requested_at":"2026-11-04T19:30:02-
03:00","approved_by":"rule:auto-payout-v4","approved_at":"2026-11-04T19:30:05-03:00","paid_at":"2026-11-
04T19:35:12-03:00","destination_rule":"same_instrument","source_instrument_ids":["I-77990"],"check_ids":["C-
91002"],"outcome":"accepted"}
```


Virtual-asset deposit (R3), under a pooled provider wallet - no hash exists, so the provider reference is the anchor:


```
{"tx_id":"D-2026-000512","player_ref":"P-
1190","direction":"deposit","rail":"virtual_asset","instrument_id":"I-VA-2210","provider_id":"VASP-
01","rail_reference_type":"provider_reference","rail_reference":"INV-77120-
AA","amount":"250.000000","currency_or_asset":"USDT-ERC20","off_chain_movement":true,"credited_at":"2026-11-
04T10:12:44Z","credited_amount":"250.00","check_ids":["C-
77401"],"outcome":"accepted","attestation_ref":"ATT-2026-11-VASP1"}
```


Coverage statement (R7), daily:


```
{"statement_id":"COV-2026-11-04-LIC-A","kind":"coverage","period_end":"2026-11-
04T23:59:59+01:00","player_balances_total":"1840220.15","pending_withdrawals_total":"61200.00","open_bets_to
tal":"88415.40","player_liability_total":"1989835.55","funds_held":{"segregated_account":"1902400.00","guara
ntee":"150000.00"},"in_transit_total":"41880.10","shortfall":"0.00","prepared_by":"finance_ops","reviewed_by
":"compliance_officer"}
```


Gaming revenue statement (R13), one online product line for a month, with bonus and open-bet quantities:


```
{"statement_id":"GRS-2026-10-LIC-A-SPORTS-EUR","statement_kind":"period","licence_ref":"LIC-
A","product_line":"sports_fixed_odds","jurisdiction_category":"betting","channel":"online","period_start":"2
026-10-01T00:00:00+02:00","period_end":"2026-10-
31T23:59:59+01:00","currency":"EUR","stakes_basis":"settled","winnings_basis":"credited","stakes_cash":"2410
500.00","stakes_bonus":"96300.00","stakes_refunded":"12840.00","winnings_cash":"2201150.00","winnings_bonus"
:"71400.00","bonus_granted":"120000.00","bonus_expired":"23500.00","bonus_measurement":"per_round","open_lia
bility_start":"81930.00","open_liability_end":"94120.00","bets_count":1764210,"active_players":40312,"ggr_de
clared":"221410.00","ggr_formula":"all_in","levy_base_declared":"221410.00","levy_rate":"0.15","levy_amount_
declared":"33211.50","prepared_by":"finance_ops","reviewed_by":"compliance_officer","evidence_ref":"PAM-MTD-
2026-10-sports"}
```


Venue count (R14), one slot machine for a gaming day, electronic meters:


```
{"count_id":"VC-2026-10-14-V03-SM-0117","venue_id":"V-03","gaming_day":"2026-10-
14","unit_type":"slot_machine","unit_id":"SM-
0117","currency":"EUR","meter_source":"electronic","meters_start":{"coin_in":"1884210.00","coin_out":"170295
0.00","jackpots_hand_paid":"41200.00","cancelled_credits":"9850.00","progressive_payouts_machine_paid":"0.00
","progressive_payouts_attendant_paid":"0.00","bill_in":"312400.00","ticket_in":"98100.00","ticket_out":"226
300.00","wat_in":"0.00","wat_out":"0.00","promo_in":"4200.00","promo_out":"0.00","games_played":1402311},"me
ters_end":{"coin_in":"1902640.00","coin_out":"1719120.00","jackpots_hand_paid":"41200.00","cancelled_credits
":"10310.00","progressive_payouts_machine_paid":"0.00","progressive_payouts_attendant_paid":"0.00","bill_in"
:"315900.00","ticket_in":"99250.00","ticket_out":"228900.00","wat_in":"0.00","wat_out":"0.00","promo_in":"43
50.00","promo_out":"0.00","games_played":1415978},"win_declared":"1800.00","win_formula":"slot_meter_formula
","prepared_by":"slot_ops","reviewed_by":"finance_ops"}
```


Venue count (R14), the venue_total row for the same gaming day - the count room against the meters, and the drop banked:


```
{"count_id":"VC-2026-10-14-V03-TOTAL","venue_id":"V-03","gaming_day":"2026-10-
14","unit_type":"venue_total","unit_id":"V-
03","currency":"EUR","meter_source":"electronic","hard_count":"402150.00","soft_count":"1186400.00","count_v
ariance":"-310.00","win_declared":"96480.00","win_formula":"profile","drop_deposit_ref":"M-2026-10-15-
0007","prepared_by":"count_room","reviewed_by":"finance_ops"}
```


Bet event (R15), a settled sports bet, as it appears in a package - its final state:


```
{"bet_id":"B-2026-11-05-0918273","player_ref":"P-20931","player_ref_scope":"licence-
A","product_line":"sports_fixed_odds","channel":"online","currency":"EUR","stake":"20.00","placed_at":"2026-
11-05T18:02:11+01:00","status":"settled","stake_bonus":"0.00","winnings":"46.00","settled_at":"2026-11-
05T21:47:30+01:00","jurisdiction_category":"betting","game_ref":"EV-55120/M-
3","odds":"2.30","ledger_entry_refs":["L-552031","L-552870"],"evidence_ref":"PAM-BET-2026-11-05"}
```


The same bet in a stream - first as placed (op create), then re-emitted when settled (op update); the envelope is §8.4:

```
{"stream_id":"LIC-A:R15","sequence":881204,"emitted_at":"2026-11-05T18:02:12+01:00","licence_number":"LIC-A","standard_version":"1.1","record_type":"R15","op":"create","record":{"bet_id":"B-2026-11-05-0918273","player_ref":"P-20931","player_ref_scope":"licence-A","product_line":"sports_fixed_odds","channel":"online","currency":"EUR","stake":"20.00","placed_at":"2026-11-05T18:02:11+01:00","status":"open","odds":"2.30","game_ref":"EV-55120/M-3"}}
{"stream_id":"LIC-A:R15","sequence":884517,"emitted_at":"2026-11-05T21:47:31+01:00","licence_number":"LIC-A","standard_version":"1.1","record_type":"R15","op":"update","record":{"bet_id":"B-2026-11-05-0918273","player_ref":"P-20931","player_ref_scope":"licence-A","product_line":"sports_fixed_odds","channel":"online","currency":"EUR","stake":"20.00","placed_at":"2026-11-05T18:02:11+01:00","status":"settled","stake_bonus":"0.00","winnings":"46.00","settled_at":"2026-11-05T21:47:30+01:00","jurisdiction_category":"betting","game_ref":"EV-55120/M-3","odds":"2.30","ledger_entry_refs":["L-552031","L-552870"],"evidence_ref":"PAM-BET-2026-11-05"}}
```


Annex D. Conformance declaration (template)

For signature by the operator's responsible officer.

Item	Entry
Operator and licence(s)	
Profile(s) applied, with versions	
Reporting period	
Records start date	The date from which complete records exist; earlier periods reported as not_recorded
Rails in use	card / bank_transfer / emoney / mobile_money / voucher / cash / virtual_asset
Custody models in use	direct / omnibus_at_provider / hybrid, per location type
Where the records are held	System location, and the arrangement relied upon for any data-location rule
Declared conformance level	level_1 Return / level_2 Evidence / level_3 Custody / level_4 Supervision (§10)
Submission mode and streams	periodic package / continuous / both (§8.1); stream identifiers and checkpoint cadence where records are streamed (§8.4)
Record types produced	The records of the declared level, and any further record types produced (R14, R15 and the modules), with reasons for any omission
Revenue statements and venue counts	R13 per product line, channel and currency, with the GGR formula and levy base applied; R14 per venue, where the licence covers venues; or not applicable, with the reason
Check providers and registers used	
Conformance suite version tested against	
Exceptions open at period end, and the oldest open exception	
Responsible officer, signature and date	

Annex E. Glossary

Term	Meaning in this Standard
Rail	A payment system class: card, bank transfer and instant payment, e-money, mobile money, voucher, cash or virtual asset.
Instrument	A specific means of payment on a rail that is linked to a player: a card, an account, a phone number, a voucher or a wallet address.
Funds location	Any account, balance, wallet or float in which the operator holds money.
Profile	A set of parameters, in the machine-readable structure defined by the schema (Annex A), that applies one jurisdiction's rules to the record model.
Register	Annex B: the published set of jurisdiction profiles in human-readable form, in dated editions, at ctres.org/profiles/ and as CTRES_Register.pdf.
Core	The package manifest with R3, R4, R7 and R13 - the records every package carries from Level 2.
Module	A group of record types added by a conformance level: Custody (R1, R2, R6, R10, R11), Supervision (R5, R8, R9, R12), Venue (R14).

Term	Meaning in this Standard
Conformance level	One of four minimum record sets an operator declares for a package (§10): Return, Evidence, Custody, Supervision.
Bet event	An R15 record: the money facts of one bet, round, ticket or hand - stake, winnings, status and times - never its content.
Stream	The delivery of records as events, one per line, as they occur or at the cadence the profile sets (§8.4), with sequence numbers and checkpoints.
Event	A record in a stream envelope: stream, sequence, time of emission, record type and operation (create, update, void).
Checkpoint	A statement of a stream for a gaming day - first and last sequence, event count and the hash of the event lines - emitted in the stream and listed in the period package.
Interim statement	An R13 statement for an hour or a day, emitted in a stream and superseded by the statement for the period.
Closed loop	The rule that a payout returns to the instrument, or to an instrument of the same holder, from which the player funded the account.
Coverage	The relationship between total player liabilities and the funds held to meet them.
Rail reference	The identifier a payment rail issues for a payment.
Authority reference	The identifier an authority's own system issues for a transaction.
Unexplained delta	The residual difference after matching a ledger against an external statement.
Evidence pack	The set of records that shows one payment end to end.
Conformance suite	The versioned catalogue of validation rules, tolerances and severities against which a package is tested.
Levy formula	The profile parameter (§5) that names the R13 quantities entering the levy base, each with its sign and any cap, and the rate, bands or fixed amount applied.
Central register or hub	A system run by or for an authority that is queried before money moves (a limit file, an exclusion register) or through which transactions must pass.
Data vault	A store of operator records held in the authority's schema, from which the authority reads or pulls data.
Indexed unit	A threshold expressed in a unit whose money value changes over time, such as a minimum wage or an inflation-indexed unit.
Gross gaming revenue (GGR)	Stakes less winnings for a product and period, under the recognition and bonus rules of the profile.
Money bridge	The identity in §4.13 that ties stakes less winnings to deposits, withdrawals, player balances, open bets and bonus movements for the same licence, currency and period.
Stake	The amount a player puts at risk on a bet or round, in cash or in bonus credits.
Winnings	The amount paid or credited to players on settled bets and rounds, gross of any tax withheld at payout.
Bonus stake	A stake funded from promotional credits rather than from money the player deposited.
Open-bet liability	Stakes accepted on bets or games not settled at a cut-off, held for the player until settlement.
Retail	A betting shop or sales point where bets are taken over a counter and settled in cash or by ticket.
Venue	A casino, gaming hall or other premises with a gaming floor and a count room, whose units are counted in R14.
Gaming day	A venue's or licence's 24-hour accounting period, starting at the cut-off the profile sets.
Drop	Cash, markers and coupons removed from a table's drop box, or cash and tickets from a machine's bill acceptor, for a gaming day.
Meters	A gaming machine's cumulative counters - coin in, coin out, hand-paid jackpots, cancelled credits, progressive payouts, bills in, tickets in and out, promotional credits, cashless transfers in and out, games played - read at the start and end of a gaming day.

End of the Standard. Corrections to any profile are especially welcome: the Standard is only as good as the authorities' reading of it.