


other **Pollutants** used in the study. The bibliographic **Reference** for the study may be included, as well as any additional information needed to identify a particular impact function. (The **Reference** variables are useful for this.) A number of health impact functions have been developed based on epidemiological studies in the United States and Europe. However, researchers have conducted an increasing number of epidemiological studies in Asia and Latin America that can be used to develop more location-specific impact functions. There are a number of issues that arise when deriving and choosing between health impact functions that go well beyond this user manual. *Hence, it is important to have a trained health researcher assist in developing the impact function data file.*¹⁸

4.1.6.1 Add Health Impact Functions

To add health impact functions to BenMAP-CE, click on the **Manage** button below the **Health Impact Functions** box in the **Modify Datasets** window. The **Manage Health Impact Functions Datasets** window will appear.



¹⁸ U.S. EPA-default configuration and pooling setup files for ozone and PM_{2.5} health impact assessments are available on the BenMAP-CE website. See: <http://www.epa.gov/benmap/benmap-community-edition>.

In this window you may **Add**, **Edit**, and **Delete** datasets. The section on the left under **Available Datasets** lists the health impact function datasets that are currently in the setup database. (See Appendices E, F, and G for more information about the pre-loaded health impact functions.) The section on the right under the **Health Impact Functions in Dataset** lets you view the functions in a selected dataset.

To add a new dataset, click the **Add** button. The **Health Impact Function Dataset Definition** window will appear. Type the name that you want to use for the dataset in the **Health Impact Function Dataset Name** box.

You may then enter functions into this dataset through an externally created database by clicking the **Load From File** button. Alternatively, you may **Add**, **Delete**, and **Edit** individual functions within BenMAP-CE.

To add a database, click the **Load From File** button. In the **Load Health Impact Dataset** window, click the **Browse** button and then find and select the health impact function database that you want to load into your setup. Click **Open**. If validation is required, then you will have to click the **Validation** button before the file can be imported. BenMAP-CE's validation tool will review the file format (column names, required columns, and data types) and provide a report with any errors or warnings. You can also add metadata (references and descriptions) to the file that is about to be imported by clicking the **View Metadata** button. Click the **OK** button on the **Load Health Impact Dataset** window to load the dataset.

The **Health Impact Function Dataset Definition** window will reappear, and you can then view the health impact functions that you have loaded into your dataset.

Health Impact Function DataSet Name: Detroit Health Impact Function


Filter Endpoint Group: [Dropdown] Filter Pollutants: [Dropdown] Filter: [Text] ☐ Group

Endpoint Group	Endpoint	Pollutant	Metric	Season Metric	Metric Statistic	Author	Year
Mortality	Mortality, All C...	PM2.5	D24Hour...	None	None	Zanobetti ...	2009
Hospital Admissio...	HA, All Respira...	PM2.5	D24Hour...	None	None	Kim et al.	2012
Hospital Admissio...	HA, All Respira...	PM2.5	D24Hour...	None	None	Kloog et al.	2012
Hospital Admissio...	HA, All Respira...	PM2.5	D24Hour...	None	None	Grineski ...	2011
Hospital Admissio...	HA, All Respira...	PM2.5	D24Hour...	None	None	Levy et al.	2012

Buttons: Output Sample File, Load From File, Add, Delete, Edit, Cancel, OK

By clicking and holding the cursor on a column header, you may move it to provide the most useful display. For example, by clicking and holding on the **Pollutant** column header and then dragging it to the far left of the window, you can sort all of the health impact functions by **Pollutant**. (Note rearranging the columns is only for display and has no effect on the underlying health impact functions in the database.)

Clicking **OK** brings you back to the **Manage Health Impact Function Datasets** window. The new dataset you just loaded will be displayed in the list of **Available Datasets** and the associated functions will be displayed in the **Health Impact Functions In Dataset** grid to the right. If you have more than one dataset, you can select the dataset by clicking on it.



To edit an existing function, first click to select the dataset in the list of **Available Datasets**. Next, select a particular function in the data grid under **Health Impact Functions in DataSet**. Then, click the **Edit** button. The **Health Impact Function Dataset Definition** window appears, and you may change any of the values in the boxes and the drop-down lists. When you are finished, click **OK**.