



G.1.1.1.4.8 Expert H

Figure G-8. Characteristics of the Random Draw from the Approximated Distribution of the PM_{2.5} Effect Specified by Expert H**Notes:**

Expert H specified a non-parametric distribution using six percentile points. We linearly interpolated the CDF between them. Panel (a) shows q-q plot of the expert percentiles and empirical percentiles for the draw. Panel (b) shows empirical CDF associated with the draw, the red "X" marks indicate corresponding expert percentiles. Panel (c) shows the histogram of the distribution.

The experts specified distributions for the percent changes in the relative risk. The distribution of the corresponding PM_{2.5} effects was the following transformation of the percent change in relative risk Z - $\log(1+(Z/100))$.


G.1.1.1.4.9 Expert I

Figure G-9. Histogram of the Random Draw from the Distribution of the PM_{2.5} Effect Specified by Expert I**Notes:**

Expert I specified a truncated Normal Distribution with mean=1.25 and standard deviation=0.53. The distribution was conditional on causality. We created a corresponding unconditional distribution by adding extra 5 percent zeros to the draw.

The experts specified distributions for the percent changes in the relative risk. The distribution of the corresponding PM_{2.5} effects was the following transformation of the percent change in relative risk Z - $\log(1+(Z/100))$.


G.1.1.1.4.10 Expert J

Figure G-10. Histogram of the Random Draw from the Distribution of the PM_{2.5} Effect Specified by Expert J**Notes:**

Expert J specified a truncated Weibull Distribution. We inferred the following values for the parameters of this distribution: shape=2.21, scale=1.41, and location=-0.33.

The experts specified distributions for the percent changes in the relative risk. The distribution of the corresponding PM_{2.5} effects was the following transformation of the percent change in relative risk Z - $\log(1+(Z/100))$.

G.1.1.1.4.11 Expert K

Figure G-11. Histogram of the Random Draw from the Distribution of the PM_{2.5} Effect Specified by Expert K**Notes:**

Expert K specified a truncated Normal Distribution for two ranges separately (4-16 $\mu\text{g}/\text{m}^3$ and >16-30 $\mu\text{g}/\text{m}^3$). We inferred the following parameters for this distribution: mean=0.40 and standard deviation=0.18 in the lower range and mean=0.71 and standard deviation=0.37 in the upper range. The distribution was conditional on causality. We created a corresponding unconditional distribution by adding extra 65 percent zeros to the draws in each range.

The experts specified distributions for the percent changes in the relative risk. The distribution of the corresponding PM_{2.5} effects was the following transformation of the percent change in relative risk Z - $\log(1+(Z/100))$.