

Motivation

Theoretical
framework

Convolutional neural
networks
Mask R-CNN

Implementation

Usage
`i.ann.maskrcnn.train`
`i.ann.maskrcnn.detect`
Results

Conclusion

Sources

Mask R-CNN in GRASS GIS

Ondřej Pešek

Czech Technical University in Prague
Faculty of Civil Engineering
Department of Geomatics

29. 8. 2019



Table of contents

Ondřej Pešek

Motivation

Motivation

Theoretical framework

Convolutional neural networks

Theoretical
framework

Convolutional neural
networks

Mask R-CNN

Mask R-CNN

Implementation

Usage
`i.ann.maskrcnn.train`
`i.ann.maskrcnn.detect`
Results

Implementation

Usage

Conclusion

`i.ann.maskrcnn.train`

Sources

`i.ann.maskrcnn.detect`

Results

Conclusion

Sources

Situation

- ▶ higher density of the satellite monitoring systems
- ▶ higher density of aerial imagery
- ▶ vectorization of analogue maps

Motivation

Theoretical
framework

Convolutional neural
networks

Mask R-CNN

Implementation

Usage
i.ann.maskrcnn.train
i.ann.maskrcnn.detect
Results

Conclusion

Sources

Motivation

Ondřej Pešek

Situation

- ▶ higher density of the satellite monitoring systems
- ▶ higher density of aerial imagery
- ▶ vectorization of analogue maps
- ▶ higher quality

Motivation

Theoretical
framework

Convolutional neural
networks

Mask R-CNN

Implementation

Usage
`i.ann.maskrcnn.train`
`i.ann.maskrcnn.detect`
Results

Conclusion

Sources

Situation

- ▶ higher density of the satellite monitoring systems
- ▶ higher density of aerial imagery
- ▶ vectorization of analogue maps
- ▶ higher quality
- ▶ open data

Motivation

Theoretical
framework

Convolutional neural
networks

Mask R-CNN

Implementation

Usage
`i.ann.maskrcnn.train`
`i.ann.maskrcnn.detect`
Results

Conclusion

Sources

Situation

- ▶ higher density of the satellite monitoring systems
- ▶ higher density of aerial imagery
- ▶ vectorization of analogue maps
- ▶ higher quality
- ▶ open data
- ▶ data standardization

Motivation

Theoretical framework

Convolutional neural networks

Mask R-CNN

Implementation

Usage

i.ann.maskrcnn.train

i.ann.maskrcnn.detect

Results

Conclusion

Sources

Common classification methods

- ▶ manual classification

GRASS GIS

- ▶ manual classification
 - ▶ GRASS Digitizing tool

Motivation

Theoretical
framework

Convolutional neural
networks
Mask R-CNN

Implementation

Usage
`i.ann.maskrcnn.train`
`i.ann.maskrcnn.detect`
Results

Conclusion

Sources

Common classification methods

- ▶ manual classification
- ▶ supervised classification

GRASS GIS

- ▶ manual classification
 - ▶ GRASS Digitizing tool
- ▶ supervised classification
 - ▶ g.gui.iclass + i.maxlik

Motivation

Theoretical framework

Convolutional neural networks

Mask R-CNN

Implementation

Usage

i.ann.maskrcnn.train

i.ann.maskrcnn.detect

Results

Conclusion

Sources

Common classification methods

- ▶ manual classification
- ▶ supervised classification
- ▶ unsupervised classification

GRASS GIS

- ▶ manual classification
 - ▶ GRASS Digitizing tool
- ▶ supervised classification
 - ▶ g.gui.iclass + i.maxlik
- ▶ unsupervised classification
 - ▶ i.cluster + i.maxlik

Motivation

Theoretical framework

Convolutional neural networks

Mask R-CNN

Implementation

Usage

i.ann.maskrcnn.train

i.ann.maskrcnn.detect

Results

Conclusion

Sources

Motivation

Ondřej Pešek

Why neural networks?

- ▶ human brain is the most powerful tool we know
- ▶ we are trying to get human-understandable results




Figure: Source: [1]

Motivation

Theoretical framework

Convolutional neural networks

Mask R-CNN

Implementation

Usage

i.ann.maskrcnn.train

i.ann.maskrcnn.detect

Results

Conclusion

Sources

Motivation

Ondřej Pešek

Why neural networks?

- ▶ human brain is the most powerful tool we know
- ▶ we are trying to get human-understandable results




Figure: Source: [1]

Motivation

Theoretical framework

Convolutional neural networks

Mask R-CNN

Implementation

Usage

i.ann.maskrcnn.train

i.ann.maskrcnn.detect

Results

Conclusion

Sources

Motivation

Ondřej Pešek

Why neural networks?

- ▶ human brain is the most powerful tool we know
- ▶ we are trying to get human-understandable results



Figure: Source: [1]

Motivation

Theoretical framework

Convolutional neural networks

Mask R-CNN

Implementation

Usage

i.ann.maskrcnn.train

i.ann.maskrcnn.detect

Results

Conclusion

Sources

Convolutional neural networks

Ondřej Pešek

Motivation

Theoretical framework

Convolutional neural networks

Mask R-CNN

Implementation

Usage

i.ann.maskrcnn.train

i.ann.maskrcnn.detect

Results

Conclusion

Sources

105	102	100	97	96
103	99	103	101	102
101	98	104	102	100
99	101	106	104	99
104	104	104	100	98

0	-1	0
-1	5	-1
0	-1	0

89		

105	102	100	97	96
103	99	103	101	102
101	98	104	102	100
99	101	106	104	99
104	104	104	100	98

0	-1	0
-1	5	-1
0	-1	0

89	111	

Convolutional neural networks

Ondřej Pešek

Motivation

Theoretical framework

Convolutional neural networks

Mask R-CNN

Implementation

Usage

i.ann.maskrcnn.train

i.ann.maskrcnn.detect

Results

Conclusion

Sources

105	102	100	97	96
103	99	103	101	102
101	98	104	102	100
99	101	106	104	99
104	104	104	100	98

Kernel Matrix		
0	-1	0
-1	5	-1
0	-1	0

89		

105	102	100	97	96
103	99	103	101	102
101	98	104	102	100
99	101	106	104	99
104	104	104	100	98

Kernel Matrix		
0	-1	0
-1	5	-1
0	-1	0

89	111	

Why convolutional neural networks?

- ▶ ResNet got in ILSVRC 2016 top 5 error of 3.6 %

Source: [1]

Convolutional neural networks

Ondřej Pešek

Motivation

Theoretical framework

Convolutional neural networks

Mask R-CNN

Implementation

Usage

i.ann.maskrcnn.train

i.ann.maskrcnn.detect

Results

Conclusion

Sources

105	102	100	97	96
103	99	103	101	102
101	98	104	102	100
99	101	106	104	99
104	104	104	100	98

Kernel Matrix		
0	-1	0
-1	5	-1
0	-1	0

89		

105	102	100	97	96
103	99	103	101	102
101	98	104	102	100
99	101	106	104	99
104	104	104	100	98

Kernel Matrix		
0	-1	0
-1	5	-1
0	-1	0

89	111	

Why convolutional neural networks?

- ▶ ResNet got in ILSVRC 2016 top 5 error of 3.6 %
- ▶ human 8 %

Source: [1]

Mask R-CNN

Ondřej Pešek

Motivation

Theoretical framework

Convolutional neural networks

Mask R-CNN

Implementation

Usage

i.ann.maskrcnn.train

i.ann.maskrcnn.detect

Results

Conclusion

Sources




Figure: Source: [2]

Mask R-CNN

Ondřej Pešek

Instance segmentation




Figure: Source: [2]

Motivation

Theoretical framework

Convolutional neural networks

Mask R-CNN

Implementation

Usage

i.ann.maskrcnn.train

i.ann.maskrcnn.detect

Results

Conclusion

Sources

Mask R-CNN

Ondřej Pešek

Two parts:

- ▶ backbone
- ▶ head




Figure: Source: [3]

Motivation

Theoretical framework

Convolutional neural networks

Mask R-CNN

Implementation

Usage

i.ann.maskrcnn.train

i.ann.maskrcnn.detect

Results

Conclusion

Sources

Backbone architecture:

- ▶ ResNet




Figure: Source: [3]

Backbone architecture:

- ▶ ResNet
- ▶ RPN




Figure: Source: [3]

Motivation

Theoretical framework

Convolutional neural networks

Mask R-CNN

Implementation

Usage
i.ann.maskrcnn.train
i.ann.maskrcnn.detect
Results

Conclusion

Sources

Mask R-CNN

Ondřej Pešek

Backbone architecture:

- ▶ ResNet
- ▶ RPN




Figure: Source: [3]

Motivation

Theoretical framework

Convolutional neural networks

Mask R-CNN

Implementation

Usage

i.ann.maskrcnn.train

i.ann.maskrcnn.detect

Results

Conclusion

Sources

Head architecture:

- ▶ softmax → class

Motivation

Theoretical framework

Convolutional neural networks

Mask R-CNN

Implementation

Usage

i.ann.maskrcnn.train

i.ann.maskrcnn.detect

Results

Conclusion

Sources




Figure: Source: [4]

Head architecture:

- ▶ softmax → class
- ▶ regression → bounding box

Motivation

Theoretical framework

Convolutional neural networks

Mask R-CNN

Implementation

Usage
i.ann.maskrcnn.train
i.ann.maskrcnn.detect
Results

Conclusion

Sources




Figure: Source: [4]

Mask R-CNN

Ondřej Pešek

Head architecture:

- ▶ softmax → class
- ▶ regression → bounding box
- ▶ FCN → mask




Figure: Source: [4]

Motivation

Theoretical
framework

Convolutional neural
networks

Mask R-CNN

Implementation

Usage
i.ann.maskrcnn.train
i.ann.maskrcnn.detect
Results

Conclusion

Sources

Usage

Ondřej Pešek

Motivation

Theoretical
framework

Convolutional neural
networks
Mask R-CNN

Implementation

Usage
i.ann.maskrcnn.train
i.ann.maskrcnn.detect
Results

Conclusion

Sources

Workflow:

- ▶ i.ann.maskrcnn.train
- ▶ i.ann.maskrcnn.detect

i.ann.maskrcnn.train

Ondřej Pešek

Workflow behind

- ▶ configuration of the model

Motivation

Theoretical framework

Convolutional neural networks

Mask R-CNN

Implementation

Usage


i.ann.maskrcnn.train

i.ann.maskrcnn.detect

Results

Conclusion

Sources



i.ann.maskrcnn.train training_dataset=/home/Documents/training_dataset/ classes=tennis,soccer logs

Workflow behind

- ▶ configuration of the model
- ▶ feed the model with pre-trained weights

Motivation

Theoretical framework

Convolutional neural networks

Mask R-CNN

Implementation

Usage


[i.ann.maskrcnn.train](#)

[i.ann.maskrcnn.detect](#)

Results


Conclusion

Sources



Workflow behind

- ▶ configuration of the model
- ▶ feed the model with pre-trained weights
- ▶ read the training dataset



`i.ann.maskrcnn.train training_dataset=/home/Documents/training_dataset/ classes=tennis,soccer logs`

Motivation

Theoretical framework

Convolutional neural networks

Mask R-CNN

Implementation

Usage

[i.ann.maskrcnn.train](#)

[i.ann.maskrcnn.detect](#)


Results

Conclusion

Sources

Workflow behind

- ▶ configuration of the model
- ▶ feed the model with pre-trained weights
- ▶ read the training dataset
- ▶ train



Motivation

Theoretical framework

Convolutional neural networks

Mask R-CNN

Implementation

Usage

i.ann.maskrcnn.train

i.ann.maskrcnn.detect

Results

Conclusion


Sources

i.ann.maskrcnn.train

Ondřej Pešek

Workflow behind

- ▶ configuration of the model
- ▶ feed the model with pre-trained weights
- ▶ read the training dataset
- ▶ train
- ▶ save the model



i.ann.maskrcnn.train training_dataset=/home/Documents/training_dataset/ classes=tennis,soccer logs

Motivation

Theoretical framework

Convolutional neural networks

Mask R-CNN

Implementation

Usage

i.ann.maskrcnn.train

i.ann.maskrcnn.detect


Results

Conclusion

Sources

Workflow behind

- ▶ load the model



Motivation

Theoretical framework

Convolutional neural networks

Mask R-CNN

Implementation

Usage

`i.ann.maskrcnn.train`

`i.ann.maskrcnn.detect`

Results

Conclusion

Sources

Workflow behind

- ▶ load the model
- ▶ detection for each raster

Motivation

Theoretical framework

Convolutional neural networks

Mask R-CNN

Implementation


Usage

i.ann.maskrcnn.train

i.ann.maskrcnn.detect
Results


Conclusion

Sources



Workflow behind

- ▶ load the model
- ▶ detection for each raster
- ▶ vectorization



i.ann.maskrcnn.detect model=/home/Documents/output_modules/pitches-0100.h5 classes=football,tennis

Motivation

Theoretical framework

Convolutional neural networks

Mask R-CNN

Implementation

Usage

i.ann.maskrcnn.train

i.ann.maskrcnn.detect
Results

Conclusion

Sources

Results

Ondřej Pešek

Motivation

Theoretical
framework

Convolutional neural
networks
Mask R-CNN

Implementation

Usage
`i.ann.maskrcnn.train`
`i.ann.maskrcnn.detect`
Results

Conclusion

Sources



Figure: loss function 0.96, 54000 training images

Results

Ondřej Pešek



Figure: loss function 0.96, 54000 training images

Results

Ondřej Pešek

Motivation

Theoretical framework

Convolutional neural networks

Mask R-CNN

Implementation

Usage

i.ann.maskrcnn.train

i.ann.maskrcnn.detect

Results

Conclusion

Sources



Figure: loss function 0.96, 54000 training images

Results

Ondřej Pešek

Motivation

Theoretical
framework

Convolutional neural
networks
Mask R-CNN

Implementation

Usage
i.ann.maskrcnn.train
i.ann.maskrcnn.detect
Results

Conclusion

Sources




Figure: epoch 1, loss function 35.01, 2400 training images

Results

Ondřej Pešek

Motivation

Theoretical framework

Convolutional neural networks

Mask R-CNN

Implementation

Usage

i.ann.maskrcnn.train

i.ann.maskrcnn.detect

Results

Conclusion

Sources




Figure: epoch 10, loss function 5.87, 2400 training images

Results

Ondřej Pešek

Motivation

Theoretical framework

Convolutional neural networks

Mask R-CNN

Implementation

Usage

i.ann.maskrcnn.train

i.ann.maskrcnn.detect

Results

Conclusion

Sources



Figure: epoch 50, loss function 1.36, 2400 training images

Results

Ondřej Pešek

Motivation

Theoretical framework

Convolutional neural networks

Mask R-CNN

Implementation

Usage

i.ann.maskrcnn.train

i.ann.maskrcnn.detect

Results

Conclusion

Sources



Figure: epoch 150, loss function 0.63, 2400 training images

Results

Ondřej Pešek

Motivation

Theoretical framework

Convolutional neural networks

Mask R-CNN

Implementation

Usage

i.ann.maskrcnn.train

i.ann.maskrcnn.detect

Results

Conclusion

Sources



Figure: epoch 180, loss function 0.50, 2400 training images

Conclusion

Ondřej Pešek

Motivation

Theoretical
framework

Convolutional neural
networks

Mask R-CNN

Implementation

Usage

i.ann.maskrcnn.train

i.ann.maskrcnn.detect

Results

Conclusion

Sources

- ▶ source code

- ▶ <https://github.com/ctu-geoforall-lab/i.ann.maskrcnn>
- ▶ <https://github.com/OSGeo/grass-addons/tree/master/grass7/imagery/i.ann.maskrcnn>

- ▶ installation using command

```
g.extension extension=i.ann.maskrcnn
```

- ▶ next steps

- ▶ multispectral rasters
- ▶ training on rasters and vectors imported in GRASS
- ▶ more architectures

Sources

Ondřej Pešek

Motivation

Theoretical
framework

Convolutional neural
networks

Mask R-CNN

Implementation

Usage

i.ann.maskrcnn.train

i.ann.maskrcnn.detect

Results

Conclusion

Sources

- [1] RUSSAKOVSY, Olga et al. ImageNet Large Scale Visual Recognition Challenge. International Journal of Computer Vision IJCV. 2015, 115, n. 3, pp. 211–252.
- [2] <http://cs231n.stanford.edu/>
- [3] HE, Kaiming et al. Mask R-CNN. In: International Conference on Computer Vision (ICCV). 2017.
- [4] GIRSHICK, Ross. Fast R-CNN. In: International Conference on Computer Vision (ICCV). 2015.

Thank you for your attention.

Motivation

Theoretical
framework

Convolutional neural
networks
Mask R-CNN

Implementation

Usage
`i.ann.maskrcnn.train`
`i.ann.maskrcnn.detect`
Results

Conclusion

Sources