

Start here

In Week 5 you ranked four clips for one invented viewer. Now you will run a whole recommender: many items, related tables, two objectives and a feedback loop. Then you will judge who gains and who loses when the objective changes.

The question for these eight lessons

Who benefits when a feed optimizes attention — and what changes if it optimizes discovery instead?

Your route

Lesson	Planned slot (provisional)	Focus	What happens to your work
ibds-26-so3-d10	Mon 5 Oct	Trace, search, sort and filter a small dataset + your fresh Sprint 2 transfer attempt (20 min)	Traces checked · feedback; Sprint 2 retry scored /8
ibds-26-so3-d03	Tue 6 Oct	Run the Loopline recommender under two settings	Checked in class · feedback
ibds-26-so3-d04	Wed 7 Oct	Feedback loops, big data and the people behind the feed	Collected with the workbook · feedback
ibds-26-so3-d05	Thu 8 Oct	Weekly quiz (/12) + amplification paragraph	Quiz scored /12 · paragraph gets feedback, no mark
ibds-26-so3-d06	Fri 9 Oct	Money, culture and access	Collected with the workbook · feedback
ibds-26-so3-d07	Tue 13 Oct	Provider claims vs regulator findings	Source synthesis collected · feedback, no mark
ibds-26-so3-d08	Wed 14 Oct	Redesign practice + independent transfer	Transfer scored /8 · feedback
ibds-26-so3-d09	Thu 15 Oct	Weekly quiz (/12) + defend your rule + network dependency	Quiz scored /12 · defence observed, no mark

Dates follow the current plan and may move with the school calendar. No formal IA time is used in these lessons.

Reading (printed textbook pages)

- By Thu 8 Oct: pp. 86–89 (algorithmic dilemmas, bias, black box, transparency), pp. 72–74 (big data and the 4Vs), pp. 213–219 (business, work and platforms). Read the explanations and diagrams; the embedded activities are optional.

- By Thu 15 Oct: pp. 220–227 (automation, e-commerce, currencies, globalization) and pp. 31–32 (types of change).

Loopline is invented

Loopline is a fictional short-video platform created for these lessons. Its creators, viewer, numbers and ranking rule are synthetic. It helps you see a mechanism clearly. It is not TikTok's or anyone else's real algorithm, and its numbers are not measurements of real people.

Help you may use

In practice tasks you may use the shared Learning Studio Coach to clarify vocabulary, check your understanding of a step, or ask about your own attempt. Copy the context line from the page you are working on. The Coach does not receive anything automatically.

Open the Learning Studio Coach ↗ (<https://gemini.google.com/gem/1ySXJPFNyohCfESu8EzsD3vuexPiuKQKo?usp=sharing>)

Not allowed with any AI or Coach: the weekly quizzes, the independent transfer task, and writing your source synthesis or judgments for you. Your approved access arrangements always stay in place.

Downloads

- loopline-items.csv, loopline-creators.csv, loopline-user.csv — the related tables
- Loopline_Model.xlsx — spreadsheet version with editable weights (open in Google Sheets or Excel)
- trace-templates.csv — blank trace tables to print or fill
- feedback-loop.svg, network-path.svg, platform-labour.svg — editable diagrams
- source-grid.csv — for the source synthesis lesson

70 MIN · 5 RETRIEVAL + QUIZ REPAIR · 12 TEACHING · 10 GUIDED LAB · 15 INDEPENDENT TRACE
· 20 SPRINT 2 RETRY · 8 FEEDBACK

Trace, search and sort

Search finds. Sort orders. Filter removes. Each does a different job — and each can give a wrong answer if the data is represented badly. Today also includes your fresh attempt at the Sprint 2 transfer.

Retrieval and quiz repair · 5 minutes

1. Correct one item from your Week 5 concepts quiz and say why the correction is right. 2. Loopline stores watch time in whole seconds. Is that an analogue or a digital representation, and what detail could be lost? 3. Name one technical part and one social part of a recommendation system.

Explicit teaching · 12 minutes

Operation	Job	Loopline example	Stops when
Linear search	Find the first item that meets a condition	Find the first science item	A match is found or the list ends
Sort	Put items in order by a value	Order items by a value, highest first	A full pass makes no swaps
Filter	Keep only items that meet a condition	Show only clips of 30 seconds or less	Every item has been checked once

Representation matters. A computer compares exact values: "Football " (capital F, trailing space) is not the same text as "football". Missing values need a stated rule: treating "no data yet" as zero is a design decision, not a neutral fact. A length of zero must be excluded before any division.

Meet the Loopline tables

Loopline stores data in related tables. Items and Creators share the field creator_id. The viewer profile below is for one synthetic viewer. Keep these tables: you will use them all fortnight.

item_id	creator_id	topic (raw text)	length_s	avg_watch_s	age_days
Vo1	K1	cooking	40	32	5
Vo2	K2	football	20	18	1
Vo3	K4	science	30	21	1

item_id	creator_id	topic (raw text)	length_s	avg_watch_s	age_days
V04	K1	cooking	60	30	3
V05	K5	music	25	20	6
V06	K3	football	50	20	2
V07	K6	art	40	—	0
V08	K7	science	20	15	4
V09	K2	'Football '	30	27	8
V10	K8	language learning	45	36	2
V11	K5	music	0	0	1

creator_id	handle	home country	joined (days ago)
K1	kitchen_kasia	Canada	900
K2	bola_bruno	Brazil	700
K3	pitchside_priya	United Kingdom	1200
K4	lab_wanjiru	Kenya	21
K5	tala_tunes	Philippines	400
K6	trazo_mateo	Mexico	9
K7	orbit_anika	India	35
K8	palabra_lucia	Canada	14

Viewer profile field	Value
user_id	U-ARI (synthetic)
recent topics	cooking, football
creators already watched	K1, K2, K3

Field definitions: length_s = clip length in seconds; avg_watch_s = average seconds watched per view so far (— means no views yet); age_days = days since upload; joined = days since the creator joined Loopline.

Guided lab • 10 minutes • with your teacher

Trace 1 • 4 minutes. Linear search the Items table in order for the first item whose topic is science. Record each comparison. Then predict: how many comparisons for art, and for history? What does the search return when there is no match?

Search trace (comparison number · item · topic · match?) and your predictions

Trace 2 · 6 minutes. Take the first five items (V01–V05) and their avg_watch_s values: V01 32 · V02 18 · V03 21 · V04 30 · V05 20. Run bubble sort to put them in descending order of avg_watch_s. In each pass, compare neighbours from left to right and swap if the left value is smaller. Record every comparison and swap. Stop after a pass with no swaps.

Each pass: comparisons, swaps, list after the pass · when did it stop and why?

Independent trace · 15 minutes · on your own

Filter the Items table to clips of 30 seconds or less. Which items remain? What should happen to V11? Then do the representation check. The viewer's recent topics include football. Look at V09's raw topic text: what would an exact-text comparison decide, and what rule fixes it? Finally, V07 has no views yet. Compare treating it as 0 with giving it a default of 0.50. Which is fairer to a new creator, and what is the risk?

Filtered list and your decision about V11

V09 decision and fix · V07 options and your stated assumption · how one of these choices could change what a viewer sees

Checkpoint: compare with a partner only after you have written your own answer. If your answers differ, find the exact step where they differ.

Fresh Sprint 2 transfer attempt · 20 minutes · collected

Before this lesson you received feedback on your 29 September independent transfer. Reread your one next action. Your teacher will then hand out a fresh, unseen parallel task (assessment ibds-26-so2-do8, second

attempt). Work alone, closed-book, with no AI or Coach. Approved access arrangements apply. Your first attempt is kept; this is a new, separately dated attempt.

Evidence: your traces and error correction with a stated assumption are checked with feedback (no mark). The Sprint 2 fresh attempt is scored /8 as a new attempt under ibds-26-so2-do8. It is excluded from predicted component grades.

Run the Loopline recommender

One equation. Two sets of weights. Watch the order change — and ask whose content becomes visible.

Retrieval · 5 minutes

In a Loopline row, which fields are data about the viewer’s behaviour and which are metadata about the clip? How does 32 seconds watched (data) become a completion rate (information) and then a claim about interest (knowledge)?

The ranking equation · 12 minutes

score = a × c + b × m + d × f + e × n

Variable	Meaning	How to calculate
c	completion rate	avg_watch_s ÷ length_s (a decimal from 0 to 1). No views yet: use 0.50 and flag it. length_s ≤ 0: exclude the item.
m	topic match	1 if the normalised topic is in the viewer’s recent topics; otherwise 0
f	freshness	1 if age_days ≤ 2; otherwise 0
n	novelty	1 if the viewer has not watched this creator before; otherwise 0

Setting	a (c)	b (m)	d (f)	e (n)
E · Engagement	3	2	1	0
D · Discovery	3	1	1	2

Tie rule: if two scores are equal, the item with the higher completion rate goes first; if still tied, the lower item_id goes first.

Worked example on a different item (not in the Loopline table): an item with c = 0.60, m = 1, f = 0, n = 1 scores 3×0.60 + 2×1 + 1×0 + 0×1 = 3.80 under E, and 3×0.60 + 1×1 + 1×0 + 2×1 = 4.80 under D.

Lab · 30 minutes

12 minutes: complete the trace for every valid item under Setting E. Show c, m, f and n, then the score. Use the spreadsheet only to check your hand calculations.

item_id	c	m	f	n	score E	score D
V01						
V02						
V03						
V04						
V05						
V06						
V07						
V08						
V09						
V10						

Your ranking under Setting E (highest first), with any flags

10 minutes: calculate scores under Setting D and rank again. Mark which items move up or down by three or more places.

Your ranking under Setting D and the biggest movers

8 minutes: which creators gain visibility in the top three under D, and which lose it? Use creator IDs and home countries from the Creators table.

Who gains and who loses the top three?

Checkpoint: the top item under E and under D. Your teacher will confirm both before you continue. If yours differ, recheck c for that item and the tie rule.

Independent application · 15 minutes

Explain how a feedback loop could change tomorrow's inputs. Suppose today's top three items are shown to many more viewers than the rest. What new data does each group of items produce, and how could that change tomorrow's scores?

Evidence: your ranked results under both settings and the recorded variable change. Checked in class with feedback. No mark.


Feedback, scale and the people behind the feed

A feed learns from what it shows. Items it never shows produce no new evidence. And behind every feed are people, often in other countries, doing the work.

Retrieval · 5 minutes

Every model leaves things out. Name one thing the Loopline equation includes and one thing it omits. Why is “no data yet” not evidence that an item is bad?

Explicit teaching · 12 minutes



Loop: ranking decides exposure; exposure produces interactions; interactions become data; data changes tomorrow’s ranking. Items never shown produce no new interactions, so their scores never change. Original editable diagram (SVG in the asset download).

The 4Vs (textbook pp. 72–73)	In a real feed	Loopline’s tiny table
Volume	Very large amounts of data created every day	11 rows — far too small to show volume
Velocity	Speed at which data is generated, collected and analysed	We rank once per "day"; real feeds update continuously
Variety	Many types and formats of data	Only numbers and short text here

Veracity	Accuracy and quality of the data	Vo9’s messy topic text and V11’s zero length are veracity problems
----------	----------------------------------	--

Lab A • the feedback-loop simulation • 18 minutes

Rules. Each day: rank all valid items. The top three are shown widely. Each time an item is shown, it earns a +0.5 interaction bonus added to its score on all later days. Every item gets one day older each day, so freshness can expire. Items that are not shown get no bonus and no new data.

Day	Setting E top three	Setting D top three	Notes (ties, freshness changes)
1			
2			
3			


Which items were never shown under E? What happened to Vo7’s evidence? Does Setting D escape the loop, or create a different one?

A simulation shows how a mechanism could behave under stated rules. It is not evidence that any real platform behaves this way.

Lab B • people behind the feed • 12 minutes

Source window • International Labour Organization, 23 February 2021. The ILO’s 2021 flagship report found that digital labour platforms had grown about five-fold in a decade. It reported that much of the work on online web-based platforms comes from richer countries but is done by workers in the global South, who often earn much less. It also reported that about half of online platform workers earned under US\$2 an hour, and that algorithms increasingly allocate and evaluate work.

[ILO news release, 23 February 2021](https://www.ilo.org/resource/news/rapid-growth-digital-economy-calls-coherent-policy-response-o) ↗ (https://www.ilo.org/resource/news/rapid-growth-digital-economy-calls-coherent-policy-response-o)



Synthetic Loopline labour chain: platform headquarters contracts a vendor; the vendor employs content reviewers and data labellers in other countries; creators upload; advertisers pay; viewers watch. Arrows show money and data moving between them. Original editable diagram (SVG in the asset download).

Loopline’s labour chain is invented. Use the diagram to trace one flow of money and one flow of data across a border. Then connect the chain to one ILO finding. Keep clear which parts are the real report and which are the invented example.

One money flow, one data flow across a border, and one ILO finding linked to a stakeholder effect

Independent application · 15 minutes

Explain how a feedback loop can shift visibility towards some creators. Use your simulation, and state one thing the simulation cannot tell us about real platforms. Then use one of the 4Vs to explain why real feeds are harder to audit than Loopline.

Evidence: feedback-loop diagram and table, labour-chain trace and your explanation. Collected with the workbook, with focused feedback. No mark.

Weekly quiz and amplification

First, the weekly quiz on paper. Then an important distinction: a feed can amplify a pattern without anybody intending it — and a correlation alone does not show intent or cause.

Weekly quiz · 12 minutes + 5 minutes correction

Your teacher hands out the quiz. It has ten items (/12) and covers this week’s reading plus four items from earlier learning. Work alone, closed-book, with no AI or Coach. Your approved access arrangements apply. After collection, correct your own copy in a different colour. Write why each correction is right.

Explicit teaching · 8 minutes

Claim	What it needs
Correlation	Two things change together (e.g. topics shown more often also get more watch time)
Cause	Evidence that changing one thing changes the other, with other explanations ruled out
Amplification	A mechanism (like the loop) that makes an existing pattern bigger
Intent	Evidence about the designer’s purpose — the output alone cannot show this

Lab · 25 minutes · amplification investigation

Scenario (synthetic): after three days under Setting E, football and cooking make up almost all of the Loopline viewer’s top-three feed. A classmate says, "Loopline deliberately hides science creators."

Using your Day 1–3 table, explain the mechanism that produced the pattern. Where does the evidence show amplification? Which representation makes it clearest: a table of scores, or a chart of who was shown each day? Why?

What evidence would you need before accepting the claim about deliberate hiding? Name two kinds of evidence and say why the ranking output alone is not enough.

Independent application · 15 minutes · Paper 1 practice

Practice question (feedback only, no mark): Explain why an engagement-optimized recommendation loop may amplify a pattern in what users see. [4]

Success criteria: name the mechanism accurately (exposure → interactions → data → ranking); connect each step with a cause; use one specific example from your simulation; qualify your claim so it does not assert intent from correlation.

Your Paper 1 explanation

Evidence: quiz ibds-26-so3-d05 scored /12 (eight multiple choice + two short responses confirmed by your teacher). The paragraph gets written feedback and no mark; it is not added to the /12.

Money, culture and access

Visibility is worth money. A platform's revenue model shapes what its ranking rewards — and a ranking rule travels, from video feeds to learning platforms.

Retrieval · 5 minutes

Define microtargeting in one sentence. Which Loopline creators lost top-three visibility under Setting D?

Explicit teaching · 12 minutes

Many free platforms earn money from advertising. More attention means more ad views, which is one reason engagement objectives are attractive to platforms. Some platforms share ad revenue with creators, so ranking also redistributes income.

Source window · YouTube Help, “YouTube partner earnings overview” (undated page, checked 27 September 2026). For creators in its partner programme, YouTube states it pays 55% of net revenue from ads shown on their public long-form videos. For Shorts it pays 45% of the revenue allocated to them, based on their share of views in a creator pool. This is one platform's stated policy, not a rule for all platforms.

YouTube partner earnings overview ↗ (<https://support.google.com/youtube/answer/72902>)

Lab · 30 minutes · three linked cases

Case 1 · creator income (10 minutes). Suppose Loopline paid creators 50% of ad revenue from their views, and each top-three slot earned about 1,000 extra views per day. These are synthetic assumptions. Compare which creators would earn more under E and under D. Build a chain: ranking objective → visibility → income → who can afford to keep creating.

Your impact → implication chain for creator income

Case 2 · a token claim (8 minutes). A fictional start-up says: “Tip creators with LoopCoin, our new token. Its value will rise as Loopline grows.” Using textbook p. 223 on cryptocurrencies and tokens, identify what the

claim assumes and what could go wrong for a young creator paid in LoopCoin. This is an evaluation of a claim, not financial advice. Do not recommend buying or selling anything.

Assumptions in the claim and one risk to a creator

Case 3 · a learning platform (12 minutes). StudyStream, an invented school practice-video app, uses the same equation. It ranks practice videos by completion, topic match, freshness and novelty. Short, high-completion videos rise; long worked examples in a second language fall. Which learners gain, and which could lose access to what they need? Suggest one change to the variables or weights and say what it would cost.

Who gains and who loses on StudyStream, your change and its cost

Independent application · 15 minutes

Explain how a platform's revenue model can influence its ranking objective and redistribute visibility and opportunity. Use one Loopline figure and one real policy detail. Distinguish an immediate impact from a longer-term implication.

Before Thursday 15 October, read pp. 220–227 and pp. 31–32 for next week's quiz.

Evidence: impact → implication chains. Collected with the workbook, with focused feedback. No mark.

What a provider says, what a regulator finds

A platform explaining its system and a regulator investigating it are different kinds of source. Write by theme — and say exactly what an older source cannot prove today.

Retrieval · 5 minutes

In Week 5 you read TikTok’s current help page. Name one signal it describes. Why can a provider page not demonstrate fairness?

Explicit teaching · 12 minutes · origin, purpose, claim, limit

Ask	Why it matters
Who produced it, and why?	A provider explains and reassures; a regulator investigates against legal duties
When?	A 2020 explanation cannot show how a system works in 2026
What kind of claim?	Description of design, allegation, preliminary finding, or final decision are not the same
What evidence is shown?	Stated design intentions are not measurements of effects

Source windows

Source A · TikTok Newsroom, “How TikTok recommends videos #ForYou”, 18 June 2020 (provider). It says recommendations draw on user interactions, video information and device/account settings. Signals carry different weights; finishing a longer video counts more than a weak signal like shared location. Follower count and past high-performing videos are not direct factors. It acknowledges the risk of a “filter bubble” and describes interrupting repetition, such as not showing two videos in a row with the same sound or creator, and adding diverse videos.

Source A (TikTok, 2020) ↗ (<https://newsroom.tiktok.com/en-us/how-tiktok-recommends-videos-for-you>)

Source B · European Commission press release, 19 February 2024 (regulator). The Commission opened formal proceedings under the EU Digital Services Act. One area is whether TikTok assessed and reduced risks from its design, including algorithmic systems, that may stimulate behavioural addictions or create so-called “rabbit hole effects”. The release states that opening proceedings does not prejudge the outcome.

Source B (European Commission, 2024) ↗ (https://ec.europa.eu/commission/presscorner/detail/en/ip_24_926)

Source C · European Commission, 6 February 2026 (regulator). The Commission preliminarily found TikTok's addictive design in breach of the Digital Services Act. It named infinite scroll, autoplay, push notifications and its highly personalized recommender system. It said TikTok did not adequately assess risks to users' wellbeing, including minors. It pointed to disregarded indicators such as night-time use by minors and how often users open the app. It suggested changes including adapting the recommender system, and stated that these preliminary findings do not prejudice the outcome.

Source C (European Commission, 2026) ↗ (<https://digital-strategy.ec.europa.eu/en/news/commission-preliminarily-finds-tiktoks-addictive-design-breach-digital-services-act>)

These windows are short original summaries. Open the links to check the wording yourself. EU law applies in the EU; these sources are not a ruling about Canada.

Lab · 30 minutes

10 minutes: complete source-grid.csv (or the fields below) for A, B and C. Record origin, date, purpose, main claim and what it cannot show.

Source grid notes for A, B and C

12 minutes: sort evidence under two themes: (1) what shapes the feed, (2) risk to users. For each theme, decide whether the sources agree, differ or answer different questions.

Theme 1 and Theme 2: relationship between sources

8 minutes: link a source claim to your Looplevel evidence. Does your feedback-loop simulation support, complicate or fail to test the claim?

One link between a source claim and your Looplevel evidence

Independent synthesis · 15 minutes · collected

Using Sources A and C, compare and contrast what they suggest about how TikTok's recommendation system affects users. Organize by theme, not source by source. State one thing Source A cannot prove

about TikTok today, and why.

Checklist (feedback, not marks): an accurate claim from each source · an explicit relationship (agree, differ, or complement) · specific supporting detail · a source limitation (date, purpose or preliminary status) · a justified inference that does not go beyond the evidence.

Your source synthesis

Evidence: assessment ibds-26-so3-d07. Collected, unscored, with checklist feedback within five teaching days and a fresh short retry after return.

Redesign practice, then an independent transfer

A ranking objective is a value choice written as numbers. Redesign Loopleftine, name what your rule values and what it loses — then show you can do it alone on a new case.

Retrieval · 5 minutes

From memory: write the Setting D equation. Which variable rewards creators the viewer has not seen before?

Explicit teaching · 12 minutes · values and trade-offs

- Every weight says what matters. Raising novelty values discovery and new creators. It can cost relevance and trust, if viewers see things they did not ask for.
- Fairness to creators and relevance to viewers can pull in different directions.
- Transparency: can the platform explain the rule to a viewer or a creator? A simple rule is easier to explain but may be easier to game.
- Other designs than weighting: reserve one discovery slot in every five; give viewers a control; cap repeated creators, as Source A describes.

Redesign lab · 25 minutes · practice

Loopleftine’s owners want new creators to get a fairer chance without annoying viewers. Propose your own rule: change one weight, add a condition, or use a reserved slot. Trace it on at least four items. Record the new top three and who loses a place.

item_id	c	m	f	n	your rule working	new score

Your rule (equation or steps), the values it expresses, the trace summary, who gains, who loses, and one transparency question

Keep this redesign. On Thursday you will defend it in two minutes using your changed results.

Independent transfer • 20 minutes • collected and scored /8

Your teacher will hand out an unseen task on a new case. Read the criteria beforehand. Work alone, closed-book, with a calculator and no AI or Coach. Approved access arrangements apply. The task is not in this workbook.

Read the success criteria ([success-criteria.html](#))

Evidence: redesign practice checked in class. The unseen transfer is assessment ibds-26-so3-do8, scored /8 with feedback within five teaching days and a fresh retry after return. It is excluded from predicted component grades.


Defend your rule and follow the data

A ranking rule only works if data can move: from a phone, across networks, to data centres and back. When the network fails, the feed fails.

Weekly quiz · 12 minutes + 5 minutes correction

Ten items (/12) on pp. 220–227 and pp. 31–32, plus four items from earlier learning. Closed-book, no AI or Coach, approved access arrangements apply. Correct your copy after collection.

Explicit teaching · 8 minutes · the path of one recommendation



A phone requests a feed. The request travels through Wi-Fi or a mobile network to an internet service provider, across the internet using routing, after a DNS lookup finds the service's address, to a data centre. There the ranking service reads the item store and interaction log and returns a list. Video files may come from a nearby cache server. Original editable diagram (SVG in the asset download).

Real case · Engineering at Meta, 5 October 2021. Meta explained that during routine maintenance, a command unintentionally disconnected its data centres from its global backbone network, and an audit tool bug failed to stop it. Its DNS servers then withdrew their routing announcements, so Meta's services could not be reached across the internet. The same failure also cut off internal tools, slowing the recovery.

Engineering at Meta, 5 October 2021 ↗ (<https://engineering.fb.com/2021/10/05/networking-traffic/outage-details/>)

Lab · 25 minutes · network dependency sketch

Draw the path of one Loopline recommendation on the diagram template. Mark three places where data must move: request, interaction logging, ranking reading data. For each, say what the viewer or the platform

loses if that link fails. Include the interaction bonus: if interactions cannot be logged, what happens to tomorrow's ranking?

Three dependency points and what fails at each

Defend your rule • 5 minutes • observed

In two minutes, to a partner and then your teacher: state your redesigned rule, one changed rank from your trace, one stakeholder who loses, and one network point your rule depends on. Your partner asks one challenge question. Write your repair below.

Challenge question you received and your repaired explanation

Independent changed-input check • 10 minutes

Your teacher gives one changed item or weight. Trace it without help, explain the effect on the order, and state one limitation. Keep your first attempt before you repair it.

Your first attempt at the changed input

Evidence: quiz ibds-26-quiz-w07 scored /12. The defence (ibds-26-s03-d09) is observed and collected with one evidence-linked comment and no mark. The network sketch is collected with the workbook.

Reflection and next target

Name what you can now do, the evidence that shows it, and one precise next step.

One thing I can now explain accurately about recommendation systems, and where my evidence is

Help I used (Coach, partner, teacher) and what I decided independently

My next precise target and the fresh task that will show it

Reflection is your own evidence of learning. It is not a mark and does not replace your teacher's judgment.