
WORKBOOK 08 / 08 · MULTIMEDIA 12

Finish a complete Caveman film

Scene continuity, critique, revision, independent direction and delivery



Final assembly map links selected actions to one complete film and its verified delivery files.

Build: Deliver a coherent, playable film and an editable project with evidence of a purposeful revision.

Keep: Final FLA + playable movie + source audio + cue sheet + concise production evidence

Shared story: A Caveman wants a third counting stone. A stream stands in his way. He studies it, commits to a jump, retrieves the stone and returns to count his collection with enormous pride.

Document: ActionScript 3.0 · 1280 × 720 · 24 fps · three main Scenes · Graphic symbols for scrubbable character actions

Two provisional 70-minute sessions. Use the HTML guide for read-aloud, switchable supports, recovery files and narrated explanation. This print version includes the essential support prompts.

Continue the same film

Create the project in Workbook 1. For every later workbook, open the selected previous production FLA and Save As a new numbered checkpoint, preserving all three Scenes and the complete Library. Keep repair/director copies separate; return to the chosen production version.

Understand before you animate

A finished film coordinates story, performance, motion, sound and editing. Completion includes opening the deliverables and checking what the audience actually receives.

The working FLA preserves editability; the rendered movie carries the viewing experience. An editor timeline or successful export command does not prove that the movie plays correctly. Native author tests are separate from a student cold run and from school assessment registration. This package does not claim live progress synchronization.

Today’s checklist

1. Predict the result. 2. Build four stages. 3. Check in playback. 4. Refine, diagnose and direct. 5. Save and reopen.

Independent director condition

Choose one director condition from the previous workbooks and carry it consistently through the final film. Keep the shared story spine and explain the resulting choices.

What you will defend

Show a before/after revision, identify the principle involved, and demonstrate that your final editable and playable files agree.

Support choices

Use the step summaries, glossary, numbered checklist, different-object examples, explanation frames and optional stretch. Open the companion HTML for browser read-aloud and the narrated six-slide explanation. Supports change access to the task; the success criteria remain the same.

Your planning notes

01 · Assemble the selected actions in story order

SELECT: Main Scenes Discovery, Crossing and Me_clever.

TOOLS / ROUTE: Scene panel; Library action instances; main timeline.

1. Use this worked assembly map: Crossing 1–72 = Walk_24 looping for three cycles; 73–84 = a 12-frame Stop; 85–120 = Jump_36; 121–156 = a 36-frame Pickup; 157–192 = a result hold or optional far-bank carrying departure. These authored values can be revised after the animatic check. Discovery uses your selected Think_Point; Me_clever uses the measured recording.

2. Insert a new Character main-timeline key at every action start and Swap to that action Graphic. Set Jump_36, Stop and Pickup to Play Once/First 1 with exposure exactly covering their local action frames; use Single Frame on the chosen last pose for a hold. Walk_24 alone loops. Main frame = action start + local frame − 1; Jump local 28 therefore lands at Crossing 112.

3. The jump's travel is inside Jump_36. Its outer instance stays at the take-off anchor; at Pickup frame 121 place the next action at the landed root position, not back at the take-off anchor. Match the last/first body pose at each hand-off. Remove temporary references, then test the entire movie and check no action loops unexpectedly.

WHY · The final film needs intentional hand-offs between actions, not merely completed isolated tests.

CHECK / SUMMARY · Goal → decision → crossing → retrieval → counting reads as one story.

FIX · If an action starts on the wrong internal frame, inspect its Graphic playback and First setting and the parent keyframe where it is placed.

GLOSSARY · assembly: Combining selected actions into the final sequence.; hand-off: The transition from one action or shot to the next.

DIFFERENT-OBJECT EXAMPLE · Edited interview clips need meaningful transitions even when each clip is good individually.

STRETCH · Try a brief reaction hold between retrieval and the cut back to the cave.

02 · Check continuity with sound muted

SELECT: Full movie preview, sound temporarily muted in playback.

TOOLS / ROUTE: Test Movie; scene order; frame-by-frame inspection.

1. Watch for screen direction, prop ownership, foot contact, character scale and background ground height across transitions.

2. Confirm that the time-ellipsis cut back to the cave is understandable. The third stone must be visibly acquired before it appears in the collection.

3. Note one exact frame or cut that causes uncertainty and repair it in the FLA. Restore sound for later checks.

WHY · A coherent silent action makes the spoken ending more satisfying and reveals visual dependence on explanation.

CHECK / SUMMARY · A new viewer can recount what happened without you narrating over the film.

FIX · If the return cut is confusing, add a small departure/arrival cue instead of a lengthy explanatory title.

GLOSSARY · screen direction: The apparent left/right direction of movement or attention.; continuity check: A review of consistent relationships across frames and shots.

DIFFERENT-OBJECT EXAMPLE · A character leaving right and entering right may imply a reversal unless the edit explains the geography.

STRETCH · Make a contact sheet of the last and first frames around every cut.

Your checkpoint: predict → observe → revise

Prediction: _____

Observed result / frame: _____

Revision or next check: _____

03 · Review principles through visible evidence

SELECT: The final action keys and cue sheet.

TOOLS / ROUTE: Timeline and short playback loops; evidence notes.

1. Identify one staging choice, one designed breakdown, one timing/spacing choice and one anticipation/landing recovery.

2. Show one lip-sync cue and one true hand Swap. Explain what each contributes to this story rather than reciting a definition.

3. Choose only the clearest evidence. Four precise frame references are stronger than a page of principle names with no visible connection.

WHY · Assessment should reflect decisions and understanding demonstrated in the production.

CHECK / SUMMARY · Your explanations point to identifiable frames, poses or audio events in your own file.

FIX · If a named principle has no visible example, either revise the action or remove the claim.

GLOSSARY · production evidence: Specific work showing a skill or decision in context.

DIFFERENT-OBJECT EXAMPLE · A designer can defend contrast by pointing to a readable label under a tested condition.

STRETCH · Identify a principle you deliberately used very little and explain why.

Your checkpoint: predict → observe → revise

Prediction: _____

Observed result / frame: _____

Revision or next check: _____

04 · Run a focused audience review

SELECT: A playable draft and a viewer who has not followed your timeline.

TOOLS / ROUTE: Playback; three neutral review prompts.

1. Ask: What does he want? Where did the movement feel unclear or weightless? Did the ending and spoken count agree?

2. Let the viewer watch without interruption. Record one observation in their words, without collecting personal details.

3. Choose one high-impact revision. Save a before copy, revise, and replay the same segment.

WHY · Targeted feedback reveals communication problems that familiarity can hide.

CHECK / SUMMARY · The revision responds to observed audience difficulty, not only personal preference.

FIX · If feedback is vague, ask which moment caused it; do not tell the viewer what they were supposed to think.

GLOSSARY · critique: Specific observation used to improve a work.; iteration: A cycle of making, testing and revising.

DIFFERENT-OBJECT EXAMPLE · A user saying “I missed the button” suggests a visibility test, not a total redesign.

STRETCH · Use a second viewer to check whether the repair solved the original problem.

Your checkpoint: predict → observe → revise

Prediction: _____

Observed result / frame: _____

Revision or next check: _____

05 · Finish the director variation

SELECT: A final duplicate with one selected changed condition.

TOOLS / ROUTE: Save As → Caveman_final_director.fla; consistent scene edits.

1. Select one earlier condition: harder-to-see goal, a post-pickup carrying departure, wider stream, changed vocal reading or heavier landing.

2. Carry that decision through all affected Scenes. A wider jump may require revised staging and retrieval timing; a new recording requires a new cue sheet.

3. Write a short defence: condition → production choices → visible evidence → remaining trade-off.

WHY · Transfer is shown by coordinating consequences, not adding an unrelated extra effect.

CHECK / SUMMARY · The independent version preserves the story spine and solves the stated condition consistently.

FIX · If the change exists only in an isolated test, replace the corresponding final action and recheck the adjacent hand-offs.

GLOSSARY · coherence: Parts working together toward a consistent purpose.; trade-off: An improvement that requires a cost or compromise elsewhere.

DIFFERENT-OBJECT EXAMPLE · Independent task: use the story, contact and synchronization criteria to judge your own solution.

STRETCH · Compare the director version with the guided film and justify your final selection.

Your checkpoint: predict → observe → revise

Prediction: _____

Observed result / frame: _____

Revision or next check: _____

06 · Export a playable movie

SELECT: Saved final FLA; entire movie rather than current isolated symbol.

TOOLS / ROUTE: File → Export → Export Video/Media; choose the installed output route.

1. Save the FLA. Use Export Video/Media for the full movie and select 1280 × 720 with the project's 24 fps. Inspect the available settings in the installed Animate/Media Encoder workflow.

2. If Adobe Media Encoder is available, complete the render to a standard playable movie such as MP4/H.264. If that route is unavailable, retain the intermediate or PNG sequence plus WAV, assemble them at 24 fps in an approved editor and export the playable movie there. Keep the source materials; the sequence alone is not the required viewing copy. If no approved render route is available, mark the viewing copy incomplete rather than claiming final delivery.

3. Do not submit a SWF as the only viewing copy. Name the final playable file clearly and keep it with its source project.

WHY · A viewing copy must play outside the authoring timeline with sound and all Scenes.

CHECK / SUMMARY · The exported file exists, opens in a separate player and includes the full ending.

FIX · If only one Scene exports, check the selected range and whether you were inside a symbol. If audio is missing, inspect source sound and the chosen export route.

GLOSSARY · render: Producing a viewing file from the editable project.; codec: A method used to encode/decode video or audio.

DIFFERENT-OBJECT EXAMPLE · A slideshow's editable file and its exported PDF serve different purposes; both must be checked.

STRETCH · Compare a smaller viewing copy with the master for readable mouth and hand details.

Your checkpoint: predict → observe → revise

Prediction: _____

Observed result / frame: _____

Revision or next check: _____

07 · Reopen and verify the delivery

SELECT: The exported movie in a separate player and the saved FLA.

TOOLS / ROUTE: Open movie; File → Open FLA; full playback.

1. Play the movie from start to finish with sound. Check cuts, contact, lip sync, fingers, camera crop and the final hold.

2. Close and reopen the FLA. Verify Scene names, Library actions and the saved cue timing. Confirm linked/source audio remains available.

3. Keep one delivery checklist recording the filenames, actual runtime and any limitation. A successful save or export message alone is not proof.

WHY · The delivered files, not the workspace state, are what the audience and teacher can use.

CHECK / SUMMARY · Both final files open and agree on the selected version, duration and ending.

FIX · If the movie and FLA differ, render again from the saved chosen version and replace the mislabeled viewing copy deliberately.

GLOSSARY · verification: Checking the actual delivered result against its intended behavior.

DIFFERENT-OBJECT EXAMPLE · A website screenshot cannot prove a download works; the downloaded file must be opened.

STRETCH · Check the movie on a second available player or classroom device.

Your checkpoint: predict → observe → revise

Prediction: _____

Observed result / frame: _____

Revision or next check: _____

08 · Hand in a concise production package

SELECT: Final project folder; your teacher's named collection route.

TOOLS / ROUTE: Folder organization; upload only to the stated classroom destination.

1. Include the final FLA, playable movie, original voice recording, cue sheet, six-panel storyboard and one before/after revision explanation.

2. Keep the reflection short: one strong decision, one solved problem and one next improvement. Cite any third-party assets used; identify supplied AI-generated Caveman artwork as such.

3. Use the teacher's actual collection instructions. This guide can save/download a local evidence copy; it does not register assessment IDs, submit work or prove shared app progress.

WHY · A clear package lets someone review the product, process and understanding without guessing which file is final.

CHECK / SUMMARY · The package has one clearly selected final version and enough evidence to demonstrate the taught skills.

FIX · If the school submission route is not named, keep the complete local package and obtain that route from the teacher before sending it anywhere.

GLOSSARY · attribution: Identifying the origin and creator/type of an asset.; delivery package: The selected final files and necessary supporting evidence.

DIFFERENT-OBJECT EXAMPLE · Independent evidence: explain your own choices, not a supplied model answer.

STRETCH · Prepare a 60-second oral defence using your own timeline as evidence.

Your checkpoint: predict → observe → revise

Prediction: _____

Observed result / frame: _____

Revision or next check: _____

Keep a small, useful evidence record

At frame ___, I chose ___ so the viewer could ___.
The problem was caused by ___. I changed ___ and checked ___.
Under the changed condition, I revised ___ because ___.

One repair

One independent decision and its trade-off

Delivery check

The selected file reopens. The result plays as intended. Joints/contact and audio were checked where relevant. The changed condition is solved. Required production files and a brief defence are retained.

Method references and attribution

A1 · Adobe Animate: symbols and instances · Adobe reference

A2 · Adobe Animate: timeline layers · Adobe reference

A3 · Adobe Animate: shape tweening · Adobe reference

A4 · Adobe Animate: parenting view · Adobe reference

A5 · Adobe Animate: sound · Adobe reference

A6 · Adobe Animate: camera · Adobe reference

Original teacher-supplied Caveman PDF/PNG assets are preserved. New matching Caveman parts/backgrounds are AI-generated and identified in the asset register. Teaching diagrams are authored illustrations; genuine native captures are labelled separately. Supplied commercial course videos/FLAs are reference material and are not redistributed.

Publication/classroom status: see the teacher companion. This file does not certify the independent cold run, a natural voice performance, or live assessment/progress connections.