| · | ors of the binary indicator of winning the first game include a eams competing in the first round. There is only one observatior , 0) of whether the team won their first round game. |
|--|---|
| What type of model would you fit? | |
| O Linear regression model | |
| Logistic regression model | |
| Multilevel linear regression model with random team | effects |
| Multilevel logistic regression model with random tear | n effects |
| Marginal linear model, fitted using GEE | |
| Marginal logistic model, fitted using GEE | |
| ✓ Correct | |
| | |
| What type of model would you fit? | |
| O Linear regression model | |
| O Logistic regression model | |
| Multilevel linear regression model with random cluster | r effects |
| Multilevel logistic regression model with random clust | er effects |
| Marginal linear model, fitted using GEE | |
| Marginal logistic model, fitted using GEE | |
| ✓ Correct | |

1. You are interested in predicting the probability that an NCAA men's basketball team wins their first round game in the annual

| 3. You want to fit a model that enables the prediction of a continuous measure of birth weight for all of the newborns at a single large hospital. The data arise from a simple random sample of 500 births, and the predictors including information collected from both the mother and the father. |
|--|
| What type of model would you fit? |
| Linear regression model |
| O Logistic regression model |
| Multilevel linear regression model with random hospital effects |
| Multilevel logistic regression model with random hospital effects |
| Marginal linear model, fitted using GEE |
| Marginal logistic model, fitted using GEE |
| ✓ Correct |
| 4. After publishing a research paper describing the results from the model fitted for Question #3, you are contacted by 20 other large hospitals, and they wish to contribute to the estimation of a model for predicting birth weight. The team agrees that estimation of the variance in expected birth weight between hospitals and explanation of that variance with hospital-level covariates is a key objective. What type of model would you fit? |
| O Linear regression model |
| O Logistic regression model |
| Multilevel linear regression model with random hospital effects |
| Multilevel logistic regression model with random hospital effects |
| Marginal linear model, fitted using GEE |
| Marginal logistic model, fitted using GEE |
| ✓ Correct |

5.You wish to fit a model to a "forced choice" binary dependent variable measuring political party preference (if you had to pick a political party, which would you select: Democratic or Republican?), and examine the relationship of parental political attitudes with the preference of the respondents. Based on the study design, there are multiple respondents measured from each of several neighborhoods, and respondents within the same neighborhood may have shared political views, but you aren't interested in explicitly estimating between-neighborhood variance. You only wish to estimate the overall relationship of interest in the larger population, and account for possible within-neighborhood correlation in the DV.

| What type of model would you fit? | |
|---|--|
| C Linear regression model | |
| O Logistic regression model | |
| Multilevel linear regression model with random neighborhood effects | |
| Multilevel logistic regression model with random neighborhood effects | |
| Marginal linear model, fitted using GEE | |
| Marginal logistic model, fitted using GEE | |
| | |
| ✓ Correct | |