E01 — Search in Rotated Sorted Array (Binary Search)

Experiment: 1 | **LeetCode:** #33 | **CO:** CO1, CO5 | **BT Level:** BT4

Problem Statement

Given an integer array `nums` sorted in ascending order that has been **rotated** at some unknown pivot index, and an integer `target`, return the index of `target` in `nums`, or `-1` if it is not present.

You must write an algorithm with **O(log n)** runtime complexity.

Example 1:

```
Input:  nums = [4, 5, 6, 7, 0, 1, 2], target = 0
Output: 4
```

Example 2:

```
Input:  nums = [4, 5, 6, 7, 0, 1, 2], target = 3
Output: -1
```

Example 3:

```
Input:  nums = [1], target = 0
Output: -1
```

Concept Review: Binary Search on Rotated Array

A rotated sorted array like `[4, 5, 6, 7, 0, 1, 2]` has a property: when you pick a mid-point, **at least one half is always sorted**.

```
[4, 5, 6, 7, 0, 1, 2]
    mid = index 3 (value 7)

Left half  [4, 5, 6, 7] → sorted (nums[lo] ≤ nums[mid])
Right half [0, 1, 2]    → sorted
```

Strategy:

1. Find `mid`.
2. Determine which half is sorted.
3. Check if `target` lies in the sorted half → binary search there.
4. Otherwise search the other half.

Algorithm

```
search(nums, target):
  lo = 0, hi = len(nums) - 1

  while lo <= hi:
      mid = lo + (hi - lo) // 2

      if nums[mid] == target: return mid

      // Determine which half is sorted
      if nums[lo] <= nums[mid]:   // Left half is sorted
          if nums[lo] <= target < nums[mid]:
              hi = mid - 1        // Target is in left half
          else:
              lo = mid + 1        // Target is in right half
      else:                       // Right half is sorted
          if nums[mid] < target <= nums[hi]:
              lo = mid + 1        // Target is in right half
          else:
              hi = mid - 1        // Target is in left half

  return -1
```

Implementation

```
def search(nums, target):
    """
    Search for target in rotated sorted array.
    Time: O(log n)  |  Space: O(1)
    """
    lo, hi = 0, len(nums) - 1

    while lo <= hi:
        mid = lo + (hi - lo) // 2  # Avoid overflow

        if nums[mid] == target:
            return mid

        # Left half is sorted
        if nums[lo] <= nums[mid]:
            if nums[lo] <= target < nums[mid]:
                hi = mid - 1   # Search left
            else:
                lo = mid + 1   # Search right
        # Right half is sorted
        else:
            if nums[mid] < target <= nums[hi]:
                lo = mid + 1   # Search right
            else:
                hi = mid - 1   # Search left

    return -1
```

Detailed Trace

Input: `nums = [4, 5, 6, 7, 0, 1, 2], target = 0`

Iteration	lo	hi	mid	nums[mid]	Action
1	0	6	3	7	nums[lo] = 4 ≤ nums[mid] = 7 → left sorted. target = 0 not in [4,7) → lo = 4
2	4	6	5	1	nums[lo] = 0 ≤ nums[mid] = 1 → left sorted. target = 0 in [0,1) → hi = 4
3	4	4	4	0	nums[mid] = 0 == target → **return 4** ✓

Input: `nums = [4, 5, 6, 7, 0, 1, 2], target = 3`

Iteration	lo	hi	mid	nums[mid]	Action
1	0	6	3	7	left sorted [4,7]. target = 3 not in [4,7) → lo = 4
2	4	6	5	1	left sorted [0,1]. target = 3 not in [0,1) → hi = 4
3	4	4	4	0	right sorted [0,2]. target = 3 not in (0,2] → hi = 3
—	lo = 4 > hi = 3	loop ends	**return -1** ✓		

Edge Cases

```
# Edge case: no rotation
nums = [1, 2, 3, 4, 5]
# Standard binary search — left half always "sorted" → works correctly

# Edge case: single element
nums = [1], target = 1   # → 0
nums = [1], target = 0   # → -1

# Edge case: two elements
nums = [3, 1], target = 1   # → 1
nums = [3, 1], target = 3   # → 0
```

Test Suite

```
def test_search():
    test_cases = [
        ([4, 5, 6, 7, 0, 1, 2], 0, 4),
        ([4, 5, 6, 7, 0, 1, 2], 3, -1),
        ([1], 0, -1),
        ([1], 1, 0),
        ([3, 1], 1, 1),
```

```
        ([5, 1, 3], 5, 0),
        ([1, 3], 3, 1),
        ([2, 3, 4, 5, 6, 7, 8, 1], 6, 4),
    ]
    for nums, target, expected in test_cases:
        result = search(nums, target)
        status = "PASS" if result == expected else "FAIL"
        print(f"{status}: search({nums}, {target}) = {result} (expected

test_search()
```

Complexity Analysis

Metric	Value
Time	O(log n) — search space halved each iteration
Space	O(1) — no extra memory used

Generalization: Find Rotation Index

Finding the index of the minimum element (rotation point):

```
def find_min_index(nums):
    """Find index of minimum element (rotation index). O(log n)"""
    lo, hi = 0, len(nums) - 1
    while lo < hi:
        mid = (lo + hi) // 2
        if nums[mid] > nums[hi]:
            lo = mid + 1   # Min is in right half
        else:
            hi = mid       # Min is in left half (including mid)
    return lo
```

Key Takeaways

- Binary search applies to rotated sorted arrays by identifying the **sorted half**.
- At each step, one of the two halves is always sorted — use this invariant.
- The key condition: `nums[lo] <= nums[mid]` determines which half is sorted.
- Time: **O(log n)** — mandatory for this problem.

References

- LeetCode #33 — Search in Rotated Sorted Array
- Cormen et al., *Introduction to Algorithms*, Ch. 2.1 (Binary Search)