Kartik Kumar ,
Roll NO - 27
Section - B

Que 1 Counter , Build a component increment, decrement, Reset buttons.

Soln

```
import { useState } from "react";
function Counter (){
    const [count, setCount] = useState(0);
return (
  <div className = "box">
    <h2> Counter </h2>
    <h1>{count}</h1>
  <button onClick = {} => setCount(count + 1)}
    > Increment
  </button>
 <button>
    onclick {() => setCount (count - 1)}
    disabled ={count == 0}
  >
   Decrment
     </button>
  <button> onclick => setcount-{0}}
   Reset
  </button>
   </div>
);
} export default Counter;
```

PAGE No.
DATE

Que 2. Todo List
text input, Add button, a list.

Soln

```
import {useState} from "react";

function TodoList(){
    const [task, setTask] = useState("");
    const [tasks, setTasks] = useState([]);
const addTask = () => {
    if(task.trim() !== ""){
        setTasks([...tasks, task]);
        setTask("");
    }
};
const deleteTask = index => {
    setTasks(task.filter((_,i) => i !== index));
};
return (
  <div className="box">
    <h2> Todo List </h2>
<Input
        type="text"
        Placeholder="Enter text";
        value={task}
        onChange={(e) => setTasks(e.target.
                                  value)}
/>
<button onClick={addTask}> Add </button>
<ul>
  {tasks.map(item, index) => (
      <li key={index}>
```

```
{item}
<button onClick={() => deleteTask(index)}>
Delete
</button>
</li>
))}
</ul>
</div>
);
}

export default Todolist;
```

Ques 3 Build a component that shows a login button.

Soln

```
import {useState} from "react";

function LoginToggle(){

    const [isLoggedIn, setIsLoggedIn] = useState(false);
  return (
    <div className="box">
    <h2> Login Toggle </h2>
    {isLoggedIn ? (

      <h3> Welcome! You are logged in
      </h3>
  <button onClick={() => SetLoggedIn(false)
  }> Logout
    </button>
```

```
        <>
        ) : (
            <button onClick={() => setIsLoggedIn(true)}>
            login
            </button>
        )}
        </div>
    );
}
export default LoginToggle;
```

Qu 4.

```
import {useState} from "react";
function LiveSearch(){
    const [search, setSearch] = useState("");

const names ["Aman", "Rahul"]
```