

File Edit Selection View Go Run Terminal Help
urbanmart-react-solved
Update
EXPLORER
URBANMART-REACT-SOLVED
UrbanMart React
Cart.jsx
src > components > Cart.jsx > Cart
function Cart({ cart, removeFromCart, updateQuantity }) {
const grandTotal = cart.reduce(
(total, item) => total + item.product.price * item.quantity,
0
);
if (cart.length === 0) {
return (

🛒
<h2>Your cart is empty</h2>
Add products from the list above to see them here.

);
}
return (

SHOPPING CART
<h2>Your Cart</h2>


₹{grandTotal.toLocaleString("en-IN")}

{cart.map((item) => {
const subtotal = item.product.price * item.quantity;
return (

{item.product.image}

{item.product.name}
<small>₹{item.product.price.toLocaleString("en-IN")} each</small>

<button onClick={() => updateQuantity(item.product.id, item.quantity - 1)}>-</button>
{item.quantity}
<button onClick={() => updateQuantity(item.product.id, item.quantity + 1)}>+</button>
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
Cart.jsx
Describe what to bu...
Ln 1, Col 1 Spaces: 2 UTF-8 LF JavaScript JSX Go Live


File Edit Selection View Go Run Terminal Help
urbanmart-react-solved
Update
EXPLORER
URBANMART-REACT-SOLVED
UrbanMart React
Cart.jsx
src > components > Cart.jsx > Cart
function Cart({ cart, removeFromCart, updateQuantity }) {

{cart.map((item) => {
const subtotal = item.product.price * item.quantity;
return (

{item.product.image}

{item.product.name}
<small>₹{item.product.price.toLocaleString("en-IN")} each</small>


<button onClick={() => updateQuantity(item.product.id, item.quantity - 1)}>-</button>
{item.quantity}
<button onClick={() => updateQuantity(item.product.id, item.quantity + 1)}>+</button>

₹{subtotal.toLocaleString("en-IN")}
<button className="remove-btn" onClick={() => removeFromCart(item.product.id)}>
Remove
</button>

);
})}


Grand Total
₹{grandTotal.toLocaleString("en-IN")}

);
}
export default Cart;
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
Cart.jsx
Describe what to bu...
Ln 1, Col 1 Spaces: 2 UTF-8 LF JavaScript JSX Go Live


File Edit Selection View Go Run Terminal Help
urbanmart-react-solved
Update
EXPLORER
URBANMART-REACT-SOLVED
node_modules
nanoid
bin
non-secure
index.cjs
index.d.ts
index.js
package.json
url-alphabet
index.browser.cjs
index.browser.js
index.cjs
index.d.cts
index.d.ts
index.js
LICENSE
nanoid.js
package.json
README.md
picocolors
picomatch
postcss
react
react-dom
rolldown
scheduler
source-map-js
tinyglobby
vite
.package-lock.json
src
components
Cart.jsx
CheckoutForm.jsx
ProductCard.jsx
ProductList.jsx
OUTLINE
TIMELINE
UrbanMart React
CheckoutForm.jsx
src > components > CheckoutForm.jsx > ...
import { useState } from "react";
function CheckoutForm({ cart, onOrderPlaced }) {
const [form, setForm] = useState({
name: "",
address: "",
pincode: "",
phone: "",
payment: ""
});
const handleChange = (event) => {
const { name, value } = event.target;
setForm((current) => ({ ...current, [name]: value }));
};
const handleSubmit = (event) => {
event.preventDefault();
if (cart.length === 0) {
alert("Please add at least one product to the cart before placing an order.");
return;
}
onOrderPlaced();
setForm({
name: "",
address: "",
pincode: "",
phone: "",
payment: ""
});
};
return (

FINAL STEP
<h2>Checkout</h2>


<form onSubmit={handleSubmit}>
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
CheckoutForm.jsx
Describe what to bu...
Local
Ln 1, Col 1
Spaces: 2
UTF-8
LF
{ } JavaScript JSX
Go Live


File Edit Selection View Go Run Terminal Help
urbanmart-react-solved
Update
EXPLORER
URBANMART-REACT-SOLVED
node_modules
nanoid
bin
non-secure
index.cjs
index.d.ts
index.js
package.json
url-alphabet
index.browser.cjs
index.browser.js
index.cjs
index.d.cts
index.d.ts
index.js
LICENSE
nanoid.js
package.json
README.md
picocolors
picomatch
postcss
react
react-dom
rolldown
scheduler
source-map-js
tinyglobby
vite
.package-lock.json
src
components
Cart.jsx
CheckoutForm.jsx
ProductCard.jsx
ProductList.jsx
OUTLINE
TIMELINE
UrbanMart React
CheckoutForm.jsx
src > components > CheckoutForm.jsx > ...
function CheckoutForm({ cart, onOrderPlaced }) {
return (


FINAL STEP
<h2>Checkout</h2>

<form onSubmit={handleSubmit}>


<label>
Name
<input
name="name"
value={form.name}
onChange={handleChange}
placeholder="Enter your full name"
required
/>
</label>
<label>
Phone
<input
name="phone"
value={form.phone}
onChange={handleChange}
type="tel"
placeholder="Enter phone number"
required
/>
</label>
<label className="full">
Address
<input
name="address"
value={form.address}
onChange={handleChange}
placeholder="House no., street, area"
required
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
CheckoutForm.jsx
Describe what to bu...
Local
Ln 1, Col 1
Spaces: 2
UTF-8
LF
{ } JavaScript JSX
Go Live


File Edit Selection View Go Run Terminal Help
urbanmart-react-solved
Update
EXPLORER
URBANMART-REACT-SOLVED
UrbanMart React
CheckoutForm.jsx
src > components > CheckoutForm.jsx > ...
function CheckoutForm({ cart, onOrderPlaced }) {
Address
<input
name="address"
value={form.address}
onChange={handleChange}
placeholder="House no., street, area"
required
/>
</label>
<label>
Pincode
<input
name="pincode"
value={form.pincode}
onChange={handleChange}
pattern="[0-9]{6}"
placeholder="6-digit pincode"
required
/>
</label>

<fieldset>
<legend>Payment Method</legend>
<label className="radio">
<input
type="radio"
name="payment"
value="Cash on Delivery"
checked={form.payment === "Cash on Delivery"}
onChange={handleChange}
required
/>
Cash on Delivery
</label>
<label className="radio">
<input
type="radio"
name="payment"
value="UPI"
checked={form.payment === "UPI"}
onChange={handleChange}
/>
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
OUTLINE
TIMELINE
Ln 1, Col 1
Spaces: 2
UTF-8
LF
JavaScript JSX
Go Live


File Edit Selection View Go Run Terminal Help
urbanmart-react-solved
Update
EXPLORER
URBANMART-REACT-SOLVED
UrbanMart React
CheckoutForm.jsx
src > components > CheckoutForm.jsx > ...
function CheckoutForm({ cart, onOrderPlaced }) {
required
/>
Cash on Delivery
</label>
<label className="radio">
<input
type="radio"
name="payment"
value="UPI"
checked={form.payment === "UPI"}
onChange={handleChange}
/>
UPI
</label>
<label className="radio">
<input
type="radio"
name="payment"
value="Card"
checked={form.payment === "Card"}
onChange={handleChange}
/>
Credit/Debit Card
</label>
</fieldset>
<button className="primary-btn" type="submit">
Place Order
</button>
</form>


);
}
export default CheckoutForm;
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
OUTLINE
TIMELINE
Ln 1, Col 1
Spaces: 2
UTF-8
LF
JavaScript JSX
Go Live


File Edit Selection View Go Run Terminal Help
urbanmart-react-solved
Update
EXPLORER
URBANMART-REACT-SOLVED
node_modules
nanoid
bin
non-secure
index.cjs
index.d.ts
index.js
package.json
url-alphabet
index.browser.cjs
index.browser.js
index.cjs
index.d.cts
index.d.ts
index.js
LICENSE
nanoid.js
package.json
README.md
picocolors
picomatch
postcss
react
react-dom
rolldown
scheduler
source-map-js
tinyglobby
vite
.package-lock.json
src
components
Cart.jsx
CheckoutForm.jsx
ProductCard.jsx
ProductList.jsx
OUTLINE
TIMELINE
UrbanMart React
ProductCard.jsx
src > components > ProductCard.jsx > ProductCard
function ProductCard({ product, addToCart }) {
return (
<article className="product-card">

{product.image}


<h3>{product.name}</h3>
₹{product.price.toLocaleString("en-IN")}
<button className="primary-btn full" onClick={() => addToCart(product)}>
Add to Cart
</button>


</article>
);
}
export default ProductCard;
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
ProductCard.jsx
Describe what to bu...
Local
Ln 1, Col 1 Spaces: 2 UTF-8 LF JavaScript JSX Go Live



File Edit Selection View Go Run Terminal Help
urbanmart-react-solved
Update
EXPLORER
URBANMART-REACT-SOLVED
node_modules
nanoid
bin
non-secure
index.cjs
index.d.ts
index.js
package.json
url-alphabet
index.browser.cjs
index.browser.js
index.cjs
index.d.cts
index.d.ts
index.js
LICENSE
nanoid.js
package.json
README.md
picocolors
picomatch
postcss
react
react-dom
rolldown
scheduler
source-map-js
tinyglobby
vite
.package-lock.json
src
components
Cart.jsx
CheckoutForm.jsx
ProductCard.jsx
ProductList.jsx
OUTLINE
TIMELINE
UrbanMart React
ProductList.jsx
src > components > ProductList.jsx > ...
import products from "../products";
import ProductCard from "./ProductCard";
function ProductList({ addToCart }) {
return (

{products.map((product) => (
<ProductCard
key={product.id}
product={product}
addToCart={addToCart}
/>
))}

);
}
export default ProductList;
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
ProductList.jsx
Describe what to bu...
Local
Ln 1, Col 1 Spaces: 2 UTF-8 LF JavaScript JSX Go Live


UrbanMart
Products
Cart 0
Wireless Headphones
₹1,999
Add to Cart
Smart Watch
₹2,499
Add to Cart
Urban Backpack
₹1,299
Add to Cart
Running Shoes
₹2,999
Add to Cart
Smartphone
Laptop Bag
Bluetooth Speaker
Classic Sunglasses


UrbanMart
Products
Cart 6
SHOPPING CART
Your Cart
₹15,294
Smart Watch
₹2,499 each
- 2 +
₹4,998
Remove
Urban Backpack
₹1,299 each
- 1 +
₹1,299
Remove
Running Shoes
₹2,999 each
- 3 +
₹8,997
Remove
Grand Total
₹15,294


File Edit Selection View Go Run Terminal Help
urbanmart-react-solved
Update
EXPLORER
URBANMART-REACT-SOLVED
node_modules
nanoid
bin
non-secure
index.cjs
index.d.ts
index.js
package.json
url-alphabet
index.browser.cjs
index.browser.js
index.cjs
index.d.cts
index.d.ts
index.js
LICENSE
nanoid.js
package.json
README.md
picocolors
picomatch
postcss
react
react-dom
rolldown
scheduler
source-map-js
tinyglobby
vite
.package-lock.json
src
components
Cart.jsx
CheckoutForm.jsx
ProductCard.jsx
ProductList.jsx
OUTLINE
TIMELINE
UrbanMart React http://localhost:5173/
Cart.jsx
UrbanMart React http://localhost:5174/
http://localhost:5174/
Find
No results
UrbanMart
Products
Cart 6
Enter your full name
Enter phone number
Address
Please fill out this field.
House no., street, area
Pincode
6-digit pincode
Payment Method
Cash on Delivery
UPI
Credit/Debit Card
Place Order
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
PROBLEMS
OUTPUT
DEBUG CONSOLE
TERMINAL
PORTS
press h + enter to show help
powershell
node
Go Live