



```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>BTCS303T - Unit II Assignment</title>
    <link rel="stylesheet" href="style.css">
</head>

<body>

    <h1>BTCS303T - Unit II Assignment</h1>
    <p class="subtitle">Front-End Development – HTML, CSS & JavaScript</p>

    <!-- Q1 -->
    <section>
        <h2>Q1. Flexbox Navbar</h2>


        <nav class="navbar">
            <div class="logo">MyLogo</div>

            <div class="menu">
                <a href="#">Home</a>
                <a href="#">About</a>
                <a href="#">Contact</a>
            </div>
        </nav>
    </section>


    <!-- Q2 -->
    <section>
        <h2>Q2. Dark Mode Toggle</h2>

        <button class="toggle-btn" id="darkModeBtn">
            Toggle Dark Mode
        </button>
    </section>


    <!-- Q3 -->
    <section>
```




```
<html lang="en">
<body>

    <!-- Q3 -->
    <section>
        <h2>Q3. Signup Form Validation</h2>

        <form id="signupForm">

            <input
                type="email"
                id="signupEmail"
                placeholder="Enter email"
            >

            <input
                type="password"
                id="signupPassword"
                placeholder="Enter password"
            >

            <button type="submit">Sign Up</button>

        </form>


        <p id="signupMessage"></p>
    </section>



    <!-- Q4 -->
    <section>
        <h2>Q4. Scroll Event Listener</h2>


        <p>
            Scroll the page and check the browser console.
        </p>
    </section>


    <!-- Q5 -->
    <section>
        <h2>Q5. Debounced Search</h2>

        <input
```



File Edit Selection View Go Run Terminal Help
BTCS303T-AS02
Update
Explorer
BTCS303T-AS02
index.html
script.js
style.css
index.html
style.css
script.js
index.html > html > body > section > div.responsive-container
Text Editor
Chat
3 <html lang="en">
12 <body>
77
78
79 <!-- Q5 -->
80 <section>
81 <h2>Q5. Debounced Search</h2>
82
83 <input
84 type="text"
85 id="searchInput"
86 placeholder="Search products..."
87 >
88
89
90 </section>
91
92
93 <!-- Q6 -->
94 <section>
95 <h2>Q6. Responsive Layout</h2>
96
97
98
99
100 <h3>Card 1</h3>
101 Responsive card content.
102
103
104
105 <h3>Card 2</h3>
106 Responsive card content.
107
108
109
110 <h3>Card 3</h3>
111 Responsive card content.
112
113
114
115 </section>
116
117
118 <!-- Q7 -->
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
index.html
Describe what to build
Agent
Models
Local
Default permissions
Outline
Timeline
Ln 114, Col 15
Spaces: 4
UTF-8
CRLF
HTML
Port : 5500



File Edit Selection View Go Run Terminal Help
BTCS303T-AS02
Update
Explorer
BTCS303T-AS02
index.html
script.js
style.css
index.html
style.css
script.js
index.html > html > body > section > div.responsive-container
Text Editor
Chat
3 <html lang="en">
12 <body>
116
117
118 <!-- Q7 -->
119 <section>
120 <h2>Q7. Theme Using localStorage</h2>
121
122 <button id="lightBtn">Light Theme</button>
123 <button id="darkBtn">Dark Theme</button>
124 </section>
125
126
127 <!-- Q8 -->
128 <section>
129 <h2>Q8. Contact Form Using fetch()</h2>
130
131 <form id="contactForm">
132
133 <input
134 type="email"
135 name="email"
136 placeholder="Enter email"
137 required
138 >
139
140 <button type="submit">Send</button>
141
142 </form>
143
144
145 </section>
146
147
148 <!-- Q9 -->
149 <section>
150 <h2>Q9. Async/Await User Data</h2>
151
152 <button id="userBtn">
153 Get User
154 </button>
155
156
157 </section>
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
index.html
Describe what to build
Agent
Models
Local
Default permissions
Outline
Timeline
Ln 114, Col 15
Spaces: 4
UTF-8
CRLF
HTML
Port : 5500


File Edit Selection View Go Run Terminal Help
BTCS303T-AS02
Update
Explorer
BTCS303T-AS02
index.html
script.js
style.css
index.html
style.css
script.js
index.html > html > body > section > div.responsive-container
Text Editor
Chat
<html lang="en">
<body>
<!-- Q10 -->
<section>
<h2>Q10. Responsive Image Gallery</h2>

<img
src="https://picsum.photos/400/300?random=1"
alt="Gallery Image 1"
>
<img
src="https://picsum.photos/400/300?random=2"
alt="Gallery Image 2"
>
<img
src="https://picsum.photos/400/300?random=3"
alt="Gallery Image 3"
>
<img
src="https://picsum.photos/400/300?random=4"
alt="Gallery Image 4"
>
<img
src="https://picsum.photos/400/300?random=5"
alt="Gallery Image 5"
>
<img
src="https://picsum.photos/400/300?random=6"
alt="Gallery Image 6"
>
<img
src="https://picsum.photos/400/300?random=7"
alt="Gallery Image 7"
>
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
index.html
Describe what to build
Agent
Models
Local
Default permissions
Outline
Timeline
Ln 114, Col 15
Spaces: 4
UTF-8
CRLF
HTML
Port : 5500

SCRIPT.JS


File Edit Selection View Go Run Terminal Help
BTCS303T-AS02
Update
Explorer
BTCS303T-AS02
index.html
script.js
style.css
index.html
style.css
script.js
script.js > ...
Chat
// ====================================
// Q2 - DARK MODE TOGGLE
// ====================================
const darkModeButton = document.querySelector(".toggle-btn");
darkModeButton.addEventListener("click", () => {
document.body.classList.toggle("dark-mode");
});
// ====================================
// Q3 - SIGNUP FORM VALIDATION
// ====================================
const signupForm = document.getElementById("signupForm");
signupForm.addEventListener("submit", function(event) {
event.preventDefault();
const email =
document.getElementById("signupEmail").value;
const password =
document.getElementById("signupPassword").value;
const message =
document.getElementById("signupMessage");
if (!email.includes("@")) {
message.textContent =
"Please enter a valid email.";
return;
}
if (password.length < 8) {
message.textContent =
"Password must be at least 8 characters.";
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
script.js
Describe what to build
Agent
Models
Local
Default permissions
Outline
Timeline
Ln 293, Col 3
Spaces: 4
UTF-8
CRLF
JavaScript
Port : 5500




```
// ====================================
// Q4 - SCROLL EVENT LISTENER
// ====================================

function handleScroll() {

    console.log(window.scrollY);

}


function renderPage() {

    window.removeEventListener(
        "scroll",
        handleScroll
    );

    window.addEventListener(
        "scroll",
        handleScroll
    );

}



renderPage();
renderPage();


// ====================================
// Q5 - DEBOUNCED SEARCH
// ====================================

const searchInput =
    document.getElementById("searchInput");

const searchResult =
    document.getElementById("searchResult");

let searchTimeout;
```




```
// ====================================
// Q5 - DEBOUNCED SEARCH
// ====================================

const searchInput =
    document.getElementById("searchInput");

const searchResult =
    document.getElementById("searchResult");

let searchTimeout;


function searchProducts(query) {

    console.log("Searching for:", query);

    searchResult.textContent =
        "Searching for: " + query;

}


searchInput.addEventListener("input", function() {

    const query = this.value;

    clearTimeout(searchTimeout);

    searchTimeout = setTimeout(() => {


        searchProducts(query);


    }, 400);


});


// ====================================
// Q7 - localStorage THEME
// ====================================


const lightButton =
    document.getElementById("lightBtn");
```



File Edit Selection View Go Run Terminal Help
BTCS303T-AS02
Update
Explorer
BTCS303T-AS02
index.html
script.js
style.css
Outline
Timeline
index.html
style.css
script.js
Chat
// ====================================
// Q7 - localStorage THEME
// ====================================
const lightButton =
document.getElementById("lightBtn");
const darkButton =
document.getElementById("darkBtn");
const savedTheme =
localStorage.getItem("theme");
if (savedTheme === "dark") {
document.body.classList.add("dark-mode");
}
lightButton.addEventListener("click", function() {
document.body.classList.remove("dark-mode");
localStorage.setItem(
"theme",
"light"
);
});
darkButton.addEventListener("click", function() {
document.body.classList.add("dark-mode");
localStorage.setItem(
"theme",
"dark"
);
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
script.js
Describe what to build
Agent
Models
Local
Default permissions
Ln 293, Col 3
Spaces: 4
UTF-8
CRLF
JavaScript
Port : 5500



File Edit Selection View Go Run Terminal Help
BTCS303T-AS02
Update
Explorer
BTCS303T-AS02
index.html
script.js
style.css
Outline
Timeline
index.html
style.css
script.js
Chat
// ====================================
// Q8 - CONTACT FORM + FETCH
// ====================================
const contactForm =
document.getElementById("contactForm");
const contactMessage =
document.getElementById("contactMessage");
contactForm.addEventListener(
"submit",
async function(event) {
event.preventDefault();
const formData =
new FormData(contactForm);
const data = {
email: formData.get("email")
};
try {
const response = await fetch(
"https://jsonplaceholder.typicode.com/posts",
{
method: "POST",
headers: {
"Content-Type":
"application/json"
},
body: JSON.stringify(data)
}
);
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
script.js
Describe what to build
Agent
Models
Local
Default permissions
Ln 293, Col 3
Spaces: 4
UTF-8
CRLF
JavaScript
Port : 5500



File Edit Selection View Go Run Terminal Help
BTCS303T-AS02
Update
Explorer
BTCS303T-AS02
index.html
script.js
style.css
index.html
style.css
script.js
Chat
// ====================================
// Q9 - ASYNC/AWAIT
// ====================================
async function getUser(id) {
const response =
await fetch(
`https://jsonplaceholder.typicode.com/users/${id}`
);
const data =
await response.json();
return data;
}
const userButton =
document.getElementById("userBtn");
const userResult =
document.getElementById("userResult");
userButton.addEventListener(
"click",
async function() {
try {
const user =
await getUser(1);
userResult.textContent =
`Name: ${user.name}, Email: ${user.email}`;
} catch (error) {
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI
onto your codebase.
Describe what to build
Agent
Models
Local
Default permissions
Outline
Timeline
Ln 293, Col 3
Spaces: 4
UTF-8
CRLF
JavaScript
Port : 5500


STYLE.CSS



File Edit Selection View Go Run Terminal Help
BTCS303T-AS02
Update
Explorer
BTCS303T-AS02
index.html
script.js
style.css
index.html
style.css
script.js
Chat
* {
box-sizing: border-box;
}
body {
margin: 0;
padding: 30px;
font-family: Arial, sans-serif;
background-color: #f5f5f5;
color: #222;
}
h1 {
text-align: center;
}
.subtitle {
text-align: center;
margin-bottom: 40px;
}
section {
background: white;
padding: 25px;
margin-bottom: 30px;
border-radius: 10px;
}
h2 {
margin-top: 0;
}
/* ========================
Q1 - FLEXBOX NAVBAR
======================== */
.navbar {
display: flex;
justify-content: space-between;
align-items: center;
padding: 15px 25px;
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI
onto your codebase.
Describe what to build
Agent
Models
Local
Default permissions
Outline
Timeline
Ln 167, Col 2
Spaces: 4
UTF-8
CRLF
CSS
Port : 5500



File Edit Selection View Go Run Terminal Help
BTCS303T-AS02
Update
Explorer
BTCS303T-AS02
index.html
script.js
style.css
index.html
style.css
script.js
style.css > {} @media (max-width: 480px)
.navbar {
background-color: #333;
color: white;
}
.logo {
font-size: 24px;
font-weight: bold;
}
.menu {
display: flex;
gap: 25px;
}
.menu a {
color: white;
text-decoration: none;
}
/* ========================
Q2 - DARK MODE
======================== */
.dark-mode {
background-color: #222;
color: white;
}
.dark-mode section {
background-color: #333;
}
/* ========================
FORMS AND BUTTONS
======================== */
input {
padding: 10px;
margin: 5px;
border: 1px solid #aaa;
Chat
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
style.css
Describe what to build
Agent
Models
Local
Default permissions
Outline
Timeline
Ln 167, Col 2
Spaces: 4
UTF-8
CRLF
CSS
Port : 5500


File Edit Selection View Go Run Terminal Help
BTCS303T-AS02
Update
Explorer
BTCS303T-AS02
index.html
script.js
style.css
index.html
style.css
script.js
style.css > {} @media (max-width: 480px)
input {
padding: 10px;
margin: 5px;
border: 1px solid #aaa;
border-radius: 5px;
}
button {
padding: 10px 16px;
margin: 5px;
border: none;
border-radius: 5px;
cursor: pointer;
}
/* ========================
Q6 - RESPONSIVE CONTAINER
======================== */
.responsive-container {
display: flex;
width: 960px;
gap: 20px;
}
.card {
width: 300px;
padding: 20px;
background-color: #eee;
border-radius: 8px;
}
/* ========================
Q10 - IMAGE GALLERY
======================== */
.gallery {
display: grid;
Chat
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
style.css
Describe what to build
Agent
Models
Local
Default permissions
Outline
Timeline
Ln 167, Col 2
Spaces: 4
UTF-8
CRLF
CSS
Port : 5500


File Edit Selection View Go Run Terminal Help
BTCS303T-AS02
Update
Explorer
BTCS303T-AS02
index.html
script.js
style.css
index.html
style.css
script.js
Chat
style.css > { } @media (max-width: 480px)
111 .card {
115 border-radius: 8px;
116 }
119 /* ========================
120 Q10 - IMAGE GALLERY
121 ======================== */
123 .gallery {
124 display: grid;
126 grid-template-columns:
127 repeat(auto-fit, minmax(200px, 1fr));
129 gap: 15px;
130 }
132 .gallery img {
133 width: 100%;
134 height: 200px;
136 object-fit: cover;
138 border-radius: 8px;
139 }
142 /* ========================
143 MOBILE RESPONSIVE DESIGN
144 ======================== */
146 @media (max-width: 480px) {
148 .responsive-container {
149 width: 100%;
150 flex-direction: column;
151 }
153 .card {
154 width: 100%;
155 }
157 .navbar {
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
style.css
Describe what to build
Agent
Models
Local
Default permissions
Outline
Timeline
Ln 167, Col 2
Spaces: 4
UTF-8
CRLF
CSS
Port : 5500


File Edit Selection View Go Run Terminal Help
BTCS303T-AS02
Update
Explorer
BTCS303T-AS02
index.html
script.js
style.css
index.html
style.css
script.js
Chat
style.css > { } @media (max-width: 480px)
132 .gallery img {
134 height: 200px;
136 object-fit: cover;
138 border-radius: 8px;
139 }
142 /* ========================
143 MOBILE RESPONSIVE DESIGN
144 ======================== */
146 @media (max-width: 480px) {
148 .responsive-container {
149 width: 100%;
150 flex-direction: column;
151 }
153 .card {
154 width: 100%;
155 }
157 .navbar {
158 flex-direction: column;
159 gap: 15px;
160 }
162 .menu {
163 flex-direction: column;
164 text-align: center;
165 gap: 10px;
166 }
167 }
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
style.css
Describe what to build
Agent
Models
Local
Default permissions
Outline
Timeline
Ln 167, Col 2
Spaces: 4
UTF-8
CRLF
CSS
Port : 5500


Solve PDF In Colab
COER University | Cyborg-ERP
global superstore sales datase
BTCS303T Full Stack Assignme
BTCS303T - Unit II Assignment
Ask Gemini
127.0.0.1:5500/index.html#
Finish update
BTCS303T - Unit II Assignment
Front-End Development — HTML, CSS & JavaScript
Q1. Flexbox Navbar
MyLogo
Home
About
Contact
Q2. Dark Mode Toggle
Toggle Dark Mode
Q3. Signup Form Validation
ayushsanwal55@gmail.com
Sign Up
Signup successful!
Q4. Scroll Event Listener
Scroll the page and check the browser console.


Solve PDF In Colab
COER University | Cyborg-ERP
global superstore sales datase
BTCS303T Full Stack Assignme
BTCS303T - Unit II Assignment
Ask Gemini
127.0.0.1:5500/index.html#
Finish update
Q4. Scroll Event Listener
Scroll the page and check the browser console.
Q5. Debounced Search
headphone
Searching for: headphone
Q6. Responsive Layout
Card 1
Responsive card content.
Card 2
Responsive card content.
Card 3
Responsive card content.
Q7. Theme Using localStorage
Light Theme
Dark Theme

Form submitted successfully!

Q9. Async/Await User Data

Get User

Name: Leanne Graham, Email: Sincere@april.biz

Q10. Responsive Image Gallery



