

10-Proyecto-Hipertension-Mexico

July 13, 2024

1 Hipertensión México

The autoreload extension is already loaded. To reload it, use:

```
%reload_ext autoreload
```

(4363, 36)

	FOLIO_I	sexo	edad	concentracion_hemoglobina	temperatura_ambiente	\
0	2022_01001004	2	41	14.2	22	
1	2022_01001009	2	65	14.1	9	
2	2022_01001012	2	68	14.2	22	
3	2022_01001013	1	35	15.7	11	
4	2022_01001015	2	65	12.7	7	

	valor_acido_urico	valor_albumina	valor_colesterol_hdl	\
0	4.8	4.0	34	
1	4.4	3.8	73	
2	4.8	4.0	34	
3	6.5	4.1	49	
4	4.2	4.2	41	

	valor_colesterol_ldl	valor_colesterol_total	valor_creatina	\
0	86.0	139	0.58	
1	130.0	252	0.62	
2	86.0	139	0.58	
3	107.0	203	0.91	
4	76.0	145	0.71	

	resultado_glucosa	valor_insulina	valor_trigliceridos	\
0	92.0	4.0	123	
1	111.0	9.4	131	
2	92.0	4.0	123	
3	106.0	7.4	297	
4	109.0	16.9	136	

	resultado_glucosa_promedio	valor_hemoglobina_glucosilada	valor_ferritina	\
0	103	5.2	2.7	
1	131	6.2	2.7	

2	103	5.2	2.7
3	105	5.3	2.7
4	154	7.0	2.7

	valor_folato	valor_homocisteina	valor_proteinac_reactiva	\
0	23.4	4.9	0.02	
1	23.4	4.9	0.02	
2	23.4	4.9	0.02	
3	23.4	4.9	0.02	
4	23.4	4.9	0.02	

	valor_transferrina	valor_vitamina_bdoce	valor_vitamina_d	peso	\
0	1.1	167.0	20.8	74.55	
1	1.1	167.0	20.8	2.00	
2	1.1	167.0	20.8	2.00	
3	1.1	167.0	20.8	81.50	
4	1.1	167.0	20.8	2.00	

	estatura	medida_cintura	segundamedicion_peso	segundamedicion_estatura	\
0	147.3	0.0	64.70	154.0	
1	151.0	0.0	96.75	152.2	
2	151.0	0.0	68.70	144.8	
3	173.4	98.5	64.70	154.0	
4	151.0	0.0	97.15	161.3	

	distancia_rodilla_talon	circunferencia_de_la_pantorrilla	\
0	48.5	33.5	
1	44.5	41.1	
2	42.3	37.8	
3	48.5	33.5	
4	49.6	42.0	

	segundamedicion_cintura	tension_arterial	sueno_horas	masa_corporal	\
0	0.0	107	4	32.889389	
1	113.7	104	2	1.000000	
2	103.7	105	1	1.000000	
3	0.0	117	5	26.265339	
4	118.9	123	2	1.000000	

	actividad_total	riesgo_hipertension
0	120	1
1	240	0
2	480	0
3	275	1
4	255	0

	proportion
riesgo_hipertension	
1	0.645427
0	0.354573

1.1 Preprocesamiento

1.2 Train, Test & Validation

1.3 Procesamiento

	sexo	edad	concentracion_hemoglobina	temperatura_ambiente	\
count	1745.00	1745.00	1745.00	1745.00	
mean	1.60	47.58	14.23	21.42	
std	0.49	14.30	1.17	3.01	
min	1.00	4.00	5.50	2.00	
25%	1.00	37.00	14.20	22.00	
50%	2.00	49.00	14.20	22.00	
75%	2.00	58.00	14.20	22.00	
max	2.00	93.00	19.90	35.00	

	valor_acido_urico	valor_albumina	valor_colesterol_hdl	\
count	1745.00	1745.00	1745.00	
mean	4.80	3.88	36.32	
std	0.81	0.44	9.71	
min	0.20	1.00	13.00	
25%	4.80	4.00	34.00	
50%	4.80	4.00	34.00	
75%	4.80	4.00	34.00	
max	11.00	5.30	279.00	

	valor_colesterol_ldl	valor_colesterol_total	valor_creatina	...	\
count	1745.00	1745.00	1745.00	...	
mean	87.68	143.78	0.62	...	
std	16.93	25.28	0.22	...	
min	11.10	41.00	0.28	...	
25%	86.00	139.00	0.58	...	
50%	86.00	139.00	0.58	...	
75%	86.00	139.00	0.58	...	
max	200.00	292.00	8.27	...	

	medida_cintura	segundamedicion_peso	segundamedicion_estatura	\
count	1745.00	1745.00	1745.00	
mean	67.39	65.67	153.79	
std	46.60	7.56	8.49	
min	0.00	2.00	0.00	
25%	0.00	64.70	154.00	
50%	89.40	64.70	154.00	

75%	101.10	64.70	154.00
max	152.10	126.40	182.60

	distancia_rodilla_talon	circunferencia_de_la_pantorrilla	\
count	1745.00	1745.00	
mean	48.48	34.04	
std	3.57	4.29	
min	0.00	0.00	
25%	48.50	33.50	
50%	48.50	33.50	
75%	48.50	33.50	
max	97.30	102.30	

	segundamedicion_cintura	tension_arterial	sueno_horas	masa_corporal	\
count	1745.00	1745.00	1745.00	1745.00	
mean	19.87	123.97	3.29	22.39	
std	40.34	22.85	3.45	12.40	
min	0.00	0.00	1.00	1.00	
25%	0.00	111.00	2.00	19.55	
50%	0.00	122.00	3.00	26.05	
75%	0.00	136.00	4.00	30.36	
max	165.00	200.00	99.00	60.51	

	actividad_total
count	1745.00
mean	485.30
std	753.21
min	10.00
25%	240.00
50%	380.00
75%	580.00
max	17820.00

[8 rows x 34 columns]

Feature: sexo

	Absolute frequency	Relative frequency	Accumulated frequency	Accumulated %
sexo				
2	1,051	60.23%	1,051	60.23%
1	694	39.77%	1,745	100.00%

1.3.1 Detección y remoción de variables poco pobladas

para valores con cantidad de valores nulos > 65%

No hay variables con valores nulos > 65%

1.3.2 Detección y remoción de variables unitarias

cuando el 90% de la información se agrupe dentro de una sola variable

No hay variables unitarias


1.3.3 Transformación de los datos



Detección y tratamiento de valores ausentes y escalamiento 1. Númericas: - MixMaxScaler - SimpleImputer(strategy="median") 2. Categoricals: - SimpleImputer(strategy="most_frequent") - OneHotEncoder(drop="first", handle_unknown="ignore")



1.4 Análisis



1.4.1 Distribuciones de las características



por categoría































































1.4.2 Correlación de las características



1.5 Modelo base

```
/usr/local/lib/python3.12/site-
packages/sklearn/neighbors/_classification.py:238: DataConversionWarning: A
column-vector y was passed when a 1d array was expected. Please change the shape
of y to (n_samples,), for example using ravel().
```

```
return self._fit(X, y)
```

```
/usr/local/lib/python3.12/site-
packages/sklearn/neighbors/_classification.py:238: DataConversionWarning: A
column-vector y was passed when a 1d array was expected. Please change the shape
of y to (n_samples,), for example using ravel().
```

```
return self._fit(X, y)
```

```
/usr/local/lib/python3.12/site-
```



```

y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was

```

expected. Please change the shape of y to (n_samples,), for example using ravel().

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
```

```
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
```

```
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
```

	model	f1-score-train	std-dev	f1-score-test	roc-auc-test
0	knn	0.838397	0.0169	0.887227	0.91
1	svc	0.809724	0.0281	0.877858	0.92
2	logistic_regression	0.814890	0.0277	0.882751	0.91
3	xgb	0.989688	0.0088	0.992285	1.00

	model	f1-score-train	std-dev	f1-score-test	roc-auc-test
0	knn	0.856660	0.0197	0.887509	0.91
1	svc	0.834657	0.0251	0.883152	0.91
2	logistic_regression	0.832215	0.0253	0.879567	0.90
3	xgb	0.993279	0.0053	0.997865	1.00

1.6 Selección de características

Selección por correlación

	riesgo_hipertension
count	35.000000
mean	13.600000
std	21.469815
min	0.000000
25%	3.500000
50%	6.000000
75%	10.000000
max	100.000000

Seleccionando las características más correlacionadas con la variable objetivo

25

Eliminando características altamente correlacionadas entre sí

21

1. tension_arterial
2. valor_acido_urico
3. valor_vitamina_d
4. valor_insulina
5. estatura
6. distancia_rodilla_talon

7. edad
8. circunferencia_de_la_pantorrilla
9. actividad_total
10. valor_colesterol_hdl
11. valor_trigliceridos
12. valor_colesterol_ldl
13. valor_vitamina_bdoce
14. segundamedicion_peso
15. temperatura_ambiente
16. valor_ferritina
17. valor_folato
18. valor_homocisteina
19. concentracion_hemoglobina
20. valor_proteinac_reactiva
21. masa_corporal

1.6.1 Selección por RFE

```
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:  
DataConversionWarning: A column-vector y was passed when a 1d array was  
expected. Please change the shape of y to (n_samples, ), for example using  
ravel().
```

```
y = column_or_1d(y, warn=True)
```

```
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:  
DataConversionWarning: A column-vector y was passed when a 1d array was  
expected. Please change the shape of y to (n_samples, ), for example using  
ravel().
```

```
y = column_or_1d(y, warn=True)
```

```
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:  
DataConversionWarning: A column-vector y was passed when a 1d array was  
expected. Please change the shape of y to (n_samples, ), for example using  
ravel().
```

```
y = column_or_1d(y, warn=True)
```

```
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:  
DataConversionWarning: A column-vector y was passed when a 1d array was  
expected. Please change the shape of y to (n_samples, ), for example using  
ravel().
```

```
y = column_or_1d(y, warn=True)
```

```
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:  
DataConversionWarning: A column-vector y was passed when a 1d array was  
expected. Please change the shape of y to (n_samples, ), for example using  
ravel().
```

```
y = column_or_1d(y, warn=True)
```

```
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:  
DataConversionWarning: A column-vector y was passed when a 1d array was  
expected. Please change the shape of y to (n_samples, ), for example using  
ravel().
```

```
y = column_or_1d(y, warn=True)
```

```

/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```


DataConversionWarning: A column-vector y was passed when a 1d array was expected. Please change the shape of y to (n_samples,), for example using ravel().

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```

y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was

```


expected. Please change the shape of y to (n_samples,), for example using ravel().

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
```

```

/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```


DataConversionWarning: A column-vector y was passed when a 1d array was expected. Please change the shape of y to (n_samples,), for example using ravel().

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```

y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was

```

expected. Please change the shape of y to (n_samples,), for example using ravel().

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
```

```

/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```


DataConversionWarning: A column-vector y was passed when a 1d array was expected. Please change the shape of y to (n_samples,), for example using ravel().

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```

y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was

```

expected. Please change the shape of y to (n_samples,), for example using ravel().

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
```

```

/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```


DataConversionWarning: A column-vector y was passed when a 1d array was expected. Please change the shape of y to (n_samples,), for example using ravel().

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```

y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was

```

expected. Please change the shape of y to (n_samples,), for example using ravel().

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
```

Total de features 15

1. edad
2. concentracion_hemoglobina
3. valor_colesterol_hdl
4. valor_colesterol_ldl
5. valor_trigliceridos
6. resultado_glucosa_promedio
7. valor_hemoglobina_glucosilada
8. valor_vitamina_d
9. peso
10. estatura
11. medida_cintura
12. segundamedicion_cintura
13. tension_arterial
14. masa_corporal
15. actividad_total

1.6.2 Selección por XGBoost

	Models	Id	No_features	ROC	ROC_AUC	F1	Recall	\
0	logistic regression	model_1	28	0.8	0.91	88.0	92.0	
1	logistic regression	model_29	28	0.8	0.91	88.0	92.0	
2	logistic regression	model_57	28	0.8	0.91	88.0	92.0	
3	logistic regression	model_85	28	0.8	0.91	88.0	92.0	
4	logistic regression	model_113	28	0.8	0.91	88.0	92.0	

	Accuracy	Brier	Importance_type	\
0	83.0	17.0	total_gain	
1	83.0	17.0	total_cover	
2	83.0	17.0	weight	
3	83.0	17.0	gain	
4	83.0	17.0	cover	

Best_features


```

0  temperatura_ambiente,sexo_2,valor_folato,valor...
1  segundamedicion_estatura,sexo_2,valor_vitamina...
2  temperatura_ambiente,valor_folato,valor_transf...
3  temperatura_ambiente,sexo_2,edad,valor_creatin...
4  sexo_2,segundamedicion_estatura,estatura,circu...

```

28

```

1. temperatura_ambiente
2. sexo_2
3. valor_folato
4. valor_transferrina
5. valor_vitamina_bdoce
6. valor_vitamina_d
7. segundamedicion_estatura
8. valor_homocisteina
9. circunferencia_de_la_pantorrilla
10. valor_creatina
11. sueno_horas
12. valor_acido_urico
13. edad
14. valor_albumina
15. valor_insulina
16. estatura
17. resultado_glucosa_promedio
18. medida_cintura
19. peso
20. valor_trigliceridos
21. valor_colesterol_ldl
22. resultado_glucosa
23. concentracion_hemoglobina
24. valor_colesterol_hdl
25. valor_colesterol_total
26. tension_arterial
27. actividad_total
28. masa_corporal

```

1.7 Modelado con las mejores características

1.7.1 Logistic Regression

GridSearch

Fitting 3 folds for each of 720 candidates, totalling 2160 fits

```

/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().

```

```

y = column_or_1d(y, warn=True)

```

```

/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:

```

```
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
```

```

expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:

```

```

UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```



```

expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:

```

```

UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was

```



```

expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)

```

```

DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was

```


expected. Please change the shape of y to (n_samples,), for example using ravel().

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
```

```
warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
```

```
warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
```

```
warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
```

```

ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using

```

```

ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to

```

```

'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was

```



```

ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().

```



```

y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using

```

```

ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)

```

```

/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```

```

y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().

```



```

ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using

```

```

ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.

```

```

warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(

```

```

/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```

```

    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().

```

```

y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.

```

```

warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```



```

DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)

```

```

/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```

```

/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(

```

```

/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.

```

```

warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using

```



```

expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was

```

```

expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(

```



```

y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().

```

```

y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using

```

```

ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using

```



```

ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using

```

```

ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)

```

```

    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```



```

/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```

```

DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)

```

```

DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(

```

```

/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```

```

    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().

```



```

DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to

```

```

'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was

```



```

expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)

```

```

DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:

```

DataConversionWarning: A column-vector y was passed when a 1d array was expected. Please change the shape of y to (n_samples,), for example using ravel().

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```

    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```

```

/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```

```

/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.

```

```

warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```

```

    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```



```

/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was

```

```

expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to

```

```

'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge

```

```

warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:

```

```

DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(

```

```

expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)

```



```

expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)

```



```

DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using

```

```

ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using

```

```

ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(

```

```

/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```

```

y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was

```

```

expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to

```

```

'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().

```

```

    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```



```

/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(

```



```

expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(

```

```

expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
  warnings.warn(

```

```

/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(

```

```

/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```

```

y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)

```

```

/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was

```



```

y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)

```



```
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-
packages/sklearn/model_selection/_validation.py:540: FitFailedWarning:
1440 fits failed out of a total of 2160.
The score on these train-test partitions for these parameters will be set to -1.
If these failures are not expected, you can try to debug them by setting
error_score='raise'.
```

Below are more details about the failures:

```
-----
90 fits failed with the following error:
Traceback (most recent call last):
  File "/usr/local/lib/python3.12/site-
packages/sklearn/model_selection/_validation.py", line 888, in _fit_and_score
    estimator.fit(X_train, y_train, **fit_params)
  File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 1473, in
wrapper
    return fit_method(estimator, *args, **kwargs)
    ~~~~~
  File "/usr/local/lib/python3.12/site-
packages/sklearn/linear_model/_logistic.py", line 1194, in fit
    solver = _check_solver(self.solver, self.penalty, self.dual)
    ~~~~~
  File "/usr/local/lib/python3.12/site-
packages/sklearn/linear_model/_logistic.py", line 67, in _check_solver
    raise ValueError(
ValueError: Solver newton-cg supports only 'l2' or None penalties, got l1
penalty.
```

```
-----
90 fits failed with the following error:
Traceback (most recent call last):
  File "/usr/local/lib/python3.12/site-
packages/sklearn/model_selection/_validation.py", line 888, in _fit_and_score
    estimator.fit(X_train, y_train, **fit_params)
  File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 1473, in
wrapper
    return fit_method(estimator, *args, **kwargs)
    ~~~~~
  File "/usr/local/lib/python3.12/site-
packages/sklearn/linear_model/_logistic.py", line 1194, in fit
    solver = _check_solver(self.solver, self.penalty, self.dual)
    ~~~~~
  File "/usr/local/lib/python3.12/site-
packages/sklearn/linear_model/_logistic.py", line 67, in _check_solver
    raise ValueError(
ValueError: Solver newton-cholesky supports only 'l2' or None penalties, got l1
```

penalty.

```
-----
90 fits failed with the following error:
Traceback (most recent call last):
  File "/usr/local/lib/python3.12/site-
packages/sklearn/model_selection/_validation.py", line 888, in _fit_and_score
    estimator.fit(X_train, y_train, **fit_params)
  File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 1473, in
wrapper
    return fit_method(estimator, *args, **kwargs)
    ~~~~~

  File "/usr/local/lib/python3.12/site-
packages/sklearn/linear_model/_logistic.py", line 1194, in fit
    solver = _check_solver(self.solver, self.penalty, self.dual)
    ~~~~~

  File "/usr/local/lib/python3.12/site-
packages/sklearn/linear_model/_logistic.py", line 67, in _check_solver
    raise ValueError(
ValueError: Solver lbfgs supports only 'l2' or None penalties, got l1 penalty.
-----
```

```
-----
90 fits failed with the following error:
Traceback (most recent call last):
  File "/usr/local/lib/python3.12/site-
packages/sklearn/model_selection/_validation.py", line 888, in _fit_and_score
    estimator.fit(X_train, y_train, **fit_params)
  File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 1473, in
wrapper
    return fit_method(estimator, *args, **kwargs)
    ~~~~~

  File "/usr/local/lib/python3.12/site-
packages/sklearn/linear_model/_logistic.py", line 1194, in fit
    solver = _check_solver(self.solver, self.penalty, self.dual)
    ~~~~~

  File "/usr/local/lib/python3.12/site-
packages/sklearn/linear_model/_logistic.py", line 67, in _check_solver
    raise ValueError(
ValueError: Solver sag supports only 'l2' or None penalties, got l1 penalty.
-----
```

```
-----
90 fits failed with the following error:
Traceback (most recent call last):
  File "/usr/local/lib/python3.12/site-
packages/sklearn/model_selection/_validation.py", line 888, in _fit_and_score
    estimator.fit(X_train, y_train, **fit_params)
  File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 1473, in
wrapper
```

```

    return fit_method(estimator, *args, **kwargs)
    ~~~~~

File "/usr/local/lib/python3.12/site-
packages/sklearn/linear_model/_logistic.py", line 1194, in fit
    solver = _check_solver(self.solver, self.penalty, self.dual)
    ~~~~~

File "/usr/local/lib/python3.12/site-
packages/sklearn/linear_model/_logistic.py", line 67, in _check_solver
    raise ValueError(
ValueError: Solver newton-cg supports only 'l2' or None penalties, got
elasticnet penalty.

-----

90 fits failed with the following error:
Traceback (most recent call last):
  File "/usr/local/lib/python3.12/site-
packages/sklearn/model_selection/_validation.py", line 888, in _fit_and_score
    estimator.fit(X_train, y_train, **fit_params)
  File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 1473, in
wrapper
    return fit_method(estimator, *args, **kwargs)
    ~~~~~

File "/usr/local/lib/python3.12/site-
packages/sklearn/linear_model/_logistic.py", line 1194, in fit
    solver = _check_solver(self.solver, self.penalty, self.dual)
    ~~~~~

File "/usr/local/lib/python3.12/site-
packages/sklearn/linear_model/_logistic.py", line 67, in _check_solver
    raise ValueError(
ValueError: Solver newton-cholesky supports only 'l2' or None penalties, got
elasticnet penalty.

-----

90 fits failed with the following error:
Traceback (most recent call last):
  File "/usr/local/lib/python3.12/site-
packages/sklearn/model_selection/_validation.py", line 888, in _fit_and_score
    estimator.fit(X_train, y_train, **fit_params)
  File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 1473, in
wrapper
    return fit_method(estimator, *args, **kwargs)
    ~~~~~

File "/usr/local/lib/python3.12/site-
packages/sklearn/linear_model/_logistic.py", line 1194, in fit
    solver = _check_solver(self.solver, self.penalty, self.dual)
    ~~~~~

File "/usr/local/lib/python3.12/site-
packages/sklearn/linear_model/_logistic.py", line 67, in _check_solver

```



```
raise ValueError(
ValueError: Solver lbfgs supports only 'l2' or None penalties, got elasticnet
penalty.
```

90 fits failed with the following error:

Traceback (most recent call last):

```
File "/usr/local/lib/python3.12/site-
packages/sklearn/model_selection/_validation.py", line 888, in _fit_and_score
    estimator.fit(X_train, y_train, **fit_params)
```

```
File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 1473, in
wrapper
```

```
    return fit_method(estimator, *args, **kwargs)
    ~~~~~
```

```
File "/usr/local/lib/python3.12/site-
packages/sklearn/linear_model/_logistic.py", line 1194, in fit
    solver = _check_solver(self.solver, self.penalty, self.dual)
    ~~~~~
```

```
File "/usr/local/lib/python3.12/site-
packages/sklearn/linear_model/_logistic.py", line 75, in _check_solver
```

```
    raise ValueError(
ValueError: Only 'saga' solver supports elasticnet penalty, got
solver=liblinear.
```

90 fits failed with the following error:

Traceback (most recent call last):

```
File "/usr/local/lib/python3.12/site-
packages/sklearn/model_selection/_validation.py", line 888, in _fit_and_score
    estimator.fit(X_train, y_train, **fit_params)
```

```
File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 1473, in
wrapper
```

```
    return fit_method(estimator, *args, **kwargs)
    ~~~~~
```

```
File "/usr/local/lib/python3.12/site-
packages/sklearn/linear_model/_logistic.py", line 1194, in fit
    solver = _check_solver(self.solver, self.penalty, self.dual)
    ~~~~~
```

```
File "/usr/local/lib/python3.12/site-
packages/sklearn/linear_model/_logistic.py", line 67, in _check_solver
```

```
    raise ValueError(
ValueError: Solver sag supports only 'l2' or None penalties, got elasticnet
penalty.
```

90 fits failed with the following error:

Traceback (most recent call last):

```
File "/usr/local/lib/python3.12/site-
```

```

packages/sklearn/model_selection/_validation.py", line 888, in _fit_and_score
    estimator.fit(X_train, y_train, **fit_params)
File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 1473, in
wrapper
    return fit_method(estimator, *args, **kwargs)
    ~~~~~

File "/usr/local/lib/python3.12/site-
packages/sklearn/linear_model/_logistic.py", line 1204, in fit
    raise ValueError("l1_ratio must be specified when penalty is elasticnet.")
ValueError: l1_ratio must be specified when penalty is elasticnet.

```

```

192 fits failed with the following error:
Traceback (most recent call last):
  File "/usr/local/lib/python3.12/site-
packages/sklearn/model_selection/_validation.py", line 888, in _fit_and_score
    estimator.fit(X_train, y_train, **fit_params)
  File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 1466, in
wrapper
    estimator._validate_params()
  File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 666, in
_validate_params
    validate_parameter_constraints(
  File "/usr/local/lib/python3.12/site-
packages/sklearn/utils/_param_validation.py", line 95, in
validate_parameter_constraints
    raise InvalidParameterError(
sklearn.utils._param_validation.InvalidParameterError: The 'penalty' parameter
of LogisticRegression must be a str among {'l1', 'elasticnet', 'l2'} or None.
Got 'none' instead.

```

```

148 fits failed with the following error:
Traceback (most recent call last):
  File "/usr/local/lib/python3.12/site-
packages/sklearn/model_selection/_validation.py", line 888, in _fit_and_score
    estimator.fit(X_train, y_train, **fit_params)
  File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 1466, in
wrapper
    estimator._validate_params()
  File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 666, in
_validate_params
    validate_parameter_constraints(
  File "/usr/local/lib/python3.12/site-
packages/sklearn/utils/_param_validation.py", line 95, in
validate_parameter_constraints
    raise InvalidParameterError(
sklearn.utils._param_validation.InvalidParameterError: The 'penalty' parameter

```

of LogisticRegression must be a str among {'l2', 'elasticnet', 'l1'} or None.
Got 'none' instead.

63 fits failed with the following error:

Traceback (most recent call last):

```
File "/usr/local/lib/python3.12/site-packages/sklearn/model_selection/_validation.py", line 888, in _fit_and_score
    estimator.fit(X_train, y_train, **fit_params)
File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 1466, in wrapper
    estimator._validate_params()
File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 666, in _validate_params
    validate_parameter_constraints(
File "/usr/local/lib/python3.12/site-packages/sklearn/utils/_param_validation.py", line 95, in validate_parameter_constraints
    raise InvalidParameterError(
sklearn.utils._param_validation.InvalidParameterError: The 'penalty' parameter of LogisticRegression must be a str among {'l2', 'l1', 'elasticnet'} or None. Got 'none' instead.
```

36 fits failed with the following error:

Traceback (most recent call last):

```
File "/usr/local/lib/python3.12/site-packages/sklearn/model_selection/_validation.py", line 888, in _fit_and_score
    estimator.fit(X_train, y_train, **fit_params)
File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 1466, in wrapper
    estimator._validate_params()
File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 666, in _validate_params
    validate_parameter_constraints(
File "/usr/local/lib/python3.12/site-packages/sklearn/utils/_param_validation.py", line 95, in validate_parameter_constraints
    raise InvalidParameterError(
sklearn.utils._param_validation.InvalidParameterError: The 'penalty' parameter of LogisticRegression must be a str among {'elasticnet', 'l2', 'l1'} or None. Got 'none' instead.
```

101 fits failed with the following error:

Traceback (most recent call last):

```
File "/usr/local/lib/python3.12/site-packages/sklearn/model_selection/_validation.py", line 888, in _fit_and_score
```

```

    estimator.fit(X_train, y_train, **fit_params)
File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 1466, in
wrapper
    estimator._validate_params()
File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 666, in
_validate_params
    validate_parameter_constraints(
File "/usr/local/lib/python3.12/site-
packages/sklearn/utils/_param_validation.py", line 95, in
validate_parameter_constraints
    raise InvalidParameterError(
sklearn.utils._param_validation.InvalidParameterError: The 'penalty' parameter
of LogisticRegression must be a str among {'elasticnet', 'l1', 'l2'} or None.
Got 'none' instead.

```

```

warnings.warn(some_fits_failed_message, FitFailedWarning)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was

```

expected. Please change the shape of y to (n_samples,), for example using ravel().

```
y = column_or_1d(y, warn=True)
```

Mejores hiperparámetros encontrados GridSearchCV:

```
{'C': 10, 'max_iter': 100, 'penalty': 'l2', 'solver': 'newton-cholesky'}
```

```
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
```

DataConversionWarning: A column-vector y was passed when a 1d array was expected. Please change the shape of y to (n_samples,), for example using ravel().

```
y = column_or_1d(y, warn=True)
```

```
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
```

DataConversionWarning: A column-vector y was passed when a 1d array was expected. Please change the shape of y to (n_samples,), for example using ravel().

```
y = column_or_1d(y, warn=True)
```

```
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
```

DataConversionWarning: A column-vector y was passed when a 1d array was expected. Please change the shape of y to (n_samples,), for example using ravel().

```
y = column_or_1d(y, warn=True)
```

```
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
```

DataConversionWarning: A column-vector y was passed when a 1d array was expected. Please change the shape of y to (n_samples,), for example using ravel().

```
y = column_or_1d(y, warn=True)
```

Fitting 3 folds for each of 720 candidates, totalling 2160 fits

```
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
```

DataConversionWarning: A column-vector y was passed when a 1d array was expected. Please change the shape of y to (n_samples,), for example using ravel().

```
y = column_or_1d(y, warn=True)
```

```
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
```

DataConversionWarning: A column-vector y was passed when a 1d array was expected. Please change the shape of y to (n_samples,), for example using ravel().

```
y = column_or_1d(y, warn=True)
```

```
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
```

UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to 'liblinear'. Got 'n_jobs' = 8.

```
warnings.warn(
```

```
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
```

UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to 'liblinear'. Got 'n_jobs' = 8.

```
warnings.warn(
```

```
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
```

DataConversionWarning: A column-vector y was passed when a 1d array was

```

expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)

```

```

DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was

```

```

expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:

```



```

DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was

```

```

expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was

```

```

expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was

```

```

expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)

```

```

DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```

```

expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using

```

```

ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was

```

```

expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was

```



```

expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using

```

```

ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.

```

```

warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to

```

```

'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was

```



```

ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using

```

```

ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using

```



```

expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)

```



```

expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was

```

```

expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(

```



```

expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:

```



```

UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using

```

```

ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using

```



```

expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)

```

```

DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using

```



```

y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was

```



```

expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)

```

```

DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:

```

```

DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```

```

/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to

```

```

'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)

```

```

y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was

```

```

expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was

```

```

expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to

```



```

'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was

```

expected. Please change the shape of y to (n_samples,), for example using ravel().

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
```

```
warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
```

```
warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
```

```
warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
```

```

ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to

```

```

'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using

```



```

ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```

```

    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(

```

```

/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```



```

expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:

```

```

UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)

```

```

DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was

```

```

expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)

```

```

y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using

```

```

ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)

```



```

/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was

```

```

expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:

```

```

DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```



```

expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using

```

```

ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)

```

```

/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```

```

/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```



```

/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```

```

/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(

```

DataConversionWarning: A column-vector y was passed when a 1d array was expected. Please change the shape of y to (n_samples,), for example using ravel().

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
```

```
warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
```

```

/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:

```

```

DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```

```

expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was

```

```

expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to

```

```

'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```



```

ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(

```

```

    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```

```

/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:

```

```

DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.

```

```

warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)

```

```

/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```

```

/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```

```

/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:

```



```

UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to

```

```

'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)

```

```

y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using

```

```

ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to

```

```

'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)

```

```

y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge

```

```

warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```

```

/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```



```

ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-
packages/sklearn/model_selection/_validation.py:540: FitFailedWarning:
1440 fits failed out of a total of 2160.
The score on these train-test partitions for these parameters will be set to -1.
If these failures are not expected, you can try to debug them by setting
error_score='raise'.

```

Below are more details about the failures:

```

-----
90 fits failed with the following error:
Traceback (most recent call last):
  File "/usr/local/lib/python3.12/site-
packages/sklearn/model_selection/_validation.py", line 888, in _fit_and_score
    estimator.fit(X_train, y_train, **fit_params)
  File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 1473, in
wrapper
    return fit_method(estimator, *args, **kwargs)
           ~~~~~
  File "/usr/local/lib/python3.12/site-
packages/sklearn/linear_model/_logistic.py", line 1194, in fit
    solver = _check_solver(self.solver, self.penalty, self.dual)
           ~~~~~
  File "/usr/local/lib/python3.12/site-
packages/sklearn/linear_model/_logistic.py", line 67, in _check_solver
    raise ValueError(
ValueError: Solver newton-cg supports only 'l2' or None penalties, got l1
penalty.

```

```

-----
90 fits failed with the following error:
Traceback (most recent call last):
  File "/usr/local/lib/python3.12/site-
packages/sklearn/model_selection/_validation.py", line 888, in _fit_and_score
    estimator.fit(X_train, y_train, **fit_params)
  File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 1473, in
wrapper

```

```

    return fit_method(estimator, *args, **kwargs)
    ~~~~~

File "/usr/local/lib/python3.12/site-
packages/sklearn/linear_model/_logistic.py", line 1194, in fit
    solver = _check_solver(self.solver, self.penalty, self.dual)
    ~~~~~

File "/usr/local/lib/python3.12/site-
packages/sklearn/linear_model/_logistic.py", line 67, in _check_solver
    raise ValueError(
ValueError: Solver newton-cholesky supports only 'l2' or None penalties, got l1
penalty.

-----

90 fits failed with the following error:
Traceback (most recent call last):
  File "/usr/local/lib/python3.12/site-
packages/sklearn/model_selection/_validation.py", line 888, in _fit_and_score
    estimator.fit(X_train, y_train, **fit_params)
  File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 1473, in
wrapper
    return fit_method(estimator, *args, **kwargs)
    ~~~~~

File "/usr/local/lib/python3.12/site-
packages/sklearn/linear_model/_logistic.py", line 1194, in fit
    solver = _check_solver(self.solver, self.penalty, self.dual)
    ~~~~~

File "/usr/local/lib/python3.12/site-
packages/sklearn/linear_model/_logistic.py", line 67, in _check_solver
    raise ValueError(
ValueError: Solver lbfgs supports only 'l2' or None penalties, got l1 penalty.

-----

90 fits failed with the following error:
Traceback (most recent call last):
  File "/usr/local/lib/python3.12/site-
packages/sklearn/model_selection/_validation.py", line 888, in _fit_and_score
    estimator.fit(X_train, y_train, **fit_params)
  File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 1473, in
wrapper
    return fit_method(estimator, *args, **kwargs)
    ~~~~~

File "/usr/local/lib/python3.12/site-
packages/sklearn/linear_model/_logistic.py", line 1194, in fit
    solver = _check_solver(self.solver, self.penalty, self.dual)
    ~~~~~

File "/usr/local/lib/python3.12/site-
packages/sklearn/linear_model/_logistic.py", line 67, in _check_solver
    raise ValueError(

```

ValueError: Solver sag supports only 'l2' or None penalties, got l1 penalty.

90 fits failed with the following error:

Traceback (most recent call last):

File "/usr/local/lib/python3.12/site-packages/sklearn/model_selection/_validation.py", line 888, in _fit_and_score
estimator.fit(X_train, y_train, **fit_params)

File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 1473, in wrapper

return fit_method(estimator, *args, **kwargs)
~~~~~

File "/usr/local/lib/python3.12/site-packages/sklearn/linear\_model/\_logistic.py", line 1194, in fit  
solver = \_check\_solver(self.solver, self.penalty, self.dual)  
~~~~~

File "/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py", line 67, in _check_solver
raise ValueError(
ValueError: Solver newton-cg supports only 'l2' or None penalties, got
elasticnet penalty.

90 fits failed with the following error:

Traceback (most recent call last):

File "/usr/local/lib/python3.12/site-packages/sklearn/model_selection/_validation.py", line 888, in _fit_and_score
estimator.fit(X_train, y_train, **fit_params)

File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 1473, in wrapper

return fit_method(estimator, *args, **kwargs)
~~~~~

File "/usr/local/lib/python3.12/site-packages/sklearn/linear\_model/\_logistic.py", line 1194, in fit  
solver = \_check\_solver(self.solver, self.penalty, self.dual)  
~~~~~

File "/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py", line 67, in _check_solver
raise ValueError(
ValueError: Solver newton-cholesky supports only 'l2' or None penalties, got
elasticnet penalty.

90 fits failed with the following error:

Traceback (most recent call last):

File "/usr/local/lib/python3.12/site-packages/sklearn/model_selection/_validation.py", line 888, in _fit_and_score
estimator.fit(X_train, y_train, **fit_params)

File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 1473, in wrapper

```
    return fit_method(estimator, *args, **kwargs)
```

File "/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py", line 1194, in fit

```
    solver = _check_solver(self.solver, self.penalty, self.dual)
```

File "/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py", line 67, in _check_solver

```
    raise ValueError(
```

ValueError: Solver lbfgs supports only 'l2' or None penalties, got elasticnet penalty.

90 fits failed with the following error:

Traceback (most recent call last):

File "/usr/local/lib/python3.12/site-packages/sklearn/model_selection/_validation.py", line 888, in _fit_and_score

```
    estimator.fit(X_train, y_train, **fit_params)
```

File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 1473, in wrapper

```
    return fit_method(estimator, *args, **kwargs)
```

File "/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py", line 1194, in fit

```
    solver = _check_solver(self.solver, self.penalty, self.dual)
```

File "/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py", line 75, in _check_solver

```
    raise ValueError(
```

ValueError: Only 'saga' solver supports elasticnet penalty, got solver=liblinear.

90 fits failed with the following error:

Traceback (most recent call last):

File "/usr/local/lib/python3.12/site-packages/sklearn/model_selection/_validation.py", line 888, in _fit_and_score

```
    estimator.fit(X_train, y_train, **fit_params)
```

File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 1473, in wrapper

```
    return fit_method(estimator, *args, **kwargs)
```

File "/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py", line 1194, in fit

```
    solver = _check_solver(self.solver, self.penalty, self.dual)
```

```
File "/usr/local/lib/python3.12/site-
packages/sklearn/linear_model/_logistic.py", line 67, in _check_solver
    raise ValueError(
ValueError: Solver sag supports only 'l2' or None penalties, got elasticnet
penalty.
```

90 fits failed with the following error:

Traceback (most recent call last):

```
File "/usr/local/lib/python3.12/site-
packages/sklearn/model_selection/_validation.py", line 888, in _fit_and_score
    estimator.fit(X_train, y_train, **fit_params)
File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 1473, in
wrapper
    return fit_method(estimator, *args, **kwargs)
    ~~~~~
```

```
File "/usr/local/lib/python3.12/site-
packages/sklearn/linear_model/_logistic.py", line 1204, in fit
    raise ValueError("l1_ratio must be specified when penalty is elasticnet.")
ValueError: l1_ratio must be specified when penalty is elasticnet.
```

262 fits failed with the following error:

Traceback (most recent call last):

```
File "/usr/local/lib/python3.12/site-
packages/sklearn/model_selection/_validation.py", line 888, in _fit_and_score
    estimator.fit(X_train, y_train, **fit_params)
File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 1466, in
wrapper
    estimator._validate_params()
File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 666, in
_validate_params
    validate_parameter_constraints(
File "/usr/local/lib/python3.12/site-
packages/sklearn/utils/_param_validation.py", line 95, in
validate_parameter_constraints
    raise InvalidParameterError(
sklearn.utils._param_validation.InvalidParameterError: The 'penalty' parameter
of LogisticRegression must be a str among {'l2', 'elasticnet', 'l1'} or None.
Got 'none' instead.
```

86 fits failed with the following error:

Traceback (most recent call last):

```
File "/usr/local/lib/python3.12/site-
packages/sklearn/model_selection/_validation.py", line 888, in _fit_and_score
    estimator.fit(X_train, y_train, **fit_params)
File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 1466, in
```

```

wrapper
    estimator._validate_params()
    File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 666, in
_validate_params
        validate_parameter_constraints(
    File "/usr/local/lib/python3.12/site-
packages/sklearn/utils/_param_validation.py", line 95, in
validate_parameter_constraints
        raise InvalidParameterError(
sklearn.utils._param_validation.InvalidParameterError: The 'penalty' parameter
of LogisticRegression must be a str among {'elasticnet', 'l2', 'l1'} or None.
Got 'none' instead.

```

```

68 fits failed with the following error:
Traceback (most recent call last):
  File "/usr/local/lib/python3.12/site-
packages/sklearn/model_selection/_validation.py", line 888, in _fit_and_score
    estimator.fit(X_train, y_train, **fit_params)
  File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 1466, in
wrapper
    estimator._validate_params()
    File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 666, in
_validate_params
        validate_parameter_constraints(
    File "/usr/local/lib/python3.12/site-
packages/sklearn/utils/_param_validation.py", line 95, in
validate_parameter_constraints
        raise InvalidParameterError(
sklearn.utils._param_validation.InvalidParameterError: The 'penalty' parameter
of LogisticRegression must be a str among {'l1', 'elasticnet', 'l2'} or None.
Got 'none' instead.

```

```

64 fits failed with the following error:
Traceback (most recent call last):
  File "/usr/local/lib/python3.12/site-
packages/sklearn/model_selection/_validation.py", line 888, in _fit_and_score
    estimator.fit(X_train, y_train, **fit_params)
  File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 1466, in
wrapper
    estimator._validate_params()
    File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 666, in
_validate_params
        validate_parameter_constraints(
    File "/usr/local/lib/python3.12/site-
packages/sklearn/utils/_param_validation.py", line 95, in
validate_parameter_constraints

```

```
        raise InvalidParameterError(
sklearn.utils._param_validation.InvalidParameterError: The 'penalty' parameter
of LogisticRegression must be a str among {'elasticnet', 'l1', 'l2'} or None.
Got 'none' instead.
```

60 fits failed with the following error:

Traceback (most recent call last):

```
File "/usr/local/lib/python3.12/site-
packages/sklearn/model_selection/_validation.py", line 888, in _fit_and_score
    estimator.fit(X_train, y_train, **fit_params)
```

```
File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 1466, in
wrapper
```

```
    estimator._validate_params()
```

```
File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 666, in
_validate_params
```

```
    validate_parameter_constraints(
```

```
File "/usr/local/lib/python3.12/site-
packages/sklearn/utils/_param_validation.py", line 95, in
validate_parameter_constraints
```

```
    raise InvalidParameterError(
sklearn.utils._param_validation.InvalidParameterError: The 'penalty' parameter
of LogisticRegression must be a str among {'l2', 'l1', 'elasticnet'} or None.
Got 'none' instead.
```

```
warnings.warn(some_fits_failed_message, FitFailedWarning)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
```

```
warnings.warn(
```

Mejores hiperparámetros encontrados GridSearchCV:

```
{'C': 100, 'max_iter': 100, 'penalty': 'l1', 'solver': 'liblinear'}
```

```
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
```

```
warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
```



```

DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)

```

```

    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```

Fitting 3 folds for each of 720 candidates, totalling 2160 fits

```

/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```

```

/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```

```

/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```

```

/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```

```

/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:

```

```

DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)

```

```

/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```



```

/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```

```

/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```

```

/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(

```

```

UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)

```

```

DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)

```

```

expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was

```

```

expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was

```

```

expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)

```



```

DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:

```

```

DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(

```

```

expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)

```

```

DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```

```

/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was

```

```

expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)

```

```

DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:

```

```

DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)

```



```

expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was

```

```

expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was

```



```

ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to

```

```

'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:

```

```
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
```



```

'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)

```

```

/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```

```

y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().

```

```

    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```

```

/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```

```

y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using

```



```

DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)

```

```

DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(

```

```

DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:

```

```

DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)

```

```

ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using

```



```

expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to

```

```

'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using

```



```

ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)

```

```

    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```

```

/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:

```

```

DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was

```

expected. Please change the shape of y to (n_samples,), for example using ravel().

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
```

```
warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
```

```

DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to

```

```

'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(

```

```

/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```



```

/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(

```

```

/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```

```

/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```

```

ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using

```

```

ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was

```

```

expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(

```



```

/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().

```



```

ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(

```

```

/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```

```

DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to

```



```

/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was

```

```

expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using

```



```

ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().

```



```

ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```

```

/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not

```

```

converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using

```

```

ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```

```

/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```

```

/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```



```

/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to

```

```

'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)

```

```

    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(

```

```

/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```

```

y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using

```

```

ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().

```

```

    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:

```

```

ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using

```



```

ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using

```

```

ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:

```

```

DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().

```

```

    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was

```

expected. Please change the shape of y to (n_samples,), for example using ravel().

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
```

```
warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
```

```
warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
```

```

expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was

```

```

expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_logistic.py:1271:
UserWarning: 'n_jobs' > 1 does not have any effect when 'solver' is set to
'liblinear'. Got 'n_jobs' = 8.
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
  warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
  y = column_or_1d(y, warn=True)

```

```

    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)

```



```

/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
    y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/linear_model/_sag.py:349:
ConvergenceWarning: The max_iter was reached which means the coef_ did not
converge
    warnings.warn(
/usr/local/lib/python3.12/site-
packages/sklearn/model_selection/_validation.py:540: FitFailedWarning:
1440 fits failed out of a total of 2160.
The score on these train-test partitions for these parameters will be set to -1.
If these failures are not expected, you can try to debug them by setting
error_score='raise'.

```

Below are more details about the failures:

```

-----
90 fits failed with the following error:
Traceback (most recent call last):
  File "/usr/local/lib/python3.12/site-
packages/sklearn/model_selection/_validation.py", line 888, in _fit_and_score
    estimator.fit(X_train, y_train, **fit_params)
  File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 1473, in
wrapper
    return fit_method(estimator, *args, **kwargs)
           ~~~~~~
  File "/usr/local/lib/python3.12/site-
packages/sklearn/linear_model/_logistic.py", line 1194, in fit
    solver = _check_solver(self.solver, self.penalty, self.dual)
           ~~~~~~
  File "/usr/local/lib/python3.12/site-
packages/sklearn/linear_model/_logistic.py", line 67, in _check_solver
    raise ValueError(
ValueError: Solver newton-cg supports only 'l2' or None penalties, got l1
penalty.

```

```

-----
90 fits failed with the following error:

```

```

Traceback (most recent call last):
  File "/usr/local/lib/python3.12/site-
packages/sklearn/model_selection/_validation.py", line 888, in _fit_and_score
    estimator.fit(X_train, y_train, **fit_params)
  File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 1473, in
wrapper
    return fit_method(estimator, *args, **kwargs)
    ~~~~~

  File "/usr/local/lib/python3.12/site-
packages/sklearn/linear_model/_logistic.py", line 1194, in fit
    solver = _check_solver(self.solver, self.penalty, self.dual)
    ~~~~~

  File "/usr/local/lib/python3.12/site-
packages/sklearn/linear_model/_logistic.py", line 67, in _check_solver
    raise ValueError(
ValueError: Solver newton-cholesky supports only 'l2' or None penalties, got l1
penalty.

```

90 fits failed with the following error:

```

Traceback (most recent call last):
  File "/usr/local/lib/python3.12/site-
packages/sklearn/model_selection/_validation.py", line 888, in _fit_and_score
    estimator.fit(X_train, y_train, **fit_params)
  File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 1473, in
wrapper
    return fit_method(estimator, *args, **kwargs)
    ~~~~~

  File "/usr/local/lib/python3.12/site-
packages/sklearn/linear_model/_logistic.py", line 1194, in fit
    solver = _check_solver(self.solver, self.penalty, self.dual)
    ~~~~~

  File "/usr/local/lib/python3.12/site-
packages/sklearn/linear_model/_logistic.py", line 67, in _check_solver
    raise ValueError(
ValueError: Solver lbfgs supports only 'l2' or None penalties, got l1 penalty.

```

90 fits failed with the following error:

```

Traceback (most recent call last):
  File "/usr/local/lib/python3.12/site-
packages/sklearn/model_selection/_validation.py", line 888, in _fit_and_score
    estimator.fit(X_train, y_train, **fit_params)
  File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 1473, in
wrapper
    return fit_method(estimator, *args, **kwargs)
    ~~~~~

  File "/usr/local/lib/python3.12/site-

```

```

packages/sklearn/linear_model/_logistic.py", line 1194, in fit
    solver = _check_solver(self.solver, self.penalty, self.dual)
    ~~~~~
File "/usr/local/lib/python3.12/site-
packages/sklearn/linear_model/_logistic.py", line 67, in _check_solver
    raise ValueError(
ValueError: Solver sag supports only 'l2' or None penalties, got l1 penalty.

```

```

-----
90 fits failed with the following error:
Traceback (most recent call last):
  File "/usr/local/lib/python3.12/site-
packages/sklearn/model_selection/_validation.py", line 888, in _fit_and_score
    estimator.fit(X_train, y_train, **fit_params)
  File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 1473, in
wrapper
    return fit_method(estimator, *args, **kwargs)
    ~~~~~
File "/usr/local/lib/python3.12/site-
packages/sklearn/linear_model/_logistic.py", line 1194, in fit
    solver = _check_solver(self.solver, self.penalty, self.dual)
    ~~~~~
File "/usr/local/lib/python3.12/site-
packages/sklearn/linear_model/_logistic.py", line 67, in _check_solver
    raise ValueError(
ValueError: Solver newton-cg supports only 'l2' or None penalties, got
elasticnet penalty.

```

```

-----
90 fits failed with the following error:
Traceback (most recent call last):
  File "/usr/local/lib/python3.12/site-
packages/sklearn/model_selection/_validation.py", line 888, in _fit_and_score
    estimator.fit(X_train, y_train, **fit_params)
  File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 1473, in
wrapper
    return fit_method(estimator, *args, **kwargs)
    ~~~~~
File "/usr/local/lib/python3.12/site-
packages/sklearn/linear_model/_logistic.py", line 1194, in fit
    solver = _check_solver(self.solver, self.penalty, self.dual)
    ~~~~~
File "/usr/local/lib/python3.12/site-
packages/sklearn/linear_model/_logistic.py", line 67, in _check_solver
    raise ValueError(
ValueError: Solver newton-cholesky supports only 'l2' or None penalties, got
elasticnet penalty.

```

```
-----
90 fits failed with the following error:
Traceback (most recent call last):
  File "/usr/local/lib/python3.12/site-
packages/sklearn/model_selection/_validation.py", line 888, in _fit_and_score
    estimator.fit(X_train, y_train, **fit_params)
  File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 1473, in
wrapper
    return fit_method(estimator, *args, **kwargs)
           ~~~~~~

  File "/usr/local/lib/python3.12/site-
packages/sklearn/linear_model/_logistic.py", line 1194, in fit
    solver = _check_solver(self.solver, self.penalty, self.dual)
           ~~~~~~

  File "/usr/local/lib/python3.12/site-
packages/sklearn/linear_model/_logistic.py", line 67, in _check_solver
    raise ValueError(
ValueError: Solver lbfgs supports only 'l2' or None penalties, got elasticnet
penalty.
-----
```

```
-----
90 fits failed with the following error:
Traceback (most recent call last):
  File "/usr/local/lib/python3.12/site-
packages/sklearn/model_selection/_validation.py", line 888, in _fit_and_score
    estimator.fit(X_train, y_train, **fit_params)
  File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 1473, in
wrapper
    return fit_method(estimator, *args, **kwargs)
           ~~~~~~

  File "/usr/local/lib/python3.12/site-
packages/sklearn/linear_model/_logistic.py", line 1194, in fit
    solver = _check_solver(self.solver, self.penalty, self.dual)
           ~~~~~~

  File "/usr/local/lib/python3.12/site-
packages/sklearn/linear_model/_logistic.py", line 75, in _check_solver
    raise ValueError(
ValueError: Only 'saga' solver supports elasticnet penalty, got
solver=liblinear.
-----
```

```
-----
90 fits failed with the following error:
Traceback (most recent call last):
  File "/usr/local/lib/python3.12/site-
packages/sklearn/model_selection/_validation.py", line 888, in _fit_and_score
    estimator.fit(X_train, y_train, **fit_params)
  File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 1473, in
wrapper
    return fit_method(estimator, *args, **kwargs)
           ~~~~~~

  File "/usr/local/lib/python3.12/site-
packages/sklearn/linear_model/_logistic.py", line 1194, in fit
    solver = _check_solver(self.solver, self.penalty, self.dual)
           ~~~~~~

  File "/usr/local/lib/python3.12/site-
packages/sklearn/linear_model/_logistic.py", line 75, in _check_solver
    raise ValueError(
ValueError: Only 'saga' solver supports elasticnet penalty, got
solver=liblinear.
-----
```

```

    return fit_method(estimator, *args, **kwargs)
    ~~~~~
File "/usr/local/lib/python3.12/site-
packages/sklearn/linear_model/_logistic.py", line 1194, in fit
    solver = _check_solver(self.solver, self.penalty, self.dual)
    ~~~~~

File "/usr/local/lib/python3.12/site-
packages/sklearn/linear_model/_logistic.py", line 67, in _check_solver
    raise ValueError(
ValueError: Solver sag supports only 'l2' or None penalties, got elasticnet
penalty.

-----

90 fits failed with the following error:
Traceback (most recent call last):
  File "/usr/local/lib/python3.12/site-
packages/sklearn/model_selection/_validation.py", line 888, in _fit_and_score
    estimator.fit(X_train, y_train, **fit_params)
  File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 1473, in
wrapper
    return fit_method(estimator, *args, **kwargs)
    ~~~~~

  File "/usr/local/lib/python3.12/site-
packages/sklearn/linear_model/_logistic.py", line 1204, in fit
    raise ValueError("l1_ratio must be specified when penalty is elasticnet.")
ValueError: l1_ratio must be specified when penalty is elasticnet.

-----

114 fits failed with the following error:
Traceback (most recent call last):
  File "/usr/local/lib/python3.12/site-
packages/sklearn/model_selection/_validation.py", line 888, in _fit_and_score
    estimator.fit(X_train, y_train, **fit_params)
  File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 1466, in
wrapper
    estimator._validate_params()
  File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 666, in
_validate_params
    validate_parameter_constraints(
  File "/usr/local/lib/python3.12/site-
packages/sklearn/utils/_param_validation.py", line 95, in
validate_parameter_constraints
    raise InvalidParameterError(
sklearn.utils._param_validation.InvalidParameterError: The 'penalty' parameter
of LogisticRegression must be a str among {'l1', 'elasticnet', 'l2'} or None.
Got 'none' instead.

-----

```

```
22 fits failed with the following error:
Traceback (most recent call last):
  File "/usr/local/lib/python3.12/site-
packages/sklearn/model_selection/_validation.py", line 888, in _fit_and_score
    estimator.fit(X_train, y_train, **fit_params)
  File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 1466, in
wrapper
    estimator._validate_params()
  File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 666, in
_validate_params
    validate_parameter_constraints(
  File "/usr/local/lib/python3.12/site-
packages/sklearn/utils/_param_validation.py", line 95, in
validate_parameter_constraints
    raise InvalidParameterError(
sklearn.utils._param_validation.InvalidParameterError: The 'penalty' parameter
of LogisticRegression must be a str among {'elasticnet', 'l1', 'l2'} or None.
Got 'none' instead.
```

```
98 fits failed with the following error:
Traceback (most recent call last):
  File "/usr/local/lib/python3.12/site-
packages/sklearn/model_selection/_validation.py", line 888, in _fit_and_score
    estimator.fit(X_train, y_train, **fit_params)
  File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 1466, in
wrapper
    estimator._validate_params()
  File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 666, in
_validate_params
    validate_parameter_constraints(
  File "/usr/local/lib/python3.12/site-
packages/sklearn/utils/_param_validation.py", line 95, in
validate_parameter_constraints
    raise InvalidParameterError(
sklearn.utils._param_validation.InvalidParameterError: The 'penalty' parameter
of LogisticRegression must be a str among {'l2', 'l1', 'elasticnet'} or None.
Got 'none' instead.
```

```
224 fits failed with the following error:
Traceback (most recent call last):
  File "/usr/local/lib/python3.12/site-
packages/sklearn/model_selection/_validation.py", line 888, in _fit_and_score
    estimator.fit(X_train, y_train, **fit_params)
  File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 1466, in
wrapper
    estimator._validate_params()
```

```

File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 666, in
_validate_params
    validate_parameter_constraints(
File "/usr/local/lib/python3.12/site-
packages/sklearn/utils/_param_validation.py", line 95, in
validate_parameter_constraints
    raise InvalidParameterError(
sklearn.utils._param_validation.InvalidParameterError: The 'penalty' parameter
of LogisticRegression must be a str among {'l2', 'elasticnet', 'l1'} or None.
Got 'none' instead.

```

```

-----
82 fits failed with the following error:
Traceback (most recent call last):
  File "/usr/local/lib/python3.12/site-
packages/sklearn/model_selection/_validation.py", line 888, in _fit_and_score
    estimator.fit(X_train, y_train, **fit_params)
  File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 1466, in
wrapper
    estimator._validate_params()
  File "/usr/local/lib/python3.12/site-packages/sklearn/base.py", line 666, in
_validate_params
    validate_parameter_constraints(
  File "/usr/local/lib/python3.12/site-
packages/sklearn/utils/_param_validation.py", line 95, in
validate_parameter_constraints
    raise InvalidParameterError(
sklearn.utils._param_validation.InvalidParameterError: The 'penalty' parameter
of LogisticRegression must be a str among {'elasticnet', 'l2', 'l1'} or None.
Got 'none' instead.

```

```

warnings.warn(some_fits_failed_message, FitFailedWarning)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().

```

```

y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().

```

```

y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().

```

```

y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:

```

DataConversionWarning: A column-vector y was passed when a 1d array was expected. Please change the shape of y to (n_samples,), for example using ravel().

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
y = column_or_1d(y, warn=True)
```

Mejores hiperparámetros encontrados GridSearchCV:

```
{'C': 100, 'max_iter': 100, 'penalty': 'l2', 'solver': 'lbfgs'}
```

```
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
/usr/local/lib/python3.12/site-packages/sklearn/utils/validation.py:1310:
DataConversionWarning: A column-vector y was passed when a 1d array was
expected. Please change the shape of y to (n_samples, ), for example using
ravel().
```

```
y = column_or_1d(y, warn=True)
```

	score_type	model \
0	corr	LogisticRegression(C=10, n_jobs=-1, solver='ne...
1	rfc	LogisticRegression(C=100, n_jobs=-1, penalty='...
2	xgb	LogisticRegression(C=100, n_jobs=-1)

		best_params	f1-score-train	std-dev \
0	{'C': 10, 'max_iter': 100, 'penalty': 'l2', 's...		0.824621	0.0246
1	{'C': 100, 'max_iter': 100, 'penalty': 'l1', '...		0.830923	0.0191
2	{'C': 100, 'max_iter': 100, 'penalty': 'l2', '...		0.824062	0.0209

	f1-score-test	roc-auc
0	0.879320	0.91
1	0.886207	0.91
2	0.881952	0.91

1.7.2 XGB

GridSearch

Fitting 3 folds for each of 972 candidates, totalling 2916 fits

Mejores hiperparámetros encontrados GridSearchCV:

```
{'colsample_bytree': 0.8, 'gamma': 0.4, 'learning_rate': 0.2, 'max_depth': 4,
'min_child_weight': 1, 'n_estimators': 200, 'subsample': 0.8}
```

Fitting 3 folds for each of 972 candidates, totalling 2916 fits

Mejores hiperparámetros encontrados GridSearchCV:

```
{'colsample_bytree': 0.8, 'gamma': 0.4, 'learning_rate': 0.1, 'max_depth': 4,
'min_child_weight': 1, 'n_estimators': 100, 'subsample': 1.0}
```

Fitting 3 folds for each of 972 candidates, totalling 2916 fits

Mejores hiperparámetros encontrados GridSearchCV:

```
{'colsample_bytree': 1.0, 'gamma': 0, 'learning_rate': 0.01, 'max_depth': 5,
'min_child_weight': 1, 'n_estimators': 100, 'subsample': 1.0}
```

	score_type	model \
0	corr	XGBClassifier(base_score=None, booster=None, c...
1	rfe	XGBClassifier(base_score=None, booster=None, c...
2	xgb	XGBClassifier(base_score=None, booster=None, c...

		best_params	f1-score-train	std-dev \
0	{'colsample_bytree': 0.8, 'gamma': 0.4, 'learn...		0.987392	0.0067
1	{'colsample_bytree': 0.8, 'gamma': 0.4, 'learn...		0.989698	0.0088
2	{'colsample_bytree': 1.0, 'gamma': 0, 'learnin...		0.991977	0.0082

	f1-score-test	roc-auc
0	0.987493	1.0
1	0.992276	1.0
2	0.994083	1.0

```
learning_rate : 0.1
n_estimators : 100
max_depth : 4
min_child_weight : 1
gamma : 0.4
```

```

subsample : 1.0
colsample_bytree : 0.8

```

1.8 Evaluación del modelo

1.8.1 Predicción sobre datos de validación

	edad	concentracion_hemoglobina	temperatura_ambiente	\
0	0.674157	0.604167	0.606061	
1	0.134831	0.604167	0.606061	
2	0.651685	0.604167	0.606061	
3	0.752809	0.402778	0.636364	
4	0.550562	0.604167	0.606061	

	valor_acido_urico	valor_albumina	valor_colesterol_hdl	\
0	0.425926	0.697674	0.078947	
1	0.425926	0.697674	0.078947	
2	0.425926	0.697674	0.078947	
3	0.351852	0.744186	0.116541	
4	0.425926	0.697674	0.078947	

	valor_colesterol_ldl	valor_colesterol_total	valor_creatina	\
0	0.396506	0.390438	0.037547	
1	0.396506	0.390438	0.037547	
2	0.396506	0.390438	0.037547	
3	0.576496	0.581673	0.040050	
4	0.396506	0.390438	0.037547	

	resultado_glucosa	valor_insulina	valor_trigliceridos	\
0	0.021879	0.012903	0.100114	
1	0.021879	0.012903	0.100114	
2	0.021879	0.012903	0.100114	
3	0.059631	0.028083	0.175199	
4	0.021879	0.012903	0.100114	

	resultado_glucosa_promedio	valor_hemoglobina_glucosilada	valor_ferritina	\
0	0.077748	0.076923	0.009677	
1	0.077748	0.076923	0.009677	
2	0.077748	0.076923	0.009677	
3	0.284182	0.284615	0.009677	
4	0.077748	0.076923	0.009677	

	valor_folato	valor_homocisteina	valor_proteinac_reactiva	\
0	0.167429	0.025707	0.0	
1	0.167429	0.025707	0.0	
2	0.167429	0.025707	0.0	
3	0.167429	0.025707	0.0	
4	0.167429	0.025707	0.0	

	valor_transferrina	valor_vitamina_bdoce	valor_vitamina_d	peso \
0	0.062112	0.017832	0.408528	0.000000
1	0.062112	0.017832	0.408528	0.276426
2	0.062112	0.017832	0.408528	0.000000
3	0.062112	0.017832	0.408528	0.000000
4	0.062112	0.017832	0.408528	0.402643

	estatura	medida_cintura	segundamedicion_peso	segundamedicion_estatura \
0	0.810956	0.000000	0.451768	0.803395
1	0.823308	0.000000	0.504019	0.843373
2	0.810956	0.000000	0.500804	0.789157
3	0.810956	0.000000	0.497588	0.857612
4	0.838883	0.521368	0.504019	0.843373

	distancia_rodilla_talon	circunferencia_de_la_pantorrilla \
0	0.461459	0.404692
1	0.498458	0.327468
2	0.479959	0.315738
3	0.503597	0.365591
4	0.498458	0.327468

	segundamedicion_cintura	tension_arterial	sueno_horas	masa_corporal \
0	0.509091	0.715	0.020408	0.000000
1	0.000000	0.575	0.000000	0.270208
2	0.598788	0.780	0.010204	0.000000
3	0.572121	0.600	0.030612	0.000000
4	0.000000	0.625	0.000000	0.380141

	actividad_total	sexo_2
0	0.028636	1.0
1	0.031443	1.0
2	0.023021	1.0
3	0.003650	1.0
4	0.024705	1.0

(1309, 3)

1.8.2 Métricas de evaluación

F1 Score: 0.9952

ROC AUC: 0.9987

Confusion Matrix:

```
[[463  1]
 [ 7 838]]
```

Classification Report:

	precision	recall	f1-score	support
0	0.99	1.00	0.99	464
1	1.00	0.99	1.00	845
accuracy			0.99	1309
macro avg	0.99	0.99	0.99	1309
weighted avg	0.99	0.99	0.99	1309

1.9 Estabilidad del modelo

Population Stability Index (PSI)

/tmp/ipykernel_66336/2007159006.py:52: DeprecationWarning: Calling np.sum(generator) is deprecated, and in the future will give a different result. Use np.sum(np.fromiter(generator)) or the python sum builtin instead.

```
psi_value = np.sum(sub_psi(expected_percents[i], actual_percents[i]) for i in
range(len(expected_percents)))
```

	Característica	Valor PSI	Interpretación
0	edad	0.0033	No hay cambios significativos
1	concentracion_hemoglobina	0.0074	No hay cambios significativos
2	valor_colesterol_hdl	0.3399	Grandes cambios
3	valor_colesterol_ldl	3.9001	Grandes cambios
4	valor_trigliceridos	0.0010	No hay cambios significativos
5	resultado_glucosa_promedio	0.1191	Pequeños cambios
6	valor_hemoglobina_glucosilada	0.0083	No hay cambios significativos
7	valor_vitamina_d	0.0053	No hay cambios significativos
8	peso	0.1023	Pequeños cambios
9	estatura	0.0024	No hay cambios significativos
10	medida_cintura	0.1997	Pequeños cambios
11	segundamedicion_cintura	0.1996	Pequeños cambios
12	tension_arterial	0.0015	No hay cambios significativos
13	masa_corporal	0.0852	No hay cambios significativos
14	actividad_total	0.0360	No hay cambios significativos

	riesgo_hipertension
1978	100.00001
1413	100.00001
2044	0.00000
703	100.00001
3563	100.00001
...	...
4084	100.00001
3762	100.00001
399	0.00000
499	0.00000

519 100.00001

[1309 rows x 1 columns]

/tmp/ipykernel_66336/2007159006.py:52: DeprecationWarning: Calling np.sum(generator) is deprecated, and in the future will give a different result. Use np.sum(np.fromiter(generator)) or the python sum builtin instead.

```
psi_value = np.sum(sub_psi(expected_percents[i], actual_percents[i]) for i in
range(len(expected_percents)))
```

0.0

1.9.1 Desempeño del poder predictivo

	Característica	Poder predictivo train \
0	edad	60.28
1	concentracion_hemoglobina	3.64
2	valor_colesterol_hdl	3.93
3	valor_colesterol_ldl	12.82
4	valor_trigliceridos	20.74
5	resultado_glucosa_promedio	1.20
6	valor_hemoglobina_glucosilada	1.23
7	valor_vitamina_d	12.68
8	peso	789.55
9	estatura	16.84
10	medida_cintura	614.45
11	segundamedicion_cintura	401.78
12	tension_arterial	4.26
13	masa_corporal	851.09
14	actividad_total	12.59

	Poder predictivo val	Tasa_Crecimiento
0	87.89	45.80
1	4.66	28.02
2	0.52	-86.77
3	9.03	-29.56
4	17.92	-13.60
5	1.33	10.83
6	0.83	-32.52
7	5.10	-59.78
8	750.39	-4.96
9	43.24	156.77
10	583.63	-5.02
11	382.39	-4.83
12	2.73	-35.92
13	767.95	-9.77
14	2.99	-76.25

CSI

edad
concentracion_hemoglobina
valor_colesterol_hdl
valor_colesterol_ldl
valor_trigliceridos
resultado_glucosa_promedio
valor_hemoglobina_glucoilada
valor_vitamina_d
peso
estatura
medida_cintura
segundamedicion_cintura
tension_arterial
masa_corporal
actividad_total

```
-----  
IndexError                                Traceback (most recent call last)  
Cell In[82], line 3  
      1 csi_results = []  
      2 for feat in best_features:  
----> 3     csi_value = calculate_csi(X_train_transformed[feat], X_val_transformed[feat], buckets=3)  
      4     csi_interpretation = interpret_psi(csi_value)  
      5     csi_results.append({"Característica": feat, "Valor PSI": csi_value,  
      ↪ "Interpretación": csi_interpretation})  
  
Cell In[74], line 27, in calculate_csi(expected, actual, buckets)  
     25 if expected_percent[i] == 0:  
     26     expected_percent[i] = 0.0001  
----> 27 if actual_percent[i] == 0:  
     28     actual_percent[i] = 0.0001  
     30 csi_value += (actual_percent[i] - expected_percent[i]) * np.  
      ↪ log(actual_percent[i] / expected_percent[i])  
  
IndexError: index 90 is out of bounds for axis 0 with size 90
```

1.10 Estabilidad KS