









Quote





12/13/2016

To: Valerie Griggs (480) 766-9202 (Cell) vgriggs@20lounge.com	Project: Primal Kitchen Culver City - MAIN 9345 Culver City Blvd. Culver City, CA 90232	From: San Diego Restaurant Supply Josh Egan 1202 Market Street San Diego, CA 92101-7312 619-239-8107 619.239.8107 125 (Contact) jegan@sdrs.com
---	---	--

Item	Qty	Description
1	1 ea	AIR CURTAIN Berner Model No. CHC10-1036A Commercial Series High Performance Air Curtain, 36" long, unheated, (1) 1/2 hp three speed motor, for door height up to 10-feet high, aluminum housing with polyester white on white finish, indoor mounting only, cULus, MADE IN USA 
	1 ea	Five year parts warranty (unheated units)
	1 ea	A 120v/60/1-ph, 6.5 amps
	1 ea	9503SD020-P Automatic Door Switch, plunger type, activates air door when door opens, single phase only & max. amp draw of 20 amps
	1 ea	White aluminum housing standard
2	5 ea	WIRE SHELVEING Focus Foodservice Model No. FF1836G Packed 4 ea Shelf, Wire, 18"W x 36"L, green epoxy coated finish 
	4 ea	FG086G Post, 86"H, stationary, green epoxy coated with SaniGard™
3	1	CLEAN DISHTABLE Custom Stainless Steel Dishtable, clean, straight design, 32" W x 30" D, left side of dishmachine, 16/304 series stainless steel work top, 10" backsplash, 2" high rolled edge, stainless steel gussets, legs, crossrails & adjustable feet, NSF
4	1	EXHAUST HOOD, CONDENSATE Accurex Hood #2 Condensate Hood XD1-42.00-S Performance: Section 1: Exhaust (CFM): 650 Dimensions: Hood: 42" L x 42" W x 24" H Collar(s):

Item	Qty	Description	
		Exhaust: (1) 11" W x 16" L	
		Configuration: Performance Enhancing Lip (P.E.L.) for up to 31% lower exhaust rates Material - 430 SS 100% Construction Mesh filters installed on exhaust collars. Shipped Loose Exhaust Collar(s)	
5	1	HOOD TRIM Custom Stainless Steel 18 ga S/S hood trim, 126" x 24" max high	
6	1	EXHAUST BLOWER Not In Contract Provided by G.C.	<By G/C>
7	1	MAKE-UP AIR SYSTEM Not In Contract Provided by G.C.	<By G/C>
8	1 ea	WAREWASHER, DOOR TYPE, LOW TEMP Not In Contract Lease	<Lease>
9		SPARE NO.	
10		SPARE NO.	
11	1	SOILED DISH TABLE W/ SCRAP SINK Custom Stainless Steel Dishtable, Soiled, 58" W x 30" D, straight, right side of dish machine, 20" W x 20" D, x 6" deep pre-rinse sink, 16 gauge type 304 series stainless steel work top, 10" H back & right splash, 2" H rolled edge, stainless steel gussets, legs, crossrails & adjustable feet, NSF (1) S/S scrap basket	
12	1 ea	PRE-RINSE FAUCET ASSEMBLY T&S Brass Model No. B-0133-BC EasyInstall Pre-Rinse Unit, spring action, wall mount, 8" centers, wall bracket, low flow valve, (B-0107-C)	
			
13	1 ea	TRASH CAN Not In Contract Provided by Owner	<By Owner>
14	1 ea	SLANT RACK Custom Stainless Steel Dishtable Sorting Shelf, 21" W x 21" D, 16 gauge stainless steel shelf with 14 gauge stainless steel bracket, wall mount, drain hole on right, NSF	
15	1 ea	HAND SINK	




Item	Qty	Description
		Krowne Metal Model No. HS-30L Space Saver Hand Sink, wall mount, 12"W x 17"D x 12"H O.A., 9-3/4" wide x 11-3/4" front-to-back x 5" deep bowl, 4" O.C. splash mount gooseneck faucet (low lead compliant), 7"H backsplash & side splashes on left & right, includes mounting bracket, stainless steel construction
16		SPARE NO.
17	1 ea	WALL MOUNT SHELF Custom Stainless Steel Shelf, wall-mounted, 36" W x 12" D, 16 gauge, 304 series stainless steel, 14 gauge stainless steel brackets, NSF
18		SPARE NO.
19		SPARE NO.
20		SPARE NO.
21	1 ea	PRE-RINSE FAUCET ASSEMBLY, WITH ADD ON FAUCET  T&S Brass Model No. B-0133-A12-B08 EasyInstall Pre-Rinse Unit, spring action gooseneck, 8" wall mount, JeTSpray valve 1.48 gallons per minute, 12" add-on faucet, wall bracket
	3 ea	B-3950 Waste Valve, twist handle, 3-1/2" sink opening, 2" drain outlet with 1-1/2" adapter (replaces B-3912, B-3916)
22	1 ea	WALL MOUNT SHELF Custom Stainless Steel Shelf, wall-mounted, 36" W x 12" D, 16 gauge, 304 series stainless steel, 14 gauge stainless steel brackets, NSF
23	1 ea	THREE COMPARTMENT SINK Custom Stainless Steel Sink, three compartment, 90" x 24", 16 gauge type 304 series stainless steel, 93) 18" x 18" x 12" bowls with lever waste brackets, 18" left & right drainboards, rolled edge, 10" back & right splash with 8" OC faucet holes, stainless steel gussets, legs, side crossbracing & adjustable bullet feet, includes stainless steel basket drain, NSF
24		SPARE NO.
25		SPARE NO.
26	1 ea	HAND SINK  Krowne Metal Model No. HS-30L Space Saver Hand Sink, wall mount, 12"W x 17"D x 12"H O.A., 9-3/4" wide x 11-3/4" front-to-back x 5" deep bowl, 4" O.C. splash mount gooseneck faucet (low lead compliant), 7"H backsplash & side splashes on left & right, includes mounting bracket, stainless steel construction
27	1 ea	SHELF, WALL MOUNT Custom Stainless Steel Shelf, wall-mounted, 72" W x 12" D, 16 gauge, 304 series stainless steel, 14 gauge stainless steel brackets, NSF





Item	Qty	Description
28	1 ea	PREP SINK TABLE Custom Stainless Steel Prep Table, 72" W x 30" D, 16 gauge type 304 series stainless steel top with 18" x 20" x 14" sink with lever waste bracket, 8 OC deck mount faucet holes, 6" backsplash, turns down 2" and back 1/2", 18 gauge type 304 series stainless steel legs, gussets & undershelf, fully welded
29		SPARE NO.
30		SPARE NO.
31	1	TRASH CAN <By Owner> Not In Contract Provided by Owner
32	1 ea	DECK MOUNT FAUCET T&S Brass Model No. B-0221-CC Mixing Faucet, deck mount, 12" swing nozzle, 8" centers on deck faucet with 1/2" IPS CC male inlets, lever handles 
	1 cs	B-0425-M Supply Nipple Kit, 1/2" NPT x 2" Long (master carton of 2 units)
	1 ea	B-3950 Waste Valve, twist handle, 3-1/2" sink opening, 2" drain outlet with 1-1/2" adapter (replaces B-3912, B-3916)
33	1 ea	ICE CUBER  Ice-O-Matic Model No. ICE0520FA ICE Series™ Modular Cube Ice Maker, air-cooled, approximately 520 lb production/24 hours, full-size cube, filter-free air, PURE ICE built in antimicrobial protection, Harvest assist produces Ice consistently/reduces operating cost, 115v/60/1-ph, 16.0 amps, cULus, NSF, CE 1 ea 3 yr. parts & labor warranty, standard 1 ea 5 yr. evaporator warranty, standard 1 ea 5 yr. parts on the compressor warranty, standard
34	1 ea	WATER FILTRATION SYSTEM  OptiPure Model No. QT110-1 QT Water Filter System, single 10" cartridge, (1) CTOS-Q10 cartridge with IsoNet®, 15,000 gallon capacity, 1.5 gpm, 0.5 micron sediment and chlorine, taste, odor reduction, scale inhibition, for use with ice makers (up to 800 lb. cuber/1,000lb. flaker), coffee makers, steamers and combi ovens, NSF (160-52011)
35	1 ea	ICE BIN FOR ICE MACHINES  Ice-O-Matic Model No. B42PS Ice Bin, 351 lb storage capacity, top-hinged front-opening door, for top-mounted ice maker, durable stainless finish exterior, molded plastic door, NSF 1 ea 2 yr. parts & labor warranty, standard
36		SPARE NO.



Item	Qty	Description
37		SPARE NO.
38		SPARE NO.
39		SPARE NO.
40		SPARE NO.
41	1	WALK-IN COOLER W/ LIGHT Custom Walk-in Combo Overall Dimensions: 13'-6" x 7'-0" x 8'-6 1/4" Freezer -10 Interior Dimensions: 4'-2" x 6'-4" x 7'-10 5/8" Walls: 4" Class 1 - Foamed in place Urethane Exterior: Galvalume - Embossed 26 Ga Interior: Galvalume - Embossed 26 Ga Ceiling: 4" Class 1 - Foamed in place Urethane Type: Standard Attachment: Lock Down Exterior: Galvalume - Embossed 26 Ga Interior: Galvalume - Embossed 26 Ga Floor Application: 4" Class 1 - Foamed in place Urethane Type: Foot Traffic Finish: Aluminum - Smooth Aluminum .100 Compartment Accessories: 1 ea. PC199LOP-2, 208-230/60/1, 2 HP, Low Temp Pre-Charged Air Cooled Hermetic Condensing Unit 1 ea. 2 HP 2 - 5 YR Extended Compressor Warranty 1 ea. ASLE35-70-2EC-PR-4 208V Reach-in Evaporator 1 ea. Light Fixture - Kason 1809 LED Door: 36" x 78" Left Swing Out Recessed 0" with 0" Leveling Sand and 0" Tile & Grout Frame: Exterior: Galvalume - Embossed 26 Ga Interior: Galvalume - Embossed 26 Ga Plug: Exterior: Galvalume - Embossed 26 Ga Kickplate, Alum .063 Diamond Tread 36" High Interior: Galvalume - Embossed 26 Ga Kickplate, Alum .063 Diamond Tread 36" High Door/ Opening Accessories: 1 ea. Handle - Kason 28 with Locking Assembly (STD) 1 ea. Door Closer - Kason 1098 w/Cover & Hook (STD) 1 ea. Viewport - 14X14 Freezer, Heated Frame and Glass (4" Door) 1 ea. Alarm - Modularm 75LC 2 ea. Hinge - Kason 1345 Adjustable / Spring Assisted (STD) 1 ea. Vent - Pressure Relief, Heated Kason 1825 (STD) 1 ea. Locate Freezer Alarm to Cooler Door 1 ea. Center Door Section Light Over Door 1 ea. Ramp - Interior 36x20



Item	Qty	Description
		3 If Threshold, Stainless Steel 14 ga 1 ea. Heater Wire, 2.5 Watt / FT 1 ea. Light Fixture - Kason 1803LED w/Bulb & Globe (STD) Cooler +35 Interior Dimensions: 8'-4" x 6'-4" x 8'-2 1/4" Walls: 4" Class 1 - Foamed in place Urethane Exterior: Galvalume - Embossed 26 Ga Interior: Galvalume - Embossed 26 Ga Ceiling: 4" Class 1 - Foamed in place Urethane Type: Standard Attachment: Lock Down Exterior: Galvalume - Embossed 26 Ga Interior: Galvalume - Embossed 26 Ga Floor Application: Screed, Vinyl 4" x 4" High Compartment Accessories: 18 sf Backing Substrate 1/2" (Approx) Verify Location. 60" AFF 85 ea. Tapcon Fasteners 8 ea. Tie Down Angle - 1-1/2" x 1-1/2" x 96" (Int Wall to CL incl Partitions) 1 ea. Light Fixture - Kason 1809 LED Refrigeration Accessories: Door: 36" x 78" Left Swing Out Recessed 0" with 0" Leveling Sand and 0" Tile & Grout Frame: Exterior: Galvalume - Embossed 26 Ga Interior: Galvalume - Embossed 26 Ga Plug: Exterior: Galvalume - Embossed 26 Ga Kickplate, Alum .063 Diamond Tread 36" High Interior: Galvalume - Embossed 26 Ga Kickplate, Alum .063 Diamond Tread 36" High Door/ Opening Accessories: 1 ea. Handle - Kason 28 with Locking Assembly (STD) 1 ea. Door Closer - Kason 1098 w/Cover & Hook (STD) 1 ea. Viewport - 14X14 Cooler, Heated Frame (4" Door) 1 ea. Alarm - Modularm 75LC 1 ea. Hinge - Kason 1345 Adjustable / Spring Assisted (STD) 1 ea. Center Door Section Light Over Door 1 ea. Light Fixture - Kason 1803LED w/Bulb & Globe (STD)
42	1	WALK-IN COOLER CONDENSER Custom Walk-in WALK-IN COOLER CONDENSER
43	1	WALK-IN COOLER COIL Custom Walk-in Included with item #42
44	4 ea	WIRE SHELVING

Initial: _____

Item	Qty	Description	
		Focus Foodservice Model No. FF1836G Packed 4 ea	
		Shelf, Wire, 18"W x 36"L, green epoxy coated finish	
	8 ea	FF1848G Shelf, Wire, 18"W x 48"L, green epoxy coated finish	
	4 ea	FF1854G Shelf, Wire, 18"W x 54"L, green epoxy coated finish	
	16 ea	FG074G Post, 74"H, stationary, green epoxy coated with SaniGard™	
45	1	WALK-IN FREEZER W/ LIGHT	<Included>
		Custom Walk-in	
		Included with item #41	
46	1	WALK-IN FREEZER CONDENSER	<Included>
		Custom Walk-in	
		Included with item #41	
47	1	WALK-IN FREEZER COIL	<Included>
		Custom Walk-in	
		Included with item #41	
48	8 ea	WIRE SHELVEING	
		Focus Foodservice Model No. FF1848G Packed 4 ea	
		Shelf, Wire, 18"W x 48"L, green epoxy coated finish	
	8 ea	FG074G Post, 74"H, stationary, green epoxy coated with SaniGard™	
49		SPARE NO.	
50		SPARE NO.	
51	1 ea	MOP HOLDER	
		T&S Brass Model No. B-0653	
		Mop Hanger, stainless steel mp hanger, three spring loaded rubber grips, 17.68" L x 2.62" W	
52	1	JANITORIAL SHELF	
		Custom Stainless Steel	
		Shelf, wall-mounted, 24" W x 12" D, 16 gauge, 304 series stainless steel, 14 gauge stainless steel brackets, NSF	
53	1	MOP SINK	<By Plumber>
		Not In Contract	
		Provided by Plumber	
54	1	FAUCET, SERVICE SINK	<By Plumber>
		Not In Contract	
		Provided by Plumber	
55	1	TANKLESS WATER HEATER	<By Plumber>
		Not In Contract	
		Provided by Plumber	
56	1	EMPLOYEE LOCKERS	<By Owner>

Item	Qty	Description
		Not In Contract Provided by Owner
57	20 ea	WIRE SHELVEING Focus Foodservice Model No. FF1848G Packed 4 ea Shelf, Wire, 18"W x 48"L, green epoxy coated finish
		
	16 ea	FG086G Post, 86"H, stationary, green epoxy coated with SaniGard™
58		SPARE NO.
59		SPARE NO.
60		SPARE NO.
61		SPARE NO.
62	1 ea	STOCK POT RANGE, GAS Southbend Model No. SPR-1J Stock Pot Range, (1) 3-ring cast iron burner, single, manual controls, one-piece tray, stainless steel front, front rail sides, legs with adjustable feet, 120,000 BTU, CSA, NSF
		
	1 ea	Note: 10% up charge for Int'l orders shipping outside of North America, beginning January 2016
	1 ea	Natural Gas
	1 ea	Standard (3) years limited parts and labor warranty (reference warranty document for details)
63	1 ea	POT / KETTLE FILLER FAUCET T&S Brass Model No. B-0580 Pot Filler Faucet, splash mount, double-jointed, 18"L, with insulated off-on volume control grip on tip of nozzle, 1/2" NPT female inlet, adjustable flange, chrome plated finish
		
64	1 ea	STOCK POT RANGE, GAS Southbend Model No. SPR-1J Stock Pot Range, (1) 3-ring cast iron burner, single, manual controls, one-piece tray, stainless steel front, front rail sides, legs with adjustable feet, 120,000 BTU, CSA, NSF
		
	1 ea	Note: 10% up charge for Int'l orders shipping outside of North America, beginning January 2016
	1 ea	Natural Gas
	1 ea	Standard (3) years limited parts and labor warranty (reference warranty document for details)
65	1 ea	CONVECTION OVEN




Item	Qty	Description
		Moffat Model No. G32D5/2C Turbofan® Convection Oven, gas, full-size, double stacked units, 71-1/4" assembled height, digital controls, temperature range 140 - 500° F, 1-hour cook cycle timer & 3-hour hold timer, 3-1/3" tray spacing, water injection, (5) full-size sheet pan capacity, stainless steel exterior, with glass door, porcelain interior, (2) 33,000 BTU, includes stacking kit with casters, ENERGY STAR®, cETLus, CSA, NSF
	1 ea	1 year parts and labor warranty
	1 ea	Natural gas
	1 ea	(2) 110-120v/60/1ph, 1.0 amps, NEMA 5-15P (oven bottom deck)
	1 ea	M236060 Core Temperature Probe Kit, for E32/E33/G32 models
66	6 ea	SAFETY SYSTEM MOVEABLE GAS CONNECTOR Dormont Manufacturing Model No. 1675KIT48 Dormont Blue Hose™ Moveable Gas Connector Kit, 3/4" inside dia., 48" long, covered with stainless steel braid, coated with blue antimicrobial PVC, 1 SnapFast® QD, 1 full port valve (2) 90° elbows, coiled restraining cable with hardware, 180,000 BTU/hr minimum flow capacity, limited lifetime warranty
	2 ea	1650KIT48 Dormont Blue Hose™ Moveable Gas Connector Kit, 1/2" inside dia., 48" long, covered with stainless steel braid, coated with blue antimicrobial PVC, 1 SnapFast® QD, 1 full port valve (2) 90° elbows, coiled restraining cable with hardware, 68,000 BTU/hr minimum flow capacity, limited lifetime warranty
67	1	WALL FLASHING Custom Stainless Steel Wall lining, 76" H x 102" W, 20 gauge type 304 series stainless steel, flat, non-insulated
68	1 ea	COOK HOLD OVEN  Alto-Shaam Model No. 1000-TH-I Halo Heat® Slo Cook & Hold Oven, electric, low-temperature, two compartments, 120 lb. capacity each - (4) full-size pans per cavity, thermostatic controls with timer, heavy duty 20 gauge stainless steel, 5" casters; 2 rigid, 2 swivel with brakes, EcoSmart®, cULus, NSF, CE, IP X3, TUV NORD
	1 ea	208-240v/60/1-ph, 22.2-28.9 amps, 5.3-6.0 kW (no cord or plug)
	1 ea	Solid Door, hinged on right, standard
	1 ea	5008017 Casters, 3-1/2" (89mm), stem; 2 rigid, 2 swivel with brakes
69		SPARE NO.
70		SPARE NO.
71	1 ea	SHELF, WALL MOUNT, TUBULAR Custom Stainless Steel Tubular Shelf, wall-mounted, 1" diameter, 304 series stainless steel, 14 gauge stainless steel brackets, NSF
72	1 ea	COUNTERTOP HOTPLATE

Item	Qty	Description
		Southbend Model No. HDO-48 Hotplate, gas, countertop, 48", (8) 33,000 BTU open burners, manual controls, removable cast iron grates & crumb tray, stainless steel front, sides & 4" adjustable legs, 264,000 BTU, CSA, NSF
	1 ea	Note: 10% up charge for Int'l orders shipping outside of North America, beginning January 2016
	1 ea	Standard one year limited warranty
	1 ea	Natural Gas
73	1 ea	EQUIPMENT STAND, REFRIGERATED BASE Continental Refrigerator Model No. DL108G Refrigerator Griddle Stand, three-section, (6) drawers - six drawers accommodates (2) 12" x 20" x 6", dial thermometer stainless steel top with drip guard marine edge, stainless steel exterior, interior and back, 4" casters, self-contained refrigeration, 1/2 hp, 10' cord, Made in USA
	1 ea	Standard warranty (for the United States & Canada Only): 3 year parts and labor; 5 year compressor
	1 ea	115v/60/1, 14.2 amps, NEMA 5-20P, standard
	1 ea	Condensing unit on the right, standard
	1 ea	4" Casters, standard
74	1 ea	CHARBROILER Southbend Model No. HDC-24 Charbroiler, gas, countertop, 24", cast iron radiants, stainless steel burners, two-position, two sided cooking grid, removable crumb tray, stainless steel front, sides & 4" adjustable legs, 80,000 BTU, CSA, NSF
	1 ea	Note: 10% up charge for Int'l orders shipping outside of North America, beginning January 2016
	1 ea	Standard one year limited warranty
	1 ea	Natural Gas
76	1 ea	COUNTERTOP GRIDDLE Southbend Model No. HDG-36 Griddle, countertop, gas, 36" W x 24" D cooking surface, 1" thick polished steel plate, thermostatic controls, battery spark ignition, stainless steel front, sides & 4" adjustable legs, 90,000 BTU, CSA, NSF
		





Item	Qty	Description
	1 ea	Note: 10% up charge for Int'l orders shipping outside of North America, beginning January 2016
	1 ea	Standard one year limited warranty
	1 ea	Natural Gas
77		SPARE NO.
78		SPARE NO.
79		SPARE NO.
80		SPARE NO.
81	1	EXHAUST HOOD W/ LIGHT Accurex Hood #1 Exhaust Only Wall Canopy Hood XXDW-225.00-S Performance: Section 1: Exhaust (CFM): 2,400 MUA (CFM): 1,720 Section: Exhaust (CFM): 1,900 MUA (CFM): 1,720 Dimensions: Hood: 112.5" L x 48" W x 24" H Supply Plenum (Front): 113.5" L x 16" W x 10" H Collar(s): Exhaust: (1) 10" W x 22" L MUA: (2) 12" W x 20" L Hood: 112.5" L x 48" W x 24" H Supply Plenum (Front): 112.5" L x 16" W x 10" H Collar(s): Exhaust: (1) 10" W x 18" L MUA: (2) 12" W x 20" L Configuration: Performance Enhancing Lip (P.E.L.) for up to 31% Lower Exhaust Rates Sloped Grease Trough with Enclosed Grease Cup per NFPA 96 Requirements Material - 430 SS Where Exposed UL 710 Listed w/ out Exhaust Fire Damper Filter - X-Tractor - Stainless Steel Lights - LED 4 ft Tube Light Fixtures (bulbs included) (2) Shipped Loose Exhaust Collar(s) Factory Mounted Supply Collar(s) Continuous Capture for Multi-Section Hoods Finished Back Exhaust Air Balancing Baffle Zero Clearance Top

Item	Qty	Description
		Zero Clearance Front Factory Mounted 3" Back Airspace Factory Mounted 1" Left Zero Clearance Airspace with Finished End Accessories: Air Supply Plenum (ASP) on Front
82	1	HOOD TRIM Custom Stainless Steel 18 ga S/S hood trim, 273" x 24" max high
83	1	FIRE PROTECTION SYSTEM Accurex Fire Suppression System FSSK-15-2 Performance: Hood System Size: 5.5 Gallon Dimension: Mounting Location (Hood): Remote Mounted Configuration: Wall Mounted Enclosure - All Required System Parts Included Stainless Steel Agent Tank Enclosures Pre-piped Hood with Detection Factory Coordinated Install Metal Blow Off Caps Permits and Puff (air) Test Included Protects hood(s): HOOD #1 Section 1 HOOD #1 Section 2 Accessories: Mechanical Shutoff Valve, 2.00" (Amerex)
84	1	EXHAUST BLOWER Not In Contract Provided by G.C.
85	1	MAKE-UP AIR SYSTEM Not In Contract Provided by G.C.
86		SPARE NO.
87	1	P.O.S. PRINTER Not In Contract Provided by Owner
88	1 ea	SANDWICH / SALAD PREPARATION REFRIGERATOR Continental Refrigerator Model No. SW48-12 Sandwich Unit, 48" wide, two-section, (12) 1/6 size x 4" deep pans with 12" cutting board, (2) field rehingable doors, stainless steel top & front, aluminum sides & interior, 5" casters, rear mounted self- contained refrigeration, 1/5 hp, Made in USA










Item	Qty	Description
	1 ea	Standard warranty (for the United States & Canada Only): 3 year parts and labor; 5 year compressor
	1 ea	115v/60/1, 7.3 amps, NEMA 5-15P, standard
	1 ea	Casters, 5" standard
89		SPARE NO.
90	1 ea	POT / KETTLE FILLER FAUCET T&S Brass Model No. B-0580 Pot Filler Faucet, splash mount, double-jointed, 18"L, with insulated off-on volume control grip on tip of nozzle, 1/2" NPT female inlet, adjustable flange, chrome plated finish
		
91	1	DOUBLE OVERSHELF Custom Stainless Steel Overshelf, pass shelf mounted, double, 154" W x 24" D, 16 gauge, 304 series stainless steel, stainless steel legs, NSF (1) heat lamp bracket (3) utility chases with access panels
92	1	PASS THRU SHELF Custom Stainless Steel Pass Thru Shelf, 154" W x 24" D, 16 gauge, 304 series stainless steel, bottom pan with wood sub-ply, NSF
93	1 ea	HOT FOOD SERVING COUNTER Vollrath Model No. 38004 ServeWell® Hot Food Table, (4) wells, 61-1/4"W x 32"D x 34"H, Thermoset fiber-reinforced resin wells with brass drain valves, individual capillary tube thermostatic controls for each well, cast-in dome heating elements, low-water indicator light, mechanical guards on all controls, open base with stainless steel undershelf, includes 7-1/2"D plate shelf & 8"D poly cutting board, stainless steel construction, adjustable legs, 10' cord with NEMA 5-20P, 1920 watts, 16.0 amps, 120v/60/1-ph, KD, cULus, NSF, Made in USA
		
94	1 ea	HEAT LAMP Hatco Model No. GRAHL-66D3 Glo-Ray® Infrared Foodwarmer, high wattage, tubular metal heater rod with lights, double heater rod housing 3" spacing, aluminum construction, 3420 watts, NSF, cUL, UL
		
	1 ea	NOTE: Sale of this product must comply with Hatco's Minimum Resale Price Policy; consult order acknowledgement for details
	1 ea	NOTE: Includes 24/7 parts & service assistance, call 800-558-0607
	1 ea	One year on-site parts and labor warranty, plus one additional year parts only warranty on all Glo-Ray metal sheathed elements
	1 ea	120/208v/60/1-ph
	1 ea	BLT TOG-2 (2) Built-in toggle controls (remote recommended) (Not for retrofit)
95	1	TRASH CAN Not In Contract Provided by Owner



<By Owner>


Item	Qty	Description
96	1	P.O.S. PRINTER Not In Contract Provided by Owner
97	1 ea	MEGA TOP SANDWICH / SALAD PREPARATION REFRIGERATOR Continental Refrigerator Model No. DL60-24M Designer Line Mighty Top Sandwich Unit, 60" wide, two-section, (24) 1/6 size x 4" deep pans with 10" cutting board, (2) field rehingable doors, stainless steel top, front, sides & interior, 6" adjustable legs, rear mounted self-contained refrigeration, 1/4 hp, Made in USA 
	1 ea	Standard warranty (for the United States & Canada Only): 3 year parts and labor; 5 year compressor
	1 ea	115v/60/1, 6.6 amps, cord & plug, standard
98	1	SHELF, WALL MOUNT Custom Stainless Steel Shelf, wall-mounted, 28" W x 12" D, 16 gauge, 304 series stainless steel, 14 gauge stainless steel brackets, NSF
99		SPARE NO.
100		SPARE NO.
101	1 ea	WAFFLE BAKER Wells Model No. BWB-1SE Belgian Waffle Baker, single, round, cast aluminum grid, electronic controls & automatic timer, stainless steel construction, cULus 
	1 ea	Note: Must specify voltage and phase
	1 ea	21216 120v/60/1-ph, 900 watts, 7.5 amps, NEMA 5-15P, standard
102	1 ea	REFRIGERATED WORK TOP Continental Refrigerator Model No. SW36-BS Work Top Refrigerator, 36" wide, two-section, stainless steel top with 6" backsplash, (2) field rehingable doors, stainless steel front, aluminum sides & interior, 5" casters, rear mounted self-contained refrigeration, 1/5 hp, Made in USA 
	1 ea	Standard warranty (for the United States & Canada Only): 3 year parts and labor; 5 year compressor
	1 ea	115v/60/1, 6.3 amps, NEMA 5-15P, standard
	1 ea	Casters, 5" standard
103	1 ea	WAFFLE BAKER Wells Model No. BWB-1SE Belgian Waffle Baker, single, round, cast aluminum grid, electronic controls & automatic timer, stainless steel construction, cULus 
	1 ea	Note: Must specify voltage and phase
	1 ea	21216 120v/60/1-ph, 900 watts, 7.5 amps, NEMA 5-15P, standard
104	2	WALL CAPS & CORNER GUARDS Custom Stainless Steel Wall Cap, 6" W x 2" D x 42" H, 16 gauge stainless steel with kinked


Item	Qty	Description	
		edges, NSF	
	2	Corner Guard, 2" W x 2" D x 42" H, 16 gauge stainless steel with kinked edges, NSF	
105	1	CO2 TANKS	<By Vendor>
		Not In Contract	
		Provided by Vendor	
106		SPARE NO.	


Item	Qty	Description	
		Advance Tabco Model No. DI-1-10SP Drop-In Sink, 1-compartment, 10" wide x 14" front-to-back x 10" deep bowl, 6" tapered side & rear splashes, 20 gauge 304 series stainless steel, with deck mounted gooseneck faucet, basket drain, NSF	
113	1 ea	DIPPER WELL T&S Brass Model No. B-2282-01 Dipperwell Faucet, 5/16" ID for sweat fitting or remove coupling 1/2" NPSM male shank, 1-1/2" brass tube, drain, polish chrome plated solid brass knob, stainless steel bowl & inner overflow cup	
			
114	1	BEVERAGE COUNTER TOP Not In Contract Provided by G.C.	<By G/C>
115	1	BEVERAGE COUNTER BASE Custom Stainless Steel Beverage Counter Base 16 ga 304 S/S counter base, 78" x 24" - 114" x 30" x 113" x 30", mitered front corner, (9) doors, 16 ga S/S bottom shelves, open under for #117, 121 and 130	
	1	6" Galvanized Curb Base	<Included>
116	1 ea	BEVERAGE DISPENSER Grindmaster-Cecilware Model No. D25-3 Crathco® Classic Bubblers™ Premix Cold Beverage Dispenser, 17-1/2" W, (2) 5 gallon capacity clear polycarbonate bowl, 8-1/4" cup height, MCX Mag Drive™ impeller, stainless steel base side panels & drip tray, spray & agitate circulation packed with unit, 120v, 660 watts, 6 amps, CE, NSF, cULus (Grindmaster)	
			
	1 ea	5 years compressors warranty, standard	
117	1 ea	REFRIGERATED WORK TOP Continental Refrigerator Model No. SW27-FB-D Work Top Refrigerator, Front Breather, 27-1/2" wide, one-section, stainless steel flat top, (2) drawers, accommodates (1) 12 x 20 x 6 pan per drawer (supplied by others), stainless steel front, aluminum sides & interior, 3-5/8" casters, rear mounted self-contained refrigeration, 1/5 hp, Made in USA	
			
	1 ea	Standard warranty (for the United States & Canada Only): 3 year parts and labor; 5 year compressor	
	1 ea	115v/60/1, 6.3 amps, NEMA 5-15P, standard	
118	1 ea	COFFEE/TEA BREWER Not In Contract Provided by Vendor	<By Vendor>
119	1 ea	WATER FILTRATION SYSTEM	

Item	Qty	Description
		OptiPure Model No. QT110-1 QT Water Filter System, single 10" cartridge, (1) CTOS-Q10 cartridge with IsoNet®, 15,000 gallon capacity, 1.5 gpm, 0.5 micron sediment and chlorine, taste, odor reduction, scale inhibition, for use with ice makers (up to 800 lb. cuber/1,000lb. flaker), coffee makers, steamers and combi ovens, NSF (160-52011)
120		SPARE NO.
121	1 ea	WORKTOP FREEZER Continental Refrigerator Model No. SWF27-FB-D Work Top Freezer, Front Breather, 27" wide, one-section, stainless steel flat top, (2) drawers, accommodates (1) 12 x 20 x 6 pan per drawer (supplied by others), stainless steel front, aluminum sides & interior, 3-5/8" casters, rear mounted self-contained refrigeration, 1/4 hp, Made in USA 1 ea Standard warranty (for the United States & Canada Only): 3 year parts and labor; 5 year compressor 1 ea 115v/60/1, 4.8 amps, NEMA 5-15P, standard 1 ea Automatic, hot gas condensate evaporator, standard
122	1	PASS THRU SHELF W/ WINDOW TRIM Custom Stainless Steel Pass Thru Shelf, 36" W x 12" D, 16 gauge, 304 series stainless steel, bottom pan with wood sub-ply, NSF *port trim included
123	1 ea	JUICER Not In Contract Provided by Owner
124	1	TRASH CAN Not In Contract Provided by Owner
125	1 ea	DECK MOUNT FAUCET T&S Brass Model No. B-0221-CC Mixing Faucet, deck mount, 12" swing nozzle, 8" centers on deck faucet with 1/2" IPS CC male inlets, lever handles  1 cs B-0425-M Supply Nipple Kit, 1/2" NPT x 2" Long (master carton of 2 units)
126	1	DROP-IN DUMP SINK Custom Stainless Steel Drop-In Sink, one compartment, 18" x 18" x 12"
127	1 ea	GLASS FILLER STATION T&S Brass Model No. B-1230 Water Station, drop-in, 10-1/2" 18 ga. stainless steel drip pan, B-1210 push back glass filler with 8" clearance 
128	1 ea	WATER FILTRATION SYSTEM

Item	Qty	Description
		OptiPure Model No. FX-11 FX Water Filter System, single 10" sump, (1) CTO-10 cartridge, 15,000 gallon capacity, 1.5 gpm, 0.5 micron sediment and chlorine, taste, odor reduction, for use with beverage (1 carbonator) and drinking water, NSF (160-50010)
129	1 ea	DROP-IN ICE BIN  Krowne Metal Model No. D278 Krowne Ice Bin, drop-in, 20"W x 15"D O.A., 50 lbs ice capacity, 10" deep stainless steel liner, fully insulated, stainless steel top, includes stainless steel sliding cover, NSF (18-1/4" x 13-1/4" cutout required) (available with a cold plate – see D278-7)
130	1 ea	REFRIGERATED WORK TOP  Continental Refrigerator Model No. SW27-FB-D Work Top Refrigerator, Front Breather, 27-1/2" wide, one-section, stainless steel flat top, (2) drawers, accommodates (1) 12 x 20 x 6 pan per drawer (supplied by others), stainless steel front, aluminum sides & interior, 3-5/8" casters, rear mounted self-contained refrigeration, 1/5 hp, Made in USA 1 ea Standard warranty (for the United States & Canada Only): 3 year parts and labor; 5 year compressor 1 ea 115v/60/1, 6.3 amps, NEMA 5-15P, standard
131	1 ea	BAR BLENDER  Vitamix Model No. 36019 (VM0145) The Quiet One® Blender, countertop, 48 oz. (1.4 liter) capacity clear Advance® container, 24-1/2" H with lid open, stackable, removable compact cover, (6) touch control buttons with 34 program option, includes: Advance® blade assembly & lid, 3-peak HP, RoHs compliant, CE, cULus, NSF 1 ea 3 years warranty on motor base parts & 1 year warranty on labor, standard 1 ea 120v/50-60/1-ph, 15 amps, standard
132	1 ea	BAR BLENDER  Vitamix Model No. 36019 (VM0145) The Quiet One® Blender, countertop, 48 oz. (1.4 liter) capacity clear Advance® container, 24-1/2" H with lid open, stackable, removable compact cover, (6) touch control buttons with 34 program option, includes: Advance® blade assembly & lid, 3-peak HP, RoHs compliant, CE, cULus, NSF 1 ea 3 years warranty on motor base parts & 1 year warranty on labor, standard 1 ea 120v/50-60/1-ph, 15 amps, standard

Item	Qty	Description	
		Not In Contract Provided by G.C.	
136	1	BEVERAGE COUNTER BASE Custom Stainless Steel Beverage Counter Base 16 ga 304 S/S angled counter base, 86" x 36" - 92" x 36" - 20" x 36", 16 ga S/S open bottom & intermediate shelves, open under for #141 and 144 1 6" Galvanized Curb Base	<Included>
138	1 ea	COFFEE GRINDER Not In Contract Provided by Owner	<By Owner>
139	1 ea	AIRPOT Not In Contract Provided by Owner	<By Owner>
140		SPARE NO.	
142	1	TRASH CAN Not In Contract Provided by Owner	<By Owner>
143	1 ea	COFFEE GRINDER Not In Contract Provided by Owner	<By Owner>
144	1 ea	REACH-IN UNDERCOUNTER REFRIGERATOR True Food Service Equipment Model No. TUC-27-LP-HC Low Profile Undercounter Refrigerator, 33-38° F, stainless steel top & sides, (1) stainless steel door, (2) shelves, clear coated aluminum interior with stainless steel floor, 1-1/2" diameter dual wheel castors, 31-7/8" counter height, front breathing, R290 Hydrocarbon refrigerant, 1/6 HP, 115v/60/1, 2.0 amps, 7' cord, NEMA 5-15P, cULus, UL EPH Classified, CE, MADE IN USA 1 ea Self-contained refrigeration standard 1 ea Warranty - 5 year compressor (self-contained only), please visit www.Truefmfg.com for specifics 1 ea Warranty - 3 year parts and labor, please visit www.Truefmfg.com for specifics 1 ea 1-1/2" diameter dual wheel castors, standard	
			
146	1 ea	WATER FILTRATION SYSTEM	

Item	Qty	Description
		OptiPure Model No. QTSFT-1 QT Water Filter System, single 15", (1) SFT-Q cartridge, 1800 grain capacity, 1 gpm, 10 micron sediment, ION exchange-water softening, for use with espresso, tea, countertop steamers, combination applications (160-52017)
147	1	SNEEZE GUARD, VERTICAL English Manufacturing Matrix Sneeze Guard M-100-3 Approx. 78" long 26" high Counter Height 34" (2) corner posts with F-1 mounting (1) angle center post with F-1 mounting (2) 3/8" clear tempered glass panels M-100 Return Panel Inside Mount (2) end post with F-1 mounting (2) 3/8" clear tempered glass panel
152	1	ADA EATING COUNTER Not In Contract Provided by G.C.
153	1	EATING COUNTER Not In Contract Provided by G.C.
154	1 ea	DISPENSER, LIQUID COFFEE / TEA Not In Contract Provided by Owner
155	1	WATER / COFFEE SELF-SERVE Not In Contract Provided by G.C.
156	1	TRAY / TRASH RETURN Not In Contract Provided by G.C.
157	1 ea	SELF-SERVICE REFRIGERATED MERCHANDISER

Item	Qty	Description
		
		Structural Concepts Model No. B62 Oasis® Self-Service Refrigerated Merchandiser, 66-3/8"W, high profile, open front, (4) non-lighted shelves, top light, Breeze™ with EnergyWise self-contained refrigeration system, Blue Fin coated coil, one piece formed ABS plastic tub, black interior, laminate exterior, full end panels with mirror, cETLus, ETL-Sanitation
	1 ea	NOTE: If GFCI is required, a GFCI breaker MUST be used in lieu of a GFCI receptacle
	1 ea	1 yr. parts & labor warranty, 5 yr. compressor warranty, standard
	1 ea	Breeze with EnergyWise self-contained refrigeration, lower front air intake/upper front air discharge, standard
	1 ea	208-240v/60/1ph, 12.0 amps, cord with NEMA 6-20P
	1 ea	6 ft cord, exit at base, standard
	1 ea	NOTE: Compressor air intake through lower front & channeled up rear & out upper front, front panel cannot be blocked
	1 ea	Base Support: Casters, with levelers, standard
	1 ea	Exterior: Wilsonart or Formica NON-PREMIUM laminate (Color chart available from factory rep or access color selections via www.wilsonart.com or www.formica.com)
	1 ea	NOTE: SCC will not be responsible for additional charges incurred for Premium or other Manufacturer's laminate selections not originally quoted
	1 ea	Header style: Square header, standard
	1 ea	Upper front panel style: Flat front, standard
	1 ea	Lower front panel: Black, standard
	1 ea	Left end panel: Full with mirrored interior, metal edging, standard
	1 ea	Right end panel: Full with mirrored interior, metal edging, standard
	1 ea	Back Panel: Solid back panel, black, standard
158	1	RETAIL DISPLAY Not In Contract Provided by G.C. <By G/C>
159		SPARE NO.
160	1	GREASE INTERCEPTOR Not In Contract Provided by G.C. <By G/C>