




MeshSat

Approved brand asset system

Final package - source-faithful master

1. Source of truth

The approved artwork is never reconstructed for production assets.



Canonical masters

Full logo: 01_MASTER/meshsat-full-transparent.png

Mark: 01_MASTER/meshsat-mark-transparent.png

Dark lockup: 01_MASTER/meshsat-full-black-background.png

Original approved source: 00_SOURCE/approved-logo-source.png

Rule: preserve the mesh, broken right segment, orbit dots, orange terminal, wordmark proportions and spacing.

2. Core variants

Use the dark version by default; light and monochrome variants are production treatments.



3. Icon and small-size usage

Use the mark alone for favicons, app icons, avatars and compact hardware labels.



16 px



32 px



48 px



96 px



180 px




512 px

For very small sizes, the mark is preferred over the full wordmark.

4. Web, social and app

Exports cover common production surfaces while retaining the approved artwork.




Included

- Favicons / PWA
- Open Graph / link cards
- Social avatars / banners
- Post / Story / Reel templates
- iOS 1024 master + legacy set
- Android adaptive + monochrome

5. Field kits, stickers and physical deployment

Rugged-case assets include 300 DPI exports and print-ready PDFs with 3 mm bleed.



Peli-case labels: 200x80, 150x60, 120x50, 100x40 mm

Equipment strips: 80x25, 75x30, 60x20, 50x20 mm

Round and rounded-square mark stickers: 25, 35, 50, 75, 100 mm

Mono assets included for engraving, vinyl, embroidery and one-color production.

6. Color and background

The color values below are operational references for digital assets.




Space Black

#040406



Signal Orange

#F96118



Off White

#F7F7F4

For vendor print conversion, use the printer's ICC workflow rather than treating an arbitrary CMYK conversion as canonical.

7. Production rules

Keep the source-faithful artwork intact across every deployment.

- Do not redraw or alter the mesh geometry.
- Do not change the orange terminal position or color relationship.
- Do not replace or re-typeset the MeshSat wordmark in production lockups.
- Do not stretch, shear or change the mark-to-wordmark proportion.
- Use monochrome assets only where the production method requires one color.
- Use the high-resolution master to regenerate new platform sizes as standards change.
- Treat 00_SOURCE/approved-logo-source.png as the final visual authority.