DATABASE REPORT

Project Property:	*27 Grosvenor Street and 26 Grenville Street* *27 Grosvenor Street* *Toronto ON M7A 2G6*
Project No:	*BIGC-ENV-222A*
Report Type:	*RSC Report (Urban)*
Order No:	*20180705147*
Requested by:	*B.I.G. Consulting Inc.*
Date Completed:	*July 11, 2018*

Environmental Risk Information Services
A division of Glacier Media Inc.
P: 1.866.517.5204
E: info@erisinfo.com

www.erisinfo.com

Table of Contents

Table of Contents....2
Executive Summary....3
Executive Summary: Report Summary....4
Executive Summary: Site Report Summary - Project Property....6
Executive Summary: Site Report Summary - Surrounding Properties....10
Executive Summary: Summary By Data Source....55
Map....111
Aerial....112
Topographic Map....113
Detail Report....114
Unplottable Summary....718
Unplottable Report....723
Appendix: Database Descriptions....758
Definitions....767

Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report(s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

Executive Summary

Property Information:

Project Property:	*27 Grosvenor Street and 26 Grenville Street* *27 Grosvenor Street Toronto ON M7A 2G6*
Project No:	*BIGC-ENV-222A*

Order Information:

Order No:	*20180705147*
Date Requested:	*July 5, 2018*
Requested by:	*B.I.G. Consulting Inc.*
Report Type:	*RSC Report (Urban)*

Historical/Products:

Topographic Map	*Ontario Base Map (OBM)*

Executive Summary: Report Summary

Database	Name	Searched	Project Property	Boundary to 0.30km	Total
AAGR	Abandoned Aggregate Inventory	Y	0	0	0
AGR	Aggregate Inventory	Y	0	0	0
AMIS	Abandoned Mine Information System	Y	0	0	0
ANDR	Anderson's Waste Disposal Sites	Y	0	1	1
AUWR	Automobile Wrecking & Supplies	Y	0	0	0
BORE	Borehole	Y	4	149	153
CA	Certificates of Approval	Y	2	25	27
CFOT	Commercial Fuel Oil Tanks	Y	0	0	0
CHEM	Chemical Register	Y	0	0	0
CNG	Compressed Natural Gas Stations	Y	0	0	0
COAL	Inventory of Coal Gasification Plants and Coal Tar Sites	Y	0	0	0
CONV	Compliance and Convictions	Y	0	0	0
CPU	Certificates of Property Use	Y	0	2	2
DRL	Drill Hole Database	Y	0	0	0
DRYCLEANERS	Dry Cleaning Facilities	Y	0	1	1
EASR	Environmental Activity and Sector Registry	Y	0	7	7
EBR	Environmental Registry	Y	0	10	10
ECA	Environmental Compliance Approval	Y	2	25	27
EEM	Environmental Effects Monitoring	Y	0	0	0
EHS	ERIS Historical Searches	Y	3	66	69
EIIS	Environmental Issues Inventory System	Y	0	0	0
EMHE	Emergency Management Historical Event	Y	0	0	0
EXP	List of TSSA Expired Facilities	Y	0	0	0
FCON	Federal Convictions	Y	0	0	0
FCS	Contaminated Sites on Federal Land	Y	0	0	0
FOFT	Fisheries & Oceans Fuel Tanks	Y	0	0	0
FST	Fuel Storage Tank	Y	0	3	3
FSTH	Fuel Storage Tank - Historic	Y	0	6	6
GEN	Ontario Regulation 347 Waste Generators Summary	Y	34	513	547
GHG	Greenhouse Gas Emissions from Large Facilities	Y	0	0	0
HINC	TSSA Historic Incidents	Y	0	4	4
IAFT	Indian & Northern Affairs Fuel Tanks	Y	0	0	0
INC	TSSA Incidents	Y	0	1	1
LIMO	Landfill Inventory Management Ontario	Y	0	0	0
MINE	Canadian Mine Locations	Y	0	0	0
MISA PENALTY	Environmental Penalty Annual Report	Y	0	0	0

Database	Name	Searched	Project Property	Boundary to 0.30km	Total
MNR	Mineral Occurrences	Y	0	0	0
NATE	National Analysis of Trends in Emergencies System (NATES)	Y	0	0	0
NCPL	Non-Compliance Reports	Y	0	0	0
NDFT	National Defense & Canadian Forces Fuel Tanks	Y	0	0	0
NDSP	National Defense & Canadian Forces Spills	Y	0	0	0
NDWD	National Defence & Canadian Forces Waste Disposal Sites	Y	0	0	0
NEBI	National Energy Board Pipeline Incidents	Y	0	0	0
NEBW	National Energy Board Wells	Y	0	0	0
NEES	National Environmental Emergencies System (NEES)	Y	0	0	0
NPCB	National PCB Inventory	Y	2	15	17
NPRI	National Pollutant Release Inventory	Y	1	17	18
OGW	Oil and Gas Wells	Y	0	0	0
OOGW	Ontario Oil and Gas Wells	Y	0	0	0
OPCB	Inventory of PCB Storage Sites	Y	4	18	22
ORD	Orders	Y	0	0	0
PAP	Canadian Pulp and Paper	Y	0	1	1
PCFT	Parks Canada Fuel Storage Tanks	Y	0	0	0
PES	Pesticide Register	Y	0	7	7
PINC	TSSA Pipeline Incidents	Y	0	1	1
PRT	Private and Retail Fuel Storage Tanks	Y	0	4	4
PTTW	Permit to Take Water	Y	0	3	3
REC	Ontario Regulation 347 Waste Receivers Summary	Y	0	4	4
RSC	Record of Site Condition	Y	0	10	10
RST	Retail Fuel Storage Tanks	Y	0	0	0
SCT	Scott's Manufacturing Directory	Y	0	67	67
SPL	Ontario Spills	Y	2	29	31
SRDS	Wastewater Discharger Registration Database	Y	0	0	0
TANK	Anderson's Storage Tanks	Y	1	49	50
TCFT	Transport Canada Fuel Storage Tanks	Y	0	0	0
VAR	TSSA Variances for Abandonment of Underground Storage Tanks	Y	0	0	0
WDS	Waste Disposal Sites - MOE CA Inventory	Y	0	0	0
WDSH	Waste Disposal Sites - MOE 1991 Historical Approval Inventory	Y	0	0	0
WWIS	Water Well Information System	Y	1	79	80
		Total:	56	1,117	1,173

Executive Summary: Site Report Summary - Project Property

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev diff (m)	Page Number
1	EHS		27 Grosvenor Toronto ON	-/0.0	0.30	114
2	BORE		ON	-/0.0	-0.06	114
3	WWIS		ON	-/0.0	0.02	114
4	BORE		ON	-/0.0	0.08	115
5	BORE		ON	-/0.0	0.02	116
6	GEN	MINISTRY OF COMMUNITY SAFETY AND CORRECTIONAL SERV	FORENSIC PATHOLOGY UNIT 26 GRENVILLE STREET TORONTO ON M7A 2G9	-/0.0	0.10	117
6	GEN	MINISTRY OF COMMUNITY SAFETY AND CORRECTIONAL SERV	FORENSIC PATHOLOGY UNIT 26 GRENVILLE STREET TORONTO ON M7A 2G9	-/0.0	0.10	117
6	GEN	MINISTRY OF COMMUNITY SAFETY AND CORRECTIONAL SERV	FORENSIC PATHOLOGY UNIT 26 GRENVILLE STREET TORONTO ON M7A 2G9	-/0.0	0.10	118
6	GEN	MINISTRY OF COMMUNITY SAFETY AND CORRECTIONAL SERV	FORENSIC PATHOLOGY UNIT 26 GRENVILLE STREET TORONTO ON M7A 2G9	-/0.0	0.10	118
6	GEN	MINISTRY OF COMMUNITY SAFETY AND CORRECTIONAL SERV	FORENSIC PATHOLOGY UNIT 26 GRENVILLE STREET TORONTO ON M7A 2G9	-/0.0	0.10	119
6	GEN	MINISTRY OF THE SOLICITOR GENERAL	FORENSIC PATHOLOGY BRANCH 26 GRENVILLE STREET TORONTO ON M7A 1Y6	-/0.0	0.10	119
6	GEN	Infrastructure Ontario	26 Grenville Street Toronto ON M4Y 1A3	-/0.0	0.10	120
6	GEN	Government of Ontario	26 Grenville St Toronto ON M7A 2G9	-/0.0	0.10	120
6	GEN	Government of Ontario	26 Grenville St Toronto ON	-/0.0	0.10	121
6	GEN	Government of Ontario	26 Grenville St Toronto ON	-/0.0	0.10	121
6	GEN	MINISTRY OF THE SOLICITOR GENERAL 26-697	FORENSIC PATHOLOGY BRANCH 26 GRENVILLE STREET TORONTO ON M7A 1Y6	-/0.0	0.10	121

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev diff (m)	Page Number
6	GEN	MIN OF SOL GEN/FORENSIC PATHOLOGY BRANCH	26 GRENVILLE STREET TORONTO ON M7A 2G9	-/0.0	0.10	122
7	BORE		ON	-/0.0	0.90	122
8	CA	MANAGEMENT BOARD SECRETARIAT	25 GROSVENOR STREET TORONTO CITY ON	-/0.0	1.07	12
8	CA		25 Grosvenor St. Toronto ON	-/0.0	1.07	123
8	ECA	Ontario Realty Corporation	25 Grosvenor St. TORONTO ON M7A 2G3	-/0.0	1.07	123
8	ECA	Ontario Infrastructure and Lands Corporation	25 Grosvenor St Toronto ON M5G 2L5	-/0.0	1.07	124
8	EHS		25 Grosvenor Street Toronto ON	-/0.0	1.07	124
8	EHS		25 Grosvenor St Toronto ON M7A2S8	-/0.0	1.07	124
8	GEN	MIN OF COMMUNITY SAFETY & CORRECTIONAL SERVICES	25 GROSVENOR ST. TORONTO ON M7 A 2G	-/0.0	1.07	124
8	GEN	MINISTRY OF GOVERNMENT SERVICES 27-485	25 GROSVENOR ST. 14TH FLOOR TORONTO ON M4Y 1A9	-/0.0	1.07	125
8	GEN	MINISTRY OF GOVERNMENT SERVICES	25 GROSVENOR STREET 14TH FLOOR TORONTO ON M7A 1R1	-/0.0	1.07	126
8	GEN	MINISTRY OF THE SOLICITOR GENERAL AND	PRIVATE INVESTIGATORS & SECURITY GUARDS 25 GROSVENOR STREET, 9TH FLOOR TORONTO ON	-/0.0	1.07	126
8	GEN	MIN OF COMMUNITY SAFETY & CORRECTIONAL SERVICES	25 GROSVENOR ST. TORONTO ON	-/0.0	1.07	126
8	GEN	MANAGEMENT BOARD SECRETARIAT	25 GROSVENOR STREET TORONTO ON M4Y 1A9	-/0.0	1.07	127
8	GEN	MINISTRY OF THE SOLICITOR GENERAL	CENTRE OF FORENSIC SCIENCES 25 GROSVENOR ST. TORONTO ON M7A 2G8	-/0.0	1.07	127
8	GEN	MIN OF COMMUNITY SAFETY & CORRECTIONAL SERVICES	25 GROSVENOR ST. TORONTO ON	-/0.0	1.07	128
8	GEN	MIN OF COMMUNITY SAFETY & CORRECTIONAL SERVICES	25 GROSVENOR ST. TORONTO ON	-/0.0	1.07	129
8	GEN	Unit Park Co. Inc.	25 Grosvenor Street Toronto ON M7A 2G6	-/0.0	1.07	130

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev diff (m)	Page Number
8	GEN	CBRE Ltd	25 Grosvenor Toronto ON M7A1Y6	-/0.0	1.07	130
8	GEN	MINISTRY OF THE SOLICITOR GENERAL	PRIVATE INVESTIGATORS & SECURITY GUARDS 25 GROSVENOR STREET, 9TH FLOOR TORONTO ON M7A 1Y6	-/0.0	1.07	130
8	GEN	CBRE	25 grosvenor st. toronto ON M7A 1Y6	-/0.0	1.07	131
8	GEN	CBRE	25 grosvenor st. toronto ON M7A 1Y6	-/0.0	1.07	131
8	GEN	MIN OF COMMUNITY SAFETY & CORRECTIONAL SERVICES	25 GROSVENOR ST. TORONTO ON	-/0.0	1.07	132
8	GEN	MINISTRY OF THE SOLICITOR GENERAL	25 GROSVENOR ST. TORONTO ON M7 A 2G	-/0.0	1.07	133
8	GEN	CBRE Ltd	25 Grosvenor Toronto ON M7A1Y6	-/0.0	1.07	134
8	GEN	MINISTRY OF THE SOLICITOR GENERAL 27-017	CENTRE OF FORENSIC SCIENCES 25 GROSVENOR ST. TORONTO ON M7A 2G8	-/0.0	1.07	134
8	GEN	MINISTRY OF THE SOLICITOR GENERAL	CENTRE OF FORENSIC SCIENCES 25 GROSVENOR STREET TORONTO ON M7A 2G8	-/0.0	1.07	134
8	GEN	MIN OF COMMUNITY SAFETY & CORRECTIONAL SERVICES	25 GROSVENOR ST. TORONTO ON	-/0.0	1.07	135
8	GEN	MINISTRY OF GOVT SERVICES	25 GROSVENOR ST. 14TH FLOOR TORONTO ON M7A 1R1	-/0.0	1.07	136
8	GEN	CBRE	25 grosvenor st. toronto ON M7A 1Y6	-/0.0	1.07	136
8	NPCB	ONTARIO REALITY CORPORATION	25 GROSVENOR STREET TORONTO ON	-/0.0	1.07	137
8	NPCB	MANAGEMENT BOARD SECRETARIAT	25 GROSVENOR STREET TORONTO ON	-/0.0	1.07	13
8	NPRI	ONTARIO REALTY	25 GROSVENOR Street TORONTO ON M4Y1A9	-/0.0	1.07	138
8	OPCB	MANAGEMENT BOARD SECRETARIAT	25 GROSVENOR STREET TORONTO ON	-/0.0	1.07	139
8	OPCB	ONTARIO REALTY CORPORATION	25 GROSVENOR STREET TORONTO(FAX-314-3488) ON	-/0.0	1.07	139
8	OPCB	ONTARIO REALTY CORPORATION	25 GROSVENOR STREET TORONTO(FAX-314-3488) ON	-/0.0	1.07	139

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev diff (m)	Page Number
8	OPCB	MANAGEMENT BOARD SECRETARIAT	25 GROSVENOR STREET TORONTO ON	-/0.0	1.07	139
8	SPL	Ontario Realty Corporation	25 Grosvenor St TORONTO ON M7A 1Y6	-/0.0	1.07	140
8	SPL	Her Majesty the Queen as Represented by the Minister of Community Safety	25 Grosvenor St Toronto ON	-/0.0	1.07	140
8	TANK	Nesbit [Wallace]	25 St Vincent St Toronto ON	-/0.0	1.07	141

Executive Summary: Site Report Summary - Surrounding Properties

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
9	TANK	Taylor [H A]	22 Grenville St Toronto ON	SE/2.5	-0.22	141
10	BORE		ON	SE/2.7	-0.47	141
11	BORE		ON	SSE/3.0	-0.32	142
12	WWIS		TORONTO ON	E/3.6	0.05	143
13	BORE		ON	NNE/5.5	0.73	148
14	BORE		ON	SW/6.4	0.09	149
15	BORE		ON	ENE/7.9	0.35	150
16	CA	GRENVILLE STREET COOP. HOUSING INC.	18 GRENVILLE STREET TORONTO CITY ON M4Y 3B3	ESE/11.3	-0.41	150
16	GEN	THE CREDIT UNION	18 GRENVILLE STREET TORONTO ON M4Y 3B3	ESE/11.3	-0.41	151
16	SPL	CONTRACTOR	AT 18 GRENVILLE ST. (N.O.S.) TORONTO CITY ON M4Y 3B3	ESE/11.3	-0.41	15
17	WWIS		ON	WSW/11.6	0.11	151
18	GEN	MANAGEMENT BOARD SECRETARIAT	32-34 GRENVILLE STREET TORONTO ON	SSW/11.8	-0.38	152
19	BORE		ON	SSW/16.5	-0.32	152
20	EASR	TORONTO STANDARD CONDOMINIUM CORPORATION NO. 2037	37 GROSVENOR ST TORONTO ON M4Y 3G5	WNW/21.6	1.03	153
20	SPL		60 to 37 Grosvenor St Toronto ON	WNW/21.6	1.03	153
21	GEN	MINISTRY OF GOVERNMENT SERVICES	HORTICULTURE SERVICES 34 GRENVILLE ST. TORONTO ON M4Y 1A3	SSW/23.7	-0.32	154
21	GEN	MINISTRY OF GOVERNMENT SERVICES 27-002	HORTICULTURE SERVICES 34 GRENVILLE ST. TORONTO ON M4Y 1A3	SSW/23.7	-0.32	154
22	BORE		ON	SSW/29.2	-0.17	154
23	EHS		21 Grenville Street Toronto ON M4Y 1A1	SE/29.6	-1.05	155
23	PINC		21 GRENVILLE STREET, TORONTO ON	SE/29.6	-1.05	155
23	SPL	Enbridge Gas Distribution	21 Grenville Street Toronto ON	SE/29.6	-1.05	156
24	EHS		9 Grenville Street Toronto ON	ESE/33.8	-0.80	156

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
25	NPCB	MINISTRY OF GOVERNMENT SERVICES	16 GROSVENOR STREET QUEEN'S PARK REGIONAL OFFICE Toronto ON	NNE/35.7	1.60	156
25	NPCB	MINISTRY OF GOVERNMENT SERVICE	QUEEN'S PARK REGIONAL OFFICE 16 GROSVENOR STREET TORONTO ON M4Y 1A	NNE/35.7	1.60	157
25	NPCB	MINISTRY OF GOVERNMENT SERVICES	QUEEN'S PARK REGIONAL OFFICE; 16 GROSVENOR STREET TORONTO ON M4Y 1A8	NNE/35.7	1.60	15
26	TANK	Williamson [R]	863 Bay St Toronto ON	W/35.8	0.99	160
27	WWIS		ON	SSW/37.1	-0.10	160
27	WWIS		ON	SSW/37.1	-0.10	163
28	BORE		ON	SW/38.6	0.00	165
29	GEN	Murano Condominiums	825 Bay St Toronto ON M5S 3M4	WSW/41.4	-0.01	166
29	RSC	Bay Grenville Properties Limited	825 Bay Street,, Toronto, ON M5S 3M4	WSW/41.4	-0.01	166
30	EHS		25 Grenville Street & 22 College Street Toronto ON	SE/42.2	-1.28	167
31	SCT	Sign*A*Rama	873 Bay St Toronto ON M5S 3K6	WNW/43.2	1.72	167
32	TANK	Leslie Charles H	857 Bay St Toronto ON	WSW/43.4	0.05	167
33	GEN	YMCA of Greater Toronto	20 Grosvenor Street Toronto ON M4Y 2V5	N/47.3	2.03	167
34	RSC		9 GRENVILLE STREET, TORONTO, ONTARIO M4Y 1A1 Toronto ON	ESE/47.4	-0.97	168
35	WWIS		Toronto ON	NE/52.4	0.98	169
36	CA	City of Toronto	40 College St Toronto ON M5G 2J3	S/53.4	-0.89	172
36	ECA	City of Toronto	40 College St Toronto ON M1B 3G4	S/53.4	-0.89	172
36	GEN	City of Toronto	40 College St Toronto ON M5G 2J3	S/53.4	-0.89	172
36	GEN	City of Toronto	40 College St Toronto ON M5G 2J3	S/53.4	-0.89	173
36	GEN	City of Toronto	40 College St Toronto ON M5G 2J3	S/53.4	-0.89	173
36	GEN	City of Toronto	40 College Street Toronto ON M5G 2J3	S/53.4	-0.89	174
36	GEN	METROPOLITAN (OUT OF BUSINESS)	FORENSIC IDENTIFICATION SERVICE 40 COLLEGE STREET, 6TH FLOOR TORONTO ON M5G 2J3	S/53.4	-0.89	174
36	GEN	METROPOLITAN TORONTO POLICE FORCE	FORENSIC IDENTIFICATION SERVICE 40 COLLEGE STREET, 6TH FLOOR TORONTO ON M5G 2J3	S/53.4	-0.89	175
36	GEN	City of Toronto	40 College Street Toronto ON M5G 2J3	S/53.4	-0.89	175
36	GEN	METROPOLITAN TORONTO POLICE	FORENSIC IDENTIFICATION SERVICE 40 COLLEGE STREET, 6TH FLOOR TORONTO ON M5G 2J3	S/53.4	-0.89	175

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
36	GEN	METROPOLITAN TORONTO POLICE FORCE 25-559	FORENSIC IDENTIFICATION SERVICE 40 COLLEGE STREET, 6TH FLOOR TORONTO ON M5G 2J3	S/53.4	-0.89	176
36	GEN	City of Toronto	40 College Street Toronto ON M5G 2J3	S/53.4	-0.89	176
36	GEN	METROPOLITAN TORONTO POLICE FORCE	FORENSIC IDENTIFICATION SERVICE 40 COLLEGE ST. TORONTO ON M5G 2J3	S/53.4	-0.89	177
36	GEN	Toronto Police Service	40 College Street Toronto ON M5G2J3	S/53.4	-0.89	177
36	GEN	City of Toronto	40 College St Toronto ON M5G 2J3	S/53.4	-0.89	177
36	TANK	Imperial Oil Co Ltd	40 College St Toronto ON M5G 2J3	S/53.4	-0.89	178
36	TANK	Imperial Oil Co Ltd	40 College St Toronto ON M5G 2J3	S/53.4	-0.89	178
36	TANK	Imperial Oil Co Ltd	40 College St Toronto ON M5G 2J3	S/53.4	-0.89	178
37	WWIS		TORONTO ON	ENE/54.4	1.06	179
38	BORE		ON	E/55.1	0.40	181
39	BORE		ON	ENE/57.8	1.07	182
40	FST	CITY OF TORONTO FIRE DEPT CITY HALL 4W	12 GROSVENOR STSTATION 3 TORONTO ON M4Y 1A8	NNE/60.7	1.91	183
40	FSTH	CITY OF TORONTO FIRE DEPT CITY HALL 4W	12 GROSVENOR ST STATION 3 TORONTO ON M4Y 1A8	NNE/60.7	1.91	183
40	FSTH	CITY OF TORONTO FIRE DEPT CITY HALL 4W	12 GROSVENOR ST STATION 3 TORONTO ON M4Y 1A8	NNE/60.7	1.91	183
40	GEN	TORONTO, CORPORATION OF THE CITY OF	NO. 3 FIREHALL 12 GROSVENOR STREET TORONTO ON M4Y 1A8	NNE/60.7	1.91	184
40	GEN	TORONTO, CITY OF, PROPERTY OPERATIONS	12 GROSVENOR STREET NO. 3 FIREHALL TORONTO ON M4Y 1A8	NNE/60.7	1.91	184
40	PRT	CITY OF TORONTO FIRE DEPT CITY HALL 4W	12 GROSVENOR ST STATION 3 TORONTO ON M4Y 1A8	NNE/60.7	1.91	18
41	FST	MINISTRY OF TRANSPORTATION GOVERNMENT GARAGE	881 BAY ST TORONTO ON M5S 3K6	NW/61.5	2.09	184
41	FSTH	MINISTRY OF TRANSPORTATION GOVERNMENT GARAGE	881 BAY ST TORONTO ON M5S 3K6	NW/61.5	2.09	185
41	FSTH	MINISTRY OF TRANSPORTATION GOVERNMENT GARAGE	881 BAY ST TORONTO ON M5S 3K6	NW/61.5	2.09	185
41	GEN	MINISTRY OF TRANSPORT & COMMUN.	GOVERNMENT REPAIR GARAGE 881 BAY STREET TORONTO ON M5S 3K6	NW/61.5	2.09	185
41	GEN	MINISTRY OF TRANS. (OUT OF BUSINESS)	GOVERNMENT REPAIR GARAGE 881 BAY STREET TORONTO ON M5S 3K6	NW/61.5	2.09	185
41	GEN	MINISTRY OF TRANS (OUT OF BUS.)	GOVERNMENT REPAIR GARAGE 881 BAY STREET TORONTO ON M5S 3K6	NW/61.5	2.09	186
41	GEN	MINISTRY OF TRANS (OUT OF BUS.) 27-107	GOVERNMENT REPAIR GARAGE 881 BAY STREET TORONTO ON M5S 3K6	NW/61.5	2.09	186

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
41	GEN	MINISTRY OF GOVERNMENT SERVICES	881 BAY STREET TORONTO ON M5S 3K6	NW/61.5	2.09	186
41	GEN	MINISTRY OF GOVERNMENT SERVICES 26-454	881 BAY STREET TORONTO ON M5S 3K6	NW/61.5	2.09	186
41	GEN	MINISTRY OF TRANSPORTATION	GOVERNMENT REPAIR GARAGE 881 BAY STREET TORONTO ON M5S 3K6	NW/61.5	2.09	187
41	PRT	MINISTRY OF TRANSPORTATION GOVERNMENT GARAGE	881 BAY ST TORONTO ON M5S 3K6	NW/61.5	2.09	18
41	PRT	MINISTRY OF TRANSPORT	881 BAY ST TORONTO ON M5S 3K6	NW/61.5	2.09	18
41	TANK	International Harvesters of Canada	881 Bay St Toronto ON M5S 3K6	NW/61.5	2.09	188
42	WWIS		TORONTO ON	SE/63.2	-1.26	188
43	WWIS		Toronto ON	NE/63.6	1.04	191
44	BORE		ON	SSW/65.5	-0.99	193
45	GEN	Native Child and Family Services of Toronto	30 College Street Toronto ON M5G 1K2	SSE/66.3	-1.60	194
45	GEN	Native Child and Family Services of Toronto	30 College Street Toronto ON M5G 1K2	SSE/66.3	-1.60	194
45	GEN	Native Child and Family Services of Toronto	30 College St Toronto ON M5G 1K2	SSE/66.3	-1.60	195
45	SCT	MCNEIL SIGNS	30 COLLEGE ST UNIT 2 TORONTO ON M5G 1K2	SSE/66.3	-1.60	19
45	SCT	MCNEILL SIGNS	30 COLLEGE ST UNIT 2 TORONTO ON M5G 1K2	SSE/66.3	-1.60	19
46	EHS		22 College Street Toronto ON M5G 1K2	SE/66.8	-1.97	195
46	GEN	TORONTO BOARD OF EDUCATION	S.E.E.D. 22 COLLEGE STREET, SUITE 500 TORONTO ON M5G 1K2	SE/66.8	-1.97	196
46	GEN	Centre francophone de Toronto	22 College Street - Main Floor Toronto ON M5G 1K2	SE/66.8	-1.97	196
46	GEN	TORONTO BOARD OF EDUCATION	S. E. E. D. 22 COLLEGE STREET, SUITE 500 TORONTO ON M5G 1K2	SE/66.8	-1.97	197
46	GEN	Centre francophone de Toronto	22 College Street - Main Floor Toronto ON M5G 1K2	SE/66.8	-1.97	197
46	GEN	Centre francophone de Toronto	22 College Street - Main Floor Toronto ON	SE/66.8	-1.97	197
46	GEN	Centre francophone de Toronto	22 College Street - Main Floor Toronto ON M5G 1K2	SE/66.8	-1.97	198
46	GEN	TORONTO BOARD OF EDUCATION 37-862	S.E.E.D. 22 COLLEGE STREET, SUITE 500 TORONTO ON M5G 1K2	SE/66.8	-1.97	198
46	SCT	La Passerelle.I.D.E.	22 College St Suite 202 Toronto ON M5G 1K2	SE/66.8	-1.97	198
47	GEN	CITY OF TORONTO	10 GROSVENOR STREET TORONTO ON	NNE/67.6	1.84	199
47	GEN	CITY OF TORONTO	10 GROSVENOR STREET TORONTO ON	NNE/67.6	1.84	199

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
47	GEN	CITY OF TORONTO	10 GROSVENOR STREET TORONTO ON M4Y 1A8	NNE/67.6	1.84	199
47	GEN	CITY OF TORONTO	10 GROSVENOR STREET TORONTO ON M4Y 1A8	NNE/67.6	1.84	200
47	GEN	CITY OF TORONTO	10 GROSVENOR STREET TORONTO ON M4Y 1A8	NNE/67.6	1.84	200
47	GEN	CITY OF TORONTO	10 GROSVERNOR STREET TORONTO ON	NNE/67.6	1.84	200
47	GEN	CITY OF TORONTO	10 GROSVERNOR STREET TORONTO ON M4Y 1A8	NNE/67.6	1.84	200
47	GEN	CITY OF TORONTO	10 GROSVERNOR STREET TORONTO ON	NNE/67.6	1.84	201
47	GEN	TORONTO, CITY OF, PROPERTY DEPT. 38-598	10 GROSVERNOR STREET C/O 149 RIVER STREET TORONTO ON M5A 3P8	NNE/67.6	1.84	201
47	GEN	CITY OF TORONTO PROPERTY DEPARMENT	10 GROSVENOR STREET TORONTO ON M4Y 1A8	NNE/67.6	1.84	201
48	SPL	CONSUMERS' GAS CO. LTD., THE	887 BAY ST/GROSVENOR ST. NATURAL GAS PIPELINE TORONTO CITY ON M5S 3K4	NW/70.6	2.01	20
49	BORE		ON	S/71.6	-1.07	202
50	WWIS		Toronto ON	SE/75.7	-1.63	203
51	BORE		ON	WNW/75.7	1.25	205
52	EHS		480 - 494 Yonge Street Toronto ON	ENE/75.8	0.99	206
53	BORE		ON	SSW/76.1	-1.06	206
54	CA	EAST OF BAY DEVELOPMENT CORPORATION	BAY/BREADALBANE/GROSVENOR STS. TORONTO ON	WNW/76.3	2.01	20
55	GEN	LifeLabs LP	14 College Street Toronto ON M5G1K2	SE/76.8	-1.64	207
55	GEN	BCLL Medical Group	14 College Street Suite 301 Toronto ON	SE/76.8	-1.64	207
55	GEN	BCLL Medical Group	14 College Street Suite 301 Toronto ON M5G1K2	SE/76.8	-1.64	208
55	GEN	LifeLabs LP	14 College Street Toronto ON	SE/76.8	-1.64	208
55	GEN	BCLL Medical Group	14 College Street Suite 301 Toronto ON	SE/76.8	-1.64	208
55	GEN	Dr Tilley, Dr Chang, Dr Crouzat	14 college street Suite 601 Toronto ON M5G1K2	SE/76.8	-1.64	208
55	GEN	BCLL Medical Group	14 College Street Suite 301 Toronto ON M5G1K2	SE/76.8	-1.64	209
55	GEN	Maple Leaf Research	14 College Street Suite #403 Toronto ON M5G 1K2	SE/76.8	-1.64	209
55	GEN	Dr Tilley, Dr Chang, Dr Crouzat	14 college street Suite 601 Toronto ON M5G1K2	SE/76.8	-1.64	209
55	GEN	LifeLabs LP	14 College Street Toronto ON	SE/76.8	-1.64	210

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
55	GEN	Dr Tilley, Dr Chang, Dr Crouzat	14 college street Suite 601 Toronto ON M5G1K2	SE/76.8	-1.64	210
55	GEN	Maple Leaf Research	14 College Street Suite #403 Toronto ON M5G 1K2	SE/76.8	-1.64	210
55	GEN	Maple Leaf Research	14 College Street Suite #403 Toronto ON M5G 1K2	SE/76.8	-1.64	210
55	GEN	LifeLabs LP	14 College Street Toronto ON M5G1K2	SE/76.8	-1.64	211
55	GEN	Maple Leaf Research	14 College Street Suite #403 Toronto ON	SE/76.8	-1.64	211
55	GEN	Maple Leaf Research	14 College Street Suite #403 Toronto ON	SE/76.8	-1.64	211
55	GEN	BCLL Medical Group	14 College Street Suite 301 Toronto ON M5G1K2	SE/76.8	-1.64	211
55	GEN	LifeLabs LP	14 College Street Toronto ON M5G1K2	SE/76.8	-1.64	212
55	GEN	Maple Leaf Research	14 College Street Suite #403 Toronto ON M5G 1K2	SE/76.8	-1.64	212
55	GEN	LifeLabs LP	14 College Street Toronto ON M5G1K2	SE/76.8	-1.64	212
55	GEN	Dr Tilley, Dr Chang, Dr Crouzat	14 college street Suite 601 Toronto ON M5G1K2	SE/76.8	-1.64	213
55	GEN	BCLL Medical Group	14 College Street Suite 301 Toronto ON M5G1K2	SE/76.8	-1.64	213
56	WWIS		Toronto ON	ENE/78.3	0.90	213
57	EHS		488 Yonge St Toronto ON	ENE/78.7	0.98	216
57	TANK	New York Auto Sales	488 Yonge St Toronto ON M4Y 1X5	ENE/78.7	0.98	216
58	TANK	Wishart [Dr D J G]	45 Grosvenor St Toronto ON	W/79.7	1.04	216
59	BORE		ON	ENE/79.9	0.99	216
60	EASR	454 YONGE GP INC.	454-468 Yonge ST Toronto ON M4Y 1W9	ESE/80.6	-0.70	217
61	EHS		14 College Street Toronto ON	SE/81.1	-1.91	217
62	FST	ADDISON ONTARIO BAY LTD ATTN WENDY	832 BAY ST TORONTO ON M5S 1Z6	WSW/81.1	0.96	218
62	FSTH	ADDISON ONTARIO BAY LTD ATTN WENDY	832 BAY ST TORONTO ON	WSW/81.1	0.96	218
62	FSTH	ADDISON ONTARIO BAY LTD ATTN WENDY	832 BAY ST TORONTO ON M5S 1Z6	WSW/81.1	0.96	218
62	GEN	832 Bay Properties Limited	832 Bay St Toronto ON	WSW/81.1	0.96	218
62	GEN	832 Bay Properties Limited	832 Bay St Toronto ON M5S 1Z6	WSW/81.1	0.96	219
62	GEN	Stephenson's Rental Services Inc	832 Bay Street Toronto ON M5S 1Z6	WSW/81.1	0.96	219
62	PRT	ADDISON ONTARIO BAY LTD ATTN WENDY	832 BAY ST TORONTO ON M5S 1Z6	WSW/81.1	0.96	21

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
63	WWIS		TORONTO ON	ENE/81.5	0.84	219
64	RSC		460 YONGE STREET, TORONTO, ON M4Y 1W9 Toronto ON	ESE/81.7	-0.70	222
65	WWIS		TORONTO ON	SE/82.1	-1.63	223
66	BORE		ON	E/82.3	-0.70	226
67	BORE		ON	SSW/84.1	-1.22	226
68	WWIS		ON	E/85.6	-0.77	227
68	WWIS		ON	E/85.6	-0.77	227
69	SPL	CAMPEAU CORP.	REAR OF 464 YONGE STREET LAND DEVELOPERS UNDERGROUND TANK TORONTO CITY ON M4Y 1W9	ESE/85.7	-0.95	22
70	BORE		ON	SSW/87.8	-1.02	229
71	BORE		ON	S/89.7	-1.86	229
72	WWIS		TORONTO ON	E/90.0	-0.95	229
72	WWIS		TORONTO ON	E/90.0	-0.95	232
73	EASR	THE CLOVER ON YONGE INC.	480-494 Yonge ST Toronto ON M4Y 1X5	NE/91.5	1.10	235
74	BORE		ON	N/92.8	2.65	235
75	EHS		490 Yonge Street Toronto ON M4Y 1X5	ENE/95.5	0.96	235
76	BORE		ON	WNW/96.9	1.66	236
77	GEN	ONTARIO REALTY CORPORATION	897 & 901 BAY STREET, SOUTH BLOCK BAY & WELLESLEY, OPERA CENTRE DVLMT. TORONTO ON	NW/98.3	2.35	236
77	GEN	ONTARIO REALTY CORPORATION	897 & 901 BAY STREET, SOUTH BLOCK BAY & WELLESLEY, OPERA CENTRE DEV. TORONTO ON	NW/98.3	2.35	237
78	TANK	Toronto Brick Co	897 Bay St Toronto ON M5S 3K6	NW/99.4	2.35	237
78	TANK	Toronto Brick Co	897 Bay St Toronto ON M5S 3K6	NW/99.4	2.35	237
79	BORE		ON	S/99.6	-2.09	237
80	BORE		ON	NW/102.2	1.95	238
81	EHS		880 Bay St Toronto ON	WNW/103.0	1.98	238
81	TANK	McLaughlin Motor Car Co	880 Bay St Toronto ON	WNW/103.0	1.98	239

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
82	CA	TORONTO CITY	YONGE ST./GRENVILLE ST. TORONTO CITY ON	E/103.6	-0.57	23
83	GEN	Queens Park Health	899 Bay St Toronto ON	NW/104.3	2.74	239
83	GEN	Queens Park Health	899 Bay St Toronto ON M5S 3K6	NW/104.3	2.74	240
83	GEN	Queens Park Health	899 Bay St Toronto ON M5S 3K6	NW/104.3	2.74	240
83	GEN	Queens Park Health	899 Bay St Toronto ON M5S 3K6	NW/104.3	2.74	240
83	GEN	Queens Park Health	899 Bay St Toronto ON M5S 3K6	NW/104.3	2.74	241
83	GEN	Queens Park Health	899 Bay St Toronto ON M5S 3K6	NW/104.3	2.74	241
84	EHS		500 Yonge Street Toronto ON M4Y 1Y2	NE/104.7	1.98	241
84	GEN	SYD SILVER (OUT OF BUSINESS)	500 YONGE STREET TORONTO ON M4Y 1Y2	NE/104.7	1.98	242
84	GEN	SYD SILVER FORMALS LTD.	500 YONGE STREET TORONTO ON M4Y 1Y2	NE/104.7	1.98	242
84	GEN	SYD SILVER (OUT OF BUSINESS) 36-282	500 YONGE STREET TORONTO ON M4Y 1Y2	NE/104.7	1.98	242
85	BORE		ON	NW/105.1	2.04	242
86	BORE		ON	SSW/106.3	-1.29	243
86	BORE		ON	SSW/106.3	-1.29	243
87	WWIS		Toronto ON	E/107.3	0.01	244
88	EHS		496 Yonge Street Toronto ON M4Y 1X9	NE/107.5	1.86	246
89	GEN	CANADIAN IMPERIAL BANK OF COMMERCE	2 COLLEGE STREET WEST TORONTO ON M5G 1K3	ESE/109.5	-1.91	247
89	GEN	CIBC DEVELOPMENT CORPORATION	2 COLLEGE STREET WEST TORONTO ON M5G 1K3	ESE/109.5	-1.91	247
90	BORE		ON	NW/110.7	2.74	247
91	SPL	UNKNOWN	50 AND 60 GROSVENOR ST, LANEWAY BETWEEN TORONTO CITY ON M7A 1N8	W/111.3	0.99	24
92	RSC	832 Bay Properties Limited	832 and 860 Bay Street, Toronto, Ontario , M5S 1Z6 ON	WSW/113.9	0.07	248
93	BORE		ON	WNW/115.1	2.01	249
94	SPL	T-Swirl Crepe <UNOFFICIAL>	510 Yonge Street Toronto ON	NNE/116.6	2.68	249
95	WWIS		TORONTO ON	WSW/116.9	0.06	250
96	BORE		ON	WNW/117.5	1.98	252

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
97	BORE		ON	SW/117.6	-0.98	253
98	BORE		ON	WNW/119.7	2.01	253
99	RSC	Women's College Hospital	51 GROSVENOR ST, TORONTO, ON, M5S 1B6 ON M5S 1B5	W/119.9	0.92	254
100	BORE		ON	SSW/120.2	-1.36	254
101	TANK	Federal Combustion Corp	514 Yonge St Toronto ON M4Y 1X9	NNE/121.5	2.68	255
102	EHS		506 - 512 Yonge Street Toronto ON M4Y 1X9	NNE/122.0	2.30	255
103	WWIS		ON	ENE/122.5	0.07	256
104	WWIS		TORONTO ON	W/123.2	1.26	256
105	EHS		514 - 516 Yonge Street Toronto ON	NNE/124.1	2.98	259
105	TANK	Wilson [Franklin] Motors	516 Yonge St Toronto ON M4Y 1X9	NNE/124.1	2.98	259
106	CA	Ministry of Community Safety and Correctional Services	21 College Street Toronto ON	SE/124.2	-2.97	259
106	CA	The Toronto-Dominion Bank	21 College Street, 5th Floor Toronto ON	SE/124.2	-2.97	259
106	EBR	The Toronto-Dominion Bank	21 College Street, 5th Floor Toronto Ontario M9V 1H5 Toronto ON	SE/124.2	-2.97	260
106	GEN	TORONTO DOMINION BANK	TD BANK CENTRAL COMPUTING FACILITY TD CENTRE, 21 COLLEGE STREET TORONTO ON M5G 2B3	SE/124.2	-2.97	260
106	GEN	TORONTO DOMINION BANK	TD BANK CENTRAL COMPUTING FACILITY 21 COLLEGE ST. BOX 1 TD CENTRE TORONTO ON M5G 2B3	SE/124.2	-2.97	260
106	GEN	TORONTO DOMINION BANK 38-327	TD BANK CENTRAL COMPUTING FACILITY 21 COLLEGE ST. BOX 1 TD CENTRE TORONTO ON M5G 2B3	SE/124.2	-2.97	261
107	BORE		ON	SSW/125.1	-1.02	261
108	BORE		ON	W/125.6	1.26	262
109	GEN	MINISTRY OF GOVERNMENT SERVICES 26-397	34 BREADALBANE ST. C/O 25 GROCVENOR ST. 1ST FLOOR TORONTO ON M4Y 1A9	NNW/125.9	2.92	262
109	GEN	MINISTRY OF GOVERNMENT SERVICES	34 BREADALBANE ST. C/O 25 GROCVENOR ST. 1ST FLOOR TORONTO ON M4Y 1A9	NNW/125.9	2.92	263
109	GEN	MINISTRY OF GOVERNMENT SERVICES	34 BREADALBANE STREET TORONTO ON M4Y 1A9	NNW/125.9	2.92	263
110	TANK	College Auto Washing Station	796 Bay St Toronto ON	SSW/126.1	-1.36	263
111	BORE		ON	WNW/126.5	1.66	264

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
112	NPRI	777 BAY STREET ASSOCIATES, LP	777 BAY STREET NOT AVAILABLE TORONTO ON M5G2C8	SSW/126.5	-1.99	264
113	GEN	PRINTING HOUSE LTD., THE	19 COLLEGE STREET TORONTO ON M5G 2B3	SE/126.5	-2.97	266
113	GEN	PRINTING HOUSE LTD., THE	19 COLLEGE STREET TORONTO ON M5G 2B3	SE/126.5	-2.97	266
113	GEN	PRINTING HOUSE LTD., THE	19 COLLEGE STREET TORONTO ON M5G 2B3	SE/126.5	-2.97	266
113	SCT	THE PRINTING HOUSE LTD	19 COLLEGE ST TORONTO ON M5G 2B3	SE/126.5	-2.97	26
113	SCT	THE PRINTING HOUSE LTD.	19 College St Toronto ON M5G 2B3	SE/126.5	-2.97	267
114	EHS		800 BAY STREET TORONTO ON M5S 3A9	SW/127.0	-1.03	267
114	EHS		800 Bay Street Toronto ON M5S 3A9	SW/127.0	-1.03	267
114	EHS		800 Bay Street Toronto ON M5S 3A9	SW/127.0	-1.03	267
114	EHS		800 BAY STREET TORONTO ON M5S 3A9	SW/127.0	-1.03	268
114	GEN	Robur ET Securitas	800 Bay St. Toronto ON M5S 3A9	SW/127.0	-1.03	268
114	GEN	PHOENIX GUNITE SERVICES LTD	800 BAY STREET TORONTO ON M5S 3A9	SW/127.0	-1.03	268
115	EHS		518 Yonge Street Toronto ON	NNE/127.1	2.98	268
115	GEN	SCANNER TRADING CO. LTD.	518 YONGE STREET TORONTO ON M4Y 1X9	NNE/127.1	2.98	269
115	GEN	SCANNER TRADING CO. LTD. 34-706	518 YONGE ST. TORONTO ON M4Y 1X9	NNE/127.1	2.98	269
115	GEN	KINGSETT CAPITAL	518 YONGE STREET TORONTO ON M4Y 1X9	NNE/127.1	2.98	269
116	BORE		ON	W/127.8	0.95	269
117	BORE		ON	SW/128.0	-0.90	270
118	BORE		ON	SSW/128.5	-1.99	271
119	WWIS		TORONTO ON	W/128.6	0.92	271
120	EHS		60 Grosvenor St; 880 Bay St; 77 Grenville St Toronto ON	W/130.1	0.95	273
121	GEN	H. Pandya Drugs Ltd.	465 YONGE ST Toronto ON M4Y 1X4	ESE/131.8	-1.33	273
121	GEN	H. Pandya Drugs Ltd.	465 YONGE ST Toronto ON M4Y 1X4	ESE/131.8	-1.33	274
121	GEN	H. Pandya Drugs Ltd.	465 YONGE ST Toronto ON M4Y 1X4	ESE/131.8	-1.33	274
121	PES	SHOPPERS DRUG MART #0943 (CARLTON PLACE)	465 YONGE ST TORONTO ON M4Y 1X4	ESE/131.8	-1.33	274
121	PES	SHOPPERS DRUG MART #0943 (CARLTON PLACE)	465 YONGE ST TORONTO ON M4Y 1X4	ESE/131.8	-1.33	275

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
121	PES	H. PANDYA DRUGS LTD SHOPPERS DRUG MART 943	465 YONGE ST TORONTO ON M4Y 1X4	ESE/131.8	-1.33	275
121	PES	H. PANDYA DRUGS LTD SHOPPERS DRUG MART 943	465 YONGE ST TORONTO ON M4Y 1X4	ESE/131.8	-1.33	275
121	PES	H. PANDYA DRUGS LTD SHOPPERS DRUG MART 943	465 YONGE ST TORONTO ON M4Y1X4	ESE/131.8	-1.33	276
121	TANK	Britnell A	465 Yonge St Toronto ON M4Y 1X4	ESE/131.8	-1.33	276
122	WWIS		Toronto ON	N/132.8	3.46	276
123	BORE		ON	NW/133.0	2.74	279
124	CA	777 Bay Street Associates, LP	777 Bay St Toronto ON	S/134.1	-2.13	280
124	CA	Oxford Properties Group Inc.	777 Bay Street Toronto ON	S/134.1	-2.13	280
124	EBR	Oxford Properties Group Inc.	777 Bay Street Toronto Ontario M5G 2C8 Toronto ON	S/134.1	-2.13	280
124	ECA	777 Bay Street Associates, LP	777 Bay St Toronto ON M5G 2C8	S/134.1	-2.13	280
124	ECA	Oxford Properties Group Inc.	777 Bay Street Toronto ON M5H 3P5	S/134.1	-2.13	281
124	EHS		777 Bay Street Toronto ON	S/134.1	-2.13	281
124	GEN	PHARMA PLUS DRUGMART	777 BAY STREET, UNIT C216 TORONTO ON M5G 2C8	S/134.1	-2.13	281
124	GEN	Pharma Plus Drugmarts Ltd.	777 Bay Street, Unit C 216 Toronto ON M5G 2C8	S/134.1	-2.13	282
124	GEN	Albert S.C. Wong Medicine Professional Corporation	777 Bay Street suite C216 Toronto ON M4R1H8	S/134.1	-2.13	282
124	GEN	OXFORD DEVELOPMENT GROUP	777 Bay St. Suite 427 Toronto ON M5G 2C8	S/134.1	-2.13	282
124	GEN	Rexall Pharmacy Group Ltd.	777 Bay Street, Unit C 216 Toronto ON M5G 2C8	S/134.1	-2.13	283
124	GEN	DINEEN CONSTRUCTION	777 BAY STREET, TORONTO C/O 70 DISCO RD. ETOBICOKE ON M9W 1L9	S/134.1	-2.13	283
124	GEN	Albert S.C. Wong Medicine Professional Corporation	777 Bay Street suite C216 Toronto ON M5G2C8	S/134.1	-2.13	283
124	GEN	Odyssey Dental Management	111-777 Bay St Toronto ON M5G2C8	S/134.1	-2.13	284
124	GEN	Albert S.C. Wong Medicine Professional Corporation	777 Bay Street suite C216 Toronto ON M5G2C8	S/134.1	-2.13	284
124	GEN	Odyssey Dental Management	111-777 Bay St Toronto ON M5G2C8	S/134.1	-2.13	284
124	GEN	Albert S.C. Wong Medicine Professional Corporation	777 Bay Street suite C216 Toronto ON	S/134.1	-2.13	285
124	GEN	Pharma Plus Drugmarts Ltd.	777 Bay Street, Unit C 216 Toronto ON M5G 2C8	S/134.1	-2.13	285
124	GEN	MACLEAN HUNTER LIMITED	777 BAY STREET TORONTO ON M5W 1A7	S/134.1	-2.13	285

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
124	GEN	Albert S.C. Wong Medicine Professional Corporation	777 Bay Street suite C216 Toronto ON M5G2C8	S/134.1	-2.13	285
124	GEN	Albert S.C. Wong Medicine Professional Corporation	777 Bay Street suite C216 Toronto ON M4R1H8	S/134.1	-2.13	286
124	GEN	OXFORD DEVELOPMENT GROUP INCORPORATED	COLLEGE PARK 777 BAY STREET TORONTO ON M5G 2L8	S/134.1	-2.13	286
124	GEN	ONTARIO HYDRO 45-257	777 BAY ST. C/O 700 UNIVERSITY AVE. TORONTO ON M5G 1X5	S/134.1	-2.13	287
124	GEN	Canderel	777 Bay Street Suite 427 ON	S/134.1	-2.13	287
124	GEN	E & S Mechanical Limited	777 Bay St. 27th & 30th Floors Toronto ON M7A 2K1	S/134.1	-2.13	287
124	GEN	DINEEN CONSTRUCTION 12-357	777 BAY STREET, TORONTO C/O 70 DISCO RD. ETOBICOKE ON M9W 1L9	S/134.1	-2.13	287
124	GEN	Canderel	777 Bay Street, Suite 427 P.O. Box 108 Toronto ON	S/134.1	-2.13	288
124	GEN	Albert S.C. Wong Medicine Professional Corporation	777 Bay Street suite C216 Toronto ON M4R1H8	S/134.1	-2.13	288
124	GEN	MACLEAN HUNTER LIMITED	777 BAY ST. TORONTO ON M5W 1A7	S/134.1	-2.13	288
124	GEN	Canderel	777 Bay Street, Suite 427 P.O. Box 108 Toronto ON M5G 2C8	S/134.1	-2.13	289
124	GEN	MACLEAN HUNTER LIMITED 25-305	777 BAY ST. TORONTO ON M5W 1A7	S/134.1	-2.13	289
124	GEN	MUNICIPAL AFFAIRS AND HOUSING	777 BAY STREET, 3RD FLOOR IMAGING AND DISTRIBUTING TORONTO ON M5G 2E5	S/134.1	-2.13	289
124	GEN	OXFORD DEVELOPMENT GROUP	COLLEGE PARK 777 BAY STREET TORONTO ON M5G 2C8	S/134.1	-2.13	289
124	GEN	Canderel	777 Bay Street, Suite 427 P.O. Box 108 Toronto ON M5G 2C8	S/134.1	-2.13	290
124	GEN	Rexall Pharmacy Group Ltd.	777 Bay Street, Unit C 216 Toronto ON M5G 2C8	S/134.1	-2.13	290
124	GEN	Odyssey Dental Management	111-777 Bay St Toronto ON M5G2C8	S/134.1	-2.13	291
124	GEN	Albert S.C. Wong Medicine Professional Corporation	777 Bay Street suite C216 Toronto ON M5G2C8	S/134.1	-2.13	291
124	NPRI	777 BAY STREET ASSOCIATES, LP	777 BAY STREET NOT AVAILABLE TORONTO ON M5G2C8	S/134.1	-2.13	291
124	NPRI	OXFORD PROPERTIES GROUP	777 BAY STREET NOT AVAILABLE TORONTO ON M5G2C8	S/134.1	-2.13	292
124	NPRI	777 BAY STREET ASSOCIATES, LP	777 BAY STREET NOT AVAILABLE TORONTO ON M5G2C8	S/134.1	-2.13	293
124	SCT	FOOD IN CANADA	777 BAY ST FLOOR 6 TORONTO ON M5W 1A7	S/134.1	-2.13	29
124	SCT	ROGERS MEDIA PUBLISHING	777 Bay St Floor 5 Toronto ON M5W 1A7	S/134.1	-2.13	295
124	SCT	TRANSCONTINENTAL PUBLISHING	777 Bay St Suite 2700 Toronto ON M5G 2N1	S/134.1	-2.13	295
124	SCT	COSMETICS MAGAZINE	777 BAY ST SUITE 405 TORONTO ON M5W 1A7	S/134.1	-2.13	29

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
124	SCT	CANADIAN BUSINESS MEDIA LTD.	777 BAY ST FLOOR 5 TORONTO ON M5W	S/134.1	-2.13	29
124	SCT	ROGERS MEDIA INC.	777 Bay St Floor 9 Toronto ON M5W 1A7	S/134.1	-2.13	296
124	SCT	MARKETING MAGAZINE	777 BAY ST FLOOR 5 TORONTO ON M5W 1A7	S/134.1	-2.13	29
124	SCT	CANADIAN BUSINESS MEDIA LTD.	777 BAY ST FLOOR 5 TORONTO ON M5W 1A7	S/134.1	-2.13	29
124	SCT	Rogers Media Publishing - Business Publishing	777 Bay St Floor 5 Toronto ON	S/134.1	-2.13	296
124	SCT	Rogers Publishing Limited - Flare Magazine	777 Bay St Floor 7 Toronto ON	S/134.1	-2.13	297
124	SCT	Plant Canada's Industry Newspaper	777 Bay St Floor 6 Toronto ON	S/134.1	-2.13	297
124	SCT	Rogers Publishing Limited	777 Bay St Floor 5 Toronto ON	S/134.1	-2.13	297
124	SCT	Rogers Publishing Limited - Food In Canada Magazine	777 Bay St Floor 6 Toronto ON	S/134.1	-2.13	297
124	SCT	Rogers Media Publishing - Maclean's Magazine	777 Bay St Floor 7 Toronto ON	S/134.1	-2.13	297
124	SCT	Rogers Media Publishing - Food In Canada Magazine	777 Bay St Floor 6 Toronto ON	S/134.1	-2.13	298
124	SCT	Rogers Publishing Limited - Profit	777 Bay St Floor 5 Toronto ON M5G 2M5	S/134.1	-2.13	298
124	SCT	Rogers Publishing Limited - Marketing Media	777 Bay St Floor 5 Toronto ON	S/134.1	-2.13	298
124	SCT	TRANSCONTINENTAL PUBLICATIONS	777 BAY ST SUITE 2700 TORONTO ON M5G 2N1	S/134.1	-2.13	29
124	SCT	CYBORG SYSTEMS CANADA, INC.	777 BAY ST SUITE 2701 TORONTO ON M5G 2C8	S/134.1	-2.13	29
124	SCT	COSMETICS MAGAZINE (DIV. OF RO	777 BAY ST SUITE 405 TORONTO ON M5W 1A7	S/134.1	-2.13	29
124	SCT	MACLEAN HUNTER HEALTHCARE	777 BAY ST FLOOR 5 TORONTO ON M5W 1A7	S/134.1	-2.13	29
124	SCT	ROGERS MEDIA PUBLISHING	777 Bay St Floor 7 Toronto ON M5W 1A7	S/134.1	-2.13	299
124	SCT	ROGERS MULTI-MEDIA INC.	777 BAY ST 9TH FLOOR TORONTO ON M5W 1A7	S/134.1	-2.13	300
124	SCT	ROGERS MEDIA PUBLISHING	777 Bay St Floor 6 Toronto ON M5W 1A7	S/134.1	-2.13	300
124	SCT	MACLEAN HUNTER PUBLISHING LTD.	777 BAY ST FLOOR 9 TORONTO ON M5W 1A7	S/134.1	-2.13	30
124	SCT	TPH The Printing House Limited	777 Bay St Box 160 Suite M205 Toronto ON M5G 2C8	S/134.1	-2.13	301
124	SCT	ROGERS MEDIA PUBLISHING	777 Bay St Floor 7 Toronto ON M5W 1A7	S/134.1	-2.13	301
124	SCT	CEDROM-SNI INC.	777 Bay St Suite 2700 Toronto ON M5G 2N1	S/134.1	-2.13	301
124	SCT	MACLEAN HUNTER PUBLISHING LTD	777 BAY ST FLOOR 7 TORONTO ON M5W 1A7	S/134.1	-2.13	30
124	SCT	Rogers Media Publishing - Flare Magazine	777 Bay St Floor 7 Toronto ON	S/134.1	-2.13	302

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
124	SCT	Cosmetics Magazine - Div. of Rogers Media Publishing Co.	777 Bay St Suite 405 Toronto ON	S/134.1	-2.13	302
124	SCT	Rogers Publishing Limited - MacLean's Magazine	777 Bay St Floor 7 Toronto ON	S/134.1	-2.13	302
124	SCT	Rogers Publishing Limited - Canadian Business	777 Bay St Floor 5 Toronto ON	S/134.1	-2.13	302
124	SCT	Rogers Publishing Limited - Plant Newspaper	777 Bay St Toronto ON	S/134.1	-2.13	302
125	WWIS		Toronto ON	N/135.5	3.47	303
126	TANK	Hoidge W A Co	457 Yonge St Toronto ON M4Y 1X4	ESE/135.7	-1.79	305
127	TANK	Sacks [Walter R]	16 Breadalbane St Toronto ON	N/135.8	3.47	306
128	BORE		ON	NW/136.1	2.74	306
129	ANDR	461 Yonge St Fill	Toronto ON M5B	ESE/136.2	-0.99	30
130	WWIS		Toronto ON	NE/136.5	2.02	307
131	WWIS		TORONTO ON	WNW/137.7	2.08	310
132	TANK		66 Grenville St Toronto ON	WSW/137.9	-0.16	312
133	TANK	Eaton [T] & Co Ltd	1 College St Toronto ON	SE/137.9	-2.81	312
134	GEN	MINISTRY OF GOVERNMENT SERVICES	909 BAY STREET TORONTO ON M5S 3G2	NW/138.7	3.59	313
134	GEN	MINISTRY OF GOVERNMENT SERVICES	909 BAY STREET C/O 25 GROSVENOR ST., 1ST FLOOR TORONTO ON M5S 3G2	NW/138.7	3.59	313
134	GEN	MINISTRY OF GOVERNMENT SERVICES 26-531	909 BAY STREET C/O 25 GROSVENOR ST., 1ST FLOOR TORONTO ON M5S 3G2	NW/138.7	3.59	313
134	TANK	Willys-Overland Co of Canada Ltd (J T & H Hutson)	909 Bay St Toronto ON M5S 3G2	NW/138.7	3.59	314
134	TANK	Willys-Overland Co of Canada Ltd (J T & H Hutson)	909 Bay St Toronto ON M5S 3G2	NW/138.7	3.59	314
135	WWIS		TORONTO ON	W/139.6	1.03	314
136	EHS		Bay street Toronto ON	S/139.8	-2.44	316
137	GEN	McClymont & Rak Engineers, Inc	501 YONGE STREET TORONTO ON M4Y1Y4	NE/140.1	1.91	316
137	GEN	Lanterra Developments Ltd.	501 Yonge Street Toronto ON M4Y 1Y4	NE/140.1	1.91	317
137	GEN	Michael Bros.	501 Yonge Street Toronto ON M4Y1Y4	NE/140.1	1.91	317
137	PTTW	Lanterra 501 Yonge Developments Limited	501 Yonge Street Toronto City CITY OF TORONTO ON	NE/140.1	1.91	317
137	SPL		501 Yonge St. Toronto ON	NE/140.1	1.91	317

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
137	WWIS		Toronto ON	NE/140.1	1.91	318
138	GEN	LEE DEVELOPMENT CORPORATION 24-719	SE CR. OF YONGE & CARLTON STREETS C/O 40 KING ST. W. SUITE 5380 TORONTO ON M5H 3Y2	ESE/140.2	-1.90	322
139	BORE		ON	WNW/141.5	1.98	322
140	EHS		777 Bay St Toronto ON M7A1S5	S/142.8	-2.13	323
141	EHS		777 Bay St Toronto ON M7A1S5	S/143.4	-2.93	323
142	BORE		ON	WSW/144.5	-0.16	323
143	CA	Ontario Realty Corporation	77 Grenville St Toronto ON	SW/145.2	-1.05	324
143	EBR	Women's College Hospital	77 Grenville Street Toronto M5S 1B1 CITY OF TORONTO ON	SW/145.2	-1.05	324
143	ECA	Women's College Hospital	77 Grenville St Toronto ON M5S 1B1	SW/145.2	-1.05	324
143	ECA	Ontario Realty Corporation	77 Grenville St Toronto ON M5G 2L5	SW/145.2	-1.05	325
143	GEN	MIN. OF NORTHERN DEV. & MINES	ONT. GEOLOGICAL SURVEY, GEOSCIENCE LAB 10TH & 11TH FLOORS 77 GRENVILLE STREET TORONTO ON M7A 1W4	SW/145.2	-1.05	325
143	GEN	ARCHIVES OF ONTARIO	77 GRENVILLE STREET, UNIT 300 TORONTO ON M5S 1B3	SW/145.2	-1.05	325
143	GEN	ARCHIVES OF ONTARIO	Ministry of Government Services 77 GRENVILLE STREET, UNIT 300 TORONTO ON	SW/145.2	-1.05	326
143	GEN	ARCHIVES OF ONTARIO	Ministry of Government Services 77 GRENVILLE STREET, UNIT 300 TORONTO ON M5S 1B3	SW/145.2	-1.05	326
143	GEN	CBRE Ltd	77 Grenville Toronto ON M5S 1B3	SW/145.2	-1.05	327
143	GEN	CBRE Ltd	77 Grenville Toronto ON M5S 1B3	SW/145.2	-1.05	327
143	GEN	MIN. OF CITIZENSHIP,CULTURE & RECREATION	ARCHIVES OF ONTARIO 77 GRENVILLE STREET, UNIT 300 TORONTO ON M5S 1B3	SW/145.2	-1.05	327
143	GEN	ARCHIVES OF ONTARIO	Management Board Secretariat 77 GRENVILLE STREET, UNIT 300 TORONTO ON	SW/145.2	-1.05	327
143	GEN	CBRE Limited	77 Grenville Street Toronto ON M5S 1B2	SW/145.2	-1.05	328
143	GEN	CBRE Limited	77 Grenville Street Toronto ON M5S 1B2	SW/145.2	-1.05	328
143	GEN	CBRE Limited	77 Grenville Street Toronto ON M5S 1B2	SW/145.2	-1.05	329
143	GEN	MINISTRY OF NATURAL RESOURCES	GEO-SCIENCE LAB 77 GRENVILLE ST TORONTO ON M5S 1B3	SW/145.2	-1.05	329
143	GEN	SALPAM INVESTMENTS LIMITED	77 GRENVILLE STREET TORONTO ON M5S 1B3	SW/145.2	-1.05	329
143	GEN	MIN. OF NORTHERN (OUT OF BUSINESS)27-484	ONT. GEOLOGICAL SURVEY, GEOSCIENCE LAB 10TH & 11TH FLOORS 77 GRENVILLE STREET	SW/145.2	-1.05	329

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			TORONTO ON M7A 1W4			
143	OPCB	SALPAM INVESTMENTS	77 GRENVILLE AVENUE TORONTO ON M5S 1B3	SW/145.2	-1.05	330
143	OPCB	SALPAM INVESTMENTS	77 GRENVILLE AVENUE TORONTO ON M5S 1B3	SW/145.2	-1.05	330
143	OPCB	SALPAM INVESTMENTS	77 GRENVILLE AVENUE TORONTO ON M5S 1B3	SW/145.2	-1.05	331
143	OPCB	SALPAM INVESTMENTS LTD	77 GRENVILLE AVENUE TORONTO ON M5S 1B3	SW/145.2	-1.05	331
144	BORE		ON	WNW/145.9	1.67	331
145	TANK	Radcliffe [R N]	503 Yonge St Toronto ON M4Y 1Y3	NE/146.8	1.95	332
146	WWIS		Toronto ON	W/146.9	1.07	332
147	WWIS		ON	W/147.2	1.26	335
148	EASR	CARLTON TOWER LIMITED	2 CARLTON ST TORONTO ON M5B 1J3	ESE/147.7	-2.03	335
148	EBR	Carlton Tower Limited	2 Carlton Street Unit 909 Toronto M5B 1J3 CITY OF TORONTO ON	ESE/147.7	-2.03	336
148	ECA	Carlton Tower Limited	2 Carlton St Toronto ON M5B 1J3	ESE/147.7	-2.03	336
148	EHS		2 Carlton Street Toronto ON	ESE/147.7	-2.03	336
148	GEN	NORTHAM REALTY	2 CARLTON STREET SUITE 909 TORONTO ON	ESE/147.7	-2.03	336
148	GEN	Women's Health in Women's Hands CHC	2 Carlton Street, Suite 500 Toronto ON M5B 1J3	ESE/147.7	-2.03	337
148	GEN	NORTHHAM REALITY	2 CARLTON STREET SUITE 909 TORONTO ON	ESE/147.7	-2.03	337
148	GEN	Women's Health in Women's Hands CHC	2 Carlton Street, Suite 500 Toronto ON M5B 1J3	ESE/147.7	-2.03	337
148	GEN	Carlton Tower Limited	2 Carlton St. Suite #909 Toronto ON M5B 1J3	ESE/147.7	-2.03	338
148	GEN	Dr. Scott M. Gillanders and Associates	2 Carlton Street Unit 1320 Toronto ON M5B 1J3	ESE/147.7	-2.03	338
148	GEN	CARLTON DRY CLEANERS	252 1/2 CARLTON STREET TORONTO ON M5A 2L1	ESE/147.7	-2.03	339
148	GEN	NORTHAM REALTY	2 CARLTON STREET SUITE 909 TORONTO ON	ESE/147.7	-2.03	339
148	GEN	NORTHAM REALTY	2 CARLTON STREET SUITE 909 TORONTO ON	ESE/147.7	-2.03	339
148	GEN	Carlton Tower Limited	2 Carlton St. Suite #909 Toronto ON M5B 1J3	ESE/147.7	-2.03	340
148	GEN	ALIVE Holistic Health Clinic	2 Carlton Street, Suite 708 Toronto ON M5B 1J3	ESE/147.7	-2.03	340
148	GEN	2449856 Ontario Ltd.	252 1/2 CARLTON STREET Unit B TORONTO ON M5A 2L3	ESE/147.7	-2.03	340
148	GEN	Women's Health in Women's Hands CHC	2 Carlton Street, Suite 500 Toronto ON M5B 1J3	ESE/147.7	-2.03	341

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
148	GEN	Women's Health in Women's Hands CHC	2 Carlton Street, Suite 500 Toronto ON M5B 1J3	ESE/147.7	-2.03	341
148	GEN	Women's Health in Women's Hands CHC	2 Carlton Street, Suite 500 Toronto ON M5B 1J3	ESE/147.7	-2.03	341
148	GEN	Carlton Cleaners	252 1/2 CARLTON STREET Unit B TORONTO ON M5A 2L3	ESE/147.7	-2.03	342
148	GEN	ALIVE Holistic Health Clinic	2 Carlton Street, Suite 708 Toronto ON M5B 1J3	ESE/147.7	-2.03	342
148	GEN	Toronto AcuBirthing	2 Carlton St, Unit 804 Toronto ON M5B 1J3	ESE/147.7	-2.03	342
148	GEN	ALIVE Holistic Health Clinic	2 Carlton Street, Suite 708 Toronto ON	ESE/147.7	-2.03	343
148	GEN	Dr. Scott M. Gillanders and Associates	2 Carlton Street Unit 1320 Toronto ON M5B 1J3	ESE/147.7	-2.03	343
148	GEN	ALIVE Holistic Health Clinic	2 Carlton Street, Suite 708 Toronto ON M5B 1J3	ESE/147.7	-2.03	343
148	GEN	DYNACARE LABORATORIES 12-688	KIPLING MEDICAL LABORATORIES DIV. 2 CARLTON STREET, #709 TORONTO ON M5B 1J3	ESE/147.7	-2.03	344
148	GEN	Women's Health in Women's Hands CHC	2 Carlton Street, Suite 500 Toronto ON M5B 1J3	ESE/147.7	-2.03	344
148	GEN	NORTHHAM REALITY	2 CARLTON STREET SUITE 909 TORONTO ON M5B 1J3	ESE/147.7	-2.03	344
148	GEN	ALIVE Holistic Health Clinic	2 Carlton Street, Suite 708 Toronto ON M5B 1J3	ESE/147.7	-2.03	344
148	GEN	ALIVE Holistic Health Clinic	2 Carlton Street, Suite 708 Toronto ON M5B 1J3	ESE/147.7	-2.03	345
148	GEN	DYNACARE LABORATORIES LIMITED	KIPLING MEDICAL LABORATORIES DIVISION 2 CARLTON STREET, UNIT 709 TORONTO ON M5B 1J3	ESE/147.7	-2.03	345
148	GEN	Carlton Tower Limited	2 Carlton St. Suite #909 Toronto ON M5B 1J3	ESE/147.7	-2.03	345
148	GEN	ALIVE Holistic Health Clinic	2 Carlton Street, Suite 708 Toronto ON M5B 1J3	ESE/147.7	-2.03	346
148	GEN	Women's Health in Women's Hands CHC	2 Carlton Street, Suite 500 Toronto ON	ESE/147.7	-2.03	346
148	GEN	Dr. Scott M. Gillanders and Associates	2 Carlton Street Unit 1320 Toronto ON M5B 1J3	ESE/147.7	-2.03	346
148	GEN	Toronto AcuBirthing	2 Carlton St, Unit 804 Toronto ON M5B 1J3	ESE/147.7	-2.03	347
148	GEN	Women's Health in Women's Hands CHC	2 Carlton Street, Suite 500 Toronto ON M5B 1J3	ESE/147.7	-2.03	347
148	GEN	Carlton Cleaners	252 1/2 CARLTON STREET Unit B TORONTO ON M5A 2L3	ESE/147.7	-2.03	347
148	GEN	Carlton Tower Limited	2 Carlton St. Suite #909 Toronto ON M5B 1J3	ESE/147.7	-2.03	348
148	GEN	ALIVE Holistic Health Clinic	2 Carlton Street, Suite 708 Toronto ON M5B 1J3	ESE/147.7	-2.03	348
148	PAP	Association of Canadian Ergonomists/Association Canadienne D'Ergonomie	2 Carlton St Suite 1304 Toronto ON M5B 1J3	ESE/147.7	-2.03	348
148	SCT	Advocacy Ctr for the Elderly	2 Carlton St Suite 701 Toronto ON M5B 1J3	ESE/147.7	-2.03	349

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
148	SCT	HR Systems Strategies Inc.	2 Carlton St Suite 1306 Toronto ON M5B 1J3	ESE/147.7	-2.03	34
148	SCT	Toronto Field Naturalists	2 Carlton St Suite 1519 Toronto ON M5B 1J3	ESE/147.7	-2.03	349
148	SCT	LEAFLines	2 Carlton St Suite 1307 Toronto ON M5B 1J3	ESE/147.7	-2.03	350
148	SCT	CANADIAN ENGINEERING	2 CARLTON ST SUITE 1511 TORONTO ON M5B 1J3	ESE/147.7	-2.03	35
148	SCT	CANADIAN SHAREOWNER MAGAZINE	2 Carlton St Suite 1317 Toronto ON M5B 1J3	ESE/147.7	-2.03	350
148	SCT	CANADA WIDE MAGAZINES	2 CARLTON ST SUITE 801 TORONTO ON M5B 1J3	ESE/147.7	-2.03	35
149	BORE		ON	WSW/147.8	-0.03	351
150	CA	HIGH GATE HOTELS	475 YONGE STREET TORONTO ON M4Y 1X7	ENE/147.9	-0.03	35
150	CA	Yonge Street Hotels Ltd.	475 Yonge St Toronto ON M4Y 1X7	ENE/147.9	-0.03	351
150	CA	Yonge Street Hotels Ltd.	475 Yonge St Toronto ON M4Y 1X7	ENE/147.9	-0.03	352
150	ECA	Yonge Street Hotels Ltd.	475 Yonge St Toronto ON V6C 3L6	ENE/147.9	-0.03	352
150	ECA	Yonge Street Hotels Ltd.	475 Yonge St Toronto ON V6C 3L6	ENE/147.9	-0.03	352
150	EHS		475 Yonge Street Toronto ON M4Y 1X7	ENE/147.9	-0.03	353
150	EHS		475 Yonge St Toronto ON M4Y 1X7	ENE/147.9	-0.03	353
151	TANK	Toronto Pleating Co	14 Breadalbane St Toronto ON	N/148.8	3.85	353
152	BORE		ON	W/149.5	1.03	353
153	RSC		8 ALEXANDER STREET, TORONTO, ON M4Y 1B4 Toronto ON	NE/149.6	1.31	354
154	WWIS		TORONTO ON	ENE/150.0	0.88	355
155	BORE		ON	SSW/150.9	-1.97	358
156	BORE		ON	WNW/151.2	2.01	358
157	GEN	Michael Bros. Excavating	10 Breadalebane Street Toronto ON M4Y 1C3	NNE/151.7	3.83	359
158	BORE		ON	NW/152.2	2.74	359
159	WWIS		ON	NE/152.3	1.72	360
160	WWIS		Toronto ON	WSW/152.4	-0.03	360
160	WWIS		ON	WSW/152.4	-0.03	362
160	WWIS		Toronto ON	WSW/152.4	-0.03	365

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
161	CA	DARUL KABAB	511 YONGE STREET TORONTO CITY ON M4Y 1Y3	NE/152.5	2.13	36
161	TANK	Clayton T	511 Yonge St Toronto ON M4Y 1Y3	NE/152.5	2.13	368
162	BORE		ON	WNW/152.6	2.01	368
163	GEN	FIRST IMPRESSIONS PRINTING	8 BREADALBANE STREET TORONTO ON M4Y 1C3	NNE/154.6	3.91	369
163	GEN	FIRST IMPRESSIONS PRINTING 23-411	554995 ONTARIO LIMITED 8 BREADALBANE STREET TORONTO ON M4Y 1C3	NNE/154.6	3.91	369
163	GEN	KWIK KOPY (SEE&USE ON1586000) 23-411	554995 ONT. LTD. 8 BREADALBANE ST. TORONTO ON M4Y 1C3	NNE/154.6	3.91	370
163	GEN	FIRST IMPRESSIONS PRINTING 23-411	8 BREADALBANE STREET TORONTO ON M4Y 1Y8	NNE/154.6	3.91	370
163	GEN	KWIK KOPY PRINTING	554995 ONT. LTD. 8 BREADALBANE ST. TORONTO ON M4Y 1C3	NNE/154.6	3.91	370
163	GEN	FIRST IMPRESSIONS PRINTING	8 BREADALBANE STREET TORONTO ON M4Y 1Y8	NNE/154.6	3.91	370
163	SCT	First Impressions Graphics - Div. of The Lowe Martin Group	8 Breadalbane St Toronto ON M4Y 1C3	NNE/154.6	3.91	371
163	SCT	First Impressions Graphics &	8 Breadalbane St Toronto ON M4Y 1C3	NNE/154.6	3.91	371
164	CPU	LANTERRA 501 YONGE DEVELOPMENTS LIMITED	501-525 Yonge Street CITY OF TORONTO ON	NNE/155.2	2.99	372
164	CPU	LANTERRA 501 YONGE DEVELOPMENTS LIMITED	501-525 Yonge Street CITY OF TORONTO ON	NNE/155.2	2.99	372
164	EHS		501 - 525 Yonge Street, Toronto Toronto ON	NNE/155.2	2.99	372
165	BORE		ON	WNW/155.3	2.30	373
166	CA	GWL Realty Advisors Inc.	444 Yonge St Toronto ON	SSE/155.7	-3.74	373
166	CA	GWL Realty Advisors Inc.	444 Yonge St Toronto ON	SSE/155.7	-3.74	374
166	CA	GWL Realty Advisors Inc.	444 Yonge St Toronto ON	SSE/155.7	-3.74	374
166	CDRY	Dust Free Services (1985) Ltd	444 YONGE ST. TORONTO ON M5B2H4	SSE/155.7	-3.74	374
166	EASR	GWL REALTY ADVISORS INC	424-444 YONGE ST TORONTO ON M5B 2H4	SSE/155.7	-3.74	375
166	EBR	GWL Realty Advisors Inc.	444 Yonge Street Toronto M5B 2H4 CITY OF TORONTO ON	SSE/155.7	-3.74	375
166	EBR	GWL Realty Advisors Inc.	444 Yonge Street Toronto CITY OF TORONTO ON	SSE/155.7	-3.74	375
166	ECA	GWL Realty Advisors Inc.	444 Yonge St Toronto ON M5G 1R8	SSE/155.7	-3.74	376
166	ECA	GWL Realty Advisors Inc.	424-444 Yonge St Toronto ON M5B 2H4	SSE/155.7	-3.74	376
166	ECA	GWL Realty Advisors Inc.	444 Yonge St Toronto ON L3R 0B8	SSE/155.7	-3.74	376

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
166	ECA	GWL Realty Advisors Inc.	444 Yonge St Toronto ON M5B 2H4	SSE/155.7	-3.74	376
166	EHS		444 Yonge St Toronto ON	SSE/155.7	-3.74	377
166	GEN	TORONTO COLLEGE PARK LTD.	444 YONGE STREET TORONTO ON M5B 2H4	SSE/155.7	-3.74	377
166	GEN	CITY OF TORONTO	444 YONGE ST TORONTO ON M5B 2H4	SSE/155.7	-3.74	377
166	GEN	Toronto College Park	444 Yonge Street Toronto ON	SSE/155.7	-3.74	377
166	GEN	PHARMA (OUT OF BUSINESS)	444 YONGE STREET TORONTO ON M5B 2H4	SSE/155.7	-3.74	378
166	GEN	GWL Realty Advisors Inc	444 Yonge St Toronto ON	SSE/155.7	-3.74	378
166	GEN	BLACK PHOTO CORPORATION 05-480	444 YONGE STREET - TORONTO C/O 371 GOUGH ROAD MARKHAM ON L3R 4B6	SSE/155.7	-3.74	379
166	GEN	Toronto College Park	444 Yonge Street Toronto ON M5B 2H4	SSE/155.7	-3.74	379
166	GEN	BLACK PHOTO CORPORATION	444 YONGE STREET COLLEGE PARK TORONTO ON M5B 2H4	SSE/155.7	-3.74	380
166	GEN	Toronto College Park	444 Yonge Street Toronto ON	SSE/155.7	-3.74	380
166	GEN	Toronto College Park	444 Yonge Street Toronto ON	SSE/155.7	-3.74	380
166	GEN	CITY OF TORONTO	444 YONGE STREET TORONTO ON M5B 3V6	SSE/155.7	-3.74	381
166	GEN	BLACK PHOTO CORPORATION	444 YONGE STREET, TORONTO C/O 371 GOUGH ROAD MARKHAM ON L3R 4B6	SSE/155.7	-3.74	381
166	GEN	Toronto College Park	444 Yonge Street Toronto ON M5B 2H4	SSE/155.7	-3.74	381
166	GEN	Toronto College Park	444 Yonge Street Toronto ON M5B 2H4	SSE/155.7	-3.74	382
166	GEN	Toothworks	444 Yonge st Suite m16 Toronto ON M5B2H4	SSE/155.7	-3.74	382
166	GEN	Toronto College Park	444 Yonge Street Toronto ON M5B 2H4	SSE/155.7	-3.74	383
166	GEN	TORONTO (OUT OF BUSINESS)	444 YONGE STREET TORONTO ON M5B 3V6	SSE/155.7	-3.74	383
166	GEN	Toronto College Park	444 Yonge Street Toronto ON M5B 2H4	SSE/155.7	-3.74	384
166	GEN	Toothworks	444 Yonge st Suite m16 Toronto ON M5B2H4	SSE/155.7	-3.74	384
166	GEN	COLLEGE PARK MANAGEMENT SERVICE	444 YONGE ST. TORONTO ON M5B 2H4	SSE/155.7	-3.74	384
166	GEN	PHARMA PLUS DRUGS LTD	444 YONGE STREET TORONTO ON M5B 2H4	SSE/155.7	-3.74	385
166	GEN	Toronto College Park	444 Yonge Street Toronto ON	SSE/155.7	-3.74	385
166	GEN	PHARMA PLUS DRUGS LTD.	444 YONGE STREET TORONTO ON M5B 2H4	SSE/155.7	-3.74	386

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
166	GEN	TORONTO CITY OF DEPT OF PARKS & RC38-569	444 YONGE STREET, TORONTO C/O 21 ST FLOOR, EAST TOWER CITY HALL TORONTO ON M5H 2S4	SSE/155.7	-3.74	386
166	GEN	TORONTO CITY OF DEPT OF PARKS & RC	444 YONGE STREET, TORONTO C/O 21 ST FLOOR, EAST TOWER CITY HALL TORONTO ON M5H 2S4	SSE/155.7	-3.74	386
166	GEN	TORONTO (OUT OF BUS) 38-569	444 YONGE STREET, TORONTO C/O 21 ST FLOOR, EAST TOWER CITY HALL TORONTO ON M5H 2S4	SSE/155.7	-3.74	386
166	GEN	PHARMA PLUS DRUGS LTD. 31-733	444 YONGE ST., TORONTO C/O 5935 AIRPORT ROAD #500 MISSISSAUGA ON L4V 1W5	SSE/155.7	-3.74	387
166	GEN	Toronto College Park	444 Yonge Street Toronto ON M5B 2H4	SSE/155.7	-3.74	387
166	GEN	CITY OF TORONTO	444 YONGE ST TORONTO ON M5B 2H4	SSE/155.7	-3.74	388
166	GEN	Toothworks	444 Yonge st Suite m16 Toronto ON M5B2H4	SSE/155.7	-3.74	388
166	NPRI	GWL REALTY ADVISORS	444 YONGE Street TORONTO ON M5B2H4	SSE/155.7	-3.74	389
166	PES	METRO ONTARIO INC O/A METRO/FOOD BASICS # 063	444 YONGE STREET TORONTO ON M5B2H4	SSE/155.7	-3.74	391
166	PES	METRO ONTARIO INC O/A METRO/FOOD BASICS # 063	444 Yonge Street Toronto ON M5B 2H4	SSE/155.7	-3.74	391
166	SCT	KALUPE JEWELLERY LTD.	444 YONGE ST TORONTO ON M5B 2H4	SSE/155.7	-3.74	39
167	EHS		424 Yonge St Toronto ON M5B2H3	SE/156.6	-3.10	392
168	WWIS		Toronto ON	WSW/156.6	0.17	392
169	BORE		ON	NW/156.8	3.21	394
170	WWIS		ON	N/158.2	4.05	395
171	EHS		1 Carlton St Toronto ON M5B1L2	ESE/158.4	-1.96	395
172	WWIS		TORONTO ON	NNW/159.0	3.93	396
173	BORE		ON	WSW/159.5	-0.15	398
174	CA	EAST OF BAY DEVELOPMENT CORPORATION	YONGE ST/BREADALBANE ST. TORONTO ON	NNE/159.5	2.94	39
175	WWIS		TORONTO ON	N/160.6	4.04	399
176	BORE		ON	WSW/160.7	0.17	401
177	EHS		530 Yonge Street Toronto ON	NNE/162.1	4.10	402
178	BORE		ON	SW/164.1	-1.02	402
179	EBR	Women's College Hospital	76 Grenville Street Toronto CITY OF TORONTO ON	WSW/165.7	0.05	403
179	ECA	Women's College Hospital	76 Grenville St Toronto ON M5S 1B2	WSW/165.7	0.05	403

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
179	ECA	Women's College Hospital	76 Grenville St Toronto ON M5S 1B2	WSW/165.7	0.05	403
179	ECA	Women's College Hospital	76 Grenville St Toronto ON M5S 1B2	WSW/165.7	0.05	404
179	ECA	Women's College Hospital	76 Grenville St Toronto ON M5S 1B1	WSW/165.7	0.05	404
179	ECA	Women's College Hospital	76 Grenville Street 76 Grenville St Toronto City ON	WSW/165.7	0.05	404
179	GEN	WOMEN'S COLLEGE HOSPITAL (PATHOLOGICAL)	76 GRENVILLE STREET TORONTO ON M5S 1B2	WSW/165.7	0.05	404
179	GEN	THE NEW WOMEN'S COLLEGE HOSPITAL	76 GRENVILLE STREET TORONTO ON M5S 1B2	WSW/165.7	0.05	405
179	GEN	WOMEN'S COLLEGE HOSPITAL	76 GRENVILLE STREET TORONTO ON M5S 1B2	WSW/165.7	0.05	405
179	GEN	Rexall Pharmacy Group Ltd.	76 Grenville St Toronto ON M5S1B2	WSW/165.7	0.05	406
179	GEN	WOMEN'S COLLEGE HOSPITAL	76 GRENVILLE STREET TORONTO ON M5S 1B2	WSW/165.7	0.05	407
179	GEN	Black & McDonald Limited	76 Grenville Street Toronto ON	WSW/165.7	0.05	408
179	GEN	WOMEN'S COLLEGE HOSPITAL	DEPT. OF CLIN. LABS 76 GRENVILLE ST. TORONTO ON M5S 1B2	WSW/165.7	0.05	408
179	GEN	WOMEN'S COLLEGE HOSPITAL	76 GRENVILLE STREET TORONTO ON M5S 1B2	WSW/165.7	0.05	408
179	GEN	WOMEN'S COLLEGE HOSPITAL	76 GRENVILLE STREET TORONTO ON M5S 1B2	WSW/165.7	0.05	409
179	GEN	Rexall Drug Store	76 Grenville St Toronto ON M5S1B2	WSW/165.7	0.05	410
179	GEN	Rexall Pharmacy Group Ltd.	76 Grenville St Toronto ON M5S1B2	WSW/165.7	0.05	411
179	GEN	WOMEN'S COLLEGE HOSPITAL	76 GRENVILLE STREET TORONTO ON M5S 1B2	WSW/165.7	0.05	411
179	GEN	WOMEN'S COLLEGE HOSPITAL 42-108	76 GRENVILLE STREET TORONTO ON M5S 1B2	WSW/165.7	0.05	412
179	GEN	WOMEN'S COLLEGE HOSPITAL	76 GRENVILLE STREET TORONTO ON	WSW/165.7	0.05	412
179	GEN	WOMEN'S COLLEGE HOSPITAL	76 GRENVILLE STREET TORONTO ON M5S 1B2	WSW/165.7	0.05	413
179	GEN	WOMEN'S COLLEGE HOSPITAL	76 GRENVILLE STREET TORONTO ON M5S 1B2	WSW/165.7	0.05	414
179	GEN	SUNNYBROOK AND WOMEN'S COLLEGE	76 GRENVILLE STREET TORONTO ON M5S 1B2	WSW/165.7	0.05	415
179	GEN	WOMEN'S COLLEGE HOSPITAL	76 GRENVILLE STREET TORONTO ON M5S 1B2	WSW/165.7	0.05	416
179	GEN	WOMEN'S COLLEGE HOSPITAL	76 GRENVILLE STREET TORONTO ON M5S 1B2	WSW/165.7	0.05	417
179	GEN	WOMEN'S COLLEGE HOSPITAL 42-108	DEPT. OF CLIN. LABS 76 GRENVILLE ST. TORONTO ON M5S 1B2	WSW/165.7	0.05	418
179	PTTW	Bondfield Construction Company Limited	76 Grenville Street Address: 76 Grenville St, Toronto, City District Office: Toronto - District CITY OF TORONTO ON	WSW/165.7	0.05	418

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
179	REC	WOMEN'S COLLEGE HOSPITAL (PATHOLOGICAL)	76 GRENVILLE STREET TORONTO ON M5S 1B2	WSW/165.7	0.05	419
179	REC	WOMEN'S COLLEGE HOSPITAL	76 GRENVILLE STREET TORONTO ON M5S 1B2	WSW/165.7	0.05	419
179	RSC	Women's College Hospital	76 GRENVILLE ST, TORONTO, ON, M5S 1B2 ON M5S 1B2	WSW/165.7	0.05	419
179	SPL	Womens College Hospital<UNOFFICIAL>	76 Grenville Street<UNOFFICIAL> Toronto ON M5S 1B2	WSW/165.7	0.05	420
180	WWIS		Toronto ON	N/165.8	4.05	420
181	EHS		530 Yonge Street Toronto ON M4Y 1Y8	NNE/166.1	4.03	424
182	EHS		145 St Luke Lane Toronto ON M4Y0A7	N/166.8	4.05	424
183	TANK	Litros G	445 Yonge St Toronto ON	ESE/167.0	-2.42	424
184	TANK	Universal Garage	538 Yonge St Toronto ON M4Y 1Y8	N/167.8	4.06	424
184	TANK	Universal Garage	538 Yonge St Toronto ON M4Y 1Y8	N/167.8	4.06	425
185	ECA	GWL Realty Advisors Inc.	424-444 Yonge St Toronto ON	SE/168.5	-3.76	425
186	BORE		ON	WNW/169.4	2.14	425
187	WWIS		TORONTO ON	WNW/169.4	1.93	426
188	GEN	GWL Realty Advisors	424 Yonge St. Toronto ON M5B 2H3	SSE/169.6	-4.52	428
189	WWIS		TORONTO ON	NE/171.8	2.03	428
190	BORE		ON	WNW/172.5	2.02	432
191	BORE		ON	WNW/173.1	2.52	432
192	EHS		Bay And Wellesley Toronto ON	N/174.2	4.00	433
193	EBR	Women's College Health Research	790 Bay Street Suite 912 Toronto Ontario Toronto ON	SSW/174.5	-2.07	434
194	BORE		ON	SW/174.7	-1.24	434
195	BORE		ON	WNW/178.2	2.83	434
196	BORE		ON	NW/178.4	3.21	435
197	GEN	TORONTO TRANSIT COMMISSION	3 CARLTON STREET COLLEGE SUBWAY STATION TORONTO ON M5B 1L2	ESE/178.7	-2.96	436
197	GEN	Toronto Transit Commission	3 Carlton Street Toronto ON M5B1J2	ESE/178.7	-2.96	436
197	GEN	Toronto Transit Commission	3 Carlton Street Toronto ON M5B1J2	ESE/178.7	-2.96	436

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
197	GEN	Toronto Transit Commission	3 Carlton Street Toronto ON M5B1J2	ESE/178.7	-2.96	437
197	SPL	Toronto Transit Commission	3 Carlton St.; Yonge St. and Alexander St. Toronto; Toronto ON	ESE/178.7	-2.96	437
198	BORE		ON	W/179.6	1.07	438
199	WWIS		ON	W/180.7	1.07	438
200	EHS		60-80 Grosvenor St Toronto ON ON	W/180.9	1.22	439
201	TANK	Gunn's Ltd	439 Yonge St Toronto ON M5B 1T3	ESE/181.0	-3.01	439
202	WWIS		Toronto ON	N/181.0	3.97	439
203	TANK	Monica Cafe [Hong S]	434 Yonge St Toronto ON	SE/181.8	-4.19	442
204	WWIS		Toronto ON	WSW/182.3	0.05	442
205	CA	Women's College Health Research	790 Bay St Toronto ON M5G 1N8	SSW/182.3	-2.43	445
205	CA	Women's College Health Research	790 Bay Street Toronto ON M5G 1N8	SSW/182.3	-2.43	445
205	ECA	Women's College Health Research	790 Bay Street Toronto ON M5G 1N8	SSW/182.3	-2.43	445
205	ECA	Women's College Health Research	790 Bay St Toronto ON M5G 1N8	SSW/182.3	-2.43	446
205	GEN	CREATE PROGRAM INC.	790 Bay Street, Suite 1100 Toronto ON M5G 1N8	SSW/182.3	-2.43	446
205	GEN	Downtown Toronto Doctors	790 Bay St, Suite 630, Box 70 Toronto ON M5G 1N8	SSW/182.3	-2.43	446
205	GEN	Bay Dermatology Centre	790 Bay Street Suite 536 Toronto ON M5G 1N8	SSW/182.3	-2.43	446
205	GEN	Taddle Creek Family Health Team	790 Bay Street Suite 306 Toronto ON M5G 1N8	SSW/182.3	-2.43	447
205	GEN	Downtown Toronto Doctors	790 Bay St, Suite 630, Box 70 Toronto ON M5G 1N8	SSW/182.3	-2.43	447
205	GEN	Dr. Barman and Dr Nieuwstraten	Suite 302- 790 Bay St Toronto ON M5G1N8	SSW/182.3	-2.43	447
205	GEN	Dr. Suzanne Baptista Dentistry Professional Corp	790 bay street Suite 1006 toronto ON M5G1N8	SSW/182.3	-2.43	448
205	GEN	Bayshore Home Health	790 Bay Street, Suite 900 Toronto ON	SSW/182.3	-2.43	448
205	GEN	Dr. Pariser and Dr. Chernin	Suite 300- 790 Bay St Toronto ON M5G 1N8	SSW/182.3	-2.43	448
205	GEN	Dr. Pariser and Dr. Chernin	Suite 300- 790 Bay St Toronto ON M5G 1N8	SSW/182.3	-2.43	449
205	GEN	CREATE PROGRAM INC.	790 Bay Street, Suite 1100 Toronto ON M5G 1N8	SSW/182.3	-2.43	449
205	GEN	Dr. Pariser and Dr. Chernin	Suite 300- 790 Bay St Toronto ON	SSW/182.3	-2.43	449
205	GEN	CREATE PROGRAM INC.	790 Bay Street, Suite 1100 Toronto ON M5G 1N8	SSW/182.3	-2.43	450

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
205	GEN	Dr. Barman and Dr Nieuwstraten	Suite 302- 790 Bay St Toronto ON M5G 1N8	SSW/182.3	-2.43	450
205	GEN	Tissue Regeneration Therapeutics	790 Bay Street Suite 512 Toronto ON	SSW/182.3	-2.43	450
205	GEN	Taddle Creek Fam Hlth Network	522-790 Bay street Box 58 Toronto ON M5G 1N8	SSW/182.3	-2.43	451
205	GEN	Men's Health Institute	790 Bay Street Toronto ON M5G1N8	SSW/182.3	-2.43	451
205	GEN	Taddle Creek Fam Hlth Network	522-790 Bay street Box 58 Toronto ON M5G 1N8	SSW/182.3	-2.43	451
205	GEN	LifeLabs LP	790 Bay Street suite 520 Toronto ON M5G1N8	SSW/182.3	-2.43	451
205	GEN	Dr. Barman and Dr Nieuwstraten	Suite 302- 790 Bay St Toronto ON M5G1N8	SSW/182.3	-2.43	452
205	GEN	Tissue Regeneration Therapeutics	790 Bay Street Suite 512 Toronto ON M5G 1N8	SSW/182.3	-2.43	452
205	GEN	Bay Cardiac Diagnostic Inc	790 Bay Street, Suite 312 Toronto ON M5G 1N8	SSW/182.3	-2.43	452
205	GEN	790 Bay Street Clinic	790 Bay Street, Suite 940 Toronto ON M5G 1N8	SSW/182.3	-2.43	453
205	GEN	790 Bay Street Clinic	790 Bay Street, Suite 940 Toronto ON M5G 1N8	SSW/182.3	-2.43	453
205	GEN	Bay College Lockwood Diagnostc	790 Bay st suite 108 Toronto ON M5G 1N8	SSW/182.3	-2.43	453
205	GEN	Castelli Clinic	790 Bay St Toronto ON	SSW/182.3	-2.43	454
205	GEN	Bay Dermatology Centre	790 Bay Street Suite #536 Toronto ON M5G 1N8	SSW/182.3	-2.43	454
205	GEN	Pulmonary Care Clinic	790 Bay Street Suite 608 Toronto ON M5G 1N8	SSW/182.3	-2.43	454
205	GEN	Bayshore Home Health	790 Bay Street, Suite 900 Toronto ON M5G 1N8	SSW/182.3	-2.43	454
205	GEN	Taddle Creek Family Health Team	790 Bay Street Suite 306 Toronto ON M5G 1N8	SSW/182.3	-2.43	455
205	GEN	CREATE PROGRAM INC.	790 Bay Street, Suite 1100 Toronto ON M5G 1N8	SSW/182.3	-2.43	455
205	GEN	Tissue Regeneration Therapeutics	790 Bay Street Suite 512 Toronto ON M5G 1N8	SSW/182.3	-2.43	455
205	GEN	Dr. Pariser and Dr. Chernin	Suite 300- 790 Bay St Toronto ON M5G1N8	SSW/182.3	-2.43	456
205	GEN	Tissue Regeneration Therapeutics	790 Bay Street Suite 512 Toronto ON M5G 1N8	SSW/182.3	-2.43	456
205	GEN	Taddle Creek Fam Hlth Network	522-790 Bay street Box 58 Toronto ON M5G 1N8	SSW/182.3	-2.43	456
205	GEN	Dr. Barman and Dr Nieuwstraten	Suite 302- 790 Bay St Toronto ON M5G1N8	SSW/182.3	-2.43	456
205	GEN	Tissue Regeneration Therapeutics	790 Bay Street Suite 512 Toronto ON M5G 1N8	SSW/182.3	-2.43	457
205	GEN	Bay Cardiac Diagnostic Inc	790 Bay Street, Suite 312 Toronto ON M5G 1N8	SSW/182.3	-2.43	457
205	GEN	Bay Cardiac Diagnostic Inc	790 Bay Street, Suite 312 Toronto ON M5G 1N8	SSW/182.3	-2.43	457

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
205	GEN	Bay Cardiac Diagnostic Inc	790 Bay Street, Suite 312 Toronto ON M5G 1N8	SSW/182.3	-2.43	458
205	GEN	Pulmonary Care Clinic	790 Bay Street Suite 608 Toronto ON M5G 1N8	SSW/182.3	-2.43	458
205	GEN	Pulmonary Care Clinic	790 Bay Street Suite 608 Toronto ON M5G 1N8	SSW/182.3	-2.43	458
205	GEN	Bayshore Home Health	790 Bay Street, Suite 900 Toronto ON M5G 1N8	SSW/182.3	-2.43	459
205	GEN	Taddle Creek Fam Hlth Network	522-790 Bay street Box 58 Toronto ON M5G1N8	SSW/182.3	-2.43	459
205	GEN	Tissue Regeneration Therapeutics	790 Bay Street Suite 512 Toronto ON M5G 1N8	SSW/182.3	-2.43	459
205	GEN	Ontario Health Study	790 Bay Street, Suite 820, PO Box 66 Toronto ON M5G 1N8	SSW/182.3	-2.43	459
205	GEN	Bay Cardiac Diagnostic Inc	790 Bay Street, Suite 312 Toronto ON M5G 1N8	SSW/182.3	-2.43	460
205	GEN	Taddle Creek Family Health Team	790 Bay Street Suite 306 Toronto ON M5G1N8	SSW/182.3	-2.43	460
205	GEN	Bay Dermatology Centre	790 Bay Street Suite #536 Toronto ON	SSW/182.3	-2.43	461
205	GEN	CREATE PROGRAM INC.	790 Bay Street, Suite 1140 Toronto ON M5G 1N8	SSW/182.3	-2.43	461
205	GEN	Dr. Pariser and Dr. Chernin	Suite 300- 790 Bay St Toronto ON M5G 1N8	SSW/182.3	-2.43	461
205	GEN	Taddle Creek Fam Hlth Network	522-790 Bay street Box 58 Toronto ON	SSW/182.3	-2.43	461
205	GEN	Men's Health Institute	790 Bay Street Toronto ON M5G1N8	SSW/182.3	-2.43	462
205	GEN	DR NEERA SINGAL	790 BAY ST , SUITE 340 TORONTO ON M5G 1N8	SSW/182.3	-2.43	462
205	GEN	CREATE PROGRAM INC.	790 Bay Street, Suite 1100 Toronto ON M5G 1N8	SSW/182.3	-2.43	462
205	GEN	Bay Cardiac Diagnostic Inc	790 Bay Street, Suite 312 Toronto ON M5G 1N8	SSW/182.3	-2.43	463
205	GEN	Downtown Toronto Doctors	790 Bay St, Suite 630, Box 70 Toronto ON M5G 1N8	SSW/182.3	-2.43	463
205	GEN	Women's College Health Research	790 Bay Street, Suite 912 Toronto ON M5G 1N8	SSW/182.3	-2.43	464
205	GEN	Dr. Barman and Dr Nieuwstraten	Suite 302- 790 Bay St Toronto ON M5G 1N8	SSW/182.3	-2.43	464
205	GEN	Pulmonary Care Clinic	790 Bay Street Suite 608 Toronto ON M5G 1N8	SSW/182.3	-2.43	464
205	GEN	Taddle Creek Fam Hlth Network	522-790 Bay street Box 58 Toronto ON M5G1N8	SSW/182.3	-2.43	465
205	GEN	Taddle Creek Family Health Team	790 Bay Street Suite 306 Toronto ON M5G 1N8	SSW/182.3	-2.43	465
205	GEN	Castelli Clinic	790 Bay St Toronto ON M5G 1N8	SSW/182.3	-2.43	465
205	GEN	Bay Dermatology Centre	790 Bay Street Suite #536 Toronto ON M5G 1N8	SSW/182.3	-2.43	465
205	GEN	Taddle Creek Family Health Team	790 Bay Street Suite 306 Toronto ON M5G 1N8	SSW/182.3	-2.43	466

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
205	GEN	LifeLabs LP	790 Bay Street suite 520 Toronto ON	SSW/182.3	-2.43	466
205	GEN	Bayshore Home Health	790 Bay Street, Suite 900 Toronto ON M5G 1N8	SSW/182.3	-2.43	466
205	GEN	Dr. Pariser and Dr. Chernin	Suite 300- 790 Bay St Toronto ON M5G1N8	SSW/182.3	-2.43	467
205	GEN	Tissue Regeneration Therapeutics	790 Bay Street Suite 512 Toronto ON M5G 1N8	SSW/182.3	-2.43	467
205	GEN	Bay College Lockwood Diagnostc	790 Bay st suite 108 Toronto ON M5G 1N8	SSW/182.3	-2.43	467
205	GEN	Dr. Pariser and Dr. Chernin	Suite 300- 790 Bay St Toronto ON M5G1N8	SSW/182.3	-2.43	467
205	GEN	Ontario Health Study	790 Bay Street, Suite 820, PO Box 66 Toronto ON	SSW/182.3	-2.43	468
205	GEN	Bay Dermatology Centre	790 Bay Street Suite #536 Toronto ON M5G 1N8	SSW/182.3	-2.43	468
205	GEN	790 Bay Street Clinic	790 Bay Street, Suite 940 Toronto ON M5G 1N8	SSW/182.3	-2.43	468
205	GEN	CREATE PROGRAM INC.	790 Bay Street, Suite 1100 Toronto ON M5G 1N8	SSW/182.3	-2.43	469
205	GEN	Dr. Barman and Dr Nieuwstraten	Suite 302- 790 Bay St Toronto ON M5G 1N8	SSW/182.3	-2.43	469
205	GEN	Taddle Creek Family Health Team	790 Bay Street Suite 306 Toronto ON M5G1N8	SSW/182.3	-2.43	470
205	GEN	Tissue Regeneration Therapeutics	790 Bay Street Suite 512 Toronto ON M5G 1N8	SSW/182.3	-2.43	470
205	GEN	Castelli Clinic	790 Bay St Toronto ON M5G 1N8	SSW/182.3	-2.43	470
205	GEN	Bay College Lockwood Diagnostc	790 Bay st suite 108 Toronto ON M5G 1N8	SSW/182.3	-2.43	470
205	GEN	790 Bay Street Clinic	790 Bay Street, Suite 940 Toronto ON M5G 1N8	SSW/182.3	-2.43	471
205	GEN	Men's Health Institute	790 Bay Street Toronto ON M5G1N8	SSW/182.3	-2.43	471
205	GEN	Dr. Suzanne Baptista Dentistry Professional Corp	790 bay street Suite 1006 toronto ON M5G1N8	SSW/182.3	-2.43	471
205	GEN	Bay Cardiac Diagnostic Inc	790 Bay Street, Suite 312 Toronto ON M5G 1N8	SSW/182.3	-2.43	472
205	GEN	Bay College Lockwood Diagnostc	790 Bay st suite 108 Toronto ON M5G 1N8	SSW/182.3	-2.43	472
205	GEN	Taddle Creek Family Health Team	790 Bay Street Suite 306 Toronto ON M5G1N8	SSW/182.3	-2.43	472
205	GEN	Bay Cardiac Diagnostic Inc	790 Bay Street, Suite 312 Toronto ON	SSW/182.3	-2.43	473
205	GEN	DR NEERA SINGAL	790 BAY ST , SUITE 340 TORONTO ON M5G 1N8	SSW/182.3	-2.43	473
205	GEN	CREATE PROGRAM INC.	790 Bay Street, Suite 1100 Toronto ON M5G 1N8	SSW/182.3	-2.43	473
205	GEN	Taddle Creek Family Health Team	790 Bay Street Suite 306 Toronto ON	SSW/182.3	-2.43	474
205	GEN	Pulmonary Care Clinic	790 Bay Street Suite 608 Toronto ON M5G 1N8	SSW/182.3	-2.43	474

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
205	GEN	Bay College Lockwood Diagnostc	790 Bay st suite 108 Toronto ON M5G 1N8	SSW/182.3	-2.43	474
205	GEN	Bay College Lockwood Diagnostc	790 Bay st suite 108 Toronto ON M5G 1N8	SSW/182.3	-2.43	475
205	GEN	Bay Dermatology Centre	790 Bay Street Suite #536 Toronto ON M5G 1N8	SSW/182.3	-2.43	475
205	GEN	CREATE PROGRAM INC.	790 Bay Street, Suite 1100 Toronto ON M5G 1N8	SSW/182.3	-2.43	475
205	GEN	Taddle Creek Fam Hlth Network TCFHT	522-790 Bay street Box 58 Toronto ON M5G1N8	SSW/182.3	-2.43	475
205	GEN	DR NEERA SINGAL	790 BAY ST , SUITE 340 TORONTO ON M5G 1N8	SSW/182.3	-2.43	476
205	GEN	Bay College Lockwood Diagnostc	790 Bay st suite 108 Toronto ON M5G 1N8	SSW/182.3	-2.43	476
205	GEN	CREATE PROGRAM INC.	790 Bay Street, Suite 1100 Toronto ON M5G 1N8	SSW/182.3	-2.43	476
205	GEN	Bay Dermatology Centre	790 Bay Street Suite #536 Toronto ON M5G 1N8	SSW/182.3	-2.43	477
205	GEN	Ontario Health Study	790 Bay Street, Suite 820, PO Box 66 Toronto ON	SSW/182.3	-2.43	477
205	GEN	Bayshore Home Health	790 Bay Street, Suite 900 Toronto ON M5G 1N8	SSW/182.3	-2.43	477
205	GEN	Castelli Clinic	790 Bay St Toronto ON M5G 1N8	SSW/182.3	-2.43	477
205	GEN	Taddle Creek Family Health Team	790 Bay Street Suite 306 Toronto ON M5G 1N8	SSW/182.3	-2.43	478
205	GEN	Bay College Lockwood Diagnostc	790 Bay st suite 108 Toronto ON	SSW/182.3	-2.43	478
205	GEN	LifeLabs LP	790 Bay Street suite 520 Toronto ON	SSW/182.3	-2.43	478
205	GEN	Pulmonary Care Clinic	790 Bay Street Suite 608 Toronto ON	SSW/182.3	-2.43	478
205	GEN	Dr. Pariser and Dr. Chernin	Suite 300- 790 Bay St Toronto ON M5G1N8	SSW/182.3	-2.43	479
205	GEN	Taddle Creek Fam Hlth Network	522-790 Bay street Box 58 Toronto ON M5G1N8	SSW/182.3	-2.43	479
205	GEN	Taddle Creek Family Health Team	790 Bay Street Suite 306 Toronto ON M5G1N8	SSW/182.3	-2.43	479
205	GEN	Tissue Regeneration Therapeutics	790 Bay Street Suite 512 Toronto ON M5G 1N8	SSW/182.3	-2.43	480
205	GEN	Pulmonary Care Clinic	790 Bay Street Suite 608 Toronto ON M5G 1N8	SSW/182.3	-2.43	480
205	GEN	Bay Dermatology Centre	790 Bay Street Suite #536 Toronto ON M5G 1N8	SSW/182.3	-2.43	480
205	GEN	CREATE PROGRAM INC.	790 Bay Street, Suite 1100 Toronto ON	SSW/182.3	-2.43	481
205	GEN	Bay Dermatology Centre	790 Bay Street Suite #536 Toronto ON M5G 1N8	SSW/182.3	-2.43	481
205	GEN	Dr. Barman and Dr Nieuwstraten	Suite 302- 790 Bay St Toronto ON	SSW/182.3	-2.43	481
205	GEN	Dr. Barman and Dr Nieuwstraten	Suite 302- 790 Bay St Toronto ON M5G1N8	SSW/182.3	-2.43	482

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
205	GEN	Tissue Regeneration Therapeutics	790 Bay Street Suite 512 Toronto ON M5G 1N8	SSW/182.3	-2.43	482
205	NPRI	WOMEN'S COLLEGE HEALTH RESEARCH	SUITE 912 - 790 BAY STREET NOT AVAILABLE TORONTO ON M5G1N8	SSW/182.3	-2.43	482
205	NPRI	WOMEN'S COLLEGE HEALTH RESEARCH	SUITE 912 - 790 BAY STREET NOT AVAILABLE TORONTO ON M5G1N8	SSW/182.3	-2.43	483
205	NPRI	WOMEN'S COLLEGE HEALTH RESEARCH	790 Bay Street 12th Floor PO Box 62 Toronto ON M5G1N8	SSW/182.3	-2.43	484
205	NPRI	WOMEN'S COLLEGE HEALTH RESEARCH	SUITE 912 - 790 BAY STREET NOT AVAILABLE TORONTO ON M5G1N8	SSW/182.3	-2.43	485
205	NPRI	WOMEN'S COLLEGE HEALTH RESEARCH	SUITE 912 - 790 BAY STREET NOT AVAILABLE TORONTO ON M5G1N8	SSW/182.3	-2.43	486
205	NPRI	WOMEN'S COLLEGE HEALTH RESEARCH	936 - 790 BAY STREET NOT AVAILABLE TORONTO ON M5G1N8	SSW/182.3	-2.43	487
205	NPRI	WOMEN'S COLLEGE HEALTH RESEARCH	SUITE 912 - 790 BAY STREET NOT AVAILABLE TORONTO ON M5G1N8	SSW/182.3	-2.43	488
206	BORE		ON	WSW/182.4	0.05	488
207	WWIS		Toronto ON	WSW/183.1	-0.15	489
208	BORE		ON	W/183.2	0.16	491
209	BORE		ON	NW/184.1	3.02	492
210	BORE		ON	SW/184.9	-0.91	492
211	BORE		ON	W/185.5	1.20	493
212	BORE		ON	NW/186.1	4.01	494
213	CA	WOMENS COLLEGE HOSPITAL	TORONTO CITY ON	WSW/186.6	-0.53	494
213	EHS		60 & 76 Grenville St 51 Grosvenor St. Toronto ON	WSW/186.6	-0.53	495
213	SPL	HOSPITAL	(N.O.S.) TORONTO CITY ON	WSW/186.6	-0.53	49
214	GEN	The College of Physicians and Surgeons of Ontario	80 College Street Toronto ON M5G 2E2	SW/186.8	-0.95	495
214	GEN	The College of Physicians and Surgeons of Ontario	80 College Street Toronto ON	SW/186.8	-0.95	496
214	GEN	The College of Physicians and Surgeons of Ontario	80 College Street Toronto ON M5G 2E2	SW/186.8	-0.95	496
214	GEN	COLLEGE OF PHYSICIANS AND SURGEONS	80 COLLEGE STREET TORONTO ON M5G 2E2	SW/186.8	-0.95	496
214	GEN	The College of Physicians and Surgeons of Ontario	80 College Street Toronto ON M5G 2E2	SW/186.8	-0.95	497
215	BORE		ON	WNW/187.6	2.91	497
216	BORE		ON	W/188.6	1.03	498

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
217	WWIS		Toronto ON	N/188.9	4.56	498
218	WWIS		Toronto ON	WSW/188.9	-0.15	501
219	BORE		ON	W/189.6	1.08	503
220	EHS		1-5 Carlton St, 435-439 Yonge St Toronto ON	ESE/190.0	-3.04	504
221	SCT	RICHARDSON'S TARTAN SHOP	546 YONGE ST TORONTO ON M4Y 1Y8	N/190.6	3.97	504
222	SCT	Imagine Inc.	7 Carlton St Suite 307 Toronto ON M5B 2M3	ESE/190.8	-3.00	504
223	EASR	TORONTO HYDRO-ELECTRIC SYSTEM LIMITED	14 CARLTON ST TORONTO ON M5B 1K5	ESE/191.2	-2.71	505
223	ECA	Toronto Hydro-Electric System Limited	14 Carlton St Toronto ON M1B 2K4	ESE/191.2	-2.71	505
223	ECA	Toronto Hydro-Electric System Limited	14 Carlton St Toronto ON M5B 1K5	ESE/191.2	-2.71	505
223	GEN	TORONTO HYDRO	VAULTS, MANHOLES & SPILL SITES CITY OF TORONTO, C/O 14 CARLTON STREET TORONTO ON M5B 1K5	ESE/191.2	-2.71	505
223	GEN	TORONTO HYDRO 37-167	VAULTS, MANHOLES & SPILL SITES CITY OF TORONTO, C/O 14 CARLTON STREET TORONTO ON M5B 1K5	ESE/191.2	-2.71	506
223	GEN	TORONTO HYDRO-ELECTRIC SYSTEM LTD.	14 CARLTON STREET TORONTO ON M5B 1K5	ESE/191.2	-2.71	506
223	GEN	TORONTO HYDRO-ELECTRIC SYSTEM LTD.	14 CARLTON STREET TORONTO ON M5B 1K5	ESE/191.2	-2.71	507
223	GEN	TORONTO HYDRO-ELECTRIC COMMISSION 37-846	14 CARLTON STREET TORONTO ON M5B 1K5	ESE/191.2	-2.71	508
223	GEN	TORONTO HYDRO 37-167	VAULTS, MANHOLES & SPILL SITES TORONTO ON M5B 1K5	ESE/191.2	-2.71	508
223	GEN	TORONTO HYDRO-ELECTRIC SYSTEM LTD.	14 CARLTON STREET TORONTO ON M5B 1K5	ESE/191.2	-2.71	509
223	GEN	TORONTO HYDRO-ELECTRIC SYSTEM LTD.	14 CARLTON STREET TORONTO ON M5B 1K5	ESE/191.2	-2.71	509
223	GEN	TORONTO HYDRO-ELECTRIC SYSTEM LTD.	VAULTS, MANHOLES & SPILL SITES TORONTO ON M4M 3N7	ESE/191.2	-2.71	510
223	GEN	TORONTO HYDRO	C/O 14 CARLTON STREET VAULT MAITLAND & JARVIS LOCATION #4539 TORONTO ON M5B 1K5	ESE/191.2	-2.71	511
223	GEN	TORONTO HYDRO-ELECTRIC SYSTEM LTD.	14 CARLTON STREET TORONTO ON M5B 1K5	ESE/191.2	-2.71	511
223	GEN	TORONTO HYDRO	VAULTS, MANHOLES & SPILL SITES TORONTO ON M5B 1K5	ESE/191.2	-2.71	512
223	GEN	TORONTO HYDRO COMMISSION	14 CARLTON ST. TORONTO ON M5B 1K5	ESE/191.2	-2.71	512
223	GEN	TORONTO HYDRO-ELECTRIC SYSTEM LTD.	14 CARLTON STREET TORONTO ON M5B 1K5	ESE/191.2	-2.71	512
223	GEN	TORONTO HYDRO-ELECTRIC SYSTEM LTD.	14 CARLTON STREET TORONTO ON M5B 1K5	ESE/191.2	-2.71	513

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
223	GEN	TORONTO HYDRO-ELECTRIC SYSTEM LTD.	14 CARLTON STREET TORONTO ON M5B 1K5	ESE/191.2	-2.71	514
223	GEN	TORONTO HYDRO-ELECTRIC SYSTEM LTD.	14 CARLTON STREET TORONTO ON	ESE/191.2	-2.71	514
223	GEN	TORONTO HYDRO	14 CARLTON STREET TORONTO ON M5B 1K5	ESE/191.2	-2.71	515
223	GEN	TORONTO HYDRO-ELECTRIC COMMISSION	14 CARLTON STREET TORONTO ON M5B 1K5	ESE/191.2	-2.71	516
223	GEN	TORONTO HYDRO-ELECTRIC SYSTEM LTD.	14 CARLTON STREET TORONTO ON M5B 1K5	ESE/191.2	-2.71	516
223	HINC		14 CARLTON STREET TORONTO ON M5B 1K5	ESE/191.2	-2.71	517
223	NPCB	TORONTO HYDRO ELECTRIC SYSTEM	14 CARLETON STREET TORONTO ON M5B 1K5	ESE/191.2	-2.71	51
223	NPCB	TORONTO HYDRO ELECTRIC SYSTEM	14 CARLTON STREET TORONTO ON M5B 1K5	ESE/191.2	-2.71	51
223	NPRI	THESL	14 CARLTON STREET NOT AVAILABLE TORONTO ON M5B1K5	ESE/191.2	-2.71	519
223	REC	TORONTO HYDRO	14 CARLTON STREET TORONTO ON M5B 1K5	ESE/191.2	-2.71	519
223	REC	TORONTO HYDRO	14 CARLTON STREET TORONTO ON M5B 1K5	ESE/191.2	-2.71	520
223	SPL	Toronto Hydro Energy Services Inc.	14 Carlton Street Toronto ON M5B 1K5	ESE/191.2	-2.71	520
223	SPL	Toronto Hydro Energy Services Inc.	14 Carlton St. Toronto ON M5B 1K5	ESE/191.2	-2.71	520
224	BORE		ON	WNW/191.3	2.97	521
225	BORE		ON	NW/192.0	4.01	522
226	WWIS		Toronto ON	N/192.0	4.56	522
227	WWIS		TORONTO ON	W/193.1	0.93	524
228	GEN	Medisys Diagnostic Imaging LP	85 Grenville Street, #301 Toronto ON	SW/193.5	-1.04	527
228	GEN	Medisys Diagnostic Imaging LP	85 Grenville Street, #301 Toronto ON	SW/193.5	-1.04	527
228	GEN	Medisys Diagnostic Imaging LP	85 Grenville Street, #301 Toronto ON	SW/193.5	-1.04	527
229	WWIS		ON	W/194.4	1.66	528
229	WWIS		TORONTO ON	W/194.4	1.66	530
230	GEN	roscan investments inc	529 yonge street toronto ON	NNE/195.7	3.74	533
231	BORE		ON	WNW/195.7	2.97	533
232	EHS		925 Bay Street Toronto ON	NNW/196.3	4.01	534
232	EHS		925 Bay Street Toronto ON M5S 3L4	NNW/196.3	4.01	534

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
232	GEN	Anpro Excavating and Grading	925 Bay Street Toronto ON M5S 3L4	NNW/196.3	4.01	535
232	GEN	EAST OF BAY 2003 DEVELOPMENT CORP.	925 BAY STREET TORONTO ON M5S 3L4	NNW/196.3	4.01	535
233	CA	SNC-Lavalin ProFac Inc.	900 Bay St Toronto ON	WNW/196.3	2.97	535
233	ECA	SNC-Lavalin ProFac Inc.	900 Bay St Toronto ON M9B 6E2	WNW/196.3	2.97	535
233	EHS		900 Bay Street Toronto ON	WNW/196.3	2.97	536
233	EHS		900 Bay St Toronto ON M7A2A2	WNW/196.3	2.97	536
233	GEN	CBRE Ltd	900 Bay St. Room M1B-45 Toronto ON M7A 1N3	WNW/196.3	2.97	536
233	GEN	CBRE Ltd	900 Bay St. Room M1B-45 Toronto ON M7A 1N3	WNW/196.3	2.97	537
233	GEN	CBRE Ltd	900 Bay St. Room M1B-45 Toronto ON M7A 1N3	WNW/196.3	2.97	537
233	GEN	SNC-Lavalin Profac Inc.	900 Bay St., Room M1B-45 Toronto ON	WNW/196.3	2.97	538
233	GEN	MINISTRY OF TRANSPORTATION	900 BAY STREET, BASEMENT__ GOVERNMENT REPAIR GARAGE__ TORONTO ON M7A 1Y5	WNW/196.3	2.97	538
233	GEN	CBRE Limited	900 Bay Street, Whitney Block Basement Queens Park Toronto ON	WNW/196.3	2.97	538
233	GEN	MINISTRY OF TRANSPORTATION 26-472	GOVERNMENT REPAIR GARAGE 900 BAY STREET, BASEMENT TORONTO ON M7A 1Y5	WNW/196.3	2.97	539
233	GEN	MINISTRY OF COLLEGES (OUT OF BUS.)27-269	EIGHTH FLOOR, MOWAT BLOCK 900 BAY STREET TORONTO ON M7A 1Y5	WNW/196.3	2.97	539
233	GEN	Profac Facilties Management - C/O MBS	900 BAY STREET TORONTO ON M7A 1Y5	WNW/196.3	2.97	539
233	GEN	MINISTRY OF EDUCATION	RM 1555, MOWAT BLOCK REPROGRAPHIC CENTRE, 900 BAY STREET TORONTO ON M7A 1Y5	WNW/196.3	2.97	540
233	GEN	MINISTRY OF (OUT OF BUSINESS)	RM 1555, MOWAT BLOCK REPROGRAPHIC CENTRE, 900 BAY STREET TORONTO ON M7A 1Y5	WNW/196.3	2.97	540
233	GEN	MINISTRY OF TRANSPORTATION	GOVERNMENT GARAGE M1B93, MACDONALD BLOCK , 900 BAY STREET TORONTO ON	WNW/196.3	2.97	541
233	GEN	MINISTRY OF TRANSPORTATION	GOVERNMENT GARAGE M1B93, MACDONALD BLOCK , 900 BAY STREET TORONTO ON	WNW/196.3	2.97	541
233	GEN	Ontario Realty Corporation	900 Bay St. Toronto ON M7A 1C2	WNW/196.3	2.97	541
233	GEN	MINISTRY OF COLLEGES (OUT OF BUS.)	EIGHTH FLOOR, MOWAT BLOCK 900 BAY STREET TORONTO ON M7A 1Y5	WNW/196.3	2.97	542
233	GEN	Ontario Realty Corporation	900 Bay Street Toronto ON M7A 1C2	WNW/196.3	2.97	542
233	GEN	MINISTRY OF EDUCATION 26-756	RM 1555 MOWAT BLOCK, REPROGRAPHIC CTR. 900 BAY ST. TORONTO ON M7A 1Y5	WNW/196.3	2.97	542

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
233	GEN	MINISTRY OF COLLEGES & UNIVERSIT'S	EIGHTH FLOOR, MOWAT BLOCK 900 BAY STREET TORONTO ON M7A 1Y5	WNW/196.3	2.97	543
233	GEN	CBRE Ltd	900 Bay St. Room M1B-45 Toronto ON	WNW/196.3	2.97	543
233	GEN	SNC-LAVALIN Profac Facilties Management - C/O MBS	900 BAY STREET M1-21-i TORONTO ON	WNW/196.3	2.97	543
233	GEN	MINISTRY OF TRANSPORTATION	GOVERNMENT GARAGE M1B93, MACDONALD BLOCK , 900 BAY STREET TORONTO ON M7A 1Y5	WNW/196.3	2.97	544
233	GEN	MINISTRY OF TRANSPORTATION	GOVERNMENT GARAGE 900 BAY STREET TORONTO ON M7A 2A2	WNW/196.3	2.97	545
233	GEN	CBRE Ltd	900 Bay St. Room M1B-45 Toronto ON M7A 1N3	WNW/196.3	2.97	545
233	GEN	CBRE Ltd	900 Bay St. Room M1B-45 Toronto ON M7A 1N3	WNW/196.3	2.97	545
233	GEN	SNC-Lavalin Profac Inc.	900 Bay St., Room M1-21-i Toronto ON M7A 1N3	WNW/196.3	2.97	545
233	NPRI	ONTARIO REALTY	900 BAY Street TORONTO ON M7A1N3	WNW/196.3	2.97	546
233	SPL		900 Bay St, McDonald Block Toronto ON	WNW/196.3	2.97	547
233	SPL		900 Bay St Toronto ON	WNW/196.3	2.97	547
233	WWIS		TORONTO ON	WNW/196.3	2.97	548
233	WWIS		TORONTO ON	WNW/196.3	2.97	550
234	EHS		424 Yonge Street Toronto ON	SE/197.2	-5.17	552
235	GEN	TORONTO TRANSIT COMMISSION	COLLEGE SUBWAY STATION 9 CARLTON STREET TORONTO ON M5B 1J2	ESE/197.3	-2.96	552
236	EHS		770 Bay Street Toronto ON M5G 1N6	SSW/197.6	-2.97	552
236	EHS		770 Bay Street Toronto ON M5G 1N6	SSW/197.6	-2.97	553
236	INC		770 Bay Street, Toronto ON M5G 0A6	SSW/197.6	-2.97	553
236	RSC	Lumiere Residences Inc.	770 Bay St, Toronto, ON M5G 0A6	SSW/197.6	-2.97	554
236	SPL	Enbridge Gas Distribution Inc.	770 Bay St Toronto ON M5G 0A6	SSW/197.6	-2.97	555
237	WWIS		ON	NNW/198.0	4.01	555
238	BORE		ON	WNW/198.6	2.86	556
239	WWIS		ON	NW/198.6	4.01	557
240	SPL	RESTAURANT	AT BACK ALLEY BEHIND 533 YONGE STREET, AT MAITLAND (N.O.S.) TORONTO CITY ON M4Y 1Y5	NNE/198.9	3.97	55
241	BORE		ON	NW/199.1	4.01	558

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
242	WWIS		ON	W/199.2	1.03	558
243	WWIS		Toronto ON	WSW/199.3	-0.15	559
244	WWIS		ON	N/200.0	5.02	561
245	WWIS		ON	NNE/200.1	3.74	562
246	BORE		ON	NW/200.2	4.01	562
247	BORE		ON	W/200.7	1.26	563
248	GEN	BEST SERVE CLEANERS 05-796	531 YONGE STREET TORONTO ON M4Y 1Y5	NNE/200.8	3.97	564
249	BORE		ON	NE/201.3	3.36	564
250	WWIS		ON	W/201.5	1.07	565
250	WWIS		ON	W/201.5	1.07	565
251	NPRI	THESL	ON M5B1K5	ESE/201.6	-3.07	566
252	EHS		435 Yonge St Toronto ON M5B1T3	SE/204.2	-4.20	567
253	BORE		ON	WNW/204.5	3.06	567
254	WWIS		TORONTO ON	N/204.5	4.55	568
255	BORE		ON	SSW/204.6	-2.97	570
256	EHS		535 Yonge St Toronto On Toronto ON M4Y1Y5	NNE/206.2	4.04	571
257	BORE		ON	NW/208.0	3.57	571
258	BORE		ON	NW/208.1	4.01	572
259	WWIS		TORONTO ON	N/209.3	4.55	573
260	BORE		ON	NW/210.3	4.01	575
261	WWIS		TORONTO ON	N/211.1	4.55	576
262	WWIS		Toronto ON	WSW/212.3	-0.91	579
263	BORE		ON	W/212.5	0.95	581
264	GEN	THE COSMOPOLITAN MTCC 755	25 MAITLAND STREET TORONTO ON M4Y 2W1	NE/212.9	2.93	581
264	SPL	PRIVATE OWNER	25 MAITLAND STREET MOTOR VEHICLE (OPERATING FLUID) TORONTO CITY ON M4Y 2W1	NE/212.9	2.93	58
265	BORE		ON	WNW/213.0	2.85	582

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
266	WWIS		Toronto ON	WSW/213.1	0.06	583
267	WWIS		ON	NNW/213.2	4.27	585
268	GEN	FREEMAN FORMAL RENTALS	556 YONGE ST. TORONTO ON M4Y 1Y9	N/213.6	4.55	585
269	WWIS		ON	NW/214.3	4.27	585
270	GEN	MINISTRY OF GOVERNMENT SERVICES	945 BAY STREET TORONTO ON M5S 1Z9	NNW/215.4	4.65	586
270	GEN	MINISTRY OF GOVERNMENT SERVICES 26-455	945 BAY STREET TORONTO ON M5S 1Z9	NNW/215.4	4.65	586
270	NPCB	MINISTRY OF GOVERNMENT SERVICES	945 BAY STREET TORONTO ON M7A 1N3	NNW/215.4	4.65	58
270	NPCB	MINISTRY OF GOVERNMENT SERVICE	945 BAY STREET TORONTO ON M7A 1N	NNW/215.4	4.65	587
270	OPCB	MINISTRY OF GOVERNMENT SERVICES	945 BAY STREET TORONTO ON M7A 1N3	NNW/215.4	4.65	587
270	OPCB	MINISTRY OF GOVERNMENT SERVICES	945 BAY STREET TORONTO ON M7A 1N3	NNW/215.4	4.65	587
270	TANK	Republic Motor Car Co of Canada	945 Bay St Toronto ON	NNW/215.4	4.65	588
270	TANK	Toronto Hydro-Electric System Ltd	945 Bay St Toronto ON	NNW/215.4	4.65	588
270	TANK	Republic Motor Car Co of Canada	945 Bay St Toronto ON	NNW/215.4	4.65	588
270	TANK		945 Bay St Toronto ON	NNW/215.4	4.65	589
271	BORE		ON	NW/217.4	4.01	589
272	BORE		ON	W/218.2	1.04	590
273	EHS		556 - 564 Yonge Street Toronto ON	N/219.6	4.88	590
274	SCT	What-A-Bagel	558 Yonge St Toronto ON M4Y 1Z1	N/220.0	4.88	590
275	EHS		80 Grosvenor Street Toronto ON	W/220.3	0.95	591
276	WWIS		ON	NNE/220.4	4.55	591
277	TANK	Astoria Cafe	433 Yonge St Toronto ON M5B 1T3	SE/220.4	-4.66	593
278	BORE		ON	NW/220.7	4.01	593
279	BORE		ON	NNE/220.8	4.55	594
280	EASR	INSITU CONTRACTORS INC	11 Wellesley ST W TORONTO ON M4Y 1E8	N/221.3	4.87	595
280	EHS		11 Wellesley St W Toronto ON M4Y1E7	N/221.3	4.87	595
280	GEN	Insitu Contractors Inc	11 Wellesley St West Toronto ON M4Y 1E8	N/221.3	4.87	595

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
280	GEN	PCL Constructors Canada Inc	11 Wellesley St West access via Breadalbane Toronto ON	N/221.3	4.87	596
280	PTTW	Lanterra Developments (Bay Wellesley) Limited	11 Wellesley St W Address: 11 Wellesley St W, Toronto, City District Office: Toronto - District GeoReference: Zone: 17, UTM Easting: 630159, UTM Northing: 4835837, , Site #: 8561-9X5HZ8 CITY OF TORONTO ON	N/221.3	4.87	596
281	WWIS		TORONTO ON	NW/221.7	4.01	596
282	EHS		543 Yonge Street Toronto ON M4Y 1Y5	NNE/222.8	4.56	599
282	GEN	Trinity Development Group Inc.	543 Yonge Street Toronto ON M4Y 1Y5	NNE/222.8	4.56	599
282	GEN	AIDS COMMITTEE OF TORONTO	543 YONGE STREET, 4TH FLOR TORONTO ON M4Y 1Y5	NNE/222.8	4.56	599
283	BORE		ON	WNW/222.8	3.05	600
284	CA	CANADIAN RED CROSS SOCIETY	67 COLLEGE STREET TORONTO CITY ON M5G 2M1	SSW/223.4	-2.87	60
284	EHS		67 College Street TORONTO ON M5G 2M1	SSW/223.4	-2.87	601
284	GEN	CANADIAN BLOOD SERVICES	ONTARIO AND CENTRAL REGION 67 COLLEGE STREET RM 017 TORONTO ON M5G 2M1	SSW/223.4	-2.87	601
284	GEN	CANADIAN BLOOD SERVICES	ONTARIO AND CENTRAL REGION 67 COLLEGE STREET TORONTO ON M5G 2M1	SSW/223.4	-2.87	601
284	GEN	CANADIAN BLOOD SERVICES	ONTARIO AND CENTRAL REGION 67 COLLEGE STREET RM 017 TORONTO ON M5G 2M1	SSW/223.4	-2.87	602
284	GEN	CANADIAN BLOOD SERVICES	ONTARIO AND CENTRAL REGION 67 COLLEGE STREET TORONTO ON M5G 2M1	SSW/223.4	-2.87	603
284	GEN	CANADIAN BLOOD SERVICES	ONTARIO AND CENTRAL REGION 67 COLLEGE STREET RM 017 TORONTO ON M5G 2M1	SSW/223.4	-2.87	603
284	GEN	CANADIAN BLOOD SERVICES	ONTARIO AND CENTRAL REGION 67 COLLEGE STREET RM 017 TORONTO ON	SSW/223.4	-2.87	604
284	GEN	UNIVERSITY HEALTH NETWORK Toronto General Hospital	67 COLLEGE ST./200 ELIZABETH ST. TORONTO GENERAL HOSPITAL TORONTO ON M5G 2C4	SSW/223.4	-2.87	604
284	GEN	CANADIAN RED CROSS SOCIETY	TORONTO CENTRE 67 COLLEGE STREET TORONTO ON M5G 2M1	SSW/223.4	-2.87	605
284	GEN	Canadian Blood Services	67 College Street Toronto ON M5G 2M1	SSW/223.4	-2.87	606
284	GEN	CANADIAN BLOOD SERVICES	ONTARIO AND CENTRAL REGION 67 COLLEGE STREET RM 017 TORONTO ON M5G 2M1	SSW/223.4	-2.87	606
284	GEN	CANADIAN BLOOD SERVICES	ONTARIO AND CENTRAL REGION 67 COLLEGE STREET RM 017 TORONTO ON M5G 2M1	SSW/223.4	-2.87	607
284	GEN	CANADIAN BLOOD SERVICES	ONTARIO AND CENTRAL REGION 67 COLLEGE STREET RM 017 TORONTO ON M5G 2M1	SSW/223.4	-2.87	607
284	GEN	CANADIAN BLOOD SERVICES	ONTARIO AND CENTRAL REGION 67 COLLEGE STREET TORONTO ON M5G 2M1	SSW/223.4	-2.87	608

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
284	GEN	CANADIAN BLOOD SERVICES	TORONTO CENTRE 67 COLLEGE STREET TORONTO ON M5G 2M1	SSW/223.4	-2.87	608
284	NPCB	CANADIAN BLOOD SERVICES (CANADIAN RED CROSS)	67 COLLEGE ST TORONTO ON M5G 2M1	SSW/223.4	-2.87	608
284	NPCB	CANADIAN RED CROSS SOCIETY	67 COLLEGE STREET TORONTO ON M5G 2M1	SSW/223.4	-2.87	60
284	OPCB	CANADIAN BLOOD SERVICES(CANADIAN RED CRO	67 COLLEGE STREET TORONTO, ONTARIO ON M5G 2M1	SSW/223.4	-2.87	609
284	OPCB	CANADIAN RED CROSS SOCIETY	67 COLLEGE STREET TORONTO, ONTARIO ON M5G 2M1	SSW/223.4	-2.87	609
284	OPCB	CANADIAN RED CROSS SOCIETY	67 COLLEGE STREET TORONTO, ONTARIO ON M5G 2M1	SSW/223.4	-2.87	610
284	OPCB	CANADIAN BLOOD SERVICES(CANADIAN RED CRO	67 COLLEGE STREET TORONTO, ONTARIO ON M5G 2M1	SSW/223.4	-2.87	610
284	SPL		67 College St Toronto ON	SSW/223.4	-2.87	610
285	BORE		ON	NW/224.2	3.57	611
286	WWIS		ON	N/224.5	4.99	612
287	BORE		ON	WNW/225.4	3.05	612
288	BORE		ON	W/225.9	1.01	613
289	BORE		ON	W/226.0	1.81	614
290	BORE		ON	W/226.0	1.99	614
291	BORE		ON	W/226.8	1.38	615
292	BORE		ON	W/227.0	1.01	615
293	GEN	Frasmet Holdings Limited	25 Wood Street Toronto ON M4Y 2P9	E/227.3	-1.96	616
294	BORE		ON	WNW/227.3	3.18	616
295	BORE		ON	NNE/227.5	4.03	617
296	BORE		ON	NW/227.5	4.01	618
297	BORE		ON	NW/230.9	4.01	618
298	BORE		ON	W/231.3	1.37	619
299	WWIS		TORONTO ON	N/232.1	5.00	619
300	BORE		ON	WNW/232.1	3.05	623
301	SPL	TORONTO HYDRO	TORONTO HYDRO VAULT NEAR 80 GROVENOR ST. TRANSFORMER TORONTO CITY ON	W/232.6	1.04	62

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
302	WWIS		Toronto ON	WSW/232.9	0.68	624
303	TANK		5 Wellesley St Toronto ON	N/233.8	5.09	626
304	NPRI	UNIVERSITY HEALTH NETWORK	399 BATHURST STREET NOT AVAILABLE TORONTO ON M5T2S8	SW/234.1	-2.01	626
305	SPL	TRANSPORT TRUCK	ON WELLESLEY ST. AT BAY MOTOR VEHICLE (OPERATING FLUID) TORONTO CITY ON	NW/236.2	4.93	62
306	BORE		ON	NE/236.2	3.33	627
307	WWIS		Toronto ON	W/237.3	0.94	628
308	BORE		ON	N/237.7	5.00	630
309	BORE		ON	WNW/238.0	3.05	631
310	BORE		ON	NW/238.2	4.01	631
311	BORE		ON	NW/238.3	4.65	632
312	RSC	Triforte Building Corporation	21 CARLTON ST, TORONTO, ON, M5B 1L2, ON	ESE/239.0	-4.07	632
313	BORE		ON	WNW/240.0	2.46	633
314	BORE		ON	NW/240.0	4.01	634
315	BORE		ON	NNE/240.3	4.88	634
316	BORE		ON	WNW/240.3	3.18	635
317	BORE		ON	W/240.8	2.07	636
318	BORE		ON	NW/241.6	4.01	636
319	TANK	Calkins Dr H W	36 Alexander Blvd Toronto ON M4Y 1B4	ENE/244.2	1.11	637
320	HINC		33 MAITLAND STREET TORONTO ON M4Y 1C8	NE/244.6	2.81	637
320	SPL		33 Maitland St<UNOFFICIAL> Toronto ON M4Y 1C8	NE/244.6	2.81	637
321	WWIS		TORONTO ON	N/245.5	5.37	638
322	EHS		22-26 Wellesley St. W Toronto ON M4Y 1G1	NNW/247.0	5.02	641
323	BORE		ON	NNW/247.8	5.47	641
324	BORE		ON	WNW/248.2	2.10	641
325	HINC		750 Bay Street TORONTO ON M5G 1N6	S/248.9	-4.62	642

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
325	SPL	Enbridge Gas Distribution Inc.	750 Bay St Toronto ON M5G 1N6	S/248.9	-4.62	642
326	BORE		ON	WNW/249.2	2.96	643
327	SCT	Cineplex Odeon Corporation - Carlton Cinemas	20 Carlton St Toronto ON M5B 2H5	ESE/250.7	-2.99	644
328	GEN	MINISTRY OF CONSUMER & COMMERICAL 27-004	RELATIONS 555 YONGE ST. TORONTO ON M4Y 3A6	NNE/251.0	5.09	644
328	GEN	MINISTRY OF CONSUMER &	COMMERCIAL RELATIONS 555 YONGE ST. TORONTO ON M4Y 3A6	NNE/251.0	5.09	644
328	GEN	MINISTRY OF CONSUMER &	555 YONGE STREET TORONTO ON M4Y 3A6	NNE/251.0	5.09	645
328	NPCB	GERANIUM HOMES	555 YONGE STREET TORONTO ON M4Y 3A6	NNE/251.0	5.09	645
328	NPCB	GERANIUM HOMES	555 YONGE STREET TORONTO ON M4Y 3A6	NNE/251.0	5.09	64
328	OPCB	GERANIUM HOMES	555 YONGE STREET TORONTO ON M4Y 3A6	NNE/251.0	5.09	645
328	OPCB	GERANIUM HOMES	555 YONGE STREET TORONTO ON M4Y 3A6	NNE/251.0	5.09	646
328	OPCB	GERANIUM HOMES	555 YONGE STREET TORONTO ON M4Y 3A6	NNE/251.0	5.09	646
328	SPL	PRIVATE OWNER	555 YONGE STREET MOTOR VEHICLE (OPERATING FLUID) TORONTO CITY ON M4Y 3A6	NNE/251.0	5.09	64
328	SPL	Toronto Hydro-Electric System Limited	555 Yonge St Toronto ON	NNE/251.0	5.09	647
328	TANK	Fisher Thomas	555 Yonge St Toronto ON M4Y 3A6	NNE/251.0	5.09	647
329	BORE		ON	SE/251.1	-5.96	647
330	WWIS		Toronto ON	W/251.8	0.98	648
331	BORE		ON	WNW/251.8	2.85	651
332	BORE		ON	NW/252.1	4.01	651
333	BORE		ON	NW/252.7	4.93	652
334	BORE		ON	NNE/252.8	4.20	653
335	BORE		ON	ENE/253.8	0.78	653
336	GEN	Yonge Carlton Dental	427 Yonge Street Toronto ON M5B 1L2	SE/254.1	-5.95	654
336	GEN	Yonge Carlton Dental	427 Yonge Street Toronto ON M5B 1L2	SE/254.1	-5.95	654
336	GEN	Yonge Carlton Dental	427 Yonge Street Toronto ON M5B 1L2	SE/254.1	-5.95	654
337	GEN	MTCC 972	24 WELLESLEY ST WEST 3RD FLOOR TORONTO ON M4Y 2X6	NNW/257.8	5.47	655

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
337	GEN	MTCC 972	24 WELLESLEY ST WEST 3RD FLOOR TORONTO ON M4Y 2X6	NNW/257.8	5.47	655
337	GEN	MTCC 972	24 WELLESLEY ST WEST 3RD FLOOR TORONTO ON M4Y 2X6	NNW/257.8	5.47	655
337	GEN	MTCC 972	24 WELLESLEY ST WEST 3RD FLOOR TORONTO ON M4Y 2X6	NNW/257.8	5.47	655
338	BORE		ON	N/258.7	5.75	656
339	GEN	ONE HOUR QUALITY PHOTO 29-620	4A WELLESLEY ST.W. TORONTO ON M4Y 1E7	N/258.9	5.77	656
340	RSC	Triforte Building Corporation	25 CARLTON ST, TORONTO, ON, M5B 1L2, ON	ESE/259.3	-4.00	657
341	BORE		ON	NW/260.4	5.02	657
342	HINC		761 BAY STREET TORONTO ON M5G 2R2	S/261.5	-7.36	658
342	SPL	Enbridge Gas Distribution Inc.	761 Bay St Toronto ON M5G 2R2	S/261.5	-7.36	658
343	BORE		ON	WNW/262.9	2.96	658
344	GEN	Wellesley Animal Hospital	8 Wellesley St. W Toronto ON M4Y 1E7	N/263.1	6.02	659
344	GEN	Wellesley Animal Hospital	8 Wellesley St. W Toronto ON M4Y 1E7	N/263.1	6.02	660
344	GEN	Wellesley Animal Hospital	8 Wellesley St. W Toronto ON	N/263.1	6.02	660
344	GEN	Wellesley Animal Hospital	8 Wellesley St. W Toronto ON M4Y 1E7	N/263.1	6.02	660
344	GEN	Wellesley Animal Hospital	8 Wellesley St. W Toronto ON M4Y 1E7	N/263.1	6.02	661
344	GEN	Wellesley Animal Hospital	8 Wellesley St. W Toronto ON M4Y 1E7	N/263.1	6.02	661
344	GEN	Wellesley Animal Hospital	8 Wellesley St. W Toronto ON M4Y 1E7	N/263.1	6.02	661
345	EHS		92 College St Toronto ON M5G1L4	SW/263.2	-1.62	662
346	BORE		ON	WNW/263.4	4.01	662
346	BORE		ON	WNW/263.4	4.01	662
347	BORE		ON	WNW/263.9	3.05	663
348	CA	METRO TORONTO HOUSING CO. LTD.	423 YONGE STREET TORONTO CITY ON M5B 1T2	SE/265.3	-6.90	66
348	CA	METROPOLITAN TORONTO HOUSING CO. LTD.	423 YONGE STREET TORONTO CITY ON M5B 1T2	SE/265.3	-6.90	66
349	WWIS		Toronto ON	NNE/265.7	4.89	665
350	SCT	Genesis	92 College St Toronto ON M5G 1L4	SW/267.0	-1.94	667
351	NPCB	IRVING UNGERMAN LIMITED et al	37 MAITLAND STREET MAITLAND STREET	NE/267.5	3.04	667

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			TORONTO ON M4Y 1C8			
352	BORE		ON	WNW/268.7	3.05	668
353	SCT	LawyerDoneDeal Corp.	60A Wellesley St W Toronto ON M5S 3L2	NW/270.2	4.93	668
354	EHS		955 Bay Street Toronto ON M5S 2A2	NNW/270.2	5.83	669
354	EHS		955 Bay Street Toronto ON M5S 2A2	NNW/270.2	5.83	669
354	GEN	Lanterra Developments (The Britt) Ltd	955 Bay St Toronto ON M5S2A2	NNW/270.2	5.83	669
354	GEN	The Sutton Place Hotel	955 Bay Street Toronto ON M5S 2A2	NNW/270.2	5.83	670
354	GEN	The Sutton Place Grande Limited	955 Bay St. Toronto ON M5S 2A2	NNW/270.2	5.83	670
354	GEN	Lanterra Developments (The Britt) Ltd	955 Bay St Toronto ON M5S2A2	NNW/270.2	5.83	670
354	SCT	Vault Studios	955 Bay St Sutton Pl Hotel Toronto ON M5S 2A2	NNW/270.2	5.83	670
355	EHS		15 Wellesley St E, 20-26 Maitland St Toronto ON	NNE/270.8	4.89	671
356	BORE		ON	NW/271.6	5.14	671
357	EHS		26 Maitland St Toronto ON M4Y1C6	NE/272.0	4.08	672
357	GEN	CATHOLIC CHILDRENS AID SOCIETY 08-687	OF METRO TORONTO 26 MAITLAND ST. TORONTO ON M4Y 1C6	NE/272.0	4.08	672
358	BORE		ON	NNW/272.2	5.47	672
359	EHS		30 Carlton Street Toronto ON	ESE/272.3	-2.99	673
360	SPL	Canadian Waste Services Inc.	WOOD STREET, NORTH SIDE, HALFWAY BETWEEN YONGE ST. AND CHURCH ST<UNOFFICIAL> Toronto ON	E/273.2	-2.02	673
361	BORE		ON	SW/273.8	-3.08	673
362	BORE		ON	WNW/274.8	3.05	674
363	SCT	Allan King Associates Ltd.	965 Bay St Suite 2409 Toronto ON M5S 2A3	NNW/276.4	5.83	675
363	SCT	Saturday Plays Ltd.	965 Bay St Suite 2409 Toronto ON M5S 2A3	NNW/276.4	5.83	675
364	BORE		ON	NW/277.2	5.47	675
365	GEN	BAY-HUNTER DEVELOPMENT INCORPOR. 05-776	730 BAY ST. N.W. CORNER OF BAY& HAYTER STS.,TORONTO C/O 80 TIVERTON CRT. #300 MARKHAM ON L3R 0G4	S/277.6	-6.57	676
366	EHS		419-429 Yonge St Toronto ON	SE/278.1	-7.47	676
367	BORE		ON	NW/278.3	5.02	677

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
368	GEN	CANDEREL STONERIDGE GROUP	751 BAY STREET TORONTO ON	S/278.5	-7.06	677
369	GEN	Drs. Asadi, Lweis and Associates Dentistry	736 Bay St. Unit #5 Toronto ON M5G2M4	S/279.2	-5.94	677
369	GEN	Drs. Asadi, Lweis and Associates Dentistry	736 Bay St. Unit #5 Toronto ON M5G2M4	S/279.2	-5.94	678
369	GEN	Drs. Asadi, Lweis and Associates Dentistry	736 Bay St. Unit #5 Toronto ON M5G2M4	S/279.2	-5.94	678
370	BORE		ON	WNW/280.6	3.18	678
371	BORE		ON	SE/280.7	-6.44	679
372	EHS		15 Wellesley St E Toronto ON	NNE/281.9	5.74	679
372	GEN	Toronto Parking Authority Real Estate, Development	15 Wellesley Street East Toronto ON	NNE/281.9	5.74	680
372	GEN	Toronto Parking Authority Real Estate, Development	15 Wellesley Street East Toronto ON M4Y 3A6	NNE/281.9	5.74	680
373	BORE		ON	E/281.9	-2.99	680
374	GEN	Toronto Transit Commission	21 Granby Street Toronto ON M3B 1H8	ESE/282.3	-5.48	681
375	BORE		ON	WNW/282.3	2.97	681
376	BORE		ON	WNW/282.7	4.01	682
377	GEN	Surrey Place Centre	2 Surrey Place Toronto ON M5S 2C2	WSW/282.8	0.04	683
377	GEN	SURREY PLACE CENTRE CYTOGENETICS LAB	2 SURREY PLACE TORONTO ON M5S 2C2	WSW/282.8	0.04	683
377	GEN	MINISTRY (SEE & USE ON1699100) 27-007	SURREY PLACE CENTRE - CYTOGENETIC LAB 2 SURREY PLACE TORONTO ON M5S 2C2	WSW/282.8	0.04	684
377	GEN	Surrey Place Centre	2 Surrey Place Toronto ON M5S 2C2	WSW/282.8	0.04	684
377	GEN	Surrey Place Centre	2 Surrey Place Toronto ON M5S 2C2	WSW/282.8	0.04	684
377	GEN	Surrey Place Centre	2 Surrey Place Toronto ON M5S 2C2	WSW/282.8	0.04	685
377	GEN	Surrey Place Centre	2 Surrey Place Toronto ON M5S 2C2	WSW/282.8	0.04	685
377	GEN	MINISTRY OF COM & SOC SERVICES	SURREY PLACE CENTRE - CYTOGENETIC LAB 2 SURREY PLACE TORONTO ON M5S 2C2	WSW/282.8	0.04	685
377	GEN	Surrey Place Centre	2 Surrey Place Toronto ON	WSW/282.8	0.04	686
377	GEN	SURREY PLACE CENTRE 27-007	CYTOGENETICS LABORATORY 2 SURREY PLACE TORONTO ON M5S 2C2	WSW/282.8	0.04	686
377	GEN	SURREY PLACE CENTRE CYTOGENETICS LAB	2 SURREY PLACE TORONTO ON M5S 2C2	WSW/282.8	0.04	687
377	GEN	Surrey Place Centre Research	2 Surrey Place Toronto ON M5S 2C2	WSW/282.8	0.04	687

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
377	GEN	MINISTRY (SEE & USE ON1699100)	SURREY PLACE CENTRE - CYTOGENETIC LAB 2 SURREY PLACE TORONTO ON M5S 2C2	WSW/282.8	0.04	687
377	GEN	Surrey Place Centre	2 Surrey Place Toronto ON M5S 2C2	WSW/282.8	0.04	688
377	GEN	Surrey Place Centre	2 Surrey Place Toronto ON M5S 2C2	WSW/282.8	0.04	688
378	SCT	Northbound Leather Ltd.	7 St Nicholas St Toronto ON M4Y 1W5	N/283.6	5.98	68
378	SCT	LEATHER CRAFT	7 SAINT NICHOLAS ST TORONTO ON M4Y 1W5	N/283.6	5.98	68
379	BORE		ON	N/284.6	6.06	689
380	CA	GE Canada Real Estate Equity Holdings	56 Wellesley St W Toronto ON	NW/285.2	5.47	690
380	EBR	GE Canada Real Estate Equity Holdings	56 Wellesley Street West Toronto CITY OF TORONTO ON	NW/285.2	5.47	690
380	ECA	GE Canada Real Estate Equity Holdings	56 Wellesley St W Toronto ON M5C 3H1	NW/285.2	5.47	690
380	EHS		56 Wellesley St W Toronto ON M5S2S3	NW/285.2	5.47	691
380	EHS		56 Wellesley St W Toronto ON M5S2S3	NW/285.2	5.47	691
380	GEN	Horizon Mechanical Contractors	56 Wellesley street west Toronto ON M5S 2S3	NW/285.2	5.47	691
380	GEN	Direct Elevator Service Ltd	56 Wellesley Street West Toronto ON M5S 2S3	NW/285.2	5.47	692
380	GEN	ATLANTIS REAL ESTATE CORPORATION	56 WELLESLEY STREET WEST TORONTO ON M5S 1C3	NW/285.2	5.47	692
380	GEN	ATLANTIS REAL ESTATE CORPORATION	BOWGADA HOLDINGS LIMITED 56 WELLESLEY STREET WEST TORONTO ON M5S 1C3	NW/285.2	5.47	692
380	NPCB	DUNDEE REALTY MANAGEMENT CORPORATION	C/O V & A PROPERTIES INC. 56 WELLESLEY STREET WEST TORONTO ON	NW/285.2	5.47	692
380	NPCB	ATLANTIS REAL ESTATE CORPORATION	56 WELLESLY STREET TORONTO ON	NW/285.2	5.47	69
380	NPCB	V AND A PROPERTIES INCORPORATION	56 WELLESLY STREET TORONTO ON	NW/285.2	5.47	69
380	NPRI	DUNDEE REATLY MANAGEMENT CORP.	56 Wellesley Street West Toronto ON M5S2S3	NW/285.2	5.47	693
380	OPCB	BOWGADA HOLDINGS LIMITED	56 WELLESLEY STREET WEST NORTH YORK, ONTARIO ON	NW/285.2	5.47	696
380	OPCB	DUNDEE REALTY MANAGEMENT CORPORATION	C/O V & A PROPERTIES INC. 56 WELLESLEY STREET WEST TORONTO ON	NW/285.2	5.47	696
380	OPCB	V AND A PROPERTIES INCORPORATION	56 WELLESLY STREET TORONTO ON	NW/285.2	5.47	696
380	OPCB	BOWGADA HOLDINGS LIMITED	C/O V & A PROPERTIES INC. 56 WELLESLEY STREET WEST TORONTO ON	NW/285.2	5.47	696
380	OPCB	DUNDEE REALTY MANAGEMENT CORPORATION	C/O V & A PROPERTIES INC. 56 WELLESLEY STREET WEST TORONTO ON	NW/285.2	5.47	697
380	SCT	Canadian Music Publishers	56 Wellesley St W Suite 320 Toronto ON M5S 2S3	NW/285.2	5.47	697

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
380	TANK	British American Oil Co Ltd	56 Wellesley St W Toronto ON	NW/285.2	5.47	697
380	TANK	Wilkin [James]	56 Wellesley St W Toronto ON	NW/285.2	5.47	698
380	TANK	British American Oil Co Ltd	56 Wellesley St W Toronto ON	NW/285.2	5.47	698
380	TANK	British American Oil Co Ltd	56 Wellesley St W Toronto ON	NW/285.2	5.47	698
380	TANK	British American Oil Co Ltd	56 Wellesley St W Toronto ON	NW/285.2	5.47	698
380	TANK	Clear Vision Pump Co	56 Wellesley St W Toronto ON	NW/285.2	5.47	699
381	EBR	GWL Realty Advisors Inc.	717 Bay Street & 44 Gerrard Street West Toronto M5G 2J9 CITY OF TORONTO ON	S/286.0	-7.62	699
381	ECA	GWL Realty Advisors Inc.	717 Bay Street & 44 Gerrard Street West Toronto ON M5B 2H4	S/286.0	-7.62	699
382	BORE		ON	NNW/286.1	6.01	700
383	SCT	Editors' Association of Canada	27 Carlton St Suite 505 Toronto ON M5B 1L2	ESE/286.5	-3.99	700
383	SCT	Carlton Printers	27 Carlton St Ground Floor Toronto ON M5B 1L2	ESE/286.5	-3.99	700
383	SCT	CARLTON PRINTERS LIMITED	27 CARLTON ST TORONTO ON M5B 1L2	ESE/286.5	-3.99	70
384	WWIS		TORONTO ON	WNW/287.2	2.85	701
385	EHS		586 Yonge St Toronto ON M4Y1Z3	N/287.9	5.98	704
386	TANK	Cross Purcer Bull Ltd	561 Yonge St Toronto ON M4Y 1Z2	N/288.7	5.98	704
387	TANK	Hoidge [W H] & Co Ltd	28 Carlton St Toronto ON M5B 1J2	ESE/288.7	-3.21	704
387	TANK	Doane & McGee	28 Carlton St Toronto ON M5B 1J2	ESE/288.7	-3.21	705
387	TANK	Eaton [T] & Co Ltd	28 Carlton St Toronto ON M5B 1J2	ESE/288.7	-3.21	705
388	GEN	Anpro	727 Bay Street College Park Toronto ON L4K 4X2	S/289.2	-7.59	705
389	TANK	Breakey P	402 Yonge St Toronto ON	SE/290.8	-10.12	705
390	SPL		8 Wellesley St E Toronto ON	N/291.2	5.97	706
391	SCT	VENUE MAGAZINE	9 ST NICHOLAS ST TORONTO ON M4Y 1W5	N/291.4	5.99	706
392	BORE		ON	NE/292.0	2.03	706
393	BORE		ON	NNW/292.1	6.01	707
394	BORE		ON	E/292.7	-2.99	707
395	EHS		586 YONGE STREET TORONTO ON M4Y 1Z3	N/292.8	5.99	708

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
395	SCT	LEATHER CRAFT	586 YONGE ST TORONTO ON M4Y 1Z3	N/292.8	5.99	708
396	WWIS		TORONTO ON	N/293.0	5.99	708
397	BORE		ON	E/293.2	-3.21	711
398	BORE		ON	E/293.3	-2.60	711
399	EHS		77 Wellesley Street W. Toronto ON M7A 1N3	WNW/293.8	4.01	712
399	GEN	MANAGEMENT BOARD	Rm: M2B - 60 77 Wellesley Street West Toronto ON M7A 1N3	WNW/293.8	4.01	712
399	GEN	MINISTRY OF GOVERNMENT SERVICES	77 WELLESLEY STREET WEST 8TH FLOOR FERGUSON BLOCK TORONTO ON M7A 1N3	WNW/293.8	4.01	712
399	GEN	MINISTRY OF EDUCATION	77 WELLESLEY STREET WEST, ROOM M2B-60 TORONTO ON M7A 1N3	WNW/293.8	4.01	713
399	GEN	1214592 Ontario Limited	77 Wellesley St W Toronto ON M7A 2G3	WNW/293.8	4.01	713
399	GEN	MINISTRY OF GOVERNMENT SERVICES 27-502	77 WELLESLEY STREET WEST 8TH FLOOR FERGUSON BLOCK TORONTO ON M7A 1N3	WNW/293.8	4.01	713
399	GEN	Ontario Ministry of Natural Resources	77 Wellesley Street West Toronto ON	WNW/293.8	4.01	714
399	GEN	MINISTRY OF GOVERNMENT SERVICES	77 WELLESLEY STREET WEST TORONTO ON M7A 1N7	WNW/293.8	4.01	714
400	BORE		ON	WNW/293.9	3.57	714
401	EHS		34 Maitland Toronto ON M4Y 1C5	NE/294.5	3.73	715
401	GEN	Cap Reit Limited partnership	34 Maitland Street Toronto ON M4Y 1C5	NE/294.5	3.73	715
402	GEN	University Health Network	201 Elizabeth St. Toronto ON	SSW/296.9	-5.26	716
402	GEN	University Health Network	201 Elizabeth Street Toronto ON M5G 2C4	SSW/296.9	-5.26	716
402	SPL	PRIVATE OWNER	201 ELIZABETH STREET MOTOR VEHICLE (OPERATING FLUID) TORONTO CITY ON	SSW/296.9	-5.26	71

Executive Summary: Summary By Data Source

ANDR - Anderson's Waste Disposal Sites

A search of the ANDR database, dated 1860s-Present has found that there are 1 ANDR site(s) within approximately 0.30 kilometers of the project property.

Site	Address	Distance (m)	Map Key
461 Yonge St Fill	Toronto ON M5B	136.2	129

BORE - Borehole

A search of the BORE database, dated 1875-Jul 2014 has found that there are 153 BORE site(s) within approximately 0.30 kilometers of the project property.

Site	Address	Distance (m)	Map Key
	ON	0.0	2
	ON	0.0	4
	ON	0.0	5
	ON	0.0	7
	ON	2.7	10
	ON	3.0	11
	ON	5.5	13
	ON	6.4	14
	ON	7.9	15
	ON	16.5	19
	ON	29.2	22
	ON	38.6	28
	ON	55.1	38
	ON	57.8	39

Site	Address	Distance (m)	Map Key
	ON	65.5	44
	ON	71.6	49
	ON	75.7	51
	ON	76.1	53
	ON	79.9	59
	ON	82.3	66
	ON	84.1	67
	ON	87.8	70
	ON	89.7	71
	ON	92.8	74
	ON	96.9	76
	ON	99.6	79
	ON	102.2	80
	ON	105.1	85
	ON	106.3	86
	ON	106.3	86
	ON	110.7	90
	ON	115.1	93
	ON	117.5	96
	ON	117.6	97
	ON	119.7	98
	ON	120.2	100
	ON	125.1	107

Site	Address	Distance (m)	Map Key
	ON	125.6	108
	ON	126.5	111
	ON	127.8	116
	ON	128.0	117
	ON	128.5	118
	ON	133.0	123
	ON	136.1	128
	ON	141.5	139
	ON	144.5	142
	ON	145.9	144
	ON	147.8	149
	ON	149.5	152
	ON	150.9	155
	ON	151.2	156
	ON	152.2	158
	ON	152.6	162
	ON	155.3	165
	ON	156.8	169
	ON	159.5	173
	ON	160.7	176
	ON	164.1	178
	ON	169.4	186
	ON	172.5	190

Site	Address	Distance (m)	Map Key
	ON	173.1	191
	ON	174.7	194
	ON	178.2	195
	ON	178.4	196
	ON	179.6	198
	ON	182.4	206
	ON	183.2	208
	ON	184.1	209
	ON	184.9	210
	ON	185.5	211
	ON	186.1	212
	ON	187.6	215
	ON	188.6	216
	ON	189.6	219
	ON	191.3	224
	ON	192.0	225
	ON	195.7	231
	ON	198.6	238
	ON	199.1	241
	ON	200.2	246
	ON	200.7	247
	ON	201.3	249
	ON	204.5	253

Site	Address	Distance (m)	Map Key
	ON	204.6	255
	ON	208.0	257
	ON	208.1	258
	ON	210.3	260
	ON	212.5	263
	ON	213.0	265
	ON	217.4	271
	ON	218.2	272
	ON	220.7	278
	ON	220.8	279
	ON	222.8	283
	ON	224.2	285
	ON	225.4	287
	ON	225.9	288
	ON	226.0	289
	ON	226.0	290
	ON	226.8	291
	ON	227.0	292
	ON	227.3	294
	ON	227.5	295
	ON	227.5	296
	ON	230.9	297
	ON	231.3	298

Site	Address	Distance (m)	Map Key
	ON	232.1	300
	ON	236.2	306
	ON	237.7	308
	ON	238.0	309
	ON	238.2	310
	ON	238.3	311
	ON	240.0	313
	ON	240.0	314
	ON	240.3	315
	ON	240.3	316
	ON	240.8	317
	ON	241.6	318
	ON	247.8	323
	ON	248.2	324
	ON	249.2	326
	ON	251.1	329
	ON	251.8	331
	ON	252.1	332
	ON	252.7	333
	ON	252.8	334
	ON	253.8	335
	ON	258.7	338
	ON	260.4	341

Site	Address	Distance (m)	Map Key
	ON	262.9	343
	ON	263.4	346
	ON	263.4	346
	ON	263.9	347
	ON	268.7	352
	ON	271.6	356
	ON	272.2	358
	ON	273.8	361
	ON	274.8	362
	ON	277.2	364
	ON	278.3	367
	ON	280.6	370
	ON	280.7	371
	ON	281.9	373
	ON	282.3	375
	ON	282.7	376
	ON	284.6	379
	ON	286.1	382
	ON	292.0	392
	ON	292.1	393
	ON	292.7	394
	ON	293.2	397
	ON	293.3	398

Site	Address	Distance (m)	Map Key
	ON	293.9	400

CA - Certificates of Approval

A search of the CA database, dated 1985-Oct 30, 2011* has found that there are 27 CA site(s) within approximately 0.30 kilometers of the project property.

Site	Address	Distance (m)	Map Key
	25 Grosvenor St. Toronto ON	0.0	8
MANAGEMENT BOARD SECRETARIAT	25 GROSVENOR STREET TORONTO CITY ON	0.0	8
GRENVILLE STREET COOP. HOUSING INC.	18 GRENVILLE STREET TORONTO CITY ON M4Y 3B3	11.3	16
City of Toronto	40 College St Toronto ON M5G 2J3	53.4	36
EAST OF BAY DEVELOPMENT CORPORATION	BAY/BREADALBANE/GROSVENOR STS. TORONTO ON	76.3	54
TORONTO CITY	YONGE ST./GRENVILLE ST. TORONTO CITY ON	103.6	82
Ministry of Community Safety and Correctional Services	21 College Street Toronto ON	124.2	106
The Toronto-Dominion Bank	21 College Street, 5th Floor Toronto ON	124.2	106
777 Bay Street Associates, LP	777 Bay St Toronto ON	134.1	124
Oxford Properties Group Inc.	777 Bay Street Toronto ON	134.1	124
Ontario Realty Corporation	77 Grenville St Toronto ON	145.2	143
HIGH GATE HOTELS	475 YONGE STREET TORONTO ON M4Y 1X7	147.9	150
Yonge Street Hotels Ltd.	475 Yonge St Toronto ON M4Y 1X7	147.9	150
Yonge Street Hotels Ltd.	475 Yonge St Toronto ON M4Y 1X7	147.9	150
DARUL KABAB	511 YONGE STREET TORONTO CITY ON M4Y 1Y3	152.5	161
GWL Realty Advisors Inc.	444 Yonge St Toronto ON	155.7	166
GWL Realty Advisors Inc.	444 Yonge St Toronto ON	155.7	166
GWL Realty Advisors Inc.	444 Yonge St Toronto ON	155.7	166

Site	Address	Distance (m)	Map Key
EAST OF BAY DEVELOPMENT CORPORATION	YONGE ST/BREADALBANE ST. TORONTO ON	159.5	174
Women's College Health Research	790 Bay St Toronto ON M5G 1N8	182.3	205
Women's College Health Research	790 Bay Street Toronto ON M5G 1N8	182.3	205
WOMENS COLLEGE HOSPITAL	TORONTO CITY ON	186.6	213
SNC-Lavalin ProFac Inc.	900 Bay St Toronto ON	196.3	233
CANADIAN RED CROSS SOCIETY	67 COLLEGE STREET TORONTO CITY ON M5G 2M1	223.4	284
METROPOLITAN TORONTO HOUSING CO. LTD.	423 YONGE STREET TORONTO CITY ON M5B 1T2	265.3	348
METRO TORONTO HOUSING CO. LTD.	423 YONGE STREET TORONTO CITY ON M5B 1T2	265.3	348
GE Canada Real Estate Equity Holdings	56 Wellesley St W Toronto ON	285.2	380

CPU - Certificates of Property Use

A search of the CPU database, dated 1994-Apr 30, 2018 has found that there are 2 CPU site(s) within approximately 0.30 kilometers of the project property.

Site	Address	Distance (m)	Map Key
LANTERRA 501 YONGE DEVELOPMENTS LIMITED	501-525 Yonge Street CITY OF TORONTO ON	155.2	164
LANTERRA 501 YONGE DEVELOPMENTS LIMITED	501-525 Yonge Street CITY OF TORONTO ON	155.2	164

DRYCLEANERS - Dry Cleaning Facilities

A search of the DRYCLEANERS database, dated Jan 2004-Dec 2016 has found that there are 1 DRYCLEANERS site(s) within approximately 0.30 kilometers of the project property.

Site	Address	Distance (m)	Map Key
Dust Free Services (1985) Ltd	444 YONGE ST. TORONTO ON M5B2H4	155.7	166

EASR - Environmental Activity and Sector Registry

A search of the EASR database, dated Oct 2011-May 31, 2018 has found that there are 7 EASR site(s) within approximately 0.30 kilometers of the project property.

Site	Address	Distance (m)	Map Key
TORONTO STANDARD CONDOMINIUM CORPORATION NO. 2037	37 GROSVENOR ST TORONTO ON M4Y 3G5	21.6	20
454 YONGE GP INC.	454-468 Yonge ST Toronto ON M4Y 1W9	80.6	60
THE CLOVER ON YONGE INC.	480-494 Yonge ST Toronto ON M4Y 1X5	91.5	73
CARLTON TOWER LIMITED	2 CARLTON ST TORONTO ON M5B 1J3	147.7	148
GWL REALTY ADVISORS INC	424-444 YONGE ST TORONTO ON M5B 2H4	155.7	166
TORONTO HYDRO-ELECTRIC SYSTEM LIMITED	14 CARLTON ST TORONTO ON M5B 1K5	191.2	223
INSITU CONTRACTORS INC	11 Wellesley ST W TORONTO ON M4Y 1E8	221.3	280

EBR - Environmental Registry

A search of the EBR database, dated 1994-Apr 30, 2018 has found that there are 10 EBR site(s) within approximately 0.30 kilometers of the project property.

Site	Address	Distance (m)	Map Key
The Toronto-Dominion Bank	21 College Street, 5th Floor Toronto Ontario M9V 1H5 Toronto ON	124.2	106
Oxford Properties Group Inc.	777 Bay Street Toronto Ontario M5G 2C8 Toronto ON	134.1	124
Women's College Hospital	77 Grenville Street Toronto M5S 1B1 CITY OF TORONTO ON	145.2	143
Carlton Tower Limited	2 Carlton Street Unit 909 Toronto M5B 1J3 CITY OF TORONTO ON	147.7	148
GWL Realty Advisors Inc.	444 Yonge Street Toronto CITY OF TORONTO ON	155.7	166
GWL Realty Advisors Inc.	444 Yonge Street Toronto M5B 2H4 CITY OF TORONTO ON	155.7	166
Women's College Hospital	76 Grenville Street Toronto CITY OF TORONTO ON	165.7	179
Women's College Health Research	790 Bay Street Suite 912 Toronto Ontario Toronto ON	174.5	193
GE Canada Real Estate Equity Holdings	56 Wellesley Street West Toronto CITY OF TORONTO ON	285.2	380
GWL Realty Advisors Inc.	717 Bay Street & 44 Gerrard Street West Toronto M5G 2J9 CITY OF TORONTO ON	286.0	381

ECA - Environmental Compliance Approval

A search of the ECA database, dated Oct 2011-May 31, 2018 has found that there are 27 ECA site(s) within approximately 0.30

kilometers of the project property.

Site	Address	Distance (m)	Map Key
Ontario Realty Corporation	25 Grosvenor St. TORONTO ON M7A 2G3	0.0	8
Ontario Infrastructure and Lands Corporation	25 Grosvenor St Toronto ON M5G 2L5	0.0	8
City of Toronto	40 College St Toronto ON M1B 3G4	53.4	36
777 Bay Street Associates, LP	777 Bay St Toronto ON M5G 2C8	134.1	124
Oxford Properties Group Inc.	777 Bay Street Toronto ON M5H 3P5	134.1	124
Ontario Realty Corporation	77 Grenville St Toronto ON M5G 2L5	145.2	143
Women's College Hospital	77 Grenville St Toronto ON M5S 1B1	145.2	143
Carlton Tower Limited	2 Carlton St Toronto ON M5B 1J3	147.7	148
Yonge Street Hotels Ltd.	475 Yonge St Toronto ON V6C 3L6	147.9	150
Yonge Street Hotels Ltd.	475 Yonge St Toronto ON V6C 3L6	147.9	150
GWL Realty Advisors Inc.	444 Yonge St Toronto ON M5G 1R8	155.7	166
GWL Realty Advisors Inc.	424-444 Yonge St Toronto ON M5B 2H4	155.7	166
GWL Realty Advisors Inc.	444 Yonge St Toronto ON L3R 0B8	155.7	166
GWL Realty Advisors Inc.	444 Yonge St Toronto ON M5B 2H4	155.7	166
Women's College Hospital	76 Grenville St Toronto ON M5S 1B2	165.7	179
Women's College Hospital	76 Grenville St Toronto ON M5S 1B1	165.7	179
Women's College Hospital	76 Grenville Street 76 Grenville St Toronto City ON	165.7	179
Women's College Hospital	76 Grenville St Toronto ON M5S 1B2	165.7	179
Women's College Hospital	76 Grenville St Toronto ON M5S 1B2	165.7	179
GWL Realty Advisors Inc.	424-444 Yonge St Toronto ON	168.5	185
Women's College Health Research	790 Bay Street Toronto ON M5G 1N8	182.3	205
Women's College Health Research	790 Bay St Toronto ON M5G 1N8	182.3	205

Site	Address	Distance (m)	Map Key
Toronto Hydro-Electric System Limited	14 Carlton St Toronto ON M1B 2K4	191.2	223
Toronto Hydro-Electric System Limited	14 Carlton St Toronto ON M5B 1K5	191.2	223
SNC-Lavalin ProFac Inc.	900 Bay St Toronto ON M9B 6E2	196.3	233
GE Canada Real Estate Equity Holdings	56 Wellesley St W Toronto ON M5C 3H1	285.2	380
GWL Realty Advisors Inc.	717 Bay Street & 44 Gerrard Street West Toronto ON M5B 2H4	286.0	381

EHS - ERIS Historical Searches

A search of the EHS database, dated 1999-Feb 28, 2018 has found that there are 69 EHS site(s) within approximately 0.30 kilometers of the project property.

Site	Address	Distance (m)	Map Key
	27 Grosvenor Toronto ON	0.0	1
	25 Grosvenor Street Toronto ON	0.0	8
	25 Grosvenor St Toronto ON M7A2S8	0.0	8
	21 Grenville Street Toronto ON M4Y 1A1	29.6	23
	9 Grenville Street Toronto ON	33.8	24
	25 Grenville Street & 22 College Street Toronto ON	42.2	30
	22 College Street Toronto ON M5G 1K2	66.8	46
	480 - 494 Yonge Street Toronto ON	75.8	52
	488 Yonge St Toronto ON	78.7	57
	14 College Street Toronto ON	81.1	61
	490 Yonge Street Toronto ON M4Y 1X5	95.5	75
	880 Bay St Toronto ON	103.0	81
	500 Yonge Street Toronto ON M4Y 1Y2	104.7	84
	496 Yonge Street Toronto ON M4Y 1X9	107.5	88

Site	Address	Distance (m)	Map Key
	506 - 512 Yonge Street Toronto ON M4Y 1X9	122.0	102
	514 - 516 Yonge Street Toronto ON	124.1	105
	800 BAY STREET TORONTO ON M5S 3A9	127.0	114
	800 Bay Street Toronto ON M5S 3A9	127.0	114
	800 Bay Street Toronto ON M5S 3A9	127.0	114
	800 BAY STREET TORONTO ON M5S 3A9	127.0	114
	518 Yonge Street Toronto ON	127.1	115
	60 Grosvenor St; 880 Bay St; 77 Grenville St Toronto ON	130.1	120
	777 Bay Street Toronto ON	134.1	124
	Bay street Toronto ON	139.8	136
	777 Bay St Toronto ON M7A1S5	142.8	140
	777 Bay St Toronto ON M7A1S5	143.4	141
	2 Carlton Street Toronto ON	147.7	148
	475 Yonge Street Toronto ON M4Y 1X7	147.9	150
	475 Yonge St Toronto ON M4Y 1X7	147.9	150
	501 - 525 Yonge Street, Toronto Toronto ON	155.2	164
	444 Yonge St Toronto ON	155.7	166
	424 Yonge St Toronto ON M5B2H3	156.6	167
	1 Carlton St Toronto ON M5B1L2	158.4	171
	530 Yonge Street Toronto ON	162.1	177
	530 Yonge Street Toronto ON M4Y 1Y8	166.1	181
	145 St Luke Lane Toronto ON M4Y0A7	166.8	182
	Bay And Wellesley Toronto ON	174.2	192

Site	Address	Distance (m)	Map Key
	60-80 Grosvenor St Toronto ON ON	180.9	200
	60 & 76 Grenville St 51 Grosvenor St. Toronto ON	186.6	213
	1-5 Carlton St, 435-439 Yonge St Toronto ON	190.0	220
	925 Bay Street Toronto ON	196.3	232
	925 Bay Street Toronto ON M5S 3L4	196.3	232
	900 Bay Street Toronto ON	196.3	233
	900 Bay St Toronto ON M7A2A2	196.3	233
	424 Yonge Street Toronto ON	197.2	234
	770 Bay Street Toronto ON M5G 1N6	197.6	236
	770 Bay Street Toronto ON M5G 1N6	197.6	236
	435 Yonge St Toronto ON M5B1T3	204.2	252
	535 Yonge St Toronto On Toronto ON M4Y1Y5	206.2	256
	556 - 564 Yonge Street Toronto ON	219.6	273
	80 Grosvenor Street Toronto ON	220.3	275
	11 Wellesley St W Toronto ON M4Y1E7	221.3	280
	543 Yonge Street Toronto ON M4Y 1Y5	222.8	282
	67 College Street TORONTO ON M5G 2M1	223.4	284
	22-26 Wellesley St. W Toronto ON M4Y 1G1	247.0	322
	92 College St Toronto ON M5G1L4	263.2	345
	955 Bay Street Toronto ON M5S 2A2	270.2	354
	955 Bay Street Toronto ON M5S 2A2	270.2	354
	15 Wellesley St E, 20-26 Maitland St Toronto ON	270.8	355
	26 Maitland St Toronto ON M4Y1C6	272.0	357

Site	Address	Distance (m)	Map Key
	30 Carlton Street Toronto ON	272.3	359
	419-429 Yonge St Toronto ON	278.1	366
	15 Wellesley St E Toronto ON	281.9	372
	56 Wellesley St W Toronto ON M5S2S3	285.2	380
	56 Wellesley St W Toronto ON M5S2S3	285.2	380
	586 Yonge St Toronto ON M4Y1Z3	287.9	385
	586 YONGE STREET TORONTO ON M4Y 1Z3	292.8	395
	77 Wellesley Street W. Toronto ON M7A 1N3	293.8	399
	34 Maitland Toronto ON M4Y 1C5	294.5	401

FST - Fuel Storage Tank

A search of the FST database, dated Feb 28, 2017 has found that there are 3 FST site(s) within approximately 0.30 kilometers of the project property.

Site	Address	Distance (m)	Map Key
CITY OF TORONTO FIRE DEPT CITY HALL 4W	12 GROSVENOR STSTATION 3 TORONTO ON M4Y 1A8	60.7	40
MINISTRY OF TRANSPORTATION GOVERNMENT GARAGE	881 BAY ST TORONTO ON M5S 3K6	61.5	41
ADDISON ONTARIO BAY LTD ATTN WENDY	832 BAY ST TORONTO ON M5S 1Z6	81.1	62

FSTH - Fuel Storage Tank - Historic

A search of the FSTH database, dated Pre-Jan 2010* has found that there are 6 FSTH site(s) within approximately 0.30 kilometers of the project property.

Site	Address	Distance (m)	Map Key
CITY OF TORONTO FIRE DEPT CITY HALL 4W	12 GROSVENOR ST STATION 3 TORONTO ON M4Y 1A8	60.7	40
CITY OF TORONTO FIRE DEPT CITY HALL 4W	12 GROSVENOR ST STATION 3 TORONTO ON M4Y 1A8	60.7	40
MINISTRY OF TRANSPORTATION GOVERNMENT GARAGE	881 BAY ST TORONTO ON M5S 3K6	61.5	41
MINISTRY OF TRANSPORTATION GOVERNMENT GARAGE	881 BAY ST TORONTO ON M5S 3K6	61.5	41

Site	Address	Distance (m)	Map Key
ADDISON ONTARIO BAY LTD ATTN WENDY	832 BAY ST TORONTO ON	81.1	62
ADDISON ONTARIO BAY LTD ATTN WENDY	832 BAY ST TORONTO ON M5S 1Z6	81.1	62

GEN - Ontario Regulation 347 Waste Generators Summary

A search of the GEN database, dated 1986-December 31, 2017 has found that there are 547 GEN site(s) within approximately 0.30 kilometers of the project property.

Site	Address	Distance (m)	Map Key
MIN OF SOL GEN/FORENSIC PATHOLOGY BRANCH	26 GRENVILLE STREET TORONTO ON M7A 2G9	0.0	6
MINISTRY OF COMMUNITY SAFETY AND CORRECTIONAL SERV	FORENSIC PATHOLOGY UNIT 26 GRENVILLE STREET TORONTO ON M7A 2G9	0.0	6
MINISTRY OF COMMUNITY SAFETY AND CORRECTIONAL SERV	FORENSIC PATHOLOGY UNIT 26 GRENVILLE STREET TORONTO ON M7A 2G9	0.0	6
MINISTRY OF COMMUNITY SAFETY AND CORRECTIONAL SERV	FORENSIC PATHOLOGY UNIT 26 GRENVILLE STREET TORONTO ON M7A 2G9	0.0	6
MINISTRY OF COMMUNITY SAFETY AND CORRECTIONAL SERV	FORENSIC PATHOLOGY UNIT 26 GRENVILLE STREET TORONTO ON M7A 2G9	0.0	6
MINISTRY OF COMMUNITY SAFETY AND CORRECTIONAL SERV	FORENSIC PATHOLOGY UNIT 26 GRENVILLE STREET TORONTO ON M7A 2G9	0.0	6
MINISTRY OF THE SOLICITOR GENERAL	FORENSIC PATHOLOGY BRANCH 26 GRENVILLE STREET TORONTO ON M7A 1Y6	0.0	6
Infrastructure Ontario	26 Grenville Street Toronto ON M4Y 1A3	0.0	6
Government of Ontario	26 Grenville St Toronto ON M7A 2G9	0.0	6
Government of Ontario	26 Grenville St Toronto ON	0.0	6
Government of Ontario	26 Grenville St Toronto ON	0.0	6
MINISTRY OF THE SOLICITOR GENERAL 26-697	FORENSIC PATHOLOGY BRANCH 26 GRENVILLE STREET TORONTO ON M7A 1Y6	0.0	6
MIN OF COMMUNITY SAFETY & CORRECTIONAL SERVICES	25 GROSVENOR ST. TORONTO ON M7 A 2G	0.0	8
MINISTRY OF GOVERNMENT SERVICES 27-485	25 GROSVENOR ST. 14TH FLOOR TORONTO ON M4Y 1A9	0.0	8
MINISTRY OF GOVERNMENT SERVICES	25 GROSVENOR STREET 14TH FLOOR TORONTO ON M7A 1R1	0.0	8
MINISTRY OF THE SOLICITOR GENERAL AND	PRIVATE INVESTIGATORS & SECURITY GUARDS 25 GROSVENOR STREET, 9TH FLOOR TORONTO ON	0.0	8
MIN OF COMMUNITY SAFETY & CORRECTIONAL SERVICES	25 GROSVENOR ST. TORONTO ON	0.0	8

Site	Address	Distance (m)	Map Key
MANAGEMENT BOARD SECRETARIAT	25 GROSVENOR STREET TORONTO ON M4Y 1A9	0.0	8
MINISTRY OF THE SOLICITOR GENERAL	CENTRE OF FORENSIC SCIENCES 25 GROSVENOR ST. TORONTO ON M7A 2G8	0.0	8
MIN OF COMMUNITY SAFETY & CORRECTIONAL SERVICES	25 GROSVENOR ST. TORONTO ON	0.0	8
MIN OF COMMUNITY SAFETY & CORRECTIONAL SERVICES	25 GROSVENOR ST. TORONTO ON	0.0	8
Unit Park Co. Inc.	25 Grosvenor Street Toronto ON M7A 2G6	0.0	8
CBRE Ltd	25 Grosvenor Toronto ON M7A1Y6	0.0	8
MINISTRY OF THE SOLICITOR GENERAL	PRIVATE INVESTIGATORS & SECURITY GUARDS 25 GROSVENOR STREET, 9TH FLOOR TORONTO ON M7A 1Y6	0.0	8
CBRE	25 grosvenor st. toronto ON M7A 1Y6	0.0	8
CBRE	25 grosvenor st. toronto ON M7A 1Y6	0.0	8
MIN OF COMMUNITY SAFETY & CORRECTIONAL SERVICES	25 GROSVENOR ST. TORONTO ON	0.0	8
MINISTRY OF THE SOLICITOR GENERAL	25 GROSVENOR ST. TORONTO ON M7 A 2G	0.0	8
CBRE Ltd	25 Grosvenor Toronto ON M7A1Y6	0.0	8
MINISTRY OF THE SOLICITOR GENERAL 27-017	CENTRE OF FORENSIC SCIENCES 25 GROSVENOR ST. TORONTO ON M7A 2G8	0.0	8
MINISTRY OF THE SOLICITOR GENERAL	CENTRE OF FORENSIC SCIENCES 25 GROSVENOR STREET TORONTO ON M7A 2G8	0.0	8
MIN OF COMMUNITY SAFETY & CORRECTIONAL SERVICES	25 GROSVENOR ST. TORONTO ON	0.0	8
MINISTRY OF GOVT SERVICES	25 GROSVENOR ST. 14TH FLOOR TORONTO ON M7A 1R1	0.0	8
CBRE	25 grosvenor st. toronto ON M7A 1Y6	0.0	8
THE CREDIT UNION	18 GRENVILLE STREET TORONTO ON M4Y 3B3	11.3	16
MANAGEMENT BOARD SECRETARIAT	32-34 GRENVILLE STREET TORONTO ON	11.8	18
MINISTRY OF GOVERNMENT SERVICES	HORTICULTURE SERVICES 34 GRENVILLE ST. TORONTO ON M4Y 1A3	23.7	21
MINISTRY OF GOVERNMENT SERVICES 27-002	HORTICULTURE SERVICES 34 GRENVILLE ST. TORONTO ON M4Y 1A3	23.7	21
Murano Condominiums	825 Bay St Toronto ON M5S 3M4	41.4	29
YMCA of Greater Toronto	20 Grosvenor Street Toronto ON M4Y 2V5	47.3	33

Site	Address	Distance (m)	Map Key
City of Toronto	40 College Street Toronto ON M5G 2J3	53.4	36
METROPOLITAN (OUT OF BUSINESS)	FORENSIC IDENTIFICATION SERVICE 40 COLLEGE STREET, 6TH FLOOR TORONTO ON M5G 2J3	53.4	36
METROPOLITAN TORONTO POLICE FORCE	FORENSIC IDENTIFICATION SERVICE 40 COLLEGE STREET, 6TH FLOOR TORONTO ON M5G 2J3	53.4	36
City of Toronto	40 College Street Toronto ON M5G 2J3	53.4	36
METROPOLITAN TORONTO POLICE	FORENSIC IDENTIFICATION SERVICE 40 COLLEGE STREET, 6TH FLOOR TORONTO ON M5G 2J3	53.4	36
METROPOLITAN TORONTO POLICE FORCE 25-559	FORENSIC IDENTIFICATION SERVICE 40 COLLEGE STREET, 6TH FLOOR TORONTO ON M5G 2J3	53.4	36
City of Toronto	40 College Street Toronto ON M5G 2J3	53.4	36
METROPOLITAN TORONTO POLICE FORCE	FORENSIC IDENTIFICATION SERVICE 40 COLLEGE ST. TORONTO ON M5G 2J3	53.4	36
Toronto Police Service	40 College Street Toronto ON M5G2J3	53.4	36
City of Toronto	40 College St Toronto ON M5G 2J3	53.4	36
City of Toronto	40 College St Toronto ON M5G 2J3	53.4	36
City of Toronto	40 College St Toronto ON M5G 2J3	53.4	36
City of Toronto	40 College St Toronto ON M5G 2J3	53.4	36
TORONTO, CORPORATION OF THE CITY OF	NO. 3 FIREHALL 12 GROSVENOR STREET TORONTO ON M4Y 1A8	60.7	40
TORONTO, CITY OF, PROPERTY OPERATIONS	12 GROSVENOR STREET NO. 3 FIREHALL TORONTO ON M4Y 1A8	60.7	40
MINISTRY OF TRANSPORT & COMMUN.	GOVERNMENT REPAIR GARAGE 881 BAY STREET TORONTO ON M5S 3K6	61.5	41
MINISTRY OF TRANS. (OUT OF BUSINESS)	GOVERNMENT REPAIR GARAGE 881 BAY STREET TORONTO ON M5S 3K6	61.5	41
MINISTRY OF TRANS (OUT OF BUS.)	GOVERNMENT REPAIR GARAGE 881 BAY STREET TORONTO ON M5S 3K6	61.5	41
MINISTRY OF TRANS (OUT OF BUS.) 27-107	GOVERNMENT REPAIR GARAGE 881 BAY STREET TORONTO ON M5S 3K6	61.5	41
MINISTRY OF GOVERNMENT SERVICES	881 BAY STREET TORONTO ON M5S 3K6	61.5	41
MINISTRY OF GOVERNMENT SERVICES 26-454	881 BAY STREET TORONTO ON M5S 3K6	61.5	41
MINISTRY OF TRANSPORTATION	GOVERNMENT REPAIR GARAGE 881 BAY STREET TORONTO ON M5S 3K6	61.5	41
Native Child and Family Services of Toronto	30 College Street Toronto ON M5G 1K2	66.3	45

Site	Address	Distance (m)	Map Key
Native Child and Family Services of Toronto	30 College Street Toronto ON M5G 1K2	66.3	45
Native Child and Family Services of Toronto	30 College St Toronto ON M5G 1K2	66.3	45
TORONTO BOARD OF EDUCATION	S.E.E.D. 22 COLLEGE STREET, SUITE 500 TORONTO ON M5G 1K2	66.8	46
Centre francophone de Toronto	22 College Street - Main Floor Toronto ON M5G 1K2	66.8	46
TORONTO BOARD OF EDUCATION	S. E. E. D. 22 COLLEGE STREET, SUITE 500 TORONTO ON M5G 1K2	66.8	46
Centre francophone de Toronto	22 College Street - Main Floor Toronto ON M5G 1K2	66.8	46
Centre francophone de Toronto	22 College Street - Main Floor Toronto ON	66.8	46
Centre francophone de Toronto	22 College Street - Main Floor Toronto ON M5G 1K2	66.8	46
TORONTO BOARD OF EDUCATION 37-862	S.E.E.D. 22 COLLEGE STREET, SUITE 500 TORONTO ON M5G 1K2	66.8	46
CITY OF TORONTO	10 GROSVENOR STREET TORONTO ON	67.6	47
CITY OF TORONTO	10 GROSVENOR STREET TORONTO ON	67.6	47
CITY OF TORONTO	10 GROSVENOR STREET TORONTO ON M4Y 1A8	67.6	47
CITY OF TORONTO	10 GROSVENOR STREET TORONTO ON M4Y 1A8	67.6	47
CITY OF TORONTO	10 GROSVENOR STREET TORONTO ON M4Y 1A8	67.6	47
CITY OF TORONTO	10 GROSVERNOR STREET TORONTO ON	67.6	47
CITY OF TORONTO	10 GROSVERNOR STREET TORONTO ON M4Y 1A8	67.6	47
CITY OF TORONTO	10 GROSVERNOR STREET TORONTO ON	67.6	47
TORONTO, CITY OF, PROPERTY DEPT. 38-598	10 GROSVERNOR STREET C/O 149 RIVER STREET TORONTO ON M5A 3P8	67.6	47
CITY OF TORONTO PROPERTY DEPARMENT	10 GROSVENOR STREET TORONTO ON M4Y 1A8	67.6	47
LifeLabs LP	14 College Street Toronto ON M5G1K2	76.8	55
BCLL Medical Group	14 College Street Suite 301 Toronto ON	76.8	55
BCLL Medical Group	14 College Street Suite 301 Toronto ON M5G1K2	76.8	55
LifeLabs LP	14 College Street Toronto ON	76.8	55

Site	Address	Distance (m)	Map Key
BCLL Medical Group	14 College Street Suite 301 Toronto ON	76.8	55
Dr Tilley, Dr Chang, Dr Crouzat	14 college street Suite 601 Toronto ON M5G1K2	76.8	55
BCLL Medical Group	14 College Street Suite 301 Toronto ON M5G1K2	76.8	55
Maple Leaf Research	14 College Street Suite #403 Toronto ON M5G 1K2	76.8	55
Dr Tilley, Dr Chang, Dr Crouzat	14 college street Suite 601 Toronto ON M5G1K2	76.8	55
LifeLabs LP	14 College Street Toronto ON	76.8	55
Dr Tilley, Dr Chang, Dr Crouzat	14 college street Suite 601 Toronto ON M5G1K2	76.8	55
Maple Leaf Research	14 College Street Suite #403 Toronto ON M5G 1K2	76.8	55
Maple Leaf Research	14 College Street Suite #403 Toronto ON M5G 1K2	76.8	55
LifeLabs LP	14 College Street Toronto ON M5G1K2	76.8	55
Maple Leaf Research	14 College Street Suite #403 Toronto ON	76.8	55
Maple Leaf Research	14 College Street Suite #403 Toronto ON	76.8	55
BCLL Medical Group	14 College Street Suite 301 Toronto ON M5G1K2	76.8	55
LifeLabs LP	14 College Street Toronto ON M5G1K2	76.8	55
Maple Leaf Research	14 College Street Suite #403 Toronto ON M5G 1K2	76.8	55
LifeLabs LP	14 College Street Toronto ON M5G1K2	76.8	55
Dr Tilley, Dr Chang, Dr Crouzat	14 college street Suite 601 Toronto ON M5G1K2	76.8	55
BCLL Medical Group	14 College Street Suite 301 Toronto ON M5G1K2	76.8	55
832 Bay Properties Limited	832 Bay St Toronto ON	81.1	62
832 Bay Properties Limited	832 Bay St Toronto ON M5S 1Z6	81.1	62
Stephenson's Rental Services Inc	832 Bay Street Toronto ON M5S 1Z6	81.1	62
ONTARIO REALTY CORPORATION	897 & 901 BAY STREET, SOUTH BLOCK BAY & WELLESLEY, OPERA CENTRE DVLMT. TORONTO ON	98.3	77
ONTARIO REALTY CORPORATION	897 & 901 BAY STREET, SOUTH BLOCK BAY & WELLESLEY, OPERA CENTRE DEV. TORONTO ON	98.3	77

Site	Address	Distance (m)	Map Key
Queens Park Health	899 Bay St Toronto ON	104.3	83
Queens Park Health	899 Bay St Toronto ON M5S 3K6	104.3	83
Queens Park Health	899 Bay St Toronto ON M5S 3K6	104.3	83
Queens Park Health	899 Bay St Toronto ON M5S 3K6	104.3	83
Queens Park Health	899 Bay St Toronto ON M5S 3K6	104.3	83
Queens Park Health	899 Bay St Toronto ON M5S 3K6	104.3	83
SYD SILVER (OUT OF BUSINESS)	500 YONGE STREET TORONTO ON M4Y 1Y2	104.7	84
SYD SILVER FORMALS LTD.	500 YONGE STREET TORONTO ON M4Y 1Y2	104.7	84
SYD SILVER (OUT OF BUSINESS) 36-282	500 YONGE STREET TORONTO ON M4Y 1Y2	104.7	84
CANADIAN IMPERIAL BANK OF COMMERCE	2 COLLEGE STREET WEST TORONTO ON M5G 1K3	109.5	89
CIBC DEVELOPMENT CORPORATION	2 COLLEGE STREET WEST TORONTO ON M5G 1K3	109.5	89
TORONTO DOMINION BANK 38-327	TD BANK CENTRAL COMPUTING FACILITY 21 COLLEGE ST. BOX 1 TD CENTRE TORONTO ON M5G 2B3	124.2	106
TORONTO DOMINION BANK	TD BANK CENTRAL COMPUTING FACILITY TD CENTRE, 21 COLLEGE STREET TORONTO ON M5G 2B3	124.2	106
TORONTO DOMINION BANK	TD BANK CENTRAL COMPUTING FACILITY 21 COLLEGE ST. BOX 1 TD CENTRE TORONTO ON M5G 2B3	124.2	106
MINISTRY OF GOVERNMENT SERVICES 26-397	34 BREADALBANE ST. C/O 25 GROCVENOR ST. 1ST FLOOR TORONTO ON M4Y 1A9	125.9	109
MINISTRY OF GOVERNMENT SERVICES	34 BREADALBANE ST. C/O 25 GROCVENOR ST. 1ST FLOOR TORONTO ON M4Y 1A9	125.9	109
MINISTRY OF GOVERNMENT SERVICES	34 BREADALBANE STREET TORONTO ON M4Y 1A9	125.9	109
PRINTING HOUSE LTD., THE	19 COLLEGE STREET TORONTO ON M5G 2B3	126.5	113
PRINTING HOUSE LTD., THE	19 COLLEGE STREET TORONTO ON M5G 2B3	126.5	113
PRINTING HOUSE LTD., THE	19 COLLEGE STREET TORONTO ON M5G 2B3	126.5	113
Robur ET Securitas	800 Bay St. Toronto ON M5S 3A9	127.0	114
PHOENIX GUNITE SERVICES LTD	800 BAY STREET TORONTO ON M5S 3A9	127.0	114
SCANNER TRADING CO. LTD.	518 YONGE STREET TORONTO ON M4Y 1X9	127.1	115

Site	Address	Distance (m)	Map Key
SCANNER TRADING CO. LTD. 34-706	518 YONGE ST. TORONTO ON M4Y 1X9	127.1	115
KINGSETT CAPITAL	518 YONGE STREET TORONTO ON M4Y 1X9	127.1	115
H. Pandya Drugs Ltd.	465 YONGE ST Toronto ON M4Y 1X4	131.8	121
H. Pandya Drugs Ltd.	465 YONGE ST Toronto ON M4Y 1X4	131.8	121
H. Pandya Drugs Ltd.	465 YONGE ST Toronto ON M4Y 1X4	131.8	121
Albert S.C. Wong Medicine Professional Corporation	777 Bay Street suite C216 Toronto ON M4R1H8	134.1	124
PHARMA PLUS DRUGMART	777 BAY STREET, UNIT C216 TORONTO ON M5G 2C8	134.1	124
Pharma Plus Drugmarts Ltd.	777 Bay Street, Unit C 216 Toronto ON M5G 2C8	134.1	124
OXFORD DEVELOPMENT GROUP	777 Bay St. Suite 427 Toronto ON M5G 2C8	134.1	124
Rexall Pharmacy Group Ltd.	777 Bay Street, Unit C 216 Toronto ON M5G 2C8	134.1	124
DINEEN CONSTRUCTION	777 BAY STREET, TORONTO C/O 70 DISCO RD. ETOBICOKE ON M9W 1L9	134.1	124
Albert S.C. Wong Medicine Professional Corporation	777 Bay Street suite C216 Toronto ON M5G2C8	134.1	124
Odyssey Dental Management	111-777 Bay St Toronto ON M5G2C8	134.1	124
Albert S.C. Wong Medicine Professional Corporation	777 Bay Street suite C216 Toronto ON M5G2C8	134.1	124
Odyssey Dental Management	111-777 Bay St Toronto ON M5G2C8	134.1	124
Albert S.C. Wong Medicine Professional Corporation	777 Bay Street suite C216 Toronto ON	134.1	124
Pharma Plus Drugmarts Ltd.	777 Bay Street, Unit C 216 Toronto ON M5G 2C8	134.1	124
MACLEAN HUNTER LIMITED	777 BAY STREET TORONTO ON M5W 1A7	134.1	124
Albert S.C. Wong Medicine Professional Corporation	777 Bay Street suite C216 Toronto ON M5G2C8	134.1	124
Albert S.C. Wong Medicine Professional Corporation	777 Bay Street suite C216 Toronto ON M4R1H8	134.1	124
OXFORD DEVELOPMENT GROUP INCORPORATED	COLLEGE PARK 777 BAY STREET TORONTO ON M5G 2L8	134.1	124
ONTARIO HYDRO 45-257	777 BAY ST. C/O 700 UNIVERSITY AVE. TORONTO ON M5G 1X5	134.1	124
Canderel	777 Bay Street Suite 427 ON	134.1	124

Site	Address	Distance (m)	Map Key
E & S Mechanical Limited	777 Bay St. 27th & 30th Floors Toronto ON M7A 2K1	134.1	124
DINEEN CONSTRUCTION 12-357	777 BAY STREET, TORONTO C/O 70 DISCO RD. ETOBICOKE ON M9W 1L9	134.1	124
Canderel	777 Bay Street, Suite 427 P.O. Box 108 Toronto ON	134.1	124
MACLEAN HUNTER LIMITED 25-305	777 BAY ST. TORONTO ON M5W 1A7	134.1	124
MUNICIPAL AFFAIRS AND HOUSING	777 BAY STREET, 3RD FLOOR IMAGING AND DISTRIBUTING TORONTO ON M5G 2E5	134.1	124
OXFORD DEVELOPMENT GROUP	COLLEGE PARK 777 BAY STREET TORONTO ON M5G 2C8	134.1	124
Albert S.C. Wong Medicine Professional Corporation	777 Bay Street suite C216 Toronto ON M4R1H8	134.1	124
MACLEAN HUNTER LIMITED	777 BAY ST. TORONTO ON M5W 1A7	134.1	124
Canderel	777 Bay Street, Suite 427 P.O. Box 108 Toronto ON M5G 2C8	134.1	124
Canderel	777 Bay Street, Suite 427 P.O. Box 108 Toronto ON M5G 2C8	134.1	124
Rexall Pharmacy Group Ltd.	777 Bay Street, Unit C 216 Toronto ON M5G 2C8	134.1	124
Odyssey Dental Management	111-777 Bay St Toronto ON M5G2C8	134.1	124
Albert S.C. Wong Medicine Professional Corporation	777 Bay Street suite C216 Toronto ON M5G2C8	134.1	124
MINISTRY OF GOVERNMENT SERVICES	909 BAY STREET TORONTO ON M5S 3G2	138.7	134
MINISTRY OF GOVERNMENT SERVICES	909 BAY STREET C/O 25 GROSVENOR ST., 1ST FLOOR TORONTO ON M5S 3G2	138.7	134
MINISTRY OF GOVERNMENT SERVICES 26-531	909 BAY STREET C/O 25 GROSVENOR ST., 1ST FLOOR TORONTO ON M5S 3G2	138.7	134
McClymont & Rak Engineers, Inc	501 YONGE STREET TORONTO ON M4Y1Y4	140.1	137
Lanterra Developments Ltd.	501 Yonge Street Toronto ON M4Y 1Y4	140.1	137
Michael Bros.	501 Yonge Street Toronto ON M4Y1Y4	140.1	137
LEE DEVELOPMENT CORPORATION 24-719	SE CR. OF YONGE & CARLTON STREETS C/O 40 KING ST. W. SUITE 5380 TORONTO ON M5H 3Y2	140.2	138
MIN. OF NORTHERN DEV. & MINES	ONT. GEOLOGICAL SURVEY, GEOSCIENCE LAB 10TH & 11TH FLOORS 77 GRENVILLE STREET TORONTO ON M7A 1W4	145.2	143
ARCHIVES OF ONTARIO	77 GRENVILLE STREET, UNIT 300 TORONTO ON M5S 1B3	145.2	143
ARCHIVES OF ONTARIO	Ministry of Government Services 77 GRENVILLE STREET, UNIT 300 TORONTO ON	145.2	143

Site	Address	Distance (m)	Map Key
ARCHIVES OF ONTARIO	Ministry of Government Services 77 GRENVILLE STREET, UNIT 300 TORONTO ON M5S 1B3	145.2	143
CBRE Ltd	77 Grenville Toronto ON M5S 1B3	145.2	143
CBRE Ltd	77 Grenville Toronto ON M5S 1B3	145.2	143
MIN. OF CITIZENSHIP,CULTURE & RECREATION	ARCHIVES OF ONTARIO 77 GRENVILLE STREET, UNIT 300 TORONTO ON M5S 1B3	145.2	143
ARCHIVES OF ONTARIO	Management Board Secretariat 77 GRENVILLE STREET, UNIT 300 TORONTO ON	145.2	143
CBRE Limited	77 Grenville Street Toronto ON M5S 1B2	145.2	143
CBRE Limited	77 Grenville Street Toronto ON M5S 1B2	145.2	143
CBRE Limited	77 Grenville Street Toronto ON M5S 1B2	145.2	143
MINISTRY OF NATURAL RESOURCES	GEO-SCIENCE LAB 77 GRENVILLE ST TORONTO ON M5S 1B3	145.2	143
SALPAM INVESTMENTS LIMITED	77 GRENVILLE STREET TORONTO ON M5S 1B3	145.2	143
MIN. OF NORTHERN (OUT OF BUSINESS)27-484	ONT. GEOLOGICAL SURVEY, GEOSCIENCE LAB 10TH & 11TH FLOORS 77 GRENVILLE STREET TORONTO ON M7A 1W4	145.2	143
NORTHAM REALTY	2 CARLTON STREET SUITE 909 TORONTO ON	147.7	148
Women's Health in Women's Hands CHC	2 Carlton Street, Suite 500 Toronto ON M5B 1J3	147.7	148
NORTHHAM REALITY	2 CARLTON STREET SUITE 909 TORONTO ON	147.7	148
Women's Health in Women's Hands CHC	2 Carlton Street, Suite 500 Toronto ON M5B 1J3	147.7	148
Carlton Tower Limited	2 Carlton St. Suite #909 Toronto ON M5B 1J3	147.7	148
Dr. Scott M. Gillanders and Associates	2 Carlton Street Unit 1320 Toronto ON M5B 1J3	147.7	148
CARLTON DRY CLEANERS	252 1/2 CARLTON STREET TORONTO ON M5A 2L1	147.7	148
NORTHAM REALTY	2 CARLTON STREET SUITE 909 TORONTO ON	147.7	148
NORTHAM REALTY	2 CARLTON STREET SUITE 909 TORONTO ON	147.7	148
Carlton Tower Limited	2 Carlton St. Suite #909 Toronto ON M5B 1J3	147.7	148
ALIVE Holistic Health Clinic	2 Carlton Street, Suite 708 Toronto ON M5B 1J3	147.7	148
2449856 Ontario Ltd.	252 1/2 CARLTON STREET Unit B TORONTO ON M5A 2L3	147.7	148

Site	Address	Distance (m)	Map Key
Women's Health in Women's Hands CHC	2 Carlton Street, Suite 500 Toronto ON M5B 1J3	147.7	148
Women's Health in Women's Hands CHC	2 Carlton Street, Suite 500 Toronto ON M5B 1J3	147.7	148
Women's Health in Women's Hands CHC	2 Carlton Street, Suite 500 Toronto ON M5B 1J3	147.7	148
Carlton Cleaners	252 1/2 CARLTON STREET Unit B TORONTO ON M5A 2L3	147.7	148
ALIVE Holistic Health Clinic	2 Carlton Street, Suite 708 Toronto ON M5B 1J3	147.7	148
Toronto AcuBirthing	2 Carlton St, Unit 804 Toronto ON M5B 1J3	147.7	148
ALIVE Holistic Health Clinic	2 Carlton Street, Suite 708 Toronto ON	147.7	148
Dr. Scott M. Gillanders and Associates	2 Carlton Street Unit 1320 Toronto ON M5B 1J3	147.7	148
ALIVE Holistic Health Clinic	2 Carlton Street, Suite 708 Toronto ON M5B 1J3	147.7	148
DYNACARE LABORATORIES 12-688	KIPLING MEDICAL LABORATORIES DIV. 2 CARLTON STREET, #709 TORONTO ON M5B 1J3	147.7	148
Women's Health in Women's Hands CHC	2 Carlton Street, Suite 500 Toronto ON M5B 1J3	147.7	148
NORTHHAM REALITY	2 CARLTON STREET SUITE 909 TORONTO ON M5B 1J3	147.7	148
ALIVE Holistic Health Clinic	2 Carlton Street, Suite 708 Toronto ON M5B 1J3	147.7	148
ALIVE Holistic Health Clinic	2 Carlton Street, Suite 708 Toronto ON M5B 1J3	147.7	148
DYNACARE LABORATORIES LIMITED	KIPLING MEDICAL LABORATORIES DIVISION 2 CARLTON STREET, UNIT 709 TORONTO ON M5B 1J3	147.7	148
Carlton Tower Limited	2 Carlton St. Suite #909 Toronto ON M5B 1J3	147.7	148
ALIVE Holistic Health Clinic	2 Carlton Street, Suite 708 Toronto ON M5B 1J3	147.7	148
Women's Health in Women's Hands CHC	2 Carlton Street, Suite 500 Toronto ON	147.7	148
Dr. Scott M. Gillanders and Associates	2 Carlton Street Unit 1320 Toronto ON M5B 1J3	147.7	148
Toronto AcuBirthing	2 Carlton St, Unit 804 Toronto ON M5B 1J3	147.7	148
Women's Health in Women's Hands CHC	2 Carlton Street, Suite 500 Toronto ON M5B 1J3	147.7	148
Carlton Cleaners	252 1/2 CARLTON STREET Unit B TORONTO ON M5A 2L3	147.7	148
Carlton Tower Limited	2 Carlton St. Suite #909 Toronto ON M5B 1J3	147.7	148

Site	Address	Distance (m)	Map Key
ALIVE Holistic Health Clinic	2 Carlton Street, Suite 708 Toronto ON M5B 1J3	147.7	148
Michael Bros. Excavating	10 Breadalebane Street Toronto ON M4Y 1C3	151.7	157
FIRST IMPRESSIONS PRINTING	8 BREADALBANE STREET TORONTO ON M4Y 1Y8	154.6	163
FIRST IMPRESSIONS PRINTING	8 BREADALBANE STREET TORONTO ON M4Y 1C3	154.6	163
FIRST IMPRESSIONS PRINTING 23-411	554995 ONTARIO LIMITED 8 BREADALBANE STREET TORONTO ON M4Y 1C3	154.6	163
KWIK KOPY (SEE&USE ON1586000) 23-411	554995 ONT. LTD. 8 BREADALBANE ST. TORONTO ON M4Y 1C3	154.6	163
FIRST IMPRESSIONS PRINTING 23-411	8 BREADALBANE STREET TORONTO ON M4Y 1Y8	154.6	163
KWIK KOPY PRINTING	554995 ONT. LTD. 8 BREADALBANE ST. TORONTO ON M4Y 1C3	154.6	163
TORONTO COLLEGE PARK LTD.	444 YONGE STREET TORONTO ON M5B 2H4	155.7	166
CITY OF TORONTO	444 YONGE ST TORONTO ON M5B 2H4	155.7	166
Toronto College Park	444 Yonge Street Toronto ON	155.7	166
PHARMA (OUT OF BUSINESS)	444 YONGE STREET TORONTO ON M5B 2H4	155.7	166
GWL Realty Advisors Inc	444 Yonge St Toronto ON	155.7	166
BLACK PHOTO CORPORATION 05-480	444 YONGE STREET - TORONTO C/O 371 GOUGH ROAD MARKHAM ON L3R 4B6	155.7	166
Toronto College Park	444 Yonge Street Toronto ON M5B 2H4	155.7	166
BLACK PHOTO CORPORATION	444 YONGE STREET COLLEGE PARK TORONTO ON M5B 2H4	155.7	166
Toronto College Park	444 Yonge Street Toronto ON	155.7	166
Toronto College Park	444 Yonge Street Toronto ON	155.7	166
CITY OF TORONTO	444 YONGE STREET TORONTO ON M5B 3V6	155.7	166
BLACK PHOTO CORPORATION	444 YONGE STREET, TORONTO C/O 371 GOUGH ROAD MARKHAM ON L3R 4B6	155.7	166
Toronto College Park	444 Yonge Street Toronto ON M5B 2H4	155.7	166
Toronto College Park	444 Yonge Street Toronto ON M5B 2H4	155.7	166
Toothworks	444 Yonge st Suite m16 Toronto ON M5B2H4	155.7	166

Site	Address	Distance (m)	Map Key
Toronto College Park	444 Yonge Street Toronto ON M5B 2H4	155.7	166
TORONTO (OUT OF BUSINESS)	444 YONGE STREET TORONTO ON M5B 3V6	155.7	166
Toronto College Park	444 Yonge Street Toronto ON M5B 2H4	155.7	166
Toothworks	444 Yonge st Suite m16 Toronto ON M5B2H4	155.7	166
COLLEGE PARK MANAGEMENT SERVICE	444 YONGE ST. TORONTO ON M5B 2H4	155.7	166
PHARMA PLUS DRUGS LTD	444 YONGE STREET TORONTO ON M5B 2H4	155.7	166
Toronto College Park	444 Yonge Street Toronto ON	155.7	166
PHARMA PLUS DRUGS LTD.	444 YONGE STREET TORONTO ON M5B 2H4	155.7	166
TORONTO CITY OF DEPT OF PARKS & RC38-569	444 YONGE STREET, TORONTO C/O 21 ST FLOOR, EAST TOWER CITY HALL TORONTO ON M5H 2S4	155.7	166
TORONTO CITY OF DEPT OF PARKS & RC	444 YONGE STREET, TORONTO C/O 21 ST FLOOR, EAST TOWER CITY HALL TORONTO ON M5H 2S4	155.7	166
TORONTO (OUT OF BUS) 38-569	444 YONGE STREET, TORONTO C/O 21 ST FLOOR, EAST TOWER CITY HALL TORONTO ON M5H 2S4	155.7	166
PHARMA PLUS DRUGS LTD. 31-733	444 YONGE ST., TORONTO C/O 5935 AIRPORT ROAD #500 MISSISSAUGA ON L4V 1W5	155.7	166
Toronto College Park	444 Yonge Street Toronto ON M5B 2H4	155.7	166
CITY OF TORONTO	444 YONGE ST TORONTO ON M5B 2H4	155.7	166
Toothworks	444 Yonge st Suite m16 Toronto ON M5B2H4	155.7	166
WOMEN'S COLLEGE HOSPITAL (PATHOLOGICAL)	76 GRENVILLE STREET TORONTO ON M5S 1B2	165.7	179
THE NEW WOMEN'S COLLEGE HOSPITAL	76 GRENVILLE STREET TORONTO ON M5S 1B2	165.7	179
WOMEN'S COLLEGE HOSPITAL	76 GRENVILLE STREET TORONTO ON M5S 1B2	165.7	179
Rexall Pharmacy Group Ltd.	76 Grenville St Toronto ON M5S1B2	165.7	179
WOMEN'S COLLEGE HOSPITAL	76 GRENVILLE STREET TORONTO ON M5S 1B2	165.7	179
Black & McDonald Limited	76 Grenville Street Toronto ON	165.7	179
WOMEN'S COLLEGE HOSPITAL	DEPT. OF CLIN. LABS 76 GRENVILLE ST. TORONTO ON M5S 1B2	165.7	179
WOMEN'S COLLEGE HOSPITAL	76 GRENVILLE STREET TORONTO ON M5S 1B2	165.7	179

Site	Address	Distance (m)	Map Key
WOMEN'S COLLEGE HOSPITAL	76 GRENVILLE STREET TORONTO ON M5S 1B2	165.7	179
Rexall Drug Store	76 Grenville St Toronto ON M5S1B2	165.7	179
Rexall Pharmacy Group Ltd.	76 Grenville St Toronto ON M5S1B2	165.7	179
WOMEN'S COLLEGE HOSPITAL	76 GRENVILLE STREET TORONTO ON M5S 1B2	165.7	179
WOMEN'S COLLEGE HOSPITAL 42-108	76 GRENVILLE STREET TORONTO ON M5S 1B2	165.7	179
WOMEN'S COLLEGE HOSPITAL	76 GRENVILLE STREET TORONTO ON	165.7	179
WOMEN'S COLLEGE HOSPITAL	76 GRENVILLE STREET TORONTO ON M5S 1B2	165.7	179
WOMEN'S COLLEGE HOSPITAL	76 GRENVILLE STREET TORONTO ON M5S 1B2	165.7	179
SUNNYBROOK AND WOMEN'S COLLEGE	76 GRENVILLE STREET TORONTO ON M5S 1B2	165.7	179
WOMEN'S COLLEGE HOSPITAL	76 GRENVILLE STREET TORONTO ON M5S 1B2	165.7	179
WOMEN'S COLLEGE HOSPITAL	76 GRENVILLE STREET TORONTO ON M5S 1B2	165.7	179
WOMEN'S COLLEGE HOSPITAL 42-108	DEPT. OF CLIN. LABS 76 GRENVILLE ST. TORONTO ON M5S 1B2	165.7	179
GWL Realty Advisors	424 Yonge St. Toronto ON M5B 2H3	169.6	188
TORONTO TRANSIT COMMISSION	3 CARLTON STREET COLLEGE SUBWAY STATION TORONTO ON M5B 1L2	178.7	197
Toronto Transit Commission	3 Carlton Street Toronto ON M5B1J2	178.7	197
Toronto Transit Commission	3 Carlton Street Toronto ON M5B1J2	178.7	197
Toronto Transit Commission	3 Carlton Street Toronto ON M5B1J2	178.7	197
Bay College Lockwood Diagnostc	790 Bay st suite 108 Toronto ON M5G 1N8	182.3	205
Tissue Regeneration Therapeutics	790 Bay Street Suite 512 Toronto ON M5G 1N8	182.3	205
Castelli Clinic	790 Bay St Toronto ON M5G 1N8	182.3	205
790 Bay Street Clinic	790 Bay Street, Suite 940 Toronto ON M5G 1N8	182.3	205
Men's Health Institute	790 Bay Street Toronto ON M5G1N8	182.3	205
Dr. Suzanne Baptista Dentistry Professional Corp	790 bay street Suite 1006 toronto ON M5G1N8	182.3	205

Site	Address	Distance (m)	Map Key
Bay Cardiac Diagnostic Inc	790 Bay Street, Suite 312 Toronto ON M5G 1N8	182.3	205
Bay College Lockwood Diagnostc	790 Bay st suite 108 Toronto ON M5G 1N8	182.3	205
Taddle Creek Family Health Team	790 Bay Street Suite 306 Toronto ON M5G1N8	182.3	205
Bay Cardiac Diagnostic Inc	790 Bay Street, Suite 312 Toronto ON	182.3	205
DR NEERA SINGAL	790 BAY ST , SUITE 340 TORONTO ON M5G 1N8	182.3	205
CREATE PROGRAM INC.	790 Bay Street, Suite 1100 Toronto ON M5G 1N8	182.3	205
Taddle Creek Family Health Team	790 Bay Street Suite 306 Toronto ON	182.3	205
Pulmonary Care Clinic	790 Bay Street Suite 608 Toronto ON M5G 1N8	182.3	205
Bay College Lockwood Diagnostc	790 Bay st suite 108 Toronto ON M5G 1N8	182.3	205
Bay College Lockwood Diagnostc	790 Bay st suite 108 Toronto ON M5G 1N8	182.3	205
Bay Dermatology Centre	790 Bay Street Suite #536 Toronto ON M5G 1N8	182.3	205
CREATE PROGRAM INC.	790 Bay Street, Suite 1100 Toronto ON M5G 1N8	182.3	205
Taddle Creek Fam Hlth Network TCFHT	522-790 Bay street Box 58 Toronto ON M5G1N8	182.3	205
DR NEERA SINGAL	790 BAY ST , SUITE 340 TORONTO ON M5G 1N8	182.3	205
Bay College Lockwood Diagnostc	790 Bay st suite 108 Toronto ON M5G 1N8	182.3	205
CREATE PROGRAM INC.	790 Bay Street, Suite 1100 Toronto ON M5G 1N8	182.3	205
Bay Dermatology Centre	790 Bay Street Suite #536 Toronto ON M5G 1N8	182.3	205
Ontario Health Study	790 Bay Street, Suite 820, PO Box 66 Toronto ON	182.3	205
Castelli Clinic	790 Bay St Toronto ON M5G 1N8	182.3	205
Taddle Creek Family Health Team	790 Bay Street Suite 306 Toronto ON M5G 1N8	182.3	205
Bay College Lockwood Diagnostc	790 Bay st suite 108 Toronto ON	182.3	205
LifeLabs LP	790 Bay Street suite 520 Toronto ON	182.3	205
Pulmonary Care Clinic	790 Bay Street Suite 608 Toronto ON	182.3	205

Site	Address	Distance (m)	Map Key
Dr. Pariser and Dr. Chernin	Suite 300- 790 Bay St Toronto ON M5G1N8	182.3	205
Taddle Creek Fam Hlth Network	522-790 Bay street Box 58 Toronto ON M5G1N8	182.3	205
Taddle Creek Family Health Team	790 Bay Street Suite 306 Toronto ON M5G1N8	182.3	205
Tissue Regeneration Therapeutics	790 Bay Street Suite 512 Toronto ON M5G 1N8	182.3	205
Pulmonary Care Clinic	790 Bay Street Suite 608 Toronto ON M5G 1N8	182.3	205
Bay Dermatology Centre	790 Bay Street Suite #536 Toronto ON M5G 1N8	182.3	205
CREATE PROGRAM INC.	790 Bay Street, Suite 1100 Toronto ON	182.3	205
Bay Dermatology Centre	790 Bay Street Suite #536 Toronto ON M5G 1N8	182.3	205
Dr. Barman and Dr Nieuwstraten	Suite 302- 790 Bay St Toronto ON	182.3	205
Dr. Barman and Dr Nieuwstraten	Suite 302- 790 Bay St Toronto ON M5G1N8	182.3	205
Tissue Regeneration Therapeutics	790 Bay Street Suite 512 Toronto ON M5G 1N8	182.3	205
Bayshore Home Health	790 Bay Street, Suite 900 Toronto ON M5G 1N8	182.3	205
CREATE PROGRAM INC.	790 Bay Street, Suite 1100 Toronto ON M5G 1N8	182.3	205
Downtown Toronto Doctors	790 Bay St, Suite 630, Box 70 Toronto ON M5G 1N8	182.3	205
Bay Dermatology Centre	790 Bay Street Suite 536 Toronto ON M5G 1N8	182.3	205
Taddle Creek Family Health Team	790 Bay Street Suite 306 Toronto ON M5G 1N8	182.3	205
Downtown Toronto Doctors	790 Bay St, Suite 630, Box 70 Toronto ON M5G 1N8	182.3	205
Dr. Barman and Dr Nieuwstraten	Suite 302- 790 Bay St Toronto ON M5G1N8	182.3	205
Dr. Suzanne Baptista Dentistry Professional Corp	790 bay street Suite 1006 toronto ON M5G1N8	182.3	205
Bayshore Home Health	790 Bay Street, Suite 900 Toronto ON	182.3	205
Dr. Pariser and Dr. Chernin	Suite 300- 790 Bay St Toronto ON M5G 1N8	182.3	205
Dr. Pariser and Dr. Chernin	Suite 300- 790 Bay St Toronto ON M5G 1N8	182.3	205
CREATE PROGRAM INC.	790 Bay Street, Suite 1100 Toronto ON M5G 1N8	182.3	205

Site	Address	Distance (m)	Map Key
Dr. Pariser and Dr. Chernin	Suite 300- 790 Bay St Toronto ON	182.3	205
CREATE PROGRAM INC.	790 Bay Street, Suite 1100 Toronto ON M5G 1N8	182.3	205
Dr. Barman and Dr Nieuwstraten	Suite 302- 790 Bay St Toronto ON M5G 1N8	182.3	205
Tissue Regeneration Therapeutics	790 Bay Street Suite 512 Toronto ON	182.3	205
Taddle Creek Fam Hlth Network	522-790 Bay street Box 58 Toronto ON M5G 1N8	182.3	205
Men's Health Institute	790 Bay Street Toronto ON M5G1N8	182.3	205
Taddle Creek Fam Hlth Network	522-790 Bay street Box 58 Toronto ON M5G 1N8	182.3	205
LifeLabs LP	790 Bay Street suite 520 Toronto ON M5G1N8	182.3	205
Dr. Barman and Dr Nieuwstraten	Suite 302- 790 Bay St Toronto ON M5G1N8	182.3	205
Tissue Regeneration Therapeutics	790 Bay Street Suite 512 Toronto ON M5G 1N8	182.3	205
Bay Cardiac Diagnostic Inc	790 Bay Street, Suite 312 Toronto ON M5G 1N8	182.3	205
790 Bay Street Clinic	790 Bay Street, Suite 940 Toronto ON M5G 1N8	182.3	205
790 Bay Street Clinic	790 Bay Street, Suite 940 Toronto ON M5G 1N8	182.3	205
Bay College Lockwood Diagnostc	790 Bay st suite 108 Toronto ON M5G 1N8	182.3	205
Castelli Clinic	790 Bay St Toronto ON	182.3	205
Bay Dermatology Centre	790 Bay Street Suite #536 Toronto ON M5G 1N8	182.3	205
Pulmonary Care Clinic	790 Bay Street Suite 608 Toronto ON M5G 1N8	182.3	205
Bayshore Home Health	790 Bay Street, Suite 900 Toronto ON M5G 1N8	182.3	205
Taddle Creek Family Health Team	790 Bay Street Suite 306 Toronto ON M5G 1N8	182.3	205
CREATE PROGRAM INC.	790 Bay Street, Suite 1100 Toronto ON M5G 1N8	182.3	205
Tissue Regeneration Therapeutics	790 Bay Street Suite 512 Toronto ON M5G 1N8	182.3	205
Dr. Pariser and Dr. Chernin	Suite 300- 790 Bay St Toronto ON M5G1N8	182.3	205
Tissue Regeneration Therapeutics	790 Bay Street Suite 512 Toronto ON M5G 1N8	182.3	205

Site	Address	Distance (m)	Map Key
Taddle Creek Fam Hlth Network	522-790 Bay street Box 58 Toronto ON M5G 1N8	182.3	205
Dr. Barman and Dr Nieuwstraten	Suite 302- 790 Bay St Toronto ON M5G1N8	182.3	205
Tissue Regeneration Therapeutics	790 Bay Street Suite 512 Toronto ON M5G 1N8	182.3	205
Bay Cardiac Diagnostic Inc	790 Bay Street, Suite 312 Toronto ON M5G 1N8	182.3	205
Bay Cardiac Diagnostic Inc	790 Bay Street, Suite 312 Toronto ON M5G 1N8	182.3	205
Bay Cardiac Diagnostic Inc	790 Bay Street, Suite 312 Toronto ON M5G 1N8	182.3	205
Pulmonary Care Clinic	790 Bay Street Suite 608 Toronto ON M5G 1N8	182.3	205
Pulmonary Care Clinic	790 Bay Street Suite 608 Toronto ON M5G 1N8	182.3	205
Bayshore Home Health	790 Bay Street, Suite 900 Toronto ON M5G 1N8	182.3	205
Taddle Creek Fam Hlth Network	522-790 Bay street Box 58 Toronto ON M5G1N8	182.3	205
Tissue Regeneration Therapeutics	790 Bay Street Suite 512 Toronto ON M5G 1N8	182.3	205
Ontario Health Study	790 Bay Street, Suite 820, PO Box 66 Toronto ON M5G 1N8	182.3	205
Bay Cardiac Diagnostic Inc	790 Bay Street, Suite 312 Toronto ON M5G 1N8	182.3	205
Taddle Creek Family Health Team	790 Bay Street Suite 306 Toronto ON M5G1N8	182.3	205
Bay Dermatology Centre	790 Bay Street Suite #536 Toronto ON	182.3	205
CREATE PROGRAM INC.	790 Bay Street, Suite 1140 Toronto ON M5G 1N8	182.3	205
Dr. Pariser and Dr. Chernin	Suite 300- 790 Bay St Toronto ON M5G 1N8	182.3	205
Taddle Creek Fam Hlth Network	522-790 Bay street Box 58 Toronto ON	182.3	205
Men's Health Institute	790 Bay Street Toronto ON M5G1N8	182.3	205
DR NEERA SINGAL	790 BAY ST , SUITE 340 TORONTO ON M5G 1N8	182.3	205
CREATE PROGRAM INC.	790 Bay Street, Suite 1100 Toronto ON M5G 1N8	182.3	205
Bay Cardiac Diagnostic Inc	790 Bay Street, Suite 312 Toronto ON M5G 1N8	182.3	205
Downtown Toronto Doctors	790 Bay St, Suite 630, Box 70 Toronto ON M5G 1N8	182.3	205

Site	Address	Distance (m)	Map Key
Women's College Health Research	790 Bay Street, Suite 912 Toronto ON M5G 1N8	182.3	205
Dr. Barman and Dr Nieuwstraten	Suite 302- 790 Bay St Toronto ON M5G 1N8	182.3	205
Pulmonary Care Clinic	790 Bay Street Suite 608 Toronto ON M5G 1N8	182.3	205
Taddle Creek Fam Hlth Network	522-790 Bay street Box 58 Toronto ON M5G1N8	182.3	205
Taddle Creek Family Health Team	790 Bay Street Suite 306 Toronto ON M5G 1N8	182.3	205
Castelli Clinic	790 Bay St Toronto ON M5G 1N8	182.3	205
Bay Dermatology Centre	790 Bay Street Suite #536 Toronto ON M5G 1N8	182.3	205
Taddle Creek Family Health Team	790 Bay Street Suite 306 Toronto ON M5G 1N8	182.3	205
LifeLabs LP	790 Bay Street suite 520 Toronto ON	182.3	205
Bayshore Home Health	790 Bay Street, Suite 900 Toronto ON M5G 1N8	182.3	205
Dr. Pariser and Dr. Chernin	Suite 300- 790 Bay St Toronto ON M5G1N8	182.3	205
Tissue Regeneration Therapeutics	790 Bay Street Suite 512 Toronto ON M5G 1N8	182.3	205
Bay College Lockwood Diagnostc	790 Bay st suite 108 Toronto ON M5G 1N8	182.3	205
Dr. Pariser and Dr. Chernin	Suite 300- 790 Bay St Toronto ON M5G1N8	182.3	205
Ontario Health Study	790 Bay Street, Suite 820, PO Box 66 Toronto ON	182.3	205
Bay Dermatology Centre	790 Bay Street Suite #536 Toronto ON M5G 1N8	182.3	205
790 Bay Street Clinic	790 Bay Street, Suite 940 Toronto ON M5G 1N8	182.3	205
CREATE PROGRAM INC.	790 Bay Street, Suite 1100 Toronto ON M5G 1N8	182.3	205
Dr. Barman and Dr Nieuwstraten	Suite 302- 790 Bay St Toronto ON M5G 1N8	182.3	205
Taddle Creek Family Health Team	790 Bay Street Suite 306 Toronto ON M5G1N8	182.3	205
The College of Physicians and Surgeons of Ontario	80 College Street Toronto ON M5G 2E2	186.8	214
The College of Physicians and Surgeons of Ontario	80 College Street Toronto ON	186.8	214
The College of Physicians and Surgeons of Ontario	80 College Street Toronto ON M5G 2E2	186.8	214

Site	Address	Distance (m)	Map Key
COLLEGE OF PHYSICIANS AND SURGEONS	80 COLLEGE STREET TORONTO ON M5G 2E2	186.8	214
The College of Physicians and Surgeons of Ontario	80 College Street Toronto ON M5G 2E2	186.8	214
TORONTO HYDRO	VAULTS, MANHOLES & SPILL SITES CITY OF TORONTO, C/O 14 CARLTON STREET TORONTO ON M5B 1K5	191.2	223
TORONTO HYDRO 37-167	VAULTS, MANHOLES & SPILL SITES CITY OF TORONTO, C/O 14 CARLTON STREET TORONTO ON M5B 1K5	191.2	223
TORONTO HYDRO-ELECTRIC SYSTEM LTD.	14 CARLTON STREET TORONTO ON M5B 1K5	191.2	223
TORONTO HYDRO-ELECTRIC SYSTEM LTD.	14 CARLTON STREET TORONTO ON M5B 1K5	191.2	223
TORONTO HYDRO-ELECTRIC COMMISSION 37-846	14 CARLTON STREET TORONTO ON M5B 1K5	191.2	223
TORONTO HYDRO 37-167	VAULTS, MANHOLES & SPILL SITES TORONTO ON M5B 1K5	191.2	223
TORONTO HYDRO-ELECTRIC SYSTEM LTD.	14 CARLTON STREET TORONTO ON M5B 1K5	191.2	223
TORONTO HYDRO-ELECTRIC SYSTEM LTD.	14 CARLTON STREET TORONTO ON M5B 1K5	191.2	223
TORONTO HYDRO-ELECTRIC SYSTEM LTD.	VAULTS, MANHOLES & SPILL SITES TORONTO ON M4M 3N7	191.2	223
TORONTO HYDRO	C/O 14 CARLTON STREET VAULT MAITLAND & JARVIS LOCATION #4539 TORONTO ON M5B 1K5	191.2	223
TORONTO HYDRO-ELECTRIC SYSTEM LTD.	14 CARLTON STREET TORONTO ON M5B 1K5	191.2	223
TORONTO HYDRO	VAULTS, MANHOLES & SPILL SITES TORONTO ON M5B 1K5	191.2	223
TORONTO HYDRO COMMISSION	14 CARLTON ST. TORONTO ON M5B 1K5	191.2	223
TORONTO HYDRO-ELECTRIC SYSTEM LTD.	14 CARLTON STREET TORONTO ON M5B 1K5	191.2	223
TORONTO HYDRO-ELECTRIC SYSTEM LTD.	14 CARLTON STREET TORONTO ON M5B 1K5	191.2	223
TORONTO HYDRO-ELECTRIC SYSTEM LTD.	14 CARLTON STREET TORONTO ON M5B 1K5	191.2	223
TORONTO HYDRO-ELECTRIC SYSTEM LTD.	14 CARLTON STREET TORONTO ON	191.2	223
TORONTO HYDRO	14 CARLTON STREET TORONTO ON M5B 1K5	191.2	223
TORONTO HYDRO-ELECTRIC COMMISSION	14 CARLTON STREET TORONTO ON M5B 1K5	191.2	223
TORONTO HYDRO-ELECTRIC SYSTEM LTD.	14 CARLTON STREET TORONTO ON M5B 1K5	191.2	223
Medisys Diagnostic Imaging LP	85 Grenville Street, #301 Toronto ON	193.5	228

Site	Address	Distance (m)	Map Key
Medisys Diagnostic Imaging LP	85 Grenville Street, #301 Toronto ON	193.5	228
Medisys Diagnostic Imaging LP	85 Grenville Street, #301 Toronto ON	193.5	228
roscan investments inc	529 yonge street toronto ON	195.7	230
Anpro Excavating and Grading	925 Bay Street Toronto ON M5S 3L4	196.3	232
EAST OF BAY 2003 DEVELOPMENT CORP.	925 BAY STREET TORONTO ON M5S 3L4	196.3	232
CBRE Ltd	900 Bay St. Room M1B-45 Toronto ON M7A 1N3	196.3	233
CBRE Ltd	900 Bay St. Room M1B-45 Toronto ON M7A 1N3	196.3	233
CBRE Ltd	900 Bay St. Room M1B-45 Toronto ON M7A 1N3	196.3	233
SNC-Lavalin Profac Inc.	900 Bay St., Room M1B-45 Toronto ON	196.3	233
MINISTRY OF TRANSPORTATION	900 BAY STREET, BASEMENT__ GOVERNMENT REPAIR GARAGE__ TORONTO ON M7A 1Y5	196.3	233
CBRE Limited	900 Bay Street, Whitney Block Basement Queens Park Toronto ON	196.3	233
MINISTRY OF TRANSPORTATION 26-472	GOVERNMENT REPAIR GARAGE 900 BAY STREET, BASEMENT TORONTO ON M7A 1Y5	196.3	233
MINISTRY OF COLLEGES (OUT OF BUS.)27-269	EIGHTH FLOOR, MOWAT BLOCK 900 BAY STREET TORONTO ON M7A 1Y5	196.3	233
Profac Facilties Management - C/O MBS	900 BAY STREET TORONTO ON M7A 1Y5	196.3	233
MINISTRY OF TRANSPORTATION	GOVERNMENT GARAGE M1B93, MACDONALD BLOCK , 900 BAY STREET TORONTO ON	196.3	233
Ontario Realty Corporation	900 Bay St. Toronto ON M7A 1C2	196.3	233
MINISTRY OF COLLEGES (OUT OF BUS.)	EIGHTH FLOOR, MOWAT BLOCK 900 BAY STREET TORONTO ON M7A 1Y5	196.3	233
Ontario Realty Corporation	900 Bay Street Toronto ON M7A 1C2	196.3	233
MINISTRY OF EDUCATION 26-756	RM 1555 MOWAT BLOCK, REPROGRAPHIC CTR. 900 BAY ST. TORONTO ON M7A 1Y5	196.3	233
MINISTRY OF COLLEGES & UNIVERSIT'S	EIGHTH FLOOR, MOWAT BLOCK 900 BAY STREET TORONTO ON M7A 1Y5	196.3	233
CBRE Ltd	900 Bay St. Room M1B-45 Toronto ON	196.3	233
SNC-LAVALIN Profac Facilties Management - C/O MBS	900 BAY STREET M1-21-i TORONTO ON	196.3	233
MINISTRY OF TRANSPORTATION	GOVERNMENT GARAGE M1B93, MACDONALD BLOCK , 900 BAY STREET TORONTO ON M7A 1Y5	196.3	233

Site	Address	Distance (m)	Map Key
MINISTRY OF TRANSPORTATION	GOVERNMENT GARAGE 900 BAY STREET TORONTO ON M7A 2A2	196.3	233
CBRE Ltd	900 Bay St. Room M1B-45 Toronto ON M7A 1N3	196.3	233
CBRE Ltd	900 Bay St. Room M1B-45 Toronto ON M7A 1N3	196.3	233
SNC-Lavalin Profac Inc.	900 Bay St., Room M1-21-i Toronto ON M7A 1N3	196.3	233
MINISTRY OF EDUCATION	RM 1555, MOWAT BLOCK REPROGRAPHIC CENTRE, 900 BAY STREET TORONTO ON M7A 1Y5	196.3	233
MINISTRY OF (OUT OF BUSINESS)	RM 1555, MOWAT BLOCK REPROGRAPHIC CENTRE, 900 BAY STREET TORONTO ON M7A 1Y5	196.3	233
MINISTRY OF TRANSPORTATION	GOVERNMENT GARAGE M1B93, MACDONALD BLOCK , 900 BAY STREET TORONTO ON	196.3	233
TORONTO TRANSIT COMMISSION	COLLEGE SUBWAY STATION 9 CARLTON STREET TORONTO ON M5B 1J2	197.3	235
BEST SERVE CLEANERS 05-796	531 YONGE STREET TORONTO ON M4Y 1Y5	200.8	248
THE COSMOPOLITAN MTCC 755	25 MAITLAND STREET TORONTO ON M4Y 2W1	212.9	264
FREEMAN FORMAL RENTALS	556 YONGE ST. TORONTO ON M4Y 1Y9	213.6	268
MINISTRY OF GOVERNMENT SERVICES	945 BAY STREET TORONTO ON M5S 1Z9	215.4	270
MINISTRY OF GOVERNMENT SERVICES 26-455	945 BAY STREET TORONTO ON M5S 1Z9	215.4	270
Insitu Contractors Inc	11 Wellesley St West Toronto ON M4Y 1E8	221.3	280
PCL Constructors Canada Inc	11 Wellesley St West access via Breadalbane Toronto ON	221.3	280
Trinity Development Group Inc.	543 Yonge Street Toronto ON M4Y 1Y5	222.8	282
AIDS COMMITTEE OF TORONTO	543 YONGE STREET, 4TH FLOR TORONTO ON M4Y 1Y5	222.8	282
CANADIAN BLOOD SERVICES	ONTARIO AND CENTRAL REGION 67 COLLEGE STREET RM 017 TORONTO ON M5G 2M1	223.4	284
CANADIAN BLOOD SERVICES	ONTARIO AND CENTRAL REGION 67 COLLEGE STREET TORONTO ON M5G 2M1	223.4	284
CANADIAN BLOOD SERVICES	ONTARIO AND CENTRAL REGION 67 COLLEGE STREET RM 017 TORONTO ON M5G 2M1	223.4	284
CANADIAN BLOOD SERVICES	ONTARIO AND CENTRAL REGION 67 COLLEGE STREET TORONTO ON M5G 2M1	223.4	284
CANADIAN BLOOD SERVICES	ONTARIO AND CENTRAL REGION 67 COLLEGE STREET RM 017 TORONTO ON M5G 2M1	223.4	284
CANADIAN BLOOD SERVICES	ONTARIO AND CENTRAL REGION 67 COLLEGE STREET RM 017 TORONTO ON	223.4	284

Site	Address	Distance (m)	Map Key
UNIVERSITY HEALTH NETWORK Toronto General Hospital	67 COLLEGE ST./200 ELIZABETH ST. TORONTO GENERAL HOSPITAL TORONTO ON M5G 2C4	223.4	284
CANADIAN RED CROSS SOCIETY	TORONTO CENTRE 67 COLLEGE STREET TORONTO ON M5G 2M1	223.4	284
Canadian Blood Services	67 College Street Toronto ON M5G 2M1	223.4	284
CANADIAN BLOOD SERVICES	ONTARIO AND CENTRAL REGION 67 COLLEGE STREET RM 017 TORONTO ON M5G 2M1	223.4	284
CANADIAN BLOOD SERVICES	ONTARIO AND CENTRAL REGION 67 COLLEGE STREET RM 017 TORONTO ON M5G 2M1	223.4	284
CANADIAN BLOOD SERVICES	ONTARIO AND CENTRAL REGION 67 COLLEGE STREET RM 017 TORONTO ON M5G 2M1	223.4	284
CANADIAN BLOOD SERVICES	ONTARIO AND CENTRAL REGION 67 COLLEGE STREET TORONTO ON M5G 2M1	223.4	284
CANADIAN BLOOD SERVICES	TORONTO CENTRE 67 COLLEGE STREET TORONTO ON M5G 2M1	223.4	284
Frasmet Holdings Limited	25 Wood Street Toronto ON M4Y 2P9	227.3	293
MINISTRY OF CONSUMER & COMMERICAL 27-004	RELATIONS 555 YONGE ST. TORONTO ON M4Y 3A6	251.0	328
MINISTRY OF CONSUMER &	COMMERCIAL RELATIONS 555 YONGE ST. TORONTO ON M4Y 3A6	251.0	328
MINISTRY OF CONSUMER &	555 YONGE STREET TORONTO ON M4Y 3A6	251.0	328
Yonge Carlton Dental	427 Yonge Street Toronto ON M5B 1L2	254.1	336
Yonge Carlton Dental	427 Yonge Street Toronto ON M5B 1L2	254.1	336
Yonge Carlton Dental	427 Yonge Street Toronto ON M5B 1L2	254.1	336
MTCC 972	24 WELLESLEY ST WEST 3RD FLOOR TORONTO ON M4Y 2X6	257.8	337
MTCC 972	24 WELLESLEY ST WEST 3RD FLOOR TORONTO ON M4Y 2X6	257.8	337
MTCC 972	24 WELLESLEY ST WEST 3RD FLOOR TORONTO ON M4Y 2X6	257.8	337
MTCC 972	24 WELLESLEY ST WEST 3RD FLOOR TORONTO ON M4Y 2X6	257.8	337
ONE HOUR QUALITY PHOTO 29-620	4A WELLESLEY ST.W. TORONTO ON M4Y 1E7	258.9	339
Wellesley Animal Hospital	8 Wellesley St. W Toronto ON M4Y 1E7	263.1	344
Wellesley Animal Hospital	8 Wellesley St. W Toronto ON M4Y 1E7	263.1	344
Wellesley Animal Hospital	8 Wellesley St. W Toronto ON	263.1	344

Site	Address	Distance (m)	Map Key
Wellesley Animal Hospital	8 Wellesley St. W Toronto ON M4Y 1E7	263.1	344
Wellesley Animal Hospital	8 Wellesley St. W Toronto ON M4Y 1E7	263.1	344
Wellesley Animal Hospital	8 Wellesley St. W Toronto ON M4Y 1E7	263.1	344
Wellesley Animal Hospital	8 Wellesley St. W Toronto ON M4Y 1E7	263.1	344
Lanterra Developments (The Britt) Ltd	955 Bay St Toronto ON M5S2A2	270.2	354
The Sutton Place Hotel	955 Bay Street Toronto ON M5S 2A2	270.2	354
The Sutton Place Grande Limited	955 Bay St. Toronto ON M5S 2A2	270.2	354
Lanterra Developments (The Britt) Ltd	955 Bay St Toronto ON M5S2A2	270.2	354
CATHOLIC CHILDRENS AID SOCIETY 08-687	OF METRO TORONTO 26 MAITLAND ST. TORONTO ON M4Y 1C6	272.0	357
BAY-HUNTER DEVELOPMENT INCORPOR. 05-776	730 BAY ST. N.W. CORNER OF BAY& HAYTER STS.,TORONTO C/O 80 TIVERTON CRT. #300 MARKHAM ON L3R 0G4	277.6	365
CANDEREL STONERIDGE GROUP	751 BAY STREET TORONTO ON	278.5	368
Drs. Asadi, Lweis and Associates Dentistry	736 Bay St. Unit #5 Toronto ON M5G2M4	279.2	369
Drs. Asadi, Lweis and Associates Dentistry	736 Bay St. Unit #5 Toronto ON M5G2M4	279.2	369
Drs. Asadi, Lweis and Associates Dentistry	736 Bay St. Unit #5 Toronto ON M5G2M4	279.2	369
Toronto Parking Authority Real Estate, Development	15 Wellesley Street East Toronto ON	281.9	372
Toronto Parking Authority Real Estate, Development	15 Wellesley Street East Toronto ON M4Y 3A6	281.9	372
Toronto Transit Commission	21 Granby Street Toronto ON M3B 1H8	282.3	374
Surrey Place Centre	2 Surrey Place Toronto ON M5S 2C2	282.8	377
SURREY PLACE CENTRE CYTOGENETICS LAB	2 SURREY PLACE TORONTO ON M5S 2C2	282.8	377
MINISTRY (SEE & USE ON1699100) 27-007	SURREY PLACE CENTRE - CYTOGENETIC LAB 2 SURREY PLACE TORONTO ON M5S 2C2	282.8	377
Surrey Place Centre	2 Surrey Place Toronto ON M5S 2C2	282.8	377
Surrey Place Centre	2 Surrey Place Toronto ON M5S 2C2	282.8	377
Surrey Place Centre	2 Surrey Place Toronto ON M5S 2C2	282.8	377

Site	Address	Distance (m)	Map Key
Surrey Place Centre	2 Surrey Place Toronto ON M5S 2C2	282.8	377
MINISTRY OF COM & SOC SERVICES	SURREY PLACE CENTRE - CYTOGENETIC LAB 2 SURREY PLACE TORONTO ON M5S 2C2	282.8	377
Surrey Place Centre	2 Surrey Place Toronto ON	282.8	377
SURREY PLACE CENTRE 27-007	CYTOGENETICS LABORATORY 2 SURREY PLACE TORONTO ON M5S 2C2	282.8	377
SURREY PLACE CENTRE CYTOGENETICS LAB	2 SURREY PLACE TORONTO ON M5S 2C2	282.8	377
Surrey Place Centre Research	2 Surrey Place Toronto ON M5S 2C2	282.8	377
MINISTRY (SEE & USE ON1699100)	SURREY PLACE CENTRE - CYTOGENETIC LAB 2 SURREY PLACE TORONTO ON M5S 2C2	282.8	377
Surrey Place Centre	2 Surrey Place Toronto ON M5S 2C2	282.8	377
Surrey Place Centre	2 Surrey Place Toronto ON M5S 2C2	282.8	377
Horizon Mechanical Contractors	56 Wellesley street west Toronto ON M5S 2S3	285.2	380
Direct Elevator Service Ltd	56 Wellesley Street West Toronto ON M5S 2S3	285.2	380
ATLANTIS REAL ESTATE CORPORATION	56 WELLESLEY STREET WEST TORONTO ON M5S 1C3	285.2	380
ATLANTIS REAL ESTATE CORPORATION	BOWGADA HOLDINGS LIMITED 56 WELLESLEY STREET WEST TORONTO ON M5S 1C3	285.2	380
Anpro	727 Bay Street College Park Toronto ON L4K 4X2	289.2	388
MANAGEMENT BOARD	Rm: M2B - 60 77 Wellesley Street West Toronto ON M7A 1N3	293.8	399
MINISTRY OF GOVERNMENT SERVICES	77 WELLESLEY STREET WEST 8TH FLOOR FERGUSON BLOCK TORONTO ON M7A 1N3	293.8	399
MINISTRY OF EDUCATION	77 WELLESLEY STREET WEST, ROOM M2B-60 TORONTO ON M7A 1N3	293.8	399
1214592 Ontario Limited	77 Wellesley St W Toronto ON M7A 2G3	293.8	399
MINISTRY OF GOVERNMENT SERVICES 27-502	77 WELLESLEY STREET WEST 8TH FLOOR FERGUSON BLOCK TORONTO ON M7A 1N3	293.8	399
Ontario Ministry of Natural Resources	77 Wellesley Street West Toronto ON	293.8	399
MINISTRY OF GOVERNMENT SERVICES	77 WELLESLEY STREET WEST TORONTO ON M7A 1N7	293.8	399
Cap Reit Limited partnership	34 Maitland Street Toronto ON M4Y 1C5	294.5	401
University Health Network	201 Elizabeth St. Toronto ON	296.9	402

Site	Address	Distance (m)	Map Key
University Health Network	201 Elizabeth Street Toronto ON M5G 2C4	296.9	402

HINC - TSSA Historic Incidents

A search of the HINC database, dated 2006-June 2009* has found that there are 4 HINC site(s) within approximately 0.30 kilometers of the project property.

Site	Address	Distance (m)	Map Key
	14 CARLTON STREET TORONTO ON M5B 1K5	191.2	223
	33 MAITLAND STREET TORONTO ON M4Y 1C8	244.6	320
	750 Bay Street TORONTO ON M5G 1N6	248.9	325
	761 BAY STREET TORONTO ON M5G 2R2	261.5	342

INC - TSSA Incidents

A search of the INC database, dated Feb 28, 2017 has found that there are 1 INC site(s) within approximately 0.30 kilometers of the project property.

Site	Address	Distance (m)	Map Key
	770 Bay Street, Toronto ON M5G 0A6	197.6	236

NPCB - National PCB Inventory

A search of the NPCB database, dated 1988-2008* has found that there are 17 NPCB site(s) within approximately 0.30 kilometers of the project property.

Site	Address	Distance (m)	Map Key
ONTARIO REALITY CORPORATION	25 GROSVENOR STREET TORONTO ON	0.0	8
MANAGEMENT BOARD SECRETARIAT	25 GROSVENOR STREET TORONTO ON	0.0	8
MINISTRY OF GOVERNMENT SERVICES	QUEEN'S PARK REGIONAL OFFICE; 16 GROSVENOR STREET TORONTO ON M4Y 1A8	35.7	25
MINISTRY OF GOVERNMENT SERVICE	QUEEN'S PARK REGIONAL OFFICE 16 GROSVENOR STREET TORONTO ON M4Y 1A	35.7	25
MINISTRY OF GOVERNMENT SERVICES	16 GROSVENOR STREET QUEEN'S PARK REGIONAL OFFICE Toronto ON	35.7	25
TORONTO HYDRO ELECTRIC SYSTEM	14 CARLTON STREET TORONTO ON M5B 1K5	191.2	223

Site	Address	Distance (m)	Map Key
TORONTO HYDRO ELECTRIC SYSTEM	14 CARLETON STREET TORONTO ON M5B 1K5	191.2	223
MINISTRY OF GOVERNMENT SERVICE	945 BAY STREET TORONTO ON M7A 1N	215.4	270
MINISTRY OF GOVERNMENT SERVICES	945 BAY STREET TORONTO ON M7A 1N3	215.4	270
CANADIAN RED CROSS SOCIETY	67 COLLEGE STREET TORONTO ON M5G 2M1	223.4	284
CANADIAN BLOOD SERVICES (CANADIAN RED CROSS)	67 COLLEGE ST TORONTO ON M5G 2M1	223.4	284
GERANIUM HOMES	555 YONGE STREET TORONTO ON M4Y 3A6	251.0	328
GERANIUM HOMES	555 YONGE STREET TORONTO ON M4Y 3A6	251.0	328
IRVING UNGERMAN LIMITED et al	37 MAITLAND STREET MAITLAND STREET TORONTO ON M4Y 1C8	267.5	351
V AND A PROPERTIES INCORPORATION	56 WELLESLY STREET TORONTO ON	285.2	380
ATLANTIS REAL ESTATE CORPORATION	56 WELLESLY STREET TORONTO ON	285.2	380
DUNDEE REALTY MANAGEMENT CORPORATION	C/O V & A PROPERTIES INC. 56 WELLESLEY STREET WEST TORONTO ON	285.2	380

NPRI - National Pollutant Release Inventory

A search of the NPRI database, dated 1993-May 2017 has found that there are 18 NPRI site(s) within approximately 0.30 kilometers of the project property.

Site	Address	Distance (m)	Map Key
ONTARIO REALTY	25 GROSVENOR Street TORONTO ON M4Y1A9	0.0	8
777 BAY STREET ASSOCIATES, LP	777 BAY STREET NOT AVAILABLE TORONTO ON M5G2C8	126.5	112
777 BAY STREET ASSOCIATES, LP	777 BAY STREET NOT AVAILABLE TORONTO ON M5G2C8	134.1	124
OXFORD PROPERTIES GROUP	777 BAY STREET NOT AVAILABLE TORONTO ON M5G2C8	134.1	124
777 BAY STREET ASSOCIATES, LP	777 BAY STREET NOT AVAILABLE TORONTO ON M5G2C8	134.1	124
GWL REALTY ADVISORS	444 YONGE Street TORONTO ON M5B2H4	155.7	166
WOMEN'S COLLEGE HEALTH RESEARCH	SUITE 912 - 790 BAY STREET NOT AVAILABLE TORONTO ON M5G1N8	182.3	205
WOMEN'S COLLEGE HEALTH RESEARCH	936 - 790 BAY STREET NOT AVAILABLE TORONTO ON M5G1N8	182.3	205

Site	Address	Distance (m)	Map Key
WOMEN'S COLLEGE HEALTH RESEARCH	SUITE 912 - 790 BAY STREET NOT AVAILABLE TORONTO ON M5G1N8	182.3	205
WOMEN'S COLLEGE HEALTH RESEARCH	SUITE 912 - 790 BAY STREET NOT AVAILABLE TORONTO ON M5G1N8	182.3	205
WOMEN'S COLLEGE HEALTH RESEARCH	790 Bay Street 12th Floor PO Box 62 Toronto ON M5G1N8	182.3	205
WOMEN'S COLLEGE HEALTH RESEARCH	SUITE 912 - 790 BAY STREET NOT AVAILABLE TORONTO ON M5G1N8	182.3	205
WOMEN'S COLLEGE HEALTH RESEARCH	SUITE 912 - 790 BAY STREET NOT AVAILABLE TORONTO ON M5G1N8	182.3	205
THESL	14 CARLTON STREET NOT AVAILABLE TORONTO ON M5B1K5	191.2	223
ONTARIO REALTY	900 BAY Street TORONTO ON M7A1N3	196.3	233
THESL	ON M5B1K5	201.6	251
UNIVERSITY HEALTH NETWORK	399 BATHURST STREET NOT AVAILABLE TORONTO ON M5T2S8	234.1	304
DUNDEE REATLY MANAGEMENT CORP.	56 Wellesley Street West Toronto ON M5S2S3	285.2	380

OPCB - Inventory of PCB Storage Sites

A search of the OPCB database, dated 1987-Oct 2004; 2012-Dec 2013 has found that there are 22 OPCB site(s) within approximately 0.30 kilometers of the project property.

Site	Address	Distance (m)	Map Key
MANAGEMENT BOARD SECRETARIAT	25 GROSVENOR STREET TORONTO ON	0.0	8
ONTARIO REALTY CORPORATION	25 GROSVENOR STREET TORONTO(FAX-314-3488) ON	0.0	8
MANAGEMENT BOARD SECRETARIAT	25 GROSVENOR STREET TORONTO ON	0.0	8
ONTARIO REALTY CORPORATION	25 GROSVENOR STREET TORONTO(FAX-314-3488) ON	0.0	8
SALPAM INVESTMENTS	77 GRENVILLE AVENUE TORONTO ON M5S 1B3	145.2	143
SALPAM INVESTMENTS	77 GRENVILLE AVENUE TORONTO ON M5S 1B3	145.2	143
SALPAM INVESTMENTS	77 GRENVILLE AVENUE TORONTO ON M5S 1B3	145.2	143
SALPAM INVESTMENTS LTD	77 GRENVILLE AVENUE TORONTO ON M5S 1B3	145.2	143
MINISTRY OF GOVERNMENT SERVICES	945 BAY STREET TORONTO ON M7A 1N3	215.4	270

Site	Address	Distance (m)	Map Key
MINISTRY OF GOVERNMENT SERVICES	945 BAY STREET TORONTO ON M7A 1N3	215.4	270
CANADIAN BLOOD SERVICES(CANADIAN RED CRO	67 COLLEGE STREET TORONTO, ONTARIO ON M5G 2M1	223.4	284
CANADIAN RED CROSS SOCIETY	67 COLLEGE STREET TORONTO, ONTARIO ON M5G 2M1	223.4	284
CANADIAN RED CROSS SOCIETY	67 COLLEGE STREET TORONTO, ONTARIO ON M5G 2M1	223.4	284
CANADIAN BLOOD SERVICES(CANADIAN RED CRO	67 COLLEGE STREET TORONTO, ONTARIO ON M5G 2M1	223.4	284
GERANIUM HOMES	555 YONGE STREET TORONTO ON M4Y 3A6	251.0	328
GERANIUM HOMES	555 YONGE STREET TORONTO ON M4Y 3A6	251.0	328
GERANIUM HOMES	555 YONGE STREET TORONTO ON M4Y 3A6	251.0	328
BOWGADA HOLDINGS LIMITED	56 WELLESLEY STREET WEST NORTH YORK, ONTARIO ON	285.2	380
DUNDEE REALTY MANAGEMENT CORPORATION	C/O V & A PROPERTIES INC. 56 WELLESLEY STREET WEST TORONTO ON	285.2	380
V AND A PROPERTIES INCORPORATION	56 WELLESLY STREET TORONTO ON	285.2	380
BOWGADA HOLDINGS LIMITED	C/O V & A PROPERTIES INC. 56 WELLESLEY STREET WEST TORONTO ON	285.2	380
DUNDEE REALTY MANAGEMENT CORPORATION	C/O V & A PROPERTIES INC. 56 WELLESLEY STREET WEST TORONTO ON	285.2	380

PAP - Canadian Pulp and Paper

A search of the PAP database, dated 1999, 2002, 2004, 2005, 2009-2014 has found that there are 1 PAP site(s) within approximately 0.30 kilometers of the project property.

Site	Address	Distance (m)	Map Key
Association of Canadian Ergonomists/Association Canadienne D'Ergonomie	2 Carlton St Suite 1304 Toronto ON M5B 1J3	147.7	148

PES - Pesticide Register

A search of the PES database, dated 1988-Mar 2018 has found that there are 7 PES site(s) within approximately 0.30 kilometers of the project property.

Site	Address	Distance (m)	Map Key
SHOPPERS DRUG MART #0943 (CARLTON PLACE)	465 YONGE ST TORONTO ON M4Y 1X4	131.8	121
H. PANDYA DRUGS LTD SHOPPERS DRUG MART 943	465 YONGE ST TORONTO ON M4Y1X4	131.8	121

Site	Address	Distance (m)	Map Key
H. PANDYA DRUGS LTD SHOPPERS DRUG MART 943	465 YONGE ST TORONTO ON M4Y 1X4	131.8	121
H. PANDYA DRUGS LTD SHOPPERS DRUG MART 943	465 YONGE ST TORONTO ON M4Y 1X4	131.8	121
SHOPPERS DRUG MART #0943 (CARLTON PLACE)	465 YONGE ST TORONTO ON M4Y 1X4	131.8	121
METRO ONTARIO INC O/A METRO/FOOD BASICS # 063	444 Yonge Street Toronto ON M5B 2H4	155.7	166
METRO ONTARIO INC O/A METRO/FOOD BASICS # 063	444 YONGE STREET TORONTO ON M5B2H4	155.7	166

PINC - TSSA Pipeline Incidents

A search of the PINC database, dated Feb 28, 2017 has found that there are 1 PINC site(s) within approximately 0.30 kilometers of the project property.

Site	Address	Distance (m)	Map Key
	21 GRENVILLE STREET, TORONTO ON	29.6	23

PRT - Private and Retail Fuel Storage Tanks

A search of the PRT database, dated 1989-1996* has found that there are 4 PRT site(s) within approximately 0.30 kilometers of the project property.

Site	Address	Distance (m)	Map Key
CITY OF TORONTO FIRE DEPT CITY HALL 4W	12 GROSVENOR ST STATION 3 TORONTO ON M4Y 1A8	60.7	40
MINISTRY OF TRANSPORT	881 BAY ST TORONTO ON M5S 3K6	61.5	41
MINISTRY OF TRANSPORTATION GOVERNMENT GARAGE	881 BAY ST TORONTO ON M5S 3K6	61.5	41
ADDISON ONTARIO BAY LTD ATTN WENDY	832 BAY ST TORONTO ON M5S 1Z6	81.1	62

PTTW - Permit to Take Water

A search of the PTTW database, dated 1994-Apr 30, 2018 has found that there are 3 PTTW site(s) within approximately 0.30 kilometers of the project property.

Site	Address	Distance (m)	Map Key
Lanterra 501 Yonge Developments Limited	501 Yonge Street Toronto City CITY OF TORONTO ON	140.1	137
Bondfield Construction Company Limited	76 Grenville Street Address: 76 Grenville St, Toronto, City District Office: Toronto - District CITY OF TORONTO ON	165.7	179

Site	Address	Distance (m)	Map Key
Lanterra Developments (Bay Wellesley) Limited	11 Wellesley St W Address: 11 Wellesley St W, Toronto, City District Office: Toronto - District GeoReference: Zone: 17, UTM Easting: 630159, UTM Northing: 4835837, , Site #: 8561-9X5HZ8 CITY OF TORONTO ON	221.3	280

REC - Ontario Regulation 347 Waste Receivers Summary

A search of the REC database, dated 1986-2016 has found that there are 4 REC site(s) within approximately 0.30 kilometers of the project property.

Site	Address	Distance (m)	Map Key
WOMEN'S COLLEGE HOSPITAL (PATHOLOGICAL)	76 GRENVILLE STREET TORONTO ON M5S 1B2	165.7	179
WOMEN'S COLLEGE HOSPITAL	76 GRENVILLE STREET TORONTO ON M5S 1B2	165.7	179
TORONTO HYDRO	14 CARLTON STREET TORONTO ON M5B 1K5	191.2	223
TORONTO HYDRO	14 CARLTON STREET TORONTO ON M5B 1K5	191.2	223

RSC - Record of Site Condition

A search of the RSC database, dated 1997-Sept 2001, Oct 2004-Apr 2018 has found that there are 10 RSC site(s) within approximately 0.30 kilometers of the project property.

Site	Address	Distance (m)	Map Key
Bay Grenville Properties Limited	825 Bay Street,, Toronto, ON M5S 3M4	41.4	29
	9 GRENVILLE STREET, TORONTO, ONTARIO M4Y 1A1 Toronto ON	47.4	34
	460 YONGE STREET, TORONTO, ON M4Y 1W9 Toronto ON	81.7	64
832 Bay Properties Limited	832 and 860 Bay Street, Toronto, Ontario , M5S 1Z6 ON	113.9	92
Women's College Hospital	51 GROSVENOR ST, TORONTO, ON, M5S 1B6 ON M5S 1B5	119.9	99
	8 ALEXANDER STREET, TORONTO, ON M4Y 1B4 Toronto ON	149.6	153
Women's College Hospital	76 GRENVILLE ST, TORONTO, ON, M5S 1B2 ON M5S 1B2	165.7	179
Lumiere Residences Inc.	770 Bay St, Toronto, ON M5G 0A6	197.6	236
Triforte Building Corporation	21 CARLTON ST, TORONTO, ON, M5B 1L2, ON	239.0	312
Triforte Building Corporation	25 CARLTON ST, TORONTO, ON, M5B 1L2, ON	259.3	340

SCT - Scott's Manufacturing Directory

A search of the SCT database, dated 1992-Mar 2011* has found that there are 67 SCT site(s) within approximately 0.30 kilometers of the project property.

Site	Address	Distance (m)	Map Key
Sign*A*Rama	873 Bay St Toronto ON M5S 3K6	43.2	31
MCNEIL SIGNS	30 COLLEGE ST UNIT 2 TORONTO ON M5G 1K2	66.3	45
MCNEILL SIGNS	30 COLLEGE ST UNIT 2 TORONTO ON M5G 1K2	66.3	45
La Passerelle.I.D.E.	22 College St Suite 202 Toronto ON M5G 1K2	66.8	46
THE PRINTING HOUSE LTD	19 COLLEGE ST TORONTO ON M5G 2B3	126.5	113
THE PRINTING HOUSE LTD.	19 College St Toronto ON M5G 2B3	126.5	113
FOOD IN CANADA	777 BAY ST FLOOR 6 TORONTO ON M5W 1A7	134.1	124
ROGERS MEDIA PUBLISHING	777 Bay St Floor 5 Toronto ON M5W 1A7	134.1	124
TRANSCONTINENTAL PUBLISHING	777 Bay St Suite 2700 Toronto ON M5G 2N1	134.1	124
COSMETICS MAGAZINE	777 BAY ST SUITE 405 TORONTO ON M5W 1A7	134.1	124
CANADIAN BUSINESS MEDIA LTD.	777 BAY ST FLOOR 5 TORONTO ON M5W	134.1	124
ROGERS MEDIA INC.	777 Bay St Floor 9 Toronto ON M5W 1A7	134.1	124
MARKETING MAGAZINE	777 BAY ST FLOOR 5 TORONTO ON M5W 1A7	134.1	124
CANADIAN BUSINESS MEDIA LTD.	777 BAY ST FLOOR 5 TORONTO ON M5W 1A7	134.1	124
Rogers Media Publishing - Business Publishing	777 Bay St Floor 5 Toronto ON	134.1	124
Rogers Publishing Limited - Flare Magazine	777 Bay St Floor 7 Toronto ON	134.1	124
Plant Canada's Industry Newspaper	777 Bay St Floor 6 Toronto ON	134.1	124
Rogers Publishing Limited	777 Bay St Floor 5 Toronto ON	134.1	124
Rogers Publishing Limited - Food In Canada Magazine	777 Bay St Floor 6 Toronto ON	134.1	124
Rogers Media Publishing - Maclean's Magazine	777 Bay St Floor 7 Toronto ON	134.1	124
Rogers Media Publishing - Food In Canada Magazine	777 Bay St Floor 6 Toronto ON	134.1	124

Site	Address	Distance (m)	Map Key
Rogers Publishing Limited - Profit	777 Bay St Floor 5 Toronto ON M5G 2M5	134.1	124
Rogers Publishing Limited - Marketing Media	777 Bay St Floor 5 Toronto ON	134.1	124
TRANSCONTINENTAL PUBLICATIONS	777 BAY ST SUITE 2700 TORONTO ON M5G 2N1	134.1	124
CYBORG SYSTEMS CANADA, INC.	777 BAY ST SUITE 2701 TORONTO ON M5G 2C8	134.1	124
MACLEAN HUNTER HEALTHCARE	777 BAY ST FLOOR 5 TORONTO ON M5W 1A7	134.1	124
ROGERS MEDIA PUBLISHING	777 Bay St Floor 7 Toronto ON M5W 1A7	134.1	124
ROGERS MULTI-MEDIA INC.	777 BAY ST 9TH FLOOR TORONTO ON M5W 1A7	134.1	124
ROGERS MEDIA PUBLISHING	777 Bay St Floor 6 Toronto ON M5W 1A7	134.1	124
MACLEAN HUNTER PUBLISHING LTD.	777 BAY ST FLOOR 9 TORONTO ON M5W 1A7	134.1	124
TPH The Printing House Limited	777 Bay St Box 160 Suite M205 Toronto ON M5G 2C8	134.1	124
ROGERS MEDIA PUBLISHING	777 Bay St Floor 7 Toronto ON M5W 1A7	134.1	124
CEDROM-SNI INC.	777 Bay St Suite 2700 Toronto ON M5G 2N1	134.1	124
MACLEAN HUNTER PUBLISHING LTD	777 BAY ST FLOOR 7 TORONTO ON M5W 1A7	134.1	124
Rogers Media Publishing - Flare Magazine	777 Bay St Floor 7 Toronto ON	134.1	124
Cosmetics Magazine - Div. of Rogers Media Publishing Co.	777 Bay St Suite 405 Toronto ON	134.1	124
Rogers Publishing Limited - MacLean's Magazine	777 Bay St Floor 7 Toronto ON	134.1	124
Rogers Publishing Limited - Canadian Business	777 Bay St Floor 5 Toronto ON	134.1	124
Rogers Publishing Limited - Plant Newspaper	777 Bay St Toronto ON	134.1	124
COSMETICS MAGAZINE (DIV. OF RO	777 BAY ST SUITE 405 TORONTO ON M5W 1A7	134.1	124
Toronto Field Naturalists	2 Carlton St Suite 1519 Toronto ON M5B 1J3	147.7	148
LEAFLines	2 Carlton St Suite 1307 Toronto ON M5B 1J3	147.7	148
CANADIAN ENGINEERING	2 CARLTON ST SUITE 1511 TORONTO ON M5B 1J3	147.7	148
Advocacy Ctr for the Elderly	2 Carlton St Suite 701 Toronto ON M5B 1J3	147.7	148

Site	Address	Distance (m)	Map Key
HR Systems Strategies Inc.	2 Carlton St Suite 1306 Toronto ON M5B 1J3	147.7	148
CANADIAN SHAREOWNER MAGAZINE	2 Carlton St Suite 1317 Toronto ON M5B 1J3	147.7	148
CANADA WIDE MAGAZINES	2 CARLTON ST SUITE 801 TORONTO ON M5B 1J3	147.7	148
First Impressions Graphics - Div. of The Lowe Martin Group	8 Breadalbane St Toronto ON M4Y 1C3	154.6	163
First Impressions Graphics &	8 Breadalbane St Toronto ON M4Y 1C3	154.6	163
KALUPE JEWELLERY LTD.	444 YONGE ST TORONTO ON M5B 2H4	155.7	166
RICHARDSON'S TARTAN SHOP	546 YONGE ST TORONTO ON M4Y 1Y8	190.6	221
Imagine Inc.	7 Carlton St Suite 307 Toronto ON M5B 2M3	190.8	222
What-A-Bagel	558 Yonge St Toronto ON M4Y 1Z1	220.0	274
Cineplex Odeon Corporation - Carlton Cinemas	20 Carlton St Toronto ON M5B 2H5	250.7	327
Genesis	92 College St Toronto ON M5G 1L4	267.0	350
LawyerDoneDeal Corp.	60A Wellesley St W Toronto ON M5S 3L2	270.2	353
Vault Studios	955 Bay St Sutton Pl Hotel Toronto ON M5S 2A2	270.2	354
Saturday Plays Ltd.	965 Bay St Suite 2409 Toronto ON M5S 2A3	276.4	363
Allan King Associates Ltd.	965 Bay St Suite 2409 Toronto ON M5S 2A3	276.4	363
Northbound Leather Ltd.	7 St Nicholas St Toronto ON M4Y 1W5	283.6	378
LEATHER CRAFT	7 SAINT NICHOLAS ST TORONTO ON M4Y 1W5	283.6	378
Canadian Music Publishers	56 Wellesley St W Suite 320 Toronto ON M5S 2S3	285.2	380
Editors' Association of Canada	27 Carlton St Suite 505 Toronto ON M5B 1L2	286.5	383
Carlton Printers	27 Carlton St Ground Floor Toronto ON M5B 1L2	286.5	383
CARLTON PRINTERS LIMITED	27 CARLTON ST TORONTO ON M5B 1L2	286.5	383
VENUE MAGAZINE	9 ST NICHOLAS ST TORONTO ON M4Y 1W5	291.4	391
LEATHER CRAFT	586 YONGE ST TORONTO ON M4Y 1Z3	292.8	395

SPL - Ontario Spills

A search of the SPL database, dated 1988-Feb 2018 has found that there are 31 SPL site(s) within approximately 0.30 kilometers of the project property.

Site	Address	Distance (m)	Map Key
Ontario Realty Corporation	25 Grosvenor St TORONTO ON M7A 1Y6	0.0	8
Her Majesty the Queen as Represented by the Minister of Community Safety	25 Grosvenor St Toronto ON	0.0	8
CONTRACTOR	AT 18 GRENVILLE ST. (N.O.S.) TORONTO CITY ON M4Y 3B3	11.3	16
	60 to 37 Grosvenor St Toronto ON	21.6	20
Enbridge Gas Distribution	21 Grenville Street Toronto ON	29.6	23
CONSUMERS' GAS CO. LTD., THE	887 BAY ST/GROSVENOR ST. NATURAL GAS PIPELINE TORONTO CITY ON M5S 3K4	70.6	48
CAMPEAU CORP.	REAR OF 464 YONGE STREET LAND DEVELOPERS UNDERGROUND TANK TORONTO CITY ON M4Y 1W9	85.7	69
UNKNOWN	50 AND 60 GROSVENOR ST, LANEWAY BETWEEN TORONTO CITY ON M7A 1N8	111.3	91
T-Swirl Crepe <UNOFFICIAL>	510 Yonge Street Toronto ON	116.6	94
	501 Yonge St. Toronto ON	140.1	137
Womens College Hospital<UNOFFICIAL>	76 Grenville Street<UNOFFICIAL> Toronto ON M5S 1B2	165.7	179
Toronto Transit Commission	3 Carlton St.; Yonge St. and Alexander St. Toronto; Toronto ON	178.7	197
HOSPITAL	(N.O.S.) TORONTO CITY ON	186.6	213
Toronto Hydro Energy Services Inc.	14 Carlton Street Toronto ON M5B 1K5	191.2	223
Toronto Hydro Energy Services Inc.	14 Carlton St. Toronto ON M5B 1K5	191.2	223
	900 Bay St, McDonald Block Toronto ON	196.3	233
	900 Bay St Toronto ON	196.3	233
Enbridge Gas Distribution Inc.	770 Bay St Toronto ON M5G 0A6	197.6	236
RESTAURANT	AT BACK ALLEY BEHIND 533 YONGE STREET, AT MAITLAND (N.O.S.) TORONTO CITY ON M4Y 1Y5	198.9	240
PRIVATE OWNER	25 MAITLAND STREET MOTOR VEHICLE (OPERATING FLUID) TORONTO CITY ON M4Y 2W1	212.9	264

Site	Address	Distance (m)	Map Key
	67 College St Toronto ON	223.4	284
TORONTO HYDRO	TORONTO HYDRO VAULT NEAR 80 GROVENOR ST. TRANSFORMER TORONTO CITY ON	232.6	301
TRANSPORT TRUCK	ON WELLESLEY ST. AT BAY MOTOR VEHICLE (OPERATING FLUID) TORONTO CITY ON	236.2	305
	33 Maitland St<UNOFFICIAL> Toronto ON M4Y 1C8	244.6	320
Enbridge Gas Distribution Inc.	750 Bay St Toronto ON M5G 1N6	248.9	325
PRIVATE OWNER	555 YONGE STREET MOTOR VEHICLE (OPERATING FLUID) TORONTO CITY ON M4Y 3A6	251.0	328
Toronto Hydro-Electric System Limited	555 Yonge St Toronto ON	251.0	328
Enbridge Gas Distribution Inc.	761 Bay St Toronto ON M5G 2R2	261.5	342
Canadian Waste Services Inc.	WOOD STREET, NORTH SIDE, HALFWAY BETWEEN YONGE ST. AND CHURCH ST<UNOFFICIAL> Toronto ON	273.2	360
	8 Wellesley St E Toronto ON	291.2	390
PRIVATE OWNER	201 ELIZABETH STREET MOTOR VEHICLE (OPERATING FLUID) TORONTO CITY ON	296.9	402

TANK - Anderson's Storage Tanks

A search of the TANK database, dated 1915-1953* has found that there are 50 TANK site(s) within approximately 0.30 kilometers of the project property.

Site	Address	Distance (m)	Map Key
Nesbit [Wallace]	25 St Vincent St Toronto ON	0.0	8
Taylor [H A]	22 Grenville St Toronto ON	2.5	9
Williamson [R]	863 Bay St Toronto ON	35.8	26
Leslie Charles H	857 Bay St Toronto ON	43.4	32
Imperial Oil Co Ltd	40 College St Toronto ON M5G 2J3	53.4	36
Imperial Oil Co Ltd	40 College St Toronto ON M5G 2J3	53.4	36
Imperial Oil Co Ltd	40 College St Toronto ON M5G 2J3	53.4	36
International Harvesters of Canada	881 Bay St Toronto ON M5S 3K6	61.5	41

Site	Address	Distance (m)	Map Key
New York Auto Sales	488 Yonge St Toronto ON M4Y 1X5	78.7	57
Wishart [Dr D J G]	45 Grosvenor St Toronto ON	79.7	58
Toronto Brick Co	897 Bay St Toronto ON M5S 3K6	99.4	78
Toronto Brick Co	897 Bay St Toronto ON M5S 3K6	99.4	78
McLaughlin Motor Car Co	880 Bay St Toronto ON	103.0	81
Federal Combustion Corp	514 Yonge St Toronto ON M4Y 1X9	121.5	101
Wilson [Franklin] Motors	516 Yonge St Toronto ON M4Y 1X9	124.1	105
College Auto Washing Station	796 Bay St Toronto ON	126.1	110
Britnell A	465 Yonge St Toronto ON M4Y 1X4	131.8	121
Hoidge W A Co	457 Yonge St Toronto ON M4Y 1X4	135.7	126
Sacks [Walter R]	16 Breadalbane St Toronto ON	135.8	127
	66 Grenville St Toronto ON	137.9	132
Eaton [T] & Co Ltd	1 College St Toronto ON	137.9	133
Willys-Overland Co of Canada Ltd (J T & H Hutson)	909 Bay St Toronto ON M5S 3G2	138.7	134
Willys-Overland Co of Canada Ltd (J T & H Hutson)	909 Bay St Toronto ON M5S 3G2	138.7	134
Radcliffe [R N]	503 Yonge St Toronto ON M4Y 1Y3	146.8	145
Toronto Pleating Co	14 Breadalbane St Toronto ON	148.8	151
Clayton T	511 Yonge St Toronto ON M4Y 1Y3	152.5	161
Litros G	445 Yonge St Toronto ON	167.0	183
Universal Garage	538 Yonge St Toronto ON M4Y 1Y8	167.8	184
Universal Garage	538 Yonge St Toronto ON M4Y 1Y8	167.8	184
Gunn's Ltd	439 Yonge St Toronto ON M5B 1T3	181.0	201
Monica Cafe [Hong S]	434 Yonge St Toronto ON	181.8	203

Site	Address	Distance (m)	Map Key
Republic Motor Car Co of Canada	945 Bay St Toronto ON	215.4	270
Toronto Hydro-Electric System Ltd	945 Bay St Toronto ON	215.4	270
Republic Motor Car Co of Canada	945 Bay St Toronto ON	215.4	270
	945 Bay St Toronto ON	215.4	270
Astoria Cafe	433 Yonge St Toronto ON M5B 1T3	220.4	277
	5 Wellesley St Toronto ON	233.8	303
Calkins Dr H W	36 Alexander Blvd Toronto ON M4Y 1B4	244.2	319
Fisher Thomas	555 Yonge St Toronto ON M4Y 3A6	251.0	328
British American Oil Co Ltd	56 Wellesley St W Toronto ON	285.2	380
Wilkin [James]	56 Wellesley St W Toronto ON	285.2	380
British American Oil Co Ltd	56 Wellesley St W Toronto ON	285.2	380
British American Oil Co Ltd	56 Wellesley St W Toronto ON	285.2	380
British American Oil Co Ltd	56 Wellesley St W Toronto ON	285.2	380
Clear Vision Pump Co	56 Wellesley St W Toronto ON	285.2	380
Cross Purcer Bull Ltd	561 Yonge St Toronto ON M4Y 1Z2	288.7	386
Hoidge [W H] & Co Ltd	28 Carlton St Toronto ON M5B 1J2	288.7	387
Doane & McGee	28 Carlton St Toronto ON M5B 1J2	288.7	387
Eaton [T] & Co Ltd	28 Carlton St Toronto ON M5B 1J2	288.7	387
Breakey P	402 Yonge St Toronto ON	290.8	389

WWIS - Water Well Information System

A search of the WWIS database, dated Dec 31, 2017 has found that there are 80 WWIS site(s) within approximately 0.30 kilometers of the project property.

Site	Address	Distance (m)	Map Key
	ON	0.0	3
	TORONTO ON	3.6	12
	ON	11.6	17
	ON	37.1	27
	ON	37.1	27
	Toronto ON	52.4	35
	TORONTO ON	54.4	37
	TORONTO ON	63.2	42
	Toronto ON	63.6	43
	Toronto ON	75.7	50
	Toronto ON	78.3	56
	TORONTO ON	81.5	63
	TORONTO ON	82.1	65
	ON	85.6	68
	ON	85.6	68
	TORONTO ON	90.0	72
	TORONTO ON	90.0	72
	Toronto ON	107.3	87
	TORONTO ON	116.9	95
	ON	122.5	103
	TORONTO ON	123.2	104
	TORONTO ON	128.6	119
	Toronto ON	132.8	122

Site	Address	Distance (m)	Map Key
	Toronto ON	135.5	125
	Toronto ON	136.5	130
	TORONTO ON	137.7	131
	TORONTO ON	139.6	135
	Toronto ON	140.1	137
	Toronto ON	146.9	146
	ON	147.2	147
	TORONTO ON	150.0	154
	ON	152.3	159
	Toronto ON	152.4	160
	ON	152.4	160
	Toronto ON	152.4	160
	Toronto ON	156.6	168
	ON	158.2	170
	TORONTO ON	159.0	172
	TORONTO ON	160.6	175
	Toronto ON	165.8	180
	TORONTO ON	169.4	187
	TORONTO ON	171.8	189
	ON	180.7	199
	Toronto ON	181.0	202
	Toronto ON	182.3	204
	Toronto ON	183.1	207

Site	Address	Distance (m)	Map Key
	Toronto ON	188.9	217
	Toronto ON	188.9	218
	Toronto ON	192.0	226
	TORONTO ON	193.1	227
	ON	194.4	229
	TORONTO ON	194.4	229
	TORONTO ON	196.3	233
	TORONTO ON	196.3	233
	ON	198.0	237
	ON	198.6	239
	ON	199.2	242
	Toronto ON	199.3	243
	ON	200.0	244
	ON	200.1	245
	ON	201.5	250
	ON	201.5	250
	TORONTO ON	204.5	254
	TORONTO ON	209.3	259
	TORONTO ON	211.1	261
	Toronto ON	212.3	262
	Toronto ON	213.1	266
	ON	213.2	267
	ON	214.3	269

Site	Address	Distance (m)	Map Key
	ON	220.4	276
	TORONTO ON	221.7	281
	ON	224.5	286
	TORONTO ON	232.1	299
	Toronto ON	232.9	302
	Toronto ON	237.3	307
	TORONTO ON	245.5	321
	Toronto ON	251.8	330
	Toronto ON	265.7	349
	TORONTO ON	287.2	384
	TORONTO ON	293.0	396

Map : 0.3 Kilometer Radius

Order No: 20180705147

Address: 27 Grosvenor Street, Toronto, ON, M7A 2G6

ERIS
ENVIRONMENTAL RISK INFORMATION SERVICES

- Project Property
- Buffer Outline
- Eris Sites with Higher Elevation
- Eris Sites with Same Elevation
- Eris Sites with Lower Elevation
- Eris Sites with Unknown Elevation
- Expressway
- Principal Highway
- Secondary Highway
- Major Road
- Local road
- Trail
- Proposed Road
- Ferry Route/Ice Road
- Industrial and Resource - Regions
- Main Line
- Sidetrack
- Transit Line
- Abandoned Line
- National Park
- Provincial or Territorial Park
- Other Park
- Golf Course or Driving Range
- Park or Sports Field
- Other Recreation Area

Source: © 2015 DMTI Spatial Inc.

© ERIS Information Limited Partnership

79°22'30"W

Aerial (2016)

Order No: 20180705147

Address: 27 Grosvenor Street, Toronto, ON, M7A 2G6

Source: ESRI World Imagery

© ERIS Information Limited Partnership

Topographic Map

Address: 27 Grosvenor Street, Toronto, ON, M7A 2G6

Source: ESRI World Topographic Map

Order No: 20180705147

ERIS
ENVIRONMENTAL RISK INFORMATION SERVICES

© ERIS Information Limited Partnership

Detail Report

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
1	1 of 1	-/0.0	103.1 / 0.30	27 Grosvenor Toronto ON	EHS

Order ID:	201734	**Date Received:**	2/2/2012 2:50:09 PM
Order No:	20120202061	**Lot/Building Size:**	
Customer ID:	90008	**Municipality:**	Toronto
Company ID:	26	**Client Prov/State:**	ON
Status:	C	**Search Radius (km):**	0.25
Report Code:	3CAN	**Large Radius:**	2
Report Type:	Standard Report	**X:**	-79.385056
Report Date:	2/13/2012 2:52:16 PM	**Y:**	43.662315
Report Requested by:	Conestoga-Rovers & Associates Ltd (CRA)		
Nearest Intersection:			
Previous Site Name:			
Additional Info Ordered:			

2	1 of 1	-/0.0	102.8 / -0.06

ON — BORE

Borehole ID:	642957	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Diamond Drill	**UTM Zone::**	17
Easting::	630215	**Northing::**	4835623
Location Accuracy::		**Orig. Ground Elev m::**	105
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	6.4	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1958	**Static Water Level::**	-999.9
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218501651	**Top Depth(m):**	0.6
Bottom Depth(m):	0.8	**Stratum Desc:**	SAND-MEDIUM TO COARSE. BROWN,LOOSE,AGE GLACIAL.
Stratum ID:	218501652	**Top Depth(m):**	0.8
Bottom Depth(m):	1.5	**Stratum Desc:**	SILT,SAND-MEDIUM TO COARSE,CLAY. GREY,BROWN,AGE GLACIAL.
Stratum ID:	218501653	**Top Depth(m):**	1.5
Bottom Depth(m):	6.4	**Stratum Desc:**	TILL,SAND-MEDIUM TO COARSE,SILT,GRANULESGREY,GLACIAL,VERY DENSE, AGE GLACIAL. 019
Stratum ID:	218501650	**Top Depth(m):**	0.0
Bottom Depth(m):	0.6	**Stratum Desc:**	FILL,CINDERS,BRICK, SAND. BLACK,MAN-MADE,LOOSE, AGE POST-GLACIAL.

3	1 of 1	-/0.0	102.9 / 0.02	WWIS

ON

Well ID:	7266927	**Data Entry Status:**	Yes
Construction Date:		**Data Src:**	
Primary Water Use:		**Date Received:**	7/15/2016
Sec. Water Use:		**Selected Flag:**	Yes
Final Well Status:		**Abandonment Rec:**	
Water Type:		**Contractor:**	7215
Casing Material:		**Form Version:**	8
Audit No:	C26203	**Owner:**	
Tag:	A144996	**Street Name:**	
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1006146497	**Elevation:**	105.8
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:		**East83:**	630217
Code OB Desc:		**Org CS:**	UTM83
Open Hole:		**North83:**	4835610
Cluster Kind:		**UTMRC:**	4
Date Completed:	20-OCT-14	**UTMRC Desc:**	margin of error : 30 m - 100 m
Remarks:		**Location Method:**	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

4	1 of 1	-/0.0	102.9 / 0.08	BORE

ON

Borehole ID:	648488	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Diamond Drill	**UTM Zone::**	17
Easting::	630205	**Northing::**	4835603
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	105
Total Depth m::	11.3	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	NOV-1967	**Static Water Level::**	1.2
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218523248	**Top Depth(m):**	0.0
Bottom Depth(m):	1.1	**Stratum Desc:**	FILL,SOIL. BROWN.
Stratum ID:	218523249	**Top Depth(m):**	1.1

Bottom Depth(m):	2.3	**Stratum Desc:**	SILT,SAND,CLAY. BROWN,GLACIAL,STIFF, AGE GLACIAL.
Stratum ID:	218523250	**Top Depth(m):**	2.3
Bottom Depth(m):	4.3	**Stratum Desc:**	TILL,SILT,SAND,CLAY.BROWN,GLACIAL,AGE GLACIAL, WATER STABLE AT 346.9 FEET.
Stratum ID:	218523251	**Top Depth(m):**	4.3
Bottom Depth(m):	9.1	**Stratum Desc:**	TILL,SILT,SAND,CLAY.GREY,GLACIAL,HARD ,AGE GLACIAL.
Stratum ID:	218523252	**Top Depth(m):**	9.1
Bottom Depth(m):	10.8	**Stratum Desc:**	SILT,SAND. GREY,GLACIAL,HARD,AGE GLACIAL.
Stratum ID:	218523253	**Top Depth(m):**	10.8
Bottom Depth(m):	11.3	**Stratum Desc:**	TILL,SILT,SAND,CLAY.GREY,GLACIAL,AGE GLACIAL. 0003701200075040001400600030004400355037000 31

5	1 of 1	-/0.0	102.8 / 0.02	ON	BORE

Borehole ID:	648485	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Diamond Drill	**UTM Zone::**	17
Easting::	630225	**Northing::**	4835613
Location Accuracy::		**Orig. Ground Elev m::**	106
Elev. Reliability Note::		**DEM Ground Elev m::**	105
Total Depth m::	15.6	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	JUN-1967	**Static Water Level::**	1.6
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218523228	**Top Depth(m):**	0.0
Bottom Depth(m):	0.9	**Stratum Desc:**	FILL,GRAVEL,STONES.
Stratum ID:	218523229	**Top Depth(m):**	0.9
Bottom Depth(m):	1.1	**Stratum Desc:**	SAND,SILT. BROWN.
Stratum ID:	218523230	**Top Depth(m):**	1.1
Bottom Depth(m):	3.0	**Stratum Desc:**	TILL,SILT,SAND. BROWN,GLACIAL,HARD, AGE GLACIAL.
Stratum ID:	218523231	**Top Depth(m):**	3.0
Bottom Depth(m):	5.5	**Stratum Desc:**	TILL,SILT,SAND. GREY,GLACIAL,VERY HARD, AGE GLACIAL, WATER STABLE AT 344.9 FEET.
Stratum ID:	218523232	**Top Depth(m):**	5.5
Bottom Depth(m):	7.3	**Stratum Desc:**	SAND,SILT. GREY,GLACIAL,DENSE, AGE GLACIAL.
Stratum ID:	218523233	**Top Depth(m):**	7.3
Bottom Depth(m):	10.7	**Stratum Desc:**	SILT,SAND. GREY,GLACIAL,AGE GLACIAL.
Stratum ID:	218523234	**Top Depth(m):**	10.7
Bottom Depth(m):	13.6	**Stratum Desc:**	SILT,CLAY,SAND. GREY,GLACIAL,VERY HARD, AGE GLACIAL.

Stratum ID:	218523235	**Top Depth(m):**	13.6
Bottom Depth(m):	15.6	**Stratum Desc:**	TILL,SILT,CLAY,SAND.GREY,GLACIAL,VERY HARD, AGE GLACIAL. 00037037000990650018006000240057003500 54

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
6	1 of 12	-/0.0	102.9 / 0.10	MINISTRY OF COMMUNITY SAFETY AND CORRECTIONAL SERV FORENSIC PATHOLOGY UNIT 26 GRENVILLE STREET TORONTO ON M7A 2G9	GEN

Generator No.:	ON0134813	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	2012	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	541990, 621510		
SIC Description:	All Other Professional Scientific and Technical Services, Medical and Diagnostic Laboratories		

--Details--

Waste Code:	148
Waste Description:	INORGANIC LABORATORY CHEMICALS
Waste Code:	312
Waste Description:	PATHOLOGICAL WASTES
Waste Code:	212
Waste Description:	ALIPHATIC SOLVENTS
Waste Code:	263
Waste Description:	ORGANIC LABORATORY CHEMICALS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
6	2 of 12	-/0.0	102.9 / 0.10	MINISTRY OF COMMUNITY SAFETY AND CORRECTIONAL SERV FORENSIC PATHOLOGY UNIT 26 GRENVILLE STREET TORONTO ON M7A 2G9	GEN

Generator No.:	ON0134813	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	03,04,05,06,07,08	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	541990		
SIC Description:	All Other Prof., Scientific & Tech. Services		

--Details--

Waste Code:	264
Waste Description:	PHOTOPROCESSING WASTES
Waste Code:	312
Waste Description:	PATHOLOGICAL WASTES
Waste Code:	264
Waste Description:	PHOTOPROCESSING WASTES
Waste Code:	145
Waste Description:	PAINT/PIGMENT/COATING RESIDUES

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 321
Waste Description: EXPLOSIVE MANUFACTURING WASTES

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

6	3 of 12	-/0.0	102.9 / 0.10	MINISTRY OF COMMUNITY SAFETY AND CORRECTIONAL SERV FORENSIC PATHOLOGY UNIT 26 GRENVILLE STREET TORONTO ON M7A 2G9	GEN

Generator No.: ON0134813
Status:
Approval Years: 2009
Contam. Facility:
MHSW Facility:
SIC Code: 541990, 621510
SIC Description: All Other Professional Scientific and Technical Services, Medical and Diagnostic Laboratories

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

6	4 of 12	-/0.0	102.9 / 0.10	MINISTRY OF COMMUNITY SAFETY AND CORRECTIONAL SERV FORENSIC PATHOLOGY UNIT 26 GRENVILLE STREET TORONTO ON M7A 2G9	GEN

Generator No.: ON0134813
Status:
Approval Years: 2010
Contam. Facility:
MHSW Facility:
SIC Code: 541990, 621510
SIC Description: All Other Professional Scientific and Technical Services, Medical and Diagnostic Laboratories

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

6	*5 of 12*	*-/0.0*	*102.9 / 0.10*	***MINISTRY OF COMMUNITY SAFETY AND CORRECTIONAL SERV FORENSIC PATHOLOGY UNIT 26 GRENVILLE STREET TORONTO ON M7A 2G9***	***GEN***

Generator No.: ON0134813
Status:
Approval Years: 2011
Contam. Facility:
MHSW Facility:
SIC Code: 541990, 621510
SIC Description: All Other Professional Scientific and Technical Services, Medical and Diagnostic Laboratories

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

6	*6 of 12*	*-/0.0*	*102.9 / 0.10*	***MINISTRY OF THE SOLICITOR GENERAL FORENSIC PATHOLOGY BRANCH 26 GRENVILLE STREET TORONTO ON M7A 1Y6***	***GEN***

Generator No.: ON0134813
Status:
Approval Years: 98,99,00,01,02
Contam. Facility:
MHSW Facility:
SIC Code: 8221
SIC Description: COURTS OF LAW

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
6	7 of 12	-/0.0	102.9 / 0.10	Infrastructure Ontario 26 Grenville Street Toronto ON M4Y 1A3	GEN

Generator No.:	ON4248196	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2014	**Choice of Contact:**	CO_ADMIN
Contam. Facility:	No	**Co Admin:**	Courtney Gilbert
MHSW Facility:	No	**Phone No. Admin:**	905.712.0510 Ext.
SIC Code:	912910		
SIC Description:	OTHER PROVINCIAL AND TERRITORIAL PUBLIC ADMINISTRATION		

--Details--

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

6	8 of 12	-/0.0	102.9 / 0.10	Government of Ontario 26 Grenville St Toronto ON M7A 2G9	GEN

Generator No.:	ON4188872	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2014	**Choice of Contact:**	CO_OFFICIAL
Contam. Facility:	No	**Co Admin:**	Cathy Doehler
MHSW Facility:	No	**Phone No. Admin:**	647-329-1953 Ext.
SIC Code:	541990		
SIC Description:	ALL OTHER PROFESSIONAL, SCIENTIFIC AND TECHNICAL SERVICES		

--Details--

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 267
Waste Description: ORGANIC ACIDS

Waste Code: 112
Waste Description: ACID WASTE - HEAVY METALS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 232
Waste Description: POLYMERIC RESINS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 331
Waste Description: WASTE COMPRESSED GASES

Waste Code: 122
Waste Description: ALKALINE WASTES - OTHER METALS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
6	9 of 12	-/0.0	102.9 / 0.10	Government of Ontario 26 Grenville St Toronto ON	GEN

Generator No.:	ON4188872	PO Box No.:	
Status:		Country:	
Approval Years:	2013	Choice of Contact:	
Contam. Facility:		Co Admin:	
MHSW Facility:		Phone No. Admin:	
SIC Code:	541990		
SIC Description:	ALL OTHER PROFESSIONAL, SCIENTIFIC AND TECHNICAL SERVICES		

--Details--

Waste Code:	267
Waste Description:	ORGANIC ACIDS
Waste Code:	232
Waste Description:	POLYMERIC RESINS
Waste Code:	212
Waste Description:	ALIPHATIC SOLVENTS
Waste Code:	122
Waste Description:	ALKALINE WASTES - OTHER METALS
Waste Code:	263
Waste Description:	ORGANIC LABORATORY CHEMICALS
Waste Code:	148
Waste Description:	INORGANIC LABORATORY CHEMICALS
Waste Code:	146
Waste Description:	OTHER SPECIFIED INORGANICS
Waste Code:	112
Waste Description:	ACID WASTE - HEAVY METALS
Waste Code:	331
Waste Description:	WASTE COMPRESSED GASES
Waste Code:	312
Waste Description:	PATHOLOGICAL WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
6	10 of 12	-/0.0	102.9 / 0.10	Government of Ontario 26 Grenville St Toronto ON	GEN

Generator No.:	ON4188872	PO Box No.:	
Status:		Country:	
Approval Years:	2012	Choice of Contact:	
Contam. Facility:		Co Admin:	
MHSW Facility:		Phone No. Admin:	
SIC Code:	541990		
SIC Description:	All Other Professional Scientific and Technical Services		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
6	11 of 12	-/0.0	102.9 / 0.10	MINISTRY OF THE SOLICITOR GENERAL 26-697 FORENSIC PATHOLOGY BRANCH 26 GRENVILLE STREET TORONTO ON M7A 1Y6	GEN

Generator No.:	ON0134813	PO Box No.:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Status:		**Country:**	
Approval Years:	94,95,96	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	8221		
SIC Description:	COURTS OF LAW		

--Details--

Waste Code:	312
Waste Description:	PATHOLOGICAL WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
6	12 of 12	-/0.0	102.9 / 0.10	MIN OF SOL GEN/FORENSIC PATHOLOGY BRANCH 26 GRENVILLE STREET TORONTO ON M7A 2G9	GEN

Generator No.:	ON0134813	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	92,93,97	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	8221		
SIC Description:	COURTS OF LAW		

--Details--

Waste Code:	312
Waste Description:	PATHOLOGICAL WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
7	1 of 1	-/0.0	103.7 / 0.90	ON	BORE

Borehole ID:	648481	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Diamond Drill	**UTM Zone::**	17
Easting::	630175	**Northing::**	4835633
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	105
Total Depth m::	15.5	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	JUN-1967	**Static Water Level::**	1.6
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218523200	**Top Depth(m):**	0.0
Bottom Depth(m):	0.8	**Stratum Desc:**	FILL,SAND,GRAVEL. BROWN.
Stratum ID:	218523201	**Top Depth(m):**	0.8
Bottom Depth(m):	1.5	**Stratum Desc:**	SILT,SAND. BROWN.
Stratum ID:	218523202	**Top Depth(m):**	1.5
Bottom Depth(m):	3.3	**Stratum Desc:**	TILL,SILT,SAND. BROWN,GLACIAL,AGE GLACIAL.
Stratum ID:	218523203	**Top Depth(m):**	3.3
Bottom Depth(m):	5.6	**Stratum Desc:**	TILL,SILT,SAND. GREY,GLACIAL,AGE GLACIAL, WATER STABLE AT 345.9 FEET.
Stratum ID:	218523204	**Top Depth(m):**	5.6

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Bottom Depth(m):	9.4	**Stratum Desc:**	SILT,SAND,CLAY. GREY,GLACIAL,AGE GLACIAL.
Stratum ID:	218523205	**Top Depth(m):**	9.4
Bottom Depth(m):	15.5	**Stratum Desc:**	SAND-MEDIUM,SILT. GREY,GLACIAL,VERY HARD, AGE GLACIAL. 000500300010804000185073003101140003 1, A

8	1 of 38	-/0.0	103.9 / 1.07	**MANAGEMENT BOARD SECRETARIAT** **25 GROSVENOR STREET** **TORONTO CITY ON**	CA

Certificate #:	8-3520-94-
Application Year:	94
Issue Date:	11/30/1994
Approval Type:	Industrial air
Status:	Approved
Application Type:	
Client Name::	
Client Address::	
Client City::	
Client Postal Code::	
Project Description::	NATURAL GAS HEATING EQUIPMENT
Contaminants::	Nitrogen Oxides
Emission Control::	

8	2 of 38	-/0.0	103.9 / 1.07	**25 Grosvenor St.** **Toronto ON**	CA

Certificate #:	7684-4GMQRF
Application Year:	00
Issue Date:	2/18/00
Approval Type:	Industrial air
Status:	Approved
Application Type:	New Certificate of Approval
Client Name::	Ontario Realty Corporation
Client Address::	77 Wellesley St. West
Client City::	Toronto
Client Postal Code::	M7A 1N3
Project Description::	1. Provide one new reused Toromont diesel generator (700 kw) as a standby to the existing Caterpillar diesel generator (731 kw). 2. Discharge air through new diesel exhaust stack located on the 19th floor of the main roof. 3. Apply MOE Certificates for both diesel generators
Contaminants::	
Emission Control::	

8	3 of 38	-/0.0	103.9 / 1.07	**Ontario Realty Corporation** **25 Grosvenor St.** **TORONTO ON M7A 2G3**	ECA

Approval No:	7684-4GMQRF	**SWP Area Name:**	Toronto
Approval Date:	2000-02-18	**MOE District:**	Toronto
Status:	Revoked and/or Replaced	**City:**	TORONTO
Record Type:	ECA	**Longitude:**	-79.38562
Link Source:	IDS	**Latitude:**	43.66267
Approval Type:	ECA-AIR		
Project Type:	AIR		
Address:	25 Grosvenor St.		
Full Address:			
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/1457-4EBVGE-14.pdf		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

8	4 of 38	-/0.0	103.9 / 1.07	**Ontario Infrastructure and Lands Corporation** **25 Grosvenor St** **Toronto ON M5G 2L5**	ECA

Approval No:	0906-A44M3Q	**SWP Area Name:**	
Approval Date:	2015-11-10	**MOE District:**	
Status:	Approved	**City:**	Toronto
Record Type:	ECA	**Longitude:**	
Link Source:	IDS	**Latitude:**	
Approval Type:	ECA-AIR		
Project Type:	AIR		
Address:	25 Grosvenor St		
Full Address:			
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/3889-9S9JLR-14.pdf		

8	5 of 38	-/0.0	103.9 / 1.07	**25 Grosvenor Street** **Toronto ON**	EHS

Order ID:	169202	**Date Received:**	10/28/2009
Order No:	20091028013	**Lot/Building Size:**	
Customer ID:	79248	**Municipality:**	
Company ID:	44305	**Client Prov/State:**	ON
Status:	C	**Search Radius (km):**	0.25
Report Code:	3CAN	**Large Radius:**	2
Report Type:	Standard Report	**X:**	-79.385211
Report Date:	11/6/2009	**Y:**	43.662499
Report Requested by:	ENVIRON EC (CANADA) Inc.		
Nearest Intersection:			
Previous Site Name:			
Additional Info Ordered:	Fire Insur. Maps and/or Sire Plans		

8	6 of 38	-/0.0	103.9 / 1.07	**25 Grosvenor St** **Toronto ON M7A2S8**	EHS

Order ID:	291480	**Date Received:**	21-JAN-14
Order No:	20140121020	**Lot/Building Size:**	
Customer ID:	92807	**Municipality:**	
Company ID:	32005	**Client Prov/State:**	ON
Status:	C	**Search Radius (km):**	.001
Report Code:	1CAN	**Large Radius:**	.2
Report Type:	Site Report	**X:**	-79.385563
Report Date:	22-JAN-14	**Y:**	43.662456
Report Requested by:	ECOH Management Inc.		
Nearest Intersection:			
Previous Site Name:			
Additional Info Ordered:			

8	7 of 38	-/0.0	103.9 / 1.07	**MIN OF COMMUNITY SAFETY &** **CORRECTIONAL SERVICES** **25 GROSVENOR ST.** **TORONTO ON M7 A 2G**	GEN

Generator No.:	ON0134802	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	2012	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	

SIC Code: 541380
SIC Description: Testing Laboratories

--Details--
Waste Code: 211
Waste Description: AROMATIC SOLVENTS

Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

Waste Code: 122
Waste Description: ALKALINE WASTES - OTHER METALS

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 114
Waste Description: OTHER INORGANIC ACID WASTES

Waste Code: 262
Waste Description: DETERGENTS/SOAPS

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Waste Code: 241
Waste Description: HALOGENATED SOLVENTS

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 221
Waste Description: LIGHT FUELS

8	8 of 38	-/0.0	103.9 / 1.07	MINISTRY OF GOVERNMENT SERVICES 27-485 25 GROSVENOR ST. 14TH FLOOR TORONTO ON M4Y 1A9	GEN

Generator No.: ON0123914
Status:
Approval Years: 92,93,94,95,96,97
Contam. Facility:
MHSW Facility:
SIC Code: 8251
SIC Description: EXEC./LEGIS. ADMIN.

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 122
Waste Description: ALKALINE WASTES - OTHER METALS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
8	9 of 38	-/0.0	103.9 / 1.07	MINISTRY OF GOVERNMENT SERVICES 25 GROSVENOR STREET 14TH FLOOR TORONTO ON M7A 1R1	GEN

Generator No.: ON0123914
Status:
Approval Years: 98
Contam. Facility:
MHSW Facility:
SIC Code: 8251
SIC Description: EXEC./LEGIS. ADMIN.

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 122
Waste Description: ALKALINE WASTES - OTHER METALS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
8	10 of 38	-/0.0	103.9 / 1.07	MINISTRY OF THE SOLICITOR GENERAL AND PRIVATE INVESTIGATORS & SECURITY GUARDS 25 GROSVENOR STREET, 9TH FLOOR TORONTO ON	GEN

Generator No.: ON0134821
Status:
Approval Years: 95,96,97
Contam. Facility:
MHSW Facility:
SIC Code: 8123
SIC Description: POLICE SERVICES

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
8	11 of 38	-/0.0	103.9 / 1.07	MIN OF COMMUNITY SAFETY & CORRECTIONAL SERVICES 25 GROSVENOR ST. TORONTO ON	GEN

Generator No.: ON0134802
Status:
Approval Years: 03,04,05,06,07,08
Contam. Facility:
MHSW Facility:
SIC Code: 541380
SIC Description: Testing Laboratories

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 122
Waste Description: ALKALINE WASTES - OTHER METALS

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 122
Waste Description: ALKALINE WASTES - OTHER METALS

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Waste Code: 114
Waste Description: OTHER INORGANIC ACID WASTES

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 211
Waste Description: AROMATIC SOLVENTS

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 221
Waste Description: LIGHT FUELS

Waste Code: 241
Waste Description: HALOGENATED SOLVENTS

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
8	12 of 38	-/0.0	103.9 / 1.07	MANAGEMENT BOARD SECRETARIAT 25 GROSVENOR STREET TORONTO ON M4Y 1A9	GEN

Generator No.: ON0123957
Status:
Approval Years: 93,94,95,96,97,98,01
Contam. Facility:
MHSW Facility:
SIC Code: 8259
SIC Description: OTHER GEN. ADMIN.

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 243
Waste Description: PCB'S

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
8	13 of 38	-/0.0	103.9 / 1.07	MINISTRY OF THE SOLICITOR GENERAL CENTRE OF FORENSIC SCIENCES 25 GROSVENOR ST. TORONTO ON M7A 2G8	GEN

Generator No.: ON0134802
Status:
Approval Years: 86,87,88,89,90,92,93,97
Contam. Facility:
MHSW Facility:
SIC Code: 8221
SIC Description: COURTS OF LAW

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

--Details--

Waste Code: 114
Waste Description: OTHER INORGANIC ACID WASTES

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 211
Waste Description: AROMATIC SOLVENTS

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 221
Waste Description: LIGHT FUELS

Waste Code: 241
Waste Description: HALOGENATED SOLVENTS

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

8	14 of 38	-/0.0	103.9 / 1.07	MIN OF COMMUNITY SAFETY & CORRECTIONAL SERVICES 25 GROSVENOR ST. TORONTO ON	GEN

Generator No.: ON0134802
Status:
Approval Years: 2010
Contam. Facility:
MHSW Facility:
SIC Code: 541380
SIC Description: Testing Laboratories

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--

Waste Code: 122
Waste Description: ALKALINE WASTES - OTHER METALS

Waste Code: 262
Waste Description: DETERGENTS/SOAPS

Waste Code: 211
Waste Description: AROMATIC SOLVENTS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 221
Waste Description: LIGHT FUELS

Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 241
Waste Description: HALOGENATED SOLVENTS

Waste Code: 114
Waste Description: OTHER INORGANIC ACID WASTES

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

8	15 of 38	-/0.0	103.9 / 1.07	MIN OF COMMUNITY SAFETY & CORRECTIONAL SERVICES 25 GROSVENOR ST. TORONTO ON	GEN

Generator No.: ON0134802
Status:
Approval Years: 2009
Contam. Facility:
MHSW Facility:
SIC Code: 541380
SIC Description: Testing Laboratories

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--

Waste Code: 114
Waste Description: OTHER INORGANIC ACID WASTES

Waste Code: 122
Waste Description: ALKALINE WASTES - OTHER METALS

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 211
Waste Description: AROMATIC SOLVENTS

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 221
Waste Description: LIGHT FUELS

Waste Code: 241
Waste Description: HALOGENATED SOLVENTS

Waste Code: 251

Waste Description: OIL SKIMMINGS & SLUDGES

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 262
Waste Description: DETERGENTS/SOAPS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

8	16 of 38	-/0.0	103.9 / 1.07	Unit Park Co. Inc. 25 Grosvenor Street Toronto ON M7A 2G6	GEN

Generator No.: ON9630510
Status: Registered
Approval Years: As of Jun 2017
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No.:
Country: Canada
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 251 L
Waste Description: Waste oils/sludges (petroleum based)

Waste Code: 150 L
Waste Description: Inert organic wastes

8	17 of 38	-/0.0	103.9 / 1.07	CBRE Ltd 25 Grosvenor Toronto ON M7A1Y6	GEN

Generator No.: ON3360978
Status:
Approval Years: 2012
Contam. Facility:
MHSW Facility:
SIC Code: 531410
SIC Description:

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

8	18 of 38	-/0.0	103.9 / 1.07	MINISTRY OF THE SOLICITOR GENERAL PRIVATE INVESTIGATORS & SECURITY GUARDS 25 GROSVENOR STREET, 9TH FLOOR TORONTO ON M7A 1Y6	GEN

Generator No.: ON0134821
Status:
Approval Years: 98,99,00,01
Contam. Facility:
MHSW Facility:
SIC Code: 8123

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

SIC Description: POLICE SERVICES

--Details--
Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

8	19 of 38	-/0.0	103.9 / 1.07	CBRE 25 grosvenor st. toronto ON M7A 1Y6	GEN

Generator No.: ON9806468
Status:
Approval Years: 2016
Contam. Facility: No
MHSW Facility: No
SIC Code: 911230
SIC Description: 911230

PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 221
Waste Description: LIGHT FUELS

Waste Code: 331
Waste Description: WASTE COMPRESSED GASES

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 262
Waste Description: DETERGENTS/SOAPS

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

8	20 of 38	-/0.0	103.9 / 1.07	CBRE 25 grosvenor st. toronto ON M7A 1Y6	GEN

Generator No.: ON9806468
Status:
Approval Years: 2015
Contam. Facility: No
MHSW Facility: No
SIC Code: 911230
SIC Description: 911230

PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 331
Waste Description: WASTE COMPRESSED GASES

Waste Code: 262
Waste Description: DETERGENTS/SOAPS

Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

8	21 of 38	-/0.0	103.9 / 1.07	MIN OF COMMUNITY SAFETY & CORRECTIONAL SERVICES 25 GROSVENOR ST. TORONTO ON	GEN

Generator No.: ON0134802
Status:
Approval Years: 2013
Contam. Facility:
MHSW Facility:
SIC Code: 541380
SIC Description: TESTING LABORATORIES

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--

Waste Code: 331
Waste Description: WASTE COMPRESSED GASES

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Waste Code: 211
Waste Description: AROMATIC SOLVENTS

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 267
Waste Description: ORGANIC ACIDS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 122
Waste Description: ALKALINE WASTES - OTHER METALS

Waste Code: 241
Waste Description: HALOGENATED SOLVENTS

Waste Code: 262
Waste Description: DETERGENTS/SOAPS

Waste Code: 148

Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Waste Code: 221
Waste Description: LIGHT FUELS

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

Waste Code: 114
Waste Description: OTHER INORGANIC ACID WASTES

8	22 of 38	-/0.0	103.9 / 1.07	MINISTRY OF THE SOLICITOR GENERAL 25 GROSVENOR ST. TORONTO ON M7 A 2G	GEN

Generator No.: ON0134802
Status:
Approval Years: 02
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--

Waste Code: 114
Waste Description: OTHER INORGANIC ACID WASTES

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 211
Waste Description: AROMATIC SOLVENTS

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 221
Waste Description: LIGHT FUELS

Waste Code: 241
Waste Description: HALOGENATED SOLVENTS

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
8	23 of 38	-/0.0	103.9 / 1.07	CBRE Ltd 25 Grosvenor Toronto ON M7A1Y6	GEN

Generator No.:	ON3360978	PO Box No.:	
Status:		Country:	
Approval Years:	2011	Choice of Contact:	
Contam. Facility:		Co Admin:	
MHSW Facility:		Phone No. Admin:	
SIC Code:	531410		
SIC Description:			

8	24 of 38	-/0.0	103.9 / 1.07	MINISTRY OF THE SOLICITOR GENERAL 27-017 CENTRE OF FORENSIC SCIENCES 25 GROSVENOR ST. TORONTO ON M7A 2G8	GEN

Generator No.:	ON0134802	PO Box No.:	
Status:		Country:	
Approval Years:	94,95,96	Choice of Contact:	
Contam. Facility:		Co Admin:	
MHSW Facility:		Phone No. Admin:	
SIC Code:	8221		
SIC Description:	COURTS OF LAW		

--Details--

Waste Code:	114
Waste Description:	OTHER INORGANIC ACID WASTES
Waste Code:	148
Waste Description:	INORGANIC LABORATORY CHEMICALS
Waste Code:	211
Waste Description:	AROMATIC SOLVENTS
Waste Code:	212
Waste Description:	ALIPHATIC SOLVENTS
Waste Code:	221
Waste Description:	LIGHT FUELS
Waste Code:	241
Waste Description:	HALOGENATED SOLVENTS
Waste Code:	251
Waste Description:	OIL SKIMMINGS & SLUDGES
Waste Code:	263
Waste Description:	ORGANIC LABORATORY CHEMICALS
Waste Code:	264
Waste Description:	PHOTOPROCESSING WASTES
Waste Code:	312
Waste Description:	PATHOLOGICAL WASTES

8	25 of 38	-/0.0	103.9 / 1.07	MINISTRY OF THE SOLICITOR GENERAL CENTRE OF FORENSIC SCIENCES 25 GROSVENOR STREET TORONTO ON M7A 2G8	GEN

Generator No.:	ON0134802		**PO Box No.:**
Status:			**Country:**
Approval Years:	98,99,00,01		**Choice of Contact:**
Contam. Facility:			**Co Admin:**
MHSW Facility:			**Phone No. Admin:**
SIC Code:	8221		
SIC Description:		COURTS OF LAW	

--Details--

Waste Code: 114
Waste Description: OTHER INORGANIC ACID WASTES

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 211
Waste Description: AROMATIC SOLVENTS

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 221
Waste Description: LIGHT FUELS

Waste Code: 241
Waste Description: HALOGENATED SOLVENTS

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

8	26 of 38	-/0.0	103.9 / 1.07	MIN OF COMMUNITY SAFETY & CORRECTIONAL SERVICES 25 GROSVENOR ST. TORONTO ON	GEN

Generator No.:	ON0134802		**PO Box No.:**
Status:			**Country:**
Approval Years:	2011		**Choice of Contact:**
Contam. Facility:			**Co Admin:**
MHSW Facility:			**Phone No. Admin:**
SIC Code:	541380		
SIC Description:		Testing Laboratories	

--Details--

Waste Code: 114
Waste Description: OTHER INORGANIC ACID WASTES

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 262
Waste Description: DETERGENTS/SOAPS

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Waste Code: 241
Waste Description: HALOGENATED SOLVENTS

Waste Code: 122
Waste Description: ALKALINE WASTES - OTHER METALS

Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 221
Waste Description: LIGHT FUELS

Waste Code: 211
Waste Description: AROMATIC SOLVENTS

8	27 of 38	-/0.0	103.9 / 1.07	MINISTRY OF GOVT SERVICES 25 GROSVENOR ST. 14TH FLOOR TORONTO ON M7A 1R1	GEN

Generator No.: ON0123914
Status:
Approval Years: 88,89,90
Contam. Facility:
MHSW Facility:
SIC Code: 8251
SIC Description: EXEC./LEGIS. ADMIN.

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 122
Waste Description: ALKALINE WASTES - OTHER METALS

8	28 of 38	-/0.0	103.9 / 1.07	CBRE 25 grosvenor st. toronto ON M7A 1Y6	GEN

Generator No.: ON9806468
Status: Registered
Approval Years: As of Dec 2017
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No.:
Country: Canada
Choice of Contact:
Co Admin:
Phone No. Admin:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

--Details--

Waste Code:	145 I
Waste Description:	Wastes from the use of pigments, coatings and paints
Waste Code:	252 L
Waste Description:	Waste crankcase oils and lubricants
Waste Code:	148 C
Waste Description:	Misc. wastes and inorganic chemicals
Waste Code:	262 L
Waste Description:	Detergents and soaps
Waste Code:	263 I
Waste Description:	Misc. waste organic chemicals
Waste Code:	331 I
Waste Description:	Waste compressed gases including cylinders
Waste Code:	262 T
Waste Description:	Detergents and soaps
Waste Code:	212 L
Waste Description:	Aliphatic solvents and residues
Waste Code:	221 I
Waste Description:	Light fuels

8	*29 of 38*	*-/0.0*	*103.9 / 1.07*	***ONTARIO REALITY CORPORATION*** ***25 GROSVENOR STREET*** ***TORONTO ON***	***NPCB***

Company Code:	F0883
Industry:	UNDEFINED
Site Status:	
Transaction Date:	
Inspection Date:	

8	*30 of 38*	*-/0.0*	*103.9 / 1.07*	***MANAGEMENT BOARD SECRETARIAT*** ***25 GROSVENOR STREET*** ***TORONTO ON***	***NPCB***

Company Code:	F0940
Industry:	
Site Status:	
Transaction Date:	1/29/1996
Inspection Date:	

--Details--

Label:	
Serial No.:	
PCB Type/Code:	Askarel
Location:	
Item/State:	
No. of Items:	
Manufacturer:	
Status:	Stored for Disposal
Contents:	1200.00 KG

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
8	31 of 38	-/0.0	103.9 / 1.07	ONTARIO REALTY 25 GROSVENOR Street TORONTO ON M4Y1A9	NPRI

NPRI ID:	8800000544	**Org ID:**	
Other ID:		**Submit Date:**	
No Other ID:		**Last Modified:**	
Track ID:		**Contact ID:**	
Report ID:		**Cont Type:**	MED
Report Type:		**Contact Title:**	Mr.
Rpt Type ID:		**Cont First Name:**	ALEX
Report Year:	2004	**Cont Last Name:**	LYE
Not-Current Rpt?:		**Contact Position:**	Environmental Assessment Manager
Yr of Last Filed Rpt:		**Contact Fax:**	
Fac ID:		**Contact Ph.:**	
Fac Name:	GEORGE DREW COMPLEX	**Cont Area Code:**	416
Fac Address1:		**Contact Tel.:**	3268229
Fac Address2:		**Contact Ext.:**	
Fac Postal Zip:		**Cont Fax Area Cde:**	416
Facility Lat:		**Contact Fax:**	2121131
Facility Long:		**Contact Email:**	alex.lye@orc.gov.on.ca
DLS (Last Filed Rpt):		**Latitude:**	
Facility DLS:		**Longitude:**	
Datum:		**UTM Zone:**	
Facility Cmnts:		**UTM Northing:**	
URL:		**UTM Easting:**	
No of Empl.:	1	**Waste Streams:**	
Parent Co.:		**No Streams:**	
No Parent Co.:		**Waste Off Sites:**	
Pollut Prev Cmnts:		**No Off Sites:**	
Stacks:		**Shutdown:**	
No of Stacks:		**No of Shutdown:**	
Canadian SIC Code (2 digit):			
Canadian SIC Code:			
SIC Code Description:			
American SIC Code:			
NAICS Code (2 digit):	53		
NAICS 2 Description:	Real Estate and Rental and Leasing		
NAICS Code (4 digit):	5311		
NAICS 4 Description:	Lessors of Real Estate		
NAICS Code (6 digit):	531120		
NAICS 6 Description:	Lessors of Non-Residential Buildings (except Mini-Warehouses)		

Substance Release Report

CAS No:	11104-93-1
Report ID:	
Rpt Period:	2004
Subst Released:	Nitrogen oxides (expressed as NO2)
Air:	
Water:	
Land:	
Total Releases:	
Units:	tonnes

CAS No:	7446-09-5
Report ID:	
Rpt Period:	2004
Subst Released:	Sulphur dioxide
Air:	
Water:	
Land:	
Total Releases:	
Units:	tonnes

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

CAS No: 811-97-2
Report ID:
Rpt Period: 2004
Subst Released: HFC-134a Hydrofluorocarbon
Air:
Water:
Land:
Total Releases:
Units: tonnes

8	32 of 38	-/0.0	103.9 / 1.07	MANAGEMENT BOARD SECRETARIAT 25 GROSVENOR STREET TORONTO ON	OPCB

Year: 1998
Site Number: 30193A025
Name Owner:
Additional Site Information:

--Details--
Quantity: 2.00
Address Site:
Description: Number of Drums of Ballasts with High Level PCBs (>1000 ppm)

Quantity: 400.00
Address Site:
Description: Calculated Weight (Kg) of Drums of Ballasts with High Level PCBs (>1000 ppm)

8	33 of 38	-/0.0	103.9 / 1.07	ONTARIO REALTY CORPORATION 25 GROSVENOR STREET TORONTO(FAX-314-3488) ON	OPCB

Year: 1999
Site Number: 30193A025
Name Owner:
Additional Site Information:

8	34 of 38	-/0.0	103.9 / 1.07	ONTARIO REALTY CORPORATION 25 GROSVENOR STREET TORONTO(FAX-314-3488) ON	OPCB

Year: 2000
Site Number: 30193A025
Name Owner:
Additional Site Information:

8	35 of 38	-/0.0	103.9 / 1.07	MANAGEMENT BOARD SECRETARIAT 25 GROSVENOR STREET TORONTO ON	OPCB

Year: 1995
Site Number: 30193A025
Name Owner:
Additional Site Information:

--Details--
Quantity: 2.00

Address Site:
Description: Number of Drums of Ballasts with High Level PCBs (>1000 ppm)

Quantity: 400.00
Address Site:
Description: Weight of Drums of Ballasts with High Level PCBs (>1000 ppm) kg

---

8	36 of 38	-/0.0	103.9 / 1.07	Ontario Realty Corporation 25 Grosvenor St TORONTO ON M7A 1Y6	SPL

Ref No:	0812-8FEN5A	**Discharger Report:**	
Site No:		**Material Group:**	
Incident Dt:	3/24/2011	**Client Type:**	
Year:		**Sector Type:**	Other
Incident Cause:	Discharge or Emission to Air	**Source Type:**	
Incident Event:		**Nearest Watercourse:**	
Contaminant Code:	n/a	**Site Name:**	25 Grosvenor St.
Contaminant Name:	REFRIGERANT GAS R123	**Site Address:**	25 Grosvenor St
Contaminant Limit 1:		**Site District Office:**	
Contam Limit Freq 1:		**Site County/District:**	
Contaminant UN No 1:		**Site Postal Code:**	
Contaminant Qty:		**Site Region:**	
Environment Impact:	Not Anticipated	**Site Municipality:**	TORONTO
Nature of Impact:	Air Pollution; Other Impact(s)	**Site Lot:**	
Receiving Medium:		**Site Conc:**	
Receiving Env:		**Northing:**	NA
Health/Env Conseq:		**Easting:**	NA
MOE Response:	No Field Response	**Site Geo Ref Accu:**	
Dt MOE Arvl on Scn:		**Site Geo Ref Meth:**	
MOE Reported Dt:	3/29/2011	**Site Map Datum:**	
Dt Document Closed:	7/23/2011		

SAC Action Class: Air Spills - Gases and Vapours
Incident Reason: Weld/Seam Failure - The point where material is joined to form the wall of a pipe/tank or other container
Incident Summary: ORC: 77kg of R123 to atm

8	37 of 38	-/0.0	103.9 / 1.07	Her Majesty the Queen as Represented by the Minister of Community Safety 25 Grosvenor St Toronto ON	SPL

Ref No:	5548-9X3MBQ	**Discharger Report:**	
Site No:	0065-9S9JKT	**Material Group:**	
Incident Dt:	5/31/2015	**Client Type:**	
Year:		**Sector Type:**	
Incident Cause:	Leak/Break	**Source Type:**	
Incident Event:		**Nearest Watercourse:**	
Contaminant Code:	24	**Site Name:**	25 Grosvenor Street
Contaminant Name:	GLYCOL/WATER SOLUTION	**Site Address:**	25 Grosvenor St
Contaminant Limit 1:		**Site District Office:**	
Contam Limit Freq 1:		**Site County/District:**	
Contaminant UN No 1:		**Site Postal Code:**	NA
Contaminant Qty:	800 L	**Site Region:**	
Environment Impact:		**Site Municipality:**	Toronto
Nature of Impact:	Surface Water	**Site Lot:**	
Receiving Medium:		**Site Conc:**	
Receiving Env:		**Northing:**	NA
Health/Env Conseq:		**Easting:**	NA
MOE Response:	N	**Site Geo Ref Accu:**	NA
Dt MOE Arvl on Scn:		**Site Geo Ref Meth:**	NA

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

MOE Reported Dt:	6/1/2015	**Site Map Datum:**	NA
Dt Document Closed:			
SAC Action Class:	Watercourse Spills		
Incident Reason:	Equipment Failure		
Incident Summary:	200 gals of glycol to floor and some impacts to drain		

8	38 of 38	-/0.0	103.9 / 1.07	Nesbit [Wallace] 25 St Vincent St Toronto ON	TANK

Permit Date:	10/16/1915
Permit Type:	BP 18978
User Type:	
Installation Type:	Gasoline tank, install
Installation Size:	
Installation Config.:	1 x Gasoline tank
No. Tanks Installed:	1
Units of Measure:	
Value/Tank ($):	15000
Capacity(gal):	
Reference:	CTA Building permits
Location Desc:	

9	1 of 1	SE/2.5	102.6 / -0.22	Taylor [H A] 22 Grenville St Toronto ON	TANK

Permit Date:	1923
Permit Type:	To establish
User Type:	Auto body repair
Installation Type:	Repair garage
Installation Size:	
Installation Config.:	Repair and painting of cars etc.,
No. Tanks Installed:	
Units of Measure:	
Value/Tank ($):	
Capacity(gal):	
Reference:	TCM 1923 A: 1382
Location Desc:	22 Grenville St, rear

10	1 of 1	SE/2.7	102.4 / -0.47	ON	BORE

Borehole ID:	642956	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Diamond Drill	**UTM Zone::**	17
Easting::	630245	**Northing::**	4835593
Location Accuracy::		**Orig. Ground Elev m::**	103
Elev. Reliability Note::		**DEM Ground Elev m::**	103
Total Depth m::	9.1	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1958	**Static Water Level::**	-999.9
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218501644	**Top Depth(m):**	0.0
Bottom Depth(m):	0.5	**Stratum Desc:**	SOIL,SILT,ORGANIC. BLACK,AGE POST-GLACIAL.

Stratum ID:	218501645	**Top Depth(m):**	0.5
Bottom Depth(m):	1.4	**Stratum Desc:**	FILL,SAND-MEDIUM TO COARSE,SILT,CLAY. BROWN,MAN-MADE,LOOSE, AGE POST-GLACIAL.
Stratum ID:	218501646	**Top Depth(m):**	1.4
Bottom Depth(m):	4.6	**Stratum Desc:**	TILL,SAND-MEDIUM TO COARSE,SILT,GRANULESGREY,GLACIAL,VERY DENSE, AGE GLACIAL.
Stratum ID:	218501647	**Top Depth(m):**	4.6
Bottom Depth(m):	6.1	**Stratum Desc:**	TILL,SILT,SAND MEDIUM,CLAY. GREY,GLACIAL,VERY DENSE, LAYERED,AGE GLACIAL.
Stratum ID:	218501648	**Top Depth(m):**	6.1
Bottom Depth(m):	6.7	**Stratum Desc:**	TILL,SAND-MEDIUM, ROCK. GREY,GLACIAL,VERY DENSE, AGE GLACIAL.
Stratum ID:	218501649	**Top Depth(m):**	6.7
Bottom Depth(m):	9.1	**Stratum Desc:**	TILL,SAND-MEDIUM TO COARSE,GRANULES. BROWN,GREY,GLACIAL,VERY DENSE,AGE GLACIAL. 015

11 ***1 of 1*** ***SSE/3.0*** ***102.5 / -0.32*** ***ON*** ***BORE***

Borehole ID:	648500	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Diamond Drill	**UTM Zone::**	17
Easting::	630215	**Northing::**	4835583
Location Accuracy::		**Orig. Ground Elev m::**	105
Elev. Reliability Note::		**DEM Ground Elev m::**	103
Total Depth m::	12.5	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	NOV-1967	**Static Water Level::**	1.3
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218523341	**Top Depth(m):**	0.0
Bottom Depth(m):	1.4	**Stratum Desc:**	FILL,CLAY,SAND,SOIL.BROWN,LOOSE.
Stratum ID:	218523342	**Top Depth(m):**	1.4
Bottom Depth(m):	2.7	**Stratum Desc:**	SAND-FINE TO MEDIUM.BROWN,GLACIAL,DENSE, AGE GLACIAL, WATER STABLE AT 342.8 FEET.
Stratum ID:	218523343	**Top Depth(m):**	2.7
Bottom Depth(m):	4.0	**Stratum Desc:**	TILL,SILT,SAND,CLAY.GREY,HARD,AGE GLACIAL.
Stratum ID:	218523344	**Top Depth(m):**	4.0
Bottom Depth(m):	10.1	**Stratum Desc:**	SAND,SILT,CLAY. DENSE,LAYERED,AGE GLACIAL.
Stratum ID:	218523345	**Top Depth(m):**	10.1
Bottom Depth(m):	12.5	**Stratum Desc:**	SAND-FINE TO MEDIUM.GREY,AGE GLACIAL. 00000005000450320009003800130060003330 5800022SAND(6

12	1 of 1	E/3.6	102.9 / 0.05	TORONTO ON	WWIS

Well ID:	7100820	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:	Monitoring	**Date Received:**	12/30/2007
Sec. Water Use:		**Selected Flag:**	Yes
Final Well Status:	Observation Wells	**Abandonment Rec:**	
Water Type:		**Contractor:**	7241
Casing Material:		**Form Version:**	5
Audit No:	M00439	**Owner:**	
Tag:	A063312	**Street Name:**	925 BAY ST
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1001611371	**Elevation:**	105.56
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:		**East83:**	630235
Code OB Desc:		**Org CS:**	UTM83
Open Hole:		**North83:**	4835629
Cluster Kind:	This is a record from cluster log sheet	**UTMRC:**	3
Date Completed:	27-NOV-07	**UTMRC Desc:**	margin of error : 10 - 30 m
Remarks:		**Location Method:**	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Annular Space/Abandonment Sealing Record

Plug ID:	1001611375
Layer:	
Plug From:	
Plug To:	
Plug Depth UOM:	

Method of Construction & Well Use

Method Construction ID:	1001611374
Method Construction Code:	
Method Construction:	
Other Method Construction:	AUGER

Pipe Information

Pipe ID: 1001611376
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1001611378
Layer:
Material: 5
Open Hole or Material: PLASTIC
Depth From:
Depth To: 3
Casing Diameter:
Casing Diameter UOM:
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1001611377
Layer:
Slot:
Screen Top Depth: 3
Screen End Depth: 9.1
Screen Material:
Screen Depth UOM: m
Screen Diameter UOM:
Screen Diameter:

Results of Well Yield Testing

Pump Test ID: 1001611379
Pump Set At:
Static Level:
Final Level After Pumping:
Recommended Pump Depth:
Pumping Rate:
Flowing Rate:
Recommended Pump Rate:
Levels UOM:
Rate UOM:
Water State After Test Code:
Water State After Test:
Pumping Test Method:
Pumping Duration HR:
Pumping Duration MIN:
Flowing:

Hole Diameter

Hole ID: 1001611373
Diameter: 11.5
Depth From:
Depth To: 9.1
Hole Depth UOM: m
Hole Diameter UOM: cm

Bore Hole Information

Bore Hole ID: 1000066274 ***Elevation:*** 105.13
DP2BR: ***Elevrc:***

Spatial Status:		***Zone:***	17
Code OB:		***East83:***	630212
Code OB Desc:		***Org CS:***	UTM83
Open Hole:		***North83:***	4835731
Cluster Kind:		***UTMRC:***	3
Date Completed:	29-NOV-07	***UTMRC Desc:***	margin of error : 10 - 30 m
Remarks:		***Location Method:***	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	1001611382
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	08
Most Common Material:	FINE SAND
Mat2:	06
Other Materials:	SILT
Mat3:	
Other Materials:	
Formation Top Depth:	2
Formation End Depth:	4
Formation End Depth UOM:	m

Formation ID:	1001611381
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	
Formation Top Depth:	0
Formation End Depth:	2
Formation End Depth UOM:	m

Formation ID:	1001611383
Layer:	3
Color:	2
General Color:	GREY
Mat1:	08
Most Common Material:	FINE SAND
Mat2:	06
Other Materials:	SILT
Mat3:	
Other Materials:	
Formation Top Depth:	4
Formation End Depth:	9.1
Formation End Depth UOM:	m

Annular Space/Abandonment Sealing Record

Plug ID:	1001611386
Layer:	2

Plug From:	.3
Plug To:	2.4
Plug Depth UOM:	m
Plug ID:	1001611387
Layer:	3
Plug From:	2.4
Plug To:	9.1
Plug Depth UOM:	m
Plug ID:	1001611385
Layer:	1
Plug From:	0
Plug To:	.3
Plug Depth UOM:	m

Method of Construction & Well Use

Method Construction ID:	1001611391
Method Construction Code:	E
Method Construction:	Auger
Other Method Construction:	

Pipe Information

Pipe ID:	1001611380
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	1001611388
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0
Depth To:	3
Casing Diameter:	5
Casing Diameter UOM:	cm
Casing Depth UOM:	m

Construction Record - Screen

Screen ID:	1001611389
Layer:	1
Slot:	10
Screen Top Depth:	
Screen End Depth:	
Screen Material:	5
Screen Depth UOM:	m
Screen Diameter UOM:	cm
Screen Diameter:	5.5

Hole Diameter

Hole ID:	1001611384
Diameter:	11.5
Depth From:	0
Depth To:	9.1
Hole Depth UOM:	m

Hole Diameter UOM: cm

Bore Hole Information

Bore Hole ID:	1001611362	**Elevation:**	105.78
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:		**East83:**	630185
Code OB Desc:		**Org CS:**	UTM83
Open Hole:		**North83:**	4835678
Cluster Kind:	This is a record from cluster log sheet	**UTMRC:**	3
Date Completed:	27-NOV-07	**UTMRC Desc:**	margin of error : 10 - 30 m
Remarks:		**Location Method:**	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Annular Space/Abandonment Sealing Record

Plug ID: 1001611366
Layer:
Plug From:
Plug To:
Plug Depth UOM:

Method of Construction & Well Use

Method Construction ID: 1001611365
Method Construction Code:
Method Construction:
Other Method Construction: AUGER

Pipe Information

Pipe ID: 1001611367
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1001611369
Layer:
Material: 5
Open Hole or Material: PLASTIC
Depth From:
Depth To: 3
Casing Diameter:
Casing Diameter UOM:
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1001611368
Layer:
Slot:

Screen Top Depth:	3
Screen End Depth:	11.5
Screen Material:	
Screen Depth UOM:	m
Screen Diameter UOM:	
Screen Diameter:	

Results of Well Yield Testing

Pump Test ID:	1001611370
Pump Set At:	
Static Level:	
Final Level After Pumping:	
Recommended Pump Depth:	
Pumping Rate:	
Flowing Rate:	
Recommended Pump Rate:	
Levels UOM:	
Rate UOM:	
Water State After Test Code:	
Water State After Test:	
Pumping Test Method:	
Pumping Duration HR:	
Pumping Duration MIN:	
Flowing:	

Hole Diameter

Hole ID:	1001611364
Diameter:	11.5
Depth From:	
Depth To:	7.6
Hole Depth UOM:	m
Hole Diameter UOM:	cm

---

13 | **1 of 1** | **NNE/5.5** | **103.6 / 0.73** | **ON** | **BORE**

Borehole ID:	648482	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Diamond Drill	**UTM Zone::**	17
Easting::	630215	**Northing::**	4835653
Location Accuracy::		**Orig. Ground Elev m::**	106
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	15.2	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	JUN-1967	**Static Water Level::**	1.5
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218523206	**Top Depth(m):**	0.0
Bottom Depth(m):	0.7	**Stratum Desc:**	FILL,SAND,GRAVEL.
Stratum ID:	218523207	**Top Depth(m):**	0.7
Bottom Depth(m):	1.5	**Stratum Desc:**	CLAY,SILT,SAND. BROWN.
Stratum ID:	218523208	**Top Depth(m):**	1.5
Bottom Depth(m):	3.0	**Stratum Desc:**	TILL,SILT,SAND. BROWN,GLACIAL,AGE GLACIAL, WATER STABLE AT 345.0 FEET.
Stratum ID:	218523209	**Top Depth(m):**	3.0

Bottom Depth(m):	4.7	**Stratum Desc:**	TILL,SILT,SAND. GREY,GLACIAL,AGE GLACIAL.
Stratum ID:	218523210	**Top Depth(m):**	4.7
Bottom Depth(m):	5.5	**Stratum Desc:**	SILT,CLAY,SAND. GREY,GLACIAL,HARD,AGE GLACIAL.
Stratum ID:	218523211	**Top Depth(m):**	5.5
Bottom Depth(m):	8.5	**Stratum Desc:**	TILL,SILT,SAND. GREY,GLACIAL,HARD,AGE GLACIAL.
Stratum ID:	218523212	**Top Depth(m):**	8.5
Bottom Depth(m):	11.9	**Stratum Desc:**	SAND-MEDIUM,SILT. GREY,GLACIAL,VERY HARD, AGE GLACIAL.
Stratum ID:	218523213	**Top Depth(m):**	11.9
Bottom Depth(m):	15.2	**Stratum Desc:**	TILL,SAND,SILT. GREY,GLACIAL,VERY HARD, AGE GLACIAL. 000500370009703700155035001800630028006800 38

---

14 **1 of 1** **SW/6.4** **102.9 / 0.09** **ON** **BORE**

Borehole ID:	648486	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Diamond Drill	**UTM Zone::**	17
Easting::	630185	**Northing::**	4835613
Location Accuracy::		**Orig. Ground Elev m::**	106
Elev. Reliability Note::		**DEM Ground Elev m::**	105
Total Depth m::	15.4	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	JUN-1967	**Static Water Level::**	1.5
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218523236	**Top Depth(m):**	0.0
Bottom Depth(m):	1.1	**Stratum Desc:**	FILL,SAND,STONES, GRAVEL.
Stratum ID:	218523237	**Top Depth(m):**	1.1
Bottom Depth(m):	1.5	**Stratum Desc:**	CLAY,SAND. BROWN.
Stratum ID:	218523238	**Top Depth(m):**	1.5
Bottom Depth(m):	4.0	**Stratum Desc:**	TILL,SILT,SAND. BROWN,GLACIAL,STIFF, AGE GLACIAL, WATER STABLE AT 343.0 FEET.
Stratum ID:	218523239	**Top Depth(m):**	4.0
Bottom Depth(m):	5.6	**Stratum Desc:**	TILL,SILT,SAND. GREY,GLACIAL,STIFF, AGE GLACIAL.
Stratum ID:	218523240	**Top Depth(m):**	5.6
Bottom Depth(m):	7.6	**Stratum Desc:**	SILT,SAND. GREY,GLACIAL,AGE GLACIAL.
Stratum ID:	218523241	**Top Depth(m):**	7.6
Bottom Depth(m):	10.2	**Stratum Desc:**	SILT,CLAY,SAND. GREY,GLACIAL,HARD,AGE GLACIAL.
Stratum ID:	218523242	**Top Depth(m):**	10.2
Bottom Depth(m):	15.4	**Stratum Desc:**	SILT,CLAY,SAND. GREY,LACUSTRINE,VERY HARD, AGE GLACIAL. 000500390013005100185082002500560033509 7

15 *1 of 1* *ENE/7.9* *103.2 / 0.35* *ON* **BORE**

Borehole ID:	648499	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Diamond Drill	**UTM Zone::**	17
Easting::	630235	**Northing::**	4835643
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	105
Total Depth m::	27.2	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	JUN-1967	**Static Water Level::**	2.7
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218523333	**Top Depth(m):**	0.0
Bottom Depth(m):	1.2	**Stratum Desc:**	FILL,GRAVEL,SAND. BLACK.
Stratum ID:	218523334	**Top Depth(m):**	1.2
Bottom Depth(m):	5.5	**Stratum Desc:**	TILL,SILT,SAND. BROWN,GREY,GLACIAL, AGE GLACIAL.
Stratum ID:	218523335	**Top Depth(m):**	5.5
Bottom Depth(m):	12.2	**Stratum Desc:**	SILT,SAND,CLAY. GREY,GLACIAL,HARD,AGE GLACIAL,WATER STABLE AT 343.0 FEET.
Stratum ID:	218523336	**Top Depth(m):**	12.2
Bottom Depth(m):	14.1	**Stratum Desc:**	TILL,SILT,SAND. GREY,GLACIAL,HARD,AGE GLACIAL.
Stratum ID:	218523337	**Top Depth(m):**	14.1
Bottom Depth(m):	19.1	**Stratum Desc:**	SAND(68),SILT(32). GREY,GLACIAL,VERY HARD, AGE GLACIAL.
Stratum ID:	218523338	**Top Depth(m):**	19.1
Bottom Depth(m):	23.6	**Stratum Desc:**	TILL-VERY FINE, SILT(28)-VERY COARSE,SAND(64),GRAVEL. GREY,GLACIAL,VERY HARD, AGE GLACIAL.
Stratum ID:	218523339	**Top Depth(m):**	23.6
Bottom Depth(m):	26.3	**Stratum Desc:**	SILT(58),SAND(03), CLAY(39).
Stratum ID:	218523340	**Top Depth(m):**	26.3
Bottom Depth(m):	27.2	**Stratum Desc:**	SHALE. GREY,LAYERED. 00039050001800740040007500462056006271 1000030E GLACIAL

16 *1 of 3* *ESE/11.3* *102.4 / -0.41* ***GRENVILLE STREET COOP. HOUSING INC.*** ***18 GRENVILLE STREET*** ***TORONTO CITY ON M4Y 3B3*** **CA**

Certificate #:	8-3591-95-966
Application Year:	95
Issue Date:	1/18/96
Approval Type:	Industrial air
Status:	Received in 1995, Issued in 1996
Application Type:	
Client Name::	
Client Address::	

Client City::
Client Postal Code::
Project Description:: EMERGENCY GEN-SET FOR GROUP C RES. BLDG.
Contaminants:: Nitrogen Oxides
Emission Control::

---

16 | **2 of 3** | **ESE/11.3** | **102.4 / -0.41** | **THE CREDIT UNION**
18 GRENVILLE STREET
TORONTO ON M4Y 3B3 | **GEN**

Generator No.:	ON8198354	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2014	**Choice of Contact:**	CO_OFFICIAL
Contam. Facility:	No	**Co Admin:**	
MHSW Facility:	No	**Phone No. Admin:**	
SIC Code:	522130		
SIC Description:	522130		

--Details--
Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

---

16 | **3 of 3** | **ESE/11.3** | **102.4 / -0.41** | **CONTRACTOR**
AT 18 GRENVILLE ST. (N.O.S.)
TORONTO CITY ON M4Y 3B3 | **SPL**

Ref No:	115882	**Discharger Report:**	
Site No:		**Material Group:**	
Incident Dt:	7/17/1995	**Client Type:**	
Year:		**Sector Type:**	
Incident Cause:	UNDERGROUND TANK LEAK	**Source Type:**	
Incident Event:		**Nearest Watercourse:**	
Contaminant Code:		**Site Name:**	
Contaminant Name:		**Site Address:**	
Contaminant Limit 1:		**Site District Office:**	
Contam Limit Freq 1:		**Site County/District:**	
Contaminant UN No 1:		**Site Postal Code:**	
Contaminant Qty:		**Site Region:**	
Environment Impact:	POSSIBLE	**Site Municipality:**	1106
Nature of Impact:	Soil contamination	**Site Lot:**	
Receiving Medium:	LAND	**Site Conc:**	
Receiving Env:		**Northing:**	
Health/Env Conseq:		**Easting:**	
MOE Response:		**Site Geo Ref Accu:**	
Dt MOE Arvl on Scn:		**Site Geo Ref Meth:**	
MOE Reported Dt:	7/17/1995	**Site Map Datum:**	
Dt Document Closed:			
SAC Action Class:			

Incident Reason: ERROR
Incident Summary: EDILCAN CONSTRUCTION -OILY WATER TO GROUND FROM UNDERGROUND TANK.

---

17 | **1 of 1** | **WSW/11.6** | **102.9 / 0.11** | **ON** | **WWIS**

Well ID:	7205383	**Data Entry Status:**	Yes
Construction Date:		**Data Src:**	
Primary Water Use:		**Date Received:**	7/25/2013
Sec. Water Use:		**Selected Flag:**	Yes
Final Well Status:		**Abandonment Rec:**	
Water Type:		**Contractor:**	7215

Casing Material:		**Form Version:**	8
Audit No:	C22853	**Owner:**	
Tag:	A144996	**Street Name:**	
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1004455907	**Elevation:**	104.66
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:		**East83:**	630163.26
Code OB Desc:		**Org CS:**	N27e
Open Hole:		**North83:**	4835609.46
Cluster Kind:		**UTMRC:**	3
Date Completed:	06-JUL-13	**UTMRC Desc:**	margin of error : 10 - 30 m
Remarks:		**Location Method:**	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

18 ***1 of 1*** ***SSW/11.8*** ***102.5 / -0.38***

MANAGEMENT BOARD SECRETARIAT
32-34 GRENVILLE STREET
TORONTO ON

GEN

Generator No.:	ON0123958	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	93,94,95,96,97,98	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	8259		
SIC Description:	OTHER GEN. ADMIN.		

--Details--

Waste Code:	243
Waste Description:	PCB'S

19 ***1 of 1*** ***SSW/16.5*** ***102.5 / -0.32***

ON

BORE

Borehole ID:	648502	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Diamond Drill	**UTM Zone::**	17
Easting::	630185	**Northing::**	4835583
Location Accuracy::		**Orig. Ground Elev m::**	106
Elev. Reliability Note::		**DEM Ground Elev m::**	103
Total Depth m::	12.5	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	NOV-1967	**Static Water Level::**	1.3

Primary Water Use:: Not Used
Sec. Water Use::

--Details--

Stratum ID: 218523355
Top Depth(m): 2.9
Bottom Depth(m): 4.0
Stratum Desc: TILL,SILT,SAND,CLAY.GREY,GLACIAL,HARD ,AGE GLACIAL,WATER STABLE AT 344.8 FEET.

Stratum ID: 218523356
Top Depth(m): 4.0
Bottom Depth(m): 6.9
Stratum Desc: SAND-FINE TO MEDIUM,SILT. GREY,GLACIAL,DENSE, AGE GLACIAL.

Stratum ID: 218523357
Top Depth(m): 6.9
Bottom Depth(m): 9.4
Stratum Desc: TILL,SILT,SAND. GREY,GLACIAL,HARD,AGE GLACIAL.

Stratum ID: 218523358
Top Depth(m): 9.4
Bottom Depth(m): 11.4
Stratum Desc: SILT,CLAY,SAND-FINE TO MEDIUM. GREY,GLACIAL,STIFF, AGE GLACIAL.

Stratum ID: 218523359
Top Depth(m): 11.4
Bottom Depth(m): 12.5
Stratum Desc: SAND,SILT,CLAY. GREY,GLACIAL,DENSE, AGE GLACIAL. 0002503700095032001300750022807800310029000 25

Stratum ID: 218523352
Top Depth(m): 0.0
Bottom Depth(m): 0.5
Stratum Desc: FILL,SOIL,CLAY.

Stratum ID: 218523353
Top Depth(m): 0.5
Bottom Depth(m): 0.8
Stratum Desc: SAND,SILT,CLAY. BROWN.

Stratum ID: 218523354
Top Depth(m): 0.8
Bottom Depth(m): 2.9
Stratum Desc: TILL,SILT,SAND,CLAY.BROWN,GLACIAL,STIFF, AGE GLACIAL.

20	1 of 2	WNW/21.6	103.9 / 1.03	TORONTO STANDARD CONDOMINIUM CORPORATION NO. 2037 37 GROSVENOR ST TORONTO ON M4Y 3G5	EASR

Approval No: R-002-2165443488
SWP Area Name: Toronto
Status: REGISTERED
MOE District: Toronto
Date: 2012-10-02
City: TORONTO
Record Type: EASR
Latitude: 43.66258
Link Source: MOFA
Longitude: -79.386055
Full Address:
Project Type: Standby Power System
Approval Type: EASR-Standby Power System
Full PDF Link: http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=1545

20	2 of 2	WNW/21.6	103.9 / 1.03	60 to 37 Grosvenor St Toronto ON	SPL

Ref No: 7822-8AP668
Discharger Report:
Site No:
Material Group:
Incident Dt:
Client Type:
Year:
Sector Type: Other
Incident Cause:
Source Type:
Incident Event:
Nearest Watercourse:
Contaminant Code: 28
Site Name: Storm sewer<UNOFFICIAL>
Contaminant Name: CEMENT
Site Address:

Contaminant Limit 1:		**Site District Office:**	
Contam Limit Freq 1:		**Site County/District:**	
Contaminant UN No 1:		**Site Postal Code:**	
Contaminant Qty:	0 other - see incident description	**Site Region:**	
Environment Impact:	Possible	**Site Municipality:**	
Nature of Impact:	Surface Water Pollution	**Site Lot:**	
Receiving Medium:		**Site Conc:**	
Receiving Env:		**Northing:**	
Health/Env Conseq:		**Easting:**	
MOE Response:	Deferred Field Response	**Site Geo Ref Accu:**	
Dt MOE Arvl on Scn:		**Site Geo Ref Meth:**	
MOE Reported Dt:	10/28/2010	**Site Map Datum:**	
Dt Document Closed:			
SAC Action Class:	Illegal Dumping Occurrences		
Incident Reason:			
Incident Summary:	60 Grosvenor St: illegal dumping, cement to CB		

21	1 of 2	SSW/23.7	102.5 / -0.32	MINISTRY OF GOVERNMENT SERVICES HORTICULTURE SERVICES 34 GRENVILLE ST. TORONTO ON M4Y 1A3	GEN

Generator No.:	ON0123904	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	86,87,88,89,90	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	0000		
SIC Description:	*** NOT DEFINED ***		

21	2 of 2	SSW/23.7	102.5 / -0.32	MINISTRY OF GOVERNMENT SERVICES 27-002 HORTICULTURE SERVICES 34 GRENVILLE ST. TORONTO ON M4Y 1A3	GEN

Generator No.:	ON0123904	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	92,93,94	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	0000		
SIC Description:	*** NOT DEFINED ***		

22	1 of 1	SSW/29.2	102.7 / -0.17	ON	BORE

Borehole ID:	648501	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Diamond Drill	**UTM Zone::**	17
Easting::	630175	**Northing::**	4835573
Location Accuracy::		**Orig. Ground Elev m::**	105
Elev. Reliability Note::		**DEM Ground Elev m::**	103
Total Depth m::	12.2	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	NOV-1967	**Static Water Level::**	1.2
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218523346	**Top Depth(m):**	0.0
Bottom Depth(m):	1.4	**Stratum Desc:**	SAND-MEDIUM. BROWN,LOOSE.

Stratum ID:	218523347	**Top Depth(m):**	1.4
Bottom Depth(m):	2.1	**Stratum Desc:**	SILT,CLAY,SAND. BROWN,LACUSTRINE,STIFF, AGE GLACIAL, WATER STABLE AT 342.0 FEET.
Stratum ID:	218523348	**Top Depth(m):**	2.1
Bottom Depth(m):	3.2	**Stratum Desc:**	TILL,SILT,SAND,CLAY.BROWN,GLACIAL,HARD, AGE GLACIAL.
Stratum ID:	218523349	**Top Depth(m):**	3.2
Bottom Depth(m):	7.0	**Stratum Desc:**	TILL,SILT,SAND,CLAY.GREY,GLACIAL,HARD ,AGE GLACIAL.
Stratum ID:	218523350	**Top Depth(m):**	7.0
Bottom Depth(m):	11.4	**Stratum Desc:**	SAND,SILT,CLAY. GREY,DENSE,LAYERED, AGE GLACIAL.
Stratum ID:	218523351	**Top Depth(m):**	11.4
Bottom Depth(m):	12.2	**Stratum Desc:**	TILL,SILT,SAND,CLAY.GREY,GLACIAL,HARD ,AGE GLACIAL.0000000500045010000700370010507900229078003730 8

23	1 of 3	SE/29.6	101.8 / -1.05	21 Grenville Street Toronto ON M4Y 1A1	EHS

Order ID:	172278	**Date Received:**	2/22/2010
Order No:	20100222007	**Lot/Building Size:**	
Customer ID:	19181	**Municipality:**	City of Toronto
Company ID:	111	**Client Prov/State:**	ON
Status:	C	**Search Radius (km):**	0.25
Report Code:	2CAN	**Large Radius:**	2
Report Type:	Standard Select Report	**X:**	-79.384638
Report Date:	2/25/2010	**Y:**	43.661764
Report Requested by:	Bruce A. Brown Associates Limited		
Nearest Intersection:	Yonge and Grenville		
Previous Site Name:			
Additional Info Ordered:			

23	2 of 3	SE/29.6	101.8 / -1.05	21 GRENVILLE STREET, TORONTO ON	PINC

Incident ID:		**Health Impact:**	
Incident No:	1089480	**Environment Impact:**	
Type:	FS-Pipeline Incident	**Property Damage:**	No
Status Code:	Pipeline Damage Reason Est	**Service Interupt:**	
Fuel Occurrence Tp:		**Enforce Policy:**	Yes
Fuel Type:		**Public Relation:**	
Tank Status:	RC Established	**Pipeline System:**	
Task No:	4450549	**Depth:**	
Spills Action Centre:		**Pipe Material:**	
Method Details:	E-mail	**PSIG:**	
Fuel Category:	Natural Gas	**Attribute Category:**	FS-Perform P-line Inc Invest
Date of Occurrence:		**Regualtor Location:**	
Occurrence Start Date:	2013/04/29		
Operation Type:			
Pipeline Type:			
Regulator Type:			
Summary:	21 GRENVILLE STREET, TORONTO - PIPELINE HIT - 4"		
Reported By:	Chris Dales - Enbridge		
Affiliation:			
Occurrence Desc:			

Damage Reason: No notification made to the one call center
Notes:

23	3 of 3	SE/29.6	101.8 / -1.05	Enbridge Gas Distribution 21 Grenville Street Toronto ON	SPL

Ref No:	1631-976PET	**Discharger Report:**	
Site No:		**Material Group:**	
Incident Dt:	27-APR-13	**Client Type:**	
Year:		**Sector Type:**	Pipeline/Components
Incident Cause:	Operator/Human error	**Source Type:**	
Incident Event:		**Nearest Watercourse:**	
Contaminant Code:	35	**Site Name:**	21 Grenville Street<UNOFFICIAL>
Contaminant Name:	NATURAL GAS (METHANE)	**Site Address:**	21 Grenville Street
Contaminant Limit 1:		**Site District Office:**	
Contam Limit Freq 1:		**Site County/District:**	
Contaminant UN No 1:		**Site Postal Code:**	
Contaminant Qty:	0 other - see incident description	**Site Region:**	
Environment Impact:	Confirmed	**Site Municipality:**	Toronto
Nature of Impact:	Air Pollution	**Site Lot:**	
Receiving Medium:		**Site Conc:**	
Receiving Env:		**Northing:**	
Health/Env Conseq:		**Easting:**	
MOE Response:	Not MOE mandate	**Site Geo Ref Accu:**	
Dt MOE Arvl on Scn:		**Site Geo Ref Meth:**	
MOE Reported Dt:	27-APR-13	**Site Map Datum:**	
Dt Document Closed:			

SAC Action Class: TSSA - Fuel Safety Branch - Hydrocarbon Fuel Release/Spill
Incident Reason: Operator/Human Error
Incident Summary: Enbridge: 4" line strike, made safe

24	1 of 1	ESE/33.8	102.0 / -0.80	9 Grenville Street Toronto ON	EHS

Order ID:	202174	**Date Received:**	2/13/2012 3:40:16 PM
Order No:	20120213041	**Lot/Building Size:**	
Customer ID:	63207	**Municipality:**	
Company ID:	26877	**Client Prov/State:**	ON
Status:	C	**Search Radius (km):**	0.25
Report Code:	3CAN	**Large Radius:**	2
Report Type:	Standard Report	**X:**	-79.384249
Report Date:	2/23/2012 3:42:39 PM	**Y:**	43.66187

Report Requested by: McClymont & Rak Engineers Inc.
Nearest Intersection:
Previous Site Name: Please check all properties from 9 to 21 Grenville Street.
Additional Info Ordered:

25	1 of 3	NNE/35.7	104.4 / 1.60	MINISTRY OF GOVERNMENT SERVICES 16 GROSVENOR STREET QUEEN'S PARK REGIONAL OFFICE Toronto ON	NPCB

Company Code: O0255B
Industry: Government (not Fed)
Site Status: In- Use
Transaction Date: 2/13/1991
Inspection Date: 2/13/1991

--Details--

Label:
Serial No.:
PCB Type/Code: Other Waste/Unknown
Location: IN STORAGE
Item/State:
No. of Items:
Manufacturer:
Status: Stored for disposal
Contents:

Label:
Serial No.:
PCB Type/Code: Askarel/Askarel
Location: LEGISLATIVE BUILDING
Item/State:
No. of Items:
Manufacturer:
Status: In-Use
Contents:

Label:
Serial No.:
PCB Type/Code: Askarel/Inerteen
Location: WHITNEY BLOCK
Item/State:
No. of Items:
Manufacturer:
Status: In-Use
Contents:

Label:
Serial No.:
PCB Type/Code: Askarel/Askarel
Location: IN STORAGE - 95 GROSVENOR STRE
Item/State:
No. of Items:
Manufacturer:
Status: Stored for disposal
Contents:

Label:
Serial No.:
PCB Type/Code: Askarel/Askarel
Location: LEGISLATIVE BLDG. IN STORAGE
Item/State:
No. of Items:
Manufacturer:
Status: Stored for disposal
Contents:

Label:
Serial No.:
PCB Type/Code: Askarel/Askarel
Location: RM B417 WHITNEY BLOCK
Item/State:
No. of Items:
Manufacturer:
Status: Stored for disposal
Contents:

25	*2 of 3*	*NNE/35.7*	*104.4 / 1.60*	***MINISTRY OF GOVERNMENT SERVICE QUEEN'S PARK REGIONAL OFFICE 16 GROSVENOR STREET TORONTO ON M4Y 1A***	***NPCB***

Company Code: O0255B
Industry: GOVERNMENT (NOT FEDERAL)
Site Status: INSPECTED SITES (NON FEDERAL)
Transaction Date: 2/28/1991
Inspection Date: 2/13/1991

--Details--
Label: OR21379
Serial No.: 21100-2
PCB Type/Code: ASKAREL/ASKAREL
Location:
Item/State: TRANSFORMER/FULL
No. of Items: 1
Manufacturer:
Status: STORED FOR DISPOSAL
Contents: 429 L

Label: DO00122
Serial No.:
PCB Type/Code: OTHER WASTE/UNKNOWN
Location:
Item/State: BARREL OTHER LIQUID/FULL
No. of Items: 16
Manufacturer:
Status: STORED FOR DISPOSAL
Contents: 2778 KG

Label: OR21376
Serial No.: 676695
PCB Type/Code: ASKAREL/INERTEEN
Location:
Item/State: TRANSFORMER/FULL
No. of Items: 1
Manufacturer:
Status: IN-USE
Contents: 910 L

Label: OR21381
Serial No.: 200261-1
PCB Type/Code: ASKAREL/ASKAREL
Location:
Item/State: TRANSFORMER/FULL
No. of Items: 1
Manufacturer:
Status: STORED FOR DISPOSAL
Contents: 1089 L

Label: OR21382
Serial No.: 20026-2
PCB Type/Code: ASKAREL/ASKAREL
Location:
Item/State: TRANSFORMER/FULL
No. of Items: 1
Manufacturer:
Status: STORED FOR DISPOSAL
Contents: 1082 L

Label: OR21383
Serial No.: T-4704-1
PCB Type/Code: ASKAREL/ASKAREL
Location:
Item/State: TRANSFORMER/FULL
No. of Items: 1
Manufacturer:

Status: IN-USE
Contents: 2639 L

Label: OR21377
Serial No.: 676694
PCB Type/Code: ASKAREL/INERTEEN
Location:
Item/State: TRANSFORMER/FULL
No. of Items: 1
Manufacturer:
Status: IN-USE
Contents: 910 L

Label: OR21378
Serial No.: 225766
PCB Type/Code: ASKAREL/ASKAREL
Location:
Item/State: TRANSFORMER/FULL
No. of Items: 1
Manufacturer:
Status: STORED FOR DISPOSAL
Contents: 835 L

Label: OR21380
Serial No.: 21100-1
PCB Type/Code: ASKAREL/ASKAREL
Location:
Item/State: TRANSFORMER/FULL
No. of Items: 1
Manufacturer:
Status: STORED FOR DISPOSAL
Contents: 429 L

25	3 of 3	NNE/35.7	104.4 / 1.60	MINISTRY OF GOVERNMENT SERVICES QUEEN'S PARK REGIONAL OFFICE; 16 GROSVENOR STREET TORONTO ON M4Y 1A8	NPCB

Company Code: O0255B
Industry: Government (not Fed)
Site Status:
Transaction Date: 2/28/1991
Inspection Date: 2/13/1991

--Details--
Label:
Serial No.:
PCB Type/Code: Inerteen
Location:
Item/State:
No. of Items:
Manufacturer:
Status: In-Use
Contents: 910.00 L

Label:
Serial No.:
PCB Type/Code: Askarel
Location:
Item/State:
No. of Items:
Manufacturer:
Status: In-Use

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Contents:		2639.00 L			

26	1 of 1	W/35.8	103.8 / 0.99	Williamson [R] 863 Bay St Toronto ON	TANK

Permit Date:	5/28/1927
Permit Type:	BP A5397
User Type:	
Installation Type:	Oil tanks
Installation Size:	
Installation Config.:	2 x Oil tanks
No. Tanks Installed:	2
Units of Measure:	
Value/Tank ($):	300
Capacity(gal):	
Reference:	CTA Building permits
Location Desc:	se cor Bay & Grosvenor

27	1 of 2	SSW/37.1	102.7 / -0.10	ON	WWIS

Well ID:	6931118	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:	Not Used	**Date Received:**	12/27/2006
Sec. Water Use:		**Selected Flag:**	Yes
Final Well Status:	Dewatering	**Abandonment Rec:**	
Water Type:		**Contractor:**	6926
Casing Material:		**Form Version:**	3
Audit No:	Z56224	**Owner:**	
Tag:	A050478	**Street Name:**	
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	11696362	**Elevation:**	103.19
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:	o	**East83:**	630169
Code OB Desc:	Overburden	**Org CS:**	UTM83
Open Hole:		**North83:**	4835566
Cluster Kind:		**UTMRC:**	3
Date Completed:	21-NOV-06	**UTMRC Desc:**	margin of error : 10 - 30 m
Remarks:		**Location Method:**	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	933084263
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	08
Other Materials:	FINE SAND
Mat3:	
Other Materials:	
Formation Top Depth:	3
Formation End Depth:	11.9
Formation End Depth UOM:	m

Formation ID:	933084265
Layer:	4
Color:	2
General Color:	GREY
Mat1:	05
Most Common Material:	CLAY
Mat2:	84
Other Materials:	SILTY
Mat3:	
Other Materials:	
Formation Top Depth:	18.2
Formation End Depth:	18.8
Formation End Depth UOM:	m

Formation ID:	933084262
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	01
Most Common Material:	FILL
Mat2:	06
Other Materials:	SILT
Mat3:	81
Other Materials:	SANDY
Formation Top Depth:	0
Formation End Depth:	3
Formation End Depth UOM:	m

Formation ID:	933084266
Layer:	5
Color:	2
General Color:	GREY
Mat1:	06
Most Common Material:	SILT
Mat2:	81
Other Materials:	SANDY
Mat3:	34
Other Materials:	TILL
Formation Top Depth:	18.8
Formation End Depth:	23
Formation End Depth UOM:	m

Formation ID:	933084264
Layer:	3
Color:	2
General Color:	GREY
Mat1:	08
Most Common Material:	FINE SAND
Mat2:	

Other Materials:	
Mat3:	
Other Materials:	
Formation Top Depth:	11.9
Formation End Depth:	18.2
Formation End Depth UOM:	m

Annular Space/Abandonment Sealing Record

Plug ID:	933309451
Layer:	1
Plug From:	0
Plug To:	.5
Plug Depth UOM:	m
Plug ID:	933309452
Layer:	2
Plug From:	
Plug To:	
Plug Depth UOM:	m

Method of Construction & Well Use

Method Construction ID:	966931118
Method Construction Code:	2
Method Construction:	Rotary (Convent.)
Other Method Construction:	

Pipe Information

Pipe ID:	11701228
Casing No:	1
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	930892801
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0
Depth To:	23
Casing Diameter:	2
Casing Diameter UOM:	cm
Casing Depth UOM:	m

Construction Record - Screen

Screen ID:	933422012
Layer:	1
Slot:	20
Screen Top Depth:	22
Screen End Depth:	23
Screen Material:	5
Screen Depth UOM:	m
Screen Diameter UOM:	cm
Screen Diameter:	2

Water Details

Water ID:	934082353
Layer:	1
Kind Code:	
Kind:	
Water Found Depth:	12
Water Found Depth UOM:	m

Hole Diameter

Hole ID:	11760593
Diameter:	2
Depth From:	0
Depth To:	23
Hole Depth UOM:	m
Hole Diameter UOM:	cm

---

27 ***2 of 2*** ***SSW/37.1*** ***102.7 / -0.10*** ***ON*** ***WWIS***

Well ID:	7042961	***Data Entry Status:***	
Construction Date:		***Data Src:***	
Primary Water Use:	Not Used	***Date Received:***	4/20/2007
Sec. Water Use:		***Selected Flag:***	Yes
Final Well Status:	Abandoned-Other	***Abandonment Rec:***	Yes
Water Type:		***Contractor:***	6926
Casing Material:		***Form Version:***	3
Audit No:	Z70026	***Owner:***	
Tag:	A050478	***Street Name:***	825 BAY STREET
Construction Method:		***County:***	YORK
Elevation (m):		***Municipality:***	TORONTO CITY
Elevation Reliability:		***Site Info:***	
Depth to Bedrock:		***Lot:***	
Well Depth:		***Concession:***	
Overburden/Bedrock:		***Concession Name:***	
Pump Rate:		***Easting NAD83:***	
Static Water Level:		***Northing NAD83:***	
Flowing (Y/N):		***Zone:***	
Flow Rate:		***UTM Reliability:***	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	11765393	***Elevation:***	103.19
DP2BR:		***Elevrc:***	
Spatial Status:		***Zone:***	17
Code OB:	o	***East83:***	630169
Code OB Desc:	Overburden	***Org CS:***	UTM83
Open Hole:		***North83:***	4835566
Cluster Kind:		***UTMRC:***	3
Date Completed:	12-MAR-07	***UTMRC Desc:***	margin of error : 10 - 30 m
Remarks:		***Location Method:***	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	933098682
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	01
Most Common Material:	FILL
Mat2:	81
Other Materials:	SANDY
Mat3:	06
Other Materials:	SILT
Formation Top Depth:	0
Formation End Depth:	3
Formation End Depth UOM:	m

Formation ID:	933098683
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	08
Most Common Material:	FINE SAND
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	
Formation Top Depth:	3
Formation End Depth:	11.9
Formation End Depth UOM:	m

Formation ID:	933098684
Layer:	3
Color:	2
General Color:	GREY
Mat1:	08
Most Common Material:	FINE SAND
Mat2:	91
Other Materials:	WATER-BEARING
Mat3:	
Other Materials:	
Formation Top Depth:	11.9
Formation End Depth:	18.2
Formation End Depth UOM:	m

Formation ID:	933098685
Layer:	4
Color:	2
General Color:	GREY
Mat1:	05
Most Common Material:	CLAY
Mat2:	84
Other Materials:	SILTY
Mat3:	
Other Materials:	
Formation Top Depth:	18.2
Formation End Depth:	18.8
Formation End Depth UOM:	m

Formation ID:	933098686
Layer:	5
Color:	2
General Color:	GREY
Mat1:	06
Most Common Material:	SILT
Mat2:	81
Other Materials:	SANDY
Mat3:	34

Other Materials:	TILL
Formation Top Depth:	18.8
Formation End Depth:	23
Formation End Depth UOM:	m

Annular Space/Abandonment Sealing Record

Plug ID:	933317677
Layer:	2
Plug From:	1
Plug To:	23
Plug Depth UOM:	m
Plug ID:	933317676
Layer:	1
Plug From:	0
Plug To:	1
Plug Depth UOM:	m

Method of Construction & Well Use

Method Construction ID:	967042961
Method Construction Code:	
Method Construction:	
Other Method Construction:	

Pipe Information

Pipe ID:	11773083
Casing No:	1
Comment:	
Alt Name:	

---

28 **1 of 1** **SW/38.6** **102.8 / 0.00** **ON** **BORE**

Borehole ID:	648487	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Diamond Drill	**UTM Zone::**	17
Easting::	630165	**Northing::**	4835573
Location Accuracy::		**Orig. Ground Elev m::**	106
Elev. Reliability Note::		**DEM Ground Elev m::**	103
Total Depth m::	12.2	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	NOV-1967	**Static Water Level::**	1.2
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218523247	**Top Depth(m):**	8.5
Bottom Depth(m):	12.2	**Stratum Desc:**	SAND,SILT,GRAVEL. GREY,GLACIAL,DENSE, AGE GLACIAL. 00000004000450270009804300178069002800 6000029
Stratum ID:	218523243	**Top Depth(m):**	0.0
Bottom Depth(m):	1.4	**Stratum Desc:**	FILL,CLAY,SOIL,SAND.
Stratum ID:	218523244	**Top Depth(m):**	1.4
Bottom Depth(m):	3.0	**Stratum Desc:**	TILL,SILT,SAND,CLAY.BROWN,GLACIAL,STI

FF, AGE GLACIAL, WATER STABLE AT 346.0 FEET.

Stratum ID:	218523245	**Top Depth(m):**	3.0
Bottom Depth(m):	5.4	**Stratum Desc:**	TILL,SILT,SAND,CLAY.GREY,GLACIAL,STIFF , AGE GLACIAL.
Stratum ID:	218523246	**Top Depth(m):**	5.4
Bottom Depth(m):	8.5	**Stratum Desc:**	TILL,SILT,SAND, STONES. GREY,GLACIAL,HARD,AGE GLACIAL.

---

29 **1 of 2** **WSW/41.4** **102.8 / -0.01**

Murano Condominiums
825 Bay St
Toronto ON M5S 3M4

GEN

Generator No.:	ON4722979	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	06	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	531111		
SIC Description:	Lessors of Residential Buildings and Dwellings (ex		

--Details--

Waste Code: 221
Waste Description: LIGHT FUELS

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

---

29 **2 of 2** **WSW/41.4** **102.8 / -0.01**

Bay Grenville Properties Limited
825 Bay Street,, Toronto,
ON M5S 3M4

RSC

Reg No:	3522	**Cert Date:**	26-May-06
RA No:		**Cert Prop Use No:**	No CPU
RSC Type:		**Intended Prop Use:**	Residential
Curr Property Use:	Commercial	**Nm of Qual. Person:**	Mr. Mark Mandelbaum and Mr. Barry Fenton
District Office:	TORONTO	**Stratified (Y/N):**	
Date Submitted:	9-Aug-06	**Audit (Y/N):**	
Date Ack:		**Entire Leg Prop. (Y/N):**	Yes
Date Returned:		**Accuracy Estimate:**	21 to 100 meters
Restoration Type:		**Telephone:**	416-6357520
Soil Type:		**Fax:**	416-6359921
Criteria:		**Email:**	
CPU Issued Sect 1686:	No		

Asmt Roll No: 1904068-14000100
Prop. ID No: 21104-0015 LT
Property Municipal Address: 825 Bay Street,, Toronto,
Mailing Address: 3625 Dufferin Street, Suite 500,, Downsview, Ontario, , M3K 1N4
Latitude & Latitude: 43.66110920N 79.38582780W (converted from UTM)
UTM Coordinates: NAD83 17-630150-4835500
Consultant:
Filing Owner:
Legal Desc: PCL 71-1 SEC A159; LT 71 PL 159 TORONTO; LT 72 PL 159 TORONTO; LT 73 PL 159 TORONTO; LT 74 PL 159 TORONTO; LT 75 PL 159 TORONTO; LT 76 PL 159 TORONTO; LT 77 PL 159 TORONTO; LT 78 PL 159 TORONTO; LT 79 PL 159 TORONTO PT 1, 66R17365; THE BOUNDARIES OF THE E/S OF BAY ST AS CONFIRMED BY 66BA1890 AS IN CT481606; TITLE IS S/T UNREGISTERED LEASES, IF ANY, EXISTING AT THE TIME OF FIRST REGISTRATION OF THIS LAND UNDER THE LAND TITLES ACT, FOR A TERM NOT EXCEEDING SEVEN YEARS WHERE THERE IS ACTUAL POSSESSION UNDER*; TORONTO, CITY OF TORONTO

Measurement Method: Interpolation from a map
Applicable Standards: Full Depth Site Conditions Standard, with Nonpotable Ground Water, Coarse Textured Soil, for Residential/Parkland/Institutional property use
RSC PDF:

---

30 | **1 of 1** | **SE/42.2** | **101.6 / -1.28** | **25 Grenville Street & 22 College Street Toronto ON** | **EHS**

Order ID: 482753
Order No: 20161020020
Customer ID: 53147
Company ID: 77
Status: C
Report Code: 3CAN
Report Type: Standard Report
Report Date: 25-OCT-16
Report Requested by: Pinchin Ltd.
Nearest Intersection:
Previous Site Name:
Additional Info Ordered:

Date Received: 20-OCT-16
Lot/Building Size:
Municipality:
Client Prov/State: ON
Search Radius (km): .25
Large Radius: .3
X: -79.384318
Y: 43.661654

---

31 | **1 of 1** | **WNW/43.2** | **104.6 / 1.72** | **Sign*A*Rama 873 Bay St Toronto ON M5S 3K6** | **SCT**

Established: 01-AUG-93
Plant Size (ft²): 2000
Employment:

--Details--
Description: All Other Miscellaneous Manufacturing
SIC/NAICS Code: 339990

Description: Sign Manufacturing
SIC/NAICS Code: 339950

Description: Sign Manufacturing
SIC/NAICS Code: 339950

---

32 | **1 of 1** | **WSW/43.4** | **102.9 / 0.05** | **Leslie Charles H 857 Bay St Toronto ON** | **TANK**

Permit Date: 12/14/1927
Permit Type: BP A10571
User Type:
Installation Type: Gasoline tank
Installation Size:
Installation Config.: 1 x Gasoline tank
No. Tanks Installed: 1
Units of Measure:
Value/Tank ($): 75
Capacity(gal):
Reference: CTA Building permits
Location Desc: 855-61 Bay St

---

33 | **1 of 1** | **N/47.3** | **104.9 / 2.03** | **YMCA of Greater Toronto 20 Grosvenor Street** | **GEN**

Toronto ON M4Y 2V5

Generator No.:	ON3592227	***PO Box No.:***	
Status:		***Country:***	
Approval Years:	2009	***Choice of Contact:***	
Contam. Facility:		***Co Admin:***	
MHSW Facility:		***Phone No. Admin:***	
SIC Code:	713940		
SIC Description:	Fitness and Recreational Sports Centres		

--Details--

Waste Code:	252
Waste Description:	WASTE OILS & LUBRICANTS

---

34 ***1 of 1*** ***ESE/47.4*** ***101.9 / -0.97*** ***9 GRENVILLE STREET, TORONTO, ONTARIO M4Y 1A1 Toronto ON*** ***RSC***

Reg No:	209107	***Cert Date:***	
RA No:		***Cert Prop Use No:***	
RSC Type:	Phase 1 and 2 RSC	***Intended Prop Use:***	Residential
Curr Property Use:	Commercial	***Nm of Qual. Person:***	Lad Rak
District Office:	Toronto District Office	***Stratified (Y/N):***	
Date Submitted:	2013/08/08	***Audit (Y/N):***	
Date Ack:		***Entire Leg Prop. (Y/N):***	
Date Returned:		***Accuracy Estimate:***	
Restoration Type:		***Telephone:***	
Soil Type:		***Fax:***	
Criteria:		***Email:***	
CPU Issued Sect 1686:			
Asmt Roll No:	19-04-068-060-00800, 19-04-068-060-00600, 19-04-068-060-00700		
Prop. ID No:	21104-0190(LT), 21104-0188(LT)		
Property Municipal Address:	15 GRENVILLE STREET, TORONTO, ONTARIO M4Y 1A1, 9 GRENVILLE STREET, TORONTO, ONTARIO M4Y 1A1, 21 GRENVILLE STREET, TORONTO, ONTARIO M4Y 1A1		
Mailing Address:			
Latitude & Latitude:			
UTM Coordinates:			
Consultant:			
Filing Owner:	Grenville Residence Inc.		
Legal Desc:			
Measurement Method:			
Applicable Standards:			
RSC PDF:	https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument?attachmentId=22986&fileName=BROWNFIELDS-E.pdf		

--Details--

Document Heading:	Supporting Documents
Document Type:	Table of Current and Past Property Use
Document Name:	TableofCandPuses.pdf
Document Link:	https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument?attachmentId=22987&fileName=TableofCandPuses.pdf
Document Heading:	Supporting Documents
Document Type:	Area(s) of Potential Environmental Concern
Document Name:	APECTable.pdf
Document Link:	https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument?attachmentId=22991&fileName=APECTable.pdf

Document Heading: Supporting Documents
Document Type: Copy of any deed(s), transfer(s) or other document(s)
Document Name: TransferDeed.pdf
Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument?attachmentId=22993&fileName=TransferDeed.pdf

Document Heading: Supporting Documents
Document Type: Certificate of Status
Document Name: CertofStatus.pdf
Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument?attachmentId=22994&fileName=CertofStatus.pdf

Document Heading: Supporting Documents
Document Type: Lawyer's letter consisting of a legal description of the property
Document Name: LawyersLetter.pdf
Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument?attachmentId=22995&fileName=LawyersLetter.pdf

Document Heading: Supporting Documents
Document Type: A Current plan of Survey
Document Name: PlanofSurvey.pdf
Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument?attachmentId=22996&fileName=PlanofSurvey.pdf

Document Heading: Supporting Documents
Document Type: A copy of No Objection Statement from municipality
Document Name: NoObjectionStatement.pdf
Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument?attachmentId=22990&fileName=NoObjectionStatement.pdf

Document Heading: Supporting Documents
Document Type: Phase 2 Conceptual Site Model
Document Name: PhaseTwoCSM.pdf
Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument?attachmentId=22992&fileName=PhaseTwoCSM.pdf

---

35	1 of 1	NE/52.4	103.8 / 0.98	Toronto ON	WWIS

Well ID:	7278285	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:	Test Hole	**Date Received:**	12/29/2016
Sec. Water Use:		**Selected Flag:**	Yes
Final Well Status:	Test Hole	**Abandonment Rec:**	
Water Type:		**Contractor:**	7383
Casing Material:		**Form Version:**	7
Audit No:	Z231857	**Owner:**	
Tag:	A206571	**Street Name:**	480 YONGE ST WEST
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1006325130	**Elevation:**	104.67

DP2BR:		***Elevrc:***	
Spatial Status:		***Zone:***	17
Code OB:		***East83:***	630253
Code OB Desc:		***Org CS:***	UTM83
Open Hole:		***North83:***	4835686
Cluster Kind:		***UTMRC:***	4
Date Completed:	13-JUL-16	***UTMRC Desc:***	margin of error : 30 m - 100 m
Remarks:		***Location Method:***	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	1006537388
Layer:	1
Color:	
General Color:	
Mat1:	01
Most Common Material:	FILL
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	
Formation Top Depth:	0
Formation End Depth:	10
Formation End Depth UOM:	ft

Formation ID:	1006537390
Layer:	3
Color:	
General Color:	
Mat1:	05
Most Common Material:	CLAY
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	
Formation Top Depth:	50
Formation End Depth:	52
Formation End Depth UOM:	ft

Formation ID:	1006537391
Layer:	4
Color:	
General Color:	
Mat1:	28
Most Common Material:	SAND
Mat2:	06
Other Materials:	SILT
Mat3:	
Other Materials:	
Formation Top Depth:	52
Formation End Depth:	59
Formation End Depth UOM:	ft

Formation ID:	1006537389
Layer:	2
Color:	
General Color:	
Mat1:	28

Most Common Material:	SAND
Mat2:	06
Other Materials:	SILT
Mat3:	
Other Materials:	
Formation Top Depth:	10
Formation End Depth:	50
Formation End Depth UOM:	ft

Annular Space/Abandonment Sealing Record

Plug ID:	1006537399
Layer:	2
Plug From:	1
Plug To:	53
Plug Depth UOM:	ft
Plug ID:	1006537398
Layer:	1
Plug From:	0
Plug To:	1
Plug Depth UOM:	ft
Plug ID:	1006537400
Layer:	3
Plug From:	53
Plug To:	59
Plug Depth UOM:	ft

Method of Construction & Well Use

Method Construction ID:	1006537397
Method Construction Code:	6
Method Construction:	Boring
Other Method Construction:	

Pipe Information

Pipe ID:	1006537387
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	1006537394
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0
Depth To:	54
Casing Diameter:	2
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Construction Record - Screen

Screen ID:	1006537395
Layer:	1
Slot:	10

Screen Top Depth:	54
Screen End Depth:	59
Screen Material:	5
Screen Depth UOM:	ft
Screen Diameter UOM:	inch
Screen Diameter:	2.375

Water Details

Water ID:	1006537393
Layer:	1
Kind Code:	
Kind:	
Water Found Depth:	12
Water Found Depth UOM:	ft

Hole Diameter

Hole ID:	1006537392
Diameter:	8
Depth From:	0
Depth To:	59
Hole Depth UOM:	ft
Hole Diameter UOM:	inch

36	1 of 18	S/53.4	101.9 / -0.89	City of Toronto 40 College St Toronto ON M5G 2J3	CA

Certificate #:	8782-82RQHF
Application Year:	2010
Issue Date:	2/17/2010
Approval Type:	Air
Status:	Approved
Application Type:	
Client Name::	
Client Address::	
Client City::	
Client Postal Code::	
Project Description::	
Contaminants::	
Emission Control::	

36	2 of 18	S/53.4	101.9 / -0.89	City of Toronto 40 College St Toronto ON M1B 3G4	ECA

Approval No:	8782-82RQHF	**SWP Area Name:**	Toronto
Approval Date:	2010-02-17	**MOE District:**	Toronto
Status:	Approved	**City:**	Toronto
Record Type:	ECA	**Longitude:**	-79.38578
Link Source:	IDS	**Latitude:**	43.6608699999999
Approval Type:	ECA-AIR		
Project Type:	AIR		
Address:	40 College St		
Full Address:			
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/0323-823LSP-14.pdf		

36	3 of 18	S/53.4	101.9 / -0.89	City of Toronto 40 College St	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
				Toronto ON M5G 2J3	

Generator No.: ON3903989
Status:
Approval Years: 2015
Contam. Facility: No
MHSW Facility: No
SIC Code: 913130
SIC Description: 913130

PO Box No.:
Country: Canada
Choice of Contact: CO_ADMIN
Co Admin: Sara Reid
Phone No. Admin: 416-392-6966 Ext.

--Details--
Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Waste Code: 221
Waste Description: LIGHT FUELS

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

36	4 of 18	S/53.4	101.9 / -0.89	City of Toronto 40 College St Toronto ON M5G 2J3	GEN

Generator No.: ON3903989
Status:
Approval Years: 2016
Contam. Facility: No
MHSW Facility: No
SIC Code: 913130
SIC Description: 913130

PO Box No.:
Country: Canada
Choice of Contact: CO_ADMIN
Co Admin: Sara Reid
Phone No. Admin: 416-392-6966 Ext.

--Details--
Waste Code: 221
Waste Description: LIGHT FUELS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

36	5 of 18	S/53.4	101.9 / -0.89	City of Toronto 40 College St Toronto ON M5G 2J3	GEN

Generator No.: ON3903989
Status:

PO Box No.:
Country: Canada

Approval Years:	2014	**Choice of Contact:**	CO_ADMIN
Contam. Facility:	No	**Co Admin:**	Sara Reid
MHSW Facility:	No	**Phone No. Admin:**	416-392-6966 Ext.
SIC Code:	913130		
SIC Description:	913130		

--Details--

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Waste Code: 221
Waste Description: LIGHT FUELS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

---

36 | **6 of 18** | **S/53.4** | **101.9 / -0.89** | **City of Toronto**
40 College Street
Toronto ON M5G 2J3 | **GEN**

Generator No.:	ON5268748	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	2010	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	541620		
SIC Description:	Environmental Consulting Services		

--Details--

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

---

36 | **7 of 18** | **S/53.4** | **101.9 / -0.89** | **METROPOLITAN (OUT OF BUSINESS)**
FORENSIC IDENTIFICATION SERVICE 40
COLLEGE STREET, 6TH FLOOR
TORONTO ON M5G 2J3 | **GEN**

Generator No.:	ON0204330	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	99,00	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	8323		
SIC Description:	POLICE SERVICES		

--Details--

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Waste Code: 267
Waste Description: ORGANIC ACIDS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

36	8 of 18	S/53.4	101.9 / -0.89	METROPOLITAN TORONTO POLICE FORCE FORENSIC IDENTIFICATION SERVICE 40 COLLEGE STREET, 6TH FLOOR TORONTO ON M5G 2J3	GEN

Generator No.: ON0204330
Status:
Approval Years: 92,93,97
Contam. Facility:
MHSW Facility:
SIC Code: 8323
SIC Description: POLICE SERVICES

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

Waste Code: 267
Waste Description: ORGANIC ACIDS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

36	9 of 18	S/53.4	101.9 / -0.89	City of Toronto 40 College Street Toronto ON M5G 2J3	GEN

Generator No.: ON5268748
Status:
Approval Years: 07,08
Contam. Facility:
MHSW Facility:
SIC Code: 541620
SIC Description: Environmental Consulting Services

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

36	10 of 18	S/53.4	101.9 / -0.89	METROPOLITAN TORONTO POLICE FORENSIC IDENTIFICATION SERVICE 40 COLLEGE STREET, 6TH FLOOR TORONTO ON M5G 2J3	GEN

Generator No.: ON0204330
Status:

PO Box No.:
Country:

Approval Years: 98
Contam. Facility:
MHSW Facility:
SIC Code: 8323
SIC Description: POLICE SERVICES

Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

Waste Code: 267
Waste Description: ORGANIC ACIDS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

36	11 of 18	S/53.4	101.9 / -0.89	METROPOLITAN TORONTO POLICE FORCE 25-559 FORENSIC IDENTIFICATION SERVICE 40 COLLEGE STREET, 6TH FLOOR TORONTO ON M5G 2J3	GEN

Generator No.: ON0204330
Status:
Approval Years: 94,95,96
Contam. Facility:
MHSW Facility:
SIC Code: 8323
SIC Description: POLICE SERVICES

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

Waste Code: 267
Waste Description: ORGANIC ACIDS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

36	12 of 18	S/53.4	101.9 / -0.89	City of Toronto 40 College Street Toronto ON M5G 2J3	GEN

Generator No.: ON5268748
Status:
Approval Years: 2009
Contam. Facility:
MHSW Facility:

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

SIC Code: 541620
SIC Description: Environmental Consulting Services

--Details--
Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

---

36 | **13 of 18** | **S/53.4** | **101.9 / -0.89** | **METROPOLITAN TORONTO POLICE FORCE FORENSIC IDENTIFICATION SERVICE 40 COLLEGE ST. TORONTO ON M5G 2J3** | **GEN**

Generator No.: ON0204330
Status:
Approval Years: 89,90
Contam. Facility:
MHSW Facility:
SIC Code: 8323
SIC Description: POLICE SERVICES

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

36 | **14 of 18** | **S/53.4** | **101.9 / -0.89** | **Toronto Police Service 40 College Street Toronto ON M5G2J3** | **GEN**

Generator No.: ON7007241
Status: Registered
Approval Years: As of Dec 2017
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No.:
Country: Canada
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 261 P
Waste Description: Pharmaceuticals

---

36 | **15 of 18** | **S/53.4** | **101.9 / -0.89** | **City of Toronto 40 College St Toronto ON M5G 2J3** | **GEN**

Generator No.: ON3903989
Status: Registered
Approval Years: As of Dec 2017
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No.:
Country: Canada
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 148 I
Waste Description: Misc. wastes and inorganic chemicals

Waste Code: 252 L

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Waste Description:	Waste crankcase oils and lubricants
Waste Code:	148 C
Waste Description:	Misc. wastes and inorganic chemicals
Waste Code:	251 L
Waste Description:	Waste oils/sludges (petroleum based)
Waste Code:	263 I
Waste Description:	Misc. waste organic chemicals
Waste Code:	221 L
Waste Description:	Light fuels

36	***16 of 18***	***S/53.4***	***101.9 / -0.89***	***Imperial Oil Co Ltd*** ***40 College St*** ***Toronto ON M5G 2J3***	***TANK***

Permit Date:	5/6/1929
Permit Type:	BP A21829
User Type:	Gasoline service station
Installation Type:	Gasoline tanks
Installation Size:	
Installation Config.:	3 x gasoline tanks
No. Tanks Installed:	3
Units of Measure:	
Value/Tank ($):	600
Capacity(gal):	
Reference:	CTA Building permits
Location Desc:	es Bay St se cor Grenville

36	***17 of 18***	***S/53.4***	***101.9 / -0.89***	***Imperial Oil Co Ltd*** ***40 College St*** ***Toronto ON M5G 2J3***	***TANK***

Permit Date:	2/12/1929
Permit Type:	BP A20022
User Type:	Gasoline service station
Installation Type:	Service station
Installation Size:	
Installation Config.:	Rebuilt
No. Tanks Installed:	
Units of Measure:	
Value/Tank ($):	10600
Capacity(gal):	
Reference:	CTA Building permits
Location Desc:	es Bay se cor Grenville

36	***18 of 18***	***S/53.4***	***101.9 / -0.89***	***Imperial Oil Co Ltd*** ***40 College St*** ***Toronto ON M5G 2J3***	***TANK***

Permit Date:	2/7/1923
Permit Type:	BP 66841
User Type:	Gasoline service station
Installation Type:	Gasoline tank
Installation Size:	
Installation Config.:	1 x Gasoline tank
No. Tanks Installed:	1
Units of Measure:	

Value/Tank ($):	500
Capacity(gal):	
Reference:	CTA Building permits
Location Desc:	Bay Cor Grenville

37 **1 of 1** **ENE/54.4** **103.9 / 1.06** **TORONTO ON** **WWIS**

Well ID:	7237792	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:	Monitoring	**Date Received:**	2/23/2015
Sec. Water Use:		**Selected Flag:**	Yes
Final Well Status:	Observation Wells	**Abandonment Rec:**	
Water Type:		**Contractor:**	7472
Casing Material:		**Form Version:**	7
Audit No:	Z204901	**Owner:**	
Tag:	A176125	**Street Name:**	ST. LUKE LANE (IN NORTHBOUND LANE @ E. ROAD)
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1005309077	**Elevation:**	104.04
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:		**East83:**	630271
Code OB Desc:		**Org CS:**	UTM83
Open Hole:		**North83:**	4835672
Cluster Kind:		**UTMRC:**	4
Date Completed:	19-DEC-14	**UTMRC Desc:**	margin of error : 30 m - 100 m
Remarks:		**Location Method:**	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	1005552411
Layer:	2
Color:	2
General Color:	GREY
Mat1:	06
Most Common Material:	SILT
Mat2:	05
Other Materials:	CLAY
Mat3:	79
Other Materials:	PACKED
Formation Top Depth:	2

Formation End Depth: 9.5
Formation End Depth UOM: m

Formation ID: 1005552412
Layer: 3
Color: 2
General Color: GREY
Mat1: 08
Most Common Material: FINE SAND
Mat2: 06
Other Materials: SILT
Mat3: 79
Other Materials: PACKED
Formation Top Depth: 9.5
Formation End Depth: 21.3
Formation End Depth UOM: m

Formation ID: 1005552410
Layer: 1
Color: 6
General Color: BROWN
Mat1: 01
Most Common Material: FILL
Mat2: 08
Other Materials: FINE SAND
Mat3: 77
Other Materials: LOOSE
Formation Top Depth: 0
Formation End Depth: 2
Formation End Depth UOM: m

Annular Space/Abandonment Sealing Record

Plug ID: 1005552419
Layer: 1
Plug From: 0
Plug To: 18
Plug Depth UOM: m

Plug ID: 1005552420
Layer: 2
Plug From: 18
Plug To: 21.3
Plug Depth UOM: m

Method of Construction & Well Use

Method Construction ID: 1005552418
Method Construction Code: 6
Method Construction: Boring
Other Method Construction:

Pipe Information

Pipe ID: 1005552409
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID:	1005552415
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0
Depth To:	18.3
Casing Diameter:	5.2
Casing Diameter UOM:	cm
Casing Depth UOM:	m

Construction Record - Screen

Screen ID:	1005552416
Layer:	1
Slot:	10
Screen Top Depth:	18.3
Screen End Depth:	21.3
Screen Material:	5
Screen Depth UOM:	m
Screen Diameter UOM:	cm
Screen Diameter:	6.4

Water Details

Water ID:	1005552414
Layer:	
Kind Code:	
Kind:	
Water Found Depth:	
Water Found Depth UOM:	m

Hole Diameter

Hole ID:	1005552413
Diameter:	21
Depth From:	0
Depth To:	21.3
Hole Depth UOM:	m
Hole Diameter UOM:	cm

---

38 | ***1 of 1*** | ***E/55.1*** | ***103.2 / 0.40*** | ***ON*** | ***BORE***

Borehole ID:	648484	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Diamond Drill	**UTM Zone::**	17
Easting::	630285	**Northing::**	4835643
Location Accuracy::		**Orig. Ground Elev m::**	106
Elev. Reliability Note::		**DEM Ground Elev m::**	103
Total Depth m::	15.5	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	JUN-1967	**Static Water Level::**	1.6
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218523221	**Top Depth(m):**	0.0
Bottom Depth(m):	1.5	**Stratum Desc:**	FILL,GRAVEL,CLAY, SAND. BROWN.
Stratum ID:	218523222	**Top Depth(m):**	1.5
Bottom Depth(m):	3.1	**Stratum Desc:**	TILL,SILT,SAND. BROWN,GLACIAL,HARD,

AGE GLACIAL.

Stratum ID:	218523223	**Top Depth(m):**	3.1
Bottom Depth(m):	7.0	**Stratum Desc:**	SAND,SILT. BROWN,GREY,GLACIAL,VERY HARD, AGE GLACIAL, WATER STABLE AT 342.9 FEET.
Stratum ID:	218523224	**Top Depth(m):**	7.0
Bottom Depth(m):	7.8	**Stratum Desc:**	SILT,CLAY,SAND. GREY,GLACIAL,DENSE, AGE GLACIAL.
Stratum ID:	218523225	**Top Depth(m):**	7.8
Bottom Depth(m):	11.6	**Stratum Desc:**	SAND-MEDIUM,SILT. GREY,GLACIAL,MOIST, AGE GLACIAL.
Stratum ID:	218523226	**Top Depth(m):**	11.6
Bottom Depth(m):	13.7	**Stratum Desc:**	TILL,SILT,SAND. GREY,GLACIAL,HARD,AGE GLACIAL.
Stratum ID:	218523227	**Top Depth(m):**	13.7
Bottom Depth(m):	15.5	**Stratum Desc:**	SILT,CLAY,SAND. GREY,WET. 0005003100103062002300400025504200380038000300800 25

---

39 **1 of 1** **ENE/57.8** **103.9 / 1.07** **ON** **BORE**

Borehole ID:	648483	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Diamond Drill	**UTM Zone::**	17
Easting::	630275	**Northing::**	4835673
Location Accuracy::		**Orig. Ground Elev m::**	105
Elev. Reliability Note::		**DEM Ground Elev m::**	104
Total Depth m::	15.5	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	JUN-1967	**Static Water Level::**	1.6
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218523214	**Top Depth(m):**	0.0
Bottom Depth(m):	3.0	**Stratum Desc:**	FILL,CLAY,GRAVEL, SAND. BROWN,LOOSE,ORGANIC.
Stratum ID:	218523215	**Top Depth(m):**	3.0
Bottom Depth(m):	4.2	**Stratum Desc:**	SILT,SAND. GREY,GLACIAL,MOIST, AGE GLACIAL, WATER STABLE AT 341.9 FEET.
Stratum ID:	218523216	**Top Depth(m):**	4.2
Bottom Depth(m):	6.2	**Stratum Desc:**	TILL,SILT,SAND. GREY,GLACIAL,HARD,AGE GLACIAL.
Stratum ID:	218523217	**Top Depth(m):**	6.2
Bottom Depth(m):	8.4	**Stratum Desc:**	SILT,SAND. GREY,GLACIAL,WET,AGE GLACIAL.
Stratum ID:	218523218	**Top Depth(m):**	8.4
Bottom Depth(m):	11.9	**Stratum Desc:**	SILT,CLAY,SAND. GREY,GLACIAL,WET,AGE GLACIAL.
Stratum ID:	218523219	**Top Depth(m):**	11.9
Bottom Depth(m):	14.6	**Stratum Desc:**	TILL,SILT,SAND. GREY,GLACIAL,HARD,AGE GLACIAL.

Stratum ID:	218523220	**Top Depth(m):**	14.6
Bottom Depth(m):	15.5	**Stratum Desc:**	SILT,CLAY,SAND. GREY,GLACIAL,HARD,AGE GLACIAL.00000007000990300013704700205 04000390048000250280

40	1 of 6	NNE/60.7	104.7 / 1.91	CITY OF TORONTO FIRE DEPT CITY HALL 4W 12 GROSVENOR STSTATION 3 TORONTO ON M4Y 1A8	FST

Instance No:	11014265
Cont Name:	
Instance Type:	FS Liquid Fuel Tank
Fuel Type:	Diesel
Status:	Active
Capacity:	2273
Tank Material:	Fiberglass (FRP)
Corrosion Protection:	Fiberglass
Tank Type:	Single Wall UST
Install Year:	1990
Parent Facility Type:	Fuels Safety Private Fuel Outlet - Self Serve
Facility Type:	FS Liquid Fuel Tank

40	2 of 6	NNE/60.7	104.7 / 1.91	CITY OF TORONTO FIRE DEPT CITY HALL 4W 12 GROSVENOR ST STATION 3 TORONTO ON M4Y 1A8	FSTH

License Issue Date:	12/19/1990
Tank Status:	Licensed
Tank Status As Of:	August 2007
Operation Type:	Private Fuel Outlet
Facility Type:	Gasoline Station - Self Serve

--Details--

Status:	Active
Year of Installation:	1990
Corrosion Protection:	
Capacity:	2273
Tank Fuel Type:	Liquid Fuel Single Wall UST - Diesel

40	3 of 6	NNE/60.7	104.7 / 1.91	CITY OF TORONTO FIRE DEPT CITY HALL 4W 12 GROSVENOR ST STATION 3 TORONTO ON M4Y 1A8	FSTH

License Issue Date:	12/19/1990
Tank Status:	Licensed
Tank Status As Of:	December 2008
Operation Type:	Private Fuel Outlet
Facility Type:	Gasoline Station - Self Serve

--Details--

Status:	Active
Year of Installation:	1990
Corrosion Protection:	
Capacity:	2273
Tank Fuel Type:	Liquid Fuel Single Wall UST - Diesel

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
40	4 of 6	NNE/60.7	104.7 / 1.91	TORONTO, CORPORATION OF THE CITY OF NO. 3 FIREHALL 12 GROSVENOR STREET TORONTO ON M4Y 1A8	GEN

Generator No.: ON1631638
Status:
Approval Years: 99,00,01
Contam. Facility:
MHSW Facility:
SIC Code: 8364
SIC Description: REC./CULTURE ADMIN.

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 221
Waste Description: LIGHT FUELS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
40	5 of 6	NNE/60.7	104.7 / 1.91	TORONTO, CITY OF, PROPERTY OPERATIONS 12 GROSVENOR STREET NO. 3 FIREHALL TORONTO ON M4Y 1A8	GEN

Generator No.: ON1631638
Status:
Approval Years: 96,97,98
Contam. Facility:
MHSW Facility:
SIC Code: 8364
SIC Description: REC./CULTURE ADMIN.

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 221
Waste Description: LIGHT FUELS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
40	6 of 6	NNE/60.7	104.7 / 1.91	CITY OF TORONTO FIRE DEPT CITY HALL 4W 12 GROSVENOR ST STATION 3 TORONTO ON M4Y 1A8	PRT

Location ID: 15393
Type: private
Expiry Date:
Capacity (L): 2273.00
Licence #: 0001048604

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
41	1 of 13	NW/61.5	104.9 / 2.09	MINISTRY OF TRANSPORTATION GOVERNMENT GARAGE 881 BAY ST TORONTO ON M5S 3K6	FST

Instance No: 11008745
Cont Name:
Instance Type: FS Liquid Fuel Tank
Fuel Type: Gasoline
Status: Active
Capacity: 13638
Tank Material: Fiberglass (FRP)
Corrosion Protection: Fiberglass
Tank Type: Single Wall UST
Install Year: 1984
Parent Facility Type: Fuels Safety Private Fuel Outlet - Self Serve
Facility Type: FS Liquid Fuel Tank

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

41	2 of 13	NW/61.5	104.9 / 2.09	MINISTRY OF TRANSPORTATION GOVERNMENT GARAGE 881 BAY ST TORONTO ON M5S 3K6	FSTH

License Issue Date: 6/4/1990
Tank Status: Licensed
Tank Status As Of: December 2008
Operation Type: Private Fuel Outlet
Facility Type: Gasoline Station - Self Serve

--Details--
Status: Active
Year of Installation: 1984
Corrosion Protection:
Capacity: 13638
Tank Fuel Type: Liquid Fuel Single Wall UST - Gasoline

41	3 of 13	NW/61.5	104.9 / 2.09	MINISTRY OF TRANSPORTATION GOVERNMENT GARAGE 881 BAY ST TORONTO ON M5S 3K6	FSTH

License Issue Date: 6/4/1990
Tank Status: Licensed
Tank Status As Of: August 2007
Operation Type: Private Fuel Outlet
Facility Type: Gasoline Station - Self Serve

--Details--
Status: Active
Year of Installation: 1984
Corrosion Protection:
Capacity: 13638
Tank Fuel Type: Liquid Fuel Single Wall UST - Gasoline

41	4 of 13	NW/61.5	104.9 / 2.09	MINISTRY OF TRANSPORT & COMMUN. GOVERNMENT REPAIR GARAGE 881 BAY STREET TORONTO ON M5S 3K6	GEN

Generator No.: ON0124228
Status:
Approval Years: 86,87
Contam. Facility:
MHSW Facility:
SIC Code: 0007
SIC Description: LETTER ACKNOWLEDG.

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

41	5 of 13	NW/61.5	104.9 / 2.09	MINISTRY OF TRANS. (OUT OF BUSINESS) GOVERNMENT REPAIR GARAGE 881 BAY STREET TORONTO ON M5S 3K6	GEN

Generator No.: ON0124228
Status:

PO Box No.:
Country:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Approval Years:	98		**Choice of Contact:**
Contam. Facility:			**Co Admin:**
MHSW Facility:			**Phone No. Admin:**
SIC Code:	8271		
SIC Description:		TRANS./COMM. ADMIN.	

41	6 of 13	NW/61.5	104.9 / 2.09	MINISTRY OF TRANS (OUT OF BUS.) GOVERNMENT REPAIR GARAGE 881 BAY STREET TORONTO ON M5S 3K6	GEN

Generator No.:	ON0124228		**PO Box No.:**
Status:			**Country:**
Approval Years:	90		**Choice of Contact:**
Contam. Facility:			**Co Admin:**
MHSW Facility:			**Phone No. Admin:**
SIC Code:	8271		
SIC Description:		TRANS./COMM. ADMIN.	

--Details--

Waste Code:	213
Waste Description:	PETROLEUM DISTILLATES

41	7 of 13	NW/61.5	104.9 / 2.09	MINISTRY OF TRANS (OUT OF BUS.) 27-107 GOVERNMENT REPAIR GARAGE 881 BAY STREET TORONTO ON M5S 3K6	GEN

Generator No.:	ON0124228		**PO Box No.:**
Status:			**Country:**
Approval Years:	92,93,94,95,96,97		**Choice of Contact:**
Contam. Facility:			**Co Admin:**
MHSW Facility:			**Phone No. Admin:**
SIC Code:	8271		
SIC Description:		TRANS./COMM. ADMIN.	

41	8 of 13	NW/61.5	104.9 / 2.09	MINISTRY OF GOVERNMENT SERVICES 881 BAY STREET TORONTO ON M5S 3K6	GEN

Generator No.:	ON0123934		**PO Box No.:**
Status:			**Country:**
Approval Years:	90,98		**Choice of Contact:**
Contam. Facility:			**Co Admin:**
MHSW Facility:			**Phone No. Admin:**
SIC Code:	8259		
SIC Description:		OTHER GEN. ADMIN.	

--Details--

Waste Code:	243
Waste Description:	PCB'S

41	9 of 13	NW/61.5	104.9 / 2.09	MINISTRY OF GOVERNMENT SERVICES 26-454 881 BAY STREET TORONTO ON M5S 3K6	GEN

Generator No.:	ON0123934		**PO Box No.:**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Status:
Approval Years: 92,93,94,95,96,97
Contam. Facility:
MHSW Facility:
SIC Code: 8259
SIC Description: OTHER GEN. ADMIN.

Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 243
Waste Description: PCB'S

41	10 of 13	NW/61.5	104.9 / 2.09	MINISTRY OF TRANSPORTATION GOVERNMENT REPAIR GARAGE 881 BAY STREET TORONTO ON M5S 3K6	GEN

Generator No.: ON0124228
Status:
Approval Years: 88,89
Contam. Facility:
MHSW Facility:
SIC Code: 8271
SIC Description: TRANS./COMM. ADMIN.

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 112
Waste Description: ACID WASTE - HEAVY METALS

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 213
Waste Description: PETROLEUM DISTILLATES

Waste Code: 241
Waste Description: HALOGENATED SOLVENTS

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

41	11 of 13	NW/61.5	104.9 / 2.09	MINISTRY OF TRANSPORTATION GOVERNMENT GARAGE 881 BAY ST TORONTO ON M5S 3K6	PRT

Location ID: 15183
Type: private
Expiry Date:
Capacity (L): 13638.00
Licence #: 0001000541

41	12 of 13	NW/61.5	104.9 / 2.09	MINISTRY OF TRANSPORT 881 BAY ST TORONTO ON M5S 3K6	PRT

Location ID: 15183

Type:	retail
Expiry Date:	1993-01-31
Capacity (L):	2000
Licence #:	0076347954

41	13 of 13	NW/61.5	104.9 / 2.09	International Harvesters of Canada 881 Bay St Toronto ON M5S 3K6	TANK

Permit Date:	3/9/1927
Permit Type:	BP A2888
User Type:	Agricultural equipment
Installation Type:	Gasoline tank
Installation Size:	
Installation Config.:	1 x Gasoline tank
No. Tanks Installed:	1
Units of Measure:	
Value/Tank ($):	200
Capacity(gal):	
Reference:	CTA Building permits
Location Desc:	

42	1 of 1	SE/63.2	101.6 / -1.26	TORONTO ON	WWIS

Well ID:	7233270	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:	Monitoring and Test Hole	**Date Received:**	12/9/2014
Sec. Water Use:	0	**Selected Flag:**	Yes
Final Well Status:	Observation Wells	**Abandonment Rec:**	
Water Type:		**Contractor:**	6607
Casing Material:		**Form Version:**	7
Audit No:	Z162670	**Owner:**	
Tag:	A163442	**Street Name:**	460 YOUNG ST.
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1005253587	**Elevation:**	102
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:		**East83:**	630292
Code OB Desc:		**Org CS:**	UTM83
Open Hole:		**North83:**	4835555
Cluster Kind:		**UTMRC:**	4
Date Completed:	24-SEP-14	**UTMRC Desc:**	margin of error : 30 m - 100 m
Remarks:		**Location Method:**	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			

Source Revision Comment:
Supplier Comment:

Overburden and Bedrock Materials Interval

Formation ID: 1005445023
Layer: 1
Color: 6
General Color: BROWN
Mat1: 06
Most Common Material: SILT
Mat2: 28
Other Materials: SAND
Mat3:
Other Materials:
Formation Top Depth: 0
Formation End Depth: 1.2
Formation End Depth UOM: m

Formation ID: 1005445026
Layer: 4
Color: 2
General Color: GREY
Mat1: 28
Most Common Material: SAND
Mat2: 06
Other Materials: SILT
Mat3:
Other Materials:
Formation Top Depth: 14.9
Formation End Depth: 16.15
Formation End Depth UOM: m

Formation ID: 1005445025
Layer: 3
Color: 2
General Color: GREY
Mat1: 06
Most Common Material: SILT
Mat2: 05
Other Materials: CLAY
Mat3:
Other Materials:
Formation Top Depth: 3.7
Formation End Depth: 14.9
Formation End Depth UOM: m

Formation ID: 1005445024
Layer: 2
Color: 6
General Color: BROWN
Mat1: 06
Most Common Material: SILT
Mat2: 05
Other Materials: CLAY
Mat3:
Other Materials:
Formation Top Depth: 1.2
Formation End Depth: 3.7
Formation End Depth UOM: m

Annular Space/Abandonment Sealing Record

Plug ID:	1005445035
Layer:	2
Plug From:	.3
Plug To:	16.15
Plug Depth UOM:	m

Plug ID:	1005445034
Layer:	1
Plug From:	0
Plug To:	.3
Plug Depth UOM:	m

Method of Construction & Well Use

Method Construction ID:	1005445033
Method Construction Code:	
Method Construction:	
Other Method Construction:	

Pipe Information

Pipe ID:	1005445022
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	1005445029
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0
Depth To:	16.15
Casing Diameter:	5.1
Casing Diameter UOM:	cm
Casing Depth UOM:	m

Construction Record - Screen

Screen ID:	1005445030
Layer:	1
Slot:	.10
Screen Top Depth:	16.5
Screen End Depth:	19.5
Screen Material:	5
Screen Depth UOM:	m
Screen Diameter UOM:	cm
Screen Diameter:	6.4

Water Details

Water ID:	1005445028
Layer:	1
Kind Code:	
Kind:	
Water Found Depth:	18.3
Water Found Depth UOM:	m

Hole Diameter

Hole ID:	1005445027
Diameter:	21
Depth From:	0
Depth To:	19.5
Hole Depth UOM:	m
Hole Diameter UOM:	cm

43 ***1 of 1*** ***NE/63.6*** ***103.9 / 1.04*** ***Toronto ON*** ***WWIS***

Well ID:	7262396	***Data Entry Status:***	
Construction Date:		***Data Src:***	
Primary Water Use:	Monitoring	***Date Received:***	5/3/2016
Sec. Water Use:		***Selected Flag:***	Yes
Final Well Status:	Observation Wells	***Abandonment Rec:***	
Water Type:		***Contractor:***	6032
Casing Material:		***Form Version:***	7
Audit No:	Z206853	***Owner:***	
Tag:	A181444	***Street Name:***	480 YOUNG STREET
Construction Method:		***County:***	YORK
Elevation (m):		***Municipality:***	TORONTO CITY
Elevation Reliability:		***Site Info:***	
Depth to Bedrock:		***Lot:***	
Well Depth:		***Concession:***	
Overburden/Bedrock:		***Concession Name:***	
Pump Rate:		***Easting NAD83:***	
Static Water Level:		***Northing NAD83:***	
Flowing (Y/N):		***Zone:***	
Flow Rate:		***UTM Reliability:***	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1005953346	***Elevation:***	104.25
DP2BR:		***Elevrc:***	
Spatial Status:		***Zone:***	17
Code OB:		***East83:***	630257
Code OB Desc:		***Org CS:***	UTM83
Open Hole:		***North83:***	4835704
Cluster Kind:		***UTMRC:***	4
Date Completed:	17-DEC-15	***UTMRC Desc:***	margin of error : 30 m - 100 m
Remarks:		***Location Method:***	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	1006037717
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	06
Most Common Material:	SILT
Mat2:	28
Other Materials:	SAND
Mat3:	01

Other Materials:	FILL
Formation Top Depth:	.6
Formation End Depth:	15
Formation End Depth UOM:	ft

Formation ID:	1006037718
Layer:	3
Color:	2
General Color:	GREY
Mat1:	28
Most Common Material:	SAND
Mat2:	06
Other Materials:	SILT
Mat3:	66
Other Materials:	DENSE
Formation Top Depth:	15
Formation End Depth:	40
Formation End Depth UOM:	ft

Formation ID:	1006037716
Layer:	1
Color:	8
General Color:	BLACK
Mat1:	11
Most Common Material:	GRAVEL
Mat2:	
Other Materials:	
Mat3:	73
Other Materials:	HARD
Formation Top Depth:	0
Formation End Depth:	.6
Formation End Depth UOM:	ft

Annular Space/Abandonment Sealing Record

Plug ID:	1006037728
Layer:	3
Plug From:	1
Plug To:	0
Plug Depth UOM:	ft

Plug ID:	1006037727
Layer:	2
Plug From:	2
Plug To:	1
Plug Depth UOM:	ft

Plug ID:	1006037726
Layer:	1
Plug From:	2.8
Plug To:	2
Plug Depth UOM:	ft

Method of Construction & Well Use

Method Construction ID:	1006037725
Method Construction Code:	6
Method Construction:	Boring
Other Method Construction:	

Pipe Information

Pipe ID:	1006037715
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	1006037722
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	30
Depth To:	0
Casing Diameter:	2
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Construction Record - Screen

Screen ID:	1006037723
Layer:	1
Slot:	10
Screen Top Depth:	40
Screen End Depth:	30
Screen Material:	5
Screen Depth UOM:	ft
Screen Diameter UOM:	inch
Screen Diameter:	2

Water Details

Water ID:	1006037721
Layer:	
Kind Code:	
Kind:	
Water Found Depth:	
Water Found Depth UOM:	ft

Hole Diameter

Hole ID:	1006037719
Diameter:	10
Depth From:	0
Depth To:	10
Hole Depth UOM:	ft
Hole Diameter UOM:	inch

Hole ID:	1006037720
Diameter:	8
Depth From:	10
Depth To:	40
Hole Depth UOM:	ft
Hole Diameter UOM:	inch

44	1 of 1	SSW/65.5	101.8 / -0.99	ON	BORE

Borehole ID:	637075	***Type:***	Borehole
Use:	Geotechnical/Geological Investigation	***Status::***	
Drill Method::	Power auger	***UTM Zone::***	17
Easting::	630175	***Northing::***	4835523

Location Accuracy::		***Orig. Ground Elev m::***	101
Elev. Reliability Note::		***DEM Ground Elev m::***	102
Total Depth m::	25.6	***Primary Name::***	
Township::		***Concession::***	
Lot::		***Municipality:***	
Completion Date::	AUG-1956	***Static Water Level::***	.7
Primary Water Use::	Not Used	***Sec. Water Use::***	

--Details--

Stratum ID:	218479527	***Top Depth(m):***	0.0
Bottom Depth(m):	1.0	***Stratum Desc:***	FILL,CLAY.
Stratum ID:	218479528	***Top Depth(m):***	1.0
Bottom Depth(m):	6.6	***Stratum Desc:***	SAND(90),CLAY(05), SILT(05). BROWN,LACUSTRINE,DENSE, LAYERED,AGE GLACIAL, WATER STABLE AT 331.3 FEET.
Stratum ID:	218479529	***Top Depth(m):***	6.6
Bottom Depth(m):	14.9	***Stratum Desc:***	CLAY. GREY,LACUSTRINE,HARD, AGE GLACIAL.
Stratum ID:	218479530	***Top Depth(m):***	14.9
Bottom Depth(m):	19.2	***Stratum Desc:***	SAND,SILT. GREY,LACUSTRINE,VERY DENSE, AGE GLACIAL.
Stratum ID:	218479531	***Top Depth(m):***	19.2
Bottom Depth(m):	22.9	***Stratum Desc:***	CLAY,SAND. GREY,LACUSTRINE,HARD,LAYERED, AGE GLACIAL.
Stratum ID:	218479532	***Top Depth(m):***	22.9
Bottom Depth(m):	25.6	***Stratum Desc:***	BEDROCK,SHALE. GREY,MARINE,SOFT, AGE ORDOVICIAN. 015 022020039 018

---

45 ***1 of 5*** ***SSE/66.3*** ***101.2 / -1.60***

Native Child and Family Services of Toronto
30 College Street
Toronto ON M5G 1K2

GEN

Generator No.:	ON7387766	***PO Box No.:***	
Status:		***Country:***	Canada
Approval Years:	2015	***Choice of Contact:***	CO_OFFICIAL
Contam. Facility:	No	***Co Admin:***	
MHSW Facility:	No	***Phone No. Admin:***	
SIC Code:	624110		
SIC Description:	CHILD AND YOUTH SERVICES		

--Details--

Waste Code:	212
Waste Description:	ALIPHATIC SOLVENTS

---

45 ***2 of 5*** ***SSE/66.3*** ***101.2 / -1.60***

Native Child and Family Services of Toronto
30 College Street
Toronto ON M5G 1K2

GEN

Generator No.:	ON7387766	***PO Box No.:***	
Status:		***Country:***	
Approval Years:	2009	***Choice of Contact:***	
Contam. Facility:		***Co Admin:***	
MHSW Facility:		***Phone No. Admin:***	

SIC Code: 624110
SIC Description: Child and Youth Services

--Details--
Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

---

45 | **3 of 5** | **SSE/66.3** | **101.2 / -1.60** | **Native Child and Family Services of Toronto**
30 College St
Toronto ON M5G 1K2 | **GEN**

Generator No.: ON8138938
Status:
Approval Years: 07,08
Contam. Facility:
MHSW Facility:
SIC Code: 624110 624190
SIC Description: Child and Youth Services, Other Individual and Family Services

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 221
Waste Description: LIGHT FUELS

---

45 | **4 of 5** | **SSE/66.3** | **101.2 / -1.60** | **MCNEIL SIGNS**
30 COLLEGE ST UNIT 2
TORONTO ON M5G 1K2 | **SCT**

Established: 1935
Plant Size (ft²): 0
Employment: 2

--Details--
Description: SIGNS AND ADVERTISING SPECIALTIES
SIC/NAICS Code: 3993

---

45 | **5 of 5** | **SSE/66.3** | **101.2 / -1.60** | **MCNEILL SIGNS**
30 COLLEGE ST UNIT 2
TORONTO ON M5G 1K2 | **SCT**

Established: 1935
Plant Size (ft²): 0
Employment: 2

--Details--
Description: Sign Manufacturing
SIC/NAICS Code: 339950

---

46 | **1 of 9** | **SE/66.8** | **100.9 / -1.97** | **22 College Street**
Toronto ON M5G 1K2 | **EHS**

Order ID: 206360
Order No: 20120426007

Date Received: 4/26/2012 11:29:53 AM
Lot/Building Size:

Customer ID:	53147	**Municipality:**	
Company ID:	77	**Client Prov/State:**	ON
Status:	C	**Search Radius (km):**	0.25
Report Code:	4CAN	**Large Radius:**	2
Report Type:	Custom Report	**X:**	-79.38429
Report Date:	5/2/2012 11:31:07 AM	**Y:**	43.661312
Report Requested by:	Pinchin Environmental		
Nearest Intersection:			
Previous Site Name:			
Additional Info Ordered:			

46	2 of 9	SE/66.8	100.9 / -1.97	TORONTO BOARD OF EDUCATION S.E.E.D. 22 COLLEGE STREET, SUITE 500 TORONTO ON M5G 1K2	GEN

Generator No.:	ON0172810	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	86,87,88,89,90,92,93,97	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	8511		
SIC Description:	ELEMT./SECON. EDUC.		

--Details--

Waste Code: 121
Waste Description: ALKALINE WASTES - HEAVY METALS

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 222
Waste Description: HEAVY FUELS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

46	3 of 9	SE/66.8	100.9 / -1.97	Centre francophone de Toronto 22 College Street - Main Floor Toronto ON M5G 1K2	GEN

Generator No.:	ON2977182	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	2011	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	621494		
SIC Description:	Community Health Centres		

--Details--

Waste Code: 261
Waste Description: PHARMACEUTICALS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
46	4 of 9	SE/66.8	100.9 / -1.97	TORONTO BOARD OF EDUCATION S. E. E. D. 22 COLLEGE STREET, SUITE 500 TORONTO ON M5G 1K2	GEN

Generator No.: ON0172810
Status:
Approval Years: 98,99,00,01
Contam. Facility:
MHSW Facility:
SIC Code: 8511
SIC Description: ELEMT./SECON. EDUC.

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 121
Waste Description: ALKALINE WASTES - HEAVY METALS

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 222
Waste Description: HEAVY FUELS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
46	5 of 9	SE/66.8	100.9 / -1.97	Centre francophone de Toronto 22 College Street - Main Floor Toronto ON M5G 1K2	GEN

Generator No.: ON2977182
Status:
Approval Years: 2010
Contam. Facility:
MHSW Facility:
SIC Code: 621494
SIC Description: Community Health Centres

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 261
Waste Description: PHARMACEUTICALS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
46	6 of 9	SE/66.8	100.9 / -1.97	Centre francophone de Toronto 22 College Street - Main Floor Toronto ON	GEN

Generator No.: ON2977182
Status:
Approval Years: 2013
Contam. Facility:
MHSW Facility:
SIC Code: 621494
SIC Description:

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--

Waste Code: 261
Waste Description: PHARMACEUTICALS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

46 | **7 of 9** | **SE/66.8** | **100.9 / -1.97** | **Centre francophone de Toronto**
22 College Street - Main Floor
Toronto ON M5G 1K2 | **GEN**

Generator No.: ON2977182
Status:
Approval Years: 2012
Contam. Facility:
MHSW Facility:
SIC Code: 621494
SIC Description: Community Health Centres

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 261
Waste Description: PHARMACEUTICALS

---

46 | **8 of 9** | **SE/66.8** | **100.9 / -1.97** | **TORONTO BOARD OF EDUCATION 37-862**
S.E.E.D. 22 COLLEGE STREET, SUITE 500
TORONTO ON M5G 1K2 | **GEN**

Generator No.: ON0172810
Status:
Approval Years: 94,95,96
Contam. Facility:
MHSW Facility:
SIC Code: 8511
SIC Description: ELEMT./SECON. EDUC.

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 121
Waste Description: ALKALINE WASTES - HEAVY METALS

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 222
Waste Description: HEAVY FUELS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

---

46 | **9 of 9** | **SE/66.8** | **100.9 / -1.97** | **La Passerelle.I.D.E.**
22 College St Suite 202
Toronto ON M5G 1K2 | **SCT**

Established: 01-AUG-94
Plant Size (ft²):

Employment:

--Details--
Description: Periodical Publishers
SIC/NAICS Code: 511120

---

47 | ***1 of 10*** | ***NNE/67.6*** | ***104.7 / 1.84*** | ***CITY OF TORONTO***
10 GROSVENOR STREET
TORONTO ON | ***GEN***

Generator No.: ON1631607
Status:
Approval Years: 2012
Contam. Facility:
MHSW Facility:
SIC Code: 913140
SIC Description: Municipal Fire-Fighting Services

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

---

47 | ***2 of 10*** | ***NNE/67.6*** | ***104.7 / 1.84*** | ***CITY OF TORONTO***
10 GROSVENOR STREET
TORONTO ON | ***GEN***

Generator No.: ON1631607
Status:
Approval Years: 2013
Contam. Facility:
MHSW Facility:
SIC Code: 913140
SIC Description:

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

---

47 | ***3 of 10*** | ***NNE/67.6*** | ***104.7 / 1.84*** | ***CITY OF TORONTO***
10 GROSVENOR STREET
TORONTO ON M4Y 1A8 | ***GEN***

Generator No.: ON1631607
Status:
Approval Years: 2015
Contam. Facility: No
MHSW Facility: No
SIC Code: 913140
SIC Description: 913140

PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin: Meaghan Aldcroft
Phone No. Admin: 416-392-9024 Ext.

--Details--
Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

47	4 of 10	NNE/67.6	104.7 / 1.84	CITY OF TORONTO 10 GROSVENOR STREET TORONTO ON M4Y 1A8	GEN

Generator No.: ON1631607
Status:
Approval Years: 2016
Contam. Facility: No
MHSW Facility: No
SIC Code: 913140
SIC Description: 913140

PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin: Meaghan Aldcroft
Phone No. Admin: 416-392-9024 Ext.

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

47	5 of 10	NNE/67.6	104.7 / 1.84	CITY OF TORONTO 10 GROSVENOR STREET TORONTO ON M4Y 1A8	GEN

Generator No.: ON1631607
Status:
Approval Years: 2014
Contam. Facility: No
MHSW Facility: No
SIC Code: 913140
SIC Description: 913140

PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin: Meaghan Aldcroft
Phone No. Admin: 416-392-9024 Ext.

--Details--
Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

47	6 of 10	NNE/67.6	104.7 / 1.84	CITY OF TORONTO 10 GROSVERNOR STREET TORONTO ON	GEN

Generator No.: ON1631607
Status:
Approval Years: 2010
Contam. Facility:
MHSW Facility:
SIC Code: 913140
SIC Description: Municipal Fire-Fighting Services

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

47	7 of 10	NNE/67.6	104.7 / 1.84	CITY OF TORONTO 10 GROSVERNOR STREET	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

TORONTO ON M4Y 1A8

Generator No.: ON1631607
Status:
Approval Years: 02,03,04,05,06,07,08
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

---

47 | ***8 of 10*** | ***NNE/67.6*** | ***104.7 / 1.84*** | ***CITY OF TORONTO***
10 GROSVERNOR STREET
TORONTO ON | ***GEN***

Generator No.: ON1631607
Status:
Approval Years: 2009
Contam. Facility:
MHSW Facility:
SIC Code: 913140
SIC Description: Municipal Fire-Fighting Services

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

---

47 | ***9 of 10*** | ***NNE/67.6*** | ***104.7 / 1.84*** | ***TORONTO, CITY OF, PROPERTY DEPT. 38-598***
10 GROSVERNOR STREET C/O 149 RIVER STREET
TORONTO ON M5A 3P8 | ***GEN***

Generator No.: ON1631607
Status:
Approval Years: 92,93,94,95,96,97,98
Contam. Facility:
MHSW Facility:
SIC Code: 8324
SIC Description: FIREFIGHTING SERV.

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

---

47 | ***10 of 10*** | ***NNE/67.6*** | ***104.7 / 1.84*** | ***CITY OF TORONTO PROPERTY DEPARMENT***
10 GROSVENOR STREET
TORONTO ON M4Y 1A8 | ***GEN***

Generator No.: ON1631607
Status: Registered
Approval Years: As of Dec 2017
Contam. Facility:
MHSW Facility:
SIC Code:

PO Box No.:
Country: Canada
Choice of Contact:
Co Admin:
Phone No. Admin:

SIC Description:

--Details--

Waste Code: 251 L
Waste Description: Waste oils/sludges (petroleum based)

Waste Code: 312 P
Waste Description: Pathological wastes

---

48 | **1 of 1** | **NW/70.6** | **104.8 / 2.01** | **CONSUMERS' GAS CO. LTD., THE**
887 BAY ST/GROSVENOR ST. NATURAL GAS PIPELINE
TORONTO CITY ON M5S 3K4 | **SPL**

Ref No:	157405	**Discharger Report:**	
Site No:		**Material Group:**	
Incident Dt:	6/29/1998	**Client Type:**	
Year:		**Sector Type:**	
Incident Cause:	PIPE/HOSE LEAK	**Source Type:**	
Incident Event:		**Nearest Watercourse:**	
Contaminant Code:		**Site Name:**	
Contaminant Name:		**Site Address:**	
Contaminant Limit 1:		**Site District Office:**	
Contam Limit Freq 1:		**Site County/District:**	
Contaminant UN No 1:		**Site Postal Code:**	
Contaminant Qty:		**Site Region:**	
Environment Impact:	POSSIBLE	**Site Municipality:**	01106
Nature of Impact:	Air Pollution	**Site Lot:**	
Receiving Medium:	AIR	**Site Conc:**	
Receiving Env:		**Northing:**	
Health/Env Conseq:		**Easting:**	FD & POLICE
MOE Response:		**Site Geo Ref Accu:**	
Dt MOE Arvl on Scn:		**Site Geo Ref Meth:**	
MOE Reported Dt:	6/29/1998	**Site Map Datum:**	
Dt Document Closed:			
SAC Action Class:			

Incident Reason: DAMAGE BY MOVING EQUIPMENT
Incident Summary: CONSUMERS GAS- 30 MIN NA- TURAL GAS TO ATM,BACKHOEDAMAGED LINE, SHUTOFF, FD

---

49 | **1 of 1** | **S/71.6** | **101.8 / -1.07** | **ON** | **BORE**

Borehole ID:	635625	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Diamond Drill	**UTM Zone::**	17
Easting::	630185	**Northing::**	4835513
Location Accuracy::		**Orig. Ground Elev m::**	101
Elev. Reliability Note::		**DEM Ground Elev m::**	102
Total Depth m::	25.6	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::		**Static Water Level::**	2.6
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218474042	**Top Depth(m):**	0.0
Bottom Depth(m):	1.0	**Stratum Desc:**	FILL,CLAY.
Stratum ID:	218474043	**Top Depth(m):**	1.0
Bottom Depth(m):	6.6	**Stratum Desc:**	SAND,CLAY. BROWN,LACUSTRINE,DENSE, LAYERED,AGE GLACIAL.

Stratum ID:	218474044	**Top Depth(m):**	6.6
Bottom Depth(m):	14.9	**Stratum Desc:**	CLAY. GREY,LACUSTRINE,HARD, AGE GLACIAL, WATER STABLE AT 325.1 FEET.
Stratum ID:	218474045	**Top Depth(m):**	14.9
Bottom Depth(m):	19.4	**Stratum Desc:**	SAND,SILT. GREY,FLUVIO-GLACIAL, VERY DENSE,AGE GLACIAL.
Stratum ID:	218474046	**Top Depth(m):**	19.4
Bottom Depth(m):	22.9	**Stratum Desc:**	CLAY,SAND. GREY,GLACIAL,HARD,LAYERED, AGE GLACIAL.
Stratum ID:	218474047	**Top Depth(m):**	22.9
Bottom Depth(m):	25.6	**Stratum Desc:**	BEDROCK,SHALE. GREY,MARINE,AGE ORDOVICIAN. 00013AL. TI

50 **1 of 1** **SE/75.7** **101.2 / -1.63** **WWIS**

Toronto ON

Well ID:	7220160	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:	Monitoring	**Date Received:**	5/12/2014
Sec. Water Use:		**Selected Flag:**	Yes
Final Well Status:	Observation Wells	**Abandonment Rec:**	
Water Type:		**Contractor:**	7472
Casing Material:		**Form Version:**	7
Audit No:	Z185037	**Owner:**	
Tag:	A161391	**Street Name:**	454 YONGE ST.
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1004750978	**Elevation:**	101.8
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:		**East83:**	630306
Code OB Desc:		**Org CS:**	UTM83
Open Hole:		**North83:**	4835553
Cluster Kind:		**UTMRC:**	4
Date Completed:	19-MAR-14	**UTMRC Desc:**	margin of error : 30 m - 100 m
Remarks:		**Location Method:**	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID: 1005161738
Layer: 1
Color: 6
General Color: BROWN
Mat1: 05
Most Common Material: CLAY
Mat2: 06
Other Materials: SILT
Mat3: 77
Other Materials: LOOSE
Formation Top Depth: 0
Formation End Depth: 1.5
Formation End Depth UOM: m

Formation ID: 1005161739
Layer: 2
Color: 6
General Color: BROWN
Mat1: 05
Most Common Material: CLAY
Mat2: 06
Other Materials: SILT
Mat3: 66
Other Materials: DENSE
Formation Top Depth: 1.5
Formation End Depth: 14.6
Formation End Depth UOM: m

Formation ID: 1005161740
Layer: 3
Color: 6
General Color: BROWN
Mat1: 08
Most Common Material: FINE SAND
Mat2:
Other Materials:
Mat3: 73
Other Materials: HARD
Formation Top Depth: 14.6
Formation End Depth: 19.8
Formation End Depth UOM: m

Annular Space/Abandonment Sealing Record

Plug ID: 1005161747
Layer: 1
Plug From: 0
Plug To: 16.5
Plug Depth UOM: m

Plug ID: 1005161748
Layer: 2
Plug From: 16.5
Plug To: 19.8
Plug Depth UOM: m

Method of Construction & Well Use

Method Construction ID: 1005161746
Method Construction Code: 6
Method Construction: Boring
Other Method Construction:

Pipe Information

Pipe ID:	1005161737
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	1005161743
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0
Depth To:	16.8
Casing Diameter:	5.2
Casing Diameter UOM:	cm
Casing Depth UOM:	m

Construction Record - Screen

Screen ID:	1005161744
Layer:	1
Slot:	10
Screen Top Depth:	16.8
Screen End Depth:	19.8
Screen Material:	5
Screen Depth UOM:	m
Screen Diameter UOM:	cm
Screen Diameter:	6.4

Water Details

Water ID:	1005161742
Layer:	
Kind Code:	
Kind:	
Water Found Depth:	
Water Found Depth UOM:	m

Hole Diameter

Hole ID:	1005161741
Diameter:	21
Depth From:	0
Depth To:	19.8
Hole Depth UOM:	m
Hole Diameter UOM:	cm

---

51 ***1 of 1*** ***WNW/75.7*** ***104.1 / 1.25*** ***ON*** ***BORE***

Borehole ID:	635608	***Type:***	Borehole
Use:	Geotechnical/Geological Investigation	***Status::***	
Drill Method::	Diamond Drill	***UTM Zone::***	17
Easting::	630085	***Northing::***	4835663
Location Accuracy::		***Orig. Ground Elev m::***	107
Elev. Reliability Note::		***DEM Ground Elev m::***	105
Total Depth m::	15.4	***Primary Name::***	
Township::		***Concession::***	

Lot::		**Municipality:**	
Completion Date::	1900	**Static Water Level::**	1.6
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218473962	**Top Depth(m):**	0.9
Bottom Depth(m):	3.1	**Stratum Desc:**	TILL,SILT,SAND, GRAVEL. GLACIAL,VERY DENSE, AGE GLACIAL.
Stratum ID:	218473963	**Top Depth(m):**	3.1
Bottom Depth(m):	10.4	**Stratum Desc:**	TILL,SILT,SAND,CLAY.BROWN,GLACIAL,DENSE, AGE GLACIAL, WATER STABLE AT 347.0 FEET.
Stratum ID:	218473964	**Top Depth(m):**	10.4
Bottom Depth(m):	11.6	**Stratum Desc:**	SAND-MEDIUM,SILT. GREY,GLACIAL,AGE GLACIAL.
Stratum ID:	218473965	**Top Depth(m):**	11.6
Bottom Depth(m):	15.4	**Stratum Desc:**	TILL,SILT,CLAY,SAND.GLACIAL,VERY HARD,AGE GLACIAL.00030
Stratum ID:	218473960	**Top Depth(m):**	0.0
Bottom Depth(m):	0.5	**Stratum Desc:**	FILL.
Stratum ID:	218473961	**Top Depth(m):**	0.5
Bottom Depth(m):	0.9	**Stratum Desc:**	SAND.

---

52 | **1 of 1** | **ENE/75.8** | **103.8 / 0.99** | **480 - 494 Yonge Street Toronto ON** | **EHS**

Order ID:	430516	**Date Received:**	27-OCT-15
Order No:	20151027111	**Lot/Building Size:**	
Customer ID:	91507	**Municipality:**	Toronto
Company ID:	169	**Client Prov/State:**	ON
Status:	C	**Search Radius (km):**	.3
Report Code:	20CAN	**Large Radius:**	.4
Report Type:	RSC Report (Urban)	**X:**	-79.384025
Report Date:	29-OCT-15	**Y:**	43.6627
Report Requested by:	WSP Canada Inc.		
Nearest Intersection:			
Previous Site Name:			
Additional Info Ordered:			

---

53 | **1 of 1** | **SSW/76.1** | **101.8 / -1.06** | **ON** | **BORE**

Borehole ID:	637076	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	630155	**Northing::**	4835523
Location Accuracy::		**Orig. Ground Elev m::**	102
Elev. Reliability Note::		**DEM Ground Elev m::**	102
Total Depth m::	8.1	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	AUG-1956	**Static Water Level::**	-999.9
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218479533	**Top Depth(m):**	0.0

Bottom Depth(m):	1.2	**Stratum Desc:**	FILL.
Stratum ID:	218479534	**Top Depth(m):**	1.2
Bottom Depth(m):	8.1	**Stratum Desc:**	SAND,CLAY. BROWN,LACUSTRINE,DENSE, LAYERED,AGE GLACIAL. LAYERED

54	1 of 1	WNW/76.3	104.8 / 2.01	EAST OF BAY DEVELOPMENT CORPORATION BAY/BREADALBANE/GROSVENOR STS. TORONTO ON	CA

Certificate #:	7-0321-98-
Application Year:	98
Issue Date:	5/4/1998
Approval Type:	Municipal water
Status:	Approved
Application Type:	
Client Name::	
Client Address::	
Client City::	
Client Postal Code::	
Project Description::	
Contaminants::	
Emission Control::	

55	1 of 22	SE/76.8	101.2 / -1.64	LifeLabs LP 14 College Street Toronto ON M5G1K2	GEN

Generator No.:	ON5044548	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2014	**Choice of Contact:**	CO_ADMIN
Contam. Facility:	No	**Co Admin:**	Jacquie Maertz
MHSW Facility:	No	**Phone No. Admin:**	905 565 0433 Ext.2202
SIC Code:	621510		
SIC Description:	MEDICAL AND DIAGNOSTIC LABORATORIES		

--Details--

Waste Code:	312
Waste Description:	PATHOLOGICAL WASTES

55	2 of 22	SE/76.8	101.2 / -1.64	BCLL Medical Group 14 College Street Suite 301 Toronto ON	GEN

Generator No.:	ON8286773	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	2013	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	621110		
SIC Description:	OFFICES OF PHYSICIANS		

--Details--

Waste Code:	312
Waste Description:	PATHOLOGICAL WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
55	3 of 22	SE/76.8	101.2 / -1.64	BCLL Medical Group 14 College Street Suite 301 Toronto ON M5G1K2	GEN

Generator No.:	ON8286773	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2015	**Choice of Contact:**	CO_ADMIN
Contam. Facility:	No	**Co Admin:**	Erika Benko
MHSW Facility:	No	**Phone No. Admin:**	4164653252 Ext.4
SIC Code:	621110		
SIC Description:	OFFICES OF PHYSICIANS		

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

55	4 of 22	SE/76.8	101.2 / -1.64	LifeLabs LP 14 College Street Toronto ON	GEN

Generator No.:	ON5044548	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	2013	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	621510		
SIC Description:	MEDICAL AND DIAGNOSTIC LABORATORIES		

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

55	5 of 22	SE/76.8	101.2 / -1.64	BCLL Medical Group 14 College Street Suite 301 Toronto ON	GEN

Generator No.:	ON8286773	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	2012	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	621110		
SIC Description:	Offices of Physicians		

55	6 of 22	SE/76.8	101.2 / -1.64	Dr Tilley, Dr Chang, Dr Crouzat 14 college street Suite 601 Toronto ON M5G1K2	GEN

Generator No.:	ON3851244	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2014	**Choice of Contact:**	CO_OFFICIAL
Contam. Facility:	No	**Co Admin:**	
MHSW Facility:	No	**Phone No. Admin:**	
SIC Code:	621110		
SIC Description:	OFFICES OF PHYSICIANS		

--Details--
Waste Code: 312

Waste Description: PATHOLOGICAL WASTES

Waste Code: 261
Waste Description: PHARMACEUTICALS

---

55 | **7 of 22** | **SE/76.8** | **101.2 / -1.64** | **BCLL Medical Group**
14 College Street Suite 301
Toronto ON M5G1K2 | **GEN**

Generator No.: ON8286773
Status:
Approval Years: 2016
Contam. Facility: No
MHSW Facility: No
SIC Code: 621110
SIC Description: OFFICES OF PHYSICIANS

PO Box No.:
Country: Canada
Choice of Contact: CO_ADMIN
Co Admin: Erika Benko
Phone No. Admin: 4164653252 Ext.4

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

55 | **8 of 22** | **SE/76.8** | **101.2 / -1.64** | **Maple Leaf Research**
14 College Street Suite #403
Toronto ON M5G 1K2 | **GEN**

Generator No.: ON4483523
Status:
Approval Years: 2015
Contam. Facility: No
MHSW Facility: No
SIC Code: 621110, 621510
SIC Description: OFFICES OF PHYSICIANS, MEDICAL AND DIAGNOSTIC LABORATORIES

PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

55 | **9 of 22** | **SE/76.8** | **101.2 / -1.64** | **Dr Tilley, Dr Chang, Dr Crouzat**
14 college street Suite 601
Toronto ON M5G1K2 | **GEN**

Generator No.: ON3851244
Status:
Approval Years: 2016
Contam. Facility: No
MHSW Facility: No
SIC Code: 621110
SIC Description: OFFICES OF PHYSICIANS

PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 261
Waste Description: PHARMACEUTICALS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
55	10 of 22	SE/76.8	101.2 / -1.64	LifeLabs LP 14 College Street Toronto ON	GEN

Generator No.:	ON5044548	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	2012	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	621510		
SIC Description:	Medical and Diagnostic Laboratories		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
55	11 of 22	SE/76.8	101.2 / -1.64	Dr Tilley, Dr Chang, Dr Crouzat 14 college street Suite 601 Toronto ON M5G1K2	GEN

Generator No.:	ON3851244	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2015	**Choice of Contact:**	CO_OFFICIAL
Contam. Facility:	No	**Co Admin:**	
MHSW Facility:	No	**Phone No. Admin:**	
SIC Code:	621110		
SIC Description:	OFFICES OF PHYSICIANS		

--Details--

Waste Code:	312
Waste Description:	PATHOLOGICAL WASTES
Waste Code:	261
Waste Description:	PHARMACEUTICALS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
55	12 of 22	SE/76.8	101.2 / -1.64	Maple Leaf Research 14 College Street Suite #403 Toronto ON M5G 1K2	GEN

Generator No.:	ON4483523	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2016	**Choice of Contact:**	CO_OFFICIAL
Contam. Facility:	No	**Co Admin:**	
MHSW Facility:	No	**Phone No. Admin:**	
SIC Code:	621110, 621510		
SIC Description:	OFFICES OF PHYSICIANS, MEDICAL AND DIAGNOSTIC LABORATORIES		

--Details--

Waste Code:	312
Waste Description:	PATHOLOGICAL WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
55	13 of 22	SE/76.8	101.2 / -1.64	Maple Leaf Research 14 College Street Suite #403 Toronto ON M5G 1K2	GEN

Generator No.:	ON4483523	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2014	**Choice of Contact:**	CO_OFFICIAL
Contam. Facility:	No	**Co Admin:**	
MHSW Facility:	No	**Phone No. Admin:**	
SIC Code:	621110, 621510		
SIC Description:	OFFICES OF PHYSICIANS, MEDICAL AND DIAGNOSTIC LABORATORIES		

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

55 | ***14 of 22*** | ***SE/76.8*** | ***101.2 / -1.64*** | ***LifeLabs LP*** ***14 College Street*** ***Toronto ON M5G1K2*** | ***GEN***

Generator No.:	ON5044548	***PO Box No.:***	
Status:		***Country:***	Canada
Approval Years:	2016	***Choice of Contact:***	CO_OFFICIAL
Contam. Facility:	No	***Co Admin:***	
MHSW Facility:	No	***Phone No. Admin:***	
SIC Code:	621510		
SIC Description:	MEDICAL AND DIAGNOSTIC LABORATORIES		

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

55 | ***15 of 22*** | ***SE/76.8*** | ***101.2 / -1.64*** | ***Maple Leaf Research*** ***14 College Street Suite #403*** ***Toronto ON*** | ***GEN***

Generator No.:	ON4483523	***PO Box No.:***	
Status:		***Country:***	
Approval Years:	2013	***Choice of Contact:***	
Contam. Facility:		***Co Admin:***	
MHSW Facility:		***Phone No. Admin:***	
SIC Code:	621110, 621510		
SIC Description:	OFFICES OF PHYSICIANS, MEDICAL AND DIAGNOSTIC LABORATORIES		

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

55 | ***16 of 22*** | ***SE/76.8*** | ***101.2 / -1.64*** | ***Maple Leaf Research*** ***14 College Street Suite #403*** ***Toronto ON*** | ***GEN***

Generator No.:	ON4483523	***PO Box No.:***	
Status:		***Country:***	
Approval Years:	2012	***Choice of Contact:***	
Contam. Facility:		***Co Admin:***	
MHSW Facility:		***Phone No. Admin:***	
SIC Code:	621110, 621510		
SIC Description:	Offices of Physicians, Medical and Diagnostic Laboratories		

---

55 | ***17 of 22*** | ***SE/76.8*** | ***101.2 / -1.64*** | ***BCLL Medical Group*** ***14 College Street Suite 301*** ***Toronto ON M5G1K2*** | ***GEN***

Generator No.:	ON8286773	***PO Box No.:***	
Status:		***Country:***	Canada
Approval Years:	2014	***Choice of Contact:***	CO_ADMIN
Contam. Facility:	No	***Co Admin:***	Erika Benko

MHSW Facility: No
SIC Code: 621110
SIC Description: OFFICES OF PHYSICIANS
Phone No. Admin: 4164653252 Ext.4

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

55 | **18 of 22** | **SE/76.8** | **101.2 / -1.64** | **LifeLabs LP**, **14 College Street**, **Toronto ON M5G1K2** | **GEN**

Generator No.: ON5044548
Status:
Approval Years: 2015
Contam. Facility: No
MHSW Facility: No
SIC Code: 621510
SIC Description: MEDICAL AND DIAGNOSTIC LABORATORIES
PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

55 | **19 of 22** | **SE/76.8** | **101.2 / -1.64** | **Maple Leaf Research**, **14 College Street Suite #403**, **Toronto ON M5G 1K2** | **GEN**

Generator No.: ON4483523
Status: Registered
Approval Years: As of Dec 2017
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:
PO Box No.:
Country: Canada
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312 P
Waste Description: Pathological wastes

---

55 | **20 of 22** | **SE/76.8** | **101.2 / -1.64** | **LifeLabs LP**, **14 College Street**, **Toronto ON M5G1K2** | **GEN**

Generator No.: ON5044548
Status: Registered
Approval Years: As of Dec 2017
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:
PO Box No.:
Country: Canada
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312 P
Waste Description: Pathological wastes

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
55	21 of 22	SE/76.8	101.2 / -1.64	Dr Tilley, Dr Chang, Dr Crouzat 14 college street Suite 601 Toronto ON M5G1K2	GEN

Generator No.:	ON3851244	**PO Box No.:**	
Status:	Registered	**Country:**	Canada
Approval Years:	As of Dec 2017	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:			
SIC Description:			

--Details--

Waste Code:	261 A
Waste Description:	Pharmaceuticals
Waste Code:	312 P
Waste Description:	Pathological wastes

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
55	22 of 22	SE/76.8	101.2 / -1.64	BCLL Medical Group 14 College Street Suite 301 Toronto ON M5G1K2	GEN

Generator No.:	ON8286773	**PO Box No.:**	
Status:	Registered	**Country:**	Canada
Approval Years:	As of Dec 2017	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:			
SIC Description:			

--Details--

Waste Code:	312 P
Waste Description:	Pathological wastes

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
56	1 of 1	ENE/78.3	103.7 / 0.90	Toronto ON	WWIS

Well ID:	7182869	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:	Monitoring and Test Hole	**Date Received:**	6/19/2012
Sec. Water Use:	0	**Selected Flag:**	Yes
Final Well Status:	Test Hole	**Abandonment Rec:**	
Water Type:		**Contractor:**	7241
Casing Material:		**Form Version:**	7
Audit No:	Z150851	**Owner:**	
Tag:	A130995	**Street Name:**	15 WELLESLEY ST EAST
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	WKQ-004989
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1003935658	***Elevation:***	103.41
DP2BR:		***Elevrc:***	
Spatial Status:		***Zone:***	17
Code OB:		***East83:***	630302
Code OB Desc:		***Org CS:***	UTM83
Open Hole:		***North83:***	4835664
Cluster Kind:		***UTMRC:***	4
Date Completed:	28-MAY-12	***UTMRC Desc:***	margin of error : 30 m - 100 m
Remarks:		***Location Method:***	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	1004371311
Layer:	2
Color:	2
General Color:	GREY
Mat1:	06
Most Common Material:	SILT
Mat2:	28
Other Materials:	SAND
Mat3:	91
Other Materials:	WATER-BEARING
Formation Top Depth:	10
Formation End Depth:	28
Formation End Depth UOM:	ft

Formation ID:	1004371310
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	01
Other Materials:	FILL
Mat3:	85
Other Materials:	SOFT
Formation Top Depth:	0
Formation End Depth:	10
Formation End Depth UOM:	ft

Annular Space/Abandonment Sealing Record

Plug ID:	1004371320
Layer:	2
Plug From:	1
Plug To:	17
Plug Depth UOM:	ft

Plug ID:	1004371319
Layer:	1
Plug From:	0
Plug To:	1
Plug Depth UOM:	ft

Plug ID:	1004371321
Layer:	3
Plug From:	17
Plug To:	28
Plug Depth UOM:	ft

Method of Construction & Well Use

Method Construction ID:	1004371318
Method Construction Code:	D
Method Construction:	Direct Push
Other Method Construction:	

Pipe Information

Pipe ID:	1004371309
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	1004371314
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0
Depth To:	18
Casing Diameter:	2
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Construction Record - Screen

Screen ID:	1004371315
Layer:	1
Slot:	10
Screen Top Depth:	18
Screen End Depth:	28
Screen Material:	5
Screen Depth UOM:	ft
Screen Diameter UOM:	inch
Screen Diameter:	2.25

Water Details

Water ID:	1004371313
Layer:	
Kind Code:	
Kind:	
Water Found Depth:	
Water Found Depth UOM:	ft

Hole Diameter

Hole ID:	1004371312
Diameter:	8
Depth From:	0
Depth To:	28
Hole Depth UOM:	ft

Hole Diameter UOM: inch

---

57 | **1 of 2** | **ENE/78.7** | **103.8 / 0.98** | **488 Yonge St Toronto ON** | **EHS**

Order ID:	487078	**Date Received:**	15-NOV-16
Order No:	20161115175	**Lot/Building Size:**	
Customer ID:	139391	**Municipality:**	
Company ID:	169	**Client Prov/State:**	ON
Status:	C	**Search Radius (km):**	.01
Report Code:	1CAN	**Large Radius:**	.25
Report Type:	Site Report	**X:**	-79.383973
Report Date:	16-NOV-16	**Y:**	43.662688
Report Requested by:	WSP Canada Inc.		
Nearest Intersection:			
Previous Site Name:			
Additional Info Ordered:			

---

57 | **2 of 2** | **ENE/78.7** | **103.8 / 0.98** | **New York Auto Sales 488 Yonge St Toronto ON M4Y 1X5** | **TANK**

Permit Date:	5/12/1933
Permit Type:	BP A47029
User Type:	Gasoline service station
Installation Type:	gas tank & pump
Installation Size:	
Installation Config.:	gas tank & pump
No. Tanks Installed:	1
Units of Measure:	
Value/Tank ($):	150
Capacity(gal):	
Reference:	CTA Building Permits
Location Desc:	488.5 Yonge St

---

58 | **1 of 1** | **W/79.7** | **103.9 / 1.04** | **Wishart [Dr D J G] 45 Grosvenor St Toronto ON** | **TANK**

Permit Date:	1923
Permit Type:	To install
User Type:	
Installation Type:	Fuel oil fill pipe
Installation Size:	2
Installation Config.:	Fuel oil tank fill pipe 2" dia 4' depth
No. Tanks Installed:	
Units of Measure:	Inches dia
Value/Tank ($):	
Capacity(gal):	
Reference:	TCM 1923 A: 712
Location Desc:	

---

59 | **1 of 1** | **ENE/79.9** | **103.8 / 0.99** | **ON** | **BORE**

Borehole ID:	638103	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Diamond Drill	**UTM Zone::**	17
Easting::	630295	**Northing::**	4835683
Location Accuracy::		**Orig. Ground Elev m::**	103

Elev. Reliability Note::		**DEM Ground Elev m::**	103
Total Depth m::	18.3	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	MAY-1956	**Static Water Level::**	-999.9
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218483013	**Top Depth(m):**	0.0
Bottom Depth(m):	0.2	**Stratum Desc:**	STONES.
Stratum ID:	218483014	**Top Depth(m):**	0.2
Bottom Depth(m):	2.7	**Stratum Desc:**	FILL,CLAY,SAND.
Stratum ID:	218483015	**Top Depth(m):**	2.7
Bottom Depth(m):	2.9	**Stratum Desc:**	ASPHALT.
Stratum ID:	218483016	**Top Depth(m):**	2.9
Bottom Depth(m):	3.0	**Stratum Desc:**	FILL,SAND,GRAVEL.
Stratum ID:	218483017	**Top Depth(m):**	3.0
Bottom Depth(m):	3.8	**Stratum Desc:**	SAND. BROWN,LACUSTRINE,VERY DENSE, AGE GLACIAL.
Stratum ID:	218483018	**Top Depth(m):**	3.8
Bottom Depth(m):	10.6	**Stratum Desc:**	SAND,GRAVEL,CLAY. GREY,FLUVIO-GLACIAL, VERY DENSE,AGE GLACIAL.
Stratum ID:	218483019	**Top Depth(m):**	10.6
Bottom Depth(m):	18.3	**Stratum Desc:**	SAND,SILT,GRAVEL, BOULDERS. GREY,FLUVIO-GLACIAL, AGE GLACIAL. 0000500200094058001250600034807 0

60	1 of 1	ESE/80.6	102.1 / -0.70	**454 YONGE GP INC.** **454-468 Yonge ST** **Toronto ON M4Y 1W9**	EASR

Approval No:	R-003-1686649434	**SWP Area Name:**	Toronto
Status:	REGISTERED	**MOE District:**	Toronto
Date:	2016-12-15	**City:**	Toronto
Record Type:	EASR	**Latitude:**	43.66194444
Link Source:	MOFA	**Longitude:**	-79.38333333
Full Address:			
Project Type:	Heating System		
Approval Type:	EASR-Heating System		
Full PDF Link:	http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2027929		

61	1 of 1	SE/81.1	100.9 / -1.91	**14 College Street** **Toronto ON**	EHS

Order ID:	207926	**Date Received:**	23-MAY-12
Order No:	20120523071	**Lot/Building Size:**	
Customer ID:	84687	**Municipality:**	
Company ID:	49355	**Client Prov/State:**	ON
Status:	C	**Search Radius (km):**	.25
Report Code:	3CAN	**Large Radius:**	2
Report Type:	Standard Report	**X:**	-79.383926
Report Date:	01-JUN-12	**Y:**	43.661442
Report Requested by:	OHE Consultants		
Nearest Intersection:			
Previous Site Name:			
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans; Topographic Maps		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

62	1 of 7	WSW/81.1	103.8 / 0.96	ADDISON ONTARIO BAY LTD ATTN WENDY 832 BAY ST TORONTO ON M5S 1Z6	FST

Instance No: 11008723
Cont Name:
Instance Type: FS Liquid Fuel Tank
Fuel Type: Gasoline
Status: Active
Capacity: 8000
Tank Material: Fiberglass (FRP)
Corrosion Protection: Fiberglass
Tank Type: Single Wall UST
Install Year: NULL
Parent Facility Type: Fuels Safety Private Fuel Outlet - Self Serve
Facility Type: FS Liquid Fuel Tank

62	2 of 7	WSW/81.1	103.8 / 0.96	ADDISON ONTARIO BAY LTD ATTN WENDY 832 BAY ST TORONTO ON	FSTH

License Issue Date: 3/19/1992
Tank Status: Licensed
Tank Status As Of: December 2008
Operation Type: Private Fuel Outlet
Facility Type: Gasoline Station - Self Serve

--Details--
Status: Active
Year of Installation:
Corrosion Protection:
Capacity: 8000
Tank Fuel Type: Liquid Fuel Single Wall UST - Gasoline

62	3 of 7	WSW/81.1	103.8 / 0.96	ADDISON ONTARIO BAY LTD ATTN WENDY 832 BAY ST TORONTO ON M5S 1Z6	FSTH

License Issue Date: 3/19/1992
Tank Status: Licensed
Tank Status As Of: August 2007
Operation Type: Private Fuel Outlet
Facility Type: Gasoline Station - Self Serve

--Details--
Status: Active
Year of Installation:
Corrosion Protection:
Capacity: 8000
Tank Fuel Type: Liquid Fuel Single Wall UST - Gasoline

62	4 of 7	WSW/81.1	103.8 / 0.96	832 Bay Properties Limited 832 Bay St Toronto ON	GEN

Generator No.: ON6669626 **PO Box No.:**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Status:		**Country:**	
Approval Years:	2012	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	236110		
SIC Description:	Residential Building Construction		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
62	5 of 7	WSW/81.1	103.8 / 0.96	832 Bay Properties Limited 832 Bay St Toronto ON M5S 1Z6	GEN

Generator No.:	ON7028600	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	2011	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	236110		
SIC Description:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
62	6 of 7	WSW/81.1	103.8 / 0.96	Stephenson's Rental Services Inc 832 Bay Street Toronto ON M5S 1Z6	GEN

Generator No.:	ON6815901	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	2011	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	236110		
SIC Description:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
62	7 of 7	WSW/81.1	103.8 / 0.96	ADDISON ONTARIO BAY LTD ATTN WENDY 832 BAY ST TORONTO ON M5S 1Z6	PRT

Location ID:	15182
Type:	private
Expiry Date:	
Capacity (L):	8000.00
Licence #:	0001052594

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
63	1 of 1	ENE/81.5	103.7 / 0.84	TORONTO ON	WWIS

Well ID:	7254016	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:	Monitoring and Test Hole	**Date Received:**	12/10/2015
Sec. Water Use:	0	**Selected Flag:**	Yes
Final Well Status:	Observation Wells	**Abandonment Rec:**	
Water Type:		**Contractor:**	7241
Casing Material:		**Form Version:**	7
Audit No:	Z224744	**Owner:**	
Tag:	A183274	**Street Name:**	480 YONGE ST.
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	WKQ-008483 A0-A02
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	

Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID:	1005833485	**Elevation:**	103.44
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:		**East83:**	630304
Code OB Desc:		**Org CS:**	UTM83
Open Hole:		**North83:**	4835668
Cluster Kind:		**UTMRC:**	4
Date Completed:	20-NOV-15	**UTMRC Desc:**	margin of error : 30 m - 100 m
Remarks:		**Location Method:**	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	1005879449
Layer:	3
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	
Formation Top Depth:	1
Formation End Depth:	2
Formation End Depth UOM:	ft

Formation ID:	1005879448
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	01
Most Common Material:	FILL
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	
Formation Top Depth:	.5
Formation End Depth:	1
Formation End Depth UOM:	ft

Formation ID:	1005879450
Layer:	4
Color:	2
General Color:	GREY
Mat1:	34
Most Common Material:	TILL
Mat2:	
Other Materials:	
Mat3:	

Other Materials:
Formation Top Depth: 2
Formation End Depth: 4
Formation End Depth UOM: ft

Formation ID: 1005879447
Layer: 1
Color: 2
General Color: GREY
Mat1:
Most Common Material:
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 0
Formation End Depth: .5
Formation End Depth UOM: ft

Annular Space/Abandonment Sealing Record

Plug ID: 1005879458
Layer: 1
Plug From: 0
Plug To: .5
Plug Depth UOM: ft

Plug ID: 1005879460
Layer: 3
Plug From: 1
Plug To: 4
Plug Depth UOM: ft

Plug ID: 1005879459
Layer: 2
Plug From: .5
Plug To: 1
Plug Depth UOM: ft

Method of Construction & Well Use

Method Construction ID: 1005879457
Method Construction Code: D
Method Construction: Direct Push
Other Method Construction:

Pipe Information

Pipe ID: 1005879446
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1005879453
Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From: 0

Depth To:	1.5
Casing Diameter:	1.25
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Construction Record - Screen

Screen ID:	1005879454
Layer:	1
Slot:	10
Screen Top Depth:	1.5
Screen End Depth:	4
Screen Material:	5
Screen Depth UOM:	ft
Screen Diameter UOM:	inch
Screen Diameter:	1.5

Water Details

Water ID:	1005879452
Layer:	
Kind Code:	
Kind:	
Water Found Depth:	
Water Found Depth UOM:	ft

Hole Diameter

Hole ID:	1005879451
Diameter:	2.25
Depth From:	0
Depth To:	4
Hole Depth UOM:	ft
Hole Diameter UOM:	inch

---

64 | **1 of 1** | **ESE/81.7** | **102.1 / -0.70** | **460 YONGE STREET, TORONTO, ON M4Y 1W9 Toronto ON** | **RSC**

Reg No:	216609	**Cert Date:**	
RA No:		**Cert Prop Use No:**	
RSC Type:	Phase 1 and 2 RSC	**Intended Prop Use:**	Residential
Curr Property Use:	Commercial	**Nm of Qual. Person:**	WILLIAM LEWIS
District Office:	Toronto District Office	**Stratified (Y/N):**	
Date Submitted:	2015/02/27	**Audit (Y/N):**	
Date Ack:		**Entire Leg Prop. (Y/N):**	
Date Returned:		**Accuracy Estimate:**	
Restoration Type:		**Telephone:**	
Soil Type:		**Fax:**	
Criteria:		**Email:**	
CPU Issued Sect 1686:			

Asmt Roll No:	1904068060009500000
Prop. ID No:	21104-0150 (LT)
Property Municipal Address:	460 YONGE STREET, TORONTO, ON M4Y 1W9
Mailing Address:	
Latitude & Latitude:	
UTM Coordinates:	
Consultant:	
Filing Owner:	454 YONGE GP INC.
Legal Desc:	
Measurement Method:	
Applicable Standards:	

RSC PDF: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument?attachmentId=45456&fileName=BROWNFIELDS-E.pdf

--Details--

Document Heading: Supporting Documents
Document Type: A Current plan of Survey
Document Name: Survey.pdf
Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument?attachmentId=45455&fileName=Survey.pdf

Document Heading: Supporting Documents
Document Type: Copy of any deed(s), transfer(s) or other document(s)
Document Name: Transfer.pdf
Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument?attachmentId=45463&fileName=Transfer.pdf

Document Heading: Supporting Documents
Document Type: Area(s) of Potential Environmental Concern
Document Name: Areas of Potential Environmental Concern.pdf
Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument?attachmentId=45458&fileName=Areas+of+Potential+Environmental+Concern.pdf

Document Heading: Supporting Documents
Document Type: Certificate of Status
Document Name: Certificate of Status.pdf
Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument?attachmentId=45454&fileName=Certificate+of+Status.pdf

Document Heading: Supporting Documents
Document Type: Lawyer's letter consisting of a legal description of the property
Document Name: Lawyers Letter.pdf
Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument?attachmentId=45460&fileName=Lawyers+Letter.pdf

Document Heading: Supporting Documents
Document Type: Table of Current and Past Property Use
Document Name: Table of CandPUses.pdf
Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument?attachmentId=46978&fileName=Table+of+CandPUses.pdf

Document Heading: Supporting Documents
Document Type: Phase 2 Conceptual Site Model
Document Name: PH 2 CSM.pdf
Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument?attachmentId=45453&fileName=PH+2+CSM.pdf

---

65 | **1 of 1** | **SE/82.1** | **101.2 / -1.63** | **TORONTO ON** | **WWIS**

Well ID:	7233080	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:	Test Hole	**Date Received:**	12/8/2014
Sec. Water Use:		**Selected Flag:**	Yes
Final Well Status:	Test Hole	**Abandonment Rec:**	
Water Type:		**Contractor:**	6988
Casing Material:		**Form Version:**	7
Audit No:	Z199437	**Owner:**	
Tag:	A160336	**Street Name:**	460 YOUNG ST.
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	

Static Water Level:		***Northing NAD83:***	
Flowing (Y/N):		***Zone:***	
Flow Rate:		***UTM Reliability:***	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1005251009	***Elevation:***	101.69
DP2BR:		***Elevrc:***	
Spatial Status:		***Zone:***	17
Code OB:		***East83:***	630313
Code OB Desc:		***Org CS:***	UTM83
Open Hole:		***North83:***	4835552
Cluster Kind:		***UTMRC:***	4
Date Completed:	30-SEP-14	***UTMRC Desc:***	margin of error : 30 m - 100 m
Remarks:		***Location Method:***	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	1005415479
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	06
Most Common Material:	SILT
Mat2:	28
Other Materials:	SAND
Mat3:	
Other Materials:	
Formation Top Depth:	0
Formation End Depth:	1.2
Formation End Depth UOM:	m

Formation ID:	1005415481
Layer:	3
Color:	2
General Color:	GREY
Mat1:	06
Most Common Material:	SILT
Mat2:	05
Other Materials:	CLAY
Mat3:	
Other Materials:	
Formation Top Depth:	3.7
Formation End Depth:	15.5
Formation End Depth UOM:	m

Formation ID:	1005415480
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	06
Most Common Material:	SILT
Mat2:	05
Other Materials:	CLAY
Mat3:	
Other Materials:	

Formation Top Depth:	1.2
Formation End Depth:	3.7
Formation End Depth UOM:	m

Annular Space/Abandonment Sealing Record

Plug ID:	1005415488
Layer:	1
Plug From:	.1
Plug To:	11.4
Plug Depth UOM:	m

Method of Construction & Well Use

Method Construction ID:	1005415487
Method Construction Code:	6
Method Construction:	Boring
Other Method Construction:	

Pipe Information

Pipe ID:	1005415478
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	1005415484
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0
Depth To:	12.5
Casing Diameter:	5.1
Casing Diameter UOM:	cm
Casing Depth UOM:	m

Construction Record - Screen

Screen ID:	1005415485
Layer:	1
Slot:	10
Screen Top Depth:	12.5
Screen End Depth:	15.5
Screen Material:	5
Screen Depth UOM:	m
Screen Diameter UOM:	cm
Screen Diameter:	6

Water Details

Water ID:	1005415483
Layer:	
Kind Code:	
Kind:	
Water Found Depth:	
Water Found Depth UOM:	m

Hole Diameter

Hole ID:	1005415482
Diameter:	10
Depth From:	0
Depth To:	15.5
Hole Depth UOM:	m
Hole Diameter UOM:	cm

66 ***1 of 1*** ***E/82.3*** ***102.1 / -0.70*** ***ON*** ***BORE***

Borehole ID:	638104	***Type:***	Borehole
Use:	Geotechnical/Geological Investigation	***Status::***	
Drill Method::	Diamond Drill	***UTM Zone::***	17
Easting::	630325	***Northing::***	4835603
Location Accuracy::		***Orig. Ground Elev m::***	103
Elev. Reliability Note::		***DEM Ground Elev m::***	102
Total Depth m::	24.3	***Primary Name::***	
Township::		***Concession::***	
Lot::		***Municipality:***	
Completion Date::	MAY-1956	***Static Water Level::***	1.2
Primary Water Use::	Not Used	***Sec. Water Use::***	

--Details--

Stratum ID:	218483020	***Top Depth(m):***	0.0
Bottom Depth(m):	2.4	***Stratum Desc:***	FILL,SAND.
Stratum ID:	218483021	***Top Depth(m):***	2.4
Bottom Depth(m):	7.3	***Stratum Desc:***	SAND,SILT. GREY,LACUSTRINE,DENSE,LAYERED,AGE GLACIAL, WATER STABLE AT 335.8 FEET.
Stratum ID:	218483022	***Top Depth(m):***	7.3
Bottom Depth(m):	10.4	***Stratum Desc:***	SAND,CLAY. GREY,LACUSTRINE,DENSE, AGE GLACIAL.
Stratum ID:	218483023	***Top Depth(m):***	10.4
Bottom Depth(m):	13.9	***Stratum Desc:***	SAND,SILT,CLAY. GREY,LACUSTRINE,DENSE,LAYERED,AGE GLACIAL.
Stratum ID:	218483024	***Top Depth(m):***	13.9
Bottom Depth(m):	17.8	***Stratum Desc:***	CLAY,SILT. GREY,LACUSTRINE,HARD, AGE GLACIAL.
Stratum ID:	218483025	***Top Depth(m):***	17.8
Bottom Depth(m):	21.3	***Stratum Desc:***	SAND,SILT. GREY,LACUSTRINE,LAYERED, AGE GLACIAL.
Stratum ID:	218483026	***Top Depth(m):***	21.3
Bottom Depth(m):	24.3	***Stratum Desc:***	CLAY,SILT. GREY,LACUSTRINE,AGE GLACIAL. 0008005000240040003400700045507000585070007000700034

67 ***1 of 1*** ***SSW/84.1*** ***101.6 / -1.22*** ***ON*** ***BORE***

Borehole ID:	637079	***Type:***	Borehole
Use:	Geotechnical/Geological Investigation	***Status::***	
Drill Method::	Power auger	***UTM Zone::***	17

Easting::	630175	**Northing::**	4835503
Location Accuracy::		**Orig. Ground Elev m::**	102
Elev. Reliability Note::		**DEM Ground Elev m::**	101
Total Depth m::	4.1	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	AUG-1956	**Static Water Level::**	.4
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218479541	**Top Depth(m):**	0.0
Bottom Depth(m):	0.6	**Stratum Desc:**	SOIL,ORGANIC.
Stratum ID:	218479542	**Top Depth(m):**	0.6
Bottom Depth(m):	4.1	**Stratum Desc:**	SAND,CLAY. BROWN,LACUSTRINE,DENSE, LAYERED,AGE GLACIAL, WATER STABLE AT 333.1 FEET.00012

---

68 ***1 of 2*** ***E/85.6*** ***102.1 / -0.77*** ***ON*** ***WWIS***

Well ID:	7261506	**Data Entry Status:**	Yes
Construction Date:		**Data Src:**	
Primary Water Use:		**Date Received:**	4/18/2016
Sec. Water Use:		**Selected Flag:**	Yes
Final Well Status:		**Abandonment Rec:**	
Water Type:		**Contractor:**	6926
Casing Material:		**Form Version:**	8
Audit No:	C32547	**Owner:**	
Tag:	A178196	**Street Name:**	
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1005931924	**Elevation:**	102.44
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:		**East83:**	630327
Code OB Desc:		**Org CS:**	UTM83
Open Hole:		**North83:**	4835610
Cluster Kind:		**UTMRC:**	4
Date Completed:	24-FEB-16	**UTMRC Desc:**	margin of error : 30 m - 100 m
Remarks:		**Location Method:**	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

---

68 ***2 of 2*** ***E/85.6*** ***102.1 / -0.77*** ***WWIS***

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
				ON	

Well ID:	7268268	**Data Entry Status:**	Yes
Construction Date:		**Data Src:**	
Primary Water Use:		**Date Received:**	8/8/2016
Sec. Water Use:		**Selected Flag:**	Yes
Final Well Status:		**Abandonment Rec:**	
Water Type:		**Contractor:**	6926
Casing Material:		**Form Version:**	8
Audit No:	C32610	**Owner:**	
Tag:	A178196	**Street Name:**	
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1006191762	**Elevation:**	102.44
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:		**East83:**	630327
Code OB Desc:		**Org CS:**	UTM83
Open Hole:		**North83:**	4835610
Cluster Kind:		**UTMRC:**	4
Date Completed:	20-JUN-16	**UTMRC Desc:**	margin of error : 30 m - 100 m
Remarks:		**Location Method:**	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

69	1 of 1	ESE/85.7	101.9 / -0.95	CAMPEAU CORP. REAR OF 464 YONGE STREET LAND DEVELOPERS UNDERGROUND TANK TORONTO CITY ON M4Y 1W9	SPL

Ref No:	21620	**Discharger Report:**	
Site No:		**Material Group:**	
Incident Dt:	7/1/1989	**Client Type:**	
Year:		**Sector Type:**	
Incident Cause:	UNDERGROUND TANK LEAK	**Source Type:**	
Incident Event:		**Nearest Watercourse:**	
Contaminant Code:		**Site Name:**	
Contaminant Name:		**Site Address:**	
Contaminant Limit 1:		**Site District Office:**	
Contam Limit Freq 1:		**Site County/District:**	
Contaminant UN No 1:		**Site Postal Code:**	
Contaminant Qty:		**Site Region:**	
Environment Impact:		**Site Municipality:**	01106
Nature of Impact:		**Site Lot:**	
Receiving Medium:	LAND	**Site Conc:**	
Receiving Env:		**Northing:**	

Health/Env Conseq:		**Easting:**	
MOE Response:		**Site Geo Ref Accu:**	
Dt MOE Arvl on Scn:		**Site Geo Ref Meth:**	
MOE Reported Dt:	7/7/1989	**Site Map Datum:**	
Dt Document Closed:			
SAC Action Class:			
Incident Reason:	CORROSION		
Incident Summary:	CAMPEAU CORP. - LEAK IN UNDERGROUND TANK.		

70 **1 of 1** **SSW/87.8** **101.8 / -1.02** **ON** **BORE**

Borehole ID:	635626	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Diamond Drill	**UTM Zone::**	17
Easting::	630165	**Northing::**	4835503
Location Accuracy::		**Orig. Ground Elev m::**	102
Elev. Reliability Note::		**DEM Ground Elev m::**	101
Total Depth m::	8.1	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::		**Static Water Level::**	-999.9
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218474048	**Top Depth(m):**	0.0
Bottom Depth(m):	1.2	**Stratum Desc:**	FILL.
Stratum ID:	218474049	**Top Depth(m):**	1.2
Bottom Depth(m):	8.1	**Stratum Desc:**	SAND,CLAY. FLUVIO-GLACIAL,LAYERED, AGE GLACIAL. G

71 **1 of 1** **S/89.7** **101.0 / -1.86** **ON** **BORE**

Borehole ID:	637078	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	630195	**Northing::**	4835493
Location Accuracy::		**Orig. Ground Elev m::**	101
Elev. Reliability Note::		**DEM Ground Elev m::**	101
Total Depth m::	4.9	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	AUG-1956	**Static Water Level::**	-999.9
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218479539	**Top Depth(m):**	0.0
Bottom Depth(m):	1.2	**Stratum Desc:**	FILL.
Stratum ID:	218479540	**Top Depth(m):**	1.2
Bottom Depth(m):	4.9	**Stratum Desc:**	CLAY,SAND. BROWN,LACUSTRINE,LAYERED, AGE GLACIAL. ,AGE GLACIAL

72 **1 of 2** **E/90.0** **101.9 / -0.95** **TORONTO ON** **WWIS**

Well ID:	7162003	***Data Entry Status:***	
Construction Date:		***Data Src:***	
Primary Water Use:	Monitoring and Test Hole	***Date Received:***	4/19/2011
Sec. Water Use:	0	***Selected Flag:***	Yes
Final Well Status:	Monitoring and Test Hole	***Abandonment Rec:***	
Water Type:		***Contractor:***	7241
Casing Material:		***Form Version:***	7
Audit No:	Z130951	***Owner:***	
Tag:	A113522	***Street Name:***	454-468 YONGE ST
Construction Method:		***County:***	YORK
Elevation (m):		***Municipality:***	TORONTO CITY
Elevation Reliability:		***Site Info:***	X
Depth to Bedrock:		***Lot:***	
Well Depth:		***Concession:***	
Overburden/Bedrock:		***Concession Name:***	
Pump Rate:		***Easting NAD83:***	
Static Water Level:		***Northing NAD83:***	
Flowing (Y/N):		***Zone:***	
Flow Rate:		***UTM Reliability:***	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1003501620	***Elevation:***	102.35
DP2BR:		***Elevrc:***	
Spatial Status:		***Zone:***	17
Code OB:		***East83:***	630332
Code OB Desc:		***Org CS:***	UTM83
Open Hole:		***North83:***	4835606
Cluster Kind:		***UTMRC:***	3
Date Completed:	06-APR-11	***UTMRC Desc:***	margin of error : 10 - 30 m
Remarks:		***Location Method:***	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	1003876318
Layer:	3
Color:	2
General Color:	GREY
Mat1:	05
Most Common Material:	CLAY
Mat2:	06
Other Materials:	SILT
Mat3:	66
Other Materials:	DENSE
Formation Top Depth:	6
Formation End Depth:	8
Formation End Depth UOM:	ft

Formation ID:	1003876317
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	06
Other Materials:	SILT

Mat3:	
Other Materials:	
Formation Top Depth:	2
Formation End Depth:	6
Formation End Depth UOM:	ft

Formation ID:	1003876316
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	01
Most Common Material:	FILL
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	
Formation Top Depth:	0
Formation End Depth:	2
Formation End Depth UOM:	ft

Annular Space/Abandonment Sealing Record

Plug ID:	1003876328
Layer:	3
Plug From:	2
Plug To:	8
Plug Depth UOM:	ft

Plug ID:	1003876327
Layer:	2
Plug From:	.5
Plug To:	2
Plug Depth UOM:	ft

Plug ID:	1003876326
Layer:	1
Plug From:	0
Plug To:	.5
Plug Depth UOM:	ft

Method of Construction & Well Use

Method Construction ID:	1003876325
Method Construction Code:	D
Method Construction:	Direct Push
Other Method Construction:	

Pipe Information

Pipe ID:	1003876315
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	1003876321
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC

Depth From:	0
Depth To:	3
Casing Diameter:	1.25
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Construction Record - Screen

Screen ID:	1003876322
Layer:	1
Slot:	10
Screen Top Depth:	3
Screen End Depth:	8
Screen Material:	5
Screen Depth UOM:	ft
Screen Diameter UOM:	inch
Screen Diameter:	1.5

Water Details

Water ID:	1003876320
Layer:	
Kind Code:	
Kind:	
Water Found Depth:	
Water Found Depth UOM:	ft

Hole Diameter

Hole ID:	1003876319
Diameter:	2.25
Depth From:	0
Depth To:	8
Hole Depth UOM:	ft
Hole Diameter UOM:	inch

---

72 | **2 of 2** | **E/90.0** | **101.9 / -0.95** | **TORONTO ON** | **WWIS**

Well ID:	7162002	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:	Monitoring and Test Hole	**Date Received:**	4/19/2011
Sec. Water Use:	0	**Selected Flag:**	Yes
Final Well Status:	Monitoring and Test Hole	**Abandonment Rec:**	
Water Type:		**Contractor:**	7241
Casing Material:		**Form Version:**	7
Audit No:	Z130952	**Owner:**	
Tag:	A113521	**Street Name:**	454-468 YONGE ST
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	X
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1003501618	***Elevation:***	102.35
DP2BR:		***Elevrc:***	
Spatial Status:		***Zone:***	17
Code OB:		***East83:***	630332
Code OB Desc:		***Org CS:***	UTM83
Open Hole:		***North83:***	4835606
Cluster Kind:		***UTMRC:***	3
Date Completed:	06-APR-11	***UTMRC Desc:***	margin of error : 10 - 30 m
Remarks:		***Location Method:***	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	1003876290
Layer:	2
Color:	2
General Color:	GREY
Mat1:	05
Most Common Material:	CLAY
Mat2:	06
Other Materials:	SILT
Mat3:	28
Other Materials:	SAND
Formation Top Depth:	2
Formation End Depth:	8
Formation End Depth UOM:	ft

Formation ID:	1003876289
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	01
Most Common Material:	FILL
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	
Formation Top Depth:	0
Formation End Depth:	2
Formation End Depth UOM:	ft

Annular Space/Abandonment Sealing Record

Plug ID:	1003876298
Layer:	1
Plug From:	0
Plug To:	.5
Plug Depth UOM:	ft

Plug ID:	1003876299
Layer:	2
Plug From:	.5
Plug To:	2
Plug Depth UOM:	ft

Plug ID:	1003876300
Layer:	3

Plug From:	2
Plug To:	8
Plug Depth UOM:	ft

Method of Construction & Well Use

Method Construction ID:	1003876297
Method Construction Code:	D
Method Construction:	Direct Push
Other Method Construction:	

Pipe Information

Pipe ID:	1003876288
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	1003876293
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0
Depth To:	3
Casing Diameter:	1.25
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Construction Record - Screen

Screen ID:	1003876294
Layer:	1
Slot:	10
Screen Top Depth:	3
Screen End Depth:	8
Screen Material:	5
Screen Depth UOM:	ft
Screen Diameter UOM:	inch
Screen Diameter:	1.5

Water Details

Water ID:	1003876292
Layer:	
Kind Code:	
Kind:	
Water Found Depth:	
Water Found Depth UOM:	ft

Hole Diameter

Hole ID:	1003876291
Diameter:	2.25
Depth From:	0
Depth To:	8
Hole Depth UOM:	ft
Hole Diameter UOM:	inch

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
73	1 of 1	NE/91.5	103.9 / 1.10	THE CLOVER ON YONGE INC. 480-494 Yonge ST Toronto ON M4Y 1X5	EASR

Approval No:	R-009-1110071044	**SWP Area Name:**	Toronto
Status:	REGISTERED	**MOE District:**	Metro Toronto
Date:	2018-02-21	**City:**	Toronto
Record Type:	EASR	**Latitude:**	43.6625
Link Source:	MOFA	**Longitude:**	-79.38361111
Full Address:			
Project Type:	Water Taking - Construction Dewatering		
Approval Type:	EASR-Water Taking - Construction Dewatering		
Full PDF Link:	http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2051332		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
74	1 of 1	N/92.8	105.5 / 2.65	ON	BORE

Borehole ID:	648093	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	630215	**Northing::**	4835763
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	105
Total Depth m::	-999	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	.8
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218521513	**Top Depth(m):**	0.0
Bottom Depth(m):	1.8	**Stratum Desc:**	FILL,STONES.
Stratum ID:	218521514	**Top Depth(m):**	1.8
Bottom Depth(m):	2.7	**Stratum Desc:**	SILT,SAND,CLAY. BROWN,LACUSTRINE,DENSE, AGE GLACIAL, WATER STABLE AT 349.2 FEET.
Stratum ID:	218521515	**Top Depth(m):**	2.7
Bottom Depth(m):	3.4	**Stratum Desc:**	SILT,SAND. BROWN,LACUSTRINE,DENSE, AGE GLACIAL.
Stratum ID:	218521516	**Top Depth(m):**	3.4
Bottom Depth(m):		**Stratum Desc:**	SILT,SAND,CLAY. GREY,LACUSTRINE,DENSE,LAYERED,AGE GLACIAL. 000900210011003000015

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
75	1 of 1	ENE/95.5	103.8 / 0.96	490 Yonge Street Toronto ON M4Y 1X5	EHS

Order ID:	206414	**Date Received:**	4/27/2012 11:12:11 AM
Order No:	20120427016	**Lot/Building Size:**	
Customer ID:	53147	**Municipality:**	
Company ID:	77	**Client Prov/State:**	ON
Status:	C	**Search Radius (km):**	0.25
Report Code:	4CAN	**Large Radius:**	2
Report Type:	Custom Report	**X:**	-79.383804
Report Date:	5/3/2012 11:13:43 AM	**Y:**	43.662776
Report Requested by:	Pinchin Environmental		
Nearest Intersection:			
Previous Site Name:			

Additional Info Ordered:

---

76 **1 of 1** **WNW/96.9** **104.5 / 1.66** **ON** **BORE**

Borehole ID:	648088	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	630065	**Northing::**	4835673
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	-999	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	1
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218521487	**Top Depth(m):**	0.0
Bottom Depth(m):	0.9	**Stratum Desc:**	FILL.
Stratum ID:	218521490	**Top Depth(m):**	10.4
Bottom Depth(m):	11.4	**Stratum Desc:**	SAND,SILT. GREY,LACUSTRINE,AGE GLACIAL.
Stratum ID:	218521491	**Top Depth(m):**	11.4
Bottom Depth(m):		**Stratum Desc:**	TILL,SILT,CLAY. GREY,GLACIAL,VERY HARD, AGE GLACIAL. 000300300010205500340012003750420003 0,
Stratum ID:	218521488	**Top Depth(m):**	0.9
Bottom Depth(m):	3.1	**Stratum Desc:**	TILL,SILT,SAND. BROWN,GLACIAL,DENSE, AGE GLACIAL.
Stratum ID:	218521489	**Top Depth(m):**	3.1
Bottom Depth(m):	10.4	**Stratum Desc:**	TILL,SILT,SAND. GREY,GLACIAL,VERY DENSE, AGE GLACIAL, WATER STABLE AT 348.7 FEET.

---

77 **1 of 2** **NW/98.3** **105.2 / 2.35** **GEN**

ONTARIO REALTY CORPORATION
897 & 901 BAY STREET, SOUTH BLOCK BAY &
WELLESLEY, OPERA CENTRE DVLMT.
TORONTO ON

Generator No.:	ON1964229	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	99,00,01	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	8222		
SIC Description:	CORRECTIONAL SERV.		

--Details--

Waste Code:	221
Waste Description:	LIGHT FUELS
Waste Code:	243
Waste Description:	PCB'S

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
77	2 of 2	NW/98.3	105.2 / 2.35	ONTARIO REALTY CORPORATION 897 & 901 BAY STREET, SOUTH BLOCK BAY & WELLESLEY, OPERA CENTRE DEV. TORONTO ON	GEN

Generator No.:	ON1964229	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	96,97,98	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	8222		
SIC Description:	CORRECTIONAL SERV.		

--Details--

Waste Code:	221
Waste Description:	LIGHT FUELS
Waste Code:	243
Waste Description:	PCB'S

78	1 of 2	NW/99.4	105.2 / 2.35	Toronto Brick Co 897 Bay St Toronto ON M5S 3K6	TANK

Permit Date:	8/30/1927
Permit Type:	BP A7736
User Type:	Brick manufacturer
Installation Type:	Gasoline tank
Installation Size:	
Installation Config.:	1 x Gasoline tank
No. Tanks Installed:	1
Units of Measure:	
Value/Tank ($):	200
Capacity(gal):	
Reference:	CTA Building permits
Location Desc:	

78	2 of 2	NW/99.4	105.2 / 2.35	Toronto Brick Co 897 Bay St Toronto ON M5S 3K6	TANK

Permit Date:	5/4/1927
Permit Type:	BP A4571
User Type:	Brick manufacturer
Installation Type:	Gasoline tank
Installation Size:	
Installation Config.:	1 x Gasoline tank
No. Tanks Installed:	1
Units of Measure:	
Value/Tank ($):	125
Capacity(gal):	
Reference:	CTA Building permits
Location Desc:	

79	1 of 1	S/99.6	100.7 / -2.09	ON	BORE

Borehole ID:	635628	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Diamond Drill	**UTM Zone::**	17

Easting::	630195	**Northing::**	4835483
Location Accuracy::		**Orig. Ground Elev m::**	102
Elev. Reliability Note::		**DEM Ground Elev m::**	101
Total Depth m::	7.6	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::		**Static Water Level::**	-999.9
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218474054	**Top Depth(m):**	0.0
Bottom Depth(m):	0.8	**Stratum Desc:**	FILL.
Stratum ID:	218474055	**Top Depth(m):**	0.8
Bottom Depth(m):	7.6	**Stratum Desc:**	SAND,CLAY. LACUSTRINE,AGE GLACIAL. LAY.

---

80 **1 of 1** **NW/102.2** **104.8 / 1.95** **ON** **BORE**

Borehole ID:	648090	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	630075	**Northing::**	4835713
Location Accuracy::		**Orig. Ground Elev m::**	106
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	-999	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	1
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218521497	**Top Depth(m):**	0.0
Bottom Depth(m):	1.4	**Stratum Desc:**	FILL.
Stratum ID:	218521498	**Top Depth(m):**	1.4
Bottom Depth(m):	3.0	**Stratum Desc:**	TILL,SILT,SAND. BROWN,GLACIAL,DENSE, AGE GLACIAL, WATER STABLE AT 346.0 FEET.
Stratum ID:	218521499	**Top Depth(m):**	3.0
Bottom Depth(m):	4.6	**Stratum Desc:**	SILT-MEDIUM,SAND. GREY,LACUSTRINE,VERY DENSE, LAYERED,AGE GLACIAL.
Stratum ID:	218521500	**Top Depth(m):**	4.6
Bottom Depth(m):	10.1	**Stratum Desc:**	TILL,SILT,CLAY. GREY,GLACIAL,HARD,AGE GLACIAL.
Stratum ID:	218521501	**Top Depth(m):**	10.1
Bottom Depth(m):		**Stratum Desc:**	SAND-MEDIUM,SILT, CLAY. GREY,LACUSTRINE,VERY DENSE, LAYERED,AGE GLACIAL. 00047014001000600015006 0

---

81 **1 of 2** **WNW/103.0** **104.8 / 1.98** **880 Bay St Toronto ON** **EHS**

Order ID:	237897	**Date Received:**	27-FEB-13
Order No:	20130227032	**Lot/Building Size:**	

Customer ID:	90768	**Municipality:**	
Company ID:	26	**Client Prov/State:**	ON
Status:	C	**Search Radius (km):**	.3
Report Code:	20CAN	**Large Radius:**	2
Report Type:	RSC Report (Urban)	**X:**	-79.38739
Report Date:	08-MAR-13	**Y:**	43.66257
Report Requested by:	Conestoga-Rovers & Associates Ltd (CRA)		
Nearest Intersection:			
Previous Site Name:			
Additional Info Ordered:			

81	2 of 2	WNW/103.0	104.8 / 1.98	McLaughlin Motor Car Co 880 Bay St Toronto ON	TANK

Permit Date:	4/16/1925
Permit Type:	BP 86735
User Type:	Auto sales
Installation Type:	Gas tank
Installation Size:	
Installation Config.:	1 x gasoline tank
No. Tanks Installed:	1
Units of Measure:	
Value/Tank ($):	400
Capacity(gal):	
Reference:	CTA Building permits
Location Desc:	Bay cor Grenville

82	1 of 1	E/103.6	102.3 / -0.57	TORONTO CITY YONGE ST./GRENVILLE ST. TORONTO CITY ON	CA

Certificate #:	7-0139-93-
Application Year:	93
Issue Date:	3/10/1993
Approval Type:	Municipal water
Status:	Approved
Application Type:	
Client Name::	
Client Address::	
Client City::	
Client Postal Code::	
Project Description::	
Contaminants::	
Emission Control::	

83	1 of 6	NW/104.3	105.6 / 2.74	Queens Park Health 899 Bay St Toronto ON	GEN

Generator No.:	ON5489061	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	2013	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	621110		
SIC Description:	OFFICES OF PHYSICIANS		

--Details--

Waste Code:	261

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Waste Description: PHARMACEUTICALS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

83 **2 of 6** **NW/104.3** **105.6 / 2.74**

Queens Park Health
899 Bay St
Toronto ON M5S 3K6

GEN

Generator No.: ON5489061
Status:
Approval Years: 2015
Contam. Facility: No
MHSW Facility: No
SIC Code: 621110
SIC Description: OFFICES OF PHYSICIANS

PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 261
Waste Description: PHARMACEUTICALS

---

83 **3 of 6** **NW/104.3** **105.6 / 2.74**

Queens Park Health
899 Bay St
Toronto ON M5S 3K6

GEN

Generator No.: ON5489061
Status:
Approval Years: 2010
Contam. Facility:
MHSW Facility:
SIC Code: 621110
SIC Description: Offices of Physicians

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 261
Waste Description: PHARMACEUTICALS

---

83 **4 of 6** **NW/104.3** **105.6 / 2.74**

Queens Park Health
899 Bay St
Toronto ON M5S 3K6

GEN

Generator No.: ON5489061
Status:
Approval Years: 2016
Contam. Facility: No
MHSW Facility: No
SIC Code: 621110
SIC Description: OFFICES OF PHYSICIANS

PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 261
Waste Description: PHARMACEUTICALS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

83 | **5 of 6** | **NW/104.3** | **105.6 / 2.74** | **Queens Park Health**
899 Bay St
Toronto ON M5S 3K6 | **GEN**

Generator No.: ON5489061
Status:
Approval Years: 2012
Contam. Facility:
MHSW Facility:
SIC Code: 621110
SIC Description: Offices of Physicians

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 261
Waste Description: PHARMACEUTICALS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

83 | **6 of 6** | **NW/104.3** | **105.6 / 2.74** | **Queens Park Health**
899 Bay St
Toronto ON M5S 3K6 | **GEN**

Generator No.: ON5489061
Status:
Approval Years: 2014
Contam. Facility: No
MHSW Facility: No
SIC Code: 621110
SIC Description: OFFICES OF PHYSICIANS

PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 261
Waste Description: PHARMACEUTICALS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

84 | **1 of 4** | **NE/104.7** | **104.8 / 1.98** | **500 Yonge Street**
Toronto ON M4Y 1Y2 | **EHS**

Order ID: 168613
Order No: 20091007030
Customer ID: 77427
Company ID: 93
Status: C
Report Code: 3CAN
Report Type: Standard Report
Report Date: 10/9/2009
Report Requested by: Terraprobe Ltd
Nearest Intersection:
Previous Site Name:
Additional Info Ordered: Fire Insur. Maps and/or Sire Plans; Title Searches; City Directory

Date Received: 10/7/2009
Lot/Building Size:
Municipality:
Client Prov/State: ON
Search Radius (km): 0.25
Large Radius: 2
X: -79.384217
Y: 43.66309

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

84 *2 of 4* *NE/104.7* *104.8 / 1.98*
SYD SILVER (OUT OF BUSINESS)
500 YONGE STREET
TORONTO ON M4Y 1Y2
GEN

Generator No.:	ON0658800	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	90	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	9721		
SIC Description:	POWER LAUND./CLEANER		

84 *3 of 4* *NE/104.7* *104.8 / 1.98*
SYD SILVER FORMALS LTD.
500 YONGE STREET
TORONTO ON M4Y 1Y2
GEN

Generator No.:	ON0658800	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	86,87,88,89	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	9721		
SIC Description:	POWER LAUND./CLEANERS		

--Details--
Waste Code: 241
Waste Description: HALOGENATED SOLVENTS

84 *4 of 4* *NE/104.7* *104.8 / 1.98*
SYD SILVER (OUT OF BUSINESS) **36-282**
500 YONGE STREET
TORONTO ON M4Y 1Y2
GEN

Generator No.:	ON0658800	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	92,93,94,95,96,97,98	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	9721		
SIC Description:	POWER LAUND./CLEANER		

85 *1 of 1* *NW/105.1* *104.9 / 2.04*
ON
BORE

Borehole ID:	648471	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Jetting	**UTM Zone::**	17
Easting::	630075	**Northing::**	4835718
Location Accuracy::		**Orig. Ground Elev m::**	106
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	15.5	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	1.6
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218523138	**Top Depth(m):**	0.0
Bottom Depth(m):	1.5	**Stratum Desc:**	FILL.

Stratum ID:	218523139	**Top Depth(m):**	1.5
Bottom Depth(m):	3.0	**Stratum Desc:**	TILL,SILT,SAND,CLAY.BROWN,GLACIAL,DENSE, AGE GLACIAL.
Stratum ID:	218523140	**Top Depth(m):**	3.0
Bottom Depth(m):	4.6	**Stratum Desc:**	SILT,SAND-MEDIUM, CLAY. GREY,GLACIAL,VERY DENSE, LAYERED,AGE GLACIAL, WATER STABLE AT 344.2 FEET.
Stratum ID:	218523141	**Top Depth(m):**	4.6
Bottom Depth(m):	10.1	**Stratum Desc:**	TILL,SILT,CLAY, GRAVEL. GREY,GLACIAL,DENSE, AGE GLACIAL.
Stratum ID:	218523142	**Top Depth(m):**	10.1
Bottom Depth(m):	15.5	**Stratum Desc:**	SAND,SILT,CLAY. GREY,GLACIAL,DENSE,LAYERED, AGE GLACIAL. 00048037001000600015004800330049000 20

86 **1 of 2** **SSW/106.3** **101.5 / -1.29** **ON** **BORE**

Borehole ID:	635627	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Diamond Drill	**UTM Zone::**	17
Easting::	630165	**Northing::**	4835483
Location Accuracy::		**Orig. Ground Elev m::**	101
Elev. Reliability Note::		**DEM Ground Elev m::**	101
Total Depth m::	17.7	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::		**Static Water Level::**	1.8
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218474051	**Top Depth(m):**	1.4
Bottom Depth(m):	6.7	**Stratum Desc:**	SAND,CLAY. BROWN,DENSE,LAYERED.
Stratum ID:	218474052	**Top Depth(m):**	6.7
Bottom Depth(m):	15.5	**Stratum Desc:**	CLAY. GREY,LACUSTRINE,HARD, AGE GLACIAL, WATER STABLE AT 328.2 FEET.
Stratum ID:	218474053	**Top Depth(m):**	15.5
Bottom Depth(m):	17.7	**Stratum Desc:**	SAND,SILT. GREY,GLACIAL,AGE GLACIAL. 00012
Stratum ID:	218474050	**Top Depth(m):**	0.0
Bottom Depth(m):	1.4	**Stratum Desc:**	FILL,SAND.

86 **2 of 2** **SSW/106.3** **101.5 / -1.29** **ON** **BORE**

Borehole ID:	637077	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	630165	**Northing::**	4835483
Location Accuracy::		**Orig. Ground Elev m::**	101
Elev. Reliability Note::		**DEM Ground Elev m::**	101
Total Depth m::	17.7	**Primary Name::**	
Township::		**Concession::**	

Lot::		**Municipality:**	
Completion Date::	AUG-1956	**Static Water Level::**	.7
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218479535	**Top Depth(m):**	0.0
Bottom Depth(m):	1.4	**Stratum Desc:**	FILL,SAND. LOOSE.
Stratum ID:	218479536	**Top Depth(m):**	1.4
Bottom Depth(m):	6.7	**Stratum Desc:**	SAND,CLAY. BROWN,LACUSTRINE,DENSE, LAYERED,AGE GLACIAL, WATER STABLE AT 332.1 FEET.
Stratum ID:	218479537	**Top Depth(m):**	6.7
Bottom Depth(m):	15.5	**Stratum Desc:**	CLAY. GREY,LACUSTRINE,HARD, AGE GLACIAL.
Stratum ID:	218479538	**Top Depth(m):**	15.5
Bottom Depth(m):	17.7	**Stratum Desc:**	SAND,SILT. GREY,LACUSTRINE,VERY DENSE, AGE GLACIAL. 015 020 022 000

---

87 **1 of 1** **E/107.3** **102.8 / 0.01** **Toronto ON** **WWIS**

Well ID:	7182870	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:	Monitoring and Test Hole	**Date Received:**	6/19/2012
Sec. Water Use:	0	**Selected Flag:**	Yes
Final Well Status:	Test Hole	**Abandonment Rec:**	
Water Type:		**Contractor:**	7241
Casing Material:		**Form Version:**	7
Audit No:	Z150850	**Owner:**	
Tag:	A130996	**Street Name:**	15 WELLESLEY ST EAST
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	WKQ-004989
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1003935661	**Elevation:**	102.8
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:		**East83:**	630340
Code OB Desc:		**Org CS:**	UTM83
Open Hole:		**North83:**	4835642
Cluster Kind:		**UTMRC:**	4
Date Completed:	28-MAY-12	**UTMRC Desc:**	margin of error : 30 m - 100 m
Remarks:		**Location Method:**	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	1004371324
Layer:	2
Color:	2
General Color:	GREY
Mat1:	06
Most Common Material:	SILT
Mat2:	28
Other Materials:	SAND
Mat3:	91
Other Materials:	WATER-BEARING
Formation Top Depth:	11
Formation End Depth:	23
Formation End Depth UOM:	ft

Formation ID:	1004371323
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	01
Other Materials:	FILL
Mat3:	85
Other Materials:	SOFT
Formation Top Depth:	0
Formation End Depth:	11
Formation End Depth UOM:	ft

Annular Space/Abandonment Sealing Record

Plug ID:	1004371334
Layer:	3
Plug From:	12
Plug To:	23
Plug Depth UOM:	ft

Plug ID:	1004371332
Layer:	1
Plug From:	0
Plug To:	1
Plug Depth UOM:	ft

Plug ID:	1004371333
Layer:	2
Plug From:	1
Plug To:	12
Plug Depth UOM:	ft

Method of Construction & Well Use

Method Construction ID:	1004371331
Method Construction Code:	D
Method Construction:	Direct Push
Other Method Construction:	

Pipe Information

Pipe ID:	1004371322
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	1004371327
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0
Depth To:	13
Casing Diameter:	2
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Construction Record - Screen

Screen ID:	1004371328
Layer:	1
Slot:	10
Screen Top Depth:	13
Screen End Depth:	23
Screen Material:	5
Screen Depth UOM:	ft
Screen Diameter UOM:	inch
Screen Diameter:	2.25

Water Details

Water ID:	1004371326
Layer:	
Kind Code:	
Kind:	
Water Found Depth:	
Water Found Depth UOM:	ft

Hole Diameter

Hole ID:	1004371325
Diameter:	8
Depth From:	0
Depth To:	23
Hole Depth UOM:	ft
Hole Diameter UOM:	inch

88	1 of 1	NE/107.5	104.7 / 1.86	496 Yonge Street Toronto ON M4Y 1X9	EHS

Order ID:	176082	**Date Received:**	7/15/2010
Order No:	20100715004	**Lot/Building Size:**	
Customer ID:	55267	**Municipality:**	
Company ID:	333	**Client Prov/State:**	ON
Status:	C	**Search Radius (km):**	0.25
Report Code:	3CAN	**Large Radius:**	2
Report Type:	Standard Report	**X:**	-79.384049
Report Date:	7/23/2010	**Y:**	43.663071
Report Requested by:	AMEC Earth & Environmental		
Nearest Intersection:			
Previous Site Name:			

Additional Info Ordered: Fire Insur. Maps and/or Site Plans

---

89 **1 of 2** **ESE/109.5** **100.9 / -1.91**

CANADIAN IMPERIAL BANK OF COMMERCE
2 COLLEGE STREET WEST
TORONTO ON M5G 1K3

GEN

Generator No.:	ON0816111	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	99,00,01	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	7021		
SIC Description:	CHARTERED BANK		

--Details--
Waste Code: 243
Waste Description: PCB'S

---

89 **2 of 2** **ESE/109.5** **100.9 / -1.91**

CIBC DEVELOPMENT CORPORATION
2 COLLEGE STREET WEST
TORONTO ON M5G 1K3

GEN

Generator No.:	ON0816111	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	94,95,96,97,98	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	7021		
SIC Description:	CHARTERED BANK		

--Details--
Waste Code: 243
Waste Description: PCB'S

---

90 **1 of 1** **NW/110.7** **105.6 / 2.74**

ON

BORE

Borehole ID:	635638	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Diamond Drill	**UTM Zone::**	17
Easting::	630085	**Northing::**	4835738
Location Accuracy::		**Orig. Ground Elev m::**	106
Elev. Reliability Note::		**DEM Ground Elev m::**	105
Total Depth m::	9.1	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	1900	**Static Water Level::**	-999.9
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218474091	**Top Depth(m):**	0.0
Bottom Depth(m):	1.5	**Stratum Desc:**	FILL.
Stratum ID:	218474092	**Top Depth(m):**	1.5
Bottom Depth(m):	2.9	**Stratum Desc:**	SAND. FLUVIO-GLACIAL,AGE GLACIAL.
Stratum ID:	218474093	**Top Depth(m):**	2.9
Bottom Depth(m):	9.1	**Stratum Desc:**	SAND,CLAY. FLUVIO-GLACIAL,WET, AGE

GLACIAL. AGE GLACIAL

91 | **1 of 1** | **W/111.3** | **103.8 / 0.99** | **UNKNOWN**
50 AND 60 GROSVENOR ST, LANEWAY BETWEEN
TORONTO CITY ON M7A 1N8 | **SPL**

Ref No:	162968	**Discharger Report:**	
Site No:		**Material Group:**	
Incident Dt:	12/16/1998	**Client Type:**	
Year:		**Sector Type:**	
Incident Cause:	UNKNOWN	**Source Type:**	
Incident Event:		**Nearest Watercourse:**	
Contaminant Code:		**Site Name:**	
Contaminant Name:		**Site Address:**	
Contaminant Limit 1:		**Site District Office:**	
Contam Limit Freq 1:		**Site County/District:**	
Contaminant UN No 1:		**Site Postal Code:**	
Contaminant Qty:		**Site Region:**	
Environment Impact:	NOT ANTICIPATED	**Site Municipality:**	01106
Nature of Impact:		**Site Lot:**	
Receiving Medium:	LAND	**Site Conc:**	
Receiving Env:		**Northing:**	
Health/Env Conseq:		**Easting:**	TORONTO F/D
MOE Response:		**Site Geo Ref Accu:**	
Dt MOE Arvl on Scn:		**Site Geo Ref Meth:**	
MOE Reported Dt:	12/16/1998	**Site Map Datum:**	
Dt Document Closed:			
SAC Action Class:			

Incident Reason: UNKNOWN
Incident Summary: UKN SRC-1/2 L VARSOL SPILLED TO PAVEMENT, NO C-BASINS. CLEANED BY F/D.

92 | **1 of 1** | **WSW/113.9** | **102.9 / 0.07** | **832 Bay Properties Limited**
832 and 860 Bay Street, Toronto, Ontario , M5S 1Z6
ON | **RSC**

Reg No:	45834	**Cert Date:**	26-Nov-08
RA No:		**Cert Prop Use No:**	No CPU
RSC Type:		**Intended Prop Use:**	Residential
Curr Property Use:	Commercial	**Nm of Qual. Person:**	Mr. Mark Mandelbaum
District Office:	TORONTO	**Stratified (Y/N):**	
Date Submitted:	10-Dec-08	**Audit (Y/N):**	
Date Ack:		**Entire Leg Prop. (Y/N):**	Yes
Date Returned:		**Accuracy Estimate:**	21 to 100 meters
Restoration Type:		**Telephone:**	416-6357520
Soil Type:		**Fax:**	416-6359921
Criteria:		**Email:**	mmandelbaum@hr-dev.com
CPU Issued Sect 1686:	No		

Asmt Roll No: 1904068-12000500
Prop. ID No: 21415-0124 (LT)
Property Municipal Address: 832 and 860 Bay Street, Toronto, Ontario , M5S 1Z6
Mailing Address: 3625 Dufferin Street, Suite 500, Downsview, Ontario , M3K 1N4
Latitude & Latitude: 43.66157150N 79.38668350W (converted from UTM)
UTM Coordinates: NAD83 17-630080-4835550
Consultant:
Filing Owner:
Legal Desc: PT LTS 150 TO 158 INCLUSIVE PL 159 TORONTO DESIGNATED AS PT 1 PL 66R23435; CITY OF TORONTO S/T EASEMENT AS IN AT1862693.
Measurement Method: Interpolation from a map
Applicable Standards: Full Depth Site Conditions Standard, with Nonpotable Ground Water, Coarse Textured Soil, for

Residential/Parkland/Institutional property use

RSC PDF:

---

93 ***1 of 1*** ***WNW/115.1*** ***104.8 / 2.01*** ***ON*** ***BORE***

Borehole ID:	648089	***Type:***	Borehole
Use:	Geotechnical/Geological Investigation	***Status::***	
Drill Method::	Power auger	***UTM Zone::***	17
Easting::	630055	***Northing::***	4835703
Location Accuracy::		***Orig. Ground Elev m::***	107
Elev. Reliability Note::		***DEM Ground Elev m::***	106
Total Depth m::	-999	***Primary Name::***	
Township::		***Concession::***	
Lot::		***Municipality:***	
Completion Date::	SEP-1963	***Static Water Level::***	1.1
Primary Water Use::	Not Used	***Sec. Water Use::***	

--Details--

Stratum ID:	218521492	***Top Depth(m):***	0.0
Bottom Depth(m):	1.5	***Stratum Desc:***	FILL.
Stratum ID:	218521493	***Top Depth(m):***	1.5
Bottom Depth(m):	3.0	***Stratum Desc:***	TILL,SILT,SAND. BROWN,GLACIAL,DENSE, AGE GLACIAL, WATER STABLE AT 348.0 FEET.
Stratum ID:	218521494	***Top Depth(m):***	3.0
Bottom Depth(m):	10.7	***Stratum Desc:***	TILL,SILT,SAND. GREY,GLACIAL,VERY DENSE, AGE GLACIAL.
Stratum ID:	218521495	***Top Depth(m):***	10.7
Bottom Depth(m):	13.7	***Stratum Desc:***	SAND,SILT. GREY,LACUSTRINE,VERY DENSE, AGE GLACIAL.
Stratum ID:	218521496	***Top Depth(m):***	13.7
Bottom Depth(m):		***Stratum Desc:***	TILL,SILT,CLAY. GREY,GLACIAL,VERY DENSE, AGE GLACIAL. 000500170009804500350066004500660001 6

---

94 ***1 of 1*** ***NNE/116.6*** ***105.5 / 2.68*** ***T-Swirl Crepe <UNOFFICIAL>*** ***510 Yonge Street*** ***Toronto ON*** ***SPL***

Ref No:	3025-AVCSJU	***Discharger Report:***	
Site No:	NA	***Material Group:***	
Incident Dt:	2018/01/24	***Client Type:***	
Year:		***Sector Type:***	Miscellaneous Communal
Incident Cause:		***Source Type:***	Other
Incident Event:	Operator/Human error	***Nearest Watercourse:***	
Contaminant Code:		***Site Name:***	T-Swirl Crepe (Qin Star Inc.) <UNOFFICIAL>
Contaminant Name:		***Site Address:***	510 Yonge Street
Contaminant Limit 1:		***Site District Office:***	Toronto - District
Contam Limit Freq 1:		***Site County/District:***	
Contaminant UN No 1:		***Site Postal Code:***	
Contaminant Qty:		***Site Region:***	Central
Environment Impact:		***Site Municipality:***	Toronto
Nature of Impact:		***Site Lot:***	
Receiving Medium:		***Site Conc:***	
Receiving Env:	Land	***Northing:***	
Health/Env Conseq:	2 - Minor Environment	***Easting:***	
MOE Response:	No	***Site Geo Ref Accu:***	

Dt MOE Arvl on Scn:		**Site Geo Ref Meth:**	
MOE Reported Dt:	2018/01/25	**Site Map Datum:**	
Dt Document Closed:			
SAC Action Class:	Land Spills		
Incident Reason:	Operator/Human Error		
Incident Summary:	T-Swirl Crepe: Grease/ water to cb, clned cnted.		

95 **1 of 1** **WSW/116.9** **102.9 / 0.06** **TORONTO ON** **WWIS**

Well ID:	7156067	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:	Dewatering	**Date Received:**	12/9/2010
Sec. Water Use:		**Selected Flag:**	Yes
Final Well Status:	Dewatering	**Abandonment Rec:**	
Water Type:		**Contractor:**	7341
Casing Material:		**Form Version:**	7
Audit No:	Z112413	**Owner:**	
Tag:	A065458	**Street Name:**	76 GRENVILLE ST
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1003434829	**Elevation:**	103.61
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:		**East83:**	630075
Code OB Desc:		**Org CS:**	UTM83
Open Hole:		**North83:**	4835552
Cluster Kind:		**UTMRC:**	3
Date Completed:	29-NOV-10	**UTMRC Desc:**	margin of error : 10 - 30 m
Remarks:		**Location Method:**	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	1003731752
Layer:	2
Color:	2
General Color:	GREY
Mat1:	28
Most Common Material:	SAND
Mat2:	06
Other Materials:	SILT
Mat3:	
Other Materials:	

Formation Top Depth:	4
Formation End Depth:	14.6
Formation End Depth UOM:	m
Formation ID:	1003731751
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	06
Other Materials:	SILT
Mat3:	11
Other Materials:	GRAVEL
Formation Top Depth:	0
Formation End Depth:	4
Formation End Depth UOM:	m

Annular Space/Abandonment Sealing Record

Plug ID:	1003731760
Layer:	1
Plug From:	0
Plug To:	14.6
Plug Depth UOM:	m

Method of Construction & Well Use

Method Construction ID:	1003731758
Method Construction Code:	8
Method Construction:	Jetting
Other Method Construction:	

Pipe Information

Pipe ID:	1003731750
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	1003731755
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0
Depth To:	14.6
Casing Diameter:	5.41
Casing Diameter UOM:	cm
Casing Depth UOM:	m

Construction Record - Screen

Screen ID:	1003731756
Layer:	
Slot:	
Screen Top Depth:	
Screen End Depth:	
Screen Material:	

Screen Depth UOM: m
Screen Diameter UOM: cm
Screen Diameter:

Water Details

Water ID: 1003731754
Layer:
Kind Code:
Kind:
Water Found Depth:
Water Found Depth UOM: m

Hole Diameter

Hole ID: 1003731753
Diameter: 30
Depth From: 0
Depth To: 14.6
Hole Depth UOM: m
Hole Diameter UOM: cm

---

96 **1 of 1** **WNW/117.5** **104.8 / 1.98** **ON** **BORE**

Borehole ID:	648468	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Jetting	**UTM Zone::**	17
Easting::	630045	**Northing::**	4835678
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	15.4	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	1.6
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218523121	**Top Depth(m):**	0.0
Bottom Depth(m):	0.5	**Stratum Desc:**	FILL.
Stratum ID:	218523122	**Top Depth(m):**	0.5
Bottom Depth(m):	0.9	**Stratum Desc:**	SILT,SAND,CLAY. BROWN,GLACIAL,AGE GLACIAL.
Stratum ID:	218523123	**Top Depth(m):**	0.9
Bottom Depth(m):	3.1	**Stratum Desc:**	TILL,SILT,SAND,CLAY.BROWN,GLACIAL,DENSE, AGE GLACIAL.
Stratum ID:	218523124	**Top Depth(m):**	3.1
Bottom Depth(m):	10.4	**Stratum Desc:**	TILL,SILT,SAND,CLAY.GREY,BROWN,GLACIAL,VERY DENSE,AGE GLACIAL, WATER STABLE AT 347.0 FEET.
Stratum ID:	218523125	**Top Depth(m):**	10.4
Bottom Depth(m):	11.4	**Stratum Desc:**	SAND-MEDIUM,SILT. GREY,GLACIAL,AGE GLACIAL.
Stratum ID:	218523126	**Top Depth(m):**	11.4
Bottom Depth(m):	15.4	**Stratum Desc:**	TILL,SILT,CLAY, GRAVEL. GREY,GLACIAL,VERY HARD, LAYERED,AGE GLACIAL. 00015011000300430010206800 34

97 **1 of 1** **SW/117.6** **101.8 / -0.98** **ON** **BORE**

Borehole ID:	649114	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	630115	**Northing::**	4835513
Location Accuracy::		**Orig. Ground Elev m::**	103
Elev. Reliability Note::		**DEM Ground Elev m::**	102
Total Depth m::	9.4	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	AUG-1958	**Static Water Level::**	.9
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218525782	**Top Depth(m):**	0.0
Bottom Depth(m):	1.2	**Stratum Desc:**	SAND,SILT. BROWN.
Stratum ID:	218525783	**Top Depth(m):**	1.2
Bottom Depth(m):	2.4	**Stratum Desc:**	SAND-MEDIUM TO COARSE,SILT. GREY,LACUSTRINE,AGE GLACIAL, WATER STABLE AT 335.9 FEET.
Stratum ID:	218525784	**Top Depth(m):**	2.4
Bottom Depth(m):	3.4	**Stratum Desc:**	SAND-MEDIUM TO COARSE. GREY,LACUSTRINE,AGE GLACIAL.
Stratum ID:	218525785	**Top Depth(m):**	3.4
Bottom Depth(m):	4.9	**Stratum Desc:**	SILT,CLAY. GREY,LACUSTRINE,HARD, AGE GLACIAL.
Stratum ID:	218525786	**Top Depth(m):**	4.9
Bottom Depth(m):	6.1	**Stratum Desc:**	SAND. GREY,LACUSTRINE,DENSE, AGE GLACIAL.
Stratum ID:	218525787	**Top Depth(m):**	6.1
Bottom Depth(m):	9.4	**Stratum Desc:**	SILT,CLAY. GREY,LACUSTRINE,HARD,LAYERED, AGE GLACIAL. 016 014 014

98 **1 of 1** **WNW/119.7** **104.8 / 2.01** **ON** **BORE**

Borehole ID:	648470	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Jetting	**UTM Zone::**	17
Easting::	630050	**Northing::**	4835703
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	15.4	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	-999.9
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218523134	**Top Depth(m):**	1.5
Bottom Depth(m):	3.0	**Stratum Desc:**	TILL,SILT,SAND,CLAY.BROWN,GLACIAL,AGE GLACIAL.

Stratum ID:	218523135	**Top Depth(m):**	3.0
Bottom Depth(m):	10.7	**Stratum Desc:**	TILL,SILT,SAND,CLAY.GREY,GLACIAL,VERY DENSE, LAYERED,AGE GLACIAL.
Stratum ID:	218523136	**Top Depth(m):**	10.7
Bottom Depth(m):	13.7	**Stratum Desc:**	SAND,SILT. GREY,GLACIAL,VERY DENSE, AGE GLACIAL.
Stratum ID:	218523137	**Top Depth(m):**	13.7
Bottom Depth(m):	15.4	**Stratum Desc:**	TILL,SILT,CLAY, GRAVEL. GREY,GLACIAL,VERY DENSE, LAYERED,AGE GLACIAL. 0005001700098050003500660 04
Stratum ID:	218523133	**Top Depth(m):**	0.0
Bottom Depth(m):	1.5	**Stratum Desc:**	FILL,SAND,SILT,CLAY.

99 **1 of 1** **W/119.9** **103.7 / 0.92**

Women's College Hospital
51 GROSVENOR ST, TORONTO, ON, M5S 1B6
ON M5S 1B5

RSC

Reg No:	92114	**Cert Date:**	6-Aug-09
RA No:		**Cert Prop Use No:**	No CPU
RSC Type:		**Intended Prop Use:**	Residential
Curr Property Use:	Residential	**Nm of Qual. Person:**	Dan Hill
District Office:	TORONTO	**Stratified (Y/N):**	
Date Submitted:	3-Dec-10	**Audit (Y/N):**	
Date Ack:		**Entire Leg Prop. (Y/N):**	Yes
Date Returned:		**Accuracy Estimate:**	11 to 20 meters
Restoration Type:		**Telephone:**	416-3237301
Soil Type:		**Fax:**	416-3236122
Criteria:		**Email:**	dan.hill@wchospital.ca
CPU Issued Sect 1686:	No		

Asmt Roll No: 19-04-06-8-120-00300-0000-0 2
Prop. ID No: 21415-0013 (LT)
Property Municipal Address: 51 GROSVENOR ST, TORONTO, ON, M5S 1B6
Mailing Address: 76 GRENVILLE ST, TORONTO, ON, M5S 1B2
Latitude & Latitude: 43.66206950N 79.38688100W
UTM Coordinates: NAD83 17-630063-4835605 (converted from Latitude & Longitude)
Consultant:
Filing Owner:
Legal Desc: PCL 142-1 SEC A159; LT 142 S/S GROSVENOR ST PL 159 TORONTO; LT 145 S/S GROSVENOR ST PL 159 TORONTO; LT 146 S/S GROSVENOR ST PL 159 TORONTO; LT 149 S/S GROSVENOR ST PL 159 TORONTO; S/T E298997 ASSIGNED BY E298998; TORONTO, CITY OF TORONTO
Measurement Method: Digitized from a map
Applicable Standards: Full Depth Site Conditions Standard, with Nonpotable Ground Water, Coarse Textured Soil, for Residential/Parkland/Institutional property use
RSC PDF:

100 **1 of 1** **SSW/120.2** **101.5 / -1.36**

ON

BORE

Borehole ID:	649117	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	630135	**Northing::**	4835483
Location Accuracy::		**Orig. Ground Elev m::**	103
Elev. Reliability Note::		**DEM Ground Elev m::**	101
Total Depth m::	15.5	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	AUG-1958	**Static Water Level::**	.6

Primary Water Use:: Not Used **Sec. Water Use::**

--Details--

Stratum ID:	218525797	**Top Depth(m):**	0.0
Bottom Depth(m):	2.1	**Stratum Desc:**	SAND,SILT,ORGANIC. BROWN.
Stratum ID:	218525798	**Top Depth(m):**	2.1
Bottom Depth(m):	3.7	**Stratum Desc:**	SILT,CLAY. GREY,LACUSTRINE,HARD,LAYERED, AGE GLACIAL, WATER STABLE AT 336.0 FEET.
Stratum ID:	218525799	**Top Depth(m):**	3.7
Bottom Depth(m):	4.1	**Stratum Desc:**	SAND,SILT,CLAY. BROWN,GREY,LACUSTRINE, AGE GLACIAL.
Stratum ID:	218525800	**Top Depth(m):**	4.1
Bottom Depth(m):	6.2	**Stratum Desc:**	SILT,CLAY. GREY,LACUSTRINE,HARD,LAYERED, AGE GLACIAL.
Stratum ID:	218525801	**Top Depth(m):**	6.2
Bottom Depth(m):	7.0	**Stratum Desc:**	SAND. GREY,LACUSTRINE,DENSE, AGE GLACIAL.
Stratum ID:	218525802	**Top Depth(m):**	7.0
Bottom Depth(m):	13.4	**Stratum Desc:**	SILT,CLAY. GREY,LACUSTRINE,HARD,LAYERED, AGE GLACIAL.
Stratum ID:	218525803	**Top Depth(m):**	13.4
Bottom Depth(m):	15.5	**Stratum Desc:**	SAND-MEDIUM. GREY,LACUSTRINE,DENSE, AGE GLACIAL. 019 019 016

---

101 **1 of 1** **NNE/121.5** **105.5 / 2.68**

Federal Combustion Corp
514 Yonge St
Toronto ON M4Y 1X9

TANK

Permit Date:	6/24/1926
Permit Type:	BP 97585
User Type:	
Installation Type:	Fuel oil tank
Installation Size:	
Installation Config.:	1 x fuel oil tank
No. Tanks Installed:	1
Units of Measure:	
Value/Tank ($):	25
Capacity(gal):	
Reference:	CTA Building permits
Location Desc:	

---

102 **1 of 1** **NNE/122.0** **105.1 / 2.30**

506 - 512 Yonge Street
Toronto ON M4Y 1X9

EHS

Order ID:	200298	**Date Received:**	1/4/2012 9:54:02 AM
Order No:	20120104005	**Lot/Building Size:**	
Customer ID:	53147	**Municipality:**	
Company ID:	77	**Client Prov/State:**	ON
Status:	C	**Search Radius (km):**	0.25
Report Code:	4CAN	**Large Radius:**	2
Report Type:	Custom Report	**X:**	-79.384079
Report Date:	1/10/2012 9:54:02 AM	**Y:**	43.663425

Report Requested by: Pinchin Environmental
Nearest Intersection:
Previous Site Name:
Additional Info Ordered:

---

103 | **1 of 1** | **ENE/122.5** | **102.9 / 0.07** | **ON** | **WWIS**

Well ID:	7274391	**Data Entry Status:**	Yes
Construction Date:		**Data Src:**	
Primary Water Use:		**Date Received:**	11/7/2016
Sec. Water Use:		**Selected Flag:**	Yes
Final Well Status:		**Abandonment Rec:**	
Water Type:		**Contractor:**	7147
Casing Material:		**Form Version:**	8
Audit No:	C35636	**Owner:**	
Tag:	A198632	**Street Name:**	
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1006287934	**Elevation:**	102.98
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:		**East83:**	630351
Code OB Desc:		**Org CS:**	UTM83
Open Hole:		**North83:**	4835657
Cluster Kind:		**UTMRC:**	4
Date Completed:		**UTMRC Desc:**	margin of error : 30 m - 100 m
Remarks:		**Location Method:**	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

---

104 | **1 of 1** | **W/123.2** | **104.1 / 1.26** | **TORONTO ON** | **WWIS**

Well ID:	7210961	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:	Monitoring and Test Hole	**Date Received:**	11/12/2013
Sec. Water Use:		**Selected Flag:**	Yes
Final Well Status:	Monitoring and Test Hole	**Abandonment Rec:**	
Water Type:		**Contractor:**	7241
Casing Material:		**Form Version:**	7
Audit No:	Z179219	**Owner:**	
Tag:	A154018	**Street Name:**	80 GROSVENOR STREET
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	

Depth to Bedrock:		***Lot:***	
Well Depth:		***Concession:***	
Overburden/Bedrock:		***Concession Name:***	
Pump Rate:		***Easting NAD83:***	
Static Water Level:		***Northing NAD83:***	
Flowing (Y/N):		***Zone:***	
Flow Rate:		***UTM Reliability:***	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1004628130	***Elevation:***	106.15
DP2BR:		***Elevrc:***	
Spatial Status:		***Zone:***	17
Code OB:		***East83:***	630037
Code OB Desc:		***Org CS:***	UTM83
Open Hole:		***North83:***	4835655
Cluster Kind:		***UTMRC:***	4
Date Completed:	27-SEP-13	***UTMRC Desc:***	margin of error : 30 m - 100 m
Remarks:		***Location Method:***	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	1004886195
Layer:	1
Color:	2
General Color:	GREY
Mat1:	01
Most Common Material:	FILL
Mat2:	11
Other Materials:	GRAVEL
Mat3:	91
Other Materials:	WATER-BEARING
Formation Top Depth:	0
Formation End Depth:	20
Formation End Depth UOM:	ft

Annular Space/Abandonment Sealing Record

Plug ID:	1004886205
Layer:	2
Plug From:	.5
Plug To:	9
Plug Depth UOM:	ft
Plug ID:	1004886206
Layer:	3
Plug From:	9
Plug To:	20
Plug Depth UOM:	ft
Plug ID:	1004886204
Layer:	1
Plug From:	0
Plug To:	.5

Plug Depth UOM: ft

Method of Construction & Well Use

Method Construction ID: 1004886203
Method Construction Code: 2
Method Construction: Rotary (Convent.)
Other Method Construction: DIRECT PUSH

Pipe Information

Pipe ID: 1004886194
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1004886199
Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From: 0
Depth To: 10
Casing Diameter: 2
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1004886200
Layer: 1
Slot: 10
Screen Top Depth: 10
Screen End Depth: 20
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 2.25

Water Details

Water ID: 1004886198
Layer:
Kind Code:
Kind:
Water Found Depth:
Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1004886196
Diameter: 8
Depth From: 0
Depth To: 1
Hole Depth UOM: ft
Hole Diameter UOM: inch

Hole ID: 1004886197
Diameter: 6

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Depth From:	1
Depth To:	20
Hole Depth UOM:	ft
Hole Diameter UOM:	inch

105	1 of 2	NNE/124.1	105.8 / 2.98	514 - 516 Yonge Street Toronto ON	EHS

Order ID:	559716	**Date Received:**	14-FEB-18
Order No:	20180214008	**Lot/Building Size:**	
Customer ID:	53147	**Municipality:**	
Company ID:	77	**Client Prov/State:**	ON
Status:	C	**Search Radius (km):**	.25
Report Code:	3CAN	**Large Radius:**	.3
Report Type:	Standard Report	**X:**	-79.384231
Report Date:	20-FEB-18	**Y:**	43.663543
Report Requested by:	Pinchin Ltd.		
Nearest Intersection:			
Previous Site Name:			
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans		

105	2 of 2	NNE/124.1	105.8 / 2.98	Wilson [Franklin] Motors 516 Yonge St Toronto ON M4Y 1X9	TANK

Permit Date:	1930
Permit Type:	BP A33232
User Type:	Garage
Installation Type:	Gasoline tank
Installation Size:	
Installation Config.:	1 x gasoline tank
No. Tanks Installed:	1
Units of Measure:	
Value/Tank ($):	250
Capacity(gal):	
Reference:	CTA Building permits
Location Desc:	rear 516 Yonge St

106	1 of 6	SE/124.2	99.9 / -2.97	Ministry of Community Safety and Correctional Services 21 College Street Toronto ON	CA

Certificate #:	2390-6SRPEQ
Application Year:	2006
Issue Date:	8/22/2006
Approval Type:	Air
Status:	Approved
Application Type:	
Client Name::	
Client Address::	
Client City::	
Client Postal Code::	
Project Description::	
Contaminants::	
Emission Control::	

106	2 of 6	SE/124.2	99.9 / -2.97	The Toronto-Dominion Bank 21 College Street, 5th Floor Toronto ON	CA

Certificate #: 2969-6BWHZK
Application Year: 2005
Issue Date: 5/20/2005
Approval Type: Air
Status: Approved
Application Type:
Client Name::
Client Address::
Client City::
Client Postal Code::
Project Description::
Contaminants::
Emission Control::

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
106	3 of 6	SE/124.2	99.9 / -2.97	The Toronto-Dominion Bank 21 College Street, 5th Floor Toronto Ontario M9V 1H5 Toronto ON	EBR

Company Name: The Toronto-Dominion Bank
EBR Registry No.: IA04E1743
Ministry Ref. No.: 2412-67FKQM
Notice Type: Instrument Decision
Notice Date: October 24, 2006
Proposal Date: December 14, 2004
Year: 2004
Proponent Address: 100 Wellington St. West, 30th Floor, Toronto Ontario, M5K 1A2
Instrument Type: (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)
Location Other:

Location:

21 College Street, 5th Floor Toronto Ontario M9V 1H5 Toronto

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
106	4 of 6	SE/124.2	99.9 / -2.97	TORONTO DOMINION BANK TD BANK CENTRAL COMPUTING FACILITY TD CENTRE, 21 COLLEGE STREET TORONTO ON M5G 2B3	GEN

Generator No.: ON0872501
Status:
Approval Years: 99,00,01
Contam. Facility:
MHSW Facility:
SIC Code: 7021
SIC Description: CHARTERED BANK

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
106	5 of 6	SE/124.2	99.9 / -2.97	TORONTO DOMINION BANK TD BANK CENTRAL COMPUTING FACILITY 21 COLLEGE ST. BOX 1 TD CENTRE TORONTO ON M5G 2B3	GEN

Generator No.: ON0872501
Status:

PO Box No.:
Country:

Approval Years:	86,87,88,89,90,92,93,97,98	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	0000		
SIC Description:	*** NOT DEFINED ***		

--Details--

Waste Code:	264
Waste Description:	PHOTOPROCESSING WASTES

---

106 | **6 of 6** | **SE/124.2** | **99.9 / -2.97** | **TORONTO DOMINION BANK 38-327**
TD BANK CENTRAL COMPUTING FACILITY 21
COLLEGE ST. BOX 1 TD CENTRE
TORONTO ON M5G 2B3 | **GEN**

Generator No.:	ON0872501	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	94,95,96	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	7021		
SIC Description:	CHARTERED BANK		

--Details--

Waste Code:	264
Waste Description:	PHOTOPROCESSING WASTES

---

107 | **1 of 1** | **SSW/125.1** | **101.8 / -1.02** | **ON** | **BORE**

Borehole ID:	649116	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	630115	**Northing::**	4835493
Location Accuracy::		**Orig. Ground Elev m::**	103
Elev. Reliability Note::		**DEM Ground Elev m::**	101
Total Depth m::	7.9	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	AUG-1958	**Static Water Level::**	.3
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218525792	**Top Depth(m):**	0.0
Bottom Depth(m):	1.2	**Stratum Desc:**	FILL,SAND. BROWN.
Stratum ID:	218525793	**Top Depth(m):**	1.2
Bottom Depth(m):	3.4	**Stratum Desc:**	SAND-FINE TO MEDIUM.BROWN,LACUSTRINE,DENSE, AGE GLACIAL, WATER STABLE AT 339.9 FEET.
Stratum ID:	218525794	**Top Depth(m):**	3.4
Bottom Depth(m):	4.6	**Stratum Desc:**	SILT,CLAY. GREY,LACUSTRINE,HARD,LAYERED, AGE GLACIAL.
Stratum ID:	218525795	**Top Depth(m):**	4.6
Bottom Depth(m):	5.2	**Stratum Desc:**	SAND-MEDIUM. GREY,LACUSTRINE,DENSE, AGE GLACIAL.

Stratum ID:	218525796	**Top Depth(m):**	5.2
Bottom Depth(m):	7.9	**Stratum Desc:**	SILT,CLAY. GREY,LACUSTRINE,HARD,LAYERED, AGE GLACIAL. 019 022018042 013

108 | **1 of 1** | **W/125.6** | **104.1 / 1.26** | **ON** | **BORE**

Borehole ID:	635600	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Diamond Drill	**UTM Zone::**	17
Easting::	630035	**Northing::**	4835653
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	-999	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::		**Static Water Level::**	3
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218473924	**Top Depth(m):**	16.8
Bottom Depth(m):	23.2	**Stratum Desc:**	CLAY,SILT,SAND. GLACIAL,VERY HARD,AGE GLACIAL.
Stratum ID:	218473925	**Top Depth(m):**	23.2
Bottom Depth(m):	25.9	**Stratum Desc:**	TILL,CLAY,SILT,SAND.GLACIAL,VERY DENSE, AGE GLACIAL.
Stratum ID:	218473926	**Top Depth(m):**	25.9
Bottom Depth(m):	28.6	**Stratum Desc:**	TILL,SILT,CLAY,SAND.GLACIAL,DENSE,AGE GLACIAL.
Stratum ID:	218473927	**Top Depth(m):**	28.6
Bottom Depth(m):		**Stratum Desc:**	SHALE,LIMESTONE. MARINE,AGE ORDOVICIAN. 00030
Stratum ID:	218473919	**Top Depth(m):**	0.0
Bottom Depth(m):	1.2	**Stratum Desc:**	SILT,SAND.
Stratum ID:	218473920	**Top Depth(m):**	1.2
Bottom Depth(m):	3.0	**Stratum Desc:**	TILL,SILT,SAND,CLAY.BROWN,GLACIAL,DENSE, AGE GLACIAL.
Stratum ID:	218473921	**Top Depth(m):**	3.0
Bottom Depth(m):	10.4	**Stratum Desc:**	TILL,SILT,SAND,CLAY.GREY,GLACIAL,VERY DENSE, AGE GLACIAL, WATER STABLE AT 343.3 FEET.
Stratum ID:	218473922	**Top Depth(m):**	10.4
Bottom Depth(m):	12.2	**Stratum Desc:**	SAND-MEDIUM,SILT. GREY,GLACIAL,AGE GLACIAL.
Stratum ID:	218473923	**Top Depth(m):**	12.2
Bottom Depth(m):	16.8	**Stratum Desc:**	TILL,SILT,CLAY,SAND.GREY,GLACIAL,AGE GLACIAL.

109 | **1 of 3** | **NNW/125.9** | **105.7 / 2.92** | **MINISTRY OF GOVERNMENT SERVICES 26-397 34 BREADALBANE ST. C/O 25 GROCVENOR ST. 1ST FLOOR TORONTO ON M4Y 1A9** | **GEN**

Generator No.:	ON0123931	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	92,93,94,95,96,97	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	8259		
SIC Description:	OTHER GEN. ADMIN.		

--Details--

Waste Code:	252
Waste Description:	WASTE OILS & LUBRICANTS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
109	2 of 3	NNW/125.9	105.7 / 2.92	MINISTRY OF GOVERNMENT SERVICES 34 BREADALBANE ST. C/O 25 GROCVENOR ST. 1ST FLOOR TORONTO ON M4Y 1A9	GEN

Generator No.:	ON0123931	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	90	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	8259		
SIC Description:	OTHER GEN. ADMIN.		

--Details--

Waste Code:	252
Waste Description:	WASTE OILS & LUBRICANTS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
109	3 of 3	NNW/125.9	105.7 / 2.92	MINISTRY OF GOVERNMENT SERVICES 34 BREADALBANE STREET TORONTO ON M4Y 1A9	GEN

Generator No.:	ON0123931	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	98	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	8259		
SIC Description:	OTHER GEN. ADMIN.		

--Details--

Waste Code:	252
Waste Description:	WASTE OILS & LUBRICANTS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
110	1 of 1	SSW/126.1	101.5 / -1.36	College Auto Washing Station 796 Bay St Toronto ON	TANK

Permit Date:	1923
Permit Type:	To install
User Type:	Auto washing
Installation Type:	Gasoline tank & pump
Installation Size:	500
Installation Config.:	1 x 500 gallon Gasoline tank & pump
No. Tanks Installed:	1
Units of Measure:	Imperial gallons

Value/Tank ($):
Capacity(gal): 500
Reference: TCM 1923 A: 191
Location Desc:

---

111 **1 of 1** **WNW/126.5** **104.5 / 1.66** **ON** **BORE**

Borehole ID:	637049	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	630035	**Northing::**	4835673
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	-999	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	1.2
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218479401	**Top Depth(m):**	0.0
Bottom Depth(m):	1.2	**Stratum Desc:**	SAND-MEDIUM. BROWN.
Stratum ID:	218479402	**Top Depth(m):**	1.2
Bottom Depth(m):	3.0	**Stratum Desc:**	TILL,SILT,SAND. BROWN,GLACIAL,LOOSE, AGE GLACIAL, WATER STABLE AT 349.0 FEET.
Stratum ID:	218479403	**Top Depth(m):**	3.0
Bottom Depth(m):	10.5	**Stratum Desc:**	TILL,SILT,SAND. GREY,GLACIAL,VERY DENSE, AGE GLACIAL.
Stratum ID:	218479404	**Top Depth(m):**	10.5
Bottom Depth(m):	12.2	**Stratum Desc:**	SAND,SILT. GREY,LACUSTRINE,AGE GLACIAL.
Stratum ID:	218479405	**Top Depth(m):**	12.2
Bottom Depth(m):	16.8	**Stratum Desc:**	TILL,SILT,CLAY. GREY,GLACIAL,VERY HARD, AGE GLACIAL.
Stratum ID:	218479406	**Top Depth(m):**	16.8
Bottom Depth(m):	23.2	**Stratum Desc:**	CLAY,SILT,SAND. GREY,LACUSTRINE,VERY HARD, LAYERED,AGE GLACIAL.
Stratum ID:	218479407	**Top Depth(m):**	23.2
Bottom Depth(m):	27.4	**Stratum Desc:**	TILL,SILT,SAND,CLAY.GREY,GLACIAL,VERY DENSE, AGE GLACIAL.
Stratum ID:	218479408	**Top Depth(m):**	27.4
Bottom Depth(m):	28.4	**Stratum Desc:**	SAND-FINE,GRAVEL. GREY,FLUVIO-GLACIAL, VERY DENSE,AGE GLACIAL.
Stratum ID:	218479409	**Top Depth(m):**	28.4
Bottom Depth(m):		**Stratum Desc:**	SHALE,LIMESTONE. MARINE,BEDDED,AGE ORDOVICIAN. 00040009001000450040005100550040009001 0000034

---

112 **1 of 1** **SSW/126.5** **100.8 / -1.99** **777 BAY STREET ASSOCIATES, LP**
777 BAY STREET NOT AVAILABLE
TORONTO ON M5G2C8 **NPRI**

NPRI ID:	10719	***Org ID:***	34956
Other ID:	*	***Submit Date:***	6/19/2007
No Other ID:		***Last Modified:***	5/29/2015 3:28:24 PM
Track ID:	51170	***Contact ID:***	131630
Report ID:	106380	***Cont Type:***	MED
Report Type:	NPRI	***Contact Title:***	
Rpt Type ID:	1	***Cont First Name:***	CLAUDE
Report Year:	2006	***Cont Last Name:***	GAGNON
Not-Current Rpt?:	No	***Contact Position:***	PROPERTY MANAGER
Yr of Last Filed Rpt:	2006	***Contact Fax:***	4165976982
Fac ID:	154100	***Contact Ph.:***	4165971221
Fac Name:	777 BAY STREET	***Cont Area Code:***	416
Fac Address1:	777 BAY STREET	***Contact Tel.:***	65971221
Fac Address2:	NOT AVAILABLE	***Contact Ext.:***	204
Fac Postal Zip:	M5G2C8	***Cont Fax Area Cde:***	416
Facility Lat:	43.6608	***Contact Fax:***	65976982
Facility Long:	-79.3858	***Contact Email:***	CGAGNON@CANDEREL.COM
DLS (Last Filed Rpt):		***Latitude:***	43.6608
Facility DLS:		***Longitude:***	-79.3858
Datum:	1983	***UTM Zone:***	
Facility Cmnts:	Fals	***UTM Northing:***	
URL:		***UTM Easting:***	
No of Empl.:	3400	***Waste Streams:***	True?
Parent Co.:	N	***No Streams:***	
No Parent Co.:		***Waste Off Sites:***	False
Pollut Prev Cmnts:	False	***No Off Sites:***	
Stacks:	True	***Shutdown:***	
No of Stacks:		***No of Shutdown:***	
Canadian SIC Code (2 digit):			
Canadian SIC Code:			
SIC Code Description:			
American SIC Code:			
NAICS Code (2 digit):	53		
NAICS 2 Description:	Real estate and rental and leasing		
NAICS Code (4 digit):	5311		
NAICS 4 Description:	Lessors of real estate		
NAICS Code (6 digit):	531120		
NAICS 6 Description:	Lessors of non-residential buildings (except mini-warehouses)		

Substance Release Report

Category Type ID:	1
Category Type Desc:	Stack / Point
Category Type Desc (fr):	Rejets de cheminée ou ponctuels
Grouping:	Total Air
Trans Code:	ASta
Chem:	PM10 - Particulate Matter <= 10 Microns
Chem (fr):	PM10 - Matière particulaire <= 10 microns
Quantity:	1.697
Unit:	tonnes
Basis of Estimate Cd:	E2
Basis of Estimate Desc:	E2- Published Emission Factors - In use from 2003 and onward

Category Type ID:	13
Category Type Desc:	All Media
Category Type Desc (fr):	Rejets à tous les médias
Grouping:	Total All Media<1t
Trans Code:	
Chem:	PM2.5 - Particulate Matter <= 2.5 Microns
Chem (fr):	PM2,5 - Matière particulaire <= 2,5 microns
Quantity:	.862
Unit:	tonnes
Basis of Estimate Cd:	
Basis of Estimate Desc:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

113 **1 of 5** **SE/126.5** **99.9 / -2.97** **PRINTING HOUSE LTD., THE**
19 COLLEGE STREET
TORONTO ON M5G 2B3 **GEN**

Generator No.: ON1855526
Status:
Approval Years: 04
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

---

113 **2 of 5** **SE/126.5** **99.9 / -2.97** **PRINTING HOUSE LTD., THE**
19 COLLEGE STREET
TORONTO ON M5G 2B3 **GEN**

Generator No.: ON1855526
Status:
Approval Years: 96,97,98,99,00,01,03
Contam. Facility:
MHSW Facility:
SIC Code: 2811
SIC Description: BUSINESS FORMS PRINT.

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 213
Waste Description: PETROLEUM DISTILLATES

Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

---

113 **3 of 5** **SE/126.5** **99.9 / -2.97** **PRINTING HOUSE LTD., THE**
19 COLLEGE STREET
TORONTO ON M5G 2B3 **GEN**

Generator No.: ON1855526
Status:
Approval Years: 02
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

---

113 **4 of 5** **SE/126.5** **99.9 / -2.97** **THE PRINTING HOUSE LTD**
19 COLLEGE ST
TORONTO ON M5G 2B3 **SCT**

Established: 1990
Plant Size (ft²): 650
Employment: 3

--Details--
Description: MISCELLANEOUS PUBLISHING
SIC/NAICS Code: 2741

Description: COMMERCIAL PRINTING, LITHOGRAPHIC
SIC/NAICS Code: 2752

Description: COMMERCIAL PRINTING, NOT ELSEWHERE CLASSIFIED
SIC/NAICS Code: 2759

Description: PHOTOCOPYING AND DUPLICATING SERVICES
SIC/NAICS Code: 7334

---

113 | **5 of 5** | **SE/126.5** | **99.9 / -2.97** | **THE PRINTING HOUSE LTD.**
19 College St
Toronto ON M5G 2B3 | **SCT**

Established: 1990
Plant Size (ft²): 650
Employment: 4

--Details--
Description: Other Printing
SIC/NAICS Code: 323119

---

114 | **1 of 6** | **SW/127.0** | **101.8 / -1.03** | **800 BAY STREET**
TORONTO ON M5S 3A9 | **EHS**

Order ID:	197213	**Date Received:**	10/24/2011 5:00:00 PM
Order No:	20111024090	**Lot/Building Size:**	
Customer ID:	53647	**Municipality:**	
Company ID:	27	**Client Prov/State:**	ON
Status:	C	**Search Radius (km):**	0.25
Report Code:	3CAN	**Large Radius:**	2
Report Type:	Standard Report	**X:**	-79.386167
Report Date:	11/2/2011	**Y:**	43.661151

Report Requested by: Construction Control Inc.
Nearest Intersection: BAY ST. & COLLEGE ST.
Previous Site Name:
Additional Info Ordered:

---

114 | **2 of 6** | **SW/127.0** | **101.8 / -1.03** | **800 Bay Street**
Toronto ON M5S 3A9 | **EHS**

Order ID:	42054	**Date Received:**	3/24/04
Order No:	20040324001w	**Lot/Building Size:**	
Customer ID:	33469	**Municipality:**	
Company ID:	23646	**Client Prov/State:**	ON
Status:	C	**Search Radius (km):**	0.25
Report Code:	9CAN	**Large Radius:**	2.00
Report Type:	Online Mapless	**X:**	0
Report Date:	3/24/04	**Y:**	0

Report Requested by: Environmental Management Solutions Inc. (EMS)
Nearest Intersection:
Previous Site Name:
Additional Info Ordered:

---

114 | **3 of 6** | **SW/127.0** | **101.8 / -1.03** | **800 Bay Street**
Toronto ON M5S 3A9 | **EHS**

Order ID:	42056	**Date Received:**	3/24/04
Order No:	20040324003	**Lot/Building Size:**	
Customer ID:	33469	**Municipality:**	
Company ID:	23646	**Client Prov/State:**	ON

Status:	C	**Search Radius (km):**	0.25
Report Code:	6CAN	**Large Radius:**	2.00
Report Type:	Basic Report	**X:**	-79.386115
Report Date:	4/2/04	**Y:**	43.660953
Report Requested by:	Environmental Management Solutions Inc. (EMS)		
Nearest Intersection:			
Previous Site Name:			
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans		

114 | **4 of 6** | **SW/127.0** | **101.8 / -1.03** | **800 BAY STREET TORONTO ON M5S 3A9** | **EHS**

Order ID:	162286	**Date Received:**	2/13/2009
Order No:	20090213025	**Lot/Building Size:**	
Customer ID:	53647	**Municipality:**	
Company ID:	27	**Client Prov/State:**	ON
Status:	C	**Search Radius (km):**	0.25
Report Code:	3CAN	**Large Radius:**	2
Report Type:	Standard Report	**X:**	-79.386447
Report Date:	2/18/2009	**Y:**	43.661104
Report Requested by:	Construction Control Inc.		
Nearest Intersection:	BAY ST. & COLLEGE ST.		
Previous Site Name:			
Additional Info Ordered:			

114 | **5 of 6** | **SW/127.0** | **101.8 / -1.03** | **Robur ET Securitas 800 Bay St. Toronto ON M5S 3A9** | **GEN**

Generator No.:	ON3788810	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	04	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	523120		
SIC Description:	Securities Brokerage		

114 | **6 of 6** | **SW/127.0** | **101.8 / -1.03** | **PHOENIX GUNITE SERVICES LTD 800 BAY STREET TORONTO ON M5S 3A9** | **GEN**

Generator No.:	ON6564569	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	04	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:			
SIC Description:			

115 | **1 of 4** | **NNE/127.1** | **105.8 / 2.98** | **518 Yonge Street Toronto ON** | **EHS**

Order ID:	519703	**Date Received:**	09-JUN-17
Order No:	20170609107	**Lot/Building Size:**	
Customer ID:	53147	**Municipality:**	
Company ID:	77	**Client Prov/State:**	ON
Status:	C	**Search Radius (km):**	.25
Report Code:	3CAN	**Large Radius:**	.3
Report Type:	Standard Report	**X:**	-79.384251

Report Date: 14-JUN-17 **Y:** 43.663586
Report Requested by: Pinchin Ltd.
Nearest Intersection:
Previous Site Name:
Additional Info Ordered: Fire Insur. Maps and/or Site Plans

---

115 **2 of 4** **NNE/127.1** **105.8 / 2.98** **SCANNER TRADING CO. LTD.** **GEN**
518 YONGE STREET
TORONTO ON M4Y 1X9

Generator No.: ON1681800 **PO Box No.:**
Status: **Country:**
Approval Years: 99,00,01 **Choice of Contact:**
Contam. Facility: **Co Admin:**
MHSW Facility: **Phone No. Admin:**
SIC Code: 6571
SIC Description: CAMERA/PHOTO. SUPPLY

--Details--
Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

---

115 **3 of 4** **NNE/127.1** **105.8 / 2.98** **SCANNER TRADING CO. LTD.** **34-706** **GEN**
518 YONGE ST.
TORONTO ON M4Y 1X9

Generator No.: ON1681800 **PO Box No.:**
Status: **Country:**
Approval Years: 92,93,94,95,96,97,98 **Choice of Contact:**
Contam. Facility: **Co Admin:**
MHSW Facility: **Phone No. Admin:**
SIC Code: 6571
SIC Description: CAMERA/PHOTO. SUPPLY

--Details--
Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

---

115 **4 of 4** **NNE/127.1** **105.8 / 2.98** **KINGSETT CAPITAL** **GEN**
518 YONGE STREET
TORONTO ON M4Y 1X9

Generator No.: ON8506752 **PO Box No.:**
Status: Registered **Country:** Canada
Approval Years: As of Dec 2017 **Choice of Contact:**
Contam. Facility: **Co Admin:**
MHSW Facility: **Phone No. Admin:**
SIC Code:
SIC Description:

--Details--
Waste Code: 150 L
Waste Description: Inert organic wastes

---

116 **1 of 1** **W/127.8** **103.8 / 0.95** **BORE**
ON

Borehole ID:	638114	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	630035	**Northing::**	4835633
Location Accuracy::		**Orig. Ground Elev m::**	106
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	15.5	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	APR-1967	**Static Water Level::**	1.6
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218483069	**Top Depth(m):**	0.0
Bottom Depth(m):	1.5	**Stratum Desc:**	FILL,SAND,SILT. BROWN.
Stratum ID:	218483070	**Top Depth(m):**	1.5
Bottom Depth(m):	2.1	**Stratum Desc:**	TILL,SILT,SAND,CLAY.BROWN,GLACIAL,HARD, AGE GLACIAL.
Stratum ID:	218483071	**Top Depth(m):**	2.1
Bottom Depth(m):	2.9	**Stratum Desc:**	SILT,CLAY,SAND MEDIUM. GREY,GLACIAL,HARD,LAYERED, AGE GLACIAL, WATER STABLE AT 344.8 FEET.
Stratum ID:	218483072	**Top Depth(m):**	2.9
Bottom Depth(m):	9.8	**Stratum Desc:**	TILL,SILT,SAND,CLAY.GREY,GLACIAL,HARD,AGE GLACIAL.
Stratum ID:	218483073	**Top Depth(m):**	9.8
Bottom Depth(m):	11.3	**Stratum Desc:**	SILT,SAND. GREY,GLACIAL,WET,AGE GLACIAL.
Stratum ID:	218483074	**Top Depth(m):**	11.3
Bottom Depth(m):	14.0	**Stratum Desc:**	SAND. GREY,FLUVIO-GLACIAL,DENSE, AGE GLACIAL.
Stratum ID:	218483075	**Top Depth(m):**	14.0
Bottom Depth(m):	15.5	**Stratum Desc:**	SILT,SAND,CLAY, GRAVEL. GREY,GLACIAL,HARD,AGE GLACIAL.0005003000070038000950970032003700370048 00

---

117 **1 of 1** **SW/128.0** **101.9 / -0.90** **ON** **BORE**

Borehole ID:	649118	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	630095	**Northing::**	4835513
Location Accuracy::		**Orig. Ground Elev m::**	103
Elev. Reliability Note::		**DEM Ground Elev m::**	102
Total Depth m::	13.4	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	AUG-1958	**Static Water Level::**	.2
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218525804	**Top Depth(m):**	0.0
Bottom Depth(m):	0.9	**Stratum Desc:**	FILL,SAND,GRAVEL.

Stratum ID:	218525805	**Top Depth(m):**	0.9
Bottom Depth(m):	2.6	**Stratum Desc:**	SAND-MEDIUM. BROWN,LACUSTRINE,LOOSE, AGE GLACIAL, WATER STABLE AT 339.2 FEET.
Stratum ID:	218525806	**Top Depth(m):**	2.6
Bottom Depth(m):	3.0	**Stratum Desc:**	SAND-MEDIUM. GREY,LACUSTRINE,DENSE, AGE GLACIAL.
Stratum ID:	218525807	**Top Depth(m):**	3.0
Bottom Depth(m):	13.4	**Stratum Desc:**	SILT,CLAY. GREY,LACUSTRINE,HARD,LAYERED, AGE GLACIAL. 026 017 0190170420

118 **1 of 1** **SSW/128.5** **100.8 / -1.99** **ON** **BORE**

Borehole ID:	635637	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Diamond Drill	**UTM Zone::**	17
Easting::	630155	**Northing::**	4835463
Location Accuracy::		**Orig. Ground Elev m::**	101
Elev. Reliability Note::		**DEM Ground Elev m::**	101
Total Depth m::	20.7	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::		**Static Water Level::**	-999.9
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218474086	**Top Depth(m):**	0.0
Bottom Depth(m):	2.6	**Stratum Desc:**	SAND. FLUVIO-GLACIAL.
Stratum ID:	218474087	**Top Depth(m):**	2.6
Bottom Depth(m):	5.3	**Stratum Desc:**	CLAY. BLUE,LACUSTRINE,AGE GLACIAL.
Stratum ID:	218474088	**Top Depth(m):**	5.3
Bottom Depth(m):	6.1	**Stratum Desc:**	SAND,CLAY. FLUVIO-GLACIAL,WET, AGE GLACIAL.
Stratum ID:	218474089	**Top Depth(m):**	6.1
Bottom Depth(m):	14.9	**Stratum Desc:**	CLAY. BLUE,LACUSTRINE,AGE GLACIAL.
Stratum ID:	218474090	**Top Depth(m):**	14.9
Bottom Depth(m):	20.7	**Stratum Desc:**	CLAY. LACUSTRINE,HARD,AGE GLACIAL.

119 **1 of 1** **W/128.6** **103.8 / 0.92** **TORONTO ON** **WWIS**

Well ID:	7153328	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:		**Date Received:**	10/22/2010
Sec. Water Use:		**Selected Flag:**	Yes
Final Well Status:	Abandoned-Other	**Abandonment Rec:**	Yes
Water Type:		**Contractor:**	7215
Casing Material:		**Form Version:**	7
Audit No:	Z121780	**Owner:**	
Tag:	A089138	**Street Name:**	76 GRENVILLE ST.
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	

Depth to Bedrock:		***Lot:***	
Well Depth:		***Concession:***	
Overburden/Bedrock:		***Concession Name:***	
Pump Rate:		***Easting NAD83:***	
Static Water Level:		***Northing NAD83:***	
Flowing (Y/N):		***Zone:***	
Flow Rate:		***UTM Reliability:***	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1003352884	***Elevation:***	105.71
DP2BR:		***Elevrc:***	
Spatial Status:		***Zone:***	17
Code OB:		***East83:***	630040
Code OB Desc:		***Org CS:***	UTM83
Open Hole:		***North83:***	4835610
Cluster Kind:		***UTMRC:***	3
Date Completed:	27-SEP-10	***UTMRC Desc:***	margin of error : 10 - 30 m
Remarks:		***Location Method:***	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Annular Space/Abandonment Sealing Record

Plug ID:	1003452744
Layer:	1
Plug From:	0
Plug To:	11
Plug Depth UOM:	ft

Method of Construction & Well Use

Method Construction ID:	1003452748
Method Construction Code:	
Method Construction:	
Other Method Construction:	

Pipe Information

Pipe ID:	1003452741
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	1003452746
Layer:	
Material:	
Open Hole or Material:	
Depth From:	
Depth To:	
Casing Diameter:	
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Construction Record - Screen

Screen ID: 1003452747
Layer:
Slot:
Screen Top Depth:
Screen End Depth:
Screen Material:
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter:

Water Details

Water ID: 1003452745
Layer:
Kind Code:
Kind:
Water Found Depth:
Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1003452743
Diameter: 1.5
Depth From: 0
Depth To: 11
Hole Depth UOM: ft
Hole Diameter UOM: inch

---

120 | ***1 of 1*** | ***W/130.1*** | ***103.8 / 0.95*** | ***60 Grosvenor St; 880 Bay St; 77 Grenville St Toronto ON*** | ***EHS***

Order ID: 165236
Order No: 20090611002
Customer ID: 53187
Company ID: 27121
Status: C
Report Code: 3CAN
Report Type: Standard Report
Report Date: 6/19/2009
Report Requested by: S2S Environmental Inc.
Nearest Intersection: Bay St/Carlton St & Bay St/ Grosvenor St
Previous Site Name:
Additional Info Ordered:

Date Received: 6/11/2009
Lot/Building Size: Multiple Buildings & vacant / parking lot
Municipality: Toronto
Client Prov/State: ON
Search Radius (km): 0.25
Large Radius: 2
X: -79.387263
Y: 43.662368

---

121 | ***1 of 9*** | ***ESE/131.8*** | ***101.5 / -1.33*** | ***H. Pandya Drugs Ltd. 465 YONGE ST Toronto ON M4Y 1X4*** | ***GEN***

Generator No.: ON6766460
Status:
Approval Years: 2016
Contam. Facility: No
MHSW Facility: No
SIC Code: 446110
SIC Description: 446110

PO Box No.:
Country: Canada
Choice of Contact: CO_ADMIN
Co Admin: Nastran Najafi-Fard
Phone No. Admin: 416-493-1220 Ext.3218

--Details--

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 261
Waste Description: PHARMACEUTICALS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
121	2 of 9	ESE/131.8	101.5 / -1.33	H. Pandya Drugs Ltd. 465 YONGE ST Toronto ON M4Y 1X4	GEN

Generator No.: ON6766460
Status:
Approval Years: 2015
Contam. Facility: No
MHSW Facility: No
SIC Code: 446110
SIC Description: 446110

PO Box No.:
Country: Canada
Choice of Contact: CO_ADMIN
Co Admin: Nastran Najafi-Fard
Phone No. Admin: 416-493-1220 Ext.3218

--Details--
Waste Code: 261
Waste Description: PHARMACEUTICALS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
121	3 of 9	ESE/131.8	101.5 / -1.33	H. Pandya Drugs Ltd. 465 YONGE ST Toronto ON M4Y 1X4	GEN

Generator No.: ON6766460
Status: Registered
Approval Years: As of Dec 2017
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No.:
Country: Canada
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 261 A
Waste Description: Pharmaceuticals

Waste Code: 312 P
Waste Description: Pathological wastes

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
121	4 of 9	ESE/131.8	101.5 / -1.33	SHOPPERS DRUG MART #0943 (CARLTON PLACE) 465 YONGE ST TORONTO ON M4Y 1X4	PES

Licence No:
Detail Licence No:
Licence Type Code: 23
Licence Type: Limited Vendor
Licence Class:
Licence Control:
Trade Name:
Post Office Box:
Lot:
Concession:

Operator Box:
Operator Class:
Operator No:
Operator Type:
Operator Lot:
Oper Concession:
Operator Region:
Operator District:
Operator County:
Oper Phone Area Cd:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Region:			**Ext:**
District:			**Oper Phone No:**
County:			**Proponent Ext:**

121	5 of 9	ESE/131.8	101.5 / -1.33	SHOPPERS DRUG MART #0943 (CARLTON PLACE) 465 YONGE ST TORONTO ON M4Y 1X4	PES

Licence No:			**Operator Box:**
Detail Licence No:			**Operator Class:**
Licence Type Code:			**Operator No:**
Licence Type:	Vendor		**Operator Type:**
Licence Class:			**Operator Lot:**
Licence Control:			**Oper Concession:**
Trade Name:			**Operator Region:**
Post Office Box:			**Operator District:**
Lot:			**Operator County:**
Concession:			**Oper Phone Area Cd:**
Region:			**Ext:**
District:			**Oper Phone No:**
County:			**Proponent Ext:**

121	6 of 9	ESE/131.8	101.5 / -1.33	H. PANDYA DRUGS LTD SHOPPERS DRUG MART 943 465 YONGE ST TORONTO ON M4Y 1X4	PES

Licence No:			**Operator Box:**
Detail Licence No:			**Operator Class:**
Licence Type Code:			**Operator No:**
Licence Type:	Vendor		**Operator Type:**
Licence Class:			**Operator Lot:**
Licence Control:			**Oper Concession:**
Trade Name:			**Operator Region:**
Post Office Box:			**Operator District:**
Lot:			**Operator County:**
Concession:			**Oper Phone Area Cd:**
Region:			**Ext:**
District:			**Oper Phone No:**
County:			**Proponent Ext:**

121	7 of 9	ESE/131.8	101.5 / -1.33	H. PANDYA DRUGS LTD SHOPPERS DRUG MART 943 465 YONGE ST TORONTO ON M4Y 1X4	PES

Licence No:			**Operator Box:**
Detail Licence No:	23-01-15625-0		**Operator Class:**
Licence Type Code:			**Operator No:**
Licence Type:	LIMITED		**Operator Type:**
Licence Class:			**Operator Lot:**
Licence Control:			**Oper Concession:**
Trade Name:			**Operator Region:**
Post Office Box:			**Operator District:**
Lot:			**Operator County:**
Concession:			**Oper Phone Area Cd:**
Region:			**Ext:**
District:			**Oper Phone No:**
County:			**Proponent Ext:**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

121 | **8 of 9** | **ESE/131.8** | **101.5 / -1.33** | **H. PANDYA DRUGS LTD SHOPPERS DRUG MART 943**
465 YONGE ST
TORONTO ON M4Y1X4 | **PES**

Licence No:	17681	**Operator Box:**	
Detail Licence No:		**Operator Class:**	
Licence Type Code:	23	**Operator No:**	
Licence Type:	Active Limited Vendors	**Operator Type:**	
Licence Class:	01	**Operator Lot:**	
Licence Control:		**Oper Concession:**	
Trade Name:		**Operator Region:**	
Post Office Box:		**Operator District:**	
Lot:		**Operator County:**	
Concession:		**Oper Phone Area Cd:**	416
Region:		**Ext:**	
District:		**Oper Phone No:**	4084000
County:		**Proponent Ext:**	

121 | **9 of 9** | **ESE/131.8** | **101.5 / -1.33** | **Britnell A**
465 Yonge St
Toronto ON M4Y 1X4 | **TANK**

Permit Date:	10/28/1927
Permit Type:	BP A9477
User Type:	Antiques, paintings and books?
Installation Type:	Fuel oil tank
Installation Size:	
Installation Config.:	1 x fuel oil tank
No. Tanks Installed:	1
Units of Measure:	
Value/Tank ($):	300
Capacity(gal):	
Reference:	CTA Building permits
Location Desc:	

122 | **1 of 1** | **N/132.8** | **106.3 / 3.46** | **Toronto ON** | **WWIS**

Well ID:	7240621	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:	Test Hole	**Date Received:**	4/27/2015
Sec. Water Use:		**Selected Flag:**	Yes
Final Well Status:	Test Hole	**Abandonment Rec:**	
Water Type:		**Contractor:**	6875
Casing Material:		**Form Version:**	7
Audit No:	Z200203	**Owner:**	
Tag:	A118629	**Street Name:**	11 WELLESLEY STREET WEST
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1005330491	***Elevation:***	105.93
DP2BR:		***Elevrc:***	
Spatial Status:		***Zone:***	17
Code OB:		***East83:***	630172
Code OB Desc:		***Org CS:***	UTM83
Open Hole:		***North83:***	4835800
Cluster Kind:		***UTMRC:***	4
Date Completed:	17-MAR-15	***UTMRC Desc:***	margin of error : 30 m - 100 m
Remarks:		***Location Method:***	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	1005543371
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	01
Most Common Material:	FILL
Mat2:	06
Other Materials:	SILT
Mat3:	28
Other Materials:	SAND
Formation Top Depth:	0
Formation End Depth:	4
Formation End Depth UOM:	ft

Formation ID:	1005543374
Layer:	4
Color:	2
General Color:	GREY
Mat1:	28
Most Common Material:	SAND
Mat2:	84
Other Materials:	SILTY
Mat3:	66
Other Materials:	DENSE
Formation Top Depth:	10
Formation End Depth:	22
Formation End Depth UOM:	ft

Formation ID:	1005543372
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	
Other Materials:	
Mat3:	84
Other Materials:	SILTY
Formation Top Depth:	4
Formation End Depth:	6
Formation End Depth UOM:	ft

Formation ID:	1005543373
Layer:	3
Color:	2
General Color:	GREY
Mat1:	34
Most Common Material:	TILL
Mat2:	28
Other Materials:	SAND
Mat3:	06
Other Materials:	SILT
Formation Top Depth:	6
Formation End Depth:	10
Formation End Depth UOM:	ft

Annular Space/Abandonment Sealing Record

Plug ID:	1005543381
Layer:	1
Plug From:	0
Plug To:	19
Plug Depth UOM:	ft

Plug ID:	1005543382
Layer:	2
Plug From:	19
Plug To:	22
Plug Depth UOM:	ft

Method of Construction & Well Use

Method Construction ID:	1005543380
Method Construction Code:	B
Method Construction:	Other Method
Other Method Construction:	SONIC

Pipe Information

Pipe ID:	1005543370
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	1005543377
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0
Depth To:	19
Casing Diameter:	4
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Construction Record - Screen

Screen ID:	1005543378
Layer:	1
Slot:	20
Screen Top Depth:	19

Screen End Depth:	22
Screen Material:	5
Screen Depth UOM:	ft
Screen Diameter UOM:	inch
Screen Diameter:	4

Water Details

Water ID:	1005543376
Layer:	1
Kind Code:	1
Kind:	FRESH
Water Found Depth:	9.53
Water Found Depth UOM:	ft

Hole Diameter

Hole ID:	1005543375
Diameter:	8
Depth From:	0
Depth To:	22
Hole Depth UOM:	ft
Hole Diameter UOM:	inch

---

123 ***1 of 1*** ***NW/133.0*** ***105.6 / 2.74*** ***ON*** **BORE**

Borehole ID:	648473	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Jetting	**UTM Zone::**	17
Easting::	630055	**Northing::**	4835738
Location Accuracy::		**Orig. Ground Elev m::**	106
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	15.5	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	1.6
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218523149	**Top Depth(m):**	0.0
Bottom Depth(m):	2.7	**Stratum Desc:**	FILL,GRAVEL,SILT, CLAY.
Stratum ID:	218523150	**Top Depth(m):**	2.7
Bottom Depth(m):	7.9	**Stratum Desc:**	SILT,SAND,CLAY. GREY,GLACIAL,DENSE,LAYERED, AGE GLACIAL, WATER STABLE AT 343.0 FEET.
Stratum ID:	218523151	**Top Depth(m):**	7.9
Bottom Depth(m):	10.1	**Stratum Desc:**	TILL,SILT,SAND,CLAY.GREY,GLACIAL,VERY DENSE, AGE GLACIAL.
Stratum ID:	218523152	**Top Depth(m):**	10.1
Bottom Depth(m):	13.1	**Stratum Desc:**	TILL,GRAVEL,CLAY, SAND. GREY,GLACIAL,DENSE,LAYERED, AGE GLACIAL.
Stratum ID:	218523153	**Top Depth(m):**	13.1
Bottom Depth(m):	15.5	**Stratum Desc:**	TILL,GRAVEL,CLAY, SAND. GREY,GLACIAL,DENSE,LAYERED, AGE GLACIAL. 0000000400090038002600660033004 5

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
124	1 of 74	S/134.1	100.7 / -2.13	777 Bay Street Associates, LP 777 Bay St Toronto ON	CA

Certificate #: 7982-7E5NZT
Application Year: 2008
Issue Date: 4/29/2008
Approval Type: Air
Status: Approved
Application Type:
Client Name::
Client Address::
Client City::
Client Postal Code::
Project Description::
Contaminants::
Emission Control::

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
124	2 of 74	S/134.1	100.7 / -2.13	Oxford Properties Group Inc. 777 Bay Street Toronto ON	CA

Certificate #: 4965-698T8N
Application Year: 2005
Issue Date: 2/4/2005
Approval Type: Air
Status: Revoked and/or Replaced
Application Type:
Client Name::
Client Address::
Client City::
Client Postal Code::
Project Description::
Contaminants::
Emission Control::

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
124	3 of 74	S/134.1	100.7 / -2.13	Oxford Properties Group Inc. 777 Bay Street Toronto Ontario M5G 2C8 Toronto ON	EBR

Company Name: Oxford Properties Group Inc.
EBR Registry No.: IA04E1002
Ministry Ref. No.: 8619-62NLWW
Notice Type: Instrument Decision
Notice Date: February 09, 2005
Proposal Date: July 08, 2004
Year: 2004
Proponent Address: 130 Adelaide Street West, Ste. 1100, Toronto Ontario, M5H 3P5
Instrument Type: (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)
Location Other:

Location:

777 Bay Street Toronto Ontario M5G 2C8 Toronto

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
124	4 of 74	S/134.1	100.7 / -2.13	777 Bay Street Associates, LP 777 Bay St	ECA

Toronto ON M5G 2C8

Approval No:	7982-7E5NZT	***SWP Area Name:***	Toronto
Approval Date:	2008-04-29	***MOE District:***	Toronto
Status:	Approved	***City:***	Toronto
Record Type:	ECA	***Longitude:***	-79.38516
Link Source:	IDS	***Latitude:***	43.65932
Approval Type:	ECA-AIR		
Project Type:	AIR		
Address:	777 Bay St		
Full Address:			
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/7680-75FRPM-14.pdf		

---

124 ***5 of 74*** ***S/134.1*** ***100.7 / -2.13*** ***Oxford Properties Group Inc.*** ***ECA***
777 Bay Street
Toronto ON M5H 3P5

Approval No:	4965-698T8N	***SWP Area Name:***	Toronto
Approval Date:	2005-02-04	***MOE District:***	Toronto
Status:	Revoked and/or Replaced	***City:***	Toronto
Record Type:	ECA	***Longitude:***	-79.38516
Link Source:	IDS	***Latitude:***	43.65932
Approval Type:	ECA-AIR		
Project Type:	AIR		
Address:	777 Bay Street		
Full Address:			
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/8619-62NLWW-14.pdf		

---

124 ***6 of 74*** ***S/134.1*** ***100.7 / -2.13*** ***777 Bay Street*** ***EHS***
Toronto ON

Order ID:	96718	***Date Received:***	3/8/2007
Order No:	20070308007	***Lot/Building Size:***	
Customer ID:	9634	***Municipality:***	
Company ID:	56	***Client Prov/State:***	
Status:	C	***Search Radius (km):***	0.25
Report Code:	3CAN	***Large Radius:***	2
Report Type:	CAN - Complete Report	***X:***	-79.385143
Report Date:	3/16/2007	***Y:***	43.660617
Report Requested by:	Jacques Whitford		
Nearest Intersection:			
Previous Site Name:			
Additional Info Ordered:			

---

124 ***7 of 74*** ***S/134.1*** ***100.7 / -2.13*** ***PHARMA PLUS DRUGMART*** ***GEN***
777 BAY STREET, UNIT C216
TORONTO ON M5G 2C8

Generator No.:	ON1670697	***PO Box No.:***	
Status:		***Country:***	
Approval Years:	01	***Choice of Contact:***	
Contam. Facility:		***Co Admin:***	
MHSW Facility:		***Phone No. Admin:***	
SIC Code:	6031		
SIC Description:	PHARMACIES		

--Details--

Waste Code:	261
Waste Description:	PHARMACEUTICALS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

124 | **8 of 74** | **S/134.1** | **100.7 / -2.13** | **Pharma Plus Drugmarts Ltd.**
777 Bay Street, Unit C 216
Toronto ON M5G 2C8 | **GEN**

Generator No.: ON7837223
Status:
Approval Years: 2014
Contam. Facility: No
MHSW Facility: No
SIC Code: 446110
SIC Description: 446110

PO Box No.:
Country: Canada
Choice of Contact: CO_ADMIN
Co Admin: Aaron Schrama
Phone No. Admin: 9055025965 Ext.6280

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

124 | **9 of 74** | **S/134.1** | **100.7 / -2.13** | **Albert S.C. Wong Medicine Professional Corporation**
777 Bay Street suite C216
Toronto ON M4R1H8 | **GEN**

Generator No.: ON3493599
Status:
Approval Years: 2010
Contam. Facility:
MHSW Facility:
SIC Code: 621110
SIC Description: Offices of Physicians

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

124 | **10 of 74** | **S/134.1** | **100.7 / -2.13** | **OXFORD DEVELOPMENT GROUP**
777 Bay St. Suite 427
Toronto ON M5G 2C8 | **GEN**

Generator No.: ON0959906
Status:
Approval Years: 02,03,04
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 112
Waste Description: ACID WASTE - HEAVY METALS

Waste Code: 122
Waste Description: ALKALINE WASTES - OTHER METALS

Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 262
Waste Description: DETERGENTS/SOAPS

---

124 | **11 of 74** | **S/134.1** | **100.7 / -2.13** | **Rexall Pharmacy Group Ltd.**
777 Bay Street, Unit C 216
Toronto ON M5G 2C8 | **GEN**

Generator No.: ON7837223
Status:
Approval Years: 2016
Contam. Facility: No
MHSW Facility: No
SIC Code: 446110
SIC Description: 446110

PO Box No.:
Country: Canada
Choice of Contact: CO_ADMIN
Co Admin: Erik Botines
Phone No. Admin: 9055017800 Ext.

--Details--
Waste Code: 261
Waste Description: PHARMACEUTICALS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

124 | **12 of 74** | **S/134.1** | **100.7 / -2.13** | **DINEEN CONSTRUCTION**
777 BAY STREET, TORONTO C/O 70 DISCO RD.
ETOBICOKE ON M9W 1L9 | **GEN**

Generator No.: ON1078400
Status:
Approval Years: 88,89,90
Contam. Facility:
MHSW Facility:
SIC Code: 9022
SIC Description:

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

---

124 | **13 of 74** | **S/134.1** | **100.7 / -2.13** | **Albert S.C. Wong Medicine Professional Corporation**
777 Bay Street suite C216
Toronto ON M5G2C8 | **GEN**

Generator No.: ON3493599
Status:
Approval Years: 2014
Contam. Facility: No
MHSW Facility: No
SIC Code: 621110

PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin:
Phone No. Admin:

SIC Description: OFFICES OF PHYSICIANS

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

124 | 14 of 74 | S/134.1 | 100.7 / -2.13 | **Odyssey Dental Management**
111-777 Bay St
Toronto ON M5G2C8 | GEN

Generator No.: ON9299245
Status:
Approval Years: 2015
Contam. Facility: No
MHSW Facility: No
SIC Code: 621210
SIC Description: OFFICES OF DENTISTS

PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin: Paul M Piccininni
Phone No. Admin: 416-593-7311 Ext.

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

124 | 15 of 74 | S/134.1 | 100.7 / -2.13 | **Albert S.C. Wong Medicine Professional Corporation**
777 Bay Street suite C216
Toronto ON M5G2C8 | GEN

Generator No.: ON3493599
Status:
Approval Years: 2015
Contam. Facility: No
MHSW Facility: No
SIC Code: 621110
SIC Description: OFFICES OF PHYSICIANS

PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

124 | 16 of 74 | S/134.1 | 100.7 / -2.13 | **Odyssey Dental Management**
111-777 Bay St
Toronto ON M5G2C8 | GEN

Generator No.: ON9299245
Status:
Approval Years: 2016
Contam. Facility: No
MHSW Facility: No
SIC Code: 621210
SIC Description: OFFICES OF DENTISTS

PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin: Paul M Piccininni
Phone No. Admin: 416-593-7311 Ext.

--Details--
Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

124	17 of 74	S/134.1	100.7 / -2.13	Albert S.C. Wong Medicine Professional Corporation 777 Bay Street suite C216 Toronto ON	GEN

Generator No.:	ON3493599	PO Box No.:	
Status:		Country:	
Approval Years:	2013	Choice of Contact:	
Contam. Facility:		Co Admin:	
MHSW Facility:		Phone No. Admin:	
SIC Code:	621110		
SIC Description:	OFFICES OF PHYSICIANS		

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

124	18 of 74	S/134.1	100.7 / -2.13	Pharma Plus Drugmarts Ltd. 777 Bay Street, Unit C 216 Toronto ON M5G 2C8	GEN

Generator No.:	ON7837223	PO Box No.:	
Status:		Country:	Canada
Approval Years:	2015	Choice of Contact:	CO_ADMIN
Contam. Facility:	No	Co Admin:	Erik Botines
MHSW Facility:	No	Phone No. Admin:	9055017800 Ext.
SIC Code:	446110		
SIC Description:	446110		

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

124	19 of 74	S/134.1	100.7 / -2.13	MACLEAN HUNTER LIMITED 777 BAY STREET TORONTO ON M5W 1A7	GEN

Generator No.:	ON0117401	PO Box No.:	
Status:		Country:	
Approval Years:	92,93,97,98,99,00,01	Choice of Contact:	
Contam. Facility:		Co Admin:	
MHSW Facility:		Phone No. Admin:	
SIC Code:	2841		
SIC Description:	NEWSPAPER, ETC. IND.		

--Details--
Waste Code: 241
Waste Description: HALOGENATED SOLVENTS

Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

124	20 of 74	S/134.1	100.7 / -2.13	Albert S.C. Wong Medicine Professional Corporation 777 Bay Street suite C216	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Toronto ON M5G2C8

Generator No.:	ON3493599	***PO Box No.:***	
Status:		***Country:***	Canada
Approval Years:	2016	***Choice of Contact:***	CO_OFFICIAL
Contam. Facility:	No	***Co Admin:***	
MHSW Facility:	No	***Phone No. Admin:***	
SIC Code:	621110		
SIC Description:	OFFICES OF PHYSICIANS		

--Details--

Waste Code:	312
Waste Description:	PATHOLOGICAL WASTES

124	*21 of 74*	*S/134.1*	*100.7 / -2.13*	***Albert S.C. Wong Medicine Professional Corporation*** ***777 Bay Street suite C216*** ***Toronto ON M4R1H8***	***GEN***

Generator No.:	ON3493599	***PO Box No.:***	
Status:		***Country:***	
Approval Years:	2012	***Choice of Contact:***	
Contam. Facility:		***Co Admin:***	
MHSW Facility:		***Phone No. Admin:***	
SIC Code:	621110		
SIC Description:	Offices of Physicians		

--Details--

Waste Code:	312
Waste Description:	PATHOLOGICAL WASTES

124	*22 of 74*	*S/134.1*	*100.7 / -2.13*	***OXFORD DEVELOPMENT GROUP INCORPORATED*** ***COLLEGE PARK 777 BAY STREET*** ***TORONTO ON M5G 2L8***	***GEN***

Generator No.:	ON0959906	***PO Box No.:***	
Status:		***Country:***	
Approval Years:	99	***Choice of Contact:***	
Contam. Facility:		***Co Admin:***	
MHSW Facility:		***Phone No. Admin:***	
SIC Code:	7512		
SIC Description:	NON-RES. BLDG. OPER.		

--Details--

Waste Code:	112
Waste Description:	ACID WASTE - HEAVY METALS
Waste Code:	122
Waste Description:	ALKALINE WASTES - OTHER METALS
Waste Code:	145
Waste Description:	PAINT/PIGMENT/COATING RESIDUES
Waste Code:	148
Waste Description:	INORGANIC LABORATORY CHEMICALS
Waste Code:	252
Waste Description:	WASTE OILS & LUBRICANTS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

---

124 | **23 of 74** | **S/134.1** | **100.7 / -2.13** | **ONTARIO HYDRO 45-257**
777 BAY ST. C/O 700 UNIVERSITY AVE.
TORONTO ON M5G 1X5 | **GEN**

Generator No.: ON0490043
Status:
Approval Years: 93,94,95,96,97,98
Contam. Facility:
MHSW Facility:
SIC Code: 4911
SIC Description: ELECT. POWER SYS.

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

---

124 | **24 of 74** | **S/134.1** | **100.7 / -2.13** | **Canderel**
777 Bay Street
Suite 427 ON | **GEN**

Generator No.: ON4173385
Status:
Approval Years: 2009
Contam. Facility:
MHSW Facility:
SIC Code: 551113
SIC Description: Holding Companies

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

---

124 | **25 of 74** | **S/134.1** | **100.7 / -2.13** | **E & S Mechanical Limited**
777 Bay St. 27th & 30th Floors
Toronto ON M7A 2K1 | **GEN**

Generator No.: ON8428953
Status:
Approval Years: 07,08
Contam. Facility:
MHSW Facility:
SIC Code: 236210
SIC Description: Industrial Building and Structure Construction

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

---

124 | **26 of 74** | **S/134.1** | **100.7 / -2.13** | **DINEEN CONSTRUCTION 12-357**
777 BAY STREET, TORONTO C/O 70 DISCO RD.
ETOBICOKE ON M9W 1L9 | **GEN**

Generator No.: ON1078400
Status:

PO Box No.:
Country:

Approval Years: 92,93,94,95,96,97,98
Choice of Contact:
Contam. Facility:
Co Admin:
MHSW Facility:
Phone No. Admin:
SIC Code: 4022
SIC Description: COMMERCIAL BUILDING

--Details--
Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

124	27 of 74	S/134.1	100.7 / -2.13	Canderel 777 Bay Street, Suite 427 P.O. Box 108 Toronto ON	GEN

Generator No.: ON2658217
PO Box No.:
Status:
Country:
Approval Years: 2013
Choice of Contact:
Contam. Facility:
Co Admin:
MHSW Facility:
Phone No. Admin:
SIC Code: 531310
SIC Description: REAL ESTATE PROPERTY MANAGERS

--Details--
Waste Code: 122
Waste Description: ALKALINE WASTES - OTHER METALS

124	28 of 74	S/134.1	100.7 / -2.13	Albert S.C. Wong Medicine Professional Corporation 777 Bay Street suite C216 Toronto ON M4R1H8	GEN

Generator No.: ON3493599
PO Box No.:
Status:
Country:
Approval Years: 2011
Choice of Contact:
Contam. Facility:
Co Admin:
MHSW Facility:
Phone No. Admin:
SIC Code: 621110
SIC Description: Offices of Physicians

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

124	29 of 74	S/134.1	100.7 / -2.13	MACLEAN HUNTER LIMITED 777 BAY ST. TORONTO ON M5W 1A7	GEN

Generator No.: ON0117401
PO Box No.:
Status:
Country:
Approval Years: 86,87,88,89,90
Choice of Contact:
Contam. Facility:
Co Admin:
MHSW Facility:
Phone No. Admin:
SIC Code: 2841
SIC Description: NEWSPAPER, ETC. IND.

--Details--
Waste Code: 241

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Waste Description: HALOGENATED SOLVENTS

Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

---

124 | **30 of 74** | **S/134.1** | **100.7 / -2.13**

Canderel
777 Bay Street, Suite 427 P.O. Box 108
Toronto ON M5G 2C8

GEN

Generator No.: ON2658217
Status:
Approval Years: 2011
Contam. Facility:
MHSW Facility:
SIC Code: 531310
SIC Description:

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

---

124 | **31 of 74** | **S/134.1** | **100.7 / -2.13**

MACLEAN HUNTER LIMITED **25-305**
777 BAY ST.
TORONTO ON M5W 1A7

GEN

Generator No.: ON0117401
Status:
Approval Years: 94,95,96
Contam. Facility:
MHSW Facility:
SIC Code: 2841
SIC Description: NEWSPAPER, ETC. IND.

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 241
Waste Description: HALOGENATED SOLVENTS

Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

---

124 | **32 of 74** | **S/134.1** | **100.7 / -2.13**

MUNICIPAL AFFAIRS AND HOUSING
777 BAY STREET, 3RD FLOOR IMAGING AND DISTRIBUTING
TORONTO ON M5G 2E5

GEN

Generator No.: ON2423000
Status:
Approval Years: 98,99,00,01
Contam. Facility:
MHSW Facility:
SIC Code: 2819
SIC Description: OTHER COMM. PRINTING

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 265
Waste Description: GRAPHIC ART WASTES

---

124 | **33 of 74** | **S/134.1** | **100.7 / -2.13**

OXFORD DEVELOPMENT GROUP
COLLEGE PARK 777 BAY STREET
TORONTO ON M5G 2C8

GEN

Generator No.: ON0959906
Status:
Approval Years: 97,98,00,01
Contam. Facility:
MHSW Facility:
SIC Code: 7512
SIC Description: NON-RES. BLDG. OPER.

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 112
Waste Description: ACID WASTE - HEAVY METALS

Waste Code: 122
Waste Description: ALKALINE WASTES - OTHER METALS

Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 262
Waste Description: DETERGENTS/SOAPS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

124	34 of 74	S/134.1	100.7 / -2.13	Canderel 777 Bay Street, Suite 427 P.O. Box 108 Toronto ON M5G 2C8	GEN

Generator No.: ON2658217
Status:
Approval Years: 2012
Contam. Facility:
MHSW Facility:
SIC Code: 531310
SIC Description: Real Estate Property Managers

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

124	35 of 74	S/134.1	100.7 / -2.13	Rexall Pharmacy Group Ltd. 777 Bay Street, Unit C 216 Toronto ON M5G 2C8	GEN

Generator No.: ON7837223
Status: Registered
Approval Years: As of Dec 2017
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No.:
Country: Canada
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312 P
Waste Description: Pathological wastes

Waste Code: 261 A
Waste Description: Pharmaceuticals

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

124	36 of 74	S/134.1	100.7 / -2.13	Odyssey Dental Management 111-777 Bay St Toronto ON M5G2C8	GEN

Generator No.:	ON9299245	**PO Box No.:**	
Status:	Registered	**Country:**	Canada
Approval Years:	As of Dec 2017	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:			
SIC Description:			

--Details--

Waste Code:	312 P
Waste Description:	Pathological wastes
Waste Code:	264 L
Waste Description:	Photoprocessing wastes

124	37 of 74	S/134.1	100.7 / -2.13	Albert S.C. Wong Medicine Professional Corporation 777 Bay Street suite C216 Toronto ON M5G2C8	GEN

Generator No.:	ON3493599	**PO Box No.:**	po box 135
Status:	Registered	**Country:**	Canada
Approval Years:	As of Dec 2017	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:			
SIC Description:			

--Details--

Waste Code:	312 P
Waste Description:	Pathological wastes

124	38 of 74	S/134.1	100.7 / -2.13	777 BAY STREET ASSOCIATES, LP 777 BAY STREET NOT AVAILABLE TORONTO ON M5G2C8	NPRI

NPRI ID:	10719	**Org ID:**	34956
Other ID:	*	**Submit Date:**	1/17/2006
No Other ID:		**Last Modified:**	5/29/2015 3:28:24 PM
Track ID:	32834	**Contact ID:**	145690
Report ID:	92760	**Cont Type:**	MED
Report Type:	NPRI	**Contact Title:**	
Rpt Type ID:	1	**Cont First Name:**	ED
Report Year:	2004	**Cont Last Name:**	MARTINGANO
Not-Current Rpt?:	No	**Contact Position:**	DIRECTOR, RISK MANAGEMENT
Yr of Last Filed Rpt:	2006	**Contact Fax:**	4168680701
Fac ID:	154100	**Contact Ph.:**	4168683718
Fac Name:	777 BAY STREET	**Cont Area Code:**	416
Fac Address1:	777 BAY STREET	**Contact Tel.:**	68683718
Fac Address2:	NOT AVAILABLE	**Contact Ext.:**	
Fac Postal Zip:	M5G2C8	**Cont Fax Area Cde:**	416
Facility Lat:	43.6608	**Contact Fax:**	68680701
Facility Long:	-79.3858	**Contact Email:**	EMARTINGANO@OXFORDPROPERTIES.COM
DLS (Last Filed Rpt):		**Latitude:**	43.6608

Facility DLS:		***Longitude:***	-79.3858
Datum:	1983	***UTM Zone:***	
Facility Cmnts:	True	***UTM Northing:***	
URL:		***UTM Easting:***	
No of Empl.:	4500	***Waste Streams:***	False
Parent Co.:	N	***No Streams:***	
No Parent Co.:		***Waste Off Sites:***	False
Pollut Prev Cmnts:	True	***No Off Sites:***	
Stacks:	Yes	***Shutdown:***	
No of Stacks:		***No of Shutdown:***	
Canadian SIC Code (2 digit):			
Canadian SIC Code:			
SIC Code Description:			
American SIC Code:			
NAICS Code (2 digit):	53		
NAICS 2 Description:	Real estate and rental and leasing		
NAICS Code (4 digit):	5311		
NAICS 4 Description:	Lessors of real estate		
NAICS Code (6 digit):	531120		
NAICS 6 Description:	Lessors of non-residential buildings (except mini-warehouses)		

Substance Release Report

Category Type ID:	1
Category Type Desc:	Stack / Point
Category Type Desc (fr):	Rejets de cheminée ou ponctuels
Grouping:	Total Air
Trans Code:	ASta
Chem:	PM2.5 - Particulate Matter <= 2.5 Microns
Chem (fr):	PM2,5 - Matière particulaire <= 2,5 microns
Quantity:	1.13
Unit:	tonnes
Basis of Estimate Cd:	E2
Basis of Estimate Desc:	E2- Published Emission Factors - In use from 2003 and onward

Category Type ID:	1
Category Type Desc:	Stack / Point
Category Type Desc (fr):	Rejets de cheminée ou ponctuels
Grouping:	Total Air
Trans Code:	ASta
Chem:	PM10 - Particulate Matter <= 10 Microns
Chem (fr):	PM10 - Matière particulaire <= 10 microns
Quantity:	1.966
Unit:	tonnes
Basis of Estimate Cd:	E2
Basis of Estimate Desc:	E2- Published Emission Factors - In use from 2003 and onward

124	39 of 74	S/134.1	100.7 / -2.13	OXFORD PROPERTIES GROUP 777 BAY STREET NOT AVAILABLE TORONTO ON M5G2C8	NPRI

NPRI ID:	10719	***Org ID:***	60929
Other ID:	*	***Submit Date:***	5/31/2006
No Other ID:		***Last Modified:***	5/29/2015 3:28:24 PM
Track ID:	39028	***Contact ID:***	145690
Report ID:	94900	***Cont Type:***	MED
Report Type:	NPRI	***Contact Title:***	
Rpt Type ID:	1	***Cont First Name:***	ED
Report Year:	2005	***Cont Last Name:***	MARTINGANO
Not-Current Rpt?:	No	***Contact Position:***	DIRECTOR, RISK MANAGEMENT
Yr of Last Filed Rpt:	2006	***Contact Fax:***	4168680701
Fac ID:	154101	***Contact Ph.:***	4168683718
Fac Name:	777 BAY STREET MACLEAN HUNTER BUILDING	***Cont Area Code:***	416

Fac Address1:	777 BAY STREET	**Contact Tel.:**	68683718
Fac Address2:	NOT AVAILABLE	**Contact Ext.:**	
Fac Postal Zip:	M5G2C8	**Cont Fax Area Cde:**	416
Facility Lat:	43.6608	**Contact Fax:**	68680701
Facility Long:	-79.3858	**Contact Email:**	EMARTINGANO@OXFORDPROPERTIES.COM
DLS (Last Filed Rpt):		**Latitude:**	43.6608
Facility DLS:		**Longitude:**	-79.3858
Datum:	1983	**UTM Zone:**	
Facility Cmnts:	False	**UTM Northing:**	
URL:		**UTM Easting:**	
No of Empl.:	4500	**Waste Streams:**	False
Parent Co.:	N	**No Streams:**	
No Parent Co.:		**Waste Off Sites:**	False
Pollut Prev Cmnts:	False	**No Off Sites:**	
Stacks:	False	**Shutdown:**	
No of Stacks:		**No of Shutdown:**	
Canadian SIC Code (2 digit):			
Canadian SIC Code:			
SIC Code Description:			
American SIC Code:			
NAICS Code (2 digit):	53		
NAICS 2 Description:	Real estate and rental and leasing		
NAICS Code (4 digit):	5311		
NAICS 4 Description:	Lessors of real estate		
NAICS Code (6 digit):	531120		
NAICS 6 Description:	Lessors of non-residential buildings (except mini-warehouses)		

Substance Release Report

Category Type ID:	1
Category Type Desc:	Stack / Point
Category Type Desc (fr):	Rejets de cheminée ou ponctuels
Grouping:	Total Air
Trans Code:	ASta
Chem:	PM2.5 - Particulate Matter <= 2.5 Microns
Chem (fr):	PM2,5 - Matière particulaire <= 2,5 microns
Quantity:	1.121
Unit:	tonnes
Basis of Estimate Cd:	E2
Basis of Estimate Desc:	E2- Published Emission Factors - In use from 2003 and onward

Category Type ID:	1
Category Type Desc:	Stack / Point
Category Type Desc (fr):	Rejets de cheminée ou ponctuels
Grouping:	Total Air
Trans Code:	ASta
Chem:	PM10 - Particulate Matter <= 10 Microns
Chem (fr):	PM10 - Matière particulaire <= 10 microns
Quantity:	1.957
Unit:	tonnes
Basis of Estimate Cd:	E2
Basis of Estimate Desc:	E2- Published Emission Factors - In use from 2003 and onward

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
124	40 of 74	S/134.1	100.7 / -2.13	777 BAY STREET ASSOCIATES, LP 777 BAY STREET NOT AVAILABLE TORONTO ON M5G2C8	NPRI

NPRI ID:	10719	**Org ID:**	34956
Other ID:	*	**Submit Date:**	1/17/2006
No Other ID:		**Last Modified:**	5/29/2015 3:28:24 PM
Track ID:	32830	**Contact ID:**	145645
Report ID:	154701	**Cont Type:**	MED
Report Type:	NPRI	**Contact Title:**	

Rpt Type ID:	1	**Cont First Name:**	ED
Report Year:	2003	**Cont Last Name:**	MARTINGANO
Not-Current Rpt?:	No	**Contact Position:**	DIRECTOR RISK MANAGER
Yr of Last Filed Rpt:	2006	**Contact Fax:**	4168680701
Fac ID:	154100	**Contact Ph.:**	4168683718
Fac Name:	777 BAY STREET	**Cont Area Code:**	416
Fac Address1:	777 BAY STREET	**Contact Tel.:**	68683718
Fac Address2:	NOT AVAILABLE	**Contact Ext.:**	
Fac Postal Zip:	M5G2C8	**Cont Fax Area Cde:**	416
Facility Lat:	43.6608	**Contact Fax:**	68680701
Facility Long:	-79.3858	**Contact Email:**	NOT AVAILABLE
DLS (Last Filed Rpt):		**Latitude:**	43.6608
Facility DLS:		**Longitude:**	-79.3858
Datum:	1983	**UTM Zone:**	
Facility Cmnts:	False	**UTM Northing:**	
URL:		**UTM Easting:**	
No of Empl.:	4500	**Waste Streams:**	True?
Parent Co.:	*	**No Streams:**	
No Parent Co.:	1	**Waste Off Sites:**	False
Pollut Prev Cmnts:	False	**No Off Sites:**	
Stacks:	True	**Shutdown:**	True
No of Stacks:		**No of Shutdown:**	
Canadian SIC Code (2 digit):			
Canadian SIC Code:			
SIC Code Description:			
American SIC Code:			
NAICS Code (2 digit):	53		
NAICS 2 Description:	Real estate and rental and leasing		
NAICS Code (4 digit):	5311		
NAICS 4 Description:	Lessors of real estate		
NAICS Code (6 digit):	531120		
NAICS 6 Description:	Lessors of non-residential buildings (except mini-warehouses)		

Substance Release Report

Category Type ID:	1
Category Type Desc:	Stack / Point
Category Type Desc (fr):	Rejets de cheminée ou ponctuels
Grouping:	Total Air
Trans Code:	ASta
Chem:	PM10 - Particulate Matter <= 10 Microns
Chem (fr):	PM10 - Matière particulaire <= 10 microns
Quantity:	2.056
Unit:	tonnes
Basis of Estimate Cd:	E2
Basis of Estimate Desc:	E2- Published Emission Factors - In use from 2003 and onward

Category Type ID:	1
Category Type Desc:	Stack / Point
Category Type Desc (fr):	Rejets de cheminée ou ponctuels
Grouping:	Total Air
Trans Code:	ASta
Chem:	PM2.5 - Particulate Matter <= 2.5 Microns
Chem (fr):	PM2,5 - Matière particulaire <= 2,5 microns
Quantity:	1.221
Unit:	tonnes
Basis of Estimate Cd:	E2
Basis of Estimate Desc:	E2- Published Emission Factors - In use from 2003 and onward

124	*41 of 74*	*S/134.1*	*100.7 / -2.13*	***FOOD IN CANADA*** ***777 BAY ST FLOOR 6*** ***TORONTO ON M5W 1A7***	***SCT***

Established: 1938

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Plant Size (ft²): 0
Employment: 5

--Details--
Description: Periodical Publishers
SIC/NAICS Code: 511120

124	42 of 74	S/134.1	100.7 / -2.13	ROGERS MEDIA PUBLISHING 777 Bay St Floor 5 Toronto ON M5W 1A7	SCT

Established: 1997
Plant Size (ft²): 0
Employment: 85

--Details--
Description: Periodical Publishers
SIC/NAICS Code: 511120

124	43 of 74	S/134.1	100.7 / -2.13	TRANSCONTINENTAL PUBLISHING 777 Bay St Suite 2700 Toronto ON M5G 2N1	SCT

Established: 1947
Plant Size (ft²): 15000
Employment: 37

--Details--
Description: Newspaper Publishers
SIC/NAICS Code: 511110

124	44 of 74	S/134.1	100.7 / -2.13	COSMETICS MAGAZINE 777 BAY ST SUITE 405 TORONTO ON M5W 1A7	SCT

Established: 1972
Plant Size (ft²): 0
Employment: 3

--Details--
Description: PERIODICALS: PUBLISHING, OR PUBLISHING AND PRINTING
SIC/NAICS Code: 2721

124	45 of 74	S/134.1	100.7 / -2.13	CANADIAN BUSINESS MEDIA LTD. 777 BAY ST FLOOR 5 TORONTO ON M5W	SCT

Established: 1932
Plant Size (ft²): 0
Employment: 60

--Details--
Description: PERIODICALS: PUBLISHING, OR PUBLISHING AND PRINTING
SIC/NAICS Code: 2721

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Description: BOOKS: PUBLISHING, OR PUBLISHING AND PRINTING
SIC/NAICS Code: 2731

124	46 of 74	S/134.1	100.7 / -2.13	ROGERS MEDIA INC. 777 Bay St Floor 9 Toronto ON M5W 1A7	SCT

Established: 1887
Plant Size (ft²): 0
Employment: 800

--Details--
Description: Periodical Publishers
SIC/NAICS Code: 511120

124	47 of 74	S/134.1	100.7 / -2.13	MARKETING MAGAZINE 777 BAY ST FLOOR 5 TORONTO ON M5W 1A7	SCT

Established: 1908
Plant Size (ft²): 0
Employment: 35

--Details--
Description: PERIODICALS: PUBLISHING, OR PUBLISHING AND PRINTING
SIC/NAICS Code: 2721

Description: Periodical Publishers
SIC/NAICS Code: 511120

124	48 of 74	S/134.1	100.7 / -2.13	CANADIAN BUSINESS MEDIA LTD. 777 BAY ST FLOOR 5 TORONTO ON M5W 1A7	SCT

Established: 1932
Plant Size (ft²): 25000
Employment: 60

--Details--
Description: Periodical Publishers
SIC/NAICS Code: 511120

Description: Book Publishers
SIC/NAICS Code: 511130

124	49 of 74	S/134.1	100.7 / -2.13	Rogers Media Publishing - Business Publishing 777 Bay St Floor 5 Toronto ON	SCT

Established: 1997
Plant Size (ft²):
Employment: 85

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
124	50 of 74	S/134.1	100.7 / -2.13	Rogers Publishing Limited - Flare Magazine 777 Bay St Floor 7 Toronto ON	SCT

Established: 1979
Plant Size (ft²):
Employment: 30

--Details--
Description: Periodical Publishers
SIC/NAICS Code: 511120

124	51 of 74	S/134.1	100.7 / -2.13	Plant Canada's Industry Newspaper 777 Bay St Floor 6 Toronto ON	SCT

Established:
Plant Size (ft²):
Employment: 13

--Details--
Description: Periodical Publishers
SIC/NAICS Code: 511120

124	52 of 74	S/134.1	100.7 / -2.13	Rogers Publishing Limited 777 Bay St Floor 5 Toronto ON	SCT

Established: 1997
Plant Size (ft²):
Employment: 000

--Details--
Description: Periodical Publishers
SIC/NAICS Code: 511120

124	53 of 74	S/134.1	100.7 / -2.13	Rogers Publishing Limited - Food In Canada Magazine 777 Bay St Floor 6 Toronto ON	SCT

Established: 1979
Plant Size (ft²):
Employment: 11

--Details--
Description: Periodical Publishers
SIC/NAICS Code: 511120

124	54 of 74	S/134.1	100.7 / -2.13	Rogers Media Publishing - Maclean's Magazine 777 Bay St Floor 7 Toronto ON	SCT

Established: 1905
Plant Size (ft²):

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Employment:		50			
124	55 of 74	S/134.1	100.7 / -2.13	**Rogers Media Publishing - Food In Canada Magazine** **777 Bay St Floor 6** **Toronto ON**	SCT
Established:		1979			
Plant Size (ft²):					
Employment:		11			
124	56 of 74	S/134.1	100.7 / -2.13	**Rogers Publishing Limited - Profit** **777 Bay St Floor 5** **Toronto ON M5G 2M5**	SCT
Established:					
Plant Size (ft²):					
Employment:		10			
--Details--					
Description:		Periodical Publishers			
SIC/NAICS Code:		511120			
124	57 of 74	S/134.1	100.7 / -2.13	**Rogers Publishing Limited - Marketing Media** **777 Bay St Floor 5** **Toronto ON**	SCT
Established:		1908			
Plant Size (ft²):					
Employment:		50			
--Details--					
Description:		Periodical Publishers			
SIC/NAICS Code:		511120			
Description:		Direct Mail Advertising			
SIC/NAICS Code:		541860			
Description:		Festivals without Facilities			
SIC/NAICS Code:		711322			
124	58 of 74	S/134.1	100.7 / -2.13	**TRANSCONTINENTAL PUBLICATIONS** **777 BAY ST SUITE 2700** **TORONTO ON M5G 2N1**	SCT
Established:		1947			
Plant Size (ft²):		15000			
Employment:		37			
--Details--					
Description:		NEWSPAPERS: PUBLISHING, OR PUBLISHING AND PRINTING			
SIC/NAICS Code:		2711			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
124	59 of 74	S/134.1	100.7 / -2.13	CYBORG SYSTEMS CANADA, INC. 777 BAY ST SUITE 2701 TORONTO ON M5G 2C8	SCT

Established: 1980
Plant Size (ft²): 0
Employment: 10

--Details--
Description: Manufacturing and Reproducing Magnetic and Optical Media
SIC/NAICS Code: 334610

Description: Software Publishers
SIC/NAICS Code: 511210

Description: Computer, Computer Peripheral and Pre-Packaged Software Wholesaler-Distributors
SIC/NAICS Code: 417310

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
124	60 of 74	S/134.1	100.7 / -2.13	COSMETICS MAGAZINE (DIV. OF RO 777 BAY ST SUITE 405 TORONTO ON M5W 1A7	SCT

Established: 1972
Plant Size (ft²): 0
Employment: 3

--Details--
Description: Periodical Publishers
SIC/NAICS Code: 511120

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
124	61 of 74	S/134.1	100.7 / -2.13	MACLEAN HUNTER HEALTHCARE 777 BAY ST FLOOR 5 TORONTO ON M5W 1A7	SCT

Established: 1997
Plant Size (ft²): 0
Employment: 70

--Details--
Description: PERIODICALS: PUBLISHING, OR PUBLISHING AND PRINTING
SIC/NAICS Code: 2721

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
124	62 of 74	S/134.1	100.7 / -2.13	ROGERS MEDIA PUBLISHING 777 Bay St Floor 7 Toronto ON M5W 1A7	SCT

Established: 1905
Plant Size (ft²): 0
Employment: 60

--Details--
Description: Periodical Publishers
SIC/NAICS Code: 511120

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
124	63 of 74	S/134.1	100.7 / -2.13	ROGERS MULTI-MEDIA INC. 777 BAY ST 9TH FLOOR TORONTO ON M5W 1A7	SCT

Established: 1887
Plant Size (ft²): 0
Employment: 700

--Details--
Description: PERIODICALS: PUBLISHING, OR PUBLISHING & PRINTING
SIC/NAICS Code: 2721

Description: NEWSPAPERS: PUBLISHING, OR PUBLISHING & PRINTING
SIC/NAICS Code: 2711

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
124	64 of 74	S/134.1	100.7 / -2.13	ROGERS MEDIA PUBLISHING 777 Bay St Floor 6 Toronto ON M5W 1A7	SCT

Established: 1979
Plant Size (ft²): 0
Employment: 8

--Details--
Description: Periodical Publishers
SIC/NAICS Code: 511120

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
124	65 of 74	S/134.1	100.7 / -2.13	MACLEAN HUNTER PUBLISHING LTD. 777 BAY ST FLOOR 9 TORONTO ON M5W 1A7	SCT

Established: 1887
Plant Size (ft²): 0
Employment: 650

--Details--
Description: COMMERCIAL PRINTING, LITHOGRAPHIC
SIC/NAICS Code: 2752

Description: COMMERCIAL PRINTING, NOT ELSEWHERE CLASSIFIED
SIC/NAICS Code: 2759

Description: MANIFOLD BUSINESS FORMS
SIC/NAICS Code: 2761

Description: BOOKS, PERIODICALS, AND NEWSPAPERS
SIC/NAICS Code: 5192

Description: BUSINESS SERVICES, NOT ELSEWHERE CLASSIFIED
SIC/NAICS Code: 7389

Description: NEWSPAPERS: PUBLISHING, OR PUBLISHING AND PRINTING
SIC/NAICS Code: 2711

Description: PERIODICALS: PUBLISHING, OR PUBLISHING AND PRINTING
SIC/NAICS Code: 2721

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
124	66 of 74	S/134.1	100.7 / -2.13	TPH The Printing House Limited 777 Bay St Box 160 Suite M205 Toronto ON M5G 2C8	SCT

Established: 01-AUG-61
Plant Size (ft²): 800
Employment:

--Details--
Description: Digital Printing
SIC/NAICS Code: 323115

Description: Other Printing
SIC/NAICS Code: 323119

Description: Other Printing
SIC/NAICS Code: 323119

Description: Quick Printing
SIC/NAICS Code: 323114

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
124	67 of 74	S/134.1	100.7 / -2.13	ROGERS MEDIA PUBLISHING 777 Bay St Floor 7 Toronto ON M5W 1A7	SCT

Established: 1905
Plant Size (ft²): 0
Employment: 60

--Details--
Description: Periodical Publishers
SIC/NAICS Code: 511120

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
124	68 of 74	S/134.1	100.7 / -2.13	CEDROM-SNI INC. 777 Bay St Suite 2700 Toronto ON M5G 2N1	SCT

Established: 0000
Plant Size (ft²): 0
Employment: 0

--Details--
Description: Database and Directory Publishers
SIC/NAICS Code: 511140

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
124	69 of 74	S/134.1	100.7 / -2.13	MACLEAN HUNTER PUBLISHING LTD 777 BAY ST FLOOR 7 TORONTO ON M5W 1A7	SCT

Established: 0000
Plant Size (ft²): 0
Employment: 60

--Details--
Description: PERIODICALS: PUBLISHING, OR PUBLISHING AND PRINTING
SIC/NAICS Code: 2721

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
124	70 of 74	S/134.1	100.7 / -2.13	Rogers Media Publishing - Flare Magazine 777 Bay St Floor 7 Toronto ON	SCT

Established:
Plant Size (ft²):
Employment: 25

124	71 of 74	S/134.1	100.7 / -2.13	Cosmetics Magazine - Div. of Rogers Media Publishing Co. 777 Bay St Suite 405 Toronto ON	SCT

Established: 1972
Plant Size (ft²):
Employment: 4

124	72 of 74	S/134.1	100.7 / -2.13	Rogers Publishing Limited - MacLean's Magazine 777 Bay St Floor 7 Toronto ON	SCT

Established: 1905
Plant Size (ft²):
Employment: 50

--Details--
Description: Periodical Publishers
SIC/NAICS Code: 511120

124	73 of 74	S/134.1	100.7 / -2.13	Rogers Publishing Limited - Canadian Business 777 Bay St Floor 5 Toronto ON	SCT

Established: 1932
Plant Size (ft²): 25000
Employment: 60

--Details--
Description: Periodical Publishers
SIC/NAICS Code: 511120

Description: Book Publishers
SIC/NAICS Code: 511130

124	74 of 74	S/134.1	100.7 / -2.13	Rogers Publishing Limited - Plant Newspaper 777 Bay St Toronto ON	SCT

Established:
Plant Size (ft²):
Employment: 45

--Details--

Description: Periodical Publishers
SIC/NAICS Code: 511120

---

125 **1 of 1** **N/135.5** **106.3 / 3.47** **Toronto ON** **WWIS**

Well ID:	7240622	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:	Test Hole	**Date Received:**	4/27/2015
Sec. Water Use:		**Selected Flag:**	Yes
Final Well Status:	Test Hole	**Abandonment Rec:**	
Water Type:		**Contractor:**	6875
Casing Material:		**Form Version:**	7
Audit No:	Z200200	**Owner:**	
Tag:	A118627	**Street Name:**	11 WELLESLEY STREET WEST
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1005330494	**Elevation:**	105.95
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:		**East83:**	630178
Code OB Desc:		**Org CS:**	UTM83
Open Hole:		**North83:**	4835804
Cluster Kind:		**UTMRC:**	4
Date Completed:	18-MAR-15	**UTMRC Desc:**	margin of error : 30 m - 100 m
Remarks:		**Location Method:**	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	1005543487
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	
Other Materials:	
Mat3:	84
Other Materials:	SILTY
Formation Top Depth:	4
Formation End Depth:	6
Formation End Depth UOM:	ft

Formation ID:	1005543488
Layer:	3
Color:	2
General Color:	GREY
Mat1:	34
Most Common Material:	TILL
Mat2:	28
Other Materials:	SAND
Mat3:	06
Other Materials:	SILT
Formation Top Depth:	6
Formation End Depth:	10
Formation End Depth UOM:	ft

Formation ID:	1005543489
Layer:	4
Color:	2
General Color:	GREY
Mat1:	28
Most Common Material:	SAND
Mat2:	84
Other Materials:	SILTY
Mat3:	66
Other Materials:	DENSE
Formation Top Depth:	10
Formation End Depth:	15
Formation End Depth UOM:	ft

Formation ID:	1005543486
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	01
Most Common Material:	FILL
Mat2:	28
Other Materials:	SAND
Mat3:	11
Other Materials:	GRAVEL
Formation Top Depth:	0
Formation End Depth:	4
Formation End Depth UOM:	ft

Annular Space/Abandonment Sealing Record

Plug ID:	1005543497
Layer:	2
Plug From:	13.5
Plug To:	15
Plug Depth UOM:	ft

Plug ID:	1005543496
Layer:	1
Plug From:	0
Plug To:	13.5
Plug Depth UOM:	ft

Method of Construction & Well Use

Method Construction ID:	1005543495
Method Construction Code:	B
Method Construction:	Other Method
Other Method Construction:	SONIC

Pipe Information

Pipe ID:	1005543485
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	1005543492
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0
Depth To:	13.5
Casing Diameter:	4
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Construction Record - Screen

Screen ID:	1005543493
Layer:	1
Slot:	20
Screen Top Depth:	13.5
Screen End Depth:	15
Screen Material:	5
Screen Depth UOM:	ft
Screen Diameter UOM:	inch
Screen Diameter:	4

Water Details

Water ID:	1005543491
Layer:	1
Kind Code:	1
Kind:	FRESH
Water Found Depth:	9.21
Water Found Depth UOM:	ft

Hole Diameter

Hole ID:	1005543490
Diameter:	8
Depth From:	0
Depth To:	15
Hole Depth UOM:	ft
Hole Diameter UOM:	inch

126	*1 of 1*	*ESE/135.7*	*101.0 / -1.79*	***Hoidge W A Co*** ***457 Yonge St*** ***Toronto ON M4Y 1X4***	***TANK***

Permit Date:	8/12/1929
Permit Type:	BP A24596
User Type:	Realtor
Installation Type:	Gasoline tank
Installation Size:	
Installation Config.:	1 x gasoline tank
No. Tanks Installed:	1

Units of Measure:	
Value/Tank ($):	150
Capacity(gal):	
Reference:	CTA Building permits
Location Desc:	

---

127 | **1 of 1** | **N/135.8** | **106.3 / 3.47** | **Sacks [Walter R]**
16 Breadalbane St
Toronto ON | **TANK**

Permit Date:	7/25/1931
Permit Type:	BP A38421
User Type:	
Installation Type:	FO tank
Installation Size:	
Installation Config.:	FO tank
No. Tanks Installed:	1
Units of Measure:	
Value/Tank ($):	100
Capacity(gal):	
Reference:	CTA Building Permits Index
Location Desc:	16-18 Breadalbane St

---

128 | **1 of 1** | **NW/136.1** | **105.6 / 2.74** | **ON** | **BORE**

Borehole ID:	648092	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	630055	**Northing::**	4835743
Location Accuracy::		**Orig. Ground Elev m::**	106
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	-999	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	.8
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218521508	**Top Depth(m):**	0.0
Bottom Depth(m):	2.7	**Stratum Desc:**	FILL,SAND,GRAVEL.
Stratum ID:	218521509	**Top Depth(m):**	2.7
Bottom Depth(m):	7.9	**Stratum Desc:**	SAND-MEDIUM,SILT. GREY,LACUSTRINE,VERY DENSE, AGE GLACIAL, WATER STABLE AT 345.5 FEET.
Stratum ID:	218521510	**Top Depth(m):**	7.9
Bottom Depth(m):	10.1	**Stratum Desc:**	TILL,SILT,SAND. GREY,GLACIAL,VERY DENSE, AGE GLACIAL.
Stratum ID:	218521511	**Top Depth(m):**	10.1
Bottom Depth(m):	13.1	**Stratum Desc:**	TILL,SILT,CLAY. GREY,GLACIAL,VERY DENSE, AGE GLACIAL.
Stratum ID:	218521512	**Top Depth(m):**	13.1
Bottom Depth(m):		**Stratum Desc:**	TILL,SILT,CLAY, GRAVEL. GREY,GLACIAL,VERY DENSE, AGE GLACIAL. 0000000400090055002600660033005100 4

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
129	1 of 1	ESE/136.2	101.8 / -0.99	461 Yonge St Fill Toronto ON M5B	ANDR

Legal Description:	York Con 1 FB
Location Description:	
Municipality:	Toronto City
Current Municipality:	Toronto City
RM:	Toronto City
Facility:	Dump
Date Active:	1946
Date Begun:	1946.02.00
Date Complete:	1946
Area (Ha):	
Landfill Type:	fill 60' deep well at rear of property
Group Name:	
Operated By:	Toronto DSC
Serial:	TOR542
NTS:	30M11
Diameter (m):	

Historical Summary:

Fills, 461 Yonge Street In February 1946 the owner (W A Hoidge Realty Co.) requested Toronto DSC to dump "sufficient" ashes to fill an old well 60' deep at the rear of the property. The work was done in 1946 (CTA Deposits of Fill RG8 Box 74 File 40).

Waste Type:	ashes
UTM X Nad 27:	630365
UTM Y Nad 27:	4835369
UTM Zone:	17

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
130	1 of 1	NE/136.5	104.9 / 2.02	Toronto ON	WWIS

Well ID:	7228938	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:		**Date Received:**	10/8/2014
Sec. Water Use:		**Selected Flag:**	Yes
Final Well Status:	Observation Wells	**Abandonment Rec:**	
Water Type:		**Contractor:**	7147
Casing Material:		**Form Version:**	7
Audit No:	Z191949	**Owner:**	
Tag:	A160992	**Street Name:**	507 YONGE ST
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1005153102	**Elevation:**	104.16
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:		**East83:**	630316
Code OB Desc:		**Org CS:**	UTM83

Open Hole:		***North83:***	4835747
Cluster Kind:		***UTMRC:***	4
Date Completed:	15-SEP-14	***UTMRC Desc:***	margin of error : 30 m - 100 m
Remarks:		***Location Method:***	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	1005379922
Layer:	3
Color:	6
General Color:	BROWN
Mat1:	06
Most Common Material:	SILT
Mat2:	28
Other Materials:	SAND
Mat3:	34
Other Materials:	TILL
Formation Top Depth:	3.1
Formation End Depth:	10.7
Formation End Depth UOM:	m

Formation ID:	1005379920
Layer:	1
Color:	2
General Color:	GREY
Mat1:	27
Most Common Material:	OTHER
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	
Formation Top Depth:	0
Formation End Depth:	.1
Formation End Depth UOM:	m

Formation ID:	1005379921
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	
Formation Top Depth:	.1
Formation End Depth:	3.1
Formation End Depth UOM:	m

Annular Space/Abandonment Sealing Record

Plug ID:	1005379928
Layer:	1
Plug From:	0
Plug To:	.3
Plug Depth UOM:	m

Plug ID: 1005379930
Layer: 3
Plug From: 6.8
Plug To: 10.5
Plug Depth UOM: m

Plug ID: 1005379929
Layer: 2
Plug From: .3
Plug To: 6.8
Plug Depth UOM: m

Plug ID: 1005379931
Layer: 4
Plug From:
Plug To: 10.9
Plug Depth UOM: m

Method of Construction & Well Use

Method Construction ID: 1005379927
Method Construction Code: 6
Method Construction: Boring
Other Method Construction:

Pipe Information

Pipe ID: 1005379919
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1005379925
Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From: 0
Depth To: 7.4
Casing Diameter: 5
Casing Diameter UOM: cm
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1005379926
Layer: 1
Slot: .10
Screen Top Depth: 7.4
Screen End Depth: 10.5
Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm
Screen Diameter: 6.3

Water Details

Water ID: 1005379924
Layer: 1

Kind Code:	1
Kind:	FRESH
Water Found Depth:	9.1
Water Found Depth UOM:	m

Hole Diameter

Hole ID:	1005379923
Diameter:	11.4
Depth From:	0
Depth To:	10.7
Hole Depth UOM:	m
Hole Diameter UOM:	cm

131 ***1 of 1*** ***WNW/137.7*** ***104.9 / 2.08*** ***TORONTO ON*** ***WWIS***

Well ID:	7210960	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:	Monitoring and Test Hole	**Date Received:**	11/12/2013
Sec. Water Use:		**Selected Flag:**	Yes
Final Well Status:	Monitoring and Test Hole	**Abandonment Rec:**	
Water Type:		**Contractor:**	7241
Casing Material:		**Form Version:**	7
Audit No:	Z179220	**Owner:**	
Tag:	A142758	**Street Name:**	60 GROSVENOR STREET
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1004628127	**Elevation:**	106.27
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:		**East83:**	630025
Code OB Desc:		**Org CS:**	UTM83
Open Hole:		**North83:**	4835683
Cluster Kind:		**UTMRC:**	4
Date Completed:	27-SEP-13	**UTMRC Desc:**	margin of error : 30 m - 100 m
Remarks:		**Location Method:**	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	1004886144
Layer:	1
Color:	6

General Color:	BROWN
Mat1:	11
Most Common Material:	GRAVEL
Mat2:	01
Other Materials:	FILL
Mat3:	77
Other Materials:	LOOSE
Formation Top Depth:	0
Formation End Depth:	13
Formation End Depth UOM:	ft

Formation ID:	1004886145
Layer:	2
Color:	2
General Color:	GREY
Mat1:	06
Most Common Material:	SILT
Mat2:	28
Other Materials:	SAND
Mat3:	
Other Materials:	
Formation Top Depth:	13
Formation End Depth:	25
Formation End Depth UOM:	ft

Annular Space/Abandonment Sealing Record

Plug ID:	1004886154
Layer:	2
Plug From:	1
Plug To:	14
Plug Depth UOM:	ft

Plug ID:	1004886155
Layer:	3
Plug From:	14
Plug To:	25
Plug Depth UOM:	ft

Plug ID:	1004886153
Layer:	1
Plug From:	0
Plug To:	1
Plug Depth UOM:	ft

Method of Construction & Well Use

Method Construction ID:	1004886152
Method Construction Code:	2
Method Construction:	Rotary (Convent.)
Other Method Construction:	DIRECT PUSH

Pipe Information

Pipe ID:	1004886143
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	1004886148
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0
Depth To:	15
Casing Diameter:	2
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Construction Record - Screen

Screen ID:	1004886149
Layer:	1
Slot:	10
Screen Top Depth:	15
Screen End Depth:	25
Screen Material:	5
Screen Depth UOM:	ft
Screen Diameter UOM:	inch
Screen Diameter:	2.25

Water Details

Water ID:	1004886147
Layer:	
Kind Code:	
Kind:	
Water Found Depth:	
Water Found Depth UOM:	ft

Hole Diameter

Hole ID:	1004886146
Diameter:	6
Depth From:	0
Depth To:	25
Hole Depth UOM:	ft
Hole Diameter UOM:	inch

132	*1 of 1*	*WSW/137.9*	*102.7 / -0.16*	*66 Grenville St* *Toronto ON*	*TANK*

Permit Date:	4/4/1933
Permit Type:	BP A46510
User Type:	
Installation Type:	FO tanks
Installation Size:	
Installation Config.:	FO tanks
No. Tanks Installed:	3
Units of Measure:	
Value/Tank ($):	50
Capacity(gal):	
Reference:	CTA Building Permits
Location Desc:	66 Grenville St

133	*1 of 1*	*SE/137.9*	*100.0 / -2.81*	*Eaton [T] & Co Ltd* *1 College St* *Toronto ON*	*TANK*

Permit Date:	10/29/1928
Permit Type:	BP A18181
User Type:	Department store
Installation Type:	Gasoline tank
Installation Size:	
Installation Config.:	1 x Gasoline tank
No. Tanks Installed:	1
Units of Measure:	
Value/Tank ($):	100
Capacity(gal):	
Reference:	CTA Building permits
Location Desc:	College St se cor Bay

---

134 | **1 of 5** | **NW/138.7** | **106.4 / 3.59** | **MINISTRY OF GOVERNMENT SERVICES**
909 BAY STREET
TORONTO ON M5S 3G2 | **GEN**

Generator No.:	ON0123937	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	98	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	8262		
SIC Description:	SOCIAL SERV. ADMIN.		

--Details--

Waste Code:	221
Waste Description:	LIGHT FUELS

---

134 | **2 of 5** | **NW/138.7** | **106.4 / 3.59** | **MINISTRY OF GOVERNMENT SERVICES**
909 BAY STREET C/O 25 GROSVENOR ST., 1ST FLOOR
TORONTO ON M5S 3G2 | **GEN**

Generator No.:	ON0123937	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	90	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	8262		
SIC Description:	SOCIAL SERV. ADMIN.		

--Details--

Waste Code:	221
Waste Description:	LIGHT FUELS

---

134 | **3 of 5** | **NW/138.7** | **106.4 / 3.59** | **MINISTRY OF GOVERNMENT SERVICES 26-531**
909 BAY STREET C/O 25 GROSVENOR ST., 1ST FLOOR
TORONTO ON M5S 3G2 | **GEN**

Generator No.:	ON0123937	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	92,93,94,95,96,97	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	8262		
SIC Description:	SOCIAL SERV. ADMIN.		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

--Details--
Waste Code: 221
Waste Description: LIGHT FUELS

---

134 | **4 of 5** | **NW/138.7** | **106.4 / 3.59** | **Willys-Overland Co of Canada Ltd (J T & H Hutson)**
909 Bay St
Toronto ON M5S 3G2 | **TANK**

Permit Date: 1924
Permit Type: To erect
User Type: Auto service garage
Installation Type: Auto show room
Installation Size:
Installation Config.: Auto show room
No. Tanks Installed:
Units of Measure:
Value/Tank ($):
Capacity(gal):
Reference: TCM 1924 A: 1502
Location Desc: ne cor Bay & Breadalbane

---

134 | **5 of 5** | **NW/138.7** | **106.4 / 3.59** | **Willys-Overland Co of Canada Ltd (J T & H Hutson)**
909 Bay St
Toronto ON M5S 3G2 | **TANK**

Permit Date: 1924
Permit Type: To establish
User Type: Auto service garage
Installation Type: Public garage
Installation Size:
Installation Config.: Public garage
No. Tanks Installed:
Units of Measure:
Value/Tank ($):
Capacity(gal):
Reference: TCM 1924 A: 1701
Location Desc: ne cor Bay & breadalbane Sts

---

135 | **1 of 1** | **W/139.6** | **103.9 / 1.03**
TORONTO ON | **WWIS**

Well ID:	7153327	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:		**Date Received:**	10/22/2010
Sec. Water Use:		**Selected Flag:**	Yes
Final Well Status:	Abandoned-Other	**Abandonment Rec:**	Yes
Water Type:		**Contractor:**	7215
Casing Material:		**Form Version:**	7
Audit No:	Z121763	**Owner:**	
Tag:	A089084	**Street Name:**	76 GRENVILLE ST.
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	

Flowing (Y/N):
Flow Rate:
Clear/Cloudy:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID:	1003352882	**Elevation:**	106.05
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:		**East83:**	630025
Code OB Desc:		**Org CS:**	UTM83
Open Hole:		**North83:**	4835622
Cluster Kind:		**UTMRC:**	3
Date Completed:	27-SEP-10	**UTMRC Desc:**	margin of error : 10 - 30 m
Remarks:		**Location Method:**	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Annular Space/Abandonment Sealing Record

Plug ID:	1003452735
Layer:	1
Plug From:	0
Plug To:	13
Plug Depth UOM:	ft

Method of Construction & Well Use

Method Construction ID:	1003452739
Method Construction Code:	
Method Construction:	
Other Method Construction:	

Pipe Information

Pipe ID:	1003452732
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	1003452737
Layer:	
Material:	
Open Hole or Material:	
Depth From:	
Depth To:	
Casing Diameter:	
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Construction Record - Screen

Screen ID:	1003452738

Layer:
Slot:
Screen Top Depth:
Screen End Depth:
Screen Material:
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter:

Water Details

Water ID: 1003452736
Layer:
Kind Code:
Kind:
Water Found Depth:
Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1003452734
Diameter: 1.5
Depth From: 0
Depth To: 13
Hole Depth UOM: ft
Hole Diameter UOM: inch

---

136 | **1 of 1** | **S/139.8** | **100.4 / -2.44** | **Bay street Toronto ON** | **EHS**

Order ID: 184831
Order No: 20110329020
Customer ID: 41507
Company ID: 32005
Status: C
Report Code: 3CAN
Report Type: Standard Report
Report Date: 3/30/2011
Report Requested by: ECOH Management Inc.
Nearest Intersection: College and Bay
Previous Site Name:
Additional Info Ordered: Fire Insur. Maps and/or Site Plans; Title Searches; Aerial Photos; City Directory; Topographic Maps; Supplementary Anderson Report

Date Received: 3/29/2011 11:25:31 AM
Lot/Building Size:
Municipality:
Client Prov/State: ON
Search Radius (km): 0.25
Large Radius: 2
X: -79.385183
Y: 43.660581

---

137 | **1 of 6** | **NE/140.1** | **104.7 / 1.91** | **McClymont & Rak Engineers, Inc 501 YONGE STREET TORONTO ON M4Y1Y4** | **GEN**

Generator No.: ON8749372
Status:
Approval Years: 2014
Contam. Facility: No
MHSW Facility: No
SIC Code: 541330
SIC Description: ENGINEERING SERVICES

PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 150
Waste Description: INERT INORGANIC WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
137	2 of 6	NE/140.1	104.7 / 1.91	**Lanterra Developments Ltd.** **501 Yonge Street** **Toronto ON M4Y 1Y4**	GEN

Generator No.:	ON6659877	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2016	**Choice of Contact:**	CO_OFFICIAL
Contam. Facility:	No	**Co Admin:**	
MHSW Facility:	No	**Phone No. Admin:**	
SIC Code:	236220		
SIC Description:	COMMERCIAL AND INSTITUTIONAL BUILDING CONSTRUCTION		

--Details--

Waste Code: 243
Waste Description: PCBS

Waste Code: 221
Waste Description: LIGHT FUELS

137	3 of 6	NE/140.1	104.7 / 1.91	**Michael Bros.** **501 Yonge Street** **Toronto ON M4Y1Y4**	GEN

Generator No.:	ON3398167	**PO Box No.:**	
Status:	Registered	**Country:**	Canada
Approval Years:	As of Dec 2017	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:			
SIC Description:			

--Details--

Waste Code: 251 L
Waste Description: Waste oils/sludges (petroleum based)

137	4 of 6	NE/140.1	104.7 / 1.91	**Lanterra 501 Yonge Developments Limited** **501 Yonge Street Toronto City CITY OF TORONTO** **ON**	PTTW

EBR Registry No.: 012-6877
Ministry Ref. No.: 1801-A4ZS33
Notice Type: Instrument Decision
Notice Date: July 25, 2016
Proposal Date: April 04, 2016
Year: 2016
Proponent Address: 2811 Dufferin Street, North York Ontario, Canada M6B 3R9
Instrument Type: (OWRA s. 34) - Permit to Take Water
Location Other:

Location:

501 Yonge Street Toronto City CITY OF TORONTO

137	5 of 6	NE/140.1	104.7 / 1.91	**501 Yonge St.** **Toronto ON**	SPL

Ref No:	0780-A3HW2B	**Discharger Report:**	
Site No:	NA	**Material Group:**	
Incident Dt:	10/21/2015	**Client Type:**	
Year:		**Sector Type:**	Unknown / N/A
Incident Cause:		**Source Type:**	
Incident Event:		**Nearest Watercourse:**	
Contaminant Code:	46	**Site Name:**	demolition site<UNOFFICIAL>
Contaminant Name:	WASTE OIL	**Site Address:**	501 Yonge St.
Contaminant Limit 1:		**Site District Office:**	
Contam Limit Freq 1:		**Site County/District:**	
Contaminant UN No 1:		**Site Postal Code:**	
Contaminant Qty:	0 other - see incident description	**Site Region:**	
Environment Impact:		**Site Municipality:**	Toronto
Nature of Impact:		**Site Lot:**	
Receiving Medium:		**Site Conc:**	
Receiving Env:		**Northing:**	4878174
Health/Env Conseq:		**Easting:**	623621
MOE Response:	No	**Site Geo Ref Accu:**	
Dt MOE Arvl on Scn:		**Site Geo Ref Meth:**	
MOE Reported Dt:	10/21/2015	**Site Map Datum:**	NAD83
Dt Document Closed:			
SAC Action Class:	Land Spills		
Incident Reason:	Unknown / N/A		
Incident Summary:	waste grease to laneway of demolition site, quantity unknown,		

137 | **6 of 6** | **NE/140.1** | **104.7 / 1.91** | **Toronto ON** | **WWIS**

Well ID:	7259535	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:	Monitoring	**Date Received:**	3/22/2016
Sec. Water Use:		**Selected Flag:**	Yes
Final Well Status:	Observation Wells	**Abandonment Rec:**	
Water Type:		**Contractor:**	6032
Casing Material:		**Form Version:**	7
Audit No:	Z183666	**Owner:**	
Tag:	A194382	**Street Name:**	501-523 YONGE ST
Construction Method:		**County:**	
Elevation (m):		**Municipality:**	
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1005909893	**Elevation:**	
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	
Code OB:		**East83:**	
Code OB Desc:		**Org CS:**	UTM83
Open Hole:		**North83:**	
Cluster Kind:		**UTMRC:**	9
Date Completed:	06-JAN-16	**UTMRC Desc:**	unknown UTM
Remarks:		**Location Method:**	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			

Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Overburden and Bedrock Materials Interval

Formation ID: 1006048024
Layer: 3
Color: 6
General Color: BROWN
Mat1: 06
Most Common Material: SILT
Mat2: 05
Other Materials: CLAY
Mat3: 66
Other Materials: DENSE
Formation Top Depth: 10
Formation End Depth: 20
Formation End Depth UOM: ft

Formation ID: 1006048026
Layer: 5
Color: 2
General Color: GREY
Mat1: 28
Most Common Material: SAND
Mat2: 06
Other Materials: SILT
Mat3: 77
Other Materials: LOOSE
Formation Top Depth: 35
Formation End Depth: 45
Formation End Depth UOM: ft

Formation ID: 1006048022
Layer: 1
Color: 8
General Color: BLACK
Mat1: 11
Most Common Material: GRAVEL
Mat2: 28
Other Materials: SAND
Mat3: 73
Other Materials: HARD
Formation Top Depth: 0
Formation End Depth: .5
Formation End Depth UOM: ft

Formation ID: 1006048028
Layer: 7
Color: 2
General Color: GREY
Mat1: 28
Most Common Material: SAND
Mat2: 11
Other Materials: GRAVEL
Mat3: 66
Other Materials: DENSE
Formation Top Depth: 75
Formation End Depth: 87.5
Formation End Depth UOM: ft

Formation ID: 1006048025
Layer: 4

Color:	2
General Color:	GREY
Mat1:	06
Most Common Material:	SILT
Mat2:	05
Other Materials:	CLAY
Mat3:	66
Other Materials:	DENSE
Formation Top Depth:	20
Formation End Depth:	35
Formation End Depth UOM:	ft
Formation ID:	1006048027
Layer:	6
Color:	2
General Color:	GREY
Mat1:	06
Most Common Material:	SILT
Mat2:	05
Other Materials:	CLAY
Mat3:	66
Other Materials:	DENSE
Formation Top Depth:	45
Formation End Depth:	75
Formation End Depth UOM:	ft
Formation ID:	1006048023
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	01
Most Common Material:	FILL
Mat2:	28
Other Materials:	SAND
Mat3:	11
Other Materials:	GRAVEL
Formation Top Depth:	.5
Formation End Depth:	10
Formation End Depth UOM:	ft

Annular Space/Abandonment Sealing Record

Plug ID:	1006048037
Layer:	1
Plug From:	75
Plug To:	0
Plug Depth UOM:	ft
Plug ID:	1006048038
Layer:	2
Plug From:	77.5
Plug To:	2
Plug Depth UOM:	ft
Plug ID:	1006048039
Layer:	3
Plug From:	2
Plug To:	1
Plug Depth UOM:	ft
Plug ID:	1006048040
Layer:	4
Plug From:	1
Plug To:	0

Plug Depth UOM: ft

Method of Construction & Well Use

Method Construction ID: 1006048036
Method Construction Code: 6
Method Construction: Boring
Other Method Construction:

Pipe Information

Pipe ID: 1006048021
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1006048032
Layer: 1
Material: 1
Open Hole or Material: STEEL
Depth From: 75
Depth To: 0
Casing Diameter: 4
Casing Diameter UOM: inch
Casing Depth UOM: ft

Casing ID: 1006048033
Layer: 2
Material: 5
Open Hole or Material: PLASTIC
Depth From: 77.5
Depth To: 0
Casing Diameter: 2
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1006048034
Layer: 1
Slot: 10
Screen Top Depth: 87.5
Screen End Depth: 77.5
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 2

Water Details

Water ID: 1006048031
Layer:
Kind Code:
Kind:
Water Found Depth:
Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006048030
Diameter: 3.875
Depth From: 75
Depth To: 87.5
Hole Depth UOM: ft
Hole Diameter UOM: inch

Hole ID: 1006048029
Diameter: 8
Depth From: 0
Depth To: 75
Hole Depth UOM: ft
Hole Diameter UOM: inch

---

138 | **1 of 1** | **ESE/140.2** | **100.9 / -1.90** | **LEE DEVELOPMENT CORPORATION 24-719**
SE CR. OF YONGE & CARLTON STREETS C/O
40 KING ST. W. SUITE 5380
TORONTO ON M5H 3Y2 | **GEN**

Generator No.: ON1288700
Status:
Approval Years: 92,93,94,95,96,97,98
Contam. Facility:
MHSW Facility:
SIC Code: 4012
SIC Description: APT. & MULT. HOUSING

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 221
Waste Description: LIGHT FUELS

---

139 | **1 of 1** | **WNW/141.5** | **104.8 / 1.98** | **ON** | **BORE**

Borehole ID: 638115
Use: Geotechnical/Geological Investigation
Drill Method:: Power auger
Easting:: 630020
Location Accuracy::
Elev. Reliability Note::
Total Depth m:: 15.7
Township::
Lot::
Completion Date:: APR-1967
Primary Water Use:: Not Used

Type: Borehole
Status::
UTM Zone:: 17
Northing:: 4835673
Orig. Ground Elev m:: 107
DEM Ground Elev m:: 106
Primary Name::
Concession::
Municipality:
Static Water Level:: 1.6
Sec. Water Use::

--Details--

Stratum ID: 218483076
Bottom Depth(m): 1.5
Top Depth(m): 0.0
Stratum Desc: FILL,SAND,GRAVEL, SILT. BROWN.

Stratum ID: 218483077
Bottom Depth(m): 3.5
Top Depth(m): 1.5
Stratum Desc: SAND-FINE TO MEDIUM,SILT,GRAVEL,STONES. BROWN,GLACIAL,STIFF, AGE GLACIAL.

Stratum ID: 218483078
Bottom Depth(m): 6.9
Top Depth(m): 3.5
Stratum Desc: TILL,SILT,SAND,CLAY.GREY,GLACIAL,HARD ,AGE GLACIAL,WATER STABLE AT 345.9 FEET.

Stratum ID: 218483079
Top Depth(m): 6.9

Bottom Depth(m):	12.0	**Stratum Desc:**	SAND,SILT,CLAY, STONES. GREY,GLACIAL,DENSE, AGE GLACIAL.
Stratum ID:	218483080	**Top Depth(m):**	12.0
Bottom Depth(m):	15.2	**Stratum Desc:**	SAND,SILT. GREY,GLACIAL,WET,AGE GLACIAL.
Stratum ID:	218483081	**Top Depth(m):**	15.2
Bottom Depth(m):	15.7	**Stratum Desc:**	SAND,SILT,CLAY. GREY,GLACIAL,DENSE,LAYERED, AGE GLACIAL. 0005002000115036002250530039503400500040

140 | **1 of 1** | **S/142.8** | **100.7 / -2.13** | **777 Bay St Toronto ON M7A1S5** | **EHS**

Order ID:	348910	**Date Received:**	15-OCT-14
Order No:	20141015020	**Lot/Building Size:**	
Customer ID:	114808	**Municipality:**	
Company ID:	50	**Client Prov/State:**	ON
Status:	C	**Search Radius (km):**	.25
Report Code:	3CAN	**Large Radius:**	.5
Report Type:	Standard Report	**X:**	-79.385387
Report Date:	21-OCT-14	**Y:**	43.660565
Report Requested by:	Golder Associates Ltd.		
Nearest Intersection:			
Previous Site Name:			
Additional Info Ordered:			

141 | **1 of 1** | **S/143.4** | **99.9 / -2.93** | **777 Bay St Toronto ON M7A1S5** | **EHS**

Order ID:	441658	**Date Received:**	27-JAN-16
Order No:	20160127077	**Lot/Building Size:**	
Customer ID:	114808	**Municipality:**	
Company ID:	50	**Client Prov/State:**	ON
Status:	C	**Search Radius (km):**	.25
Report Code:	2CAN	**Large Radius:**	.3
Report Type:	Standard Select Report	**X:**	-79.385082
Report Date:	03-FEB-16	**Y:**	43.66055
Report Requested by:	Golder Associates Ltd.		
Nearest Intersection:			
Previous Site Name:			
Additional Info Ordered:			

142 | **1 of 1** | **WSW/144.5** | **102.7 / -0.16** | **ON** | **BORE**

Borehole ID:	638094	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	630055	**Northing::**	4835533
Location Accuracy::		**Orig. Ground Elev m::**	104
Elev. Reliability Note::		**DEM Ground Elev m::**	103
Total Depth m::	12.2	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	MAR-1965	**Static Water Level::**	.7
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218482977	**Top Depth(m):**	0.0
Bottom Depth(m):	2.7	**Stratum Desc:**	FILL,SAND,SILT,BRICKLOOSE.
Stratum ID:	218482978	**Top Depth(m):**	2.7
Bottom Depth(m):	3.8	**Stratum Desc:**	TILL,SAND,SILT. GLACIAL,DENSE,AGE GLACIAL, WATER STABLE AT 341.1 FEET.
Stratum ID:	218482979	**Top Depth(m):**	3.8
Bottom Depth(m):	12.2	**Stratum Desc:**	SAND(95),SILT(5), COBBLE. GREY,FLUVIO-GLACIAL,DENSE, AGE GLACIAL. 007 011

---

143 | **1 of 22** | **SW/145.2** | **101.8 / -1.05** | **Ontario Realty Corporation**
77 Grenville St
Toronto ON | **CA**

Certificate #:	7570-8AGNCF
Application Year:	2010
Issue Date:	10/22/2010
Approval Type:	Air
Status:	Approved
Application Type:	
Client Name::	
Client Address::	
Client City::	
Client Postal Code::	
Project Description::	
Contaminants::	
Emission Control::	

---

143 | **2 of 22** | **SW/145.2** | **101.8 / -1.05** | **Women's College Hospital**
77 Grenville Street Toronto M5S 1B1 CITY OF TORONTO
ON | **EBR**

Company Name:	Women's College Hospital
EBR Registry No.:	011-5567
Ministry Ref. No.:	9166-8QES6B
Notice Type:	Instrument Decision
Notice Date:	January 17, 2013
Proposal Date:	January 13, 2012
Year:	2012
Proponent Address:	77 Grenville Street, Toronto Ontario, Canada M5S 1B1
Instrument Type:	(EPA Part II.1-air) - Environmental Compliance Approval (project type: air)
Location Other:	

Location:

77 Grenville Street Toronto M5S 1B1 CITY OF TORONTO

---

143 | **3 of 22** | **SW/145.2** | **101.8 / -1.05** | **Women's College Hospital**
77 Grenville St
Toronto ON M5S 1B1 | **ECA**

Approval No:	6664-924RA4	**SWP Area Name:**	Toronto
Approval Date:	2012-11-30	**MOE District:**	Toronto
Status:	Approved	**City:**	Toronto
Record Type:	ECA	**Longitude:**	-79.38707

Link Source: IDS
Latitude: 43.66138
Approval Type: ECA-AIR
Project Type: AIR
Address: 77 Grenville St
Full Address:
Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/9166-8QES6B-14.pdf

---

143 | **4 of 22** | **SW/145.2** | **101.8 / -1.05** | **ECA**

Ontario Realty Corporation
77 Grenville St
Toronto ON M5G 2L5

Approval No: 7570-8AGNCF
SWP Area Name: Toronto
Approval Date: 2010-10-22
MOE District: Toronto
Status: Approved
City: Toronto
Record Type: ECA
Longitude: -79.38707
Link Source: IDS
Latitude: 43.66138
Approval Type: ECA-AIR
Project Type: AIR
Address: 77 Grenville St
Full Address:
Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/6418-88LL3D-14.pdf

---

143 | **5 of 22** | **SW/145.2** | **101.8 / -1.05** | **GEN**

MIN. OF NORTHERN DEV. & MINES
ONT. GEOLOGICAL SURVEY, GEOSCIENCE LAB 10TH & 11TH FLOORS 77 GRENVILLE STREET
TORONTO ON M7A 1W4

Generator No.: ON1004101
PO Box No.:
Status:
Country:
Approval Years: 88,89,90
Choice of Contact:
Contam. Facility:
Co Admin:
MHSW Facility:
Phone No. Admin:
SIC Code: 8276
SIC Description: RESEARCH ADMIN.

--Details--
Waste Code: 112
Waste Description: ACID WASTE - HEAVY METALS

Waste Code: 113
Waste Description: ACID WASTE - OTHER METALS

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

---

143 | **6 of 22** | **SW/145.2** | **101.8 / -1.05** | **GEN**

ARCHIVES OF ONTARIO
77 GRENVILLE STREET, UNIT 300
TORONTO ON M5S 1B3

Generator No.: ON1433202
PO Box No.:
Status:
Country:
Approval Years: 99,00,01,02
Choice of Contact:
Contam. Facility:
Co Admin:

MHSW Facility:
Phone No. Admin:
SIC Code: 8551
SIC Description: MUSEUMS/ARCHIVES

--Details--
Waste Code: 213
Waste Description: PETROLEUM DISTILLATES

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

---

143 | **7 of 22** | **SW/145.2** | **101.8 / -1.05** | **ARCHIVES OF ONTARIO**
Ministry of Government Services 77 GRENVILLE STREET, UNIT 300
TORONTO ON | **GEN**

Generator No.: ON1433202
Status:
Approval Years: 2009
Contam. Facility:
MHSW Facility:
SIC Code: 712190
SIC Description: Other Heritage Institutions

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 213
Waste Description: PETROLEUM DISTILLATES

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

---

143 | **8 of 22** | **SW/145.2** | **101.8 / -1.05** | **ARCHIVES OF ONTARIO**
Ministry of Government Services 77 GRENVILLE STREET, UNIT 300
TORONTO ON M5S 1B3 | **GEN**

Generator No.: ON1433202
Status:
Approval Years: 05,06,07,08
Contam. Facility:
MHSW Facility:
SIC Code: 712190
SIC Description: Other Heritage Institutions

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 213
Waste Description: PETROLEUM DISTILLATES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

143	9 of 22	SW/145.2	101.8 / -1.05	CBRE Ltd 77 Grenville Toronto ON M5S 1B3	GEN

Generator No.: ON7055063
Status:
Approval Years: 2011
Contam. Facility:
MHSW Facility:
SIC Code: 531310
SIC Description:

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

143	10 of 22	SW/145.2	101.8 / -1.05	CBRE Ltd 77 Grenville Toronto ON M5S 1B3	GEN

Generator No.: ON7055063
Status:
Approval Years: 2012
Contam. Facility:
MHSW Facility:
SIC Code: 531310
SIC Description: Real Estate Property Managers

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

143	11 of 22	SW/145.2	101.8 / -1.05	MIN. OF CITIZENSHIP,CULTURE & RECREATION ARCHIVES OF ONTARIO 77 GRENVILLE STREET, UNIT 300 TORONTO ON M5S 1B3	GEN

Generator No.: ON1433202
Status:
Approval Years: 96,97,98
Contam. Facility:
MHSW Facility:
SIC Code: 8551
SIC Description: MUSEUMS/ARCHIVES

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 213
Waste Description: PETROLEUM DISTILLATES

Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

143	12 of 22	SW/145.2	101.8 / -1.05	ARCHIVES OF ONTARIO Management Board Secretariat 77 GRENVILLE STREET, UNIT 300 TORONTO ON	GEN

Generator No.: ON1433202
Status:
Approval Years: 03,04

PO Box No.:
Country:
Choice of Contact:

Contam. Facility:
MHSW Facility:
SIC Code: 514199
SIC Description: All Other Information Services

Co Admin:
Phone No. Admin:

--Details--
Waste Code: 213
Waste Description: PETROLEUM DISTILLATES

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

---

143 | **13 of 22** | **SW/145.2** | **101.8 / -1.05** | **CBRE Limited**
77 Grenville Street
Toronto ON M5S 1B2 | **GEN**

Generator No.: ON4976376
Status:
Approval Years: 2016
Contam. Facility: No
MHSW Facility: No
SIC Code: 531310
SIC Description: REAL ESTATE PROPERTY MANAGERS

PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES

Waste Code: 331
Waste Description: WASTE COMPRESSED GASES

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

---

143 | **14 of 22** | **SW/145.2** | **101.8 / -1.05** | **CBRE Limited**
77 Grenville Street
Toronto ON M5S 1B2 | **GEN**

Generator No.: ON4976376
Status: Registered
Approval Years: As of Dec 2017
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No.:
Country: Canada
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 252 L
Waste Description: Waste crankcase oils and lubricants

Waste Code: 331 I
Waste Description: Waste compressed gases including cylinders

Waste Code: 145 I
Waste Description: Wastes from the use of pigments, coatings and paints

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

143 | **15 of 22** | **SW/145.2** | **101.8 / -1.05** | **CBRE Limited**
77 Grenville Street
Toronto ON M5S 1B2 | **GEN**

Generator No.:	ON4976376	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2015	**Choice of Contact:**	CO_OFFICIAL
Contam. Facility:	No	**Co Admin:**	
MHSW Facility:	No	**Phone No. Admin:**	
SIC Code:	531310		
SIC Description:	REAL ESTATE PROPERTY MANAGERS		

--Details--
Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 331
Waste Description: WASTE COMPRESSED GASES

---

143 | **16 of 22** | **SW/145.2** | **101.8 / -1.05** | **MINISTRY OF NATURAL RESOURCES**
GEO-SCIENCE LAB 77 GRENVILLE ST
TORONTO ON M5S 1B3 | **GEN**

Generator No.:	ON0124101	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	86,87,88,89,90,92,93,94	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	0000		
SIC Description:	*** NOT DEFINED ***		

---

143 | **17 of 22** | **SW/145.2** | **101.8 / -1.05** | **SALPAM INVESTMENTS LIMITED**
77 GRENVILLE STREET
TORONTO ON M5S 1B3 | **GEN**

Generator No.:	ON1798400	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	93,94,95,96,97,98	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	4012		
SIC Description:	APT. & MULT. HOUSING		

--Details--
Waste Code: 243
Waste Description: PCB'S

---

143 | **18 of 22** | **SW/145.2** | **101.8 / -1.05** | **MIN. OF NORTHERN (OUT OF BUSINESS)27-484**
ONT. GEOLOGICAL SURVEY, GEOSCIENCE
LAB 10TH & 11TH FLOORS 77 GRENVILLE
STREET
TORONTO ON M7A 1W4 | **GEN**

Generator No.:	ON1004101	**PO Box No.:**	
Status:		**Country:**	

Approval Years: 92,93,94,95,96,97,98
Choice of Contact:
Contam. Facility:
Co Admin:
MHSW Facility:
Phone No. Admin:
SIC Code: 8276
SIC Description: RESEARCH ADMIN.

--Details--
Waste Code: 112
Waste Description: ACID WASTE - HEAVY METALS

Waste Code: 113
Waste Description: ACID WASTE - OTHER METALS

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

143	19 of 22	SW/145.2	101.8 / -1.05	SALPAM INVESTMENTS 77 GRENVILLE AVENUE TORONTO ON M5S 1B3	OPCB

Year: 1998
Site Number: 30193A058
Name Owner:
Additional Site Information:

--Details--
Quantity: 17.00
Address Site:
Description: Number of Drums of Ballasts with High Level PCBs (>1000 ppm)

Quantity: 3400.00
Address Site:
Description: Calculated Weight (Kg) of Drums of Ballasts with High Level PCBs (>1000 ppm)

143	20 of 22	SW/145.2	101.8 / -1.05	SALPAM INVESTMENTS 77 GRENVILLE AVENUE TORONTO ON M5S 1B3	OPCB

Year: 1995
Site Number: 30193A058
Name Owner:
Additional Site Information:

--Details--
Quantity: 10.00
Address Site:
Description: Number of Drums of Ballasts with High Level PCBs (>1000 ppm)

Quantity: 2000.00
Address Site:
Description: Weight of Drums of Ballasts with High Level PCBs (>1000 ppm) kg

---

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
143	21 of 22	SW/145.2	101.8 / -1.05	SALPAM INVESTMENTS 77 GRENVILLE AVENUE TORONTO ON M5S 1B3	OPCB

Year: 1999
Site Number: 30193A058
Name Owner:
Additional Site Information:

--Details--
Quantity: 17.00
Address Site:
Description: Number of Drums of Ballasts with High Level PCBs (>1000 ppm)

Quantity: 3400.00
Address Site:
Description: Calculated Weight (Kg) of Drums of Ballasts with High Level PCBs (>1000 ppm)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
143	22 of 22	SW/145.2	101.8 / -1.05	SALPAM INVESTMENTS LTD 77 GRENVILLE AVENUE TORONTO ON M5S 1B3	OPCB

Year: 2000
Site Number: 30193A058
Name Owner:
Additional Site Information:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
144	1 of 1	WNW/145.9	104.5 / 1.67	ON	BORE

Borehole ID:	648432	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Diamond Drill	**UTM Zone::**	17
Easting::	630015	**Northing::**	4835668
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	-999	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	-999.9
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218522898	**Top Depth(m):**	10.5
Bottom Depth(m):	16.8	**Stratum Desc:**	TILL,SILT,CLAY, GRAVEL. GREY,GLACIAL,DENSE, AGE GLACIAL.
Stratum ID:	218522899	**Top Depth(m):**	16.8
Bottom Depth(m):	23.2	**Stratum Desc:**	CLAY,SILT,SAND. GREY,LACUSTRINE,VERY HARD, LAYERED,AGE GLACIAL.
Stratum ID:	218522900	**Top Depth(m):**	23.2
Bottom Depth(m):	24.4	**Stratum Desc:**	TILL,SILT,SAND,CLAY.GREY,GLACIAL,DENSE,LAYERED, AGE GLACIAL.
Stratum ID:	218522901	**Top Depth(m):**	24.4
Bottom Depth(m):	25.9	**Stratum Desc:**	SAND. GREY,FLUVIO-GLACIAL,DENSE, AGE GLACIAL.
Stratum ID:	218522902	**Top Depth(m):**	25.9
Bottom Depth(m):	28.4	**Stratum Desc:**	TILL,SILT,CLAY, GRAVEL.

GREY,GLACIAL,VERY HARD, LAYERED,AGE GLACIAL.

Stratum ID:	218522903	**Top Depth(m):**	28.4
Bottom Depth(m):		**Stratum Desc:**	BEDROCK,SHALE, LIMESTONE. MARINE,LAYERED,AGE ORDOVICIAN.00040033003430440055005200 80004500850090
Stratum ID:	218522895	**Top Depth(m):**	0.0
Bottom Depth(m):	0.2	**Stratum Desc:**	SOIL.
Stratum ID:	218522896	**Top Depth(m):**	0.2
Bottom Depth(m):	1.2	**Stratum Desc:**	SILT,SAND,CLAY. BROWN,GLACIAL,AGE GLACIAL.
Stratum ID:	218522897	**Top Depth(m):**	1.2
Bottom Depth(m):	10.5	**Stratum Desc:**	TILL,SILT,SAND,CLAY.BROWN,GLACIAL,DENSE,LAYERED, AGE GLACIAL.

---

145 | **1 of 1** | **NE/146.8** | **104.8 / 1.95** | **Radcliffe [R N]**
503 Yonge St
Toronto ON M4Y 1Y3 | **TANK**

Permit Date:	9/23/1921
Permit Type:	BP 53637
User Type:	
Installation Type:	Gasoline tank
Installation Size:	
Installation Config.:	1 x Gasoline tank
No. Tanks Installed:	1
Units of Measure:	
Value/Tank ($):	425
Capacity(gal):	
Reference:	CTA Building permits
Location Desc:	

---

146 | **1 of 1** | **W/146.9** | **103.9 / 1.07** | **Toronto ON** | **WWIS**

Well ID:	7155368	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:	Monitoring	**Date Received:**	12/3/2010
Sec. Water Use:		**Selected Flag:**	Yes
Final Well Status:	Observation Wells	**Abandonment Rec:**	
Water Type:		**Contractor:**	6032
Casing Material:		**Form Version:**	7
Audit No:	Z108886	**Owner:**	
Tag:	A093881	**Street Name:**	60 GROSVENOR STREET
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1003424523	***Elevation:***	106.04
DP2BR:		***Elevrc:***	
Spatial Status:		***Zone:***	17
Code OB:		***East83:***	630018
Code OB Desc:		***Org CS:***	UTM83
Open Hole:		***North83:***	4835620
Cluster Kind:		***UTMRC:***	3
Date Completed:	15-SEP-10	***UTMRC Desc:***	margin of error : 10 - 30 m
Remarks:		***Location Method:***	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	1003526458
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	08
Most Common Material:	FINE SAND
Mat2:	06
Other Materials:	SILT
Mat3:	66
Other Materials:	DENSE
Formation Top Depth:	8
Formation End Depth:	56
Formation End Depth UOM:	ft

Formation ID:	1003526457
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	01
Most Common Material:	FILL
Mat2:	
Other Materials:	
Mat3:	77
Other Materials:	LOOSE
Formation Top Depth:	0
Formation End Depth:	8
Formation End Depth UOM:	ft

Formation ID:	1003526459
Layer:	3
Color:	6
General Color:	BROWN
Mat1:	05
Most Common Material:	CLAY
Mat2:	06
Other Materials:	SILT
Mat3:	73
Other Materials:	HARD
Formation Top Depth:	56
Formation End Depth:	57.5
Formation End Depth UOM:	ft

Annular Space/Abandonment Sealing Record

Plug ID:	1003526461
Layer:	1
Plug From:	0
Plug To:	1
Plug Depth UOM:	ft

Plug ID:	1003526462
Layer:	2
Plug From:	1
Plug To:	48
Plug Depth UOM:	ft

Method of Construction & Well Use

Method Construction ID:	1003526467
Method Construction Code:	6
Method Construction:	Boring
Other Method Construction:	

Pipe Information

Pipe ID:	1003526456
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	1003526464
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0
Depth To:	52.5
Casing Diameter:	1.8
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Construction Record - Screen

Screen ID:	1003526465
Layer:	1
Slot:	.01
Screen Top Depth:	52.5
Screen End Depth:	57.5
Screen Material:	5
Screen Depth UOM:	ft
Screen Diameter UOM:	inch
Screen Diameter:	2

Water Details

Water ID:	1003526463
Layer:	
Kind Code:	
Kind:	
Water Found Depth:	
Water Found Depth UOM:	ft

Hole Diameter

Hole ID:	1003526460
Diameter:	8
Depth From:	0
Depth To:	57.5
Hole Depth UOM:	ft
Hole Diameter UOM:	inch

---

147 | ***1 of 1*** | ***W/147.2*** | ***104.1 / 1.26*** | ***ON*** | ***WWIS***

Well ID:	7207972	***Data Entry Status:***	Yes
Construction Date:		***Data Src:***	
Primary Water Use:		***Date Received:***	9/17/2013
Sec. Water Use:		***Selected Flag:***	Yes
Final Well Status:		***Abandonment Rec:***	
Water Type:		***Contractor:***	7215
Casing Material:		***Form Version:***	8
Audit No:	C22839	***Owner:***	
Tag:	A148923	***Street Name:***	
Construction Method:		***County:***	YORK
Elevation (m):		***Municipality:***	TORONTO CITY
Elevation Reliability:		***Site Info:***	
Depth to Bedrock:		***Lot:***	
Well Depth:		***Concession:***	
Overburden/Bedrock:		***Concession Name:***	
Pump Rate:		***Easting NAD83:***	
Static Water Level:		***Northing NAD83:***	
Flowing (Y/N):		***Zone:***	
Flow Rate:		***UTM Reliability:***	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1004569947	***Elevation:***	106.26
DP2BR:		***Elevrc:***	
Spatial Status:		***Zone:***	17
Code OB:		***East83:***	630013
Code OB Desc:		***Org CS:***	UTM83
Open Hole:		***North83:***	4835657
Cluster Kind:		***UTMRC:***	4
Date Completed:	26-JUN-13	***UTMRC Desc:***	margin of error : 30 m - 100 m
Remarks:		***Location Method:***	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

---

148 | ***1 of 48*** | ***ESE/147.7*** | ***100.8 / -2.03*** | ***CARLTON TOWER LIMITED***
2 CARLTON ST
TORONTO ON M5B 1J3 | ***EASR***

Approval No:	R-003-3124372699	***SWP Area Name:***	Toronto
Status:	REGISTERED	***MOE District:***	Toronto
Date:	2012-06-07	***City:***	TORONTO
Record Type:	EASR	***Latitude:***	43.66141
Link Source:	MOFA	***Longitude:***	-79.38298
Full Address:			
Project Type:	Heating System		
Approval Type:	EASR-Heating System		

Full PDF Link: http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=1209

148	2 of 48	ESE/147.7	100.8 / -2.03	Carlton Tower Limited 2 Carlton Street Unit 909 Toronto M5B 1J3 CITY OF TORONTO ON	EBR

Company Name: Carlton Tower Limited
EBR Registry No.: 012-4461
Ministry Ref. No.: 3186-9UXK7J
Notice Type: Instrument Decision
Notice Date: September 21, 2015
Proposal Date: June 24, 2015
Year: 2015
Proponent Address: 2 Carlton Street , 909, Toronto Ontario, Canada M5B 1J3
Instrument Type: (EPA Part II.1-air) - Environmental Compliance Approval (project type: air)
Location Other:

Location:

2 Carlton Street Unit 909 Toronto M5B 1J3 CITY OF TORONTO

148	3 of 48	ESE/147.7	100.8 / -2.03	Carlton Tower Limited 2 Carlton St Toronto ON M5B 1J3	ECA

Approval No: 6658-9ZAQYU
Approval Date: 2015-09-15
Status: Approved
Record Type: ECA
Link Source: IDS
Approval Type: ECA-AIR
Project Type: AIR
Address: 2 Carlton St
Full Address:
Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/3186-9UXK7J-14.pdf

SWP Area Name:
MOE District:
City: Toronto
Longitude:
Latitude:

148	4 of 48	ESE/147.7	100.8 / -2.03	2 Carlton Street Toronto ON	EHS

Order ID: 180053
Order No: 20101109021
Customer ID: 26946
Company ID: 153
Status: C
Report Code: 3CAN
Report Type: Standard Report
Report Date: 11/12/2010
Report Requested by: T. Harris Environmental Management Inc.
Nearest Intersection:
Previous Site Name:
Additional Info Ordered: Title Searches; Aerial Photos; City Directory

Date Received: 11/9/2010 11:24:01 AM
Lot/Building Size:
Municipality:
Client Prov/State: ON
Search Radius (km): 0.25
Large Radius: 2
X: -79.382834
Y: 43.661617

148	5 of 48	ESE/147.7	100.8 / -2.03	NORTHAM REALTY 2 CARLTON STREET SUITE 909 TORONTO ON	GEN

Generator No.: ON7619730

PO Box No.:

Status:
Approval Years: 2011
Contam. Facility:
MHSW Facility:
SIC Code: 531310
SIC Description: Real Estate Property Managers

Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 221
Waste Description: LIGHT FUELS

---

148 | **6 of 48** | **ESE/147.7** | **100.8 / -2.03**

Women's Health in Women's Hands CHC
2 Carlton Street, Suite 500
Toronto ON M5B 1J3

GEN

Generator No.: ON3621335
Status:
Approval Years: 2015
Contam. Facility: No
MHSW Facility: No
SIC Code: 621494
SIC Description: 621494

PO Box No.:
Country: Canada
Choice of Contact: CO_ADMIN
Co Admin: Lori-Ann Green-Walker
Phone No. Admin: 4165937655 Ext.4875

--Details--
Waste Code: 261
Waste Description: PHARMACEUTICALS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

148 | **7 of 48** | **ESE/147.7** | **100.8 / -2.03**

NORTHHAM REALITY
2 CARLTON STREET SUITE 909
TORONTO ON

GEN

Generator No.: ON7619730
Status:
Approval Years: 06
Contam. Facility:
MHSW Facility:
SIC Code: 531310
SIC Description: Real Estate Property Managers

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 221
Waste Description: LIGHT FUELS

---

148 | **8 of 48** | **ESE/147.7** | **100.8 / -2.03**

Women's Health in Women's Hands CHC
2 Carlton Street, Suite 500
Toronto ON M5B 1J3

GEN

Generator No.: ON3621335
Status:
Approval Years: 2016
Contam. Facility: No
MHSW Facility: No
SIC Code: 621494
SIC Description: 621494

PO Box No.:
Country: Canada
Choice of Contact: CO_ADMIN
Co Admin: Lori-Ann Green-Walker
Phone No. Admin: 4165937655 Ext.4875

--Details--

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 261
Waste Description: PHARMACEUTICALS

---

148 | **9 of 48** | **ESE/147.7** | **100.8 / -2.03** | **Carlton Tower Limited**
2 Carlton St. Suite #909
Toronto ON M5B 1J3 | **GEN**

Generator No.: ON9811119
Status:
Approval Years: 2016
Contam. Facility: No
MHSW Facility: No
SIC Code: 531310
SIC Description: REAL ESTATE PROPERTY MANAGERS

PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin: Peter Lonsdale
Phone No. Admin: 416-977-7151 Ext.

--Details--

Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 121
Waste Description: ALKALINE WASTES - HEAVY METALS

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 112
Waste Description: ACID WASTE - HEAVY METALS

Waste Code: 262
Waste Description: DETERGENTS/SOAPS

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

---

148 | **10 of 48** | **ESE/147.7** | **100.8 / -2.03** | **Dr. Scott M. Gillanders and Associates**
2 Carlton Street Unit 1320
Toronto ON M5B 1J3 | **GEN**

Generator No.: ON6870227
Status:
Approval Years: 2015
Contam. Facility: No
MHSW Facility: No
SIC Code: 621210
SIC Description: OFFICES OF DENTISTS

PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin: Wendy Chow
Phone No. Admin: 416 971-3300 Ext.

--Details--

Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

148 | **11 of 48** | **ESE/147.7** | **100.8 / -2.03** | **CARLTON DRY CLEANERS**
252 1/2 CARLTON STREET
TORONTO ON M5A 2L1 | **GEN**

Generator No.: ON0897100
Status:
Approval Years: 2014
Contam. Facility: No
MHSW Facility: No
SIC Code: 812320
SIC Description: DRY CLEANING AND LAUNDRY SERVICES (EXCEPT COIN-OPERATED)

PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin: Jong Keun Kim
Phone No. Admin: 416-922-2344 Ext.

--Details--
Waste Code: 241
Waste Description: HALOGENATED SOLVENTS

Waste Code: 213
Waste Description: PETROLEUM DISTILLATES

---

148 | **12 of 48** | **ESE/147.7** | **100.8 / -2.03** | **NORTHAM REALTY**
2 CARLTON STREET SUITE 909
TORONTO ON | **GEN**

Generator No.: ON7619730
Status:
Approval Years: 2009
Contam. Facility:
MHSW Facility:
SIC Code: 531310
SIC Description: Real Estate Property Managers

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 221
Waste Description: LIGHT FUELS

---

148 | **13 of 48** | **ESE/147.7** | **100.8 / -2.03** | **NORTHAM REALTY**
2 CARLTON STREET SUITE 909
TORONTO ON | **GEN**

Generator No.: ON7619730
Status:
Approval Years: 2010
Contam. Facility:
MHSW Facility:
SIC Code: 531310
SIC Description: Real Estate Property Managers

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 221
Waste Description: LIGHT FUELS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

148 | **14 of 48** | **ESE/147.7** | **100.8 / -2.03** | **Carlton Tower Limited**
2 Carlton St. Suite #909
Toronto ON M5B 1J3 | **GEN**

Generator No.:	ON9811119	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2015	**Choice of Contact:**	CO_OFFICIAL
Contam. Facility:	No	**Co Admin:**	Peter Lonsdale
MHSW Facility:	No	**Phone No. Admin:**	416-977-7151 Ext.
SIC Code:	531310		
SIC Description:	REAL ESTATE PROPERTY MANAGERS		

--Details--

Waste Code: 262
Waste Description: DETERGENTS/SOAPS

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 112
Waste Description: ACID WASTE - HEAVY METALS

Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Waste Code: 121
Waste Description: ALKALINE WASTES - HEAVY METALS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

---

148 | **15 of 48** | **ESE/147.7** | **100.8 / -2.03** | **ALIVE Holistic Health Clinic**
2 Carlton Street, Suite 708
Toronto ON M5B 1J3 | **GEN**

Generator No.:	ON3937193	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2015	**Choice of Contact:**	CO_OFFICIAL
Contam. Facility:	No	**Co Admin:**	
MHSW Facility:	No	**Phone No. Admin:**	
SIC Code:	621390		
SIC Description:	OFFICES OF ALL OTHER HEALTH PRACTITIONERS		

--Details--

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

148 | **16 of 48** | **ESE/147.7** | **100.8 / -2.03** | **2449856 Ontario Ltd.**
252 1/2 CARLTON STREET Unit B
TORONTO ON M5A 2L3 | **GEN**

Generator No.:	ON0897100	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2015	**Choice of Contact:**	CO_OFFICIAL
Contam. Facility:	No	**Co Admin:**	
MHSW Facility:	No	**Phone No. Admin:**	
SIC Code:	812320		
SIC Description:	DRY CLEANING AND LAUNDRY SERVICES (EXCEPT COIN-OPERATED)		

--Details--

Waste Code: 241
Waste Description: HALOGENATED SOLVENTS

Waste Code: 213
Waste Description: PETROLEUM DISTILLATES

---

148 | **17 of 48** | **ESE/147.7** | **100.8 / -2.03** | **Women's Health in Women's Hands CHC**
2 Carlton Street, Suite 500
Toronto ON M5B 1J3 | **GEN**

Generator No.:	ON3621335	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2014	**Choice of Contact:**	CO_ADMIN
Contam. Facility:	No	**Co Admin:**	Lori-Ann Green-Walker
MHSW Facility:	No	**Phone No. Admin:**	4165937655 Ext.4875
SIC Code:	621494		
SIC Description:	621494		

--Details--

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 261
Waste Description: PHARMACEUTICALS

---

148 | **18 of 48** | **ESE/147.7** | **100.8 / -2.03** | **Women's Health in Women's Hands CHC**
2 Carlton Street, Suite 500
Toronto ON M5B 1J3 | **GEN**

Generator No.:	ON3621335	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	2011	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	621494		
SIC Description:	Community Health Centres		

--Details--

Waste Code: 261
Waste Description: PHARMACEUTICALS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

148 | **19 of 48** | **ESE/147.7** | **100.8 / -2.03** | **Women's Health in Women's Hands CHC**
2 Carlton Street, Suite 500
Toronto ON M5B 1J3 | **GEN**

Generator No.:	ON3621335	**PO Box No.:**	

Status:
Approval Years: 2010
Contam. Facility:
MHSW Facility:
SIC Code: 621494
SIC Description: Community Health Centres

Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 261
Waste Description: PHARMACEUTICALS

---

148 | **20 of 48** | **ESE/147.7** | **100.8 / -2.03** | **Carlton Cleaners**
252 1/2 CARLTON STREET Unit B
TORONTO ON M5A 2L3 | **GEN**

Generator No.: ON0897100
Status:
Approval Years: 2016
Contam. Facility: No
MHSW Facility: No
SIC Code: 812320
SIC Description: DRY CLEANING AND LAUNDRY SERVICES (EXCEPT COIN-OPERATED)

PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 213
Waste Description: PETROLEUM DISTILLATES

Waste Code: 241
Waste Description: HALOGENATED SOLVENTS

---

148 | **21 of 48** | **ESE/147.7** | **100.8 / -2.03** | **ALIVE Holistic Health Clinic**
2 Carlton Street, Suite 708
Toronto ON M5B 1J3 | **GEN**

Generator No.: ON3937193
Status:
Approval Years: 2016
Contam. Facility: No
MHSW Facility: No
SIC Code: 621390
SIC Description: OFFICES OF ALL OTHER HEALTH PRACTITIONERS

PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

148 | **22 of 48** | **ESE/147.7** | **100.8 / -2.03** | **Toronto AcuBirthing**
2 Carlton St, Unit 804
Toronto ON M5B 1J3 | **GEN**

Generator No.: ON4158569
Status:
Approval Years: 2016
Contam. Facility: No
MHSW Facility: No

PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin: JoAnn Alafriz
Phone No. Admin: 4165151710 Ext.

SIC Code: 621390
SIC Description: OFFICES OF ALL OTHER HEALTH PRACTITIONERS

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

148 | **23 of 48** | **ESE/147.7** | **100.8 / -2.03** | **ALIVE Holistic Health Clinic**
2 Carlton Street, Suite 708
Toronto ON | **GEN**

Generator No.: ON3937193
Status:
Approval Years: 2013
Contam. Facility:
MHSW Facility:
SIC Code: 621390
SIC Description: OFFICES OF ALL OTHER HEALTH PRACTITIONERS

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

148 | **24 of 48** | **ESE/147.7** | **100.8 / -2.03** | **Dr. Scott M. Gillanders and Associates**
2 Carlton Street Unit 1320
Toronto ON M5B 1J3 | **GEN**

Generator No.: ON6870227
Status:
Approval Years: 2016
Contam. Facility: No
MHSW Facility: No
SIC Code: 621210
SIC Description: OFFICES OF DENTISTS

PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin: Wendy Chow
Phone No. Admin: 416 971-3300 Ext.

--Details--
Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

148 | **25 of 48** | **ESE/147.7** | **100.8 / -2.03** | **ALIVE Holistic Health Clinic**
2 Carlton Street, Suite 708
Toronto ON M5B 1J3 | **GEN**

Generator No.: ON3937193
Status:
Approval Years: 2014
Contam. Facility: No
MHSW Facility: No
SIC Code: 621390
SIC Description: OFFICES OF ALL OTHER HEALTH PRACTITIONERS

PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

148	26 of 48	ESE/147.7	100.8 / -2.03	DYNACARE LABORATORIES 12-688 KIPLING MEDICAL LABORATORIES DIV. 2 CARLTON STREET, #709 TORONTO ON M5B 1J3	GEN

Generator No.: ON0245627
Status:
Approval Years: 92,93,94,95,96,97
Contam. Facility:
MHSW Facility:
SIC Code: 8681
SIC Description: MEDICAL LABORATORIES

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

148	27 of 48	ESE/147.7	100.8 / -2.03	Women's Health in Women's Hands CHC 2 Carlton Street, Suite 500 Toronto ON M5B 1J3	GEN

Generator No.: ON3621335
Status:
Approval Years: 2012
Contam. Facility:
MHSW Facility:
SIC Code: 621494
SIC Description: Community Health Centres

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 261
Waste Description: PHARMACEUTICALS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

148	28 of 48	ESE/147.7	100.8 / -2.03	NORTHHAM REALITY 2 CARLTON STREET SUITE 909 TORONTO ON M5B 1J3	GEN

Generator No.: ON7619730
Status:
Approval Years: 04
Contam. Facility:
MHSW Facility:
SIC Code: 531310
SIC Description: Real Estate Property Managers

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

148	29 of 48	ESE/147.7	100.8 / -2.03	ALIVE Holistic Health Clinic 2 Carlton Street, Suite 708 Toronto ON M5B 1J3	GEN

Generator No.: ON3937193
Status:
Approval Years: 2010
Contam. Facility:

PO Box No.:
Country:
Choice of Contact:
Co Admin:

MHSW Facility:
SIC Code: 621390
SIC Description: Offices of All Other Health Practitioners
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

148 | **30 of 48** | **ESE/147.7** | **100.8 / -2.03**

ALIVE Holistic Health Clinic
2 Carlton Street, Suite 708
Toronto ON M5B 1J3

GEN

Generator No.: ON3937193
Status:
Approval Years: 2011
Contam. Facility:
MHSW Facility:
SIC Code: 621390
SIC Description: Offices of All Other Health Practitioners
PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

148 | **31 of 48** | **ESE/147.7** | **100.8 / -2.03**

DYNACARE LABORATORIES LIMITED
KIPLING MEDICAL LABORATORIES DIVISION 2
CARLTON STREET, UNIT 709
TORONTO ON M5B 1J3

GEN

Generator No.: ON0245627
Status:
Approval Years: 98
Contam. Facility:
MHSW Facility:
SIC Code: 8681
SIC Description: MEDICAL LABORATORIES
PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

148 | **32 of 48** | **ESE/147.7** | **100.8 / -2.03**

Carlton Tower Limited
2 Carlton St. Suite #909
Toronto ON M5B 1J3

GEN

Generator No.: ON9811119
Status:
Approval Years: 02,03,04,05
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:
PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 112
Waste Description: ACID WASTE - HEAVY METALS

Waste Code: 121
Waste Description: ALKALINE WASTES - HEAVY METALS

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

148	33 of 48	ESE/147.7	100.8 / -2.03	ALIVE Holistic Health Clinic 2 Carlton Street, Suite 708 Toronto ON M5B 1J3	GEN

Generator No.: ON3937193
Status:
Approval Years: 2012
Contam. Facility:
MHSW Facility:
SIC Code: 621390
SIC Description: Offices of All Other Health Practitioners

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

148	34 of 48	ESE/147.7	100.8 / -2.03	Women's Health in Women's Hands CHC 2 Carlton Street, Suite 500 Toronto ON	GEN

Generator No.: ON3621335
Status:
Approval Years: 2013
Contam. Facility:
MHSW Facility:
SIC Code: 621494
SIC Description:

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 261
Waste Description: PHARMACEUTICALS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

148	35 of 48	ESE/147.7	100.8 / -2.03	Dr. Scott M. Gillanders and Associates 2 Carlton Street Unit 1320 Toronto ON M5B 1J3	GEN

Generator No.: ON6870227
Status: Registered
Approval Years: As of Dec 2017
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No.:
Country: Canada
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312 P
Waste Description: Pathological wastes

Waste Code: 264 L

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Waste Description: Photoprocessing wastes

---

148 | **36 of 48** | **ESE/147.7** | **100.8 / -2.03** | **Toronto AcuBirthing**
2 Carlton St, Unit 804
Toronto ON M5B 1J3 | **GEN**

Generator No.: ON4158569
Status: Registered
Approval Years: As of Dec 2017
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No.:
Country: Canada
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312 P
Waste Description: Pathological wastes

---

148 | **37 of 48** | **ESE/147.7** | **100.8 / -2.03** | **Women's Health in Women's Hands CHC**
2 Carlton Street, Suite 500
Toronto ON M5B 1J3 | **GEN**

Generator No.: ON3621335
Status: Registered
Approval Years: As of Dec 2017
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No.:
Country: Canada
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 261 A
Waste Description: Pharmaceuticals

Waste Code: 312 P
Waste Description: Pathological wastes

---

148 | **38 of 48** | **ESE/147.7** | **100.8 / -2.03** | **Carlton Cleaners**
252 1/2 CARLTON STREET Unit B
TORONTO ON M5A 2L3 | **GEN**

Generator No.: ON0897100
Status: Registered
Approval Years: As of Dec 2017
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No.:
Country: Canada
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 213 L
Waste Description: Petroleum distillates

Waste Code: 241 H
Waste Description: Halogenated solvents and residues

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
148	39 of 48	ESE/147.7	100.8 / -2.03	Carlton Tower Limited 2 Carlton St. Suite #909 Toronto ON M5B 1J3	GEN

Generator No.:	ON9811119	**PO Box No.:**	
Status:	Registered	**Country:**	Canada
Approval Years:	As of Dec 2017	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:			
SIC Description:			

--Details--

Waste Code:	145 L
Waste Description:	Wastes from the use of pigments, coatings and paints
Waste Code:	145 I
Waste Description:	Wastes from the use of pigments, coatings and paints
Waste Code:	263 I
Waste Description:	Misc. waste organic chemicals
Waste Code:	251 L
Waste Description:	Waste oils/sludges (petroleum based)
Waste Code:	148 I
Waste Description:	Misc. wastes and inorganic chemicals
Waste Code:	148 C
Waste Description:	Misc. wastes and inorganic chemicals
Waste Code:	252 L
Waste Description:	Waste crankcase oils and lubricants
Waste Code:	262 L
Waste Description:	Detergents and soaps

148	40 of 48	ESE/147.7	100.8 / -2.03	ALIVE Holistic Health Clinic 2 Carlton Street, Suite 708 Toronto ON M5B 1J3	GEN

Generator No.:	ON3937193	**PO Box No.:**	
Status:	Registered	**Country:**	Canada
Approval Years:	As of Dec 2017	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:			
SIC Description:			

--Details--

Waste Code:	312 P
Waste Description:	Pathological wastes

148	41 of 48	ESE/147.7	100.8 / -2.03	Association of Canadian Ergonomists/Association Canadienne D'Ergonomie 2 Carlton St Suite 1304 Toronto ON M5B 1J3	PAP

Company ID:	4581903747	**Year:**	2009
Status:	Active	**Description:**	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Type:
Operation:
Status Desc:
Effluent Pollution Control:
Company Name:
Division:
Company Mailing Address:
Mailing Address: 2 Carlton St, Suite 1304, Toronto ON M5B 1J3
Mill Mailing Address:
Mill Notes: President: Margo Fraser Executive Mgr: Andrew Parr "
History:
Company History:
Website:

148	42 of 48	ESE/147.7	100.8 / -2.03	Advocacy Ctr for the Elderly 2 Carlton St Suite 701 Toronto ON M5B 1J3	SCT

Established: 01-DEC-84
Plant Size (ft²):
Employment:

--Details--
Description: Offices of Lawyers
SIC/NAICS Code: 541110

148	43 of 48	ESE/147.7	100.8 / -2.03	HR Systems Strategies Inc. 2 Carlton St Suite 1306 Toronto ON M5B 1J3	SCT

Established: 1990
Plant Size (ft²):
Employment: 9

--Details--
Description: Computer, Computer Peripheral and Pre-Packaged Software Wholesaler-Distributors
SIC/NAICS Code: 417310

Description: Software Publishers
SIC/NAICS Code: 511210

148	44 of 48	ESE/147.7	100.8 / -2.03	Toronto Field Naturalists 2 Carlton St Suite 1519 Toronto ON M5B 1J3	SCT

Established: 01-DEC-23
Plant Size (ft²):
Employment:

--Details--
Description: Business Associations
SIC/NAICS Code: 813910

Description: Grant-Making and Giving Services
SIC/NAICS Code: 813210

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
148	45 of 48	ESE/147.7	100.8 / -2.03	LEAFLines 2 Carlton St Suite 1307 Toronto ON M5B 1J3	SCT

Established: 01-SEP-85
Plant Size (ft²):
Employment:

--Details--
Description: Periodical Publishers
SIC/NAICS Code: 511120

Description: Internet Publishing and Broadcasting and Web Search Portals
SIC/NAICS Code: 519130

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
148	46 of 48	ESE/147.7	100.8 / -2.03	CANADIAN ENGINEERING 2 CARLTON ST SUITE 1511 TORONTO ON M5B 1J3	SCT

Established: 1938
Plant Size (ft²): 0
Employment: 5

--Details--
Description: PERIODICALS: PUBLISHING, OR PUBLISHING AND PRINTING
SIC/NAICS Code: 2721

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
148	47 of 48	ESE/147.7	100.8 / -2.03	CANADIAN SHAREOWNER MAGAZINE 2 Carlton St Suite 1317 Toronto ON M5B 1J3	SCT

Established: 0000
Plant Size (ft²): 0
Employment: 0

--Details--
Description: Other Printing
SIC/NAICS Code: 323119

Description: Periodical Publishers
SIC/NAICS Code: 511120

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
148	48 of 48	ESE/147.7	100.8 / -2.03	CANADA WIDE MAGAZINES 2 CARLTON ST SUITE 801 TORONTO ON M5B 1J3	SCT

Established: 0000
Plant Size (ft²): 0
Employment: 5

--Details--
Description: PERIODICALS: PUBLISHING, OR PUBLISHING AND PRINTING
SIC/NAICS Code: 2721

Description: Periodical Publishers
SIC/NAICS Code: 511120

149 *1 of 1* *WSW/147.8* *102.8 / -0.03* *ON* **BORE**

Borehole ID:	638097	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	630035	**Northing::**	4835563
Location Accuracy::		**Orig. Ground Elev m::**	105
Elev. Reliability Note::		**DEM Ground Elev m::**	104
Total Depth m::	12.6	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	MAR-1965	**Static Water Level::**	.8
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218482988	**Top Depth(m):**	0.0
Bottom Depth(m):	0.3	**Stratum Desc:**	FILL,CONCRETE.
Stratum ID:	218482989	**Top Depth(m):**	0.3
Bottom Depth(m):	2.7	**Stratum Desc:**	TILL,SAND(60), SILT(30),GRAVEL. GREY,BROWN,GLACIAL,DENSE, AGE GLACIAL.
Stratum ID:	218482990	**Top Depth(m):**	2.7
Bottom Depth(m):	3.7	**Stratum Desc:**	TILL,SAND,SILT, GRAVEL. GREY,GLACIAL,DENSE, AGE GLACIAL, WATER STABLE AT 342.8 FEET.
Stratum ID:	218482991	**Top Depth(m):**	3.7
Bottom Depth(m):	12.6	**Stratum Desc:**	SAND(85),SILT(15). GREY,FLUVIO-GLACIAL,DENSE, AGE GLACIAL. 014 010 014

150 *1 of 7* *ENE/147.9* *102.8 / -0.03* ***HIGH GATE HOTELS 475 YONGE STREET TORONTO ON M4Y 1X7*** **CA**

Certificate #:	8-3334-98-
Application Year:	98
Issue Date:	10/20/1998
Approval Type:	Industrial air
Status:	Approved
Application Type:	
Client Name::	
Client Address::	
Client City::	
Client Postal Code::	
Project Description::	STANDBY GENERATOR FOR HOTEL
Contaminants::	Nitrogen Oxides
Emission Control::	No Controls

150 *2 of 7* *ENE/147.9* *102.8 / -0.03* ***Yonge Street Hotels Ltd. 475 Yonge St Toronto ON M4Y 1X7*** **CA**

Certificate #:	8976-7M5QYL
Application Year:	2008
Issue Date:	12/10/2008
Approval Type:	Air

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Status: Approved
Application Type:
Client Name::
Client Address::
Client City::
Client Postal Code::
Project Description::
Contaminants::
Emission Control::

---

150 | **3 of 7** | **ENE/147.9** | **102.8 / -0.03** | **Yonge Street Hotels Ltd.**
475 Yonge St
Toronto ON M4Y 1X7 | **CA**

Certificate #: 4384-7K7PC4
Application Year: 2008
Issue Date: 11/7/2008
Approval Type: Air
Status: Revoked and/or Replaced
Application Type:
Client Name::
Client Address::
Client City::
Client Postal Code::
Project Description::
Contaminants::
Emission Control::

---

150 | **4 of 7** | **ENE/147.9** | **102.8 / -0.03** | **Yonge Street Hotels Ltd.**
475 Yonge St
Toronto ON V6C 3L6 | **ECA**

Approval No: 8976-7M5QYL
Approval Date: 2008-12-10
Status: Approved
Record Type: ECA
Link Source: IDS
Approval Type: ECA-AIR
Project Type: AIR
Address: 475 Yonge St
Full Address:
Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/0674-7LXPZK-14.pdf

SWP Area Name: Toronto
MOE District: Toronto
City: Toronto
Longitude: -79.38351
Latitude: 43.6625249999999

---

150 | **5 of 7** | **ENE/147.9** | **102.8 / -0.03** | **Yonge Street Hotels Ltd.**
475 Yonge St
Toronto ON V6C 3L6 | **ECA**

Approval No: 4384-7K7PC4
Approval Date: 2008-11-07
Status: Revoked and/or Replaced
Record Type: ECA
Link Source: IDS
Approval Type: ECA-AIR
Project Type: AIR
Address: 475 Yonge St
Full Address:
Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/1154-7BTMME-14.pdf

SWP Area Name: Toronto
MOE District: Toronto
City: Toronto
Longitude: -79.38351
Latitude: 43.6625249999999

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
150	6 of 7	ENE/147.9	102.8 / -0.03	475 Yonge Street Toronto ON M4Y 1X7	EHS

Order ID:	51314	**Date Received:**	4/14/2005
Order No:	20050414011	**Lot/Building Size:**	
Customer ID:	21043	**Municipality:**	
Company ID:	77	**Client Prov/State:**	ON
Status:	C	**Search Radius (km):**	0.25
Report Code:	1CAN	**Large Radius:**	2
Report Type:		**X:**	-79.383239
Report Date:	4/18/2005	**Y:**	43.662494
Report Requested by:	Pinchin Environmental Ltd.		
Nearest Intersection:			
Previous Site Name:			
Additional Info Ordered:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
150	7 of 7	ENE/147.9	102.8 / -0.03	475 Yonge St Toronto ON M4Y 1X7	EHS

Order ID:	194	**Date Received:**	2/24/99
Order No:	19990224003	**Lot/Building Size:**	
Customer ID:	9115	**Municipality:**	
Company ID:	80	**Client Prov/State:**	MI
Status:	C	**Search Radius (km):**	0.50
Report Code:	3CAN	**Large Radius:**	0.00
Report Type:	Complete Report	**X:**	-79.383247
Report Date:	3/3/99	**Y:**	43.662563
Report Requested by:	Professional Service Industries		
Nearest Intersection:			
Previous Site Name:			
Additional Info Ordered:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
151	1 of 1	N/148.8	106.7 / 3.85	Toronto Pleating Co 14 Breadalbane St Toronto ON	TANK

Permit Date:	11/22/1919
Permit Type:	BP 39244
User Type:	Clothing manufacture
Installation Type:	Gasoline tank
Installation Size:	
Installation Config.:	1 x Gasoline tank
No. Tanks Installed:	1
Units of Measure:	
Value/Tank ($):	25
Capacity(gal):	
Reference:	CTA Building permits
Location Desc:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
152	1 of 1	W/149.5	103.9 / 1.03	ON	BORE

Borehole ID:	638120	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	630015	**Northing::**	4835623
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	15.2	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	

Completion Date::	APR-1967	**Static Water Level::**	1.5
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218483103	**Top Depth(m):**	0.0
Bottom Depth(m):	0.5	**Stratum Desc:**	FILL,CLAY,SILT. BROWN.
Stratum ID:	218483104	**Top Depth(m):**	0.5
Bottom Depth(m):	2.1	**Stratum Desc:**	TILL,SILT,SAND,CLAY.BROWN,GLACIAL,AGE GLACIAL.
Stratum ID:	218483105	**Top Depth(m):**	2.1
Bottom Depth(m):	5.3	**Stratum Desc:**	SILT,CLAY,SAND MEDIUM. GREY,GLACIAL,LAYERED, AGE GLACIAL, WATER STABLE AT 346.6 FEET.
Stratum ID:	218483106	**Top Depth(m):**	5.3
Bottom Depth(m):	11.5	**Stratum Desc:**	TILL,SILT,SAND,CLAY.GREY,GLACIAL,AGE GLACIAL.
Stratum ID:	218483107	**Top Depth(m):**	11.5
Bottom Depth(m):	15.2	**Stratum Desc:**	SILT(53),SAND(41), CLAY(05),GRAVEL. GREY,GLACIAL,WET,AGE GLACIAL. 019 00015039000700480

---

153 | **1 of 1** | **NE/149.6** | **104.1 / 1.31** | **8 ALEXANDER STREET, TORONTO, ON M4Y 1B4 Toronto ON** | **RSC**

Reg No:	223410	**Cert Date:**	
RA No:	RA1317-13	**Cert Prop Use No:**	
RSC Type:	Phase 1 and 2 RSC with RA	**Intended Prop Use:**	Residential
Curr Property Use:	Commercial	**Nm of Qual. Person:**	LAD RAK
District Office:	Toronto District Office	**Stratified (Y/N):**	
Date Submitted:	2017/05/23	**Audit (Y/N):**	
Date Ack:		**Entire Leg Prop. (Y/N):**	
Date Returned:		**Accuracy Estimate:**	
Restoration Type:		**Telephone:**	
Soil Type:		**Fax:**	
Criteria:		**Email:**	
CPU Issued Sect 1686:			

Asmt Roll No: 190406820000500, 190406820000100
Prop. ID No: 21105-0172 (LT)
Property Municipal Address: 6 ALEXANDER STREET, TORONTO, ON M4Y 1B4, 503, 505, 507, 509, 511, 513, 515, 517, 519, 521, 523, 525 YONGE STREET, TORONTO, ON M4Y 1Y3, 8 ALEXANDER STREET, TORONTO, ON M4Y 1B4, 7 MAITLAND STREET, TORONTO, ON M4Y 1C8, 501 YONGE STREET, TORONTO, ON M4Y 1Y4
Mailing Address:
Latitude & Latitude:
UTM Coordinates:
Consultant:
Filing Owner: LANTERRA 501 YONGE DEVELOPMENTS LIMITED
Legal Desc:
Measurement Method:
Applicable Standards:
RSC PDF: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument?attachmentId=80721&fileName=BROWNFIELDS-E.pdf

--Details--

Document Heading: Supporting Documents
Document Type: Property Specific Standards
Document Name: PSS RA1317-13rev2 -Jan-23-17.xls

Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument?attachmentId=80727&fileName=PSS+RA1317-13rev2+-Jan-23-17.xls

Document Heading: Supporting Documents
Document Type: Lawyer's letter consisting of a legal description of the property
Document Name: LawyersLetter.pdf
Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument?attachmentId=80723&fileName=LawyersLetter.pdf

Document Heading: Supporting Documents
Document Type: Certificate of Status
Document Name: CertofStatus.PDF
Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument?attachmentId=80726&fileName=CertofStatus.PDF

Document Heading: Supporting Documents
Document Type: A Current plan of Survey
Document Name: PlanofSurvey.pdf
Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument?attachmentId=80722&fileName=PlanofSurvey.pdf

Document Heading: Supporting Documents
Document Type: Table of Current and Past Property Use
Document Name: TableofCandPuses.pdf
Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument?attachmentId=80724&fileName=TableofCandPuses.pdf

Document Heading: Supporting Documents
Document Type: Phase 2 Conceptual Site Model
Document Name: PhaseTwoCSM.pdf
Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument?attachmentId=80725&fileName=PhaseTwoCSM.pdf

Document Heading: Orders and Notices
Document Type: CPU
Document Name: 501-525 Yonge Street Toronto - CPU 1402-A98G4T June 17 2016.pdf
Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument?attachmentId=81030&fileName=501-525+Yonge+Street+Toronto+-+CPU+1402-A98G4T+June+17+2016.pdf

Document Heading: Supporting Documents
Document Type: Area(s) of Potential Environmental Concern
Document Name: APECTable.pdf
Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument?attachmentId=80728&fileName=APECTable.pdf

Document Heading: Supporting Documents
Document Type: Copy of any deed(s), transfer(s) or other document(s)
Document Name: TransferDeed.pdf
Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument?attachmentId=80730&fileName=TransferDeed.pdf

---

154 | **1 of 1** | **ENE/150.0** | **103.7 / 0.88** | **TORONTO ON** | **WWIS**

Well ID:	6929538	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:		**Date Received:**	11/1/2005
Sec. Water Use:		**Selected Flag:**	Yes
Final Well Status:	Observation Wells	**Abandonment Rec:**	
Water Type:		**Contractor:**	6607
Casing Material:		**Form Version:**	3
Audit No:	Z34976	**Owner:**	
Tag:	A031745	**Street Name:**	501 YOUNG ST SUITE 230
Construction Method:		**County:**	YORK

Elevation (m):		***Municipality:***	TORONTO CITY
Elevation Reliability:		***Site Info:***	
Depth to Bedrock:		***Lot:***	
Well Depth:		***Concession:***	
Overburden/Bedrock:		***Concession Name:***	
Pump Rate:		***Easting NAD83:***	
Static Water Level:		***Northing NAD83:***	
Flowing (Y/N):		***Zone:***	
Flow Rate:		***UTM Reliability:***	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	11328507	***Elevation:***	103.78
DP2BR:		***Elevrc:***	
Spatial Status:		***Zone:***	17
Code OB:	o	***East83:***	630360
Code OB Desc:	Overburden	***Org CS:***	UTM83
Open Hole:		***North83:***	4835710
Cluster Kind:		***UTMRC:***	4
Date Completed:	25-AUG-05	***UTMRC Desc:***	margin of error : 30 m - 100 m
Remarks:		***Location Method:***	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	933039490
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	01
Other Materials:	FILL
Mat3:	
Other Materials:	
Formation Top Depth:	0
Formation End Depth:	4.5
Formation End Depth UOM:	m

Formation ID:	933039491
Layer:	2
Color:	2
General Color:	GREY
Mat1:	06
Most Common Material:	SILT
Mat2:	81
Other Materials:	SANDY
Mat3:	
Other Materials:	
Formation Top Depth:	4.5
Formation End Depth:	10.5
Formation End Depth UOM:	m

Annular Space/Abandonment Sealing Record

Plug ID:	933280285
Layer:	1
Plug From:	0
Plug To:	7.5
Plug Depth UOM:	m

Method of Construction & Well Use

Method Construction ID:	966929538
Method Construction Code:	6
Method Construction:	Boring
Other Method Construction:	

Pipe Information

Pipe ID:	11343362
Casing No:	1
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	930873506
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0
Depth To:	7.5
Casing Diameter:	5.1
Casing Diameter UOM:	cm
Casing Depth UOM:	m

Construction Record - Screen

Screen ID:	933415359
Layer:	1
Slot:	10
Screen Top Depth:	7.5
Screen End Depth:	10.5
Screen Material:	5
Screen Depth UOM:	m
Screen Diameter UOM:	cm
Screen Diameter:	6.4

Water Details

Water ID:	934067052
Layer:	1
Kind Code:	
Kind:	
Water Found Depth:	6
Water Found Depth UOM:	m

Hole Diameter

Hole ID:	11549611
Diameter:	15
Depth From:	0
Depth To:	10.5
Hole Depth UOM:	m

Hole Diameter UOM: cm

---

155 **1 of 1** **SSW/150.9** **100.9 / -1.97** **ON** **BORE**

Borehole ID:	635606	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Diamond Drill	**UTM Zone::**	17
Easting::	630145	**Northing::**	4835443
Location Accuracy::		**Orig. Ground Elev m::**	101
Elev. Reliability Note::		**DEM Ground Elev m::**	100
Total Depth m::	7.6	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	AUG-1958	**Static Water Level::**	-999.9
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218473952	**Top Depth(m):**	0.0
Bottom Depth(m):	2.4	**Stratum Desc:**	SAND-FINE TO MEDIUM.BROWN,FLUVIO-GLACIAL, AGE GLACIAL.
Stratum ID:	218473953	**Top Depth(m):**	2.4
Bottom Depth(m):	3.0	**Stratum Desc:**	SAND-MEDIUM. GREY,FLUVIO-GLACIAL,DENSE, AGE GLACIAL.
Stratum ID:	218473954	**Top Depth(m):**	3.0
Bottom Depth(m):	4.6	**Stratum Desc:**	SILT,CLAY. GREY,LACUSTRINE,STIFF, AGE GLACIAL.
Stratum ID:	218473955	**Top Depth(m):**	4.6
Bottom Depth(m):	7.6	**Stratum Desc:**	SILT,CLAY. LACUSTRINE,HARD,LAYERED, AGE GLACIAL. 016 016 0010002800150039

---

156 **1 of 1** **WNW/151.2** **104.8 / 2.01** **ON** **BORE**

Borehole ID:	648469	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Jetting	**UTM Zone::**	17
Easting::	630015	**Northing::**	4835698
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	15.2	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	1.5
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218523127	**Top Depth(m):**	0.0
Bottom Depth(m):	0.3	**Stratum Desc:**	FILL. BROWN.
Stratum ID:	218523128	**Top Depth(m):**	0.3
Bottom Depth(m):	2.1	**Stratum Desc:**	FILL,SILT,SAND,CLAY.BROWN,LOOSE.
Stratum ID:	218523129	**Top Depth(m):**	2.1
Bottom Depth(m):	2.9	**Stratum Desc:**	TILL,SILT,CLAY, GRAVEL. BROWN,GLACIAL,VERY DENSE, LAYERED,AGE GLACIAL, WATER STABLE AT 348.0 FEET.

Stratum ID:	218523130	**Top Depth(m):**	2.9
Bottom Depth(m):	7.6	**Stratum Desc:**	TILL,SILT,CLAY, GRAVEL. GREY,GLACIAL,DENSE,LAYERED, AGE GLACIAL.
Stratum ID:	218523131	**Top Depth(m):**	7.6
Bottom Depth(m):	13.1	**Stratum Desc:**	TILL,SILT,SAND,CLAY.GREY,GLACIAL,VERY DENSE, LAYERED,AGE GLACIAL.
Stratum ID:	218523132	**Top Depth(m):**	13.1
Bottom Depth(m):	15.2	**Stratum Desc:**	SILT,SAND,GRAVEL, CLAY. GREY,GLACIAL,DENSE,LAYERED, AGE GLACIAL. 000100090007005100095041004300 25

---

157 *1 of 1* *NNE/151.7* *106.7 / 3.83*

Michael Bros. Excavating
10 Breadalebane Street
Toronto ON M4Y 1C3

GEN

Generator No.:	ON9614520	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2015	**Choice of Contact:**	CO_OFFICIAL
Contam. Facility:	No	**Co Admin:**	
MHSW Facility:	No	**Phone No. Admin:**	
SIC Code:	484229		
SIC Description:	OTHER SPECIALIZED FREIGHT (EXCEPT USED GOODS) TRUCKING, LOCAL		

--Details--

Waste Code:	221
Waste Description:	LIGHT FUELS

---

158 *1 of 1* *NW/152.2* *105.6 / 2.74*

ON

BORE

Borehole ID:	648091	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	630035	**Northing::**	4835743
Location Accuracy::		**Orig. Ground Elev m::**	106
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	-999	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	.9
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218521502	**Top Depth(m):**	0.0
Bottom Depth(m):	1.7	**Stratum Desc:**	FILL,STONES.
Stratum ID:	218521503	**Top Depth(m):**	1.7
Bottom Depth(m):	2.7	**Stratum Desc:**	SAND-FINE TO MEDIUM,SILT. BROWN,LACUSTRINE,DENSE, AGE GLACIAL, WATER STABLE AT 347.4 FEET.
Stratum ID:	218521504	**Top Depth(m):**	2.7
Bottom Depth(m):	9.1	**Stratum Desc:**	SAND,SILT. GREY,LACUSTRINE,VERY DENSE, AGE GLACIAL.
Stratum ID:	218521505	**Top Depth(m):**	9.1

Bottom Depth(m):	10.7	**Stratum Desc:**	TILL,SILT,SAND. GREY,GLACIAL,VERY DENSE, AGE GLACIAL.
Stratum ID:	218521506	**Top Depth(m):**	10.7
Bottom Depth(m):	15.2	**Stratum Desc:**	SAND. GREY,LACUSTRINE,VERY DENSE, AGE GLACIAL.
Stratum ID:	218521507	**Top Depth(m):**	15.2
Bottom Depth(m):		**Stratum Desc:**	CLAY,SILT,SAND. GREY,LACUSTRINE,VERY DENSE, LAYERED,AGE GLACIAL. 0005502300090045003000510035004 5

---

159 *1 of 1* *NE/152.3* *104.6 / 1.72* *ON* **WWIS**

Well ID:	7256847	**Data Entry Status:**	Yes
Construction Date:		**Data Src:**	
Primary Water Use:		**Date Received:**	1/26/2016
Sec. Water Use:		**Selected Flag:**	Yes
Final Well Status:		**Abandonment Rec:**	
Water Type:		**Contractor:**	7147
Casing Material:		**Form Version:**	8
Audit No:	C30947	**Owner:**	
Tag:	A160992	**Street Name:**	
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1005874099	**Elevation:**	104.11
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:		**East83:**	630339
Code OB Desc:		**Org CS:**	UTM83
Open Hole:		**North83:**	4835743
Cluster Kind:		**UTMRC:**	4
Date Completed:	07-JAN-16	**UTMRC Desc:**	margin of error : 30 m - 100 m
Remarks:		**Location Method:**	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

---

160 *1 of 3* *WSW/152.4* *102.8 / -0.03* *Toronto ON* **WWIS**

Well ID:	7130070	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:	Monitoring	**Date Received:**	9/22/2009
Sec. Water Use:		**Selected Flag:**	Yes
Final Well Status:	Observation Wells	**Abandonment Rec:**	
Water Type:		**Contractor:**	7241

Casing Material:		***Form Version:***	7
Audit No:	Z099406	***Owner:***	
Tag:	A089084	***Street Name:***	76 GRENVILLE ST.
Construction Method:		***County:***	YORK
Elevation (m):		***Municipality:***	TORONTO CITY
Elevation Reliability:		***Site Info:***	
Depth to Bedrock:		***Lot:***	
Well Depth:		***Concession:***	
Overburden/Bedrock:		***Concession Name:***	
Pump Rate:		***Easting NAD83:***	
Static Water Level:		***Northing NAD83:***	
Flowing (Y/N):		***Zone:***	
Flow Rate:		***UTM Reliability:***	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1002723562	***Elevation:***	104.5
DP2BR:		***Elevrc:***	
Spatial Status:		***Zone:***	17
Code OB:		***East83:***	630028
Code OB Desc:		***Org CS:***	UTM83
Open Hole:		***North83:***	4835568
Cluster Kind:		***UTMRC:***	4
Date Completed:	11-AUG-09	***UTMRC Desc:***	margin of error : 30 m - 100 m
Remarks:		***Location Method:***	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Annular Space/Abandonment Sealing Record

Plug ID:	1002856881
Layer:	2
Plug From:	1
Plug To:	21.5
Plug Depth UOM:	ft

Plug ID:	1002856882
Layer:	3
Plug From:	21.5
Plug To:	42.5
Plug Depth UOM:	ft

Plug ID:	1002856880
Layer:	1
Plug From:	0
Plug To:	1
Plug Depth UOM:	ft

Method of Construction & Well Use

Method Construction ID:	1002856887
Method Construction Code:	2
Method Construction:	Rotary (Convent.)
Other Method Construction:	

Pipe Information

Pipe ID:	1002856877
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	1002856884
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0
Depth To:	22.5
Casing Diameter:	1.5
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Construction Record - Screen

Screen ID:	1002856885
Layer:	1
Slot:	10
Screen Top Depth:	22.5
Screen End Depth:	42.5
Screen Material:	5
Screen Depth UOM:	ft
Screen Diameter UOM:	inch
Screen Diameter:	1.8

Water Details

Water ID:	1002856883
Layer:	
Kind Code:	
Kind:	
Water Found Depth:	
Water Found Depth UOM:	ft

Hole Diameter

Hole ID:	1002856879
Diameter:	4.25
Depth From:	0
Depth To:	42.5
Hole Depth UOM:	ft
Hole Diameter UOM:	inch

---

160 ***2 of 3*** ***WSW/152.4*** ***102.8 / -0.03*** ***ON*** ***WWIS***

Well ID:	7130072	***Data Entry Status:***	
Construction Date:		***Data Src:***	
Primary Water Use:	Monitoring and Test Hole	***Date Received:***	9/22/2009
Sec. Water Use:	0	***Selected Flag:***	Yes
Final Well Status:	0	***Abandonment Rec:***	
Water Type:		***Contractor:***	7241
Casing Material:		***Form Version:***	7
Audit No:	Z099385	***Owner:***	
Tag:	A089138	***Street Name:***	76 GRENVILLE RD.
Construction Method:		***County:***	YORK

Elevation (m):		***Municipality:***	TORONTO CITY
Elevation Reliability:		***Site Info:***	
Depth to Bedrock:		***Lot:***	
Well Depth:		***Concession:***	
Overburden/Bedrock:		***Concession Name:***	
Pump Rate:		***Easting NAD83:***	
Static Water Level:		***Northing NAD83:***	
Flowing (Y/N):		***Zone:***	
Flow Rate:		***UTM Reliability:***	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1002723568	***Elevation:***	104.5
DP2BR:		***Elevrc:***	
Spatial Status:		***Zone:***	17
Code OB:		***East83:***	630028
Code OB Desc:		***Org CS:***	UTM83
Open Hole:		***North83:***	4835568
Cluster Kind:		***UTMRC:***	4
Date Completed:	13-AUG-09	***UTMRC Desc:***	margin of error : 30 m - 100 m
Remarks:		***Location Method:***	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	1002856907
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	
Other Materials:	
Mat3:	66
Other Materials:	DENSE
Formation Top Depth:	0
Formation End Depth:	2.44
Formation End Depth UOM:	ft

Formation ID:	1002856909
Layer:	3
Color:	2
General Color:	GREY
Mat1:	28
Most Common Material:	SAND
Mat2:	06
Other Materials:	SILT
Mat3:	66
Other Materials:	DENSE
Formation Top Depth:	9.14
Formation End Depth:	12.12
Formation End Depth UOM:	ft

Formation ID:	1002856908
Layer:	2
Color:	2
General Color:	GREY

Mat1:	28
Most Common Material:	SAND
Mat2:	06
Other Materials:	SILT
Mat3:	66
Other Materials:	DENSE
Formation Top Depth:	2.44
Formation End Depth:	9.14
Formation End Depth UOM:	ft

Annular Space/Abandonment Sealing Record

Plug ID:	1002856913
Layer:	3
Plug From:	5.79
Plug To:	12.12
Plug Depth UOM:	ft

Plug ID:	1002856912
Layer:	2
Plug From:	.31
Plug To:	5.79
Plug Depth UOM:	ft

Plug ID:	1002856911
Layer:	1
Plug From:	0
Plug To:	.31
Plug Depth UOM:	ft

Method of Construction & Well Use

Method Construction ID:	1002856919
Method Construction Code:	H
Method Construction:	Geoprobe
Other Method Construction:	

Pipe Information

Pipe ID:	1002856906
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	1002856915
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0
Depth To:	6.1
Casing Diameter:	4.03
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Construction Record - Screen

Screen ID:	1002856916
Layer:	1

Slot:	10
Screen Top Depth:	6.1
Screen End Depth:	12.12
Screen Material:	5
Screen Depth UOM:	ft
Screen Diameter UOM:	inch
Screen Diameter:	4.82

Water Details

Water ID:	1002856914
Layer:	
Kind Code:	
Kind:	
Water Found Depth:	
Water Found Depth UOM:	ft

Hole Diameter

Hole ID:	1002856910
Diameter:	10.92
Depth From:	0
Depth To:	12.12
Hole Depth UOM:	ft
Hole Diameter UOM:	inch

---

160 ***3 of 3*** ***WSW/152.4*** ***102.8 / -0.03*** ***Toronto ON*** ***WWIS***

Well ID:	7130071	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:	Monitoring and Test Hole	**Date Received:**	9/22/2009
Sec. Water Use:	0	**Selected Flag:**	Yes
Final Well Status:	0	**Abandonment Rec:**	
Water Type:		**Contractor:**	7241
Casing Material:		**Form Version:**	7
Audit No:	Z099386	**Owner:**	
Tag:	A089124	**Street Name:**	76 GRENVILLE ST.
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1002723565	**Elevation:**	104.5
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:		**East83:**	630028
Code OB Desc:		**Org CS:**	UTM83
Open Hole:		**North83:**	4835568
Cluster Kind:		**UTMRC:**	4
Date Completed:	12-JUL-09	**UTMRC Desc:**	margin of error : 30 m - 100 m
Remarks:		**Location Method:**	wwr
Elevrc Desc:			

Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Overburden and Bedrock Materials Interval

Formation ID: 1002856893
Layer: 3
Color: 2
General Color: GREY
Mat1: 28
Most Common Material: SAND
Mat2: 06
Other Materials: SILT
Mat3: 66
Other Materials: DENSE
Formation Top Depth: 9.14
Formation End Depth: 13.72
Formation End Depth UOM: ft

Formation ID: 1002856891
Layer: 1
Color: 6
General Color: BROWN
Mat1: 28
Most Common Material: SAND
Mat2:
Other Materials:
Mat3: 77
Other Materials: LOOSE
Formation Top Depth: 0
Formation End Depth: 2.44
Formation End Depth UOM: ft

Formation ID: 1002856892
Layer: 2
Color: 2
General Color: GREY
Mat1: 28
Most Common Material: SAND
Mat2: 06
Other Materials: SILT
Mat3: 66
Other Materials: DENSE
Formation Top Depth: 2.44
Formation End Depth: 9.14
Formation End Depth UOM: ft

Annular Space/Abandonment Sealing Record

Plug ID: 1002856895
Layer: 1
Plug From: 0
Plug To: .31
Plug Depth UOM: ft

Plug ID: 1002856896
Layer: 2
Plug From: .31
Plug To: 7.01

Plug Depth UOM: ft

Plug ID: 1002856897
Layer: 3
Plug From: 7.01
Plug To: 13.72
Plug Depth UOM: ft

Method of Construction & Well Use

Method Construction ID: 1002856903
Method Construction Code: H
Method Construction: Geoprobe
Other Method Construction:

Pipe Information

Pipe ID: 1002856890
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1002856899
Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From: 0
Depth To: 7.62
Casing Diameter: 1.5
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1002856900
Layer: 1
Slot: 10
Screen Top Depth: 7.62
Screen End Depth: 13.72
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 1.8

Water Details

Water ID: 1002856898
Layer:
Kind Code:
Kind:
Water Found Depth:
Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1002856894
Diameter: 10.92
Depth From: 0

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Depth To:	13.72
Hole Depth UOM:	ft
Hole Diameter UOM:	inch

161	1 of 2	NE/152.5	105.0 / 2.13	DARUL KABAB 511 YONGE STREET TORONTO CITY ON M4Y 1Y3	CA

Certificate #:	8-3463-93-
Application Year:	93
Issue Date:	10/4/1993
Approval Type:	Industrial air
Status:	Approved
Application Type:	
Client Name::	
Client Address::	
Client City::	
Client Postal Code::	
Project Description::	RESTAURANT KITCHEN EXHAUST FAN
Contaminants::	Nitrogen Oxides, Odour/Fumes
Emission Control::	Panel Filter

161	2 of 2	NE/152.5	105.0 / 2.13	Clayton T 511 Yonge St Toronto ON M4Y 1Y3	TANK

Permit Date:	10/1/1919
Permit Type:	BP 37963
User Type:	
Installation Type:	Fuel tank
Installation Size:	
Installation Config.:	1 x Fuel tank
No. Tanks Installed:	1
Units of Measure:	
Value/Tank ($):	1000
Capacity(gal):	
Reference:	CTA Building permits
Location Desc:	

162	1 of 1	WNW/152.6	104.8 / 2.01	ON	BORE

Borehole ID:	635599	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Diamond Drill	**UTM Zone::**	17
Easting::	630015	**Northing::**	4835703
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	-999	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::		**Static Water Level::**	2.9
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218473910	**Top Depth(m):**	0.0
Bottom Depth(m):	0.9	**Stratum Desc:**	FILL.
Stratum ID:	218473911	**Top Depth(m):**	0.9
Bottom Depth(m):	1.5	**Stratum Desc:**	SAND-MEDIUM,SILT. GLACIAL,AGE GLACIAL.

Stratum ID:	218473912	**Top Depth(m):**	1.5
Bottom Depth(m):	2.7	**Stratum Desc:**	TILL,SILT,SAND. GLACIAL,DENSE,AGE GLACIAL.
Stratum ID:	218473913	**Top Depth(m):**	2.7
Bottom Depth(m):	14.6	**Stratum Desc:**	TILL,SILT,SAND,CLAY.GLACIAL,DENSE,AGE GLACIAL.
Stratum ID:	218473914	**Top Depth(m):**	14.6
Bottom Depth(m):	16.2	**Stratum Desc:**	CLAY,SILT,SAND MEDIUM. GLACIAL,VERY DENSE, AGE GLACIAL, WATER STABLE AT 341.5 FEET.
Stratum ID:	218473915	**Top Depth(m):**	16.2
Bottom Depth(m):	20.7	**Stratum Desc:**	SILT,SAND-MEDIUM, CLAY. GREY,GLACIAL,AGE GLACIAL.
Stratum ID:	218473916	**Top Depth(m):**	20.7
Bottom Depth(m):	26.8	**Stratum Desc:**	TILL,SILT,SAND, GRAVEL. GLACIAL,AGE GLACIAL.
Stratum ID:	218473917	**Top Depth(m):**	26.8
Bottom Depth(m):	27.4	**Stratum Desc:**	SHALE. MARINE,SOFT,AGE ORDOVICIAN.
Stratum ID:	218473918	**Top Depth(m):**	27.4
Bottom Depth(m):		**Stratum Desc:**	SHALE,LIMESTONE. MARINE,AGE ORDOVICIAN. 00016

---

163 *1 of 8* *NNE/154.6* *106.7 / 3.91* ***FIRST IMPRESSIONS PRINTING 8 BREADALBANE STREET TORONTO ON M4Y 1C3*** ***GEN***

Generator No.:	ON8103871	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	06	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	323114		
SIC Description:	Quick Printing		

--Details--
Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

---

163 *2 of 8* *NNE/154.6* *106.7 / 3.91* ***FIRST IMPRESSIONS PRINTING 23-411 554995 ONTARIO LIMITED 8 BREADALBANE STREET TORONTO ON M4Y 1C3*** ***GEN***

Generator No.:	ON1586000	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	94	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	2819		
SIC Description:	OTHER COMM. PRINTING		

--Details--
Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

163	3 of 8	NNE/154.6	106.7 / 3.91	KWIK KOPY (SEE&USE ON1586000) 23-411 554995 ONT. LTD. 8 BREADALBANE ST. TORONTO ON M4Y 1C3	GEN

Generator No.: ON1250200
Status:
Approval Years: 92,93,94,95,96,97,98
Contam. Facility:
MHSW Facility:
SIC Code: 2819
SIC Description: OTHER COMM. PRINTING

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

163	4 of 8	NNE/154.6	106.7 / 3.91	FIRST IMPRESSIONS PRINTING 23-411 8 BREADALBANE STREET TORONTO ON M4Y 1Y8	GEN

Generator No.: ON1586000
Status:
Approval Years: 92,93,95,96
Contam. Facility:
MHSW Facility:
SIC Code: 2819
SIC Description: OTHER COMM. PRINTING

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES

Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

163	5 of 8	NNE/154.6	106.7 / 3.91	KWIK KOPY PRINTING 554995 ONT. LTD. 8 BREADALBANE ST. TORONTO ON M4Y 1C3	GEN

Generator No.: ON1250200
Status:
Approval Years: 89
Contam. Facility:
MHSW Facility:
SIC Code: 2819
SIC Description: OTHER COMM. PRINTING

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

163	6 of 8	NNE/154.6	106.7 / 3.91	FIRST IMPRESSIONS PRINTING 8 BREADALBANE STREET TORONTO ON M4Y 1Y8	GEN

Generator No.: ON1586000
Status:
Approval Years: 97,98,99,00,01
Contam. Facility:
MHSW Facility:
SIC Code: 2819
SIC Description: OTHER COMM. PRINTING

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES

Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

---

163 | **7 of 8** | **NNE/154.6** | **106.7 / 3.91** | **First Impressions Graphics - Div. of The Lowe Martin Group**
8 Breadalbane St
Toronto ON M4Y 1C3 | **SCT**

Established: 1983
Plant Size (ft²): 4000
Employment: 14

--Details--
Description: Book, Periodical and Newspaper Wholesaler-Distributors
SIC/NAICS Code: 414420

Description: On-Line Information Services
SIC/NAICS Code: 514191

Description: Graphic Design Services
SIC/NAICS Code: 541430

Description: Computer Systems Design and Related Services
SIC/NAICS Code: 541510

---

163 | **8 of 8** | **NNE/154.6** | **106.7 / 3.91** | **First Impressions Graphics &**
8 Breadalbane St
Toronto ON M4Y 1C3 | **SCT**

Established: 1983
Plant Size (ft²): 4000
Employment: 14

--Details--
Description: Quick Printing
SIC/NAICS Code: 323114

Description: Digital Printing
SIC/NAICS Code: 323115

Description: Other Printing
SIC/NAICS Code: 323119

Description: Support Activities for Printing
SIC/NAICS Code: 323120

Description: Internet Service Providers
SIC/NAICS Code: 518111

Description: Archives
SIC/NAICS Code: 519122

Description: Graphic Design Services
SIC/NAICS Code: 541430

Description: Computer Systems Design and Related Services
SIC/NAICS Code: 541510

Description: Direct Mail Advertising
SIC/NAICS Code: 541860

Description: Document Preparation Services
SIC/NAICS Code: 561410

Description: Business Service Centres
SIC/NAICS Code: 561430

164	1 of 3	NNE/155.2	105.8 / 2.99	LANTERRA 501 YONGE DEVELOPMENTS LIMITED 501-525 Yonge Street CITY OF TORONTO ON	CPU

EBR Registry No.: 012-7614
Ministry Ref. No.:
Notice Type: Instrument Proposal
Notice Date: May 13, 2016
Proposal Date: May 13, 2016
Year: 2016
Proponent Address: 2811 Dufferin Street, Toronto Ontario, Canada M6B 3R9
Instrument Type: LANTERRA 501 YONGE DEVELOPMENTS LIMITED (EPA s. 168.6) - Certificate of Property Use
Location Other:

Location:

501-525 Yonge Street CITY OF TORONTO

164	2 of 3	NNE/155.2	105.8 / 2.99	LANTERRA 501 YONGE DEVELOPMENTS LIMITED 501-525 Yonge Street CITY OF TORONTO ON	CPU

EBR Registry No.: 012-7614
Ministry Ref. No.: 1402-A98G4T
Notice Type: Instrument Decision
Notice Date: November 07, 2016
Proposal Date: May 13, 2016
Year: 2016
Proponent Address: 2811 Dufferin Street, Toronto Ontario, Canada M6B 3R9
Instrument Type: (EPA s. 168.6) - Certificate of Property Use
Location Other:

Location:

501-525 Yonge Street CITY OF TORONTO

164	3 of 3	NNE/155.2	105.8 / 2.99	501 - 525 Yonge Street, Toronto	EHS

Toronto ON

Order ID:	239167	***Date Received:***	21-MAR-13
Order No:	20130321005	***Lot/Building Size:***	
Customer ID:	63207	***Municipality:***	Toronto
Company ID:	26877	***Client Prov/State:***	ON
Status:	C	***Search Radius (km):***	.25
Report Code:	4CAN	***Large Radius:***	2
Report Type:	Custom Report	***X:***	0
Report Date:	01-APR-13	***Y:***	0
Report Requested by:	McClymont & Rak Engineers Inc.		
Nearest Intersection:			
Previous Site Name:			
Additional Info Ordered:			

---

165 ***1 of 1*** ***WNW/155.3*** ***105.1 / 2.30*** ***BORE***

ON

Borehole ID:	648472	***Type:***	Borehole
Use:	Geotechnical/Geological Investigation	***Status::***	
Drill Method::	Jetting	***UTM Zone::***	17
Easting::	630025	***Northing::***	4835733
Location Accuracy::		***Orig. Ground Elev m::***	106
Elev. Reliability Note::		***DEM Ground Elev m::***	106
Total Depth m::	15.5	***Primary Name::***	
Township::		***Concession::***	
Lot::		***Municipality:***	
Completion Date::	SEP-1963	***Static Water Level::***	1.6
Primary Water Use::	Not Used	***Sec. Water Use::***	

--Details--

Stratum ID:	218523143	***Top Depth(m):***	0.0
Bottom Depth(m):	1.7	***Stratum Desc:***	FILL,STONES,SAND, SOIL.
Stratum ID:	218523144	***Top Depth(m):***	1.7
Bottom Depth(m):	2.7	***Stratum Desc:***	SAND-MEDIUM,SILT. BROWN,GLACIAL,AGE GLACIAL, WATER STABLE AT 345.3 FEET.
Stratum ID:	218523145	***Top Depth(m):***	2.7
Bottom Depth(m):	9.1	***Stratum Desc:***	SILT,SAND-MEDIUM. GREY,GLACIAL,DENSE, AGE GLACIAL.
Stratum ID:	218523146	***Top Depth(m):***	9.1
Bottom Depth(m):	10.7	***Stratum Desc:***	TILL,SILT,SAND,CLAY.GREY,GLACIAL,VERY DENSE, AGE GLACIAL.
Stratum ID:	218523147	***Top Depth(m):***	10.7
Bottom Depth(m):	15.2	***Stratum Desc:***	SAND,SILT,CLAY, GRAVEL. GREY,GLACIAL,VERY DENSE, AGE GLACIAL.
Stratum ID:	218523148	***Top Depth(m):***	15.2
Bottom Depth(m):	15.5	***Stratum Desc:***	CLAY,SILT,SAND. GREY,GLACIAL,DENSE,LAYERED, AGE GLACIAL. 0005502100090045003000510035005900500040

---

166 ***1 of 46*** ***SSE/155.7*** ***99.1 / -3.74*** ***GWL Realty Advisors Inc.*** ***CA***

444 Yonge St
Toronto ON

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Certificate #:	3810-7YQTEU
Application Year:	2009
Issue Date:	12/18/2009
Approval Type:	Air
Status:	Approved
Application Type:	
Client Name::	
Client Address::	
Client City::	
Client Postal Code::	
Project Description::	
Contaminants::	
Emission Control::	

166	*2 of 46*	*SSE/155.7*	*99.1 / -3.74*	***GWL Realty Advisors Inc.*** ***444 Yonge St*** ***Toronto ON***	***CA***

Certificate #:	3347-8H9QT4
Application Year:	2011
Issue Date:	5/27/2011
Approval Type:	Air
Status:	Approved
Application Type:	
Client Name::	
Client Address::	
Client City::	
Client Postal Code::	
Project Description::	
Contaminants::	
Emission Control::	

166	*3 of 46*	*SSE/155.7*	*99.1 / -3.74*	***GWL Realty Advisors Inc.*** ***444 Yonge St*** ***Toronto ON***	***CA***

Certificate #:	7489-7BMJ7Q
Application Year:	2008
Issue Date:	2/8/2008
Approval Type:	Air
Status:	Revoked and/or Replaced
Application Type:	
Client Name::	
Client Address::	
Client City::	
Client Postal Code::	
Project Description::	
Contaminants::	
Emission Control::	

166	*4 of 46*	*SSE/155.7*	*99.1 / -3.74*	***Dust Free Services (1985) Ltd*** ***444 YONGE ST.*** ***TORONTO ON M5B2H4***	***CDRY***

Legal Name of Company:

Waste Quantity by Year

Reporting Year:	2004

Quantity of PERC (kg):	1992.6
Total Waste Water (kg):	-
Total Waste Water (L):	-
Total Residue (kg):	-
Total Residue (L):	-
Total Mix (kg):	-
Total Mix (L):	-
Request for Confidentiality:	No
Reason for Confidentiality:	N/A

166	5 of 46	SSE/155.7	99.1 / -3.74	GWL REALTY ADVISORS INC 424-444 YONGE ST TORONTO ON M5B 2H4	EASR

Approval No:	R-003-4216928559	**SWP Area Name:**	Toronto
Status:	REGISTERED	**MOE District:**	Toronto
Date:	2012-10-22	**City:**	TORONTO
Record Type:	EASR	**Latitude:**	43.6602399999999
Link Source:	MOFA	**Longitude:**	-79.38256
Full Address:			
Project Type:	Heating System		
Approval Type:	EASR-Heating System		
Full PDF Link:	http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2020		

166	6 of 46	SSE/155.7	99.1 / -3.74	GWL Realty Advisors Inc. 444 Yonge Street Toronto M5B 2H4 CITY OF TORONTO ON	EBR

Company Name:	GWL Realty Advisors Inc.
EBR Registry No.:	011-1353
Ministry Ref. No.:	0613-89SQWD
Notice Type:	Instrument Decision
Notice Date:	June 01, 2011
Proposal Date:	October 05, 2010
Year:	2010
Proponent Address:	675 Cochrane Drive , Suite 101, Markham Ontario, Canada L3R 0B8
Instrument Type:	(EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)
Location Other:	

Location:

444 Yonge Street Toronto M5B 2H4 CITY OF TORONTO

166	7 of 46	SSE/155.7	99.1 / -3.74	GWL Realty Advisors Inc. 444 Yonge Street Toronto CITY OF TORONTO ON	EBR

Company Name:	GWL Realty Advisors Inc.
EBR Registry No.:	010-0770
Ministry Ref. No.:	4063-739ML8
Notice Type:	Instrument Decision
Notice Date:	March 04, 2008
Proposal Date:	June 08, 2007
Year:	2007
Proponent Address:	90 Burnhamthorpe Road West , Suite 206, Mississauga Ontario, Canada L5B 3C3
Instrument Type:	(EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)
Location Other:	

Location:

444 Yonge Street Toronto CITY OF TORONTO

166	8 of 46	SSE/155.7	99.1 / -3.74	GWL Realty Advisors Inc. 444 Yonge St Toronto ON M5G 1R8	ECA

Approval No:	3810-7YQTEU	**SWP Area Name:**	
Approval Date:	2009-12-18	**MOE District:**	
Status:	Revoked and/or Replaced	**City:**	Toronto
Record Type:	ECA	**Longitude:**	
Link Source:	IDS	**Latitude:**	
Approval Type:	ECA-AIR		
Project Type:	AIR		
Address:	444 Yonge St		
Full Address:			
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/8961-7XYSMC-14.pdf		

166	9 of 46	SSE/155.7	99.1 / -3.74	GWL Realty Advisors Inc. 424-444 Yonge St Toronto ON M5B 2H4	ECA

Approval No:	8400-98YH6D	**SWP Area Name:**	
Approval Date:	2013-06-25	**MOE District:**	
Status:	Approved	**City:**	Toronto
Record Type:	ECA	**Longitude:**	
Link Source:	IDS	**Latitude:**	
Approval Type:	ECA-AIR		
Project Type:	AIR		
Address:	424-444 Yonge St		
Full Address:			
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/9784-94NML9-14.pdf		

166	10 of 46	SSE/155.7	99.1 / -3.74	GWL Realty Advisors Inc. 444 Yonge St Toronto ON L3R 0B8	ECA

Approval No:	3347-8H9QT4	**SWP Area Name:**	
Approval Date:	2011-05-27	**MOE District:**	
Status:	Revoked and/or Replaced	**City:**	Toronto
Record Type:	ECA	**Longitude:**	
Link Source:	IDS	**Latitude:**	
Approval Type:	ECA-AIR		
Project Type:	AIR		
Address:	444 Yonge St		
Full Address:			
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/0613-89SQWD-14.pdf		

166	11 of 46	SSE/155.7	99.1 / -3.74	GWL Realty Advisors Inc. 444 Yonge St Toronto ON M5B 2H4	ECA

Approval No:	7489-7BMJ7Q	**SWP Area Name:**	
Approval Date:	2008-02-08	**MOE District:**	
Status:	Revoked and/or Replaced	**City:**	Toronto
Record Type:	ECA	**Longitude:**	
Link Source:	IDS	**Latitude:**	
Approval Type:	ECA-AIR		
Project Type:	AIR		

Address: 444 Yonge St
Full Address:
Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/4063-739ML8-13.pdf

---

166 | **12 of 46** | **SSE/155.7** | **99.1 / -3.74** | **444 Yonge St Toronto ON** | **EHS**

Order ID:	201711	**Date Received:**	2/2/2012 10:59:11 AM
Order No:	20120202038	**Lot/Building Size:**	
Customer ID:	53147	**Municipality:**	
Company ID:	77	**Client Prov/State:**	ON
Status:	C	**Search Radius (km):**	0.25
Report Code:	4CAN	**Large Radius:**	2
Report Type:	Custom Report	**X:**	-79.383339
Report Date:	2/8/2012 11:01:14 AM	**Y:**	43.660944
Report Requested by:	Pinchin Environmental		
Nearest Intersection:			
Previous Site Name:			
Additional Info Ordered:			

---

166 | **13 of 46** | **SSE/155.7** | **99.1 / -3.74** | **TORONTO COLLEGE PARK LTD. 444 YONGE STREET TORONTO ON M5B 2H4** | **GEN**

Generator No.:	ON1981700	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	95,96,97,98,99,00,01	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	3041		
SIC Description:	COATING OF METAL PR.		

--Details--
Waste Code: 121
Waste Description: ALKALINE WASTES - HEAVY METALS

---

166 | **14 of 46** | **SSE/155.7** | **99.1 / -3.74** | **CITY OF TORONTO 444 YONGE ST TORONTO ON M5B 2H4** | **GEN**

Generator No.:	ON9832373	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2016	**Choice of Contact:**	CO_ADMIN
Contam. Facility:	No	**Co Admin:**	MEAGHAN ALDCROFT
MHSW Facility:	No	**Phone No. Admin:**	416-392-9024 Ext.
SIC Code:	913910		
SIC Description:	913910		

--Details--
Waste Code: 133
Waste Description: BRINES, CHLOR-ALKALI WASTES

---

166 | **15 of 46** | **SSE/155.7** | **99.1 / -3.74** | **Toronto College Park 444 Yonge Street Toronto ON** | **GEN**

Generator No.:	ON4986391	**PO Box No.:**	

Status:
Approval Years: 2013
Contam. Facility:
MHSW Facility:
SIC Code: 531310
SIC Description: REAL ESTATE PROPERTY MANAGERS

Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 331
Waste Description: WASTE COMPRESSED GASES

Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES

Waste Code: 243
Waste Description: PCBS

---

166 | **16 of 46** | **SSE/155.7** | **99.1 / -3.74** | **PHARMA (OUT OF BUSINESS)**
444 YONGE STREET
TORONTO ON M5B 2H4 | **GEN**

Generator No.: ON1553374
Status:
Approval Years: 01
Contam. Facility:
MHSW Facility:
SIC Code: 6031
SIC Description: PHARMACIES

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 261
Waste Description: PHARMACEUTICALS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

166 | **17 of 46** | **SSE/155.7** | **99.1 / -3.74** | **GWL Realty Advisors Inc**
444 Yonge St
Toronto ON | **GEN**

Generator No.: ON6049293
Status:
Approval Years: 03,04,06
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 122
Waste Description: ALKALINE WASTES - OTHER METALS

Waste Code: 112
Waste Description: ACID WASTE - HEAVY METALS

Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES

Waste Code: 221
Waste Description: LIGHT FUELS

Waste Code: 243
Waste Description: PCB'S

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

---

166 | **18 of 46** | **SSE/155.7** | **99.1 / -3.74** | **BLACK PHOTO CORPORATION 05-480**
444 YONGE STREET - TORONTO C/O 371
GOUGH ROAD
MARKHAM ON L3R 4B6 | **GEN**

Generator No.: ON1338127
Status:
Approval Years: 94,95,96
Contam. Facility:
MHSW Facility:
SIC Code: 6571
SIC Description: CAMERA/PHOTO. SUPPLY

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

---

166 | **19 of 46** | **SSE/155.7** | **99.1 / -3.74** | **Toronto College Park**
444 Yonge Street
Toronto ON M5B 2H4 | **GEN**

Generator No.: ON4986391
Status:
Approval Years: 2014
Contam. Facility: No
MHSW Facility: No
SIC Code: 531310
SIC Description: REAL ESTATE PROPERTY MANAGERS

PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin: Sherri Kipp
Phone No. Admin: 519-740-1333 Ext.36

--Details--
Waste Code: 243
Waste Description: PCBS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 331
Waste Description: WASTE COMPRESSED GASES

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

---

166 | **20 of 46** | **SSE/155.7** | **99.1 / -3.74** | **BLACK PHOTO CORPORATION**
444 YONGE STREET COLLEGE PARK
TORONTO ON M5B 2H4 | **GEN**

Generator No.: ON1338127
Status:
Approval Years: 92,93,97,98,99,00,01
Contam. Facility:
MHSW Facility:
SIC Code: 6571
SIC Description: CAMERA/PHOTO. SUPPLY

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

---

166 | **21 of 46** | **SSE/155.7** | **99.1 / -3.74** | **Toronto College Park**
444 Yonge Street
Toronto ON | **GEN**

Generator No.: ON4986391
Status:
Approval Years: 2009
Contam. Facility:
MHSW Facility:
SIC Code: 531310
SIC Description: Real Estate Property Managers

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES

Waste Code: 243
Waste Description: PCBS

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

---

166 | **22 of 46** | **SSE/155.7** | **99.1 / -3.74** | **Toronto College Park**
444 Yonge Street
Toronto ON | **GEN**

Generator No.: ON4986391
Status:
Approval Years: 2010
Contam. Facility:
MHSW Facility:
SIC Code: 531310
SIC Description: Real Estate Property Managers

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 331
Waste Description: WASTE COMPRESSED GASES

Waste Code: 263

Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 243
Waste Description: PCBS

Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES

---

166 | **23 of 46** | **SSE/155.7** | **99.1 / -3.74** | **CITY OF TORONTO**
444 YONGE STREET
TORONTO ON M5B 3V6 | **GEN**

Generator No.: ON0173819
Status:
Approval Years: 02,03,04,05
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

---

166 | **24 of 46** | **SSE/155.7** | **99.1 / -3.74** | **BLACK PHOTO CORPORATION**
444 YONGE STREET, TORONTO C/O 371
GOUGH ROAD
MARKHAM ON L3R 4B6 | **GEN**

Generator No.: ON1338127
Status:
Approval Years: 90
Contam. Facility:
MHSW Facility:
SIC Code: 6571
SIC Description: CAMERA/PHOTO. SUPPLY

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

---

166 | **25 of 46** | **SSE/155.7** | **99.1 / -3.74** | **Toronto College Park**
444 Yonge Street
Toronto ON M5B 2H4 | **GEN**

Generator No.: ON4986391
Status:
Approval Years: 2015
Contam. Facility: No
MHSW Facility: No
SIC Code: 531310
SIC Description: REAL ESTATE PROPERTY MANAGERS

PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin: Sherri Kipp
Phone No. Admin: 519-740-1333 Ext.36

--Details--
Waste Code: 262

Waste Description: DETERGENTS/SOAPS

Waste Code: 331
Waste Description: WASTE COMPRESSED GASES

Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES

Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 261
Waste Description: PHARMACEUTICALS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 243
Waste Description: PCBS

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

166	26 of 46	SSE/155.7	99.1 / -3.74	Toronto College Park 444 Yonge Street Toronto ON M5B 2H4	GEN

Generator No.: ON4986391
Status:
Approval Years: 2012
Contam. Facility:
MHSW Facility:
SIC Code: 531310
SIC Description: Real Estate Property Managers

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 243
Waste Description: PCBS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES

Waste Code: 331
Waste Description: WASTE COMPRESSED GASES

166	27 of 46	SSE/155.7	99.1 / -3.74	Toothworks 444 Yonge st Suite m16 Toronto ON M5B2H4	GEN

Generator No.:	ON9380124	***PO Box No.:***	
Status:		***Country:***	Canada
Approval Years:	2015	***Choice of Contact:***	CO_OFFICIAL
Contam. Facility:	No	***Co Admin:***	Eloisa Gabriel
MHSW Facility:	No	***Phone No. Admin:***	4165999888 Ext.
SIC Code:	621210		
SIC Description:	OFFICES OF DENTISTS		

--Details--

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

166 ***28 of 46*** ***SSE/155.7*** ***99.1 / -3.74*** ***Toronto College Park*** ***444 Yonge Street*** ***Toronto ON M5B 2H4*** ***GEN***

Generator No.:	ON4986391	***PO Box No.:***	
Status:		***Country:***	Canada
Approval Years:	2016	***Choice of Contact:***	CO_OFFICIAL
Contam. Facility:	No	***Co Admin:***	Sherri Kipp
MHSW Facility:	No	***Phone No. Admin:***	519-740-1333 Ext.36
SIC Code:	531310		
SIC Description:	REAL ESTATE PROPERTY MANAGERS		

--Details--

Waste Code: 261
Waste Description: PHARMACEUTICALS

Waste Code: 243
Waste Description: PCBS

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

Waste Code: 262
Waste Description: DETERGENTS/SOAPS

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 331
Waste Description: WASTE COMPRESSED GASES

---

166 ***29 of 46*** ***SSE/155.7*** ***99.1 / -3.74*** ***TORONTO (OUT OF BUSINESS)*** ***444 YONGE STREET*** ***GEN***

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

TORONTO ON M5B 3V6

Generator No.:	ON0173819	***PO Box No.:***	
Status:		***Country:***	
Approval Years:	98	***Choice of Contact:***	
Contam. Facility:		***Co Admin:***	
MHSW Facility:		***Phone No. Admin:***	
SIC Code:	8364		
SIC Description:	REC./CULTURE ADMIN.		

--Details--

Waste Code:	252
Waste Description:	WASTE OILS & LUBRICANTS

---

166 ***30 of 46*** ***SSE/155.7*** ***99.1 / -3.74*** ***Toronto College Park*** ***GEN***
444 Yonge Street
Toronto ON M5B 2H4

Generator No.:	ON4986391	***PO Box No.:***	
Status:		***Country:***	
Approval Years:	07,08	***Choice of Contact:***	
Contam. Facility:		***Co Admin:***	
MHSW Facility:		***Phone No. Admin:***	
SIC Code:	531310		
SIC Description:	Real Estate Property Managers		

--Details--

Waste Code:	243
Waste Description:	PCB'S
Waste Code:	145
Waste Description:	PAINT/PIGMENT/COATING RESIDUES
Waste Code:	252
Waste Description:	WASTE OILS & LUBRICANTS

---

166 ***31 of 46*** ***SSE/155.7*** ***99.1 / -3.74*** ***Toothworks*** ***GEN***
444 Yonge st Suite m16
Toronto ON M5B2H4

Generator No.:	ON9380124	***PO Box No.:***	
Status:		***Country:***	Canada
Approval Years:	2016	***Choice of Contact:***	CO_ADMIN
Contam. Facility:	No	***Co Admin:***	Eloisa Gabriel
MHSW Facility:	No	***Phone No. Admin:***	4165999888 Ext.
SIC Code:	621210		
SIC Description:	OFFICES OF DENTISTS		

--Details--

Waste Code:	146
Waste Description:	OTHER SPECIFIED INORGANICS
Waste Code:	312
Waste Description:	PATHOLOGICAL WASTES

---

166 ***32 of 46*** ***SSE/155.7*** ***99.1 / -3.74*** ***COLLEGE PARK MANAGEMENT SERVICE*** ***GEN***
444 YONGE ST.

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

TORONTO ON M5B 2H4

Generator No.:	ON0058200	***PO Box No.:***	
Status:		***Country:***	
Approval Years:	86,87,88,89,90,92,93,94	***Choice of Contact:***	
Contam. Facility:		***Co Admin:***	
MHSW Facility:		***Phone No. Admin:***	
SIC Code:	0000		
SIC Description:	*** NOT DEFINED ***		

---

166 ***33 of 46*** ***SSE/155.7*** ***99.1 / -3.74***

PHARMA PLUS DRUGS LTD
444 YONGE STREET
TORONTO ON M5B 2H4

GEN

Generator No.:	ON1553374	***PO Box No.:***	
Status:		***Country:***	
Approval Years:	92,93,97	***Choice of Contact:***	
Contam. Facility:		***Co Admin:***	
MHSW Facility:		***Phone No. Admin:***	
SIC Code:	6031		
SIC Description:	PHARMACIES		

--Details--

Waste Code: 261
Waste Description: PHARMACEUTICALS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

166 ***34 of 46*** ***SSE/155.7*** ***99.1 / -3.74***

Toronto College Park
444 Yonge Street
Toronto ON

GEN

Generator No.:	ON4986391	***PO Box No.:***	
Status:		***Country:***	
Approval Years:	2011	***Choice of Contact:***	
Contam. Facility:		***Co Admin:***	
MHSW Facility:		***Phone No. Admin:***	
SIC Code:	531310		
SIC Description:	Real Estate Property Managers		

--Details--

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 243
Waste Description: PCBS

Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES

Waste Code: 331
Waste Description: WASTE COMPRESSED GASES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
166	35 of 46	SSE/155.7	99.1 / -3.74	PHARMA PLUS DRUGS LTD. 444 YONGE STREET TORONTO ON M5B 2H4	GEN

Generator No.: ON1553374
Status:
Approval Years: 98,99,00
Contam. Facility:
MHSW Facility:
SIC Code: 6031
SIC Description: PHARMACIES

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 261
Waste Description: PHARMACEUTICALS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
166	36 of 46	SSE/155.7	99.1 / -3.74	TORONTO CITY OF DEPT OF PARKS & RC38-569 444 YONGE STREET, TORONTO C/O 21 ST FLOOR, EAST TOWER CITY HALL TORONTO ON M5H 2S4	GEN

Generator No.: ON0173819
Status:
Approval Years: 92,93,94,95,96
Contam. Facility:
MHSW Facility:
SIC Code: 8364
SIC Description: REC./CULTURE ADMIN.

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
166	37 of 46	SSE/155.7	99.1 / -3.74	TORONTO CITY OF DEPT OF PARKS & RC 444 YONGE STREET, TORONTO C/O 21 ST FLOOR, EAST TOWER CITY HALL TORONTO ON M5H 2S4	GEN

Generator No.: ON0173819
Status:
Approval Years: 89,90
Contam. Facility:
MHSW Facility:
SIC Code: 8364
SIC Description: REC./CULTURE ADMIN.

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
166	38 of 46	SSE/155.7	99.1 / -3.74	TORONTO (OUT OF BUS) 38-569 444 YONGE STREET, TORONTO C/O 21 ST FLOOR, EAST TOWER CITY HALL TORONTO ON M5H 2S4	GEN

Generator No.: ON0173819
Status:
Approval Years: 97
Contam. Facility:
MHSW Facility:
SIC Code: 8364
SIC Description: REC./CULTURE ADMIN.

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

---

166 | **39 of 46** | **SSE/155.7** | **99.1 / -3.74** | **GEN**

PHARMA PLUS DRUGS LTD. 31-733
444 YONGE ST., TORONTO C/O 5935 AIRPORT ROAD #500
MISSISSAUGA ON L4V 1W5

Generator No.: ON1553374
Status:
Approval Years: 94,95,96
Contam. Facility:
MHSW Facility:
SIC Code: 6031
SIC Description: PHARMACIES

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 261
Waste Description: PHARMACEUTICALS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

166 | **40 of 46** | **SSE/155.7** | **99.1 / -3.74** | **GEN**

Toronto College Park
444 Yonge Street
Toronto ON M5B 2H4

Generator No.: ON4986391
Status: Registered
Approval Years: As of Dec 2017
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No.:
Country: Canada
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 145 L
Waste Description: Wastes from the use of pigments, coatings and paints

Waste Code: 264 C
Waste Description: Photoprocessing wastes

Waste Code: 145 I
Waste Description: Wastes from the use of pigments, coatings and paints

Waste Code: 262 L
Waste Description: Detergents and soaps

Waste Code: 148 L
Waste Description: Misc. wastes and inorganic chemicals

Waste Code: 243 D
Waste Description: PCB

Waste Code: 312 P
Waste Description: Pathological wastes

Waste Code: 148 C
Waste Description: Misc. wastes and inorganic chemicals

Waste Code: 331 I
Waste Description: Waste compressed gases including cylinders

Waste Code: 263 I
Waste Description: Misc. waste organic chemicals

Waste Code: 252 L
Waste Description: Waste crankcase oils and lubricants

Waste Code: 264 L
Waste Description: Photoprocessing wastes

Waste Code: 263 L
Waste Description: Misc. waste organic chemicals

Waste Code: 261 L
Waste Description: Pharmaceuticals

166	41 of 46	SSE/155.7	99.1 / -3.74	CITY OF TORONTO 444 YONGE ST TORONTO ON M5B 2H4	GEN

Generator No.: ON9832373
Status: Registered
Approval Years: As of Dec 2017
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No.:
Country: Canada
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 133 T
Waste Description: Brine, chlor-alkali sludges

Waste Code: 133 L
Waste Description: Brine, chlor-alkali sludges

166	42 of 46	SSE/155.7	99.1 / -3.74	Toothworks 444 Yonge st Suite m16 Toronto ON M5B2H4	GEN

Generator No.: ON9380124
Status: Registered
Approval Years: As of Dec 2017
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No.:
Country: Canada
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312 P

Waste Description: Pathological wastes

---

166 | **43 of 46** | **SSE/155.7** | **99.1 / -3.74** | **GWL REALTY ADVISORS**
444 YONGE Street
TORONTO ON M5B2H4 | **NPRI**

NPRI ID:	8800000328	**Org ID:**	
Other ID:		**Submit Date:**	
No Other ID:		**Last Modified:**	
Track ID:		**Contact ID:**	
Report ID:		**Cont Type:**	MED
Report Type:		**Contact Title:**	Mr.
Rpt Type ID:		**Cont First Name:**	WAYNE
Report Year:	2004	**Cont Last Name:**	PROULX
Not-Current Rpt?:		**Contact Position:**	MANAGER ENERGY AND ENVIRONMENTAL SERVICES
Yr of Last Filed Rpt:		**Contact Fax:**	
Fac ID:		**Contact Ph.:**	
Fac Name:	444 YONGE ST.	**Cont Area Code:**	905
Fac Address1:		**Contact Tel.:**	3618193
Fac Address2:		**Contact Ext.:**	
Fac Postal Zip:		**Cont Fax Area Cde:**	905
Facility Lat:		**Contact Fax:**	3618188
Facility Long:		**Contact Email:**	wayne.proulx@gwlra.com
DLS (Last Filed Rpt):		**Latitude:**	
Facility DLS:		**Longitude:**	
Datum:		**UTM Zone:**	
Facility Cmnts:		**UTM Northing:**	
URL:		**UTM Easting:**	
No of Empl.:	10	**Waste Streams:**	
Parent Co.:		**No Streams:**	
No Parent Co.:		**Waste Off Sites:**	
Pollut Prev Cmnts:		**No Off Sites:**	
Stacks:		**Shutdown:**	
No of Stacks:		**No of Shutdown:**	
Canadian SIC Code (2 digit):			
Canadian SIC Code:			
SIC Code Description:			
American SIC Code:			
NAICS Code (2 digit):	53		
NAICS 2 Description:	Real Estate and Rental and Leasing		
NAICS Code (4 digit):	5311		
NAICS 4 Description:	Lessors of Real Estate		
NAICS Code (6 digit):	531120		
NAICS 6 Description:	Lessors of Non-Residential Buildings (except Mini-Warehouses)		

Substance Release Report

CAS No:	10024-97-2
Report ID:	
Rpt Period:	2004
Subst Released:	Nitrous oxide
Air:	
Water:	
Land:	
Total Releases:	
Units:	tonnes

CAS No:	74-82-8
Report ID:	
Rpt Period:	2004
Subst Released:	Methane
Air:	

Water:
Land:
Total Releases:
Units: tonnes

CAS No: 11104-93-1
Report ID:
Rpt Period: 2004
Subst Released: Nitrogen oxides (expressed as NO2)
Air:
Water:
Land:
Total Releases:
Units: tonnes

CAS No: NA - M09
Report ID:
Rpt Period: 2004
Subst Released: PM10 - Particulate Matter <= 10 Microns
Air:
Water:
Land:
Total Releases:
Units: tonnes

CAS No: NA - M10
Report ID:
Rpt Period: 2004
Subst Released: PM2.5 - Particulate Matter <= 2.5 Microns
Air:
Water:
Land:
Total Releases:
Units: tonnes

CAS No: 7446-09-5
Report ID:
Rpt Period: 2004
Subst Released: Sulphur dioxide
Air:
Water:
Land:
Total Releases:
Units: tonnes

CAS No: 811-97-2
Report ID:
Rpt Period: 2004
Subst Released: HFC-134a Hydrofluorocarbon
Air:
Water:
Land:
Total Releases:
Units: tonnes

CAS No: 630-08-0
Report ID:
Rpt Period: 2004
Subst Released: Carbon monoxide
Air:
Water:
Land:
Total Releases:
Units: tonnes

CAS No: NA - M08

Report ID:
Rpt Period: 2004
Subst Released: PM - Total Particulate Matter
Air:
Water:
Land:
Total Releases:
Units: tonnes

CAS No: NA - M16
Report ID:
Rpt Period: 2004
Subst Released: Volatile Organic Compounds (VOCs)
Air:
Water:
Land:
Total Releases:
Units: tonnes

CAS No: 124-38-9
Report ID:
Rpt Period: 2004
Subst Released: Carbon dioxide
Air:
Water:
Land:
Total Releases:
Units: tonnes

166	44 of 46	SSE/155.7	99.1 / -3.74	METRO ONTARIO INC O/A METRO/FOOD BASICS # 063 444 YONGE STREET TORONTO ON M5B2H4	PES

Licence No:
Detail Licence No:
Licence Type Code:
Licence Type: Vendor
Licence Class:
Licence Control:
Trade Name:
Post Office Box:
Lot:
Concession:
Region:
District:
County:

Operator Box:
Operator Class:
Operator No:
Operator Type:
Operator Lot:
Oper Concession:
Operator Region:
Operator District:
Operator County:
Oper Phone Area Cd:
Ext:
Oper Phone No:
Proponent Ext:

166	45 of 46	SSE/155.7	99.1 / -3.74	METRO ONTARIO INC O/A METRO/FOOD BASICS # 063 444 Yonge Street Toronto ON M5B 2H4	PES

Licence No:
Detail Licence No: 23-01-15395-0
Licence Type Code:
Licence Type: LIMITED
Licence Class:
Licence Control:
Trade Name:
Post Office Box:
Lot:
Concession:

Operator Box:
Operator Class:
Operator No:
Operator Type:
Operator Lot:
Oper Concession:
Operator Region:
Operator District:
Operator County:
Oper Phone Area Cd:

Region:
District:
County:
Ext:
Oper Phone No:
Proponent Ext:

---

166 | **46 of 46** | **SSE/155.7** | **99.1 / -3.74** | **KALUPE JEWELLERY LTD.**
444 YONGE ST
TORONTO ON M5B 2H4 | **SCT**

Established: 1957
Plant Size (ft²): 680
Employment: 1

--Details--
Description: JEWELLERY, PRECIOUS METAL
SIC/NAICS Code: 3911

---

167 | **1 of 1** | **SE/156.6** | **99.7 / -3.10** | **424 Yonge St**
Toronto ON M5B2H3 | **EHS**

Order ID:	453733	**Date Received:**	20-APR-16
Order No:	20160420179	**Lot/Building Size:**	
Customer ID:	114808	**Municipality:**	
Company ID:	50	**Client Prov/State:**	ON
Status:	C	**Search Radius (km):**	.25
Report Code:	3CAN	**Large Radius:**	.3
Report Type:	Standard Report	**X:**	-79.383505
Report Date:	27-APR-16	**Y:**	43.660809
Report Requested by:	Golder Associates Ltd.		
Nearest Intersection:			
Previous Site Name:			
Additional Info Ordered:			

---

168 | **1 of 1** | **WSW/156.6** | **103.0 / 0.17** | **Toronto ON** | **WWIS**

Well ID:	7130065	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:	Monitoring	**Date Received:**	9/22/2009
Sec. Water Use:		**Selected Flag:**	Yes
Final Well Status:	Observation Wells	**Abandonment Rec:**	
Water Type:		**Contractor:**	7241
Casing Material:		**Form Version:**	7
Audit No:	Z099392	**Owner:**	
Tag:	A055990	**Street Name:**	76 GRENVILLE ST.
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1002723547	**Elevation:**	105.2

DP2BR:		***Elevrc:***	
Spatial Status:		***Zone:***	17
Code OB:		***East83:***	630019
Code OB Desc:		***Org CS:***	UTM83
Open Hole:		***North83:***	4835583
Cluster Kind:		***UTMRC:***	4
Date Completed:	11-AUG-09	***UTMRC Desc:***	margin of error : 30 m - 100 m
Remarks:		***Location Method:***	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Annular Space/Abandonment Sealing Record

Plug ID:	1002856807
Layer:	1
Plug From:	0
Plug To:	1
Plug Depth UOM:	ft

Plug ID:	1002856809
Layer:	3
Plug From:	23
Plug To:	44
Plug Depth UOM:	ft

Plug ID:	1002856808
Layer:	2
Plug From:	1
Plug To:	23
Plug Depth UOM:	ft

Method of Construction & Well Use

Method Construction ID:	1002856814
Method Construction Code:	2
Method Construction:	Rotary (Convent.)
Other Method Construction:	

Pipe Information

Pipe ID:	1002856804
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	1002856811
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0
Depth To:	24
Casing Diameter:	1.5
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Construction Record - Screen

Screen ID:	1002856812
Layer:	1
Slot:	10
Screen Top Depth:	24
Screen End Depth:	44
Screen Material:	5
Screen Depth UOM:	ft
Screen Diameter UOM:	inch
Screen Diameter:	1.8

Water Details

Water ID:	1002856810
Layer:	
Kind Code:	
Kind:	
Water Found Depth:	
Water Found Depth UOM:	ft

Hole Diameter

Hole ID:	1002856806
Diameter:	4.25
Depth From:	0
Depth To:	44
Hole Depth UOM:	ft
Hole Diameter UOM:	inch

---

169 ***1 of 1*** ***NW/156.8*** ***106.0 / 3.21*** ***ON*** ***BORE***

Borehole ID:	648094	***Type:***	Borehole
Use:	Geotechnical/Geological Investigation	***Status::***	
Drill Method::	Power auger	***UTM Zone::***	17
Easting::	630055	***Northing::***	4835773
Location Accuracy::		***Orig. Ground Elev m::***	106
Elev. Reliability Note::		***DEM Ground Elev m::***	106
Total Depth m::	-999	***Primary Name::***	
Township::		***Concession::***	
Lot::		***Municipality:***	
Completion Date::	SEP-1963	***Static Water Level::***	.6
Primary Water Use::	Not Used	***Sec. Water Use::***	

--Details--

Stratum ID:	218521517	***Top Depth(m):***	0.0
Bottom Depth(m):	1.5	***Stratum Desc:***	SAND-MEDIUM. BROWN.
Stratum ID:	218521518	***Top Depth(m):***	1.5
Bottom Depth(m):	3.0	***Stratum Desc:***	SILT,SAND. BROWN,LACUSTRINE,LOOSE, AGE GLACIAL, WATER STABLE AT 346.0 FEET.
Stratum ID:	218521519	***Top Depth(m):***	3.0
Bottom Depth(m):	6.1	***Stratum Desc:***	SILT,SAND,CLAY. GREY,LACUSTRINE,DENSE,LAYERED,AGE GLACIAL.
Stratum ID:	218521520	***Top Depth(m):***	6.1
Bottom Depth(m):	9.1	***Stratum Desc:***	TILL,SILT,SAND. GREY,GLACIAL,VERY

DENSE, AGE GLACIAL.

Stratum ID:	218521521	**Top Depth(m):**	9.1
Bottom Depth(m):		**Stratum Desc:**	SAND,SILT,CLAY. GREY,LACUSTRINE,VERY DENSE, LAYERED,AGE GLACIAL. 000500130010002800200045003000 48

---

170 | **1 of 1** | **N/158.2** | **106.9 / 4.05** | **ON** | **WWIS**

Well ID:	7244672	**Data Entry Status:**	Yes
Construction Date:		**Data Src:**	
Primary Water Use:		**Date Received:**	7/14/2015
Sec. Water Use:		**Selected Flag:**	Yes
Final Well Status:		**Abandonment Rec:**	
Water Type:		**Contractor:**	6032
Casing Material:		**Form Version:**	8
Audit No:	C20064	**Owner:**	
Tag:	A181451	**Street Name:**	
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1005498508	**Elevation:**	106.12
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:		**East83:**	630206
Code OB Desc:		**Org CS:**	UTM83
Open Hole:		**North83:**	4835829
Cluster Kind:		**UTMRC:**	4
Date Completed:	15-MAY-15	**UTMRC Desc:**	margin of error : 30 m - 100 m
Remarks:		**Location Method:**	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

---

171 | **1 of 1** | **ESE/158.4** | **100.9 / -1.96** | **1 Carlton St Toronto ON M5B1L2** | **EHS**

Order ID:	245709	**Date Received:**	31-MAY-13
Order No:	20130531035	**Lot/Building Size:**	
Customer ID:	77347	**Municipality:**	
Company ID:	268	**Client Prov/State:**	ON
Status:	C	**Search Radius (km):**	.25
Report Code:	3CAN	**Large Radius:**	2
Report Type:	Standard Report	**X:**	-79.382884
Report Date:	11-JUN-13	**Y:**	43.661327
Report Requested by:	Parsons		
Nearest Intersection:			

Previous Site Name:
Additional Info Ordered: Fire Insur. Maps and/or Site Plans

---

172 **1 of 1** **NNW/159.0** **106.8 / 3.93** **TORONTO ON** **WWIS**

Well ID:	7174349	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:	Monitoring and Test Hole	**Date Received:**	12/30/2011
Sec. Water Use:	0	**Selected Flag:**	Yes
Final Well Status:	Monitoring and Test Hole	**Abandonment Rec:**	
Water Type:		**Contractor:**	7241
Casing Material:		**Form Version:**	7
Audit No:	Z143302	**Owner:**	
Tag:	A116779	**Street Name:**	5 ST. JOSEPH STREET
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1003628178	**Elevation:**	105.97
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:		**East83:**	630120
Code OB Desc:		**Org CS:**	UTM83
Open Hole:		**North83:**	4835811
Cluster Kind:		**UTMRC:**	4
Date Completed:	16-DEC-11	**UTMRC Desc:**	margin of error : 30 m - 100 m
Remarks:		**Location Method:**	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	1004123185
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	01
Most Common Material:	FILL
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	
Formation Top Depth:	0
Formation End Depth:	8
Formation End Depth UOM:	ft

Formation ID:	1004123186
Layer:	2
Color:	2
General Color:	GREY
Mat1:	06
Most Common Material:	SILT
Mat2:	05
Other Materials:	CLAY
Mat3:	91
Other Materials:	WATER-BEARING
Formation Top Depth:	8
Formation End Depth:	20
Formation End Depth UOM:	ft

Annular Space/Abandonment Sealing Record

Plug ID:	1004123194
Layer:	1
Plug From:	0
Plug To:	9
Plug Depth UOM:	ft

Plug ID:	1004123195
Layer:	2
Plug From:	9
Plug To:	20
Plug Depth UOM:	ft

Method of Construction & Well Use

Method Construction ID:	1004123193
Method Construction Code:	D
Method Construction:	Direct Push
Other Method Construction:	

Pipe Information

Pipe ID:	1004123184
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	1004123189
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0
Depth To:	10
Casing Diameter:	2
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Construction Record - Screen

Screen ID:	1004123190
Layer:	1
Slot:	10
Screen Top Depth:	10

Screen End Depth:	20
Screen Material:	5
Screen Depth UOM:	ft
Screen Diameter UOM:	inch
Screen Diameter:	2.25

Water Details

Water ID:	1004123188
Layer:	
Kind Code:	
Kind:	
Water Found Depth:	
Water Found Depth UOM:	ft

Hole Diameter

Hole ID:	1004123187
Diameter:	4.25
Depth From:	0
Depth To:	20
Hole Depth UOM:	ft
Hole Diameter UOM:	inch

---

173 ***1 of 1*** ***WSW/159.5*** ***102.7 / -0.15*** ***ON*** ***BORE***

Borehole ID:	638095	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	630037	**Northing::**	4835533
Location Accuracy::		**Orig. Ground Elev m::**	104
Elev. Reliability Note::		**DEM Ground Elev m::**	103
Total Depth m::	12.6	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	MAR-1965	**Static Water Level::**	-999.9
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218482980	**Top Depth(m):**	0.0
Bottom Depth(m):	4.8	**Stratum Desc:**	TILL,SAND,SILT,CLAY.GREY,BROWN,GLACIAL,DENSE, AGE GLACIAL.
Stratum ID:	218482981	**Top Depth(m):**	4.8
Bottom Depth(m):	5.1	**Stratum Desc:**	TILL,SAND,SILT. GREY,GLACIAL,HARD,AGE GLACIAL.
Stratum ID:	218482982	**Top Depth(m):**	5.1
Bottom Depth(m):	9.3	**Stratum Desc:**	SAND,SILT. GREY,FLUVIO-GLACIAL,DENSE, AGE GLACIAL.
Stratum ID:	218482983	**Top Depth(m):**	9.3
Bottom Depth(m):	12.6	**Stratum Desc:**	TILL,CLAY,SILT,SAND.GREY,GLACIAL,HARD,AGE GLACIAL.
Stratum ID:	218482984	**Top Depth(m):**	12.6
Bottom Depth(m):	12.6	**Stratum Desc:**	SAND(70),SILT(25), CLAY(5). GREY,FLUVIO-GLACIAL,DENSE, AGE GLACIAL. 013 014

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
174	1 of 1	NNE/159.5	105.8 / 2.94	EAST OF BAY DEVELOPMENT CORPORATION YONGE ST/BREADALBANE ST. TORONTO ON	CA

Certificate #:	3-1044-98-
Application Year:	98
Issue Date:	7/24/1998
Approval Type:	Municipal sewage
Status:	Approved
Application Type:	
Client Name::	
Client Address::	
Client City::	
Client Postal Code::	
Project Description::	
Contaminants::	
Emission Control::	

175	1 of 1	N/160.6	106.9 / 4.04	TORONTO ON	WWIS

Well ID:	7174348	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:	Monitoring and Test Hole	**Date Received:**	12/30/2011
Sec. Water Use:	0	**Selected Flag:**	Yes
Final Well Status:	Monitoring and Test Hole	**Abandonment Rec:**	
Water Type:		**Contractor:**	7241
Casing Material:		**Form Version:**	7
Audit No:	Z143303	**Owner:**	
Tag:	A116778	**Street Name:**	5 ST. JOSEPH STREET
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1003628176	**Elevation:**	106.02
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:		**East83:**	630175
Code OB Desc:		**Org CS:**	UTM83
Open Hole:		**North83:**	4835829
Cluster Kind:		**UTMRC:**	4
Date Completed:	16-DEC-11	**UTMRC Desc:**	margin of error : 30 m - 100 m
Remarks:		**Location Method:**	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	1004123174
Layer:	2
Color:	2
General Color:	GREY
Mat1:	06
Most Common Material:	SILT
Mat2:	05
Other Materials:	CLAY
Mat3:	
Other Materials:	
Formation Top Depth:	8
Formation End Depth:	20
Formation End Depth UOM:	ft

Formation ID:	1004123173
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	01
Most Common Material:	FILL
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	
Formation Top Depth:	0
Formation End Depth:	8
Formation End Depth UOM:	ft

Annular Space/Abandonment Sealing Record

Plug ID:	1004123182
Layer:	1
Plug From:	0
Plug To:	9
Plug Depth UOM:	ft

Plug ID:	1004123183
Layer:	2
Plug From:	9
Plug To:	20
Plug Depth UOM:	ft

Method of Construction & Well Use

Method Construction ID:	1004123181
Method Construction Code:	D
Method Construction:	Direct Push
Other Method Construction:	

Pipe Information

Pipe ID:	1004123172
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	1004123177

Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0
Depth To:	10
Casing Diameter:	2
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Construction Record - Screen

Screen ID:	1004123178
Layer:	1
Slot:	10
Screen Top Depth:	10
Screen End Depth:	20
Screen Material:	5
Screen Depth UOM:	ft
Screen Diameter UOM:	inch
Screen Diameter:	2.25

Water Details

Water ID:	1004123176
Layer:	
Kind Code:	
Kind:	
Water Found Depth:	
Water Found Depth UOM:	ft

Hole Diameter

Hole ID:	1004123175
Diameter:	4.25
Depth From:	0
Depth To:	20
Hole Depth UOM:	ft
Hole Diameter UOM:	inch

---

176 **1 of 1** **WSW/160.7** **103.0 / 0.17** **ON** **BORE**

Borehole ID:	638093	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	630015	**Northing::**	4835583
Location Accuracy::		**Orig. Ground Elev m::**	106
Elev. Reliability Note::		**DEM Ground Elev m::**	105
Total Depth m::	12.6	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	MAR-1965	**Static Water Level::**	-999.9
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218482972	**Top Depth(m):**	0.0
Bottom Depth(m):	1.7	**Stratum Desc:**	FILL,SILT,CLAY,BRICK
Stratum ID:	218482973	**Top Depth(m):**	1.7
Bottom Depth(m):	2.2	**Stratum Desc:**	SAND. BROWN,FLUVIO-GLACIAL,DENSE, AGE GLACIAL.

Stratum ID:	218482974	**Top Depth(m):**	2.2
Bottom Depth(m):	3.1	**Stratum Desc:**	TILL,SILT(46)-MEDIUM,SAND(36),CLAY. GREY,BROWN,GLACIAL,DENSE, AGE GLACIAL.
Stratum ID:	218482975	**Top Depth(m):**	3.1
Bottom Depth(m):	7.2	**Stratum Desc:**	TILL,SAND,SILT,CLAY.GREY,GLACIAL,DENSE, AGE GLACIAL.
Stratum ID:	218482976	**Top Depth(m):**	7.2
Bottom Depth(m):	12.6	**Stratum Desc:**	SAND(90),SILT(10). GREY,FLUVIO-GLACIAL,DENSE, AGE GLACIAL. 018 009 012

---

177 | **1 of 1** | **NNE/162.1** | **106.9 / 4.10** | **530 Yonge Street Toronto ON** | **EHS**

Order ID:	408772	**Date Received:**	12-JUN-15
Order No:	20150612022	**Lot/Building Size:**	
Customer ID:	53147	**Municipality:**	
Company ID:	77	**Client Prov/State:**	ON
Status:	C	**Search Radius (km):**	.25
Report Code:	4CAN	**Large Radius:**	.3
Report Type:	Custom Report	**X:**	-79.38446
Report Date:	17-JUN-15	**Y:**	43.664012
Report Requested by:	Pinchin Ltd		
Nearest Intersection:			
Previous Site Name:			
Additional Info Ordered:			

---

178 | **1 of 1** | **SW/164.1** | **101.8 / -1.02** | **ON** | **BORE**

Borehole ID:	648128	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	630065	**Northing::**	4835493
Location Accuracy::		**Orig. Ground Elev m::**	103
Elev. Reliability Note::		**DEM Ground Elev m::**	102
Total Depth m::	14	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	JUN-1970	**Static Water Level::**	-999.9
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218521681	**Top Depth(m):**	0.0
Bottom Depth(m):	1.5	**Stratum Desc:**	FILL,SILT,SAND. BROWN,LOOSE.
Stratum ID:	218521682	**Top Depth(m):**	1.5
Bottom Depth(m):	3.0	**Stratum Desc:**	SAND-FINE TO MEDIUM,SILT. BROWN,GLACIAL,DENSE, AGE GLACIAL.
Stratum ID:	218521683	**Top Depth(m):**	3.0
Bottom Depth(m):	4.6	**Stratum Desc:**	TILL,SILT,GRAVEL. GREY,GLACIAL,VERY DENSE, AGE GLACIAL.
Stratum ID:	218521684	**Top Depth(m):**	4.6
Bottom Depth(m):	9.1	**Stratum Desc:**	SAND-FINE TO MEDIUM,SILT. GREY,GLACIAL,VERY DENSE, AGE GLACIAL.

Stratum ID:	218521685	**Top Depth(m):**	9.1
Bottom Depth(m):	10.4	**Stratum Desc:**	SAND,SILT,CLAY. GREY,GLACIAL,VERY DENSE, AGE GLACIAL.
Stratum ID:	218521686	**Top Depth(m):**	10.4
Bottom Depth(m):	14.0	**Stratum Desc:**	CLAY,SILT,SAND. GREY,GLACIAL,HARD,AGE GLACIAL. 012 010 010 00

179 | **1 of 31** | **WSW/165.7** | **102.9 / 0.05** | **Women's College Hospital 76 Grenville Street Toronto CITY OF TORONTO ON** | **EBR**

Company Name:	Women's College Hospital
EBR Registry No.:	011-6704
Ministry Ref. No.:	7277-8UZQMN
Notice Type:	Instrument Decision
Notice Date:	January 18, 2013
Proposal Date:	July 06, 2012
Year:	2012
Proponent Address:	675 Cochrane Drive, Markham Ontario, Canada L3R 0B8
Instrument Type:	(EPA Part II.1-air) - Environmental Compliance Approval (project type: air)
Location Other:	

Location:

76 Grenville Street Toronto CITY OF TORONTO

179 | **2 of 31** | **WSW/165.7** | **102.9 / 0.05** | **Women's College Hospital 76 Grenville St Toronto ON M5S 1B2** | **ECA**

Approval No:	6902-92AQYT	**SWP Area Name:**	
Approval Date:	2014-04-10	**MOE District:**	
Status:	Approved	**City:**	Toronto
Record Type:	ECA	**Longitude:**	
Link Source:	IDS	**Latitude:**	
Approval Type:	ECA-AIR		
Project Type:	AIR		
Address:	76 Grenville St		
Full Address:			
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/7129-98VPLA-14.pdf		

179 | **3 of 31** | **WSW/165.7** | **102.9 / 0.05** | **Women's College Hospital 76 Grenville St Toronto ON M5S 1B2** | **ECA**

Approval No:	6902-92AQYT	**SWP Area Name:**	
Approval Date:	2016-07-22	**MOE District:**	
Status:	Approved	**City:**	Toronto
Record Type:	ECA	**Longitude:**	
Link Source:	IDS	**Latitude:**	
Approval Type:	ECA-AIR		
Project Type:	AIR		
Address:	76 Grenville St		
Full Address:			
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/3034-A9ZK65-14.pdf		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
179	4 of 31	WSW/165.7	102.9 / 0.05	Women's College Hospital 76 Grenville St Toronto ON M5S 1B2	ECA

Approval No:	6902-92AQYT	SWP Area Name:	
Approval Date:	12/21/2012	MOE District:	
Status:	Approved	City:	Toronto
Record Type:		Longitude:	
Link Source:		Latitude:	
Approval Type:			
Project Type:	Air/Noise		
Address:			
Full Address:			
Full PDF Link:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
179	5 of 31	WSW/165.7	102.9 / 0.05	Women's College Hospital 76 Grenville St Toronto ON M5S 1B1	ECA

Approval No:	6902-92AQYT	SWP Area Name:	
Approval Date:	2012-12-21	MOE District:	
Status:	Amended	City:	Toronto
Record Type:	ECA	Longitude:	
Link Source:	IDS	Latitude:	
Approval Type:	ECA-AIR		
Project Type:	AIR		
Address:	76 Grenville St		
Full Address:			
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/7277-8UZQMN-14.pdf		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
179	6 of 31	WSW/165.7	102.9 / 0.05	Women's College Hospital 76 Grenville Street 76 Grenville St Toronto City ON	ECA

Approval No:	6902-92AQYT	SWP Area Name:	
Approval Date:	4/10/14	MOE District:	
Status:	Approved	City:	Toronto City
Record Type:		Longitude:	
Link Source:		Latitude:	
Approval Type:			
Project Type:	Air/Noise		
Address:			
Full Address:	76 Grenville Street 76 Grenville St Toronto City,		
Full PDF Link:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
179	7 of 31	WSW/165.7	102.9 / 0.05	WOMEN'S COLLEGE HOSPITAL (PATHOLOGICAL) 76 GRENVILLE STREET TORONTO ON M5S 1B2	GEN

Generator No.:	A280274	PO Box No.:	
Status:		Country:	
Approval Years:	86	Choice of Contact:	
Contam. Facility:		Co Admin:	
MHSW Facility:		Phone No. Admin:	
SIC Code:	011		
SIC Description:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
179	8 of 31	WSW/165.7	102.9 / 0.05	THE NEW WOMEN'S COLLEGE HOSPITAL 76 GRENVILLE STREET TORONTO ON M5S 1B2	GEN

Generator No.: ON0190300
Status:
Approval Years: 05,06
Contam. Facility:
MHSW Facility:
SIC Code: 621494
SIC Description: Community Health Centres

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--

Waste Code: 122
Waste Description: ALKALINE WASTES - OTHER METALS

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 211
Waste Description: AROMATIC SOLVENTS

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 243
Waste Description: PCB'S

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 261
Waste Description: PHARMACEUTICALS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 267
Waste Description: ORGANIC ACIDS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
179	9 of 31	WSW/165.7	102.9 / 0.05	WOMEN'S COLLEGE HOSPITAL 76 GRENVILLE STREET TORONTO ON M5S 1B2	GEN

Generator No.: ON0190300
Status:
Approval Years: 97,98,99,07,08
Contam. Facility:
MHSW Facility:
SIC Code: 8611
SIC Description: GENERAL HOSPITALS

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--

Waste Code: 331
Waste Description: WASTE COMPRESSED GASES

Waste Code: 261
Waste Description: PHARMACEUTICALS

Waste Code: 261
Waste Description: PHARMACEUTICALS

Waste Code: 331
Waste Description: WASTE COMPRESSED GASES

Waste Code: 112
Waste Description: ACID WASTE - HEAVY METALS

Waste Code: 222
Waste Description: HEAVY FUELS

Waste Code: 112
Waste Description: ACID WASTE - HEAVY METALS

Waste Code: 121
Waste Description: ALKALINE WASTES - HEAVY METALS

Waste Code: 243
Waste Description: PCB'S

Waste Code: 122
Waste Description: ALKALINE WASTES - OTHER METALS

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 211
Waste Description: AROMATIC SOLVENTS

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 267
Waste Description: ORGANIC ACIDS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

179 | ***10 of 31*** | ***WSW/165.7*** | ***102.9 / 0.05*** | ***Rexall Pharmacy Group Ltd.***
76 Grenville St
Toronto ON M5S1B2 | ***GEN***

Generator No.: ON8170327
Status: Registered
Approval Years: As of Dec 2017
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No.:
Country: Canada
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 261 A
Waste Description: Pharmaceuticals

Waste Code: 312 P
Waste Description: Pathological wastes

179	11 of 31	WSW/165.7	102.9 / 0.05	WOMEN'S COLLEGE HOSPITAL 76 GRENVILLE STREET TORONTO ON M5S 1B2	GEN

Generator No.:	ON0190300	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2016	**Choice of Contact:**	CO_OFFICIAL
Contam. Facility:	No	**Co Admin:**	Lori Wilson
MHSW Facility:	No	**Phone No. Admin:**	416 3234696 Ext.
SIC Code:	621494		
SIC Description:	621494		

--Details--

Waste Code: 121
Waste Description: ALKALINE WASTES - HEAVY METALS

Waste Code: 122
Waste Description: ALKALINE WASTES - OTHER METALS

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Waste Code: 261
Waste Description: PHARMACEUTICALS

Waste Code: 331
Waste Description: WASTE COMPRESSED GASES

Waste Code: 112
Waste Description: ACID WASTE - HEAVY METALS

Waste Code: 222
Waste Description: HEAVY FUELS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 267
Waste Description: ORGANIC ACIDS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Waste Code: 211
Waste Description: AROMATIC SOLVENTS

Waste Code: 243
Waste Description: PCBS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
179	12 of 31	WSW/165.7	102.9 / 0.05	Black & McDonald Limited 76 Grenville Street Toronto ON	GEN

Generator No.: ON9876432
Status:
Approval Years: 2013
Contam. Facility:
MHSW Facility:
SIC Code: 238990
SIC Description: ALL OTHER SPECIALTY TRADE CONTRACTORS

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 221
Waste Description: LIGHT FUELS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
179	13 of 31	WSW/165.7	102.9 / 0.05	WOMEN'S COLLEGE HOSPITAL DEPT. OF CLIN. LABS 76 GRENVILLE ST. TORONTO ON M5S 1B2	GEN

Generator No.: ON0190300
Status:
Approval Years: 86,87,88,89,90
Contam. Facility:
MHSW Facility:
SIC Code: 8611
SIC Description: GENERAL HOSPITALS

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 211
Waste Description: AROMATIC SOLVENTS

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 267
Waste Description: ORGANIC ACIDS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
179	14 of 31	WSW/165.7	102.9 / 0.05	WOMEN'S COLLEGE HOSPITAL 76 GRENVILLE STREET TORONTO ON M5S 1B2	GEN

Generator No.: ON0190300
Status:
Approval Years: 2012
Contam. Facility:
MHSW Facility:
SIC Code: 621494
SIC Description: Community Health Centres

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--

Waste Code: 122
Waste Description: ALKALINE WASTES - OTHER METALS

Waste Code: 331
Waste Description: WASTE COMPRESSED GASES

Waste Code: 121
Waste Description: ALKALINE WASTES - HEAVY METALS

Waste Code: 222
Waste Description: HEAVY FUELS

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Waste Code: 267
Waste Description: ORGANIC ACIDS

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 243
Waste Description: PCBS

Waste Code: 261
Waste Description: PHARMACEUTICALS

Waste Code: 112
Waste Description: ACID WASTE - HEAVY METALS

Waste Code: 211
Waste Description: AROMATIC SOLVENTS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

179	15 of 31	WSW/165.7	102.9 / 0.05	WOMEN'S COLLEGE HOSPITAL 76 GRENVILLE STREET TORONTO ON M5S 1B2	GEN

Generator No.:	ON0190300	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2014	**Choice of Contact:**	CO_OFFICIAL
Contam. Facility:	No	**Co Admin:**	Lori Wilson
MHSW Facility:	No	**Phone No. Admin:**	416 3234696 Ext.
SIC Code:	621494		
SIC Description:	621494		

--Details--

Waste Code: 267

Waste Description: ORGANIC ACIDS

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 331
Waste Description: WASTE COMPRESSED GASES

Waste Code: 122
Waste Description: ALKALINE WASTES - OTHER METALS

Waste Code: 261
Waste Description: PHARMACEUTICALS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Waste Code: 121
Waste Description: ALKALINE WASTES - HEAVY METALS

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 211
Waste Description: AROMATIC SOLVENTS

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Waste Code: 112
Waste Description: ACID WASTE - HEAVY METALS

Waste Code: 222
Waste Description: HEAVY FUELS

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 243
Waste Description: PCBS

---

179 | **16 of 31** | **WSW/165.7** | **102.9 / 0.05** | **Rexall Drug Store**
76 Grenville St
Toronto ON M5S1B2 | **GEN**

Generator No.:	ON8170327	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2015	**Choice of Contact:**	CO_OFFICIAL
Contam. Facility:	No	**Co Admin:**	Aaron Schrama
MHSW Facility:	No	**Phone No. Admin:**	9055017800 Ext.
SIC Code:	446110		
SIC Description:	446110		

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

179 **17 of 31** **WSW/165.7** **102.9 / 0.05**

Rexall Pharmacy Group Ltd.
76 Grenville St
Toronto ON M5S1B2

GEN

Generator No.:	ON8170327	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2016	**Choice of Contact:**	CO_OFFICIAL
Contam. Facility:	No	**Co Admin:**	Erik Botines
MHSW Facility:	No	**Phone No. Admin:**	9055017800 Ext.
SIC Code:	446110		
SIC Description:	446110		

--Details--

Waste Code: 261
Waste Description: PHARMACEUTICALS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

179 **18 of 31** **WSW/165.7** **102.9 / 0.05**

WOMEN'S COLLEGE HOSPITAL
76 GRENVILLE STREET
TORONTO ON M5S 1B2

GEN

Generator No.:	ON0190300	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2015	**Choice of Contact:**	CO_OFFICIAL
Contam. Facility:	No	**Co Admin:**	Lori Wilson
MHSW Facility:	No	**Phone No. Admin:**	416 3234696 Ext.
SIC Code:	621494		
SIC Description:	621494		

--Details--

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 261
Waste Description: PHARMACEUTICALS

Waste Code: 222
Waste Description: HEAVY FUELS

Waste Code: 267
Waste Description: ORGANIC ACIDS

Waste Code: 211
Waste Description: AROMATIC SOLVENTS

Waste Code: 122
Waste Description: ALKALINE WASTES - OTHER METALS

Waste Code: 121
Waste Description: ALKALINE WASTES - HEAVY METALS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 112
Waste Description: ACID WASTE - HEAVY METALS

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Waste Code: 331
Waste Description: WASTE COMPRESSED GASES

Waste Code: 243
Waste Description: PCBS

179	19 of 31	WSW/165.7	102.9 / 0.05	WOMEN'S COLLEGE HOSPITAL 76 GRENVILLE STREET TORONTO ON M5S 1B2	42-108	GEN

Generator No.: ON0190300
Status:
Approval Years: 92,93,96
Contam. Facility:
MHSW Facility:
SIC Code: 8611
SIC Description: GENERAL HOSPITALS

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 267
Waste Description: ORGANIC ACIDS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 122
Waste Description: ALKALINE WASTES - OTHER METALS

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 211
Waste Description: AROMATIC SOLVENTS

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

179	20 of 31	WSW/165.7	102.9 / 0.05	WOMEN'S COLLEGE HOSPITAL 76 GRENVILLE STREET TORONTO ON		GEN

Generator No.: ON0190300

PO Box No.:

Status:
Approval Years: 2013
Contam. Facility:
MHSW Facility:
SIC Code: 621494
SIC Description:

Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--

Waste Code: 243
Waste Description: PCBS

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 331
Waste Description: WASTE COMPRESSED GASES

Waste Code: 267
Waste Description: ORGANIC ACIDS

Waste Code: 261
Waste Description: PHARMACEUTICALS

Waste Code: 112
Waste Description: ACID WASTE - HEAVY METALS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 211
Waste Description: AROMATIC SOLVENTS

Waste Code: 122
Waste Description: ALKALINE WASTES - OTHER METALS

Waste Code: 222
Waste Description: HEAVY FUELS

Waste Code: 121
Waste Description: ALKALINE WASTES - HEAVY METALS

179	21 of 31	WSW/165.7	102.9 / 0.05	WOMEN'S COLLEGE HOSPITAL 76 GRENVILLE STREET TORONTO ON M5S 1B2	GEN

Generator No.: ON0190300
Status:
Approval Years: 2010

PO Box No.:
Country:
Choice of Contact:

Contam. Facility:
MHSW Facility:
SIC Code: 621494
SIC Description: Community Health Centres

Co Admin:
Phone No. Admin:

--Details--

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 112
Waste Description: ACID WASTE - HEAVY METALS

Waste Code: 261
Waste Description: PHARMACEUTICALS

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 211
Waste Description: AROMATIC SOLVENTS

Waste Code: 122
Waste Description: ALKALINE WASTES - OTHER METALS

Waste Code: 331
Waste Description: WASTE COMPRESSED GASES

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 243
Waste Description: PCBS

Waste Code: 267
Waste Description: ORGANIC ACIDS

Waste Code: 121
Waste Description: ALKALINE WASTES - HEAVY METALS

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 222
Waste Description: HEAVY FUELS

179	22 of 31	WSW/165.7	102.9 / 0.05	WOMEN'S COLLEGE HOSPITAL 76 GRENVILLE STREET TORONTO ON M5S 1B2	GEN

Generator No.: ON0190300
Status:
Approval Years: 2011
Contam. Facility:
MHSW Facility:

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

SIC Code: 621494
SIC Description: Community Health Centres

--Details--
Waste Code: 211
Waste Description: AROMATIC SOLVENTS

Waste Code: 331
Waste Description: WASTE COMPRESSED GASES

Waste Code: 112
Waste Description: ACID WASTE - HEAVY METALS

Waste Code: 222
Waste Description: HEAVY FUELS

Waste Code: 121
Waste Description: ALKALINE WASTES - HEAVY METALS

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 243
Waste Description: PCBS

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 122
Waste Description: ALKALINE WASTES - OTHER METALS

Waste Code: 267
Waste Description: ORGANIC ACIDS

Waste Code: 261
Waste Description: PHARMACEUTICALS

179	23 of 31	WSW/165.7	102.9 / 0.05	SUNNYBROOK AND WOMEN'S COLLEGE 76 GRENVILLE STREET TORONTO ON M5S 1B2	GEN

Generator No.: ON0190300
Status:
Approval Years: 00,01,02,03,04
Contam. Facility:
MHSW Facility:
SIC Code: 8611
SIC Description: GENERAL HOSPITALS

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 122
Waste Description: ALKALINE WASTES - OTHER METALS

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 211
Waste Description: AROMATIC SOLVENTS

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 261
Waste Description: PHARMACEUTICALS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 267
Waste Description: ORGANIC ACIDS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

179	24 of 31	WSW/165.7	102.9 / 0.05	WOMEN'S COLLEGE HOSPITAL 76 GRENVILLE STREET TORONTO ON M5S 1B2	GEN

Generator No.: ON0190300
Status: Registered
Approval Years: As of Dec 2017
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No.:
Country: Canada
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 148 C
Waste Description: Misc. wastes and inorganic chemicals

Waste Code: 312 P
Waste Description: Pathological wastes

Waste Code: 263 I
Waste Description: Misc. waste organic chemicals

Waste Code: 211 I
Waste Description: Aromatic solvents and residues

Waste Code: 261 A
Waste Description: Pharmaceuticals

Waste Code: 122 C
Waste Description: Alkaline slutions - containing other metals and non-metals (not cyanide)

Waste Code: 331 I
Waste Description: Waste compressed gases including cylinders

Waste Code: 148 R
Waste Description: Misc. wastes and inorganic chemicals

Waste Code: 112 C
Waste Description: Acid solutions - containing heavy metals

Waste Code: 121 C
Waste Description: Alkaline slutions - containing heavy metals

Waste Code: 212 I
Waste Description: Aliphatic solvents and residues

Waste Code: 267 C
Waste Description: Organic acids

179	25 of 31	WSW/165.7	102.9 / 0.05	WOMEN'S COLLEGE HOSPITAL 76 GRENVILLE STREET TORONTO ON M5S 1B2	GEN

Generator No.: ON0190300
Status:
Approval Years: 2009
Contam. Facility:
MHSW Facility:
SIC Code: 621494
SIC Description: Community Health Centres

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 112
Waste Description: ACID WASTE - HEAVY METALS

Waste Code: 121
Waste Description: ALKALINE WASTES - HEAVY METALS

Waste Code: 122
Waste Description: ALKALINE WASTES - OTHER METALS

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 211
Waste Description: AROMATIC SOLVENTS

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 222
Waste Description: HEAVY FUELS

Waste Code: 243
Waste Description: PCBS

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 261
Waste Description: PHARMACEUTICALS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 267

Waste Description: ORGANIC ACIDS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 331
Waste Description: WASTE COMPRESSED GASES

179	26 of 31	WSW/165.7	102.9 / 0.05	WOMEN'S COLLEGE HOSPITAL 42-108 DEPT. OF CLIN. LABS 76 GRENVILLE ST. TORONTO ON M5S 1B2	GEN

Generator No.: ON0190300
Status:
Approval Years: 94,95
Contam. Facility:
MHSW Facility:
SIC Code: 8611
SIC Description: GENERAL HOSPITALS

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 122
Waste Description: ALKALINE WASTES - OTHER METALS

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 211
Waste Description: AROMATIC SOLVENTS

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 267
Waste Description: ORGANIC ACIDS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

179	27 of 31	WSW/165.7	102.9 / 0.05	Bondfield Construction Company Limited 76 Grenville Street Address: 76 Grenville St, Toronto, City District Office: Toronto - District CITY OF TORONTO ON	PTTW

EBR Registry No.: 011-1447
Ministry Ref. No.: 3166-8A9NSK
Notice Type: Instrument Decision
Notice Date: November 23, 2010
Proposal Date: October 15, 2010
Year: 2010
Proponent Address: 407 Basaltic Road, Vaughan Ontario, Canada L4K 4W8
Instrument Type: (OWRA s. 34) - Permit to Take Water
Location Other:

Location:

76 Grenville Street Address: 76 Grenville St, Toronto, City District Office: Toronto - District CITY OF TORONTO

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

179	28 of 31	WSW/165.7	102.9 / 0.05	WOMEN'S COLLEGE HOSPITAL (PATHOLOGICAL) 76 GRENVILLE STREET TORONTO ON M5S 1B2	REC

Rec Op Div:
Co Admin:
Phone No Admin:
Rec Div:
Rec Op Name:
Choice of Contact:
Site Bldg:
Site PO Box:
Receiver #:: A280274
Facility Type: INCINERATION
Approval Yrs:: 87,88,89,90,92,93,94,95,96,97,98

--Details--
Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

179	29 of 31	WSW/165.7	102.9 / 0.05	WOMEN'S COLLEGE HOSPITAL 76 GRENVILLE STREET TORONTO ON M5S 1B2	REC

Rec Op Div:
Co Admin:
Phone No Admin:
Rec Div:
Rec Op Name:
Choice of Contact:
Site Bldg:
Site PO Box:
Receiver #:: A280274
Facility Type: INCINERATION
Approval Yrs:: 99,00,01,02,03,04,05,06,07,08

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

179	30 of 31	WSW/165.7	102.9 / 0.05	Women's College Hospital 76 GRENVILLE ST, TORONTO, ON, M5S 1B2 ON M5S 1B2	RSC

Reg No: 91719
RA No:
RSC Type:
Curr Property Use: Residential
District Office: TORONTO
Date Submitted: 3-Dec-10
Date Ack:
Date Returned:
Restoration Type:
Soil Type:
Criteria:
CPU Issued Sect No

Cert Date: 19-Aug-09
Cert Prop Use No: No CPU
Intended Prop Use: Residential
Nm of Qual. Person: Dan Hill
Stratified (Y/N):
Audit (Y/N):
Entire Leg Prop. (Y/N): No
Accuracy Estimate: 11 to 20 meters
Telephone: 416-3237301
Fax: 416-3236122
Email: dan.hill@wchospital.ca

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

1686:

Asmt Roll No:	19-04-06-8-120-00800-0000-0 3
Prop. ID No:	Part of PIN 21415-0092 (LT) and 21415-0144 (LT)
Property Municipal Address:	76 GRENVILLE ST, TORONTO, ON, M5S 1B2
Mailing Address:	76 GRENVILLE ST, TORONTO, ON, M5S 1B2
Latitude & Latitude:	43.66160150N 79.38689360W
UTM Coordinates:	NAD83 17-630063-4835553 (converted from Latitude & Longitude)
Consultant:	
Filing Owner:	
Legal Desc:	ENTIRE LEGAL DESCRIPTION: LT 125-141, 143-144, 147-148 PL 159 TORONTO; PT LANE PL 159 TORONTO LYING TO THE E OF THE ELY LIMITS 125 TO 129 INCL; PL LANE 159 TORONTO LYING TO THE S OF THE SLY LIMITS OF LTS 130, 133, 134, 137 138, 141 CLOSED BY EP126840 AS IN EP139342; S/T CA642570, CA642571; CITY OF TORONTO. RSC LEGAL DESCRIPTION: LTS 140, 143, 144, 147, 148 AND PART OF LANE PLAN 159 STOPPED UP AND CLOSED BY BY-LAW 367-2009 REGISTERED AS AT2049477, DESIGNATED AS PART 1, PLAN 66R24219 CITY OF TORONTO.
Measurement Method:	Digitized from a map
Applicable Standards:	Full Depth Site Conditions Standard, with Nonpotable Ground Water, Coarse Textured Soil, for Residential/Parkland/Institutional property use
RSC PDF:	

179	31 of 31	WSW/165.7	102.9 / 0.05	Womens College Hospital<UNOFFICIAL> 76 Grenville Street<UNOFFICIAL> Toronto ON M5S 1B2	SPL

Ref No:	0235-6GDR2G	**Discharger Report:**	0
Site No:		**Material Group:**	Gases/Particulate
Incident Dt:	9/19/2005	**Client Type:**	
Year:		**Sector Type:**	Other
Incident Cause:	Pipe Or Hose Leak	**Source Type:**	
Incident Event:		**Nearest Watercourse:**	
Contaminant Code:		**Site Name:**	76 Grenville Street<UNOFFICIAL>
Contaminant Name:	REFRIGERANT GAS, N.O.S.	**Site Address:**	
Contaminant Limit 1:		**Site District Office:**	Toronto
Contam Limit Freq 1:		**Site County/District:**	
Contaminant UN No 1:		**Site Postal Code:**	
Contaminant Qty:	454.5 Kg	**Site Region:**	
Environment Impact:	Not Anticipated	**Site Municipality:**	Toronto
Nature of Impact:	Air Pollution	**Site Lot:**	
Receiving Medium:	Land	**Site Conc:**	
Receiving Env:		**Northing:**	
Health/Env Conseq:		**Easting:**	
MOE Response:		**Site Geo Ref Accu:**	
Dt MOE Arvl on Scn:		**Site Geo Ref Meth:**	
MOE Reported Dt:	9/19/2005	**Site Map Datum:**	
Dt Document Closed:			
SAC Action Class:	Spills to Air - gases and vapours		
Incident Reason:			
Incident Summary:	Womens College Hospital: 1000 lbs R-11 to air		

180	1 of 1	N/165.8	106.9 / 4.05	Toronto ON	WWIS

Well ID:	7284944	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:	Test Hole	**Date Received:**	4/10/2017
Sec. Water Use:	Monitoring	**Selected Flag:**	Yes
Final Well Status:	Monitoring and Test Hole	**Abandonment Rec:**	
Water Type:		**Contractor:**	7241
Casing Material:		**Form Version:**	7
Audit No:	Z253556	**Owner:**	
Tag:	A185803	**Street Name:**	145 ST LUKE LANE
Construction Method:		**County:**	YORK

Elevation (m):		***Municipality:***	TORONTO CITY
Elevation Reliability:		***Site Info:***	
Depth to Bedrock:		***Lot:***	
Well Depth:		***Concession:***	
Overburden/Bedrock:		***Concession Name:***	
Pump Rate:		***Easting NAD83:***	
Static Water Level:		***Northing NAD83:***	
Flowing (Y/N):		***Zone:***	
Flow Rate:		***UTM Reliability:***	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1006379717	***Elevation:***	106.09
DP2BR:		***Elevrc:***	
Spatial Status:		***Zone:***	17
Code OB:		***East83:***	630232
Code OB Desc:		***Org CS:***	UTM83
Open Hole:		***North83:***	4835834
Cluster Kind:		***UTMRC:***	4
Date Completed:	07-MAR-17	***UTMRC Desc:***	margin of error : 30 m - 100 m
Remarks:		***Location Method:***	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	1006649258
Layer:	3
Color:	
General Color:	
Mat1:	
Most Common Material:	
Mat2:	
Other Materials:	
Mat3:	77
Other Materials:	LOOSE
Formation Top Depth:	10
Formation End Depth:	15
Formation End Depth UOM:	ft

Formation ID:	1006649260
Layer:	5
Color:	
General Color:	
Mat1:	
Most Common Material:	
Mat2:	
Other Materials:	
Mat3:	66
Other Materials:	DENSE
Formation Top Depth:	20
Formation End Depth:	25
Formation End Depth UOM:	ft

Formation ID:	1006649259
Layer:	4
Color:	
General Color:	

Mat1:	
Most Common Material:	
Mat2:	
Other Materials:	
Mat3:	66
Other Materials:	DENSE
Formation Top Depth:	15
Formation End Depth:	20
Formation End Depth UOM:	ft
Formation ID:	1006649256
Layer:	1
Color:	2
General Color:	GREY
Mat1:	28
Most Common Material:	SAND
Mat2:	06
Other Materials:	SILT
Mat3:	77
Other Materials:	LOOSE
Formation Top Depth:	0
Formation End Depth:	5
Formation End Depth UOM:	ft
Formation ID:	1006649261
Layer:	6
Color:	
General Color:	
Mat1:	
Most Common Material:	
Mat2:	
Other Materials:	
Mat3:	66
Other Materials:	DENSE
Formation Top Depth:	25
Formation End Depth:	28
Formation End Depth UOM:	ft
Formation ID:	1006649257
Layer:	2
Color:	
General Color:	
Mat1:	
Most Common Material:	
Mat2:	
Other Materials:	
Mat3:	77
Other Materials:	LOOSE
Formation Top Depth:	5
Formation End Depth:	10
Formation End Depth UOM:	ft

Annular Space/Abandonment Sealing Record

Plug ID:	1006649270
Layer:	2
Plug From:	17
Plug To:	28
Plug Depth UOM:	ft
Plug ID:	1006649269
Layer:	1
Plug From:	0
Plug To:	17

Plug Depth UOM: ft

Method of Construction & Well Use

Method Construction ID: 1006649268
Method Construction Code: B
Method Construction: Other Method
Other Method Construction: DIRECT PUSH

Pipe Information

Pipe ID: 1006649255
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1006649264
Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From: 0
Depth To: 18
Casing Diameter: 1.5
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1006649265
Layer: 1
Slot: 10
Screen Top Depth: 18
Screen End Depth: 28
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 1.75

Water Details

Water ID: 1006649263
Layer:
Kind Code:
Kind:
Water Found Depth:
Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006649262
Diameter: 23.5
Depth From: 0
Depth To: 28
Hole Depth UOM: ft
Hole Diameter UOM: inch

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
181	1 of 1	NNE/166.1	106.9 / 4.03	530 Yonge Street Toronto ON M4Y 1Y8	EHS

Order ID:	68760	**Date Received:**	1/19/2006
Order No:	20060119022	**Lot/Building Size:**	
Customer ID:	43707	**Municipality:**	
Company ID:	333	**Client Prov/State:**	ON
Status:	C	**Search Radius (km):**	0.25
Report Code:	4CAN	**Large Radius:**	2
Report Type:	Custom Report	**X:**	-79.384297
Report Date:	1/25/2006	**Y:**	43.664033
Report Requested by:	AMEC Earth & Environmental Limited		
Nearest Intersection:	Yonge Street and Bredalbane Street		
Previous Site Name:			
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
182	1 of 1	N/166.8	106.9 / 4.05	145 St Luke Lane Toronto ON M4Y0A7	EHS

Order ID:	490755	**Date Received:**	08-DEC-16
Order No:	20161208093	**Lot/Building Size:**	
Customer ID:	137092	**Municipality:**	TORONTO
Company ID:	97	**Client Prov/State:**	ON
Status:	C	**Search Radius (km):**	.25
Report Code:	2CAN	**Large Radius:**	.3
Report Type:	Standard Select Report	**X:**	-79.384801
Report Date:	15-DEC-16	**Y:**	43.664119
Report Requested by:	exp Services Inc.		
Nearest Intersection:			
Previous Site Name:			
Additional Info Ordered:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
183	1 of 1	ESE/167.0	100.4 / -2.42	Litros G 445 Yonge St Toronto ON	TANK

Permit Date:	1924
Permit Type:	
User Type:	café
Installation Type:	
Installation Size:	
Installation Config.:	
No. Tanks Installed:	
Units of Measure:	
Value/Tank ($):	
Capacity(gal):	
Reference:	CTA Toronto City Council Minutes 1924 Appendix A 105
Location Desc:	445 Yonge St

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
184	1 of 2	N/167.8	106.9 / 4.06	Universal Garage 538 Yonge St Toronto ON M4Y 1Y8	TANK

Permit Date:	11/7/1923
Permit Type:	BP 75303
User Type:	Auto service garage
Installation Type:	Gasoline tank
Installation Size:	
Installation Config.:	1 x Gasoline tank
No. Tanks Installed:	1
Units of Measure:	

Value/Tank ($):	80
Capacity(gal):	
Reference:	CTA Building permits
Location Desc:	

184	2 of 2	N/167.8	106.9 / 4.06	Universal Garage 538 Yonge St Toronto ON M4Y 1Y8	TANK

Permit Date:	10/15/1923
Permit Type:	BP 74531
User Type:	Auto service garage
Installation Type:	Gasoline tank
Installation Size:	
Installation Config.:	1 x Gasoline tank
No. Tanks Installed:	1
Units of Measure:	
Value/Tank ($):	100
Capacity(gal):	
Reference:	CTA Building permits
Location Desc:	

185	1 of 2	SE/168.5	99.1 / -3.76	GWL Realty Advisors Inc. 424-444 Yonge St Toronto ON	ECA

Approval No:	8400-98YH6D	**SWP Area Name:**	
Approval Date:	6/25/2013	**MOE District:**	
Status:	Approved	**City:**	Toronto
Record Type:		**Longitude:**	
Link Source:		**Latitude:**	
Approval Type:			
Project Type:	Air/Noise		
Address:			
Full Address:			
Full PDF Link:			

186	1 of 1	WNW/169.4	105.0 / 2.14	ON	BORE

Borehole ID:	646855	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	629995	**Northing::**	4835693
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	10.5	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	1
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218516615	**Top Depth(m):**	0.0
Bottom Depth(m):	1.2	**Stratum Desc:**	FILL,SAND,SILT.
Stratum ID:	218516616	**Top Depth(m):**	1.2
Bottom Depth(m):	2.9	**Stratum Desc:**	TILL,SILT,SAND. BROWN,GLACIAL,VERY DENSE, AGE GLACIAL, WATER STABLE AT 350.1 FEET.

Stratum ID:	218516617	**Top Depth(m):**	2.9
Bottom Depth(m):	10.5	**Stratum Desc:**	TILL,SILT,SAND. GREY,GLACIAL,VERY DENSE, AGE GLACIAL. 00040045000950510001 9

187 **1 of 1** **WNW/169.4** **104.8 / 1.93** **TORONTO ON** **WWIS**

Well ID:	7210959	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:	Monitoring and Test Hole	**Date Received:**	11/12/2013
Sec. Water Use:		**Selected Flag:**	Yes
Final Well Status:	Monitoring and Test Hole	**Abandonment Rec:**	
Water Type:		**Contractor:**	7241
Casing Material:		**Form Version:**	7
Audit No:	Z179221	**Owner:**	
Tag:	A141988	**Street Name:**	60 GROSVENOR STREET
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1004628124	**Elevation:**	106.4
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:		**East83:**	629992
Code OB Desc:		**Org CS:**	UTM83
Open Hole:		**North83:**	4835677
Cluster Kind:		**UTMRC:**	4
Date Completed:	27-SEP-13	**UTMRC Desc:**	margin of error : 30 m - 100 m
Remarks:		**Location Method:**	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	1004886132
Layer:	2
Color:	2
General Color:	GREY
Mat1:	28
Most Common Material:	SAND
Mat2:	06
Other Materials:	SILT
Mat3:	
Other Materials:	
Formation Top Depth:	12

Formation End Depth:	30
Formation End Depth UOM:	ft

Formation ID:	1004886131
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	11
Most Common Material:	GRAVEL
Mat2:	01
Other Materials:	FILL
Mat3:	77
Other Materials:	LOOSE
Formation Top Depth:	0
Formation End Depth:	12
Formation End Depth UOM:	ft

Annular Space/Abandonment Sealing Record

Plug ID:	1004886140
Layer:	1
Plug From:	0
Plug To:	1
Plug Depth UOM:	ft

Plug ID:	1004886142
Layer:	3
Plug From:	18
Plug To:	30
Plug Depth UOM:	ft

Plug ID:	1004886141
Layer:	2
Plug From:	1
Plug To:	18
Plug Depth UOM:	ft

Method of Construction & Well Use

Method Construction ID:	1004886139
Method Construction Code:	2
Method Construction:	Rotary (Convent.)
Other Method Construction:	DIRECT PUSH

Pipe Information

Pipe ID:	1004886130
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	1004886135
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0
Depth To:	20
Casing Diameter:	2

Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1004886136
Layer: 1
Slot: 10
Screen Top Depth: 20
Screen End Depth: 30
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 2.25

Water Details

Water ID: 1004886134
Layer:
Kind Code:
Kind:
Water Found Depth:
Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1004886133
Diameter: 6
Depth From: 0
Depth To: 30
Hole Depth UOM: ft
Hole Diameter UOM: inch

---

188 | **1 of 1** | **SSE/169.6** | **98.3 / -4.52** | **GWL Realty Advisors**
424 Yonge St.
Toronto ON M5B 2H3 | **GEN**

Generator No.: ON7611872
Status:
Approval Years: 2016
Contam. Facility: No
MHSW Facility: No
SIC Code: 531190
SIC Description: 531190

PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

---

189 | **1 of 1** | **NE/171.8** | **104.9 / 2.03** | **TORONTO ON** | **WWIS**

Well ID: 7251887
Construction Date:
Primary Water Use: Test Hole
Sec. Water Use:
Final Well Status: Test Hole
Water Type:
Casing Material:
Audit No: Z200074

Data Entry Status:
Data Src:
Date Received: 11/10/2015
Selected Flag: Yes
Abandonment Rec:
Contractor: 6875
Form Version: 7
Owner:

Tag:	A118556	***Street Name:***	501 YOUNG ST.
Construction Method:		***County:***	YORK
Elevation (m):		***Municipality:***	TORONTO CITY
Elevation Reliability:		***Site Info:***	
Depth to Bedrock:		***Lot:***	
Well Depth:		***Concession:***	
Overburden/Bedrock:		***Concession Name:***	
Pump Rate:		***Easting NAD83:***	
Static Water Level:		***Northing NAD83:***	
Flowing (Y/N):		***Zone:***	
Flow Rate:		***UTM Reliability:***	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1005793766	***Elevation:***	104.58
DP2BR:		***Elevrc:***	
Spatial Status:		***Zone:***	17
Code OB:		***East83:***	630343
Code OB Desc:		***Org CS:***	UTM83
Open Hole:		***North83:***	4835770
Cluster Kind:		***UTMRC:***	4
Date Completed:	15-AUG-15	***UTMRC Desc:***	margin of error : 30 m - 100 m
Remarks:		***Location Method:***	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	1005827891
Layer:	3
Color:	2
General Color:	GREY
Mat1:	08
Most Common Material:	FINE SAND
Mat2:	66
Other Materials:	DENSE
Mat3:	
Other Materials:	
Formation Top Depth:	9
Formation End Depth:	21.3
Formation End Depth UOM:	m

Formation ID:	1005827890
Layer:	2
Color:	2
General Color:	GREY
Mat1:	28
Most Common Material:	SAND
Mat2:	05
Other Materials:	CLAY
Mat3:	84
Other Materials:	SILTY
Formation Top Depth:	2
Formation End Depth:	9
Formation End Depth UOM:	m

Formation ID:	1005827889
Layer:	1

Color:	6
General Color:	BROWN
Mat1:	01
Most Common Material:	FILL
Mat2:	77
Other Materials:	LOOSE
Mat3:	
Other Materials:	
Formation Top Depth:	0
Formation End Depth:	2
Formation End Depth UOM:	m

Annular Space/Abandonment Sealing Record

Plug ID:	1005827906
Layer:	2
Plug From:	7
Plug To:	21
Plug Depth UOM:	m

Plug ID:	1005827905
Layer:	1
Plug From:	0
Plug To:	7
Plug Depth UOM:	m

Method of Construction & Well Use

Method Construction ID:	1005827904
Method Construction Code:	2
Method Construction:	Rotary (Convent.)
Other Method Construction:	

Pipe Information

Pipe ID:	1005827887
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	1005827895
Layer:	1
Material:	1
Open Hole or Material:	STEEL
Depth From:	0
Depth To:	6
Casing Diameter:	20
Casing Diameter UOM:	cm
Casing Depth UOM:	m

Casing ID:	1005827896
Layer:	2
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0
Depth To:	15
Casing Diameter:	10
Casing Diameter UOM:	cm

Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1005827897
Layer: 1
Slot: 20
Screen Top Depth: 15
Screen End Depth: 21.3
Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm
Screen Diameter: 10.6

Results of Well Yield Testing

Pump Test ID: 1005827888
Pump Set At:
Static Level: 10.85
Final Level After Pumping: 12.5
Recommended Pump Depth:
Pumping Rate: 6
Flowing Rate:
Recommended Pump Rate:
Levels UOM: m
Rate UOM: LPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 0
Pumping Duration HR: 24
Pumping Duration MIN:
Flowing: N

Draw Down & Recovery

Pump Test Detail ID: 1005827901
Test Type: Draw Down
Test Duration: 30
Test Level: 12.58
Test Level UOM: m

Pump Test Detail ID: 1005827900
Test Type: Draw Down
Test Duration: 25
Test Level: 12.53
Test Level UOM: m

Pump Test Detail ID: 1005827902
Test Type: Draw Down
Test Duration: 40
Test Level: 12.63
Test Level UOM: m

Pump Test Detail ID: 1005827899
Test Type: Draw Down
Test Duration: 15
Test Level: 12.42
Test Level UOM: m

Pump Test Detail ID: 1005827898
Test Type: Draw Down
Test Duration: 10
Test Level: 12.37

Test Level UOM: m

Water Details

Water ID: 1005827894
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 11
Water Found Depth UOM: m

Hole Diameter

Hole ID: 1005827892
Diameter: 20
Depth From: 0
Depth To: 7
Hole Depth UOM: m
Hole Diameter UOM: cm

Hole ID: 1005827893
Diameter: 15
Depth From: 7
Depth To: 21.3
Hole Depth UOM: m
Hole Diameter UOM: cm

---

190 | **1 of 1** | **WNW/172.5** | **104.9 / 2.02** | **ON** | **BORE**

Borehole ID: 648437
Use: Geotechnical/Geological Investigation
Drill Method:: Jetting
Easting:: 629990
Location Accuracy::
Elev. Reliability Note::
Total Depth m:: 10.5
Township::
Lot::
Completion Date:: SEP-1963
Primary Water Use:: Not Used

Type: Borehole
Status::
UTM Zone:: 17
Northing:: 4835683
Orig. Ground Elev m:: 107
DEM Ground Elev m:: 106
Primary Name::
Concession::
Municipality:
Static Water Level:: 1
Sec. Water Use::

--Details--

Stratum ID: 218522931
Bottom Depth(m): 1.2
Top Depth(m): 0.0
Stratum Desc: FILL,SAND,SILT,CLAY.

Stratum ID: 218522932
Bottom Depth(m): 2.9
Top Depth(m): 1.2
Stratum Desc: TILL,SILT,SAND,CLAY.BROWN,GLACIAL,DENSE, AGE GLACIAL, WATER STABLE AT 350.1 FEET.

Stratum ID: 218522933
Bottom Depth(m): 10.5
Top Depth(m): 2.9
Stratum Desc: TILL,SILT,SAND,CLAY.GREY,GLACIAL,VERY DENSE, LAYERED,AGE GLACIAL. 00040027000950530001 9 LAYERED

---

191 | **1 of 1** | **WNW/173.1** | **105.4 / 2.52** | **ON** | **BORE**

Borehole ID: 646824
Use: Geotechnical/Geological Investigation
Type: Borehole
Status::

Drill Method::	Power auger	**UTM Zone::**	17
Easting::	630005	**Northing::**	4835733
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	28.8	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	1.5
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218516485	**Top Depth(m):**	0.0
Bottom Depth(m):	0.9	**Stratum Desc:**	FILL,STONES.
Stratum ID:	218516486	**Top Depth(m):**	0.9
Bottom Depth(m):	1.5	**Stratum Desc:**	SAND-MEDIUM,SILT. BROWN,LACUSTRINE,LOOSE, AGE GLACIAL.
Stratum ID:	218516487	**Top Depth(m):**	1.5
Bottom Depth(m):	14.6	**Stratum Desc:**	TILL,SILT,SAND. BROWN,GLACIAL,VERY DENSE, AGE GLACIAL, WATER STABLE AT 346.6 FEET.
Stratum ID:	218516488	**Top Depth(m):**	14.6
Bottom Depth(m):	20.7	**Stratum Desc:**	CLAY,SILT,SAND. GREY,LACUSTRINE,VERY DENSE, LAYERED,AGE GLACIAL.
Stratum ID:	218516489	**Top Depth(m):**	20.7
Bottom Depth(m):	22.9	**Stratum Desc:**	TILL,SILT,SAND. GREY,GLACIAL,DENSE, AGE GLACIAL.
Stratum ID:	218516490	**Top Depth(m):**	22.9
Bottom Depth(m):	24.4	**Stratum Desc:**	SAND-MEDIUM,SILT. GREY,LACUSTRINE,VERY DENSE, AGE GLACIAL.
Stratum ID:	218516491	**Top Depth(m):**	24.4
Bottom Depth(m):	26.8	**Stratum Desc:**	TILL,SILT,CLAY. GREY,GLACIAL,VERY HARD, AGE GLACIAL.
Stratum ID:	218516492	**Top Depth(m):**	26.8
Bottom Depth(m):	28.8	**Stratum Desc:**	SHALE,LIMESTONE. GREY,MARINE,SOFT, AGE ORDOVICIAN. 00030008000500370048004000680028007501 00008000

192	1 of 1	N/174.2	106.8 / 4.00	Bay And Wellesley Toronto ON	EHS

Order ID:	201732	**Date Received:**	2/2/2012 2:42:12 PM
Order No:	20120202059	**Lot/Building Size:**	
Customer ID:	90008	**Municipality:**	Toronto
Company ID:	26	**Client Prov/State:**	ON
Status:	C	**Search Radius (km):**	0.25
Report Code:	3CAN	**Large Radius:**	2
Report Type:	Standard Report	**X:**	-79.385415
Report Date:	2/13/2012 2:44:19 PM	**Y:**	43.664192
Report Requested by:	Conestoga-Rovers & Associates Ltd (CRA)		
Nearest Intersection:			
Previous Site Name:			
Additional Info Ordered:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
193	1 of 1	SSW/174.5	100.8 / -2.07	**Women's College Health Research** **790 Bay Street Suite 912 Toronto Ontario** **Toronto** **ON**	EBR

Company Name:	Women's College Health Research
EBR Registry No.:	IA05E0318
Ministry Ref. No.:	3500-6A6JY3
Notice Type:	Instrument Decision
Notice Date:	July 05, 2005
Proposal Date:	March 15, 2005
Year:	2005
Proponent Address:	790 Bay Street , 912, Toronto Ontario, M5G 1N8
Instrument Type:	(EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)
Location Other:	

Location:

790 Bay Street Suite 912 Toronto Ontario Toronto

194	1 of 1	SW/174.7	101.6 / -1.24	**ON**	BORE

Borehole ID:	648130	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	630075	**Northing::**	4835463
Location Accuracy::		**Orig. Ground Elev m::**	102
Elev. Reliability Note::		**DEM Ground Elev m::**	101
Total Depth m::	7.9	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	JUN-1970	**Static Water Level::**	-999.9
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218521691	**Top Depth(m):**	0.0
Bottom Depth(m):	2.1	**Stratum Desc:**	FILL,SILT,SAND,CLAY.BROWN,COMPACT.
Stratum ID:	218521692	**Top Depth(m):**	2.1
Bottom Depth(m):	5.5	**Stratum Desc:**	TILL,SILT,CLAY. GREY,GLACIAL,VERY DENSE, AGE GLACIAL.
Stratum ID:	218521693	**Top Depth(m):**	5.5
Bottom Depth(m):	7.9	**Stratum Desc:**	CLAY,SILT. GREY,GLACIAL,HARD,AGE GLACIAL. 012 010 015 00000010000700

195	1 of 1	WNW/178.2	105.7 / 2.83	**ON**	BORE

Borehole ID:	648431	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Diamond Drill	**UTM Zone::**	17
Easting::	629995	**Northing::**	4835723
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	-999	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	

Completion Date::	SEP-1963	**Static Water Level::**	2.9
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218522890	**Top Depth(m):**	23.8
Bottom Depth(m):	25.9	**Stratum Desc:**	TILL,SILT,SAND,CLAY.GREY,GLACIAL,AGE GLACIAL.
Stratum ID:	218522891	**Top Depth(m):**	25.9
Bottom Depth(m):	27.4	**Stratum Desc:**	SAND,SILT. GREY,GLACIAL,VERY DENSE, AGE GLACIAL.
Stratum ID:	218522886	**Top Depth(m):**	0.0
Bottom Depth(m):	0.9	**Stratum Desc:**	FILL,STONES,SAND, SOIL.
Stratum ID:	218522887	**Top Depth(m):**	0.9
Bottom Depth(m):	1.5	**Stratum Desc:**	FILL,SAND,SILT,SOIL.BROWN,LOOSE.
Stratum ID:	218522888	**Top Depth(m):**	1.5
Bottom Depth(m):	14.6	**Stratum Desc:**	TILL,SILT,SAND,CLAY.GREY,GLACIAL,DENSE,LAYERED, AGE GLACIAL.
Stratum ID:	218522889	**Top Depth(m):**	14.6
Bottom Depth(m):	23.8	**Stratum Desc:**	CLAY,SILT,SAND. GREY,GLACIAL,DENSE,LAYERED, AGE GLACIAL, WATER STABLE AT 341.9 FEET.
Stratum ID:	218522892	**Top Depth(m):**	27.4
Bottom Depth(m):	29.9	**Stratum Desc:**	TILL,SILT,CLAY, GRAVEL. GREY,GLACIAL,VERY HARD, AGE GLACIAL.
Stratum ID:	218522893	**Top Depth(m):**	29.9
Bottom Depth(m):	30.5	**Stratum Desc:**	SHALE. GREY,MARINE,SOFT, AGE ORDOVICIAN.
Stratum ID:	218522894	**Top Depth(m):**	30.5
Bottom Depth(m):		**Stratum Desc:**	BEDROCK,SHALE, LIMESTONE. MARINE,LAYERED,AGE ORDOVICIAN.0003000800050014004800360078002800850100

---

196 **1 of 1** **NW/178.4** **106.0 / 3.21** **ON** **BORE**

Borehole ID:	649119	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Jetting	**UTM Zone::**	17
Easting::	630025	**Northing::**	4835773
Location Accuracy::		**Orig. Ground Elev m::**	102
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	15.5	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	1.6
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218525808	**Top Depth(m):**	0.0
Bottom Depth(m):	0.3	**Stratum Desc:**	FILL,SAND,GRAVEL.
Stratum ID:	218525809	**Top Depth(m):**	0.3
Bottom Depth(m):	0.5	**Stratum Desc:**	SOIL.

Stratum ID:	218525810	**Top Depth(m):**	0.5
Bottom Depth(m):	1.5	**Stratum Desc:**	SAND. BROWN,FLUVIO-GLACIAL, AGE GLACIAL.
Stratum ID:	218525811	**Top Depth(m):**	1.5
Bottom Depth(m):	3.0	**Stratum Desc:**	SILT,SAND-MEDIUM. BROWN,LACUSTRINE,AGE GLACIAL.
Stratum ID:	218525812	**Top Depth(m):**	3.0
Bottom Depth(m):	6.1	**Stratum Desc:**	SILT,SAND,CLAY. GREY,GLACIAL,AGE GLACIAL, WATER STABLE AT 329.9 FEET.
Stratum ID:	218525813	**Top Depth(m):**	6.1
Bottom Depth(m):	9.1	**Stratum Desc:**	TILL,SILT,SAND,CLAY.GREY,GLACIAL,DENSE,LAYERED, AGE GLACIAL.
Stratum ID:	218525814	**Top Depth(m):**	9.1
Bottom Depth(m):	15.5	**Stratum Desc:**	SAND,SILT,CLAY. GREY,GLACIAL,VERY DENSE, LAYERED,AGE GLACIAL. 0005001300100029002000420030005000

---

197 | ***1 of 5*** | ***ESE/178.7*** | ***99.9 / -2.96*** | ***TORONTO TRANSIT COMMISSION***
3 CARLTON STREET COLLEGE SUBWAY STATION
TORONTO ON M5B 1L2 | **GEN**

Generator No.:	ON0173679	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	95,96,97	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	4571		
SIC Description:	URBAN TRANSIT SYS.		

--Details--

Waste Code:	150
Waste Description:	INERT INORGANIC WASTES
Waste Code:	251
Waste Description:	OIL SKIMMINGS & SLUDGES

---

197 | ***2 of 5*** | ***ESE/178.7*** | ***99.9 / -2.96*** | ***Toronto Transit Commission***
3 Carlton Street
Toronto ON M5B1J2 | **GEN**

Generator No.:	ON5730996	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2016	**Choice of Contact:**	CO_ADMIN
Contam. Facility:	No	**Co Admin:**	James Power
MHSW Facility:	No	**Phone No. Admin:**	4163978502 Ext.
SIC Code:	485110		
SIC Description:	485110		

--Details--

Waste Code:	221
Waste Description:	LIGHT FUELS

---

197 | ***3 of 5*** | ***ESE/178.7*** | ***99.9 / -2.96*** | ***Toronto Transit Commission***
3 Carlton Street | **GEN**

Toronto ON M5B1J2

Generator No.:	ON5730996	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2015	**Choice of Contact:**	CO_ADMIN
Contam. Facility:	No	**Co Admin:**	Daniel Reshef
MHSW Facility:	No	**Phone No. Admin:**	416-393-3050 Ext.
SIC Code:	485110		
SIC Description:	485110		

--Details--

Waste Code: 221
Waste Description: LIGHT FUELS

---

197 | **4 of 5** | **ESE/178.7** | **99.9 / -2.96** | **Toronto Transit Commission** | **GEN**

3 Carlton Street
Toronto ON M5B1J2

Generator No.:	ON5730996	**PO Box No.:**	
Status:	Registered	**Country:**	Canada
Approval Years:	As of Dec 2017	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:			
SIC Description:			

--Details--

Waste Code: 221 L
Waste Description: Light fuels

---

197 | **5 of 5** | **ESE/178.7** | **99.9 / -2.96** | **Toronto Transit Commission** | **SPL**

3 Carlton St.; Yonge St. and Alexander St.
Toronto; Toronto ON

Ref No:	3061-9UW7V7	**Discharger Report:**	
Site No:	NA; NA	**Material Group:**	
Incident Dt:	3/24/2015	**Client Type:**	
Year:		**Sector Type:**	
Incident Cause:	Unknown / N/A	**Source Type:**	
Incident Event:		**Nearest Watercourse:**	
Contaminant Code:	41	**Site Name:**	College Subway Station<UNOFFICIAL>; Spill Area Underground<UNOFFICIAL>
Contaminant Name:	DIESEL FUEL AND WATER MIXTURE	**Site Address:**	3 Carlton St.; Yonge St. and Alexander St.
Contaminant Limit 1:		**Site District Office:**	
Contam Limit Freq 1:		**Site County/District:**	
Contaminant UN No 1:		**Site Postal Code:**	
Contaminant Qty:	450 L	**Site Region:**	
Environment Impact:		**Site Municipality:**	Toronto; Toronto
Nature of Impact:	Land	**Site Lot:**	
Receiving Medium:		**Site Conc:**	
Receiving Env:		**Northing:**	4835532; 4835704
Health/Env Conseq:		**Easting:**	630421; 630319
MOE Response:	N	**Site Geo Ref Accu:**	
Dt MOE Arvl on Scn:		**Site Geo Ref Meth:**	
MOE Reported Dt:	3/24/2015	**Site Map Datum:**	
Dt Document Closed:			
SAC Action Class:	Land Spills		
Incident Reason:	Unknown / N/A		
Incident Summary:	TTC: water-diesel mix dripping onto track from unknown source		

198 **1 of 1** **W/179.6** **103.9 / 1.07** **ON** **BORE**

Borehole ID:	649113	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	629985	**Northing::**	4835619
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	15.5	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	1.6
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218525778	**Top Depth(m):**	0.0
Bottom Depth(m):	2.4	**Stratum Desc:**	FILL.
Stratum ID:	218525779	**Top Depth(m):**	2.4
Bottom Depth(m):	3.7	**Stratum Desc:**	TILL,SILT,SAND. BROWN,GLACIAL,VERY DENSE, AGE GLACIAL, WATER STABLE AT 346.9 FEET.
Stratum ID:	218525780	**Top Depth(m):**	3.7
Bottom Depth(m):	10.1	**Stratum Desc:**	TILL,SILT,SAND. GREY,GLACIAL,VERY DENSE, AGE GLACIAL.
Stratum ID:	218525781	**Top Depth(m):**	10.1
Bottom Depth(m):	15.5	**Stratum Desc:**	SAND-MEDIUM,SILT, CLAY. GREY,LACUSTRINE,VERY DENSE, LAYERED,AGE GLACIAL. 00080060001200700033006 0

199 **1 of 1** **W/180.7** **103.9 / 1.07** **ON** **WWIS**

Well ID:	7212980	**Data Entry Status:**	Yes
Construction Date:		**Data Src:**	
Primary Water Use:		**Date Received:**	12/12/2013
Sec. Water Use:		**Selected Flag:**	Yes
Final Well Status:		**Abandonment Rec:**	
Water Type:		**Contractor:**	7215
Casing Material:		**Form Version:**	8
Audit No:	C23537	**Owner:**	
Tag:	A148923	**Street Name:**	
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1004666339	**Elevation:**	106.14

DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:		**East83:**	629984
Code OB Desc:		**Org CS:**	UTM83
Open Hole:		**North83:**	4835617
Cluster Kind:		**UTMRC:**	4
Date Completed:	09-OCT-13	**UTMRC Desc:**	margin of error : 30 m - 100 m
Remarks:		**Location Method:**	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

200 | **1 of 1** | **W/180.9** | **104.1 / 1.22** | **60-80 Grosvenor St Toronto ON ON** | **EHS**

Order ID:	270915	**Date Received:**	11-SEP-13
Order No:	20130911032	**Lot/Building Size:**	
Customer ID:	84687	**Municipality:**	
Company ID:	49355	**Client Prov/State:**	ON
Status:	C	**Search Radius (km):**	.25
Report Code:	3CAN	**Large Radius:**	.3
Report Type:	Standard Report	**X:**	-79.387906
Report Date:	20-SEP-13	**Y:**	43.66256
Report Requested by:	OHE Consultants		
Nearest Intersection:			
Previous Site Name:			
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans		

201 | **1 of 1** | **ESE/181.0** | **99.8 / -3.01** | **Gunn's Ltd 439 Yonge St Toronto ON M5B 1T3** | **TANK**

Permit Date:	1924
Permit Type:	
User Type:	Food processing & packing
Installation Type:	
Installation Size:	
Installation Config.:	
No. Tanks Installed:	
Units of Measure:	
Value/Tank ($):	
Capacity(gal):	
Reference:	CTA Toronto City Council Minutes 1924 Appendix A 763
Location Desc:	439 Yonge St

202 | **1 of 1** | **N/181.0** | **106.8 / 3.97** | **Toronto ON** | **WWIS**

Well ID:	7284945	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:	Test Hole	**Date Received:**	4/10/2017
Sec. Water Use:	Monitoring	**Selected Flag:**	Yes
Final Well Status:	Monitoring and Test Hole	**Abandonment Rec:**	
Water Type:		**Contractor:**	7241
Casing Material:		**Form Version:**	7
Audit No:	Z253548	**Owner:**	
Tag:	A217312	**Street Name:**	145 ST LUKE LANE
Construction Method:		**County:**	YORK

Elevation (m):		***Municipality:***	TORONTO CITY
Elevation Reliability:		***Site Info:***	
Depth to Bedrock:		***Lot:***	
Well Depth:		***Concession:***	
Overburden/Bedrock:		***Concession Name:***	
Pump Rate:		***Easting NAD83:***	
Static Water Level:		***Northing NAD83:***	
Flowing (Y/N):		***Zone:***	
Flow Rate:		***UTM Reliability:***	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1006379720	***Elevation:***	106.25
DP2BR:		***Elevrc:***	
Spatial Status:		***Zone:***	17
Code OB:		***East83:***	630220
Code OB Desc:		***Org CS:***	UTM83
Open Hole:		***North83:***	4835851
Cluster Kind:		***UTMRC:***	4
Date Completed:	02-MAR-17	***UTMRC Desc:***	margin of error : 30 m - 100 m
Remarks:		***Location Method:***	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	1006649282
Layer:	3
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	06
Other Materials:	SILT
Mat3:	
Other Materials:	
Formation Top Depth:	4
Formation End Depth:	22
Formation End Depth UOM:	ft

Formation ID:	1006649283
Layer:	4
Color:	2
General Color:	GREY
Mat1:	28
Most Common Material:	SAND
Mat2:	06
Other Materials:	SILT
Mat3:	
Other Materials:	
Formation Top Depth:	22
Formation End Depth:	30
Formation End Depth UOM:	ft

Formation ID:	1006649280
Layer:	1
Color:	8
General Color:	BLACK

Mat1:	
Most Common Material:	
Mat2:	60
Other Materials:	CEMENTED
Mat3:	
Other Materials:	
Formation Top Depth:	0
Formation End Depth:	.5
Formation End Depth UOM:	ft

Formation ID:	1006649281
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	01
Most Common Material:	FILL
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	
Formation Top Depth:	.5
Formation End Depth:	4
Formation End Depth UOM:	ft

Annular Space/Abandonment Sealing Record

Plug ID:	1006649293
Layer:	3
Plug From:	19
Plug To:	30
Plug Depth UOM:	ft

Plug ID:	1006649291
Layer:	1
Plug From:	0
Plug To:	.5
Plug Depth UOM:	ft

Plug ID:	1006649292
Layer:	2
Plug From:	.5
Plug To:	19
Plug Depth UOM:	ft

Method of Construction & Well Use

Method Construction ID:	1006649290
Method Construction Code:	B
Method Construction:	Other Method
Other Method Construction:	DIRECT PUSH

Pipe Information

Pipe ID:	1006649279
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	1006649286
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0
Depth To:	20
Casing Diameter:	2
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Construction Record - Screen

Screen ID:	1006649287
Layer:	1
Slot:	10
Screen Top Depth:	20
Screen End Depth:	30
Screen Material:	5
Screen Depth UOM:	ft
Screen Diameter UOM:	inch
Screen Diameter:	2.25

Water Details

Water ID:	1006649285
Layer:	
Kind Code:	
Kind:	
Water Found Depth:	
Water Found Depth UOM:	ft

Hole Diameter

Hole ID:	1006649284
Diameter:	6
Depth From:	0
Depth To:	30
Hole Depth UOM:	ft
Hole Diameter UOM:	inch

203	*1 of 1*	*SE/181.8*	*98.6 / -4.19*	***Monica Cafe [Hong S]*** ***434 Yonge St*** ***Toronto ON***	***TANK***

Permit Date:	1924
Permit Type:	
User Type:	café Chinese
Installation Type:	
Installation Size:	
Installation Config.:	
No. Tanks Installed:	
Units of Measure:	
Value/Tank ($):	
Capacity(gal):	
Reference:	CTA Toronto City Council Minutes 1924 Appendix A 245
Location Desc:	434 Yonge St

204	*1 of 1*	*WSW/182.3*	*102.9 / 0.05*	***Toronto ON***	***WWIS***

Well ID:	7159354	***Data Entry Status:***	

Construction Date:		**Data Src:**	
Primary Water Use:	Monitoring and Test Hole	**Date Received:**	2/17/2011
Sec. Water Use:	0	**Selected Flag:**	Yes
Final Well Status:	Test Hole	**Abandonment Rec:**	
Water Type:		**Contractor:**	7241
Casing Material:		**Form Version:**	7
Audit No:	Z127958	**Owner:**	
Tag:	A112671	**Street Name:**	76 GRENVILLE ST
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1003477026	**Elevation:**	104.13
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:		**East83:**	630007
Code OB Desc:		**Org CS:**	UTM83
Open Hole:		**North83:**	4835540
Cluster Kind:		**UTMRC:**	3
Date Completed:	25-JAN-11	**UTMRC Desc:**	margin of error : 10 - 30 m
Remarks:		**Location Method:**	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	1003779061
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	08
Most Common Material:	FINE SAND
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	
Formation Top Depth:	0
Formation End Depth:	16
Formation End Depth UOM:	ft

Annular Space/Abandonment Sealing Record

Plug ID:	1003779073
Layer:	3
Plug From:	9
Plug To:	16
Plug Depth UOM:	ft

Plug ID:	1003779071
Layer:	1
Plug From:	0
Plug To:	1
Plug Depth UOM:	ft

Plug ID:	1003779072
Layer:	2
Plug From:	1
Plug To:	9
Plug Depth UOM:	ft

Method of Construction & Well Use

Method Construction ID:	1003779069
Method Construction Code:	D
Method Construction:	Direct Push
Other Method Construction:	

Pipe Information

Pipe ID:	1003779060
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	1003779064
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0
Depth To:	11
Casing Diameter:	2
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Casing ID:	1003779065
Layer:	2
Material:	
Open Hole or Material:	
Depth From:	
Depth To:	
Casing Diameter:	
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Construction Record - Screen

Screen ID:	1003779066
Layer:	1
Slot:	10
Screen Top Depth:	11
Screen End Depth:	16
Screen Material:	5
Screen Depth UOM:	ft
Screen Diameter UOM:	inch
Screen Diameter:	2.25

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Water Details

Water ID: 1003779063
Layer:
Kind Code:
Kind:
Water Found Depth:
Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1003779062
Diameter: 4.25
Depth From: 0
Depth To: 16
Hole Depth UOM: ft
Hole Diameter UOM: inch

205	1 of 129	SSW/182.3	100.4 / -2.43	Women's College Health Research 790 Bay St Toronto ON M5G 1N8	CA

Certificate #: 7585-7PRRQS
Application Year: 2009
Issue Date: 3/6/2009
Approval Type: Air
Status: Approved
Application Type:
Client Name::
Client Address::
Client City::
Client Postal Code::
Project Description::
Contaminants::
Emission Control::

205	2 of 129	SSW/182.3	100.4 / -2.43	Women's College Health Research 790 Bay Street Toronto ON M5G 1N8	CA

Certificate #: 3618-6DNSA3
Application Year: 2005
Issue Date: 6/29/2005
Approval Type: Air
Status: Revoked and/or Replaced
Application Type:
Client Name::
Client Address::
Client City::
Client Postal Code::
Project Description::
Contaminants::
Emission Control::

205	3 of 129	SSW/182.3	100.4 / -2.43	Women's College Health Research 790 Bay Street Toronto ON M5G 1N8	ECA

Approval No: 3618-6DNSA3
Approval Date: 2005-06-29
Status: Revoked and/or Replaced
SWP Area Name: Toronto
MOE District: Toronto
City: Toronto

Record Type:	ECA	**Longitude:**	-79.38515
Link Source:	IDS	**Latitude:**	43.6592799999999
Approval Type:	ECA-AIR		
Project Type:	AIR		
Address:	790 Bay Street		
Full Address:			
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/3500-6A6JY3-14.pdf		

---

205 | **4 of 129** | **SSW/182.3** | **100.4 / -2.43** | **Women's College Health Research**
790 Bay St
Toronto ON M5G 1N8 | **ECA**

Approval No:	7585-7PRRQS	**SWP Area Name:**	Toronto
Approval Date:	2009-03-06	**MOE District:**	Toronto
Status:	Approved	**City:**	Toronto
Record Type:	ECA	**Longitude:**	-79.38515
Link Source:	IDS	**Latitude:**	43.6592799999999
Approval Type:	ECA-AIR		
Project Type:	AIR		
Address:	790 Bay St		
Full Address:			
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/0472-7M5PWD-14.pdf		

---

205 | **5 of 129** | **SSW/182.3** | **100.4 / -2.43** | **CREATE PROGRAM INC.**
790 Bay Street, Suite 1100
Toronto ON M5G 1N8 | **GEN**

Generator No.:	ON4255932	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	2011	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	621390		
SIC Description:	Offices of All Other Health Practitioners		

--Details--

Waste Code:	312
Waste Description:	PATHOLOGICAL WASTES

---

205 | **6 of 129** | **SSW/182.3** | **100.4 / -2.43** | **Downtown Toronto Doctors**
790 Bay St, Suite 630, Box 70
Toronto ON M5G 1N8 | **GEN**

Generator No.:	ON8655093	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2015	**Choice of Contact:**	CO_OFFICIAL
Contam. Facility:	No	**Co Admin:**	Marie Rose Ragalado
MHSW Facility:	No	**Phone No. Admin:**	6474276001 Ext.
SIC Code:	621110		
SIC Description:	OFFICES OF PHYSICIANS		

--Details--

Waste Code:	312
Waste Description:	PATHOLOGICAL WASTES

---

205 | **7 of 129** | **SSW/182.3** | **100.4 / -2.43** | **Bay Dermatology Centre**
790 Bay Street Suite 536 | **GEN**

Toronto ON M5G 1N8

Generator No.:	ON5022505	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2015	**Choice of Contact:**	CO_OFFICIAL
Contam. Facility:	No	**Co Admin:**	
MHSW Facility:	No	**Phone No. Admin:**	
SIC Code:	621110		
SIC Description:	OFFICES OF PHYSICIANS		

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

205 | **8 of 129** | **SSW/182.3** | **100.4 / -2.43** | **Taddle Creek Family Health Team**
790 Bay Street Suite 306
Toronto ON M5G 1N8 | **GEN**

Generator No.:	ON8231674	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	2009	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	621390, 621499		
SIC Description:	Offices of All Other Health Practitioners, All Other Out-Patient Care Centres		

--Details--
Waste Code: 261
Waste Description: PHARMACEUTICALS

---

205 | **9 of 129** | **SSW/182.3** | **100.4 / -2.43** | **Downtown Toronto Doctors**
790 Bay St, Suite 630, Box 70
Toronto ON M5G 1N8 | **GEN**

Generator No.:	ON8655093	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2016	**Choice of Contact:**	CO_OFFICIAL
Contam. Facility:	No	**Co Admin:**	Marie Rose Ragalado
MHSW Facility:	No	**Phone No. Admin:**	6474276001 Ext.
SIC Code:	621110		
SIC Description:	OFFICES OF PHYSICIANS		

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

205 | **10 of 129** | **SSW/182.3** | **100.4 / -2.43** | **Dr. Barman and Dr Nieuwstraten**
Suite 302- 790 Bay St
Toronto ON M5G1N8 | **GEN**

Generator No.:	ON3708877	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2015	**Choice of Contact:**	CO_ADMIN
Contam. Facility:	No	**Co Admin:**	Mira Barman
MHSW Facility:	No	**Phone No. Admin:**	416 585 9555 Ext.
SIC Code:	621110		
SIC Description:	OFFICES OF PHYSICIANS		

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 261
Waste Description: PHARMACEUTICALS

---

205 | **11 of 129** | **SSW/182.3** | **100.4 / -2.43** | **Dr. Suzanne Baptista Dentistry Professional Corp**
790 bay street Suite 1006
toronto ON M5G1N8 | **GEN**

Generator No.: ON7543380
Status: Registered
Approval Years: As of Dec 2017
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No.:
Country: Canada
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312 P
Waste Description: Pathological wastes

---

205 | **12 of 129** | **SSW/182.3** | **100.4 / -2.43** | **Bayshore Home Health**
790 Bay Street, Suite 900
Toronto ON | **GEN**

Generator No.: ON3168331
Status:
Approval Years: 2013
Contam. Facility:
MHSW Facility:
SIC Code: 624190
SIC Description:

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

205 | **13 of 129** | **SSW/182.3** | **100.4 / -2.43** | **Dr. Pariser and Dr. Chernin**
Suite 300- 790 Bay St
Toronto ON M5G 1N8 | **GEN**

Generator No.: ON2588629
Status:
Approval Years: 2012
Contam. Facility:
MHSW Facility:
SIC Code: 621110
SIC Description: Offices of Physicians

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 261
Waste Description: PHARMACEUTICALS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

205 | **14 of 129** | **SSW/182.3** | **100.4 / -2.43** | **Dr. Pariser and Dr. Chernin**
Suite 300- 790 Bay St
Toronto ON M5G 1N8 | **GEN**

Generator No.: ON2588629
Status:
Approval Years: 2011
Contam. Facility:
MHSW Facility:
SIC Code: 621110
SIC Description: Offices of Physicians

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 261
Waste Description: PHARMACEUTICALS

---

205 | **15 of 129** | **SSW/182.3** | **100.4 / -2.43** | **CREATE PROGRAM INC.**
790 Bay Street, Suite 1100
Toronto ON M5G 1N8 | **GEN**

Generator No.: ON4255932
Status:
Approval Years: 2009
Contam. Facility:
MHSW Facility:
SIC Code: 621390
SIC Description: Offices of All Other Health Practitioners

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

205 | **16 of 129** | **SSW/182.3** | **100.4 / -2.43** | **Dr. Pariser and Dr. Chernin**
Suite 300- 790 Bay St
Toronto ON | **GEN**

Generator No.: ON2588629
Status:
Approval Years: 2013
Contam. Facility:
MHSW Facility:
SIC Code: 621110
SIC Description: OFFICES OF PHYSICIANS

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 261
Waste Description: PHARMACEUTICALS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

205 | **17 of 129** | **SSW/182.3** | **100.4 / -2.43** | **CREATE PROGRAM INC.**
790 Bay Street, Suite 1100
Toronto ON M5G 1N8 | **GEN**

Generator No.:	ON4255932	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2015	**Choice of Contact:**	CO_OFFICIAL
Contam. Facility:	No	**Co Admin:**	Jackilynn Rogers
MHSW Facility:	No	**Phone No. Admin:**	4163513800 Ext.2228
SIC Code:	621390		
SIC Description:	OFFICES OF ALL OTHER HEALTH PRACTITIONERS		

--Details--

Waste Code: 261
Waste Description: PHARMACEUTICALS

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

---

205 | **18 of 129** | **SSW/182.3** | **100.4 / -2.43** | **Dr. Barman and Dr Nieuwstraten**
Suite 302- 790 Bay St
Toronto ON M5G 1N8 | **GEN**

Generator No.:	ON3708877	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	2010	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	621110		
SIC Description:	Offices of Physicians		

--Details--

Waste Code: 261
Waste Description: PHARMACEUTICALS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

205 | **19 of 129** | **SSW/182.3** | **100.4 / -2.43** | **Tissue Regeneration Therapeutics**
790 Bay Street Suite 512
Toronto ON | **GEN**

Generator No.:	ON3355998	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	2013	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	541710		
SIC Description:	RESEARCH AND DEVELOPMENT IN THE PHYSICAL, ENGINEERING AND LIFE SCIENCES		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

205 | 20 of 129 | SSW/182.3 | 100.4 / -2.43 | **Taddle Creek Fam Hlth Network**
522-790 Bay street Box 58
Toronto ON M5G 1N8 | **GEN**

Generator No.:	ON3209907	PO Box No.:	
Status:		Country:	
Approval Years:	2012	Choice of Contact:	
Contam. Facility:		Co Admin:	
MHSW Facility:		Phone No. Admin:	
SIC Code:	621110		
SIC Description:	Offices of Physicians		

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

205 | 21 of 129 | SSW/182.3 | 100.4 / -2.43 | **Men's Health Institute**
790 Bay Street
Toronto ON M5G1N8 | **GEN**

Generator No.:	ON4962827	PO Box No.:	60
Status:	Registered	Country:	Canada
Approval Years:	As of Dec 2017	Choice of Contact:	
Contam. Facility:		Co Admin:	
MHSW Facility:		Phone No. Admin:	
SIC Code:			
SIC Description:			

--Details--
Waste Code: 312 P
Waste Description: Pathological wastes

---

205 | 22 of 129 | SSW/182.3 | 100.4 / -2.43 | **Taddle Creek Fam Hlth Network**
522-790 Bay street Box 58
Toronto ON M5G 1N8 | **GEN**

Generator No.:	ON3209907	PO Box No.:	
Status:		Country:	
Approval Years:	2010	Choice of Contact:	
Contam. Facility:		Co Admin:	
MHSW Facility:		Phone No. Admin:	
SIC Code:	621110		
SIC Description:	Offices of Physicians		

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

205 | 23 of 129 | SSW/182.3 | 100.4 / -2.43 | **LifeLabs LP**
790 Bay Street suite 520
Toronto ON M5G1N8 | **GEN**

Generator No.:	ON3554449	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2014	**Choice of Contact:**	CO_ADMIN
Contam. Facility:	No	**Co Admin:**	Jacquie Maertz
MHSW Facility:	No	**Phone No. Admin:**	905 565 0433 Ext.2202
SIC Code:	621510		
SIC Description:	MEDICAL AND DIAGNOSTIC LABORATORIES		

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

205 | ***24 of 129*** | ***SSW/182.3*** | ***100.4 / -2.43*** | ***Dr. Barman and Dr Nieuwstraten***
Suite 302- 790 Bay St
Toronto ON M5G1N8 | ***GEN***

Generator No.:	ON3708877	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2014	**Choice of Contact:**	CO_ADMIN
Contam. Facility:	No	**Co Admin:**	Mira Barman
MHSW Facility:	No	**Phone No. Admin:**	416 585 9555 Ext.
SIC Code:	621110		
SIC Description:	OFFICES OF PHYSICIANS		

--Details--
Waste Code: 261
Waste Description: PHARMACEUTICALS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

205 | ***25 of 129*** | ***SSW/182.3*** | ***100.4 / -2.43*** | ***Tissue Regeneration Therapeutics***
790 Bay Street Suite 512
Toronto ON M5G 1N8 | ***GEN***

Generator No.:	ON3355998	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2015	**Choice of Contact:**	CO_OFFICIAL
Contam. Facility:	No	**Co Admin:**	
MHSW Facility:	No	**Phone No. Admin:**	
SIC Code:	541710		
SIC Description:	RESEARCH AND DEVELOPMENT IN THE PHYSICAL, ENGINEERING AND LIFE SCIENCES		

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

205 | ***26 of 129*** | ***SSW/182.3*** | ***100.4 / -2.43*** | ***Bay Cardiac Diagnostic Inc***
790 Bay Street, Suite 312
Toronto ON M5G 1N8 | ***GEN***

Generator No.:	ON6124316	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	2012	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	621510		
SIC Description:	Medical and Diagnostic Laboratories		

--Details--
Waste Code: 261
Waste Description: PHARMACEUTICALS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

205 ***27 of 129*** ***SSW/182.3*** ***100.4 / -2.43***

790 Bay Street Clinic
790 Bay Street, Suite 940
Toronto ON M5G 1N8

GEN

Generator No.: ON2927239
Status:
Approval Years: 2016
Contam. Facility: No
MHSW Facility: No
SIC Code: 621110
SIC Description: OFFICES OF PHYSICIANS

PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

205 ***28 of 129*** ***SSW/182.3*** ***100.4 / -2.43***

790 Bay Street Clinic
790 Bay Street, Suite 940
Toronto ON M5G 1N8

GEN

Generator No.: ON2927239
Status:
Approval Years: 2015
Contam. Facility: No
MHSW Facility: No
SIC Code: 621110
SIC Description: OFFICES OF PHYSICIANS

PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

205 ***29 of 129*** ***SSW/182.3*** ***100.4 / -2.43***

Bay College Lockwood Diagnostc
790 Bay st suite 108
Toronto ON M5G 1N8

GEN

Generator No.: ON8702485
Status:
Approval Years: 2014
Contam. Facility: No
MHSW Facility: No
SIC Code: 621110
SIC Description: OFFICES OF PHYSICIANS

PO Box No.:
Country: Canada
Choice of Contact: CO_ADMIN
Co Admin: Lucio Mariani
Phone No. Admin: 416-929-1900 Ext.260

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

205 | **30 of 129** | **SSW/182.3** | **100.4 / -2.43**

Castelli Clinic
790 Bay St
Toronto ON

GEN

Generator No.:	ON9105258	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	2013	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	621110		
SIC Description:	OFFICES OF PHYSICIANS		

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

205 | **31 of 129** | **SSW/182.3** | **100.4 / -2.43**

Bay Dermatology Centre
790 Bay Street Suite #536
Toronto ON M5G 1N8

GEN

Generator No.:	ON5617167	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2014	**Choice of Contact:**	CO_OFFICIAL
Contam. Facility:	No	**Co Admin:**	Cheryl Blagrove
MHSW Facility:	No	**Phone No. Admin:**	416.515.2086 Ext.
SIC Code:	621110		
SIC Description:	OFFICES OF PHYSICIANS		

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

205 | **32 of 129** | **SSW/182.3** | **100.4 / -2.43**

Pulmonary Care Clinic
790 Bay Street Suite 608
Toronto ON M5G 1N8

GEN

Generator No.:	ON7827330	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2016	**Choice of Contact:**	CO_OFFICIAL
Contam. Facility:	No	**Co Admin:**	
MHSW Facility:	No	**Phone No. Admin:**	
SIC Code:	621110		
SIC Description:	OFFICES OF PHYSICIANS		

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

205 | **33 of 129** | **SSW/182.3** | **100.4 / -2.43**

Bayshore Home Health
790 Bay Street, Suite 900
Toronto ON M5G 1N8

GEN

Generator No.:	ON3168331	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	2012	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	

SIC Code: 624190
SIC Description: Other Individual and Family Services

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

205	34 of 129	SSW/182.3	100.4 / -2.43	Taddle Creek Family Health Team 790 Bay Street Suite 306 Toronto ON M5G 1N8	GEN

Generator No.: ON8231674
Status:
Approval Years: 2012
Contam. Facility:
MHSW Facility:
SIC Code: 621390, 621499
SIC Description: Offices of All Other Health Practitioners, All Other Out-Patient Care Centres

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 261
Waste Description: PHARMACEUTICALS

205	35 of 129	SSW/182.3	100.4 / -2.43	CREATE PROGRAM INC. 790 Bay Street, Suite 1100 Toronto ON M5G 1N8	GEN

Generator No.: ON4255932
Status:
Approval Years: 2010
Contam. Facility:
MHSW Facility:
SIC Code: 621390
SIC Description: Offices of All Other Health Practitioners

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

205	36 of 129	SSW/182.3	100.4 / -2.43	Tissue Regeneration Therapeutics 790 Bay Street Suite 512 Toronto ON M5G 1N8	GEN

Generator No.: ON3355998
Status:
Approval Years: 2014
Contam. Facility: No
MHSW Facility: No
SIC Code: 541710
SIC Description: RESEARCH AND DEVELOPMENT IN THE PHYSICAL, ENGINEERING AND LIFE SCIENCES

PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
205	37 of 129	SSW/182.3	100.4 / -2.43	Dr. Pariser and Dr. Chernin Suite 300- 790 Bay St Toronto ON M5G1N8	GEN

Generator No.:	ON2588629	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2016	**Choice of Contact:**	CO_OFFICIAL
Contam. Facility:	No	**Co Admin:**	
MHSW Facility:	No	**Phone No. Admin:**	
SIC Code:	621110		
SIC Description:	OFFICES OF PHYSICIANS		

--Details--

Waste Code:	261
Waste Description:	PHARMACEUTICALS
Waste Code:	312
Waste Description:	PATHOLOGICAL WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
205	38 of 129	SSW/182.3	100.4 / -2.43	Tissue Regeneration Therapeutics 790 Bay Street Suite 512 Toronto ON M5G 1N8	GEN

Generator No.:	ON3355998	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	2011	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	541710		
SIC Description:	Research and Development in the Physical Engineering and Life Sciences		

--Details--

Waste Code:	312
Waste Description:	PATHOLOGICAL WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
205	39 of 129	SSW/182.3	100.4 / -2.43	Taddle Creek Fam Hlth Network 522-790 Bay street Box 58 Toronto ON M5G 1N8	GEN

Generator No.:	ON3209907	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	2011	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	621110		
SIC Description:	Offices of Physicians		

--Details--

Waste Code:	312
Waste Description:	PATHOLOGICAL WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
205	40 of 129	SSW/182.3	100.4 / -2.43	Dr. Barman and Dr Nieuwstraten Suite 302- 790 Bay St Toronto ON M5G1N8	GEN

Generator No.:	ON3708877	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2016	**Choice of Contact:**	CO_ADMIN

Contam. Facility: No
MHSW Facility: No
SIC Code: 621110
SIC Description: OFFICES OF PHYSICIANS

Co Admin: Mira Barman
Phone No. Admin: 416 585 9555 Ext.

--Details--
Waste Code: 261
Waste Description: PHARMACEUTICALS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

205 | **41 of 129** | **SSW/182.3** | **100.4 / -2.43** | **GEN**

Tissue Regeneration Therapeutics
790 Bay Street Suite 512
Toronto ON M5G 1N8

Generator No.: ON3355998
Status: Registered
Approval Years: As of Dec 2017
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No.: 55
Country: Canada
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312 P
Waste Description: Pathological wastes

---

205 | **42 of 129** | **SSW/182.3** | **100.4 / -2.43** | **GEN**

Bay Cardiac Diagnostic Inc
790 Bay Street, Suite 312
Toronto ON M5G 1N8

Generator No.: ON6124316
Status:
Approval Years: 2010
Contam. Facility:
MHSW Facility:
SIC Code: 621510
SIC Description: Medical and Diagnostic Laboratories

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 261
Waste Description: PHARMACEUTICALS

---

205 | **43 of 129** | **SSW/182.3** | **100.4 / -2.43** | **GEN**

Bay Cardiac Diagnostic Inc
790 Bay Street, Suite 312
Toronto ON M5G 1N8

Generator No.: ON6124316
Status:
Approval Years: 2011
Contam. Facility:
MHSW Facility:
SIC Code: 621510
SIC Description: Medical and Diagnostic Laboratories

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 261
Waste Description: PHARMACEUTICALS

---

205 | ***44 of 129*** | ***SSW/182.3*** | ***100.4 / -2.43*** | ***Bay Cardiac Diagnostic Inc***
790 Bay Street, Suite 312
Toronto ON M5G 1N8 | ***GEN***

Generator No.: ON6124316
Status:
Approval Years: 2016
Contam. Facility: No
MHSW Facility: No
SIC Code: 621510
SIC Description: MEDICAL AND DIAGNOSTIC LABORATORIES

PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 261
Waste Description: PHARMACEUTICALS

---

205 | ***45 of 129*** | ***SSW/182.3*** | ***100.4 / -2.43*** | ***Pulmonary Care Clinic***
790 Bay Street Suite 608
Toronto ON M5G 1N8 | ***GEN***

Generator No.: ON7827330
Status:
Approval Years: 2011
Contam. Facility:
MHSW Facility:
SIC Code: 621110
SIC Description: Offices of Physicians

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

205 | ***46 of 129*** | ***SSW/182.3*** | ***100.4 / -2.43*** | ***Pulmonary Care Clinic***
790 Bay Street Suite 608
Toronto ON M5G 1N8 | ***GEN***

Generator No.: ON7827330
Status:
Approval Years: 2010
Contam. Facility:
MHSW Facility:
SIC Code: 621110
SIC Description: Offices of Physicians

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Waste Description: PATHOLOGICAL WASTES

---

205 | **47 of 129** | **SSW/182.3** | **100.4 / -2.43** | **Bayshore Home Health**
790 Bay Street, Suite 900
Toronto ON M5G 1N8 | **GEN**

Generator No.: ON3168331
Status:
Approval Years: 2011
Contam. Facility:
MHSW Facility:
SIC Code: 624190
SIC Description: Other Individual and Family Services

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

205 | **48 of 129** | **SSW/182.3** | **100.4 / -2.43** | **Taddle Creek Fam Hlth Network**
522-790 Bay street Box 58
Toronto ON M5G1N8 | **GEN**

Generator No.: ON3209907
Status:
Approval Years: 2014
Contam. Facility: No
MHSW Facility: No
SIC Code: 621110
SIC Description: OFFICES OF PHYSICIANS

PO Box No.:
Country: Canada
Choice of Contact: CO_ADMIN
Co Admin: Victoria Paulionis
Phone No. Admin: 416 591-1222 Ext.

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 261
Waste Description: PHARMACEUTICALS

---

205 | **49 of 129** | **SSW/182.3** | **100.4 / -2.43** | **Tissue Regeneration Therapeutics**
790 Bay Street Suite 512
Toronto ON M5G 1N8 | **GEN**

Generator No.: ON3355998
Status:
Approval Years: 2012
Contam. Facility:
MHSW Facility:
SIC Code: 541710
SIC Description: Research and Development in the Physical Engineering and Life Sciences

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

205 | **50 of 129** | **SSW/182.3** | **100.4 / -2.43** | **Ontario Health Study**
790 Bay Street, Suite 820, PO Box 66
Toronto ON M5G 1N8 | **GEN**

Generator No.:	ON6612891	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2014	**Choice of Contact:**	CO_OFFICIAL
Contam. Facility:	No	**Co Admin:**	Leah Neufeld
MHSW Facility:	No	**Phone No. Admin:**	905-938-9465 Ext.
SIC Code:	621510		
SIC Description:	MEDICAL AND DIAGNOSTIC LABORATORIES		

--Details--

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 112
Waste Description: ACID WASTE - HEAVY METALS

Waste Code: 122
Waste Description: ALKALINE WASTES - OTHER METALS

Waste Code: 262
Waste Description: DETERGENTS/SOAPS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
205	51 of 129	SSW/182.3	100.4 / -2.43	**Bay Cardiac Diagnostic Inc** **790 Bay Street, Suite 312** **Toronto ON M5G 1N8**	GEN

Generator No.:	ON6124316	**PO Box No.:**	
Status:	Registered	**Country:**	Canada
Approval Years:	As of Dec 2017	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:			
SIC Description:			

--Details--

Waste Code: 312 P
Waste Description: Pathological wastes

Waste Code: 261 A
Waste Description: Pharmaceuticals

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
205	52 of 129	SSW/182.3	100.4 / -2.43	**Taddle Creek Family Health Team** **790 Bay Street Suite 306** **Toronto ON M5G1N8**	GEN

Generator No.:	ON8231674	**PO Box No.:**	
Status:	Registered	**Country:**	Canada
Approval Years:	As of Dec 2017	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:			
SIC Description:			

--Details--

Waste Code: 312 P
Waste Description: Pathological wastes

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
205	53 of 129	SSW/182.3	100.4 / -2.43	Bay Dermatology Centre 790 Bay Street Suite #536 Toronto ON	GEN

Generator No.: ON5617167
Status:
Approval Years: 2013
Contam. Facility:
MHSW Facility:
SIC Code: 621110
SIC Description: OFFICES OF PHYSICIANS

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
205	54 of 129	SSW/182.3	100.4 / -2.43	CREATE PROGRAM INC. 790 Bay Street, Suite 1140 Toronto ON M5G 1N8	GEN

Generator No.: ON4255932
Status:
Approval Years: 02,03,04,05
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
205	55 of 129	SSW/182.3	100.4 / -2.43	Dr. Pariser and Dr. Chernin Suite 300- 790 Bay St Toronto ON M5G 1N8	GEN

Generator No.: ON2588629
Status:
Approval Years: 2010
Contam. Facility:
MHSW Facility:
SIC Code: 621110
SIC Description: Offices of Physicians

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 261
Waste Description: PHARMACEUTICALS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
205	56 of 129	SSW/182.3	100.4 / -2.43	Taddle Creek Fam Hlth Network 522-790 Bay street Box 58 Toronto ON	GEN

Generator No.: ON3209907
Status:
Approval Years: 2013

PO Box No.:
Country:
Choice of Contact:

Contam. Facility:
MHSW Facility:
SIC Code: 621110
SIC Description: OFFICES OF PHYSICIANS

Co Admin:
Phone No. Admin:

--Details--
Waste Code: 261
Waste Description: PHARMACEUTICALS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

205 | **57 of 129** | **SSW/182.3** | **100.4 / -2.43** | **Men's Health Institute**
790 Bay Street
Toronto ON M5G1N8 | **GEN**

Generator No.: ON4962827
Status:
Approval Years: 2016
Contam. Facility: No
MHSW Facility: No
SIC Code: 621110
SIC Description: OFFICES OF PHYSICIANS

PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

205 | **58 of 129** | **SSW/182.3** | **100.4 / -2.43** | **DR NEERA SINGAL**
790 BAY ST , SUITE 340
TORONTO ON M5G 1N8 | **GEN**

Generator No.: ON3592245
Status: Registered
Approval Years: As of Dec 2017
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No.:
Country: Canada
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312 P
Waste Description: Pathological wastes

---

205 | **59 of 129** | **SSW/182.3** | **100.4 / -2.43** | **CREATE PROGRAM INC.**
790 Bay Street, Suite 1100
Toronto ON M5G 1N8 | **GEN**

Generator No.: ON4255932
Status: Registered
Approval Years: As of Dec 2017
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No.:
Country: Canada
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--

Waste Code: 148 C
Waste Description: Misc. wastes and inorganic chemicals

Waste Code: 212 I
Waste Description: Aliphatic solvents and residues

Waste Code: 148 A
Waste Description: Misc. wastes and inorganic chemicals

Waste Code: 263 R
Waste Description: Misc. waste organic chemicals

Waste Code: 263 B
Waste Description: Misc. waste organic chemicals

Waste Code: 312 P
Waste Description: Pathological wastes

Waste Code: 148 B
Waste Description: Misc. wastes and inorganic chemicals

Waste Code: 261 I
Waste Description: Pharmaceuticals

Waste Code: 261 B
Waste Description: Pharmaceuticals

Waste Code: 263 L
Waste Description: Misc. waste organic chemicals

205	60 of 129	SSW/182.3	100.4 / -2.43	Bay Cardiac Diagnostic Inc 790 Bay Street, Suite 312 Toronto ON M5G 1N8	GEN

Generator No.:	ON6124316	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2014	**Choice of Contact:**	CO_OFFICIAL
Contam. Facility:	No	**Co Admin:**	
MHSW Facility:	No	**Phone No. Admin:**	
SIC Code:	621510		
SIC Description:	MEDICAL AND DIAGNOSTIC LABORATORIES		

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 261
Waste Description: PHARMACEUTICALS

205	61 of 129	SSW/182.3	100.4 / -2.43	Downtown Toronto Doctors 790 Bay St, Suite 630, Box 70 Toronto ON M5G 1N8	GEN

Generator No.:	ON8655093	**PO Box No.:**	
Status:	Registered	**Country:**	Canada
Approval Years:	As of Dec 2017	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:			
SIC Description:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

--Details--
Waste Code: 312 P
Waste Description: Pathological wastes

---

205 | **62 of 129** | **SSW/182.3** | **100.4 / -2.43** | **Women's College Health Research**
790 Bay Street, Suite 912
Toronto ON M5G 1N8 | **GEN**

Generator No.: ON6640083
Status:
Approval Years: 03,04,05,06,07,08
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 221
Waste Description: LIGHT FUELS

Waste Code: 222
Waste Description: HEAVY FUELS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

205 | **63 of 129** | **SSW/182.3** | **100.4 / -2.43** | **Dr. Barman and Dr Nieuwstraten**
Suite 302- 790 Bay St
Toronto ON M5G 1N8 | **GEN**

Generator No.: ON3708877
Status:
Approval Years: 2012
Contam. Facility:
MHSW Facility:
SIC Code: 621110
SIC Description: Offices of Physicians

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 261
Waste Description: PHARMACEUTICALS

---

205 | **64 of 129** | **SSW/182.3** | **100.4 / -2.43** | **Pulmonary Care Clinic**
790 Bay Street Suite 608
Toronto ON M5G 1N8 | **GEN**

Generator No.: ON7827330
Status:
Approval Years: 2012
Contam. Facility:
MHSW Facility:
SIC Code: 621110
SIC Description: Offices of Physicians

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

205 | **65 of 129** | **SSW/182.3** | **100.4 / -2.43** | **Taddle Creek Fam Hlth Network**
522-790 Bay street Box 58
Toronto ON M5G1N8 | **GEN**

Generator No.: ON3209907
Status:
Approval Years: 2016
Contam. Facility: No
MHSW Facility: No
SIC Code: 621110
SIC Description: OFFICES OF PHYSICIANS

PO Box No.:
Country: Canada
Choice of Contact: CO_ADMIN
Co Admin: Victoria Paulionis
Phone No. Admin: 416 591-1222 Ext.

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 261
Waste Description: PHARMACEUTICALS

---

205 | **66 of 129** | **SSW/182.3** | **100.4 / -2.43** | **Taddle Creek Family Health Team**
790 Bay Street Suite 306
Toronto ON M5G 1N8 | **GEN**

Generator No.: ON8231674
Status:
Approval Years: 2010
Contam. Facility:
MHSW Facility:
SIC Code: 621390, 621499
SIC Description: Offices of All Other Health Practitioners, All Other Out-Patient Care Centres

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 261
Waste Description: PHARMACEUTICALS

---

205 | **67 of 129** | **SSW/182.3** | **100.4 / -2.43** | **Castelli Clinic**
790 Bay St
Toronto ON M5G 1N8 | **GEN**

Generator No.: ON9105258
Status:
Approval Years: 2010
Contam. Facility:
MHSW Facility:
SIC Code: 621110
SIC Description: Offices of Physicians

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

205 | **68 of 129** | **SSW/182.3** | **100.4 / -2.43** | **Bay Dermatology Centre**
790 Bay Street Suite #536 | **GEN**

Toronto ON M5G 1N8

Generator No.:	ON5617167	***PO Box No.:***	
Status:		***Country:***	Canada
Approval Years:	2015	***Choice of Contact:***	CO_OFFICIAL
Contam. Facility:	No	***Co Admin:***	Cheryl Blagrove
MHSW Facility:	No	***Phone No. Admin:***	416.515.2086 Ext.
SIC Code:	621110		
SIC Description:	OFFICES OF PHYSICIANS		

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

205 ***69 of 129*** ***SSW/182.3*** ***100.4 / -2.43*** ***Taddle Creek Family Health Team*** ***GEN***
790 Bay Street Suite 306
Toronto ON M5G 1N8

Generator No.:	ON8231674	***PO Box No.:***	
Status:		***Country:***	
Approval Years:	07,08	***Choice of Contact:***	
Contam. Facility:		***Co Admin:***	
MHSW Facility:		***Phone No. Admin:***	
SIC Code:	621390 621499		
SIC Description:	Offices of All Other Health Practitioners, All Other Out-Patient Care Centres		

--Details--
Waste Code: 261
Waste Description: PHARMACEUTICALS

---

205 ***70 of 129*** ***SSW/182.3*** ***100.4 / -2.43*** ***LifeLabs LP*** ***GEN***
790 Bay Street suite 520
Toronto ON

Generator No.:	ON3554449	***PO Box No.:***	
Status:		***Country:***	
Approval Years:	2012	***Choice of Contact:***	
Contam. Facility:		***Co Admin:***	
MHSW Facility:		***Phone No. Admin:***	
SIC Code:	621510		
SIC Description:	Medical and Diagnostic Laboratories		

---

205 ***71 of 129*** ***SSW/182.3*** ***100.4 / -2.43*** ***Bayshore Home Health*** ***GEN***
790 Bay Street, Suite 900
Toronto ON M5G 1N8

Generator No.:	ON3168331	***PO Box No.:***	
Status:		***Country:***	Canada
Approval Years:	2014	***Choice of Contact:***	CO_OFFICIAL
Contam. Facility:	No	***Co Admin:***	
MHSW Facility:	No	***Phone No. Admin:***	
SIC Code:	624190		
SIC Description:	624190		

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

205	72 of 129	SSW/182.3	100.4 / -2.43	**Dr. Pariser and Dr. Chernin** **Suite 300- 790 Bay St** **Toronto ON M5G1N8**	GEN

Generator No.:	ON2588629	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2015	**Choice of Contact:**	CO_OFFICIAL
Contam. Facility:	No	**Co Admin:**	
MHSW Facility:	No	**Phone No. Admin:**	
SIC Code:	621110		
SIC Description:	OFFICES OF PHYSICIANS		

--Details--

Waste Code:	261
Waste Description:	PHARMACEUTICALS
Waste Code:	312
Waste Description:	PATHOLOGICAL WASTES

205	73 of 129	SSW/182.3	100.4 / -2.43	**Tissue Regeneration Therapeutics** **790 Bay Street Suite 512** **Toronto ON M5G 1N8**	GEN

Generator No.:	ON3355998	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	2009	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	541710		
SIC Description:	Research and Development in the Physical Engineering and Life Sciences		

--Details--

Waste Code:	312
Waste Description:	PATHOLOGICAL WASTES

205	74 of 129	SSW/182.3	100.4 / -2.43	**Bay College Lockwood Diagnostc** **790 Bay st suite 108** **Toronto ON M5G 1N8**	GEN

Generator No.:	ON8702485	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	2011	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	621110		
SIC Description:	Offices of Physicians		

--Details--

Waste Code:	312
Waste Description:	PATHOLOGICAL WASTES

205	75 of 129	SSW/182.3	100.4 / -2.43	**Dr. Pariser and Dr. Chernin** **Suite 300- 790 Bay St** **Toronto ON M5G1N8**	GEN

Generator No.:	ON2588629	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2014	**Choice of Contact:**	CO_OFFICIAL
Contam. Facility:	No	**Co Admin:**	
MHSW Facility:	No	**Phone No. Admin:**	
SIC Code:	621110		
SIC Description:	OFFICES OF PHYSICIANS		

--Details--

Waste Code:	312
Waste Description:	PATHOLOGICAL WASTES
Waste Code:	261
Waste Description:	PHARMACEUTICALS

---

205 | ***76 of 129*** | ***SSW/182.3*** | ***100.4 / -2.43*** | ***Ontario Health Study*** | ***GEN***

790 Bay Street, Suite 820, PO Box 66
Toronto ON

Generator No.:	ON6612891	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	2013	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	621510		
SIC Description:	MEDICAL AND DIAGNOSTIC LABORATORIES		

--Details--

Waste Code:	112
Waste Description:	ACID WASTE - HEAVY METALS
Waste Code:	122
Waste Description:	ALKALINE WASTES - OTHER METALS
Waste Code:	262
Waste Description:	DETERGENTS/SOAPS
Waste Code:	312
Waste Description:	PATHOLOGICAL WASTES

---

205 | ***77 of 129*** | ***SSW/182.3*** | ***100.4 / -2.43*** | ***Bay Dermatology Centre*** | ***GEN***

790 Bay Street Suite #536
Toronto ON M5G 1N8

Generator No.:	ON5617167	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2016	**Choice of Contact:**	CO_OFFICIAL
Contam. Facility:	No	**Co Admin:**	Cheryl Blagrove
MHSW Facility:	No	**Phone No. Admin:**	416.515.2086 Ext.
SIC Code:	621110		
SIC Description:	OFFICES OF PHYSICIANS		

--Details--

Waste Code:	312
Waste Description:	PATHOLOGICAL WASTES

---

205 | ***78 of 129*** | ***SSW/182.3*** | ***100.4 / -2.43*** | ***790 Bay Street Clinic*** | ***GEN***

790 Bay Street, Suite 940

Toronto ON M5G 1N8

Generator No.:	ON2927239	***PO Box No.:***	36
Status:	Registered	***Country:***	Canada
Approval Years:	As of Dec 2017	***Choice of Contact:***	
Contam. Facility:		***Co Admin:***	
MHSW Facility:		***Phone No. Admin:***	
SIC Code:			
SIC Description:			

--Details--

Waste Code:	312 P
Waste Description:	Pathological wastes

---

205 ***79 of 129*** ***SSW/182.3*** ***100.4 / -2.43*** ***CREATE PROGRAM INC.*** ***GEN***
790 Bay Street, Suite 1100
Toronto ON M5G 1N8

Generator No.:	ON4255932	***PO Box No.:***	
Status:		***Country:***	Canada
Approval Years:	2014	***Choice of Contact:***	CO_OFFICIAL
Contam. Facility:	No	***Co Admin:***	Jackilynn Rogers
MHSW Facility:	No	***Phone No. Admin:***	4163513800 Ext.2228
SIC Code:	621390		
SIC Description:	OFFICES OF ALL OTHER HEALTH PRACTITIONERS		

--Details--

Waste Code:	148
Waste Description:	INORGANIC LABORATORY CHEMICALS
Waste Code:	212
Waste Description:	ALIPHATIC SOLVENTS
Waste Code:	263
Waste Description:	ORGANIC LABORATORY CHEMICALS
Waste Code:	261
Waste Description:	PHARMACEUTICALS
Waste Code:	312
Waste Description:	PATHOLOGICAL WASTES

---

205 ***80 of 129*** ***SSW/182.3*** ***100.4 / -2.43*** ***Dr. Barman and Dr Nieuwstraten*** ***GEN***
Suite 302- 790 Bay St
Toronto ON M5G 1N8

Generator No.:	ON3708877	***PO Box No.:***	
Status:		***Country:***	
Approval Years:	2011	***Choice of Contact:***	
Contam. Facility:		***Co Admin:***	
MHSW Facility:		***Phone No. Admin:***	
SIC Code:	621110		
SIC Description:	Offices of Physicians		

--Details--

Waste Code:	261
Waste Description:	PHARMACEUTICALS
Waste Code:	312

Waste Description: PATHOLOGICAL WASTES

205	81 of 129	SSW/182.3	100.4 / -2.43	**Taddle Creek Family Health Team** **790 Bay Street Suite 306** **Toronto ON M5G1N8**	GEN

Generator No.:	ON8231674	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2014	**Choice of Contact:**	CO_OFFICIAL
Contam. Facility:	No	**Co Admin:**	Dianne Chanasyk
MHSW Facility:	No	**Phone No. Admin:**	416.260.1315 Ext.0
SIC Code:	621390, 621499		

SIC Description: OFFICES OF ALL OTHER HEALTH PRACTITIONERS, ALL OTHER OUT-PATIENT CARE CENTRES

--Details--

Waste Code: 261
Waste Description: PHARMACEUTICALS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

205	82 of 129	SSW/182.3	100.4 / -2.43	**Tissue Regeneration Therapeutics** **790 Bay Street Suite 512** **Toronto ON M5G 1N8**	GEN

Generator No.:	ON3355998	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	2010	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	541710		

SIC Description: Research and Development in the Physical Engineering and Life Sciences

--Details--

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

205	83 of 129	SSW/182.3	100.4 / -2.43	**Castelli Clinic** **790 Bay St** **Toronto ON M5G 1N8**	GEN

Generator No.:	ON9105258	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	2011	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	621110		

SIC Description: Offices of Physicians

--Details--

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

205	84 of 129	SSW/182.3	100.4 / -2.43	**Bay College Lockwood Diagnostc** **790 Bay st suite 108** **Toronto ON M5G 1N8**	GEN

Generator No.: ON8702485
Status:
Approval Years: 2012
Contam. Facility:
MHSW Facility:
SIC Code: 621110
SIC Description: Offices of Physicians

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

205	85 of 129	SSW/182.3	100.4 / -2.43	790 Bay Street Clinic 790 Bay Street, Suite 940 Toronto ON M5G 1N8	GEN

Generator No.: ON2927239
Status:
Approval Years: 2014
Contam. Facility: No
MHSW Facility: No
SIC Code: 621110
SIC Description: OFFICES OF PHYSICIANS

PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

205	86 of 129	SSW/182.3	100.4 / -2.43	Men's Health Institute 790 Bay Street Toronto ON M5G1N8	GEN

Generator No.: ON4962827
Status:
Approval Years: 2015
Contam. Facility: No
MHSW Facility: No
SIC Code: 621110
SIC Description: OFFICES OF PHYSICIANS

PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

205	87 of 129	SSW/182.3	100.4 / -2.43	Dr. Suzanne Baptista Dentistry Professional Corp 790 bay street Suite 1006 toronto ON M5G1N8	GEN

Generator No.: ON7543380
Status:
Approval Years: 2016
Contam. Facility: No
MHSW Facility: No
SIC Code: 621210
SIC Description: OFFICES OF DENTISTS

PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin: mary kure
Phone No. Admin: 416-923-6022 Ext.

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

205 | ***88 of 129*** | ***SSW/182.3*** | ***100.4 / -2.43*** | ***Bay Cardiac Diagnostic Inc*** | ***GEN***
790 Bay Street, Suite 312
Toronto ON M5G 1N8

Generator No.:	ON6124316	***PO Box No.:***	
Status:		***Country:***	Canada
Approval Years:	2015	***Choice of Contact:***	CO_OFFICIAL
Contam. Facility:	No	***Co Admin:***	
MHSW Facility:	No	***Phone No. Admin:***	
SIC Code:	621510		
SIC Description:	MEDICAL AND DIAGNOSTIC LABORATORIES		

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 261
Waste Description: PHARMACEUTICALS

---

205 | ***89 of 129*** | ***SSW/182.3*** | ***100.4 / -2.43*** | ***Bay College Lockwood Diagnostc*** | ***GEN***
790 Bay st suite 108
Toronto ON M5G 1N8

Generator No.:	ON8702485	***PO Box No.:***	
Status:		***Country:***	
Approval Years:	2010	***Choice of Contact:***	
Contam. Facility:		***Co Admin:***	
MHSW Facility:		***Phone No. Admin:***	
SIC Code:	621110		
SIC Description:	Offices of Physicians		

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

205 | ***90 of 129*** | ***SSW/182.3*** | ***100.4 / -2.43*** | ***Taddle Creek Family Health Team*** | ***GEN***
790 Bay Street Suite 306
Toronto ON M5G1N8

Generator No.:	ON8231674	***PO Box No.:***	
Status:		***Country:***	Canada
Approval Years:	2016	***Choice of Contact:***	CO_OFFICIAL
Contam. Facility:	No	***Co Admin:***	Dianne Chanasyk
MHSW Facility:	No	***Phone No. Admin:***	416.260.1315 Ext.0
SIC Code:	621390, 621499		
SIC Description:	OFFICES OF ALL OTHER HEALTH PRACTITIONERS, ALL OTHER OUT-PATIENT CARE CENTRES		

--Details--
Waste Code: 261
Waste Description: PHARMACEUTICALS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

205 | **91 of 129** | **SSW/182.3** | **100.4 / -2.43** | **Bay Cardiac Diagnostic Inc**
790 Bay Street, Suite 312
Toronto ON | **GEN**

Generator No.:	ON6124316	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	2013	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	621510		
SIC Description:	MEDICAL AND DIAGNOSTIC LABORATORIES		

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 261
Waste Description: PHARMACEUTICALS

---

205 | **92 of 129** | **SSW/182.3** | **100.4 / -2.43** | **DR NEERA SINGAL**
790 BAY ST , SUITE 340
TORONTO ON M5G 1N8 | **GEN**

Generator No.:	ON3592245	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2015	**Choice of Contact:**	CO_ADMIN
Contam. Facility:	No	**Co Admin:**	SANDANI MARASINGHE
MHSW Facility:	No	**Phone No. Admin:**	4169797711 Ext.
SIC Code:	621110		
SIC Description:	OFFICES OF PHYSICIANS		

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

205 | **93 of 129** | **SSW/182.3** | **100.4 / -2.43** | **CREATE PROGRAM INC.**
790 Bay Street, Suite 1100
Toronto ON M5G 1N8 | **GEN**

Generator No.:	ON4255932	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2016	**Choice of Contact:**	CO_OFFICIAL
Contam. Facility:	No	**Co Admin:**	Jackilynn Rogers
MHSW Facility:	No	**Phone No. Admin:**	4163513800 Ext.2228
SIC Code:	621390		
SIC Description:	OFFICES OF ALL OTHER HEALTH PRACTITIONERS		

--Details--
Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 261
Waste Description: PHARMACEUTICALS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

---

205 | **94 of 129** | **SSW/182.3** | **100.4 / -2.43** | **Taddle Creek Family Health Team**
790 Bay Street Suite 306
Toronto ON | **GEN**

Generator No.: ON8231674
Status:
Approval Years: 2013
Contam. Facility:
MHSW Facility:
SIC Code: 621390, 621499
SIC Description: OFFICES OF ALL OTHER HEALTH PRACTITIONERS, ALL OTHER OUT-PATIENT CARE CENTRES

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 261
Waste Description: PHARMACEUTICALS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

205 | **95 of 129** | **SSW/182.3** | **100.4 / -2.43** | **Pulmonary Care Clinic**
790 Bay Street Suite 608
Toronto ON M5G 1N8 | **GEN**

Generator No.: ON7827330
Status:
Approval Years: 2014
Contam. Facility: No
MHSW Facility: No
SIC Code: 621110
SIC Description: OFFICES OF PHYSICIANS

PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

205 | **96 of 129** | **SSW/182.3** | **100.4 / -2.43** | **Bay College Lockwood Diagnostc**
790 Bay st suite 108
Toronto ON M5G 1N8 | **GEN**

Generator No.: ON8702485
Status:
Approval Years: 2015
Contam. Facility: No
MHSW Facility: No
SIC Code: 621110
SIC Description: OFFICES OF PHYSICIANS

PO Box No.:
Country: Canada
Choice of Contact: CO_ADMIN
Co Admin: Lucio Mariani
Phone No. Admin: 416-929-1900 Ext.260

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
205	97 of 129	SSW/182.3	100.4 / -2.43	**Bay College Lockwood Diagnostc** **790 Bay st suite 108** **Toronto ON M5G 1N8**	GEN

Generator No.:	ON8702485	**PO Box No.:**	
Status:	Registered	**Country:**	Canada
Approval Years:	As of Dec 2017	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:			
SIC Description:			

--Details--

Waste Code:	312 P
Waste Description:	Pathological wastes

205	98 of 129	SSW/182.3	100.4 / -2.43	**Bay Dermatology Centre** **790 Bay Street Suite #536** **Toronto ON M5G 1N8**	GEN

Generator No.:	ON5617167	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	2010	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	621110		
SIC Description:	Offices of Physicians		

--Details--

Waste Code:	312
Waste Description:	PATHOLOGICAL WASTES

205	99 of 129	SSW/182.3	100.4 / -2.43	**CREATE PROGRAM INC.** **790 Bay Street, Suite 1100** **Toronto ON M5G 1N8**	GEN

Generator No.:	ON4255932	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	06,07,08	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	621390		
SIC Description:	Offices of All Other Health Practitioners		

--Details--

Waste Code:	312
Waste Description:	PATHOLOGICAL WASTES

205	100 of 129	SSW/182.3	100.4 / -2.43	**Taddle Creek Fam Hlth Network TCFHT** **522-790 Bay street Box 58** **Toronto ON M5G1N8**	GEN

Generator No.:	ON3209907	**PO Box No.:**	790 Bay St
Status:	Registered	**Country:**	Canada
Approval Years:	As of Dec 2017	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	

SIC Code:
SIC Description:

--Details--
Waste Code: 312 P
Waste Description: Pathological wastes

Waste Code: 261 A
Waste Description: Pharmaceuticals

---

205 | **101 of 129** | **SSW/182.3** | **100.4 / -2.43** | **DR NEERA SINGAL**
790 BAY ST , SUITE 340
TORONTO ON M5G 1N8 | **GEN**

Generator No.: ON3592245
Status:
Approval Years: 2016
Contam. Facility: No
MHSW Facility: No
SIC Code: 621110
SIC Description: OFFICES OF PHYSICIANS

PO Box No.:
Country: Canada
Choice of Contact: CO_ADMIN
Co Admin: SANDANI MARASINGHE
Phone No. Admin: 4169797711 Ext.

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

205 | **102 of 129** | **SSW/182.3** | **100.4 / -2.43** | **Bay College Lockwood Diagnostc**
790 Bay st suite 108
Toronto ON M5G 1N8 | **GEN**

Generator No.: ON8702485
Status:
Approval Years: 2016
Contam. Facility: No
MHSW Facility: No
SIC Code: 621110
SIC Description: OFFICES OF PHYSICIANS

PO Box No.:
Country: Canada
Choice of Contact: CO_ADMIN
Co Admin: Lucio Mariani
Phone No. Admin: 416-929-1900 Ext.260

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

205 | **103 of 129** | **SSW/182.3** | **100.4 / -2.43** | **CREATE PROGRAM INC.**
790 Bay Street, Suite 1100
Toronto ON M5G 1N8 | **GEN**

Generator No.: ON4255932
Status:
Approval Years: 2012
Contam. Facility:
MHSW Facility:
SIC Code: 621390
SIC Description: Offices of All Other Health Practitioners

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

205	104 of 129	SSW/182.3	100.4 / -2.43	Bay Dermatology Centre 790 Bay Street Suite #536 Toronto ON M5G 1N8	GEN

Generator No.: ON5617167
Status:
Approval Years: 2011
Contam. Facility:
MHSW Facility:
SIC Code: 621110
SIC Description: Offices of Physicians

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

205	105 of 129	SSW/182.3	100.4 / -2.43	Ontario Health Study 790 Bay Street, Suite 820, PO Box 66 Toronto ON	GEN

Generator No.: ON6612891
Status:
Approval Years: 2012
Contam. Facility:
MHSW Facility:
SIC Code: 621510
SIC Description: Medical and Diagnostic Laboratories

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

205	106 of 129	SSW/182.3	100.4 / -2.43	Bayshore Home Health 790 Bay Street, Suite 900 Toronto ON M5G 1N8	GEN

Generator No.: ON3168331
Status:
Approval Years: 2010
Contam. Facility:
MHSW Facility:
SIC Code: 624190
SIC Description: Other Individual and Family Services

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

205	107 of 129	SSW/182.3	100.4 / -2.43	Castelli Clinic 790 Bay St Toronto ON M5G 1N8	GEN

Generator No.: ON9105258
Status:
Approval Years: 2012
Contam. Facility:
MHSW Facility:
SIC Code: 621110
SIC Description: Offices of Physicians

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

205 | ***108 of 129*** | ***SSW/182.3*** | ***100.4 / -2.43*** | ***Taddle Creek Family Health Team***
790 Bay Street Suite 306
Toronto ON M5G 1N8 | ***GEN***

Generator No.: ON8231674
Status:
Approval Years: 2011
Contam. Facility:
MHSW Facility:
SIC Code: 621390, 621499
SIC Description: Offices of All Other Health Practitioners, All Other Out-Patient Care Centres

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 261
Waste Description: PHARMACEUTICALS

---

205 | ***109 of 129*** | ***SSW/182.3*** | ***100.4 / -2.43*** | ***Bay College Lockwood Diagnostc***
790 Bay st suite 108
Toronto ON | ***GEN***

Generator No.: ON8702485
Status:
Approval Years: 2013
Contam. Facility:
MHSW Facility:
SIC Code: 621110
SIC Description: OFFICES OF PHYSICIANS

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

205 | ***110 of 129*** | ***SSW/182.3*** | ***100.4 / -2.43*** | ***LifeLabs LP***
790 Bay Street suite 520
Toronto ON | ***GEN***

Generator No.: ON3554449
Status:
Approval Years: 2013
Contam. Facility:
MHSW Facility:
SIC Code: 621510
SIC Description: MEDICAL AND DIAGNOSTIC LABORATORIES

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

205 | ***111 of 129*** | ***SSW/182.3*** | ***100.4 / -2.43*** | ***Pulmonary Care Clinic***
790 Bay Street Suite 608
Toronto ON | ***GEN***

Generator No.: ON7827330
Status:
Approval Years: 2013
Contam. Facility:
MHSW Facility:
SIC Code: 621110
SIC Description: OFFICES OF PHYSICIANS

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

205 | **112 of 129** | **SSW/182.3** | **100.4 / -2.43** | **GEN**

Dr. Pariser and Dr. Chernin
Suite 300- 790 Bay St
Toronto ON M5G1N8

Generator No.: ON2588629
Status: Registered
Approval Years: As of Dec 2017
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No.:
Country: Canada
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 261 A
Waste Description: Pharmaceuticals

Waste Code: 312 P
Waste Description: Pathological wastes

---

205 | **113 of 129** | **SSW/182.3** | **100.4 / -2.43** | **GEN**

Taddle Creek Fam Hlth Network
522-790 Bay street Box 58
Toronto ON M5G1N8

Generator No.: ON3209907
Status:
Approval Years: 2015
Contam. Facility: No
MHSW Facility: No
SIC Code: 621110
SIC Description: OFFICES OF PHYSICIANS

PO Box No.:
Country: Canada
Choice of Contact: CO_ADMIN
Co Admin: Victoria Paulionis
Phone No. Admin: 416 591-1222 Ext.

--Details--
Waste Code: 261
Waste Description: PHARMACEUTICALS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

205 | **114 of 129** | **SSW/182.3** | **100.4 / -2.43** | **GEN**

Taddle Creek Family Health Team
790 Bay Street Suite 306
Toronto ON M5G1N8

Generator No.: ON8231674
Status:
Approval Years: 2015

PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL

Contam. Facility: No
MHSW Facility: No
SIC Code: 621390, 621499
SIC Description: OFFICES OF ALL OTHER HEALTH PRACTITIONERS, ALL OTHER OUT-PATIENT CARE CENTRES

Co Admin: Dianne Chanasyk
Phone No. Admin: 416.260.1315 Ext.0

--Details--
Waste Code: 261
Waste Description: PHARMACEUTICALS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

205 | **115 of 129** | **SSW/182.3** | **100.4 / -2.43** | **GEN**

Tissue Regeneration Therapeutics
790 Bay Street Suite 512
Toronto ON M5G 1N8

Generator No.: ON3355998
Status:
Approval Years: 2016
Contam. Facility: No
MHSW Facility: No
SIC Code: 541710
SIC Description: RESEARCH AND DEVELOPMENT IN THE PHYSICAL, ENGINEERING AND LIFE SCIENCES

PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

205 | **116 of 129** | **SSW/182.3** | **100.4 / -2.43** | **GEN**

Pulmonary Care Clinic
790 Bay Street Suite 608
Toronto ON M5G 1N8

Generator No.: ON7827330
Status:
Approval Years: 2015
Contam. Facility: No
MHSW Facility: No
SIC Code: 621110
SIC Description: OFFICES OF PHYSICIANS

PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

205 | **117 of 129** | **SSW/182.3** | **100.4 / -2.43** | **GEN**

Bay Dermatology Centre
790 Bay Street Suite #536
Toronto ON M5G 1N8

Generator No.: ON5617167
Status:
Approval Years: 2012
Contam. Facility:
MHSW Facility:
SIC Code: 621110
SIC Description: Offices of Physicians

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

205 | **118 of 129** | **SSW/182.3** | **100.4 / -2.43** | **CREATE PROGRAM INC.**
790 Bay Street, Suite 1100
Toronto ON | **GEN**

Generator No.: ON4255932
Status:
Approval Years: 2013
Contam. Facility:
MHSW Facility:
SIC Code: 621390
SIC Description: OFFICES OF ALL OTHER HEALTH PRACTITIONERS

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 261
Waste Description: PHARMACEUTICALS

---

205 | **119 of 129** | **SSW/182.3** | **100.4 / -2.43** | **Bay Dermatology Centre**
790 Bay Street Suite #536
Toronto ON M5G 1N8 | **GEN**

Generator No.: ON5617167
Status: Registered
Approval Years: As of Dec 2017
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No.: P.O.Box 25
Country: Canada
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312 P
Waste Description: Pathological wastes

---

205 | **120 of 129** | **SSW/182.3** | **100.4 / -2.43** | **Dr. Barman and Dr Nieuwstraten**
Suite 302- 790 Bay St
Toronto ON | **GEN**

Generator No.: ON3708877
Status:
Approval Years: 2013
Contam. Facility:
MHSW Facility:
SIC Code: 621110
SIC Description: OFFICES OF PHYSICIANS

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 261
Waste Description: PHARMACEUTICALS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

205 | **121 of 129** | **SSW/182.3** | **100.4 / -2.43** | **Dr. Barman and Dr Nieuwstraten**
Suite 302- 790 Bay St
Toronto ON M5G1N8 | **GEN**

Generator No.: ON3708877
Status: Registered
Approval Years: As of Dec 2017
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No.:
Country: Canada
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 261 A
Waste Description: Pharmaceuticals

Waste Code: 312 P
Waste Description: Pathological wastes

---

205 | **122 of 129** | **SSW/182.3** | **100.4 / -2.43** | **Tissue Regeneration Therapeutics**
790 Bay Street Suite 512
Toronto ON M5G 1N8 | **GEN**

Generator No.: ON3355998
Status:
Approval Years: 07,08
Contam. Facility:
MHSW Facility:
SIC Code: 541710
SIC Description: Research and Development in the Physical Engineering and Life Sciences

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

205 | **123 of 129** | **SSW/182.3** | **100.4 / -2.43** | **WOMEN'S COLLEGE HEALTH RESEARCH**
SUITE 912 - 790 BAY STREET NOT AVAILABLE
TORONTO ON M5G1N8 | **NPRI**

NPRI ID: 11424
Other ID: *
No Other ID:
Track ID: 61750
Report ID: 122727
Report Type: NPRI
Rpt Type ID: 1
Report Year: 2008
Not-Current Rpt?: No
Yr of Last Filed Rpt: 2011
Fac ID: 158455
Fac Name: HEALTH RESEARCH FACILITY

Org ID: 73778
Submit Date: 3/17/2009
Last Modified: 5/29/2015 3:28:24 PM
Contact ID:
Cont Type:
Contact Title:
Cont First Name:
Cont Last Name:
Contact Position:
Contact Fax:
Contact Ph.:
Cont Area Code:

Fac Address1:	SUITE 912 - 790 BAY STREET	**Contact Tel.:**	
Fac Address2:	NOT AVAILABLE	**Contact Ext.:**	
Fac Postal Zip:	M5G1N8	**Cont Fax Area Cde:**	
Facility Lat:	43.661	**Contact Fax:**	
Facility Long:	-79.386	**Contact Email:**	
DLS (Last Filed Rpt):		**Latitude:**	43.661
Facility DLS:		**Longitude:**	-79.386
Datum:	1983	**UTM Zone:**	
Facility Cmnts:	No	**UTM Northing:**	
URL:		**UTM Easting:**	
No of Empl.:	1000	**Waste Streams:**	No
Parent Co.:	N	**No Streams:**	
No Parent Co.:		**Waste Off Sites:**	No
Pollut Prev Cmnts:	No	**No Off Sites:**	
Stacks:	No	**Shutdown:**	No
No of Stacks:		**No of Shutdown:**	
Canadian SIC Code (2 digit):			
Canadian SIC Code:			
SIC Code Description:			
American SIC Code:			
NAICS Code (2 digit):	62		
NAICS 2 Description:	Health care and social assistance		
NAICS Code (4 digit):	6211		
NAICS 4 Description:	Offices of physicians		
NAICS Code (6 digit):	621110		
NAICS 6 Description:	Offices of physicians		

Substance Release Report

Category Type ID:	1
Category Type Desc:	Stack / Point
Category Type Desc (fr):	Rejets de cheminée ou ponctuels
Grouping:	Total Air
Trans Code:	ASta
Chem:	PM10 - Particulate Matter <= 10 Microns
Chem (fr):	PM10 - Matière particulaire <= 10 microns
Quantity:	2.53
Unit:	tonnes
Basis of Estimate Cd:	E2
Basis of Estimate Desc:	E2- Published Emission Factors - In use from 2003 and onward

205	124 of 129	SSW/182.3	100.4 / -2.43	WOMEN'S COLLEGE HEALTH RESEARCH SUITE 912 - 790 BAY STREET NOT AVAILABLE TORONTO ON M5G1N8	NPRI

NPRI ID:	11424	**Org ID:**	73778
Other ID:	*	**Submit Date:**	5/14/2008
No Other ID:		**Last Modified:**	5/29/2015 3:28:24 PM
Track ID:	52725	**Contact ID:**	
Report ID:	114648	**Cont Type:**	
Report Type:	NPRI	**Contact Title:**	
Rpt Type ID:	1	**Cont First Name:**	
Report Year:	2007	**Cont Last Name:**	
Not-Current Rpt?:	No	**Contact Position:**	
Yr of Last Filed Rpt:	2011	**Contact Fax:**	
Fac ID:	158455	**Contact Ph.:**	
Fac Name:	HEALTH RESEARCH FACILITY	**Cont Area Code:**	
Fac Address1:	SUITE 912 - 790 BAY STREET	**Contact Tel.:**	
Fac Address2:	NOT AVAILABLE	**Contact Ext.:**	
Fac Postal Zip:	M5G1N8	**Cont Fax Area Cde:**	
Facility Lat:	43.661	**Contact Fax:**	
Facility Long:	-79.386	**Contact Email:**	
DLS (Last Filed Rpt):		**Latitude:**	43.661
Facility DLS:		**Longitude:**	-79.386

Datum:	1983	**UTM Zone:**	
Facility Cmnts:	False	**UTM Northing:**	
URL:		**UTM Easting:**	
No of Empl.:	12	**Waste Streams:**	True?
Parent Co.:	N	**No Streams:**	
No Parent Co.:		**Waste Off Sites:**	True?
Pollut Prev Cmnts:	False	**No Off Sites:**	
Stacks:	True	**Shutdown:**	
No of Stacks:		**No of Shutdown:**	
Canadian SIC Code (2 digit):			
Canadian SIC Code:			
SIC Code Description:			
American SIC Code:			
NAICS Code (2 digit):	62		
NAICS 2 Description:	Health care and social assistance		
NAICS Code (4 digit):	6211		
NAICS 4 Description:	Offices of physicians		
NAICS Code (6 digit):	621110		
NAICS 6 Description:	Offices of physicians		

Substance Release Report

Category Type ID:	1
Category Type Desc:	Stack / Point
Category Type Desc (fr):	Rejets de cheminée ou ponctuels
Grouping:	Total Air
Trans Code:	ASta
Chem:	PM10 - Particulate Matter <= 10 Microns
Chem (fr):	PM10 - Matière particulaire <= 10 microns
Quantity:	2.54
Unit:	tonnes
Basis of Estimate Cd:	E2
Basis of Estimate Desc:	E2- Published Emission Factors - In use from 2003 and onward

205	125 of 129	SSW/182.3	100.4 / -2.43	WOMEN'S COLLEGE HEALTH RESEARCH 790 Bay Street 12th Floor PO Box 62 Toronto ON M5G1N8	NPRI

NPRI ID:	8800000535	**Org ID:**	
Other ID:		**Submit Date:**	
No Other ID:		**Last Modified:**	
Track ID:		**Contact ID:**	
Report ID:		**Cont Type:**	MED
Report Type:		**Contact Title:**	
Rpt Type ID:		**Cont First Name:**	
Report Year:	2004	**Cont Last Name:**	
Not-Current Rpt?:		**Contact Position:**	
Yr of Last Filed Rpt:		**Contact Fax:**	
Fac ID:		**Contact Ph.:**	
Fac Name:	HEALTH RESEARCH FACILITY	**Cont Area Code:**	
Fac Address1:		**Contact Tel.:**	
Fac Address2:		**Contact Ext.:**	
Fac Postal Zip:		**Cont Fax Area Cde:**	
Facility Lat:		**Contact Fax:**	
Facility Long:		**Contact Email:**	
DLS (Last Filed Rpt):		**Latitude:**	
Facility DLS:		**Longitude:**	
Datum:		**UTM Zone:**	
Facility Cmnts:		**UTM Northing:**	
URL:		**UTM Easting:**	
No of Empl.:	12	**Waste Streams:**	
Parent Co.:		**No Streams:**	
No Parent Co.:		**Waste Off Sites:**	
Pollut Prev Cmnts:		**No Off Sites:**	

Stacks:		***Shutdown:***	
No of Stacks:		***No of Shutdown:***	
Canadian SIC Code (2 digit):			
Canadian SIC Code:			
SIC Code Description:			
American SIC Code:			
NAICS Code (2 digit):	53		
NAICS 2 Description:	Real Estate and Rental and Leasing		
NAICS Code (4 digit):	5311		
NAICS 4 Description:	Lessors of Real Estate		
NAICS Code (6 digit):	531120		
NAICS 6 Description:	Lessors of Non-Residential Buildings (except Mini-Warehouses)		

Substance Release Report

CAS No:	811-97-2
Report ID:	
Rpt Period:	2004
Subst Released:	HFC-134a Hydrofluorocarbon
Air:	
Water:	
Land:	
Total Releases:	
Units:	tonnes
CAS No:	11104-93-1
Report ID:	
Rpt Period:	2004
Subst Released:	Nitrogen oxides (expressed as NO2)
Air:	.06
Water:	
Land:	
Total Releases:	.06
Units:	tonnes
CAS No:	7446-09-5
Report ID:	
Rpt Period:	2004
Subst Released:	Sulphur dioxide
Air:	0
Water:	
Land:	
Total Releases:	0
Units:	tonnes

205	126 of 129	SSW/182.3	100.4 / -2.43	WOMEN'S COLLEGE HEALTH RESEARCH SUITE 912 - 790 BAY STREET NOT AVAILABLE TORONTO ON M5G1N8	NPRI

NPRI ID:	11424	***Org ID:***	73778
Other ID:	*	***Submit Date:***	4/13/2010
No Other ID:		***Last Modified:***	5/29/2015 3:28:24 PM
Track ID:	82353	***Contact ID:***	
Report ID:	136159	***Cont Type:***	
Report Type:	NPRI	***Contact Title:***	
Rpt Type ID:	1	***Cont First Name:***	
Report Year:	2009	***Cont Last Name:***	
Not-Current Rpt?:	No	***Contact Position:***	
Yr of Last Filed Rpt:	2011	***Contact Fax:***	
Fac ID:	158455	***Contact Ph.:***	
Fac Name:	HEALTH RESEARCH FACILITY	***Cont Area Code:***	
Fac Address1:	SUITE 912 - 790 BAY STREET	***Contact Tel.:***	
Fac Address2:	NOT AVAILABLE	***Contact Ext.:***	
Fac Postal Zip:	M5G1N8	***Cont Fax Area Cde:***	

Facility Lat:	43.661	**Contact Fax:**	
Facility Long:	-79.386	**Contact Email:**	
DLS (Last Filed Rpt):		**Latitude:**	43.661
Facility DLS:		**Longitude:**	-79.386
Datum:	1983	**UTM Zone:**	
Facility Cmnts:	No	**UTM Northing:**	
URL:		**UTM Easting:**	
No of Empl.:	1000	**Waste Streams:**	No
Parent Co.:	N	**No Streams:**	
No Parent Co.:		**Waste Off Sites:**	No
Pollut Prev Cmnts:	No	**No Off Sites:**	
Stacks:	No	**Shutdown:**	No
No of Stacks:		**No of Shutdown:**	
Canadian SIC Code (2 digit):			
Canadian SIC Code:			
SIC Code Description:			
American SIC Code:			
NAICS Code (2 digit):	62		
NAICS 2 Description:	Health care and social assistance		
NAICS Code (4 digit):	6211		
NAICS 4 Description:	Offices of physicians		
NAICS Code (6 digit):	621110		
NAICS 6 Description:	Offices of physicians		

Substance Release Report

Category Type ID:	1
Category Type Desc:	Stack / Point
Category Type Desc (fr):	Rejets de cheminée ou ponctuels
Grouping:	Total Air
Trans Code:	ASta
Chem:	PM10 - Particulate Matter <= 10 Microns
Chem (fr):	PM10 - Matière particulaire <= 10 microns
Quantity:	2.54
Unit:	tonnes
Basis of Estimate Cd:	E2
Basis of Estimate Desc:	E2- Published Emission Factors - In use from 2003 and onward

205	127 of 129	SSW/182.3	100.4 / -2.43	WOMEN'S COLLEGE HEALTH RESEARCH SUITE 912 - 790 BAY STREET NOT AVAILABLE TORONTO ON M5G1N8	NPRI

NPRI ID:	11424	**Org ID:**	73778
Other ID:	*	**Submit Date:**	5/16/2007
No Other ID:		**Last Modified:**	5/29/2015 3:28:24 PM
Track ID:	43264	**Contact ID:**	
Report ID:	103387	**Cont Type:**	
Report Type:	NPRI	**Contact Title:**	
Rpt Type ID:	1	**Cont First Name:**	
Report Year:	2006	**Cont Last Name:**	
Not-Current Rpt?:	No	**Contact Position:**	
Yr of Last Filed Rpt:	2011	**Contact Fax:**	
Fac ID:	158455	**Contact Ph.:**	
Fac Name:	HEALTH RESEARCH FACILITY	**Cont Area Code:**	
Fac Address1:	SUITE 912 - 790 BAY STREET	**Contact Tel.:**	
Fac Address2:	NOT AVAILABLE	**Contact Ext.:**	
Fac Postal Zip:	M5G1N8	**Cont Fax Area Cde:**	
Facility Lat:	43.661	**Contact Fax:**	
Facility Long:	-79.386	**Contact Email:**	
DLS (Last Filed Rpt):		**Latitude:**	43.661
Facility DLS:		**Longitude:**	-79.386
Datum:	1983	**UTM Zone:**	
Facility Cmnts:	False	**UTM Northing:**	
URL:		**UTM Easting:**	

No of Empl.:	12	**Waste Streams:**	True?
Parent Co.:	N	**No Streams:**	
No Parent Co.:		**Waste Off Sites:**	False
Pollut Prev Cmnts:	False	**No Off Sites:**	
Stacks:	True	**Shutdown:**	
No of Stacks:		**No of Shutdown:**	
Canadian SIC Code (2 digit):			
Canadian SIC Code:			
SIC Code Description:			
American SIC Code:			
NAICS Code (2 digit):	62		
NAICS 2 Description:	Health care and social assistance		
NAICS Code (4 digit):	6211		
NAICS 4 Description:	Offices of physicians		
NAICS Code (6 digit):	621110		
NAICS 6 Description:	Offices of physicians		

Substance Release Report

Category Type ID:	1
Category Type Desc:	Stack / Point
Category Type Desc (fr):	Rejets de cheminée ou ponctuels
Grouping:	Total Air
Trans Code:	ASta
Chem:	PM10 - Particulate Matter <= 10 Microns
Chem (fr):	PM10 - Matière particulaire <= 10 microns
Quantity:	2.54
Unit:	tonnes
Basis of Estimate Cd:	E2
Basis of Estimate Desc:	E2- Published Emission Factors - In use from 2003 and onward

205	128 of 129	SSW/182.3	100.4 / -2.43	WOMEN'S COLLEGE HEALTH RESEARCH 936 - 790 BAY STREET NOT AVAILABLE TORONTO ON M5G1N8	NPRI

NPRI ID:	11424	**Org ID:**	73772
Other ID:		**Submit Date:**	6/22/2012
No Other ID:		**Last Modified:**	5/29/2015 3:28:24 PM
Track ID:	101643	**Contact ID:**	
Report ID:	6148	**Cont Type:**	
Report Type:	DNMC	**Contact Title:**	
Rpt Type ID:	2	**Cont First Name:**	
Report Year:	2011	**Cont Last Name:**	
Not-Current Rpt?:	No	**Contact Position:**	
Yr of Last Filed Rpt:	2011	**Contact Fax:**	
Fac ID:	158454	**Contact Ph.:**	
Fac Name:	HEALTH RESEARCH FACILITY	**Cont Area Code:**	
Fac Address1:	936 - 790 BAY STREET	**Contact Tel.:**	
Fac Address2:	NOT AVAILABLE	**Contact Ext.:**	
Fac Postal Zip:	M5G1N8	**Cont Fax Area Cde:**	
Facility Lat:	43.661	**Contact Fax:**	
Facility Long:	-79.386	**Contact Email:**	
DLS (Last Filed Rpt):		**Latitude:**	43.661
Facility DLS:		**Longitude:**	-79.386
Datum:	1983	**UTM Zone:**	
Facility Cmnts:		**UTM Northing:**	
URL:		**UTM Easting:**	
No of Empl.:		**Waste Streams:**	
Parent Co.:		**No Streams:**	
No Parent Co.:		**Waste Off Sites:**	
Pollut Prev Cmnts:		**No Off Sites:**	
Stacks:		**Shutdown:**	
No of Stacks:		**No of Shutdown:**	
Canadian SIC Code (2 digit):			

Canadian SIC Code:	
SIC Code Description:	
American SIC Code:	
NAICS Code (2 digit):	62
NAICS 2 Description:	Health care and social assistance
NAICS Code (4 digit):	6211
NAICS 4 Description:	Offices of physicians
NAICS Code (6 digit):	621110
NAICS 6 Description:	Offices of physicians

205 | **129 of 129** | **SSW/182.3** | **100.4 / -2.43** | **WOMEN'S COLLEGE HEALTH RESEARCH SUITE 912 - 790 BAY STREET NOT AVAILABLE TORONTO ON M5G1N8** | **NPRI**

NPRI ID:	11424	**Org ID:**	73778
Other ID:	Y	**Submit Date:**	6/17/2011
No Other ID:	1	**Last Modified:**	5/29/2015 3:28:24 PM
Track ID:	91349	**Contact ID:**	
Report ID:	145407	**Cont Type:**	
Report Type:	DNMC	**Contact Title:**	
Rpt Type ID:	2	**Cont First Name:**	
Report Year:	2010	**Cont Last Name:**	
Not-Current Rpt?:	No	**Contact Position:**	
Yr of Last Filed Rpt:	2011	**Contact Fax:**	
Fac ID:	158455	**Contact Ph.:**	
Fac Name:	HEALTH RESEARCH FACILITY	**Cont Area Code:**	
Fac Address1:	SUITE 912 - 790 BAY STREET	**Contact Tel.:**	
Fac Address2:	NOT AVAILABLE	**Contact Ext.:**	
Fac Postal Zip:	M5G1N8	**Cont Fax Area Cde:**	
Facility Lat:	43.661	**Contact Fax:**	
Facility Long:	-79.386	**Contact Email:**	
DLS (Last Filed Rpt):		**Latitude:**	43.661
Facility DLS:		**Longitude:**	-79.386
Datum:	1983	**UTM Zone:**	
Facility Cmnts:	No	**UTM Northing:**	
URL:		**UTM Easting:**	
No of Empl.:	0	**Waste Streams:**	No
Parent Co.:	*	**No Streams:**	
No Parent Co.:		**Waste Off Sites:**	No
Pollut Prev Cmnts:	No	**No Off Sites:**	
Stacks:	No	**Shutdown:**	No
No of Stacks:		**No of Shutdown:**	
Canadian SIC Code (2 digit):			
Canadian SIC Code:			
SIC Code Description:			
American SIC Code:			
NAICS Code (2 digit):	62		
NAICS 2 Description:	Health care and social assistance		
NAICS Code (4 digit):	6211		
NAICS 4 Description:	Offices of physicians		
NAICS Code (6 digit):	621110		
NAICS 6 Description:	Offices of physicians		

206 | **1 of 1** | **WSW/182.4** | **102.9 / 0.05** | **ON** | **BORE**

Borehole ID:	638567	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Diamond Drill	**UTM Zone::**	17
Easting::	630005	**Northing::**	4835545
Location Accuracy::		**Orig. Ground Elev m::**	105
Elev. Reliability Note::		**DEM Ground Elev m::**	104
Total Depth m::	12.6	**Primary Name::**	
Township::		**Concession::**	

Lot::		**Municipality:**	
Completion Date::	MAR-1965	**Static Water Level::**	.6
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218485117	**Top Depth(m):**	1.0
Bottom Depth(m):	2.6	**Stratum Desc:**	TILL,SAND-MEDIUM, SILT. GREY,BROWN,GLACIAL,DENSE, AGE GLACIAL, WATER STABLE AT 342.9 FEET.
Stratum ID:	218485118	**Top Depth(m):**	2.6
Bottom Depth(m):	6.2	**Stratum Desc:**	TILL,SAND-MEDIUM, SILT,GRAVEL. GREY,GLACIAL,DENSE, AGE GLACIAL.
Stratum ID:	218485119	**Top Depth(m):**	6.2
Bottom Depth(m):	12.6	**Stratum Desc:**	SAND(62)-MEDIUM,SILT(30),CLAY(5). GREY,FLUVIO-GLACIAL,DENSE, AGE GLACIAL. 028 0
Stratum ID:	218485116	**Top Depth(m):**	0.0
Bottom Depth(m):	1.0	**Stratum Desc:**	FILL,SAND,SILT. COMPACT.

---

207 **1 of 1** **WSW/183.1** **102.7 / -0.15** **Toronto ON** **WWIS**

Well ID:	7159355	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:	Monitoring and Test Hole	**Date Received:**	2/17/2011
Sec. Water Use:	0	**Selected Flag:**	Yes
Final Well Status:	Test Hole	**Abandonment Rec:**	
Water Type:		**Contractor:**	7241
Casing Material:		**Form Version:**	7
Audit No:	Z127959	**Owner:**	
Tag:	A112672	**Street Name:**	76 GENVILLE ST
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1003477028	**Elevation:**	104.1
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:		**East83:**	630007
Code OB Desc:		**Org CS:**	UTM83
Open Hole:		**North83:**	4835538
Cluster Kind:		**UTMRC:**	3
Date Completed:	25-JAN-11	**UTMRC Desc:**	margin of error : 10 - 30 m
Remarks:		**Location Method:**	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	1003779086
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	08
Most Common Material:	FINE SAND
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	
Formation Top Depth:	0
Formation End Depth:	16.5
Formation End Depth UOM:	ft

Annular Space/Abandonment Sealing Record

Plug ID:	1003779097
Layer:	3
Plug From:	7
Plug To:	16.5
Plug Depth UOM:	ft

Plug ID:	1003779095
Layer:	1
Plug From:	0
Plug To:	1
Plug Depth UOM:	ft

Plug ID:	1003779096
Layer:	2
Plug From:	1
Plug To:	6
Plug Depth UOM:	ft

Method of Construction & Well Use

Method Construction ID:	1003779093
Method Construction Code:	D
Method Construction:	Direct Push
Other Method Construction:	

Pipe Information

Pipe ID:	1003779085
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	1003779089
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0
Depth To:	9

Casing Diameter:	2
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Construction Record - Screen

Screen ID:	1003779090
Layer:	1
Slot:	10
Screen Top Depth:	9
Screen End Depth:	16.5
Screen Material:	5
Screen Depth UOM:	ft
Screen Diameter UOM:	inch
Screen Diameter:	2.25

Water Details

Water ID:	1003779088
Layer:	
Kind Code:	
Kind:	
Water Found Depth:	
Water Found Depth UOM:	ft

Hole Diameter

Hole ID:	1003779087
Diameter:	4.25
Depth From:	0
Depth To:	16.5
Hole Depth UOM:	ft
Hole Diameter UOM:	inch

---

208 ***1 of 1*** ***W/183.2*** ***103.0 / 0.16*** ***ON*** ***BORE***

Borehole ID:	638566	***Type:***	Borehole
Use:	Geotechnical/Geological Investigation	***Status::***	
Drill Method::	Power auger	***UTM Zone::***	17
Easting::	629990	***Northing::***	4835588
Location Accuracy::		***Orig. Ground Elev m::***	106
Elev. Reliability Note::		***DEM Ground Elev m::***	105
Total Depth m::	12.6	***Primary Name::***	
Township::		***Concession::***	
Lot::		***Municipality:***	
Completion Date::	MAR-1965	***Static Water Level::***	-999.9
Primary Water Use::	Not Used	***Sec. Water Use::***	

--Details--

Stratum ID:	218485112	***Top Depth(m):***	0.0
Bottom Depth(m):	2.0	***Stratum Desc:***	FILL,SAND(38), SILT(38),CLAY.
Stratum ID:	218485113	***Top Depth(m):***	2.0
Bottom Depth(m):	3.1	***Stratum Desc:***	TILL,SAND,SILT. GREY,BROWN,GLACIAL,HARD, AGE GLACIAL.
Stratum ID:	218485114	***Top Depth(m):***	3.1
Bottom Depth(m):	8.5	***Stratum Desc:***	TILL,SAND,SILT. GREY,GLACIAL,DENSE, AGE GLACIAL.

Stratum ID:	218485115	**Top Depth(m):**	8.5
Bottom Depth(m):	12.6	**Stratum Desc:**	SAND-MEDIUM,SILT, COBBLE. GREY,FLUVIO-GLACIAL,DENSE, AGE GLACIAL. 019 010

209 **1 of 1** **NW/184.1** **105.8 / 3.02** **ON** **BORE**

Borehole ID:	648444	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Jetting	**UTM Zone::**	17
Easting::	630010	**Northing::**	4835763
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	7.5	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	.8
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218522967	**Top Depth(m):**	0.0
Bottom Depth(m):	1.8	**Stratum Desc:**	FILL,STONES,SAND, WOOD.
Stratum ID:	218522968	**Top Depth(m):**	1.8
Bottom Depth(m):	2.7	**Stratum Desc:**	SILT,SAND,CLAY. BROWN,GLACIAL,AGE GLACIAL, WATER STABLE AT 349.2 FEET.
Stratum ID:	218522969	**Top Depth(m):**	2.7
Bottom Depth(m):	3.4	**Stratum Desc:**	SILT,SAND-MEDIUM. BROWN,GLACIAL,AGE GLACIAL.
Stratum ID:	218522970	**Top Depth(m):**	3.4
Bottom Depth(m):	7.5	**Stratum Desc:**	SILT,SAND-MEDIUM, CLAY. GREY,GLACIAL,DENSE,LAYERED, AGE GLACIAL. 0000000800090021001100320001 5T

210 **1 of 1** **SW/184.9** **101.9 / -0.91** **ON** **BORE**

Borehole ID:	648127	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	630045	**Northing::**	4835483
Location Accuracy::		**Orig. Ground Elev m::**	103
Elev. Reliability Note::		**DEM Ground Elev m::**	102
Total Depth m::	10.1	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	JUN-1970	**Static Water Level::**	-999.9
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218521677	**Top Depth(m):**	0.0
Bottom Depth(m):	2.1	**Stratum Desc:**	FILL,SILT,SAND. BROWN,LOOSE.
Stratum ID:	218521678	**Top Depth(m):**	2.1
Bottom Depth(m):	4.9	**Stratum Desc:**	SAND-FINE TO MEDIUM,GRAVEL,SILT. BROWN,GLACIAL,DENSE, AGE GLACIAL.

Stratum ID:	218521679	**Top Depth(m):**	4.9
Bottom Depth(m):	7.9	**Stratum Desc:**	TILL,CLAY,GRAVEL, SILT. GREY,GLACIAL,VERY DENSE, AGE GLACIAL.
Stratum ID:	218521680	**Top Depth(m):**	7.9
Bottom Depth(m):	10.1	**Stratum Desc:**	CLAY,SILT. GREY,GLACIAL,HARD,AGE GLACIAL. 012 010 010 018

211 ***1 of 1*** ***W/185.5*** ***104.0 / 1.20*** ***ON*** **BORE**

Borehole ID:	646853	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	629975	**Northing::**	4835653
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	29	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	1.1
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218516604	**Top Depth(m):**	0.0
Bottom Depth(m):	2.1	**Stratum Desc:**	FILL.
Stratum ID:	218516605	**Top Depth(m):**	2.1
Bottom Depth(m):	10.7	**Stratum Desc:**	TILL,SILT,SAND. GREY,GLACIAL,VERY DENSE, AGE GLACIAL, WATER STABLE AT 349.9 FEET.
Stratum ID:	218516606	**Top Depth(m):**	10.7
Bottom Depth(m):	14.6	**Stratum Desc:**	SAND-MEDIUM,SILT, CLAY. GREY,LACUSTRINE,VERY DENSE, LAYERED,AGE GLACIAL.
Stratum ID:	218516607	**Top Depth(m):**	14.6
Bottom Depth(m):	17.1	**Stratum Desc:**	TILL,SILT,CLAY. GREY,GLACIAL,VERY HARD, AGE GLACIAL.
Stratum ID:	218516608	**Top Depth(m):**	17.1
Bottom Depth(m):	23.5	**Stratum Desc:**	TILL,SILT,SAND. GREY,GLACIAL,VERY DENSE, AGE GLACIAL.
Stratum ID:	218516609	**Top Depth(m):**	23.5
Bottom Depth(m):	25.3	**Stratum Desc:**	SAND-MEDIUM. GREY,LACUSTRINE,VERY DENSE, AGE GLACIAL.
Stratum ID:	218516610	**Top Depth(m):**	25.3
Bottom Depth(m):	27.6	**Stratum Desc:**	TILL,SILT,CLAY. GREY,GLACIAL,VERY HARD, AGE GLACIAL.
Stratum ID:	218516611	**Top Depth(m):**	27.6
Bottom Depth(m):	29.0	**Stratum Desc:**	SHALE,LIMESTONE. MARINE,BEDDED,AGE ORDOVICIAN. 000700900035004500480072005600720077007200830072 0

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
212	1 of 1	NW/186.1	106.8 / 4.01	ON	BORE

Borehole ID:	648095	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	630045	**Northing::**	4835803
Location Accuracy::		**Orig. Ground Elev m::**	106
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	-999	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	.5
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218521522	**Top Depth(m):**	0.0
Bottom Depth(m):	1.2	**Stratum Desc:**	SAND-MEDIUM. BROWN.
Stratum ID:	218521523	**Top Depth(m):**	1.2
Bottom Depth(m):	1.8	**Stratum Desc:**	SAND-MEDIUM,SILT. BROWN, WATER STABLE AT 347.3 FEET.
Stratum ID:	218521524	**Top Depth(m):**	1.8
Bottom Depth(m):	2.6	**Stratum Desc:**	SILT,CLAY. BROWN.
Stratum ID:	218521525	**Top Depth(m):**	2.6
Bottom Depth(m):	4.5	**Stratum Desc:**	SILT,SAND-MEDIUM. GREY,LACUSTRINE,DENSE, AGE GLACIAL.
Stratum ID:	218521526	**Top Depth(m):**	4.5
Bottom Depth(m):	8.2	**Stratum Desc:**	SAND-MEDIUM,SILT. GREY,LACUSTRINE,DENSE, AGE GLACIAL.
Stratum ID:	218521527	**Top Depth(m):**	8.2
Bottom Depth(m):	11.6	**Stratum Desc:**	TILL,SILT,SAND. GREY,GLACIAL,VERY DENSE, AGE GLACIAL.
Stratum ID:	218521528	**Top Depth(m):**	11.6
Bottom Depth(m):	14.6	**Stratum Desc:**	TILL,SILT,SAND. GREY,GLACIAL,VERY DENSE, AGE GLACIAL.
Stratum ID:	218521529	**Top Depth(m):**	14.6
Bottom Depth(m):		**Stratum Desc:**	CLAY,SILT,SAND MEDIUM. GREY,LACUSTRINE,HARD, AGE GLACIAL. 0004001200085027001490360027006000380 04

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
213	1 of 3	WSW/186.6	102.3 / -0.53	WOMENS COLLEGE HOSPITAL TORONTO CITY ON	CA

Certificate #:	8-3092-85-866
Application Year:	85
Issue Date:	6/4/90
Approval Type:	Industrial air
Status:	Received in 1985, Issued in 1986
Application Type:	
Client Name::	
Client Address::	
Client City::	
Client Postal Code::	
Project Description::	AIR INCINERATOR
Contaminants::	Methyl Salicylate, Sulphation, Hydrogen Chloride

Emission Control:: Thermal Incineration

---

213 | **2 of 3** | **WSW/186.6** | **102.3 / -0.53** | **60 & 76 Grenville St 51 Grosvenor St. Toronto ON** | **EHS**

Order ID:	157994	**Date Received:**	11/10/2008
Order No:	20081110026	**Lot/Building Size:**	
Customer ID:	59507	**Municipality:**	
Company ID:	50	**Client Prov/State:**	ON
Status:	C	**Search Radius (km):**	0.25
Report Code:	3CAN	**Large Radius:**	2
Report Type:	Standard Report	**X:**	-79.387606
Report Date:	11/19/2008	**Y:**	43.661661
Report Requested by:	Golder Associates Ltd.		
Nearest Intersection:			
Previous Site Name:			
Additional Info Ordered:			

---

213 | **3 of 3** | **WSW/186.6** | **102.3 / -0.53** | **HOSPITAL (N.O.S.) TORONTO CITY ON** | **SPL**

Ref No:	24914	**Discharger Report:**	
Site No:		**Material Group:**	
Incident Dt:	9/7/1989	**Client Type:**	
Year:		**Sector Type:**	
Incident Cause:	OTHER CONTAINER LEAK	**Source Type:**	
Incident Event:		**Nearest Watercourse:**	
Contaminant Code:		**Site Name:**	
Contaminant Name:		**Site Address:**	
Contaminant Limit 1:		**Site District Office:**	
Contam Limit Freq 1:		**Site County/District:**	
Contaminant UN No 1:		**Site Postal Code:**	
Contaminant Qty:		**Site Region:**	
Environment Impact:		**Site Municipality:**	01106
Nature of Impact:		**Site Lot:**	
Receiving Medium:	LAND	**Site Conc:**	
Receiving Env:		**Northing:**	
Health/Env Conseq:		**Easting:**	
MOE Response:		**Site Geo Ref Accu:**	
Dt MOE Arvl on Scn:		**Site Geo Ref Meth:**	
MOE Reported Dt:	9/7/1989	**Site Map Datum:**	
Dt Document Closed:			
SAC Action Class:			
Incident Reason:	UNKNOWN		
Incident Summary:	WOMANS COLLEGE HOSPITAL- 225 L DIESEL FUEL TO PARKING LOT AND SEWER.		

---

214 | **1 of 5** | **SW/186.8** | **101.9 / -0.95** | **The College of Physicians and Surgeons of Ontario 80 College Street Toronto ON M5G 2E2** | **GEN**

Generator No.:	ON6074818	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2015	**Choice of Contact:**	CO_OFFICIAL
Contam. Facility:	No	**Co Admin:**	Krista Waaler
MHSW Facility:	No	**Phone No. Admin:**	4169672600 Ext.384
SIC Code:	561110		
SIC Description:	OFFICE ADMINISTRATIVE SERVICES		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

--Details--
Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES

Waste Code: 265
Waste Description: GRAPHIC ART WASTES

---

214 | ***2 of 5*** | ***SW/186.8*** | ***101.9 / -0.95*** | ***The College of Physicians and Surgeons of Ontario 80 College Street Toronto ON*** | ***GEN***

Generator No.:	ON6074818	***PO Box No.:***	
Status:		***Country:***	
Approval Years:	2012	***Choice of Contact:***	
Contam. Facility:		***Co Admin:***	
MHSW Facility:		***Phone No. Admin:***	
SIC Code:	541990		
SIC Description:	All Other Professional Scientific and Technical Services		

---

214 | ***3 of 5*** | ***SW/186.8*** | ***101.9 / -0.95*** | ***The College of Physicians and Surgeons of Ontario 80 College Street Toronto ON M5G 2E2*** | ***GEN***

Generator No.:	ON6074818	***PO Box No.:***	
Status:		***Country:***	Canada
Approval Years:	2016	***Choice of Contact:***	CO_OFFICIAL
Contam. Facility:	No	***Co Admin:***	Krista Waaler
MHSW Facility:	No	***Phone No. Admin:***	4169672600 Ext.384
SIC Code:	561110		
SIC Description:	OFFICE ADMINISTRATIVE SERVICES		

--Details--
Waste Code: 265
Waste Description: GRAPHIC ART WASTES

Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES

---

214 | ***4 of 5*** | ***SW/186.8*** | ***101.9 / -0.95*** | ***COLLEGE OF PHYSICIANS AND SURGEONS 80 COLLEGE STREET TORONTO ON M5G 2E2*** | ***GEN***

Generator No.:	ON1802300	***PO Box No.:***	
Status:		***Country:***	
Approval Years:	93,94,95,96,97,98,99,00,01	***Choice of Contact:***	
Contam. Facility:		***Co Admin:***	
MHSW Facility:		***Phone No. Admin:***	
SIC Code:	9999		
SIC Description:	OTHER SERVICES		

--Details--
Waste Code: 261
Waste Description: PHARMACEUTICALS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
214	5 of 5	SW/186.8	101.9 / -0.95	The College of Physicians and Surgeons of Ontario 80 College Street Toronto ON M5G 2E2	GEN

Generator No.:	ON6074818	**PO Box No.:**	
Status:	Registered	**Country:**	Canada
Approval Years:	As of Dec 2017	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:			
SIC Description:			

--Details--

Waste Code:	265 L
Waste Description:	Graphic arts wastes
Waste Code:	145 I
Waste Description:	Wastes from the use of pigments, coatings and paints

---

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
215	1 of 1	WNW/187.6	105.7 / 2.91	ON	BORE

Borehole ID:	646861	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	629985	**Northing::**	4835723
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	15.4	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	.9
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218516643	**Top Depth(m):**	0.0
Bottom Depth(m):	1.5	**Stratum Desc:**	FILL.
Stratum ID:	218516644	**Top Depth(m):**	1.5
Bottom Depth(m):	3.0	**Stratum Desc:**	TILL,SILT,SAND. BROWN,GLACIAL,DENSE, AGE GLACIAL, WATER STABLE AT 350.0 FEET.
Stratum ID:	218516645	**Top Depth(m):**	3.0
Bottom Depth(m):	4.6	**Stratum Desc:**	TILL,SILT,SAND. GREY,GLACIAL,DENSE, AGE GLACIAL.
Stratum ID:	218516646	**Top Depth(m):**	4.6
Bottom Depth(m):	8.5	**Stratum Desc:**	SILT,SAND. GREY,LACUSTRINE,VERY DENSE, AGE GLACIAL.
Stratum ID:	218516647	**Top Depth(m):**	8.5
Bottom Depth(m):	11.6	**Stratum Desc:**	TILL,SILT,SAND. GREY,GLACIAL,VERY DENSE, AGE GLACIAL.
Stratum ID:	218516648	**Top Depth(m):**	11.6
Bottom Depth(m):	15.4	**Stratum Desc:**	SAND-MEDIUM. GREY,LACUSTRINE,VERY DENSE, AGE GLACIAL. 0005002100100040001500600028009000380060 00

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

216 **1 of 1** **W/188.6** **103.9 / 1.03** **ON** **BORE**

Borehole ID:	637842	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	629975	**Northing::**	4835623
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	15.5	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	APR-1967	**Static Water Level::**	1.6
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218481936	**Top Depth(m):**	0.0
Bottom Depth(m):	0.6	**Stratum Desc:**	FILL,CLAY,SILT. BROWN.
Stratum ID:	218481937	**Top Depth(m):**	0.6
Bottom Depth(m):	2.1	**Stratum Desc:**	TILL,SILT,SAND,CLAY.BROWN,GLACIAL,STIFF, AGE GLACIAL.
Stratum ID:	218481938	**Top Depth(m):**	2.1
Bottom Depth(m):	3.7	**Stratum Desc:**	SILT,CLAY,SAND MEDIUM. BROWN,GLACIAL,HARD,LAYERED, AGE GLACIAL, WATER STABLE AT 348.2 FEET.
Stratum ID:	218481939	**Top Depth(m):**	3.7
Bottom Depth(m):	5.9	**Stratum Desc:**	SAND,GRAVEL. GREY,FLUVIO-GLACIAL,DENSE, AGE GLACIAL.
Stratum ID:	218481940	**Top Depth(m):**	5.9
Bottom Depth(m):	10.5	**Stratum Desc:**	TILL,SILT,SAND,CLAY.GREY,GLACIAL,HARD,AGE GLACIAL.
Stratum ID:	218481941	**Top Depth(m):**	10.5
Bottom Depth(m):	15.5	**Stratum Desc:**	CLAY,SILT,SAND. GREY,GLACIAL,HARD,LAYERED, AGE GLACIAL. 013 015 004

217 **1 of 1** **N/188.9** **107.4 / 4.56** **Toronto ON** **WWIS**

Well ID:	7240620	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:	Test Hole	**Date Received:**	4/27/2015
Sec. Water Use:		**Selected Flag:**	Yes
Final Well Status:	Test Hole	**Abandonment Rec:**	
Water Type:		**Contractor:**	6875
Casing Material:		**Form Version:**	7
Audit No:	Z200201	**Owner:**	
Tag:	A118630	**Street Name:**	11 WELLESLEY ST. W
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	

Clear/Cloudy:

Bore Hole Information

Bore Hole ID:	1005330488	***Elevation:***	106.16
DP2BR:		***Elevrc:***	
Spatial Status:		***Zone:***	17
Code OB:		***East83:***	630161
Code OB Desc:		***Org CS:***	UTM83
Open Hole:		***North83:***	4835855
Cluster Kind:		***UTMRC:***	4
Date Completed:	18-MAR-15	***UTMRC Desc:***	margin of error : 30 m - 100 m
Remarks:		***Location Method:***	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	1005543270
Layer:	2
Color:	2
General Color:	GREY
Mat1:	28
Most Common Material:	SAND
Mat2:	
Other Materials:	
Mat3:	84
Other Materials:	SILTY
Formation Top Depth:	4
Formation End Depth:	10
Formation End Depth UOM:	ft

Formation ID:	1005543269
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	01
Most Common Material:	FILL
Mat2:	28
Other Materials:	SAND
Mat3:	06
Other Materials:	SILT
Formation Top Depth:	0
Formation End Depth:	4
Formation End Depth UOM:	ft

Annular Space/Abandonment Sealing Record

Plug ID:	1005543280
Layer:	1
Plug From:	0
Plug To:	1
Plug Depth UOM:	ft

Plug ID:	1005543281
Layer:	2
Plug From:	1

Plug To:	10
Plug Depth UOM:	ft

Method of Construction & Well Use

Method Construction ID:	1005543276
Method Construction Code:	B
Method Construction:	Other Method
Other Method Construction:	SONIC

Pipe Information

Pipe ID:	1005543268
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	1005543273
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0
Depth To:	8.5
Casing Diameter:	2
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Construction Record - Screen

Screen ID:	1005543274
Layer:	1
Slot:	20
Screen Top Depth:	8.5
Screen End Depth:	10
Screen Material:	5
Screen Depth UOM:	ft
Screen Diameter UOM:	inch
Screen Diameter:	2

Water Details

Water ID:	1005543272
Layer:	1
Kind Code:	1
Kind:	FRESH
Water Found Depth:	7.98
Water Found Depth UOM:	ft

Hole Diameter

Hole ID:	1005543271
Diameter:	4
Depth From:	0
Depth To:	10
Hole Depth UOM:	ft
Hole Diameter UOM:	inch

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
218	1 of 1	WSW/188.9	102.7 / -0.15	Toronto ON	WWIS

Well ID:	7130066	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:	Monitoring	**Date Received:**	9/22/2009
Sec. Water Use:		**Selected Flag:**	Yes
Final Well Status:	Observation Wells	**Abandonment Rec:**	
Water Type:		**Contractor:**	7241
Casing Material:		**Form Version:**	7
Audit No:	Z098135	**Owner:**	
Tag:	A080446	**Street Name:**	76 GRENVILLE ST.
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1002723550	**Elevation:**	103.96
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:		**East83:**	630004
Code OB Desc:		**Org CS:**	UTM83
Open Hole:		**North83:**	4835531
Cluster Kind:		**UTMRC:**	4
Date Completed:	10-AUG-09	**UTMRC Desc:**	margin of error : 30 m - 100 m
Remarks:		**Location Method:**	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	1002856818
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	06
Other Materials:	SILT
Mat3:	66
Other Materials:	DENSE
Formation Top Depth:	0
Formation End Depth:	16
Formation End Depth UOM:	ft

Formation ID:	1002856819
Layer:	2
Color:	2
General Color:	GREY
Mat1:	28

Most Common Material:	SAND
Mat2:	06
Other Materials:	SILT
Mat3:	66
Other Materials:	DENSE
Formation Top Depth:	16
Formation End Depth:	24
Formation End Depth UOM:	ft

Formation ID:	1002856820
Layer:	3
Color:	2
General Color:	GREY
Mat1:	28
Most Common Material:	SAND
Mat2:	06
Other Materials:	SILT
Mat3:	91
Other Materials:	WATER-BEARING
Formation Top Depth:	24
Formation End Depth:	30
Formation End Depth UOM:	ft

Annular Space/Abandonment Sealing Record

Plug ID:	1002856822
Layer:	1
Plug From:	0
Plug To:	1
Plug Depth UOM:	ft

Plug ID:	1002856824
Layer:	3
Plug From:	19
Plug To:	30
Plug Depth UOM:	ft

Plug ID:	1002856823
Layer:	2
Plug From:	1
Plug To:	19
Plug Depth UOM:	ft

Method of Construction & Well Use

Method Construction ID:	1002856829
Method Construction Code:	2
Method Construction:	Rotary (Convent.)
Other Method Construction:	

Pipe Information

Pipe ID:	1002856817
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	1002856826

Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0
Depth To:	20
Casing Diameter:	1.5
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Construction Record - Screen

Screen ID:	1002856827
Layer:	1
Slot:	10
Screen Top Depth:	20
Screen End Depth:	30
Screen Material:	5
Screen Depth UOM:	ft
Screen Diameter UOM:	inch
Screen Diameter:	1.8

Water Details

Water ID:	1002856825
Layer:	
Kind Code:	
Kind:	
Water Found Depth:	
Water Found Depth UOM:	ft

Hole Diameter

Hole ID:	1002856821
Diameter:	4.25
Depth From:	0
Depth To:	30
Hole Depth UOM:	ft
Hole Diameter UOM:	inch

---

219 **1 of 1** **W/189.6** **103.9 / 1.08** **ON** **BORE**

Borehole ID:	648454	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Jetting	**UTM Zone::**	17
Easting::	629975	**Northing::**	4835618
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	15.5	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	1.6
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218523021	**Top Depth(m):**	2.4
Bottom Depth(m):	3.7	**Stratum Desc:**	TILL,SILT,SAND,CLAY.BROWN,GLACIAL,VERY DENSE, AGE GLACIAL, WATER STABLE AT 348.5 FEET.
Stratum ID:	218523022	**Top Depth(m):**	3.7
Bottom Depth(m):	10.1	**Stratum Desc:**	TILL,SILT,SAND,CLAY.GREY,GLACIAL,VERY

DENSE, LAYERED,AGE GLACIAL.

Stratum ID:	218523023	**Top Depth(m):**	10.1
Bottom Depth(m):	15.5	**Stratum Desc:**	SAND,SILT,CLAY, GRAVEL. GREY,GLACIAL,DENSE,LAYERED, AGE GLACIAL. 0000000700080060001200720033005 0
Stratum ID:	218523020	**Top Depth(m):**	0.0
Bottom Depth(m):	2.4	**Stratum Desc:**	FILL,STONES,WOOD, SAND.

220 | **1 of 1** | **ESE/190.0** | **99.8 / -3.04** | **1-5 Carlton St, 435-439 Yonge St Toronto ON** | **EHS**

Order ID:	88649	**Date Received:**	11/21/2006
Order No:	20061121025	**Lot/Building Size:**	
Customer ID:	43027	**Municipality:**	
Company ID:	77	**Client Prov/State:**	ON
Status:	C	**Search Radius (km):**	0.25
Report Code:	4CAN	**Large Radius:**	2
Report Type:	Custom Report	**X:**	-79.382646
Report Date:	11/25/2006	**Y:**	43.661051
Report Requested by:	Pinchin Environmental Ltd.		
Nearest Intersection:	corner bldg		
Previous Site Name:			
Additional Info Ordered:	Fire Insur. Maps And /or Site Plans		

221 | **1 of 1** | **N/190.6** | **106.8 / 3.97** | **RICHARDSON'S TARTAN SHOP 546 YONGE ST TORONTO ON M4Y 1Y8** | **SCT**

Established:	1938
Plant Size (ft²):	0
Employment:	5

--Details--

Description:	MEN'S & BOYS' SHIRTS, EXCEPT WORK SHIRTS
SIC/NAICS Code:	2321
Description:	MEN'S & BOYS' CLOTHING, N.E.C.
SIC/NAICS Code:	2329
Description:	WOMEN'S, MISSES', & JUNIORS' BLOUSES, & SHIRTS
SIC/NAICS Code:	2331
Description:	GIRLS', CHILDREN'S, & INFANTS' DRESSES & BLOUSES
SIC/NAICS Code:	2361
Description:	MEN'S & BOYS' CLOTHING & FURNISHINGS
SIC/NAICS Code:	5136

222 | **1 of 1** | **ESE/190.8** | **99.8 / -3.00** | **Imagine Inc. 7 Carlton St Suite 307 Toronto ON M5B 2M3** | **SCT**

Established:	01-JUN-95
Plant Size (ft²):	1800
Employment:	

--Details--

Description: Manufacturing and Reproducing Magnetic and Optical Media
SIC/NAICS Code: 334610

Description: Computer, Computer Peripheral and Pre-Packaged Software Wholesaler-Distributors
SIC/NAICS Code: 417310

Description: Computer, Computer Peripheral and Pre-Packaged Software Wholesaler-Distributors
SIC/NAICS Code: 417310

---

223 | **1 of 31** | **ESE/191.2** | **100.1 / -2.71** | **TORONTO HYDRO-ELECTRIC SYSTEM LIMITED**
14 CARLTON ST
TORONTO ON M5B 1K5 | **EASR**

Approval No: R-003-7621503536
Status: REGISTERED
Date: 2012-03-01
Record Type: EASR
Link Source: MOFA
Full Address:
Project Type: Heating System
Approval Type: EASR-Heating System
Full PDF Link: http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=785

SWP Area Name: Toronto
MOE District: Toronto
City: TORONTO
Latitude: 43.66141
Longitude: -79.3823599999999

---

223 | **2 of 31** | **ESE/191.2** | **100.1 / -2.71** | **Toronto Hydro-Electric System Limited**
14 Carlton St
Toronto ON M1B 2K4 | **ECA**

Approval No: 9897-8RYLPP
Approval Date: 2012-03-14
Status: Approved
Record Type: ECA
Link Source: IDS
Approval Type: ECA-AIR
Project Type: AIR
Address: 14 Carlton St
Full Address:
Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/0857-8MTSCW-14.pdf

SWP Area Name: Toronto
MOE District: Toronto
City: Toronto
Longitude: -79.3823599999999
Latitude: 43.66141

---

223 | **3 of 31** | **ESE/191.2** | **100.1 / -2.71** | **Toronto Hydro-Electric System Limited**
14 Carlton St
Toronto ON M5B 1K5 | **ECA**

Approval No: 9897-8RYLPP
Approval Date: 3/14/2012
Status: Approved
Record Type:
Link Source:
Approval Type:
Project Type: Air/Noise
Address:
Full Address:
Full PDF Link:

SWP Area Name:
MOE District:
City: Toronto
Longitude:
Latitude:

---

223 | **4 of 31** | **ESE/191.2** | **100.1 / -2.71** | **TORONTO HYDRO**
VAULTS, MANHOLES & SPILL SITES CITY OF
TORONTO, C/O 14 CARLTON STREET
TORONTO ON M5B 1K5 | **GEN**

Generator No.:	ON0173231	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	86,87,88,89,90	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	4911		
SIC Description:	ELECT. POWER SYS.		

--Details--

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

---

223 **5 of 31** **ESE/191.2** **100.1 / -2.71** **TORONTO HYDRO 37-167 VAULTS, MANHOLES & SPILL SITES CITY OF TORONTO, C/O 14 CARLTON STREET TORONTO ON M5B 1K5** **GEN**

Generator No.:	ON0173231	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	94	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	4911		
SIC Description:	ELECT. POWER SYS.		

--Details--

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 243
Waste Description: PCB'S

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

---

223 **6 of 31** **ESE/191.2** **100.1 / -2.71** **TORONTO HYDRO-ELECTRIC SYSTEM LTD. 14 CARLTON STREET TORONTO ON M5B 1K5** **GEN**

Generator No.:	ON0173200	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2015	**Choice of Contact:**	CO_OFFICIAL
Contam. Facility:	No	**Co Admin:**	Aaron Wilhelm
MHSW Facility:	No	**Phone No. Admin:**	4165423100 Ext.59769
SIC Code:	221122		
SIC Description:	ELECTRIC POWER DISTRIBUTION		

--Details--

Waste Code: 121
Waste Description: ALKALINE WASTES - HEAVY METALS

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 122
Waste Description: ALKALINE WASTES - OTHER METALS

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 262
Waste Description: DETERGENTS/SOAPS

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 331
Waste Description: WASTE COMPRESSED GASES

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 221
Waste Description: LIGHT FUELS

Waste Code: 213
Waste Description: PETROLEUM DISTILLATES

223	7 of 31	ESE/191.2	100.1 / -2.71	TORONTO HYDRO-ELECTRIC SYSTEM LTD. 14 CARLTON STREET TORONTO ON M5B 1K5	GEN

Generator No.: ON0173200
Status:
Approval Years: 2011
Contam. Facility:
MHSW Facility:
SIC Code: 221122
SIC Description: Electric Power Distribution

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 121
Waste Description: ALKALINE WASTES - HEAVY METALS

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES

Waste Code: 213
Waste Description: PETROLEUM DISTILLATES

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

---

223 | **8 of 31** | **ESE/191.2** | **100.1 / -2.71** | **TORONTO HYDRO-ELECTRIC COMMISSION 37-846**
14 CARLTON STREET
TORONTO ON M5B 1K5 | **GEN**

Generator No.: ON0173200
Status:
Approval Years: 92,93,94,95,96
Contam. Facility:
MHSW Facility:
SIC Code: 4911
SIC Description: ELECT. POWER SYS.

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 121
Waste Description: ALKALINE WASTES - HEAVY METALS

Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Waste Code: 213
Waste Description: PETROLEUM DISTILLATES

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

223 | **9 of 31** | **ESE/191.2** | **100.1 / -2.71** | **TORONTO HYDRO 37-167**
VAULTS, MANHOLES & SPILL SITES
TORONTO ON M5B 1K5 | **GEN**

Generator No.: ON0173231
Status:
Approval Years: 95,96
Contam. Facility:
MHSW Facility:
SIC Code: 4911
SIC Description: ELECT. POWER SYS.

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 243
Waste Description: PCB'S

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

223	10 of 31	ESE/191.2	100.1 / -2.71	TORONTO HYDRO-ELECTRIC SYSTEM LTD. 14 CARLTON STREET TORONTO ON M5B 1K5	GEN

Generator No.: ON0173200
Status:
Approval Years: 2014
Contam. Facility: No
MHSW Facility: No
SIC Code: 221122
SIC Description: ELECTRIC POWER DISTRIBUTION

PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin: Aaron Wilhelm
Phone No. Admin: 4165423100 Ext.59769

--Details--

Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES

Waste Code: 331
Waste Description: WASTE COMPRESSED GASES

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 122
Waste Description: ALKALINE WASTES - OTHER METALS

Waste Code: 121
Waste Description: ALKALINE WASTES - HEAVY METALS

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 221
Waste Description: LIGHT FUELS

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 213
Waste Description: PETROLEUM DISTILLATES

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

223	11 of 31	ESE/191.2	100.1 / -2.71	TORONTO HYDRO-ELECTRIC SYSTEM LTD. 14 CARLTON STREET TORONTO ON M5B 1K5	GEN

Generator No.:	ON0173200	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2016	**Choice of Contact:**	CO_OFFICIAL
Contam. Facility:	No	**Co Admin:**	Aaron Wilhelm
MHSW Facility:	No	**Phone No. Admin:**	4165423100 Ext.59769
SIC Code:	221122		
SIC Description:	ELECTRIC POWER DISTRIBUTION		

--Details--

Waste Code:	121
Waste Description:	ALKALINE WASTES - HEAVY METALS
Waste Code:	312
Waste Description:	PATHOLOGICAL WASTES
Waste Code:	146
Waste Description:	OTHER SPECIFIED INORGANICS
Waste Code:	213
Waste Description:	PETROLEUM DISTILLATES
Waste Code:	145
Waste Description:	PAINT/PIGMENT/COATING RESIDUES
Waste Code:	331
Waste Description:	WASTE COMPRESSED GASES
Waste Code:	221
Waste Description:	LIGHT FUELS
Waste Code:	263
Waste Description:	ORGANIC LABORATORY CHEMICALS
Waste Code:	148
Waste Description:	INORGANIC LABORATORY CHEMICALS
Waste Code:	122
Waste Description:	ALKALINE WASTES - OTHER METALS
Waste Code:	262
Waste Description:	DETERGENTS/SOAPS
Waste Code:	212
Waste Description:	ALIPHATIC SOLVENTS
Waste Code:	251
Waste Description:	OIL SKIMMINGS & SLUDGES
Waste Code:	252
Waste Description:	WASTE OILS & LUBRICANTS

223	*12 of 31*	*ESE/191.2*	*100.1 / -2.71*	***TORONTO HYDRO-ELECTRIC SYSTEM LTD.*** ***VAULTS, MANHOLES & SPILL SITES*** ***TORONTO ON M4M 3N7***	***GEN***

Generator No.:	ON0173231	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	02,03,04,05,06,07,08	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:			
SIC Description:			

--Details--
Waste Code: 150
Waste Description: INERT INORGANIC WASTES

Waste Code: 221
Waste Description: LIGHT FUELS

Waste Code: 253
Waste Description: EMULSIFIED OILS

Waste Code: 213
Waste Description: PETROLEUM DISTILLATES

Waste Code: 243
Waste Description: PCB'S

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

---

223 ***13 of 31*** ***ESE/191.2*** ***100.1 / -2.71***

TORONTO HYDRO
C/O 14 CARLTON STREET VAULT MAITLAND & JARVIS LOCATION #4539
TORONTO ON M5B 1K5

GEN

Generator No.: ON0173230
Status:
Approval Years: 86,87,88,89,90
Contam. Facility:
MHSW Facility:
SIC Code: 4911
SIC Description: ELECT. POWER SYS.

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

---

223 ***14 of 31*** ***ESE/191.2*** ***100.1 / -2.71***

TORONTO HYDRO-ELECTRIC SYSTEM LTD.
14 CARLTON STREET
TORONTO ON M5B 1K5

GEN

Generator No.: ON0173200
Status:
Approval Years: 2009
Contam. Facility:
MHSW Facility:
SIC Code: 221122
SIC Description: Electric Power Distribution

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 121
Waste Description: ALKALINE WASTES - HEAVY METALS

Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 213
Waste Description: PETROLEUM DISTILLATES

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

223	15 of 31	ESE/191.2	100.1 / -2.71	TORONTO HYDRO VAULTS, MANHOLES & SPILL SITES TORONTO ON M5B 1K5	GEN

Generator No.: ON0173231
Status:
Approval Years: 92,93,97,98,99,00,01
Contam. Facility:
MHSW Facility:
SIC Code: 4911
SIC Description: ELECT. POWER SYS.

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 243
Waste Description: PCB'S

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

223	16 of 31	ESE/191.2	100.1 / -2.71	TORONTO HYDRO COMMISSION 14 CARLTON ST. TORONTO ON M5B 1K5	GEN

Generator No.: ON0173200
Status:
Approval Years: 86,87,88,89,90
Contam. Facility:
MHSW Facility:
SIC Code: 0000
SIC Description: *** NOT DEFINED ***

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

223	17 of 31	ESE/191.2	100.1 / -2.71	TORONTO HYDRO-ELECTRIC SYSTEM LTD.	GEN

14 CARLTON STREET
TORONTO ON M5B 1K5

Generator No.:	ON0173200	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	2010	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	221122		
SIC Description:	Electric Power Distribution		

--Details--

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Waste Code: 121
Waste Description: ALKALINE WASTES - HEAVY METALS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 213
Waste Description: PETROLEUM DISTILLATES

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

223	18 of 31	ESE/191.2	100.1 / -2.71	**TORONTO HYDRO-ELECTRIC SYSTEM LTD.** **14 CARLTON STREET** **TORONTO ON M5B 1K5**	GEN

Generator No.:	ON0173200	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	2012	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	221122		
SIC Description:	Electric Power Distribution		

--Details--

Waste Code: 213
Waste Description: PETROLEUM DISTILLATES

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 121
Waste Description: ALKALINE WASTES - HEAVY METALS

Waste Code: 312

Waste Description: PATHOLOGICAL WASTES

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

---

223 | **19 of 31** | **ESE/191.2** | **100.1 / -2.71** | **TORONTO HYDRO-ELECTRIC SYSTEM LTD.**
14 CARLTON STREET
TORONTO ON M5B 1K5 | **GEN**

Generator No.: ON0173200
Status:
Approval Years: 02,03,04,05,06,07,08
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 243
Waste Description: PCB'S

Waste Code: 121
Waste Description: ALKALINE WASTES - HEAVY METALS

Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Waste Code: 213
Waste Description: PETROLEUM DISTILLATES

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

223 | **20 of 31** | **ESE/191.2** | **100.1 / -2.71** | **TORONTO HYDRO-ELECTRIC SYSTEM LTD.**
14 CARLTON STREET
TORONTO ON | **GEN**

Generator No.: ON0173200
Status:
Approval Years: 2013

PO Box No.:
Country:
Choice of Contact:

Contam. Facility:
MHSW Facility:
SIC Code: 221122
SIC Description: ELECTRIC POWER DISTRIBUTION

Co Admin:
Phone No. Admin:

--Details--

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Waste Code: 122
Waste Description: ALKALINE WASTES - OTHER METALS

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 213
Waste Description: PETROLEUM DISTILLATES

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 121
Waste Description: ALKALINE WASTES - HEAVY METALS

Waste Code: 331
Waste Description: WASTE COMPRESSED GASES

223	21 of 31	ESE/191.2	100.1 / -2.71	TORONTO HYDRO 14 CARLTON STREET TORONTO ON M5B 1K5	GEN

Generator No.: ON0173200
Status:
Approval Years: 98,99,00,01
Contam. Facility:
MHSW Facility:
SIC Code: 4911
SIC Description: ELECT. POWER SYS.

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--

Waste Code: 121
Waste Description: ALKALINE WASTES - HEAVY METALS

Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Waste Code: 213

Waste Description: PETROLEUM DISTILLATES

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

223 | **22 of 31** | **ESE/191.2** | **100.1 / -2.71** | **TORONTO HYDRO-ELECTRIC COMMISSION**
14 CARLTON STREET
TORONTO ON M5B 1K5 | **GEN**

Generator No.: ON0173200
Status:
Approval Years: 97
Contam. Facility:
MHSW Facility:
SIC Code: 4911
SIC Description: ELECT. POWER SYS.

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 121
Waste Description: ALKALINE WASTES - HEAVY METALS

Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Waste Code: 213
Waste Description: PETROLEUM DISTILLATES

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

223 | **23 of 31** | **ESE/191.2** | **100.1 / -2.71** | **TORONTO HYDRO-ELECTRIC SYSTEM LTD.**
14 CARLTON STREET
TORONTO ON M5B 1K5 | **GEN**

Generator No.: ON0173200
Status: Registered
Approval Years: As of Dec 2017
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No.:
Country: Canada
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 221 I
Waste Description: Light fuels

Waste Code: 251 L
Waste Description: Waste oils/sludges (petroleum based)

Waste Code: 331 I
Waste Description: Waste compressed gases including cylinders

Waste Code: 213 I
Waste Description: Petroleum distillates

Waste Code: 312 P
Waste Description: Pathological wastes

Waste Code: 145 I
Waste Description: Wastes from the use of pigments, coatings and paints

Waste Code: 263 I
Waste Description: Misc. waste organic chemicals

Waste Code: 122 C
Waste Description: Alkaline slutions - containing other metals and non-metals (not cyanide)

Waste Code: 252 L
Waste Description: Waste crankcase oils and lubricants

Waste Code: 212 L
Waste Description: Aliphatic solvents and residues

223	24 of 31	ESE/191.2	100.1 / -2.71	14 CARLTON STREET TORONTO ON M5B 1K5	HINC

External File Num: FS INC 0812-07756
Date of Occurrence: 12/11/2008
Fuel Occurrence Type: Vapour Release
Fuel Type Involved: Natural Gas
Status Desc:: Completed - Causal Analysis(End)
Job Type Desc:: Incident/Near-Miss Occurrence (FS)
Oper. Type Involved:: Commercial (e.g. restaurant, business unit, etc)
Service Interruptions:: No
Property Damage:: No
Fuel Life Cycle Stage:: Utilization
Root Cause:: Root Cause: Equipment/Material/Component:Yes Procedures:No Maintenance:No Design:No Training:No Management:No Human Factors:No
Reported Details:: Toornto Hydro
Fuel Category:: Gaseous Fuel
Occurrence Type:: Incident
Affiliation:: Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.)
County Name:: Toronto
Approx. Quant. Rel::
Nearby body of water::
Enter Drainage Syst.::
Approx. Quant. Unit::
Environmental Impact::

223	25 of 31	ESE/191.2	100.1 / -2.71	TORONTO HYDRO ELECTRIC SYSTEM 14 CARLETON STREET TORONTO ON M5B 1K5	NPCB

Company Code: O0072
Industry: Utility
Site Status:
Transaction Date: 8/31/1993
Inspection Date: 10/12/1991

223	26 of 31	ESE/191.2	100.1 / -2.71	TORONTO HYDRO ELECTRIC SYSTEM 14 CARLTON STREET TORONTO ON M5B 1K5	NPCB

Company Code: O0072
Industry: Utility
Site Status:
Transaction Date: 10/31/1990
Inspection Date:

--Details--
Label:
Serial No.:
PCB Type/Code: Askarel
Location:
Item/State:
No. of Items:
Manufacturer:
Status: In-Use
Contents: 1483.00 L

Label:
Serial No.:
PCB Type/Code: Askarel
Location:
Item/State:
No. of Items:
Manufacturer:
Status: In-Use
Contents: 1506.00 L

Label:
Serial No.:
PCB Type/Code: Askarel
Location:
Item/State:
No. of Items:
Manufacturer:
Status: In-Use
Contents: 1643.00 L

Label:
Serial No.:
PCB Type/Code: Askarel
Location:
Item/State:
No. of Items:
Manufacturer:
Status: In-Use
Contents: 1665.00 L

Label:
Serial No.:
PCB Type/Code: Askarel
Location:
Item/State:
No. of Items:
Manufacturer:
Status: In-Use
Contents: 1684.00 L

Label:
Serial No.:
PCB Type/Code: Askarel
Location:
Item/State:
No. of Items:
Manufacturer:
Status: In-Use
Contents: 1688.00 L

Label:
Serial No.:
PCB Type/Code: Askarel

Location:	
Item/State:	
No. of Items:	
Manufacturer:	
Status:	In-Use
Contents:	2007.00 L

223	27 of 31	ESE/191.2	100.1 / -2.71	THESL 14 CARLTON STREET NOT AVAILABLE TORONTO ON M5B1K5	NPRI

NPRI ID:	99999	**Org ID:**	69517
Other ID:		**Submit Date:**	5/30/2014
No Other ID:		**Last Modified:**	7/24/2015 11:40:22 AM
Track ID:	119954	**Contact ID:**	
Report ID:	40131	**Cont Type:**	
Report Type:	DNMC	**Contact Title:**	
Rpt Type ID:	2	**Cont First Name:**	
Report Year:	2013	**Cont Last Name:**	
Not-Current Rpt?:	Yes	**Contact Position:**	
Yr of Last Filed Rpt:		**Contact Fax:**	
Fac ID:	209607	**Contact Ph.:**	
Fac Name:	14 CARLTON	**Cont Area Code:**	
Fac Address1:	14 CARLTON STREET	**Contact Tel.:**	
Fac Address2:	NOT AVAILABLE	**Contact Ext.:**	
Fac Postal Zip:	M5B1K5	**Cont Fax Area Cde:**	
Facility Lat:	43.6616	**Contact Fax:**	
Facility Long:	-79.3822	**Contact Email:**	
DLS (Last Filed Rpt):		**Latitude:**	
Facility DLS:		**Longitude:**	
Datum:		**UTM Zone:**	
Facility Cmnts:		**UTM Northing:**	
URL:		**UTM Easting:**	
No of Empl.:		**Waste Streams:**	
Parent Co.:		**No Streams:**	
No Parent Co.:		**Waste Off Sites:**	
Pollut Prev Cmnts:		**No Off Sites:**	
Stacks:		**Shutdown:**	
No of Stacks:		**No of Shutdown:**	
Canadian SIC Code (2 digit):			
Canadian SIC Code:			
SIC Code Description:			
American SIC Code:			
NAICS Code (2 digit):	22		
NAICS 2 Description:	Utilities		
NAICS Code (4 digit):	2211		
NAICS 4 Description:	Electric power generation, transmission and distribution		
NAICS Code (6 digit):	221122		
NAICS 6 Description:	Electric power distribution		

223	28 of 31	ESE/191.2	100.1 / -2.71	TORONTO HYDRO 14 CARLTON STREET TORONTO ON M5B 1K5	REC

Rec Op Div:	
Co Admin:	
Phone No Admin:	
Rec Div:	
Rec Op Name:	
Choice of Contact:	
Site Bldg:	
Site PO Box:	
Receiver #::	RRPCB0700

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Facility Type: TRANSFER STATION
Approval Yrs:: 89,90,92,94,95,96,97,98,99,00

--Details--
Waste Code: 243
Waste Description: PCB'S

---

223 | **29 of 31** | **ESE/191.2** | **100.1 / -2.71** | **TORONTO HYDRO**
14 CARLTON STREET
TORONTO ON M5B 1K5 | **REC**

Rec Op Div:
Co Admin:
Phone No Admin:
Rec Div:
Rec Op Name:
Choice of Contact:
Site Bldg:
Site PO Box:
Receiver #:: RRPCB0700
Facility Type: PCB STORAGE SITE
Approval Yrs:: 01,02,06,07,08

--Details--
Waste Code: 243
Waste Description: PCB'S

---

223 | **30 of 31** | **ESE/191.2** | **100.1 / -2.71** | **Toronto Hydro Energy Services Inc.**
14 Carlton Street
Toronto ON M5B 1K5 | **SPL**

Ref No: 8711-7PJPZF
Site No:
Incident Dt:
Year:
Incident Cause: Discharge or Emission to Air
Incident Event:
Contaminant Code:
Contaminant Name: HALON (CFC)
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Contaminant Qty: 181 kg
Environment Impact: Confirmed
Nature of Impact: Air Pollution
Receiving Medium:
Receiving Env:
Health/Env Conseq:
MOE Response: No Field Response
Dt MOE Arvl on Scn:
MOE Reported Dt: 2/23/2009
Dt Document Closed:
SAC Action Class: Air Spills - Gases and Vapours
Incident Reason: Error- Operator error
Incident Summary: Toronto Hydro - 181 kg Halon to atm

Discharger Report:
Material Group:
Client Type:
Sector Type: Other
Source Type:
Nearest Watercourse:
Site Name: 14 Carlton Street<UNOFFICIAL>
Site Address:
Site District Office:
Site County/District:
Site Postal Code:
Site Region:
Site Municipality: Toronto
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Geo Ref Meth:
Site Map Datum:

---

223 | **31 of 31** | **ESE/191.2** | **100.1 / -2.71** | **Toronto Hydro Energy Services Inc.**
14 Carlton St.
Toronto ON M5B 1K5 | **SPL**

Ref No:	2627-7M8L8J	**Discharger Report:**	
Site No:		**Material Group:**	
Incident Dt:		**Client Type:**	
Year:		**Sector Type:**	Other
Incident Cause:	Discharge or Emission to Air	**Source Type:**	
Incident Event:		**Nearest Watercourse:**	
Contaminant Code:	35	**Site Name:**	Toronto Hydro<UNOFFICIAL>
Contaminant Name:	NATURAL GAS (METHANE)	**Site Address:**	
Contaminant Limit 1:		**Site District Office:**	Toronto - District
Contam Limit Freq 1:		**Site County/District:**	
Contaminant UN No 1:		**Site Postal Code:**	
Contaminant Qty:	0 min (duration)	**Site Region:**	
Environment Impact:	Confirmed	**Site Municipality:**	Toronto
Nature of Impact:	Air Pollution; Human Health/Safety	**Site Lot:**	
Receiving Medium:		**Site Conc:**	
Receiving Env:		**Northing:**	
Health/Env Conseq:		**Easting:**	
MOE Response:	No Field Response	**Site Geo Ref Accu:**	
Dt MOE Arvl on Scn:		**Site Geo Ref Meth:**	
MOE Reported Dt:	12/11/2008	**Site Map Datum:**	
Dt Document Closed:			

SAC Action Class: TSSA - Fuel Safety Branch
Incident Reason: Equipment Failure - Malfunction of system components
Incident Summary: Toronto Hydro: boiler/natural gas leaks. Toronto

---

224 **1 of 1** **WNW/191.3** **105.8 / 2.97** **ON** **BORE**

Borehole ID:	646858	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	629995	**Northing::**	4835753
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	15.5	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	.4
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218516627	**Top Depth(m):**	0.0
Bottom Depth(m):	2.4	**Stratum Desc:**	FILL,SAND,SILT.
Stratum ID:	218516628	**Top Depth(m):**	2.4
Bottom Depth(m):	4.0	**Stratum Desc:**	SAND,SILT. BROWN,LACUSTRINE,LOOSE, AGE GLACIAL, WATER STABLE AT 350.5 FEET.
Stratum ID:	218516629	**Top Depth(m):**	4.0
Bottom Depth(m):	8.7	**Stratum Desc:**	SILT,SAND,CLAY. GREY,LACUSTRINE,VERY DENSE, LAYERED,AGE GLACIAL.
Stratum ID:	218516630	**Top Depth(m):**	8.7
Bottom Depth(m):	14.9	**Stratum Desc:**	TILL,SILT,SAND. GREY,GLACIAL,VERY DENSE, AGE GLACIAL.
Stratum ID:	218516631	**Top Depth(m):**	14.9
Bottom Depth(m):	15.5	**Stratum Desc:**	TILL,SILT,CLAY. GREY,GLACIAL,VERY DENSE, AGE GLACIAL. 0000000200080013001300510028507200012

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

225 *1 of 1* *NW/192.0* *106.8 / 4.01* *ON* **BORE**

Borehole ID:	648096	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	630025	**Northing::**	4835793
Location Accuracy::		**Orig. Ground Elev m::**	106
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	-999	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	.7
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218521530	**Top Depth(m):**	0.0
Bottom Depth(m):	2.1	**Stratum Desc:**	SAND-MEDIUM. BROWN.
Stratum ID:	218521531	**Top Depth(m):**	2.1
Bottom Depth(m):	7.0	**Stratum Desc:**	SILT,SAND. GREY,LACUSTRINE,DENSE,LAYERED,AGE GLACIAL, WATER STABLE AT 345.8 FEET.
Stratum ID:	218521532	**Top Depth(m):**	7.0
Bottom Depth(m):	12.8	**Stratum Desc:**	TILL,SILT,SAND. GREY,GLACIAL,VERY DENSE, AGE GLACIAL.
Stratum ID:	218521533	**Top Depth(m):**	12.8
Bottom Depth(m):		**Stratum Desc:**	TILL,CLAY,SILT. GREY,GLACIAL,HARD,AGE GLACIAL.0000002600070023002300600042005100011 AG

226 *1 of 1* *N/192.0* *107.4 / 4.56* *Toronto ON* **WWIS**

Well ID:	7240623	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:	Test Hole	**Date Received:**	4/27/2015
Sec. Water Use:		**Selected Flag:**	Yes
Final Well Status:	Test Hole	**Abandonment Rec:**	
Water Type:		**Contractor:**	6875
Casing Material:		**Form Version:**	7
Audit No:	Z200202	**Owner:**	
Tag:	A118587	**Street Name:**	11 WELLESLEY STREET WEST
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1005330497	**Elevation:**	106.21
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17

Code OB:		***East83:***	630160
Code OB Desc:		***Org CS:***	UTM83
Open Hole:		***North83:***	4835858
Cluster Kind:		***UTMRC:***	4
Date Completed:	18-MAR-15	***UTMRC Desc:***	margin of error : 30 m - 100 m
Remarks:		***Location Method:***	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	1005549080
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	06
Other Materials:	SILT
Mat3:	35
Other Materials:	WOOD FRAGMENTS
Formation Top Depth:	0
Formation End Depth:	4
Formation End Depth UOM:	ft

Formation ID:	1005549081
Layer:	2
Color:	2
General Color:	GREY
Mat1:	28
Most Common Material:	SAND
Mat2:	
Other Materials:	
Mat3:	84
Other Materials:	SILTY
Formation Top Depth:	4
Formation End Depth:	15
Formation End Depth UOM:	ft

Annular Space/Abandonment Sealing Record

Plug ID:	1005549089
Layer:	2
Plug From:	13.5
Plug To:	15
Plug Depth UOM:	ft

Plug ID:	1005549088
Layer:	1
Plug From:	0
Plug To:	13.5
Plug Depth UOM:	ft

Method of Construction & Well Use

Method Construction ID:	1005549087

Method Construction Code:	B
Method Construction:	Other Method
Other Method Construction:	SONIC

Pipe Information

Pipe ID:	1005549079
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	1005549084
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0
Depth To:	13.5
Casing Diameter:	2
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Construction Record - Screen

Screen ID:	1005549085
Layer:	1
Slot:	20
Screen Top Depth:	13.5
Screen End Depth:	15
Screen Material:	5
Screen Depth UOM:	ft
Screen Diameter UOM:	inch
Screen Diameter:	2

Water Details

Water ID:	1005549083
Layer:	1
Kind Code:	1
Kind:	FRESH
Water Found Depth:	8.3
Water Found Depth UOM:	ft

Hole Diameter

Hole ID:	1005549082
Diameter:	4
Depth From:	0
Depth To:	15
Hole Depth UOM:	ft
Hole Diameter UOM:	inch

227	***1 of 1***	***W/193.1***	***103.8 / 0.93***	***TORONTO ON***	***WWIS***

Well ID:	7210949	***Data Entry Status:***	
Construction Date:		***Data Src:***	
Primary Water Use:	Monitoring and Test Hole	***Date Received:***	11/12/2013
Sec. Water Use:		***Selected Flag:***	Yes
Final Well Status:	Monitoring and Test Hole	***Abandonment Rec:***	

Water Type:		**Contractor:**	7241
Casing Material:		**Form Version:**	7
Audit No:	Z176564	**Owner:**	
Tag:	A154267	**Street Name:**	80 GROSVENOR STEET
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1004628094	**Elevation:**	106.22
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:		**East83:**	629968
Code OB Desc:		**Org CS:**	UTM83
Open Hole:		**North83:**	4835638
Cluster Kind:		**UTMRC:**	4
Date Completed:	28-SEP-13	**UTMRC Desc:**	margin of error : 30 m - 100 m
Remarks:		**Location Method:**	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	1004885865
Layer:	2
Color:	2
General Color:	GREY
Mat1:	06
Most Common Material:	SILT
Mat2:	28
Other Materials:	SAND
Mat3:	91
Other Materials:	WATER-BEARING
Formation Top Depth:	20
Formation End Depth:	40
Formation End Depth UOM:	ft

Formation ID:	1004885864
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	06
Other Materials:	SILT
Mat3:	
Other Materials:	
Formation Top Depth:	0
Formation End Depth:	20
Formation End Depth UOM:	ft

Annular Space/Abandonment Sealing Record

Plug ID:	1004885875
Layer:	2
Plug From:	1
Plug To:	28
Plug Depth UOM:	ft

Plug ID:	1004885876
Layer:	3
Plug From:	28
Plug To:	40
Plug Depth UOM:	ft

Plug ID:	1004885874
Layer:	1
Plug From:	0
Plug To:	1
Plug Depth UOM:	ft

Method of Construction & Well Use

Method Construction ID:	1004885873
Method Construction Code:	2
Method Construction:	Rotary (Convent.)
Other Method Construction:	DIRECT PUSH

Pipe Information

Pipe ID:	1004885863
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	1004885869
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0
Depth To:	30
Casing Diameter:	2
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Construction Record - Screen

Screen ID:	1004885870
Layer:	1
Slot:	10
Screen Top Depth:	30
Screen End Depth:	40
Screen Material:	5
Screen Depth UOM:	ft
Screen Diameter UOM:	inch
Screen Diameter:	2.25

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Water Details

Water ID: 1004885868
Layer:
Kind Code:
Kind:
Water Found Depth:
Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1004885867
Diameter: 6
Depth From: 1
Depth To: 40
Hole Depth UOM: ft
Hole Diameter UOM: inch

Hole ID: 1004885866
Diameter: 8
Depth From: 0
Depth To: 1
Hole Depth UOM: ft
Hole Diameter UOM: inch

228	1 of 3	SW/193.5	101.8 / -1.04	**Medisys Diagnostic Imaging LP** **85 Grenville Street, #301** **Toronto ON**	GEN

Generator No.: ON8713817
Status:
Approval Years: 2009
Contam. Facility:
MHSW Facility:
SIC Code: 621510
SIC Description: Medical and Diagnostic Laboratories

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

228	2 of 3	SW/193.5	101.8 / -1.04	**Medisys Diagnostic Imaging LP** **85 Grenville Street, #301** **Toronto ON**	GEN

Generator No.: ON8713817
Status:
Approval Years: 2011
Contam. Facility:
MHSW Facility:
SIC Code: 621510
SIC Description: Medical and Diagnostic Laboratories

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

228	3 of 3	SW/193.5	101.8 / -1.04	**Medisys Diagnostic Imaging LP** **85 Grenville Street, #301**	GEN

Toronto ON

Generator No.:	ON8713817	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	2010	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	621510		
SIC Description:	Medical and Diagnostic Laboratories		

--Details--

Waste Code:	312
Waste Description:	PATHOLOGICAL WASTES

---

229 *1 of 2* *W/194.4* *104.5 / 1.66* *ON* **WWIS**

Well ID:	7292234	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:	Test Hole	**Date Received:**	8/9/2017
Sec. Water Use:		**Selected Flag:**	Yes
Final Well Status:	Test Hole	**Abandonment Rec:**	
Water Type:		**Contractor:**	7215
Casing Material:		**Form Version:**	7
Audit No:	Z230095	**Owner:**	
Tag:	A223849	**Street Name:**	60 GROSVENOR ST
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1006711660	**Elevation:**	106.37
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:		**East83:**	629966
Code OB Desc:		**Org CS:**	UTM83
Open Hole:		**North83:**	4835665
Cluster Kind:		**UTMRC:**	4
Date Completed:	19-MAY-15	**UTMRC Desc:**	margin of error : 30 m - 100 m
Remarks:		**Location Method:**	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	1006843039
Layer:	2

Color:	6
General Color:	BROWN
Mat1:	06
Most Common Material:	SILT
Mat2:	
Other Materials:	
Mat3:	66
Other Materials:	DENSE
Formation Top Depth:	9
Formation End Depth:	35
Formation End Depth UOM:	ft
Formation ID:	1006843038
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	
Other Materials:	
Mat3:	77
Other Materials:	LOOSE
Formation Top Depth:	0
Formation End Depth:	9
Formation End Depth UOM:	ft
Formation ID:	1006843040
Layer:	3
Color:	2
General Color:	GREY
Mat1:	06
Most Common Material:	SILT
Mat2:	28
Other Materials:	SAND
Mat3:	91
Other Materials:	WATER-BEARING
Formation Top Depth:	35
Formation End Depth:	56
Formation End Depth UOM:	ft

Annular Space/Abandonment Sealing Record

Plug ID:	1006843048
Layer:	2
Plug From:	1
Plug To:	43
Plug Depth UOM:	ft
Plug ID:	1006843047
Layer:	1
Plug From:	0
Plug To:	1
Plug Depth UOM:	ft
Plug ID:	1006843049
Layer:	3
Plug From:	43
Plug To:	56
Plug Depth UOM:	ft

Method of Construction & Well Use

Method Construction ID: 1006843046
Method Construction Code: 2
Method Construction: Rotary (Convent.)
Other Method Construction:

Pipe Information

Pipe ID: 1006843037
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1006843043
Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From: 0
Depth To: 46
Casing Diameter: 2
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1006843044
Layer: 1
Slot: 10
Screen Top Depth: 46
Screen End Depth: 56
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 2

Water Details

Water ID: 1006843042
Layer: 1
Kind Code: 8
Kind: Untested
Water Found Depth: 40
Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006843041
Diameter: 9
Depth From: 0
Depth To: 56
Hole Depth UOM: ft
Hole Diameter UOM: inch

229	2 of 2	W/194.4	104.5 / 1.66	TORONTO ON	WWIS

Well ID: 7210962
Construction Date:
Primary Water Use: Monitoring and Test Hole
Sec. Water Use:
Data Entry Status:
Data Src:
Date Received: 11/12/2013
Selected Flag: Yes

Final Well Status:	Monitoring and Test Hole	***Abandonment Rec:***	
Water Type:		***Contractor:***	7241
Casing Material:		***Form Version:***	7
Audit No:	Z179222	***Owner:***	
Tag:	A154061	***Street Name:***	80 GROSVENOR STREET
Construction Method:		***County:***	YORK
Elevation (m):		***Municipality:***	TORONTO CITY
Elevation Reliability:		***Site Info:***	
Depth to Bedrock:		***Lot:***	
Well Depth:		***Concession:***	
Overburden/Bedrock:		***Concession Name:***	
Pump Rate:		***Easting NAD83:***	
Static Water Level:		***Northing NAD83:***	
Flowing (Y/N):		***Zone:***	
Flow Rate:		***UTM Reliability:***	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1004628133	***Elevation:***	106.38
DP2BR:		***Elevrc:***	
Spatial Status:		***Zone:***	17
Code OB:		***East83:***	629966
Code OB Desc:		***Org CS:***	UTM83
Open Hole:		***North83:***	4835666
Cluster Kind:		***UTMRC:***	4
Date Completed:	28-SEP-13	***UTMRC Desc:***	margin of error : 30 m - 100 m
Remarks:		***Location Method:***	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	1004886208
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	01
Most Common Material:	FILL
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	
Formation Top Depth:	0
Formation End Depth:	2
Formation End Depth UOM:	ft

Formation ID:	1004886209
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	
Formation Top Depth:	2
Formation End Depth:	20

Formation End Depth UOM: ft

Formation ID: 1004886210
Layer: 3
Color: 2
General Color: GREY
Mat1: 06
Most Common Material: SILT
Mat2: 91
Other Materials: WATER-BEARING
Mat3:
Other Materials:
Formation Top Depth: 20
Formation End Depth: 40
Formation End Depth UOM: ft

Annular Space/Abandonment Sealing Record

Plug ID: 1004886220
Layer: 2
Plug From: .5
Plug To: 29
Plug Depth UOM: ft

Plug ID: 1004886221
Layer: 3
Plug From: 29
Plug To: 40
Plug Depth UOM: ft

Plug ID: 1004886219
Layer: 1
Plug From: 0
Plug To: .5
Plug Depth UOM: ft

Method of Construction & Well Use

Method Construction ID: 1004886218
Method Construction Code: 2
Method Construction: Rotary (Convent.)
Other Method Construction:

Pipe Information

Pipe ID: 1004886207
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1004886214
Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From: 0
Depth To: 30
Casing Diameter: 2
Casing Diameter UOM: inch

Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1004886215
Layer: 1
Slot: 10
Screen Top Depth: 30
Screen End Depth: 40
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 2.25

Water Details

Water ID: 1004886213
Layer:
Kind Code:
Kind:
Water Found Depth:
Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1004886212
Diameter: 6
Depth From: 1
Depth To: 40
Hole Depth UOM: ft
Hole Diameter UOM: inch

Hole ID: 1004886211
Diameter: 8
Depth From: 0
Depth To: 1
Hole Depth UOM: ft
Hole Diameter UOM: inch

---

230 | **1 of 1** | **NNE/195.7** | **106.6 / 3.74** | **roscan investments inc**
529 yonge street
toronto ON | **GEN**

Generator No.: ON4829177
Status:
Approval Years: 2009
Contam. Facility:
MHSW Facility:
SIC Code: 211114
SIC Description: Non-Conventional Oil Extraction

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

---

231 | **1 of 1** | **WNW/195.7** | **105.8 / 2.97** | **ON** | **BORE**

Borehole ID: 648443
Use: Geotechnical/Geological Investigation
Drill Method:: Jetting
Easting:: 629990
Location Accuracy::
Elev. Reliability Note::
Total Depth m:: 15.5

Type: Borehole
Status::
UTM Zone:: 17
Northing:: 4835753
Orig. Ground Elev m:: 107
DEM Ground Elev m:: 106
Primary Name::

Township::		***Concession::***	
Lot::		***Municipality:***	
Completion Date::	SEP-1963	***Static Water Level::***	1.6
Primary Water Use::	Not Used	***Sec. Water Use::***	

--Details--

Stratum ID:	218522962	***Top Depth(m):***	0.0
Bottom Depth(m):	2.4	***Stratum Desc:***	FILL,SAND,SILT, GRAVEL.
Stratum ID:	218522963	***Top Depth(m):***	2.4
Bottom Depth(m):	4.0	***Stratum Desc:***	SAND-MEDIUM,SILT. BROWN,GLACIAL,LAYERED, AGE GLACIAL, WATER STABLE AT 346.7 FEET.
Stratum ID:	218522964	***Top Depth(m):***	4.0
Bottom Depth(m):	9.0	***Stratum Desc:***	SILT,SAND,CLAY, GRAVEL. GREY,GLACIAL,DENSE,LAYERED, AGE GLACIAL.
Stratum ID:	218522965	***Top Depth(m):***	9.0
Bottom Depth(m):	14.9	***Stratum Desc:***	TILL,SILT,SAND,CLAY.GREY,GLACIAL,VERY DENSE, AGE GLACIAL.
Stratum ID:	218522966	***Top Depth(m):***	14.9
Bottom Depth(m):	15.5	***Stratum Desc:***	TILL,SILT,CLAY, GRAVEL. GREY,GLACIAL,DENSE,LAYERED, AGE GLACIAL. 0000000200080013001300450029505 6

---

232 ***1 of 4*** ***NNW/196.3*** ***106.8 / 4.01*** ***925 Bay Street Toronto ON*** ***EHS***

Order ID:	382684	***Date Received:***	11-MAR-15
Order No:	20150311034	***Lot/Building Size:***	
Customer ID:	59507	***Municipality:***	Toronto
Company ID:	50	***Client Prov/State:***	ON
Status:	C	***Search Radius (km):***	.25
Report Code:	2CAN	***Large Radius:***	.5
Report Type:	Standard Select Report	***X:***	-79.386647
Report Date:	17-MAR-15	***Y:***	43.664135
Report Requested by:	Golder Associates Ltd.		
Nearest Intersection:			
Previous Site Name:			
Additional Info Ordered:			

---

232 ***2 of 4*** ***NNW/196.3*** ***106.8 / 4.01*** ***925 Bay Street Toronto ON M5S 3L4*** ***EHS***

Order ID:	167250	***Date Received:***	8/20/2009
Order No:	20090820023	***Lot/Building Size:***	
Customer ID:	53187	***Municipality:***	
Company ID:	27121	***Client Prov/State:***	ON
Status:	C	***Search Radius (km):***	0.25
Report Code:	3CAN	***Large Radius:***	2
Report Type:	Standard Report	***X:***	-79.386457
Report Date:	8/31/2009	***Y:***	43.66384
Report Requested by:	S2S Environmental Inc.		
Nearest Intersection:	Bay Street/ Wellesley St W		
Previous Site Name:			
Additional Info Ordered:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
232	3 of 4	NNW/196.3	106.8 / 4.01	Anpro Excavating and Grading 925 Bay Street Toronto ON M5S 3L4	GEN

Generator No.:	ON8005379	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	06	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	238910		
SIC Description:	Site Preparation Contractors		

--Details--

Waste Code:	251
Waste Description:	OIL SKIMMINGS & SLUDGES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
232	4 of 4	NNW/196.3	106.8 / 4.01	EAST OF BAY 2003 DEVELOPMENT CORP. 925 BAY STREET TORONTO ON M5S 3L4	GEN

Generator No.:	ON7088430	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	03,04	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:			
SIC Description:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
233	1 of 34	WNW/196.3	105.8 / 2.97	SNC-Lavalin ProFac Inc. 900 Bay St Toronto ON	CA

Certificate #:	8649-5WQSB2
Application Year:	2004
Issue Date:	3/3/2004
Approval Type:	Air
Status:	Approved
Application Type:	
Client Name::	
Client Address::	
Client City::	
Client Postal Code::	
Project Description::	
Contaminants::	
Emission Control::	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
233	2 of 34	WNW/196.3	105.8 / 2.97	SNC-Lavalin ProFac Inc. 900 Bay St Toronto ON M9B 6E2	ECA

Approval No:	8649-5WQSB2	**SWP Area Name:**	Toronto
Approval Date:	2004-03-03	**MOE District:**	Toronto
Status:	Approved	**City:**	Toronto
Record Type:	ECA	**Longitude:**	-79.388115
Link Source:	IDS	**Latitude:**	43.6631499999999
Approval Type:	ECA-AIR		
Project Type:	AIR		
Address:	900 Bay St		
Full Address:			

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/4557-5W3LC3-14.pdf

---

233 | **3 of 34** | **WNW/196.3** | **105.8 / 2.97** | **900 Bay Street Toronto ON** | **EHS**

Order ID:	122078	**Date Received:**	12/12/2007
Order No:	20071212009	**Lot/Building Size:**	8.2 acres
Customer ID:	63987	**Municipality:**	
Company ID:	26	**Client Prov/State:**	
Status:	C	**Search Radius (km):**	0.25
Report Code:	3CAN	**Large Radius:**	2
Report Type:	CAN - Complete Report	**X:**	-79.387409
Report Date:	12/18/2007	**Y:**	43.663558
Report Requested by:	Conestoga-Rovers & Associates		
Nearest Intersection:			
Previous Site Name:			
Additional Info Ordered:	Fire Insur. Maps And /or Site Plans; City Directory		

---

233 | **4 of 34** | **WNW/196.3** | **105.8 / 2.97** | **900 Bay St Toronto ON M7A2A2** | **EHS**

Order ID:	493757	**Date Received:**	02-JAN-17
Order No:	20170102004	**Lot/Building Size:**	
Customer ID:	93428	**Municipality:**	Toronto, ON
Company ID:	83905	**Client Prov/State:**	ON
Status:	C	**Search Radius (km):**	.25
Report Code:	4CAN	**Large Radius:**	.3
Report Type:	Custom Report	**X:**	-79.388166
Report Date:	09-JAN-17	**Y:**	43.663001
Report Requested by:	GHD Ltd.		
Nearest Intersection:			
Previous Site Name:			
Additional Info Ordered:			

---

233 | **5 of 34** | **WNW/196.3** | **105.8 / 2.97** | **CBRE Ltd 900 Bay St. Room M1B-45 Toronto ON M7A 1N3** | **GEN**

Generator No.:	ON4811829	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2016	**Choice of Contact:**	CO_OFFICIAL
Contam. Facility:	No	**Co Admin:**	Richard Conohan
MHSW Facility:	No	**Phone No. Admin:**	416-326-7640 Ext.
SIC Code:	531310		
SIC Description:	REAL ESTATE PROPERTY MANAGERS		

--Details--

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Waste Code: 243

Waste Description: PCBS

Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

---

233 | **6 of 34** | **WNW/196.3** | **105.8 / 2.97** | **CBRE Ltd**
900 Bay St. Room M1B-45
Toronto ON M7A 1N3 | **GEN**

Generator No.:	ON4811829	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2015	**Choice of Contact:**	CO_OFFICIAL
Contam. Facility:	No	**Co Admin:**	Richard Conohan
MHSW Facility:	No	**Phone No. Admin:**	416-326-7640 Ext.
SIC Code:	531310		
SIC Description:	REAL ESTATE PROPERTY MANAGERS		

--Details--
Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

---

233 | **7 of 34** | **WNW/196.3** | **105.8 / 2.97** | **CBRE Ltd**
900 Bay St. Room M1B-45
Toronto ON M7A 1N3 | **GEN**

Generator No.:	ON4811829	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2014	**Choice of Contact:**	CO_OFFICIAL
Contam. Facility:	No	**Co Admin:**	Diane Tomi
MHSW Facility:	No	**Phone No. Admin:**	416-326-9365 Ext.
SIC Code:	531310		
SIC Description:	REAL ESTATE PROPERTY MANAGERS		

--Details--
Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES

233	8 of 34	WNW/196.3	105.8 / 2.97	SNC-Lavalin Profac Inc. 900 Bay St., Room M1B-45 Toronto ON	GEN

Generator No.: ON7198969
Status:
Approval Years: 2009
Contam. Facility:
MHSW Facility:
SIC Code: 912910, 912150
SIC Description: Other Provincial and Territorial Public Administration, Provincial Regulatory Services

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 221
Waste Description: LIGHT FUELS

233	9 of 34	WNW/196.3	105.8 / 2.97	MINISTRY OF TRANSPORTATION 900 BAY STREET, BASEMENT__ GOVERNMENT REPAIR GARAGE__ TORONTO ON M7A 1Y5	GEN

Generator No.: ON0124235
Status:
Approval Years: 92,93,97,98,99
Contam. Facility:
MHSW Facility:
SIC Code: 8271
SIC Description: TRANS./COMM. ADMIN.

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 112
Waste Description: ACID WASTE - HEAVY METALS

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 213
Waste Description: PETROLEUM DISTILLATES

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

233	10 of 34	WNW/196.3	105.8 / 2.97	CBRE Limited 900 Bay Street, Whitney Block Basement Queens Park Toronto ON	GEN

Generator No.: ON3345178
Status:
Approval Years: 2012
Contam. Facility:
MHSW Facility:
SIC Code: 531310
SIC Description: Real Estate Property Managers

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
233	11 of 34	WNW/196.3	105.8 / 2.97	MINISTRY OF TRANSPORTATION 26-472 GOVERNMENT REPAIR GARAGE 900 BAY STREET, BASEMENT TORONTO ON M7A 1Y5	GEN

Generator No.: ON0124235
Status:
Approval Years: 94,95,96
Contam. Facility:
MHSW Facility:
SIC Code: 8271
SIC Description: TRANS./COMM. ADMIN.

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 112
Waste Description: ACID WASTE - HEAVY METALS

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 213
Waste Description: PETROLEUM DISTILLATES

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
233	12 of 34	WNW/196.3	105.8 / 2.97	MINISTRY OF COLLEGES (OUT OF BUS.)27-269 EIGHTH FLOOR, MOWAT BLOCK 900 BAY STREET TORONTO ON M7A 1Y5	GEN

Generator No.: ON0783500
Status:
Approval Years: 92,93,94,95,96,97,98
Contam. Facility:
MHSW Facility:
SIC Code: 8262
SIC Description: SOCIAL SERV. ADMIN.

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
233	13 of 34	WNW/196.3	105.8 / 2.97	Profac Facilties Management - C/O MBS 900 BAY STREET TORONTO ON M7A 1Y5	GEN

Generator No.: ON0123966
Status:
Approval Years: 02,03,04,05
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES

Waste Code: 112
Waste Description: ACID WASTE - HEAVY METALS

Waste Code: 213
Waste Description: PETROLEUM DISTILLATES

Waste Code: 243
Waste Description: PCB'S

Waste Code: 269
Waste Description: NON-HALOGENATED PESTICIDES

Waste Code: 331
Waste Description: WASTE COMPRESSED GASES

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

233	14 of 34	WNW/196.3	105.8 / 2.97	MINISTRY OF EDUCATION RM 1555, MOWAT BLOCK REPROGRAPHIC CENTRE, 900 BAY STREET TORONTO ON M7A 1Y5	GEN

Generator No.: ON1289601
Status:
Approval Years: 92,93,97,98
Contam. Facility:
MHSW Facility:
SIC Code: 8259
SIC Description: OTHER GEN. ADMIN.

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

233	15 of 34	WNW/196.3	105.8 / 2.97	MINISTRY OF (OUT OF BUSINESS) RM 1555, MOWAT BLOCK REPROGRAPHIC CENTRE, 900 BAY STREET TORONTO ON M7A 1Y5	GEN

Generator No.: ON1289601
Status:
Approval Years: 99,00
Contam. Facility:
MHSW Facility:
SIC Code: 8259
SIC Description: OTHER GEN. ADMIN.

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
233	16 of 34	WNW/196.3	105.8 / 2.97	MINISTRY OF TRANSPORTATION GOVERNMENT GARAGE M1B93, MACDONALD BLOCK , 900 BAY STREET TORONTO ON	GEN

Generator No.: ON0124235
Status:
Approval Years: 2009
Contam. Facility:
MHSW Facility:
SIC Code: 231310
SIC Description:

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--

Waste Code: 112
Waste Description: ACID WASTE - HEAVY METALS

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 213
Waste Description: PETROLEUM DISTILLATES

Waste Code: 221
Waste Description: LIGHT FUELS

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
233	17 of 34	WNW/196.3	105.8 / 2.97	MINISTRY OF TRANSPORTATION GOVERNMENT GARAGE M1B93, MACDONALD BLOCK , 900 BAY STREET TORONTO ON	GEN

Generator No.: ON0124235
Status:
Approval Years: 2010
Contam. Facility:
MHSW Facility:
SIC Code: 231310
SIC Description:

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 221
Waste Description: LIGHT FUELS

Waste Code: 112
Waste Description: ACID WASTE - HEAVY METALS

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 213
Waste Description: PETROLEUM DISTILLATES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
233	18 of 34	WNW/196.3	105.8 / 2.97	Ontario Realty Corporation 900 Bay St. Toronto ON M7A 1C2	GEN

Generator No.:	ON6114098	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	04	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	531310		
SIC Description:	Real Estate Property Managers		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
233	19 of 34	WNW/196.3	105.8 / 2.97	MINISTRY OF COLLEGES (OUT OF BUS.) EIGHTH FLOOR, MOWAT BLOCK 900 BAY STREET TORONTO ON M7A 1Y5	GEN

Generator No.:	ON0783500	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	88,89,90	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	8262		
SIC Description:	SOCIAL SERV. ADMIN.		

--Details--

Waste Code:	213
Waste Description:	PETROLEUM DISTILLATES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
233	20 of 34	WNW/196.3	105.8 / 2.97	Ontario Realty Corporation 900 Bay Street Toronto ON M7A 1C2	GEN

Generator No.:	ON2257463	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	05	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	912910		
SIC Description:	Other Provincial and Territorial Public Administration		

--Details--

Waste Code:	221
Waste Description:	LIGHT FUELS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
233	21 of 34	WNW/196.3	105.8 / 2.97	MINISTRY OF EDUCATION 26-756 RM 1555 MOWAT BLOCK, REPROGRAPHIC CTR. 900 BAY ST. TORONTO ON M7A 1Y5	GEN

Generator No.:	ON1289601	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	94,95,96	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	8259		
SIC Description:	OTHER GEN. ADMIN.		

--Details--

Waste Code:	264
Waste Description:	PHOTOPROCESSING WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

233	22 of 34	WNW/196.3	105.8 / 2.97	MINISTRY OF COLLEGES & UNIVERSIT'S EIGHTH FLOOR, MOWAT BLOCK 900 BAY STREET TORONTO ON M7A 1Y5	GEN

Generator No.:	ON0783500	PO Box No.:	
Status:		Country:	
Approval Years:	86,87	Choice of Contact:	
Contam. Facility:		Co Admin:	
MHSW Facility:		Phone No. Admin:	
SIC Code:	8262		
SIC Description:	SOCIAL SERV. ADMIN.		

--Details--
Waste Code: 213
Waste Description: PETROLEUM DISTILLATES

233	23 of 34	WNW/196.3	105.8 / 2.97	CBRE Ltd 900 Bay St. Room M1B-45 Toronto ON	GEN

Generator No.:	ON4811829	PO Box No.:	
Status:		Country:	
Approval Years:	2013	Choice of Contact:	
Contam. Facility:		Co Admin:	
MHSW Facility:		Phone No. Admin:	
SIC Code:	531310		
SIC Description:	REAL ESTATE PROPERTY MANAGERS		

--Details--
Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

233	24 of 34	WNW/196.3	105.8 / 2.97	SNC-LAVALIN Profac Facilties Management - C/O MBS 900 BAY STREET M1-21-i TORONTO ON	GEN

Generator No.:	ON0123966	PO Box No.:	
Status:		Country:	
Approval Years:	06	Choice of Contact:	
Contam. Facility:		Co Admin:	
MHSW Facility:		Phone No. Admin:	
SIC Code:			
SIC Description:			

--Details--

Waste Code: 112
Waste Description: ACID WASTE - HEAVY METALS

Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 213
Waste Description: PETROLEUM DISTILLATES

Waste Code: 222
Waste Description: HEAVY FUELS

Waste Code: 243
Waste Description: PCB'S

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 269
Waste Description: NON-HALOGENATED PESTICIDES

Waste Code: 331
Waste Description: WASTE COMPRESSED GASES

---

233 | ***25 of 34*** | ***WNW/196.3*** | ***105.8 / 2.97*** | ***MINISTRY OF TRANSPORTATION GOVERNMENT GARAGE M1B93, MACDONALD BLOCK , 900 BAY STREET TORONTO ON M7A 1Y5*** | ***GEN***

Generator No.: ON0124235
Status:
Approval Years: 02,03,04,05,06,07,08
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--

Waste Code: 112
Waste Description: ACID WASTE - HEAVY METALS

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 213
Waste Description: PETROLEUM DISTILLATES

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

233	26 of 34	WNW/196.3	105.8 / 2.97	MINISTRY OF TRANSPORTATION GOVERNMENT GARAGE 900 BAY STREET TORONTO ON M7A 2A2	GEN

Generator No.: ON0124235
Status:
Approval Years: 00,01
Contam. Facility:
MHSW Facility:
SIC Code: 8271
SIC Description: TRANS./COMM. ADMIN.

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 112
Waste Description: ACID WASTE - HEAVY METALS

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 213
Waste Description: PETROLEUM DISTILLATES

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

233	27 of 34	WNW/196.3	105.8 / 2.97	CBRE Ltd 900 Bay St. Room M1B-45 Toronto ON M7A 1N3	GEN

Generator No.: ON4811829
Status:
Approval Years: 2011
Contam. Facility:
MHSW Facility:
SIC Code: 531310
SIC Description:

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

233	28 of 34	WNW/196.3	105.8 / 2.97	CBRE Ltd 900 Bay St. Room M1B-45 Toronto ON M7A 1N3	GEN

Generator No.: ON4811829
Status:
Approval Years: 2012
Contam. Facility:
MHSW Facility:
SIC Code: 531310
SIC Description: Real Estate Property Managers

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

233	29 of 34	WNW/196.3	105.8 / 2.97	SNC-Lavalin Profac Inc. 900 Bay St., Room M1-21-i Toronto ON M7A 1N3	GEN

Generator No.: ON7198969
Status:
Approval Years: 07,08
Contam. Facility:

PO Box No.:
Country:
Choice of Contact:
Co Admin:

MHSW Facility:
Phone No. Admin:
SIC Code: 912910 912150
SIC Description: Other Provincial and Territorial Public Administration, Provincial Regulatory Services

--Details--
Waste Code: 221
Waste Description: LIGHT FUELS

---

233 | **30 of 34** | **WNW/196.3** | **105.8 / 2.97** | **ONTARIO REALTY**
900 BAY Street
TORONTO ON M7A1N3 | **NPRI**

NPRI ID:	8800000558	**Org ID:**	
Other ID:		**Submit Date:**	
No Other ID:		**Last Modified:**	
Track ID:		**Contact ID:**	
Report ID:		**Cont Type:**	MED
Report Type:		**Contact Title:**	Mr.
Rpt Type ID:		**Cont First Name:**	ALEX
Report Year:	2004	**Cont Last Name:**	LYE
Not-Current Rpt?:		**Contact Position:**	Environmental Assessment Manager
Yr of Last Filed Rpt:		**Contact Fax:**	
Fac ID:		**Contact Ph.:**	
Fac Name:	QUEEN'S PARK COMPLEX	**Cont Area Code:**	416
Fac Address1:		**Contact Tel.:**	3268229
Fac Address2:		**Contact Ext.:**	
Fac Postal Zip:		**Cont Fax Area Cde:**	416
Facility Lat:		**Contact Fax:**	2121131
Facility Long:		**Contact Email:**	alex.lye@orc.gov.on.ca
DLS (Last Filed Rpt):		**Latitude:**	
Facility DLS:		**Longitude:**	
Datum:		**UTM Zone:**	
Facility Cmnts:		**UTM Northing:**	
URL:		**UTM Easting:**	
No of Empl.:	1	**Waste Streams:**	
Parent Co.:		**No Streams:**	
No Parent Co.:		**Waste Off Sites:**	
Pollut Prev Cmnts:		**No Off Sites:**	
Stacks:		**Shutdown:**	
No of Stacks:		**No of Shutdown:**	
Canadian SIC Code (2 digit):			
Canadian SIC Code:			
SIC Code Description:			
American SIC Code:			
NAICS Code (2 digit):	53		
NAICS 2 Description:	Real Estate and Rental and Leasing		
NAICS Code (4 digit):	5311		
NAICS 4 Description:	Lessors of Real Estate		
NAICS Code (6 digit):	531120		
NAICS 6 Description:	Lessors of Non-Residential Buildings (except Mini-Warehouses)		

Substance Release Report

CAS No: 11104-93-1
Report ID:
Rpt Period: 2004
Subst Released: Nitrogen oxides (expressed as NO2)
Air:
Water:
Land:
Total Releases:
Units: tonnes

CAS No:	7446-09-5
Report ID:	
Rpt Period:	2004
Subst Released:	Sulphur dioxide
Air:	
Water:	
Land:	
Total Releases:	
Units:	tonnes
CAS No:	811-97-2
Report ID:	
Rpt Period:	2004
Subst Released:	HFC-134a Hydrofluorocarbon
Air:	
Water:	
Land:	
Total Releases:	
Units:	tonnes

233 | **31 of 34** | **WNW/196.3** | **105.8 / 2.97** | **900 Bay St, McDonald Block Toronto ON** | **SPL**

Ref No:	6338-8QDTY3	**Discharger Report:**	
Site No:		**Material Group:**	
Incident Dt:	10-JAN-12	**Client Type:**	
Year:		**Sector Type:**	
Incident Cause:	Other Discharges	**Source Type:**	
Incident Event:		**Nearest Watercourse:**	
Contaminant Code:	13	**Site Name:**	CBRE<UNOFFICIAL>
Contaminant Name:	DIESEL FUEL	**Site Address:**	900 Bay St, McDonald Block
Contaminant Limit 1:		**Site District Office:**	
Contam Limit Freq 1:		**Site County/District:**	
Contaminant UN No 1:		**Site Postal Code:**	
Contaminant Qty:		**Site Region:**	
Environment Impact:	Not Anticipated	**Site Municipality:**	Toronto
Nature of Impact:	Other Impact(s)	**Site Lot:**	
Receiving Medium:	Sewage - Municipal/Private and Commercial	**Site Conc:**	
Receiving Env:		**Northing:**	
Health/Env Conseq:		**Easting:**	
MOE Response:		**Site Geo Ref Accu:**	
Dt MOE Arvl on Scn:		**Site Geo Ref Meth:**	
MOE Reported Dt:	10-JAN-12	**Site Map Datum:**	
Dt Document Closed:			
SAC Action Class:	Watercourse Spills		
Incident Reason:	Spill		
Incident Summary:	CBRE: Diesel spill to floor drain; cont, clnd.		

233 | **32 of 34** | **WNW/196.3** | **105.8 / 2.97** | **900 Bay St Toronto ON** | **SPL**

Ref No:	1770-5WR5VQ	**Discharger Report:**	
Site No:		**Material Group:**	OIL
Incident Dt:	3/3/2004	**Client Type:**	
Year:		**Sector Type:**	Other
Incident Cause:	Unknown	**Source Type:**	
Incident Event:		**Nearest Watercourse:**	
Contaminant Code:		**Site Name:**	900 BAY STREET, TORONTO
Contaminant Name:	OIL	**Site Address:**	
Contaminant Limit 1:		**Site District Office:**	Toronto
Contam Limit Freq 1:		**Site County/District:**	
Contaminant UN No 1:		**Site Postal Code:**	

Contaminant Qty:		**Site Region:**	Central
Environment Impact:	Not Anticipated	**Site Municipality:**	Toronto
Nature of Impact:	Soil Contamination	**Site Lot:**	
Receiving Medium:	Land	**Site Conc:**	
Receiving Env:		**Northing:**	NA
Health/Env Conseq:		**Easting:**	NA
MOE Response:		**Site Geo Ref Accu:**	
Dt MOE Arvl on Scn:		**Site Geo Ref Meth:**	
MOE Reported Dt:	3/3/2004	**Site Map Datum:**	
Dt Document Closed:			
SAC Action Class:	Spill to Land		
Incident Reason:	Unknown - Reason not determined		
Incident Summary:	Queen's Park, oil in basement excavation		

233 **33 of 34** **WNW/196.3** **105.8 / 2.97**

TORONTO ON **WWIS**

Well ID:	6927749	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:	Not Used	**Date Received:**	4/16/2004
Sec. Water Use:		**Selected Flag:**	Yes
Final Well Status:	Test Hole	**Abandonment Rec:**	
Water Type:		**Contractor:**	7241
Casing Material:		**Form Version:**	3
Audit No:	Z08047	**Owner:**	
Tag:	A007981	**Street Name:**	900 BAY ST
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	11108589	**Elevation:**	
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:	o	**East83:**	
Code OB Desc:	Overburden	**Org CS:**	
Open Hole:		**North83:**	
Cluster Kind:		**UTMRC:**	9
Date Completed:	02-APR-04	**UTMRC Desc:**	unknown UTM
Remarks:		**Location Method:**	na
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	932966656
Layer:	1
Color:	6

General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	06
Other Materials:	SILT
Mat3:	01
Other Materials:	FILL
Formation Top Depth:	0
Formation End Depth:	9
Formation End Depth UOM:	m
Formation ID:	932966657
Layer:	2
Color:	2
General Color:	GREY
Mat1:	06
Most Common Material:	SILT
Mat2:	28
Other Materials:	SAND
Mat3:	
Other Materials:	
Formation Top Depth:	9
Formation End Depth:	10.5
Formation End Depth UOM:	m

Annular Space/Abandonment Sealing Record

Plug ID:	933252461
Layer:	2
Plug From:	.25
Plug To:	1
Plug Depth UOM:	m
Plug ID:	933252462
Layer:	3
Plug From:	1
Plug To:	6
Plug Depth UOM:	m
Plug ID:	933252460
Layer:	1
Plug From:	0
Plug To:	.25
Plug Depth UOM:	m
Plug ID:	933252463
Layer:	4
Plug From:	6
Plug To:	10.5
Plug Depth UOM:	m

Method of Construction & Well Use

Method Construction ID:	966927749
Method Construction Code:	9
Method Construction:	Driving
Other Method Construction:	

Pipe Information

Pipe ID:	11116982

Casing No:	1
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	930841966
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0
Depth To:	7.5
Casing Diameter:	5
Casing Diameter UOM:	cm
Casing Depth UOM:	m

Construction Record - Screen

Screen ID:	933408933
Layer:	1
Slot:	010
Screen Top Depth:	7.5
Screen End Depth:	10.5
Screen Material:	5
Screen Depth UOM:	m
Screen Diameter UOM:	cm
Screen Diameter:	5.5

Hole Diameter

Hole ID:	11116981
Diameter:	10
Depth From:	0
Depth To:	10.5
Hole Depth UOM:	m
Hole Diameter UOM:	cm

---

233 | **34 of 34** | **WNW/196.3** | **105.8 / 2.97** | **TORONTO ON** | **WWIS**

Well ID:	6928753	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:	Not Used	**Date Received:**	3/2/2005
Sec. Water Use:		**Selected Flag:**	Yes
Final Well Status:	Observation Wells	**Abandonment Rec:**	
Water Type:		**Contractor:**	7215
Casing Material:		**Form Version:**	3
Audit No:	Z26003	**Owner:**	
Tag:	A020497	**Street Name:**	900 BAY ST
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	11327722	**Elevation:**	
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	
Code OB:	_	**East83:**	
Code OB Desc:	No formation data	**Org CS:**	
Open Hole:		**North83:**	
Cluster Kind:		**UTMRC:**	
Date Completed:	29-JAN-05	**UTMRC Desc:**	
Remarks:		**Location Method:**	na
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Annular Space/Abandonment Sealing Record

Plug ID:	933265794
Layer:	1
Plug From:	35
Plug To:	23
Plug Depth UOM:	ft

Plug ID:	933265793
Layer:	2
Plug From:	23
Plug To:	0
Plug Depth UOM:	ft

Method of Construction & Well Use

Method Construction ID:	966928753
Method Construction Code:	2
Method Construction:	Rotary (Convent.)
Other Method Construction:	

Pipe Information

Pipe ID:	11342577
Casing No:	1
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	930872692
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0
Depth To:	25
Casing Diameter:	2
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Construction Record - Screen

Screen ID:	933411903

Layer: 1
Slot: 10
Screen Top Depth: 25
Screen End Depth: 35
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 2

Hole Diameter

Hole ID: 11548856
Diameter: 8
Depth From: 0
Depth To: 35
Hole Depth UOM: ft
Hole Diameter UOM: inch

---

234 | **1 of 1** | **SE/197.2** | **97.7 / -5.17** | **424 Yonge Street Toronto ON** | **EHS**

Order ID: 201720
Order No: 20120202047
Customer ID: 53147
Company ID: 77
Status: C
Report Code: 4CAN
Report Type: Custom Report
Report Date: 2/8/2012 11:25:20 AM
Report Requested by: Pinchin Environmental
Nearest Intersection:
Previous Site Name:
Additional Info Ordered:

Date Received: 2/2/2012 11:23:16 AM
Lot/Building Size:
Municipality:
Client Prov/State: ON
Search Radius (km): 0.25
Large Radius: 2
X: -79.383054
Y: 43.660603

---

235 | **1 of 1** | **ESE/197.3** | **99.9 / -2.96** | **TORONTO TRANSIT COMMISSION COLLEGE SUBWAY STATION 9 CARLTON STREET TORONTO ON M5B 1J2** | **GEN**

Generator No.: ON0173679
Status:
Approval Years: 98,99,00,01
Contam. Facility:
MHSW Facility:
SIC Code: 4571
SIC Description: URBAN TRANSIT SYS.

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 150
Waste Description: INERT INORGANIC WASTES

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

---

236 | **1 of 5** | **SSW/197.6** | **99.9 / -2.97** | **770 Bay Street Toronto ON M5G 1N6** | **EHS**

Order ID: 66858
Order No: 20051219018
Customer ID: 41227

Date Received: 12/19/2005
Lot/Building Size:
Municipality: Toronto

Company ID:	111	**Client Prov/State:**	ON
Status:	C	**Search Radius (km):**	0.25
Report Code:	2CAN	**Large Radius:**	2
Report Type:	Basic Report	**X:**	-79.385661
Report Date:	1/2/2006	**Y:**	43.660126
Report Requested by:	Bruce A. Brown Associates Limited		
Nearest Intersection:			
Previous Site Name:			
Additional Info Ordered:			

236	2 of 5	SSW/197.6	99.9 / -2.97	770 Bay Street Toronto ON M5G 1N6	EHS

Order ID:	129154	**Date Received:**	2/29/2008
Order No:	20080229019	**Lot/Building Size:**	
Customer ID:	64767	**Municipality:**	
Company ID:	166	**Client Prov/State:**	ON
Status:	C	**Search Radius (km):**	0.25
Report Code:	3CAN	**Large Radius:**	2
Report Type:	Complete Report	**X:**	-79.385757
Report Date:	3/4/2008	**Y:**	43.660128
Report Requested by:	Shaheen & Peaker Ltd.		
Nearest Intersection:			
Previous Site Name:			
Additional Info Ordered:			

236	3 of 5	SSW/197.6	99.9 / -2.97	770 Bay Street, Toronto ON M5G 0A6	INC

Incident No:	454228
Incident ID:	2606068
Attribute Category:	FS-Incident
Status Code:	Causal Analysis Complete
Incident Location:	770 Bay Street, Toronto - 2" Pipeline Hit
Drainage System:	
Sub Surface Contam.:	
Aff. Prop. Use Water:	
Contam. Migrated:	
Contact Natural Env.:	
Near Body of Water:	
Approx. Quant. Rel.:	
Equipment Model:	
Serial No:	
Residential App. Type:	
Commercial App. Type:	
Industrial App. Type:	
Institutional App. Type:	
Venting Type:	
Vent Connector Mater:	
Vent Chimney Mater:	
Pipeline Type:	Service / Riser Distribution Pipeline
Pipeline Involved:	
Pipe Material:	Plastic
Depth Ground Cover:	
Regulator Location:	Outside
Regulator Type:	Service Regulator (up to 60 psi intake)
Operation Pressure:	IP
Liquid Prop Make:	
Liquid Prop Model:	
Liquid Prop Serial No:	
Equipment Type:	
Cylinder Capacity:	

Cylinder Capac. Units:
Cylinder Material Type:
Tank Capacity:
Fuels Occurence Type:
Fuel Type Involved:
Date of Occurence:
Time of Occurence:
Occur Insp Start Date:
Any Health Impact:
Any Environmental Impact:
Was Service Interrupted:
Was Property Damaged:
Operation Type Involved:
Enforcement Policy:
Prc Escalation Required:
Task No:
Notes:
Occurence Narrative: Developer excavating with mechanical equipment.No locates.Operator was not aware or following common practices for excavating
Tank Material Type:
Tank Storage Type:
Tank Location Type:
Pump Flow Rate Capac:
Liquid Prop Notes:

---

236 | ***4 of 5*** | ***SSW/197.6*** | ***99.9 / -2.97*** | ***Lumiere Residences Inc.***
770 Bay St, Toronto,
ON M5G 0A6 | ***RSC***

Reg No:	42102	***Cert Date:***	12-Nov-07
RA No:		***Cert Prop Use No:***	No CPU
RSC Type:		***Intended Prop Use:***	Residential
Curr Property Use:	Commercial	***Nm of Qual. Person:***	Alan Menkes
District Office:	TORONTO	***Stratified (Y/N):***	
Date Submitted:	11-Jan-08	***Audit (Y/N):***	
Date Ack:		***Entire Leg Prop. (Y/N):***	Yes
Date Returned:		***Accuracy Estimate:***	21 to 100 meters
Restoration Type:		***Telephone:***	416-4912222
Soil Type:		***Fax:***	416-4918485
Criteria:		***Email:***	
CPU Issued Sect 1686:	No		

Asmt Roll No: 1904066 - 74001000 and 1904066 - 74001000
Prop. ID No: 21199-0014 LT and 21199-0015 LT
Property Municipal Address: 770 Bay St, Toronto,
Mailing Address: Suite 1400, 4711 YONGE ST, TORONTO, ON, M2N 7E4
Latitude & Latitude: 43.66000000N 79.38583330W
UTM Coordinates: NAD83 17-630152-4835377 (converted from Latitude & Longitude)
Consultant:
Filing Owner:
Legal Desc: PCL 141-2 SEC A154: PT LT 141 PL 154 TORONTO PARTS 12, 16, 17, 20 & 21 66R16833; T/W PARTS 18, 19 & 26 66R16833 AS IN C922474 (S/T C922465, C922466, CA9689, C720522); T/W PARTS 5, 6, 7, 13, 14, 15, & 27 66R16833 AS IN C922475 (S/T C922467, CT509195); S/T PARTS 16, 17, 20 & 21 66R16833 AS IN C922476; T/W PARTS 2, 5, 6, 7, 10, 13, 14, 15, 25 & 27, 66R16833 AS IN E295978; S/T PARTS 7, 8 & 10, 66R18501 & PARTS 20 & 21 66R16833 IN FAVOUR OF PARTS 2, 5, 6, 7, 10, 13, 14, 15, 25 & 27 66R16833 AS IN E295979; THE BOUNDARIES OF PT OF THE ABOVE PCL HAVE BEEN CONFIRMED UNDER THE BOUNDARIES ACT BY PL BA865 INSTRUMENT NO. CT189558; TORONTO , CITY OF TORONTO. and PCL 141-1 SEC A154; LT 142 PL 154 TORONTO; LT 143 PL 154 TORONTO LT 144 PL 154 TORONTO; LT 145 PL 154 TORONTO; LT 146 PL 154 TORONTO; LT 147 PL 154 TORONTO; LT 164 PL 154 TORONTO; LT 165 PL 154 TORONTO; LT 166 PL 154 TORONTO; LT 167 PL 154 TORONTO; LT 168 PL 154 TORONTO; LT 169 PL 154 TORONTO; PT LT 141 PL 154 TORONTO; PT LT 148 PL 154 TORONTO; PT LT 163 PL 154 TORONTO; PT LT 170 PL 154 TORONTO PARTS 1, 3, 4, 8 & 9 66R16833; T/W PARTS 18, 19 & 26 66R16833 AS IN C922474 (S/T C922465, C922466, CA9689, C720522); T/W PARTS 5, 6, 7, 13, 14, 15 & 27 66R16833 AS IN C922475 (S/T C922467, CT509195); S/T PARTS 3, 4, 8 & 9 66R16833 AS IN C922476; S/T PARTS 1, 2 & 3 66R18501 & PT 3, 66R16833 IN FAVOUR

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

OF PARTS 2, 5, 6, 7, 10, 13, 14, 15, 25 & 27 66R16833 AS IN E291363; T/W PARTS 2, 5, 6, 7, 10, 13, 14, 15, 25 & 27 66R16833 AS IN E295978; S/T PARTS 3, 4, 5 & 6, 66R18501 & PARTS 8 & 9 66R16833 IN FAVOUR OF PARTS 2, 5, 6, 7, 10, 13, 14, 15, 25 & 27, 66R16833 AS IN E295979; THE ELY LIMITOF LA PLANTE AV AND THE WLY LIMIT OF BAY ST AS CONFIRMED UNDER THE BOUNDARIES ACT BY PL BA865 AND REGISTERED ON 5TH AUGUST 1976 AS INSTRUMENT NUMBER CT189558;; TORONTO , CITY OF TORONTO

Measurement Method: Digitized from a satellite image
Applicable Standards: Full Depth Site Conditions Standard, with Nonpotable Ground Water, Coarse Textured Soil, for Residential/Parkland/Institutional property use
RSC PDF:

236	5 of 5	SSW/197.6	99.9 / -2.97	Enbridge Gas Distribution Inc. 770 Bay St Toronto ON M5G 0A6	SPL

Ref No:	2275-899QRW	***Discharger Report:***	
Site No:		***Material Group:***	
Incident Dt:		***Client Type:***	
Year:		***Sector Type:***	Other
Incident Cause:	Discharge or Emission to Air	***Source Type:***	
Incident Event:		***Nearest Watercourse:***	
Contaminant Code:	35	***Site Name:***	Gas Line Strike<UNOFFICIAL>
Contaminant Name:	NATURAL GAS (METHANE)	***Site Address:***	
Contaminant Limit 1:		***Site District Office:***	
Contam Limit Freq 1:		***Site County/District:***	
Contaminant UN No 1:		***Site Postal Code:***	
Contaminant Qty:		***Site Region:***	
Environment Impact:	Not Anticipated	***Site Municipality:***	
Nature of Impact:	Air Pollution	***Site Lot:***	
Receiving Medium:		***Site Conc:***	
Receiving Env:		***Northing:***	
Health/Env Conseq:		***Easting:***	
MOE Response:	Referral to others	***Site Geo Ref Accu:***	
Dt MOE Arvl on Scn:		***Site Geo Ref Meth:***	
MOE Reported Dt:	9/13/2010	***Site Map Datum:***	
Dt Document Closed:			
SAC Action Class:	TSSA - Fuel Safety Branch		
Incident Reason:	Spill		
Incident Summary:	TSSA FSB- 2 inch line strike, safe.		

237	1 of 1	NNW/198.0	106.8 / 4.01	ON	WWIS

Well ID:	7242240	***Data Entry Status:***	Yes
Construction Date:		***Data Src:***	
Primary Water Use:		***Date Received:***	6/1/2015
Sec. Water Use:		***Selected Flag:***	Yes
Final Well Status:		***Abandonment Rec:***	
Water Type:		***Contractor:***	7147
Casing Material:		***Form Version:***	8
Audit No:	C28768	***Owner:***	
Tag:	A175830	***Street Name:***	
Construction Method:		***County:***	YORK
Elevation (m):		***Municipality:***	TORONTO CITY
Elevation Reliability:		***Site Info:***	
Depth to Bedrock:		***Lot:***	
Well Depth:		***Concession:***	
Overburden/Bedrock:		***Concession Name:***	
Pump Rate:		***Easting NAD83:***	
Static Water Level:		***Northing NAD83:***	
Flowing (Y/N):		***Zone:***	
Flow Rate:		***UTM Reliability:***	

Clear/Cloudy:

Bore Hole Information

Bore Hole ID:	1005388044	**Elevation:**	106.09
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:		**East83:**	630066
Code OB Desc:		**Org CS:**	UTM83
Open Hole:		**North83:**	4835831
Cluster Kind:		**UTMRC:**	4
Date Completed:	13-MAY-15	**UTMRC Desc:**	margin of error : 30 m - 100 m
Remarks:		**Location Method:**	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

238 **1 of 1** **WNW/198.6** **105.7 / 2.86** **ON** **BORE**

Borehole ID:	648440	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Jetting	**UTM Zone::**	17
Easting::	629970	**Northing::**	4835713
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	15.4	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	1.6
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218522945	**Top Depth(m):**	0.0
Bottom Depth(m):	1.5	**Stratum Desc:**	FILL,STONES,WOOD.
Stratum ID:	218522946	**Top Depth(m):**	1.5
Bottom Depth(m):	3.0	**Stratum Desc:**	TILL,SILT,SAND,CLAY.BROWN,GLACIAL,AGE GLACIAL.
Stratum ID:	218522947	**Top Depth(m):**	3.0
Bottom Depth(m):	4.6	**Stratum Desc:**	TILL,SILT,SAND,CLAY.GREY,GLACIAL,DENSE, AGE GLACIAL, WATER STABLE AT 347.7 FEET.
Stratum ID:	218522948	**Top Depth(m):**	4.6
Bottom Depth(m):	8.5	**Stratum Desc:**	SILT,SAND-MEDIUM. GREY,GLACIAL,DENSE, AGE GLACIAL.
Stratum ID:	218522949	**Top Depth(m):**	8.5
Bottom Depth(m):	11.6	**Stratum Desc:**	TILL,SILT,SAND,CLAY.GREY,GLACIAL,VERY DENSE, AGE GLACIAL.
Stratum ID:	218522950	**Top Depth(m):**	11.6
Bottom Depth(m):	15.4	**Stratum Desc:**	SAND,SILT. GREY,GLACIAL,VERY DENSE, AGE GLACIAL. 0005002100100040001500460028007000380060000017

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
239	1 of 1	NW/198.6	106.8 / 4.01	ON	WWIS

Well ID:	7256287	**Data Entry Status:**	Yes
Construction Date:		**Data Src:**	
Primary Water Use:		**Date Received:**	1/19/2016
Sec. Water Use:		**Selected Flag:**	Yes
Final Well Status:		**Abandonment Rec:**	
Water Type:		**Contractor:**	6032
Casing Material:		**Form Version:**	8
Audit No:	C29089	**Owner:**	
Tag:	A194295	**Street Name:**	
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1005870754	**Elevation:**	106.01
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:		**East83:**	630053
Code OB Desc:		**Org CS:**	UTM83
Open Hole:		**North83:**	4835824
Cluster Kind:		**UTMRC:**	4
Date Completed:	21-DEC-15	**UTMRC Desc:**	margin of error : 30 m - 100 m
Remarks:		**Location Method:**	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
240	1 of 1	NNE/198.9	106.8 / 3.97	RESTAURANT AT BACK ALLEY BEHIND 533 YONGE STREET, AT MAITLAND (N.O.S.) TORONTO CITY ON M4Y 1Y5	SPL

Ref No:	161574	**Discharger Report:**	
Site No:		**Material Group:**	
Incident Dt:	10/30/1998	**Client Type:**	
Year:		**Sector Type:**	
Incident Cause:	OTHER CONTAINER LEAK	**Source Type:**	
Incident Event:		**Nearest Watercourse:**	
Contaminant Code:		**Site Name:**	
Contaminant Name:		**Site Address:**	
Contaminant Limit 1:		**Site District Office:**	
Contam Limit Freq 1:		**Site County/District:**	
Contaminant UN No 1:		**Site Postal Code:**	
Contaminant Qty:		**Site Region:**	
Environment Impact:	POSSIBLE	**Site Municipality:**	01106
Nature of Impact:	Soil contamination	**Site Lot:**	
Receiving Medium:	LAND	**Site Conc:**	
Receiving Env:		**Northing:**	
Health/Env Conseq:		**Easting:**	

MOE Response:		**Site Geo Ref Accu:**	
Dt MOE Arvl on Scn:		**Site Geo Ref Meth:**	
MOE Reported Dt:	10/30/1998	**Site Map Datum:**	
Dt Document Closed:			
SAC Action Class:			
Incident Reason:	ERROR		
Incident Summary:	SHEHERAZAD RESTAURANT: UP TO 20L COOKING OIL SPILLED ONTO ASPHALT.		

241 **1 of 1** **NW/199.1** **106.8 / 4.01** **ON** **BORE**

Borehole ID:	648474	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Jetting	**UTM Zone::**	17
Easting::	630025	**Northing::**	4835803
Location Accuracy::		**Orig. Ground Elev m::**	106
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	15.5	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	1.6
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218523154	**Top Depth(m):**	0.0
Bottom Depth(m):	0.3	**Stratum Desc:**	FILL,GRAVEL.
Stratum ID:	218523155	**Top Depth(m):**	0.3
Bottom Depth(m):	1.2	**Stratum Desc:**	SAND. BROWN,FLUVIO-GLACIAL, AGE GLACIAL.
Stratum ID:	218523156	**Top Depth(m):**	1.2
Bottom Depth(m):	1.8	**Stratum Desc:**	SILT,SAND-MEDIUM. BROWN,GLACIAL,AGE GLACIAL.
Stratum ID:	218523157	**Top Depth(m):**	1.8
Bottom Depth(m):	2.6	**Stratum Desc:**	SILT,CLAY. BROWN,LACUSTRINE,AGE GLACIAL, WATER STABLE AT 343.7 FEET.
Stratum ID:	218523158	**Top Depth(m):**	2.6
Bottom Depth(m):	4.3	**Stratum Desc:**	SILT,SAND-MEDIUM. GREY,GLACIAL,AGE GLACIAL.
Stratum ID:	218523159	**Top Depth(m):**	4.3
Bottom Depth(m):	8.2	**Stratum Desc:**	SAND-MEDIUM,SILT. GREY,GLACIAL,DENSE, AGE GLACIAL.
Stratum ID:	218523160	**Top Depth(m):**	8.2
Bottom Depth(m):	14.6	**Stratum Desc:**	TILL,SILT,SAND,CLAY.GREY,GLACIAL,VERY DENSE, AGE GLACIAL.
Stratum ID:	218523161	**Top Depth(m):**	14.6
Bottom Depth(m):	15.5	**Stratum Desc:**	CLAY,SILT,SAND MEDIUM. GREY,GLACIAL,DENSE, AGE GLACIAL. 00040012000850270014003900270057004800 33

242 **1 of 1** **W/199.2** **103.9 / 1.03** **ON** **WWIS**

Well ID:	7206326	**Data Entry Status:**	Yes
Construction Date:		**Data Src:**	

Primary Water Use:		**Date Received:**	8/16/2013
Sec. Water Use:		**Selected Flag:**	Yes
Final Well Status:		**Abandonment Rec:**	
Water Type:		**Contractor:**	7215
Casing Material:		**Form Version:**	8
Audit No:	C22817	**Owner:**	
Tag:	A145098	**Street Name:**	
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1004520218	**Elevation:**	106.17
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:		**East83:**	629963
Code OB Desc:		**Org CS:**	UTM83
Open Hole:		**North83:**	4835629
Cluster Kind:		**UTMRC:**	4
Date Completed:	15-JUN-13	**UTMRC Desc:**	margin of error : 30 m - 100 m
Remarks:		**Location Method:**	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

243 ***1 of 1*** ***WSW/199.3*** ***102.7 / -0.15*** ***WWIS***

Toronto ON

Well ID:	7204226	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:	Monitoring and Test Hole	**Date Received:**	7/5/2013
Sec. Water Use:		**Selected Flag:**	Yes
Final Well Status:	Abandoned Monitoring and Test Hole	**Abandonment Rec:**	Yes
Water Type:		**Contractor:**	7241
Casing Material:		**Form Version:**	7
Audit No:	Z172367	**Owner:**	
Tag:	A080446	**Street Name:**	76 GRENVILLE STREET
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1004396080	**Elevation:**	104.11
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:		**East83:**	629992
Code OB Desc:		**Org CS:**	UTM83
Open Hole:		**North83:**	4835532
Cluster Kind:		**UTMRC:**	4
Date Completed:	03-JUN-13	**UTMRC Desc:**	margin of error : 30 m - 100 m
Remarks:		**Location Method:**	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Annular Space/Abandonment Sealing Record

Plug ID:	1004809507
Layer:	2
Plug From:	1
Plug To:	31
Plug Depth UOM:	ft

Plug ID:	1004809506
Layer:	1
Plug From:	0
Plug To:	1
Plug Depth UOM:	ft

Plug ID:	1004809508
Layer:	3
Plug From:	
Plug To:	
Plug Depth UOM:	ft

Method of Construction & Well Use

Method Construction ID:	1004809505
Method Construction Code:	D
Method Construction:	Direct Push
Other Method Construction:	

Pipe Information

Pipe ID:	1004809497
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	1004809501
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0
Depth To:	21
Casing Diameter:	1.25
Casing Diameter UOM:	inch

Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1004809502
Layer: 1
Slot: 10
Screen Top Depth: 21
Screen End Depth: 31
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 1.5

Water Details

Water ID: 1004809500
Layer:
Kind Code:
Kind:
Water Found Depth:
Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1004809499
Diameter:
Depth From:
Depth To:
Hole Depth UOM: ft
Hole Diameter UOM: inch

244	1 of 1	N/200.0	107.9 / 5.02	ON	WWIS

Well ID:	7272336	**Data Entry Status:**	Yes
Construction Date:		**Data Src:**	
Primary Water Use:		**Date Received:**	9/27/2016
Sec. Water Use:		**Selected Flag:**	Yes
Final Well Status:		**Abandonment Rec:**	
Water Type:		**Contractor:**	7147
Casing Material:		**Form Version:**	8
Audit No:	C34022	**Owner:**	
Tag:	A198575	**Street Name:**	
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1006258562	**Elevation:**	106.31
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:		**East83:**	630155

Code OB Desc:		**Org CS:**	UTM83
Open Hole:		**North83:**	4835865
Cluster Kind:		**UTMRC:**	4
Date Completed:		**UTMRC Desc:**	margin of error : 30 m - 100 m
Remarks:		**Location Method:**	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

245 **1 of 1** **NNE/200.1** **106.6 / 3.74** **ON** **WWIS**

Well ID:	7285674	**Data Entry Status:**	Yes
Construction Date:		**Data Src:**	
Primary Water Use:		**Date Received:**	4/27/2017
Sec. Water Use:		**Selected Flag:**	Yes
Final Well Status:		**Abandonment Rec:**	
Water Type:		**Contractor:**	7147
Casing Material:		**Form Version:**	8
Audit No:	C37238	**Owner:**	
Tag:	A198713	**Street Name:**	
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1006384674	**Elevation:**	105.89
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:		**East83:**	630308
Code OB Desc:		**Org CS:**	UTM83
Open Hole:		**North83:**	4835841
Cluster Kind:		**UTMRC:**	4
Date Completed:	20-APR-17	**UTMRC Desc:**	margin of error : 30 m - 100 m
Remarks:		**Location Method:**	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

246 **1 of 1** **NW/200.2** **106.8 / 4.01** **ON** **BORE**

Borehole ID:	635624	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Diamond Drill	**UTM Zone::**	17
Easting::	630035	**Northing::**	4835813
Location Accuracy::		**Orig. Ground Elev m::**	106
Elev. Reliability Note::		**DEM Ground Elev m::**	106

Total Depth m::	15.5	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::		**Static Water Level::**	1.6
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218474034	**Top Depth(m):**	0.0
Bottom Depth(m):	0.5	**Stratum Desc:**	SAND,SOIL.
Stratum ID:	218474035	**Top Depth(m):**	0.5
Bottom Depth(m):	0.9	**Stratum Desc:**	SAND-FINE TO MEDIUM.GLACIAL,AGE GLACIAL.
Stratum ID:	218474036	**Top Depth(m):**	0.9
Bottom Depth(m):	2.0	**Stratum Desc:**	SAND-MEDIUM. GLACIAL,AGE GLACIAL.
Stratum ID:	218474037	**Top Depth(m):**	2.0
Bottom Depth(m):	5.5	**Stratum Desc:**	SILT,SAND. GREY,GLACIAL,DENSE, AGE GLACIAL, WATER STABLE AT 343.9 FEET.
Stratum ID:	218474038	**Top Depth(m):**	5.5
Bottom Depth(m):	8.2	**Stratum Desc:**	SAND-FINE TO MEDIUM.GREY,GLACIAL,DENSE, AGE GLACIAL.
Stratum ID:	218474039	**Top Depth(m):**	8.2
Bottom Depth(m):	9.8	**Stratum Desc:**	TILL,SILT,CLAY,SAND.GLACIAL,AGE GLACIAL.
Stratum ID:	218474040	**Top Depth(m):**	9.8
Bottom Depth(m):	12.8	**Stratum Desc:**	TILL,SILT,CLAY, GRAVEL. GLACIAL,AGE GLACIAL.
Stratum ID:	218474041	**Top Depth(m):**	12.8
Bottom Depth(m):	15.5	**Stratum Desc:**	TILL,CLAY,SILT,SAND.GLACIAL,HARD,AGE GLACIAL. 00014

---

247 **1 of 1** **W/200.7** **104.1 / 1.26** **ON** **BORE**

Borehole ID:	648435	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Diamond Drill	**UTM Zone::**	17
Easting::	629960	**Northing::**	4835648
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	29	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	2.9
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218522918	**Top Depth(m):**	0.0
Bottom Depth(m):	2.1	**Stratum Desc:**	FILL,STONES,WOOD.
Stratum ID:	218522919	**Top Depth(m):**	2.1
Bottom Depth(m):	10.7	**Stratum Desc:**	TILL,SILT,SAND,CLAY.GREY,GLACIAL,VERY DENSE, LAYERED,AGE GLACIAL.
Stratum ID:	218522920	**Top Depth(m):**	10.7
Bottom Depth(m):	14.6	**Stratum Desc:**	SAND,SILT,CLAY.

GREY,GLACIAL,DENSE,LAYERED, AGE GLACIAL, WATER STABLE AT 343.9 FEET.

Stratum ID: 218522921 **Top Depth(m):** 14.6
Bottom Depth(m): 17.1 **Stratum Desc:** TILL,SILT,CLAY, GRAVEL. GREY,GLACIAL,VERY HARD, LAYERED,AGE GLACIAL.

Stratum ID: 218522922 **Top Depth(m):** 17.1
Bottom Depth(m): 23.5 **Stratum Desc:** TILL,SILT,SAND,CLAY.GREY,GLACIAL,VERY DENSE, AGE GLACIAL.

Stratum ID: 218522923 **Top Depth(m):** 23.5
Bottom Depth(m): 25.3 **Stratum Desc:** SAND. GREY,FLUVIO-GLACIAL, VERY DENSE,AGE GLACIAL.

Stratum ID: 218522924 **Top Depth(m):** 25.3
Bottom Depth(m): 27.6 **Stratum Desc:** TILL,SILT,CLAY, GRAVEL. GREY,GLACIAL,VERY HARD, AGE GLACIAL.

Stratum ID: 218522925 **Top Depth(m):** 27.6
Bottom Depth(m): 29.0 **Stratum Desc:** BEDROCK,SHALE, LIMESTONE. MARINE,LAYERED,AGE ORDOVICIAN.0007006600350042004800570056006200770072 0

---

248 **1 of 1** **NNE/200.8** **106.8 / 3.97** **BEST SERVE CLEANERS** **05-796** **GEN**
531 YONGE STREET
TORONTO ON M4Y 1Y5

Generator No.: ON1549000 **PO Box No.:**
Status: **Country:**
Approval Years: 92,93,94,95,96,97,98 **Choice of Contact:**
Contam. Facility: **Co Admin:**
MHSW Facility: **Phone No. Admin:**
SIC Code: 9721
SIC Description: POWER LAUND./CLEANER

--Details--
Waste Code: 241
Waste Description: HALOGENATED SOLVENTS

---

249 **1 of 1** **NE/201.3** **106.2 / 3.36** **BORE**
ON

Borehole ID: 644689 **Type:** Borehole
Use: Geotechnical/Geological Investigation **Status::**
Drill Method:: Power auger **UTM Zone::** 17
Easting:: 630335 **Northing::** 4835823
Location Accuracy:: **Orig. Ground Elev m::** 106
Elev. Reliability Note:: **DEM Ground Elev m::** 105
Total Depth m:: 6.4 **Primary Name::**
Township:: **Concession::**
Lot:: **Municipality:**
Completion Date:: MAR-1958 **Static Water Level::** -999.9
Primary Water Use:: Not Used **Sec. Water Use::**

--Details--
Stratum ID: 218508486 **Top Depth(m):** 0.0
Bottom Depth(m): 1.5 **Stratum Desc:** FILL,SAND-MEDIUM. BROWN,LOOSE.

Stratum ID:	218508487	**Top Depth(m):**	1.5
Bottom Depth(m):	3.0	**Stratum Desc:**	SAND-MEDIUM,SILT. GREY,BROWN,GLACIAL,COMPACT, AGE GLACIAL.
Stratum ID:	218508488	**Top Depth(m):**	3.0
Bottom Depth(m):	6.4	**Stratum Desc:**	SAND-MEDIUM. BROWN,GLACIAL,DENSE, AGE GLACIAL. 00000002000500200010002 5

250 **1 of 2** **W/201.5** **103.9 / 1.07** **ON** **WWIS**

Well ID:	7213818	**Data Entry Status:**	Yes
Construction Date:		**Data Src:**	
Primary Water Use:		**Date Received:**	12/27/2013
Sec. Water Use:		**Selected Flag:**	Yes
Final Well Status:		**Abandonment Rec:**	
Water Type:		**Contractor:**	7341
Casing Material:		**Form Version:**	5
Audit No:	M07435	**Owner:**	
Tag:	A101209	**Street Name:**	
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1004673355	**Elevation:**	106.1
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:		**East83:**	629964
Code OB Desc:		**Org CS:**	UTM83
Open Hole:		**North83:**	4835611
Cluster Kind:		**UTMRC:**	4
Date Completed:		**UTMRC Desc:**	margin of error : 30 m - 100 m
Remarks:		**Location Method:**	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

250 **2 of 2** **W/201.5** **103.9 / 1.07** **ON** **WWIS**

Well ID:	7218893	**Data Entry Status:**	Yes
Construction Date:		**Data Src:**	
Primary Water Use:		**Date Received:**	4/3/2014
Sec. Water Use:		**Selected Flag:**	Yes
Final Well Status:		**Abandonment Rec:**	
Water Type:		**Contractor:**	7341
Casing Material:		**Form Version:**	5
Audit No:	M07480	**Owner:**	

Tag:	A101209	**Street Name:**	
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1004729515	**Elevation:**	106.1
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:		**East83:**	629964
Code OB Desc:		**Org CS:**	UTM83
Open Hole:		**North83:**	4835611
Cluster Kind:		**UTMRC:**	4
Date Completed:	20-MAR-14	**UTMRC Desc:**	margin of error : 30 m - 100 m
Remarks:		**Location Method:**	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

251 | ***1 of 1*** | ***ESE/201.6*** | ***99.8 / -3.07*** | ***THESL*** | ***NPRI***

ON M5B1K5

NPRI ID:	0000500241	**Org ID:**	
Other ID:		**Submit Date:**	
No Other ID:		**Last Modified:**	
Track ID:		**Contact ID:**	
Report ID:	40131	**Cont Type:**	
Report Type:		**Contact Title:**	
Rpt Type ID:		**Cont First Name:**	
Report Year:	2013	**Cont Last Name:**	
Not-Current Rpt?:		**Contact Position:**	
Yr of Last Filed Rpt:		**Contact Fax:**	
Fac ID:		**Contact Ph.:**	
Fac Name:	14 CARLTON	**Cont Area Code:**	
Fac Address1:		**Contact Tel.:**	
Fac Address2:		**Contact Ext.:**	
Fac Postal Zip:		**Cont Fax Area Cde:**	
Facility Lat:		**Contact Fax:**	
Facility Long:		**Contact Email:**	
DLS (Last Filed Rpt):		**Latitude:**	43.6616
Facility DLS:		**Longitude:**	-79.3822
Datum:	1983	**UTM Zone:**	
Facility Cmnts:		**UTM Northing:**	
URL:	www.torontohydro.com	**UTM Easting:**	
No of Empl.:		**Waste Streams:**	
Parent Co.:		**No Streams:**	
No Parent Co.:		**Waste Off Sites:**	
Pollut Prev Cmnts:		**No Off Sites:**	
Stacks:		**Shutdown:**	
No of Stacks:		**No of Shutdown:**	
Canadian SIC Code (2 digit):			

Canadian SIC Code:	
SIC Code Description:	
American SIC Code:	
NAICS Code (2 digit):	22
NAICS 2 Description:	Utilities
NAICS Code (4 digit):	2211
NAICS 4 Description:	Electric Power Generation, Transmission and Distribution
NAICS Code (6 digit):	221122
NAICS 6 Description:	Electric Power Distribution

252 | **1 of 1** | **SE/204.2** | **98.6 / -4.20** | **435 Yonge St Toronto ON M5B1T3** | **EHS**

Order ID:	485236	**Date Received:**	03-NOV-16
Order No:	20161103144	**Lot/Building Size:**	
Customer ID:	135488	**Municipality:**	
Company ID:	77	**Client Prov/State:**	ON
Status:	C	**Search Radius (km):**	.25
Report Code:	3CAN	**Large Radius:**	.3
Report Type:	Standard Report	**X:**	-79.382662
Report Date:	09-NOV-16	**Y:**	43.660811
Report Requested by:	Pinchin Ltd.		
Nearest Intersection:			
Previous Site Name:			
Additional Info Ordered:			

253 | **1 of 1** | **WNW/204.5** | **105.9 / 3.06** | **ON** | **BORE**

Borehole ID:	646857	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	629975	**Northing::**	4835743
Location Accuracy::		**Orig. Ground Elev m::**	106
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	13.9	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	.4
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218516623	**Top Depth(m):**	0.0
Bottom Depth(m):	2.6	**Stratum Desc:**	SAND-MEDIUM,SILT. BROWN.
Stratum ID:	218516624	**Top Depth(m):**	2.6
Bottom Depth(m):	4.0	**Stratum Desc:**	SAND-MEDIUM,SILT. GREY,LACUSTRINE,DENSE, AGE GLACIAL, WATER STABLE AT 349.0 FEET.
Stratum ID:	218516625	**Top Depth(m):**	4.0
Bottom Depth(m):	6.1	**Stratum Desc:**	SILT. GREY,LACUSTRINE,VERY DENSE, AGE GLACIAL.
Stratum ID:	218516626	**Top Depth(m):**	6.1
Bottom Depth(m):	13.9	**Stratum Desc:**	TILL,SILT,SAND. GREY,GLACIAL,VERY DENSE, AGE GLACIAL. 0000002300085040001300450020004500010 E GL

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
254	1 of 1	N/204.5	107.4 / 4.55	TORONTO ON	WWIS

Well ID:	7267380	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:	Monitoring and Test Hole	**Date Received:**	7/21/2016
Sec. Water Use:	0	**Selected Flag:**	Yes
Final Well Status:	Monitoring and Test Hole	**Abandonment Rec:**	
Water Type:		**Contractor:**	7241
Casing Material:		**Form Version:**	7
Audit No:	Z233345	**Owner:**	
Tag:	A185112	**Street Name:**	564 YONGE STREET
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	WKQ-009038 A0-A02
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1006164631	**Elevation:**	106.49
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:		**East83:**	630214
Code OB Desc:		**Org CS:**	UTM83
Open Hole:		**North83:**	4835875
Cluster Kind:		**UTMRC:**	4
Date Completed:	31-MAY-16	**UTMRC Desc:**	margin of error : 30 m - 100 m
Remarks:		**Location Method:**	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	1006172480
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	
Other Materials:	
Mat3:	66
Other Materials:	DENSE
Formation Top Depth:	6
Formation End Depth:	11
Formation End Depth UOM:	ft

Formation ID:	1006172481
Layer:	3
Color:	2
General Color:	GREY
Mat1:	06

Most Common Material:	SILT
Mat2:	28
Other Materials:	SAND
Mat3:	66
Other Materials:	DENSE
Formation Top Depth:	11
Formation End Depth:	22
Formation End Depth UOM:	ft

Formation ID:	1006172479
Layer:	1
Color:	2
General Color:	GREY
Mat1:	27
Most Common Material:	OTHER
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	
Formation Top Depth:	0
Formation End Depth:	6
Formation End Depth UOM:	ft

Annular Space/Abandonment Sealing Record

Plug ID:	1006172490
Layer:	1
Plug From:	17
Plug To:	28
Plug Depth UOM:	ft

Plug ID:	1006172491
Layer:	2
Plug From:	6
Plug To:	17
Plug Depth UOM:	ft

Plug ID:	1006172492
Layer:	3
Plug From:	0
Plug To:	6
Plug Depth UOM:	ft

Method of Construction & Well Use

Method Construction ID:	1006172489
Method Construction Code:	D
Method Construction:	Direct Push
Other Method Construction:	

Pipe Information

Pipe ID:	1006172478
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	1006172485

Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	6
Depth To:	12
Casing Diameter:	1.5
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Construction Record - Screen

Screen ID:	1006172486
Layer:	1
Slot:	10
Screen Top Depth:	12
Screen End Depth:	22
Screen Material:	5
Screen Depth UOM:	ft
Screen Diameter UOM:	inch
Screen Diameter:	1.75

Water Details

Water ID:	1006172484
Layer:	
Kind Code:	
Kind:	
Water Found Depth:	
Water Found Depth UOM:	ft

Hole Diameter

Hole ID:	1006172483
Diameter:	6
Depth From:	0
Depth To:	6
Hole Depth UOM:	ft
Hole Diameter UOM:	inch

Hole ID:	1006172482
Diameter:	3
Depth From:	6
Depth To:	22
Hole Depth UOM:	ft
Hole Diameter UOM:	inch

255 ***1 of 1*** ***SSW/204.6*** ***99.9 / -2.97*** ***ON*** **BORE**

Borehole ID:	635607	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Diamond Drill	**UTM Zone::**	17
Easting::	630125	**Northing::**	4835393
Location Accuracy::		**Orig. Ground Elev m::**	102
Elev. Reliability Note::		**DEM Ground Elev m::**	100
Total Depth m::	7.6	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	AUG-1958	**Static Water Level::**	-999.9
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218473956	**Top Depth(m):**	0.0
Bottom Depth(m):	2.1	**Stratum Desc:**	SAND. BROWN,FLUVIO-GLACIAL, AGE GLACIAL.
Stratum ID:	218473957	**Top Depth(m):**	2.1
Bottom Depth(m):	2.7	**Stratum Desc:**	SAND-FINE TO MEDIUM.GREY,FLUVIO-GLACIAL,DENSE, AGE GLACIAL.
Stratum ID:	218473958	**Top Depth(m):**	2.7
Bottom Depth(m):	5.5	**Stratum Desc:**	CLAY,SILT. GREY,LACUSTRINE,STIFF, AGE GLACIAL.
Stratum ID:	218473959	**Top Depth(m):**	5.5
Bottom Depth(m):	7.6	**Stratum Desc:**	SILT,CLAY. GREY,LACUSTRINE,HARD,LAYERED, AGE GLACIAL. 020 016 000900140018004

256 ***1 of 1*** ***NNE/206.2*** ***106.9 / 4.04*** ***535 Yonge St Toronto On Toronto ON M4Y1Y5*** ***EHS***

Order ID:	477638	**Date Received:**	14-SEP-16
Order No:	20160914006	**Lot/Building Size:**	.06ha
Customer ID:	91269	**Municipality:**	Toronto
Company ID:	83905	**Client Prov/State:**	ON
Status:	C	**Search Radius (km):**	.25
Report Code:	3CAN	**Large Radius:**	.3
Report Type:	Standard Report	**X:**	-79.383924
Report Date:	20-SEP-16	**Y:**	43.664273
Report Requested by:	GHD Limited		
Nearest Intersection:			
Previous Site Name:	commercial		
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans; City Directory		

257 ***1 of 1*** ***NW/208.0*** ***106.4 / 3.57*** ***ON*** ***BORE***

Borehole ID:	646863	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	629995	**Northing::**	4835783
Location Accuracy::		**Orig. Ground Elev m::**	106
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	28.3	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	.7
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218516656	**Top Depth(m):**	0.0
Bottom Depth(m):	1.6	**Stratum Desc:**	SAND-MEDIUM,SILT. BROWN.
Stratum ID:	218516657	**Top Depth(m):**	1.6
Bottom Depth(m):	3.0	**Stratum Desc:**	SILT,CLAY. GREY,LACUSTRINE,HARD, AGE GLACIAL, WATER STABLE AT 345.8 FEET.
Stratum ID:	218516658	**Top Depth(m):**	3.0
Bottom Depth(m):	6.7	**Stratum Desc:**	SILT,SAND. GREY,LACUSTRINE,DENSE,LAYERED,AGE GLACIAL.

Stratum ID:	218516659	**Top Depth(m):**	6.7
Bottom Depth(m):	7.9	**Stratum Desc:**	SAND,SILT. GREY,LACUSTRINE,DENSE, AGE GLACIAL.
Stratum ID:	218516660	**Top Depth(m):**	7.9
Bottom Depth(m):	14.2	**Stratum Desc:**	TILL,SILT,SAND. GREY,GLACIAL,VERY DENSE, AGE GLACIAL.
Stratum ID:	218516661	**Top Depth(m):**	14.2
Bottom Depth(m):	20.1	**Stratum Desc:**	SAND,SILT. GREY,LACUSTRINE,DENSE, AGE GLACIAL.
Stratum ID:	218516662	**Top Depth(m):**	20.1
Bottom Depth(m):	26.8	**Stratum Desc:**	SAND,SILT. GREY,LACUSTRINE,VERY DENSE, AGE GLACIAL.
Stratum ID:	218516663	**Top Depth(m):**	26.8
Bottom Depth(m):	28.3	**Stratum Desc:**	SHALE,LIMESTONE. MARINE,BEDDED,AGE ORDOVICIAN. 0005203000100035002200400026005000465027006600800

258 **1 of 1** **NW/208.1** **106.8 / 4.01** **ON** **BORE**

Borehole ID:	648098	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	630035	**Northing::**	4835823
Location Accuracy::		**Orig. Ground Elev m::**	106
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	-999	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	.5
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218521542	**Top Depth(m):**	0.0
Bottom Depth(m):	0.9	**Stratum Desc:**	SAND-FINE TO MEDIUM.BROWN.
Stratum ID:	218521543	**Top Depth(m):**	0.9
Bottom Depth(m):	2.0	**Stratum Desc:**	SAND-MEDIUM. BROWN,LACUSTRINE,DENSE, AGE GLACIAL, WATER STABLE AT 348.6 FEET.
Stratum ID:	218521544	**Top Depth(m):**	2.0
Bottom Depth(m):	5.5	**Stratum Desc:**	SILT-MEDIUM,SAND. GREY,LACUSTRINE,DENSE, AGE GLACIAL.
Stratum ID:	218521545	**Top Depth(m):**	5.5
Bottom Depth(m):	8.2	**Stratum Desc:**	SAND-MEDIUM. GREY,LACUSTRINE,DENSE, AGE GLACIAL.
Stratum ID:	218521546	**Top Depth(m):**	8.2
Bottom Depth(m):	9.8	**Stratum Desc:**	TILL,SILT,SAND. GREY,GLACIAL,DENSE, AGE GLACIAL.
Stratum ID:	218521547	**Top Depth(m):**	9.8
Bottom Depth(m):	12.8	**Stratum Desc:**	TILL,SILT,CLAY. GREY,GLACIAL,HARD,AGE GLACIAL.
Stratum ID:	218521548	**Top Depth(m):**	12.8
Bottom Depth(m):		**Stratum Desc:**	TILL,CLAY,SILT. GREY,GLACIAL,HARD,AGE

GLACIAL.000300200006503000180040002700300032004000420040 00

259	1 of 1	N/209.3	107.4 / 4.55	TORONTO ON	WWIS

Well ID:	7267381	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:	Monitoring and Test Hole	**Date Received:**	7/21/2016
Sec. Water Use:	0	**Selected Flag:**	Yes
Final Well Status:	Monitoring and Test Hole	**Abandonment Rec:**	
Water Type:		**Contractor:**	7241
Casing Material:		**Form Version:**	7
Audit No:	Z233367	**Owner:**	
Tag:	A185151	**Street Name:**	556 & 564 YONGE STREET
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	WKQ-009048 A0-A02
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1006164674	**Elevation:**	106.3
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:		**East83:**	630244
Code OB Desc:		**Org CS:**	UTM83
Open Hole:		**North83:**	4835876
Cluster Kind:		**UTMRC:**	4
Date Completed:	02-JUN-16	**UTMRC Desc:**	margin of error : 30 m - 100 m
Remarks:		**Location Method:**	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	1006172496
Layer:	3
Color:	2
General Color:	GREY
Mat1:	06
Most Common Material:	SILT
Mat2:	28
Other Materials:	SAND
Mat3:	66
Other Materials:	DENSE
Formation Top Depth:	11
Formation End Depth:	20
Formation End Depth UOM:	ft

Formation ID:	1006172494
Layer:	1
Color:	2
General Color:	GREY
Mat1:	27
Most Common Material:	OTHER
Mat2:	
Other Materials:	
Mat3:	66
Other Materials:	DENSE
Formation Top Depth:	0
Formation End Depth:	6
Formation End Depth UOM:	ft

Formation ID:	1006172495
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	
Other Materials:	
Mat3:	66
Other Materials:	DENSE
Formation Top Depth:	6
Formation End Depth:	11
Formation End Depth UOM:	ft

Annular Space/Abandonment Sealing Record

Plug ID:	1006172507
Layer:	3
Plug From:	0
Plug To:	6
Plug Depth UOM:	ft

Plug ID:	1006172505
Layer:	1
Plug From:	10
Plug To:	20
Plug Depth UOM:	ft

Plug ID:	1006172506
Layer:	2
Plug From:	6
Plug To:	10
Plug Depth UOM:	ft

Method of Construction & Well Use

Method Construction ID:	1006172504
Method Construction Code:	D
Method Construction:	Direct Push
Other Method Construction:	

Pipe Information

Pipe ID:	1006172493
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	1006172500
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	6
Depth To:	10
Casing Diameter:	1.5
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Construction Record - Screen

Screen ID:	1006172501
Layer:	1
Slot:	10
Screen Top Depth:	10
Screen End Depth:	20
Screen Material:	5
Screen Depth UOM:	ft
Screen Diameter UOM:	inch
Screen Diameter:	1.75

Water Details

Water ID:	1006172499
Layer:	
Kind Code:	
Kind:	
Water Found Depth:	
Water Found Depth UOM:	ft

Hole Diameter

Hole ID:	1006172497
Diameter:	3
Depth From:	6
Depth To:	20
Hole Depth UOM:	ft
Hole Diameter UOM:	inch

Hole ID:	1006172498
Diameter:	6
Depth From:	0
Depth To:	6
Hole Depth UOM:	ft
Hole Diameter UOM:	inch

260 ***1 of 1*** ***NW/210.3*** ***106.8 / 4.01*** ***ON*** ***BORE***

Borehole ID:	648447	***Type:***	Borehole
Use:	Geotechnical/Geological Investigation	***Status::***	
Drill Method::	Jetting	***UTM Zone::***	17
Easting::	630000	***Northing::***	4835793
Location Accuracy::		***Orig. Ground Elev m::***	106
Elev. Reliability Note::		***DEM Ground Elev m::***	106
Total Depth m::	15.5	***Primary Name::***	
Township::		***Concession::***	
Lot::		***Municipality:***	

Completion Date::	SEP-1963	**Static Water Level::**	1.6
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218522987	**Top Depth(m):**	2.1
Bottom Depth(m):	7.0	**Stratum Desc:**	SILT,SAND-MEDIUM. GREY,GLACIAL,DENSE,LAYERED, AGE GLACIAL, WATER STABLE AT 343.0 FEET.
Stratum ID:	218522988	**Top Depth(m):**	7.0
Bottom Depth(m):	12.8	**Stratum Desc:**	TILL,SILT,SAND,CLAY.GREY,GLACIAL,VERY DENSE, LAYERED,AGE GLACIAL.
Stratum ID:	218522989	**Top Depth(m):**	12.8
Bottom Depth(m):	15.5	**Stratum Desc:**	TILL,CLAY,SILT, GRAVEL. GREY,GLACIAL,HARD,LAYERED, AGE GLACIAL. 00016026000700270023005300420042
Stratum ID:	218522984	**Top Depth(m):**	0.0
Bottom Depth(m):	0.1	**Stratum Desc:**	SOIL.
Stratum ID:	218522985	**Top Depth(m):**	0.1
Bottom Depth(m):	0.5	**Stratum Desc:**	SAND-MEDIUM. BROWN,FLUVIO-GLACIAL, AGE GLACIAL.
Stratum ID:	218522986	**Top Depth(m):**	0.5
Bottom Depth(m):	2.1	**Stratum Desc:**	SAND. BROWN,FLUVIO-GLACIAL,DENSE, AGE GLACIAL.

---

261 | **1 of 1** | **N/211.1** | **107.4 / 4.55** | **WWIS**

TORONTO ON

Well ID:	7267382	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:	Monitoring and Test Hole	**Date Received:**	7/21/2016
Sec. Water Use:	0	**Selected Flag:**	Yes
Final Well Status:	Monitoring and Test Hole	**Abandonment Rec:**	
Water Type:		**Contractor:**	7241
Casing Material:		**Form Version:**	7
Audit No:	Z233366	**Owner:**	
Tag:	A185148	**Street Name:**	556 & 564 YONGE STREET
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	WKQ-009048 A0-A02
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1006164677	**Elevation:**	106.29
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:		**East83:**	630248
Code OB Desc:		**Org CS:**	UTM83
Open Hole:		**North83:**	4835877
Cluster Kind:		**UTMRC:**	4

Date Completed:	02-JAN-16	***UTMRC Desc:***	margin of error : 30 m - 100 m
Remarks:		***Location Method:***	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	1006172538
Layer:	3
Color:	2
General Color:	GREY
Mat1:	06
Most Common Material:	SILT
Mat2:	28
Other Materials:	SAND
Mat3:	66
Other Materials:	DENSE
Formation Top Depth:	8
Formation End Depth:	19
Formation End Depth UOM:	ft

Formation ID:	1006172536
Layer:	1
Color:	2
General Color:	GREY
Mat1:	27
Most Common Material:	OTHER
Mat2:	
Other Materials:	
Mat3:	77
Other Materials:	LOOSE
Formation Top Depth:	0
Formation End Depth:	6
Formation End Depth UOM:	ft

Formation ID:	1006172537
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	
Other Materials:	
Mat3:	66
Other Materials:	DENSE
Formation Top Depth:	6
Formation End Depth:	8
Formation End Depth UOM:	ft

Annular Space/Abandonment Sealing Record

Plug ID:	1006172547
Layer:	1
Plug From:	8
Plug To:	19
Plug Depth UOM:	ft

Plug ID:	1006172549

Layer:	3
Plug From:	0
Plug To:	6
Plug Depth UOM:	ft
Plug ID:	1006172548
Layer:	2
Plug From:	6
Plug To:	8
Plug Depth UOM:	ft

Method of Construction & Well Use

Method Construction ID:	1006172546
Method Construction Code:	D
Method Construction:	Direct Push
Other Method Construction:	

Pipe Information

Pipe ID:	1006172535
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	1006172542
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	6
Depth To:	9
Casing Diameter:	1.05
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Construction Record - Screen

Screen ID:	1006172543
Layer:	1
Slot:	10
Screen Top Depth:	9
Screen End Depth:	19
Screen Material:	5
Screen Depth UOM:	ft
Screen Diameter UOM:	inch
Screen Diameter:	1.25

Water Details

Water ID:	1006172541
Layer:	
Kind Code:	
Kind:	
Water Found Depth:	
Water Found Depth UOM:	ft

Hole Diameter

Hole ID:	1006172539
Diameter:	2.25
Depth From:	6
Depth To:	19
Hole Depth UOM:	ft
Hole Diameter UOM:	inch

Hole ID:	1006172540
Diameter:	6
Depth From:	0
Depth To:	6
Hole Depth UOM:	ft
Hole Diameter UOM:	inch

---

262 **1 of 1** **WSW/212.3** **101.9 / -0.91** **Toronto ON** **WWIS**

Well ID:	7204228	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:	Monitoring and Test Hole	**Date Received:**	7/5/2013
Sec. Water Use:		**Selected Flag:**	Yes
Final Well Status:	Abandoned Monitoring and Test Hole	**Abandonment Rec:**	Yes
Water Type:		**Contractor:**	7241
Casing Material:		**Form Version:**	7
Audit No:	Z172371	**Owner:**	
Tag:	A112671	**Street Name:**	76 GRENVILLE STREET
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1004396129	**Elevation:**	103.64
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:		**East83:**	629990
Code OB Desc:		**Org CS:**	UTM83
Open Hole:		**North83:**	4835508
Cluster Kind:		**UTMRC:**	4
Date Completed:	03-JUN-13	**UTMRC Desc:**	margin of error : 30 m - 100 m
Remarks:		**Location Method:**	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Annular Space/Abandonment Sealing Record

Plug ID:	1004809530
Layer:	1
Plug From:	0
Plug To:	1

Plug Depth UOM:	ft
Plug ID:	1004809532
Layer:	3
Plug From:	
Plug To:	
Plug Depth UOM:	ft
Plug ID:	1004809531
Layer:	2
Plug From:	1
Plug To:	20
Plug Depth UOM:	ft

Method of Construction & Well Use

Method Construction ID:	1004809529
Method Construction Code:	D
Method Construction:	Direct Push
Other Method Construction:	

Pipe Information

Pipe ID:	1004809521
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	1004809525
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0
Depth To:	10
Casing Diameter:	2
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Construction Record - Screen

Screen ID:	1004809526
Layer:	1
Slot:	10
Screen Top Depth:	10
Screen End Depth:	20
Screen Material:	5
Screen Depth UOM:	ft
Screen Diameter UOM:	inch
Screen Diameter:	2.25

Water Details

Water ID:	1004809524
Layer:	
Kind Code:	
Kind:	
Water Found Depth:	
Water Found Depth UOM:	ft

Hole Diameter

Hole ID:	1004809523
Diameter:	
Depth From:	
Depth To:	
Hole Depth UOM:	ft
Hole Diameter UOM:	inch

---

263 ***1 of 1*** ***W/212.5*** ***103.8 / 0.95*** ***ON*** ***BORE***

Borehole ID:	646965	***Type:***	Borehole
Use:	Geotechnical/Geological Investigation	***Status::***	
Drill Method::	Power auger	***UTM Zone::***	17
Easting::	629955	***Northing::***	4835603
Location Accuracy::		***Orig. Ground Elev m::***	107
Elev. Reliability Note::		***DEM Ground Elev m::***	106
Total Depth m::	12.1	***Primary Name::***	
Township::		***Concession::***	
Lot::		***Municipality:***	
Completion Date::	SEP-1963	***Static Water Level::***	1.6
Primary Water Use::	Not Used	***Sec. Water Use::***	

--Details--

Stratum ID:	218517083	***Top Depth(m):***	0.0
Bottom Depth(m):	1.2	***Stratum Desc:***	FILL.
Stratum ID:	218517084	***Top Depth(m):***	1.2
Bottom Depth(m):	3.2	***Stratum Desc:***	TILL,SILT,SAND. BROWN,GLACIAL,DENSE, AGE GLACIAL.
Stratum ID:	218517085	***Top Depth(m):***	3.2
Bottom Depth(m):	12.1	***Stratum Desc:***	TILL,SILT,SAND. GREY,GLACIAL,VERY DENSE, AGE GLACIAL, WATER STABLE AT 347.9 FEET.0004003000105072

---

264 ***1 of 2*** ***NE/212.9*** ***105.8 / 2.93*** ***THE COSMOPOLITAN MTCC 755 25 MAITLAND STREET TORONTO ON M4Y 2W1*** ***GEN***

Generator No.:	ON7715426	***PO Box No.:***	
Status:		***Country:***	Canada
Approval Years:	2015	***Choice of Contact:***	CO_OFFICIAL
Contam. Facility:	No	***Co Admin:***	
MHSW Facility:	No	***Phone No. Admin:***	
SIC Code:	531310		
SIC Description:	REAL ESTATE PROPERTY MANAGERS		

--Details--

Waste Code:	212
Waste Description:	ALIPHATIC SOLVENTS

---

264 ***2 of 2*** ***NE/212.9*** ***105.8 / 2.93*** ***PRIVATE OWNER 25 MAITLAND STREET MOTOR VEHICLE (OPERATING FLUID) TORONTO CITY ON M4Y 2W1*** ***SPL***

Ref No:	104814	***Discharger Report:***	

Site No:		**Material Group:**	
Incident Dt:	9/3/1994	**Client Type:**	
Year:		**Sector Type:**	
Incident Cause:	PIPE/HOSE LEAK	**Source Type:**	
Incident Event:		**Nearest Watercourse:**	
Contaminant Code:		**Site Name:**	
Contaminant Name:		**Site Address:**	
Contaminant Limit 1:		**Site District Office:**	
Contam Limit Freq 1:		**Site County/District:**	
Contaminant UN No 1:		**Site Postal Code:**	
Contaminant Qty:		**Site Region:**	
Environment Impact:	NOT ANTICIPATED	**Site Municipality:**	1106
Nature of Impact:		**Site Lot:**	
Receiving Medium:	LAND	**Site Conc:**	
Receiving Env:		**Northing:**	
Health/Env Conseq:		**Easting:**	FD,PD.
MOE Response:		**Site Geo Ref Accu:**	
Dt MOE Arvl on Scn:		**Site Geo Ref Meth:**	
MOE Reported Dt:	9/3/1994	**Site Map Datum:**	
Dt Document Closed:			
SAC Action Class:			
Incident Reason:	ERROR		
Incident Summary:	PRIVATE/AUTO-< 0.5 LITER GASOLINE TO ROAD,WASHED TO STORM SEWER,FD,PD.		

265 ***1 of 1*** ***WNW/213.0*** ***105.7 / 2.85*** ***ON*** ***BORE***

Borehole ID:	646860	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	629955	**Northing::**	4835713
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	15.5	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	.8
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218516637	**Top Depth(m):**	0.0
Bottom Depth(m):	0.8	**Stratum Desc:**	FILL,SAND.
Stratum ID:	218516638	**Top Depth(m):**	0.8
Bottom Depth(m):	1.8	**Stratum Desc:**	SAND-MEDIUM,SILT. BROWN,LACUSTRINE,DENSE, AGE GLACIAL.
Stratum ID:	218516639	**Top Depth(m):**	1.8
Bottom Depth(m):	3.7	**Stratum Desc:**	TILL,SILT,SAND. GREY,GLACIAL,DENSE, AGE GLACIAL, WATER STABLE AT 349.3 FEET.
Stratum ID:	218516640	**Top Depth(m):**	3.7
Bottom Depth(m):	8.2	**Stratum Desc:**	SAND,SILT. GREY,LACUSTRINE,VERY DENSE, AGE GLACIAL.
Stratum ID:	218516641	**Top Depth(m):**	8.2
Bottom Depth(m):	11.9	**Stratum Desc:**	TILL,SILT,SAND. GREY,GLACIAL,VERY DENSE, AGE GLACIAL.
Stratum ID:	218516642	**Top Depth(m):**	11.9
Bottom Depth(m):	15.5	**Stratum Desc:**	SAND,SILT,CLAY. GREY,LACUSTRINE,VERY

DENSE, LAYERED,AGE GLACIAL.
0002501900060038001200550027009 0

266 **1 of 1** **WSW/213.1** **102.9 / 0.06** **Toronto ON** **WWIS**

Well ID:	7204227	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:	Monitoring and Test Hole	**Date Received:**	7/5/2013
Sec. Water Use:		**Selected Flag:**	Yes
Final Well Status:	Abandoned Monitoring and Test Hole	**Abandonment Rec:**	Yes
Water Type:		**Contractor:**	7241
Casing Material:		**Form Version:**	7
Audit No:	Z172370	**Owner:**	
Tag:		**Street Name:**	76 GRENVILLE STREET
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1004396083	**Elevation:**	104.43
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:		**East83:**	629974
Code OB Desc:		**Org CS:**	UTM83
Open Hole:		**North83:**	4835539
Cluster Kind:		**UTMRC:**	4
Date Completed:	03-JUN-13	**UTMRC Desc:**	margin of error : 30 m - 100 m
Remarks:		**Location Method:**	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Annular Space/Abandonment Sealing Record

Plug ID:	1004809519
Layer:	2
Plug From:	1
Plug To:	29.5
Plug Depth UOM:	ft
Plug ID:	1004809520
Layer:	3
Plug From:	
Plug To:	
Plug Depth UOM:	ft
Plug ID:	1004809518
Layer:	1

Plug From:	0
Plug To:	1
Plug Depth UOM:	ft

Method of Construction & Well Use

Method Construction ID:	1004809517
Method Construction Code:	D
Method Construction:	Direct Push
Other Method Construction:	

Pipe Information

Pipe ID:	1004809509
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	1004809513
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0
Depth To:	19.5
Casing Diameter:	.75
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Construction Record - Screen

Screen ID:	1004809514
Layer:	1
Slot:	10
Screen Top Depth:	19.5
Screen End Depth:	29.5
Screen Material:	5
Screen Depth UOM:	ft
Screen Diameter UOM:	inch
Screen Diameter:	1

Water Details

Water ID:	1004809512
Layer:	
Kind Code:	
Kind:	
Water Found Depth:	
Water Found Depth UOM:	ft

Hole Diameter

Hole ID:	1004809511
Diameter:	
Depth From:	
Depth To:	
Hole Depth UOM:	ft
Hole Diameter UOM:	inch

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

267 | **1 of 1** | **NNW/213.2** | **107.1 / 4.27** | **ON** | **WWIS**

Well ID:	7241571	**Data Entry Status:**	Yes
Construction Date:		**Data Src:**	
Primary Water Use:		**Date Received:**	5/20/2015
Sec. Water Use:		**Selected Flag:**	Yes
Final Well Status:		**Abandonment Rec:**	
Water Type:		**Contractor:**	7147
Casing Material:		**Form Version:**	8
Audit No:	C28749	**Owner:**	
Tag:	A175830	**Street Name:**	
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1005366377	**Elevation:**	106.29
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:		**East83:**	630062
Code OB Desc:		**Org CS:**	UTM83
Open Hole:		**North83:**	4835846
Cluster Kind:		**UTMRC:**	4
Date Completed:	24-APR-15	**UTMRC Desc:**	margin of error : 30 m - 100 m
Remarks:		**Location Method:**	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

268 | **1 of 1** | **N/213.6** | **107.4 / 4.55** | **FREEMAN FORMAL RENTALS**
556 YONGE ST.
TORONTO ON M4Y 1Y9 | **GEN**

Generator No.:	ON0230400	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	86,87,88,89,90,92,93,94	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	0000		
SIC Description:	*** NOT DEFINED ***		

269 | **1 of 1** | **NW/214.3** | **107.1 / 4.27** | **ON** | **WWIS**

Well ID:	7256286	**Data Entry Status:**	Yes
Construction Date:		**Data Src:**	
Primary Water Use:		**Date Received:**	1/19/2016
Sec. Water Use:		**Selected Flag:**	Yes

Final Well Status:		**Abandonment Rec:**	
Water Type:		**Contractor:**	6032
Casing Material:		**Form Version:**	8
Audit No:	C29087	**Owner:**	
Tag:	A194292	**Street Name:**	
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1005870751	**Elevation:**	106.23
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:		**East83:**	630049
Code OB Desc:		**Org CS:**	UTM83
Open Hole:		**North83:**	4835840
Cluster Kind:		**UTMRC:**	4
Date Completed:	22-DEC-15	**UTMRC Desc:**	margin of error : 30 m - 100 m
Remarks:		**Location Method:**	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

270 | ***1 of 10*** | ***NNW/215.4*** | ***107.5 / 4.65*** | ***MINISTRY OF GOVERNMENT SERVICES*** | ***GEN***

945 BAY STREET
TORONTO ON M5S 1Z9

Generator No.:	ON0123933	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	90,98	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	8159		
SIC Description:	OTHER GEN. ADMIN.		

--Details--

Waste Code:	243
Waste Description:	PCB'S

270 | ***2 of 10*** | ***NNW/215.4*** | ***107.5 / 4.65*** | ***MINISTRY OF GOVERNMENT SERVICES*** ***26-455*** | ***GEN***

945 BAY STREET
TORONTO ON M5S 1Z9

Generator No.:	ON0123933	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	92,93,94,95,96,97	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	8159		
SIC Description:	OTHER GEN. ADMIN.		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

--Details--
Waste Code: 243
Waste Description: PCB'S

270	3 of 10	NNW/215.4	107.5 / 4.65	MINISTRY OF GOVERNMENT SERVICES 945 BAY STREET TORONTO ON M7A 1N3	NPCB

Company Code: F0847
Industry:
Site Status:
Transaction Date: 1/29/1996
Inspection Date:

--Details--
Label:
Serial No.:
PCB Type/Code: Askarel
Location:
Item/State:
No. of Items:
Manufacturer:
Status: Stored for Disposal
Contents: 2400.00 KG

270	4 of 10	NNW/215.4	107.5 / 4.65	MINISTRY OF GOVERNMENT SERVICE 945 BAY STREET TORONTO ON M7A 1N	NPCB

Company Code: F0797
Industry: UNDEFINED
Site Status:
Transaction Date:
Inspection Date:

270	5 of 10	NNW/215.4	107.5 / 4.65	MINISTRY OF GOVERNMENT SERVICES 945 BAY STREET TORONTO ON M7A 1N3	OPCB

Year: 1995
Site Number: 30190A042
Name Owner:
Additional Site Information:

--Details--
Quantity: 18.00
Address Site:
Description: Number of Drums of Ballasts with High Level PCBs (>1000 ppm)

Quantity: 3600.00
Address Site:
Description: Weight of Drums of Ballasts with High Level PCBs (>1000 ppm) kg

---

270	6 of 10	NNW/215.4	107.5 / 4.65	MINISTRY OF GOVERNMENT SERVICES 945 BAY STREET	OPCB

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
				TORONTO ON M7A 1N3	

Year: 2000
Site Number: 30190A042
Name Owner:
Additional Site Information:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
270	7 of 10	NNW/215.4	107.5 / 4.65	Republic Motor Car Co of Canada 945 Bay St Toronto ON	TANK

Permit Date: 1920
Permit Type: To erect
User Type: Garage
Installation Type: Public garage
Installation Size:
Installation Config.: Public garage
No. Tanks Installed:
Units of Measure:
Value/Tank ($):
Capacity(gal):
Reference: TCM 1920 A: 254
Location Desc: Part of 29-35 St Albans St (100*188'; lots 32, 33 rp D-13)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
270	8 of 10	NNW/215.4	107.5 / 4.65	Toronto Hydro-Electric System Ltd 945 Bay St Toronto ON	TANK

Permit Date: 11/26/1929
Permit Type: BP A27409
User Type: Municipal electric utility
Installation Type: Gasoline pedestal
Installation Size:
Installation Config.: 1 x gasoline pedestal
No. Tanks Installed: 1
Units of Measure:
Value/Tank ($): 800
Capacity(gal):
Reference: CTA Building permits
Location Desc: 39 St Albans St

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
270	9 of 10	NNW/215.4	107.5 / 4.65	Republic Motor Car Co of Canada 945 Bay St Toronto ON	TANK

Permit Date: 1920
Permit Type: To erect, permit deferred
User Type: Garage
Installation Type: Public garage
Installation Size:
Installation Config.: Garage to replace mill
No. Tanks Installed:
Units of Measure:
Value/Tank ($):
Capacity(gal):
Reference: TCM 1920 A: 210-11
Location Desc: Part of 29-35 St Albans St (100*188'; lots 32, 33 rp D-13)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
270	10 of 10	NNW/215.4	107.5 / 4.65	945 Bay St Toronto ON	TANK

Permit Date:	1924
Permit Type:	Information
User Type:	Gasoline retail
Installation Type:	gas pump on curb
Installation Size:	
Installation Config.:	gas pump on curb
No. Tanks Installed:	
Units of Measure:	
Value/Tank ($):	
Capacity(gal):	
Reference:	TCM 1924 A: 1313-4
Location Desc:	35 St Albans St

271	1 of 1	NW/217.4	106.8 / 4.01	ON	BORE

Borehole ID:	649120	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Jetting	**UTM Zone::**	17
Easting::	630020	**Northing::**	4835823
Location Accuracy::		**Orig. Ground Elev m::**	104
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	15.5	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	1.6
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218525815	**Top Depth(m):**	0.0
Bottom Depth(m):	0.5	**Stratum Desc:**	FILL,SAND,SOIL, GRAVEL.
Stratum ID:	218525816	**Top Depth(m):**	0.5
Bottom Depth(m):	0.9	**Stratum Desc:**	SAND. BROWN,FLUVIO-GLACIAL, AGE GLACIAL.
Stratum ID:	218525817	**Top Depth(m):**	0.9
Bottom Depth(m):	2.0	**Stratum Desc:**	SAND-MEDIUM. BROWN,FLUVIO-GLACIAL, AGE GLACIAL.
Stratum ID:	218525818	**Top Depth(m):**	2.0
Bottom Depth(m):	5.5	**Stratum Desc:**	SILT,SAND. GREY,GLACIAL,DENSE, AGE GLACIAL, WATER STABLE AT 337.9 FEET.
Stratum ID:	218525819	**Top Depth(m):**	5.5
Bottom Depth(m):	8.2	**Stratum Desc:**	SAND. GREY,FLUVIO-GLACIAL,DENSE, AGE GLACIAL.
Stratum ID:	218525820	**Top Depth(m):**	8.2
Bottom Depth(m):	9.8	**Stratum Desc:**	TILL,SILT,SAND,CLAY.GREY,GLACIAL,DENSE,LAYERED, AGE GLACIAL.
Stratum ID:	218525821	**Top Depth(m):**	9.8
Bottom Depth(m):	12.8	**Stratum Desc:**	TILL,SILT,CLAY, GRAVEL. GREY,GLACIAL,HARD,LAYERED, AGE GLACIAL.
Stratum ID:	218525822	**Top Depth(m):**	12.8
Bottom Depth(m):	15.5	**Stratum Desc:**	TILL,CLAY,SILT, GRAVEL. GREY,GLACIAL,HARD,LAYERED, AGE GLACIAL.

0003001400065029001800400027003 00

272 | **1 of 1** | **W/218.2** | **103.9 / 1.04** | **ON** | **BORE**

Borehole ID:	636603	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Diamond Drill	**UTM Zone::**	17
Easting::	629945	**Northing::**	4835623
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	15.5	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::		**Static Water Level::**	1.6
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218477578	**Top Depth(m):**	2.9
Bottom Depth(m):	12.8	**Stratum Desc:**	TILL,SILT,SAND, GRAVEL. GLACIAL,DENSE,AGE GLACIAL, WATER STABLE AT 348.4 FEET.
Stratum ID:	218477579	**Top Depth(m):**	12.8
Bottom Depth(m):	15.5	**Stratum Desc:**	SILT,CLAY,SAND. GREY,GLACIAL,HARD,AGE GLACIAL.00035
Stratum ID:	218477576	**Top Depth(m):**	0.0
Bottom Depth(m):	1.5	**Stratum Desc:**	FILL.
Stratum ID:	218477577	**Top Depth(m):**	1.5
Bottom Depth(m):	2.9	**Stratum Desc:**	TILL,SILT,SAND,CLAY.GLACIAL,AGE GLACIAL.

273 | **1 of 1** | **N/219.6** | **107.7 / 4.88** | **556 - 564 Yonge Street Toronto ON** | **EHS**

Order ID:	456340	**Date Received:**	04-MAY-16
Order No:	20160504011	**Lot/Building Size:**	
Customer ID:	53147	**Municipality:**	
Company ID:	77	**Client Prov/State:**	ON
Status:	C	**Search Radius (km):**	.25
Report Code:	4CAN	**Large Radius:**	.3
Report Type:	Custom Report	**X:**	-79.384734
Report Date:	09-MAY-16	**Y:**	43.664593
Report Requested by:	Pinchin Ltd		
Nearest Intersection:			
Previous Site Name:			
Additional Info Ordered:			

274 | **1 of 1** | **N/220.0** | **107.7 / 4.88** | **What-A-Bagel 558 Yonge St Toronto ON M4Y 1Z1** | **SCT**

Established:	2002
Plant Size (ft²):	
Employment:	

--Details--

Description: Retail Bakeries
SIC/NAICS Code: 311811

---

275 | **1 of 1** | **W/220.3** | **103.8 / 0.95** | **80 Grosvenor Street Toronto ON** | **EHS**

Order ID:	122080	**Date Received:**	12/12/2007
Order No:	20071212011	**Lot/Building Size:**	208,133 square feet
Customer ID:	63987	**Municipality:**	
Company ID:	26	**Client Prov/State:**	
Status:	C	**Search Radius (km):**	0.25
Report Code:	3CAN	**Large Radius:**	2
Report Type:	CAN - Complete Report	**X:**	-79.388335
Report Date:	12/18/2007	**Y:**	43.662246
Report Requested by:	Conestoga-Rovers & Associates		
Nearest Intersection:			
Previous Site Name:			
Additional Info Ordered:	Fire Insur. Maps And /or Site Plans; City Directory		

---

276 | **1 of 1** | **NNE/220.4** | **107.4 / 4.55** | **ON** | **WWIS**

Well ID:	6931041	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:		**Date Received:**	11/28/2006
Sec. Water Use:		**Selected Flag:**	Yes
Final Well Status:	Observation Wells	**Abandonment Rec:**	
Water Type:		**Contractor:**	6607
Casing Material:		**Form Version:**	3
Audit No:	Z56606	**Owner:**	
Tag:	A048456	**Street Name:**	
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	11696285	**Elevation:**	106.25
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:	o	**East83:**	630269
Code OB Desc:	Overburden	**Org CS:**	UTM83
Open Hole:		**North83:**	4835881
Cluster Kind:		**UTMRC:**	3
Date Completed:	24-OCT-06	**UTMRC Desc:**	margin of error : 10 - 30 m
Remarks:		**Location Method:**	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	933084021
Layer:	2
Color:	2
General Color:	GREY
Mat1:	28
Most Common Material:	SAND
Mat2:	06
Other Materials:	SILT
Mat3:	
Other Materials:	
Formation Top Depth:	1.5
Formation End Depth:	7.6
Formation End Depth UOM:	m

Formation ID:	933084020
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	01
Most Common Material:	FILL
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	
Formation Top Depth:	0
Formation End Depth:	1.5
Formation End Depth UOM:	m

Annular Space/Abandonment Sealing Record

Plug ID:	933309293
Layer:	1
Plug From:	0
Plug To:	.3
Plug Depth UOM:	m

Plug ID:	933309294
Layer:	2
Plug From:	.3
Plug To:	4.5
Plug Depth UOM:	m

Method of Construction & Well Use

Method Construction ID:	966931041
Method Construction Code:	6
Method Construction:	Boring
Other Method Construction:	

Pipe Information

Pipe ID:	11701151
Casing No:	1
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	930892735
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0
Depth To:	4.5
Casing Diameter:	5.1
Casing Diameter UOM:	cm
Casing Depth UOM:	m

Construction Record - Screen

Screen ID:	933421960
Layer:	1
Slot:	20
Screen Top Depth:	4.5
Screen End Depth:	7.6
Screen Material:	5
Screen Depth UOM:	m
Screen Diameter UOM:	cm
Screen Diameter:	6.4

Water Details

Water ID:	934082325
Layer:	1
Kind Code:	1
Kind:	FRESH
Water Found Depth:	4.5
Water Found Depth UOM:	m

Hole Diameter

Hole ID:	11760527
Diameter:	10
Depth From:	0
Depth To:	7.6
Hole Depth UOM:	m
Hole Diameter UOM:	cm

277	1 of 1	SE/220.4	98.2 / -4.66	**Astoria Cafe** **433 Yonge St** **Toronto ON M5B 1T3**	TANK

Permit Date:	4/26/1928
Permit Type:	BP A12938
User Type:	Restaurant
Installation Type:	Fuel Oil tanks
Installation Size:	
Installation Config.:	2 x Fuel oil tanks
No. Tanks Installed:	2
Units of Measure:	
Value/Tank ($):	100
Capacity(gal):	
Reference:	CTA Building permits
Location Desc:	433 Yonge St

278	1 of 1	NW/220.7	106.8 / 4.01	ON	BORE

Borehole ID:	648097	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	630015	**Northing::**	4835823
Location Accuracy::		**Orig. Ground Elev m::**	106
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	-999	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	.8
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218521536	**Top Depth(m):**	2.9
Bottom Depth(m):	7.8	**Stratum Desc:**	SAND,SILT. GREY,LACUSTRINE,DENSE,LAYERED,AGE GLACIAL.
Stratum ID:	218521537	**Top Depth(m):**	7.8
Bottom Depth(m):	13.8	**Stratum Desc:**	TILL,SILT,SAND. GREY,GLACIAL,VERY DENSE, AGE GLACIAL.
Stratum ID:	218521538	**Top Depth(m):**	13.8
Bottom Depth(m):	19.2	**Stratum Desc:**	SILT,CLAY,SAND. GREY,LACUSTRINE,HARD,LAYERED, AGE GLACIAL.
Stratum ID:	218521534	**Top Depth(m):**	0.0
Bottom Depth(m):	2.3	**Stratum Desc:**	SAND,CLAY,SILT. BROWN,LACUSTRINE,DENSE, LAYERED,AGE GLACIAL.
Stratum ID:	218521535	**Top Depth(m):**	2.3
Bottom Depth(m):	2.9	**Stratum Desc:**	SILT. BROWN,LACUSTRINE,AGE GLACIAL, WATER STABLE AT 346.4 FEET.
Stratum ID:	218521539	**Top Depth(m):**	19.2
Bottom Depth(m):	26.5	**Stratum Desc:**	SAND,SILT,GRAVEL. GREY,LACUSTRINE,VERY DENSE, AGE GLACIAL.
Stratum ID:	218521540	**Top Depth(m):**	26.5
Bottom Depth(m):	27.3	**Stratum Desc:**	SAND,SILT. GREY,LACUSTRINE,VERY DENSE, AGE GLACIAL.
Stratum ID:	218521541	**Top Depth(m):**	27.3
Bottom Depth(m):		**Stratum Desc:**	TILL,SILT,SAND. GREY,GLACIAL,VERY DENSE, AGE GLACIAL. 0000003200095040002550600045204000630100008

279	***1 of 1***	***NNE/220.8***	***107.4 / 4.55***	***ON***	***BORE***

Borehole ID:	638059	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	630265	**Northing::**	4835883
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	13.7	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	OCT-1967	**Static Water Level::**	1.4

Primary Water Use:: Not Used
Sec. Water Use::

--Details--

Stratum ID: 218482820
Top Depth(m): 0.0
Bottom Depth(m): 1.4
Stratum Desc: FILL,GRAVEL,SILT. GREY,COMPACT.

Stratum ID: 218482821
Top Depth(m): 1.4
Bottom Depth(m): 3.0
Stratum Desc: SILT,SAND. BROWN,GLACIAL,VERY DENSE, AGE GLACIAL, WATER STABLE AT 347.2 FEET.

Stratum ID: 218482822
Top Depth(m): 3.0
Bottom Depth(m): 11.9
Stratum Desc: SAND,SILT,CLAY. GREY,GLACIAL,VERY DENSE, AGE GLACIAL.

Stratum ID: 218482823
Top Depth(m): 11.9
Bottom Depth(m): 13.7
Stratum Desc: TILL,CLAY,SILT. GREY,GLACIAL,HARD,AGE GLACIAL. 010 020 015012024000000250

---

280 | **1 of 5** | **N/221.3** | **107.7 / 4.87** | **INSITU CONTRACTORS INC**
11 Wellesley ST W
TORONTO ON M4Y 1E8 | **EASR**

Approval No: R-009-6676995340
SWP Area Name: Toronto
Status: REGISTERED
MOE District: Toronto
Date: 2017-05-24
City: TORONTO
Record Type: EASR
Latitude: 43.66444444
Link Source: MOFA
Longitude: -79.38527778
Full Address:
Project Type: Water Taking - Construction Dewatering
Approval Type: EASR-Water Taking - Construction Dewatering
Full PDF Link: http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2036340

---

280 | **2 of 5** | **N/221.3** | **107.7 / 4.87** | **11 Wellesley St W**
Toronto ON M4Y1E7 | **EHS**

Order ID: 547892
Date Received: 27-NOV-17
Order No: 20171127128
Lot/Building Size:
Customer ID: 172560
Municipality:
Company ID: 26877
Client Prov/State: ON
Status: C
Search Radius (km): .25
Report Code: 27CAN
Large Radius: 2
Report Type: Standard Express Report
X: -79.385485
Report Date: 27-NOV-17
Y: 43.664201
Report Requested by: McClymont & Rak Engineers Inc.
Nearest Intersection:
Previous Site Name:
Additional Info Ordered:

---

280 | **3 of 5** | **N/221.3** | **107.7 / 4.87** | **Insitu Contractors Inc**
11 Wellesley St West
Toronto ON M4Y 1E8 | **GEN**

Generator No.: ON5232300
PO Box No.:
Status:
Country: Canada
Approval Years: 2015
Choice of Contact: CO_OFFICIAL
Contam. Facility: No
Co Admin: Josh Douma
MHSW Facility: No
Phone No. Admin: 5197630700 Ext.
SIC Code: 238990

SIC Description: ALL OTHER SPECIALTY TRADE CONTRACTORS

--Details--
Waste Code: 150
Waste Description: INERT INORGANIC WASTES

---

280 | **4 of 5** | **N/221.3** | **107.7 / 4.87** | **PCL Constructors Canada Inc 11 Wellesley St West access via Breadalbane Toronto ON** | **GEN**

Generator No.: ON7397935
Status:
Approval Years: 2012
Contam. Facility:
MHSW Facility:
SIC Code: 236210
SIC Description: Industrial Building and Structure Construction

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

---

280 | **5 of 5** | **N/221.3** | **107.7 / 4.87** | **Lanterra Developments (Bay Wellesley) Limited 11 Wellesley St W Address: 11 Wellesley St W, Toronto, City District Office: Toronto - District GeoReference: Zone: 17, UTM Easting: 630159, UTM Northing: 4835837, , Site #: 8561-9X5HZ8 CITY OF TORONTO ON** | **PTTW**

EBR Registry No.: 012-5191
Ministry Ref. No.: 3215-A2GP4H
Notice Type: Instrument Decision
Notice Date: May 02, 2016
Proposal Date: September 21, 2015
Year: 2015
Proponent Address: 2811 Dufferin Street, Toronto Ontario, Canada M6B 3R9
Instrument Type: (OWRA s. 34) - Permit to Take Water
Location Other:

Location:

11 Wellesley St W Address: 11 Wellesley St W, Toronto, City District Office: Toronto - District GeoReference: Zone: 17, UTM Easting: 630159, UTM Northing: 4835837, , Site #: 8561-9X5HZ8 CITY OF TORONTO

---

281 | **1 of 1** | **NW/221.7** | **106.8 / 4.01** | **TORONTO ON** | **WWIS**

Well ID: 6928671
Construction Date:
Primary Water Use: Not Used
Sec. Water Use:
Final Well Status: Observation Wells
Water Type:
Casing Material:
Audit No: Z19904
Tag: A019649
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:

Data Entry Status:
Data Src:
Date Received: 2/18/2005
Selected Flag: Yes
Abandonment Rec:
Contractor: 7147
Form Version: 3
Owner:
Street Name: 900 BAY STREET
County: YORK
Municipality: TORONTO CITY
Site Info:
Lot:
Concession:
Concession Name:

Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID:	11327640	**Elevation:**	106.42
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:	o	**East83:**	630000
Code OB Desc:	Overburden	**Org CS:**	UTM83
Open Hole:		**North83:**	4835810
Cluster Kind:		**UTMRC:**	4
Date Completed:	21-JAN-05	**UTMRC Desc:**	margin of error : 30 m - 100 m
Remarks:		**Location Method:**	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	933036832
Layer:	3
Color:	6
General Color:	BROWN
Mat1:	05
Most Common Material:	CLAY
Mat2:	34
Other Materials:	TILL
Mat3:	81
Other Materials:	SANDY
Formation Top Depth:	.6
Formation End Depth:	3.8
Formation End Depth UOM:	m

Formation ID:	933036830
Layer:	1
Color:	2
General Color:	GREY
Mat1:	
Most Common Material:	
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	
Formation Top Depth:	0
Formation End Depth:	.3
Formation End Depth UOM:	m

Formation ID:	933036831
Layer:	2
Color:	2
General Color:	GREY
Mat1:	01
Most Common Material:	FILL
Mat2:	11
Other Materials:	GRAVEL
Mat3:	

Other Materials:	
Formation Top Depth:	.3
Formation End Depth:	.6
Formation End Depth UOM:	m

Annular Space/Abandonment Sealing Record

Plug ID:	933264959
Layer:	2
Plug From:	.2
Plug To:	.5
Plug Depth UOM:	m
Plug ID:	933264958
Layer:	1
Plug From:	0
Plug To:	.2
Plug Depth UOM:	m
Plug ID:	933264960
Layer:	3
Plug From:	.5
Plug To:	3.8
Plug Depth UOM:	m
Plug ID:	933264961
Layer:	4
Plug From:	
Plug To:	3.8
Plug Depth UOM:	m

Method of Construction & Well Use

Method Construction ID:	966928671
Method Construction Code:	
Method Construction:	
Other Method Construction:	

Pipe Information

Pipe ID:	11342495
Casing No:	1
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	930872607
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0
Depth To:	.8
Casing Diameter:	3.2
Casing Diameter UOM:	cm
Casing Depth UOM:	m

Construction Record - Screen

Screen ID:	933411631

Layer: 1
Slot: 10
Screen Top Depth: .8
Screen End Depth: 3.8
Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm
Screen Diameter: 4.3

Hole Diameter

Hole ID: 11548785
Diameter: 5
Depth From: 0
Depth To: 3.8
Hole Depth UOM: m
Hole Diameter UOM: cm

---

282 | **1 of 3** | **NNE/222.8** | **107.4 / 4.56** | **543 Yonge Street Toronto ON M4Y 1Y5** | **EHS**

Order ID: 238572
Order No: 20130311010
Customer ID: 53147
Company ID: 77
Status: C
Report Code: 4CAN
Report Type: Custom Report
Report Date: 15-MAR-13
Report Requested by: Pinchin Environmental
Nearest Intersection:
Previous Site Name:
Additional Info Ordered:

Date Received: 11-MAR-13
Lot/Building Size:
Municipality:
Client Prov/State: ON
Search Radius (km): .25
Large Radius: 2
X: 0
Y: 0

---

282 | **2 of 3** | **NNE/222.8** | **107.4 / 4.56** | **Trinity Development Group Inc. 543 Yonge Street Toronto ON M4Y 1Y5** | **GEN**

Generator No.: ON8945637
Status:
Approval Years: 2015
Contam. Facility: No
MHSW Facility: No
SIC Code: 531120
SIC Description: LESSORS OF NON-RESIDENTIAL BUILDINGS (EXCEPT MINI-WAREHOUSES)

PO Box No.:
Country: Canada
Choice of Contact: CO_ADMIN
Co Admin: Corinne Field
Phone No. Admin: 9053631352 Ext.

--Details--
Waste Code: 221
Waste Description: LIGHT FUELS

---

282 | **3 of 3** | **NNE/222.8** | **107.4 / 4.56** | **AIDS COMMITTEE OF TORONTO 543 YONGE STREET, 4TH FLOR TORONTO ON M4Y 1Y5** | **GEN**

Generator No.: ON4711353
Status: Registered
Approval Years: As of Dec 2017
Contam. Facility:
MHSW Facility:
SIC Code:

PO Box No.:
Country: Canada
Choice of Contact:
Co Admin:
Phone No. Admin:

SIC Description:

--Details--
Waste Code: 312 P
Waste Description: Pathological wastes

---

283 **1 of 1** **WNW/222.8** **105.9 / 3.05** **ON** **BORE**

Borehole ID:	648442	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Jetting	**UTM Zone::**	17
Easting::	629955	**Northing::**	4835743
Location Accuracy::		**Orig. Ground Elev m::**	106
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	13.9	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	1.4
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218522958	**Top Depth(m):**	0.1
Bottom Depth(m):	2.6	**Stratum Desc:**	SAND-MEDIUM,SILT. BROWN,GLACIAL,AGE GLACIAL.
Stratum ID:	218522959	**Top Depth(m):**	2.6
Bottom Depth(m):	4.0	**Stratum Desc:**	SAND-MEDIUM,SILT. GREY,GLACIAL,DENSE, AGE GLACIAL, WATER STABLE AT 345.7 FEET.
Stratum ID:	218522960	**Top Depth(m):**	4.0
Bottom Depth(m):	6.1	**Stratum Desc:**	SILT,SAND-MEDIUM. GREY,LACUSTRINE,DENSE, AGE GLACIAL.
Stratum ID:	218522961	**Top Depth(m):**	6.1
Bottom Depth(m):	13.9	**Stratum Desc:**	TILL,SILT,SAND,CLAY.GREY,GLACIAL,VERY DENSE, LAYERED,AGE GLACIAL. 0000202300085040001300450020005
Stratum ID:	218522957	**Top Depth(m):**	0.0
Bottom Depth(m):	0.1	**Stratum Desc:**	FILL.

---

284 **1 of 23** **SSW/223.4** **100.0 / -2.87** **CANADIAN RED CROSS SOCIETY**
67 COLLEGE STREET
TORONTO CITY ON M5G 2M1 **CA**

Certificate #:	8-3311-93-
Application Year:	93
Issue Date:	9/21/1993
Approval Type:	Industrial air
Status:	Approved
Application Type:	
Client Name::	
Client Address::	
Client City::	
Client Postal Code::	
Project Description::	600 KW GEN., LAB. FUMEHOODS, STOR.TANK
Contaminants::	
Emission Control::	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

284 | **2 of 23** | **SSW/223.4** | **100.0 / -2.87** | **67 College Street TORONTO ON M5G 2M1** | **EHS**

Order ID:	39398	**Date Received:**	9/18/03
Order No:	20030918028w	**Lot/Building Size:**	
Customer ID:	9488	**Municipality:**	
Company ID:	307	**Client Prov/State:**	ON
Status:	C	**Search Radius (km):**	0.25
Report Code:	9CAN	**Large Radius:**	2.00
Report Type:	Online Mapless	**X:**	0
Report Date:	9/18/03	**Y:**	0
Report Requested by:	AIG Consultants, Inc.		
Nearest Intersection:			
Previous Site Name:			
Additional Info Ordered:			

284 | **3 of 23** | **SSW/223.4** | **100.0 / -2.87** | **CANADIAN BLOOD SERVICES ONTARIO AND CENTRAL REGION 67 COLLEGE STREET RM 017 TORONTO ON M5G 2M1** | **GEN**

Generator No.:	ON0269108	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2014	**Choice of Contact:**	CO_OFFICIAL
Contam. Facility:	No	**Co Admin:**	
MHSW Facility:	No	**Phone No. Admin:**	
SIC Code:	325410		
SIC Description:	PHARMACEUTICAL AND MEDICINE MANUFACTURING		

--Details--

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 261
Waste Description: PHARMACEUTICALS

284 | **4 of 23** | **SSW/223.4** | **100.0 / -2.87** | **CANADIAN BLOOD SERVICES ONTARIO AND CENTRAL REGION 67 COLLEGE STREET TORONTO ON M5G 2M1** | **GEN**

Generator No.:	ON0269108	**PO Box No.:**	
Status:	Registered	**Country:**	Canada
Approval Years:	As of Dec 2017	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	

MHSW Facility:
SIC Code:
SIC Description:
Phone No. Admin:

--Details--

Waste Code: 148 C
Waste Description: Misc. wastes and inorganic chemicals

Waste Code: 148 B
Waste Description: Misc. wastes and inorganic chemicals

Waste Code: 212 I
Waste Description: Aliphatic solvents and residues

Waste Code: 145 L
Waste Description: Wastes from the use of pigments, coatings and paints

Waste Code: 261 L
Waste Description: Pharmaceuticals

Waste Code: 263 B
Waste Description: Misc. waste organic chemicals

Waste Code: 212 L
Waste Description: Aliphatic solvents and residues

Waste Code: 263 A
Waste Description: Misc. waste organic chemicals

Waste Code: 312 P
Waste Description: Pathological wastes

Waste Code: 145 I
Waste Description: Wastes from the use of pigments, coatings and paints

Waste Code: 252 L
Waste Description: Waste crankcase oils and lubricants

284	5 of 23	SSW/223.4	100.0 / -2.87	CANADIAN BLOOD SERVICES ONTARIO AND CENTRAL REGION 67 COLLEGE STREET RM 017 TORONTO ON M5G 2M1	GEN

Generator No.: ON0269108
Status:
Approval Years: 2009
Contam. Facility:
MHSW Facility:
SIC Code: 325410
SIC Description: Pharmaceutical and Medicine Manufacturing
PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 263

Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

284 | **6 of 23** | **SSW/223.4** | **100.0 / -2.87** | **CANADIAN BLOOD SERVICES ONTARIO AND CENTRAL REGION 67 COLLEGE STREET TORONTO ON M5G 2M1** | **GEN**

Generator No.: ON0269108
Status:
Approval Years: 2016
Contam. Facility: No
MHSW Facility: No
SIC Code: 325410
SIC Description: PHARMACEUTICAL AND MEDICINE MANUFACTURING

PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 261
Waste Description: PHARMACEUTICALS

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

---

284 | **7 of 23** | **SSW/223.4** | **100.0 / -2.87** | **CANADIAN BLOOD SERVICES ONTARIO AND CENTRAL REGION 67 COLLEGE STREET RM 017 TORONTO ON M5G 2M1** | **GEN**

Generator No.: ON0269108
Status:
Approval Years: 2011
Contam. Facility:
MHSW Facility:
SIC Code: 325410
SIC Description: Pharmaceutical and Medicine Manufacturing

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 148

Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

284	8 of 23	SSW/223.4	100.0 / -2.87	CANADIAN BLOOD SERVICES ONTARIO AND CENTRAL REGION 67 COLLEGE STREET RM 017 TORONTO ON	GEN

Generator No.: ON0269108
Status:
Approval Years: 2013
Contam. Facility:
MHSW Facility:
SIC Code: 325410
SIC Description: PHARMACEUTICAL AND MEDICINE MANUFACTURING

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 261
Waste Description: PHARMACEUTICALS

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

284	9 of 23	SSW/223.4	100.0 / -2.87	UNIVERSITY HEALTH NETWORK Toronto General Hospital 67 COLLEGE ST./200 ELIZABETH ST. TORONTO GENERAL HOSPITAL TORONTO ON M5G 2C4	GEN

Generator No.: ON0210300
Status: Registered
Approval Years: As of Dec 2017
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No.:
Country: Canada
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 148 B
Waste Description: Misc. wastes and inorganic chemicals

Waste Code: 148 A
Waste Description: Misc. wastes and inorganic chemicals

Waste Code: 132 L
Waste Description: Neutralized solutions - containing other metals

Waste Code: 331 I
Waste Description: Waste compressed gases including cylinders

Waste Code: 262 L
Waste Description: Detergents and soaps

Waste Code: 148 C
Waste Description: Misc. wastes and inorganic chemicals

Waste Code: 212 B
Waste Description: Aliphatic solvents and residues

Waste Code: 122 L
Waste Description: Alkaline slutions - containing other metals and non-metals (not cyanide)

Waste Code: 252 L
Waste Description: Waste crankcase oils and lubricants

Waste Code: 212 L
Waste Description: Aliphatic solvents and residues

Waste Code: 148 R
Waste Description: Misc. wastes and inorganic chemicals

Waste Code: 146 T
Waste Description: Other specified inorganic sludges, slurries or solids

Waste Code: 211 I
Waste Description: Aromatic solvents and residues

Waste Code: 263 I
Waste Description: Misc. waste organic chemicals

Waste Code: 212 I
Waste Description: Aliphatic solvents and residues

Waste Code: 148 I
Waste Description: Misc. wastes and inorganic chemicals

Waste Code: 312 P
Waste Description: Pathological wastes

Waste Code: 263 R
Waste Description: Misc. waste organic chemicals

Waste Code: 261 A
Waste Description: Pharmaceuticals

Waste Code: 241 L
Waste Description: Halogenated solvents and residues

Waste Code: 263 B
Waste Description: Misc. waste organic chemicals

284	*10 of 23*	*SSW/223.4*	*100.0 / -2.87*	*CANADIAN RED CROSS SOCIETY TORONTO CENTRE 67 COLLEGE STREET TORONTO ON M5G 2M1*	*GEN*

Generator No.: ON0269108
Status:
Approval Years: 93,94,95,96,97
Contam. Facility:
MHSW Facility:
SIC Code: 8685
SIC Description: BLOOD BANK LAB.

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 243
Waste Description: PCB'S

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

284 | **11 of 23** | **SSW/223.4** | **100.0 / -2.87** | **Canadian Blood Services**
67 College Street
Toronto ON M5G 2M1 | **GEN**

Generator No.: ON8672872
Status:
Approval Years: 2015
Contam. Facility: No
MHSW Facility: No
SIC Code: 621510
SIC Description: MEDICAL AND DIAGNOSTIC LABORATORIES

PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

---

284 | **12 of 23** | **SSW/223.4** | **100.0 / -2.87** | **CANADIAN BLOOD SERVICES**
ONTARIO AND CENTRAL REGION 67 COLLEGE STREET RM 017
TORONTO ON M5G 2M1 | **GEN**

Generator No.: ON0269108
Status:
Approval Years: 2012
Contam. Facility:
MHSW Facility:
SIC Code: 325410
SIC Description: Pharmaceutical and Medicine Manufacturing

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

284 | **13 of 23** | **SSW/223.4** | **100.0 / -2.87** | **CANADIAN BLOOD SERVICES ONTARIO AND CENTRAL REGION 67 COLLEGE STREET RM 017 TORONTO ON M5G 2M1** | **GEN**

Generator No.: ON0269108
Status:
Approval Years: 2010
Contam. Facility:
MHSW Facility:
SIC Code: 325410
SIC Description: Pharmaceutical and Medicine Manufacturing

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

---

284 | **14 of 23** | **SSW/223.4** | **100.0 / -2.87** | **CANADIAN BLOOD SERVICES ONTARIO AND CENTRAL REGION 67 COLLEGE STREET RM 017 TORONTO ON M5G 2M1** | **GEN**

Generator No.: ON0269108
Status:
Approval Years: 02,03,04,05,06,07,08
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 243
Waste Description: PCB'S

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

284	15 of 23	SSW/223.4	100.0 / -2.87	CANADIAN BLOOD SERVICES ONTARIO AND CENTRAL REGION 67 COLLEGE STREET TORONTO ON M5G 2M1	GEN

Generator No.:	ON0269108	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2015	**Choice of Contact:**	CO_OFFICIAL
Contam. Facility:	No	**Co Admin:**	
MHSW Facility:	No	**Phone No. Admin:**	
SIC Code:	325410		
SIC Description:	PHARMACEUTICAL AND MEDICINE MANUFACTURING		

--Details--

Waste Code: 261
Waste Description: PHARMACEUTICALS

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

284	16 of 23	SSW/223.4	100.0 / -2.87	CANADIAN BLOOD SERVICES TORONTO CENTRE 67 COLLEGE STREET TORONTO ON M5G 2M1	GEN

Generator No.:	ON0269108	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	98,99,00,01	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	8685		
SIC Description:	BLOOD BANK LAB.		

--Details--

Waste Code: 243
Waste Description: PCB'S

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

284	17 of 23	SSW/223.4	100.0 / -2.87	CANADIAN BLOOD SERVICES (CANADIAN RED CROSS) 67 COLLEGE ST TORONTO ON M5G 2M1	NPCB

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Company Code: F0855
Industry: UNDEFINED
Site Status:
Transaction Date:
Inspection Date:

284	18 of 23	SSW/223.4	100.0 / -2.87	CANADIAN RED CROSS SOCIETY 67 COLLEGE STREET TORONTO ON M5G 2M1	NPCB

Company Code: F0908
Industry:
Site Status:
Transaction Date: 1/29/1996
Inspection Date:

--Details--
Label:
Serial No.:
PCB Type/Code: Askarel
Location:
Item/State:
No. of Items:
Manufacturer:
Status: Stored for Disposal
Contents: 0.00 KG

Label:
Serial No.:
PCB Type/Code: Askarel
Location:
Item/State:
No. of Items:
Manufacturer:
Status: Stored for Disposal
Contents: 600.00 KG

284	19 of 23	SSW/223.4	100.0 / -2.87	CANADIAN BLOOD SERVICES(CANADIAN RED CRO 67 COLLEGE STREET TORONTO, ONTARIO ON M5G 2M1	OPCB

Year: 1999
Site Number: 30192A046
Name Owner:
Additional Site Information:

--Details--
Quantity: 9.00
Address Site:
Description: Number of Drums of Ballasts with High Level PCBs (>1000 ppm)

Quantity: 1800.00
Address Site:
Description: Calculated Weight (Kg) of Drums of Ballasts with High Level PCBs (>1000 ppm)

284	20 of 23	SSW/223.4	100.0 / -2.87	CANADIAN RED CROSS SOCIETY 67 COLLEGE STREET TORONTO, ONTARIO ON M5G 2M1	OPCB

Year: 1998
Site Number: 30192A046
Name Owner:
Additional Site Information:

--Details--
Quantity: 9.00
Address Site:
Description: Number of Drums of Ballasts with High Level PCBs (>1000 ppm)

Quantity: 1800.00
Address Site:
Description: Calculated Weight (Kg) of Drums of Ballasts with High Level PCBs (>1000 ppm)

284	21 of 23	SSW/223.4	100.0 / -2.87	CANADIAN RED CROSS SOCIETY 67 COLLEGE STREET TORONTO, ONTARIO ON M5G 2M1	OPCB

Year: 1995
Site Number: 30192A046
Name Owner:
Additional Site Information:

--Details--
Quantity: 9.00
Address Site:
Description: Number of Drums of Ballasts with High Level PCBs (>1000 ppm)

Quantity: 1800.00
Address Site:
Description: Weight of Drums of Ballasts with High Level PCBs (>1000 ppm) kg

---

284	22 of 23	SSW/223.4	100.0 / -2.87	CANADIAN BLOOD SERVICES(CANADIAN RED CRO 67 COLLEGE STREET TORONTO, ONTARIO ON M5G 2M1	OPCB

Year: 2000
Site Number: 30192A046
Name Owner:
Additional Site Information:

284	23 of 23	SSW/223.4	100.0 / -2.87	67 College St Toronto ON	SPL

Ref No:	6830-A8AR4K	**Discharger Report:**	
Site No:	NA	**Material Group:**	
Incident Dt:	2016/03/21	**Client Type:**	
Year:		**Sector Type:**	Miscellaneous Communal
Incident Cause:		**Source Type:**	
Incident Event:	Leak/Break	**Nearest Watercourse:**	
Contaminant Code:	38	**Site Name:**	Canadian Blood Services<UNOFFICIAL>
Contaminant Name:	REFRIGERANT GAS, N.O.S.	**Site Address:**	67 College St
Contaminant Limit 1:		**Site District Office:**	
Contam Limit Freq 1:		**Site County/District:**	
Contaminant UN No 1:		**Site Postal Code:**	
Contaminant Qty:	135 kg	**Site Region:**	
Environment Impact:		**Site Municipality:**	Toronto

Nature of Impact:		**Site Lot:**	
Receiving Medium:		**Site Conc:**	
Receiving Env:	Air	**Northing:**	
Health/Env Conseq:		**Easting:**	
MOE Response:	No	**Site Geo Ref Accu:**	
Dt MOE Arvl on Scn:		**Site Geo Ref Meth:**	
MOE Reported Dt:	2016/03/22	**Site Map Datum:**	
Dt Document Closed:			
SAC Action Class:	Air Spills - Gases and Vapours		
Incident Reason:	Equipment Failure		
Incident Summary:	Canadian Blood Serv: R123 to atm		

285 ***1 of 1*** ***NW/224.2*** ***106.4 / 3.57*** ***ON*** **BORE**

Borehole ID:	648495	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Diamond Drill	**UTM Zone::**	17
Easting::	629975	**Northing::**	4835783
Location Accuracy::		**Orig. Ground Elev m::**	106
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	-999	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	2.8
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218523311	**Top Depth(m):**	14.2
Bottom Depth(m):	20.1	**Stratum Desc:**	SAND,SILT,CLAY, GRAVEL. GREY,GLACIAL,DENSE, AGE GLACIAL.
Stratum ID:	218523305	**Top Depth(m):**	0.0
Bottom Depth(m):	0.2	**Stratum Desc:**	SOIL.
Stratum ID:	218523306	**Top Depth(m):**	0.2
Bottom Depth(m):	1.6	**Stratum Desc:**	SAND-MEDIUM,SILT. BROWN,FLUVIO-GLACIAL, AGE GLACIAL.
Stratum ID:	218523307	**Top Depth(m):**	1.6
Bottom Depth(m):	3.0	**Stratum Desc:**	SILT,CLAY. GREY,LACUSTRINE,HARD, AGE GLACIAL.
Stratum ID:	218523308	**Top Depth(m):**	3.0
Bottom Depth(m):	6.7	**Stratum Desc:**	SILT,SAND-MEDIUM. GREY,GLACIAL,DENSE,LAYERED, AGE GLACIAL, WATER STABLE AT 338.7 FEET.
Stratum ID:	218523309	**Top Depth(m):**	6.7
Bottom Depth(m):	7.9	**Stratum Desc:**	SAND-FINE TO MEDIUM,SILT. GREY,FLUVIO-GLACIAL,DENSE, AGE GLACIAL.
Stratum ID:	218523310	**Top Depth(m):**	7.9
Bottom Depth(m):	14.2	**Stratum Desc:**	TILL,SILT,SAND,CLAY.GREY,GLACIAL,DENSE,LAYERED, AGE GLACIAL.
Stratum ID:	218523312	**Top Depth(m):**	20.1
Bottom Depth(m):	26.8	**Stratum Desc:**	SAND,SILT,GRAVEL, BOULDERS. GREY,GLACIAL,VERY DENSE, AGE GLACIAL.
Stratum ID:	218523313	**Top Depth(m):**	26.8
Bottom Depth(m):		**Stratum Desc:**	BEDROCK,SHALE, LIMESTONE.

MARINE,LAYERED,AGE ORDOVICIAN.000520300010004000220040002600380046502 30

286 **1 of 1** **N/224.5** **107.8 / 4.99** **ON** **WWIS**

Well ID:	7287485	**Data Entry Status:**	Yes
Construction Date:		**Data Src:**	
Primary Water Use:		**Date Received:**	5/31/2017
Sec. Water Use:		**Selected Flag:**	Yes
Final Well Status:		**Abandonment Rec:**	
Water Type:		**Contractor:**	6032
Casing Material:		**Form Version:**	8
Audit No:	C36774	**Owner:**	
Tag:	A202399	**Street Name:**	
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1006494147	**Elevation:**	106.79
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:		**East83:**	630159
Code OB Desc:		**Org CS:**	UTM83
Open Hole:		**North83:**	4835891
Cluster Kind:		**UTMRC:**	4
Date Completed:	20-APR-17	**UTMRC Desc:**	margin of error : 30 m - 100 m
Remarks:		**Location Method:**	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

287 **1 of 1** **WNW/225.4** **105.9 / 3.05** **ON** **BORE**

Borehole ID:	648439	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Jetting	**UTM Zone::**	17
Easting::	629945	**Northing::**	4835723
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	15.5	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	1.6
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218522939	**Top Depth(m):**	0.0
Bottom Depth(m):	0.8	**Stratum Desc:**	FILL,SAND,SOIL.
Stratum ID:	218522940	**Top Depth(m):**	0.8
Bottom Depth(m):	1.8	**Stratum Desc:**	SAND,SILT,TILL. BROWN,GLACIAL,AGE GLACIAL.
Stratum ID:	218522941	**Top Depth(m):**	1.8
Bottom Depth(m):	3.7	**Stratum Desc:**	TILL,SILT,SAND,CLAY.GREY,GLACIAL,DENSE, AGE GLACIAL, WATER STABLE AT 346.9 FEET.
Stratum ID:	218522942	**Top Depth(m):**	3.7
Bottom Depth(m):	8.2	**Stratum Desc:**	SAND-MEDIUM,SILT. GREY,GLACIAL,DENSE, AGE GLACIAL.
Stratum ID:	218522943	**Top Depth(m):**	8.2
Bottom Depth(m):	11.9	**Stratum Desc:**	TILL,SILT,SAND,CLAY.GREY,GLACIAL,VERY DENSE, AGE GLACIAL.
Stratum ID:	218522944	**Top Depth(m):**	11.9
Bottom Depth(m):	15.5	**Stratum Desc:**	SAND-MEDIUM,SILT, CLAY. GREY,GLACIAL,VERY DENSE, AGE GLACIAL. 00025019000600380012004500270078003

288 ***1 of 1*** ***W/225.9*** ***103.8 / 1.01*** ***ON*** ***BORE***

Borehole ID:	648453	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Jetting	**UTM Zone::**	17
Easting::	629940	**Northing::**	4835608
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	12.1	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	1.2
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218523015	**Top Depth(m):**	0.0
Bottom Depth(m):	0.9	**Stratum Desc:**	FILL,STONES,SAND.
Stratum ID:	218523016	**Top Depth(m):**	0.9
Bottom Depth(m):	1.0	**Stratum Desc:**	SOIL. AGE POST-GLACIAL.
Stratum ID:	218523017	**Top Depth(m):**	1.0
Bottom Depth(m):	1.2	**Stratum Desc:**	SAND. BROWN,FLUVIO-GLACIAL, AGE GLACIAL.
Stratum ID:	218523018	**Top Depth(m):**	1.2
Bottom Depth(m):	3.2	**Stratum Desc:**	TILL,SILT,SAND,CLAY.BROWN,GLACIAL,DENSE,LAYERED, AGE GLACIAL, WATER STABLE AT 349.0 FEET.
Stratum ID:	218523019	**Top Depth(m):**	3.2
Bottom Depth(m):	12.1	**Stratum Desc:**	TILL,SILT,SAND,CLAY.GREY,GLACIAL,LAYERED, AGE GLACIAL. 0004003600105064000301

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
289	1 of 1	W/226.0	104.6 / 1.81	ON	BORE

Borehole ID:	637843	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	629935	**Northing::**	4835643
Location Accuracy::		**Orig. Ground Elev m::**	108
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	15.2	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	APR-1967	**Static Water Level::**	1.5
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218481942	**Top Depth(m):**	0.0
Bottom Depth(m):	0.1	**Stratum Desc:**	SOIL.
Stratum ID:	218481943	**Top Depth(m):**	0.1
Bottom Depth(m):	0.5	**Stratum Desc:**	FILL,SOIL,CLAY,SILT.BROWN.
Stratum ID:	218481944	**Top Depth(m):**	0.5
Bottom Depth(m):	2.9	**Stratum Desc:**	SILT,SAND,CLAY, GRAVEL. BROWN,GLACIAL,AGE GLACIAL.
Stratum ID:	218481945	**Top Depth(m):**	2.9
Bottom Depth(m):	5.4	**Stratum Desc:**	TILL,SILT,CLAY,SAND.GREY,GLACIAL,HARD ,LAYERED, AGE GLACIAL, WATER STABLE AT 350.4 FEET.
Stratum ID:	218481946	**Top Depth(m):**	5.4
Bottom Depth(m):	6.9	**Stratum Desc:**	SILT,CLAY,SAND. GREY,GLACIAL,LAYERED, AGE GLACIAL.
Stratum ID:	218481947	**Top Depth(m):**	6.9
Bottom Depth(m):	8.2	**Stratum Desc:**	CLAY,SILT. GREY,LACUSTRINE,WET, AGE GLACIAL.
Stratum ID:	218481948	**Top Depth(m):**	8.2
Bottom Depth(m):	10.7	**Stratum Desc:**	SILT,CLAY,SAND. GREY,GLACIAL,LAYERED, AGE GLACIAL.
Stratum ID:	218481949	**Top Depth(m):**	10.7
Bottom Depth(m):	15.2	**Stratum Desc:**	SILT,SAND,CLAY. GREY,GLACIAL,LAYERED, AGE GLACIAL. 0001506800095091001780390022503300350042000 20

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
290	1 of 1	W/226.0	104.8 / 1.99	ON	BORE

Borehole ID:	646854	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	629935	**Northing::**	4835673
Location Accuracy::		**Orig. Ground Elev m::**	108
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	12.1	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	1.2
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218516612	**Top Depth(m):**	0.0
Bottom Depth(m):	1.2	**Stratum Desc:**	SAND. BROWN.
Stratum ID:	218516613	**Top Depth(m):**	1.2
Bottom Depth(m):	2.9	**Stratum Desc:**	TILL,SILT,SAND. BROWN,GLACIAL,DENSE, AGE GLACIAL, WATER STABLE AT 350.8 FEET.
Stratum ID:	218516614	**Top Depth(m):**	2.9
Bottom Depth(m):	12.1	**Stratum Desc:**	TILL,SILT,SAND. GREY,GLACIAL,VERY DENSE, AGE GLACIAL. 00040017000950550003 0T,CLAY.

---

291 **1 of 1** **W/226.8** **104.2 / 1.38** **ON** **BORE**

Borehole ID:	646852	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	629935	**Northing::**	4835633
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	15.5	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	1.3
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218516599	**Top Depth(m):**	0.0
Bottom Depth(m):	1.2	**Stratum Desc:**	FILL.
Stratum ID:	218516600	**Top Depth(m):**	1.2
Bottom Depth(m):	1.5	**Stratum Desc:**	SAND-MEDIUM. BROWN,LACUSTRINE,AGE GLACIAL.
Stratum ID:	218516601	**Top Depth(m):**	1.5
Bottom Depth(m):	2.9	**Stratum Desc:**	TILL,SILT,SAND. BROWN,GLACIAL,DENSE, AGE GLACIAL, WATER STABLE AT 349.3 FEET.
Stratum ID:	218516602	**Top Depth(m):**	2.9
Bottom Depth(m):	12.8	**Stratum Desc:**	TILL,SILT,SAND. GREY,GLACIAL,VERY DENSE, AGE GLACIAL.
Stratum ID:	218516603	**Top Depth(m):**	12.8
Bottom Depth(m):	15.5	**Stratum Desc:**	SILT,CLAY,SAND MEDIUM. GREY,LACUSTRINE,HARD, AGE GLACIAL. 00050028000950900042004500035

---

292 **1 of 1** **W/227.0** **103.8 / 1.01** **ON** **BORE**

Borehole ID:	637844	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	629940	**Northing::**	4835603
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	14	**Primary Name::**	

Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	APR-1967	**Static Water Level::**	1.4
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218481950	**Top Depth(m):**	0.0
Bottom Depth(m):	0.1	**Stratum Desc:**	SOIL.
Stratum ID:	218481951	**Top Depth(m):**	0.1
Bottom Depth(m):	0.5	**Stratum Desc:**	FILL,SOIL,SILT,CLAY.BROWN.
Stratum ID:	218481952	**Top Depth(m):**	0.5
Bottom Depth(m):	0.9	**Stratum Desc:**	SILT,CLAY,SAND. BROWN,GLACIAL,AGE GLACIAL.
Stratum ID:	218481953	**Top Depth(m):**	0.9
Bottom Depth(m):	3.2	**Stratum Desc:**	TILL,SILT,SAND. BROWN,GLACIAL,AGE GLACIAL.
Stratum ID:	218481954	**Top Depth(m):**	3.2
Bottom Depth(m):	6.9	**Stratum Desc:**	TILL,SILT,SAND,CLAY.GREY,GLACIAL,AGE GLACIAL, WATER STABLE AT 347.7 FEET.
Stratum ID:	218481955	**Top Depth(m):**	6.9
Bottom Depth(m):	11.3	**Stratum Desc:**	SILT,SAND,CLAY. GREY,GLACIAL,WET,AGE GLACIAL.
Stratum ID:	218481956	**Top Depth(m):**	11.3
Bottom Depth(m):	14.0	**Stratum Desc:**	CLAY,SAND-MEDIUM. GREY,GLACIAL,WET,AGE GLACIAL. 0003002700104059002250610037005300023D,

---

293 | **1 of 1** | **E/227.3** | **100.9 / -1.96** | **Frasmet Holdings Limited**, **25 Wood Street**, **Toronto ON M4Y 2P9** | **GEN**

Generator No.:	ON8201696	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	07,08	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	531310		
SIC Description:	Real Estate Property Managers		

--Details--

Waste Code:	243
Waste Description:	PCB'S

---

294 | **1 of 1** | **WNW/227.3** | **106.0 / 3.18** | **ON** | **BORE**

Borehole ID:	646862	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	629965	**Northing::**	4835773
Location Accuracy::		**Orig. Ground Elev m::**	106
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	15.4	**Primary Name::**	
Township::		**Concession::**	

Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	.4
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218516649	**Top Depth(m):**	0.0
Bottom Depth(m):	1.5	**Stratum Desc:**	SAND-MEDIUM. BROWN.
Stratum ID:	218516650	**Top Depth(m):**	1.5
Bottom Depth(m):	2.1	**Stratum Desc:**	SAND-MEDIUM,SILT. BROWN,LACUSTRINE,DENSE, AGE GLACIAL, WATER STABLE AT 348.5 FEET.
Stratum ID:	218516651	**Top Depth(m):**	2.1
Bottom Depth(m):	3.0	**Stratum Desc:**	SAND-MEDIUM,SILT. GREY,LACUSTRINE,DENSE, AGE GLACIAL.
Stratum ID:	218516652	**Top Depth(m):**	3.0
Bottom Depth(m):	4.1	**Stratum Desc:**	SAND-MEDIUM,SILT. GREY,LACUSTRINE,DENSE, AGE GLACIAL.
Stratum ID:	218516653	**Top Depth(m):**	4.1
Bottom Depth(m):	8.4	**Stratum Desc:**	SILT,SAND-MEDIUM, CLAY. GREY,LACUSTRINE,DENSE, AGE GLACIAL.
Stratum ID:	218516654	**Top Depth(m):**	8.4
Bottom Depth(m):	12.2	**Stratum Desc:**	TILL,SILT,SAND. GREY,GLACIAL,VERY DENSE, AGE GLACIAL.
Stratum ID:	218516655	**Top Depth(m):**	12.2
Bottom Depth(m):	15.4	**Stratum Desc:**	TILL,SILT,CLAY. GREY,GLACIAL,HARD,AGE GLACIAL.0005001400070036001000240013504000275045004000450 0

---

295 **1 of 1** **NNE/227.5** **106.9 / 4.03** **ON** **BORE**

Borehole ID:	644687	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	630325	**Northing::**	4835863
Location Accuracy::		**Orig. Ground Elev m::**	106
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	36.9	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	MAR-1958	**Static Water Level::**	-999.9
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218508480	**Top Depth(m):**	0.0
Bottom Depth(m):	1.5	**Stratum Desc:**	SAND-MEDIUM. BROWN,LOOSE.
Stratum ID:	218508481	**Top Depth(m):**	1.5
Bottom Depth(m):	3.7	**Stratum Desc:**	SAND-MEDIUM. BROWN,GLACIAL,DENSE, AGE GLACIAL.
Stratum ID:	218508482	**Top Depth(m):**	3.7
Bottom Depth(m):	36.9	**Stratum Desc:**	SAND-MEDIUM,SILT. BROWN,GREY,GLACIAL,DENSE, AGE GLACIAL. 017 008 020

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

296 **1 of 1** **NW/227.5** **106.8 / 4.01** **ON** **BORE**

Borehole ID:	646875	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	629995	**Northing::**	4835813
Location Accuracy::		**Orig. Ground Elev m::**	106
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	15.5	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	.8
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218516707	**Top Depth(m):**	0.0
Bottom Depth(m):	2.6	**Stratum Desc:**	SAND,SILT,GRAVEL. BROWN.
Stratum ID:	218516708	**Top Depth(m):**	2.6
Bottom Depth(m):	7.9	**Stratum Desc:**	SILT,SAND. GREY,LACUSTRINE,DENSE,LAYERED,AGE GLACIAL, WATER STABLE AT 346.3 FEET.
Stratum ID:	218516709	**Top Depth(m):**	7.9
Bottom Depth(m):	15.2	**Stratum Desc:**	TILL,SILT,SAND. GREY,GLACIAL,VERY DENSE, AGE GLACIAL.
Stratum ID:	218516710	**Top Depth(m):**	15.2
Bottom Depth(m):	15.5	**Stratum Desc:**	CLAY,SILT,SAND. GREY,LACUSTRINE,HARD,LAYERED, AGE GLACIAL. 0000002200085040002600600050003600014

297 **1 of 1** **NW/230.9** **106.8 / 4.01** **ON** **BORE**

Borehole ID:	648490	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Jetting	**UTM Zone::**	17
Easting::	629995	**Northing::**	4835818
Location Accuracy::		**Orig. Ground Elev m::**	106
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	28.5	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	2.8
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218523267	**Top Depth(m):**	2.9
Bottom Depth(m):	7.8	**Stratum Desc:**	SAND,SILT. GREY,GLACIAL,DENSE, AGE GLACIAL, WATER STABLE AT 339.7 FEET.
Stratum ID:	218523268	**Top Depth(m):**	7.8
Bottom Depth(m):	19.2	**Stratum Desc:**	TILL,SILT,CLAY, LIMESTONE. GREY,GLACIAL,HARD,AGE GLACIAL.
Stratum ID:	218523269	**Top Depth(m):**	19.2
Bottom Depth(m):	27.3	**Stratum Desc:**	SAND,SILT,GRAVEL. GREY,GLACIAL,VERY DENSE, AGE GLACIAL.

Stratum ID:	218523270	**Top Depth(m):**	27.3
Bottom Depth(m):	28.5	**Stratum Desc:**	TILL,SILT,GRAVEL, SHALE. GREY,GLACIAL,VERY DENSE, AGE GLACIAL. 000150270009503200255035006301000
Stratum ID:	218523263	**Top Depth(m):**	0.0
Bottom Depth(m):	0.2	**Stratum Desc:**	SOIL.
Stratum ID:	218523264	**Top Depth(m):**	0.2
Bottom Depth(m):	0.5	**Stratum Desc:**	FILL,SILT,SAND,SOIL.BROWN.
Stratum ID:	218523265	**Top Depth(m):**	0.5
Bottom Depth(m):	2.3	**Stratum Desc:**	SAND,CLAY,SILT. BROWN,GLACIAL,LAYERED, AGE GLACIAL.
Stratum ID:	218523266	**Top Depth(m):**	2.3
Bottom Depth(m):	2.9	**Stratum Desc:**	SILT,SAND,GRAVEL. BROWN,LACUSTRINE,AGE GLACIAL.

---

298 **1 of 1** **W/231.3** **104.2 / 1.37** **ON** **BORE**

Borehole ID:	648434	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Jetting	**UTM Zone::**	17
Easting::	629930	**Northing::**	4835638
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	15.5	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	1.6
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218522913	**Top Depth(m):**	0.0
Bottom Depth(m):	1.2	**Stratum Desc:**	FILL,STONES,SOIL.
Stratum ID:	218522914	**Top Depth(m):**	1.2
Bottom Depth(m):	1.5	**Stratum Desc:**	SAND. BROWN,FLUVIO-GLACIAL, AGE GLACIAL.
Stratum ID:	218522915	**Top Depth(m):**	1.5
Bottom Depth(m):	2.9	**Stratum Desc:**	TILL,SILT,SAND,CLAY.BROWN,GLACIAL,DENSE, AGE GLACIAL.
Stratum ID:	218522916	**Top Depth(m):**	2.9
Bottom Depth(m):	12.8	**Stratum Desc:**	TILL,SILT,SAND,CLAY.GREY,GLACIAL,VERY DENSE, LAYERED,AGE GLACIAL, WATER STABLE AT 348.4 FEET.
Stratum ID:	218522917	**Top Depth(m):**	12.8
Bottom Depth(m):	15.5	**Stratum Desc:**	SILT,CLAY,SAND MEDIUM. GREY,GLACIAL,HARD,LAYERED, AGE GLACIAL. 000500280009506500420045000 35A

---

299 **1 of 1** **N/232.1** **107.8 / 5.00** **TORONTO ON** **WWIS**

Well ID:	7267384	**Data Entry Status:**	

Construction Date:		**Data Src:**	
Primary Water Use:	Monitoring and Test Hole	**Date Received:**	7/21/2016
Sec. Water Use:	0	**Selected Flag:**	Yes
Final Well Status:	Monitoring and Test Hole	**Abandonment Rec:**	
Water Type:		**Contractor:**	7241
Casing Material:		**Form Version:**	7
Audit No:	Z233472	**Owner:**	
Tag:	A176610	**Street Name:**	569 YONGE ST
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1006165179	**Elevation:**	106.78
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:		**East83:**	630223
Code OB Desc:		**Org CS:**	UTM83
Open Hole:		**North83:**	4835902
Cluster Kind:		**UTMRC:**	4
Date Completed:	07-JUN-16	**UTMRC Desc:**	margin of error : 30 m - 100 m
Remarks:		**Location Method:**	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	1006172566
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	01
Most Common Material:	FILL
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	
Formation Top Depth:	.5
Formation End Depth:	2
Formation End Depth UOM:	ft

Formation ID:	1006172569
Layer:	5
Color:	2
General Color:	GREY
Mat1:	06
Most Common Material:	SILT
Mat2:	28
Other Materials:	SAND
Mat3:	05

Other Materials: CLAY
Formation Top Depth: 18
Formation End Depth: 28
Formation End Depth UOM: ft

Formation ID: 1006172568
Layer: 4
Color: 2
General Color: GREY
Mat1: 28
Most Common Material: SAND
Mat2: 06
Other Materials: SILT
Mat3:
Other Materials:
Formation Top Depth: 14
Formation End Depth: 18
Formation End Depth UOM: ft

Formation ID: 1006172567
Layer: 3
Color: 6
General Color: BROWN
Mat1: 28
Most Common Material: SAND
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 2
Formation End Depth: 14
Formation End Depth UOM: ft

Formation ID: 1006172565
Layer: 1
Color: 2
General Color: GREY
Mat1: 27
Most Common Material: OTHER
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 0
Formation End Depth: .5
Formation End Depth UOM: ft

Annular Space/Abandonment Sealing Record

Plug ID: 1006172579
Layer: 3
Plug From: 17
Plug To: 28
Plug Depth UOM: ft

Plug ID: 1006172577
Layer: 1
Plug From: 0
Plug To: .5
Plug Depth UOM: ft

Plug ID: 1006172578
Layer: 2
Plug From: .5

Plug To:	17
Plug Depth UOM:	ft

Method of Construction & Well Use

Method Construction ID:	1006172576
Method Construction Code:	2
Method Construction:	Rotary (Convent.)
Other Method Construction:	DIRECT PUSH

Pipe Information

Pipe ID:	1006172564
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	1006172572
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0
Depth To:	18
Casing Diameter:	1.5
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Construction Record - Screen

Screen ID:	1006172573
Layer:	1
Slot:	10
Screen Top Depth:	18
Screen End Depth:	28
Screen Material:	5
Screen Depth UOM:	ft
Screen Diameter UOM:	inch
Screen Diameter:	1.75

Water Details

Water ID:	1006172571
Layer:	
Kind Code:	
Kind:	
Water Found Depth:	
Water Found Depth UOM:	ft

Hole Diameter

Hole ID:	1006172570
Diameter:	3.5
Depth From:	0
Depth To:	28
Hole Depth UOM:	ft
Hole Diameter UOM:	inch

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
300	1 of 1	WNW/232.1	105.9 / 3.05	ON	BORE

Borehole ID:	646856	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	629945	**Northing::**	4835743
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	15.3	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	.5
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218516618	**Top Depth(m):**	0.0
Bottom Depth(m):	2.4	**Stratum Desc:**	FILL,SAND,SILT.
Stratum ID:	218516619	**Top Depth(m):**	2.4
Bottom Depth(m):	4.4	**Stratum Desc:**	TILL,SILT,CLAY. GREY,GLACIAL,DENSE, AGE GLACIAL, WATER STABLE AT 351.3 FEET.
Stratum ID:	218516620	**Top Depth(m):**	4.4
Bottom Depth(m):	7.2	**Stratum Desc:**	SAND-MEDIUM,SILT. GREY,LACUSTRINE,VERY DENSE, AGE GLACIAL.
Stratum ID:	218516621	**Top Depth(m):**	7.2
Bottom Depth(m):	12.8	**Stratum Desc:**	TILL,SILT,SAND. GREY,GLACIAL,VERY DENSE, AGE GLACIAL.
Stratum ID:	218516622	**Top Depth(m):**	12.8
Bottom Depth(m):	15.3	**Stratum Desc:**	SAND,SILT. GREY,LACUSTRINE,VERY DENSE, AGE GLACIAL. 0008003800145046002350660042007600013

301	1 of 1	W/232.6	103.9 / 1.04	TORONTO HYDRO TORONTO HYDRO VAULT NEAR 80 GROVENOR ST. TRANSFORMER TORONTO CITY ON	SPL

Ref No:	37730	**Discharger Report:**	
Site No:		**Material Group:**	
Incident Dt:	7/15/1990	**Client Type:**	
Year:		**Sector Type:**	
Incident Cause:	COOLING SYSTEM LEAK	**Source Type:**	
Incident Event:		**Nearest Watercourse:**	
Contaminant Code:		**Site Name:**	
Contaminant Name:		**Site Address:**	
Contaminant Limit 1:		**Site District Office:**	
Contam Limit Freq 1:		**Site County/District:**	
Contaminant UN No 1:		**Site Postal Code:**	
Contaminant Qty:		**Site Region:**	
Environment Impact:	POSSIBLE	**Site Municipality:**	01106
Nature of Impact:	Human health	**Site Lot:**	
Receiving Medium:	AIR	**Site Conc:**	
Receiving Env:		**Northing:**	
Health/Env Conseq:		**Easting:**	FD, CITY & METRO WORKS
MOE Response:		**Site Geo Ref Accu:**	
Dt MOE Arvl on Scn:		**Site Geo Ref Meth:**	
MOE Reported Dt:	7/15/1990	**Site Map Datum:**	
Dt Document Closed:			

SAC Action Class:
Incident Reason: FIRE/EXPLOSION
Incident Summary: FIRE DEPT. REQUESTED MOE FOR TRANSFORMER EXPLOSIN INSIDE HYDRO VAULT.

---

302 | **1 of 1** | **WSW/232.9** | **103.5 / 0.68** | **Toronto ON** | **WWIS**

Well ID:	7130068	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:	Monitoring and Test Hole	**Date Received:**	9/22/2009
Sec. Water Use:	0	**Selected Flag:**	Yes
Final Well Status:	Monitoring and Test Hole	**Abandonment Rec:**	
Water Type:		**Contractor:**	7241
Casing Material:		**Form Version:**	7
Audit No:	Z099365	**Owner:**	
Tag:	A081886	**Street Name:**	76 GRENVILLE ST.
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1002723556	**Elevation:**	105.9
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:		**East83:**	629942
Code OB Desc:		**Org CS:**	UTM83
Open Hole:		**North83:**	4835574
Cluster Kind:		**UTMRC:**	3
Date Completed:	05-AUG-09	**UTMRC Desc:**	margin of error : 10 - 30 m
Remarks:		**Location Method:**	gis
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	1002856848
Layer:	1
Color:	2
General Color:	GREY
Mat1:	06
Most Common Material:	SILT
Mat2:	08
Other Materials:	FINE SAND
Mat3:	73
Other Materials:	HARD
Formation Top Depth:	0
Formation End Depth:	1.83
Formation End Depth UOM:	m

Formation ID:	1002856849
Layer:	2
Color:	2
General Color:	GREY
Mat1:	08
Most Common Material:	FINE SAND
Mat2:	06
Other Materials:	SILT
Mat3:	85
Other Materials:	SOFT
Formation Top Depth:	1.83
Formation End Depth:	3.66
Formation End Depth UOM:	m

Annular Space/Abandonment Sealing Record

Plug ID:	1002856851
Layer:	1
Plug From:	0
Plug To:	.31
Plug Depth UOM:	m

Plug ID:	1002856852
Layer:	2
Plug From:	.31
Plug To:	.91
Plug Depth UOM:	m

Plug ID:	1002856853
Layer:	3
Plug From:	.91
Plug To:	3.66
Plug Depth UOM:	m

Method of Construction & Well Use

Method Construction ID:	1002856859
Method Construction Code:	D
Method Construction:	Direct Push
Other Method Construction:	

Pipe Information

Pipe ID:	1002856847
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	1002856855
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0
Depth To:	1.5
Casing Diameter:	2.61
Casing Diameter UOM:	cm
Casing Depth UOM:	m

Construction Record - Screen

Screen ID:	1002856856
Layer:	1
Slot:	10
Screen Top Depth:	1.5
Screen End Depth:	3.66
Screen Material:	5
Screen Depth UOM:	m
Screen Diameter UOM:	cm
Screen Diameter:	3.34

Water Details

Water ID:	1002856854
Layer:	
Kind Code:	
Kind:	
Water Found Depth:	
Water Found Depth UOM:	m

Hole Diameter

Hole ID:	1002856850
Diameter:	5.7
Depth From:	0
Depth To:	3.66
Hole Depth UOM:	m
Hole Diameter UOM:	cm

---

303 ***1 of 1*** ***N/233.8*** ***107.9 / 5.09*** ***5 Wellesley St Toronto ON*** ***TANK***

Permit Date:	4/3/1933
Permit Type:	BP A46504
User Type:	
Installation Type:	FO tank
Installation Size:	
Installation Config.:	FO tank
No. Tanks Installed:	1
Units of Measure:	
Value/Tank ($):	50
Capacity(gal):	
Reference:	CTA Building Permits
Location Desc:	5 Wellesley St

---

304 ***1 of 1*** ***SW/234.1*** ***100.8 / -2.01*** ***UNIVERSITY HEALTH NETWORK 399 BATHURST STREET NOT AVAILABLE TORONTO ON M5T2S8*** ***NPRI***

NPRI ID:	7216	***Org ID:***	71275
Other ID:	Y	***Submit Date:***	5/25/2007
No Other ID:	1	***Last Modified:***	5/29/2015 3:28:24 PM
Track ID:	44493	***Contact ID:***	
Report ID:	107408	***Cont Type:***	
Report Type:	NPRI	***Contact Title:***	
Rpt Type ID:	1	***Cont First Name:***	
Report Year:	2006	***Cont Last Name:***	
Not-Current Rpt?:	No	***Contact Position:***	
Yr of Last Filed Rpt:	2006	***Contact Fax:***	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Fac ID:	140032	**Contact Ph.:**	
Fac Name:	TORONTO WESTERN HOSPITAL	**Cont Area Code:**	
Fac Address1:	399 BATHURST STREET	**Contact Tel.:**	
Fac Address2:	NOT AVAILABLE	**Contact Ext.:**	
Fac Postal Zip:	M5T2S8	**Cont Fax Area Cde:**	
Facility Lat:	43.6605	**Contact Fax:**	
Facility Long:	-79.3874	**Contact Email:**	
DLS (Last Filed Rpt):		**Latitude:**	43.6605
Facility DLS:		**Longitude:**	-79.3874
Datum:	1983	**UTM Zone:**	
Facility Cmnts:	False	**UTM Northing:**	
URL:	www.uhn.ca	**UTM Easting:**	
No of Empl.:	2100	**Waste Streams:**	True?
Parent Co.:	N	**No Streams:**	
No Parent Co.:		**Waste Off Sites:**	Fals
Pollut Prev Cmnts:	False	**No Off Sites:**	1.00
Stacks:	True	**Shutdown:**	
No of Stacks:		**No of Shutdown:**	
Canadian SIC Code (2 digit):			
Canadian SIC Code:			
SIC Code Description:			
American SIC Code:			
NAICS Code (2 digit):	62		
NAICS 2 Description:	Health care and social assistance		
NAICS Code (4 digit):	6221		
NAICS 4 Description:	General medical and surgical hospitals		
NAICS Code (6 digit):	622111		
NAICS 6 Description:	General (except paediatric) hospitals		

---

305 | ***1 of 1*** | ***NW/236.2*** | ***107.8 / 4.93*** | ***TRANSPORT TRUCK ON WELLESLEY ST. AT BAY MOTOR VEHICLE (OPERATING FLUID) TORONTO CITY ON*** | ***SPL***

Ref No:	82724	**Discharger Report:**	
Site No:		**Material Group:**	
Incident Dt:	3/14/1993	**Client Type:**	
Year:		**Sector Type:**	
Incident Cause:	OTHER CONTAINER LEAK	**Source Type:**	
Incident Event:		**Nearest Watercourse:**	
Contaminant Code:		**Site Name:**	
Contaminant Name:		**Site Address:**	
Contaminant Limit 1:		**Site District Office:**	
Contam Limit Freq 1:		**Site County/District:**	
Contaminant UN No 1:		**Site Postal Code:**	
Contaminant Qty:		**Site Region:**	
Environment Impact:	NOT ANTICIPATED	**Site Municipality:**	01106
Nature of Impact:	Other	**Site Lot:**	
Receiving Medium:	LAND / WATER	**Site Conc:**	
Receiving Env:		**Northing:**	
Health/Env Conseq:		**Easting:**	F.D., WORKS DEPT.
MOE Response:		**Site Geo Ref Accu:**	
Dt MOE Arvl on Scn:		**Site Geo Ref Meth:**	
MOE Reported Dt:	3/14/1993	**Site Map Datum:**	
Dt Document Closed:			
SAC Action Class:			
Incident Reason:	UNKNOWN		
Incident Summary:	200 L OF DIESEL FUEL TO ROAD & SEWER FROM TRUCK.		

---

306 | ***1 of 1*** | ***NE/236.2*** | ***106.2 / 3.33*** | ***ON*** | ***BORE***

Borehole ID:	644690	**Type:**	Borehole

Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	630375	**Northing::**	4835833
Location Accuracy::		**Orig. Ground Elev m::**	106
Elev. Reliability Note::		**DEM Ground Elev m::**	105
Total Depth m::	6.4	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	MAR-1958	**Static Water Level::**	-999.9
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218508489	**Top Depth(m):**	0.0
Bottom Depth(m):	1.5	**Stratum Desc:**	FILL,SAND-MEDIUM. BROWN,LOOSE.
Stratum ID:	218508490	**Top Depth(m):**	1.5
Bottom Depth(m):	3.0	**Stratum Desc:**	SAND-MEDIUM,SILT. BROWN,GLACIAL,DENSE, AGE GLACIAL.
Stratum ID:	218508491	**Top Depth(m):**	3.0
Bottom Depth(m):	6.4	**Stratum Desc:**	SAND-MEDIUM. BROWN,GREY,GLACIAL,DENSE, AGE GLACIAL. 00000000400050030001000 30

---

307 ***1 of 1*** ***W/237.3*** ***103.8 / 0.94*** ***WWIS***

Toronto ON

Well ID:	7204225	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:	Monitoring and Test Hole	**Date Received:**	7/5/2013
Sec. Water Use:		**Selected Flag:**	Yes
Final Well Status:	Abandoned Monitoring and Test Hole	**Abandonment Rec:**	Yes
Water Type:		**Contractor:**	7241
Casing Material:		**Form Version:**	7
Audit No:	Z172369	**Owner:**	
Tag:	A078929	**Street Name:**	76 GRENVILLE STREET
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1004396077	**Elevation:**	105.94
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:		**East83:**	629927
Code OB Desc:		**Org CS:**	UTM83
Open Hole:		**North83:**	4835613
Cluster Kind:		**UTMRC:**	4
Date Completed:	03-JUN-13	**UTMRC Desc:**	margin of error : 30 m - 100 m
Remarks:		**Location Method:**	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			

Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Annular Space/Abandonment Sealing Record

Plug ID: 1004809494
Layer: 1
Plug From:
Plug To:
Plug Depth UOM: ft

Plug ID: 1004809495
Layer: 2
Plug From: 0
Plug To: 1
Plug Depth UOM: ft

Plug ID: 1004809496
Layer: 3
Plug From: 1
Plug To: 42
Plug Depth UOM: ft

Method of Construction & Well Use

Method Construction ID: 1004809493
Method Construction Code: D
Method Construction: Direct Push
Other Method Construction:

Pipe Information

Pipe ID: 1004809485
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1004809489
Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From: 0
Depth To: 32
Casing Diameter: 1.5
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1004809490
Layer: 1
Slot: 10
Screen Top Depth: 32
Screen End Depth: 42
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch

Screen Diameter: 1.75

Water Details

Water ID: 1004809488
Layer:
Kind Code:
Kind:
Water Found Depth:
Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1004809487
Diameter:
Depth From:
Depth To:
Hole Depth UOM: ft
Hole Diameter UOM: inch

---

308 | **1 of 1** | **N/237.7** | **107.8 / 5.00** | **ON** | **BORE**

Borehole ID:	638058	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	630255	**Northing::**	4835903
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	24.4	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	OCT-1967	**Static Water Level::**	-999.9
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218482814	**Top Depth(m):**	0.0
Bottom Depth(m):	1.5	**Stratum Desc:**	FILL,GRAVEL. BROWN,COMPACT.
Stratum ID:	218482815	**Top Depth(m):**	1.5
Bottom Depth(m):	3.0	**Stratum Desc:**	SILT,SAND. BROWN,GLACIAL,VERY DENSE, AGE GLACIAL.
Stratum ID:	218482816	**Top Depth(m):**	3.0
Bottom Depth(m):	10.7	**Stratum Desc:**	SAND,SILT. GREY,GLACIAL,VERY DENSE, AGE GLACIAL.
Stratum ID:	218482817	**Top Depth(m):**	10.7
Bottom Depth(m):	12.2	**Stratum Desc:**	TILL,CLAY,SILT,SAND.GREY,GLACIAL,HARD ,AGE GLACIAL.
Stratum ID:	218482818	**Top Depth(m):**	12.2
Bottom Depth(m):	14.0	**Stratum Desc:**	SAND,SILT,GRAVEL. GREY,GLACIAL,VERY DENSE, AGE GLACIAL.
Stratum ID:	218482819	**Top Depth(m):**	14.0
Bottom Depth(m):	24.4	**Stratum Desc:**	TILL,SILT,SAND. GREY,GLACIAL,VERY DENSE, AGE GLACIAL. 015 020 015015026

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
309	1 of 1	WNW/238.0	105.9 / 3.05	ON	BORE

Borehole ID:	648441	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Jetting	**UTM Zone::**	17
Easting::	629935	**Northing::**	4835733
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	15.4	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	1.6
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218522951	**Top Depth(m):**	0.0
Bottom Depth(m):	2.4	**Stratum Desc:**	FILL,SAND,SILT, GRAVEL.
Stratum ID:	218522952	**Top Depth(m):**	2.4
Bottom Depth(m):	4.4	**Stratum Desc:**	TILL,SILT,CLAY, GRAVEL. GREY,GLACIAL,DENSE,LAYERED, AGE GLACIAL, WATER STABLE AT 347.7 FEET.
Stratum ID:	218522953	**Top Depth(m):**	4.4
Bottom Depth(m):	7.2	**Stratum Desc:**	SAND-MEDIUM,SILT, CLAY. GREY,GLACIAL,DENSE, AGE GLACIAL.
Stratum ID:	218522954	**Top Depth(m):**	7.2
Bottom Depth(m):	12.8	**Stratum Desc:**	TILL,SILT,SAND,CLAY.GREY,GLACIAL,VERY DENSE, LAYERED,AGE GLACIAL.
Stratum ID:	218522955	**Top Depth(m):**	12.8
Bottom Depth(m):	15.3	**Stratum Desc:**	SAND-MEDIUM,SILT, CLAY. GREY,GLACIAL,VERY DENSE, LAYERED,AGE GLACIAL.
Stratum ID:	218522956	**Top Depth(m):**	15.3
Bottom Depth(m):	15.4	**Stratum Desc:**	TILL,SILT,CLAY, GRAVEL. GREY,GLACIAL,VERY DENSE, AGE GLACIAL. 0000001000080038001450420023505600 4

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
310	1 of 1	NW/238.2	106.8 / 4.01	ON	BORE

Borehole ID:	635480	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Diamond Drill	**UTM Zone::**	17
Easting::	629965	**Northing::**	4835793
Location Accuracy::		**Orig. Ground Elev m::**	106
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	29.7	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	1900	**Static Water Level::**	3
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218473430	**Top Depth(m):**	0.0
Bottom Depth(m):	1.1	**Stratum Desc:**	SILT,SAND,SOIL. BROWN.
Stratum ID:	218473431	**Top Depth(m):**	1.1

Bottom Depth(m):	3.0	**Stratum Desc:**	SAND-FINE TO MEDIUM.GREY,BROWN,GLACIAL, AGE GLACIAL.
Stratum ID:	218473432	**Top Depth(m):**	3.0
Bottom Depth(m):	8.5	**Stratum Desc:**	SILT,SAND. GREY,GLACIAL,AGE GLACIAL, WATER STABLE AT 339.9 FEET.
Stratum ID:	218473433	**Top Depth(m):**	8.5
Bottom Depth(m):	13.9	**Stratum Desc:**	TILL,SILT,CLAY, GRAVEL. GLACIAL,AGE GLACIAL.
Stratum ID:	218473434	**Top Depth(m):**	13.9
Bottom Depth(m):	26.7	**Stratum Desc:**	SAND-MEDIUM,SILT, CLAY. GLACIAL,AGE GLACIAL.
Stratum ID:	218473435	**Top Depth(m):**	26.7
Bottom Depth(m):	27.3	**Stratum Desc:**	BOULDERS.
Stratum ID:	218473436	**Top Depth(m):**	27.3
Bottom Depth(m):	28.0	**Stratum Desc:**	SAND,SILT. GLACIAL,AGE GLACIAL.
Stratum ID:	218473437	**Top Depth(m):**	28.0
Bottom Depth(m):	29.7	**Stratum Desc:**	BEDROCK,SHALE, LIMESTONE. AGE ORDOVICIAN. 00009E,SO

---

311 **1 of 1** **NW/238.3** **107.5 / 4.65** **ON** **BORE**

Borehole ID:	638073	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	630025	**Northing::**	4835853
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	15.2	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	FEB-1971	**Static Water Level::**	.9
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218482880	**Top Depth(m):**	0.0
Bottom Depth(m):	2.7	**Stratum Desc:**	SAND-MEDIUM. BROWN.
Stratum ID:	218482881	**Top Depth(m):**	2.7
Bottom Depth(m):	7.6	**Stratum Desc:**	SAND,SILT. GREY,GLACIAL,DENSE, AGE GLACIAL, WATER STABLE AT 348.4 FEET.
Stratum ID:	218482882	**Top Depth(m):**	7.6
Bottom Depth(m):	12.8	**Stratum Desc:**	SILT,SAND. GREY,GLACIAL,DENSE, AGE GLACIAL.
Stratum ID:	218482883	**Top Depth(m):**	12.8
Bottom Depth(m):	15.2	**Stratum Desc:**	TILL,SAND,STONES. GREY,GLACIAL,VERY DENSE, AGE GLACIAL. 020 010 0025005000420

---

312 **1 of 1** **ESE/239.0** **98.8 / -4.07** **Triforte Building Corporation**
21 CARLTON ST, TORONTO, ON, M5B 1L2,
ON **RSC**

Reg No:	2479	**Cert Date:**	1-Nov-05
RA No:		**Cert Prop Use No:**	No CPU
RSC Type:		**Intended Prop Use:**	Residential
Curr Property Use:	Commercial	**Nm of Qual. Person:**	Aurelio Di Rocco
District Office:	TORONTO	**Stratified (Y/N):**	
Date Submitted:	22-Nov-05	**Audit (Y/N):**	
Date Ack:		**Entire Leg Prop. (Y/N):**	No
Date Returned:		**Accuracy Estimate:**	6 to 10 meters
Restoration Type:		**Telephone:**	416-6638434
Soil Type:		**Fax:**	905-7389803
Criteria:		**Email:**	
CPU Issued Sect 1686:	No		
Asmt Roll No:			

Prop. ID No: 21102 - 0083 (LT)
Property Municipal Address: 21 CARLTON ST, TORONTO, ON, M5B 1L2,
Mailing Address: 199 ADESSO DR, CONCORD, ON, L4K 3C4
Latitude & Latitude: 43.66109000N 79.38210000W
UTM Coordinates: NAD83 17-630451-4835504 (converted from Latitude & Longitude)
Consultant:
Filing Owner:
Legal Desc: Part of Park Lot 8, Concession 1, From the Bay; and Part of Carlton Street (closed by By-Laws 13174 and 13376), Designated as Part 1 on Plan 66R - 19568, City of Toronto (RSC covers west half of the property now identified as 21 Carlton Street on the attached Legal Survey)
Measurement Method: Digitized from a map
Applicable Standards: Full Depth Site Conditions Standard, with Nonpotable Ground Water, Medium/Fine Textured Soil, for Residential/Parkland/Institutional property use
RSC PDF:

---

313 *1 of 1* *WNW/240.0* *105.3 / 2.46* *ON* **BORE**

Borehole ID:	646859	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	629925	**Northing::**	4835703
Location Accuracy::		**Orig. Ground Elev m::**	108
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	15.4	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	1.4
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218516632	**Top Depth(m):**	0.0
Bottom Depth(m):	0.7	**Stratum Desc:**	FILL.
Stratum ID:	218516633	**Top Depth(m):**	0.7
Bottom Depth(m):	1.7	**Stratum Desc:**	SAND-MEDIUM,SILT. BROWN,LACUSTRINE,DENSE, AGE GLACIAL.
Stratum ID:	218516634	**Top Depth(m):**	1.7
Bottom Depth(m):	3.0	**Stratum Desc:**	TILL,SILT,CLAY. BROWN,GLACIAL,DENSE, AGE GLACIAL, WATER STABLE AT 349.7 FEET.
Stratum ID:	218516635	**Top Depth(m):**	3.0
Bottom Depth(m):	13.8	**Stratum Desc:**	TILL,SILT,SAND. GREY,GLACIAL,VERY DENSE, AGE GLACIAL.
Stratum ID:	218516636	**Top Depth(m):**	13.8

Bottom Depth(m):	15.4	**Stratum Desc:**	SAND-MEDIUM,SILT. GREY,LACUSTRINE,VERY DENSE, AGE GLACIAL. 000230220005502200100055004520510001 9

---

314 **1 of 1** **NW/240.0** **106.8 / 4.01** **ON** **BORE**

Borehole ID:	648449	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Jetting	**UTM Zone::**	17
Easting::	629970	**Northing::**	4835803
Location Accuracy::		**Orig. Ground Elev m::**	106
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	15.5	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	1.6
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218522996	**Top Depth(m):**	0.0
Bottom Depth(m):	0.0	**Stratum Desc:**	FILL.
Stratum ID:	218522997	**Top Depth(m):**	0.0
Bottom Depth(m):	2.6	**Stratum Desc:**	SAND,SILT,GRAVEL. GLACIAL,AGE GLACIAL.
Stratum ID:	218522998	**Top Depth(m):**	2.6
Bottom Depth(m):	7.9	**Stratum Desc:**	SILT,SAND. GREY,GLACIAL,DENSE,LAYERED, AGE GLACIAL, WATER STABLE AT 343.8 FEET.
Stratum ID:	218522999	**Top Depth(m):**	7.9
Bottom Depth(m):	15.2	**Stratum Desc:**	TILL,SILT,SAND,CLAY.GREY,GLACIAL,DENSE, AGE GLACIAL.
Stratum ID:	218523000	**Top Depth(m):**	15.2
Bottom Depth(m):	15.5	**Stratum Desc:**	CLAY,SILT. GREY,LACUSTRINE,LAYERED, AGE GLACIAL. 0000102200085030002600490050003600014001250

---

315 **1 of 1** **NNE/240.3** **107.7 / 4.88** **ON** **BORE**

Borehole ID:	638057	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	630295	**Northing::**	4835893
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	14	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	OCT-1967	**Static Water Level::**	-999.9
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218482809	**Top Depth(m):**	0.0
Bottom Depth(m):	0.9	**Stratum Desc:**	FILL,SILT,SAND. GREY,LOOSE.

Stratum ID:	218482810	**Top Depth(m):**	0.9
Bottom Depth(m):	3.0	**Stratum Desc:**	SILT,SAND,GRAVEL. BROWN,GLACIAL,VERY DENSE, AGE GLACIAL.
Stratum ID:	218482811	**Top Depth(m):**	3.0
Bottom Depth(m):	10.9	**Stratum Desc:**	SAND,SILT,GRAVEL, CLAY. GREY,GLACIAL,VERY DENSE, AGE GLACIAL.
Stratum ID:	218482812	**Top Depth(m):**	10.9
Bottom Depth(m):	13.4	**Stratum Desc:**	TILL,CLAY,SILT,SAND.GREY,GLACIAL,HARD ,AGE GLACIAL.
Stratum ID:	218482813	**Top Depth(m):**	13.4
Bottom Depth(m):	14.0	**Stratum Desc:**	TILL,SILT. GLACIAL,VERY DENSE, AGE GLACIAL. 018 018 01601202500000004000

316 **1 of 1** **WNW/240.3** **106.0 / 3.18** **ON** **BORE**

Borehole ID:	648446	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Jetting	**UTM Zone::**	17
Easting::	629950	**Northing::**	4835773
Location Accuracy::		**Orig. Ground Elev m::**	106
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	15.4	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	1.6
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218522980	**Top Depth(m):**	3.0
Bottom Depth(m):	4.1	**Stratum Desc:**	SILT,SAND-MEDIUM. GREY,LACUSTRINE,AGE GLACIAL.
Stratum ID:	218522981	**Top Depth(m):**	4.1
Bottom Depth(m):	8.4	**Stratum Desc:**	SILT,SAND,CLAY. GREY,GLACIAL,DENSE,LAYERED, AGE GLACIAL.
Stratum ID:	218522982	**Top Depth(m):**	8.4
Bottom Depth(m):	12.2	**Stratum Desc:**	TILL,SILT,SAND,CLAY.GREY,GLACIAL,DENS E, AGE GLACIAL.
Stratum ID:	218522983	**Top Depth(m):**	12.2
Bottom Depth(m):	15.4	**Stratum Desc:**	TILL,SILT,CLAY, GRAVEL. GREY,GLACIAL,HARD,LAYERED, AGE GLACIAL. 000500140007003600100024001350360
Stratum ID:	218522976	**Top Depth(m):**	0.0
Bottom Depth(m):	0.2	**Stratum Desc:**	FILL.
Stratum ID:	218522977	**Top Depth(m):**	0.2
Bottom Depth(m):	1.5	**Stratum Desc:**	SAND,SILT. BROWN,GLACIAL,AGE GLACIAL.
Stratum ID:	218522978	**Top Depth(m):**	1.5
Bottom Depth(m):	2.1	**Stratum Desc:**	SAND-MEDIUM,SILT. BROWN,GLACIAL,AGE

GLACIAL.

Stratum ID:	218522979	**Top Depth(m):**	2.1
Bottom Depth(m):	3.0	**Stratum Desc:**	SAND-MEDIUM,SILT. GREY,GLACIAL,DENSE, AGE GLACIAL, WATER STABLE AT 344.8 FEET.

317 **1 of 1** **W/240.8** **104.9 / 2.07** **ON** **BORE**

Borehole ID:	648436	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Jetting	**UTM Zone::**	17
Easting::	629920	**Northing::**	4835668
Location Accuracy::		**Orig. Ground Elev m::**	108
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	12.1	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	1.2
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218522926	**Top Depth(m):**	0.0
Bottom Depth(m):	0.3	**Stratum Desc:**	FILL,SOIL,STONES.
Stratum ID:	218522927	**Top Depth(m):**	0.3
Bottom Depth(m):	0.7	**Stratum Desc:**	SILT,SAND. BROWN,GLACIAL,AGE GLACIAL.
Stratum ID:	218522928	**Top Depth(m):**	0.7
Bottom Depth(m):	0.9	**Stratum Desc:**	SAND. BROWN,FLUVIO-GLACIAL, AGE GLACIAL.
Stratum ID:	218522929	**Top Depth(m):**	0.9
Bottom Depth(m):	2.9	**Stratum Desc:**	TILL,SILT,SAND,CLAY.BROWN,GLACIAL,AGE GLACIAL.
Stratum ID:	218522930	**Top Depth(m):**	2.9
Bottom Depth(m):	12.1	**Stratum Desc:**	TILL,SILT,SAND,CLAY.GREY,GLACIAL,VERY DENSE, LAYERED,AGE GLACIAL, WATER STABLE AT 350.8 FEET.0003

318 **1 of 1** **NW/241.6** **106.8 / 4.01** **ON** **BORE**

Borehole ID:	647772	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	629995	**Northing::**	4835833
Location Accuracy::		**Orig. Ground Elev m::**	106
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	21.3	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	MAR-1971	**Static Water Level::**	2.1
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218520318	**Top Depth(m):**	7.6
Bottom Depth(m):	12.2	**Stratum Desc:**	SILT. GREY,GLACIAL,DENSE, AGE

GLACIAL, WATER STABLE AT 343.7 FEET.

Stratum ID: 218520319
Bottom Depth(m): 20.7
Top Depth(m): 12.2
Stratum Desc: TILL,SAND-MEDIUM, CLAY. GREY,GLACIAL,DENSE, AGE GLACIAL.

Stratum ID: 218520320
Bottom Depth(m): 21.3
Top Depth(m): 20.7
Stratum Desc: TILL,SAND. GLACIAL,VERY DENSE, AGE GLACIAL. 015 018 010 00250050004

Stratum ID: 218520317
Bottom Depth(m): 7.6
Top Depth(m): 0.0
Stratum Desc: UNSPECIFIED.

---

319 | **1 of 1** | **ENE/244.2** | **103.9 / 1.11** | **Calkins Dr H W**
36 Alexander Blvd
Toronto ON M4Y 1B4 | **TANK**

Permit Date: 7/29/1926
Permit Type: BP 98503
User Type:
Installation Type: Fuel oil tank
Installation Size:
Installation Config.: 1 x fuel oil tank
No. Tanks Installed: 1
Units of Measure:
Value/Tank ($): 80
Capacity(gal):
Reference: CTA Building permits
Location Desc:

---

320 | **1 of 2** | **NE/244.6** | **105.6 / 2.81** | **33 MAITLAND STREET**
TORONTO ON M4Y 1C8 | **HINC**

External File Num: FS INC 0810-06075
Date of Occurrence: 10/10/2008
Fuel Occurrence Type: Pipeline Strike
Fuel Type Involved: Natural Gas
Status Desc:: Completed - Causal Analysis(End)
Job Type Desc:: Incident/Near-Miss Occurrence (FS)
Oper. Type Involved:: Construction Site (pipeline strike)
Service Interruptions:: Yes
Property Damage:: Yes
Fuel Life Cycle Stage:: Transmission, Distribution and Transportation
Root Cause:: Root Cause: Equipment/Material/Component:No Procedures:No Maintenance:No Design:No Training:No Management:Yes Human Factors:Yes
Reported Details::
Fuel Category:: Gaseous Fuel
Occurrence Type:: Incident
Affiliation:: Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.)
County Name:: Toronto
Approx. Quant. Rel::
Nearby body of water::
Enter Drainage Syst.::
Approx. Quant. Unit::
Environmental Impact::

---

320 | **2 of 2** | **NE/244.6** | **105.6 / 2.81** | **33 Maitland St<UNOFFICIAL>**
Toronto ON M4Y 1C8 | **SPL**

Ref No: 3532-7KAKUT
Discharger Report:

Site No:		**Material Group:**	
Incident Dt:		**Client Type:**	
Year:		**Sector Type:**	Other
Incident Cause:	Discharge or Emission to Air	**Source Type:**	
Incident Event:		**Nearest Watercourse:**	
Contaminant Code:	35	**Site Name:**	33 Maitland St<UNOFFICIAL>
Contaminant Name:	NATURAL GAS (METHANE)	**Site Address:**	
Contaminant Limit 1:		**Site District Office:**	Toronto - District
Contam Limit Freq 1:		**Site County/District:**	
Contaminant UN No 1:		**Site Postal Code:**	
Contaminant Qty:		**Site Region:**	
Environment Impact:	Confirmed	**Site Municipality:**	Toronto
Nature of Impact:	Air Pollution	**Site Lot:**	
Receiving Medium:		**Site Conc:**	
Receiving Env:		**Northing:**	
Health/Env Conseq:		**Easting:**	
MOE Response:		**Site Geo Ref Accu:**	
Dt MOE Arvl on Scn:		**Site Geo Ref Meth:**	
MOE Reported Dt:	10/10/2008	**Site Map Datum:**	
Dt Document Closed:			
SAC Action Class:	Air Spills - Gases and Vapours		
Incident Reason:	Equipment Failure		
Incident Summary:	TSSA/MOE - 33 Maitland, service hit		

321 | ***1 of 1*** | ***N/245.5*** | ***108.2 / 5.37*** | ***TORONTO ON*** | ***WWIS***

Well ID:	7267383	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:	Monitoring and Test Hole	**Date Received:**	7/21/2016
Sec. Water Use:	0	**Selected Flag:**	Yes
Final Well Status:	Monitoring and Test Hole	**Abandonment Rec:**	
Water Type:		**Contractor:**	7241
Casing Material:		**Form Version:**	7
Audit No:	Z233347	**Owner:**	
Tag:	A18511	**Street Name:**	564 YONGE STREET
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	WKQ-009038 A0-A02
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1006164722	**Elevation:**	107
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:		**East83:**	630215
Code OB Desc:		**Org CS:**	UTM83
Open Hole:		**North83:**	4835916
Cluster Kind:		**UTMRC:**	4
Date Completed:	31-MAY-16	**UTMRC Desc:**	margin of error : 30 m - 100 m
Remarks:		**Location Method:**	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			

Source Revision Comment:
Supplier Comment:

Overburden and Bedrock Materials Interval

Formation ID: 1006172553
Layer: 3
Color: 2
General Color: GREY
Mat1: 06
Most Common Material: SILT
Mat2: 28
Other Materials: SAND
Mat3: 66
Other Materials: DENSE
Formation Top Depth: 11
Formation End Depth: 28
Formation End Depth UOM: ft

Formation ID: 1006172551
Layer: 1
Color: 8
General Color: BLACK
Mat1: 27
Most Common Material: OTHER
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 0
Formation End Depth: 6
Formation End Depth UOM: ft

Formation ID: 1006172552
Layer: 2
Color: 6
General Color: BROWN
Mat1: 28
Most Common Material: SAND
Mat2:
Other Materials:
Mat3: 66
Other Materials: DENSE
Formation Top Depth: 6
Formation End Depth: 11
Formation End Depth UOM: ft

Annular Space/Abandonment Sealing Record

Plug ID: 1006172561
Layer: 1
Plug From: 17
Plug To: 28
Plug Depth UOM: ft

Plug ID: 1006172562
Layer: 2
Plug From: 6
Plug To: 17
Plug Depth UOM: ft

Plug ID: 1006172563

Layer:	3
Plug From:	0
Plug To:	6
Plug Depth UOM:	ft

Method of Construction & Well Use

Method Construction ID:	1006172560
Method Construction Code:	D
Method Construction:	Direct Push
Other Method Construction:	

Pipe Information

Pipe ID:	1006172550
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	1006172556
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	6
Depth To:	18
Casing Diameter:	2
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Construction Record - Screen

Screen ID:	1006172557
Layer:	1
Slot:	10
Screen Top Depth:	18
Screen End Depth:	28
Screen Material:	5
Screen Depth UOM:	ft
Screen Diameter UOM:	inch
Screen Diameter:	2.25

Water Details

Water ID:	1006172555
Layer:	
Kind Code:	
Kind:	
Water Found Depth:	
Water Found Depth UOM:	ft

Hole Diameter

Hole ID:	1006172554
Diameter:	6
Depth From:	0
Depth To:	28
Hole Depth UOM:	ft
Hole Diameter UOM:	inch

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

322 | **1 of 1** | **NNW/247.0** | **107.9 / 5.02** | **22-26 Wellesley St. W Toronto ON M4Y 1G1** | **EHS**

Order ID:	7735	**Date Received:**	12/12/01
Order No:	20011212009	**Lot/Building Size:**	
Customer ID:	9704	**Municipality:**	
Company ID:	232	**Client Prov/State:**	ON
Status:	C	**Search Radius (km):**	0.25
Report Code:	1CAN	**Large Radius:**	2.00
Report Type:	Site Report	**X:**	-79.385818
Report Date:	12/13/01	**Y:**	43.664785
Report Requested by:	Briggs Canada Ltd.		
Nearest Intersection:	at St. Nicholas St.		
Previous Site Name:			
Additional Info Ordered:			

323 | **1 of 1** | **NNW/247.8** | **108.3 / 5.47** | **ON** | **BORE**

Borehole ID:	650683	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	630085	**Northing::**	4835893
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	107
Total Depth m::	15.4	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	APR-1965	**Static Water Level::**	.4
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218530684	**Top Depth(m):**	0.0
Bottom Depth(m):	3.0	**Stratum Desc:**	FILL,SAND,GRAVEL, WOOD.
Stratum ID:	218530685	**Top Depth(m):**	3.0
Bottom Depth(m):	7.6	**Stratum Desc:**	SAND,SILT. GREY,DENSE,AGE QUATERNARY, WATER STABLE AT 351.2 FEET.
Stratum ID:	218530686	**Top Depth(m):**	7.6
Bottom Depth(m):	10.9	**Stratum Desc:**	SILT,SAND,CLAY. GREY,VERY DENSE, AGE QUATERNARY.
Stratum ID:	218530687	**Top Depth(m):**	10.9
Bottom Depth(m):	13.9	**Stratum Desc:**	SAND-MEDIUM,SILT. GREY,VERY DENSE, AGE QUATERNARY.
Stratum ID:	218530688	**Top Depth(m):**	13.9
Bottom Depth(m):	15.4	**Stratum Desc:**	TILL,SILT,SAND, GRAVEL. GREY,VERY DENSE, AGE QUATERNARY. 0000000900099054002500760035613300456170

324 | **1 of 1** | **WNW/248.2** | **104.9 / 2.10** | **ON** | **BORE**

Borehole ID:	648438	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Jetting	**UTM Zone::**	17

Easting::	629915	***Northing::***	4835693
Location Accuracy::		***Orig. Ground Elev m::***	108
Elev. Reliability Note::		***DEM Ground Elev m::***	106
Total Depth m::	15.4	***Primary Name::***	
Township::		***Concession::***	
Lot::		***Municipality:***	
Completion Date::	SEP-1963	***Static Water Level::***	1.6
Primary Water Use::	Not Used	***Sec. Water Use::***	

--Details--

Stratum ID:	218522934	***Top Depth(m):***	0.0
Bottom Depth(m):	0.7	***Stratum Desc:***	FILL.
Stratum ID:	218522935	***Top Depth(m):***	0.7
Bottom Depth(m):	1.7	***Stratum Desc:***	SAND-MEDIUM,SILT. BROWN,GLACIAL,AGE GLACIAL.
Stratum ID:	218522936	***Top Depth(m):***	1.7
Bottom Depth(m):	2.4	***Stratum Desc:***	TILL,SILT,CLAY, GRAVEL. BROWN,GLACIAL,DENSE, AGE GLACIAL, WATER STABLE AT 349.1 FEET.
Stratum ID:	218522937	***Top Depth(m):***	2.4
Bottom Depth(m):	13.8	***Stratum Desc:***	TILL,SILT,SAND,CLAY.GREY,GLACIAL,VERY DENSE, AGE GLACIAL.
Stratum ID:	218522938	***Top Depth(m):***	13.8
Bottom Depth(m):	15.4	***Stratum Desc:***	SAND-MEDIUM,SILT, CLAY. GREY,GLACIAL,VERY DENSE, AGE GLACIAL. 00055022000800530045205100019

---

325 ***1 of 2*** ***S/248.9*** ***98.2 / -4.62*** ***750 Bay Street TORONTO ON M5G 1N6*** ***HINC***

External File Num:	FS INC 0705-02258
Date of Occurrence:	5/11/2007
Fuel Occurrence Type:	Vapour Release
Fuel Type Involved:	Natural Gas
Status Desc::	Completed - Causal Analysis(End)
Job Type Desc::	Incident/Near-Miss Occurrence (FS)
Oper. Type Involved::	Multi-unit Residential
Service Interruptions::	No
Property Damage::	No
Fuel Life Cycle Stage::	Utilization
Root Cause::	Root Cause: Equipment/Material/Component:No Procedures:No Maintenance:No Design:No Training:No Management:Yes Human Factors:Yes
Reported Details::	
Fuel Category::	Gaseous Fuel
Occurrence Type::	Incident
Affiliation::	Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.)
County Name::	Toronto
Approx. Quant. Rel::	
Nearby body of water::	
Enter Drainage Syst.::	
Approx. Quant. Unit::	
Environmental Impact::	

---

325 ***2 of 2*** ***S/248.9*** ***98.2 / -4.62*** ***Enbridge Gas Distribution Inc. 750 Bay St Toronto ON M5G 1N6*** ***SPL***

Ref No:	2158-7347MX	***Discharger Report:***	

Site No:		**Material Group:**	Gases/Particulate
Incident Dt:		**Client Type:**	
Year:		**Sector Type:**	Other
Incident Cause:	Discharge or Emission to Air	**Source Type:**	
Incident Event:		**Nearest Watercourse:**	
Contaminant Code:	35	**Site Name:**	Res. Condo <UNOFFICIAL>
Contaminant Name:	NATURAL GAS (METHANE)	**Site Address:**	
Contaminant Limit 1:		**Site District Office:**	
Contam Limit Freq 1:		**Site County/District:**	
Contaminant UN No 1:		**Site Postal Code:**	
Contaminant Qty:	32 min (duration)	**Site Region:**	
Environment Impact:	Possible	**Site Municipality:**	Toronto
Nature of Impact:	Air Pollution; Human Health/Safety	**Site Lot:**	
Receiving Medium:	Air	**Site Conc:**	
Receiving Env:		**Northing:**	
Health/Env Conseq:		**Easting:**	
MOE Response:	Referral to others	**Site Geo Ref Accu:**	
Dt MOE Arvl on Scn:		**Site Geo Ref Meth:**	
MOE Reported Dt:	5/11/2007	**Site Map Datum:**	
Dt Document Closed:			
SAC Action Class:			
Incident Reason:	Equipment Failure		
Incident Summary:	TSSA-FSB: natural gas to ATM, evac, no injuries/fire		

326 **1 of 1** **WNW/249.2** **105.8 / 2.96** **ON** **BORE**

Borehole ID:	646826	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	629935	**Northing::**	4835763
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	29.1	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	1
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218516501	**Top Depth(m):**	0.0
Bottom Depth(m):	1.5	**Stratum Desc:**	FILL.
Stratum ID:	218516502	**Top Depth(m):**	1.5
Bottom Depth(m):	10.4	**Stratum Desc:**	SAND,SILT. BROWN,LACUSTRINE,DENSE, AGE GLACIAL, WATER STABLE AT 349.5 FEET.
Stratum ID:	218516503	**Top Depth(m):**	10.4
Bottom Depth(m):	16.2	**Stratum Desc:**	TILL,SILT,SAND. GREY,GLACIAL,VERY DENSE, AGE GLACIAL.
Stratum ID:	218516504	**Top Depth(m):**	16.2
Bottom Depth(m):	20.0	**Stratum Desc:**	SAND,SILT,CLAY. GREY,LACUSTRINE,DENSE,LAYERED,AGE GLACIAL.
Stratum ID:	218516505	**Top Depth(m):**	20.0
Bottom Depth(m):	21.9	**Stratum Desc:**	TILL,SAND,SILT. GREY,GLACIAL,DENSE, AGE GLACIAL.
Stratum ID:	218516506	**Top Depth(m):**	21.9
Bottom Depth(m):	25.1	**Stratum Desc:**	SAND-FINE TO MEDIUM,GRAVEL.

GREY,FLUVIO-GLACIAL, VERY DENSE,AGE GLACIAL.

Stratum ID: 218516507
Top Depth(m): 25.1
Bottom Depth(m): 27.6
Stratum Desc: TILL,SILT,CLAY. GREY,GLACIAL,HARD,AGE GLACIAL.

Stratum ID: 218516508
Top Depth(m): 27.6
Bottom Depth(m): 29.1
Stratum Desc: SHALE,LIMESTONE. MARINE,BEDDED,AGE ORDOVICIAN.
0005001900340060005300370065503100720080000150 04

---

327 | **1 of 1** | **ESE/250.7** | **99.8 / -2.99** | **Cineplex Odeon Corporation - Carlton Cinemas**
20 Carlton St
Toronto ON M5B 2H5 | **SCT**

Established:
Plant Size (ft²):
Employment:

--Details--
Description: Motion Picture and Video Exhibition
SIC/NAICS Code: 512130

---

328 | **1 of 11** | **NNE/251.0** | **107.9 / 5.09** | **MINISTRY OF CONSUMER & COMMERICAL 27-004**
RELATIONS 555 YONGE ST.
TORONTO ON M4Y 3A6 | **GEN**

Generator No.: ON0123800
PO Box No.:
Status:
Country:
Approval Years: 92,93,94,95,96,97
Choice of Contact:
Contam. Facility:
Co Admin:
MHSW Facility:
Phone No. Admin:
SIC Code: 8225
SIC Description: REGULATORY SERVICES

--Details--
Waste Code: 122
Waste Description: ALKALINE WASTES - OTHER METALS

Waste Code: 241
Waste Description: HALOGENATED SOLVENTS

---

328 | **2 of 11** | **NNE/251.0** | **107.9 / 5.09** | **MINISTRY OF CONSUMER &**
COMMERCIAL RELATIONS 555 YONGE ST.
TORONTO ON M4Y 3A6 | **GEN**

Generator No.: ON0123800
PO Box No.:
Status:
Country:
Approval Years: 86,87,88,89,90
Choice of Contact:
Contam. Facility:
Co Admin:
MHSW Facility:
Phone No. Admin:
SIC Code: 8225
SIC Description: REGULATORY SERVICES

--Details--

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Waste Code: 241
Waste Description: HALOGENATED SOLVENTS

328	3 of 11	NNE/251.0	107.9 / 5.09	MINISTRY OF CONSUMER & 555 YONGE STREET TORONTO ON M4Y 3A6	GEN

Generator No.: ON0123800
Status:
Approval Years: 98
Contam. Facility:
MHSW Facility:
SIC Code: 8225
SIC Description: REGULATORY SERVICES

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 122
Waste Description: ALKALINE WASTES - OTHER METALS

Waste Code: 241
Waste Description: HALOGENATED SOLVENTS

328	4 of 11	NNE/251.0	107.9 / 5.09	GERANIUM HOMES 555 YONGE STREET TORONTO ON M4Y 3A6	NPCB

Company Code: F0958
Industry: UNDEFINED
Site Status:
Transaction Date:
Inspection Date:

328	5 of 11	NNE/251.0	107.9 / 5.09	GERANIUM HOMES 555 YONGE STREET TORONTO ON M4Y 3A6	NPCB

Company Code: F1029
Industry:
Site Status:
Transaction Date: 1/29/1996
Inspection Date:

--Details--
Label:
Serial No.:
PCB Type/Code: Askarel
Location:
Item/State:
No. of Items:
Manufacturer:
Status: Stored for Disposal
Contents: 0.00 KG

328	6 of 11	NNE/251.0	107.9 / 5.09	GERANIUM HOMES 555 YONGE STREET TORONTO ON M4Y 3A6	OPCB

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Year: 1999
Site Number: 30195A047
Name Owner:
Additional Site Information:

---

328 | **7 of 11** | **NNE/251.0** | **107.9 / 5.09** | **GERANIUM HOMES**
555 YONGE STREET
TORONTO ON M4Y 3A6 | **OPCB**

Year: 2000
Site Number: 30195A047
Name Owner:
Additional Site Information:

---

328 | **8 of 11** | **NNE/251.0** | **107.9 / 5.09** | **GERANIUM HOMES**
555 YONGE STREET
TORONTO ON M4Y 3A6 | **OPCB**

Year: 1998
Site Number: 30195A047
Name Owner:
Additional Site Information:

--Details--
Quantity: 11.00
Address Site:
Description: Number of Drums of Ballasts with High Level PCBs (>1000 ppm)

Quantity: 2200.00
Address Site:
Description: Calculated Weight (Kg) of Drums of Ballasts with High Level PCBs (>1000 ppm)

---

328 | **9 of 11** | **NNE/251.0** | **107.9 / 5.09** | **PRIVATE OWNER**
555 YONGE STREET MOTOR VEHICLE
(OPERATING FLUID)
TORONTO CITY ON M4Y 3A6 | **SPL**

Ref No:	69662	**Discharger Report:**	
Site No:		**Material Group:**	
Incident Dt:	4/24/1992	**Client Type:**	
Year:		**Sector Type:**	
Incident Cause:	VALVE/FITTING LEAK OR FAILURE	**Source Type:**	
Incident Event:		**Nearest Watercourse:**	
Contaminant Code:		**Site Name:**	
Contaminant Name:		**Site Address:**	
Contaminant Limit 1:		**Site District Office:**	
Contam Limit Freq 1:		**Site County/District:**	
Contaminant UN No 1:		**Site Postal Code:**	
Contaminant Qty:		**Site Region:**	
Environment Impact:	NOT ANTICIPATED	**Site Municipality:**	01106
Nature of Impact:		**Site Lot:**	
Receiving Medium:	LAND	**Site Conc:**	
Receiving Env:		**Northing:**	
Health/Env Conseq:		**Easting:**	
MOE Response:		**Site Geo Ref Accu:**	
Dt MOE Arvl on Scn:		**Site Geo Ref Meth:**	
MOE Reported Dt:	4/24/1992	**Site Map Datum:**	
Dt Document Closed:			
SAC Action Class:			
Incident Reason:	EQUIPMENT FAILURE		

Incident Summary: PRIVATE MOTOR VEHICLE: 30 L DIESEL FUEL TO PAVE-MENT DUE TO BROKEN SEAL.

---

328 | **10 of 11** | **NNE/251.0** | **107.9 / 5.09** | **Toronto Hydro-Electric System Limited**
555 Yonge St
Toronto ON | **SPL**

Ref No:	3513-APVRZY	**Discharger Report:**	
Site No:	NA	**Material Group:**	
Incident Dt:	8/3/2017	**Client Type:**	Corporation
Year:		**Sector Type:**	Unknown / N/A
Incident Cause:		**Source Type:**	Transformer
Incident Event:	Leak/Break	**Nearest Watercourse:**	
Contaminant Code:	15	**Site Name:**	Underground Network Transformer Vault <UNOFFICIAL>
Contaminant Name:	TRANSFORMER OIL (N.O.S.)	**Site Address:**	555 Yonge St
Contaminant Limit 1:		**Site District Office:**	Toronto - District
Contam Limit Freq 1:		**Site County/District:**	
Contaminant UN No 1:	n/a	**Site Postal Code:**	
Contaminant Qty:	0 L	**Site Region:**	Central
Environment Impact:		**Site Municipality:**	Toronto
Nature of Impact:		**Site Lot:**	
Receiving Medium:		**Site Conc:**	
Receiving Env:	Surface Water	**Northing:**	4835907.2
Health/Env Conseq:	2 - Minor Environment	**Easting:**	630281.17
MOE Response:	No	**Site Geo Ref Accu:**	
Dt MOE Arvl on Scn:		**Site Geo Ref Meth:**	
MOE Reported Dt:	8/3/2017	**Site Map Datum:**	
Dt Document Closed:			

SAC Action Class: Watercourse Spills
Incident Reason: Equipment Failure
Incident Summary: TorontoHydro: U/k Vol Non-PCB Transformer Oil to Vault, Possibly Drain.

---

328 | **11 of 11** | **NNE/251.0** | **107.9 / 5.09** | **Fisher Thomas**
555 Yonge St
Toronto ON M4Y 3A6 | **TANK**

Permit Date:	8/26/1927
Permit Type:	BP A7668
User Type:	
Installation Type:	Gasoline tank
Installation Size:	
Installation Config.:	1 x Gasoline tank
No. Tanks Installed:	1
Units of Measure:	
Value/Tank ($):	150
Capacity(gal):	
Reference:	CTA Building permits
Location Desc:	

---

329 | **1 of 1** | **SE/251.1** | **96.9 / -5.96**
ON | **BORE**

Borehole ID:	638056	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	630435	**Northing::**	4835433
Location Accuracy::		**Orig. Ground Elev m::**	98
Elev. Reliability Note::		**DEM Ground Elev m::**	98.1
Total Depth m::	12.8	**Primary Name::**	
Township::		**Concession::**	

Lot::		**Municipality:**	
Completion Date::	OCT-1968	**Static Water Level::**	-999.9
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218482804	**Top Depth(m):**	0.0
Bottom Depth(m):	1.2	**Stratum Desc:**	FILL,SAND. BROWN.
Stratum ID:	218482805	**Top Depth(m):**	1.2
Bottom Depth(m):	2.4	**Stratum Desc:**	SAND,SILT. BROWN,GLACIAL,COMPACT, AGE GLACIAL.
Stratum ID:	218482806	**Top Depth(m):**	2.4
Bottom Depth(m):	6.1	**Stratum Desc:**	TILL,CLAY,SILT. GREY,GLACIAL,STIFF, AGE GLACIAL.
Stratum ID:	218482807	**Top Depth(m):**	6.1
Bottom Depth(m):	11.6	**Stratum Desc:**	CLAY,SILT,SAND. GREY,GLACIAL,HARD,AGE GLACIAL.
Stratum ID:	218482808	**Top Depth(m):**	11.6
Bottom Depth(m):	12.8	**Stratum Desc:**	SAND,CLAY. GREY,GLACIAL,VERY DENSE, AGE GLACIAL. 015 020 00040015000800200020

---

330 | **1 of 1** | **W/251.8** | **103.8 / 0.98** | **WWIS**

Toronto ON

Well ID:	7130067	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:	Monitoring	**Date Received:**	9/22/2009
Sec. Water Use:		**Selected Flag:**	Yes
Final Well Status:	Observation Wells	**Abandonment Rec:**	
Water Type:		**Contractor:**	7241
Casing Material:		**Form Version:**	7
Audit No:	Z099391	**Owner:**	
Tag:	A078929	**Street Name:**	76 GRENVILLE ST.
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1002723553	**Elevation:**	105.69
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:		**East83:**	629918
Code OB Desc:		**Org CS:**	UTM83
Open Hole:		**North83:**	4835588
Cluster Kind:		**UTMRC:**	3
Date Completed:	05-AUG-09	**UTMRC Desc:**	margin of error : 10 - 30 m
Remarks:		**Location Method:**	gis
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			

Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Overburden and Bedrock Materials Interval

Formation ID: 1002856833
Layer: 1
Color: 6
General Color: BROWN
Mat1: 28
Most Common Material: SAND
Mat2: 06
Other Materials: SILT
Mat3: 11
Other Materials: GRAVEL
Formation Top Depth: 0
Formation End Depth: 15
Formation End Depth UOM: ft

Formation ID: 1002856834
Layer: 2
Color: 2
General Color: GREY
Mat1: 28
Most Common Material: SAND
Mat2: 06
Other Materials: SILT
Mat3: 66
Other Materials: DENSE
Formation Top Depth: 15
Formation End Depth: 25
Formation End Depth UOM: ft

Formation ID: 1002856835
Layer: 3
Color: 2
General Color: GREY
Mat1: 28
Most Common Material: SAND
Mat2: 06
Other Materials: SILT
Mat3: 91
Other Materials: WATER-BEARING
Formation Top Depth: 25
Formation End Depth: 44
Formation End Depth UOM: ft

Annular Space/Abandonment Sealing Record

Plug ID: 1002856838
Layer: 2
Plug From: 1
Plug To: 34
Plug Depth UOM: ft

Plug ID: 1002856839
Layer: 3
Plug From: 34
Plug To: 44
Plug Depth UOM: ft

Plug ID:	1002856837
Layer:	1
Plug From:	0
Plug To:	1
Plug Depth UOM:	ft

Method of Construction & Well Use

Method Construction ID:	1002856844
Method Construction Code:	2
Method Construction:	Rotary (Convent.)
Other Method Construction:	

Pipe Information

Pipe ID:	1002856832
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	1002856841
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0
Depth To:	34
Casing Diameter:	1.5
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Construction Record - Screen

Screen ID:	1002856842
Layer:	1
Slot:	10
Screen Top Depth:	34
Screen End Depth:	44
Screen Material:	5
Screen Depth UOM:	ft
Screen Diameter UOM:	inch
Screen Diameter:	1.8

Water Details

Water ID:	1002856840
Layer:	
Kind Code:	
Kind:	
Water Found Depth:	
Water Found Depth UOM:	ft

Hole Diameter

Hole ID:	1002856836
Diameter:	4.25
Depth From:	0
Depth To:	44
Hole Depth UOM:	ft

Hole Diameter UOM: inch

---

331 **1 of 1** **WNW/251.8** **105.7 / 2.85** **ON** **BORE**

Borehole ID:	635481	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Diamond Drill	**UTM Zone::**	17
Easting::	629915	**Northing::**	4835713
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	107
Total Depth m::	28.8	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::		**Static Water Level::**	2.9
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218473441	**Top Depth(m):**	7.6
Bottom Depth(m):	13.9	**Stratum Desc:**	TILL,SILT,CLAY, GRAVEL. GLACIAL,HARD,AGE GLACIAL.
Stratum ID:	218473442	**Top Depth(m):**	13.9
Bottom Depth(m):	18.3	**Stratum Desc:**	SAND,CLAY,SILT. GLACIAL,AGE GLACIAL.
Stratum ID:	218473443	**Top Depth(m):**	18.3
Bottom Depth(m):	26.5	**Stratum Desc:**	SILT,CLAY,SAND. GLACIAL,AGE GLACIAL.
Stratum ID:	218473444	**Top Depth(m):**	26.5
Bottom Depth(m):	27.4	**Stratum Desc:**	SHALE. MARINE,SOFT,AGE ORDOVICIAN.
Stratum ID:	218473445	**Top Depth(m):**	27.4
Bottom Depth(m):	28.8	**Stratum Desc:**	BEDROCK,SHALE, LIMESTONE. MARINE,AGE ORDOVICIAN. 00015
Stratum ID:	218473438	**Top Depth(m):**	0.0
Bottom Depth(m):	1.7	**Stratum Desc:**	SILT,SAND,CLAY.
Stratum ID:	218473439	**Top Depth(m):**	1.7
Bottom Depth(m):	3.0	**Stratum Desc:**	SAND,GRAVEL. FLUVIO-GLACIAL,DENSE, AGE GLACIAL.
Stratum ID:	218473440	**Top Depth(m):**	3.0
Bottom Depth(m):	7.6	**Stratum Desc:**	SILT,SAND. GLACIAL,DENSE,AGE GLACIAL, WATER STABLE AT 343.7 FEET.

---

332 **1 of 1** **NW/252.1** **106.8 / 4.01** **ON** **BORE**

Borehole ID:	646827	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	629955	**Northing::**	4835803
Location Accuracy::		**Orig. Ground Elev m::**	106
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	-999	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	.3
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218516509	**Top Depth(m):**	0.0
Bottom Depth(m):	1.1	**Stratum Desc:**	SILT,SAND,ORGANIC. BROWN.
Stratum ID:	218516510	**Top Depth(m):**	1.1
Bottom Depth(m):	8.5	**Stratum Desc:**	SAND-MEDIUM,SILT. GREY,BROWN,LACUSTRINE,DENSE, LAYERED,AGE GLACIAL, WATER STABLE AT 348.7 FEET.
Stratum ID:	218516511	**Top Depth(m):**	8.5
Bottom Depth(m):	13.9	**Stratum Desc:**	TILL,SILT,SAND. GREY,GLACIAL,VERY DENSE, AGE GLACIAL.
Stratum ID:	218516512	**Top Depth(m):**	13.9
Bottom Depth(m):	20.1	**Stratum Desc:**	SAND-MEDIUM,SILT, CLAY. GREY,LACUSTRINE,DENSE,LAYERED,AGE GLACIAL.
Stratum ID:	218516513	**Top Depth(m):**	20.1
Bottom Depth(m):	24.4	**Stratum Desc:**	SAND-FINE,GRAVEL. GREY,FLUVIO-GLACIAL, VERY DENSE,AGE GLACIAL.
Stratum ID:	218516514	**Top Depth(m):**	24.4
Bottom Depth(m):	26.7	**Stratum Desc:**	SAND-MEDIUM,SILT. GREY,LACUSTRINE,VERY DENSE, AGE GLACIAL.
Stratum ID:	218516515	**Top Depth(m):**	26.7
Bottom Depth(m):	27.3	**Stratum Desc:**	BOULDERS. GLACIAL,AGE GLACIAL.
Stratum ID:	218516516	**Top Depth(m):**	27.3
Bottom Depth(m):	28.0	**Stratum Desc:**	SAND,SILT. GREY,LACUSTRINE,AGE GLACIAL.
Stratum ID:	218516517	**Top Depth(m):**	28.0
Bottom Depth(m):		**Stratum Desc:**	SHALE,LIMESTONE. MARINE,BEDDED,AGE ORDOVICIAN. 00035033002800720045503100660095008001 0000007

---

333 **1 of 1** **NW/252.7** **107.8 / 4.93** **ON** **BORE**

Borehole ID:	643382	**Type:**	Borehole
Use:		**Status::**	
Drill Method::		**UTM Zone::**	17
Easting::	630014	**Northing::**	4835863
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	15.7	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	1900	**Static Water Level::**	-999.9
Primary Water Use::		**Sec. Water Use::**	

--Details--

Stratum ID:	218503514	**Top Depth(m):**	0.0
Bottom Depth(m):	2.3	**Stratum Desc:**	FILL,CINDERS,BRICK.
Stratum ID:	218503515	**Top Depth(m):**	2.3
Bottom Depth(m):	6.2	**Stratum Desc:**	SAND-MEDIUM,SILT. BROWN,FLUVIO-GLACIAL,DENSE, LAYERED,AGE GLACIAL.
Stratum ID:	218503516	**Top Depth(m):**	6.2

Bottom Depth(m):	13.6	**Stratum Desc:**	SILT,SAND. GREY,FLUVIO-GLACIAL,DENSE, SEAMS,AGE GLACIAL.
Stratum ID:	218503517	**Top Depth(m):**	13.6
Bottom Depth(m):	15.7	**Stratum Desc:**	TILL,SILT. GREY,GLACIAL,VERY DENSE, AGE GLACIAL. 00024

334 **1 of 1** **NNE/252.8** **107.0 / 4.20** **ON** **BORE**

Borehole ID:	644688	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	630355	**Northing::**	4835873
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	7.9	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	MAR-1958	**Static Water Level::**	-999.9
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218508483	**Top Depth(m):**	0.0
Bottom Depth(m):	1.5	**Stratum Desc:**	SAND-MEDIUM. BROWN,LOOSE.
Stratum ID:	218508484	**Top Depth(m):**	1.5
Bottom Depth(m):	4.6	**Stratum Desc:**	SAND,SILT,STONES. GREY,BROWN,GLACIAL,DENSE, AGE GLACIAL.
Stratum ID:	218508485	**Top Depth(m):**	4.6
Bottom Depth(m):	7.9	**Stratum Desc:**	SAND,SILT. GREY,GLACIAL,COMPACT, AGE GLACIAL. 00000006000500300015002 4

335 **1 of 1** **ENE/253.8** **103.6 / 0.78** **ON** **BORE**

Borehole ID:	648162	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	630455	**Northing::**	4835753
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	104
Total Depth m::	18.1	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	MAR-1964	**Static Water Level::**	.7
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218521839	**Top Depth(m):**	0.0
Bottom Depth(m):	1.9	**Stratum Desc:**	FILL,GRAVEL,SAND.
Stratum ID:	218521840	**Top Depth(m):**	1.9
Bottom Depth(m):	5.5	**Stratum Desc:**	SAND(50)-MEDIUM,SILT(34). BROWN,LACUSTRINE,DENSE, AGE GLACIAL, WATER STABLE AT 348.7 FEET.
Stratum ID:	218521841	**Top Depth(m):**	5.5
Bottom Depth(m):	14.8	**Stratum Desc:**	TILL,SILT,SAND-FINE,GRAVEL.

GREY,GLACIAL,DENSE, AGE GLACIAL.

Stratum ID: 218521842
Bottom Depth(m): 18.1
Top Depth(m): 14.8
Stratum Desc: SAND,SILT,GRAVEL.
GREY,GLACIAL,DENSE, AGE GLACIAL.
014 018 009 0006

---

336 **1 of 3** **SE/254.1** **96.9 / -5.95**

Yonge Carlton Dental
427 Yonge Street
Toronto ON M5B 1L2

GEN

Generator No.: ON9492943
Status:
Approval Years: 2016
Contam. Facility: No
MHSW Facility: No
SIC Code: 621210
SIC Description: OFFICES OF DENTISTS

PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

336 **2 of 3** **SE/254.1** **96.9 / -5.95**

Yonge Carlton Dental
427 Yonge Street
Toronto ON M5B 1L2

GEN

Generator No.: ON9492943
Status:
Approval Years: 2015
Contam. Facility: No
MHSW Facility: No
SIC Code: 621210
SIC Description: OFFICES OF DENTISTS

PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

336 **3 of 3** **SE/254.1** **96.9 / -5.95**

Yonge Carlton Dental
427 Yonge Street
Toronto ON M5B 1L2

GEN

Generator No.: ON9492943
Status: Registered
Approval Years: As of Dec 2017
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No.:
Country: Canada
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312 P
Waste Description: Pathological wastes

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
337	1 of 4	NNW/257.8	108.3 / 5.47	MTCC 972 24 WELLESLEY ST WEST 3RD FLOOR TORONTO ON M4Y 2X6	GEN

Generator No.:	ON3287336	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2015	**Choice of Contact:**	CO_OFFICIAL
Contam. Facility:	No	**Co Admin:**	
MHSW Facility:	No	**Phone No. Admin:**	
SIC Code:	531310		
SIC Description:	REAL ESTATE PROPERTY MANAGERS		

--Details--
Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

337	2 of 4	NNW/257.8	108.3 / 5.47	MTCC 972 24 WELLESLEY ST WEST 3RD FLOOR TORONTO ON M4Y 2X6	GEN

Generator No.:	ON3287336	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2014	**Choice of Contact:**	CO_OFFICIAL
Contam. Facility:	No	**Co Admin:**	
MHSW Facility:	No	**Phone No. Admin:**	
SIC Code:	531310		
SIC Description:	REAL ESTATE PROPERTY MANAGERS		

--Details--
Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

337	3 of 4	NNW/257.8	108.3 / 5.47	MTCC 972 24 WELLESLEY ST WEST 3RD FLOOR TORONTO ON M4Y 2X6	GEN

Generator No.:	ON3287336	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2016	**Choice of Contact:**	CO_OFFICIAL
Contam. Facility:	No	**Co Admin:**	
MHSW Facility:	No	**Phone No. Admin:**	
SIC Code:	531310		
SIC Description:	REAL ESTATE PROPERTY MANAGERS		

--Details--
Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

337	4 of 4	NNW/257.8	108.3 / 5.47	MTCC 972 24 WELLESLEY ST WEST 3RD FLOOR TORONTO ON M4Y 2X6	GEN

Generator No.:	ON3287336	**PO Box No.:**	
Status:	Registered	**Country:**	Canada
Approval Years:	As of Dec 2017	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:			

SIC Description:

--Details--
Waste Code: 212 L
Waste Description: Aliphatic solvents and residues

---

338 **1 of 1** **N/258.7** **108.6 / 5.75** **ON** **BORE**

Borehole ID:	638061	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	630145	**Northing::**	4835923
Location Accuracy::		**Orig. Ground Elev m::**	109
Elev. Reliability Note::		**DEM Ground Elev m::**	107
Total Depth m::	9.1	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	MAY-1966	**Static Water Level::**	.9
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218482828	**Top Depth(m):**	0.0
Bottom Depth(m):	1.3	**Stratum Desc:**	FILL,SAND,SILT, ASPHALT. BROWN,COMPACT.
Stratum ID:	218482829	**Top Depth(m):**	1.3
Bottom Depth(m):	2.7	**Stratum Desc:**	SILT,SAND. BROWN,GLACIAL,DENSE, AGE GLACIAL, WATER STABLE AT 355.0 FEET.
Stratum ID:	218482830	**Top Depth(m):**	2.7
Bottom Depth(m):	4.0	**Stratum Desc:**	SAND-MEDIUM,SILT. GREY,GLACIAL,DENSE, AGE GLACIAL.
Stratum ID:	218482831	**Top Depth(m):**	4.0
Bottom Depth(m):	5.5	**Stratum Desc:**	TILL,SILT,SAND. GREY,GLACIAL,DENSE, AGE GLACIAL.
Stratum ID:	218482832	**Top Depth(m):**	5.5
Bottom Depth(m):	9.1	**Stratum Desc:**	SAND-MEDIUM,SILT. GREY,GLACIAL,DENSE, AGE GLACIAL. 0000000700044030000900350013003500180020000019

---

339 **1 of 1** **N/258.9** **108.6 / 5.77** **ONE HOUR QUALITY PHOTO 4A WELLESLEY ST.W. TORONTO ON M4Y 1E7** **29-620** **GEN**

Generator No.:	ON1594600	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	92,93,94,95,96,97,98	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	6571		
SIC Description:	CAMERA/PHOTO. SUPPLY		

--Details--
Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

340 | **1 of 1** | **ESE/259.3** | **98.8 / -4.00** | **Triforte Building Corporation 25 CARLTON ST, TORONTO, ON, M5B 1L2, ON** | **RSC**

Reg No:	6705	**Cert Date:**	7-Nov-06
RA No:		**Cert Prop Use No:**	No CPU
RSC Type:		**Intended Prop Use:**	Residential
Curr Property Use:	Commercial	**Nm of Qual. Person:**	G. P. Di Rocco
District Office:	TORONTO	**Stratified (Y/N):**	
Date Submitted:	6-Dec-06	**Audit (Y/N):**	
Date Ack:		**Entire Leg Prop. (Y/N):**	No
Date Returned:		**Accuracy Estimate:**	6 to 10 meters
Restoration Type:		**Telephone:**	416-6638434
Soil Type:		**Fax:**	905-7389803
Criteria:		**Email:**	
CPU Issued Sect 1686:	No		
Asmt Roll No:			

Prop. ID No: 21102 - 0083 (LT)
Property Municipal Address: 25 CARLTON ST, TORONTO, ON, M5B 1L2,
Mailing Address: 199 ADESSO DR, CONCORD, ON, L4K 3C4
Latitude & Latitude: 43.66146000N 79.38111000W
UTM Coordinates: NAD83 17-630530-4835546 (converted from Latitude & Longitude)
Consultant:
Filing Owner:
Legal Desc: Part of Park Lot 8, Concession 1, From the Bay; and Part of Carlton Street (Closed by By-Laws 13174 and 13376), Registered Plan 203, City of Toronto. (RSC covers east half of the property now identified as 25 Carlton Street on the attached Legal Survey)
Measurement Method: Digitized from a map
Applicable Standards: Full Depth Site Conditions Standard, with Nonpotable Ground Water, Medium/Fine Textured Soil, for Residential/Parkland/Institutional property use
RSC PDF:

341 | **1 of 1** | **NW/260.4** | **107.8 / 5.02** | **ON** | **BORE**

Borehole ID:	642955	**Type:**	Borehole
Use:		**Status::**	
Drill Method::		**UTM Zone::**	17
Easting::	630015	**Northing::**	4835873
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	107
Total Depth m::	15.7	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	1900	**Static Water Level::**	-999.9
Primary Water Use::		**Sec. Water Use::**	

--Details--

Stratum ID:	218501640	**Top Depth(m):**	0.0
Bottom Depth(m):	1.3	**Stratum Desc:**	FILL,SAND,GRAVEL.
Stratum ID:	218501641	**Top Depth(m):**	1.3
Bottom Depth(m):	6.5	**Stratum Desc:**	SAND-MEDIUM,SILT. BROWN,FLUVIO-GLACIAL,DENSE, LAYERED,AGE GLACIAL.
Stratum ID:	218501642	**Top Depth(m):**	6.5
Bottom Depth(m):	11.1	**Stratum Desc:**	SILT,SAND-MEDIUM. GREY,FLUVIO-GLACIAL, VERY DENSE,AGE GLACIAL.
Stratum ID:	218501643	**Top Depth(m):**	11.1
Bottom Depth(m):	15.7	**Stratum Desc:**	TILL,SILT. GLACIAL,VERY DENSE. 00028

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

342 | **1 of 2** | **S/261.5** | **95.5 / -7.36** | **761 BAY STREET TORONTO ON M5G 2R2** | **HINC**

External File Num:	FS INC 0708-04889
Date of Occurrence:	8/31/2007
Fuel Occurrence Type:	Pipeline Strike
Fuel Type Involved:	Natural Gas
Status Desc::	Completed - Causal Analysis(End)
Job Type Desc::	Incident/Near-Miss Occurrence (FS)
Oper. Type Involved::	Construction Site (pipeline strike)
Service Interruptions::	No
Property Damage::	No
Fuel Life Cycle Stage::	Transmission, Distribution and Transportation
Root Cause::	Root Cause: Equipment/Material/Component:No Procedures:No Maintenance:No Design:No Training:No Management:Yes Human Factors:No
Reported Details::	
Fuel Category::	Gaseous Fuel
Occurrence Type::	Incident
Affiliation::	Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.)
County Name::	Toronto
Approx. Quant. Rel::	
Nearby body of water::	
Enter Drainage Syst.::	
Approx. Quant. Unit::	
Environmental Impact::	

342 | **2 of 2** | **S/261.5** | **95.5 / -7.36** | **Enbridge Gas Distribution Inc. 761 Bay St Toronto ON M5G 2R2** | **SPL**

Ref No:	6210-76LMFA	**Discharger Report:**	
Site No:		**Material Group:**	Gases/Particulate
Incident Dt:		**Client Type:**	
Year:		**Sector Type:**	Pipeline
Incident Cause:	Unknown	**Source Type:**	
Incident Event:		**Nearest Watercourse:**	
Contaminant Code:	35	**Site Name:**	761 Bay Street
Contaminant Name:	NATURAL GAS (METHANE)	**Site Address:**	
Contaminant Limit 1:		**Site District Office:**	
Contam Limit Freq 1:		**Site County/District:**	
Contaminant UN No 1:		**Site Postal Code:**	
Contaminant Qty:	0 other - see incident description	**Site Region:**	
Environment Impact:	Possible	**Site Municipality:**	Toronto
Nature of Impact:	Air Pollution; Human Health/Safety; Multi-Media Pollution; Other Impact(s)	**Site Lot:**	
Receiving Medium:	Air	**Site Conc:**	
Receiving Env:		**Northing:**	NA
Health/Env Conseq:		**Easting:**	NA
MOE Response:	No Field Response	**Site Geo Ref Accu:**	
Dt MOE Arvl on Scn:		**Site Geo Ref Meth:**	
MOE Reported Dt:	8/31/2007	**Site Map Datum:**	
Dt Document Closed:			
SAC Action Class:			
Incident Reason:	Error- Operator error		
Incident Summary:	TSSA FSB: Gas Main Strike-Still Blowing-Evac		

343 | **1 of 1** | **WNW/262.9** | **105.8 / 2.96** | **ON** | **BORE**

Borehole ID:	648491	**Type:**	Borehole

Use:	Geotechnical/Geological Investigation	***Status::***	
Drill Method::	Diamond Drill	***UTM Zone::***	17
Easting::	629920	***Northing::***	4835763
Location Accuracy::		***Orig. Ground Elev m::***	107
Elev. Reliability Note::		***DEM Ground Elev m::***	106
Total Depth m::	-999	***Primary Name::***	
Township::		***Concession::***	
Lot::		***Municipality:***	
Completion Date::	SEP-1963	***Static Water Level::***	2.9
Primary Water Use::	Not Used	***Sec. Water Use::***	

--Details--

Stratum ID:	218523271	***Top Depth(m):***	0.0
Bottom Depth(m):	1.5	***Stratum Desc:***	FILL.
Stratum ID:	218523272	***Top Depth(m):***	1.5
Bottom Depth(m):	2.9	***Stratum Desc:***	SAND,SILT. BROWN,GLACIAL,AGE GLACIAL.
Stratum ID:	218523273	***Top Depth(m):***	2.9
Bottom Depth(m):	10.4	***Stratum Desc:***	SILT,SAND-MEDIUM. GREY,GLACIAL,DENSE,LAYERED, AGE GLACIAL, WATER STABLE AT 343.4 FEET.
Stratum ID:	218523274	***Top Depth(m):***	10.4
Bottom Depth(m):	16.2	***Stratum Desc:***	TILL,SILT,SAND,CLAY.GREY,GLACIAL,VERY DENSE, LAYERED,AGE GLACIAL.
Stratum ID:	218523275	***Top Depth(m):***	16.2
Bottom Depth(m):	20.0	***Stratum Desc:***	SAND,SILT,CLAY. GREY,GLACIAL,DENSE,LAYERED, AGE GLACIAL.
Stratum ID:	218523276	***Top Depth(m):***	20.0
Bottom Depth(m):	21.9	***Stratum Desc:***	TILL,SILT,SAND,CLAY.GREY,GLACIAL,DENSE, AGE GLACIAL.
Stratum ID:	218523277	***Top Depth(m):***	21.9
Bottom Depth(m):	25.1	***Stratum Desc:***	SAND-FINE TO MEDIUM,GRAVEL. GREY,FLUVIO-GLACIAL, VERY DENSE,AGE GLACIAL.
Stratum ID:	218523278	***Top Depth(m):***	25.1
Bottom Depth(m):	27.6	***Stratum Desc:***	TILL,SILT,CLAY, GRAVEL. GREY,GLACIAL,HARD,LAYERED, AGE GLACIAL.
Stratum ID:	218523279	***Top Depth(m):***	27.6
Bottom Depth(m):		***Stratum Desc:***	BEDROCK,SHALE, LIMESTONE. MARINE,LAYERED,AGE ORDOVICIAN.000500080009503400340048005300360065503 00

344	***1 of 7***	***N/263.1***	***108.9 / 6.02***	***Wellesley Animal Hospital*** ***8 Wellesley St. W*** ***Toronto ON M4Y 1E7***	***GEN***

Generator No.:	ON7883347	***PO Box No.:***	
Status:		***Country:***	Canada
Approval Years:	2016	***Choice of Contact:***	CO_OFFICIAL
Contam. Facility:	No	***Co Admin:***	
MHSW Facility:	No	***Phone No. Admin:***	
SIC Code:	541940		
SIC Description:	VETERINARY SERVICES		

--Details--
Waste Code: 261
Waste Description: PHARMACEUTICALS

Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

344	2 of 7	N/263.1	108.9 / 6.02	Wellesley Animal Hospital 8 Wellesley St. W Toronto ON M4Y 1E7	GEN

Generator No.: ON7883347
Status:
Approval Years: 2015
Contam. Facility: No
MHSW Facility: No
SIC Code: 541940
SIC Description: VETERINARY SERVICES

PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 261
Waste Description: PHARMACEUTICALS

344	3 of 7	N/263.1	108.9 / 6.02	Wellesley Animal Hospital 8 Wellesley St. W Toronto ON	GEN

Generator No.: ON7883347
Status:
Approval Years: 2013
Contam. Facility:
MHSW Facility:
SIC Code: 541940
SIC Description: VETERINARY SERVICES

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 261
Waste Description: PHARMACEUTICALS

Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

344	4 of 7	N/263.1	108.9 / 6.02	Wellesley Animal Hospital 8 Wellesley St. W Toronto ON M4Y 1E7	GEN

Generator No.:	ON7883347	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2014	**Choice of Contact:**	CO_OFFICIAL
Contam. Facility:	No	**Co Admin:**	
MHSW Facility:	No	**Phone No. Admin:**	
SIC Code:	541940		
SIC Description:	VETERINARY SERVICES		

--Details--

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

Waste Code: 261
Waste Description: PHARMACEUTICALS

---

344 | ***5 of 7*** | ***N/263.1*** | ***108.9 / 6.02***

Wellesley Animal Hospital
8 Wellesley St. W
Toronto ON M4Y 1E7

GEN

Generator No.:	ON7883347	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	2012	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	541940		
SIC Description:	Veterinary Services		

---

344 | ***6 of 7*** | ***N/263.1*** | ***108.9 / 6.02***

Wellesley Animal Hospital
8 Wellesley St. W
Toronto ON M4Y 1E7

GEN

Generator No.:	ON7883347	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	2011	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	541940		
SIC Description:			

---

344 | ***7 of 7*** | ***N/263.1*** | ***108.9 / 6.02***

Wellesley Animal Hospital
8 Wellesley St. W
Toronto ON M4Y 1E7

GEN

Generator No.:	ON7883347	**PO Box No.:**	
Status:	Registered	**Country:**	Canada
Approval Years:	As of Dec 2017	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:			
SIC Description:			

--Details--

Waste Code: 312 P
Waste Description: Pathological wastes

Waste Code: 261 A
Waste Description: Pharmaceuticals

---

345 **1 of 1** **SW/263.2** **101.2 / -1.62** **92 College St Toronto ON M5G1L4** **EHS**

Order ID:	445400	**Date Received:**	25-FEB-16
Order No:	20160225084	**Lot/Building Size:**	
Customer ID:	140213	**Municipality:**	
Company ID:	97	**Client Prov/State:**	ON
Status:	C	**Search Radius (km):**	.3
Report Code:	20CAN	**Large Radius:**	.4
Report Type:	RSC Report (Urban)	**X:**	-79.388134
Report Date:	03-MAR-16	**Y:**	43.660734
Report Requested by:	exp Services Inc.		
Nearest Intersection:			
Previous Site Name:			
Additional Info Ordered:			

---

346 **1 of 2** **WNW/263.4** **106.8 / 4.01** **ON** **BORE**

Borehole ID:	646876	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	629935	**Northing::**	4835793
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	15.2	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	.9
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218516711	**Top Depth(m):**	0.0
Bottom Depth(m):	3.8	**Stratum Desc:**	SAND,SILT. BROWN,LACUSTRINE,DENSE, AGE GLACIAL.
Stratum ID:	218516712	**Top Depth(m):**	3.8
Bottom Depth(m):	9.1	**Stratum Desc:**	SILT,SAND,CLAY. GREY,LACUSTRINE,DENSE,LAYERED,AGE GLACIAL, WATER STABLE AT 348.2 FEET.
Stratum ID:	218516713	**Top Depth(m):**	9.1
Bottom Depth(m):	10.7	**Stratum Desc:**	SAND-MEDIUM,SILT. GREY,LACUSTRINE,VERY DENSE, LAYERED,AGE GLACIAL.
Stratum ID:	218516714	**Top Depth(m):**	10.7
Bottom Depth(m):	15.2	**Stratum Desc:**	TILL,SILT,SAND. GREY,GLACIAL,VERY DENSE, AGE GLACIAL. 0000002000125045003000720035008100015

---

346 **2 of 2** **WNW/263.4** **106.8 / 4.01** **ON** **BORE**

Borehole ID:	648494	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Diamond Drill	**UTM Zone::**	17

Easting::	629935	**Northing::**	4835793
Location Accuracy::		**Orig. Ground Elev m::**	106
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	29.6	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	3
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218523297	**Top Depth(m):**	0.0
Bottom Depth(m):	0.2	**Stratum Desc:**	SOIL.
Stratum ID:	218523298	**Top Depth(m):**	0.2
Bottom Depth(m):	1.1	**Stratum Desc:**	FILL,SILT,SAND,SOIL.BROWN.
Stratum ID:	218523299	**Top Depth(m):**	1.1
Bottom Depth(m):	3.2	**Stratum Desc:**	SAND. GREY,BROWN,FLUVIO-GLACIAL, AGE GLACIAL.
Stratum ID:	218523300	**Top Depth(m):**	3.2
Bottom Depth(m):	8.5	**Stratum Desc:**	SILT,SAND. GREY,GLACIAL,DENSE,LAYERED, AGE GLACIAL, WATER STABLE AT 339.9 FEET.
Stratum ID:	218523301	**Top Depth(m):**	8.5
Bottom Depth(m):	20.1	**Stratum Desc:**	TILL,SILT,GRAVEL, CLAY. GREY,GLACIAL,DENSE,LAYERED, AGE GLACIAL.
Stratum ID:	218523302	**Top Depth(m):**	20.1
Bottom Depth(m):	24.4	**Stratum Desc:**	SAND,GRAVEL. GREY,FLUVIO-GLACIAL, VERY DENSE,AGE GLACIAL.
Stratum ID:	218523303	**Top Depth(m):**	24.4
Bottom Depth(m):	28.0	**Stratum Desc:**	SAND,BOULDERS,SILT. GREY,GLACIAL,VERY DENSE, AGE GLACIAL.
Stratum ID:	218523304	**Top Depth(m):**	28.0
Bottom Depth(m):	29.6	**Stratum Desc:**	BEDROCK,SHALE, LIMESTONE. MARINE,LAYERED,AGE ORDOVICIAN.00035023001050260028003700 66006800800100

---

347 **1 of 1** **WNW/263.9** **105.9 / 3.05** **ON** **BORE**

Borehole ID:	646825	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	629905	**Northing::**	4835723
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	107
Total Depth m::	28.8	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	.5
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218516500	**Top Depth(m):**	27.5
Bottom Depth(m):	28.8	**Stratum Desc:**	SHALE,LIMESTONE. MARINE,BEDDED,AGE

ORDOVICIAN.
0000001000070028001600510021006000455060006800900 0

Stratum ID:	218516493	**Top Depth(m):**	0.0
Bottom Depth(m):	2.1	**Stratum Desc:**	SILT,SAND,ORGANIC. BROWN.
Stratum ID:	218516494	**Top Depth(m):**	2.1
Bottom Depth(m):	4.9	**Stratum Desc:**	SAND-MEDIUM. BROWN,LACUSTRINE,DENSE, AGE GLACIAL, WATER STABLE AT 351.6 FEET.
Stratum ID:	218516495	**Top Depth(m):**	4.9
Bottom Depth(m):	6.4	**Stratum Desc:**	SILT-MEDIUM,SAND. GREY,LACUSTRINE,VERY DENSE, AGE GLACIAL.
Stratum ID:	218516496	**Top Depth(m):**	6.4
Bottom Depth(m):	13.9	**Stratum Desc:**	TILL,SILT,SAND. GREY,GLACIAL,VERY DENSE, AGE GLACIAL.
Stratum ID:	218516497	**Top Depth(m):**	13.9
Bottom Depth(m):	20.7	**Stratum Desc:**	TILL,SILT,CLAY. GREY,GLACIAL,VERY HARD, AGE GLACIAL.
Stratum ID:	218516498	**Top Depth(m):**	20.7
Bottom Depth(m):	25.5	**Stratum Desc:**	TILL,SILT,SAND. GREY,GLACIAL,VERY DENSE, AGE GLACIAL.
Stratum ID:	218516499	**Top Depth(m):**	25.5
Bottom Depth(m):	27.5	**Stratum Desc:**	TILL,SILT,CLAY. GREY,GLACIAL,VERY DENSE, AGE GLACIAL.

---

348 ***1 of 2*** ***SE/265.3*** ***95.9 / -6.90*** ***METRO TORONTO HOUSING CO. LTD.*** ***CA***
423 YONGE STREET
TORONTO CITY ON M5B 1T2

Certificate #:	8-3329-90-
Application Year:	90
Issue Date:	1/8/1991
Approval Type:	Industrial air
Status:	Approved in 1991
Application Type:	
Client Name::	
Client Address::	
Client City::	
Client Postal Code::	
Project Description::	INST. OF GREASE EXTRACTOR/ENVIRO SYSTEM
Contaminants::	Odour/Fumes
Emission Control::	Envelope Filter, Absorp. By Dry Collectors,

---

348 ***2 of 2*** ***SE/265.3*** ***95.9 / -6.90*** ***METROPOLITAN TORONTO HOUSING CO. LTD.*** ***CA***
423 YONGE STREET
TORONTO CITY ON M5B 1T2

Certificate #:	8-3339-90-
Application Year:	90
Issue Date:	2/13/1991
Approval Type:	Industrial air
Status:	Cancelled
Application Type:	
Client Name::	
Client Address::	

Client City::
Client Postal Code::
Project Description:: INST. MODEL HT-B WATER WASH GREASE EXT.
Contaminants::
Emission Control::

---

349 **1 of 1** **NNE/265.7** **107.7 / 4.89** **Toronto ON** **WWIS**

Well ID:	7182868	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:	Monitoring and Test Hole	**Date Received:**	6/19/2012
Sec. Water Use:	0	**Selected Flag:**	Yes
Final Well Status:	Test Hole	**Abandonment Rec:**	
Water Type:		**Contractor:**	7241
Casing Material:		**Form Version:**	7
Audit No:	Z150849	**Owner:**	
Tag:	A131101	**Street Name:**	15 WELLESLEY ST EAST
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	WKQ-004989
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1003935485	**Elevation:**	106.4
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:		**East83:**	630352.25
Code OB Desc:		**Org CS:**	N27a
Open Hole:		**North83:**	4835890.47
Cluster Kind:		**UTMRC:**	4
Date Completed:	25-MAY-12	**UTMRC Desc:**	margin of error : 30 m - 100 m
Remarks:		**Location Method:**	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	1004371258
Layer:	2
Color:	2
General Color:	GREY
Mat1:	06
Most Common Material:	SILT
Mat2:	28
Other Materials:	SAND
Mat3:	91
Other Materials:	WATER-BEARING
Formation Top Depth:	15

Formation End Depth: 25
Formation End Depth UOM: ft

Formation ID: 1004371257
Layer: 1
Color: 6
General Color: BROWN
Mat1: 28
Most Common Material: SAND
Mat2: 01
Other Materials: FILL
Mat3: 85
Other Materials: SOFT
Formation Top Depth: 0
Formation End Depth: 15
Formation End Depth UOM: ft

Annular Space/Abandonment Sealing Record

Plug ID: 1004371268
Layer: 3
Plug From: 14
Plug To: 25
Plug Depth UOM: ft

Plug ID: 1004371266
Layer: 1
Plug From: 0
Plug To: 1
Plug Depth UOM: ft

Plug ID: 1004371267
Layer: 2
Plug From: 1
Plug To: 14
Plug Depth UOM: ft

Method of Construction & Well Use

Method Construction ID: 1004371265
Method Construction Code: D
Method Construction: Direct Push
Other Method Construction:

Pipe Information

Pipe ID: 1004371256
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1004371261
Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From: 0
Depth To: 15
Casing Diameter: 2

Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1004371262
Layer: 1
Slot: 10
Screen Top Depth: 15
Screen End Depth: 25
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 2.25

Water Details

Water ID: 1004371260
Layer: 1
Kind Code:
Kind:
Water Found Depth:
Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1004371259
Diameter: 8
Depth From: 0
Depth To: 25
Hole Depth UOM: ft
Hole Diameter UOM: inch

350	1 of 1	SW/267.0	100.9 / -1.94	Genesis 92 College St Toronto ON M5G 1L4	SCT

Established: 01-JUL-83
Plant Size (ft²):
Employment:

--Details--
Description: Periodical Publishers
SIC/NAICS Code: 511120

351	1 of 1	NE/267.5	105.9 / 3.04	IRVING UNGERMAN LIMITED et al 37 MAITLAND STREET MAITLAND STREET TORONTO ON M4Y 1C8	NPCB

Company Code: O0525
Industry:
Site Status:
Transaction Date:
Inspection Date:

--Details--
Label:
Serial No.:
PCB Type/Code:

Location:
Item/State:
No. of Items:
Manufacturer:
Status: In-Use
Contents:

---

352 **1 of 1** **WNW/268.7** **105.9 / 3.05** **ON** **BORE**

Borehole ID:	648430	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Diamond Drill	**UTM Zone::**	17
Easting::	629900	**Northing::**	4835723
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	107
Total Depth m::	28.8	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	2.9
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218522878	**Top Depth(m):**	0.0
Bottom Depth(m):	0.6	**Stratum Desc:**	FILL,SOIL,SAND.
Stratum ID:	218522879	**Top Depth(m):**	0.6
Bottom Depth(m):	2.1	**Stratum Desc:**	SILT,SAND,ORGANIC. BROWN,GLACIAL,AGE GLACIAL.
Stratum ID:	218522880	**Top Depth(m):**	2.1
Bottom Depth(m):	3.7	**Stratum Desc:**	SAND. BROWN,FLUVIO-GLACIAL, AGE GLACIAL.
Stratum ID:	218522881	**Top Depth(m):**	3.7
Bottom Depth(m):	4.9	**Stratum Desc:**	SAND. GREY,FLUVIO-GLACIAL,DENSE, AGE GLACIAL, WATER STABLE AT 343.7 FEET.
Stratum ID:	218522882	**Top Depth(m):**	4.9
Bottom Depth(m):	6.4	**Stratum Desc:**	SILT,SAND-MEDIUM. GREY,LACUSTRINE,VERY DENSE, AGE GLACIAL.
Stratum ID:	218522883	**Top Depth(m):**	6.4
Bottom Depth(m):	13.8	**Stratum Desc:**	TILL,SILT,SAND,CLAY.GREY,GLACIAL,VERY DENSE, AGE GLACIAL.
Stratum ID:	218522884	**Top Depth(m):**	13.8
Bottom Depth(m):	27.5	**Stratum Desc:**	TILL,SILT,CLAY, GRAVEL. GREY,GLACIAL,VERY HARD, AGE GLACIAL.
Stratum ID:	218522885	**Top Depth(m):**	27.5
Bottom Depth(m):	28.8	**Stratum Desc:**	BEDROCK,SHALE, LIMESTONE. MARINE,LAYERED,AGE ORDOVICIAN.00020010000700200012003600160051002100600

---

353 **1 of 1** **NW/270.2** **107.8 / 4.93** **LawyerDoneDeal Corp.** **60A Wellesley St W** **Toronto ON M5S 3L2** **SCT**

Established: 01-SEP-96

Plant Size (ft²):
Employment:

--Details--
Description: Data Processing, Hosting, and Related Services
SIC/NAICS Code: 518210

Description: Computer, Computer Peripheral and Pre-Packaged Software Wholesaler-Distributors
SIC/NAICS Code: 417310

Description: Computer Systems Design and Related Services
SIC/NAICS Code: 541510

---

354 | **1 of 7** | **NNW/270.2** | **108.7 / 5.83** | **955 Bay Street**
Toronto ON M5S 2A2 | **EHS**

Order ID:	180482	**Date Received:**	11/22/2010 11:47:27 AM
Order No:	20101122012	**Lot/Building Size:**	
Customer ID:	53147	**Municipality:**	
Company ID:	77	**Client Prov/State:**	ON
Status:	C	**Search Radius (km):**	0.25
Report Code:	4CAN	**Large Radius:**	2
Report Type:	Custom Report	**X:**	-79.387138
Report Date:	11/26/2010	**Y:**	43.66471
Report Requested by:	Pinchin Environmental		
Nearest Intersection:			
Previous Site Name:			
Additional Info Ordered:			

---

354 | **2 of 7** | **NNW/270.2** | **108.7 / 5.83** | **955 Bay Street**
Toronto ON M5S 2A2 | **EHS**

Order ID:	205881	**Date Received:**	4/19/2012 2:43:11 PM
Order No:	20120419048	**Lot/Building Size:**	
Customer ID:	63207	**Municipality:**	Toronto
Company ID:	26877	**Client Prov/State:**	ON
Status:	C	**Search Radius (km):**	0.25
Report Code:	4CAN	**Large Radius:**	0.25
Report Type:	Custom Report	**X:**	-79.38683
Report Date:	4/30/2012 2:44:01 PM	**Y:**	43.66453
Report Requested by:	McClymont & Rak Engineers Inc.		
Nearest Intersection:			
Previous Site Name:			
Additional Info Ordered:			

---

354 | **3 of 7** | **NNW/270.2** | **108.7 / 5.83** | **Lanterra Developments (The Britt) Ltd**
955 Bay St
Toronto ON M5S2A2 | **GEN**

Generator No.:	ON8942838	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2016	**Choice of Contact:**	CO_OFFICIAL
Contam. Facility:	No	**Co Admin:**	
MHSW Facility:	No	**Phone No. Admin:**	
SIC Code:	236110		
SIC Description:	RESIDENTIAL BUILDING CONSTRUCTION		

--Details--
Waste Code: 243

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Waste Description: PCBS

---

354 | **4 of 7** | **NNW/270.2** | **108.7 / 5.83** | **The Sutton Place Hotel**
955 Bay Street
Toronto ON M5S 2A2 | **GEN**

Generator No.: ON6169782
Status:
Approval Years: 05
Contam. Facility:
MHSW Facility:
SIC Code: 721111
SIC Description: Hotels

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

354 | **5 of 7** | **NNW/270.2** | **108.7 / 5.83** | **The Sutton Place Grande Limited**
955 Bay St.
Toronto ON M5S 2A2 | **GEN**

Generator No.: ON8499814
Status:
Approval Years: 07,08
Contam. Facility:
MHSW Facility:
SIC Code: 721111
SIC Description: Hotels

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

---

354 | **6 of 7** | **NNW/270.2** | **108.7 / 5.83** | **Lanterra Developments (The Britt) Ltd**
955 Bay St
Toronto ON M5S2A2 | **GEN**

Generator No.: ON8942838
Status:
Approval Years: 2015
Contam. Facility: No
MHSW Facility: No
SIC Code: 236110
SIC Description: RESIDENTIAL BUILDING CONSTRUCTION

PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 243
Waste Description: PCBS

---

354 | **7 of 7** | **NNW/270.2** | **108.7 / 5.83** | **Vault Studios**
955 Bay St Sutton Pl Hotel
Toronto ON M5S 2A2 | **SCT**

Established: 1973
Plant Size (ft²):

Employment: 5

--Details--
Description: Post-Production and Other Motion Picture and Video Industries
SIC/NAICS Code: 512190

Description: Sound Recording Studios
SIC/NAICS Code: 512240

---

355 | **1 of 1** | **NNE/270.8** | **107.7 / 4.89** | **15 Wellesley St E, 20-26 Maitland St Toronto ON** | **EHS**

Order ID:	204914	**Date Received:**	4/2/2012
Order No:	20120402034	**Lot/Building Size:**	
Customer ID:	86728	**Municipality:**	
Company ID:	32045	**Client Prov/State:**	ON
Status:	C	**Search Radius (km):**	0.25
Report Code:	3CAN	**Large Radius:**	2
Report Type:	Standard Report	**X:**	-79.383175
Report Date:	4/10/2012	**Y:**	43.664618
Report Requested by:	Pottinger Gaherty Environmental Consultants Ltd.		
Nearest Intersection:			
Previous Site Name:			
Additional Info Ordered:			

---

356 | **1 of 1** | **NW/271.6** | **108.0 / 5.14** | **ON** | **BORE**

Borehole ID:	643383	**Type:**	Borehole
Use:		**Status::**	
Drill Method::		**UTM Zone::**	17
Easting::	630013	**Northing::**	4835885
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	107
Total Depth m::	15.7	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::		**Static Water Level::**	-999.9
Primary Water Use::		**Sec. Water Use::**	

--Details--

Stratum ID:	218503518	**Top Depth(m):**	0.0
Bottom Depth(m):	2.5	**Stratum Desc:**	FILL,SAND,GRAVEL, ORGANIC.
Stratum ID:	218503519	**Top Depth(m):**	2.5
Bottom Depth(m):	4.6	**Stratum Desc:**	SILT. GREY,FLUVIO-GLACIAL,DENSE, AGE GLACIAL.
Stratum ID:	218503520	**Top Depth(m):**	4.6
Bottom Depth(m):	8.0	**Stratum Desc:**	SAND-MEDIUM,SILT. GREY,BROWN,FLUVIO-GLACIAL, VERY DENSE,AGE GLACIAL.
Stratum ID:	218503521	**Top Depth(m):**	8.0
Bottom Depth(m):	13.8	**Stratum Desc:**	SILT. GREY,FLUVIO-GLACIAL, VERY DENSE,AGE GLACIAL.
Stratum ID:	218503522	**Top Depth(m):**	13.8
Bottom Depth(m):	15.7	**Stratum Desc:**	TILL,SILT,SAND, GRAVEL. GLACIAL,AGE GLACIAL. 00026

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

357 **1 of 2** **NE/272.0** **106.9 / 4.08** **26 Maitland St Toronto ON M4Y1C6** **EHS**

Order ID:	501009	**Date Received:**	21-FEB-17
Order No:	20170220109	**Lot/Building Size:**	
Customer ID:	42067	**Municipality:**	Toronto
Company ID:	26877	**Client Prov/State:**	ON
Status:	C	**Search Radius (km):**	.25
Report Code:	27CAN	**Large Radius:**	.3
Report Type:	Standard Express Report	**X:**	-79.382806
Report Date:	21-FEB-17	**Y:**	43.664411
Report Requested by:	McClymont & Rak Engineers Inc.		
Nearest Intersection:			
Previous Site Name:			
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans		

357 **2 of 2** **NE/272.0** **106.9 / 4.08** **CATHOLIC CHILDRENS AID SOCIETY OF METRO TORONTO 26 MAITLAND ST. TORONTO ON M4Y 1C6** **08-687** **GEN**

Generator No.:	ON1322400	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	92,93,94,95,96,97,98	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	8642		
SIC Description:	CHILD WELFARE SERV.		

--Details--

Waste Code:	221
Waste Description:	LIGHT FUELS

358 **1 of 1** **NNW/272.2** **108.3 / 5.47** **ON** **BORE**

Borehole ID:	638074	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	630025	**Northing::**	4835893
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	107
Total Depth m::	15.5	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	JUL-1969	**Static Water Level::**	-999.9
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218482884	**Top Depth(m):**	0.0
Bottom Depth(m):	1.2	**Stratum Desc:**	FILL,SAND,GRAVEL, STONES. COMPACT.
Stratum ID:	218482885	**Top Depth(m):**	1.2
Bottom Depth(m):	6.4	**Stratum Desc:**	SAND-MEDIUM,SILT. BROWN,GLACIAL,DENSE,LAYERED, AGE GLACIAL.
Stratum ID:	218482886	**Top Depth(m):**	6.4
Bottom Depth(m):	11.0	**Stratum Desc:**	SILT,SAND-MEDIUM. GREY,GLACIAL,VERY DENSE, AGE GLACIAL.

Stratum ID:	218482887	**Top Depth(m):**	11.0
Bottom Depth(m):	15.5	**Stratum Desc:**	TILL,SILT,GRAVEL. GREY,GLACIAL,VERY DENSE, AGE GLACIAL. 008 010 018

359 | **1 of 1** | **ESE/272.3** | **99.8 / -2.99** | **30 Carlton Street Toronto ON** | **EHS**

Order ID:	232519	**Date Received:**	03-JAN-13
Order No:	20130103017	**Lot/Building Size:**	
Customer ID:	87788	**Municipality:**	
Company ID:	333	**Client Prov/State:**	ON
Status:	C	**Search Radius (km):**	.25
Report Code:	3CAN	**Large Radius:**	2
Report Type:	Standard Report	**X:**	-79.381323
Report Date:	14-JAN-13	**Y:**	43.661548
Report Requested by:	AMEC Environment & Infrastructure		
Nearest Intersection:			
Previous Site Name:			
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans		

360 | **1 of 1** | **E/273.2** | **100.8 / -2.02** | **Canadian Waste Services Inc. WOOD STREET, NORTH SIDE, HALFWAY BETWEEN YONGE ST. AND CHURCH ST<UNOFFICIAL> Toronto ON** | **SPL**

Ref No:	3306-5WGRSU	**Discharger Report:**	
Site No:		**Material Group:**	Oil
Incident Dt:	2/24/2004	**Client Type:**	
Year:		**Sector Type:**	
Incident Cause:		**Source Type:**	
Incident Event:		**Nearest Watercourse:**	
Contaminant Code:	15	**Site Name:**	WOOD STREET, NORTH SIDE, HALFWAY BETWEEN YONGE ST. AND CHURCH ST<UNOFFICIAL>
Contaminant Name:	HYDRAULIC OIL	**Site Address:**	
Contaminant Limit 1:		**Site District Office:**	Toronto
Contam Limit Freq 1:		**Site County/District:**	
Contaminant UN No 1:		**Site Postal Code:**	
Contaminant Qty:	50 L	**Site Region:**	Central
Environment Impact:	Not Anticipated	**Site Municipality:**	Toronto
Nature of Impact:		**Site Lot:**	
Receiving Medium:	Land	**Site Conc:**	
Receiving Env:		**Northing:**	
Health/Env Conseq:		**Easting:**	
MOE Response:		**Site Geo Ref Accu:**	
Dt MOE Arvl on Scn:		**Site Geo Ref Meth:**	
MOE Reported Dt:	2/24/2004	**Site Map Datum:**	
Dt Document Closed:			
SAC Action Class:	Spill to Land		
Incident Reason:	Equipment Failure		
Incident Summary:	Canadian Waste, up to 50L hyd. oil to gnd		

361 | **1 of 1** | **SW/273.8** | **99.8 / -3.08** | **ON** | **BORE**

Borehole ID:	654069	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Boring	**UTM Zone::**	17

Easting::	630015	**Northing::**	4835383
Location Accuracy::		**Orig. Ground Elev m::**	101
Elev. Reliability Note::		**DEM Ground Elev m::**	100
Total Depth m::	24.7	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	JUL-1966	**Static Water Level::**	1
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218541803	**Top Depth(m):**	0.0
Bottom Depth(m):	2.4	**Stratum Desc:**	FILL. BROWN,LOOSE.
Stratum ID:	218541804	**Top Depth(m):**	2.4
Bottom Depth(m):	3.7	**Stratum Desc:**	TILL,SAND. BROWN,DENSE, WATER STABLE AT 330.3 FEET.
Stratum ID:	218541805	**Top Depth(m):**	3.7
Bottom Depth(m):	4.9	**Stratum Desc:**	CLAY,SILT. GREY,STIFF.
Stratum ID:	218541806	**Top Depth(m):**	4.9
Bottom Depth(m):	7.9	**Stratum Desc:**	CLAY,SILT. GREY,STIFF.
Stratum ID:	218541807	**Top Depth(m):**	7.9
Bottom Depth(m):	15.2	**Stratum Desc:**	CLAY,SILT. GREY,STIFF.
Stratum ID:	218541808	**Top Depth(m):**	15.2
Bottom Depth(m):	18.0	**Stratum Desc:**	SAND-MEDIUM. GREY,VERY DENSE.
Stratum ID:	218541809	**Top Depth(m):**	18.0
Bottom Depth(m):	21.6	**Stratum Desc:**	CLAY,SILT. GREY,HARD.
Stratum ID:	218541810	**Top Depth(m):**	21.6
Bottom Depth(m):	24.7	**Stratum Desc:**	BEDROCK,SHALE, LIMESTONE. GREY. 0000001200080020001200110016002500260029005000420059008 9

---

362 **1 of 1** **WNW/274.8** **105.9 / 3.05** **ON** **BORE**

Borehole ID:	648445	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Jetting	**UTM Zone::**	17
Easting::	629895	**Northing::**	4835728
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	107
Total Depth m::	15.5	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	1.6
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218522971	**Top Depth(m):**	0.0
Bottom Depth(m):	1.1	**Stratum Desc:**	FILL,STONES,SAND, SOIL.
Stratum ID:	218522972	**Top Depth(m):**	1.1
Bottom Depth(m):	2.6	**Stratum Desc:**	SAND,SILT. BROWN,GLACIAL,AGE GLACIAL.
Stratum ID:	218522973	**Top Depth(m):**	2.6
Bottom Depth(m):	3.7	**Stratum Desc:**	SAND-MEDIUM,SILT. GREY,GLACIAL,DENSE, AGE GLACIAL,

WATER STABLE AT 347.2 FEET.

Stratum ID:	218522974	**Top Depth(m):**	3.7
Bottom Depth(m):	9.1	**Stratum Desc:**	SILT,SAND,CLAY. GREY,GLACIAL,DENSE,LAYERED, AGE GLACIAL.
Stratum ID:	218522975	**Top Depth(m):**	9.1
Bottom Depth(m):	15.5	**Stratum Desc:**	TILL,SILT,GRAVEL, CLAY. GREY,GLACIAL,VERY DENSE, LAYERED,AGE GLACIAL. 00035018000850450012004400 3

---

363 *1 of 2* *NNW/276.4* *108.7 / 5.83* **SCT**

Allan King Associates Ltd.
965 Bay St Suite 2409
Toronto ON M5S 2A3

Established:	1960
Plant Size (ft²):	2000
Employment:	3

--Details--

Description:	Motion Picture and Video Production
SIC/NAICS Code:	512110

---

363 *2 of 2* *NNW/276.4* *108.7 / 5.83* **SCT**

Saturday Plays Ltd.
965 Bay St Suite 2409
Toronto ON M5S 2A3

Established:	1960
Plant Size (ft²):	
Employment:	3

--Details--

Description:	Motion Picture and Video Production
SIC/NAICS Code:	512110

---

364 *1 of 1* *NW/277.2* *108.3 / 5.47* **BORE**

ON

Borehole ID:	650684	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	630015	**Northing::**	4835893
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	107
Total Depth m::	31.9	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	FEB-1971	**Static Water Level::**	.9
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218530689	**Top Depth(m):**	0.0
Bottom Depth(m):	2.4	**Stratum Desc:**	FILL,BRICK,SAND.
Stratum ID:	218530690	**Top Depth(m):**	2.4
Bottom Depth(m):	6.4	**Stratum Desc:**	SAND-MEDIUM,SILT.

BROWN,DENSE,LAYERED, AGE QUATERNARY, WATER STABLE AT 350.2 FEET.

Stratum ID: 218530691 **Top Depth(m):** 6.4
Bottom Depth(m): 14.0 **Stratum Desc:** SILT,SAND-FINE TO MEDIUM. GREY,DENSE,SEAMS, AGE QUATERNARY.

Stratum ID: 218530692 **Top Depth(m):** 14.0
Bottom Depth(m): 19.2 **Stratum Desc:** TILL,SAND-MEDIUM TO COARSE,SILT,GRAVEL. GREY,AGE QUATERNARY.

Stratum ID: 218530693 **Top Depth(m):** 19.2
Bottom Depth(m): 22.3 **Stratum Desc:** SAND-FINE TO MEDIUM.GREY,VERY DENSE, AGE QUATERNARY.

Stratum ID: 218530694 **Top Depth(m):** 22.3
Bottom Depth(m): 25.3 **Stratum Desc:** TILL,SILT,SAND, GRAVEL. GREY,DENSE,AGE QUATERNARY.

Stratum ID: 218530695 **Top Depth(m):** 25.3
Bottom Depth(m): 28.3 **Stratum Desc:** SILT,CLAY. GREY,DENSE,LAYERED, AGE QUATERNARY.

Stratum ID: 218530696 **Top Depth(m):** 28.3
Bottom Depth(m): 31.9 **Stratum Desc:** SAND-MEDIUM,SHALE. GREY,VERY DENSE, AGE QUATERNARY. 018 017 018

---

365 **1 of 1** **S/277.6** **96.3 / -6.57**

BAY-HUNTER DEVELOPMENT INCORPOR. 05-776
730 BAY ST. N.W. CORNER OF BAY& HAYTER STS.,TORONTO C/O 80 TIVERTON CRT. #300 MARKHAM ON L3R 0G4

GEN

Generator No.: ON1532500
Status:
Approval Years: 92,93,94,95,96,97,98
Contam. Facility:
MHSW Facility:
SIC Code: 4013
SIC Description: RESID. RENOVATION

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 222
Waste Description: HEAVY FUELS

---

366 **1 of 1** **SE/278.1** **95.4 / -7.47**

419-429 Yonge St
Toronto ON

EHS

Order ID: 510170
Order No: 20170418030
Customer ID: 59507
Company ID: 50
Status: C
Report Code: 3CAN
Report Type: Standard Report
Report Date: 24-APR-17
Report Requested by: Golder Associates Ltd.
Nearest Intersection:
Previous Site Name:

Date Received: 18-APR-17
Lot/Building Size:
Municipality:
Client Prov/State: ON
Search Radius (km): .25
Large Radius: .3
X: -79.382213
Y: 43.660177

Additional Info Ordered:

---

367 | **1 of 1** | **NW/278.3** | **107.8 / 5.02** | **ON** | **BORE**

Borehole ID:	647768	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	629985	**Northing::**	4835873
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	107
Total Depth m::	15.8	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	JUL-1969	**Static Water Level::**	-999.9
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218520295	**Top Depth(m):**	0.0
Bottom Depth(m):	2.4	**Stratum Desc:**	FILL,GRAVEL,SAND. COMPACT.
Stratum ID:	218520296	**Top Depth(m):**	2.4
Bottom Depth(m):	6.1	**Stratum Desc:**	SAND-MEDIUM,SILT. BROWN,GLACIAL,DENSE,LAYERED, AGE GLACIAL.
Stratum ID:	218520297	**Top Depth(m):**	6.1
Bottom Depth(m):	13.1	**Stratum Desc:**	SILT,SAND-MEDIUM. GREY,GLACIAL,DENSE, AGE GLACIAL.
Stratum ID:	218520298	**Top Depth(m):**	13.1
Bottom Depth(m):	15.8	**Stratum Desc:**	TILL,SILT,GRAVEL. GREY,GLACIAL,VERY DENSE, AGE GLACIAL. 020 015 018

---

368 | **1 of 1** | **S/278.5** | **95.8 / -7.06** | **CANDEREL STONERIDGE GROUP**
751 BAY STREET
TORONTO ON | **GEN**

Generator No.:	ON8094499	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	03,04	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:			
SIC Description:			

---

369 | **1 of 3** | **S/279.2** | **96.9 / -5.94** | **Drs. Asadi, Lweis and Associates Dentistry**
736 Bay St. Unit #5
Toronto ON M5G2M4 | **GEN**

Generator No.:	ON7371731	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2015	**Choice of Contact:**	CO_OFFICIAL
Contam. Facility:	No	**Co Admin:**	Shairose Wallani
MHSW Facility:	No	**Phone No. Admin:**	416-599-9962 Ext.
SIC Code:	621210		
SIC Description:	OFFICES OF DENTISTS		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

369 | **2 of 3** | **S/279.2** | **96.9 / -5.94** | **Drs. Asadi, Lweis and Associates Dentistry**
736 Bay St. Unit #5
Toronto ON M5G2M4 | **GEN**

Generator No.:	ON7371731	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2016	**Choice of Contact:**	CO_OFFICIAL
Contam. Facility:	No	**Co Admin:**	Shairose Wallani
MHSW Facility:	No	**Phone No. Admin:**	416-599-9962 Ext.
SIC Code:	621210		
SIC Description:	OFFICES OF DENTISTS		

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

369 | **3 of 3** | **S/279.2** | **96.9 / -5.94** | **Drs. Asadi, Lweis and Associates Dentistry**
736 Bay St. Unit #5
Toronto ON M5G2M4 | **GEN**

Generator No.:	ON7371731	**PO Box No.:**	
Status:	Registered	**Country:**	Canada
Approval Years:	As of Dec 2017	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:			
SIC Description:			

--Details--
Waste Code: 312 P
Waste Description: Pathological wastes

---

370 | **1 of 1** | **WNW/280.6** | **106.0 / 3.18** | **ON** | **BORE**

Borehole ID:	635473	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Diamond Drill	**UTM Zone::**	17
Easting::	629905	**Northing::**	4835773
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	28.8	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::		**Static Water Level::**	2.9
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218473370	**Top Depth(m):**	0.0
Bottom Depth(m):	1.7	**Stratum Desc:**	SILT,SAND,CLAY. BROWN.
Stratum ID:	218473371	**Top Depth(m):**	1.7
Bottom Depth(m):	3.0	**Stratum Desc:**	SAND-FINE TO MEDIUM,SILT,GRAVEL. BROWN,FLUVIO-GLACIAL, AGE GLACIAL.

Stratum ID:	218473372	**Top Depth(m):**	3.0
Bottom Depth(m):	7.6	**Stratum Desc:**	SILT,SAND. GREY,GLACIAL,AGE GLACIAL, WATER STABLE AT 342.4 FEET.
Stratum ID:	218473373	**Top Depth(m):**	7.6
Bottom Depth(m):	12.2	**Stratum Desc:**	TILL,SILT,SAND,CLAY.GLACIAL,DENSE,AGE GLACIAL.
Stratum ID:	218473374	**Top Depth(m):**	12.2
Bottom Depth(m):	18.3	**Stratum Desc:**	SAND-MEDIUM,CLAY, SILT. GREY,GLACIAL,HARD,AGE GLACIAL.
Stratum ID:	218473375	**Top Depth(m):**	18.3
Bottom Depth(m):	26.5	**Stratum Desc:**	SILT,CLAY,SAND. GLACIAL,AGE GLACIAL.
Stratum ID:	218473376	**Top Depth(m):**	26.5
Bottom Depth(m):	27.4	**Stratum Desc:**	SHALE. MARINE,SOFT,AGE ORDOVICIAN.
Stratum ID:	218473377	**Top Depth(m):**	27.4
Bottom Depth(m):	28.8	**Stratum Desc:**	BEDROCK,SHALE, LIMESTONE. MARINE,AGE ORDOVICIAN. 00014

371 **1 of 1** **SE/280.7** **96.4 / -6.44** **ON** **BORE**

Borehole ID:	638053	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	630465	**Northing::**	4835423
Location Accuracy::		**Orig. Ground Elev m::**	97.9
Elev. Reliability Note::		**DEM Ground Elev m::**	97.9
Total Depth m::	13.1	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	OCT-1968	**Static Water Level::**	1.3
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218482789	**Top Depth(m):**	0.0
Bottom Depth(m):	0.9	**Stratum Desc:**	FILL,SAND. BROWN,COMPACT.
Stratum ID:	218482790	**Top Depth(m):**	0.9
Bottom Depth(m):	2.1	**Stratum Desc:**	SAND-MEDIUM,SILT. BROWN,GLACIAL,COMPACT, AGE GLACIAL.
Stratum ID:	218482791	**Top Depth(m):**	2.1
Bottom Depth(m):	6.1	**Stratum Desc:**	TILL,CLAY,SILT. GREY,GLACIAL,STIFF, AGE GLACIAL, WATER STABLE AT 316.8 FEET.
Stratum ID:	218482792	**Top Depth(m):**	6.1
Bottom Depth(m):	12.2	**Stratum Desc:**	CLAY,SILT. GREY,GLACIAL,HARD,AGE GLACIAL.
Stratum ID:	218482793	**Top Depth(m):**	12.2
Bottom Depth(m):	13.1	**Stratum Desc:**	SAND,CLAY. GREY,GLACIAL,VERY DENSE, AGE GLACIAL. 018 022 012 000300

372 **1 of 3** **NNE/281.9** **108.6 / 5.74** **15 Wellesley St E Toronto ON** **EHS**

Order ID:	236996	**Date Received:**	08-FEB-13
Order No:	20130207034	**Lot/Building Size:**	
Customer ID:	91350	**Municipality:**	
Company ID:	28625	**Client Prov/State:**	ON
Status:	C	**Search Radius (km):**	.5
Report Code:	12CAN	**Large Radius:**	2
Report Type:	Waste Disposal Site Report	**X:**	-79.383658
Report Date:	19-FEB-13	**Y:**	43.66494
Report Requested by:	Robins, Appleby & Taub LLP		
Nearest Intersection:			
Previous Site Name:			
Additional Info Ordered:			

372	2 of 3	NNE/281.9	108.6 / 5.74	Toronto Parking Authority Real Estate, Development 15 Wellesley Street East Toronto ON	GEN

Generator No.:	ON3005891	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	2013	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	812930		
SIC Description:			

--Details--

Waste Code:	251
Waste Description:	OIL SKIMMINGS & SLUDGES
Waste Code:	221
Waste Description:	LIGHT FUELS

372	3 of 3	NNE/281.9	108.6 / 5.74	Toronto Parking Authority Real Estate, Development 15 Wellesley Street East Toronto ON M4Y 3A6	GEN

Generator No.:	ON3005891	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2014	**Choice of Contact:**	CO_ADMIN
Contam. Facility:	No	**Co Admin:**	Anita Langley
MHSW Facility:	No	**Phone No. Admin:**	9057940168 Ext.23
SIC Code:	812930		
SIC Description:	812930		

--Details--

Waste Code:	251
Waste Description:	OIL SKIMMINGS & SLUDGES
Waste Code:	221
Waste Description:	LIGHT FUELS

373	1 of 1	E/281.9	99.8 / -2.99	ON	BORE

Borehole ID:	648589	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Diamond Drill	**UTM Zone::**	17

Easting::	630525	**Northing::**	4835598
Location Accuracy::		**Orig. Ground Elev m::**	102
Elev. Reliability Note::		**DEM Ground Elev m::**	100
Total Depth m::	27.4	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	JAN-1956	**Static Water Level::**	2.4
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218523658	**Top Depth(m):**	0.0
Bottom Depth(m):	1.4	**Stratum Desc:**	FILL,SAND. BROWN.
Stratum ID:	218523659	**Top Depth(m):**	1.4
Bottom Depth(m):	4.0	**Stratum Desc:**	FILL,SAND-MEDIUM. BROWN,LACUSTRINE.
Stratum ID:	218523660	**Top Depth(m):**	4.0
Bottom Depth(m):	6.1	**Stratum Desc:**	SAND,GRAVEL. BROWN,LACUSTRINE,AGE GLACIAL, WATER STABLE AT 327.2 FEET.
Stratum ID:	218523661	**Top Depth(m):**	6.1
Bottom Depth(m):	8.4	**Stratum Desc:**	SILT,SAND-MEDIUM TO COARSE. GREY,LACUSTRINE,AGE GLACIAL.
Stratum ID:	218523662	**Top Depth(m):**	8.4
Bottom Depth(m):	14.6	**Stratum Desc:**	SILT,SAND-MEDIUM TO COARSE,CLAY. GREY,LACUSTRINE,AGE GLACIAL.
Stratum ID:	218523663	**Top Depth(m):**	14.6
Bottom Depth(m):	16.2	**Stratum Desc:**	SILT,CLAY. GREY,LACUSTRINE,AGE GLACIAL.
Stratum ID:	218523664	**Top Depth(m):**	16.2
Bottom Depth(m):	20.6	**Stratum Desc:**	SAND-MEDIUM,SILT. GREY,LACUSTRINE,LAYERED, AGE GLACIAL.
Stratum ID:	218523665	**Top Depth(m):**	20.6
Bottom Depth(m):	27.4	**Stratum Desc:**	SILT,CLAY. GREY,LACUSTRINE,AGE GLACIAL. 0000002000046075001300800020007000276030004800230053005 20

374	1 of 1	ESE/282.3	97.4 / -5.48	Toronto Transit Commission 21 Granby Street Toronto ON M3B 1H8	GEN

Generator No.:	ON5513359	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	02,03,04	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:			
SIC Description:			

--Details--

Waste Code:	243
Waste Description:	PCB'S

375	1 of 1	WNW/282.3	105.8 / 2.97	ON	BORE

Borehole ID:	646874	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	629895	**Northing::**	4835753
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	107
Total Depth m::	15.2	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	.9
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218516702	**Top Depth(m):**	0.0
Bottom Depth(m):	1.1	**Stratum Desc:**	FILL,STONES.
Stratum ID:	218516703	**Top Depth(m):**	1.1
Bottom Depth(m):	2.6	**Stratum Desc:**	SAND-MEDIUM,SILT. BROWN,LACUSTRINE,DENSE, AGE GLACIAL, WATER STABLE AT 349.3 FEET.
Stratum ID:	218516704	**Top Depth(m):**	2.6
Bottom Depth(m):	3.7	**Stratum Desc:**	SAND-MEDIUM,SILT. GREY,LACUSTRINE,VERY DENSE, AGE GLACIAL.
Stratum ID:	218516705	**Top Depth(m):**	3.7
Bottom Depth(m):	9.1	**Stratum Desc:**	SILT,SAND,CLAY. GREY,LACUSTRINE,VERY DENSE, LAYERED,AGE GLACIAL.
Stratum ID:	218516706	**Top Depth(m):**	9.1
Bottom Depth(m):	15.2	**Stratum Desc:**	TILL,SILT,SAND. GREY,GLACIAL,VERY DENSE, AGE GLACIAL. 0003501800085045001200510030007200016

---

376 **1 of 1** **WNW/282.7** **106.8 / 4.01** **ON** **BORE**

Borehole ID:	648448	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Jetting	**UTM Zone::**	17
Easting::	629910	**Northing::**	4835788
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	106
Total Depth m::	15.4	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	SEP-1963	**Static Water Level::**	1.6
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218522990	**Top Depth(m):**	0.0
Bottom Depth(m):	0.1	**Stratum Desc:**	FILL,SAND.
Stratum ID:	218522991	**Top Depth(m):**	0.1
Bottom Depth(m):	0.2	**Stratum Desc:**	SOIL.
Stratum ID:	218522992	**Top Depth(m):**	0.2
Bottom Depth(m):	3.8	**Stratum Desc:**	SAND,SILT. BROWN,GLACIAL,AGE GLACIAL.
Stratum ID:	218522993	**Top Depth(m):**	3.8

Bottom Depth(m):	9.1	**Stratum Desc:**	SILT,SAND,CLAY. GREY,GLACIAL,DENSE,LAYERED, AGE GLACIAL, WATER STABLE AT 346.1 FEET.
Stratum ID:	218522994	**Top Depth(m):**	9.1
Bottom Depth(m):	10.7	**Stratum Desc:**	SAND,SILT. GREY,GLACIAL,VERY DENSE, LAYERED,AGE GLACIAL.
Stratum ID:	218522995	**Top Depth(m):**	10.7
Bottom Depth(m):	15.4	**Stratum Desc:**	TILL,SILT,GRAVEL, CLAY. GREY,GLACIAL,LAYERED, AGE GLACIAL. 0000502300125041003000720035006400015

---

377 **1 of 15** **WSW/282.8** **102.9 / 0.04** **Surrey Place Centre**
2 Surrey Place
Toronto ON M5S 2C2 **GEN**

Generator No.:	ON6882749	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2016	**Choice of Contact:**	CO_OFFICIAL
Contam. Facility:	No	**Co Admin:**	Felix M Camposano
MHSW Facility:	No	**Phone No. Admin:**	416 925 2169 Ext.2455
SIC Code:	622111		
SIC Description:	GENERAL (EXCEPT PAEDIATRIC) HOSPITALS		

--Details--

Waste Code:	331
Waste Description:	WASTE COMPRESSED GASES
Waste Code:	148
Waste Description:	INORGANIC LABORATORY CHEMICALS
Waste Code:	145
Waste Description:	PAINT/PIGMENT/COATING RESIDUES
Waste Code:	312
Waste Description:	PATHOLOGICAL WASTES
Waste Code:	263
Waste Description:	ORGANIC LABORATORY CHEMICALS

---

377 **2 of 15** **WSW/282.8** **102.9 / 0.04** **SURREY PLACE CENTRE CYTOGENETICS LAB**
2 SURREY PLACE
TORONTO ON M5S 2C2 **GEN**

Generator No.:	ON1699100	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	92,93,97,98	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	8619		
SIC Description:	OTHER SPECIALTY HP.		

--Details--

Waste Code:	211
Waste Description:	AROMATIC SOLVENTS
Waste Code:	212
Waste Description:	ALIPHATIC SOLVENTS
Waste Code:	312

Waste Description: PATHOLOGICAL WASTES

---

377 | **3 of 15** | **WSW/282.8** | **102.9 / 0.04** | **MINISTRY (SEE & USE ON1699100) 27-007**
SURREY PLACE CENTRE - CYTOGENETIC LAB
2 SURREY PLACE
TORONTO ON M5S 2C2 | **GEN**

Generator No.: ON0195701
Status:
Approval Years: 92,93,94,95,96,97
Contam. Facility:
MHSW Facility:
SIC Code: 8619
SIC Description: OTHER SPECIALTY HP.

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 211
Waste Description: AROMATIC SOLVENTS

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

377 | **4 of 15** | **WSW/282.8** | **102.9 / 0.04** | **Surrey Place Centre**
2 Surrey Place
Toronto ON M5S 2C2 | **GEN**

Generator No.: ON6882749
Status:
Approval Years: 2011
Contam. Facility:
MHSW Facility:
SIC Code: 622111
SIC Description: General (except Paediatric) Hospitals

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

377 | **5 of 15** | **WSW/282.8** | **102.9 / 0.04** | **Surrey Place Centre**
2 Surrey Place
Toronto ON M5S 2C2 | **GEN**

Generator No.: ON6882749
Status:
Approval Years: 2012
Contam. Facility:
MHSW Facility:
SIC Code: 622111
SIC Description: General (except Paediatric) Hospitals

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
377	6 of 15	WSW/282.8	102.9 / 0.04	Surrey Place Centre 2 Surrey Place Toronto ON M5S 2C2	GEN

Generator No.:	ON6882749	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	2009	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	622111		
SIC Description:	General (except Paediatric) Hospitals		

--Details--

Waste Code:	312
Waste Description:	PATHOLOGICAL WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
377	7 of 15	WSW/282.8	102.9 / 0.04	Surrey Place Centre 2 Surrey Place Toronto ON M5S 2C2	GEN

Generator No.:	ON6882749	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2015	**Choice of Contact:**	CO_OFFICIAL
Contam. Facility:	No	**Co Admin:**	Felix M Camposano
MHSW Facility:	No	**Phone No. Admin:**	416 925 2169 Ext.2455
SIC Code:	622111		
SIC Description:	GENERAL (EXCEPT PAEDIATRIC) HOSPITALS		

--Details--

Waste Code:	331
Waste Description:	WASTE COMPRESSED GASES
Waste Code:	263
Waste Description:	ORGANIC LABORATORY CHEMICALS
Waste Code:	148
Waste Description:	INORGANIC LABORATORY CHEMICALS
Waste Code:	145
Waste Description:	PAINT/PIGMENT/COATING RESIDUES
Waste Code:	312
Waste Description:	PATHOLOGICAL WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
377	8 of 15	WSW/282.8	102.9 / 0.04	MINISTRY OF COM & SOC SERVICES SURREY PLACE CENTRE - CYTOGENETIC LAB 2 SURREY PLACE TORONTO ON M5S 2C2	GEN

Generator No.:	ON0195701	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	86,87,88,89,90	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	8619		
SIC Description:	OTHER SPECIALTY HP.		

--Details--

Waste Code:	211

Waste Description: AROMATIC SOLVENTS

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

377 | **9 of 15** | **WSW/282.8** | **102.9 / 0.04** | **Surrey Place Centre**
2 Surrey Place
Toronto ON | **GEN**

Generator No.: ON6882749
Status:
Approval Years: 2013
Contam. Facility:
MHSW Facility:
SIC Code: 622111
SIC Description: GENERAL (EXCEPT PAEDIATRIC) HOSPITALS

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES

Waste Code: 331
Waste Description: WASTE COMPRESSED GASES

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

377 | **10 of 15** | **WSW/282.8** | **102.9 / 0.04** | **SURREY PLACE CENTRE 27-007**
CYTOGENETICS LABORATORY 2 SURREY PLACE
TORONTO ON M5S 2C2 | **GEN**

Generator No.: ON1699100
Status:
Approval Years: 94,95,96
Contam. Facility:
MHSW Facility:
SIC Code: 8619
SIC Description: OTHER SPECIALTY HP.

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 211
Waste Description: AROMATIC SOLVENTS

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
377	11 of 15	WSW/282.8	102.9 / 0.04	SURREY PLACE CENTRE CYTOGENETICS LAB 2 SURREY PLACE TORONTO ON M5S 2C2	GEN

Generator No.: ON1699100
Status:
Approval Years: 99,00,01
Contam. Facility:
MHSW Facility:
SIC Code: 8619
SIC Description: OTHER SPECIALTY HP.

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 211
Waste Description: AROMATIC SOLVENTS

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
377	12 of 15	WSW/282.8	102.9 / 0.04	Surrey Place Centre Research 2 Surrey Place Toronto ON M5S 2C2	GEN

Generator No.: ON6882749
Status: Registered
Approval Years: As of Dec 2017
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No.:
Country: Canada
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312 P
Waste Description: Pathological wastes

Waste Code: 263 A
Waste Description: Misc. waste organic chemicals

Waste Code: 331 I
Waste Description: Waste compressed gases including cylinders

Waste Code: 148 A
Waste Description: Misc. wastes and inorganic chemicals

Waste Code: 145 L
Waste Description: Wastes from the use of pigments, coatings and paints

---

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
377	13 of 15	WSW/282.8	102.9 / 0.04	MINISTRY (SEE & USE ON1699100) SURREY PLACE CENTRE - CYTOGENETIC LAB 2 SURREY PLACE TORONTO ON M5S 2C2	GEN

Generator No.: ON0195701
Status:
Approval Years: 98
Contam. Facility:
MHSW Facility:
SIC Code: 8619

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

SIC Description: OTHER SPECIALTY HP.

--Details--
Waste Code: 211
Waste Description: AROMATIC SOLVENTS

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

377 | **14 of 15** | **WSW/282.8** | **102.9 / 0.04** | **Surrey Place Centre**
2 Surrey Place
Toronto ON M5S 2C2 | **GEN**

Generator No.: ON6882749
Status:
Approval Years: 2014
Contam. Facility: No
MHSW Facility: No
SIC Code: 622111
SIC Description: GENERAL (EXCEPT PAEDIATRIC) HOSPITALS

PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin: Felix M Camposano
Phone No. Admin: 416 925 2169 Ext.2455

--Details--
Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 331
Waste Description: WASTE COMPRESSED GASES

Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

---

377 | **15 of 15** | **WSW/282.8** | **102.9 / 0.04** | **Surrey Place Centre**
2 Surrey Place
Toronto ON M5S 2C2 | **GEN**

Generator No.: ON6882749
Status:
Approval Years: 2010
Contam. Facility:
MHSW Facility:
SIC Code: 622111
SIC Description: General (except Paediatric) Hospitals

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 312
Waste Description: PATHOLOGICAL WASTES

---

378 | **1 of 2** | **N/283.6** | **108.8 / 5.98** | **Northbound Leather Ltd.**
7 St Nicholas St | **SCT**

Toronto ON M4Y 1W5

Established: 01-JUN-87
Plant Size (ft²): 12000
Employment:

--Details--
Description: Footwear Manufacturing
SIC/NAICS Code: 316210

Description: Women's and Girls' Cut and Sew Lingerie, Loungewear and Nightwear Manufacturing
SIC/NAICS Code: 315231

Description: Fur and Leather Clothing Manufacturing
SIC/NAICS Code: 315292

Description: Family Clothing Stores
SIC/NAICS Code: 448140

Description: Other Leather and Allied Product Manufacturing
SIC/NAICS Code: 316990

Description: Doll, Toy and Game Manufacturing
SIC/NAICS Code: 339930

Description: Gift, Novelty and Souvenir Stores
SIC/NAICS Code: 453220

---

378 ***2 of 2*** ***N/283.6*** ***108.8 / 5.98*** ***LEATHER CRAFT*** ***SCT***
7 SAINT NICHOLAS ST
TORONTO ON M4Y 1W5

Established: 1977
Plant Size (ft²): 6000
Employment: 15

--Details--
Description: LEATHER AND SHEEP-LINED CLOTHING
SIC/NAICS Code: 2386

Description: PERSONAL LEATHER GOODS, EXCEPT WOMEN'S HANDBAGS AND PURSES
SIC/NAICS Code: 3172

---

379 ***1 of 1*** ***N/284.6*** ***108.9 / 6.06*** ***BORE***
ON

Borehole ID:	638060	***Type:***	Borehole
Use:	Geotechnical/Geological Investigation	***Status::***	
Drill Method::	Power auger	***UTM Zone::***	17
Easting::	630165	***Northing::***	4835953
Location Accuracy::		***Orig. Ground Elev m::***	109
Elev. Reliability Note::		***DEM Ground Elev m::***	107
Total Depth m::	9.8	***Primary Name::***	
Township::		***Concession::***	
Lot::		***Municipality:***	
Completion Date::	MAY-1966	***Static Water Level::***	1
Primary Water Use::	Not Used	***Sec. Water Use::***	

--Details--

Stratum ID:	218482824	**Top Depth(m):**	0.0
Bottom Depth(m):	2.1	**Stratum Desc:**	FILL,SAND,GRAVEL. BROWN,COMPACT.
Stratum ID:	218482825	**Top Depth(m):**	2.1
Bottom Depth(m):	4.0	**Stratum Desc:**	SAND,SILT. GREY,GLACIAL,DENSE, AGE GLACIAL, WATER STABLE AT 354.8 FEET.
Stratum ID:	218482826	**Top Depth(m):**	4.0
Bottom Depth(m):	5.5	**Stratum Desc:**	TILL,SAND,SILT. GREY,GLACIAL,DENSE, AGE GLACIAL.
Stratum ID:	218482827	**Top Depth(m):**	5.5
Bottom Depth(m):	9.8	**Stratum Desc:**	SAND-MEDIUM,SILT. GREY,DENSE,AGE GLACIAL. 0000000700070030001300400018005000022 01

---

380 | ***1 of 25*** | ***NW/285.2*** | ***108.3 / 5.47*** | ***GE Canada Real Estate Equity Holdings***
56 Wellesley St W
Toronto ON | ***CA***

Certificate #:	6810-7GRPLR
Application Year:	2008
Issue Date:	8/8/2008
Approval Type:	Air
Status:	Approved
Application Type:	
Client Name::	
Client Address::	
Client City::	
Client Postal Code::	
Project Description::	
Contaminants::	
Emission Control::	

---

380 | ***2 of 25*** | ***NW/285.2*** | ***108.3 / 5.47*** | ***GE Canada Real Estate Equity Holdings***
56 Wellesley Street West Toronto CITY OF TORONTO
ON | ***EBR***

Company Name:	GE Canada Real Estate Equity Holdings
EBR Registry No.:	010-3564
Ministry Ref. No.:	1319-7E6RD4
Notice Type:	Instrument Decision
Notice Date:	August 18, 2008
Proposal Date:	May 08, 2008
Year:	2008
Proponent Address:	30 Adelaide Street East , Suite 1600, Toronto Ontario, Canada M5C 3H1
Instrument Type:	(EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)
Location Other:	

Location:

56 Wellesley Street West Toronto CITY OF TORONTO

---

380 | ***3 of 25*** | ***NW/285.2*** | ***108.3 / 5.47*** | ***GE Canada Real Estate Equity Holdings***
56 Wellesley St W
Toronto ON M5C 3H1 | ***ECA***

Approval No:	6810-7GRPLR	**SWP Area Name:**	Toronto

Approval Date:	2008-08-08	**MOE District:**	Toronto
Status:	Approved	**City:**	Toronto
Record Type:	ECA	**Longitude:**	-79.38763
Link Source:	IDS	**Latitude:**	43.6646299999999
Approval Type:	ECA-AIR		
Project Type:	AIR		
Address:	56 Wellesley St W		
Full Address:			
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/1319-7E6RD4-13.pdf		

380	4 of 25	NW/285.2	108.3 / 5.47	56 Wellesley St W Toronto ON M5S2S3	EHS

Order ID:	496576	**Date Received:**	23-JAN-17
Order No:	20170123083	**Lot/Building Size:**	
Customer ID:	59507	**Municipality:**	Toronto
Company ID:	50	**Client Prov/State:**	ON
Status:	C	**Search Radius (km):**	.25
Report Code:	3CAN	**Large Radius:**	.3
Report Type:	Standard Report	**X:**	-79.387643
Report Date:	30-JAN-17	**Y:**	43.664646
Report Requested by:	Golder Associates Ltd.		
Nearest Intersection:			
Previous Site Name:			
Additional Info Ordered:			

380	5 of 25	NW/285.2	108.3 / 5.47	56 Wellesley St W Toronto ON M5S2S3	EHS

Order ID:	404539	**Date Received:**	01-JUN-15
Order No:	20150601032	**Lot/Building Size:**	
Customer ID:	108788	**Municipality:**	
Company ID:	77	**Client Prov/State:**	ON
Status:	C	**Search Radius (km):**	.25
Report Code:	4CAN	**Large Radius:**	.5
Report Type:	Custom Report	**X:**	-79.387643
Report Date:	04-JUN-15	**Y:**	43.664646
Report Requested by:	Pinchin Ltd		
Nearest Intersection:			
Previous Site Name:			
Additional Info Ordered:			

380	6 of 25	NW/285.2	108.3 / 5.47	Horizon Mechanical Contractors 56 Wellesley street west Toronto ON M5S 2S3	GEN

Generator No.:	ON5832881	**PO Box No.:**	
Status:		**Country:**	Canada
Approval Years:	2016	**Choice of Contact:**	CO_ADMIN
Contam. Facility:	No	**Co Admin:**	Shelly Khan
MHSW Facility:	No	**Phone No. Admin:**	4162340225 Ext.
SIC Code:	333920		
SIC Description:	MATERIAL HANDLING EQUIPMENT MANUFACTURING		

--Details--

Waste Code:	212
Waste Description:	ALIPHATIC SOLVENTS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
380	7 of 25	NW/285.2	108.3 / 5.47	Direct Elevator Service Ltd 56 Wellesley Street West Toronto ON M5S 2S3	GEN

Generator No.: ON4981362
Status:
Approval Years: 2015
Contam. Facility: No
MHSW Facility: No
SIC Code: 238291
SIC Description: ELEVATOR AND ESCALATOR INSTALLATION CONTRACTORS

PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
380	8 of 25	NW/285.2	108.3 / 5.47	ATLANTIS REAL ESTATE CORPORATION 56 WELLESLEY STREET WEST TORONTO ON M5S 1C3	GEN

Generator No.: ON1650501
Status:
Approval Years: 93,94,95,96,97,98
Contam. Facility:
MHSW Facility:
SIC Code: 7512
SIC Description: NON-RES. BLDG. OPER.

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 243
Waste Description: PCB'S

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
380	9 of 25	NW/285.2	108.3 / 5.47	ATLANTIS REAL ESTATE CORPORATION BOWGADA HOLDINGS LIMITED 56 WELLESLEY STREET WEST TORONTO ON M5S 1C3	GEN

Generator No.: ON1650501
Status:
Approval Years: 99,00,01
Contam. Facility:
MHSW Facility:
SIC Code: 7512
SIC Description: NON-RES. BLDG. OPER.

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 243
Waste Description: PCB'S

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
380	10 of 25	NW/285.2	108.3 / 5.47	DUNDEE REALTY MANAGEMENT CORPORATION C/O V & A PROPERTIES INC. 56 WELLESLEY STREET WEST TORONTO ON	NPCB

Company Code: F0897
Industry: UNDEFINED
Site Status:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Transaction Date:
Inspection Date:

---

380 | **11 of 25** | **NW/285.2** | **108.3 / 5.47** | **ATLANTIS REAL ESTATE CORPORATION**
56 WELLESLY STREET
TORONTO ON | **NPCB**

Company Code: F0941
Industry:
Site Status:
Transaction Date:
Inspection Date:

---

380 | **12 of 25** | **NW/285.2** | **108.3 / 5.47** | **V AND A PROPERTIES INCORPORATION**
56 WELLESLY STREET
TORONTO ON | **NPCB**

Company Code: F0953
Industry:
Site Status:
Transaction Date: 1/29/1996
Inspection Date:

--Details--
Label:
Serial No.:
PCB Type/Code: Askarel
Location:
Item/State:
No. of Items:
Manufacturer:
Status: Stored for Disposal
Contents: 200.00 KG

---

380 | **13 of 25** | **NW/285.2** | **108.3 / 5.47** | **DUNDEE REATLY MANAGEMENT CORP.**
56 Wellesley Street West
Toronto ON M5S2S3 | **NPRI**

NPRI ID: 8800001746
Other ID:
No Other ID:
Track ID:
Report ID:
Report Type:
Rpt Type ID:
Report Year: 2004
Not-Current Rpt?:
Yr of Last Filed Rpt:
Fac ID:
Fac Name: 56 WELLESLEY STREET
Fac Address1:
Fac Address2:
Fac Postal Zip:
Facility Lat:
Facility Long:
DLS (Last Filed Rpt):
Facility DLS:
Datum:
Facility Cmnts:
URL:

Org ID:
Submit Date:
Last Modified:
Contact ID:
Cont Type: MED
Contact Title:
Cont First Name:
Cont Last Name:
Contact Position:
Contact Fax:
Contact Ph.:
Cont Area Code:
Contact Tel.:
Contact Ext.:
Cont Fax Area Cde:
Contact Fax:
Contact Email:
Latitude:
Longitude:
UTM Zone:
UTM Northing:
UTM Easting:

No of Empl.: 4
Parent Co.:
No Parent Co.:
Pollut Prev Cmnts:
Stacks:
No of Stacks:
Canadian SIC Code (2 digit):
Canadian SIC Code:
SIC Code Description:
American SIC Code:
NAICS Code (2 digit): 53
NAICS 2 Description: Real Estate and Rental and Leasing
NAICS Code (4 digit): 5311
NAICS 4 Description: Lessors of Real Estate
NAICS Code (6 digit): 531120
NAICS 6 Description: Lessors of Non-Residential Buildings (except Mini-Warehouses)

Waste Streams:
No Streams:
Waste Off Sites:
No Off Sites:
Shutdown:
No of Shutdown:

Substance Release Report

CAS No: NA - M16
Report ID:
Rpt Period: 2004
Subst Released: Volatile Organic Compounds (VOCs)
Air:
Water:
Land:
Total Releases:
Units: tonnes

CAS No: 10024-97-2
Report ID:
Rpt Period: 2004
Subst Released: Nitrous oxide
Air:
Water:
Land:
Total Releases:
Units: tonnes

CAS No: NA - M10
Report ID:
Rpt Period: 2004
Subst Released: PM2.5 - Particulate Matter <= 2.5 Microns
Air:
Water:
Land:
Total Releases:
Units: tonnes

CAS No: 11104-93-1
Report ID:
Rpt Period: 2004
Subst Released: Nitrogen oxides (expressed as NO2)
Air:
Water:
Land:
Total Releases:
Units: tonnes

CAS No: 124-38-9
Report ID:
Rpt Period: 2004
Subst Released: Carbon dioxide
Air:
Water:

Land:
Total Releases:
Units: tonnes

CAS No: 74-82-8
Report ID:
Rpt Period: 2004
Subst Released: Methane
Air:
Water:
Land:
Total Releases:
Units: tonnes

CAS No: NA - M08
Report ID:
Rpt Period: 2004
Subst Released: PM - Total Particulate Matter
Air:
Water:
Land:
Total Releases:
Units: tonnes

CAS No: 630-08-0
Report ID:
Rpt Period: 2004
Subst Released: Carbon monoxide
Air:
Water:
Land:
Total Releases:
Units: tonnes

CAS No: 811-97-2
Report ID:
Rpt Period: 2004
Subst Released: HFC-134a Hydrofluorocarbon
Air:
Water:
Land:
Total Releases:
Units: tonnes

CAS No: NA - M09
Report ID:
Rpt Period: 2004
Subst Released: PM10 - Particulate Matter <= 10 Microns
Air:
Water:
Land:
Total Releases:
Units: tonnes

CAS No: 7446-09-5
Report ID:
Rpt Period: 2004
Subst Released: Sulphur dioxide
Air:
Water:
Land:
Total Releases:
Units: tonnes

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
380	14 of 25	NW/285.2	108.3 / 5.47	BOWGADA HOLDINGS LIMITED 56 WELLESLEY STREET WEST NORTH YORK, ONTARIO ON	OPCB

Year: 1998
Site Number: 30192A047
Name Owner:
Additional Site Information:

--Details--
Quantity: 9.00
Address Site:
Description: Number of Drums of Ballasts with High Level PCBs (>1000 ppm)

Quantity: 1800.00
Address Site:
Description: Calculated Weight (Kg) of Drums of Ballasts with High Level PCBs (>1000 ppm)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
380	15 of 25	NW/285.2	108.3 / 5.47	DUNDEE REALTY MANAGEMENT CORPORATION C/O V & A PROPERTIES INC. 56 WELLESLEY STREET WEST TORONTO ON	OPCB

Year: 2000
Site Number: 30193A049
Name Owner:
Additional Site Information:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
380	16 of 25	NW/285.2	108.3 / 5.47	V AND A PROPERTIES INCORPORATION 56 WELLESLY STREET TORONTO ON	OPCB

Year: 1995
Site Number: 30193A049
Name Owner:
Additional Site Information:

--Details--
Quantity: 25.00
Address Site:
Description: Number of Drums of Ballasts with High Level PCBs (>1000 ppm)

Quantity: 5000.00
Address Site:
Description: Weight of Drums of Ballasts with High Level PCBs (>1000 ppm) kg

---

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
380	17 of 25	NW/285.2	108.3 / 5.47	BOWGADA HOLDINGS LIMITED C/O V & A PROPERTIES INC. 56 WELLESLEY STREET WEST TORONTO ON	OPCB

Year: 1998
Site Number: 30193A049
Name Owner:
Additional Site Information:

--Details--

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Quantity: 25.00
Address Site:
Description: Number of Drums of Ballasts with High Level PCBs (>1000 ppm)

Quantity: 5000.00
Address Site:
Description: Calculated Weight (Kg) of Drums of Ballasts with High Level PCBs (>1000 ppm)

380	18 of 25	NW/285.2	108.3 / 5.47	DUNDEE REALTY MANAGEMENT CORPORATION C/O V & A PROPERTIES INC. 56 WELLESLEY STREET WEST TORONTO ON	OPCB

Year: 1999
Site Number: 30193A049
Name Owner:
Additional Site Information:

--Details--
Quantity: 25.00
Address Site:
Description: Number of Drums of Ballasts with High Level PCBs (>1000 ppm)

Quantity: 5000.00
Address Site:
Description: Calculated Weight (Kg) of Drums of Ballasts with High Level PCBs (>1000 ppm)

380	19 of 25	NW/285.2	108.3 / 5.47	Canadian Music Publishers 56 Wellesley St W Suite 320 Toronto ON M5S 2S3	SCT

Established:
Plant Size (ft²):
Employment: 85

--Details--
Description: Music Publishers
SIC/NAICS Code: 512230

Description: Professional Organizations
SIC/NAICS Code: 813920

380	20 of 25	NW/285.2	108.3 / 5.47	British American Oil Co Ltd 56 Wellesley St W Toronto ON	TANK

Permit Date: 9/26/1927
Permit Type: BP A8450
User Type: Gasoline service station
Installation Type: Gasoline tanks
Installation Size:
Installation Config.: 2 x Gasoline tanks
No. Tanks Installed: 2
Units of Measure:
Value/Tank ($): 200
Capacity(gal):
Reference: CTA Building permits
Location Desc: Bay St cor St Albans St

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

380	21 of 25	NW/285.2	108.3 / 5.47	**Wilkin [James]** **56 Wellesley St W** **Toronto ON**	TANK

Permit Date:	5/6/1925
Permit Type:	BP 87512
User Type:	Gasoline service station
Installation Type:	Gas tanks
Installation Size:	
Installation Config.:	3 x Gas tank
No. Tanks Installed:	3
Units of Measure:	
Value/Tank ($):	1200
Capacity(gal):	
Reference:	CTA Building permits
Location Desc:	Bay cor St Albans

380	22 of 25	NW/285.2	108.3 / 5.47	**British American Oil Co Ltd** **56 Wellesley St W** **Toronto ON**	TANK

Permit Date:	7/18/1930
Permit Type:	BP A31559
User Type:	Gasoline service station
Installation Type:	Service station
Installation Size:	
Installation Config.:	Service station
No. Tanks Installed:	
Units of Measure:	
Value/Tank ($):	14000
Capacity(gal):	
Reference:	CTA Building permits
Location Desc:	ws Bay St nr St Albans St

380	23 of 25	NW/285.2	108.3 / 5.47	**British American Oil Co Ltd** **56 Wellesley St W** **Toronto ON**	TANK

Permit Date:	8/5/1930
Permit Type:	BP A31896
User Type:	Gasoline service station
Installation Type:	Gasoline tank
Installation Size:	
Installation Config.:	6 x gasoline tanks
No. Tanks Installed:	6
Units of Measure:	
Value/Tank ($):	2500
Capacity(gal):	
Reference:	CTA Building permits
Location Desc:	ws Bay St n of St Albans St

380	24 of 25	NW/285.2	108.3 / 5.47	**British American Oil Co Ltd** **56 Wellesley St W** **Toronto ON**	TANK

Permit Date:	1930
Permit Type:	BP A32789
User Type:	Gasoline service station

Installation Type: Fuel oil tank
Installation Size:
Installation Config.: 2 x Fuel oil tanks
No. Tanks Installed: 2
Units of Measure:
Value/Tank ($): 85
Capacity(gal):
Reference: CTA Building permits
Location Desc: ws Bay St Cor St Albans

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
380	25 of 25	NW/285.2	108.3 / 5.47	Clear Vision Pump Co 56 Wellesley St W Toronto ON	TANK

Permit Date: 9/4/1925
Permit Type: BP 91027
User Type: Gasoline pumping equipment
Installation Type: Gas tanks
Installation Size:
Installation Config.: 2 x Gas tank
No. Tanks Installed: 2
Units of Measure:
Value/Tank ($): 600
Capacity(gal):
Reference: CTA Building permits
Location Desc: Bay cor St Albans

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
381	1 of 2	S/286.0	95.2 / -7.62	GWL Realty Advisors Inc. 717 Bay Street & 44 Gerrard Street West Toronto M5G 2J9 CITY OF TORONTO ON	EBR

Company Name: GWL Realty Advisors Inc.
EBR Registry No.: 010-0497
Ministry Ref. No.: 5930-6ZPNW4
Notice Type: Instrument Decision
Notice Date: July 11, 2007
Proposal Date: May 08, 2007
Year: 2007
Proponent Address: 90 Burnhamthorpe Road West , Suite 206, Mississauga Ontario, Canada L5B 3C3
Instrument Type: (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)
Location Other:

Location:

717 Bay Street & 44 Gerrard Street West Toronto M5G 2J9 CITY OF TORONTO

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
381	2 of 2	S/286.0	95.2 / -7.62	GWL Realty Advisors Inc. 717 Bay Street & 44 Gerrard Street West Toronto ON M5B 2H4	ECA

Approval No: 2228-744SXJ
Approval Date: 2007-07-04
Status: Approved
Record Type: ECA
Link Source: IDS
Approval Type: ECA-AIR
Project Type: AIR
Address: 717 Bay Street & 44 Gerrard Street West
SWP Area Name:
MOE District:
City: Toronto
Longitude:
Latitude:

Full Address:
Full PDF Link:

---

382 **1 of 1** **NNW/286.1** **108.8 / 6.01** **ON** **BORE**

Borehole ID:	650687	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	630055	**Northing::**	4835923
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	107
Total Depth m::	21.5	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	APR-1965	**Static Water Level::**	.5
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218530704	**Top Depth(m):**	0.0
Bottom Depth(m):	1.1	**Stratum Desc:**	FILL,SAND,CLAY, GRAVEL.
Stratum ID:	218530705	**Top Depth(m):**	1.1
Bottom Depth(m):	2.6	**Stratum Desc:**	SAND-FINE TO MEDIUM.GREY,DENSE,AGE QUATERNARY, WATER STABLE AT 351.8 FEET.
Stratum ID:	218530706	**Top Depth(m):**	2.6
Bottom Depth(m):	6.1	**Stratum Desc:**	SILT,SAND,CLAY. GREY,DENSE,LAYERED, AGE QUATERNARY.
Stratum ID:	218530709	**Top Depth(m):**	13.1
Bottom Depth(m):	21.5	**Stratum Desc:**	SAND-MEDIUM,SILT. GREY,DENSE,AGE QUATERNARY. 010 014 020 021
Stratum ID:	218530707	**Top Depth(m):**	6.1
Bottom Depth(m):	9.1	**Stratum Desc:**	SAND-MEDIUM,SILT. GREY,DENSE,AGE QUATERNARY.
Stratum ID:	218530708	**Top Depth(m):**	9.1
Bottom Depth(m):	13.1	**Stratum Desc:**	SILT,SAND,CLAY. GREY,DENSE,AGE QUATERNARY.

---

383 **1 of 3** **ESE/286.5** **98.8 / -3.99** **Editors' Association of Canada**
27 Carlton St Suite 505
Toronto ON M5B 1L2 **SCT**

Established: 01-OCT-79
Plant Size (ft²):
Employment:

--Details--

Description: Professional Organizations
SIC/NAICS Code: 813920

---

383 **2 of 3** **ESE/286.5** **98.8 / -3.99** **Carlton Printers**
27 Carlton St Ground Floor
Toronto ON M5B 1L2 **SCT**

Established: 01-AUG-77
Plant Size (ft²): 3000
Employment:

--Details--
Description: Quick Printing
SIC/NAICS Code: 323114

Description: Digital Printing
SIC/NAICS Code: 323115

Description: Other Printing
SIC/NAICS Code: 323119

Description: Other Printing
SIC/NAICS Code: 323119

Description: Business Service Centres
SIC/NAICS Code: 561430

---

383 | **3 of 3** | **ESE/286.5** | **98.8 / -3.99** | **CARLTON PRINTERS LIMITED**
27 CARLTON ST
TORONTO ON M5B 1L2 | **SCT**

Established: 1977
Plant Size (ft²): 3000
Employment: 6

--Details--
Description: COMMERCIAL PRINTING, LITHOGRAPHIC
SIC/NAICS Code: 2752

Description: COMMERCIAL PRINTING, NOT ELSEWHERE CLASSIFIED
SIC/NAICS Code: 2759

Description: PHOTOCOPYING AND DUPLICATING SERVICES
SIC/NAICS Code: 7334

---

384 | **1 of 1** | **WNW/287.2** | **105.7 / 2.85** | **TORONTO ON** | **WWIS**

Well ID:	7292756	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:	Monitoring	**Date Received:**	8/17/2017
Sec. Water Use:		**Selected Flag:**	Yes
Final Well Status:	Observation Wells	**Abandonment Rec:**	
Water Type:		**Contractor:**	7147
Casing Material:		**Form Version:**	7
Audit No:	Z255023	**Owner:**	
Tag:	A166523	**Street Name:**	900 BAY STREET
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	

Clear/Cloudy:

Bore Hole Information

Bore Hole ID:	1006712346	***Elevation:***	107.28
DP2BR:		***Elevrc:***	
Spatial Status:		***Zone:***	17
Code OB:		***East83:***	629880
Code OB Desc:		***Org CS:***	UTM83
Open Hole:		***North83:***	4835720
Cluster Kind:		***UTMRC:***	4
Date Completed:		***UTMRC Desc:***	margin of error : 30 m - 100 m
Remarks:		***Location Method:***	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	1006835900
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	06
Most Common Material:	SILT
Mat2:	28
Other Materials:	SAND
Mat3:	
Other Materials:	
Formation Top Depth:	.3
Formation End Depth:	8.2
Formation End Depth UOM:	ft

Formation ID:	1006835899
Layer:	1
Color:	2
General Color:	GREY
Mat1:	
Most Common Material:	
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	
Formation Top Depth:	0
Formation End Depth:	.3
Formation End Depth UOM:	ft

Annular Space/Abandonment Sealing Record

Plug ID:	1006835907
Layer:	1
Plug From:	0
Plug To:	.3
Plug Depth UOM:	ft

Plug ID:	1006835909
Layer:	3
Plug From:	6.4

Plug To:	8.2
Plug Depth UOM:	ft
Plug ID:	1006835908
Layer:	2
Plug From:	.3
Plug To:	6.4
Plug Depth UOM:	ft
Plug ID:	1006835910
Layer:	4
Plug From:	
Plug To:	8.2
Plug Depth UOM:	ft

Method of Construction & Well Use

Method Construction ID:	1006835906
Method Construction Code:	6
Method Construction:	Boring
Other Method Construction:	

Pipe Information

Pipe ID:	1006835898
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	1006835903
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0
Depth To:	6.7
Casing Diameter:	5
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Construction Record - Screen

Screen ID:	1006835904
Layer:	1
Slot:	
Screen Top Depth:	6.7
Screen End Depth:	8.2
Screen Material:	5
Screen Depth UOM:	ft
Screen Diameter UOM:	inch
Screen Diameter:	6.3

Water Details

Water ID:	1006835902
Layer:	1
Kind Code:	8
Kind:	Untested
Water Found Depth:	7.6
Water Found Depth UOM:	ft

Hole Diameter

Hole ID:	1006835901
Diameter:	15.4
Depth From:	0
Depth To:	8.2
Hole Depth UOM:	ft
Hole Diameter UOM:	inch

---

385 ***1 of 1*** ***N/287.9*** ***108.8 / 5.98*** ***586 Yonge St Toronto ON M4Y1Z3*** ***EHS***

Order ID:	287497	***Date Received:***	18-DEC-13
Order No:	20131218033	***Lot/Building Size:***	
Customer ID:	45987	***Municipality:***	
Company ID:	29705	***Client Prov/State:***	ON
Status:	C	***Search Radius (km):***	.25
Report Code:	3CAN	***Large Radius:***	.3
Report Type:	Standard Report	***X:***	-79.385215
Report Date:	20-DEC-13	***Y:***	43.665228
Report Requested by:	Toronto Inspection Ltd.		
Nearest Intersection:			
Previous Site Name:			
Additional Info Ordered:			

---

386 ***1 of 1*** ***N/288.7*** ***108.8 / 5.98*** ***Cross Purcer Bull Ltd 561 Yonge St Toronto ON M4Y 1Z2*** ***TANK***

Permit Date:	5/29/1930
Permit Type:	BP A30280
User Type:	
Installation Type:	Gasoline tank
Installation Size:	
Installation Config.:	1 x Gasoline tank
No. Tanks Installed:	1
Units of Measure:	
Value/Tank ($):	65
Capacity(gal):	
Reference:	CTA Building permits
Location Desc:	ne cor Yonge & Wellesley

---

387 ***1 of 3*** ***ESE/288.7*** ***99.6 / -3.21*** ***Hoidge [W H] & Co Ltd 28 Carlton St Toronto ON M5B 1J2*** ***TANK***

Permit Date:	3/14/1934
Permit Type:	BP A50211
User Type:	Gasoline service station
Installation Type:	gasoline tanks
Installation Size:	
Installation Config.:	gasoline tanks
No. Tanks Installed:	2
Units of Measure:	
Value/Tank ($):	500
Capacity(gal):	
Reference:	CTA Building Permits
Location Desc:	28-30 Carlton St

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
387	2 of 3	ESE/288.7	99.6 / -3.21	Doane & McGee 28 Carlton St Toronto ON M5B 1J2	TANK

Permit Date:	10/23/1931
Permit Type:	BP A40102
User Type:	
Installation Type:	gasoline tank
Installation Size:	
Installation Config.:	gasoline tank
No. Tanks Installed:	1
Units of Measure:	
Value/Tank ($):	250
Capacity(gal):	
Reference:	CTA Building Permits Index
Location Desc:	28 Carlton St

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
387	3 of 3	ESE/288.7	99.6 / -3.21	Eaton [T] & Co Ltd 28 Carlton St Toronto ON M5B 1J2	TANK

Permit Date:	6/5/1934
Permit Type:	BP A51423
User Type:	Auto service garage
Installation Type:	grease pit, public garage
Installation Size:	
Installation Config.:	grease pit, public garage
No. Tanks Installed:	1
Units of Measure:	
Value/Tank ($):	40
Capacity(gal):	
Reference:	CTA Building Permits
Location Desc:	28 Carlton St

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
388	1 of 1	S/289.2	95.2 / -7.59	Anpro 727 Bay Street College Park Toronto ON L4K 4X2	GEN

Generator No.:	ON1328738	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	04	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:			
SIC Description:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
389	1 of 1	SE/290.8	92.7 / -10.12	Breakey P 402 Yonge St Toronto ON	TANK

Permit Date:	1923
Permit Type:	To install
User Type:	Gasoline service station
Installation Type:	Gasoline tank & pump
Installation Size:	1000
Installation Config.:	Gasoline 1000 galls tank under blvd and pump on sidewalk
No. Tanks Installed:	1
Units of Measure:	Imperial gallons
Value/Tank ($):	
Capacity(gal):	1000

Reference: TCM 1923 A: 483-4
Location Desc:

---

390 | **1 of 1** | **N/291.2** | **108.8 / 5.97** | **8 Wellesley St E Toronto ON** | **SPL**

Ref No:	4315-ANGRGD	**Discharger Report:**	
Site No:		**Material Group:**	
Incident Dt:	6/19/2017	**Client Type:**	
Year:		**Sector Type:**	Miscellaneous Communal
Incident Cause:		**Source Type:**	Other
Incident Event:	Leak/Break	**Nearest Watercourse:**	
Contaminant Code:	13	**Site Name:**	accident site<UNOFFICIAL>
Contaminant Name:	DIESEL FUEL	**Site Address:**	8 Wellesley St E
Contaminant Limit 1:		**Site District Office:**	Toronto - District
Contam Limit Freq 1:	none	**Site County/District:**	
Contaminant UN No 1:	1202	**Site Postal Code:**	
Contaminant Qty:	0 other - see incident description	**Site Region:**	Central
Environment Impact:		**Site Municipality:**	Toronto
Nature of Impact:		**Site Lot:**	
Receiving Medium:		**Site Conc:**	
Receiving Env:	Land; Surface Water	**Northing:**	4836457
Health/Env Conseq:	2 - Minor Environment	**Easting:**	631808
MOE Response:		**Site Geo Ref Accu:**	
Dt MOE Arvl on Scn:		**Site Geo Ref Meth:**	
MOE Reported Dt:	6/19/2017	**Site Map Datum:**	
Dt Document Closed:			
SAC Action Class:			

Incident Reason: Equipment Failure
Incident Summary: City of TO: diesel to cb from generator pipe,

---

391 | **1 of 1** | **N/291.4** | **108.8 / 5.99** | **VENUE MAGAZINE 9 ST NICHOLAS ST TORONTO ON M4Y 1W5** | **SCT**

Established: 1993
Plant Size (ft²): 750
Employment: 4

--Details--
Description: PERIODICALS: PUBLISHING, OR PUBLISHING & PRINTING
SIC/NAICS Code: 2721

---

392 | **1 of 1** | **NE/292.0** | **104.9 / 2.03** | **ON** | **BORE**

Borehole ID:	648164	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	630455	**Northing::**	4835823
Location Accuracy::		**Orig. Ground Elev m::**	106
Elev. Reliability Note::		**DEM Ground Elev m::**	105
Total Depth m::	7.6	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	MAR-1964	**Static Water Level::**	-999.9
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218521847	**Top Depth(m):**	0.0
Bottom Depth(m):	0.7	**Stratum Desc:**	FILL,STONES,SAND.
Stratum ID:	218521848	**Top Depth(m):**	0.7
Bottom Depth(m):	4.1	**Stratum Desc:**	SAND-MEDIUM. BROWN,LACUSTRINE,DENSE, AGE GLACIAL.
Stratum ID:	218521849	**Top Depth(m):**	4.1
Bottom Depth(m):	7.6	**Stratum Desc:**	TILL,SAND(70), SILT(30). GREY,GLACIAL,DENSE, AGE GLACIAL. 006 015 00023036001

---

393 *1 of 1* *NNW/292.1* *108.8 / 6.01* *ON* **BORE**

Borehole ID:	650688	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	630095	**Northing::**	4835943
Location Accuracy::		**Orig. Ground Elev m::**	107
Elev. Reliability Note::		**DEM Ground Elev m::**	107
Total Depth m::	15.5	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	APR-1965	**Static Water Level::**	.4
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218530710	**Top Depth(m):**	0.0
Bottom Depth(m):	0.4	**Stratum Desc:**	FILL,GRAVEL,SAND. BLACK.
Stratum ID:	218530711	**Top Depth(m):**	0.4
Bottom Depth(m):	2.6	**Stratum Desc:**	SAND-FINE TO MEDIUM,GRAVEL. BROWN,DENSE,AGE QUATERNARY, WATER STABLE AT 351.2 FEET.
Stratum ID:	218530712	**Top Depth(m):**	2.6
Bottom Depth(m):	4.3	**Stratum Desc:**	SILT,SAND,CLAY. GREY,DENSE,AGE QUATERNARY.
Stratum ID:	218530713	**Top Depth(m):**	4.3
Bottom Depth(m):	8.2	**Stratum Desc:**	SAND-MEDIUM,SILT. GREY,DENSE,AGE QUATERNARY.
Stratum ID:	218530714	**Top Depth(m):**	8.2
Bottom Depth(m):	13.6	**Stratum Desc:**	SILT,SAND. GREY,DENSE,AGE QUATERNARY.
Stratum ID:	218530715	**Top Depth(m):**	13.6
Bottom Depth(m):	15.5	**Stratum Desc:**	SAND-FINE TO MEDIUM,SILT,GRAVEL. GREY,DENSE,AGE QUATERNARY. 014 019 01

---

394 *1 of 1* *E/292.7* *99.8 / -2.99* *ON* **BORE**

Borehole ID:	652884	**Type:**	Borehole
Use:		**Status::**	
Drill Method::		**UTM Zone::**	17
Easting::	630535	**Northing::**	4835573
Location Accuracy::		**Orig. Ground Elev m::**	94.3

Elev. Reliability Note::		**DEM Ground Elev m::**	99.5
Total Depth m::	17.8	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::		**Static Water Level::**	-999.9
Primary Water Use::		**Sec. Water Use::**	

--Details--

Stratum ID:	218537481	**Top Depth(m):**	0.0
Bottom Depth(m):	8.0	**Stratum Desc:**	CLAY,SILT,SAND MEDIUM,ORGANIC. GREY,HARD,AGE QUATERNARY.
Stratum ID:	218537482	**Top Depth(m):**	8.0
Bottom Depth(m):	15.0	**Stratum Desc:**	SAND-MEDIUM,ORGANIC,CLAY. SHELLY,STRATIFIED, AGE QUATERNARY.
Stratum ID:	218537483	**Top Depth(m):**	15.0
Bottom Depth(m):	16.2	**Stratum Desc:**	CLAY,SILT,STONES. GREY,HARD.
Stratum ID:	218537484	**Top Depth(m):**	16.2
Bottom Depth(m):	17.8	**Stratum Desc:**	SHALE,LIMESTONE. LAYERED. 021 0000003500263065AGE ORDOVICIAN

---

395 | **1 of 2** | **N/292.8** | **108.8 / 5.99** | **586 YONGE STREET TORONTO ON M4Y 1Z3** | **EHS**

Order ID:	151195	**Date Received:**	9/16/2008
Order No:	20080916006	**Lot/Building Size:**	
Customer ID:	71047	**Municipality:**	
Company ID:	313	**Client Prov/State:**	ON
Status:	C	**Search Radius (km):**	0.25
Report Code:	1CAN	**Large Radius:**	2
Report Type:	Site Report	**X:**	-79.384902
Report Date:	9/17/2008	**Y:**	43.665292
Report Requested by:	SCM Risk Management Services Inc.		
Nearest Intersection:			
Previous Site Name:			
Additional Info Ordered:			

---

395 | **2 of 2** | **N/292.8** | **108.8 / 5.99** | **LEATHER CRAFT 586 YONGE ST TORONTO ON M4Y 1Z3** | **SCT**

Established:	1977
Plant Size (ft²):	6000
Employment:	15

--Details--

Description:	LEATHER & SHEEP-LINED CLOTHING
SIC/NAICS Code:	2386
Description:	PERSONAL LEATHER GOODS, EXCEPT WOMEN'S HANDBAGS
SIC/NAICS Code:	3172

---

396 | **1 of 1** | **N/293.0** | **108.8 / 5.99** | **TORONTO ON** | **WWIS**

Well ID:	7174347	**Data Entry Status:**	
Construction Date:		**Data Src:**	

Primary Water Use:	Monitoring and Test Hole	**Date Received:**	12/30/2011
Sec. Water Use:	0	**Selected Flag:**	Yes
Final Well Status:	Monitoring and Test Hole	**Abandonment Rec:**	
Water Type:		**Contractor:**	7241
Casing Material:		**Form Version:**	7
Audit No:	Z143301	**Owner:**	
Tag:	A116777	**Street Name:**	5 ST. JOSEPH STREET
Construction Method:		**County:**	YORK
Elevation (m):		**Municipality:**	TORONTO CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1003628174	**Elevation:**	107.81
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	17
Code OB:		**East83:**	630170
Code OB Desc:		**Org CS:**	UTM83
Open Hole:		**North83:**	4835962
Cluster Kind:		**UTMRC:**	3
Date Completed:	16-DEC-11	**UTMRC Desc:**	margin of error : 10 - 30 m
Remarks:		**Location Method:**	gis
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	1004123121
Layer:	2
Color:	2
General Color:	GREY
Mat1:	06
Most Common Material:	SILT
Mat2:	05
Other Materials:	CLAY
Mat3:	91
Other Materials:	WATER-BEARING
Formation Top Depth:	8
Formation End Depth:	20
Formation End Depth UOM:	ft

Formation ID:	1004123120
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	01
Most Common Material:	FILL
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	

Formation Top Depth: 0
Formation End Depth: 8
Formation End Depth UOM: ft

Annular Space/Abandonment Sealing Record

Plug ID: 1004123129
Layer: 1
Plug From: 0
Plug To: 9
Plug Depth UOM: ft

Plug ID: 1004123130
Layer: 2
Plug From: 9
Plug To: 20
Plug Depth UOM: ft

Method of Construction & Well Use

Method Construction ID: 1004123128
Method Construction Code: D
Method Construction: Direct Push
Other Method Construction:

Pipe Information

Pipe ID: 1004123119
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1004123124
Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From: 0
Depth To: 10
Casing Diameter: 2
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1004123125
Layer: 1
Slot: 10
Screen Top Depth: 10
Screen End Depth: 20
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 2.25

Water Details

Water ID: 1004123123

Layer:
Kind Code:
Kind:
Water Found Depth:
Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1004123122
Diameter: 4.25
Depth From: 0
Depth To: 20
Hole Depth UOM: ft
Hole Diameter UOM: inch

---

397 **1 of 1** **E/293.2** **99.6 / -3.21** **ON** **BORE**

Borehole ID:	638098	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Diamond Drill	**UTM Zone::**	17
Easting::	630535	**Northing::**	4835568
Location Accuracy::		**Orig. Ground Elev m::**	101
Elev. Reliability Note::		**DEM Ground Elev m::**	99.4
Total Depth m::	22.3	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	JAN-1956	**Static Water Level::**	2.2
Primary Water Use::	Not Used	**Sec. Water Use::**	

--Details--

Stratum ID:	218482992	**Top Depth(m):**	0.0
Bottom Depth(m):	2.6	**Stratum Desc:**	FILL,SAND-MEDIUM. BROWN.
Stratum ID:	218482993	**Top Depth(m):**	2.6
Bottom Depth(m):	13.4	**Stratum Desc:**	SILT,CLAY. GREY,LACUSTRINE,AGE GLACIAL, WATER STABLE AT 324.7 FEET.
Stratum ID:	218482994	**Top Depth(m):**	13.4
Bottom Depth(m):	20.9	**Stratum Desc:**	SILT,SAND-FINE TO MEDIUM. GREY,LACUSTRINE,LAYERED, AGE GLACIAL.
Stratum ID:	218482995	**Top Depth(m):**	20.9
Bottom Depth(m):	22.3	**Stratum Desc:**	SILT,SHALE. GREY,LACUSTRINE,AGE GLACIAL. 0000001500085025004400400068605000045014

---

398 **1 of 1** **E/293.3** **100.2 / -2.60** **ON** **BORE**

Borehole ID:	652885	**Type:**	Borehole
Use:	Geotechnical/Geological Investigation	**Status::**	
Drill Method::	Power auger	**UTM Zone::**	17
Easting::	630535	**Northing::**	4835623
Location Accuracy::		**Orig. Ground Elev m::**	102
Elev. Reliability Note::		**DEM Ground Elev m::**	100
Total Depth m::	-999	**Primary Name::**	
Township::		**Concession::**	
Lot::		**Municipality:**	
Completion Date::	NOV-1969	**Static Water Level::**	1.2

Primary Water Use:: Not Used **Sec. Water Use::**

--Details--

Stratum ID:	218537485	**Top Depth(m):**	0.0
Bottom Depth(m):	1.2	**Stratum Desc:**	FILL,STONES,SAND MEDIUM,ORGANIC. BROWN,COMPACT.
Stratum ID:	218537486	**Top Depth(m):**	1.2
Bottom Depth(m):	3.7	**Stratum Desc:**	SAND-MEDIUM. BROWN,COMPACT.
Stratum ID:	218537487	**Top Depth(m):**	3.7
Bottom Depth(m):	16.4	**Stratum Desc:**	CLAY,SILT,ORGANIC. GREY,HARD, WATER STABLE AT 331.8 FEET.
Stratum ID:	218537488	**Top Depth(m):**	16.4
Bottom Depth(m):	20.0	**Stratum Desc:**	SAND-MEDIUM,CLAY, SILT. GREY,VERY DENSE.
Stratum ID:	218537489	**Top Depth(m):**	20.0
Bottom Depth(m):	24.0	**Stratum Desc:**	CLAY,SILT,TILL. GREY,HARD.
Stratum ID:	218537490	**Top Depth(m):**	24.0
Bottom Depth(m):		**Stratum Desc:**	SHALE,CLAY,LIMESTONEGREY. 015 008 018 018 000000050003803

---

399 **1 of 8** **WNW/293.8** **106.8 / 4.01** **77 Wellesley Street W. Toronto ON M7A 1N3** **EHS**

Order ID:	122079	**Date Received:**	12/12/2007
Order No:	20071212010	**Lot/Building Size:**	267,125 square feet
Customer ID:	63987	**Municipality:**	
Company ID:	26	**Client Prov/State:**	
Status:	C	**Search Radius (km):**	0.25
Report Code:	3CAN	**Large Radius:**	2
Report Type:	CAN - Complete Report	**X:**	-79.388493
Report Date:	12/18/2007	**Y:**	43.663977
Report Requested by:	Conestoga-Rovers & Associates		
Nearest Intersection:			
Previous Site Name:			
Additional Info Ordered:	Fire Insur. Maps And /or Site Plans; City Directory		

---

399 **2 of 8** **WNW/293.8** **106.8 / 4.01** **MANAGEMENT BOARD Rm: M2B - 60 77 Wellesley Street West Toronto ON M7A 1N3** **GEN**

Generator No.:	ON1289603	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	02,03,04	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:			
SIC Description:			

--Details--

Waste Code:	264
Waste Description:	PHOTOPROCESSING WASTES

---

399 **3 of 8** **WNW/293.8** **106.8 / 4.01** **MINISTRY OF GOVERNMENT SERVICES 77 WELLESLEY STREET WEST 8TH FLOOR** **GEN**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

FERGUSON BLOCK
TORONTO ON M7A 1N3

Generator No.:	ON0123915	***PO Box No.:***	
Status:		***Country:***	
Approval Years:	98	***Choice of Contact:***	
Contam. Facility:		***Co Admin:***	
MHSW Facility:		***Phone No. Admin:***	
SIC Code:	8259		
SIC Description:	OTHER GEN. ADMIN.		

--Details--
Waste Code: 113
Waste Description: ACID WASTE - OTHER METALS

Waste Code: 213
Waste Description: PETROLEUM DISTILLATES

---

399 ***4 of 8*** ***WNW/293.8*** ***106.8 / 4.01*** ***GEN***

MINISTRY OF EDUCATION
77 WELLESLEY STREET WEST, ROOM M2B-60
TORONTO ON M7A 1N3

Generator No.:	ON1289603	***PO Box No.:***	
Status:		***Country:***	
Approval Years:	99,00,01	***Choice of Contact:***	
Contam. Facility:		***Co Admin:***	
MHSW Facility:		***Phone No. Admin:***	
SIC Code:	8263		
SIC Description:	EDUCATION ADMIN.		

--Details--
Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

---

399 ***5 of 8*** ***WNW/293.8*** ***106.8 / 4.01*** ***GEN***

1214592 Ontario Limited
77 Wellesley St W
Toronto ON M7A 2G3

Generator No.:	ON8246048	***PO Box No.:***	
Status:		***Country:***	
Approval Years:	05	***Choice of Contact:***	
Contam. Facility:		***Co Admin:***	
MHSW Facility:		***Phone No. Admin:***	
SIC Code:	238140		
SIC Description:	Masonry Contractors		

--Details--
Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

---

399 ***6 of 8*** ***WNW/293.8*** ***106.8 / 4.01*** ***GEN***

MINISTRY OF GOVERNMENT SERVICES 27-502
77 WELLESLEY STREET WEST 8TH FLOOR
FERGUSON BLOCK
TORONTO ON M7A 1N3

Generator No.:	ON0123915	***PO Box No.:***	
Status:		***Country:***	
Approval Years:	92,93,94,95,96,97	***Choice of Contact:***	

Contam. Facility:
MHSW Facility:
SIC Code: 8259
SIC Description: OTHER GEN. ADMIN.

Co Admin:
Phone No. Admin:

--Details--
Waste Code: 113
Waste Description: ACID WASTE - OTHER METALS

Waste Code: 213
Waste Description: PETROLEUM DISTILLATES

---

399 | **7 of 8** | **WNW/293.8** | **106.8 / 4.01**

Ontario Ministry of Natural Resources
77 Wellesley Street West
Toronto ON

GEN

Generator No.: ON5270136
Status:
Approval Years: 03,04
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

---

399 | **8 of 8** | **WNW/293.8** | **106.8 / 4.01**

MINISTRY OF GOVERNMENT SERVICES
77 WELLESLEY STREET WEST
TORONTO ON M7A 1N7

GEN

Generator No.: ON0123915
Status:
Approval Years: 88,89,90
Contam. Facility:
MHSW Facility:
SIC Code: 8259
SIC Description: OTHER GEN. ADMIN.

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 113
Waste Description: ACID WASTE - OTHER METALS

---

400 | **1 of 1** | **WNW/293.9** | **106.4 / 3.57**

ON

BORE

Borehole ID: 646828
Use: Geotechnical/Geological Investigation
Drill Method:: Power auger
Easting:: 629895
Location Accuracy::
Elev. Reliability Note::
Total Depth m:: 28.8
Township::
Lot::
Completion Date:: SEP-1963
Primary Water Use:: Not Used

Type: Borehole
Status::
UTM Zone:: 17
Northing:: 4835783
Orig. Ground Elev m:: 107
DEM Ground Elev m:: 106
Primary Name::
Concession::
Municipality:
Static Water Level:: .8
Sec. Water Use::

--Details--
Stratum ID: 218516525
Bottom Depth(m): 28.8

Top Depth(m): 27.4
Stratum Desc: SHALE,LIMESTONE. MARINE,BEDDED,AGE

ORDOVICIAN.
0000001200100025002500720045507300750090008200900

Stratum ID:	218516523	**Top Depth(m):**	25.0
Bottom Depth(m):	26.5	**Stratum Desc:**	CLAY,SILT. GREY,LACUSTRINE,VERY HARD, AGE GLACIAL.
Stratum ID:	218516524	**Top Depth(m):**	26.5
Bottom Depth(m):	27.4	**Stratum Desc:**	SHALE. GREY,MARINE,SOFT, AGE ORDOVICIAN.
Stratum ID:	218516518	**Top Depth(m):**	0.0
Bottom Depth(m):	3.0	**Stratum Desc:**	SILT,SAND-MEDIUM. BROWN,LACUSTRINE,DENSE, AGE GLACIAL.
Stratum ID:	218516519	**Top Depth(m):**	3.0
Bottom Depth(m):	7.6	**Stratum Desc:**	SILT,SAND-MEDIUM. GREY,LACUSTRINE,DENSE,LAYERED,AGE GLACIAL, WATER STABLE AT 349.4 FEET.
Stratum ID:	218516520	**Top Depth(m):**	7.6
Bottom Depth(m):	13.9	**Stratum Desc:**	TILL,SILT,SAND. GREY,GLACIAL,VERY DENSE, AGE GLACIAL.
Stratum ID:	218516521	**Top Depth(m):**	13.9
Bottom Depth(m):	22.9	**Stratum Desc:**	SILT,CLAY,SAND MEDIUM. GREY,LACUSTRINE,VERY DENSE, LAYERED,AGE GLACIAL.
Stratum ID:	218516522	**Top Depth(m):**	22.9
Bottom Depth(m):	25.0	**Stratum Desc:**	SAND-MEDIUM. GREY,LACUSTRINE,VERY DENSE, AGE GLACIAL.

---

401 | **1 of 2** | **NE/294.5** | **106.6 / 3.73** | **34 Maitland**
Toronto ON M4Y 1C5 | **EHS**

Order ID:	222349	**Date Received:**	20-SEP-12
Order No:	20120920016	**Lot/Building Size:**	
Customer ID:	84687	**Municipality:**	
Company ID:	49355	**Client Prov/State:**	ON
Status:	C	**Search Radius (km):**	.25
Report Code:	3CAN	**Large Radius:**	2
Report Type:	Standard Report	**X:**	-79.382203
Report Date:	01-OCT-12	**Y:**	43.664554
Report Requested by:	OHE Consultants		
Nearest Intersection:			
Previous Site Name:			
Additional Info Ordered:	Topographic Maps		

---

401 | **2 of 2** | **NE/294.5** | **106.6 / 3.73** | **Cap Reit Limited partnership**
34 Maitland Street
Toronto ON M4Y 1C5 | **GEN**

Generator No.:	ON7983293	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	2010	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	562990		
SIC Description:	All Other Waste Management Services		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

--Details--
Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

---

402 | **1 of 3** | **SSW/296.9** | **97.6 / -5.26** | **University Health Network**
201 Elizabeth St.
Toronto ON | **GEN**

Generator No.:	ON6088537	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	2013	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	622111		
SIC Description:	GENERAL (EXCEPT PAEDIATRIC) HOSPITALS		

--Details--
Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

---

402 | **2 of 3** | **SSW/296.9** | **97.6 / -5.26** | **University Health Network**
201 Elizabeth Street
Toronto ON M5G 2C4 | **GEN**

Generator No.:	ON3094839	**PO Box No.:**	
Status:		**Country:**	
Approval Years:	2010	**Choice of Contact:**	
Contam. Facility:		**Co Admin:**	
MHSW Facility:		**Phone No. Admin:**	
SIC Code:	812930		
SIC Description:	Parking Lots and Garages		

--Details--
Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

---

402 | **3 of 3** | **SSW/296.9** | **97.6 / -5.26** | **PRIVATE OWNER**
201 ELIZABETH STREET MOTOR VEHICLE
(OPERATING FLUID)
TORONTO CITY ON | **SPL**

Ref No:	27583	**Discharger Report:**	
Site No:		**Material Group:**	
Incident Dt:	11/9/1989	**Client Type:**	
Year:		**Sector Type:**	
Incident Cause:	OTHER CONTAINER LEAK	**Source Type:**	
Incident Event:		**Nearest Watercourse:**	
Contaminant Code:		**Site Name:**	
Contaminant Name:		**Site Address:**	
Contaminant Limit 1:		**Site District Office:**	
Contam Limit Freq 1:		**Site County/District:**	
Contaminant UN No 1:		**Site Postal Code:**	
Contaminant Qty:		**Site Region:**	
Environment Impact:		**Site Municipality:**	01106
Nature of Impact:		**Site Lot:**	
Receiving Medium:	LAND / WATER	**Site Conc:**	
Receiving Env:		**Northing:**	
Health/Env Conseq:		**Easting:**	TORONTO FD, WORKS

MOE Response:		***Site Geo Ref Accu:***	
Dt MOE Arvl on Scn:		***Site Geo Ref Meth:***	
MOE Reported Dt:	11/9/1989	***Site Map Datum:***	
Dt Document Closed:			
SAC Action Class:			
Incident Reason:	UNKNOWN		
Incident Summary:	MOTOR VEHICLE- TORONTO FDREPORTS 50 LTR GASOLINE SPILL TO STORM SEWERS		

Unplottable Summary

Total: 99 Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
CA	BCE DEVELOPMENT CORP. (T.T.C.)	PEDESTRIAN TUNNEL BAY ST.	TORONTO CITY ON	
CA	Toronto Community Housing Corporation	Carlton St	Toronto ON	
CA	TORONTO CITY DR. SC-504	COLLEGE ST.	TORONTO CITY ON	
CA	TORONTO CITY DR. NO C-467	COLLEGE STREET	TORONTO CITY ON	
CA	TORONTO CITY	COLLEGE STREET, SC-504	TORONTO CITY ON	
CA	TORONTO CITY DR. #LA-1159	LANE 28.7 M S. COLLEGE ST.	TORONTO CITY ON	
CA	TORONTO CITY DWG. #LA-1181	LANE COLLEGE ST.	TORONTO CITY ON	
CA	Rusholme Park Crescent, District 1 (Toronto)	South of College Street, RP D-1338	Toronto ON	
CA	TORONTO CITY DR. ELIZABETH ST.	ELIZABETH ST.	TORONTO CITY ON	
CA	TORONTO CITY	WELLESLEY AVENUE R-758	TORONTO CITY ON	
CA	TORONTO CITY DR. #LA-1174	LANE 30.5 M S. OF WELLESLEY ST	TORONTO CITY ON	
CA	TORONTO CITY DR #LA-1156	WELLESLEY STREET EAST	TORONTO CITY ON	
CA	TORONTO CITY DR. NO. W-352	WELLESLEY STREET EAST	TORONTO CITY ON	
CA	CITY	E.OF YONGE ST. (LANE)	TORONTO ON	
CA		Part of Lots 128 & 129, RP 3344, E. of Yonge St.	Toronto ON	
CA		Part of Lots 128 & 129, RP 3344, E. of Yonge St.	Toronto ON	
CA		Part of Lots 128 & 129, RP 3344, E. of Yonge St.	Toronto ON	

CA		Pt Lot 3, Con 3, East of Yonge St, and Pt Blk S, Reg Plan 566. Designated as Pts 1,2,3, 4 and 5 on Plan 66R-17673	Toronto ON	
CA		Pt Lot 3,Con 3, E of Yonge St, Pt Block S, Reg Plan 566. Designated as Pts 1,2,3, 4 and 5 Plan 66R-17673	Toronto ON	
CA	CITY	W.OF YONGE ST. (LANE)	TORONTO ON	
CA	CITY	W.OF YONGE ST. (LANE)	TORONTO ON	
CA	Toronto Transit Commission	Yonge St	Toronto ON	
CA	Trinity Development Group Inc.		Toronto ON	
CA	Yonge Lakeshore Developments Limited	Bay Street	Toronto ON	
CA	CAMPEAU CORPORATION DR. # T1-2420 C1 AND	BAY STREET T1-2420 C2	TORONTO CITY ON	
CONV	METRO TORONTO HOUSING CORPORAT		ON	
CONV	METRO TORONTO HOUSING CORPORAT		ON	
CONV	METRO TORONTO HOUSING CORPORAT		ON	
EBR	College Street (555-563) Inc.	College Street Toronto M6G 1A9 CITY OF TORONTO	ON	
ECA	City of Toronto	Wellesley Pl (from Wellesley Street to Wellesley Lane)	Toronto ON	M5V 3C6
ECA	City of Toronto	Wellesley Pl (from Wellesley Street to Wellesley Lane)	Toronto ON	M5V 3C6
ECA	Toronto Transit Commission	Yonge St	Toronto ON	M2N 6L9
ECA	City of Toronto	Wellesley Pl (from Wellesley Street to Wellesley Lane)	Toronto ON	M5V 3C6
ECA	City of Toronto	Elizabeth St	Toronto ON	M5V 3C6
ECA	Toronto Transit Commission	Yonge St	Toronto ON	M2N 6L9
ECA	Trinity Development Group Inc.		Toronto ON	M8V 3Y3
ECA	Yonge Lakeshore Developments Limited	Bay Street	Toronto ON	M3K 1N4
ECA	Toronto Community Housing Corporation	Carlton St	Toronto ON	M4W 2H2

ECA	Canadian Waste Services Inc.	Portable	Toronto ON	L7L 5Y7
ECA	City of Toronto	West of Yonge Street	Toronto ON	M2N 5V7
ECA	Toronto Transit Commission	Yonge St	Toronto ON	M2N 6L9
ECA	City of Toronto	Carlton Street	Toronto ON	M5V 3C6
ECA	City of Toronto	College Carleton Yonge and Church St	Toronto ON	M5V 3C6
ECA	City of Toronto	College Carleton Yonge and Church St	Toronto ON	M5V 3C6
ECA	City of Toronto	College Carleton Yonge and Church St	Toronto ON	M5V 3C6
ECA	City of Toronto	College Carleton Yonge and Church St	Toronto ON	M5V 3C6
ECA	City of Toronto	College, Carleton, Yonge, and Church Street	Toronto ON	M5V 3C6
ECA	City of Toronto	College St	Toronto ON	M5V 3C6
GEN	TORONTO HYDRO-ELECTRIC SYSTEM LTD.	VAULTS, MANHOLES & SPILL SITES	TORONTO ON	
GEN	VICTONE CLEANERS	Yonge Street	Toronto ON	
GEN	NORTH YORK PRINTING & GRAPHICS INC.	YONGE STREET	TORONTO ON	
GEN	TORONTO HYDRO-ELECTRIC SYSTEM LTD.	VAULTS, MANHOLES & SPILL SITES	TORONTO ON	M1B 2K4
GEN	TORONTO HYDRO-ELECTRIC SYSTEM LTD.	VAULTS, MANHOLES & SPILL SITES	TORONTO ON	M1B 2K4
GEN	TORONTO HYDRO-ELECTRIC SYSTEM LTD.	VAULTS, MANHOLES & SPILL SITES	TORONTO ON	M1B 2K4
GEN	TORONTO HYDRO-ELECTRIC SYSTEM LTD.	VAULTS, MANHOLES & SPILL SITES	TORONTO ON	M1B 2K4
GEN	UNIVERSITY OF TORONTO	CENTRAL WASTE FACILITY(TRANSFER STATION N14 COLLEGE STREET (REAR)	TORONTO ON	M5S 1A1
GEN	Toronto Hydro Electric System	Various Substation Locations	Toronto ON	M4M 3N7
GEN	Toronto Hydro Electric System	Various Substation Locations	Toronto ON	
GEN	Toronto Hydro Electric System	Various Substation Locations	Toronto ON	M4M 3N7
GEN	Toronto Hydro Electric System	Various Substation Locations	Toronto ON	M4M 3N7
GEN	Toronto Hydro Electric System	Various Substation Locations	Toronto ON	

GEN	Toronto Hydro Electric System	Various Substation Locations	Toronto ON	
GEN	Toronto Hydro Electric System	Various Substation Locations	Toronto ON	M4M 3N7
GEN	Toronto Hydro Electric System	Various Substation Locations	Toronto ON	
GEN	Toronto Hydro Electric System	Various Substation Locations	Toronto ON	
GEN	Toronto Hydro Electric System	Various Substation Locations	Toronto ON	
GEN	TORONTO HYDRO-ELECTRIC SYSTEM LTD.	VAULTS, MANHOLES & SPILL SITES	TORONTO ON	
GEN	TORONTO HYDRO-ELECTRIC SYSTEM LTD.	VAULTS, MANHOLES & SPILL SITES	TORONTO ON	M5B 1K5
GEN	TORONTO HYDRO-ELECTRIC SYSTEM LTD.	VAULTS, MANHOLES & SPILL SITES	TORONTO ON	
GEN	TORONTO HYDRO-ELECTRIC SYSTEM LTD.	VAULTS, MANHOLES & SPILL SITES	TORONTO ON	
REC	TORONTO HYDRO	HIGH LEVEL STATION	TORONTO ON	
REC	TORONTO HYDRO	HIGH LEVEL STATION C/O 14 CARLTON STREET	TORONTO ON	
REC	TORONTO HYDRO	GLEN ECHO - YONGE TRANSFORMER VAULT	TORONTO ON	
REC	TORONTO HYDRO	GLEN ECHO - YONGE TRANSFORMER VAULT C/O 14 CARLTON STREET	TORONTO ON	M5B 1K5
RST	ESSO HOME HEAT		TORONTO ON	
SCT	Inmet Mining Corporation	Bay St	Toronto ON	M5H 2S8
SPL	Toronto Hydro-Electric System Limited	18 St. Nicholas Drive	Toronto ON	
SPL	ESSO PETROLEUM CANADA	TANK TRUCK (CARGO)	TORONTO CITY ON	
SPL	ESSO CHEMICAL	TANK TRUCK (CARGO)	TORONTO CITY ON	
SPL	ESSO PETROLEUM CANADA	TANK TRUCK (CARGO)	TORONTO CITY ON	
SPL	ESSO CHEMICAL	TANK TRUCK (CARGO)	TORONTO CITY ON	
SPL	ESSO PETROLEUM	TANK TRUCK (CARGO)	TORONTO CITY ON	
SPL	ESSO PETROLEUM	SERVICE STATION	TORONTO CITY ON	

SPL	ESSO PETROLEUM CANADA	SERVICE STATION	TORONTO CITY ON
SPL	ESSO PETROLEUM CANADA	SERVICE STATION	TORONTO CITY ON
SPL	IMPERIAL OIL	ESSO SERVICE STATION	TORONTO CITY ON
SPL	IMPERIAL OIL	ESSO SERVICE STATION	TORONTO CITY ON
SPL		End of Bay St	Toronto ON
SPL	CONTRACTOR	(N.O.S.)	TORONTO CITY ON
SPL	Toronto Hydro Electric System Safety & Environmental Systems		Toronto ON
SPL	Toronto Hydro Energy Services Inc.		Toronto ON
SPL	Toronto Hydro-Electric System Limited		Toronto ON
SPL	Toronto Hydro-Electric System Limited		Toronto ON
SPL	Toronto Hydro-Electric System Limited		Toronto ON
SPL	Toronto Hydro Electric System Safety & Environmental Systems		Toronto ON
SPL	Toronto Hydro-Electric System Limited		Toronto ON
SPL	Toronto Hydro-Electric System Limited		Toronto ON
TANK	Eisenberg [S]	125 Terauley St	Toronto ON
TANK	Eisenberg [S]	124 Terauley St	Toronto ON

Unplottable Report

Site: ***BCE DEVELOPMENT CORP. (T.T.C.)***
PEDESTRIAN TUNNEL BAY ST. TORONTO CITY ON

Database: ***CA***

Certificate #:	3-1217-89-
Application Year:	89
Issue Date:	3/26/1990
Approval Type:	Municipal sewage
Status:	Underwent 1st revision in 1990
Application Type:	
Client Name::	
Client Address::	
Client City::	
Client Postal Code::	
Project Description::	
Contaminants::	
Emission Control::	

Site: ***Toronto Community Housing Corporation***
Carlton St Toronto ON

Database: ***CA***

Certificate #:	4577-7B3MWP
Application Year:	2008
Issue Date:	1/22/2008
Approval Type:	Municipal and Private Sewage Works
Status:	Revoked and/or Replaced
Application Type:	
Client Name::	
Client Address::	
Client City::	
Client Postal Code::	
Project Description::	
Contaminants::	
Emission Control::	

Site: ***TORONTO CITY DR. SC-504***
COLLEGE ST. TORONTO CITY ON

Database: ***CA***

Certificate #:	3-1917-87-
Application Year:	87
Issue Date:	3/1/1988
Approval Type:	Municipal sewage
Status:	Approved in 1988
Application Type:	
Client Name::	
Client Address::	
Client City::	
Client Postal Code::	
Project Description::	
Contaminants::	
Emission Control::	

Site: ***TORONTO CITY DR. NO C-467***
COLLEGE STREET TORONTO CITY ON

Database: ***CA***

Certificate #:	3-1537-86-

Application Year: 86
Issue Date: 11/19/1986
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name::
Client Address::
Client City::
Client Postal Code::
Project Description::
Contaminants::
Emission Control::

Site: ***TORONTO CITY***
COLLEGE STREET, SC-504 TORONTO CITY ON

Database: ***CA***

Certificate #: 3-0080-88-
Application Year: 88
Issue Date: 3/11/1988
Approval Type: Municipal sewage
Status: Cancelled
Application Type:
Client Name::
Client Address::
Client City::
Client Postal Code::
Project Description::
Contaminants::
Emission Control::

Site: ***TORONTO CITY DR. #LA-1159***
LANE 28.7 M S. COLLEGE ST. TORONTO CITY ON

Database: ***CA***

Certificate #: 3-0180-87-
Application Year: 87
Issue Date: 3/19/1987
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name::
Client Address::
Client City::
Client Postal Code::
Project Description::
Contaminants::
Emission Control::

Site: ***TORONTO CITY DWG. #LA-1181***
LANE COLLEGE ST. TORONTO CITY ON

Database: ***CA***

Certificate #: 3-0149-89-
Application Year: 89
Issue Date: 2/21/1989
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name::
Client Address::
Client City::
Client Postal Code::
Project Description::
Contaminants::
Emission Control::

Site: ***Rusholme Park Crescent, District 1 (Toronto)***
South of College Street, RP D-1338 Toronto ON

Database: ***CA***

Certificate #:	1623-5AJNBG
Application Year:	02
Issue Date:	5/27/02
Approval Type:	Municipal & Private sewage
Status:	Approved
Application Type:	New Certificate of Approval
Client Name::	1367235 Ontario Limited
Client Address::	1315 Lawrence Street, Suite #307
Client City::	Toronto
Client Postal Code::	M3A 3R3
Project Description::	This application is for approval to install sanitary sewer on Rusholme Park Crescent.
Contaminants::	
Emission Control::	

Site: ***TORONTO CITY DR. ELIZABETH ST.***
ELIZABETH ST. TORONTO CITY ON

Database: ***CA***

Certificate #:	3-0490-88-
Application Year:	88
Issue Date:	6/1/1988
Approval Type:	Municipal sewage
Status:	Approved
Application Type:	
Client Name::	
Client Address::	
Client City::	
Client Postal Code::	
Project Description::	
Contaminants::	
Emission Control::	

Site: ***TORONTO CITY***
WELLESLEY AVENUE R-758 TORONTO CITY ON

Database: ***CA***

Certificate #:	7-0816-88-
Application Year:	88
Issue Date:	6/30/1988
Approval Type:	Municipal water
Status:	Approved
Application Type:	
Client Name::	
Client Address::	
Client City::	
Client Postal Code::	
Project Description::	
Contaminants::	
Emission Control::	

Site: ***TORONTO CITY DR. #LA-1174***
LANE 30.5 M S. OF WELLESLEY ST TORONTO CITY ON

Database: ***CA***

Certificate #:	3-0424-88-
Application Year:	88
Issue Date:	4/19/1988
Approval Type:	Municipal sewage
Status:	Approved
Application Type:	
Client Name::	
Client Address::	

Client City::
Client Postal Code::
Project Description::
Contaminants::
Emission Control::

Site: ***TORONTO CITY DR #LA-1156***
WELLESLEY STREET EAST TORONTO CITY ON

Database: ***CA***

Certificate #: 3-1966-86-
Application Year: 86
Issue Date: 1/30/1987
Approval Type: Municipal sewage
Status: Approved in 1987
Application Type:
Client Name::
Client Address::
Client City::
Client Postal Code::
Project Description::
Contaminants::
Emission Control::

Site: ***TORONTO CITY DR. NO. W-352***
WELLESLEY STREET EAST TORONTO CITY ON

Database: ***CA***

Certificate #: 3-1737-86-
Application Year: 86
Issue Date: 1/6/1987
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name::
Client Address::
Client City::
Client Postal Code::
Project Description::
Contaminants::
Emission Control::

Site: ***CITY***
E.OF YONGE ST. (LANE) TORONTO ON

Database: ***CA***

Certificate #: 3-0447-85-006
Application Year: 85
Issue Date: 6/18/85
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name::
Client Address::
Client City::
Client Postal Code::
Project Description::
Contaminants::
Emission Control::

Site:
Part of Lots 128 & 129, RP 3344, E. of Yonge St. Toronto ON

Database: ***CA***

Certificate #: 3666-4KZPAZ
Application Year: 00

Issue Date:	6/7/00
Approval Type:	Municipal & Private sewage
Status:	Approved
Application Type:	New Certificate of Approval
Client Name::	Heritage-Willow Estates Limited
Client Address::	55 Doncaster Avenue, Suite #104
Client City::	Thornhill
Client Postal Code::	L3T 1L7
Project Description::	This application is for the construction of a storm water management facility to serve a proposed residential development in the City of Toronto, North District.
Contaminants::	
Emission Control::	

Site: ***Database:*** ***CA***

Part of Lots 128 & 129, RP 3344, E. of Yonge St. Toronto ON

Certificate #:	7324-4KNNSR
Application Year:	00
Issue Date:	6/5/00
Approval Type:	Municipal & Private sewage
Status:	Approved
Application Type:	New Certificate of Approval
Client Name::	Heritage-Willow Estates Limited
Client Address::	55 Doncaster Avenue, Suite #104
Client City::	Thornhill
Client Postal Code::	L3T 1L7
Project Description::	Construction of a storm and sanitary sewer on Doverwood Court
Contaminants::	
Emission Control::	

Site: ***Database:*** ***CA***

Part of Lots 128 & 129, RP 3344, E. of Yonge St. Toronto ON

Certificate #:	5445-4KPLH9
Application Year:	00
Issue Date:	6/5/00
Approval Type:	Municipal & Private water
Status:	Approved
Application Type:	New Certificate of Approval
Client Name::	Heritage-Willow Estates Limited
Client Address::	55 Doncaster Avenue, Suite #104
Client City::	Thornhill
Client Postal Code::	L3T 1L7
Project Description::	Construction of a Watermain on Doverwood Court
Contaminants::	
Emission Control::	

Site: ***Database:*** ***CA***

Pt Lot 3, Con 3, East of Yonge St, and Pt Blk S, Reg Plan 566. Designated as Pts 1,2,3, 4 and 5 on Plan 66R-17673 Toronto ON

Certificate #:	6757-4SPQEJ
Application Year:	01
Issue Date:	1/8/01
Approval Type:	Municipal & Private sewage
Status:	Approved
Application Type:	Amended CofA
Client Name::	English Lane Homes Inc. & Don-Green Belt Developments Inc.
Client Address::	333 Sheppard Avenue East, Suite 300
Client City::	Willowdale
Client Postal Code::	M2N 3B3
Project Description::	Change in ownership to include Don-Green Belt Developments Inc.
Contaminants::	
Emission Control::	

Site: ***Database:***
Pt Lot 3,Con 3, E of Yonge St, Pt Block S, Reg Plan 566. Designated as Pts 1,2,3, 4 and 5 Plan 66R-17673 Toronto ON ***CA***

Certificate #:	8764-4RBTNN
Application Year:	01
Issue Date:	1/8/01
Approval Type:	Municipal & Private sewage
Status:	Revoked and/or Replaced
Application Type:	New Certificate of Approval
Client Name::	English Lane Homes Inc.
Client Address::	333 Sheppard Avenue East, Suite 300
Client City::	Willowdale
Client Postal Code::	M2N 3B3
Project Description::	Construction of a storm sewer on City Land and an easement in Moccasin Trail Park.
Contaminants::	
Emission Control::	

Site: ***CITY*** ***Database:***
W.OF YONGE ST. (LANE) TORONTO ON ***CA***

Certificate #:	3-0607-85-006
Application Year:	85
Issue Date:	7/29/85
Approval Type:	Municipal sewage
Status:	Approved
Application Type:	
Client Name::	
Client Address::	
Client City::	
Client Postal Code::	
Project Description::	
Contaminants::	
Emission Control::	

Site: ***CITY*** ***Database:***
W.OF YONGE ST. (LANE) TORONTO ON ***CA***

Certificate #:	3-0605-85-006
Application Year:	85
Issue Date:	8/2/85
Approval Type:	Municipal sewage
Status:	Approved
Application Type:	
Client Name::	
Client Address::	
Client City::	
Client Postal Code::	
Project Description::	
Contaminants::	
Emission Control::	

Site: ***Toronto Transit Commission*** ***Database:***
Yonge St Toronto ON ***CA***

Certificate #:	9045-7BTQNX
Application Year:	2008
Issue Date:	2/22/2008
Approval Type:	Municipal and Private Sewage Works
Status:	Approved
Application Type:	

Client Name::
Client Address::
Client City::
Client Postal Code::
Project Description::
Contaminants::
Emission Control::

Site: ***Trinity Development Group Inc.***
Toronto ON

Database: ***CA***

Certificate #: 1846-5N2TXG
Application Year: 2003
Issue Date: 6/9/2003
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name::
Client Address::
Client City::
Client Postal Code::
Project Description::
Contaminants::
Emission Control::

Site: ***Yonge Lakeshore Developments Limited***
Bay Street Toronto ON

Database: ***CA***

Certificate #: 1748-5PVH45
Application Year: 2003
Issue Date: 7/30/2003
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name::
Client Address::
Client City::
Client Postal Code::
Project Description::
Contaminants::
Emission Control::

Site: ***CAMPEAU CORPORATION DR. # T1-2420 C1 AND***
BAY STREET T1-2420 C2 TORONTO CITY ON

Database: ***CA***

Certificate #: 3-0951-87-
Application Year: 87
Issue Date: 7/16/1987
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name::
Client Address::
Client City::
Client Postal Code::
Project Description::
Contaminants::
Emission Control::

Site: ***METRO TORONTO HOUSING CORPORAT***
ON

Database: ***CONV***

File No.:
Publication Title:
Publication City:
Url:
Crown Brief No.: 01-0113-0359
Ministry District: METRO
Region: CENTRAL REGION
Description: BEING THE OWNER OF A MULTI-UNIT RESIDENTIAL BUILDING, FAILED TO IMPLEMENT A SOURCE SEPARATION PROGRAM FOR WASTE.

--Details--
Publication Date:
Count: 1
Act: EPA
Regulation: 103/94
Section: 10(1)
Act/Regulation/Section: EPA-103/94-10(1)
Date Charged: 9/20/01
Charge Disposition: SUSPENDED SENTENCE
Fine: $300.00

Site: ***METRO TORONTO HOUSING CORPORAT ON*** ***Database:*** ***CONV***

File No.:
Publication Title:
Publication City:
Url:
Crown Brief No.: 01-0114-0358
Ministry District: METRO
Region: CENTRAL REGION
Description: BEING THE OWNER OF A MULTI-UNIT RESIDENTIAL BUILDING, FAILED TO IMPLEMENT A SOURCE SEPARATION PROGRAM FOR WASTE.

--Details--
Publication Date:
Count: 1
Act: EPA
Regulation: 103/94
Section: 10(1)
Act/Regulation/Section: EPA-103/94-10(1)
Date Charged: 9/20/01
Charge Disposition: SUSPENDED SENTENCE
Fine: $300.00

Site: ***METRO TORONTO HOUSING CORPORAT ON*** ***Database:*** ***CONV***

File No.:
Publication Title:
Publication City:
Url:
Crown Brief No.: 01-0107-0342
Ministry District: METRO
Region: CENTRAL REGION
Description: BEING THE OWNER OF A MULTI-UNIT RESIDENTIAL BUILDING, FAILED TO IMPLEMENT A SOURCE SEPARATION PROGRAM FOR WASTE.

--Details--
Publication Date:
Count: 1
Act: EPA
Regulation: 103/94

Section:	10(1)
Act/Regulation/Section:	EPA-103/94-10(1)
Date Charged:	9/20/01
Charge Disposition:	SUSPENDED SENTENCE
Fine:	$300.00

Site: ***College Street (555-563) Inc.***
College Street Toronto M6G 1A9 CITY OF TORONTO ON

Database: ***EBR***

Company Name:	College Street (555-563) Inc.
EBR Registry No.:	012-8265
Ministry Ref. No.:	1208-ABBPMT
Notice Type:	Instrument Decision
Notice Date:	August 12, 2016
Proposal Date:	July 28, 2016
Year:	2016
Proponent Address:	2300 Yonge Street, Toronto Ontario, Canada M4P 1E4
Instrument Type:	(EPA Part II.1-sewage) - Environmental Compliance Approval (project type: sewage)
Location Other:	

Location:

College Street Toronto M6G 1A9 CITY OF TORONTO

Site: ***City of Toronto***
Wellesley Pl (from Wellesley Street to Wellesley Lane) Toronto ON M5V 3C6

Database: ***ECA***

Approval No:	6117-6MXRLR	***SWP Area Name:***	
Approval Date:	2006-03-23	***MOE District:***	
Status:	Approved	***City:***	
Record Type:	ECA	***Longitude:***	
Link Source:	IDS	***Latitude:***	
Approval Type:	ECA-Municipal Drinking Water Systems		
Project Type:	Municipal Drinking Water Systems		
Address:	Wellesley Pl (from Wellesley Street to Wellesley Lane)		
Full Address:			
Full PDF Link:			

Site: ***City of Toronto***
Wellesley Pl (from Wellesley Street to Wellesley Lane) Toronto ON M5V 3C6

Database: ***ECA***

Approval No:	6325-7DKJYY	***SWP Area Name:***	
Approval Date:	2008-04-11	***MOE District:***	
Status:	Approved	***City:***	Toronto
Record Type:	ECA	***Longitude:***	
Link Source:	IDS	***Latitude:***	
Approval Type:	ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS		
Project Type:	MUNICIPAL AND PRIVATE SEWAGE WORKS		
Address:	Wellesley Pl (from Wellesley Street to Wellesley Lane)		
Full Address:			
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/9105-7DHJJF-14.pdf		

Site: ***Toronto Transit Commission***
Yonge St Toronto ON M2N 6L9

Database: ***ECA***

Approval No:	0962-7BUPC4	***SWP Area Name:***	
Approval Date:	2008-02-22	***MOE District:***	
Status:	Revoked and/or Replaced	***City:***	
Record Type:	ECA	***Longitude:***	
Link Source:	IDS	***Latitude:***	
Approval Type:	ECA-Municipal Drinking Water Systems		

Project Type: Municipal Drinking Water Systems
Address: Yonge St
Full Address:
Full PDF Link:

Site: ***City of Toronto***
Wellesley Pl (from Wellesley Street to Wellesley Lane) Toronto ON M5V 3C6

Database: ***ECA***

Approval No: 3578-7DKM7A
Approval Date: 2008-04-11
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
MOE District:
City:
Longitude:
Latitude:
Approval Type: ECA-Municipal Drinking Water Systems
Project Type: Municipal Drinking Water Systems
Address: Wellesley Pl (from Wellesley Street to Wellesley Lane)
Full Address:
Full PDF Link:

Site: ***City of Toronto***
Elizabeth St Toronto ON M5V 3C6

Database: ***ECA***

Approval No: 1645-7J4PUP
Approval Date: 2008-09-04
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
MOE District:
City:
Longitude:
Latitude:
Approval Type: ECA-Municipal Drinking Water Systems
Project Type: Municipal Drinking Water Systems
Address: Elizabeth St
Full Address:
Full PDF Link:

Site: ***Toronto Transit Commission***
Yonge St Toronto ON M2N 6L9

Database: ***ECA***

Approval No: 8583-7CUNJ9
Approval Date: 2008-03-18
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
MOE District:
City:
Longitude:
Latitude:
Approval Type: ECA-Municipal Drinking Water Systems
Project Type: Municipal Drinking Water Systems
Address: Yonge St
Full Address:
Full PDF Link:

Site: ***Trinity Development Group Inc.***
Toronto ON M8V 3Y3

Database: ***ECA***

Approval No: 1846-5N2TXG
Approval Date: 2003-06-09
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
MOE District:
City: Toronto
Longitude:
Latitude:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Address:
Full Address:
Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/1548-5L3PZ5-14.pdf

---

Site: ***Yonge Lakeshore Developments Limited***
Bay Street Toronto ON M3K 1N4

Database: ***ECA***

Approval No:	1748-5PVH45	***SWP Area Name:***	
Approval Date:	2003-07-30	***MOE District:***	
Status:	Approved	***City:***	Toronto
Record Type:	ECA	***Longitude:***	
Link Source:	IDS	***Latitude:***	
Approval Type:	ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS		
Project Type:	MUNICIPAL AND PRIVATE SEWAGE WORKS		
Address:	Bay Street		
Full Address:			
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/5454-5PRNSP-14.pdf		

Site: ***Toronto Community Housing Corporation***
Carlton St Toronto ON M4W 2H2

Database: ***ECA***

Approval No:	4577-7B3MWP	***SWP Area Name:***	
Approval Date:	2008-01-22	***MOE District:***	
Status:	Revoked and/or Replaced	***City:***	Toronto
Record Type:	ECA	***Longitude:***	
Link Source:	IDS	***Latitude:***	
Approval Type:	ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS		
Project Type:	MUNICIPAL AND PRIVATE SEWAGE WORKS		
Address:	Carlton St		
Full Address:			
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/8467-7ARSN6-14.pdf		

Site: ***Canadian Waste Services Inc.***
Portable Toronto ON L7L 5Y7

Database: ***ECA***

Approval No:	8-3172-96-006	***SWP Area Name:***	
Approval Date:	2002-11-07	***MOE District:***	
Status:	Approved	***City:***	Toronto
Record Type:	ECA	***Longitude:***	
Link Source:	IDS	***Latitude:***	
Approval Type:	ECA-AIR		
Project Type:	AIR		
Address:	Portable		
Full Address:			
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/1277-5ESJWG-14.pdf		

Site: ***City of Toronto***
West of Yonge Street Toronto ON M2N 5V7

Database: ***ECA***

Approval No:	1776-759NTQ	***SWP Area Name:***	
Approval Date:	2007-07-24	***MOE District:***	
Status:	Approved	***City:***	Toronto
Record Type:	ECA	***Longitude:***	
Link Source:	IDS	***Latitude:***	
Approval Type:	ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS		
Project Type:	MUNICIPAL AND PRIVATE SEWAGE WORKS		
Address:	West of Yonge Street		
Full Address:			
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/8901-758QNY-14.pdf		

Site: ***Toronto Transit Commission***
Yonge St Toronto ON M2N 6L9

Database: ***ECA***

Approval No:	9045-7BTQNX	***SWP Area Name:***	
Approval Date:	2008-02-22	***MOE District:***	
Status:	Approved	***City:***	Toronto
Record Type:	ECA	***Longitude:***	

Link Source:	IDS	***Latitude:***	
Approval Type:	ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS		
Project Type:	MUNICIPAL AND PRIVATE SEWAGE WORKS		
Address:	Yonge St		
Full Address:			
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/0751-7BSUJ6-14.pdf		

Site: ***City of Toronto***
Carlton Street Toronto ON M5V 3C6

Database: ***ECA***

Approval No:	2682-5WSSRQ	***SWP Area Name:***	
Approval Date:	2004-03-12	***MOE District:***	
Status:	Approved	***City:***	
Record Type:	ECA	***Longitude:***	
Link Source:	IDS	***Latitude:***	
Approval Type:	ECA-Municipal Drinking Water Systems		
Project Type:	Municipal Drinking Water Systems		
Address:	Carlton Street		
Full Address:			
Full PDF Link:			

Site: ***City of Toronto***
College Carleton Yonge and Church St Toronto ON M5V 3C6

Database: ***ECA***

Approval No:	2658-5WXKGM	***SWP Area Name:***	
Approval Date:	2004-03-12	***MOE District:***	
Status:	Approved	***City:***	
Record Type:	ECA	***Longitude:***	
Link Source:	IDS	***Latitude:***	
Approval Type:	ECA-Municipal Drinking Water Systems		
Project Type:	Municipal Drinking Water Systems		
Address:	College Carleton Yonge and Church St		
Full Address:			
Full PDF Link:			

Site: ***City of Toronto***
College Carleton Yonge and Church St Toronto ON M5V 3C6

Database: ***ECA***

Approval No:	7383-5XKSZU	***SWP Area Name:***	
Approval Date:	2004-04-01	***MOE District:***	
Status:	Approved	***City:***	
Record Type:	ECA	***Longitude:***	
Link Source:	IDS	***Latitude:***	
Approval Type:	ECA-Municipal Drinking Water Systems		
Project Type:	Municipal Drinking Water Systems		
Address:	College Carleton Yonge and Church St		
Full Address:			
Full PDF Link:			

Site: ***City of Toronto***
College Carleton Yonge and Church St Toronto ON M5V 3C6

Database: ***ECA***

Approval No:	4319-5W8RFZ	***SWP Area Name:***	
Approval Date:	2004-02-20	***MOE District:***	
Status:	Approved	***City:***	
Record Type:	ECA	***Longitude:***	
Link Source:	IDS	***Latitude:***	
Approval Type:	ECA-Municipal Drinking Water Systems		
Project Type:	Municipal Drinking Water Systems		
Address:	College Carleton Yonge and Church St		
Full Address:			
Full PDF Link:			

Site: ***City of Toronto***
College Carleton Yonge and Church St Toronto ON M5V 3C6

Database: ***ECA***

Approval No:	8063-5XDKJD	***SWP Area Name:***	
Approval Date:	2004-03-29	***MOE District:***	
Status:	Approved	***City:***	
Record Type:	ECA	***Longitude:***	
Link Source:	IDS	***Latitude:***	
Approval Type:	ECA-Municipal Drinking Water Systems		
Project Type:	Municipal Drinking Water Systems		
Address:	College Carleton Yonge and Church St		
Full Address:			
Full PDF Link:			

Site: ***City of Toronto***
College, Carleton, Yonge, and Church Street Toronto ON M5V 3C6

Database: ***ECA***

Approval No:	8293-5XKJWZ	***SWP Area Name:***	
Approval Date:	2004-03-30	***MOE District:***	
Status:	Approved	***City:***	
Record Type:	ECA	***Longitude:***	
Link Source:	IDS	***Latitude:***	
Approval Type:	ECA-Municipal Drinking Water Systems		
Project Type:	Municipal Drinking Water Systems		
Address:	College, Carleton, Yonge, and Church Street		
Full Address:			
Full PDF Link:			

Site: ***City of Toronto***
College St Toronto ON M5V 3C6

Database: ***ECA***

Approval No:	7609-5YAHGK	***SWP Area Name:***	
Approval Date:	2004-04-23	***MOE District:***	
Status:	Approved	***City:***	
Record Type:	ECA	***Longitude:***	
Link Source:	IDS	***Latitude:***	
Approval Type:	ECA-Municipal Drinking Water Systems		
Project Type:	Municipal Drinking Water Systems		
Address:	College St		
Full Address:			
Full PDF Link:			

Site: ***TORONTO HYDRO-ELECTRIC SYSTEM LTD.***
VAULTS, MANHOLES & SPILL SITES TORONTO ON

Database: ***GEN***

Generator No.:	ON0173231	***PO Box No.:***	
Status:		***Country:***	
Approval Years:	2009	***Choice of Contact:***	
Contam. Facility:		***Co Admin:***	
MHSW Facility:		***Phone No. Admin:***	
SIC Code:	221122		
SIC Description:	Electric Power Distribution		

--Details--

Waste Code:	146
Waste Description:	OTHER SPECIFIED INORGANICS
Waste Code:	148
Waste Description:	INORGANIC LABORATORY CHEMICALS
Waste Code:	213

Waste Description: PETROLEUM DISTILLATES

Waste Code: 243
Waste Description: PCBS

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Site: ***VICTONE CLEANERS***
Yonge Street Toronto ON

Database: ***GEN***

Generator No.:	ON0611700	***PO Box No.:***	
Status:		***Country:***	
Approval Years:	2010	***Choice of Contact:***	
Contam. Facility:		***Co Admin:***	
MHSW Facility:		***Phone No. Admin:***	
SIC Code:	812310		
SIC Description:	Coin-Operated Laundries and Dry Cleaners		

--Details--
Waste Code: 241
Waste Description: HALOGENATED SOLVENTS

Site: ***NORTH YORK PRINTING & GRAPHICS INC.***
YONGE STREET TORONTO ON

Database: ***GEN***

Generator No.:	ON7229188	***PO Box No.:***	
Status:		***Country:***	
Approval Years:	2009	***Choice of Contact:***	
Contam. Facility:		***Co Admin:***	
MHSW Facility:		***Phone No. Admin:***	
SIC Code:	323114		
SIC Description:	Quick Printing		

--Details--
Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

Site: ***TORONTO HYDRO-ELECTRIC SYSTEM LTD.***
VAULTS, MANHOLES & SPILL SITES TORONTO ON M1B 2K4

Database: ***GEN***

Generator No.:	ON0173231	***PO Box No.:***	
Status:		***Country:***	Canada
Approval Years:	2016	***Choice of Contact:***	CO_OFFICIAL
Contam. Facility:	No	***Co Admin:***	Aaron Wilhelm
MHSW Facility:	No	***Phone No. Admin:***	4165423100 Ext.59769
SIC Code:	221122		
SIC Description:	ELECTRIC POWER DISTRIBUTION		

--Details--
Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 243
Waste Description: PCBS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Waste Code: 213
Waste Description: PETROLEUM DISTILLATES

Waste Code: 221
Waste Description: LIGHT FUELS

Site: ***TORONTO HYDRO-ELECTRIC SYSTEM LTD.***
VAULTS, MANHOLES & SPILL SITES TORONTO ON M1B 2K4

Database: ***GEN***

Generator No.:	ON0173231	***PO Box No.:***	
Status:	Registered	***Country:***	Canada
Approval Years:	As of Dec 2017	***Choice of Contact:***	
Contam. Facility:		***Co Admin:***	
MHSW Facility:		***Phone No. Admin:***	
SIC Code:			
SIC Description:			

--Details--
Waste Code: 251 T
Waste Description: Waste oils/sludges (petroleum based)

Waste Code: 221 I
Waste Description: Light fuels

Waste Code: 243 D
Waste Description: PCB

Waste Code: 146 T
Waste Description: Other specified inorganic sludges, slurries or solids

Waste Code: 146 L
Waste Description: Other specified inorganic sludges, slurries or solids

Waste Code: 252 L
Waste Description: Waste crankcase oils and lubricants

Waste Code: 251 L
Waste Description: Waste oils/sludges (petroleum based)

Waste Code: 252 T
Waste Description: Waste crankcase oils and lubricants

Waste Code: 221 L
Waste Description: Light fuels

Site: ***TORONTO HYDRO-ELECTRIC SYSTEM LTD.***
VAULTS, MANHOLES & SPILL SITES TORONTO ON M1B 2K4

Database: ***GEN***

Generator No.:	ON0173231	***PO Box No.:***	
Status:		***Country:***	Canada
Approval Years:	2015	***Choice of Contact:***	CO_OFFICIAL
Contam. Facility:	No	***Co Admin:***	Aaron Wilhelm
MHSW Facility:	No	***Phone No. Admin:***	4165423100 Ext.59769
SIC Code:	221122		
SIC Description:	ELECTRIC POWER DISTRIBUTION		

--Details--

Waste Code:	146
Waste Description:	OTHER SPECIFIED INORGANICS
Waste Code:	148
Waste Description:	INORGANIC LABORATORY CHEMICALS
Waste Code:	213
Waste Description:	PETROLEUM DISTILLATES
Waste Code:	251
Waste Description:	OIL SKIMMINGS & SLUDGES
Waste Code:	263
Waste Description:	ORGANIC LABORATORY CHEMICALS
Waste Code:	243
Waste Description:	PCBS
Waste Code:	221
Waste Description:	LIGHT FUELS

Site: ***TORONTO HYDRO-ELECTRIC SYSTEM LTD.***
VAULTS, MANHOLES & SPILL SITES TORONTO ON M1B 2K4

Database: ***GEN***

Generator No.:	ON0173231	***PO Box No.:***	
Status:		***Country:***	Canada
Approval Years:	2014	***Choice of Contact:***	CO_OFFICIAL
Contam. Facility:	No	***Co Admin:***	Aaron Wilhelm
MHSW Facility:	No	***Phone No. Admin:***	4165423100 Ext.59769
SIC Code:	221122		
SIC Description:	ELECTRIC POWER DISTRIBUTION		

--Details--

Waste Code:	213
Waste Description:	PETROLEUM DISTILLATES
Waste Code:	243
Waste Description:	PCBS
Waste Code:	146
Waste Description:	OTHER SPECIFIED INORGANICS
Waste Code:	221
Waste Description:	LIGHT FUELS
Waste Code:	251
Waste Description:	OIL SKIMMINGS & SLUDGES
Waste Code:	148
Waste Description:	INORGANIC LABORATORY CHEMICALS
Waste Code:	263
Waste Description:	ORGANIC LABORATORY CHEMICALS

Site: ***UNIVERSITY OF TORONTO***
CENTRAL WASTE FACILITY(TRANSFER STATION N14 COLLEGE STREET (REAR) TORONTO ON M5S 1A1

Database: ***GEN***

Generator No.:	ON0179411	***PO Box No.:***	
Status:		***Country:***	
Approval Years:	86,87	***Choice of Contact:***	
Contam. Facility:		***Co Admin:***	
MHSW Facility:		***Phone No. Admin:***	

SIC Code: 8531
SIC Description: UNIVERSITY EDUCATION

--Details--
Waste Code: 241
Waste Description: HALOGENATED SOLVENTS

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Waste Code: 261
Waste Description: PHARMACEUTICALS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 264
Waste Description: PHOTOPROCESSING WASTES

Waste Code: 269
Waste Description: NON-HALOGENATED PESTICIDES

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 211
Waste Description: AROMATIC SOLVENTS

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Site: ***Toronto Hydro Electric System***
Various Substation Locations Toronto ON M4M 3N7

Database: ***GEN***

Generator No.: ON1017474
Status: Registered
Approval Years: As of Dec 2017
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No.:
Country: Canada
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 252 L
Waste Description: Waste crankcase oils and lubricants

Waste Code: 263 L
Waste Description: Misc. waste organic chemicals

Waste Code: 251 L
Waste Description: Waste oils/sludges (petroleum based)

Waste Code: 146 T
Waste Description: Other specified inorganic sludges, slurries or solids

Waste Code: 145 I
Waste Description: Wastes from the use of pigments, coatings and paints

Waste Code: 331 I
Waste Description: Waste compressed gases including cylinders

Waste Code: 221 L
Waste Description: Light fuels

Waste Code: 252 T

Waste Description: Waste crankcase oils and lubricants

Waste Code: 145 L
Waste Description: Wastes from the use of pigments, coatings and paints

Waste Code: 243 D
Waste Description: PCB

Site: ***Toronto Hydro Electric System***
Various Substation Locations Toronto ON

Database: ***GEN***

Generator No.: ON1017474
Status:
Approval Years: 03,04,05,06,07,08
Contam. Facility:
MHSW Facility:
SIC Code: 221122
SIC Description: Electric Power Distribution

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 112
Waste Description: ACID WASTE - HEAVY METALS

Waste Code: 121
Waste Description: ALKALINE WASTES - HEAVY METALS

Waste Code: 243
Waste Description: PCB'S

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Waste Code: 253
Waste Description: EMULSIFIED OILS

Site: ***Toronto Hydro Electric System***
Various Substation Locations Toronto ON M4M 3N7

Database: ***GEN***

Generator No.: ON1017474
Status:
Approval Years: 2014
Contam. Facility: No
MHSW Facility: No
SIC Code: 221122
SIC Description: ELECTRIC POWER DISTRIBUTION

PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin: Aaron Wilhelm
Phone No. Admin: 4165423100 Ext.59769

--Details--
Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Waste Code: 121
Waste Description: ALKALINE WASTES - HEAVY METALS

Waste Code: 112
Waste Description: ACID WASTE - HEAVY METALS

Waste Code: 253
Waste Description: EMULSIFIED OILS

Waste Code: 331
Waste Description: WASTE COMPRESSED GASES

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES

Waste Code: 243
Waste Description: PCBS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Site: ***Toronto Hydro Electric System***
Various Substation Locations Toronto ON M4M 3N7

Database: ***GEN***

Generator No.:	ON1017474	***PO Box No.:***	
Status:		***Country:***	Canada
Approval Years:	2015	***Choice of Contact:***	CO_OFFICIAL
Contam. Facility:	No	***Co Admin:***	Aaron Wilhelm
MHSW Facility:	No	***Phone No. Admin:***	4165423100 Ext.59769
SIC Code:	221122		
SIC Description:	ELECTRIC POWER DISTRIBUTION		

--Details--
Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES

Waste Code: 331
Waste Description: WASTE COMPRESSED GASES

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 112
Waste Description: ACID WASTE - HEAVY METALS

Waste Code: 221
Waste Description: LIGHT FUELS

Waste Code: 253
Waste Description: EMULSIFIED OILS

Waste Code: 243
Waste Description: PCBS

Waste Code: 121
Waste Description: ALKALINE WASTES - HEAVY METALS

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Site: ***Toronto Hydro Electric System***

Database:

Various Substation Locations Toronto ON ***GEN***

Generator No.:	ON1017474	***PO Box No.:***	
Status:		***Country:***	
Approval Years:	2010	***Choice of Contact:***	
Contam. Facility:		***Co Admin:***	
MHSW Facility:		***Phone No. Admin:***	
SIC Code:	221122		
SIC Description:	Electric Power Distribution		

--Details--

Waste Code: 112
Waste Description: ACID WASTE - HEAVY METALS

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 243
Waste Description: PCBS

Waste Code: 121
Waste Description: ALKALINE WASTES - HEAVY METALS

Waste Code: 253
Waste Description: EMULSIFIED OILS

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Site: ***Toronto Hydro Electric System*** ***Database:***
Various Substation Locations Toronto ON ***GEN***

Generator No.:	ON1017474	***PO Box No.:***	
Status:		***Country:***	
Approval Years:	2013	***Choice of Contact:***	
Contam. Facility:		***Co Admin:***	
MHSW Facility:		***Phone No. Admin:***	
SIC Code:	221122		
SIC Description:	ELECTRIC POWER DISTRIBUTION		

--Details--

Waste Code: 243
Waste Description: PCBS

Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES

Waste Code: 121
Waste Description: ALKALINE WASTES - HEAVY METALS

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Waste Code: 331
Waste Description: WASTE COMPRESSED GASES

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Waste Code: 112
Waste Description: ACID WASTE - HEAVY METALS

Waste Code: 253

Waste Description: EMULSIFIED OILS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Site: ***Toronto Hydro Electric System***
Various Substation Locations Toronto ON M4M 3N7

Database: ***GEN***

Generator No.:	ON1017474	***PO Box No.:***	
Status:		***Country:***	Canada
Approval Years:	2016	***Choice of Contact:***	CO_OFFICIAL
Contam. Facility:	No	***Co Admin:***	Aaron Wilhelm
MHSW Facility:	No	***Phone No. Admin:***	4165423100 Ext.59769
SIC Code:	221122		
SIC Description:	ELECTRIC POWER DISTRIBUTION		

--Details--
Waste Code: 112
Waste Description: ACID WASTE - HEAVY METALS

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES

Waste Code: 253
Waste Description: EMULSIFIED OILS

Waste Code: 221
Waste Description: LIGHT FUELS

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 331
Waste Description: WASTE COMPRESSED GASES

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 243
Waste Description: PCBS

Waste Code: 121
Waste Description: ALKALINE WASTES - HEAVY METALS

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Site: ***Toronto Hydro Electric System***
Various Substation Locations Toronto ON

Database: ***GEN***

Generator No.:	ON1017474	***PO Box No.:***	
Status:		***Country:***	
Approval Years:	2012	***Choice of Contact:***	
Contam. Facility:		***Co Admin:***	
MHSW Facility:		***Phone No. Admin:***	
SIC Code:	221122		
SIC Description:	Electric Power Distribution		

--Details--
Waste Code: 112
Waste Description: ACID WASTE - HEAVY METALS

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 121
Waste Description: ALKALINE WASTES - HEAVY METALS

Waste Code: 243
Waste Description: PCBS

Waste Code: 253
Waste Description: EMULSIFIED OILS

Site: ***Toronto Hydro Electric System***
Various Substation Locations Toronto ON

Database: ***GEN***

Generator No.: ON1017474
Status:
Approval Years: 2009
Contam. Facility:
MHSW Facility:
SIC Code: 221122
SIC Description: Electric Power Distribution

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 112
Waste Description: ACID WASTE - HEAVY METALS

Waste Code: 121
Waste Description: ALKALINE WASTES - HEAVY METALS

Waste Code: 243
Waste Description: PCBS

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 253
Waste Description: EMULSIFIED OILS

Site: ***Toronto Hydro Electric System***
Various Substation Locations Toronto ON

Database: ***GEN***

Generator No.: ON1017474
Status:
Approval Years: 2011
Contam. Facility:
MHSW Facility:
SIC Code: 221122
SIC Description: Electric Power Distribution

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Waste Code: 121
Waste Description: ALKALINE WASTES - HEAVY METALS

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 253
Waste Description: EMULSIFIED OILS

Waste Code: 243
Waste Description: PCBS

Waste Code: 112
Waste Description: ACID WASTE - HEAVY METALS

Site: ***TORONTO HYDRO-ELECTRIC SYSTEM LTD.***
VAULTS, MANHOLES & SPILL SITES TORONTO ON

Database: ***GEN***

Generator No.: ON0173231
Status:
Approval Years: 2013
Contam. Facility:
MHSW Facility:
SIC Code: 221122
SIC Description: ELECTRIC POWER DISTRIBUTION

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 213
Waste Description: PETROLEUM DISTILLATES

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 221
Waste Description: LIGHT FUELS

Waste Code: 243
Waste Description: PCBS

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Site: ***TORONTO HYDRO-ELECTRIC SYSTEM LTD.***
VAULTS, MANHOLES & SPILL SITES TORONTO ON M5B 1K5

Database: ***GEN***

Generator No.: ON0173231
Status:
Approval Years: 2012
Contam. Facility:
MHSW Facility:
SIC Code: 221122
SIC Description: Electric Power Distribution

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 213

Waste Description: PETROLEUM DISTILLATES

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Waste Code: 243
Waste Description: PCBS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Site: ***TORONTO HYDRO-ELECTRIC SYSTEM LTD.***
VAULTS, MANHOLES & SPILL SITES TORONTO ON

Database: ***GEN***

Generator No.: ON0173231
Status:
Approval Years: 2011
Contam. Facility:
MHSW Facility:
SIC Code: 221122
SIC Description: Electric Power Distribution

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Waste Code: 243
Waste Description: PCBS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 213
Waste Description: PETROLEUM DISTILLATES

Site: ***TORONTO HYDRO-ELECTRIC SYSTEM LTD.***
VAULTS, MANHOLES & SPILL SITES TORONTO ON

Database: ***GEN***

Generator No.: ON0173231
Status:
Approval Years: 2010
Contam. Facility:
MHSW Facility:
SIC Code: 221122
SIC Description: Electric Power Distribution

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Waste Code: 213
Waste Description: PETROLEUM DISTILLATES

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Waste Code: 243
Waste Description: PCBS

Site: ***TORONTO HYDRO***
HIGH LEVEL STATION TORONTO ON

Database: ***REC***

Rec Op Div:
Co Admin:
Phone No Admin:
Rec Div:
Rec Op Name:
Choice of Contact:
Site Bldg:
Site PO Box:
Receiver #:: RRPCB0750
Facility Type: PCB STORAGE SITE
Approval Yrs:: 01,02,06,07,08

Site: ***TORONTO HYDRO***
HIGH LEVEL STATION C/O 14 CARLTON STREET TORONTO ON

Database: ***REC***

Rec Op Div:
Co Admin:
Phone No Admin:
Rec Div:
Rec Op Name:
Choice of Contact:
Site Bldg:
Site PO Box:
Receiver #:: RRPCB0750
Facility Type: TRANSFER STATION
Approval Yrs:: 89,90,92,94,95,96,97,98,99,00

Site: ***TORONTO HYDRO***
GLEN ECHO - YONGE TRANSFORMER VAULT TORONTO ON

Database: ***REC***

Rec Op Div:
Co Admin:
Phone No Admin:
Rec Div:
Rec Op Name:
Choice of Contact:
Site Bldg:
Site PO Box:
Receiver #:: RRPCB0490
Facility Type: PCB STORAGE SITE
Approval Yrs:: 01,02,06,07,08

Site: ***TORONTO HYDRO***
GLEN ECHO - YONGE TRANSFORMER VAULT C/O 14 CARLTON STREET TORONTO ON M5B 1K5

Database: ***REC***

Rec Op Div:
Co Admin:
Phone No Admin:
Rec Div:
Rec Op Name:
Choice of Contact:
Site Bldg:

Site PO Box:	
Receiver #::	RRPCB0490
Facility Type:	TRANSFER STATION
Approval Yrs::	88,89,90,92,95,96,97,98,99,00

Site: ***ESSO HOME HEAT***
TORONTO ON

Database: ***RST***

Headcode:	00924800
Headcode Desc:	FUEL OIL
Phone:	4164816141
List Name:	
Description:	

Site: ***Inmet Mining Corporation***
Bay St Toronto ON M5H 2S8

Database: ***SCT***

Established:	
Plant Size (ft²):	
Employment:	

--Details--

Description:	Gold and Silver Ore Mining
SIC/NAICS Code:	212220
Description:	Copper-Zinc Ore Mining
SIC/NAICS Code:	212233

Site: ***Toronto Hydro-Electric System Limited***
18 St. Nicholas Drive Toronto ON

Database: ***SPL***

Ref No:	3663-AX5NUY	***Discharger Report:***	
Site No:	NA	***Material Group:***	
Incident Dt:	2018/03/23	***Client Type:***	Corporation
Year:		***Sector Type:***	Miscellaneous Communal
Incident Cause:		***Source Type:***	Transformer
Incident Event:	Leak/Break	***Nearest Watercourse:***	
Contaminant Code:	13	***Site Name:***	18 St. Nicholas Drive<UNOFFICIAL>
Contaminant Name:	MINERAL OIL	***Site Address:***	18 St. Nicholas Drive
Contaminant Limit 1:		***Site District Office:***	Toronto - District
Contam Limit Freq 1:		***Site County/District:***	
Contaminant UN No 1:	n/a	***Site Postal Code:***	
Contaminant Qty:	12 L	***Site Region:***	Central
Environment Impact:		***Site Municipality:***	Toronto
Nature of Impact:		***Site Lot:***	
Receiving Medium:		***Site Conc:***	
Receiving Env:	Land	***Northing:***	4835997.71
Health/Env Conseq:	2 - Minor Environment	***Easting:***	630149.26
MOE Response:	No	***Site Geo Ref Accu:***	
Dt MOE Arvl on Scn:		***Site Geo Ref Meth:***	
MOE Reported Dt:	2018/03/23	***Site Map Datum:***	
Dt Document Closed:			
SAC Action Class:	Land Spills		
Incident Reason:	Equipment Failure		
Incident Summary:	Toronto Hydro: 12L transformer spill to vault, clnd.		

Site: ***ESSO PETROLEUM CANADA***
TANK TRUCK (CARGO) TORONTO CITY ON

Database: ***SPL***

Ref No:	48558	***Discharger Report:***	
Site No:		***Material Group:***	
Incident Dt:	4/4/1991	***Client Type:***	

Year:		***Sector Type:***	
Incident Cause:	CONTAINER OVERFLOW	***Source Type:***	
Incident Event:		***Nearest Watercourse:***	
Contaminant Code:		***Site Name:***	
Contaminant Name:		***Site Address:***	
Contaminant Limit 1:		***Site District Office:***	
Contam Limit Freq 1:		***Site County/District:***	
Contaminant UN No 1:		***Site Postal Code:***	
Contaminant Qty:		***Site Region:***	
Environment Impact:	NOT ANTICIPATED	***Site Municipality:***	01106
Nature of Impact:		***Site Lot:***	
Receiving Medium:	LAND	***Site Conc:***	
Receiving Env:		***Northing:***	
Health/Env Conseq:		***Easting:***	
MOE Response:		***Site Geo Ref Accu:***	
Dt MOE Arvl on Scn:		***Site Geo Ref Meth:***	
MOE Reported Dt:	4/4/1991	***Site Map Datum:***	
Dt Document Closed:			
SAC Action Class:			
Incident Reason:	ERROR		
Incident Summary:	ESSO-10 LITRES FURNACE OIL TO GRND,TRUCK OVER FILLED,CLEANED-UP		

Site: ***ESSO CHEMICAL***
TANK TRUCK (CARGO) TORONTO CITY ON

Database: ***SPL***

Ref No:	24174	***Discharger Report:***	
Site No:		***Material Group:***	
Incident Dt:	8/24/1989	***Client Type:***	
Year:		***Sector Type:***	
Incident Cause:	PIPE/HOSE LEAK	***Source Type:***	
Incident Event:		***Nearest Watercourse:***	
Contaminant Code:		***Site Name:***	
Contaminant Name:		***Site Address:***	
Contaminant Limit 1:		***Site District Office:***	
Contam Limit Freq 1:		***Site County/District:***	
Contaminant UN No 1:		***Site Postal Code:***	
Contaminant Qty:		***Site Region:***	
Environment Impact:		***Site Municipality:***	01106
Nature of Impact:		***Site Lot:***	
Receiving Medium:	LAND	***Site Conc:***	
Receiving Env:		***Northing:***	
Health/Env Conseq:		***Easting:***	
MOE Response:		***Site Geo Ref Accu:***	
Dt MOE Arvl on Scn:		***Site Geo Ref Meth:***	
MOE Reported Dt:	8/24/1989	***Site Map Datum:***	
Dt Document Closed:			
SAC Action Class:			
Incident Reason:	MATERIAL FAILURE		
Incident Summary:	ESSO CHEMICAL - 75 L SOLVESSO-100 TO GROUND (AROMATIC SOLVENT).		

Site: ***ESSO PETROLEUM CANADA***
TANK TRUCK (CARGO) TORONTO CITY ON

Database: ***SPL***

Ref No:	59567	***Discharger Report:***	
Site No:		***Material Group:***	
Incident Dt:	11/8/1991	***Client Type:***	
Year:		***Sector Type:***	
Incident Cause:	OTHER CONTAINER LEAK	***Source Type:***	
Incident Event:		***Nearest Watercourse:***	
Contaminant Code:		***Site Name:***	
Contaminant Name:		***Site Address:***	
Contaminant Limit 1:		***Site District Office:***	
Contam Limit Freq 1:		***Site County/District:***	
Contaminant UN No 1:		***Site Postal Code:***	
Contaminant Qty:		***Site Region:***	
Environment Impact:	NOT ANTICIPATED	***Site Municipality:***	01106

Nature of Impact:		***Site Lot:***	
Receiving Medium:	LAND	***Site Conc:***	
Receiving Env:		***Northing:***	
Health/Env Conseq:		***Easting:***	
MOE Response:		***Site Geo Ref Accu:***	
Dt MOE Arvl on Scn:		***Site Geo Ref Meth:***	
MOE Reported Dt:	11/9/1991	***Site Map Datum:***	
Dt Document Closed:			
SAC Action Class:			
Incident Reason:	EQUIPMENT FAILURE		
Incident Summary:	ESSO PETROLEUM: 4L GASOLINE BACKFLOW WHEN DUMP VALVE MALFUNCTIONED		

Site: ***ESSO CHEMICAL***
TANK TRUCK (CARGO) TORONTO CITY ON

Database: ***SPL***

Ref No:	21541	***Discharger Report:***	
Site No:		***Material Group:***	
Incident Dt:	7/5/1989	***Client Type:***	
Year:		***Sector Type:***	
Incident Cause:	OTHER CONTAINER LEAK	***Source Type:***	
Incident Event:		***Nearest Watercourse:***	
Contaminant Code:		***Site Name:***	
Contaminant Name:		***Site Address:***	
Contaminant Limit 1:		***Site District Office:***	
Contam Limit Freq 1:		***Site County/District:***	
Contaminant UN No 1:		***Site Postal Code:***	
Contaminant Qty:		***Site Region:***	
Environment Impact:		***Site Municipality:***	01106
Nature of Impact:		***Site Lot:***	
Receiving Medium:	LAND	***Site Conc:***	
Receiving Env:		***Northing:***	
Health/Env Conseq:		***Easting:***	
MOE Response:		***Site Geo Ref Accu:***	
Dt MOE Arvl on Scn:		***Site Geo Ref Meth:***	
MOE Reported Dt:	7/5/1989	***Site Map Datum:***	
Dt Document Closed:			
SAC Action Class:			
Incident Reason:	OVERSTRESS/OVERPRESSURE		
Incident Summary:	ESSO CHEMICAL - LID OF TANKER TRUCK BLOWN OFF 40L TOLUENE TO GROUND		

Site: ***ESSO PETROLEUM***
TANK TRUCK (CARGO) TORONTO CITY ON

Database: ***SPL***

Ref No:	28792	***Discharger Report:***	
Site No:		***Material Group:***	
Incident Dt:	12/12/1989	***Client Type:***	
Year:		***Sector Type:***	
Incident Cause:	PIPE/HOSE LEAK	***Source Type:***	
Incident Event:		***Nearest Watercourse:***	
Contaminant Code:		***Site Name:***	
Contaminant Name:		***Site Address:***	
Contaminant Limit 1:		***Site District Office:***	
Contam Limit Freq 1:		***Site County/District:***	
Contaminant UN No 1:		***Site Postal Code:***	
Contaminant Qty:		***Site Region:***	
Environment Impact:		***Site Municipality:***	01106
Nature of Impact:		***Site Lot:***	
Receiving Medium:	LAND	***Site Conc:***	
Receiving Env:		***Northing:***	
Health/Env Conseq:		***Easting:***	MCCR
MOE Response:		***Site Geo Ref Accu:***	
Dt MOE Arvl on Scn:		***Site Geo Ref Meth:***	
MOE Reported Dt:	12/12/1989	***Site Map Datum:***	
Dt Document Closed:			
SAC Action Class:			
Incident Reason:	EQUIPMENT FAILURE		

Incident Summary: ESSO PETROLEUM - 50 L OF VARSOL TO CEMENT WHILE OFF-LOADING TANK TRUCK.

Site: ***ESSO PETROLEUM SERVICE STATION TORONTO CITY ON***

Database: ***SPL***

Ref No:	4934	**Discharger Report:**	
Site No:		**Material Group:**	
Incident Dt:	1/16/1988	**Client Type:**	
Year:		**Sector Type:**	
Incident Cause:	CONTAINER OVERFLOW	**Source Type:**	
Incident Event:		**Nearest Watercourse:**	
Contaminant Code:		**Site Name:**	
Contaminant Name:		**Site Address:**	
Contaminant Limit 1:		**Site District Office:**	
Contam Limit Freq 1:		**Site County/District:**	
Contaminant UN No 1:		**Site Postal Code:**	
Contaminant Qty:		**Site Region:**	
Environment Impact:		**Site Municipality:**	1106
Nature of Impact:		**Site Lot:**	
Receiving Medium:	LAND	**Site Conc:**	
Receiving Env:		**Northing:**	
Health/Env Conseq:		**Easting:**	
MOE Response:		**Site Geo Ref Accu:**	
Dt MOE Arvl on Scn:		**Site Geo Ref Meth:**	
MOE Reported Dt:	1/16/1988	**Site Map Datum:**	
Dt Document Closed:			
SAC Action Class:			
Incident Reason:	EQUIPMENT FAILURE		
Incident Summary:	ESSO SERVICE STATION - 18 L GASOLINE TO GROUND		

Site: ***ESSO PETROLEUM CANADA SERVICE STATION TORONTO CITY ON***

Database: ***SPL***

Ref No:	122134	**Discharger Report:**	
Site No:		**Material Group:**	
Incident Dt:	12/30/1995	**Client Type:**	
Year:		**Sector Type:**	
Incident Cause:	VALVE/FITTING LEAK OR FAILURE	**Source Type:**	
Incident Event:		**Nearest Watercourse:**	
Contaminant Code:		**Site Name:**	
Contaminant Name:		**Site Address:**	
Contaminant Limit 1:		**Site District Office:**	
Contam Limit Freq 1:		**Site County/District:**	
Contaminant UN No 1:		**Site Postal Code:**	
Contaminant Qty:		**Site Region:**	
Environment Impact:	NOT ANTICIPATED	**Site Municipality:**	1106
Nature of Impact:		**Site Lot:**	
Receiving Medium:	LAND	**Site Conc:**	
Receiving Env:		**Northing:**	
Health/Env Conseq:		**Easting:**	
MOE Response:		**Site Geo Ref Accu:**	
Dt MOE Arvl on Scn:		**Site Geo Ref Meth:**	
MOE Reported Dt:	12/30/1995	**Site Map Datum:**	
Dt Document Closed:			
SAC Action Class:			
Incident Reason:	EQUIPMENT FAILURE		
Incident Summary:	ESSO:20L GASOLINE LEAKED TO GROUND FROM LEAKING PUMP.CLEANED UP.		

Site: ***ESSO PETROLEUM CANADA SERVICE STATION TORONTO CITY ON***

Database: ***SPL***

Ref No:	44046	**Discharger Report:**	
Site No:		**Material Group:**	
Incident Dt:	11/17/1990	**Client Type:**	

Year:		***Sector Type:***	
Incident Cause:	OTHER CONTAINER LEAK	***Source Type:***	
Incident Event:		***Nearest Watercourse:***	
Contaminant Code:		***Site Name:***	
Contaminant Name:		***Site Address:***	
Contaminant Limit 1:		***Site District Office:***	
Contam Limit Freq 1:		***Site County/District:***	
Contaminant UN No 1:		***Site Postal Code:***	
Contaminant Qty:		***Site Region:***	
Environment Impact:	NOT ANTICIPATED	***Site Municipality:***	01106
Nature of Impact:		***Site Lot:***	
Receiving Medium:	LAND	***Site Conc:***	
Receiving Env:		***Northing:***	
Health/Env Conseq:		***Easting:***	FIRE DEPT
MOE Response:		***Site Geo Ref Accu:***	
Dt MOE Arvl on Scn:		***Site Geo Ref Meth:***	
MOE Reported Dt:	11/17/1990	***Site Map Datum:***	
Dt Document Closed:			
SAC Action Class:			
Incident Reason:	EQUIPMENT FAILURE		
Incident Summary:	ESSO SERVICE STATION-20 LOF GASOLINE TO PAVEMENT.		

Site: ***IMPERIAL OIL***
ESSO SERVICE STATION TORONTO CITY ON

Database: ***SPL***

Ref No:	110205	***Discharger Report:***	
Site No:		***Material Group:***	
Incident Dt:	2/18/1995	***Client Type:***	
Year:		***Sector Type:***	
Incident Cause:	VALVE/FITTING LEAK OR FAILURE	***Source Type:***	
Incident Event:		***Nearest Watercourse:***	
Contaminant Code:		***Site Name:***	
Contaminant Name:		***Site Address:***	
Contaminant Limit 1:		***Site District Office:***	
Contam Limit Freq 1:		***Site County/District:***	
Contaminant UN No 1:		***Site Postal Code:***	
Contaminant Qty:		***Site Region:***	
Environment Impact:	NOT ANTICIPATED	***Site Municipality:***	1106
Nature of Impact:		***Site Lot:***	
Receiving Medium:	LAND	***Site Conc:***	
Receiving Env:		***Northing:***	
Health/Env Conseq:		***Easting:***	
MOE Response:		***Site Geo Ref Accu:***	
Dt MOE Arvl on Scn:		***Site Geo Ref Meth:***	
MOE Reported Dt:	2/20/1995	***Site Map Datum:***	
Dt Document Closed:			
SAC Action Class:			
Incident Reason:	MATERIAL FAILURE		
Incident Summary:	IMPERIAL OIL: 8-12 L GAS CONTAINED UNDER PUMP CAVITY		

Site: ***IMPERIAL OIL***
ESSO SERVICE STATION TORONTO CITY ON

Database: ***SPL***

Ref No:	14737	***Discharger Report:***	
Site No:		***Material Group:***	
Incident Dt:	2/9/1989	***Client Type:***	
Year:		***Sector Type:***	
Incident Cause:	CONTAINER OVERFLOW	***Source Type:***	
Incident Event:		***Nearest Watercourse:***	
Contaminant Code:		***Site Name:***	
Contaminant Name:		***Site Address:***	
Contaminant Limit 1:		***Site District Office:***	
Contam Limit Freq 1:		***Site County/District:***	
Contaminant UN No 1:		***Site Postal Code:***	
Contaminant Qty:		***Site Region:***	
Environment Impact:		***Site Municipality:***	01106

Nature of Impact:		***Site Lot:***	
Receiving Medium:	LAND	***Site Conc:***	
Receiving Env:		***Northing:***	
Health/Env Conseq:		***Easting:***	
MOE Response:		***Site Geo Ref Accu:***	
Dt MOE Arvl on Scn:		***Site Geo Ref Meth:***	
MOE Reported Dt:	2/13/1989	***Site Map Datum:***	
Dt Document Closed:			
SAC Action Class:			
Incident Reason:	ERROR		
Incident Summary:	ESSO SERVICE STATION		

Site: ***End of Bay St Toronto ON***

Database: ***SPL***

Ref No:	0076-8G9LYK	***Discharger Report:***	
Site No:		***Material Group:***	
Incident Dt:	4/25/2011	***Client Type:***	
Year:		***Sector Type:***	
Incident Cause:		***Source Type:***	
Incident Event:		***Nearest Watercourse:***	
Contaminant Code:		***Site Name:***	Toronto Ferry Docks<UNOFFICIAL>
Contaminant Name:		***Site Address:***	End of Bay St
Contaminant Limit 1:		***Site District Office:***	
Contam Limit Freq 1:		***Site County/District:***	
Contaminant UN No 1:		***Site Postal Code:***	
Contaminant Qty:		***Site Region:***	
Environment Impact:	Not Anticipated	***Site Municipality:***	Toronto
Nature of Impact:	Surface Water Pollution	***Site Lot:***	
Receiving Medium:	Sewage - Municipal/Private and Commercial	***Site Conc:***	
Receiving Env:		***Northing:***	
Health/Env Conseq:		***Easting:***	
MOE Response:	No Field Response	***Site Geo Ref Accu:***	
Dt MOE Arvl on Scn:		***Site Geo Ref Meth:***	
MOE Reported Dt:	4/25/2011	***Site Map Datum:***	
Dt Document Closed:	12/9/2011		
SAC Action Class:	Pollution Incident Reports (PIRs) and ¿Other¿ calls		
Incident Reason:			
Incident Summary:	Toronto Ferry Docks: Oil Slick Visiible		

Site: ***CONTRACTOR (N.O.S.) TORONTO CITY ON***

Database: ***SPL***

Ref No:	126437	***Discharger Report:***	
Site No:		***Material Group:***	
Incident Dt:	5/14/1996	***Client Type:***	
Year:		***Sector Type:***	
Incident Cause:	WASTEWATER DISCHARGE TO WATERCOURSE	***Source Type:***	
Incident Event:		***Nearest Watercourse:***	
Contaminant Code:		***Site Name:***	
Contaminant Name:		***Site Address:***	
Contaminant Limit 1:		***Site District Office:***	
Contam Limit Freq 1:		***Site County/District:***	
Contaminant UN No 1:		***Site Postal Code:***	
Contaminant Qty:		***Site Region:***	
Environment Impact:	POSSIBLE	***Site Municipality:***	01106
Nature of Impact:	Multi Media Pollution	***Site Lot:***	
Receiving Medium:	LAND / WATER	***Site Conc:***	
Receiving Env:		***Northing:***	
Health/Env Conseq:		***Easting:***	CITY OF YORK,METRO.
MOE Response:		***Site Geo Ref Accu:***	
Dt MOE Arvl on Scn:		***Site Geo Ref Meth:***	
MOE Reported Dt:	5/14/1996	***Site Map Datum:***	
Dt Document Closed:			
SAC Action Class:			

Incident Reason:	INTENTIONAL/PLANNED
Incident Summary:	MOSES & ERIN PLUMBING-UKNQTY RAW SEWAGE TO SIDEWALK & CB,METRO,YORK.

Site: ***Toronto Hydro Electric System Safety & Environmental Systems***
Toronto ON

Database: ***SPL***

Ref No:	1278-9R7PBZ	***Discharger Report:***	
Site No:	NA	***Material Group:***	
Incident Dt:	2014/11/24	***Client Type:***	
Year:		***Sector Type:***	Transformer
Incident Cause:	Leak/Break	***Source Type:***	
Incident Event:		***Nearest Watercourse:***	
Contaminant Code:	26	***Site Name:***	172 Indian Road Crest<UNOFFICIAL>
Contaminant Name:	TRANSFORMER OIL (GT 50 PPM PCB)	***Site Address:***	
Contaminant Limit 1:		***Site District Office:***	
Contam Limit Freq 1:		***Site County/District:***	
Contaminant UN No 1:		***Site Postal Code:***	
Contaminant Qty:	200 L	***Site Region:***	
Environment Impact:		***Site Municipality:***	Toronto
Nature of Impact:	Surface Water	***Site Lot:***	
Receiving Medium:		***Site Conc:***	
Receiving Env:		***Northing:***	4834874
Health/Env Conseq:		***Easting:***	623730
MOE Response:	N	***Site Geo Ref Accu:***	
Dt MOE Arvl on Scn:		***Site Geo Ref Meth:***	
MOE Reported Dt:	2014/11/25	***Site Map Datum:***	
Dt Document Closed:			
SAC Action Class:	Land Spills		
Incident Reason:	Weather Conditions		
Incident Summary:	Toronto Hydro; 200L PCB suspect transformer oil to catch basin		

Site: ***Toronto Hydro Energy Services Inc.***
Toronto ON

Database: ***SPL***

Ref No:	5832-9QLQFA	***Discharger Report:***	
Site No:	NA	***Material Group:***	
Incident Dt:	2014/11/06	***Client Type:***	
Year:		***Sector Type:***	Motor Vehicle
Incident Cause:	Leak/Break	***Source Type:***	
Incident Event:		***Nearest Watercourse:***	
Contaminant Code:	24	***Site Name:***	Avenue Rd. and McMaster Avenue<UNOFFICIAL>
Contaminant Name:	GLYCOL/WATER SOLUTION	***Site Address:***	
Contaminant Limit 1:		***Site District Office:***	
Contam Limit Freq 1:		***Site County/District:***	
Contaminant UN No 1:		***Site Postal Code:***	
Contaminant Qty:	1 L	***Site Region:***	
Environment Impact:	Not Anticipated	***Site Municipality:***	Toronto
Nature of Impact:	Soil Contamination	***Site Lot:***	
Receiving Medium:		***Site Conc:***	
Receiving Env:		***Northing:***	4837468
Health/Env Conseq:		***Easting:***	629103
MOE Response:		***Site Geo Ref Accu:***	Map
Dt MOE Arvl on Scn:		***Site Geo Ref Meth:***	
MOE Reported Dt:	2014/11/06	***Site Map Datum:***	NAD83
Dt Document Closed:			
SAC Action Class:	Land Spills		
Incident Reason:	Equipment Failure		
Incident Summary:	Toronto Hydro-1 L glycol to ground, clnd.		

Site: ***Toronto Hydro-Electric System Limited***
Toronto ON

Database: ***SPL***

Ref No:	7812-ADZTT6	***Discharger Report:***	

Site No:	NA	***Material Group:***	
Incident Dt:	9/21/2016	***Client Type:***	
Year:		***Sector Type:***	Miscellaneous Industrial
Incident Cause:		***Source Type:***	
Incident Event:	Leak/Break	***Nearest Watercourse:***	
Contaminant Code:	15	***Site Name:***	83 Mondeo Drive<UNOFFICIAL>
Contaminant Name:	TRANSMISSION OIL	***Site Address:***	
Contaminant Limit 1:		***Site District Office:***	
Contam Limit Freq 1:		***Site County/District:***	
Contaminant UN No 1:		***Site Postal Code:***	
Contaminant Qty:	2 L	***Site Region:***	
Environment Impact:		***Site Municipality:***	Toronto
Nature of Impact:		***Site Lot:***	
Receiving Medium:		***Site Conc:***	
Receiving Env:	Land	***Northing:***	
Health/Env Conseq:		***Easting:***	
MOE Response:		***Site Geo Ref Accu:***	
Dt MOE Arvl on Scn:		***Site Geo Ref Meth:***	
MOE Reported Dt:	9/21/2016	***Site Map Datum:***	
Dt Document Closed:	10/14/2016		
SAC Action Class:	Land Spills		
Incident Reason:	Corrosion		
Incident Summary:	Toronto Hydro: < 2 L trans. oil, non-PCB to vault		

Site: ***Toronto Hydro-Electric System Limited***
Toronto ON

Database: ***SPL***

Ref No:	1327-9QENVL	***Discharger Report:***	
Site No:	NA	***Material Group:***	
Incident Dt:	2014/10/31	***Client Type:***	
Year:		***Sector Type:***	Transformer
Incident Cause:	Leak/Break	***Source Type:***	
Incident Event:		***Nearest Watercourse:***	
Contaminant Code:	15	***Site Name:***	16 Dentonia Park Avenue<UNOFFICIAL>
Contaminant Name:	TRANSFORMER OIL (N.O.S.)	***Site Address:***	
Contaminant Limit 1:		***Site District Office:***	
Contam Limit Freq 1:		***Site County/District:***	
Contaminant UN No 1:		***Site Postal Code:***	
Contaminant Qty:	10 L	***Site Region:***	
Environment Impact:	Possible	***Site Municipality:***	Toronto
Nature of Impact:	Soil Contamination; Surface Water Pollution	***Site Lot:***	
Receiving Medium:		***Site Conc:***	
Receiving Env:		***Northing:***	4839049
Health/Env Conseq:		***Easting:***	637059
MOE Response:	No Field Response	***Site Geo Ref Accu:***	
Dt MOE Arvl on Scn:		***Site Geo Ref Meth:***	
MOE Reported Dt:	2014/10/31	***Site Map Datum:***	
Dt Document Closed:			
SAC Action Class:	Land Spills		
Incident Reason:	Unknown / N/A		
Incident Summary:	Toronto Hydro; Transform to grd;Non-pcb suspect.		

Site: ***Toronto Hydro-Electric System Limited***
Toronto ON

Database: ***SPL***

Ref No:	1755-9NYKRK	***Discharger Report:***	
Site No:	NA	***Material Group:***	
Incident Dt:	2014/09/15	***Client Type:***	
Year:		***Sector Type:***	Transformer
Incident Cause:	Leak/Break	***Source Type:***	
Incident Event:		***Nearest Watercourse:***	
Contaminant Code:	15	***Site Name:***	21 Michael Drive<UNOFFICIAL>
Contaminant Name:	TRANSFORMER OIL (N.O.S.)	***Site Address:***	
Contaminant Limit 1:		***Site District Office:***	
Contam Limit Freq 1:		***Site County/District:***	
Contaminant UN No 1:		***Site Postal Code:***	

Contaminant Qty:	0 other - see incident description	***Site Region:***	
Environment Impact:	Not Anticipated	***Site Municipality:***	Toronto
Nature of Impact:	Soil Contamination	***Site Lot:***	
Receiving Medium:		***Site Conc:***	
Receiving Env:		***Northing:***	
Health/Env Conseq:		***Easting:***	
MOE Response:	Deferred Field Response	***Site Geo Ref Accu:***	
Dt MOE Arvl on Scn:		***Site Geo Ref Meth:***	
MOE Reported Dt:	2014/09/15	***Site Map Datum:***	
Dt Document Closed:			
SAC Action Class:	Land Spills		
Incident Reason:	Unknown / N/A		
Incident Summary:	Toronto Hydro - non-pcb oil leak from subm trans.		

Site: ***Toronto Hydro Electric System Safety & Environmental Systems***
Toronto ON

Database: ***SPL***

Ref No:	8836-9MNABU	***Discharger Report:***	
Site No:	NA	***Material Group:***	
Incident Dt:	2014/08/04	***Client Type:***	
Year:		***Sector Type:***	Transformer
Incident Cause:	Leak/Break	***Source Type:***	
Incident Event:		***Nearest Watercourse:***	
Contaminant Code:	15	***Site Name:***	88 Moreau Trail, Scarborough<UNOFFICIAL>
Contaminant Name:	TRANSFORMER OIL (N.O.S.)	***Site Address:***	
Contaminant Limit 1:		***Site District Office:***	
Contam Limit Freq 1:		***Site County/District:***	
Contaminant UN No 1:		***Site Postal Code:***	
Contaminant Qty:		***Site Region:***	
Environment Impact:	Possible	***Site Municipality:***	Toronto
Nature of Impact:	Soil Contamination	***Site Lot:***	
Receiving Medium:		***Site Conc:***	
Receiving Env:		***Northing:***	
Health/Env Conseq:		***Easting:***	
MOE Response:	No Field Response	***Site Geo Ref Accu:***	
Dt MOE Arvl on Scn:		***Site Geo Ref Meth:***	
MOE Reported Dt:	2014/08/04	***Site Map Datum:***	
Dt Document Closed:			
SAC Action Class:	Land Spills		
Incident Reason:	Equipment Failure		
Incident Summary:	Toronto Hydro: 228 L transformer oil (non-pcb) to vault		

Site: ***Toronto Hydro-Electric System Limited***
Toronto ON

Database: ***SPL***

Ref No:	6711-9QLMPN	***Discharger Report:***	
Site No:	NA	***Material Group:***	
Incident Dt:	2014/11/06	***Client Type:***	
Year:		***Sector Type:***	Transformer
Incident Cause:	Leak/Break	***Source Type:***	
Incident Event:		***Nearest Watercourse:***	
Contaminant Code:	15	***Site Name:***	55 Saltan Pool Drive<UNOFFICIAL>
Contaminant Name:	TRANSFORMER OIL (N.O.S.)	***Site Address:***	
Contaminant Limit 1:		***Site District Office:***	
Contam Limit Freq 1:		***Site County/District:***	
Contaminant UN No 1:		***Site Postal Code:***	
Contaminant Qty:	10 L	***Site Region:***	
Environment Impact:	Possible	***Site Municipality:***	Toronto
Nature of Impact:	Surface Water Pollution	***Site Lot:***	
Receiving Medium:		***Site Conc:***	
Receiving Env:		***Northing:***	4843781
Health/Env Conseq:		***Easting:***	613302
MOE Response:	Deferred Field Response	***Site Geo Ref Accu:***	
Dt MOE Arvl on Scn:		***Site Geo Ref Meth:***	
MOE Reported Dt:	2014/11/06	***Site Map Datum:***	
Dt Document Closed:			

SAC Action Class:	Land Spills
Incident Reason:	Equipment Failure
Incident Summary:	Toronto Hydro: 10L Transformer oil; non pcb

---

Site: ***Toronto Hydro-Electric System Limited***
Toronto ON

Database: ***SPL***

Ref No:	3401-9XAK3Y	***Discharger Report:***	
Site No:	NA	***Material Group:***	
Incident Dt:	6/8/2015	***Client Type:***	
Year:		***Sector Type:***	
Incident Cause:	Leak/Break	***Source Type:***	
Incident Event:		***Nearest Watercourse:***	
Contaminant Code:	15	***Site Name:***	80 Aviemore Drive <UNOFFICIAL>
Contaminant Name:	TRANSFORMER OIL (N.O.S.)	***Site Address:***	
Contaminant Limit 1:		***Site District Office:***	
Contam Limit Freq 1:		***Site County/District:***	
Contaminant UN No 1:		***Site Postal Code:***	
Contaminant Qty:	0 L	***Site Region:***	
Environment Impact:		***Site Municipality:***	Toronto
Nature of Impact:	Surface Water	***Site Lot:***	
Receiving Medium:		***Site Conc:***	
Receiving Env:		***Northing:***	
Health/Env Conseq:		***Easting:***	
MOE Response:	N	***Site Geo Ref Accu:***	
Dt MOE Arvl on Scn:		***Site Geo Ref Meth:***	
MOE Reported Dt:	6/8/2015	***Site Map Datum:***	
Dt Document Closed:			

SAC Action Class:	Radioactive Liquid Emission Response Procedure (LERP)
Incident Reason:	Equipment Failure
Incident Summary:	Toronto Hydro: transformer oil to vault unknown quantity

---

Site: ***Eisenberg [S]***
125 Terauley St Toronto ON

Database: ***TANK***

Permit Date:	8/21/1919
Permit Type:	BP 37035
User Type:	
Installation Type:	Fuel tank
Installation Size:	
Installation Config.:	1 x Fuel tank
No. Tanks Installed:	1
Units of Measure:	
Value/Tank ($):	350
Capacity(gal):	
Reference:	CTA Building permits
Location Desc:	

Site: ***Eisenberg [S]***
124 Terauley St Toronto ON

Database: ***TANK***

Permit Date:	10/9/1919
Permit Type:	BP 38226
User Type:	
Installation Type:	Fuel tank
Installation Size:	
Installation Config.:	1 x Fuel tank
No. Tanks Installed:	1
Units of Measure:	
Value/Tank ($):	400
Capacity(gal):	
Reference:	CTA Building permits
Location Desc:	

Appendix: Database Descriptions

Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. ***Note:*** *Databases denoted with " * " indicates that the database will no longer be updated. See the individual database description for more information.*

Abandoned Aggregate Inventory: Provincial AAGR

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.*

Government Publication Date: Sept 2002*

Aggregate Inventory: Provincial AGR

The Ontario Ministry of Natural Resources maintains a database of all active pits and quarries. The database provides information regarding the registered owner/operator, location name, operation type, approval type, and maximum annual tonnage.

Government Publication Date: Up to Sep 2017

Abandoned Mine Information System: Provincial AMIS

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

Government Publication Date: 1800-Nov 2016

Anderson's Waste Disposal Sites: Private ANDR

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1860s-Present

Automobile Wrecking & Supplies: Private AUWR

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

Government Publication Date: 1999-Jan 31, 2018

Borehole: Provincial BORE

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

Government Publication Date: 1875-Jul 2014

Certificates of Approval: Provincial CA

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

Government Publication Date: 1985-Oct 30, 2011*

Commercial Fuel Oil Tanks: Provincial CFOT

Since May 2002, Ontario developed a new act where it became mandatory for fuel oil tanks to be registered with Technical Standards & Safety Authority (TSSA). This data would include all commercial underground fuel oil tanks in Ontario with fields such as location, registration number, tank material, age of tank and tank size.

Government Publication Date: Feb 28, 2017

Chemical Register: Private CHEM

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

Government Publication Date: 1999-Jan 31, 2018

Compressed Natural Gas Stations: Private CNG

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

Government Publication Date: Dec 31, 2012

Inventory of Coal Gasification Plants and Coal Tar Sites: Provincial COAL

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.*

Government Publication Date: Apr 1987 and Nov 1988*

Compliance and Convictions: Provincial CONV

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

Government Publication Date: 1989-Nov 2017

Certificates of Property Use: Provincial CPU

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

Government Publication Date: 1994-Apr 30, 2018

Drill Hole Database: Provincial DRL

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

Government Publication Date: 1886-Nov 30, 2017

Dry Cleaning Facilities: Federal DRYCLEANERS

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of tetrachloroethylene to the environment from dry cleaning facilities.

Government Publication Date: Jan 2004-Dec 2016

Environmental Activity and Sector Registry: Provincial EASR

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval), Please see our ECA database.

Government Publication Date: Oct 2011-May 31, 2018

Environmental Registry: Provincial EBR

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

Government Publication Date: 1994-Apr 30, 2018

Environmental Compliance Approval: Provincial ECA

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

Government Publication Date: Oct 2011-May 31, 2018

Environmental Effects Monitoring: Federal EEM

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

Government Publication Date: 1992-2007*

ERIS Historical Searches: Private EHS

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

Government Publication Date: 1999-Feb 28, 2018

Environmental Issues Inventory System: Federal EIIS

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

Government Publication Date: 1992-2001*

Emergency Management Historical Event: Provincial EMHE

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

Government Publication Date: Dec 31, 2016

List of TSSA Expired Facilities: Provincial EXP

List of facilities with removed tanks which were once registered with the Fuels Safety Program of the Technical Standards and Safety Authority (TSSA). Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc. Tanks which have been removed automatically fall under the expired facilities inventory held by TSSA.

Government Publication Date: Feb 28, 2017

Federal Convictions: Federal FCON

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

Government Publication Date: 1988-Jun 2007*

Contaminated Sites on Federal Land: Federal FCS

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government.

Government Publication Date: Jun 2000-Mar 2018

Fisheries & Oceans Fuel Tanks: Federal FOFT

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

Government Publication Date: 1964-Sep 2017

Fuel Storage Tank: Provincial FST

The Technical Standards & Safety Authority (TSSA), under the Technical Standards & Safety Act of 2000 maintains a database of registered private and retail fuel storage tanks in Ontario with fields such as location, tank status, license date, tank type, tank capacity, fuel type, installation year and facility type.

Government Publication Date: Feb 28, 2017

Fuel Storage Tank - Historic: Provincial FSTH

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

Government Publication Date: Pre-Jan 2010*

Ontario Regulation 347 Waste Generators Summary: Provincial GEN

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

Government Publication Date: 1986-December 31, 2017

Greenhouse Gas Emissions from Large Facilities: Federal GHG

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO2 eq).

Government Publication Date: 2013-Dec 2016

TSSA Historic Incidents: Provincial HINC

This database will cover all incidences recorded by TSSA with their older system, before they moved to their new management system. TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. The TSSA works to protect the public, the environment and property from fuel-related hazards such as spills, fires and explosions. This database will include spills and leaks from pipelines, diesel, fuel oil, gasoline, natural gas, propane and hydrogen recorded by the TSSA.

Government Publication Date: 2006-June 2009*

Indian & Northern Affairs Fuel Tanks: Federal IAFT

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

Government Publication Date: 1950-Aug 2003*

TSSA Incidents: Provincial INC

TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Includes incidents from fuel-related hazards such as spills, fires and explosions. This database will include spills and leaks from diesel, fuel oil, gasoline, natural gas, propane and hydrogen recorded by the TSSA.

Government Publication Date: Feb 28, 2017

Landfill Inventory Management Ontario: Provincial LIMO

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the ministry compiles new and updated information. The inventory will include small and large landfills. Additionally, each year the ministry will request operators of the larger landfills complete a landfill data collection form that will be used to update LIMO and will include the following information from the previous operating year. This will include additional information such as estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills will include information such as site owner, site location and certificate of approval # and status.

Government Publication Date: Dec 31, 2013

Canadian Mine Locations: Private MINE

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

Government Publication Date: 1998-2009*

Environmental Penalty Annual Report: Provincial MISA PENALTY

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change. These reports provide information on environmental penalties for land or water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

Government Publication Date: Jan 1, 2011 - Dec 31, 2017

Mineral Occurrences: Provincial MNR

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

Government Publication Date: 1846-Jan 2018

National Analysis of Trends in Emergencies System (NATES): Federal NATE

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

Government Publication Date: 1974-1994*

Non-Compliance Reports: Provincial NCPL

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

Government Publication Date: Dec 31, 2016

National Defense & Canadian Forces Fuel Tanks: Federal NDFT

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

Government Publication Date: Up to May 2001*

National Defense & Canadian Forces Spills: Federal NDSP

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

Government Publication Date: Mar 1999-Aug 2010

National Defence & Canadian Forces Waste Disposal Sites: Federal NDWD

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

Government Publication Date: 2001-Apr 2007*

National Energy Board Pipeline Incidents: Federal NEBI

Locations of pipeline incidents from 2008 to present, made available by the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

Government Publication Date: 2008-Mar 31, 2018

National Energy Board Wells: Federal NEBW

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date.

Government Publication Date: 1920-Feb 2003*

National Environmental Emergencies System (NEES): Federal NEES

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

Government Publication Date: 1974-2003*

National PCB Inventory: Federal NPCB

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

Government Publication Date: 1988-2008*

National Pollutant Release Inventory: Federal NPRI

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances.

Government Publication Date: 1993-May 2017

Oil and Gas Wells: Private OGW

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at www.nickles.com.

Government Publication Date: 1988-December 31, 2017

Ontario Oil and Gas Wells: Provincial OOGW

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

Government Publication Date: 1800-Oct 2017

Inventory of PCB Storage Sites: Provincial OPCB

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

Government Publication Date: 1987-Oct 2004; 2012-Dec 2013

Orders: Provincial ORD

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

Government Publication Date: 1994-Apr 30, 2018

Canadian Pulp and Paper: Private PAP

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014

Parks Canada Fuel Storage Tanks: Federal PCFT

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

Government Publication Date: 1920-Jan 2005*

Pesticide Register: Provincial PES

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

Government Publication Date: 1988-Mar 2018

TSSA Pipeline Incidents: Provincial PINC

TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. This database will include spills, strike and leaks from recorded by the TSSA.

Government Publication Date: Feb 28, 2017

Private and Retail Fuel Storage Tanks: Provincial PRT

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

Government Publication Date: 1989-1996*

Permit to Take Water: Provincial PTTW

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all PTTW's on the registry such as OWRA s. 34 - Permit to take water.

Government Publication Date: 1994-Apr 30, 2018

Ontario Regulation 347 Waste Receivers Summary: Provincial REC

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

Government Publication Date: 1986-2016

Record of Site Condition: Provincial RSC

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up.
RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09).

Government Publication Date: 1997-Sept 2001, Oct 2004-Apr 2018

Retail Fuel Storage Tanks: Private RST

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

Government Publication Date: 1999-Jan 31, 2018

Scott's Manufacturing Directory: Private SCT

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

Government Publication Date: 1992-Mar 2011*

Ontario Spills: Provincial SPL

This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X.

Government Publication Date: 1988-Feb 2018

Wastewater Discharger Registration Database: Provincial SRDS

Information under this heading is combination of the following 2 programs. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment maintained a database of all direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation; Mining; Petroleum Refining; Organic Chemicals; Inorganic Chemicals; Pulp & Paper; Metal Casting; Iron & Steel; and Quarries. All sampling information is now collected and stored within the Sample Result Data Store (SRDS).

Government Publication Date: 1990-Dec 31, 2016

Anderson's Storage Tanks: Private TANK

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1915-1953*

Transport Canada Fuel Storage Tanks: Federal TCFT

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

Government Publication Date: 1970-Aug 2017

TSSA Variances for Abandonment of Underground Storage Tanks: Provincial VAR

List of variances granted for abandoned tanks. Under the Technical Standards and Safety Authority (TSSA) Liquid Fuels Handling Code and Fuel Oil Code, all underground storage tanks must be removed within two years of disuse. If removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Government Publication Date: Feb 28, 2017

Waste Disposal Sites - MOE CA Inventory: Provincial WDS

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

Government Publication Date: Oct 2011-May 31, 2018

Waste Disposal Sites - MOE 1991 Historical Approval Inventory: Provincial WDSH

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30st, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

Government Publication Date: Up to Oct 1990*

Water Well Information System: Provincial WWIS

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

Government Publication Date: Dec 31, 2017

Definitions

Database Descriptions: This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

Detail Report: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

Distance: The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

Direction: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

Elevation: The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

Executive Summary: This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

Map Key: The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

Unplottables: These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.