



DATABASE **REPORT**

Project Property:	<i>5-15 Raglan Avenue 5-15 Raglan Avenue Toronto ON M6C 2K5</i>
Project No:	<i>BIGC-ENV-334B</i>
Report Type:	<i>RSC Report (Urban)</i>
Order No:	<i>20200114186</i>
Requested by:	<i>B.I.G. Consulting Inc.</i>
Date Completed:	<i>January 17, 2020</i>

Table of Contents

Table of Contents.....	2
Executive Summary.....	3
Executive Summary: Report Summary.....	4
Executive Summary: Site Report Summary - Project Property.....	6
Executive Summary: Site Report Summary - Surrounding Properties.....	7
Executive Summary: Summary By Data Source.....	45
Map.....	91
Aerial.....	92
Topographic Map.....	93
Detail Report.....	94
Unplottable Summary.....	575
Unplottable Report.....	578
Appendix: Database Descriptions.....	602
Definitions.....	611

Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

Executive Summary

Property Information:

Project Property: 5-15 Raglan Avenue
5-15 Raglan Avenue Toronto ON M6C 2K5

Project No: BIGC-ENV-334B

Order Information:

Order No: 20200114186
Date Requested: January 14, 2020
Requested by: B.I.G. Consulting Inc.
Report Type: RSC Report (Urban)

Historical/Products:

Topographic Map RSC Maps

Executive Summary: Report Summary

Database	Name	Searched	Project Property	Boundary to 0.30km	Total
AAGR	<i>Abandoned Aggregate Inventory</i>	Y	0	0	0
AGR	<i>Aggregate Inventory</i>	Y	0	0	0
AMIS	<i>Abandoned Mine Information System</i>	Y	0	0	0
ANDR	<i>Anderson's Waste Disposal Sites</i>	Y	0	3	3
AST	<i>Aboveground Storage Tanks</i>	Y	0	0	0
AUWR	<i>Automobile Wrecking & Supplies</i>	Y	0	0	0
BORE	<i>Borehole</i>	Y	0	8	8
CA	<i>Certificates of Approval</i>	Y	0	12	12
CDRY	<i>Dry Cleaning Facilities</i>	Y	0	1	1
CFOT	<i>Commercial Fuel Oil Tanks</i>	Y	0	0	0
CHEM	<i>Chemical Register</i>	Y	0	0	0
CNG	<i>Compressed Natural Gas Stations</i>	Y	0	0	0
COAL	<i>Inventory of Coal Gasification Plants and Coal Tar Sites</i>	Y	0	0	0
CONV	<i>Compliance and Convictions</i>	Y	0	0	0
CPU	<i>Certificates of Property Use</i>	Y	0	0	0
DRL	<i>Drill Hole Database</i>	Y	0	0	0
EASR	<i>Environmental Activity and Sector Registry</i>	Y	0	4	4
EBR	<i>Environmental Registry</i>	Y	0	5	5
ECA	<i>Environmental Compliance Approval</i>	Y	0	5	5
EEM	<i>Environmental Effects Monitoring</i>	Y	0	0	0
EHS	<i>ERIS Historical Searches</i>	Y	0	64	64
EIIS	<i>Environmental Issues Inventory System</i>	Y	0	0	0
EMHE	<i>Emergency Management Historical Event</i>	Y	0	0	0
EPAR	<i>Environmental Penalty Annual Report</i>	Y	0	0	0
EXP	<i>List of Expired Fuels Safety Facilities</i>	Y	0	6	6
FCON	<i>Federal Convictions</i>	Y	0	0	0
FCS	<i>Contaminated Sites on Federal Land</i>	Y	0	0	0
FED TANKS	<i>Federal Identification Registry for Storage Tank Systems (FIRSTS)</i>	Y	0	0	0
FOFT	<i>Fisheries & Oceans Fuel Tanks</i>	Y	0	0	0
FST	<i>Fuel Storage Tank</i>	Y	0	1	1
FSTH	<i>Fuel Storage Tank - Historic</i>	Y	0	4	4
GEN	<i>Ontario Regulation 347 Waste Generators Summary</i>	Y	0	151	151
GHG	<i>Greenhouse Gas Emissions from Large Facilities</i>	Y	0	0	0
HINC	<i>TSSA Historic Incidents</i>	Y	0	3	3
IAFT	<i>Indian & Northern Affairs Fuel Tanks</i>	Y	0	0	0
INC	<i>Fuel Oil Spills and Leaks</i>	Y	0	0	0

Database	Name	Searched	Project Property	Boundary to 0.30km	Total
LIMO	Landfill Inventory Management Ontario	Y	0	0	0
MINE	Canadian Mine Locations	Y	0	0	0
MNR	Mineral Occurrences	Y	0	0	0
NATE	National Analysis of Trends in Emergencies System (NATES)	Y	0	0	0
NCPL	Non-Compliance Reports	Y	0	0	0
NDFT	National Defense & Canadian Forces Fuel Tanks	Y	0	0	0
NDSP	National Defense & Canadian Forces Spills	Y	0	0	0
NDWD	National Defence & Canadian Forces Waste Disposal Sites	Y	0	0	0
NEBI	National Energy Board Pipeline Incidents	Y	0	0	0
NEBP	National Energy Board Wells	Y	0	0	0
NEES	National Environmental Emergencies System (NEES)	Y	0	0	0
NPCB	National PCB Inventory	Y	0	0	0
NPRI	National Pollutant Release Inventory	Y	0	0	0
OGWE	Oil and Gas Wells	Y	0	0	0
OOGW	Ontario Oil and Gas Wells	Y	0	0	0
OPCB	Inventory of PCB Storage Sites	Y	0	0	0
ORD	Orders	Y	0	0	0
PAP	Canadian Pulp and Paper	Y	0	0	0
PCFT	Parks Canada Fuel Storage Tanks	Y	0	0	0
PES	Pesticide Register	Y	0	16	16
PINC	Pipeline Incidents	Y	0	3	3
PRT	Private and Retail Fuel Storage Tanks	Y	0	3	3
PTTW	Permit to Take Water	Y	0	2	2
REC	Ontario Regulation 347 Waste Receivers Summary	Y	0	0	0
RSC	Record of Site Condition	Y	0	11	11
RST	Retail Fuel Storage Tanks	Y	0	2	2
SCT	Scott's Manufacturing Directory	Y	0	16	16
SPL	Ontario Spills	Y	0	19	19
SRDS	Wastewater Discharger Registration Database	Y	0	0	0
TANK	Anderson's Storage Tanks	Y	0	26	26
TCFT	Transport Canada Fuel Storage Tanks	Y	0	0	0
VAR	Variances for Abandonment of Underground Storage Tanks	Y	0	1	1
WDS	Waste Disposal Sites - MOE CA Inventory	Y	0	0	0
WDSH	Waste Disposal Sites - MOE 1991 Historical Approval Inventory	Y	0	0	0
WWIS	Water Well Information System	Y	0	112	112
Total:			0	478	478

Executive Summary: Site Report Summary - Project Property

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev diff (m)	Page Number
------------	----	-------------------	---------	--------------	------------------	----------------

No records found in the selected databases for the project property.

Executive Summary: Site Report Summary - Surrounding Properties

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
1	WWIS		ON Well ID: 7269823	E/0.7	0.02	94
2	EHS		1486 Bathurst St York ON M5P 3G9	ENE/1.9	0.02	100
3	EHS		1486 Bathurst St Toronto ON M5P3G9	ENE/2.1	0.02	100
4	WWIS		ON Well ID: 7151780	SSE/4.9	-0.02	101
4	WWIS		ON Well ID: 7176471	SSE/4.9	-0.02	108
5	WWIS		ON Well ID: 7151781	S/4.7	-0.31	110
6	WWIS		ON Well ID: 7151779	SSW/4.9	-0.16	114
6	WWIS		ON Well ID: 7176468	SSW/4.9	-0.16	123
7	WWIS		ON Well ID: 7176470	S/7.0	-0.16	125
8	WWIS		ON Well ID: 7176467	SE/9.8	-0.36	128
9	WWIS		TORONTO ON Well ID: 7176491	ESE/6.4	-0.26	130
10	RSC	Goldman (Bathurst) limited	1486 BATHURST ST, TORONTO, ON, M5P 3G9 ON M5P 3G9	E/12.7	-0.62	133

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>10</u>	WWIS		ON Well ID: 7269805	E/12.7	-0.62	<u>133</u>
<u>10</u>	WWIS		ON Well ID: 7302768	E/12.7	-0.62	<u>138</u>
<u>11</u>	WWIS		ON Well ID: 7176469	SE/14.2	-0.38	<u>140</u>
<u>12</u>	WWIS		ON Well ID: 7252664	NE/10.1	-0.02	<u>143</u>
<u>12</u>	WWIS		ON Well ID: 7302766	NE/10.1	-0.02	<u>148</u>
<u>13</u>	WWIS		ON Well ID: 7176473	SE/22.0	-0.80	<u>150</u>
<u>14</u>	WWIS		ON Well ID: 7269806	ENE/19.9	-0.14	<u>153</u>
<u>14</u>	WWIS		ON Well ID: 7302767	ENE/19.9	-0.14	<u>158</u>
<u>15</u>	ECA	530 St. Clair West Inc.	530 St. Clair Ave W Toronto ON M6C 1A2	SSE/24.5	-0.81	<u>160</u>
<u>15</u>	GEN	TSCC 2334	530 St. Clair Ave. W. Toronto ON M6C 0A2	SSE/24.5	-0.81	<u>160</u>
<u>16</u>	SPL	Toronto Hydro Electric System Safety & Environmental Systems	1482 Bathurst St. Toronto ON	E/23.2	-1.04	<u>161</u>
<u>17</u>	WWIS		TORONTO ON Well ID: 7040069	E/22.2	-1.34	<u>161</u>
<u>17</u>	WWIS		ON	E/22.2	-1.34	<u>169</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 7176496			
18	WWIS		ON	SE/26.2	-0.81	171
			Well ID: 7154748			
19	WWIS		TORONTO ON	SE/23.7	-0.80	191
			Well ID: 6928975			
20	GEN	LifeLabs LP	526 St. Clair Ave West, Unit 3 Toronto ON M6C 1A2	SE/27.0	-0.80	194
20	GEN	LifeLabs LP	526 St. Clair Ave West, Unit 3 Toronto ON M6C 1A2	SE/27.0	-0.80	194
21	WWIS		ON	ENE/26.3	-0.30	194
			Well ID: 7252666			
21	WWIS		ON	ENE/26.3	-0.30	200
			Well ID: 7302763			
22	WWIS		TORONTO ON	NNE/23.8	0.92	201
			Well ID: 7041286			
23	WWIS		TORONTO ON	SE/25.7	-0.89	204
			Well ID: 7176485			
24	WWIS		ON	ESE/22.9	-1.15	206
			Well ID: 7128330			
24	WWIS		ON	ESE/22.9	-1.15	262
			Well ID: 7176495			
25	GEN	LifeLabs LP	526 St. Clair Ave West, Unit 3 Toronto ON M6C 1A2	SE/29.4	-0.80	264
25	GEN	LifeLabs LP	526 St. Clair Ave West, Unit 3 Toronto ON M6C 1A2	SE/29.4	-0.80	264
25	GEN	LifeLabs LP	526 St. Clair Ave West, Unit 3 Toronto ON M6C 1A2	SE/29.4	-0.80	265

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>26</u>	WWIS		ON Well ID: 7176483	E/27.1	-1.34	<u>265</u>
<u>27</u>	WWIS		TORONTO ON Well ID: 7176494	E/28.3	-1.34	<u>267</u>
<u>28</u>	WWIS		TORONTO ON Well ID: 7176486	ESE/25.6	-1.63	<u>269</u>
<u>28</u>	WWIS		TORONTO ON Well ID: 7176487	ESE/25.6	-1.63	<u>271</u>
<u>29</u>	WWIS		ON Well ID: 7176472	SE/31.0	-0.89	<u>273</u>
<u>30</u>	WWIS		ON Well ID: 7176484	ESE/27.8	-1.56	<u>275</u>
<u>31</u>	WWIS		TORONTO ON Well ID: 7040068	E/31.2	-1.50	<u>277</u>
<u>32</u>	EHS		10 Raglan Avenue Toronto ON M6C 2K6	WSW/33.0	-0.13	<u>281</u>
<u>33</u>	RSC	530 St. Clair West Inc.	530 ST. CLAIR AVE W, TORONTO, ON, M6C 0A2 ON M6C 0A2	SSE/35.8	-1.08	<u>281</u>
<u>33</u>	EBR	530 St. Clair West Inc.	530 St. Clair Avenue West Toronto CITY OF TORONTO ON	SSE/35.8	-1.08	<u>282</u>
<u>33</u>	CA	530 St. Clair West Inc.	530 St. Clair Ave W Toronto ON M6C 0A2	SSE/35.8	-1.08	<u>282</u>
<u>34</u>	GEN	PHARMA PLUS DRUGS LTD	518 ST. CLAIR AVENUE WEST TORONTO ON M6C 1A1	SE/36.8	-1.16	<u>283</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>34</u>	GEN	PHARMA PLUS DRUGS LTD. 31-695	518 ST. CLAIR AVE. WEST, TORONTO C/O 5935 AIRPORT ROAD STE. 500 MISSISSAUGA ON M6C 1A2	SE/36.8	-1.16	<u>283</u>
<u>34</u>	GEN	PHARMA PLUS DRUGS LTD.	518 ST. CLAIR AVENUE WEST TORONTO ON M6C 1A1	SE/36.8	-1.16	<u>283</u>
<u>34</u>	GEN	PHARMA (OUT OF BUSINESS)	518 ST. CLAIR AVENUE WEST TORONTO ON M6C 1A2	SE/36.8	-1.16	<u>284</u>
<u>35</u>	EHS		1500 Bathurst St Toronto ON M5P3L3	NE/32.0	0.30	<u>284</u>
<u>36</u>	EHS		1500 Bathurst Street Toronto ON M5P 3L3	NE/32.0	0.30	<u>284</u>
<u>36</u>	GEN	Dr. DeMiglio, Fava,Litvack	1500 Bathurst St. Unit 2 Toronto ON M3H 2X8	NE/32.0	0.30	<u>284</u>
<u>36</u>	GEN	Dr. DeMiglio, Fava,Litvack	1500 Bathurst St. Unit 2 Toronto ON	NE/32.0	0.30	<u>285</u>
<u>36</u>	GEN	Dr. DeMiglio, Fava,Litvack	1500 Bathurst St. Unit 2 Toronto ON M3H 2X8	NE/32.0	0.30	<u>285</u>
<u>36</u>	GEN	1500 BATHURST HOLDINGS LTD.	1500 BATHURST ST TORONTO ON M5P3L3	NE/32.0	0.30	<u>285</u>
<u>36</u>	GEN	Dr. DeMiglio, Fava,Litvack	1500 Bathurst St. Unit 2 Toronto ON M3H 2X8	NE/32.0	0.30	<u>286</u>
<u>36</u>	GEN	Dr. DeMiglio, Fava,Litvack	1500 Bathurst St. Unit 2 Toronto ON M3H 2X8	NE/32.0	0.30	<u>286</u>
<u>36</u>	GEN	Cromwell Management Inc.	1500 Bathurst Street Toronto ON M5P 3L3	NE/32.0	0.30	<u>286</u>
<u>36</u>	GEN	Dr. Pavelic,Litvack	1500 Bathurst St. Unit 2 Toronto ON M3H 2X8	NE/32.0	0.30	<u>286</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>36</u>	GEN	Dr. Pavelic,Litvack	1500 Bathurst St. Unit 2 Toronto ON M3H 2X8	NE/32.0	0.30	<u>287</u>
<u>37</u>	GEN	Dr. DeMiglio, Fava,Litvack	1500 Bathurst St. Unit 2 Toronto ON M3H 2X8	NE/32.2	0.30	<u>287</u>
<u>37</u>	GEN	Dr. DeMiglio, Fava,Litvack	1500 Bathurst St. Unit 2 Toronto ON M3H 2X8	NE/32.2	0.30	<u>287</u>
<u>38</u>	WWIS		TORONTO ON Well ID: 6930668	SE/37.2	-1.39	<u>288</u>
<u>39</u>	EHS		10 To 32 Raglan Ave Toronto ON	W/38.3	0.60	<u>291</u>
<u>40</u>	WWIS		ON Well ID: 7232885	NE/35.6	-0.14	<u>291</u>
<u>41</u>	WWIS		ON Well ID: 7269803	ENE/43.5	-1.03	<u>292</u>
<u>41</u>	WWIS		ON Well ID: 7302770	ENE/43.5	-1.03	<u>297</u>
<u>42</u>	WWIS		ON Well ID: 7269804	E/44.0	-1.48	<u>299</u>
<u>42</u>	WWIS		ON Well ID: 7302769	E/44.0	-1.48	<u>305</u>
<u>43</u>	WWIS		TORONTO ON Well ID: 7176489	E/42.7	-1.69	<u>307</u>
<u>43</u>	WWIS		TORONTO ON Well ID: 7176492	E/42.7	-1.69	<u>309</u>
<u>44</u>	WWIS		ON Well ID: 7176482	E/44.6	-2.00	<u>312</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>45</u>	WWIS		TORONTO ON Well ID: 7176488	ESE/45.5	-2.06	<u>313</u>
<u>46</u>	RSC	500 St. Clair West Inc.	500 St. Clair Avenue West, Toronto, Ontario Toronto ON	ESE/45.5	-2.03	<u>315</u>
<u>46</u>	RSC	500 St. Clair West Inc.	500 St. Clair Avenue West, Toronto, Ontario Toronto ON	ESE/45.5	-2.03	<u>316</u>
<u>46</u>	RSC	500 St. Clair West Inc.	500 St. Clair Avenue West, Toronto, Ontario ON	ESE/45.5	-2.03	<u>317</u>
<u>46</u>	EBR	500 St. Clair West Inc.	500 St. Clair Avenue West Toronto CITY OF TORONTO ON	ESE/45.5	-2.03	<u>317</u>
<u>46</u>	CA	500 St. Clair West Inc.	500 St. Clair Ave W Toronto ON	ESE/45.5	-2.03	<u>318</u>
<u>46</u>	ECA	500 St. Clair West Inc.	500 St. Clair Ave W Toronto ON M4V 2Y7	ESE/45.5	-2.03	<u>318</u>
<u>47</u>	WWIS		TORONTO ON Well ID: 7176490	E/46.3	-2.06	<u>318</u>
<u>48</u>	WWIS		TORONTO ON Well ID: 6927945	SE/48.0	-1.99	<u>320</u>
<u>49</u>	WWIS		TORONTO ON Well ID: 7176493	ESE/51.2	-2.06	<u>323</u>
<u>50</u>	EHS		538 St Clair Ave W Toronto ON M6C 1A4	SW/51.0	-0.03	<u>325</u>
<u>51</u>	HINC		538 ST. CLAIR AVENUE WEST TORONTO ON M6C 1A4	SW/55.4	0.03	<u>325</u>
<u>51</u>	PES	909537 ONTARIO INC. O/A CROSS TOWN HARDWARE	538 ST. CLAIR AVENUE WEST TORONTO ON M6C1A4	SW/55.4	0.03	<u>325</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
52	WWIS		ON Well ID: 7217967	ENE/59.2	-0.87	326
53	WWIS		Toronto ON Well ID: 7311568	E/65.0	-2.52	326
54	WWIS		ON Well ID: 7239053	E/66.2	-2.52	329
55	WWIS		Toronto ON Well ID: 7311567	E/71.0	-2.69	329
56	EASR	1486 BATHURST INC.	ON	ESE/69.3	-3.22	332
57	GEN	SKETCHLEY CLEANERS	521 ST. CLAIR AVE. W. TORONTO ON M6C 1A1	SSE/76.7	-1.36	332
57	GEN	SKETCHLEY (SEE & USE ON1533005) 35-025	521 ST. CLAIR AVE. W. TORONTO ON M6C 1A1	SSE/76.7	-1.36	333
57	GEN	SKETCHLEY CLEANERS (SEE & USE ON1533005)	521 ST. CLAIR AVENUE WEST TORONTO ON M6C 1A1	SSE/76.7	-1.36	333
57	GEN	EMBASSY CLEANERS INC. 35- 025	O/A SKETCHLEY CLEANERS, 521 ST. CLAIR AVE. W., C/O 290 OLD WESTON RD. TORONTO ON M6C 1A1	SSE/76.7	-1.36	333
58	EHS		523 - 531 St. Clair Avenue West Toronto ON	S/75.7	-1.09	333
59	EHS		1510 Bathurst Street York ON M5P 3H3	NNE/72.8	1.24	334
60	WWIS		ON Well ID: 7316086	N/76.2	1.97	334

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
61	WWIS		ON Well ID: 7316085	N/76.7	1.97	335
62	GEN	SHOPPERS DRUG MART	S. DINOFF DRUGS 523 ST. CLAIR AVENUE WEST TORONTO ON M6C 1A1	SSE/79.6	-1.34	335
62	TANK	Hale Motors Ltd	523 St Clair Ave W Toronto ON M6C 1A1	SSE/79.6	-1.34	336
62	TANK	Hale Motors Ltd	523 St Clair Ave W Toronto ON M6C 1A1	SSE/79.6	-1.34	336
62	PES	SHOPPERS DRUG MART #0836 (ST. CLAIR & BATHURST)	523 ST. CLAIR AVE W TORONTO ON M6C 1A1	SSE/79.6	-1.34	336
62	PES	S. DANOFF DRUGS LIMITED / SHOPPERS DRUG MART # 836	523 ST CLAIR AVE W TORONTO ON M6C 1A1	SSE/79.6	-1.34	336
62	PES	S. DANOFF DRUGS LIMITED / SHOPPERS DRUG MART # 836	523 ST CLAIR AVE W TORONTO ON M6C 1A1	SSE/79.6	-1.34	337
62	GEN	Nart Drugs Inc.	523 St.Clair Avenue West Toronto ON M6C1A1	SSE/79.6	-1.34	337
62	GEN	S. Dinoff Drugs Limited	523 ST. CLAIR AVE. W. Toronto ON M6C 1A1	SSE/79.6	-1.34	338
62	GEN	Nart Drugs Inc.	523 St.Clair Avenue West Toronto ON M6C1A1	SSE/79.6	-1.34	338
62	PES	SHOPPERS DRUG MART #0836 (ST. CLAIR & BATHURST)	523 ST. CLAIR AVE W TORONTO ON M6C1A1	SSE/79.6	-1.34	338
62	PES	S. DANOFF DRUGS LIMITED / SHOPPERS DRUG MART # 836	523 ST CLAIR AVE W TORONTO ON M6C1A1	SSE/79.6	-1.34	339
62	GEN	Nart Drugs Inc.	523 St.Clair Avenue West Toronto ON M6C1A1	SSE/79.6	-1.34	339

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>63</u>	EHS		40 Raglan Ave Toronto ON M6C2L2	WNW/74.0	0.99	<u>339</u>
<u>64</u>	GEN	Some Property Company	40 Raglan Avenue Toronto ON M6C 2L2	WNW/74.0	0.99	<u>340</u>
<u>65</u>	CA	TORONTO CITY	BATHURST ST./ST. CLAIR AVE.W. TORONTO CITY ON	ESE/80.8	-3.30	<u>340</u>
<u>65</u>	HINC		NORTHEAST CORNER OF BATHURST STREET & ST. CLAIR AVENUE WEST TORONTO ON	ESE/80.8	-3.30	<u>340</u>
<u>65</u>	SPL	Toronto Transit Commission	Bathurst and St. Clair Toronto ON	ESE/80.8	-3.30	<u>341</u>
<u>66</u>	RST	CROSS-TOWN AUTO SERVICE	1467 BATHURST ST YORK ON M5P3G8	E/85.7	-3.26	<u>341</u>
<u>66</u>	EHS		1467 Bathurst Street Toronto ON	E/85.7	-3.26	<u>341</u>
<u>67</u>	PRT	373854 ONTARIO LTD	1467 BATHURST ST TORONTO ON M5P3G8	E/85.7	-3.26	<u>341</u>
<u>67</u>	PRT	CROSSTOWN CAR WASH ANP	1467 BATHURST ST TORONTO ON M5P3G8	E/85.7	-3.26	<u>342</u>
<u>67</u>	CA	ARCTURUS ENVIRONMENTAL LIMITED	1467 BATHURST STREET TORONTO CITY ON M5P 3G8	E/85.7	-3.26	<u>342</u>
<u>67</u>	CA	PETRO-CANADA, ENVIRONMENTAL RETAIL SALES	1467 BATHURST ST., RET. OUTLET TORONTO CITY ON M5P 3G8	E/85.7	-3.26	<u>342</u>
<u>67</u>	EBR	Petro Canada	1467 Bathurst Street Toronto ON	E/85.7	-3.26	<u>342</u>
<u>67</u>	GEN	Petro-Canada	1467 Bathurst Street Toronto ON M5P 3G8	E/85.7	-3.26	<u>343</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
67	RST	CROSSTOWN AUTO SERVICE	1467 BATHURST ST TORONTO ON M5P 3G8	E/85.7	-3.26	343
67	FSTH	1162006 ONTARIO LTD CROSSTOWN CAR WASH & AUTO SERVICE	1467 BATHURST ST TORONTO ON M5P 3G8	E/85.7	-3.26	343
67	EBR	Petro-Canada	1467 Bathurst Street Toronto Ontario Toronto ON	E/85.7	-3.26	344
67	EHS		1467 Bathurst street Toronto ON M5P 3G8	E/85.7	-3.26	345
67	FSTH	1516726 ONTARIO INC O/A GAS STN	1467 BATHURST ST TORONTO ON M5P 3G8	E/85.7	-3.26	345
67	CA	Petro-Canada	1467 Bathurst Street Toronto ON M5P 3G8	E/85.7	-3.26	346
67	VAR	SUNCOR ENERGY PRODUCTS INC	1467 BATHURST ST TORONTO ON M5P 3G8	E/85.7	-3.26	346
67	EXP	373854 ONTARIO LTD	1467 BATHURST ST TORONTO ON	E/85.7	-3.26	346
67	GEN	Petro-Canada	1467 Bathurst Street Toronto ON M5P 3G8	E/85.7	-3.26	347
67	GEN	Suncor Energy products partnership	1467 Bathurst Street Toronto ON M5P 3G8	E/85.7	-3.26	347
67	GEN	Suncor Energy products partnership	1467 Bathurst Street Toronto ON M5P 3G8	E/85.7	-3.26	347
67	GEN	Suncor Energy products partnership	1467 Bathurst Street Toronto ON	E/85.7	-3.26	348

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
67	EXP	1516726 ONTARIO INC O/A GAS STN	1467 BATHURST ST TORONTO ON M5P 3G8	E/85.7	-3.26	348
67	EXP	1516726 ONTARIO INC O/A GAS STN	1467 BATHURST ST TORONTO ON M5P 3G8	E/85.7	-3.26	348
67	EXP	1516726 ONTARIO INC O/A GAS STN	1467 BATHURST ST TORONTO ON M5P 3G8	E/85.7	-3.26	349
67	EXP	1516726 ONTARIO INC O/A GAS STN	1467 BATHURST ST TORONTO ON M5P 3G8	E/85.7	-3.26	349
67	EXP	1516726 ONTARIO INC O/A GAS STN	1467 BATHURST ST TORONTO ON M5P 3G8	E/85.7	-3.26	349
67	GEN	Suncor Energy products partnership	1467 Bathurst Street Toronto ON M5P 3G8	E/85.7	-3.26	349
67	PTTW	Suncor Energy Inc.	1467 Bathurst Street, City of Toronto CITY OF TORONTO ON	E/85.7	-3.26	350
67	ECA	Petro-Canada	1467 Bathurst Street Toronto ON L6L 6N5	E/85.7	-3.26	350
67	GEN	Suncor Energy products partnership	1467 Bathurst Street Toronto ON M5P 3G8	E/85.7	-3.26	351
67	GEN	Suncor Energy products partnership	1467 Bathurst Street Toronto ON M5P 3G8	E/85.7	-3.26	351
67	GEN	Suncor Energy products partnership	1467 Bathurst Street Toronto ON M5P 3G8	E/85.7	-3.26	351
67	GEN	Suncor Energy products partnership	1467 Bathurst Street Toronto ON M5P 3G8	E/85.7	-3.26	352
67	GEN	Suncor Energy products partnership	1467 Bathurst Street Toronto ON M5P 3G8	E/85.7	-3.26	352

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>68</u>	WWIS		ON Well ID: 7202233	SE/88.7	-2.47	<u>353</u>
<u>69</u>	TANK		503 St Clair Ave W Toronto ON M6C 1A1	SE/88.0	-3.03	<u>353</u>
<u>70</u>	WWIS		Toronto ON Well ID: 7248116	E/95.2	-3.51	<u>354</u>
<u>71</u>	WWIS		TORONTO ON Well ID: 7299604	WSW/96.3	0.67	<u>356</u>
<u>72</u>	WWIS		TORONTO ON Well ID: 7299602	WSW/95.7	0.13	<u>359</u>
<u>73</u>	WWIS		Toronto ON Well ID: 7285641	ENE/100.7	-3.01	<u>361</u>
<u>74</u>	WWIS		ON Well ID: 7318918	E/98.0	-3.94	<u>364</u>
<u>75</u>	CA	NINE WOODLAWN AVENUE LIMITED	99 VAUGHAN ROAD YORK CITY ON	W/95.3	1.97	<u>364</u>
<u>75</u>	CA	NINE WOODLAWN AVE.LTD. (8-3058-92-000)	99 VAUGHAN ROAD, RESUBMITTED YORK CITY ON	W/95.3	1.97	<u>365</u>
<u>76</u>	WWIS		Toronto ON Well ID: 7248115	E/98.7	-3.94	<u>365</u>
<u>77</u>	WWIS		ON Well ID: 7263017	E/103.2	-3.25	<u>368</u>
<u>78</u>	WWIS		TORONTO ON Well ID: 7299603	WSW/99.1	0.33	<u>369</u>
<u>79</u>	EHS		39 Raglan Avenue Toronto ON	NNW/104.7	1.90	<u>371</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>80</u>	WWIS		TORONTO ON Well ID: 7302185	SSE/105.4	-2.00	<u>371</u>
<u>81</u>	WWIS		TORONTO ON Well ID: 7223712	WNW/99.3	1.97	<u>373</u>
<u>82</u>	WWIS		ON Well ID: 7318919	ESE/101.9	-4.05	<u>377</u>
<u>83</u>	PTTW	1486 Bathurst Inc.	1466 Bathurst Street, City of Toronto CITY OF TORONTO ON	SE/104.3	-3.16	<u>377</u>
<u>83</u>	GEN	Dr Abelsohn	1466 Bathurst Str, #205 Toronto ON M5R3S3	SE/104.3	-3.16	<u>378</u>
<u>83</u>	GEN	DMKCorp	1466 Bathurst st suite 303 Toronto ON M5C3J3	SE/104.3	-3.16	<u>378</u>
<u>83</u>	GEN	Dr. C. Borgono	1466 Bathurst Street, Suite 306 Toronto ON M5R 3S3	SE/104.3	-3.16	<u>378</u>
<u>83</u>	GEN	Dr Abelsohn	1466 Bathurst Str, #205 Toronto ON M5R3S3	SE/104.3	-3.16	<u>379</u>
<u>83</u>	GEN	Dr. C. Borgono	1466 Bathurst Street, Suite 306 Toronto ON M5R 3S3	SE/104.3	-3.16	<u>379</u>
<u>83</u>	GEN	Dr. C. Borgono	1466 Bathurst Street, Suite 306 Toronto ON M5R 3S3	SE/104.3	-3.16	<u>379</u>
<u>83</u>	GEN	Dr. C. Borgono	1466 Bathurst Street, Suite 306 Toronto ON M5R 3S3	SE/104.3	-3.16	<u>379</u>
<u>83</u>	GEN	DMKCorp	1466 Bathurst st suite 303 Toronto ON M5C3J3	SE/104.3	-3.16	<u>380</u>
<u>83</u>	GEN	Dr. Abelsohn Abelsohn	205-1466 Bathurst Str Toronto ON M5R 3S3	SE/104.3	-3.16	<u>380</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>83</u>	GEN	Dr. Abelsohn Abelsohn	205-1466 Bathurst Str Toronto ON M5R 3S3	SE/104.3	-3.16	<u>380</u>
<u>83</u>	GEN	Dr. C. Borgono	1466 Bathurst Street, Suite 306 Toronto ON M5R 3S3	SE/104.3	-3.16	<u>381</u>
<u>84</u>	GEN	DYNACARE LABORATORIES 30-883	PARK-MED LABORATORIES LIMITED 1466 BATHURST ST., BASEMENT TORONTO ON M5R 3S3	SE/104.4	-3.16	<u>381</u>
<u>84</u>	GEN	DYNACARE LABORATORIES LIMITED	PARK-MED LABORATORIES LIMITED 1466 BATHURST STREET, BASEMENT TORONTO ON M5R 3S3	SE/104.4	-3.16	<u>381</u>
<u>84</u>	EHS		1466 Bathurst Street Toronto ON M5R 3S3	SE/104.4	-3.16	<u>381</u>
<u>84</u>	GEN	Dr. C. Borgono	1466 Bathurst Street, Suite 306 Toronto ON M5R 3S3	SE/104.4	-3.16	<u>382</u>
<u>84</u>	GEN	Dr. C. Borgono	1466 Bathurst Street, Suite 306 Toronto ON M5R 3S3	SE/104.4	-3.16	<u>382</u>
<u>84</u>	GEN	Dr. C. Borgono	1466 Bathurst Street, Suite 306 Toronto ON M5R 3S3	SE/104.4	-3.16	<u>382</u>
<u>84</u>	GEN	Dr. C. Borgono	1466 Bathurst Street, Suite 306 Toronto ON	SE/104.4	-3.16	<u>382</u>
<u>85</u>	EHS		535 St. Clair Avenue West Toronto ON	SSW/102.2	-0.63	<u>383</u>
<u>86</u>	WWIS		TORONTO ON Well ID: 7299605	WSW/106.5	0.86	<u>383</u>
<u>87</u>	EHS		542 St Clair Ave W Toronto ON M6C1A5	WSW/105.3	0.45	<u>385</u>
<u>88</u>	WWIS		TORONTO ON	ENE/110.3	-3.08	<u>385</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 6928027			
<u>89</u>	GEN	TORONTO HEALTH CARE GROUP	64 VAUGHAN ROAD TORONTO ON M6G 2N4	SSW/105.4	-1.10	<u>388</u>
<u>89</u>	TANK	Rowell [L O]	64 Vaughan Rd Toronto ON M6G 2N4	SSW/105.4	-1.10	<u>388</u>
<u>90</u>	WWIS		TORONTO ON Well ID: 7299601	WSW/106.7	0.06	<u>389</u>
<u>91</u>	WWIS		ON Well ID: 7167768	WNW/105.7	1.97	<u>391</u>
<u>92</u>	GEN	O&Y CB Richard Ellis	535 St. Clair Avenue West Toronto ON M6C 1A3	SSW/105.5	-0.63	<u>392</u>
<u>93</u>	EHS		542 St Clair Ave W Toronto ON M6C1A5	WSW/108.6	0.46	<u>392</u>
<u>94</u>	WWIS		TORONTO ON Well ID: 7116402	E/110.1	-3.95	<u>392</u>
<u>95</u>	TANK	Imperial Oil Co Ltd	542 St Clair Ave W Toronto ON M6C 1A5	WSW/109.3	0.46	<u>395</u>
<u>95</u>	TANK	Imperial Oil Co Ltd	542 St Clair Ave W Toronto ON M6C 1A5	WSW/109.3	0.46	<u>396</u>
<u>95</u>	TANK	McColl Bros Ltd	542 St Clair Ave W Toronto ON M6C 1A5	WSW/109.3	0.46	<u>396</u>
<u>96</u>	WWIS		TORONTO ON Well ID: 7042841	SSE/114.5	-2.15	<u>396</u>
<u>97</u>	EHS		501 St. Clair Avenue West Toronto ON	ESE/107.9	-4.02	<u>398</u>
<u>98</u>	WWIS		ON	E/111.7	-4.06	<u>399</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 7293750			
99	WWIS		ON	WNW/109.0	1.97	399
			Well ID: 7218323			
100	EASR	109 Vaughan Road Limited Partnership	109 VAUGHAN YORK YORK ON	WNW/109.2	1.97	400
100	EHS		109 Vaughan Rd Toronto ON M6C2L9	WNW/109.2	1.97	400
100	EHS		109 Vaughan Road York ON M6C 2L9	WNW/109.2	1.97	400
101	WWIS		Toronto ON	E/117.2	-3.94	401
			Well ID: 7286529			
102	RSC		109 VAUGHAN ROAD, TORONTO, ON M6C 2L9 Toronto ON	WNW/111.7	1.97	403
102	EASR	109 Vaughan Road Limited Partnership	109 VAUGHAN RD YORK ON M6C 2L9	WNW/111.7	1.97	404
102	RSC		109 VAUGHAN ROAD, TORONTO, ON M6C 2L9 Toronto ON	WNW/111.7	1.97	404
102	GEN	Quantum Murray LP	109 Vaughan Road Toronto ON M6C 4A2	WNW/111.7	1.97	406
102	GEN	109 Vaughan Rd. LP	109 Vaughan Rd Toronto ON M6C 2L9	WNW/111.7	1.97	406
102	GEN	109 Vaughan Rd. LP	109 Vaughan Rd Toronto ON M6C 2L9	WNW/111.7	1.97	406
102	GEN	109 Vaughan Rd. LP	109 Vaughan Road Toronto ON M6C 2L9	WNW/111.7	1.97	407

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>102</u>	GEN	Van Kirk Developments Inc.	109 Vaughan Road Toronto ON M6C 2L9	WNW/111.7	1.97	<u>407</u>
<u>103</u>	SCT	CANADA CLEANING SUPPLIES LTD.	109 VAUGHAN RD TORONTO ON M6C 2L9	WNW/111.9	1.97	<u>407</u>
<u>103</u>	SCT	AMBERHUE ENTERPRISES INCORPORA	109 Vaughan St Unit 301 Toronto ON M6C 2L9	WNW/111.9	1.97	<u>407</u>
<u>103</u>	SCT	Amberhue Enterprises Incorporated	109 Vaughan Rd Unit 301 Toronto ON M6C 2L9	WNW/111.9	1.97	<u>408</u>
<u>103</u>	EHS		109 Vaughan Rd Toronto ON M6C 2L9	WNW/111.9	1.97	<u>408</u>
<u>104</u>	EHS		80 Vaughan Rd Toronto ON M6C2L7	WSW/120.0	1.00	<u>408</u>
<u>105</u>	WWIS		ON Well ID: 7314244	E/116.0	-4.65	<u>408</u>
<u>106</u>	WWIS		Toronto ON Well ID: 7221550	WNW/113.8	1.97	<u>409</u>
<u>107</u>	SCT	St. Clair Printing & Design	56 Vaughn Rd Toronto ON M6G 2N4	SSW/116.8	-0.98	<u>412</u>
<u>107</u>	SCT	St. Clair Printing & Design	56 Vaughan Rd Toronto ON M6G 2N4	SSW/116.8	-0.98	<u>412</u>
<u>108</u>	PES	HILLCREST PRO HARDWARE	60 VAUGHAN ROAD TORONTO ON M6G 2N4	SSW/117.0	-0.97	<u>413</u>
<u>108</u>	PES	HILLCREST PRO HARDWARE	60 VAUGHAN RD TORONTO ON M6G 2N4	SSW/117.0	-0.97	<u>413</u>
<u>108</u>	PES	HILLCREST PRO HARDWARE	60 VAUGHAN RD TORONTO ON M6G 2N4	SSW/117.0	-0.97	<u>414</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>108</u>	PES	HILLCREST HOME HARDWARE	60 VAUGHAN RD TORONTO ON M6G 2N4	SSW/117.0	-0.97	<u>414</u>
<u>108</u>	PES	HILLCREST HOME HARDWARE	60 VAUGHAN RD TORONTO ON M6G2N4	SSW/117.0	-0.97	<u>414</u>
<u>108</u>	PES	HILLCREST HOME HARDWARE	60 VAUGHAN RD TORONTO ON M6G2N4	SSW/117.0	-0.97	<u>415</u>
<u>109</u>	WWIS		TORONTO ON Well ID: 7273827	WNW/117.7	1.97	<u>415</u>
<u>110</u>	WWIS		ON Well ID: 7228309	WNW/118.4	1.97	<u>418</u>
<u>111</u>	WWIS		TORONTO ON Well ID: 6928864	NNE/119.4	-0.04	<u>419</u>
<u>112</u>	EHS		1467 Bathurst Street Toronto ON	E/126.3	-4.40	<u>421</u>
<u>113</u>	SCT	Accurate Upholstery	54 Vaughan Rd Toronto ON M6G 2N4	SSW/123.5	-0.98	<u>422</u>
<u>114</u>	TANK	Stauntons Ltd	44 Vaughan Rd Toronto ON M6G 2N4	S/127.4	-1.92	<u>422</u>
<u>115</u>	WWIS		TORONTO ON Well ID: 6930170	ESE/125.3	-4.47	<u>422</u>
<u>116</u>	WWIS		ON Well ID: 7314247	ESE/128.7	-5.02	<u>425</u>
<u>117</u>	EHS		94 Vaughan Road Toronto ON M6C 2M1	W/132.6	1.97	<u>426</u>
<u>118</u>	BORE		ON	NW/133.9	1.97	<u>426</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>119</u>	WWIS		Toronto ON Well ID: 7221446	ESE/133.8	-4.83	<u>427</u>
<u>120</u>	EHS		1520 Bathurst St Toronto ON M5P3H3	N/137.5	1.97	<u>430</u>
<u>121</u>	WWIS		Toronto ON Well ID: 7286528	E/138.9	-5.02	<u>431</u>
<u>122</u>	EHS		547-551 St Clair Avenue West Toronto ON M6C 1A3	SW/134.0	-0.40	<u>433</u>
<u>123</u>	SCT	Golden Fingers Dental Laboratory	550 St Clair Ave W Toronto ON M6C 1A5	WSW/136.9	-0.03	<u>433</u>
<u>123</u>	SCT	Provincial Dental Laboratories	550 St Clair Ave W Suite 201 Toronto ON M6C 1A5	WSW/136.9	-0.03	<u>434</u>
<u>123</u>	SCT	Golden Fingers Dental Lab	550 St Clair Ave W Unit 204 Toronto ON M6C 1A5	WSW/136.9	-0.03	<u>434</u>
<u>123</u>	GEN	Dr Bernarda Rosales Verzonilla Dentistry Prof Corp	550 St Clair Ave W Suite 203 Toronto ON M6C 1A5	WSW/136.9	-0.03	<u>434</u>
<u>123</u>	GEN	Dr Bernarda Rosales Verzonilla Dentistry Prof Corp	550 St Clair Ave W Suite 203 Toronto ON M6C 1A5	WSW/136.9	-0.03	<u>434</u>
<u>123</u>	GEN	Dr Bernarda Rosales Verzonilla Dentistry Prof Corp	550 St Clair Ave W Suite 203 Toronto ON M6C 1A5	WSW/136.9	-0.03	<u>435</u>
<u>123</u>	GEN	Dr Bernarda Rosales Verzonilla Dentistry Prof Corp	550 St Clair Ave W Suite 203 Toronto ON M6C 1A5	WSW/136.9	-0.03	<u>435</u>
<u>124</u>	WWIS		Toronto ON Well ID: 7171659	ESE/136.3	-4.83	<u>435</u>
<u>125</u>	WWIS		Toronto ON Well ID: 7286531	E/140.9	-4.98	<u>438</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
126	GEN	Dr Bernarda Rosales Verzonilla Dentistry Prof Corp	550 St Clair Ave W Suite 203 Toronto ON M6C 1A5	WSW/139.9	0.42	440
127	EHS		501 St Clair Avenue Toronto ON	ESE/138.3	-4.73	441
128	EHS		98 Vaughan Rd Toronto ON M6C2M1	W/140.7	1.97	441
129	WWIS		TORONTO ON Well ID: 6930156	SE/140.5	-4.25	441
130	TANK	Supertest Petroleum Corp Ltd	21 Vaughan Rd Toronto ON M6G 2N2	SE/144.2	-3.12	444
130	TANK	Supertest Petroleum Corp Ltd	21 Vaughan Rd Toronto ON M6G 2N2	SE/144.2	-3.12	444
130	GEN	Bathurst Vaughan Mall Limited	21 Vaughan Road, Suite 114 Toronto ON M6G 2N2	SE/144.2	-3.12	444
131	WWIS		Toronto ON Well ID: 7171660	ESE/145.0	-5.03	444
132	EHS		100 vaughan road York ON M6C 2M1	W/145.9	1.97	447
133	SPL		119 Vaughan Road Toronto ON	WNW/145.2	1.97	447
134	WWIS		ON Well ID: 7218865	WNW/146.3	1.97	448
135	WWIS		Toronto ON Well ID: 7136612	WSW/152.5	0.78	448
136	EHS		497 St. Clair Avenue West Toronto ON M5P 1N6	ESE/148.9	-5.29	451

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>137</u>	EHS		100 Vaughan Rd Toronto ON M6C2M1	W/149.4	1.97	<u>451</u>
<u>138</u>	EBR	TSP Canada Towers Inc.	100 Hayes Road Vaughan, Regional Municipality of York L2V 1L9 CITY OF VAUGHAN ON	W/149.5	1.97	<u>451</u>
<u>139</u>	EHS		100 VAUGHAN RD TORONTO ON	W/149.5	1.97	<u>452</u>
<u>140</u>	WWIS		Toronto ON Well ID: 7286530	E/151.8	-5.54	<u>452</u>
<u>141</u>	WWIS		ON Well ID: 7268121	SE/150.2	-5.09	<u>454</u>
<u>141</u>	WWIS		ON Well ID: 7261505	SE/150.2	-5.09	<u>455</u>
<u>142</u>	WWIS		ON Well ID: 7314245	E/150.6	-6.01	<u>456</u>
<u>143</u>	EHS		125 Vaughan Road York ON M6C 2L9	NW/149.3	1.97	<u>456</u>
<u>144</u>	WWIS		ON Well ID: 7314246	E/153.8	-5.85	<u>457</u>
<u>145</u>	SPL	Enbridge Gas Distribution Inc.	16 Ellsworth Ave. Toronto ON M6G 2K3	SSW/153.3	-1.53	<u>457</u>
<u>146</u>	PINC		16 Ellsworth Avenue , Toronto ON	SSW/153.4	-1.53	<u>458</u>
<u>147</u>	RSC		1443 BATHURST STREET, TORONTO, ON M5R 3J2 Toronto ON	ESE/154.7	-5.14	<u>458</u>
<u>148</u>	GEN	LABCARE INC.	553 ST.CLAIR AVENUE WEST TORONTO ON M6C 1A3	SW/153.6	-0.98	<u>459</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>148</u>	GEN	LABCARE INC.	553 ST.CLAIR AVENUE WEST TORONTO ON M6C 1A3	SW/153.6	-0.98	<u>460</u>
<u>148</u>	GEN	LABCARE INC.	553 ST.CLAIR AVENUE WEST TORONTO ON M6C 1A3	SW/153.6	-0.98	<u>460</u>
<u>148</u>	GEN	LABCARE INC.	553 ST.CLAIR AVENUE WEST TORONTO ON M6C 1A3	SW/153.6	-0.98	<u>460</u>
<u>148</u>	GEN	LABCARE INC.	553 ST.CLAIR AVENUE WEST TORONTO ON M6C 1A3	SW/153.6	-0.98	<u>461</u>
<u>149</u>	GEN	DMKCorp	1440 Bathurst St Toronto ON M5R 3J3	SE/163.9	-3.81	<u>461</u>
<u>149</u>	GEN	DMKCorp	1440 Bathurst St Toronto ON M5R 3J3	SE/163.9	-3.81	<u>461</u>
<u>150</u>	WWIS		TORONTO ON Well ID: 6928269	E/162.5	-6.07	<u>461</u>
<u>151</u>	EHS		31 Tichester Road Toronto ON	NNE/162.4	0.38	<u>464</u>
<u>152</u>	EHS		150 Hilton Avenue Toronto ON M5R 3E9	ESE/164.3	-5.93	<u>465</u>
<u>153</u>	WWIS		ON Well ID: 7289079	E/170.0	-5.52	<u>465</u>
<u>154</u>	WWIS		TORONTO ON Well ID: 6929553	WSW/173.4	0.78	<u>465</u>
<u>155</u>	CA	ST. MICHAEL'S COLLEGE SCHOOL	1515 BATHURST STREET TORONTO ON M5P 3H4	ENE/170.9	-3.76	<u>468</u>
<u>155</u>	GEN	METRO TORONTO SEPARATE SCHOOL BD.	ST. MICHAELS COLLEGE SCHOOL 1515 BATHURST STREET TORONTO ON M5P 3H4	ENE/170.9	-3.76	<u>468</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>155</u>	GEN	METRO TORONTO(SEE & USE ON1188100)	ST. MICHAELS COLLEGE SCHOOL 1515 BATHURST STREET TORONTO ON M5P 3H4	ENE/170.9	-3.76	<u>469</u>
<u>155</u>	GEN	METROPOLITAN (SEE & USE ON1188100)26-191	ST. MICHAELS COLLEGE SCHOOL 1515 BATHURST STREET TORONTO ON M5P 3H4	ENE/170.9	-3.76	<u>469</u>
<u>155</u>	GEN	METROPOLITAN SEPARATE (SEE&USE ON1188100)	ST. MICHAELS COLLEGE SCHOOL 1515 BATHURST STREET TORONTO ON M5P 3H4	ENE/170.9	-3.76	<u>469</u>
<u>155</u>	GEN	ST. MICHAEL'S COLLEGE SCHOOL ARENA	1515 BATHURST STREET TORONTO ON M5P 3H4	ENE/170.9	-3.76	<u>470</u>
<u>155</u>	GEN	ST. MICHAEL'S COLLEGE SCHOOL 34-566	1515 BATHURST STREET TORONTO ON M5P 3H4	ENE/170.9	-3.76	<u>470</u>
<u>155</u>	GEN	ST. MICHAEL'S COLLEGE HIGH SCHOOL	1515 BATHURST STREET TORONTO ON M5P 3H4	ENE/170.9	-3.76	<u>471</u>
<u>155</u>	GEN	ST. MICHAEL'S COLLEGE SCHOOL	1515 BATHURST STREET TORONTO ON M5P 3H4	ENE/170.9	-3.76	<u>471</u>
<u>155</u>	TANK	St Michaels College	1515 Bathurst St Toronto ON M5P 3H4	ENE/170.9	-3.76	<u>472</u>
<u>155</u>	CA	St. Michael's College School	1515 Bathurst St Toronto ON M5P 3H4	ENE/170.9	-3.76	<u>472</u>
<u>155</u>	GEN	ST. MICHAEL'S COLLEGE SCHOOL	1515 BATHURST STREET TORONTO ON M5P 3H4	ENE/170.9	-3.76	<u>472</u>
<u>155</u>	GEN	ST. MICHAEL'S COLLEGE SCHOOL	1515 BATHURST STREET TORONTO ON M5P 3H4	ENE/170.9	-3.76	<u>473</u>
<u>155</u>	GEN	ST. MICHAEL'S COLLEGE SCHOOL	1515 BATHURST STREET TORONTO ON M5P 3H4	ENE/170.9	-3.76	<u>473</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>155</u>	GEN	ST. MICHAEL'S COLLEGE SCHOOL	1515 BATHURST STREET TORONTO ON	ENE/170.9	-3.76	<u>474</u>
<u>155</u>	GEN	St. Michaels College School	1515 Bathhurst St. Toronto ON	ENE/170.9	-3.76	<u>474</u>
<u>155</u>	ECA	St. Michael's College School	1515 Bathurst St Toronto ON M5P 3H4	ENE/170.9	-3.76	<u>474</u>
<u>155</u>	GEN	St. Michaels College School	1515 Bathhurst St. Toronto ON M5P3H4	ENE/170.9	-3.76	<u>475</u>
<u>155</u>	GEN	ST. MICHAEL'S COLLEGE SCHOOL	1515 BATHURST STREET TORONTO ON M5P 3H4	ENE/170.9	-3.76	<u>475</u>
<u>155</u>	GEN	ST. MICHAEL'S COLLEGE SCHOOL	1515 BATHURST STREET TORONTO ON M5P 3H4	ENE/170.9	-3.76	<u>476</u>
<u>155</u>	GEN	St. Michaels College School	1515 Bathhurst St. Toronto ON M5P3H4	ENE/170.9	-3.76	<u>476</u>
<u>155</u>	GEN	ST. MICHAEL'S COLLEGE SCHOOL	1515 BATHURST STREET TORONTO ON M5P 3H4	ENE/170.9	-3.76	<u>476</u>
<u>155</u>	GEN	St. Michaels College School	1515 Bathhurst St. Toronto ON M5P3H4	ENE/170.9	-3.76	<u>477</u>
<u>155</u>	GEN	ST. MICHAEL'S COLLEGE SCHOOL	1515 BATHURST STREET TORONTO ON M5P 3H4	ENE/170.9	-3.76	<u>477</u>
<u>155</u>	GEN	St. Michaels College School	1515 Bathhurst St. Toronto ON M5P3H4	ENE/170.9	-3.76	<u>478</u>
<u>155</u>	GEN	ST. MICHAEL'S COLLEGE SCHOOL	1515 BATHURST STREET TORONTO ON M5P 3H4	ENE/170.9	-3.76	<u>478</u>
<u>155</u>	GEN	St. Michaels College School	1515 Bathhurst St. Toronto ON M5P3H4	ENE/170.9	-3.76	<u>478</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
156	BORE		ON	NW/174.1	1.97	479
157	EHS		1435 Bathurst St Toronto ON M5R3J2	SE/173.5	-5.30	480
158	WWIS		TORONTO ON Well ID: 7111315	W/179.2	1.01	480
159	WWIS		York ON Well ID: 7302726	SW/173.8	-1.17	484
160	PRT	BUDGET RENT A CAR	556 ST CLAIR AV W TORONTO ON M6C 1A5	WSW/180.7	0.09	487
160	GEN	BUDGET RENT A CAR O/A BRL REALTY 05-702	556 ST. CLAIR AVE. WEST, TORONTO C/O 5905 CAMPUS ROAD MISSISSAUGA ON M6C 1A5	WSW/180.7	0.09	487
160	EHS		556 St. Clair Avenue West Toronto ON M6C 1A5	WSW/180.7	0.09	487
160	TANK	McColl Bros Ltd	556 St Clair Ave W Toronto ON M6C 1A5	WSW/180.7	0.09	487
160	TANK	McColl Bros Ltd	556 St Clair Ave W Toronto ON M6C 1A5	WSW/180.7	0.09	488
160	TANK	McColl Bros Ltd	556 St Clair Ave W Toronto ON M6C 1A5	WSW/180.7	0.09	488
160	FSTH	BUDGET RENT A CAR	556 ST CLAIR AV W TORONTO ON M6C 1A5	WSW/180.7	0.09	488
160	GEN	BML Group	556 St. Clair Avenue West Toronto ON M6C 1A5	WSW/180.7	0.09	489
160	GEN	Budgetcar Inc.	556 St. Clair Ave West Toronto ON M6C 1A5	WSW/180.7	0.09	489

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>160</u>	FSTH	BUDGET RENT A CAR	556 ST CLAIR AV W TORONTO ON M6C 1A5	WSW/180.7	0.09	<u>489</u>
<u>160</u>	FST	BUDGET RENT A CAR	556 ST CLAIR AV W TORONTO ON M6C 1A5	WSW/180.7	0.09	<u>489</u>
<u>161</u>	EHS		26 Vaughan Road Toronto ON M6G 2C4	SSE/185.9	-2.94	<u>490</u>
<u>161</u>	GEN	VAUGHAN MEDICAL LABS	26 VAUGHAN RD. TORONTO ON M6G 2C4	SSE/185.9	-2.94	<u>490</u>
<u>161</u>	GEN	MED-HEALTH LABORATORIES LIMITED	26 VAUGHAN RD. TORONTO ON M6G 2C4	SSE/185.9	-2.94	<u>490</u>
<u>161</u>	GEN	MED-(OUT OF BUS) 40-025	26 VAUGHAN RD. TORONTO ON M6G 2C4	SSE/185.9	-2.94	<u>490</u>
<u>161</u>	GEN	MED-HEALTH LABORATORIES LIMITED 40-025	26 VAUGHAN RD. TORONTO ON M6G 2C4	SSE/185.9	-2.94	<u>491</u>
<u>161</u>	GEN	MED-HEALTH LABS LTD. (OUT OF BUSINESS)	26 VAUGHAN ROAD TORONTO ON M6G 2C4	SSE/185.9	-2.94	<u>491</u>
<u>162</u>	EHS		65, 67, 69, 71, 73, 75, 77, 79, 81, 83 Raglan Avenue York ON M6C 2K7	NNW/186.8	1.97	<u>491</u>
<u>163</u>	EHS		129 Vaughan Road York ON M6C 2L9	NW/185.2	1.97	<u>492</u>
<u>164</u>	SCT	St. Clair Copy & Printing Co.	558 St Clair Ave W Toronto ON M6C 1A5	WSW/189.9	-0.11	<u>492</u>
<u>165</u>	WWIS		ON Well ID: 7270713	SW/188.9	-1.04	<u>492</u>
<u>166</u>	EHS		575 - 579 St. Clair Avenue West Toronto ON	SW/190.3	-1.04	<u>493</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
167	GEN	Quantus Holdings	575 St.Clair Ave. West. Toronto ON M6C 1A3	SW/190.3	-1.04	493
168	EHS		11 Kenwood Avenue Toronto ON	WSW/195.8	0.39	493
169	EHS		575 St Clair Ave W Toronto ON M6C1A3	SW/191.8	-1.04	494
170	EHS		129, 133, 135, 137, 139, 141 Vaughan Rd York ON M6C 2L9	NW/193.8	1.97	494
171	WWIS		Toronto ON Well ID: 7120164	SSE/202.9	-3.08	494
172	BORE		ON	NW/204.4	1.97	500
173	GEN	TORONTO PUBLIC LIBRARY	1431 BATHURST STREET TORONTO ON M5R 3J2	SE/203.1	-5.03	501
173	GEN	Toronto Public Library	1431 Bathurst Street Toront ON M5R 3J2	SE/203.1	-5.03	502
173	GEN	1214592 Ontario Limited	1431 Bathurst St Toronto ON M5R3J2	SE/203.1	-5.03	502
174	WWIS		ON Well ID: 7287659	SE/204.7	-5.32	502
175	SPL	PAINTER	100 RAGLAN AVE. LANE WAY BEHIND. MOTOR VEHICLE (OPERATING FLUID) TORONTO CITY ON M6C 2L3	NW/212.5	1.97	503
175	EHS		100 Raglan Avenue Toronto ON M6C 2L3	NW/212.5	1.97	503
176	SPL		13 Hocken Avenue Toronto ON M6G 2K1	S/214.1	-3.31	504

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>176</u>	HINC		13 HOCKEN AVENUE TORONTO ON M6G 2K1	S/214.1	-3.31	<u>504</u>
<u>177</u>	BORE		ON	NNE/211.3	0.88	<u>504</u>
<u>178</u>	EASR	Housing Services Inc.	130 VAUGHAN RD YORK ON M6C 3Z6	WNW/212.4	1.97	<u>506</u>
<u>179</u>	EHS		585 St. Clair Avenue Toronto ON	WSW/215.9	-1.17	<u>506</u>
<u>180</u>	TANK	Supertest Petroleum Corp Ltd	1432 Bathurst St Toronto ON M5R 3J3	SE/220.4	-4.49	<u>506</u>
<u>181</u>	TANK	Connable R	161 Melgund Rd Toronto ON	SE/220.7	-4.85	<u>507</u>
<u>182</u>	EHS		147 Vaughan Rd Toronto ON M6C2L9	NW/221.7	1.97	<u>507</u>
<u>183</u>	TANK		16 Vaughan Rd Toronto ON M6G 2N1	SSE/228.1	-3.87	<u>507</u>
<u>184</u>	EHS		16 & 18 Vaughan Road Toronto ON M6G 2N1	SSE/229.3	-3.56	<u>507</u>
<u>185</u>	RSC	Philann Coin Laundry Limited	16 - 18 Vaughan Road, Toronto, Ontario M5R 3J3 ON M5R 3J3	SSE/229.4	-3.56	<u>508</u>
<u>186</u>	WWIS		Toronto ON Well ID: 7132483	S/226.0	-3.65	<u>508</u>
<u>187</u>	WWIS		Toronto ON Well ID: 7269663	SE/225.4	-5.97	<u>514</u>
<u>188</u>	EHS		147 Vaughan Road Toronto ON	NW/228.1	1.97	<u>517</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>189</u>	TANK	Reynolds [E W]	49 Melgund Rd Toronto ON M5R 2A1	SE/235.0	-5.29	<u>517</u>
<u>190</u>	GEN	Na-Me-Res (Native Men's Reserve)	14 Vaughan Road Toronot ON	SSE/240.1	-4.10	<u>517</u>
<u>191</u>	BORE		ON	E/242.6	-9.00	<u>518</u>
<u>192</u>	GEN	RUSSELL CLEANERS	A 600449 ONTARIO LTD. 574-576 ST. CLAIR AVENUE WEST TORONTO ON M6C 1A6	WSW/241.4	-0.17	<u>519</u>
<u>192</u>	GEN	RUSSELL CLEANERS	574-576 ST. CLAIR AVENUE WEST TORONTO ON M6C 1A6	WSW/241.4	-0.17	<u>519</u>
<u>192</u>	GEN	RUSSELL CLEANERS 33-078	A 600449 ONTARIO LTD. 574-576 ST. CLAIR AVENUE WEST TORONTO ON M6C 1A6	WSW/241.4	-0.17	<u>520</u>
<u>192</u>	GEN	600449 Ontario Ltd.	574-576 ST. CLAIR AVENUE WEST TORONTO ON	WSW/241.4	-0.17	<u>520</u>
<u>192</u>	GEN	600449 Ontario Ltd.	574-576 ST. CLAIR AVENUE WEST TORONTO ON	WSW/241.4	-0.17	<u>520</u>
<u>192</u>	GEN	600449 Ontario Ltd.	574-576 ST. CLAIR AVENUE WEST TORONTO ON	WSW/241.4	-0.17	<u>521</u>
<u>192</u>	GEN	600449 Ontario Ltd.	574-576 ST. CLAIR AVENUE WEST TORONTO ON M6C 1A6	WSW/241.4	-0.17	<u>521</u>
<u>193</u>	EHS		595 St Clair Ave W Toronto ON M6C1A3	WSW/240.6	-1.21	<u>521</u>
<u>194</u>	GEN	600449 Ontario Ltd.	574-576 ST. CLAIR AVENUE WEST TORONTO ON	WSW/243.4	0.01	<u>521</u>
<u>194</u>	GEN	600449 Ontario Ltd.	574-576 ST. CLAIR AVENUE WEST TORONTO ON M6C 1A6	WSW/243.4	0.01	<u>522</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>194</u>	GEN	600449 Ontario Ltd.	574-576 ST. CLAIR AVENUE WEST TORONTO ON M6C 1A6	WSW/243.4	0.01	<u>522</u>
<u>194</u>	CDRY	Russell Cleaners	574-576 St Clair Ave W Toronto ON M6C1A6	WSW/243.4	0.01	<u>522</u>
<u>195</u>	BORE		ON	NW/244.7	1.97	<u>523</u>
<u>196</u>	SPL	Enbridge Gas Distribution Inc.	56 Ellsworth Ave. Toronto ON M6G 2K3	SW/241.4	-2.91	<u>525</u>
<u>196</u>	PINC		56 Ellsworth Avenue, Toronto ON	SW/241.4	-2.91	<u>526</u>
<u>197</u>	GEN	Solutions Health Care Associates	578 St Clair Ave West Toronto ON M6C 1A6	WSW/249.6	0.01	<u>526</u>
<u>197</u>	GEN	Solutions Health Care Associates	578 St Clair Ave West Toronto ON M6C 1A6	WSW/249.6	0.01	<u>526</u>
<u>198</u>	EHS		14 Tichester Road Toronto Ontario York ON M5P 1P1	NNE/245.1	-0.42	<u>527</u>
<u>199</u>	EHS		1545 Bathurst Street Toronto ON M5P 3H6	N/250.4	1.97	<u>527</u>
<u>200</u>	BORE		ON	E/252.0	-9.00	<u>527</u>
<u>201</u>	EHS		597 St Clair Ave W Toronto ON M6C1A3	WSW/251.2	-1.22	<u>528</u>
<u>202</u>	EHS		1545 Bathurst Toronto ON	N/251.6	1.97	<u>529</u>
<u>203</u>	WWIS		Toronto ON	SSW/250.6	-4.59	<u>529</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 7187628			
204	SPL		52 Kenwood Avenue Toronto ON	W/254.3	1.97	532
205	WWIS		ON Well ID: 7313577	SE/260.4	-4.99	532
206	CA	LOBLAW PROPERTIES LIMITED	480 ST. CLAIR AVE. W. TORONTO ON	E/263.4	-8.24	533
206	RSC		480 St Clair Ave W Toronto ON	E/263.4	-8.24	533
207	PES	LOBLAWS SUPERMARKETS LIMITED	480 ST. CLAIR AVENUE WEST TORONTO ON L1T 3B7	E/263.5	-8.24	534
207	PES	LOBLAWS SUPERMARKETS LIMITED	480 ST. CLAIR AVENUE WEST TORONTO ON M5P1N6	E/263.5	-8.24	534
208	BORE		ON	NNW/270.3	1.97	534
209	ANDR	St Michael's College Dump	Toronto ON M5P	ENE/266.8	-8.02	535
210	EHS		596 & 598 St. Clair Avenue West Toronto ON	WSW/270.6	-0.09	536
211	EHS		601 St Clair Ave W Toronto ON M6C 1A3	WSW/272.6	-1.18	536
212	SCT	ESPEL INC.	59 HOCKEN AVE TORONTO ON M6G 2K1	SSW/270.9	-5.08	537
213	CA	TORONTO CITY - DRAWING# R-814	BATHURST ST./MONTCLAIR AVE. TORONTO CITY ON	N/278.8	1.97	537
214	SPL	Toronto Transit Commission	Southbound Bathurst Street at Mount Clair Toronto ON	N/279.5	1.97	537

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>215</u>	ANDR	St Clair Fill	Toronto ON M5P	E/280.0	-7.44	<u>538</u>
<u>216</u>	GEN	Imperial Oil Limited.	171 Vaughan Road Toronto, Ont ON	NW/278.2	1.97	<u>538</u>
<u>216</u>	TANK	Cheatley's Service Station	171 Vaughan Rd Toronto ON M6C 2L9	NW/278.2	1.97	<u>538</u>
<u>216</u>	TANK	British American Oil Co Ltd	171 Vaughan Rd Toronto ON M6C 2L9	NW/278.2	1.97	<u>539</u>
<u>216</u>	GEN	Imperial Oil	171 Vaughan Road Toronto ON M6C 2L9	NW/278.2	1.97	<u>539</u>
<u>216</u>	RSC	Rose of Sharon (Ontario) Retirement Community	165 and 171 Vaughan Road, Toronto Ontario Toronto ON	NW/278.2	1.97	<u>539</u>
<u>216</u>	GEN	Imperial Oil(c/o Monisha Nandi)	171 Vaughan Road Toronto ON M6C 2L9	NW/278.2	1.97	<u>540</u>
<u>216</u>	GEN	Imperial Oil Limited	171 Vaughan Road Toronto ON	NW/278.2	1.97	<u>540</u>
<u>216</u>	GEN	Imperial Oil Limited	171 Vaughan Road Toronto ON	NW/278.2	1.97	<u>541</u>
<u>216</u>	GEN	Imperial Oil Limited	171 Vaughan Road Toronto ON	NW/278.2	1.97	<u>541</u>
<u>216</u>	GEN	Imperial Oil Limited	171 Vaughan Road Toronto ON M6C 2L9	NW/278.2	1.97	<u>541</u>
<u>216</u>	GEN	Imperial Oil	171 Vaughan Road Toronto ON	NW/278.2	1.97	<u>542</u>
<u>216</u>	ECA	Rose of Sharon (Ontario) Retirement Community	165-171 Vaughan Rd Toronto ON	NW/278.2	1.97	<u>542</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
216	GEN	Imperial Oil	171 Vaughan Road Toronto ON M6C 2L9	NW/278.2	1.97	542
216	GEN	Imperial Oil	171 Vaughan Road Toronto ON M6C 2L9	NW/278.2	1.97	543
216	GEN	Imperial Oil	171 Vaughan Road Toronto ON M6C 2L9	NW/278.2	1.97	543
216	GEN	Imperial Oil	171 Vaughan Road Toronto ON M6C 2L9	NW/278.2	1.97	544
216	GEN	Imperial Oil	171 Vaughan Road Toronto ON M6C 2L9	NW/278.2	1.97	544
217	WWIS		Toronto ON Well ID: 7258477	NNW/283.7	2.19	544
218	EHS		1415 Bathurst St Toronto ON M5R3H8	SE/280.4	-5.15	546
218	EHS		1415 Bathurst Street Toronto ON M5R 3H8	SE/280.4	-5.15	547
219	TANK		1415 Bathurst St Toronto ON M5R 3H8	SE/280.5	-5.15	547
219	TANK	Barber & Brownridge	1415 Bathurst St Toronto ON M5R 3H8	SE/280.5	-5.15	547
219	TANK	Barber & Brownridge	1415 Bathurst St Toronto ON M5R 3H8	SE/280.5	-5.15	547
219	TANK	Wychwood Garage	1415 Bathurst St Toronto ON M5R 3H8	SE/280.5	-5.15	548
219	SCT	Netron Inc.	1415 Bathurst St Suite 309 Toronto ON M5R 3H8	SE/280.5	-5.15	548

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
219	SCT	Sumach Press Inc.	1415 Bathurst St Suite 202 Toronto ON M5R 3H8	SE/280.5	-5.15	548
219	SPL	City of Toronto	1415 Bathurst Rd Toronto ON	SE/280.5	-5.15	548
220	EHS		105 Raglan Ave Toronto ON M6C2K7	NNW/285.8	2.45	549
221	GEN	Toronto Apartments	105 Raglan Ave. Toronto ON M6C 2K7	NNW/285.8	2.45	549
222	EHS		105 Raglan Ave Toronto ON	NNW/287.3	2.45	549
223	ANDR	1 Tichester Dump	Toronto ON M5P	NE/283.4	-4.10	550
224	EHS		15-17 Maplewood Avenue Toronto ON M6C 2M4	NW/286.1	1.97	550
225	SPL	Enbridge Gas Distribution Inc.	108 Hilton Ave Toronto ON	SE/286.3	-6.81	550
226	WWIS		TORONTO ON Well ID: 7104343	E/291.4	-7.05	551
227	EHS		171 Vaughan Rd Toronto On Toronto ON	NW/289.3	1.97	554
228	EHS		155 Wychwood Avenue Toronto ON	WSW/293.1	-0.08	554
229	GEN	Watters Environmental Group Inc.	155 Wychwood Ave. Toronto ON M6C 2T1	WSW/295.1	-0.08	554
230	PINC		183 Wychwood Avenue, Toronto ON	W/295.6	1.97	554

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
231	WWIS		TORONTO ON <i>Well ID: 7234981</i>	E/298.6	-6.54	555
231	WWIS		TORONTO ON <i>Well ID: 7266676</i>	E/298.6	-6.54	557
231	WWIS		TORONTO ON <i>Well ID: 7266675</i>	E/298.6	-6.54	558
231	WWIS		TORONTO ON <i>Well ID: 7266674</i>	E/298.6	-6.54	560
232	SPL	TORONTO TRANSIT COMMISSION	NORTHBOUND ON BATHURST ST AT VAUGHAN RD. MOTOR VEHICLE (OPERATING FLUID) TORONTO CITY ON	SE/298.6	-5.07	561
233	PES	LOBLAWS INC #1212	396 ST. CLAIR AVE W TORONTO ON M5P3N3	E/299.6	-6.31	561
233	SPL	Loblaws Supermarkets Inc. <UNOFFICIAL>	396 St. Clair Ave. West Toronto ON M5P 3N3	E/299.6	-6.31	562
233	SPL	Loblaws<UNOFFICIAL>	396 St Clair Ave West FOREST HILL MARKET (LOBLAWS)<UNOFFICIAL> Toronto ON M5P 3N3	E/299.6	-6.31	562
233	SPL	Loblaws Supermarket - Forest Hill Market<UNOFFICIAL>	396 St Clair St. W LOBLAWS SUPERMARKET - FOREST HILL MARKETS<UNOFFICIAL> Toronto ON	E/299.6	-6.31	563
233	PES	LOBLAWS SUPERMARKETS #1212	396 ST. CLAIR AVE W TORONTO ON M5P 3N3	E/299.6	-6.31	563
233	EHS		396 St. Clair Ave. W Toronto ON M5P 3N3	E/299.6	-6.31	564
233	SPL	Enbridge Gas Distribution Inc.	396 St Clair Ave W Toronto ON	E/299.6	-6.31	564

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>233</u>	SPL	Loblaw Companies Limited	396 St Clair Ave W Toronto ON	E/299.6	-6.31	<u>564</u>
<u>233</u>	GEN	Loblaw Company Limited	396 St. Clair Ave West Toronto ON M4P 3N3	E/299.6	-6.31	<u>565</u>
<u>233</u>	GEN	MyFamilyMD-West	396 St. Clair Ave. W. Loblaws on the Mezzanine Toronto ON M5P 3N3	E/299.6	-6.31	<u>566</u>
<u>233</u>	GEN	MyFamilyMD-West	396 St. Clair Ave. W. Loblaws on the Mezzanine Toronto ON M5P 3N3	E/299.6	-6.31	<u>566</u>
<u>233</u>	GEN	Loblaw Company Limited	396 St. Clair Ave West Toronto ON M4P 3N3	E/299.6	-6.31	<u>566</u>
<u>233</u>	GEN	MyFamilyMD-West	396 St. Clair Ave. W. Loblaws on the Mezzanine Toronto ON M5P 3N3	E/299.6	-6.31	<u>567</u>
<u>233</u>	GEN	LOBLAWS INC.	396 St. Clair Ave West Toronto ON M5P 3N3	E/299.6	-6.31	<u>568</u>
<u>233</u>	GEN	MyFamilyMD-West	396 St. Clair Ave. W. Loblaws on the Mezzanine Toronto ON M5P 3N3	E/299.6	-6.31	<u>569</u>
<u>233</u>	SPL		396 St. Clair Ave. West Toronto ON	E/299.6	-6.31	<u>569</u>
<u>233</u>	SPL	DFR<UNOFFICIAL>	396 St. Clair Ave. W. Toronto ON	E/299.6	-6.31	<u>570</u>
<u>233</u>	GEN	LOBLAWS INC.	396 St. Clair Ave West Toronto ON M5P 3N3	E/299.6	-6.31	<u>570</u>
<u>233</u>	GEN	MyFamilyMD	396 St. Clair Ave. W. Loblaws on the Mezzanine Toronto ON M5P 3N3	E/299.6	-6.31	<u>572</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>234</u>	SCT	The Printing House Ltd.	1403 Bathurst St Toronto ON M5R 3H8	SE/299.4	-5.02	<u>572</u>
<u>234</u>	SCT	TPH The Printing House Limited	1403 Bathurst St Toronto ON M5R 3H8	SE/299.4	-5.02	<u>572</u>
<u>234</u>	TANK	Brobst Forestry Co	1403 Bathurst St Toronto ON M5R 3H8	SE/299.4	-5.02	<u>573</u>
<u>235</u>	CA	Rose of Sharon (Ontario) Retirement Community	165-171 Vaughan Rd Toronto ON	NW/300.4	1.97	<u>573</u>
<u>236</u>	TANK		121 Hilton Ave Toronto ON M5R 3E8	ESE/299.7	-8.91	<u>573</u>
<u>237</u>	SCT	MarketPlace Associates	10 Tichester Rd Suite 605 Toronto ON M5P 3M4	NE/299.4	-4.52	<u>573</u>

Executive Summary: Summary By Data Source

ANDR - Anderson's Waste Disposal Sites

A search of the ANDR database, dated 1860s-Present has found that there are 3 ANDR site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
St Michael's College Dump	Toronto ON M5P	266.8	<u>209</u>
St Clair Fill	Toronto ON M5P	280.0	<u>215</u>
1 Tichester Dump	Toronto ON M5P	283.4	<u>223</u>

BORE - Borehole

A search of the BORE database, dated 1875-Jul 2018 has found that there are 8 BORE site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	133.9	<u>118</u>
	ON	174.1	<u>156</u>
	ON	204.4	<u>172</u>
	ON	211.3	<u>177</u>
	ON	242.6	<u>191</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	244.7	195
	ON	252.0	200
	ON	270.3	208

CA - Certificates of Approval

A search of the CA database, dated 1985-Oct 30, 2011* has found that there are 13 CA site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
530 St. Clair West Inc.	530 St. Clair Ave W Toronto ON M6C 0A2	35.8	33
500 St. Clair West Inc.	500 St. Clair Ave W Toronto ON	45.5	46
TORONTO CITY	BATHURST ST./ST. CLAIR AVE.W. TORONTO CITY ON	80.8	65
ARCTURUS ENVIRONMENTAL LIMITED	1467 BATHURST STREET TORONTO CITY ON M5P 3G8	85.7	67
PETRO-CANADA, ENVIRONMENTAL RETAIL SALES	1467 BATHURST ST., RET. OUTLET TORONTO CITY ON M5P 3G8	85.7	67
Petro-Canada	1467 Bathurst Street Toronto ON M5P 3G8	85.7	67

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
NINE WOODLAWN AVE.LTD. (8-3058-92-000)	99 VAUGHAN ROAD, RESUBMITTED YORK CITY ON	95.3	<u>75</u>
NINE WOODLAWN AVENUE LIMITED	99 VAUGHAN ROAD YORK CITY ON	95.3	<u>75</u>
ST. MICHAEL'S COLLEGE SCHOOL	1515 BATHURST STREET TORONTO ON M5P 3H4	170.9	<u>155</u>
St. Michael's College School	1515 Bathurst St Toronto ON M5P 3H4	170.9	<u>155</u>
LOBLAW PROPERTIES LIMITED	480 ST. CLAIR AVE. W. TORONTO ON	263.4	<u>206</u>
TORONTO CITY - DRAWING# R-814	BATHURST ST./MONTCLAIR AVE. TORONTO CITY ON	278.8	<u>213</u>
Rose of Sharon (Ontario) Retirement Community	165-171 Vaughan Rd Toronto ON	300.4	<u>235</u>

CDRY - Dry Cleaning Facilities

A search of the CDRY database, dated Jan 2004-Dec 2017 has found that there are 1 CDRY site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Russell Cleaners	574-576 St Clair Ave W Toronto ON M6C1A6	243.4	<u>194</u>

EASR - Environmental Activity and Sector Registry

A search of the EASR database, dated Oct 2011-Dec 31, 2019 has found that there are 4 EASR site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
1486 BATHURST INC.	ON	69.3	<u>56</u>
109 Vaughan Road Limited Partnership	109 VAUGHAN YORK YORK ON	109.2	<u>100</u>
109 Vaughan Road Limited Partnership	109 VAUGHAN RD YORK ON M6C 2L9	111.7	<u>102</u>
Housing Services Inc.	130 VAUGHAN RD YORK ON M6C 3Z6	212.4	<u>178</u>

EBR - Environmental Registry

A search of the EBR database, dated 1994-Nov 30, 2019 has found that there are 5 EBR site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
530 St. Clair West Inc.	530 St. Clair Avenue West Toronto CITY OF TORONTO ON	35.8	<u>33</u>
500 St. Clair West Inc.	500 St. Clair Avenue West Toronto CITY OF TORONTO ON	45.5	<u>46</u>
Petro Canada	1467 Bathurst Street Toronto ON	85.7	<u>67</u>
Petro-Canada	1467 Bathurst Street Toronto Ontario Toronto ON	85.7	<u>67</u>
TSP Canada Towers Inc.	100 Hayes Road Vaughan, Regional Municipality of York L2V 1L9 CITY OF VAUGHAN ON	149.5	<u>138</u>

ECA - Environmental Compliance Approval

A search of the ECA database, dated Oct 2011-Dec 31, 2019 has found that there are 5 ECA site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
530 St. Clair West Inc.	530 St. Clair Ave W Toronto ON M6C 1A2	24.5	<u>15</u>
500 St. Clair West Inc.	500 St. Clair Ave W Toronto ON M4V 2Y7	45.5	<u>46</u>
Petro-Canada	1467 Bathurst Street Toronto ON L6L 6N5	85.7	<u>67</u>
St. Michael's College School	1515 Bathurst St Toronto ON M5P 3H4	170.9	<u>155</u>
Rose of Sharon (Ontario) Retirement Community	165-171 Vaughan Rd Toronto ON	278.2	<u>216</u>

EHS - ERIS Historical Searches

A search of the EHS database, dated 1999-Oct 31, 2019 has found that there are 64 EHS site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	1486 Bathurst St York ON M5P 3G9	1.9	<u>2</u>
	1486 Bathurst St Toronto ON M5P3G9	2.1	<u>3</u>
	10 Raglan Avenue Toronto ON M6C 2K6	33.0	<u>32</u>
	1500 Bathurst St Toronto ON M5P3L3	32.0	<u>35</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	1500 Bathurst Street Toronto ON M5P 3L3	32.0	<u>36</u>
	10 To 32 Raglan Ave Toronto ON	38.3	<u>39</u>
	538 St Clair Ave W Toronto ON M6C 1A4	51.0	<u>50</u>
	523 - 531 St. Clair Avenue West Toronto ON	75.7	<u>58</u>
	1510 Bathurst Street York ON M5P 3H3	72.8	<u>59</u>
	40 Raglan Ave Toronto ON M6C2L2	74.0	<u>63</u>
	1467 Bathurst Street Toronto ON	85.7	<u>66</u>
	1467 Bathurst street Toronto ON M5P 3G8	85.7	<u>67</u>
	39 Raglan Avenue Toronto ON	104.7	<u>79</u>
	1466 Bathurst Street Toronto ON M5R 3S3	104.4	<u>84</u>
	535 St. Clair Avenue West Toronto ON	102.2	<u>85</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	542 St Clair Ave W Toronto ON M6C1A5	105.3	<u>87</u>
	542 St Clair Ave W Toronto ON M6C1A5	108.6	<u>93</u>
	501 St. Clair Avenue West Toronto ON	107.9	<u>97</u>
	109 Vaughan Rd Toronto ON M6C2L9	109.2	<u>100</u>
	109 Vaughan Road York ON M6C 2L9	109.2	<u>100</u>
	109 Vaughan Rd Toronto ON M6C 2L9	111.9	<u>103</u>
	80 Vaughan Rd Toronto ON M6C2L7	120.0	<u>104</u>
	1467 Bathurst Street Toronto ON	126.3	<u>112</u>
	94 Vaughan Road Toronto ON M6C 2M1	132.6	<u>117</u>
	1520 Bathurst St Toronto ON M5P3H3	137.5	<u>120</u>
	547-551 St Clair Avenue West Toronto ON M6C 1A3	134.0	<u>122</u>
	501 St Clair Avenue Toronto ON	138.3	<u>127</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	98 Vaughan Rd Toronto ON M6C2M1	140.7	<u>128</u>
	100 vaughan road York ON M6C 2M1	145.9	<u>132</u>
	497 St. Clair Avenue West Toronto ON M5P 1N6	148.9	<u>136</u>
	100 Vaughan Rd Toronto ON M6C2M1	149.4	<u>137</u>
	100 VAUGHAN RD TORONTO ON	149.5	<u>139</u>
	125 Vaughan Road York ON M6C 2L9	149.3	<u>143</u>
	31 Tichester Road Toronto ON	162.4	<u>151</u>
	150 Hilton Avenue Toronto ON M5R 3E9	164.3	<u>152</u>
	1435 Bathurst St Toronto ON M5R3J2	173.5	<u>157</u>
	556 St. Clair Avenue West Toronto ON M6C 1A5	180.7	<u>160</u>
	26 Vaughan Road Toronto ON M6G 2C4	185.9	<u>161</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	65, 67, 69, 71, 73, 75, 77, 79, 81, 83 Raglan Avenue York ON M6C 2K7	186.8	<u>162</u>
	129 Vaughan Road York ON M6C 2L9	185.2	<u>163</u>
	575 - 579 St. Clair Avenue West Toronto ON	190.3	<u>166</u>
	11 Kenwood Avenue Toronto ON	195.8	<u>168</u>
	575 St Clair Ave W Toronto ON M6C1A3	191.8	<u>169</u>
	129, 133, 135, 137, 139, 141 Vaughan Rd York ON M6C 2L9	193.8	<u>170</u>
	100 Raglan Avenue Toronto ON M6C 2L3	212.5	<u>175</u>
	585 St. Clair Avenue Toronto ON	215.9	<u>179</u>
	147 Vaughan Rd Toronto ON M6C2L9	221.7	<u>182</u>
	16 & 18 Vaughan Road Toronto ON M6G 2N1	229.3	<u>184</u>
	147 Vaughan Road Toronto ON	228.1	<u>188</u>
	595 St Clair Ave W Toronto ON M6C1A3	240.6	<u>193</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	14 Tichester Road Toronto Ontario York ON M5P 1P1	245.1	<u>198</u>
	1545 Bathurst Street Toronto ON M5P 3H6	250.4	<u>199</u>
	597 St Clair Ave W Toronto ON M6C1A3	251.2	<u>201</u>
	1545 Bathurst Toronto ON	251.6	<u>202</u>
	596 & 598 St. Clair Avenue West Toronto ON	270.6	<u>210</u>
	601 St Clair Ave W Toronto ON M6C 1A3	272.6	<u>211</u>
	1415 Bathurst St Toronto ON M5R3H8	280.4	<u>218</u>
	1415 Bathurst Street Toronto ON M5R 3H8	280.4	<u>218</u>
	105 Raglan Ave Toronto ON M6C2K7	285.8	<u>220</u>
	105 Raglan Ave Toronto ON	287.3	<u>222</u>
	15-17 Maplewood Avenue Toronto ON M6C 2M4	286.1	<u>224</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	171 Vaughan Rd Toronto On Toronto ON	289.3	<u>227</u>
	155 Wychwood Avenue Toronto ON	293.1	<u>228</u>
	396 St. Clair Ave. W Toronto ON M5P 3N3	299.6	<u>233</u>

EXP - List of Expired Fuels Safety Facilities

A search of the EXP database, dated Feb 28, 2017 has found that there are 6 EXP site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
373854 ONTARIO LTD	1467 BATHURST ST TORONTO ON	85.7	<u>67</u>
1516726 ONTARIO INC O/A GAS STN	1467 BATHURST ST TORONTO ON M5P 3G8	85.7	<u>67</u>
1516726 ONTARIO INC O/A GAS STN	1467 BATHURST ST TORONTO ON M5P 3G8	85.7	<u>67</u>
1516726 ONTARIO INC O/A GAS STN	1467 BATHURST ST TORONTO ON M5P 3G8	85.7	<u>67</u>
1516726 ONTARIO INC O/A GAS STN	1467 BATHURST ST TORONTO ON M5P 3G8	85.7	<u>67</u>
1516726 ONTARIO INC O/A GAS STN	1467 BATHURST ST TORONTO ON M5P 3G8	85.7	<u>67</u>

FST - Fuel Storage Tank

A search of the FST database, dated Feb 28, 2017 has found that there are 1 FST site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
BUDGET RENT A CAR	556 ST CLAIR AV W TORONTO ON M6C 1A5	180.7	160

FSTH - Fuel Storage Tank - Historic

A search of the FSTH database, dated Pre-Jan 2010* has found that there are 4 FSTH site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
1516726 ONTARIO INC O/A GAS STN	1467 BATHURST ST TORONTO ON M5P 3G8	85.7	67
1162006 ONTARIO LTD CROSSTOWN CAR WASH & AUTO SERVICE	1467 BATHURST ST TORONTO ON M5P 3G8	85.7	67
BUDGET RENT A CAR	556 ST CLAIR AV W TORONTO ON M6C 1A5	180.7	160
BUDGET RENT A CAR	556 ST CLAIR AV W TORONTO ON M6C 1A5	180.7	160

GEN - Ontario Regulation 347 Waste Generators Summary

A search of the GEN database, dated 1986-Oct 31, 2019 has found that there are 151 GEN site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
TSCC 2334	530 St. Clair Ave. W. Toronto ON M6C 0A2	24.5	15
LifeLabs LP	526 St. Clair Ave West, Unit 3 Toronto ON M6C 1A2	27.0	20
LifeLabs LP	526 St. Clair Ave West, Unit 3 Toronto ON M6C 1A2	27.0	20

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
LifeLabs LP	526 St. Clair Ave West, Unit 3 Toronto ON M6C 1A2	29.4	<u>25</u>
LifeLabs LP	526 St. Clair Ave West, Unit 3 Toronto ON M6C 1A2	29.4	<u>25</u>
LifeLabs LP	526 St. Clair Ave West, Unit 3 Toronto ON M6C 1A2	29.4	<u>25</u>
PHARMA PLUS DRUGS LTD	518 ST. CLAIR AVENUE WEST TORONTO ON M6C 1A1	36.8	<u>34</u>
PHARMA PLUS DRUGS LTD. 31-695	518 ST. CLAIR AVE. WEST, TORONTO C/O 5935 AIRPORT RAOD STE. 500 MISSISSAUGA ON M6C 1A2	36.8	<u>34</u>
PHARMA PLUS DRUGS LTD.	518 ST. CLAIR AVENUE WEST TORONTO ON M6C 1A1	36.8	<u>34</u>
PHARMA (OUT OF BUSINESS)	518 ST. CLAIR AVENUE WEST TORONTO ON M6C 1A2	36.8	<u>34</u>
Dr. DeMiglio, Fava,Litvack	1500 Bathurst St. Unit 2 Toronto ON M3H 2X8	32.0	<u>36</u>
Dr. DeMiglio, Fava,Litvack	1500 Bathurst St. Unit 2 Toronto ON	32.0	<u>36</u>
Dr. DeMiglio, Fava,Litvack	1500 Bathurst St. Unit 2 Toronto ON M3H 2X8	32.0	<u>36</u>
1500 BATHURST HOLDINGS LTD.	1500 BATHURST ST TORONTO ON M5P3L3	32.0	<u>36</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Dr. DeMiglio, Fava,Litvack	1500 Bathurst St. Unit 2 Toronto ON M3H 2X8	32.0	<u>36</u>
Dr. DeMiglio, Fava,Litvack	1500 Bathurst St. Unit 2 Toronto ON M3H 2X8	32.0	<u>36</u>
Cromwell Management Inc.	1500 Bathurst Street Toronto ON M5P 3L3	32.0	<u>36</u>
Dr. Pavelic,Litvack	1500 Bathurst St. Unit 2 Toronto ON M3H 2X8	32.0	<u>36</u>
Dr. Pavelic,Litvack	1500 Bathurst St. Unit 2 Toronto ON M3H 2X8	32.0	<u>36</u>
Dr. DeMiglio, Fava,Litvack	1500 Bathurst St. Unit 2 Toronto ON M3H 2X8	32.2	<u>37</u>
Dr. DeMiglio, Fava,Litvack	1500 Bathurst St. Unit 2 Toronto ON M3H 2X8	32.2	<u>37</u>
SKETCHLEY CLEANERS	521 ST. CLAIR AVE. W. TORONTO ON M6C 1A1	76.7	<u>57</u>
SKETCHLEY (SEE & USE ON1533005) 35-025	521 ST. CLAIR AVE. W. TORONTO ON M6C 1A1	76.7	<u>57</u>
SKETCHLEY CLEANERS (SEE & USE ON1533005)	521 ST. CLAIR AVENUE WEST TORONTO ON M6C 1A1	76.7	<u>57</u>
EMBASSY CLEANERS INC. 35-025	O/A SKETCHLEY CLEANERS, 521 ST. CLAIR AVE. W., C/O 290 OLD WESTON RD. TORONTO ON M6C 1A1	76.7	<u>57</u>
SHOPPERS DRUG MART	S. DINOFF DRUGS 523 ST. CLAIR AVENUE WEST TORONTO ON M6C 1A1	79.6	<u>62</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Nart Drugs Inc.	523 St.Clair Avenue West Toronto ON M6C1A1	79.6	<u>62</u>
S. Dinoff Drugs Limited	523 ST. CLAIR AVE. W. Toronto ON M6C 1A1	79.6	<u>62</u>
Nart Drugs Inc.	523 St.Clair Avenue West Toronto ON M6C1A1	79.6	<u>62</u>
Nart Drugs Inc.	523 St.Clair Avenue West Toronto ON M6C1A1	79.6	<u>62</u>
Some Property Company	40 Raglan Avenue Toronto ON M6C 2L2	74.0	<u>64</u>
Petro-Canada	1467 Bathurst Street Toronto ON M5P 3G8	85.7	<u>67</u>
Petro-Canada	1467 Bathurst Street Toronto ON M5P 3G8	85.7	<u>67</u>
Suncor Energy products partnership	1467 Bathurst Street Toronto ON M5P 3G8	85.7	<u>67</u>
Suncor Energy products partnership	1467 Bathurst Street Toronto ON M5P 3G8	85.7	<u>67</u>
Suncor Energy products partnership	1467 Bathurst Street Toronto ON	85.7	<u>67</u>
Suncor Energy products partnership	1467 Bathurst Street Toronto ON M5P 3G8	85.7	<u>67</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Suncor Energy products partnership	1467 Bathurst Street Toronto ON M5P 3G8	85.7	<u>67</u>
Suncor Energy products partnership	1467 Bathurst Street Toronto ON M5P 3G8	85.7	<u>67</u>
Suncor Energy products partnership	1467 Bathurst Street Toronto ON M5P 3G8	85.7	<u>67</u>
Suncor Energy products partnership	1467 Bathurst Street Toronto ON M5P 3G8	85.7	<u>67</u>
Suncor Energy products partnership	1467 Bathurst Street Toronto ON M5P 3G8	85.7	<u>67</u>
Dr Abelsohn	1466 Bathurst Str, #205 Toronto ON M5R3S3	104.3	<u>83</u>
DMKCorp	1466 Bathurst st suite 303 Toronto ON M5C3J3	104.3	<u>83</u>
Dr. C. Borgono	1466 Bathurst Street, Suite 306 Toronto ON M5R 3S3	104.3	<u>83</u>
Dr Abelsohn	1466 Bathurst Str, #205 Toronto ON M5R3S3	104.3	<u>83</u>
Dr. C. Borgono	1466 Bathurst Street, Suite 306 Toronto ON M5R 3S3	104.3	<u>83</u>
Dr. C. Borgono	1466 Bathurst Street, Suite 306 Toronto ON M5R 3S3	104.3	<u>83</u>
Dr. C. Borgono	1466 Bathurst Street, Suite 306 Toronto ON M5R 3S3	104.3	<u>83</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
DMKCorp	1466 Bathurst st suite 303 Toronto ON M5C3J3	104.3	<u>83</u>
Dr. Abelsohn Abelsohn	205-1466 Bathurst Str Toronto ON M5R 3S3	104.3	<u>83</u>
Dr. Abelsohn Abelsohn	205-1466 Bathurst Str Toronto ON M5R 3S3	104.3	<u>83</u>
Dr. C. Borgono	1466 Bathurst Street, Suite 306 Toronto ON M5R 3S3	104.3	<u>83</u>
DYNACARE LABORATORIES 30-883	PARK-MED LABORATORIES LIMITED 1466 BATHURST ST., BASEMENT TORONTO ON M5R 3S3	104.4	<u>84</u>
DYNACARE LABORATORIES LIMITED	PARK-MED LABORATORIES LIMITED 1466 BATHURST STREET, BASEMENT TORONTO ON M5R 3S3	104.4	<u>84</u>
Dr. C. Borgono	1466 Bathurst Street, Suite 306 Toronto ON M5R 3S3	104.4	<u>84</u>
Dr. C. Borgono	1466 Bathurst Street, Suite 306 Toronto ON M5R 3S3	104.4	<u>84</u>
Dr. C. Borgono	1466 Bathurst Street, Suite 306 Toronto ON M5R 3S3	104.4	<u>84</u>
Dr. C. Borgono	1466 Bathurst Street, Suite 306 Toronto ON M5R 3S3	104.4	<u>84</u>
Dr. C. Borgono	1466 Bathurst Street, Suite 306 Toronto ON	104.4	<u>84</u>
TORONTO HEALTH CARE GROUP	64 VAUGHAN ROAD TORONTO ON M6G 2N4	105.4	<u>89</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
O&Y CB Richard Ellis	535 St. Clair Avenue West Toronto ON M6C 1A3	105.5	<u>92</u>
109 Vaughan Rd. LP	109 Vaughan Road Toronto ON M6C 2L9	111.7	<u>102</u>
Van Kirk Developments Inc.	109 Vaughan Road Toronto ON M6C 2L9	111.7	<u>102</u>
Quantum Murray LP	109 Vaughan Road Toronto ON M6C 4A2	111.7	<u>102</u>
109 Vaughan Rd. LP	109 Vaughan Rd Toronto ON M6C 2L9	111.7	<u>102</u>
109 Vaughan Rd. LP	109 Vaughan Rd Toronto ON M6C 2L9	111.7	<u>102</u>
Dr Bernarda Rosales Verzonilla Dentistry Prof Corp	550 St Clair Ave W Suite 203 Toronto ON M6C 1A5	136.9	<u>123</u>
Dr Bernarda Rosales Verzonilla Dentistry Prof Corp	550 St Clair Ave W Suite 203 Toronto ON M6C 1A5	136.9	<u>123</u>
Dr Bernarda Rosales Verzonilla Dentistry Prof Corp	550 St Clair Ave W Suite 203 Toronto ON M6C 1A5	136.9	<u>123</u>
Dr Bernarda Rosales Verzonilla Dentistry Prof Corp	550 St Clair Ave W Suite 203 Toronto ON M6C 1A5	136.9	<u>123</u>
Dr Bernarda Rosales Verzonilla Dentistry Prof Corp	550 St Clair Ave W Suite 203 Toronto ON M6C 1A5	139.9	<u>126</u>
Bathurst Vaughan Mall Limited	21 Vaughan Road, Suite 114 Toronto ON M6G 2N2	144.2	<u>130</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
LABCARE INC.	553 ST.CLAIR AVENUE WEST TORONTO ON M6C 1A3	153.6	<u>148</u>
LABCARE INC.	553 ST.CLAIR AVENUE WEST TORONTO ON M6C 1A3	153.6	<u>148</u>
LABCARE INC.	553 ST.CLAIR AVENUE WEST TORONTO ON M6C 1A3	153.6	<u>148</u>
LABCARE INC.	553 ST.CLAIR AVENUE WEST TORONTO ON M6C 1A3	153.6	<u>148</u>
LABCARE INC.	553 ST.CLAIR AVENUE WEST TORONTO ON M6C 1A3	153.6	<u>148</u>
DMKCorp	1440 Bathurst St Toronto ON M5R 3J3	163.9	<u>149</u>
DMKCorp	1440 Bathurst St Toronto ON M5R 3J3	163.9	<u>149</u>
METRO TORONTO SEPARATE SCHOOL BD.	ST. MICHAELS COLLEGE SCHOOL 1515 BATHURST STREET TORONTO ON M5P 3H4	170.9	<u>155</u>
METRO TORONTO(SEE & USE ON1188100)	ST. MICHAELS COLLEGE SCHOOL 1515 BATHURST STREET TORONTO ON M5P 3H4	170.9	<u>155</u>
METROPOLITAN (SEE & USE ON1188100)26-191	ST. MICHAELS COLLEGE SCHOOL 1515 BATHURST STREET TORONTO ON M5P 3H4	170.9	<u>155</u>
METROPOLITAN SEPARATE (SEE&USE ON1188100)	ST. MICHAELS COLLEGE SCHOOL 1515 BATHURST STREET TORONTO ON M5P 3H4	170.9	<u>155</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
ST. MICHAEL'S COLLEGE SCHOOL ARENA	1515 BATHURST STREET TORONTO ON M5P 3H4	170.9	<u>155</u>
ST. MICHAEL'S COLLEGE SCHOOL 34-566	1515 BATHURST STREET TORONTO ON M5P 3H4	170.9	<u>155</u>
ST. MICHAEL'S COLLEGE HIGH SCHOOL	1515 BATHURST STREET TORONTO ON M5P 3H4	170.9	<u>155</u>
ST. MICHAEL'S COLLEGE SCHOOL	1515 BATHURST STREET TORONTO ON M5P 3H4	170.9	<u>155</u>
ST. MICHAEL'S COLLEGE SCHOOL	1515 BATHURST STREET TORONTO ON M5P 3H4	170.9	<u>155</u>
ST. MICHAEL'S COLLEGE SCHOOL	1515 BATHURST STREET TORONTO ON M5P 3H4	170.9	<u>155</u>
ST. MICHAEL'S COLLEGE SCHOOL	1515 BATHURST STREET TORONTO ON M5P 3H4	170.9	<u>155</u>
ST. MICHAEL'S COLLEGE SCHOOL	1515 BATHURST STREET TORONTO ON	170.9	<u>155</u>
St. Michaels College School	1515 Bathhurst St. Toronto ON	170.9	<u>155</u>
St. Michaels College School	1515 Bathhurst St. Toronto ON M5P3H4	170.9	<u>155</u>
ST. MICHAEL'S COLLEGE SCHOOL	1515 BATHURST STREET TORONTO ON M5P 3H4	170.9	<u>155</u>
ST. MICHAEL'S COLLEGE SCHOOL	1515 BATHURST STREET TORONTO ON M5P 3H4	170.9	<u>155</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
St. Michaels College School	1515 Bathhurst St. Toronto ON M5P3H4	170.9	<u>155</u>
ST. MICHAEL'S COLLEGE SCHOOL	1515 BATHURST STREET TORONTO ON M5P 3H4	170.9	<u>155</u>
St. Michaels College School	1515 Bathhurst St. Toronto ON M5P3H4	170.9	<u>155</u>
ST. MICHAEL'S COLLEGE SCHOOL	1515 BATHURST STREET TORONTO ON M5P 3H4	170.9	<u>155</u>
St. Michaels College School	1515 Bathhurst St. Toronto ON M5P3H4	170.9	<u>155</u>
ST. MICHAEL'S COLLEGE SCHOOL	1515 BATHURST STREET TORONTO ON M5P 3H4	170.9	<u>155</u>
St. Michaels College School	1515 Bathhurst St. Toronto ON M5P3H4	170.9	<u>155</u>
BUDGET RENT A CAR O/A BRL REALTY 05-702	556 ST. CLAIR AVE. WEST, TORONTO C/O 5905 CAMPUS ROAD MISSISSAUGA ON M6C 1A5	180.7	<u>160</u>
BML Group	556 St. Clair Avenue West Toronto ON M6C 1A5	180.7	<u>160</u>
Budgetcar Inc.	556 St. Clair Ave West Toronto ON M6C 1A5	180.7	<u>160</u>
VAUGHAN MEDICAL LABS	26 VAUGHAN RD. TORONTO ON M6G 2C4	185.9	<u>161</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
MED-HEALTH LABORATORIES LIMITED	26 VAUGHAN RD. TORONTO ON M6G 2C4	185.9	<u>161</u>
MED-(OUT OF BUS) 40-025	26 VAUGHAN RD. TORONTO ON M6G 2C4	185.9	<u>161</u>
MED-HEALTH LABORATORIES LIMITED 40-025	26 VAUGHAN RD. TORONTO ON M6G 2C4	185.9	<u>161</u>
MED-HEALTH LABS LTD. (OUT OF BUSINESS)	26 VAUGHAN ROAD TORONTO ON M6G 2C4	185.9	<u>161</u>
Quantus Holdings	575 St.Clair Ave. West. Toronto ON M6C 1A3	190.3	<u>167</u>
TORONTO PUBLIC LIBRARY	1431 BATHURST STREET TORONTO ON M5R 3J2	203.1	<u>173</u>
Toronto Public Library	1431 Bathurst Street Toront ON M5R 3J2	203.1	<u>173</u>
1214592 Ontario Limited	1431 Bathurst St Toronto ON M5R3J2	203.1	<u>173</u>
Na-Me-Res (Native Men's Reserve)	14 Vaughan Road Toronot ON	240.1	<u>190</u>
RUSSELL CLEANERS	A 600449 ONTARIO LTD. 574-576 ST. CLAIR AVENUE WEST TORONTO ON M6C 1A6	241.4	<u>192</u>
RUSSELL CLEANERS	574-576 ST. CLAIR AVENUE WEST TORONTO ON M6C 1A6	241.4	<u>192</u>
RUSSELL CLEANERS 33-078	A 600449 ONTARIO LTD. 574-576 ST. CLAIR AVENUE WEST TORONTO ON M6C 1A6	241.4	<u>192</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
600449 Ontario Ltd.	574-576 ST. CLAIR AVENUE WEST TORONTO ON	241.4	<u>192</u>
600449 Ontario Ltd.	574-576 ST. CLAIR AVENUE WEST TORONTO ON	241.4	<u>192</u>
600449 Ontario Ltd.	574-576 ST. CLAIR AVENUE WEST TORONTO ON	241.4	<u>192</u>
600449 Ontario Ltd.	574-576 ST. CLAIR AVENUE WEST TORONTO ON M6C 1A6	241.4	<u>192</u>
600449 Ontario Ltd.	574-576 ST. CLAIR AVENUE WEST TORONTO ON	243.4	<u>194</u>
600449 Ontario Ltd.	574-576 ST. CLAIR AVENUE WEST TORONTO ON M6C 1A6	243.4	<u>194</u>
600449 Ontario Ltd.	574-576 ST. CLAIR AVENUE WEST TORONTO ON M6C 1A6	243.4	<u>194</u>
Solutions Health Care Associates	578 St Clair Ave West Toronto ON M6C 1A6	249.6	<u>197</u>
Solutions Health Care Associates	578 St Clair Ave West Toronto ON M6C 1A6	249.6	<u>197</u>
Imperial Oil	171 Vaughan Road Toronto ON M6C 2L9	278.2	<u>216</u>
Imperial Oil(c/o Monisha Nandi)	171 Vaughan Road Toronto ON M6C 2L9	278.2	<u>216</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Imperial Oil Limited	171 Vaughan Road Toronto ON	278.2	<u>216</u>
Imperial Oil Limited	171 Vaughan Road Toronto ON	278.2	<u>216</u>
Imperial Oil Limited	171 Vaughan Road Toronto ON	278.2	<u>216</u>
Imperial Oil Limited	171 Vaughan Road Toronto ON M6C 2L9	278.2	<u>216</u>
Imperial Oil	171 Vaughan Road Toronto ON	278.2	<u>216</u>
Imperial Oil	171 Vaughan Road Toronto ON M6C 2L9	278.2	<u>216</u>
Imperial Oil	171 Vaughan Road Toronto ON M6C 2L9	278.2	<u>216</u>
Imperial Oil	171 Vaughan Road Toronto ON M6C 2L9	278.2	<u>216</u>
Imperial Oil	171 Vaughan Road Toronto ON M6C 2L9	278.2	<u>216</u>
Imperial Oil	171 Vaughan Road Toronto ON M6C 2L9	278.2	<u>216</u>
Imperial Oil Limited.	171 Vaughan Road Toronto, Ont ON	278.2	<u>216</u>
Toronto Apartments	105 Raglan Ave. Toronto ON M6C 2K7	285.8	<u>221</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Watters Environmental Group Inc.	155 Wychwood Ave. Toronto ON M6C 2T1	295.1	<u>229</u>
Loblaw Company Limited	396 St. Clair Ave West Toronto ON M4P 3N3	299.6	<u>233</u>
MyFamilyMD-West	396 St. Clair Ave. W. Loblaws on the Mezzanine Toronto ON M5P 3N3	299.6	<u>233</u>
MyFamilyMD-West	396 St. Clair Ave. W. Loblaws on the Mezzanine Toronto ON M5P 3N3	299.6	<u>233</u>
Loblaw Company Limited	396 St. Clair Ave West Toronto ON M4P 3N3	299.6	<u>233</u>
MyFamilyMD-West	396 St. Clair Ave. W. Loblaws on the Mezzanine Toronto ON M5P 3N3	299.6	<u>233</u>
LOBLAWS INC.	396 St. Clair Ave West Toronto ON M5P 3N3	299.6	<u>233</u>
MyFamilyMD-West	396 St. Clair Ave. W. Loblaws on the Mezzanine Toronto ON M5P 3N3	299.6	<u>233</u>
LOBLAWS INC.	396 St. Clair Ave West Toronto ON M5P 3N3	299.6	<u>233</u>
MyFamilyMD	396 St. Clair Ave. W. Loblaws on the Mezzanine Toronto ON M5P 3N3	299.6	<u>233</u>

HINC - TSSA Historic Incidents

A search of the HINC database, dated 2006-June 2009* has found that there are 3 HINC site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	538 ST. CLAIR AVENUE WEST TORONTO ON M6C 1A4	55.4	51
	NORTHEAST CORNER OF BATHURST STREET & ST. CLAIR AVENUE WEST TORONTO ON	80.8	65
	13 HOCKEN AVENUE TORONTO ON M6G 2K1	214.1	176

PES - Pesticide Register

A search of the PES database, dated 1988-Dec 2019 has found that there are 16 PES site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
909537 ONTARIO INC. O/A CROSS TOWN HARDWARE	538 ST. CLAIR AVENUE WEST TORONTO ON M6C1A4	55.4	51
S. DANOFF DRUGS LIMITED / SHOPPERS DRUG MART # 836	523 ST CLAIR AVE W TORONTO ON M6C 1A1	79.6	62
S. DANOFF DRUGS LIMITED / SHOPPERS DRUG MART # 836	523 ST CLAIR AVE W TORONTO ON M6C 1A1	79.6	62
SHOPPERS DRUG MART #0836 (ST. CLAIR & BATHURST)	523 ST. CLAIR AVE W TORONTO ON M6C1A1	79.6	62
S. DANOFF DRUGS LIMITED / SHOPPERS DRUG MART # 836	523 ST CLAIR AVE W TORONTO ON M6C1A1	79.6	62
SHOPPERS DRUG MART #0836 (ST. CLAIR & BATHURST)	523 ST. CLAIR AVE W TORONTO ON M6C 1A1	79.6	62

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
HILLCREST HOME HARDWARE	60 VAUGHAN RD TORONTO ON M6G2N4	117.0	<u>108</u>
HILLCREST HOME HARDWARE	60 VAUGHAN RD TORONTO ON M6G2N4	117.0	<u>108</u>
HILLCREST HOME HARDWARE	60 VAUGHAN RD TORONTO ON M6G 2N4	117.0	<u>108</u>
HILLCREST PRO HARDWARE	60 VAUGHAN RD TORONTO ON M6G 2N4	117.0	<u>108</u>
HILLCREST PRO HARDWARE	60 VAUGHAN ROAD TORONTO ON M6G 2N4	117.0	<u>108</u>
HILLCREST PRO HARDWARE	60 VAUGHAN RD TORONTO ON M6G 2N4	117.0	<u>108</u>
LOBLAWS SUPERMARKETS LIMITED	480 ST. CLAIR AVENUE WEST TORONTO ON M5P1N6	263.5	<u>207</u>
LOBLAWS SUPERMARKETS LIMITED	480 ST. CLAIR AVENUE WEST TORONTO ON L1T 3B7	263.5	<u>207</u>
LOBLAWS SUPERMARKETS #1212	396 ST. CLAIR AVE W TORONTO ON M5P 3N3	299.6	<u>233</u>
LOBLAWS INC #1212	396 ST. CLAIR AVE W TORONTO ON M5P3N3	299.6	<u>233</u>

PINC - Pipeline Incidents

A search of the PINC database, dated Feb 28, 2017 has found that there are 3 PINC site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	16 Ellsworth Avenue , Toronto ON	153.4	146
	56 Ellsworth Avenue, Toronto ON	241.4	196
	183 Wychwood Avenue, Toronto ON	295.6	230

PRT - Private and Retail Fuel Storage Tanks

A search of the PRT database, dated 1989-1996* has found that there are 3 PRT site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
CROSSTOWN CAR WASH ANP	1467 BATHURST ST TORONTO ON M5P3G8	85.7	67
373854 ONTARIO LTD	1467 BATHURST ST TORONTO ON M5P3G8	85.7	67
BUDGET RENT A CAR	556 ST CLAIR AV W TORONTO ON M6C 1A5	180.7	160

PTTW - Permit to Take Water

A search of the PTTW database, dated 1994-Nov 30, 2019 has found that there are 2 PTTW site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Suncor Energy Inc.	1467 Bathurst Street, City of Toronto CITY OF TORONTO ON	85.7	67
1486 Bathurst Inc.	1466 Bathurst Street, City of Toronto CITY OF TORONTO ON	104.3	83

RSC - Record of Site Condition

A search of the RSC database, dated 1997-Sept 2001, Oct 2004-Nov 2019 has found that there are 11 RSC site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Goldman (Bathurst) limited	1486 BATHURST ST, TORONTO, ON, M5P 3G9 ON M5P 3G9	12.7	<u>10</u>
530 St. Clair West Inc.	530 ST. CLAIR AVE W, TORONTO, ON, M6C 0A2 ON M6C 0A2	35.8	<u>33</u>
500 St. Clair West Inc.	500 St. Clair Avenue West, Toronto, Ontario Toronto ON	45.5	<u>46</u>
500 St. Clair West Inc.	500 St. Clair Avenue West, Toronto, Ontario Toronto ON	45.5	<u>46</u>
500 St. Clair West Inc.	500 St. Clair Avenue West, Toronto, Ontario ON	45.5	<u>46</u>
	109 VAUGHAN ROAD, TORONTO, ON M6C 2L9 Toronto ON	111.7	<u>102</u>
	109 VAUGHAN ROAD, TORONTO, ON M6C 2L9 Toronto ON	111.7	<u>102</u>
	1443 BATHURST STREET, TORONTO, ON M5R 3J2 Toronto ON	154.7	<u>147</u>
Philann Coin Laundry Limited	16 - 18 Vaughan Road, Toronto, Ontario M5R 3J3 ON M5R 3J3	229.4	<u>185</u>
	480 St Clair Ave W Toronto ON	263.4	<u>206</u>
Rose of Sharon (Ontario) Retirement Community	165 and 171 Vaughan Road, Toronto Ontario Toronto ON	278.2	<u>216</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
-------------	----------------	---------------------	----------------

RST - Retail Fuel Storage Tanks

A search of the RST database, dated 1999-Jul 31, 2019 has found that there are 2 RST site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
CROSS-TOWN AUTO SERVICE	1467 BATHURST ST YORK ON M5P3G8	85.7	66
CROSSTOWN AUTO SERVICE	1467 BATHURST ST TORONTO ON M5P 3G8	85.7	67

SCT - Scott's Manufacturing Directory

A search of the SCT database, dated 1992-Mar 2011* has found that there are 16 SCT site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
CANADA CLEANING SUPPLIES LTD.	109 VAUGHAN RD TORONTO ON M6C 2L9	111.9	103
AMBERHUE ENTERPRISES INCORPORA	109 Vaughan St Unit 301 Toronto ON M6C 2L9	111.9	103
Amberhue Enterprises Incorporated	109 Vaughan Rd Unit 301 Toronto ON M6C 2L9	111.9	103
St. Clair Printing & Design	56 Vaughn Rd Toronto ON M6G 2N4	116.8	107
St. Clair Printing & Design	56 Vaughan Rd Toronto ON M6G 2N4	116.8	107
Accurate Upholstery	54 Vaughan Rd Toronto ON M6G 2N4	123.5	113

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Golden Fingers Dental Laboratory	550 St Clair Ave W Toronto ON M6C 1A5	136.9	<u>123</u>
Provincial Dental Laboratories	550 St Clair Ave W Suite 201 Toronto ON M6C 1A5	136.9	<u>123</u>
Golden Fingers Dental Lab	550 St Clair Ave W Unit 204 Toronto ON M6C 1A5	136.9	<u>123</u>
St. Clair Copy & Printing Co.	558 St Clair Ave W Toronto ON M6C 1A5	189.9	<u>164</u>
ESPEL INC.	59 HOCKEN AVE TORONTO ON M6G 2K1	270.9	<u>212</u>
Netron Inc.	1415 Bathurst St Suite 309 Toronto ON M5R 3H8	280.5	<u>219</u>
Sumach Press Inc.	1415 Bathurst St Suite 202 Toronto ON M5R 3H8	280.5	<u>219</u>
The Printing House Ltd.	1403 Bathurst St Toronto ON M5R 3H8	299.4	<u>234</u>
TPH The Printing House Limited	1403 Bathurst St Toronto ON M5R 3H8	299.4	<u>234</u>
MarketPlace Associates	10 Tichester Rd Suite 605 Toronto ON M5P 3M4	299.4	<u>237</u>

SPL - Ontario Spills

A search of the SPL database, dated 1988-Jun 2019 has found that there are 19 SPL site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Toronto Hydro Electric System Safety & Environmental Systems	1482 Bathurst St. Toronto ON	23.2	<u>16</u>
Toronto Transit Commission	Bathurst and St. Clair Toronto ON	80.8	<u>65</u>
	119 Vaughan Road Toronto ON	145.2	<u>133</u>
Enbridge Gas Distribution Inc.	16 Ellsworth Ave. Toronto ON M6G 2K3	153.3	<u>145</u>
PAINTER	100 RAGLAN AVE. LANE WAY BEHIND. MOTOR VEHICLE (OPERATING FLUID) TORONTO CITY ON M6C 2L3	212.5	<u>175</u>
	13 Hocken Avenue Toronto ON M6G 2K1	214.1	<u>176</u>
Enbridge Gas Distribution Inc.	56 Ellsworth Ave. Toronto ON M6G 2K3	241.4	<u>196</u>
	52 Kenwood Avenue Toronto ON	254.3	<u>204</u>
Toronto Transit Commission	Southbound Bathurst Street at Mount Clair Toronto ON	279.5	<u>214</u>
City of Toronto	1415 Bathurst Rd Toronto ON	280.5	<u>219</u>
Enbridge Gas Distribution Inc.	108 Hilton Ave Toronto ON	286.3	<u>225</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
TORONTO TRANSIT COMMISSION	NORTHBOUND ON BATHURST ST AT VAUGHAN RD. MOTOR VEHICLE (OPERATING FLUID) TORONTO CITY ON	298.6	<u>232</u>
DFR<UNOFFICIAL>	396 St. Clair Ave. W. Toronto ON	299.6	<u>233</u>
Loblaws Supermarkets Inc. <UNOFFICIAL>	396 St. Clair Ave. West Toronto ON M5P 3N3	299.6	<u>233</u>
Loblaws<UNOFFICIAL>	396 St Clair Ave West FOREST HILL MARKET (LOBLAWS)<UNOFFICIAL> Toronto ON M5P 3N3	299.6	<u>233</u>
Loblaws Supermarket - Forest Hill Market<UNOFFICIAL>	396 St Clair St. W LOBLAWS SUPERMARKET - FOREST HILL MARKETS<UNOFFICIAL> Toronto ON	299.6	<u>233</u>
Enbridge Gas Distribution Inc.	396 St Clair Ave W Toronto ON	299.6	<u>233</u>
Loblaw Companies Limited	396 St Clair Ave W Toronto ON	299.6	<u>233</u>
	396 St. Clair Ave. West Toronto ON	299.6	<u>233</u>

TANK - Anderson's Storage Tanks

A search of the TANK database, dated 1915-1953* has found that there are 26 TANK site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Hale Motors Ltd	523 St Clair Ave W Toronto ON M6C 1A1	79.6	<u>62</u>
Hale Motors Ltd	523 St Clair Ave W Toronto ON M6C 1A1	79.6	<u>62</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	503 St Clair Ave W Toronto ON M6C 1A1	88.0	<u>69</u>
Rowell [L O]	64 Vaughan Rd Toronto ON M6G 2N4	105.4	<u>89</u>
Imperial Oil Co Ltd	542 St Clair Ave W Toronto ON M6C 1A5	109.3	<u>95</u>
Imperial Oil Co Ltd	542 St Clair Ave W Toronto ON M6C 1A5	109.3	<u>95</u>
McColl Bros Ltd	542 St Clair Ave W Toronto ON M6C 1A5	109.3	<u>95</u>
Stauntons Ltd	44 Vaughan Rd Toronto ON M6G 2N4	127.4	<u>114</u>
Supertest Petroleum Corp Ltd	21 Vaughan Rd Toronto ON M6G 2N2	144.2	<u>130</u>
Supertest Petroleum Corp Ltd	21 Vaughan Rd Toronto ON M6G 2N2	144.2	<u>130</u>
St Michaels College	1515 Bathurst St Toronto ON M5P 3H4	170.9	<u>155</u>
McColl Bros Ltd	556 St Clair Ave W Toronto ON M6C 1A5	180.7	<u>160</u>
McColl Bros Ltd	556 St Clair Ave W Toronto ON M6C 1A5	180.7	<u>160</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
McColl Bros Ltd	556 St Clair Ave W Toronto ON M6C 1A5	180.7	<u>160</u>
Supertest Petroleum Corp Ltd	1432 Bathurst St Toronto ON M5R 3J3	220.4	<u>180</u>
Connable R	161 Melgund Rd Toronto ON	220.7	<u>181</u>
	16 Vaughan Rd Toronto ON M6G 2N1	228.1	<u>183</u>
Reynolds [E W]	49 Melgund Rd Toronto ON M5R 2A1	235.0	<u>189</u>
Cheatley's Service Station	171 Vaughan Rd Toronto ON M6C 2L9	278.2	<u>216</u>
British American Oil Co Ltd	171 Vaughan Rd Toronto ON M6C 2L9	278.2	<u>216</u>
	1415 Bathurst St Toronto ON M5R 3H8	280.5	<u>219</u>
Barber & Brownridge	1415 Bathurst St Toronto ON M5R 3H8	280.5	<u>219</u>
Barber & Brownridge	1415 Bathurst St Toronto ON M5R 3H8	280.5	<u>219</u>
Wychwood Garage	1415 Bathurst St Toronto ON M5R 3H8	280.5	<u>219</u>
Brobst Forestry Co	1403 Bathurst St Toronto ON M5R 3H8	299.4	<u>234</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	121 Hilton Ave Toronto ON M5R 3E8	299.7	236

VAR - Variances for Abandonment of Underground Storage Tanks

A search of the VAR database, dated Feb 28, 2017 has found that there are 1 VAR site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
SUNCOR ENERGY PRODUCTS INC	1467 BATHURST ST TORONTO ON M5P 3G8	85.7	67

WWIS - Water Well Information System

A search of the WWIS database, dated Feb 28, 2019 has found that there are 112 WWIS site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON <i>Well ID: 7269823</i>	0.7	1
	ON <i>Well ID: 7151780</i>	4.9	4
	ON <i>Well ID: 7176471</i>	4.9	4
	ON <i>Well ID: 7151781</i>	4.7	5
	ON <i>Well ID: 7151779</i>	4.9	6
	ON	4.9	6

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	<i>Well ID: 7176468</i>		
	ON	7.0	<u>7</u>
	<i>Well ID: 7176470</i>		
	ON	9.8	<u>8</u>
	<i>Well ID: 7176467</i>		
	TORONTO ON	6.4	<u>9</u>
	<i>Well ID: 7176491</i>		
	ON	12.7	<u>10</u>
	<i>Well ID: 7269805</i>		
	ON	12.7	<u>10</u>
	<i>Well ID: 7302768</i>		
	ON	14.2	<u>11</u>
	<i>Well ID: 7176469</i>		
	ON	10.1	<u>12</u>
	<i>Well ID: 7252664</i>		
	ON	10.1	<u>12</u>
	<i>Well ID: 7302766</i>		
	ON	22.0	<u>13</u>
	<i>Well ID: 7176473</i>		
	ON	19.9	<u>14</u>
	<i>Well ID: 7269806</i>		
	ON	19.9	<u>14</u>
	<i>Well ID: 7302767</i>		

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
		22.2	<u>17</u>
	TORONTO ON		
	<i>Well ID:</i> 7040069		
		22.2	<u>17</u>
	ON		
	<i>Well ID:</i> 7176496		
		26.2	<u>18</u>
	ON		
	<i>Well ID:</i> 7154748		
		23.7	<u>19</u>
	TORONTO ON		
	<i>Well ID:</i> 6928975		
		26.3	<u>21</u>
	ON		
	<i>Well ID:</i> 7252666		
		26.3	<u>21</u>
	ON		
	<i>Well ID:</i> 7302763		
		23.8	<u>22</u>
	TORONTO ON		
	<i>Well ID:</i> 7041286		
		25.7	<u>23</u>
	TORONTO ON		
	<i>Well ID:</i> 7176485		
		22.9	<u>24</u>
	ON		
	<i>Well ID:</i> 7128330		
		22.9	<u>24</u>
	ON		
	<i>Well ID:</i> 7176495		
		27.1	<u>26</u>
	ON		
	<i>Well ID:</i> 7176483		
		28.3	<u>27</u>
	TORONTO ON		

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	<i>Well ID: 7176494</i>		
	TORONTO ON	25.6	<u>28</u>
	<i>Well ID: 7176486</i>		
	TORONTO ON	25.6	<u>28</u>
	<i>Well ID: 7176487</i>		
	ON	31.0	<u>29</u>
	<i>Well ID: 7176472</i>		
	ON	27.8	<u>30</u>
	<i>Well ID: 7176484</i>		
	TORONTO ON	31.2	<u>31</u>
	<i>Well ID: 7040068</i>		
	TORONTO ON	37.2	<u>38</u>
	<i>Well ID: 6930668</i>		
	ON	35.6	<u>40</u>
	<i>Well ID: 7232885</i>		
	ON	43.5	<u>41</u>
	<i>Well ID: 7269803</i>		
	ON	43.5	<u>41</u>
	<i>Well ID: 7302770</i>		
	ON	44.0	<u>42</u>
	<i>Well ID: 7269804</i>		
	ON	44.0	<u>42</u>
	<i>Well ID: 7302769</i>		

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
		42.7	<u>43</u>
	TORONTO ON		
	<i>Well ID:</i> 7176489		
		42.7	<u>43</u>
	TORONTO ON		
	<i>Well ID:</i> 7176492		
		44.6	<u>44</u>
	ON		
	<i>Well ID:</i> 7176482		
		45.5	<u>45</u>
	TORONTO ON		
	<i>Well ID:</i> 7176488		
		46.3	<u>47</u>
	TORONTO ON		
	<i>Well ID:</i> 7176490		
		48.0	<u>48</u>
	TORONTO ON		
	<i>Well ID:</i> 6927945		
		51.2	<u>49</u>
	TORONTO ON		
	<i>Well ID:</i> 7176493		
		59.2	<u>52</u>
	ON		
	<i>Well ID:</i> 7217967		
		65.0	<u>53</u>
	Toronto ON		
	<i>Well ID:</i> 7311568		
		66.2	<u>54</u>
	ON		
	<i>Well ID:</i> 7239053		
		71.0	<u>55</u>
	Toronto ON		
	<i>Well ID:</i> 7311567		
		76.2	<u>60</u>
	ON		

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	<i>Well ID: 7316086</i>		
	ON	76.7	<u>61</u>
	<i>Well ID: 7316085</i>		
	ON	88.7	<u>68</u>
	<i>Well ID: 7202233</i>		
	Toronto ON	95.2	<u>70</u>
	<i>Well ID: 7248116</i>		
	TORONTO ON	96.3	<u>71</u>
	<i>Well ID: 7299604</i>		
	TORONTO ON	95.7	<u>72</u>
	<i>Well ID: 7299602</i>		
	Toronto ON	100.7	<u>73</u>
	<i>Well ID: 7285641</i>		
	ON	98.0	<u>74</u>
	<i>Well ID: 7318918</i>		
	Toronto ON	98.7	<u>76</u>
	<i>Well ID: 7248115</i>		
	ON	103.2	<u>77</u>
	<i>Well ID: 7263017</i>		
	TORONTO ON	99.1	<u>78</u>
	<i>Well ID: 7299603</i>		
	TORONTO ON	105.4	<u>80</u>
	<i>Well ID: 7302185</i>		


<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
		99.3	<u>81</u>
	TORONTO ON		
	<i>Well ID: 7223712</i>		
		101.9	<u>82</u>
	ON		
	<i>Well ID: 7318919</i>		
		106.5	<u>86</u>
	TORONTO ON		
	<i>Well ID: 7299605</i>		
		110.3	<u>88</u>
	TORONTO ON		
	<i>Well ID: 6928027</i>		
		106.7	<u>90</u>
	TORONTO ON		
	<i>Well ID: 7299601</i>		
		105.7	<u>91</u>
	ON		
	<i>Well ID: 7167768</i>		
		110.1	<u>94</u>
	TORONTO ON		
	<i>Well ID: 7116402</i>		
		114.5	<u>96</u>
	TORONTO ON		
	<i>Well ID: 7042841</i>		
		111.7	<u>98</u>
	ON		
	<i>Well ID: 7293750</i>		
		109.0	<u>99</u>
	ON		
	<i>Well ID: 7218323</i>		
		117.2	<u>101</u>
	Toronto ON		
	<i>Well ID: 7286529</i>		
		116.0	<u>105</u>
	ON		

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	Well ID: 7314244		
	Toronto ON	113.8	106
	Well ID: 7221550		
	TORONTO ON	117.7	109
	Well ID: 7273827		
	ON	118.4	110
	Well ID: 7228309		
	TORONTO ON	119.4	111
	Well ID: 6928864		
	TORONTO ON	125.3	115
	Well ID: 6930170		
	ON	128.7	116
	Well ID: 7314247		
	Toronto ON	133.8	119
	Well ID: 7221446		
	Toronto ON	138.9	121
	Well ID: 7286528		
	Toronto ON	136.3	124
	Well ID: 7171659		
	Toronto ON	140.9	125
	Well ID: 7286531		
	TORONTO ON	140.5	129
	Well ID: 6930156		

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
		145.0	<u>131</u>
	Toronto ON <i>Well ID: 7171660</i>		
		146.3	<u>134</u>
	ON <i>Well ID: 7218865</i>		
		152.5	<u>135</u>
	Toronto ON <i>Well ID: 7136612</i>		
		151.8	<u>140</u>
	Toronto ON <i>Well ID: 7286530</i>		
		150.2	<u>141</u>
	ON <i>Well ID: 7268121</i>		
		150.2	<u>141</u>
	ON <i>Well ID: 7261505</i>		
		150.6	<u>142</u>
	ON <i>Well ID: 7314245</i>		
		153.8	<u>144</u>
	ON <i>Well ID: 7314246</i>		
		162.5	<u>150</u>
	TORONTO ON <i>Well ID: 6928269</i>		
		170.0	<u>153</u>
	ON <i>Well ID: 7289079</i>		
		173.4	<u>154</u>
	TORONTO ON <i>Well ID: 6929553</i>		
		179.2	<u>158</u>
	TORONTO ON		

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	Well ID: 7111315		
	York ON	173.8	<u>159</u>
	Well ID: 7302726		
	ON	188.9	<u>165</u>
	Well ID: 7270713		
	Toronto ON	202.9	<u>171</u>
	Well ID: 7120164		
	ON	204.7	<u>174</u>
	Well ID: 7287659		
	Toronto ON	226.0	<u>186</u>
	Well ID: 7132483		
	Toronto ON	225.4	<u>187</u>
	Well ID: 7269663		
	Toronto ON	250.6	<u>203</u>
	Well ID: 7187628		
	ON	260.4	<u>205</u>
	Well ID: 7313577		
	Toronto ON	283.7	<u>217</u>
	Well ID: 7258477		
	TORONTO ON	291.4	<u>226</u>
	Well ID: 7104343		
	TORONTO ON	298.6	<u>231</u>
	Well ID: 7234981		

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	TORONTO ON <i>Well ID: 7266676</i>	298.6	<u>231</u>
	TORONTO ON <i>Well ID: 7266675</i>	298.6	<u>231</u>
	TORONTO ON <i>Well ID: 7266674</i>	298.6	<u>231</u>



Map : 0.3 Kilometer Radius

Order Number: 20200114186

Address: 5-15 Raglan Avenue, Toronto, ON




Project Property	Expressway	Industrial and Resource - Regions	National Park
Buffer Outline	Principal Highway	Main Line	Provincial or Territorial Park
Eris Sites with Higher Elevation	Secondary Highway	Sidetrack	Other Park
Eris Sites with Same Elevation	Major Road	Transit Line	Golf Course or Driving Range
Eris Sites with Lower Elevation	Local road	Abandoned Line	Park or Sports Field
Eris Sites with Unknown Elevation	Trail		Other Recreation Area
	Proposed Road		
	Ferry Route/Ice Road		

79°25'30"W

43°40'30"N

43°40'30"N



Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community

Aerial Year: 2017

Address: 5-15 Raglan Avenue, Toronto, ON

Source: ESRI World Imagery

Order Number: 20200114186



© ERIS Information Limited Partnership

79°25'30"W


79°24'W

43°42'N

43°42'N

43°40'30"N

43°40'30"N



Topographic Map

Address: 5-15 Raglan Avenue, ON

Source: ESRI World Topographic Map

Order Number: 20200114186



© ERIS Information Limited Partnership

Detail Report

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
1	1 of 1	E/0.7	157.9 / 0.02	ON	WWIS
<div> <div> Well ID: 7269823 Construction Date: Primary Water Use: Dewatering Sec. Water Use: Final Well Status: Dewatering Water Type: Casing Material: Audit No: Z212017 Tag: A185266 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy: </div> <div> Data Entry Status: Data Src: Date Received: 8/24/2016 Selected Flag: Yes Abandonment Rec: Contractor: 1663 Form Version: 7 Owner: Street Name: 1486 BATHURST STREET County: YORK Municipality: TORONTO CITY Site Info: PW7 Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability: </div> </div>					
<u>Bore Hole Information</u>					
<div> <div> Bore Hole ID: 1006226209 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 4/1/2016 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment: </div> <div> Elevation: 158.503524 Elevrc: Zone: 17 East83: 627414 North83: 4837950 Org CS: UTM83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: wwr </div> </div>					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
<div> <div> Formation ID: 1006247446 Layer: 3 Color: 6 General Color: BROWN Mat1: 08 Most Common Material: FINE SAND Mat2: 11 Other Materials: GRAVEL Mat3: </div> </div>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Other Materials:					
Formation Top Depth:		9			
Formation End Depth:		31			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006247447			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:		05			
Other Materials:		CLAY			
Formation Top Depth:		31			
Formation End Depth:		34			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006247450			
Layer:		7			
Color:		2			
General Color:		GREY			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		64			
Formation End Depth:		72			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006247451			
Layer:		8			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		05			
Other Materials:		CLAY			
Mat3:		84			
Other Materials:		SILTY			
Formation Top Depth:		72			
Formation End Depth:		77			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006247452			
Layer:		9			
Color:		2			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		06			
Other Materials:		SILT			
Mat3:					
Other Materials:					
Formation Top Depth:		77			
Formation End Depth:					
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		1006247444			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		4			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		1006247449			
Layer:		6			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		63			
Formation End Depth:		64			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		1006247448			
Layer:		5			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:					
Other Materials:					
Formation Top Depth:		34			
Formation End Depth:		63			
Formation End Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006247445			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:					
Other Materials:					
Formation Top Depth:		4			
Formation End Depth:		9			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006247472			
Layer:		1			
Plug From:		0			
Plug To:		30			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006247473			
Layer:		2			
Plug From:		30			
Plug To:		62			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006247442			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006247456			
Layer:		2			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		43			
Depth To:		49			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Casing</u>					
Casing ID:		1006247455			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		-2			
Depth To:		35			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		1006247457			
Layer:		3			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		59			
Depth To:		62			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1006247459			
Layer:		2			
Slot:		14			
Screen Top Depth:		49			
Screen End Depth:		59			
Screen Material:		1			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6			
<u>Construction Record - Screen</u>					
Screen ID:		1006247458			
Layer:		1			
Slot:		14			
Screen Top Depth:		35			
Screen End Depth:		43			
Screen Material:		1			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1006247443			
Pump Set At:		60			
Static Level:		37.52			
Final Level After Pumping:		41.36			
Recommended Pump Depth:					
Pumping Rate:		4.5			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pumping Test Method:		0			
Pumping Duration HR:		1			
Pumping Duration MIN:		30			
Flowing:					
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1006247466			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		41.42			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1006247461			
Test Type:		Draw Down			
Test Duration:		2			
Test Level:		41.09			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1006247468			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		41.39			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1006247469			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		41.36			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1006247462			
Test Type:		Draw Down			
Test Duration:		3			
Test Level:		41.26			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1006247463			
Test Type:		Draw Down			
Test Duration:		4			
Test Level:		41.36			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1006247460			
Test Type:		Draw Down			
Test Duration:		1			
Test Level:		40.47			
Test Level UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1006247465			
Test Type:		Draw Down			
Test Duration:		10			
Test Level:		41.42			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1006247467			
Test Type:		Draw Down			
Test Duration:		20			
Test Level:		41.42			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1006247464			
Test Type:		Draw Down			
Test Duration:		5			
Test Level:		41.36			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		1006247454			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1006247453			
Diameter:		8.5			
Depth From:		0			
Depth To:		62			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<hr/>					
<u>2</u>	1 of 1	ENE/1.9	157.9 / 0.02	1486 Bathurst St York ON M5P 3G9	EHS
Order No:	20190906131			Nearest Intersection:	
Status:	C			Municipality:	Toronto
Report Type:	RSC Report (Urban)			Client Prov/State:	ON
Report Date:	13-SEP-19			Search Radius (km):	.3
Date Received:	06-SEP-19			X:	-79.419175
Previous Site Name:				Y:	43.683688
Lot/Building Size:					
Additional Info Ordered:					
<hr/>					
<u>3</u>	1 of 1	ENE/2.1	157.9 / 0.02	1486 Bathurst St Toronto ON M5P3G9	EHS
Order No:	20140616038			Nearest Intersection:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Status:	C			Municipality:	
Report Type:	RSC Report (Urban)			Client Prov/State:	ON
Report Date:	25-JUN-14			Search Radius (km):	.3
Date Received:	16-JUN-14			X:	-79.419172
Previous Site Name:				Y:	43.683685
Lot/Building Size:					
Additional Info Ordered:	Aerial Photos				

4	1 of 2	SSE/4.9	157.9 / -0.02	ON	WWIS
Well ID:	7151780			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Dewatering			Date Received:	9/24/2010
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Dewatering			Abandonment Rec:	
Water Type:				Contractor:	1663
Casing Material:				Form Version:	7
Audit No:	Z118009			Owner:	
Tag:	A103670			Street Name:	530 ST. CLAIR AVE.
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:	1003338826	Elevation:	158.153839
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	627400
Code OB Desc:		North83:	4837927
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	5/27/2010	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	1003484107
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	08
Most Common Material:	FINE SAND
Mat2:	05
Other Materials:	CLAY
Mat3:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Other Materials:					
Formation Top Depth:		20			
Formation End Depth:		23			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1003484111			
Layer:		6			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		06			
Other Materials:		SILT			
Mat3:		05			
Other Materials:		CLAY			
Formation Top Depth:		53			
Formation End Depth:		80			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1003484108			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:					
Other Materials:					
Formation Top Depth:		23			
Formation End Depth:		33			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1003484109			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		33			
Formation End Depth:		52			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1003484110			
Layer:		5			
Color:		2			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:	52				
Formation End Depth:	53				
Formation End Depth UOM:	ft				
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:	1003484106				
Layer:	1				
Color:	6				
General Color:	BROWN				
Mat1:	28				
Most Common Material:	SAND				
Mat2:	05				
Other Materials:	CLAY				
Mat3:	11				
Other Materials:	GRAVEL				
Formation Top Depth:	0				
Formation End Depth:	20				
Formation End Depth UOM:	ft				
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:	1003484112				
Layer:	7				
Color:	2				
General Color:	GREY				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:	06				
Other Materials:	SILT				
Mat3:					
Other Materials:					
Formation Top Depth:	80				
Formation End Depth:	85				
Formation End Depth UOM:	ft				
 <u>Annular Space/Abandonment</u> <u>Sealing Record</u>					
Plug ID:	1003484115				
Layer:	1				
Plug From:	0				
Plug To:	34				
Plug Depth UOM:	ft				
 <u>Method of Construction & Well</u> <u>Use</u>					
Method Construction ID:					
Method Construction Code:	2				
Method Construction:	Rotary (Convent.)				
Other Method Construction:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Pipe Information</u>					
Pipe ID:		1003484104			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1003484119			
Layer:		3			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		37			
Depth To:		43			
Casing Diameter:		5.5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		1003484117			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		0			
Depth To:		34			
Casing Diameter:		6.25			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		1003484118			
Layer:		2			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		31			
Depth To:		34			
Casing Diameter:		5.5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		1003484120			
Layer:		4			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		50			
Depth To:		54			
Casing Diameter:		5.5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		1003484121			
Layer:		5			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		60			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth To:		75			
Casing Diameter:		5.5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1003484122			
Layer:		1			
Slot:		10			
Screen Top Depth:		34			
Screen End Depth:		80			
Screen Material:		1			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1003484105			
Pump Set At:		60			
Static Level:		35			
Final Level After Pumping:		45.7			
Recommended Pump Depth:		80			
Pumping Rate:		14			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		0			
Pumping Duration HR:		2			
Pumping Duration MIN:					
Flowing:		N			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003484126			
Test Type:		Recovery			
Test Duration:		2			
Test Level:		36			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003484134			
Test Type:		Recovery			
Test Duration:		10			
Test Level:		34.98			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003484135			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		45.4			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Test Detail ID:		1003484137			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		45.47			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003484136			
Test Type:		Recovery			
Test Duration:		15			
Test Level:		34.85			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003484132			
Test Type:		Recovery			
Test Duration:		5			
Test Level:		35.2			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003484133			
Test Type:		Draw Down			
Test Duration:		10			
Test Level:		45.2			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003484124			
Test Type:		Recovery			
Test Duration:		1			
Test Level:		37.5			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003484125			
Test Type:		Draw Down			
Test Duration:		2			
Test Level:		44			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003484127			
Test Type:		Draw Down			
Test Duration:		3			
Test Level:		44.6			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003484128			
Test Type:		Recovery			
Test Duration:		3			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Level:		36.5			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003484129			
Test Type:		Draw Down			
Test Duration:		4			
Test Level:		44.8			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003484130			
Test Type:		Recovery			
Test Duration:		4			
Test Level:		35.3			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003484139			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		45.6			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003484131			
Test Type:		Draw Down			
Test Duration:		5			
Test Level:		45			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003484138			
Test Type:		Draw Down			
Test Duration:		40			
Test Level:		45.5			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003484123			
Test Type:		Draw Down			
Test Duration:		1			
Test Level:		42.1			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		1003484116			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:					
Water Found Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Hole Diameter</u>					
Hole ID:		1003484113			
Diameter:		8.5			
Depth From:		0			
Depth To:		34			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<u>Hole Diameter</u>					
Hole ID:		1003484114			
Diameter:		6			
Depth From:		34			
Depth To:		80			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<u>4</u>	2 of 2	SSE/4.9	157.9 / -0.02	ON	WWIS
Well ID:	7176471			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Not Used			Date Received:	2/10/2012
Sec. Water Use:	Dewatering			Selected Flag:	Yes
Final Well Status:	Dewatering			Abandonment Rec:	Yes
Water Type:				Contractor:	1663
Casing Material:				Form Version:	7
Audit No:	Z131403			Owner:	
Tag:	A103670			Street Name:	530 ST. CLAIR AVE. W
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1003690985			Elevation:	158.152862
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627400
Code OB Desc:				North83:	4837927
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	11/3/2011			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug ID:		1004066305			
Layer:		1			
Plug From:		33			
Plug To:		80			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		2			
Method Construction Code:		Rotary (Convent.)			
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1004066292			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1004066298			
Layer:		2			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		31			
Depth To:		34			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		1004066299			
Layer:		3			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		37			
Depth To:		43			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		1004066300			
Layer:		4			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		50			
Depth To:		54			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		1004066297			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		-1			
Depth To:		34			
Casing Diameter:		6.25			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		1004066301			
Layer:		1			
Slot:		10			
Screen Top Depth:		34			
Screen End Depth:		80			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6			
 <u>Results of Well Yield Testing</u>					
Pump Test ID:		1004066293			
Pump Set At:					
Static Level:		35			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		0			
Water State After Test:					
Pumping Test Method:		0			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		N			
 <u>Water Details</u>					
Water ID:		1004066296			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:					
Water Found Depth UOM:		ft			
 <u>Hole Diameter</u>					
Hole ID:		1004066295			
Diameter:		6			
Depth From:		0			
Depth To:		80			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<hr/>					
<u>5</u>	1 of 1	S/4.7	157.6 / -0.31	ON	WWIS
Well ID:	7151781	Data Entry Status:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Construction Date:				Data Src:	
Primary Water Use:	Monitoring			Date Received:	9/24/2010
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Observation Wells			Abandonment Rec:	
Water Type:				Contractor:	1663
Casing Material:				Form Version:	7
Audit No:	Z118010			Owner:	
Tag:	A103668			Street Name:	530 ST. CLAIR
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1003338828			Elevation:	158.121292
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627396
Code OB Desc:				North83:	4837926
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	1/1/2010			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1003488755				
Layer:	2				
Color:	6				
General Color:	BROWN				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:	11				
Other Materials:	GRAVEL				
Mat3:					
Other Materials:					
Formation Top Depth:	2				
Formation End Depth:	8				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1003488754				
Layer:	1				
Color:	6				
General Color:	BROWN				
Mat1:	11				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Most Common Material:		GRAVEL			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		2			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1003488756			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		05			
Other Materials:		CLAY			
Mat3:		11			
Other Materials:		GRAVEL			
Formation Top Depth:		8			
Formation End Depth:		18			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1003488759			
Layer:		6			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		05			
Other Materials:		CLAY			
Mat3:					
Other Materials:					
Formation Top Depth:		58			
Formation End Depth:		64			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1003488758			
Layer:		5			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		05			
Other Materials:		CLAY			
Mat3:		11			
Other Materials:		GRAVEL			
Formation Top Depth:		24			
Formation End Depth:		58			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		1003488757			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:					
Other Materials:					
Formation Top Depth:		18			
Formation End Depth:		24			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1003488760			
Layer:		7			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		05			
Other Materials:		CLAY			
Mat3:					
Other Materials:					
Formation Top Depth:		64			
Formation End Depth:		80			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1003488762			
Layer:		1			
Plug From:		0			
Plug To:		30			
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1003488753			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1003488764			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth From:		-1			
Depth To:		35			
Casing Diameter:		2			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1003488765			
Layer:		1			
Slot:		10			
Screen Top Depth:		35			
Screen End Depth:		45			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.5			
<u>Water Details</u>					
Water ID:		1003488763			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1003488761			
Diameter:		6			
Depth From:		0			
Depth To:		45			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<hr/>					
<u>6</u>	1 of 2	SSW/4.9	157.7 / -0.16	ON	WWIS
Well ID:	7151779			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Dewatering			Date Received:	9/24/2010
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Dewatering			Abandonment Rec:	
Water Type:				Contractor:	1663
Casing Material:				Form Version:	7
Audit No:	Z118008			Owner:	
Tag:	A103669			Street Name:	530 ST. CLAIR AVE.
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:	1003338824			Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	158.063125 17 627387 4837923 UTM83 4 margin of error : 30 m - 100 m wwr
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials: Mat3: Other Materials: Formation Top Depth: Formation End Depth: Formation End Depth UOM:		1003484067			
		9			
		2			
		GREY			
		05			
		CLAY			
		06			
		SILT			
		85			
		90			
		ft			
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials: Mat3: Other Materials: Formation Top Depth: Formation End Depth: Formation End Depth UOM:		1003484063			
		5			
		6			
		BROWN			
		06			
		SILT			
		05			
		CLAY			
		48			
		50			
		ft			
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials: Mat3: Other Materials:		1003484065			
		7			
		6			
		BROWN			
		08			
		FINE SAND			
		06			
		SILT			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation Top Depth:		55			
Formation End Depth:		58			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1003484059			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		7			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1003484060			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:					
Other Materials:					
Formation Top Depth:		7			
Formation End Depth:		20			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1003484066			
Layer:		8			
Color:		6			
General Color:		BROWN			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		05			
Other Materials:		CLAY			
Mat3:					
Other Materials:					
Formation Top Depth:		58			
Formation End Depth:		85			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1003484061			
Layer:		3			
Color:		6			
General Color:		BROWN			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:		05			
Other Materials:		CLAY			
Formation Top Depth:		20			
Formation End Depth:		33			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1003484062			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		05			
Other Materials:		CLAY			
Mat3:		06			
Other Materials:		SILT			
Formation Top Depth:		33			
Formation End Depth:		48			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1003484064			
Layer:		6			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		50			
Formation End Depth:		55			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003484070			
Layer:		1			
Plug From:		0			
Plug To:		34			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pipe ID:		1003484057			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1003484073			
Layer:		2			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		31			
Depth To:		31			
Casing Diameter:		5.5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		1003484074			
Layer:		3			
Material:					
Open Hole or Material:					
Depth From:		45			
Depth To:		54			
Casing Diameter:		5.5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		1003484075			
Layer:		4			
Material:					
Open Hole or Material:					
Depth From:		58			
Depth To:		71			
Casing Diameter:		5.5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		1003484076			
Layer:		5			
Material:					
Open Hole or Material:					
Depth From:		74			
Depth To:		77			
Casing Diameter:		5.5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		1003484072			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		0			
Depth To:		34			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Diameter:		6.25			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1003484077			
Layer:		1			
Slot:		8			
Screen Top Depth:		34			
Screen End Depth:		74			
Screen Material:		1			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1003484058			
Pump Set At:		60			
Static Level:		34.5			
Final Level After Pumping:		52.8			
Recommended Pump Depth:					
Pumping Rate:		15			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		0			
Pumping Duration HR:		2			
Pumping Duration MIN:					
Flowing:		N			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003484078			
Test Type:		Draw Down			
Test Duration:		1			
Test Level:		43.7			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003484090			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		55.91			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003484099			
Test Type:		Draw Down			
Test Duration:		50			
Test Level:		52.6			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Test Detail ID:		1003484084			
Test Type:		Draw Down			
Test Duration:		4			
Test Level:		48.6			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003484089			
Test Type:		Recovery			
Test Duration:		10			
Test Level:		35.35			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003484096			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		52.45			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003484098			
Test Type:		Draw Down			
Test Duration:		40			
Test Level:		52.6			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003484080			
Test Type:		Draw Down			
Test Duration:		2			
Test Level:		46.85			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003484083			
Test Type:		Recovery			
Test Duration:		3			
Test Level:		36.8			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003484086			
Test Type:		Draw Down			
Test Duration:		5			
Test Level:		49.7			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003484081			
Test Type:		Recovery			
Test Duration:		2			
Test Level:		36.8			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003484085			
Test Type:		Recovery			
Test Duration:		4			
Test Level:		35.8			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003484087			
Test Type:		Recovery			
Test Duration:		5			
Test Level:		35.5			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003484088			
Test Type:		Draw Down			
Test Duration:		10			
Test Level:		51.55			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003484095			
Test Type:		Recovery			
Test Duration:		25			
Test Level:		34.8			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003484097			
Test Type:		Recovery			
Test Duration:		30			
Test Level:		34.78			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003484100			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		52.6			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003484082			
Test Type:		Draw Down			
Test Duration:		3			
Test Level:		48.6			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Test Detail ID:		1003484079			
Test Type:		Recovery			
Test Duration:		1			
Test Level:		40.6			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003484091			
Test Type:		Recovery			
Test Duration:		15			
Test Level:		35.05			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003484092			
Test Type:		Draw Down			
Test Duration:		20			
Test Level:		52.15			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003484093			
Test Type:		Recovery			
Test Duration:		20			
Test Level:		34.9			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003484094			
Test Type:		Draw Down			
Test Duration:		25			
Test Level:		52.3			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		1003484071			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1003484069			
Diameter:		6			
Depth From:		34			
Depth To:		77			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<u>Hole Diameter</u>					
Hole ID:		1003484068			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Diameter:		8.5			
Depth From:		0			
Depth To:		34			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<u>6</u>	2 of 2	SSW/4.9	157.7 / -0.16	ON	WWIS
Well ID:	7176468			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Not Used			Date Received:	2/10/2012
Sec. Water Use:	Dewatering			Selected Flag:	Yes
Final Well Status:	Test Hole			Abandonment Rec:	Yes
Water Type:				Contractor:	1663
Casing Material:				Form Version:	7
Audit No:	Z131400			Owner:	
Tag:	A103669			Street Name:	530 ST. CLAIR AVE. W
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1003690405			Elevation:	158.066345
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627387
Code OB Desc:				North83:	4837923
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	11/3/2011			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1004066171				
Layer:	1				
Plug From:					
Plug To:					
Plug Depth UOM:	ft				
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:	2				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction:		Rotary (Convent.)			
Other Method Construction:		DECOMMISSION			
<u>Pipe Information</u>					
Pipe ID:		1004066157			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1004066162			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		0			
Depth To:		34			
Casing Diameter:		6.25			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		1004066164			
Layer:		3			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		45			
Depth To:		51			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		1004066165			
Layer:		4			
Material:					
Open Hole or Material:					
Depth From:		58			
Depth To:		71			
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		1004066163			
Layer:		2			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		31			
Depth To:		34			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		1004066166			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Layer:		5			
Material:					
Open Hole or Material:					
Depth From:		74			
Depth To:		77			
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		1004066167			
Layer:		1			
Slot:					
Screen Top Depth:		34			
Screen End Depth:		74			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6			
 <u>Results of Well Yield Testing</u>					
Pump Test ID:		1004066158			
Pump Set At:					
Static Level:		34.5			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		0			
Water State After Test:					
Pumping Test Method:		0			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		N			
 <u>Hole Diameter</u>					
Hole ID:		1004066160			
Diameter:		6			
Depth From:		0			
Depth To:		77			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<hr/>					
7	1 of 1	S/7.0	157.7 / -0.16	ON	WWIS
Well ID:	7176470			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Not Used			Date Received:	2/10/2012
Sec. Water Use:	Dewatering			Selected Flag:	Yes
Final Well Status:	Dewatering			Abandonment Rec:	Yes
Water Type:				Contractor:	1663
Casing Material:				Form Version:	7
Audit No:	Z131402			Owner:	
Tag:	A103672			Street Name:	530 ST. CLAIR AVE. W
Construction Method:				County:	YORK

126 erisinfo.com | Environmental Risk Information Services Order No: 20200114186

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		1004066212			
Layer:		2			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		35			
Depth To:		38			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		1004066213			
Layer:		3			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		72			
Depth To:		75			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1004066214			
Layer:		1			
Slot:					
Screen Top Depth:		38			
Screen End Depth:		72			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1004066207			
Pump Set At:					
Static Level:		32			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		0			
Water State After Test:					
Pumping Test Method:		0			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		N			
<u>Water Details</u>					
Water ID:		1004066210			
Layer:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Kind Code:	8				
Kind:	Untested				
Water Found Depth:					
Water Found Depth UOM:	ft				
 <u>Hole Diameter</u>					
Hole ID:	1004066209				
Diameter:	6				
Depth From:	30				
Depth To:	75				
Hole Depth UOM:	ft				
Hole Diameter UOM:	inch				
<hr/>					
<u>8</u>	1 of 1	SE/9.8	157.5 / -0.36	ON	WWIS
Well ID:	7176467			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Dewatering			Date Received:	2/10/2012
Sec. Water Use:	Not Used			Selected Flag:	Yes
Final Well Status:	Dewatering			Abandonment Rec:	Yes
Water Type:				Contractor:	1663
Casing Material:				Form Version:	7
Audit No:	Z131399			Owner:	
Tag:	A103672			Street Name:	530 ST. CLAIR W
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
 <u>Bore Hole Information</u>					
Bore Hole ID:	1003690979			Elevation:	158.149215
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627407
Code OB Desc:				North83:	4837924
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	11/3/2011			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1004066146				
Layer:	1				
Color:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
General Color:					
Mat1:					
Most Common Material:					
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:					
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1004066156			
Layer:		1			
Plug From:		30			
Plug To:		84			
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		2			
Method Construction Code:		Rotary (Convent.)			
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1004066144			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1004066151			
Layer:		3			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		81			
Depth To:		84			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		1004066149			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		0			
Depth To:		40			
Casing Diameter:		6.25			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing ID:					
		1004066150			
Layer:					
		2			
Material:					
		1			
Open Hole or Material:					
		STEEL			
Depth From:					
		37			
Depth To:					
		40			
Casing Diameter:					
		5			
Casing Diameter UOM:					
		inch			
Casing Depth UOM:					
		ft			
<u>Construction Record - Screen</u>					
Screen ID:					
		1004066152			
Layer:					
		1			
Slot:					
Screen Top Depth:					
		40			
Screen End Depth:					
		81			
Screen Material:					
Screen Depth UOM:					
		ft			
Screen Diameter UOM:					
		inch			
Screen Diameter:					
		6			
<u>Results of Well Yield Testing</u>					
Pump Test ID:					
		1004066145			
Pump Set At:					
Static Level:					
		31			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:					
		ft			
Rate UOM:					
		GPM			
Water State After Test Code:					
		0			
Water State After Test:					
Pumping Test Method:					
		0			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
		N			
<u>Water Details</u>					
Water ID:					
		1004066148			
Layer:					
		1			
Kind Code:					
		8			
Kind:					
		Untested			
Water Found Depth:					
Water Found Depth UOM:					
		ft			
<u>Hole Diameter</u>					
Hole ID:					
		1004066147			
Diameter:					
		6			
Depth From:					
		30			
Depth To:					
		84			
Hole Depth UOM:					
		ft			
Hole Diameter UOM:					
		inch			
9	1 of 1	ESE/6.4	157.6 / -0.26	TORONTO ON	WWIS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Well ID:	7176491			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Not Used			Date Received:	2/10/2012
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Dewatering			Abandonment Rec:	Yes
Water Type:				Contractor:	1663
Casing Material:				Form Version:	7
Audit No:	Z131429			Owner:	
Tag:	A042142			Street Name:	500 ST. CLAIR AVE.
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
 <u>Bore Hole Information</u>					
Bore Hole ID:	1003691015			Elevation:	158.239959
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627415
Code OB Desc:				North83:	4837930
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	10/26/2011			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	1004067006				
Layer:	1				
Plug From:	9.31				
Plug To:	20.73				
Plug Depth UOM:	m				
 <u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:	B				
Method Construction:	Other Method				
Other Method Construction:	DECOMMISSIONED				
 <u>Pipe Information</u>					
Pipe ID:	1004066997				
Casing No:	0				
Comment:					
Alt Name:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Casing</u>					
Casing ID:		1004067002			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		0			
Depth To:		8.53			
Casing Diameter:		6.25			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1004067003			
Layer:		1			
Slot:					
Screen Top Depth:		8.53			
Screen End Depth:		20.73			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1004066998			
Pump Set At:					
Static Level:		10.4			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:		LPM			
Water State After Test Code:		0			
Water State After Test:					
Pumping Test Method:		0			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		N			
<u>Water Details</u>					
Water ID:		1004067001			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1004067000			
Diameter:		5.5			
Depth From:		9.3			
Depth To:		20.73			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
10	1 of 3	E/12.7	157.3 / -0.62	Goldman (Bathurst) limited 1486 BATHURST ST, TORONTO, ON, M5P 3G9 ON M5P 3G9	RSC
<div> <div> RSC ID: 113596 RA No: RSC Type: Curr Property Use: Commercial Ministry District: TORONTO Filing Date: 21-Jun-11 Date Ack: Date Returned: Restoration Type: Soil Type: Criteria: CPU Issued Sect 1686: No Asmt Roll No: 19-14-01-1-060-05900-0000-0 2 Prop ID No (PIN): 10468-0558 LT Property Municipal Address: 1486 BATHURST ST, TORONTO, ON, M5P 3G9 Mailing Address: Suite 240, 55 ST. CLAIR AVE W, TORONTO, ON, M4V 2Y7 Latitude & Longitude: 43.68377550N 79.41892960W (converted from UTM) UTM Coordinates: NAD83 17-627433-4837966 Consultant: Filing Owner: Legal Desc: LOT 2, BLOCK C, PLAN 875 (YORK), LOT 3 BLOCK C, PLAN 875 (YORK) AND PART LOT 4, BLOCK C, PLAN 875 (YORK) DESIGNATED AS PART 4 ON PLAN 66R-22372, CITY OF TORONTO. STREET LIMIT OF BATHURST STREET IS CONFIRMED BY BA PLAN 2111 AS IN CT635606 </div> <div> Measurement Method: Digitized from a satellite image Applicable Standards: Full Depth Site Conditions Standard, with Nonpotable Ground Water, Coarse Textured Soil, for Residential/Parkland/Institutional property use RSC PDF: </div> </div>					
10	2 of 3	E/12.7	157.3 / -0.62	ON	WWIS
<div> <div> Well ID: 7269805 Construction Date: Primary Water Use: Dewatering Sec. Water Use: Final Well Status: Dewatering Water Type: Casing Material: Audit No: Z186011 Tag: A185254 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy: </div> <div> Data Entry Status: Data Src: Date Received: 8/24/2016 Selected Flag: Yes Abandonment Rec: Contractor: 1663 Form Version: 7 Owner: Street Name: 1486 BATHURST STREET County: YORK Municipality: TORONTO CITY Site Info: PW5 Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability: </div> </div>					
<u>Bore Hole Information</u>					
<div> <div> Bore Hole ID: 1006226155 DP2BR: Spatial Status: Code OB: </div> <div> Elevation: 158.562301 Elevrc: Zone: 17 East83: 627425 </div> </div>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Code OB Desc:				North83:	4837955
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:		1/13/2016		UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006246685			
Layer:		6			
Color:		2			
General Color:		GREY			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		05			
Other Materials:		CLAY			
Mat3:					
Other Materials:					
Formation Top Depth:		61			
Formation End Depth:		69			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006246686			
Layer:		7			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		69			
Formation End Depth:		70			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006246681			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		28			
Other Materials:		SAND			
Mat3:		11			
Other Materials:		GRAVEL			
Formation Top Depth:		2			
Formation End Depth:		18			
Formation End Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006246682			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:		05			
Other Materials:		CLAY			
Formation Top Depth:		18			
Formation End Depth:		30			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006246680			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		01			
Most Common Material:		FILL			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		2			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006246683			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		05			
Other Materials:		CLAY			
Mat3:					
Other Materials:					
Formation Top Depth:		30			
Formation End Depth:		58			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006246684			
Layer:		5			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		08			
Other Materials:		FINE SAND			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3:					
Other Materials:					
Formation Top Depth:		58			
Formation End Depth:		61			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006246701			
Layer:		1			
Plug From:		0			
Plug To:		40			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006246702			
Layer:		2			
Plug From:		40			
Plug To:		71			
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006246678			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006246689			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		-2			
Depth To:		45			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		1006246690			
Layer:		2			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		68			
Depth To:		71			
Casing Diameter:		5			
Casing Diameter UOM:		inch			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1006246691			
Layer:		1			
Slot:		16			
Screen Top Depth:		45			
Screen End Depth:		68			
Screen Material:		1			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1006246679			
Pump Set At:					
Static Level:		37.98			
Final Level After Pumping:		46.87			
Recommended Pump Depth:					
Pumping Rate:		12.11			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		0			
Water State After Test:					
Pumping Test Method:		0			
Pumping Duration HR:					
Pumping Duration MIN:		15			
Flowing:					
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1006246696			
Test Type:		Draw Down			
Test Duration:		5			
Test Level:		46.7			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1006246693			
Test Type:		Draw Down			
Test Duration:		2			
Test Level:		46.11			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1006246695			
Test Type:		Draw Down			
Test Duration:		4			
Test Level:		46.64			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1006246698			
Test Type:		Draw Down			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Test Duration:		15			
Test Level:		46.83			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1006246694			
Test Type:		Draw Down			
Test Duration:		3			
Test Level:		45.51			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1006246692			
Test Type:		Draw Down			
Test Duration:		1			
Test Level:		44.87			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1006246697			
Test Type:		Draw Down			
Test Duration:		10			
Test Level:		46.8			
Test Level UOM:		ft			
 <u>Water Details</u>					
Water ID:		1006246688			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:					
Water Found Depth UOM:		ft			
 <u>Hole Diameter</u>					
Hole ID:		1006246687			
Diameter:		8.5			
Depth From:		0			
Depth To:		71			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<hr/>					
10	3 of 3	E/12.7	157.3 / -0.62	ON	WWIS
Well ID:	7302768			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	1/8/2018
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Dewatering			Abandonment Rec:	Yes
Water Type:				Contractor:	1663
Casing Material:				Form Version:	7
Audit No:	Z272516			Owner:	
Tag:	A185254			Street Name:	1486 BATHURST STREET
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:				Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	
<u>Bore Hole Information</u>					
Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:	1006951668 10/16/2017			Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	 17 627425 4837955 UTM83 4 margin of error : 30 m - 100 m wwr
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID: Layer: Plug From: Plug To: Plug Depth UOM:	1007071625 2 30 35 ft				
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID: Layer: Plug From: Plug To: Plug Depth UOM:	1007071624 1 0 30 ft				
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID: Layer: Plug From: Plug To: Plug Depth UOM:	1007071626 3 35 71 ft				
<u>Pipe Information</u>					
Pipe ID: Casing No: Comment: Alt Name:	1007071616 0 				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Casing</u>					
Casing ID:		1007071620			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		-2			
Depth To:		45			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		1007071621			
Layer:		2			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		68			
Depth To:		71			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1007071622			
Layer:		1			
Slot:		16			
Screen Top Depth:		45			
Screen End Depth:		68			
Screen Material:		8			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6			
<u>Water Details</u>					
Water ID:		1007071619			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1007071618			
Diameter:		5			
Depth From:		30			
Depth To:		71			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<hr/>					
11	1 of 1	SE/14.2	157.5 / -0.38	ON	WWIS
Well ID:	7176469			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Dewatering			Date Received:	2/10/2012
Sec. Water Use:	Not Used			Selected Flag:	Yes
Final Well Status:	Dewatering			Abandonment Rec:	Yes

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water Type:			Contractor:	1663	
Casing Material:			Form Version:	7	
Audit No:	Z131401		Owner:		
Tag:	A103672		Street Name:	530 ST. CLAIR AVE. W	
Construction Method:			County:	YORK	
Elevation (m):			Municipality:	TORONTO CITY	
Elevation Reliability:			Site Info:		
Depth to Bedrock:			Lot:		
Well Depth:			Concession:		
Overburden/Bedrock:			Concession Name:		
Pump Rate:			Easting NAD83:		
Static Water Level:			Northing NAD83:		
Flowing (Y/N):			Zone:		
Flow Rate:			UTM Reliability:		
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1003690982		Elevation:	158.123535	
DP2BR:			Elevrc:		
Spatial Status:			Zone:	17	
Code OB:			East83:	627409	
Code OB Desc:			North83:	4837920	
Open Hole:			Org CS:	UTM83	
Cluster Kind:			UTMRC:	4	
Date Completed:	11/3/2011		UTMRC Desc:	margin of error : 30 m - 100 m	
Remarks:			Location Method:	wwr	
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	1004066184				
Layer:	1				
Plug From:	30				
Plug To:	71				
Plug Depth UOM:	ft				
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:			2		
Method Construction:			Rotary (Convent.)		
Other Method Construction:			DECOMMISSIONED		
<u>Pipe Information</u>					
Pipe ID:	1004066172				
Casing No:	0				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	1004066177				
Laver:	1				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		-1			
Depth To:		38			
Casing Diameter:		6.25			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Casing</u>					
Casing ID:		1004066179			
Layer:		3			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		68			
Depth To:		71			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Casing</u>					
Casing ID:		1004066178			
Layer:		2			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		35			
Depth To:		38			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		1004066180			
Layer:		1			
Slot:					
Screen Top Depth:		38			
Screen End Depth:		68			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6			
 <u>Results of Well Yield Testing</u>					
Pump Test ID:		1004066173			
Pump Set At:					
Static Level:		29			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		0			
Water State After Test:					
Pumping Test Method:		0			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		N			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Water Details</u>					
Water ID:		1004066176			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1004066175			
Diameter:		6			
Depth From:		30			
Depth To:		71			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<hr/>					
12	1 of 2	NE/10.1	157.9 / -0.02	ON	WWIS
Well ID:	7252664			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Test Hole			Date Received:	11/23/2015
Sec. Water Use:	Dewatering			Selected Flag:	Yes
Final Well Status:	Dewatering			Abandonment Rec:	
Water Type:				Contractor:	1663
Casing Material:				Form Version:	7
Audit No:	Z185963			Owner:	
Tag:	A147039			Street Name:	1486 BATHURST STREET
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1005810105			Elevation:	158.892562
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627416
Code OB Desc:				North83:	4837975
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	4/16/2015			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:		1005829334			
Layer:		7			
Color:		2			
General Color:		GREY			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		05			
Other Materials:		CLAY			
Mat3:					
Other Materials:					
Formation Top Depth:		59			
Formation End Depth:		69			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1005829332			
Layer:		5			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		05			
Other Materials:		CLAY			
Mat3:		74			
Other Materials:		LAYERED			
Formation Top Depth:		37			
Formation End Depth:		56			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1005829331			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		30			
Formation End Depth:		37			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1005829328			
Layer:		1			
Color:		8			
General Color:		BLACK			
Mat1:					
Most Common Material:					
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation Top Depth:		0			
Formation End Depth:		1			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1005829333			
Layer:		6			
Color:		2			
General Color:		GREY			
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		56			
Formation End Depth:		59			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1005829330			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		06			
Other Materials:		SILT			
Mat3:		11			
Other Materials:		GRAVEL			
Formation Top Depth:		18			
Formation End Depth:		30			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1005829329			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:					
Other Materials:					
Formation Top Depth:		1			
Formation End Depth:		18			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005829351			
Layer:		2			
Plug From:		25			
Plug To:		73			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005829350			
Layer:		1			
Plug From:		0			
Plug To:		25			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		2			
Method Construction Code:		Rotary (Convent.)			
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1005829326			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1005829338			
Layer:		2			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		70			
Depth To:		73			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		1005829337			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		0			
Depth To:		41			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1005829339			
Layer:		1			
Slot:		14			
Screen Top Depth:		41			
Screen End Depth:		70			
Screen Material:		1			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1005829327			
Pump Set At:					
Static Level:		36.37			
Final Level After Pumping:		48.18			
Recommended Pump Depth:					
Pumping Rate:		16			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		0			
Water State After Test:					
Pumping Test Method:		0			
Pumping Duration HR:					
Pumping Duration MIN:		15			
Flowing:					
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005829340			
Test Type:		Draw Down			
Test Duration:		1			
Test Level:		43.23			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005829343			
Test Type:		Draw Down			
Test Duration:		4			
Test Level:		47.26			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005829344			
Test Type:		Draw Down			
Test Duration:		5			
Test Level:		47.52			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005829342			
Test Type:		Draw Down			
Test Duration:		3			
Test Level:		46.74			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005829345			
Test Type:		Draw Down			
Test Duration:		10			
Test Level:		47.98			
Test Level UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005829346			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		48.48			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005829341			
Test Type:		Draw Down			
Test Duration:		2			
Test Level:		45.95			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		1005829336			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1005829335			
Diameter:		8			
Depth From:		0			
Depth To:		73			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<u>12</u>	2 of 2	NE/10.1	157.9 / -0.02	ON	WWIS
Well ID:	7302766			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	1/8/2018
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Dewatering			Abandonment Rec:	Yes
Water Type:				Contractor:	1663
Casing Material:				Form Version:	7
Audit No:	Z272514			Owner:	
Tag:	A147039			Street Name:	1486 BATHURST STREET
Construction Method:				County:	YORK
Elevation (m):				Municipality:	YORK BOROUGH
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1006951662			Elevation:	
DP2BR:				Elevrc:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Spatial Status:				Zone:	17
Code OB:				East83:	627416
Code OB Desc:				North83:	4837975
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed: 10/16/2017				UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:				1007071595	
Layer:				3	
Plug From:				30	
Plug To:				35	
Plug Depth UOM:				ft	
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:				1007071594	
Layer:				2	
Plug From:				35	
Plug To:				73	
Plug Depth UOM:				ft	
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:				1007071593	
Layer:				1	
Plug From:				0	
Plug To:				30	
Plug Depth UOM:				ft	
<u>Pipe Information</u>					
Pipe ID:				1007071585	
Casing No:				0	
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:				1007071589	
Layer:				1	
Material:				1	
Open Hole or Material:				STEEL	
Depth From:				0	
Depth To:				41	
Casing Diameter:				5	
Casing Diameter UOM:				inch	
Casing Depth UOM:				ft	
<u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Casing ID:		1007071590			
Layer:		2			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		70			
Depth To:		73			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		1007071591			
Layer:		1			
Slot:		14			
Screen Top Depth:		41			
Screen End Depth:		70			
Screen Material:		1			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6			
 <u>Water Details</u>					
Water ID:		1007071588			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:					
Water Found Depth UOM:		ft			
 <u>Hole Diameter</u>					
Hole ID:		1007071587			
Diameter:		5			
Depth From:		30			
Depth To:		73			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<hr/>					
13	1 of 1	SE/22.0	157.1 / -0.80	ON	WWIS
Well ID:	7176473			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Not Used			Date Received:	2/10/2012
Sec. Water Use:	Dewatering			Selected Flag:	Yes
Final Well Status:	Abandoned-Other			Abandonment Rec:	Yes
Water Type:				Contractor:	1663
Casing Material:				Form Version:	7
Audit No:	Z131405			Owner:	
Tag:	A103672			Street Name:	530 ST. CLAIR AVE.W
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Flow Rate: Clear/Cloudy:			UTM Reliability:		
<u>Bore Hole Information</u>					
Bore Hole ID:	1003690988			Elevation:	158.081222
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627416
Code OB Desc:				North83:	4837914
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	11/3/2011			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1004066332				
Layer:	1				
Plug From:	30				
Plug To:	70				
Plug Depth UOM:	ft				
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:	2				
Method Construction:	Rotary (Convent.)				
Other Method Construction:	DECOMMISSIONED				
<u>Pipe Information</u>					
Pipe ID:	1004066320				
Casing No:	0				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	1004066325				
Layer:	1				
Material:	1				
Open Hole or Material:	STEEL				
Depth From:	-1				
Depth To:	32				
Casing Diameter:	6.25				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				
<u>Construction Record - Casing</u>					
Casing ID:	1004066326				
Layer:	2				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		29			
Depth To:		32			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Casing</u>					
Casing ID:		1004066327			
Layer:		3			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		67			
Depth To:		70			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		1004066328			
Layer:		1			
Slot:					
Screen Top Depth:		32			
Screen End Depth:		67			
Screen Material:		1			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6			
 <u>Results of Well Yield Testing</u>					
Pump Test ID:		1004066321			
Pump Set At:					
Static Level:		31			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		0			
Water State After Test:					
Pumping Test Method:		0			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		N			
 <u>Water Details</u>					
Water ID:		1004066324			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:					
Water Found Depth UOM:		ft			
 <u>Hole Diameter</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole ID: 1004066323 Diameter: 6 Depth From: 30 Depth To: 70 Hole Depth UOM: ft Hole Diameter UOM: inch					
14	1 of 2	ENE/19.9	157.7 / -0.14	ON	WWIS
Well ID: 7269806 Construction Date: Primary Water Use: Dewatering Sec. Water Use: Final Well Status: Dewatering Water Type: Casing Material: Audit No: Z186013 Tag: A185253 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:					
Data Entry Status: Data Src: Date Received: 8/24/2016 Selected Flag: Yes Abandonment Rec: Contractor: 1663 Form Version: 7 Owner: Street Name: 1486 BATHURST STREET County: YORK Municipality: TORONTO CITY Site Info: PW6 Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
<u>Bore Hole Information</u>					
Bore Hole ID: 1006226158 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 1/16/2016 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
Elevation: 158.834396 Elevrc: Zone: 17 East83: 627426 North83: 4837976 Org CS: UTM83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: wwr					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID: 1006246711 Layer: 1 Color: 6 General Color: BROWN Mat1: 01 Most Common Material: FILL Mat2: Other Materials: Mat3: Other Materials: Formation Top Depth: 0					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth:	4				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:	1006246714				
Layer:	4				
Color:	6				
General Color:	BROWN				
Mat1:	28				
Most Common Material:	SAND				
Mat2:	05				
Other Materials:	CLAY				
Mat3:					
Other Materials:					
Formation Top Depth:	38				
Formation End Depth:	50				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:	1006246717				
Layer:	7				
Color:	2				
General Color:	GREY				
Mat1:	28				
Most Common Material:	SAND				
Mat2:	06				
Other Materials:	SILT				
Mat3:					
Other Materials:					
Formation Top Depth:	55				
Formation End Depth:	60				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:	1006246713				
Layer:	3				
Color:	6				
General Color:	BROWN				
Mat1:	08				
Most Common Material:	FINE SAND				
Mat2:	05				
Other Materials:	CLAY				
Mat3:	74				
Other Materials:	LAYERED				
Formation Top Depth:	28				
Formation End Depth:	38				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:	1006246712				
Layer:	2				
Color:	6				
General Color:	BROWN				
Mat1:	28				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Most Common Material:		SAND			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:		05			
Other Materials:		CLAY			
Formation Top Depth:		4			
Formation End Depth:		28			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006246718			
Layer:		8			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		05			
Other Materials:		CLAY			
Mat3:		74			
Other Materials:		LAYERED			
Formation Top Depth:		60			
Formation End Depth:		66			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006246715			
Layer:		5			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		28			
Other Materials:		SAND			
Mat3:		74			
Other Materials:		LAYERED			
Formation Top Depth:		50			
Formation End Depth:		53			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006246716			
Layer:		6			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		53			
Formation End Depth:		55			
Formation End Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug ID:		1006246734			
Layer:		2			
Plug From:		42			
Plug To:		66			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006246733			
Layer:		1			
Plug From:		0			
Plug To:		42			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006246709			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006246721			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		-2			
Depth To:		45			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		1006246722			
Layer:		2			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		63			
Depth To:		66			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1006246723			
Layer:		1			
Slot:		16			
Screen Top Depth:		45			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen End Depth:		63			
Screen Material:		1			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1006246710			
Pump Set At:					
Static Level:		38.24			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:		5.28			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		0			
Pumping Duration HR:					
Pumping Duration MIN:		15			
Flowing:					
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1006246726			
Test Type:		Draw Down			
Test Duration:		3			
Test Level:		44.14			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1006246729			
Test Type:		Draw Down			
Test Duration:		10			
Test Level:		43.41			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1006246728			
Test Type:		Draw Down			
Test Duration:		5			
Test Level:		44.44			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1006246730			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		43.41			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1006246727			
Test Type:		Draw Down			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Test Duration:	4				
Test Level:	44.37				
Test Level UOM:	ft				
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:	1006246724				
Test Type:	Draw Down				
Test Duration:	1				
Test Level:	42.31				
Test Level UOM:	ft				
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:	1006246725				
Test Type:	Draw Down				
Test Duration:	2				
Test Level:	43.65				
Test Level UOM:	ft				
<u>Water Details</u>					
Water ID:	1006246720				
Layer:	1				
Kind Code:	8				
Kind:	Untested				
Water Found Depth:					
Water Found Depth UOM:	ft				
<u>Hole Diameter</u>					
Hole ID:	1006246719				
Diameter:	8.5				
Depth From:	0				
Depth To:	66				
Hole Depth UOM:	ft				
Hole Diameter UOM:	inch				
<hr/>					
14	2 of 2	ENE/19.9	157.7 / -0.14	ON	WWIS
Well ID:	7302767			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	1/8/2018
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Dewatering			Abandonment Rec:	Yes
Water Type:				Contractor:	1663
Casing Material:				Form Version:	7
Audit No:	Z272515			Owner:	
Tag:	A185253			Street Name:	1486 BATHURST STREET
Construction Method:				County:	YORK
Elevation (m):				Municipality:	YORK BOROUGH
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Bore Hole Information</u>					
Bore Hole ID:	1006951665			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627426
Code OB Desc:				North83:	4837976
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	10/16/2017			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1007071606				
Layer:	3				
Plug From:	35				
Plug To:	66				
Plug Depth UOM:	ft				
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1007071604				
Layer:	1				
Plug From:	0				
Plug To:	30				
Plug Depth UOM:	ft				
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1007071605				
Layer:	2				
Plug From:	30				
Plug To:	35				
Plug Depth UOM:	ft				
<u>Pipe Information</u>					
Pipe ID:	1007071596				
Casing No:	0				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	1007071601				
Layer:	2				
Material:	1				
Open Hole or Material:	STEEL				
Depth From:	63				
Depth To:	66				
Casing Diameter:	5				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		1007071600			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		-2			
Depth To:		45			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1007071602			
Layer:		1			
Slot:		16			
Screen Top Depth:		45			
Screen End Depth:		63			
Screen Material:		1			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6			
<u>Hole Diameter</u>					
Hole ID:		1007071598			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
15	1 of 2	SSE/24.5	157.1 / -0.81	530 St. Clair West Inc. 530 St. Clair Ave W Toronto ON M6C 1A2	ECA
Approval No:		3517-8KZNWH		MOE District:	Metro Toronto
Approval Date:		2011-08-25		City:	
Status:		Approved		Longitude:	-79.419395
Record Type:		ECA		Latitude:	43.683043999999995
Link Source:		IDS		Geometry X:	
SWP Area Name:		Toronto		Geometry Y:	
Approval Type:		ECA-AIR			
Project Type:		AIR			
Address:		530 St. Clair Ave W			
Full Address:					
Full PDF Link:		https://www.accessenvironment.ene.gov.on.ca/instruments/9002-8J5HJB-14.pdf			
15	2 of 2	SSE/24.5	157.1 / -0.81	TSCC 2334 530 St. Clair Ave. W. Toronto ON M6C 0A2	GEN
Generator No:		ON7126158		PO Box No:	
Status:		Registered		Country:	Canada
Approval Years:		As of Oct 2019		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC Code:					
SIC Description:					
Detail(s)					
Waste Class:		146 L			
Waste Class Desc:		Other specified inorganic sludges, slurries or solids			
16	1 of 1	E/23.2	156.8 / -1.04	Toronto Hydro Electric System Safety & Environmental Systems 1482 Bathurst St. Toronto ON	SPL
Ref No:		5885-AZQ58U		Discharger Report:	
Site No:		NA		Material Group:	
Incident Dt:		2018/06/13		Health/Env Conseq:	
Year:				2 - Minor Environment	
Incident Cause:				Client Type:	
Incident Event:		Leak/Break		Sector Type:	
Contaminant Code:		15		Miscellaneous Industrial	
Contaminant Name:		TRANSFORMER OIL (N.O.S.)		Agency Involved:	
Contaminant Limit 1:				Nearest Watercourse:	
Contam Limit Freq 1:				Site Address:	
Contaminant UN No 1:		n/a		1482 Bathurst St.	
Environment Impact:				Site District Office:	
Nature of Impact:				Toronto - District	
Receiving Medium:				Site Postal Code:	
Receiving Env:		Land; Surface Water		Site Region:	
MOE Response:		No		Central	
Dt MOE Arvl on Scn:				Site Municipality:	
MOE Reported Dt:		2018/06/13		Toronto	
Dt Document Closed:				Site Lot:	
Incident Reason:		Weather Conditions		Site Conc:	
Site Name:		Toronto Hydro Transformer Spill<UNOFFICIAL>		Northing:	
Site County/District:				4837960.95	
Site Geo Ref Meth:				Easting:	
Incident Summary:		T.O. Hydro: 30L of Non-PCB oil to grd/cb - Cleaning		627459.62	
Contaminant Qty:		30 L		Site Geo Ref Accu:	
				Site Map Datum:	
				SAC Action Class:	
				Land Spills	
				Transformer	
17	1 of 2	E/22.2	156.5 / -1.34	TORONTO ON	WWIS
Well ID:		7040069		Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:		Commerical		Date Received:	
Sec. Water Use:				1/25/2007	
Final Well Status:		Dewatering		Selected Flag:	
Water Type:				Yes	
Casing Material:				Abandonment Rec:	
Audit No:		Z51587		Contractor:	
Tag:		A042096		1663	
Construction Method:				Form Version:	
Elevation (m):				3	
Elevation Reliability:				Owner:	
Depth to Bedrock:				Street Name:	
Well Depth:				510-522 ST. CLAIR AVE WEST	
Overburden/Bedrock:				County:	
Pump Rate:				Municipality:	
Static Water Level:				TORONTO CITY	
Flowing (Y/N):				Site Info:	
Flow Rate:				Lot:	
Clear/Cloudy:				Concession:	
				Concession Name:	
				Easting NAD83:	
				Northing NAD83:	
				Zone:	
				UTM Reliability:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Bore Hole Information</u>					
Bore Hole ID:	11762385			Elevation:	158.357727
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:	x			East83:	627438
Code OB Desc:	Unknown type in the lower layers(s)			North83:	4837945
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	3
Date Completed:	12/4/2006			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	933089388				
Layer:	1				
Color:	3				
General Color:	BLUE				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:					
Other Materials:					
Mat3:	01				
Other Materials:	FILL				
Formation Top Depth:	0				
Formation End Depth:	3.04				
Formation End Depth UOM:	m				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	933089391				
Layer:	4				
Color:	6				
General Color:	BROWN				
Mat1:	08				
Most Common Material:	FINE SAND				
Mat2:	06				
Other Materials:	SILT				
Mat3:	05				
Other Materials:	CLAY				
Formation Top Depth:	4.87				
Formation End Depth:	12.34				
Formation End Depth UOM:	m				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	933089393				
Layer:	6				
Color:	6				
General Color:	BROWN				
Mat1:	08				
Most Common Material:	FINE SAND				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2:		05			
Other Materials:		CLAY			
Mat3:					
Other Materials:					
Formation Top Depth:		13.1			
Formation End Depth:		14.32			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		933089395			
Layer:		8			
Color:		2			
General Color:		GREY			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		06			
Other Materials:		SILT			
Mat3:					
Other Materials:					
Formation Top Depth:		19.8			
Formation End Depth:		20.73			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		933089389			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:					
Most Common Material:					
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		3.04			
Formation End Depth:		3.65			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		933089394			
Layer:		7			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		14.32			
Formation End Depth:		19.8			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Formation ID:		933089390			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		3.65			
Formation End Depth:		4.87			
Formation End Depth UOM:		m			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		933089396			
Layer:		9			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		05			
Other Materials:		CLAY			
Mat3:					
Other Materials:					
Formation Top Depth:		20.73			
Formation End Depth:		25.3			
Formation End Depth UOM:		m			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		933089392			
Layer:		5			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		12.34			
Formation End Depth:		13.1			
Formation End Depth UOM:		m			
 <u>Annular Space/Abandonment</u> <u>Sealing Record</u>					
Plug ID:		933312730			
Layer:		1			
Plug From:		0			
Plug To:		6			
Plug Depth UOM:		m			
 <u>Method of Construction & Well</u> <u>Use</u>					
Method Construction ID:					
Method Construction Code:		2			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11770075			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930894937			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		0			
Depth To:		12.19			
Casing Diameter:		6.25			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Casing</u>					
Casing ID:		930894938			
Layer:		2			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		11.28			
Depth To:		19.81			
Casing Diameter:		5			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		933422784			
Layer:		3			
Slot:					
Screen Top Depth:		19.85			
Screen End Depth:		20.73			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					
<u>Construction Record - Screen</u>					
Screen ID:		933422782			
Layer:		1			
Slot:		6			
Screen Top Depth:		12.17			
Screen End Depth:		14.32			
Screen Material:		1			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6			
<u>Construction Record - Screen</u>					
Screen ID:		933422783			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		2			
Slot:		8			
Screen Top Depth:		15.85			
Screen End Depth:		17.98			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		11776773			
Pump Set At:					
Static Level:		10.35			
Final Level After Pumping:					
Recommended Pump Depth:		18			
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:		68			
Levels UOM:		m			
Rate UOM:		LPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		2			
Pumping Duration MIN:		0			
Flowing:					
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11808508			
Test Type:		Recovery			
Test Duration:		4			
Test Level:		10.63			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11808518			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		14.05			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11808505			
Test Type:		Draw Down			
Test Duration:		3			
Test Level:		13.85			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11808517			
Test Type:		Draw Down			
Test Duration:		25			
Test Level:		14.04			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Test Detail ID:		11808519			
Test Type:		Draw Down			
Test Duration:		40			
Test Level:		14.07			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11808520			
Test Type:		Draw Down			
Test Duration:		50			
Test Level:		14.08			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11808501			
Test Type:		Draw Down			
Test Duration:		1			
Test Level:		12.96			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11808504			
Test Type:		Recovery			
Test Duration:		2			
Test Level:		10.98			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11808513			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		14.02			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11808507			
Test Type:		Draw Down			
Test Duration:		4			
Test Level:		13.93			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11808510			
Test Type:		Recovery			
Test Duration:		5			
Test Level:		10.59			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11808503			
Test Type:		Draw Down			
Test Duration:		2			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Level:		13.64			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11808509			
Test Type:		Draw Down			
Test Duration:		5			
Test Level:		13.97			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11808521			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		14.08			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11808512			
Test Type:		Recovery			
Test Duration:		10			
Test Level:		10.54			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11808516			
Test Type:		Recovery			
Test Duration:		20			
Test Level:		10.52			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11808502			
Test Type:		Recovery			
Test Duration:		1			
Test Level:		11.58			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11808506			
Test Type:		Recovery			
Test Duration:		3			
Test Level:		10.73			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11808511			
Test Type:		Draw Down			
Test Duration:		10			
Test Level:		14			
Test Level UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11808514			
Test Type:		Recovery			
Test Duration:		15			
Test Level:		10.53			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11808515			
Test Type:		Draw Down			
Test Duration:		20			
Test Level:		14.04			
Test Level UOM:		m			
<u>Water Details</u>					
Water ID:		934083534			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		12			
Water Found Depth UOM:		m			
<u>17</u>	2 of 2	E/22.2	156.5 / -1.34	ON	WWIS
Well ID:	7176496			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Not Used			Date Received:	2/10/2012
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Dewatering			Abandonment Rec:	Yes
Water Type:				Contractor:	1663
Casing Material:				Form Version:	7
Audit No:	Z131434			Owner:	
Tag:	A042049			Street Name:	500 ST CLAIRE AVE.
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1003690447			Elevation:	158.361007
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627438
Code OB Desc:				North83:	4837945
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	10/26/2011			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004067162			
Layer:		1			
Plug From:		10.7			
Plug To:		20.73			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		B			
Method Construction:		Other Method			
Other Method Construction:		DECOMMISSION			
<u>Pipe Information</u>					
Pipe ID:		1004067153			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1004067158			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:					
Casing Diameter:		6.25			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1004067159			
Layer:		1			
Slot:					
Screen Top Depth:		12.17			
Screen End Depth:		20.73			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1004067154			
Pump Set At:					
Static Level:		10.35			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Flowing Rate: Recommended Pump Rate: Levels UOM: m Rate UOM: LPM Water State After Test Code: 0 Water State After Test: Pumping Test Method: 0 Pumping Duration HR: Pumping Duration MIN: Flowing: N					
<u>Water Details</u>					
Water ID: 1004067157 Layer: 1 Kind Code: 8 Kind: Untested Water Found Depth: Water Found Depth UOM: m					
<u>Hole Diameter</u>					
Hole ID: 1004067156 Diameter: Depth From: Depth To: Hole Depth UOM: m Hole Diameter UOM: cm					

18	1 of 1	SE/26.2	157.1 / -0.81	ON	WWIS
Well ID: 7154748 Construction Date: Primary Water Use: Dewatering Sec. Water Use: Final Well Status: Dewatering Water Type: Casing Material: Audit No: M00566 Tag: A103672 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:					
Data Entry Status: Data Src: Date Received: 11/19/2010 Selected Flag: Yes Abandonment Rec: Contractor: 1663 Form Version: 5 Owner: Street Name: 530 ST. CLAIR AVENUE County: YORK Municipality: TORONTO CITY Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
<u>Bore Hole Information</u>					
Bore Hole ID: 1006138211 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: This is a record from cluster log sheet					
Elevation: Elevrc: Zone: 17 East83: 627416 North83: 4837914 Org CS: UTM83 UTMRC: 3					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Date Completed:		9/20/2010		UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	WWR
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006138215			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:		ROTARY			
<u>Pipe Information</u>					
Pipe ID:		1006138216			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006138218			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		32			
Casing Diameter:					
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1006138217			
Layer:		1			
Slot:					
Screen Top Depth:		32			
Screen End Depth:		67			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1006138219			
Pump Set At:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Static Level:		31			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:	m				
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
 <u>Hole Diameter</u>					
Hole ID:		1006138213			
Diameter:		6.25			
Depth From:					
Depth To:		70			
Hole Depth UOM:	m				
Hole Diameter UOM:	cm				
 <u>Bore Hole Information</u>					
Bore Hole ID:	1006138184			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627396
Code OB Desc:				North83:	4837899
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	9/17/2010			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	WWR
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006138188			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:	m				
 <u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:	ROTARY				
 <u>Pipe Information</u>					
Pipe ID:		1006138189			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006138191			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		40			
Casing Diameter:					
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1006138190			
Layer:		1			
Slot:					
Screen Top Depth:		40			
Screen End Depth:		65			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1006138192			
Pump Set At:					
Static Level:		31			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1006138186			
Diameter:		6.25			
Depth From:					
Depth To:		68			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1006138229			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627409

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Code OB Desc:				North83:	4837920
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	9/28/2010			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	WWR
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006138233			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:		m			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:		ROTARY			
<u>Pipe Information</u>					
Pipe ID:		1006138234			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006138236			
Layer:					
Material:					
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		38			
Casing Diameter:					
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1006138235			
Layer:					
Slot:					
Screen Top Depth:		38			
Screen End Depth:		68			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					
<u>Results of Well Yield Testing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Test ID:					
		1006138237			
Pump Set At:					
Static Level:		29			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:					
		1006138231			
Diameter:		6.25			
Depth From:					
Depth To:		71			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:		1003411146		Elevation:	158.038665
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627414
Code OB Desc:				North83:	4837909
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	3
Date Completed:		11/1/2010		UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006138324			
Layer:		9			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		78			
Formation End Depth:		83			
Formation End Depth UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006138322			
Layer:		7			
Color:		2			
General Color:		GREY			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		68			
Formation End Depth:		73			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006138317			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Other Materials:					
Mat3:		01			
Other Materials:		FILL			
Formation Top Depth:		3			
Formation End Depth:		8			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006138319			
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		06			
Other Materials:		SILT			
Mat3:					
Other Materials:					
Formation Top Depth:		50			
Formation End Depth:		60			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006138323			
Layer:		8			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		06			
Other Materials:		SILT			
Mat3:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Other Materials:					
Formation Top Depth:		73			
Formation End Depth:		78			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006138318			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		05			
Other Materials:		CLAY			
Mat3:					
Other Materials:					
Formation Top Depth:		8			
Formation End Depth:		50			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006138320			
Layer:		5			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		28			
Other Materials:		SAND			
Mat3:		05			
Other Materials:		CLAY			
Formation Top Depth:		60			
Formation End Depth:		65			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006138316			
Layer:		1			
Color:		2			
General Color:		GREY			
Mat1:		01			
Most Common Material:		FILL			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		3			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006138321			
Layer:		6			
Color:		2			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
General Color:		GREY			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		06			
Other Materials:		SILT			
Mat3:					
Other Materials:					
Formation Top Depth:		65			
Formation End Depth:		68			
Formation End Depth UOM:		m			
 <u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006138327			
Layer:		1			
Plug From:		0			
Plug To:		40			
Plug Depth UOM:		m			
 <u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		1006138314			
Casing No:		0			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		1006138329			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		2			
Depth To:		38			
Casing Diameter:		6.25			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
 <u>Construction Record - Casing</u>					
Casing ID:		1006138330			
Layer:		2			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		38			
Depth To:		83			
Casing Diameter:		5.5			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
 <u>Construction Record - Screen</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen ID:		1006138331			
Layer:		1			
Slot:		6			
Screen Top Depth:					
Screen End Depth:					
Screen Material:		1			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1006138315			
Pump Set At:					
Static Level:		30			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:		0			
Water State After Test:					
Pumping Test Method:		0			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Water Details</u>					
Water ID:		1006138328			
Layer:		1			
Kind Code:					
Kind:					
Water Found Depth:		30			
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1006138326			
Diameter:		6.25			
Depth From:		38			
Depth To:		83			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		1006138325			
Diameter:		8.5			
Depth From:		0			
Depth To:		38			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1006138238			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627391

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Code OB Desc:				North83:	4837908
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	9/29/2010			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	WWR
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006138242			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:		m			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:		ROTARY			
<u>Pipe Information</u>					
Pipe ID:		1006138243			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006138245			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		38			
Casing Diameter:					
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1006138244			
Layer:		1			
Slot:					
Screen Top Depth:		38			
Screen End Depth:		48			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					
<u>Results of Well Yield Testing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Test ID:					
		1006138246			
Pump Set At:					
		32			
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1006138240			
Diameter:		6.25			
Depth From:					
Depth To:		51			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:		1006138247		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627414
Code OB Desc:				North83:	4837962
Open Hole:				Org CS:	UTM83
Cluster Kind:		This is a record from cluster log sheet		UTMRC:	3
Date Completed:		9/30/2010		UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	WWR
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006138251			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:		m			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:		ROTARY			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Pipe Information</u>					
Pipe ID:		1006138252			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006138254			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		33			
Casing Diameter:					
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1006138253			
Layer:		1			
Slot:					
Screen Top Depth:		33			
Screen End Depth:		70			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1006138255			
Pump Set At:					
Static Level:		32			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1006138249			
Diameter:		2			
Depth From:					
Depth To:		78			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1006138193			Elevation:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627406
Code OB Desc:				North83:	4837891
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	9/14/2010			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	WWR
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006138197			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:		m			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:		ROTARY			
<u>Pipe Information</u>					
Pipe ID:		1006138198			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006138200			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		38			
Casing Diameter:					
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1006138199			
Layer:		1			
Slot:					
Screen Top Depth:		38			
Screen End Depth:		63			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1006138201			
Pump Set At:					
Static Level:		32			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1006138195			
Diameter:		6.25			
Depth From:					
Depth To:		66			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1006138220			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627391
Code OB Desc:				North83:	4837922
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	9/24/2010			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	WWR
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006138224			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:		m			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Other Method Construction:		ROTARY			
<u>Pipe Information</u>					
Pipe ID:		1006138225			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006138227			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		38			
Casing Diameter:					
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1006138226			
Layer:		1			
Slot:					
Screen Top Depth:		38			
Screen End Depth:		72			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1006138228			
Pump Set At:					
Static Level:		32			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1006138222			
Diameter:		6.25			
Depth From:					
Depth To:		75			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Bore Hole Information</u>					
Bore Hole ID:	1006138256			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627412
Code OB Desc:				North83:	4837965
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	9/23/2010			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	WWR
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	1006138260				
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:	m				
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:	ROTARY				
<u>Pipe Information</u>					
Pipe ID:	1006138261				
Casing No:	0				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	1006138263				
Layer:	1				
Material:	1				
Open Hole or Material:	STEEL				
Depth From:					
Depth To:	32				
Casing Diameter:					
Casing Diameter UOM:	cm				
Casing Depth UOM:	m				
<u>Construction Record - Screen</u>					
Screen ID:	1006138262				
Layer:	1				
Slot:					
Screen Top Depth:	32				
Screen End Depth:	72				
Screen Material:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1006138264			
Pump Set At:					
Static Level:		32			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1006138258			
Diameter:		2			
Depth From:					
Depth To:		77			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1006138202			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627417
Code OB Desc:				North83:	4837896
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	9/16/2010			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	WWR
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006138206			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:		ROTARY			
<u>Pipe Information</u>					
Pipe ID:		1006138207			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006138209			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		38			
Casing Diameter:					
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1006138208			
Layer:		1			
Slot:					
Screen Top Depth:		38			
Screen End Depth:		78			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1006138210			
Pump Set At:					
Static Level:		31			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1006138204			
Diameter:		6.25			
Depth From:					
Depth To:		81			
Hole Depth UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1006138265			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627411
Code OB Desc:				North83:	4837968
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	9/22/2010			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	WWR
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	1006138269				
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:	m				
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:	ROTARY				
<u>Pipe Information</u>					
Pipe ID:	1006138270				
Casing No:	0				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	1006138272				
Layer:	1				
Material:	1				
Open Hole or Material:	STEEL				
Depth From:					
Depth To:	32				
Casing Diameter:					
Casing Diameter UOM:	cm				
Casing Depth UOM:	m				
<u>Construction Record - Screen</u>					
Screen ID:	1006138271				
Layer:	1				
Slot:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Top Depth:		32			
Screen End Depth:		72			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1006138273			
Pump Set At:					
Static Level:		32			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1006138267			
Diameter:		2			
Depth From:					
Depth To:		77			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

19	1 of 1	SE/23.7	157.1 / -0.80	TORONTO ON	WWIS
Well ID:	6928975			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Not Used			Date Received:	6/8/2005
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7230
Casing Material:				Form Version:	3
Audit No:	Z29556			Owner:	
Tag:	A024763			Street Name:	510-522 ST. CLAIR AVE. WEST
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:	11327944	Elevation:	158.085754
---------------	----------	------------	------------

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:	o			East83:	627422
Code OB Desc:	Overburden			North83:	4837914
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	4/6/2005			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		933037819			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		06			
Other Materials:		SILT			
Mat3:		66			
Other Materials:		DENSE			
Formation Top Depth:		0.3			
Formation End Depth:					
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		933037818			
Layer:		1			
Color:					
General Color:					
Mat1:		01			
Most Common Material:		FILL			
Mat2:		28			
Other Materials:		SAND			
Mat3:		77			
Other Materials:		LOOSE			
Formation Top Depth:		0			
Formation End Depth:		0.3			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933270281			
Layer:		3			
Plug From:		0.3			
Plug To:		8			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933270282			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:	1				
Plug From:	0				
Plug To:	0.3				
Plug Depth UOM:	m				
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	933270283				
Layer:	2				
Plug From:					
Plug To:					
Plug Depth UOM:	m				
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:	6				
Method Construction:	Boring				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	11342799				
Casing No:	1				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	930872934				
Layer:	1				
Material:	5				
Open Hole or Material:	PLASTIC				
Depth From:	0				
Depth To:	8				
Casing Diameter:					
Casing Diameter UOM:	cm				
Casing Depth UOM:	m				
<u>Construction Record - Screen</u>					
Screen ID:	933413029				
Layer:	1				
Slot:	10				
Screen Top Depth:	8				
Screen End Depth:	14				
Screen Material:					
Screen Depth UOM:	m				
Screen Diameter UOM:	cm				
Screen Diameter:					
<u>Water Details</u>					
Water ID:	934060743				
Layer:	1				
Kind Code:					
Kind:					
Water Found Depth:	12				
Water Found Depth UOM:	m				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Hole Diameter</u>					
Hole ID:	11549089				
Diameter:	12.5				
Depth From:	0				
Depth To:	14				
Hole Depth UOM:	m				
Hole Diameter UOM:	cm				
<u>20</u>	1 of 2	SE/27.0	157.1 / -0.80	LifeLabs LP 526 St. Clair Ave West, Unit 3 Toronto ON M6C 1A2	GEN
Generator No:	ON8158175			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Dec 2018			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:	312 P				
Waste Class Desc:	Pathological wastes				
<u>20</u>	2 of 2	SE/27.0	157.1 / -0.80	LifeLabs LP 526 St. Clair Ave West, Unit 3 Toronto ON M6C 1A2	GEN
Generator No:	ON8158175			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Oct 2019			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:	312 P				
Waste Class Desc:	Pathological wastes				
<u>21</u>	1 of 2	ENE/26.3	157.6 / -0.30	ON	WWIS
Well ID:	7252666			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Test Hole			Date Received:	11/23/2015
Sec. Water Use:	Dewatering			Selected Flag:	Yes
Final Well Status:	Dewatering			Abandonment Rec:	
Water Type:				Contractor:	1663
Casing Material:				Form Version:	7
Audit No:	Z185967			Owner:	
Tag:	A147040			Street Name:	1486 BATHURST STREET
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	PW1
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:				Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	
<u>Bore Hole Information</u>					
Bore Hole ID:	1005810111			Elevation:	158.75772
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627433
Code OB Desc:				North83:	4837975
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	4/9/2015			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1005829380				
Layer:	6				
Color:	2				
General Color:	GREY				
Mat1:	09				
Most Common Material:	MEDIUM SAND				
Mat2:	08				
Other Materials:	FINE SAND				
Mat3:					
Other Materials:					
Formation Top Depth:	56				
Formation End Depth:	63				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1005829376				
Layer:	2				
Color:	6				
General Color:	BROWN				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:	01				
Other Materials:	FILL				
Mat3:					
Other Materials:					
Formation Top Depth:	1				
Formation End Depth:	3				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		1005829377			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		05			
Other Materials:		CLAY			
Mat3:		11			
Other Materials:		GRAVEL			
Formation Top Depth:		3			
Formation End Depth:		19			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1005829379			
Layer:		5			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		05			
Other Materials:		CLAY			
Mat3:					
Other Materials:					
Formation Top Depth:		30			
Formation End Depth:		56			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1005829381			
Layer:		7			
Color:		2			
General Color:		GREY			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		06			
Other Materials:		SILT			
Mat3:					
Other Materials:					
Formation Top Depth:		63			
Formation End Depth:		73			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1005829375			
Layer:		1			
Color:		8			
General Color:		BLACK			
Mat1:					
Most Common Material:					
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1005829378			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		06			
Other Materials:		SILT			
Mat3:		11			
Other Materials:		GRAVEL			
Formation Top Depth:		19			
Formation End Depth:		30			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005829397			
Layer:		1			
Plug From:		0			
Plug To:		20			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005829398			
Layer:		2			
Plug From:		20			
Plug To:		73			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1005829373			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1005829384			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		0			
Depth To:		41			
Casing Diameter:		5			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		1005829385			
Layer:		2			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		70			
Depth To:		73			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1005829386			
Layer:		1			
Slot:		14			
Screen Top Depth:		41			
Screen End Depth:		70			
Screen Material:		1			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1005829374			
Pump Set At:					
Static Level:		36.21			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:		16			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		0			
Water State After Test:					
Pumping Test Method:		0			
Pumping Duration HR:					
Pumping Duration MIN:		15			
Flowing:					
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005829389			
Test Type:		Draw Down			
Test Duration:		3			
Test Level:		53.89			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005829387			
Test Type:		Draw Down			
Test Duration:		1			
Test Level:		47.03			
Test Level UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005829392			
Test Type:		Draw Down			
Test Duration:		10			
Test Level:		58.25			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005829393			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		58.64			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005829388			
Test Type:		Draw Down			
Test Duration:		2			
Test Level:		51.33			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005829391			
Test Type:		Draw Down			
Test Duration:		5			
Test Level:		56.51			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005829390			
Test Type:		Draw Down			
Test Duration:		4			
Test Level:		55.53			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		1005829383			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1005829382			
Diameter:		8			
Depth From:		0			
Depth To:		73			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
21	2 of 2	ENE/26.3	157.6 / -0.30	ON	WWIS
<div> <div> Well ID: 7302763 Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: 0 Water Type: Casing Material: Audit No: Z272508 Tag: A147040 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy: </div> <div> Data Entry Status: Data Src: Date Received: 1/8/2018 Selected Flag: Yes Abandonment Rec: Yes Contractor: 1663 Form Version: 7 Owner: Street Name: 1486 BATHURST STREET County: YORK Municipality: TORONTO CITY Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability: </div> </div>					
<u>Bore Hole Information</u>					
<div> <div> Bore Hole ID: 1006951639 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 10/16/2017 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment: </div> <div> Elevation: Elevrc: Zone: 17 East83: 627433 North83: 4837975 Org CS: UTM83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: digit </div> </div>					
<u>Annular Space/Abandonment Sealing Record</u>					
<div> <div> Plug ID: 1007071538 Layer: 3 Plug From: 35 Plug To: 73 Plug Depth UOM: ft </div> </div>					
<u>Annular Space/Abandonment Sealing Record</u>					
<div> <div> Plug ID: 1007071536 Layer: 1 Plug From: 0 Plug To: 30 Plug Depth UOM: ft </div> </div>					
<u>Annular Space/Abandonment Sealing Record</u>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Plug ID:</i>		1007071537			
<i>Layer:</i>		2			
<i>Plug From:</i>		30			
<i>Plug To:</i>		35			
<i>Plug Depth UOM:</i>		ft			
 <i><u>Pipe Information</u></i>					
<i>Pipe ID:</i>		1007071529			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
 <i><u>Construction Record - Casing</u></i>					
<i>Casing ID:</i>		1007071533			
<i>Layer:</i>					
<i>Material:</i>					
<i>Open Hole or Material:</i>					
<i>Depth From:</i>					
<i>Depth To:</i>					
<i>Casing Diameter:</i>					
<i>Casing Diameter UOM:</i>		inch			
<i>Casing Depth UOM:</i>		ft			
 <i><u>Construction Record - Screen</u></i>					
<i>Screen ID:</i>		1007071534			
<i>Layer:</i>					
<i>Slot:</i>					
<i>Screen Top Depth:</i>					
<i>Screen End Depth:</i>					
<i>Screen Material:</i>					
<i>Screen Depth UOM:</i>		ft			
<i>Screen Diameter UOM:</i>		inch			
<i>Screen Diameter:</i>					
 <i><u>Water Details</u></i>					
<i>Water ID:</i>		1007071532			
<i>Layer:</i>		1			
<i>Kind Code:</i>		8			
<i>Kind:</i>		Untested			
<i>Water Found Depth:</i>					
<i>Water Found Depth UOM:</i>		ft			
 <i><u>Hole Diameter</u></i>					
<i>Hole ID:</i>		1007071531			
<i>Diameter:</i>		5			
<i>Depth From:</i>		30			
<i>Depth To:</i>		73			
<i>Hole Depth UOM:</i>		ft			
<i>Hole Diameter UOM:</i>		inch			
<hr/>					
22	1 of 1	NNE/23.8	158.8 / 0.92	TORONTO ON	WWIS
<i>Well ID:</i>	7041286			<i>Data Entry Status:</i>	
<i>Construction Date:</i>				<i>Data Src:</i>	
<i>Primary Water Use:</i>	Not Used			<i>Date Received:</i>	2/26/2007

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Observation Wells			Abandonment Rec:	
Water Type:				Contractor:	6032
Casing Material:				Form Version:	3
Audit No:	Z46498			Owner:	
Tag:	A005085			Street Name:	
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	11763793			Elevation:	159.297348
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:	x			East83:	627403
Code OB Desc:	Unknown type in the lower layers(s)			North83:	4837996
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	3
Date Completed:	10/2/2006			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	933093499				
Layer:	2				
Color:	6				
General Color:	BROWN				
Mat1:	28				
Most Common Material:	SAND				
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:	10				
Formation End Depth:	13.7				
Formation End Depth UOM:	m				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	933093498				
Layer:	1				
Color:	6				
General Color:	BROWN				
Mat1:	28				
Most Common Material:	SAND				
Mat2:	11				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Other Materials:		GRAVEL			
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		10			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		933093500			
Layer:		3			
Color:					
General Color:					
Mat1:					
Most Common Material:					
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		13.7			
Formation End Depth:					
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933314887			
Layer:		2			
Plug From:		0.3			
Plug To:		1			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933314886			
Layer:		1			
Plug From:		0			
Plug To:		0.3			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933314888			
Layer:		3			
Plug From:		8.5			
Plug To:		10			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pipe ID:		11771663			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930896463			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		10.7			
Casing Diameter:		5			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		933423371			
Layer:		1			
Slot:		10			
Screen Top Depth:		10.7			
Screen End Depth:		13.7			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6			
<u>Hole Diameter</u>					
Hole ID:		11849949			
Diameter:		20			
Depth From:		0			
Depth To:		13.7			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

23	1 of 1	SE/25.7	157.0 / -0.89	TORONTO ON	WWIS
Well ID:	7176485			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Not Used			Date Received:	2/10/2012
Sec. Water Use:	Dewatering			Selected Flag:	Yes
Final Well Status:	Dewatering			Abandonment Rec:	Yes
Water Type:				Contractor:	1663
Casing Material:				Form Version:	7
Audit No:	Z131423			Owner:	
Tag:	A042142			Street Name:	500 ST. CLAIR AVE.
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Bore Hole Information</u>					
Bore Hole ID:	1003691006			Elevation:	158.078231
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627425
Code OB Desc:				North83:	4837913
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	10/26/2011			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	1004066825				
Layer:	1				
Plug From:	7.54				
Plug To:	17.68				
Plug Depth UOM:	m				
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:	2				
Method Construction:	Rotary (Convent.)				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	1004066814				
Casing No:	0				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	1004066820				
Layer:	1				
Material:	1				
Open Hole or Material:	STEEL				
Depth From:	0				
Depth To:	9.15				
Casing Diameter:	6.25				
Casing Diameter UOM:	cm				
Casing Depth UOM:	m				
<u>Construction Record - Screen</u>					
Screen ID:	1004066821				
Layer:	1				
Slot:					
Screen Top Depth:	9.15				
Screen End Depth:	17.68				
Screen Material:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1004066815			
Pump Set At:					
Static Level:		9.05			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:		LPM			
Water State After Test Code:		0			
Water State After Test:					
Pumping Test Method:		0			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		N			
<u>Water Details</u>					
Water ID:		1004066819			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1004066817			
Diameter:		6.25			
Depth From:		7.54			
Depth To:		9.15			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		1004066818			
Diameter:		5			
Depth From:		9.15			
Depth To:		17.68			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
24	1 of 2	ESE/22.9	156.7 / -1.15	ON	WWIS
Well ID:	7128330			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Dewatering			Date Received:	11/5/2007
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Dewatering			Abandonment Rec:	
Water Type:				Contractor:	1663
Casing Material:				Form Version:	5
Audit No:	M00561			Owner:	
Tag:	A042142			Street Name:	500 ST. CLAIR AVE. WEST

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:				County: YORK Municipality: TORONTO CITY Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	
<u>Bore Hole Information</u>					
Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:	1002794988			Elevation: 158.321502 Elevrc: Zone: 17 East83: 627439 North83: 4837942 Org CS: UTM83 UTMRC: 3 UTMRC Desc: margin of error : 10 - 30 m Location Method: wwr	
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID: Layer: Plug From: Plug To: Plug Depth UOM:	1002794992				
<u>Method of Construction & Well Use</u>					
Method Construction ID: Method Construction Code: Method Construction: Other Method Construction:		ROTARY CONVENTIONAL			
<u>Pipe Information</u>					
Pipe ID: Casing No: Comment: Alt Name:	1002794993 0				
<u>Construction Record - Casing</u>					
Casing ID: Layer: Material: Open Hole or Material: Depth From: Depth To:	1002794995 1 STEEL 9.15				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:					
		m			
<u>Construction Record - Screen</u>					
Screen ID:					
		1002794994			
Layer:					
Slot:					
Screen Top Depth:					
		9.15			
Screen End Depth:					
		20.73			
Screen Material:					
Screen Depth UOM:					
		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:					
		1002794996			
Pump Set At:					
Static Level:					
		10.75			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:					
		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:					
		1002794990			
Diameter:					
		15.88			
Depth From:					
Depth To:					
		20.73			
Hole Depth UOM:					
		m			
Hole Diameter UOM:					
		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:					
		1002795043			
DP2BR:					
Spatial Status:					
Code OB:					
Code OB Desc:					
Open Hole:					
Cluster Kind:					
		This is a record from cluster log sheet			
Date Completed:					
		3/30/2007			
Remarks:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
Elevation:					
		158.318908			
Elevrc:					
Zone:					
		17			
East83:					
		627443			
North83:					
		4837945			
Org CS:					
		UTM83			
UTMRC:					
		3			
UTMRC Desc:					
		margin of error : 10 - 30 m			
Location Method:					
		wwr			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002795047			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:		ROTARY CONVENTIONAL			
<u>Pipe Information</u>					
Pipe ID:		1002795048			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002795050			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		12.8			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002795049			
Layer:					
Slot:					
Screen Top Depth:		12.8			
Screen End Depth:		21.95			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002795051			
Pump Set At:					
Static Level:		10.75			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pumping Test Method: Pumping Duration HR: Pumping Duration MIN: Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002795045			
Diameter:		5.08			
Depth From:					
Depth To:		21.95			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002795052			Elevation:	158.20079
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627443
Code OB Desc:				North83:	4837932
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	6/26/2007			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1002795056			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:		ROTARY CONVENTIONAL			
<u>Pipe Information</u>					
Pipe ID:		1002795057			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002795059			
Layer:					
Material:		5			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		12.2			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
 <u>Construction Record - Screen</u>					
Screen ID:		1002795058			
Layer:					
Slot:					
Screen Top Depth:		12.2			
Screen End Depth:		21.34			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
 <u>Results of Well Yield Testing</u>					
Pump Test ID:		1002795060			
Pump Set At:					
Static Level:		10.32			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
 <u>Hole Diameter</u>					
Hole ID:		1002795054			
Diameter:		5.08			
Depth From:					
Depth To:		21.34			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
 <u>Bore Hole Information</u>					
Bore Hole ID:	1002795061		Elevation:	158.310134	
DP2BR:			Elevrc:		
Spatial Status:			Zone:	17	
Code OB:			East83:	627443	
Code OB Desc:			North83:	4837944	
Open Hole:			Org CS:	UTM83	
Cluster Kind:	This is a record from cluster log sheet		UTMRC:	3	
Date Completed:	4/18/2007		UTMRC Desc:	margin of error : 10 - 30 m	
Remarks:			Location Method:	wwr	
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002795065			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:		ROTARY CONVENTIONAL			
<u>Pipe Information</u>					
Pipe ID:		1002795066			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002795068			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		9.15			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002795067			
Layer:					
Slot:					
Screen Top Depth:		9.15			
Screen End Depth:		21.34			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002795069			
Pump Set At:					
Static Level:		10.76			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Levels UOM: Rate UOM: Water State After Test Code: Water State After Test: Pumping Test Method: Pumping Duration HR: Pumping Duration MIN: Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002795063			
Diameter:		5.08			
Depth From:					
Depth To:		21.34			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002795188			Elevation:	157.928268
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627472
Code OB Desc:				North83:	4837926
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	6/14/2007			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	1002795192				
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:	ROTARY CONVENTIONAL				
<u>Pipe Information</u>					
Pipe ID:	1002795193				
Casing No:	0				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Casing ID:		1002795195			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		10.06			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002795194			
Layer:					
Slot:					
Screen Top Depth:		10.06			
Screen End Depth:		22.26			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002795196			
Pump Set At:					
Static Level:		9.77			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002795190			
Diameter:		5.08			
Depth From:					
Depth To:		23.78			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002794961			Elevation:	158.084671
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627462
Code OB Desc:				North83:	4837932
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	5/18/2007			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002794965			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:		ROTARY CONVENTIONAL			
<u>Pipe Information</u>					
Pipe ID:		1002794966			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002794968			
Layer:					
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		9.15			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002794967			
Layer:					
Slot:					
Screen Top Depth:		9.15			
Screen End Depth:		21.34			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002794969			
Pump Set At:					
Static Level:		10.02			
Final Level After Pumping:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Recommended Pump Depth: Pumping Rate: Flowing Rate: Recommended Pump Rate: Levels UOM: m Rate UOM: Water State After Test Code: Water State After Test: Pumping Test Method: Pumping Duration HR: Pumping Duration MIN: Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002794963			
Diameter:		15.88			
Depth From:					
Depth To:		21.34			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002795088			Elevation:	159.128601
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627412
Code OB Desc:				North83:	4837989
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	6/6/2007			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1002795092			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:		ROTARY CONVENTIONAL			
<u>Pipe Information</u>					
Pipe ID:		1002795093			
Casing No:		0			
Comment:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002795095			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		10.98			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002795094			
Layer:					
Slot:					
Screen Top Depth:		10.98			
Screen End Depth:		23.17			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002795096			
Pump Set At:					
Static Level:		10.38			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002795090			
Diameter:		5.08			
Depth From:					
Depth To:		23.17			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002795152		Elevation:	158.151321	
DP2BR:			Elevrc:		
Spatial Status:			Zone:	17	
Code OB:			East83:	627463	
Code OB Desc:			North83:	4837951	
Open Hole:			Org CS:	UTM83	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	6/11/2007			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	1002795156				
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:	ROTARY CONVENTIONAL				
<u>Pipe Information</u>					
Pipe ID:	1002795157				
Casing No:	0				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	1002795159				
Layer:					
Material:	5				
Open Hole or Material:	PLASTIC				
Depth From:					
Depth To:	9.45				
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:	m				
<u>Construction Record - Screen</u>					
Screen ID:	1002795158				
Layer:					
Slot:					
Screen Top Depth:	9.45				
Screen End Depth:	21.65				
Screen Material:					
Screen Depth UOM:	m				
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:	1002795160				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Set At: Static Level: 9.77 Final Level After Pumping: Recommended Pump Depth: Pumping Rate: Flowing Rate: Recommended Pump Rate: Levels UOM: m Rate UOM: Water State After Test Code: Water State After Test: Pumping Test Method: Pumping Duration HR: Pumping Duration MIN: Flowing:					
<u>Hole Diameter</u>					
Hole ID: 1002795154 Diameter: 5.08 Depth From: Depth To: 23.17 Hole Depth UOM: m Hole Diameter UOM: cm					
<u>Bore Hole Information</u>					
Bore Hole ID: 1002795179 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: This is a record from cluster log sheet Date Completed: 6/15/2007 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
Elevation: 157.950271 Elevrc: Zone: 17 East83: 627471 North83: 4837927 Org CS: UTM83 UTMRC: 3 UTMRC Desc: margin of error : 10 - 30 m Location Method: wwr					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID: 1002795183 Layer: Plug From: Plug To: Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID: Method Construction Code: Method Construction: Other Method Construction: ROTARY CONVENTIONAL					
<u>Pipe Information</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pipe ID:		1002795184			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002795186			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		9.45			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002795185			
Layer:					
Slot:					
Screen Top Depth:		9.45			
Screen End Depth:		21.65			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002795187			
Pump Set At:					
Static Level:		9.79			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002795181			
Diameter:		5.08			
Depth From:					
Depth To:		21.65			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002795216			Elevation:	157.840606
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Code OB:			East83:	627473	
Code OB Desc:			North83:	4837919	
Open Hole:			Org CS:	UTM83	
Cluster Kind: This is a record from cluster log sheet			UTMRC:	3	
Date Completed:			UTMRC Desc:	margin of error : 10 - 30 m	
Remarks:			Location Method:	wwr	
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:			1002795220		
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:			ROTARY CONVENTIONAL		
<u>Pipe Information</u>					
Pipe ID:			1002795221		
Casing No:			0		
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:			1002795223		
Layer:					
Material:			5		
Open Hole or Material:			PLASTIC		
Depth From:					
Depth To:			9.15		
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:			m		
<u>Construction Record - Screen</u>					
Screen ID:			1002795222		
Layer:					
Slot:					
Screen Top Depth:			9.15		
Screen End Depth:			21.34		
Screen Material:					
Screen Depth UOM:			m		
Screen Diameter UOM:					
Screen Diameter:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002795224			
Pump Set At:					
Static Level:		9.26			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002795218			
Diameter:		5.08			
Depth From:					
Depth To:		21.95			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002795025			Elevation:	158.131149
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627418
Code OB Desc:				North83:	4837919
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	6/20/2007			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002795029			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:		ROTARY CONVENTIONAL			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Pipe Information</u>					
Pipe ID:		1002795030			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002795032			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		13.11			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002795031			
Layer:					
Slot:					
Screen Top Depth:		13.11			
Screen End Depth:		22.26			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002795033			
Pump Set At:					
Static Level:		10.7			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002795027			
Diameter:		5.08			
Depth From:					
Depth To:		22.26			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Bore Hole ID:	1002795034			Elevation:	158.135879
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627461
Code OB Desc:				North83:	4837940
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	6/22/2007			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	1002795038				
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
 <u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:	ROTARY CONVENTIONAL				
 <u>Pipe Information</u>					
Pipe ID:	1002795039				
Casing No:	0				
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:	1002795041				
Layer:					
Material:	5				
Open Hole or Material:	PLASTIC				
Depth From:					
Depth To:	13.72				
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:	m				
 <u>Construction Record - Screen</u>					
Screen ID:	1002795040				
Layer:					
Slot:					
Screen Top Depth:	13.72				
Screen End Depth:	21.34				
Screen Material:					
Screen Depth UOM:	m				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Diameter UOM: Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002795042			
Pump Set At:					
Static Level:		10.64			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002795036			
Diameter:		5.08			
Depth From:					
Depth To:		21.34			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002794934			Elevation:	158.319793
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627444
Code OB Desc:				North83:	4837946
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	8/9/2007			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1002794938			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction Code:					
Method Construction:					
Other Method Construction:		ROTARY CONVENTIONAL			
<u>Pipe Information</u>					
Pipe ID:		1002794939			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002794941			
Layer:					
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		9.76			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002794940			
Layer:					
Slot:					
Screen Top Depth:		9.76			
Screen End Depth:		21.65			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002794942			
Pump Set At:					
Static Level:		10.09			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002794936			
Diameter:		15.88			
Depth From:					
Depth To:		21.65			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Bore Hole Information</u>					
Bore Hole ID:	1002794943			Elevation:	158.149032
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627459
Code OB Desc:				North83:	4837939
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	5/15/2007			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1002794947				
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:	ROTARY CONVENTIONAL				
<u>Pipe Information</u>					
Pipe ID:	1002794948				
Casing No:	0				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	1002794950				
Layer:					
Material:	1				
Open Hole or Material:	STEEL				
Depth From:					
Depth To:	9.3				
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:	m				
<u>Construction Record - Screen</u>					
Screen ID:	1002794949				
Layer:					
Slot:					
Screen Top Depth:	9.3				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen End Depth:		22.41			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002794951			
Pump Set At:					
Static Level:		10.62			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002794945			
Diameter:		15.88			
Depth From:					
Depth To:		22.41			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002795070			Elevation:	158.302551
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627444
Code OB Desc:				North83:	4837944
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	4/14/2007			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1002795074			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:		ROTARY CONVENTIONAL			
<u>Pipe Information</u>					
Pipe ID:		1002795075			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002795077			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		9.15			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002795076			
Layer:					
Slot:					
Screen Top Depth:		9.15			
Screen End Depth:		21.34			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002795078			
Pump Set At:					
Static Level:		10.18			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002795072			
Diameter:		10.16			
Depth From:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth To:		21.34			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002795134			Elevation:	158.428573
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627454
Code OB Desc:				North83:	4837969
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	6/8/2007			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1002795138				
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:	ROTARY CONVENTIONAL				
<u>Pipe Information</u>					
Pipe ID:	1002795139				
Casing No:	0				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	1002795141				
Layer:					
Material:	5				
Open Hole or Material:	PLASTIC				
Depth From:					
Depth To:	9.15				
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:	m				
<u>Construction Record - Screen</u>					
Screen ID:	1002795140				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:					
Slot:					
Screen Top Depth:		9.15			
Screen End Depth:		21.34			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002795142			
Pump Set At:					
Static Level:		10.21			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002795136			
Diameter:		5.08			
Depth From:					
Depth To:		22.87			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002795016			Elevation:	158.078155
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627425
Code OB Desc:				North83:	4837913
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	7/3/2007			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1002795020			
Layer:					
Plug From:					
Plug To:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:		ROTARY CONVENTIONAL			
<u>Pipe Information</u>					
Pipe ID:		1002795021			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002795023			
Layer:					
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		9.15			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002795022			
Layer:					
Slot:					
Screen Top Depth:		9.15			
Screen End Depth:		17.68			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002795024			
Pump Set At:					
Static Level:		9.05			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<hr/>					
Hole ID:		1002795018			
Diameter:		15.88			
Depth From:					
Depth To:		17.68			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
 <u>Bore Hole Information</u>					
Bore Hole ID:	1002794925			Elevation:	157.99089
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627465
Code OB Desc:				North83:	4837924
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	5/9/2007			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002794929			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
 <u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:		ROTARY CONVENTIONAL			
 <u>Pipe Information</u>					
Pipe ID:		1002794930			
Casing No:		0			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		1002794932			
Layer:					
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		9.45			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Screen</u>					
Screen ID:	1002794931				
Layer:					
Slot:					
Screen Top Depth:	9.45				
Screen End Depth:	20.73				
Screen Material:					
Screen Depth UOM:	m				
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:	1002794933				
Pump Set At:					
Static Level:	9.85				
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:	m				
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:	1002794927				
Diameter:	15.88				
Depth From:					
Depth To:	20.73				
Hole Depth UOM:	m				
Hole Diameter UOM:	cm				
<u>Bore Hole Information</u>					
Bore Hole ID:	1002795079			Elevation:	159.192016
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627414
Code OB Desc:				North83:	4837994
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	6/5/2007			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1002795083				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer: Plug From: Plug To: Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID: Method Construction Code: Method Construction: Other Method Construction:					
		ROTARY CONVENTIONAL			
<u>Pipe Information</u>					
Pipe ID: Casing No: Comment: Alt Name:					
		1002795084			
		0			
<u>Construction Record - Casing</u>					
Casing ID: Layer: Material: Open Hole or Material: Depth From: Depth To: Casing Diameter: Casing Diameter UOM: Casing Depth UOM:					
		1002795086			
		5			
		PLASTIC			
		10.98			
		m			
<u>Construction Record - Screen</u>					
Screen ID: Layer: Slot: Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM: Screen Diameter UOM: Screen Diameter:					
		1002795085			
		10.98			
		23.17			
		m			
<u>Results of Well Yield Testing</u>					
Pump Test ID: Pump Set At: Static Level: Final Level After Pumping: Recommended Pump Depth: Pumping Rate: Flowing Rate: Recommended Pump Rate: Levels UOM: Rate UOM: Water State After Test Code: Water State After Test: Pumping Test Method: Pumping Duration HR: Pumping Duration MIN: Flowing:					
		1002795087			
		10.49			
		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Hole Diameter</u>					
Hole ID:		1002795081			
Diameter:		5.08			
Depth From:					
Depth To:		23.17			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002795107		Elevation:	159.047393	
DP2BR:			Elevrc:		
Spatial Status:			Zone:	17	
Code OB:			East83:	627430	
Code OB Desc:			North83:	4837995	
Open Hole:			Org CS:	UTM83	
Cluster Kind:	This is a record from cluster log sheet		UTMRC:	3	
Date Completed:	6/7/2007		UTMRC Desc:	margin of error : 10 - 30 m	
Remarks:			Location Method:	wwr	
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1002795111				
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:	ROTARY CONVENTIONAL				
<u>Pipe Information</u>					
Pipe ID:	1002795112				
Casing No:	0				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	1002795114				
Layer:					
Material:	5				
Open Hole or Material:	PLASTIC				
Depth From:					
Depth To:	9.15				
Casing Diameter:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002795113			
Layer:					
Slot:					
Screen Top Depth:		9.15			
Screen End Depth:		21.34			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002795115			
Pump Set At:					
Static Level:		10.38			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002795109			
Diameter:		5.08			
Depth From:					
Depth To:		22.87			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:		1002795125		Elevation:	158.859954
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627447
Code OB Desc:				North83:	4837996
Open Hole:				Org CS:	UTM83
Cluster Kind:		This is a record from cluster log sheet		UTMRC:	3
Date Completed:		6/8/2007		UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Sealing Record</u>					
Plug ID:		1002795129			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:		ROTARY CONVENTIONAL			
<u>Pipe Information</u>					
Pipe ID:		1002795130			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002795132			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		9.15			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002795131			
Layer:					
Slot:					
Screen Top Depth:		9.15			
Screen End Depth:		21.65			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002795133			
Pump Set At:					
Static Level:		10.46			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pumping Duration HR: Pumping Duration MIN: Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002795127			
Diameter:		5.08			
Depth From:					
Depth To:		23.17			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002795143			Elevation:	158.219024
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627461
Code OB Desc:				North83:	4837958
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	6/20/2007			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1002795147				
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:	ROTARY CONVENTIONAL				
<u>Pipe Information</u>					
Pipe ID:	1002795148				
Casing No:	0				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	1002795150				
Layer:					
Material:	5				
Open Hole or Material:	PLASTIC				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth From:					
Depth To:		9.3			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002795149			
Layer:					
Slot:					
Screen Top Depth:		9.3			
Screen End Depth:		21.49			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002795151			
Pump Set At:					
Static Level:		9.9			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002795145			
Diameter:		5.08			
Depth From:					
Depth To:		22.87			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002691750		Elevation:	158.191604	
DP2BR:			Elevrc:		
Spatial Status:			Zone:	17	
Code OB:			East83:	627436	
Code OB Desc:			North83:	4837927	
Open Hole:			Org CS:	UTM83	
Cluster Kind:			UTMRC:	4	
Date Completed:	10/11/2007		UTMRC Desc:	margin of error : 30 m - 100 m	
Remarks:			Location Method:	wwr	
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1002795226			
Layer:		1			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		17			
Other Materials:		SHALE			
Mat3:		01			
Other Materials:		FILL			
Formation Top Depth:		0			
Formation End Depth:		2.74			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1002795231			
Layer:		6			
Color:		6			
General Color:		BROWN			
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:		05			
Other Materials:		CLAY			
Mat3:					
Other Materials:					
Formation Top Depth:		12.35			
Formation End Depth:		13.11			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1002795228			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		81			
Other Materials:		SANDY			
Mat3:					
Other Materials:					
Formation Top Depth:		5.18			
Formation End Depth:		8.84			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1002795237			
Layer:		12			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2:		08			
Other Materials:		FINE SAND			
Mat3:		05			
Other Materials:		CLAY			
Formation Top Depth:		23.02			
Formation End Depth:		24.7			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1002795227			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		2.74			
Formation End Depth:		5.18			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1002795232			
Layer:		7			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		13.11			
Formation End Depth:		15.4			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1002795229			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		06			
Other Materials:		SILT			
Mat3:					
Other Materials:					
Formation Top Depth:		8.84			
Formation End Depth:		11.59			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Formation ID:		1002795238			
Layer:		13			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		06			
Other Materials:		SILT			
Mat3:					
Other Materials:					
Formation Top Depth:		24.7			
Formation End Depth:		25.3			
Formation End Depth UOM:		m			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		1002795230			
Layer:		5			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		05			
Other Materials:		CLAY			
Mat3:					
Other Materials:					
Formation Top Depth:		11.59			
Formation End Depth:		12.35			
Formation End Depth UOM:		m			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		1002795236			
Layer:		11			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		05			
Other Materials:		CLAY			
Mat3:					
Other Materials:					
Formation Top Depth:		20.73			
Formation End Depth:		23.02			
Formation End Depth UOM:		m			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		1002795233			
Layer:		8			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		15.4			
Formation End Depth:		15.85			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1002795234			
Layer:		9			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		06			
Other Materials:		SILT			
Mat3:		28			
Other Materials:		SAND			
Formation Top Depth:		15.85			
Formation End Depth:		18.29			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1002795235			
Layer:		10			
Color:		2			
General Color:		GREY			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		06			
Other Materials:		SILT			
Mat3:		05			
Other Materials:		CLAY			
Formation Top Depth:		18.29			
Formation End Depth:		20.73			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002795240			
Layer:		1			
Plug From:		0			
Plug To:		9.15			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1002795225			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing ID: 1002795243					
Layer: 2					
Material: 1					
Open Hole or Material: STEEL					
Depth From: 9.15					
Depth To: 24.7					
Casing Diameter: 12.7					
Casing Diameter UOM: cm					
Casing Depth UOM: m					
<u>Construction Record - Casing</u>					
Casing ID: 1002795242					
Layer: 1					
Material: 1					
Open Hole or Material: STEEL					
Depth From: 0					
Depth To: 9.15					
Casing Diameter: 15.8					
Casing Diameter UOM: cm					
Casing Depth UOM: m					
<u>Construction Record - Screen</u>					
Screen ID: 1002795244					
Layer: 1					
Slot: 10					
Screen Top Depth:					
Screen End Depth:					
Screen Material: 1					
Screen Depth UOM: m					
Screen Diameter UOM: cm					
Screen Diameter: 15					
<u>Water Details</u>					
Water ID: 1002795241					
Layer: 1					
Kind Code: 5					
Kind: Not stated					
Water Found Depth: 8.84					
Water Found Depth UOM: m					
<u>Hole Diameter</u>					
Hole ID: 1002795239					
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM: m					
Hole Diameter UOM: cm					
<u>Bore Hole Information</u>					
Bore Hole ID:	1002794970		Elevation:	158.149032	
DP2BR:			Elevrc:		
Spatial Status:			Zone:	17	
Code OB:			East83:	627459	
Code OB Desc:			North83:	4837939	
Open Hole:			Org CS:	UTM83	
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Date Completed:		5/28/2007		UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002794974			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:		ROTARY CONVENTIONAL			
<u>Pipe Information</u>					
Pipe ID:		1002794975			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002794977			
Layer:					
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		9.15			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002794976			
Layer:					
Slot:					
Screen Top Depth:		9.15			
Screen End Depth:		21.19			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002794978			
Pump Set At:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Static Level:		10.04			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
 <u>Hole Diameter</u>					
Hole ID:		1002794972			
Diameter:		15.88			
Depth From:					
Depth To:		21.19			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
 <u>Bore Hole Information</u>					
Bore Hole ID:	1002794997			Elevation:	158.173828
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627439
Code OB Desc:				North83:	4837927
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	6/27/2007			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1002795001			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
 <u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:		ROTARY CONVENTIONAL			
 <u>Pipe Information</u>					
Pipe ID:		1002795002			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing No: Comment: Alt Name:		0			
<u>Construction Record - Casing</u>					
Casing ID:		1002795004			
Layer:					
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		11.59			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002795003			
Layer:					
Slot:					
Screen Top Depth:		11.59			
Screen End Depth:		18.6			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002795005			
Pump Set At:					
Static Level:		9.69			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002794999			
Diameter:		15.88			
Depth From:					
Depth To:		18.6			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002795198		Elevation:	157.896209	
DP2BR:			Elevrc:		
Spatial Status:			Zone:	17	
Code OB:			East83:	627472	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Code OB Desc:				North83:	4837923
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	8/14/2007			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1002795202			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:		ROTARY CONVENTIONAL			
<u>Pipe Information</u>					
Pipe ID:		1002795203			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002795205			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		9.3			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002795204			
Layer:					
Slot:					
Screen Top Depth:		9.3			
Screen End Depth:		21.49			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Pump Test ID:		1002795206			
Pump Set At:					
Static Level:		9.47			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002795200			
Diameter:		5.08			
Depth From:					
Depth To:		23.02			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002795207			Elevation:	157.862319
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627473
Code OB Desc:				North83:	4837921
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	8/21/2007			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1002795211			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:		ROTARY CONVENTIONAL			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Pipe Information</u>					
Pipe ID:		1002795212			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002795214			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		8.84			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002795213			
Layer:					
Slot:					
Screen Top Depth:		8.84			
Screen End Depth:		21.04			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002795215			
Pump Set At:					
Static Level:		9.82			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002795209			
Diameter:		5.08			
Depth From:					
Depth To:		22.56			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002795097			Elevation:	159.108123

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627423
Code OB Desc:				North83:	4837994
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	6/6/2007			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1002795101			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:		ROTARY CONVENTIONAL			
<u>Pipe Information</u>					
Pipe ID:		1002795102			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002795104			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		10.67			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002795103			
Layer:					
Slot:					
Screen Top Depth:		10.67			
Screen End Depth:		22.87			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002795105			
Pump Set At:					
Static Level:		10.43			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002795099			
Diameter:		5.08			
Depth From:					
Depth To:		22.87			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002795161			Elevation:	158.133941
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627463
Code OB Desc:				North83:	4837945
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	6/15/2007			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1002795165			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Other Method Construction:		ROTARY CONVENTIONAL			
<u>Pipe Information</u>					
Pipe ID:		1002795166			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002795168			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		9.15			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002795167			
Layer:					
Slot:					
Screen Top Depth:		9.15			
Screen End Depth:		21.34			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002795169			
Pump Set At:					
Static Level:		9.76			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002795163			
Diameter:		5.08			
Depth From:					
Depth To:		22.87			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Bore Hole Information</u>					
Bore Hole ID:	1002795170			Elevation:	158.051544
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627468
Code OB Desc:				North83:	4837934
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	6/15/2007			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	1002795174				
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:	ROTARY CONVENTIONAL				
<u>Pipe Information</u>					
Pipe ID:	1002795175				
Casing No:	0				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	1002795177				
Layer:					
Material:	5				
Open Hole or Material:	PLASTIC				
Depth From:					
Depth To:	10.06				
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:	m				
<u>Construction Record - Screen</u>					
Screen ID:	1002795176				
Layer:					
Slot:					
Screen Top Depth:	10.06				
Screen End Depth:	22.26				
Screen Material:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002795178			
Pump Set At:					
Static Level:		9.77			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002795172			
Diameter:		5.08			
Depth From:					
Depth To:		23.78			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002794952			Elevation:	158.245803
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627415
Code OB Desc:				North83:	4837930
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	5/17/2007			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002794956			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:		ROTARY CONVENTIONAL			
<u>Pipe Information</u>					
Pipe ID:		1002794957			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002794959			
Layer:					
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		8.54			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002794958			
Layer:					
Slot:					
Screen Top Depth:		8.54			
Screen End Depth:		20.73			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002794960			
Pump Set At:					
Static Level:		10.4			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002794954			
Diameter:		15.88			
Depth From:					
Depth To:		20.73			
Hole Depth UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002794916			Elevation:	158.191604
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627436
Code OB Desc:				North83:	4837927
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	6/30/2007			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	1002794920				
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:	ROTARY CONVENTIONAL				
<u>Pipe Information</u>					
Pipe ID:	1002794921				
Casing No:	0				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	1002794923				
Layer:					
Material:	1				
Open Hole or Material:	STEEL				
Depth From:					
Depth To:	9.15				
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:	m				
<u>Construction Record - Screen</u>					
Screen ID:	1002794922				
Layer:					
Slot:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Top Depth:		9.15			
Screen End Depth:		24.7			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002794924			
Pump Set At:					
Static Level:		9.3			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002794918			
Diameter:		15.88			
Depth From:					
Depth To:		25.3			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002794979			Elevation:	158.057968
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627460
Code OB Desc:				North83:	4837927
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	5/30/2007			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1002794983			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:		ROTARY CONVENTIONAL			
<u>Pipe Information</u>					
Pipe ID:		1002794984			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002794986			
Layer:					
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		9.15			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002794985			
Layer:					
Slot:					
Screen Top Depth:		9.15			
Screen End Depth:		16.16			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002794987			
Pump Set At:					
Static Level:		9.5			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002794981			
Diameter:		15.88			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Depth From:					
Depth To:		16.16			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
 <u>Bore Hole Information</u>					
Bore Hole ID:	1002795116			Elevation:	158.944671
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627439
Code OB Desc:				North83:	4837995
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	6/7/2007			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1002795120				
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
 <u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:	ROTARY CONVENTIONAL				
 <u>Pipe Information</u>					
Pipe ID:	1002795121				
Casing No:	0				
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:	1002795123				
Layer:					
Material:	5				
Open Hole or Material:	PLASTIC				
Depth From:					
Depth To:	9.15				
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:	m				
 <u>Construction Record - Screen</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Screen ID:		1002795122			
Layer:					
Slot:					
Screen Top Depth:		9.15			
Screen End Depth:		21.34			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
 <u>Results of Well Yield Testing</u>					
Pump Test ID:		1002795124			
Pump Set At:					
Static Level:		11.01			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
 <u>Hole Diameter</u>					
Hole ID:		1002795118			
Diameter:		5.08			
Depth From:					
Depth To:		22.26			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<hr/>					
24	2 of 2	ESE/22.9	156.7 / -1.15	ON	WWIS
Well ID:	7176495			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Not Used			Date Received:	2/10/2012
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Dewatering			Abandonment Rec:	Yes
Water Type:				Contractor:	1663
Casing Material:				Form Version:	7
Audit No:	Z131433			Owner:	
Tag:	A042142			Street Name:	500 ST CLAIR AVE.
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Bore Hole Information</u>					
Bore Hole ID:	1003691021			Elevation:	158.186325
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627436
Code OB Desc:				North83:	4837927
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	10/26/2011			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1004067101				
Layer:	2				
Plug From:	11				
Plug To:	20.73				
Plug Depth UOM:	m				
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1004067100				
Layer:	1				
Plug From:	9				
Plug To:	11				
Plug Depth UOM:	m				
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:	B				
Method Construction:	Other Method				
Other Method Construction:	DECOMMISSIONED				
<u>Pipe Information</u>					
Pipe ID:	1004067091				
Casing No:	0				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	1004067096				
Layer:	1				
Material:	1				
Open Hole or Material:	STEEL				
Depth From:	9				
Depth To:	9.45				
Casing Diameter:	6.25				
Casing Diameter UOM:	cm				
Casing Depth UOM:	m				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Screen</u>					
Screen ID:	1004067097				
Layer:	1				
Slot:					
Screen Top Depth:	9.45				
Screen End Depth:	20.73				
Screen Material:					
Screen Depth UOM:	m				
Screen Diameter UOM:	cm				
Screen Diameter:	6				
<u>Results of Well Yield Testing</u>					
Pump Test ID:	1004067092				
Pump Set At:					
Static Level:	9.3				
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:	m				
Rate UOM:	LPM				
Water State After Test Code:	0				
Water State After Test:					
Pumping Test Method:	0				
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:	N				
<u>Hole Diameter</u>					
Hole ID:	1004067094				
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:	m				
Hole Diameter UOM:	cm				
<u>25</u>	1 of 3	SE/29.4	157.1 / -0.80	LifeLabs LP 526 St. Clair Ave West, Unit 3 Toronto ON M6C 1A2	GEN
Generator No:	ON8158175			PO Box No:	
Status:				Country:	Canada
Approval Years:	2016			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	
MHSW Facility:	No			Phone No Admin:	
SIC Code:	621510				
SIC Description:	MEDICAL AND DIAGNOSTIC LABORATORIES				
<u>Detail(s)</u>					
Waste Class:	312				
Waste Class Desc:	PATHOLOGICAL WASTES				
<u>25</u>	2 of 3	SE/29.4	157.1 / -0.80	LifeLabs LP 526 St. Clair Ave West, Unit 3 Toronto ON M6C 1A2	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<div> <div> Generator No: ON8158175 Status: Approval Years: 2015 Contam. Facility: No MHSW Facility: No SIC Code: 621510 SIC Description: MEDICAL AND DIAGNOSTIC LABORATORIES </div> <div> PO Box No: Country: Canada Choice of Contact: CO_OFFICIAL Co Admin: Phone No Admin: </div> </div>					
<u>Detail(s)</u>					
Waste Class: 312					
Waste Class Desc: PATHOLOGICAL WASTES					
<u>25</u>	3 of 3	SE/29.4	157.1 / -0.80	LifeLabs LP 526 St. Clair Ave West, Unit 3 Toronto ON M6C 1A2	GEN
<div> <div> Generator No: ON8158175 Status: Approval Years: 2014 Contam. Facility: No MHSW Facility: No SIC Code: 621510 SIC Description: MEDICAL AND DIAGNOSTIC LABORATORIES </div> <div> PO Box No: Country: Canada Choice of Contact: CO_ADMIN Co Admin: Jaquie Maertz Phone No Admin: 905-565-0433 Ext.2202 </div> </div>					
<u>Detail(s)</u>					
Waste Class: 312					
Waste Class Desc: PATHOLOGICAL WASTES					
<u>26</u>	1 of 1	E/27.1	156.5 / -1.34	ON	WWIS
<div> <div> Well ID: 7176483 Construction Date: Primary Water Use: Monitoring and Test Hole Sec. Water Use: Dewatering Final Well Status: Abandoned Monitoring and Test Hole Water Type: Casing Material: Audit No: Z131417 Tag: A042142 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy: </div> <div> Data Entry Status: Data Src: Date Received: 2/10/2012 Selected Flag: Yes Abandonment Rec: Yes Contractor: 1663 Form Version: 7 Owner: Street Name: 500 ST. CLAIR AVE. W County: YORK Municipality: TORONTO CITY Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability: </div> </div>					
<u>Bore Hole Information</u>					
Bore Hole ID: 1003691003					
DP2BR:		Elevation: 158.313858			
Spatial Status:		Elevrc:			
Code OB:		Zone: 17			
Code OB Desc:		East83: 627443			
		North83: 4837945			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	10/26/2011			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1004066668			
Layer:		1			
Plug From:		9.57			
Plug To:		21.95			
Plug Depth UOM:		m			
 <u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		1004066659			
Casing No:		0			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		1004066663			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		12.2			
Casing Diameter:		5.08			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
 <u>Construction Record - Screen</u>					
Screen ID:		1004066664			
Layer:		1			
Slot:		10			
Screen Top Depth:		12.2			
Screen End Depth:		21.95			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.25			
 <u>Hole Diameter</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole ID: 1004066661 Diameter: 5.08 Depth From: 9.57 Depth To: 21.95 Hole Depth UOM: m Hole Diameter UOM: cm					
27	1 of 1	E/28.3	156.5 / -1.34	TORONTO ON	WWIS
Well ID: 7176494 Construction Date: Primary Water Use: Not Used Sec. Water Use: Final Well Status: Dewatering Water Type: Casing Material: Audit No: Z131432 Tag: A042142 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:					
Data Entry Status: Data Src: Date Received: 2/10/2012 Selected Flag: Yes Abandonment Rec: Yes Contractor: 1663 Form Version: 7 Owner: Street Name: 500 ST.CLAIR AVE. County: YORK Municipality: TORONTO CITY Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
<u>Bore Hole Information</u>					
Bore Hole ID: 1003690444 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 10/26/2011 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
Elevation: 158.317581 Elevrc: Zone: 17 East83: 627444 North83: 4837946 Org CS: UTM83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: wwr					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID: 1004067090 Layer: 1 Plug From: 9.65 Plug To: 21.65 Plug Depth UOM: m					
<u>Method of Construction & Well Use</u>					
Method Construction ID:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction Code:		B			
Method Construction:		Other Method			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1004067081			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1004067086			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		9.65			
Depth To:		9.76			
Casing Diameter:		6.25			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1004067087			
Layer:		1			
Slot:					
Screen Top Depth:		9.76			
Screen End Depth:		21.65			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1004067082			
Pump Set At:					
Static Level:		10.09			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:		LPM			
Water State After Test Code:		0			
Water State After Test:					
Pumping Test Method:		0			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		N			
<u>Water Details</u>					
Water ID:		1004067085			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:					
Water Found Depth UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Hole Diameter</u>					
Hole ID:		1004067084			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>28</u>	1 of 2	ESE/25.6	156.2 / -1.63	TORONTO ON	WWIS
Well ID:	7176486			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Not Used			Date Received:	2/10/2012
Sec. Water Use:	Dewatering			Selected Flag:	Yes
Final Well Status:	Dewatering			Abandonment Rec:	Yes
Water Type:				Contractor:	1663
Casing Material:				Form Version:	7
Audit No:	Z131424			Owner:	
Tag:	A042142			Street Name:	550 ST CLAIR AVE
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1003690432			Elevation:	158.167861
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627439
Code OB Desc:				North83:	4837927
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	10/26/2011			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	1004066856				
Layer:	1				
Plug From:	8.26				
Plug To:	18.6				
Plug Depth UOM:	m				
<u>Method of Construction & Well</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Use</u>					
Method Construction ID:					
Method Construction Code:	2				
Method Construction:	Rotary (Convent.)				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	1004066845				
Casing No:	0				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	1004066851				
Layer:	1				
Material:	1				
Open Hole or Material:	STEEL				
Depth From:	0				
Depth To:	11.59				
Casing Diameter:	6.25				
Casing Diameter UOM:	cm				
Casing Depth UOM:	m				
<u>Construction Record - Screen</u>					
Screen ID:	1004066852				
Layer:	1				
Slot:					
Screen Top Depth:	11.59				
Screen End Depth:	18.6				
Screen Material:					
Screen Depth UOM:	m				
Screen Diameter UOM:	cm				
Screen Diameter:	6				
<u>Results of Well Yield Testing</u>					
Pump Test ID:	1004066846				
Pump Set At:					
Static Level:	9.69				
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:	m				
Rate UOM:	LPM				
Water State After Test Code:	0				
Water State After Test:					
Pumping Test Method:	0				
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:	N				
<u>Water Details</u>					
Water ID:	1004066850				
Layer:	1				
Kind Code:	8				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Kind:		Untested			
Water Found Depth:					
Water Found Depth UOM:		m			
 <u>Hole Diameter</u>					
Hole ID:		1004066848			
Diameter:		6.25			
Depth From:		8.26			
Depth To:		11.59			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
 <u>Hole Diameter</u>					
Hole ID:		1004066849			
Diameter:		5			
Depth From:		11.59			
Depth To:		18.6			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<hr/>					
28	2 of 2	ESE/25.6	156.2 / -1.63	TORONTO ON	WWIS
Well ID:	7176487			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Not Used			Date Received:	2/10/2012
Sec. Water Use:	Dewatering			Selected Flag:	Yes
Final Well Status:	Dewatering			Abandonment Rec:	Yes
Water Type:				Contractor:	1663
Casing Material:				Form Version:	7
Audit No:	Z131425			Owner:	
Tag:	A042142			Street Name:	500 ST. CLAIR AVE.
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
 <u>Bore Hole Information</u>					
Bore Hole ID:	1003691009			Elevation:	158.167861
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627439
Code OB Desc:				North83:	4837927
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	10/26/2011			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004066867			
Layer:		1			
Plug From:					
Plug To:					
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1004066857			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1004066862			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		0			
Depth To:		9.15			
Casing Diameter:		6.25			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1004066863			
Layer:		1			
Slot:					
Screen Top Depth:		9.15			
Screen End Depth:		20.73			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1004066858			
Pump Set At:					
Static Level:		10.75			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Rate UOM:		LPM			
Water State After Test Code:		0			
Water State After Test:					
Pumping Test Method:		0			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Water Details</u>					
Water ID:		1004066861			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1004066860			
Diameter:		6			
Depth From:		9.57			
Depth To:		20.73			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

29	1 of 1	SE/31.0	157.0 / -0.89	ON	WWIS
Well ID:		7176472		Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:		Not Used		Date Received:	2/10/2012
Sec. Water Use:		Dewatering		Selected Flag:	Yes
Final Well Status:		Dewatering		Abandonment Rec:	Yes
Water Type:				Contractor:	1663
Casing Material:				Form Version:	7
Audit No:		Z131404		Owner:	
Tag:		A103672		Street Name:	530 ST. CLAIR AVE. W
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:		1003690411		Elevation:	158.023605
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627424
Code OB Desc:				North83:	4837907
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	3
Date Completed:		11/3/2011		UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	gis
Elevrc Desc:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004066319			
Layer:		1			
Plug From:		30			
Plug To:		51			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		2			
Method Construction Code:		Rotary (Convent.)			
Method Construction:		DECOMMISSIONED			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1004066307			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1004066313			
Layer:		2			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		35			
Depth To:		38			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		1004066314			
Layer:		3			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		48			
Depth To:		51			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		1004066312			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		-1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth To:		38			
Casing Diameter:		6.25			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1004066315			
Layer:		1			
Slot:					
Screen Top Depth:		38			
Screen End Depth:		48			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1004066308			
Pump Set At:					
Static Level:		32			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		0			
Water State After Test:					
Pumping Test Method:		0			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		N			
<u>Water Details</u>					
Water ID:		1004066311			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1004066310			
Diameter:		6			
Depth From:		0			
Depth To:		51			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

[30](#)

1 of 1

ESE/27.8

156.3 / -1.56

ON

WWIS

Well ID: 7176484
Construction Date:
Primary Water Use: Dewatering
Sec. Water Use: Monitoring
Final Well Status: Observation Wells

Data Entry Status:
Data Src:
Date Received: 2/10/2012
Selected Flag: Yes
Abandonment Rec: Yes

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water Type:				Contractor:	1663
Casing Material:				Form Version:	7
Audit No: Z131418				Owner:	
Tag: A042142				Street Name:	500 ST CLAIR AVE. W
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID: 1003690429				Elevation:	158.20166
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627443
Code OB Desc:				North83:	4837932
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed: 10/26/2011				UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID: 1004066691					
Layer: 1					
Plug From: 9.34					
Plug To: 21.34					
Plug Depth UOM: m					
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code: 2					
Method Construction: Rotary (Convent.)					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID: 1004066682					
Casing No: 0					
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID: 1004066686					
Laver: 1					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material:					
Open Hole or Material:		5			
Depth From:		PLASTIC			
Depth To:		0			
Casing Diameter:		21.34			
Casing Diameter UOM:		5.08			
Casing Depth UOM:		cm			
Casing Depth UOM:		m			
Construction Record - Screen					
Screen ID:		1004066687			
Layer:		1			
Slot:		10			
Screen Top Depth:		12.2			
Screen End Depth:		21.34			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.25			
Water Details					
Water ID:		1004066685			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:					
Water Found Depth UOM:		m			
Hole Diameter					
Hole ID:		1004066684			
Diameter:		5.08			
Depth From:		9.34			
Depth To:		21.34			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

31	1 of 1	E/31.2	156.4 / -1.50	TORONTO ON	WWIS
Well ID: 7040068					
Construction Date:					
Primary Water Use:					
Sec. Water Use:					
Final Well Status: Observation Wells					
Water Type:					
Casing Material:					
Audit No: Z51588					
Tag: A042097					
Construction Method:					
Elevation (m):					
Elevation Reliability:					
Depth to Bedrock:					
Well Depth:					
Overburden/Bedrock:					
Pump Rate:					
Static Water Level:					
Flowing (Y/N):					
Flow Rate:					
Clear/Cloudy:					
Data Entry Status:					
Data Src:					
Date Received: 1/25/2007					
Selected Flag: Yes					
Abandonment Rec:					
Contractor: 1663					
Form Version: 3					
Owner:					
Street Name: 510-522 ST. CLAIR AVE WEST					
County: YORK					
Municipality: TORONTO CITY					
Site Info:					
Lot:					
Concession:					
Concession Name:					
Easting NAD83:					
Northing NAD83:					
Zone:					
UTM Reliability:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Bore Hole Information</u>					
Bore Hole ID:	11762384			Elevation:	158.293579
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:	o			East83:	627447
Code OB Desc:	Overburden			North83:	4837946
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	3
Date Completed:	12/5/2006			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	933089381				
Layer:	1				
Color:	6				
General Color:	BROWN				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:	0				
Formation End Depth:	1.82				
Formation End Depth UOM:	m				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	933089385				
Layer:	5				
Color:	6				
General Color:	BROWN				
Mat1:	08				
Most Common Material:	FINE SAND				
Mat2:	06				
Other Materials:	SILT				
Mat3:	05				
Other Materials:	CLAY				
Formation Top Depth:	9.45				
Formation End Depth:	16.76				
Formation End Depth UOM:	m				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	933089386				
Layer:	6				
Color:	6				
General Color:	BROWN				
Mat1:	08				
Most Common Material:	FINE SAND				
Mat2:	06				
Other Materials:	SILT				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3:					
Other Materials:					
Formation Top Depth:		16.76			
Formation End Depth:		17.68			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		933089387			
Layer:		7			
Color:		2			
General Color:		GREY			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		05			
Other Materials:		CLAY			
Mat3:					
Other Materials:					
Formation Top Depth:		17.68			
Formation End Depth:		18.29			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		933089383			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		84			
Other Materials:		SILTY			
Mat3:		11			
Other Materials:		GRAVEL			
Formation Top Depth:		5.48			
Formation End Depth:		8.53			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		933089384			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		05			
Other Materials:		CLAY			
Mat3:		11			
Other Materials:		GRAVEL			
Formation Top Depth:		8.53			
Formation End Depth:		9.45			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		933089382			
Layer:		2			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		05			
Other Materials:		CLAY			
Mat3:		74			
Other Materials:		LAYERED			
Formation Top Depth:		1.82			
Formation End Depth:		5.48			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933312729			
Layer:		1			
Plug From:		0			
Plug To:		6			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11770074			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930894936			
Layer:		2			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		0			
Depth To:					
Casing Diameter:		6			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Casing</u>					
Casing ID:		930894935			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		15.24			
Casing Diameter:		2			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Screen ID:		933422781			
Layer:		1			
Slot:		10			
Screen Top Depth:		15.24			
Screen End Depth:		18.29			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		2			
 <u>Results of Well Yield Testing</u>					
Pump Test ID:		11776772			
Pump Set At:					
Static Level:		10.06			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:		13.6			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:		LPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:					
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:					
 <u>Water Details</u>					
Water ID:		934083533			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		11			
Water Found Depth UOM:		m			
<hr/>					
32	1 of 1	WSW/33.0	157.7 / -0.13	10 Raglan Avenue Toronto ON M6C 2K6	EHS
Order No:	20190801239			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Express Report			Client Prov/State:	ON
Report Date:	01-AUG-19			Search Radius (km):	.25
Date Received:	01-AUG-19			X:	-79.4200025
Previous Site Name:				Y:	43.6833757
Lot/Building Size:					
Additional Info Ordered:					
<hr/>					
33	1 of 3	SSE/35.8	156.8 / -1.08	530 St. Clair West Inc. 530 ST. CLAIR AVE W, TORONTO, ON, M6C 0A2 ON M6C 0A2	RSC
RSC ID:	75310			Cert Date:	11-Mar-10
RA No:				Cert Prop Use No:	No CPU
RSC Type:				Intended Prop Use:	Residential
Curr Property Use:	Commercial			Qual Person Name:	Mr. Murray Goldman
Ministry District:	TORONTO			Stratified (Y/N):	
Filing Date:	4-May-10			Audit (Y/N):	
Date Ack:				Entire Leg Prop. (Y/N):	Yes

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Date Returned:				Accuracy Estimate:	2 to 5 meters
Restoration Type:				Telephone:	416-9629080x221
Soil Type:				Fax:	416-9625841
Criteria:				Email:	zahavish@aol.com
CPU Issued Sect 1686:	No				
Asmt Roll No:					
Prop ID No (PIN):		10468-0570 (LT)			
Property Municipal Address:		530 ST. CLAIR AVE W, TORONTO, ON, M6C 0A2			
Mailing Address:		Suite 240, 55 ST. CLAIR AVE W, TORONTO, ON, M4V 2Y7			
Latitude & Latitude:		43.68311630N 79.41944320W (converted from UTM)			
UTM Coordinates:		NAD83 17-627393-4837892			
Consultant:					
Filing Owner:					
Legal Desc:		<p>FIRSTLY: PART LOT 4, BLOCK B, PLAN 875 AS IN CT944745 (EXCEPT EASEMENT THEREIN) EXCEPT PART 5, PLAN 66R21087; THE NORTH LIMIT OF ST. CLAIR AVENUE WEST CONFIRMED BY BOUNDARIES ACT PLAN 63BA1741 REGISTERED BY NO. CT413412; SECONDLY: PART LOT 4, BLOCK B, PLAN 875, DESIGNATED AS PART 4, PLAN 66R21087; THE NORTH LIMIT OF ST. CLAIR AVENUE WEST CONFIRMED BY BOUNDARIES ACT PLAN 63BA1741 REGISTERED AS INSTRUMENT NO. CT413412; THIRDLY: PART LOT 6, BLOCK B, PLAN 875, WYCHWOOD BRACONDALE DOVERCOURT AS IN CT542310; FOURTHLY: PART LOT 4, BLOCK B, PLAN 875 WYCHWOOD BRACONDALE DOVERCOURT; PART LOT 5, BLOCK B, PLAN 875 WYCHWOOD BRACONDALE DOVERCOURT AS IN CT20525 EXCEPT EASEMENT THEREIN; FIFTHLY: PART LOT 5, BLOCK B, PLAN 875 WYCHWOOD BRACONDALE DOVERCOURT; PART LOT 6, BLOCK B, PLAN 875 WYCHWOOD BRACONDALE DOVERCOURT AS IN CA654511 EXCEPT EASEMENT THEREIN CITY OF TORONTO</p>			
Measurement Method:		Digitized from a map			
Applicable Standards:		Full Depth Site Conditions Standard, with Nonpotable Ground Water, Coarse Textured Soil, for Residential/Parkland/Institutional property use			
RSC PDF:					

332 of 3SSE/35.8156.8 / -1.08530 St. Clair West Inc.
530 St. Clair Avenue West Toronto CITY OF
TORONTO
ONEBR

EBR Registry No:

011-4068

Ministry Ref No:

9002-8J5HJB

Notice Type:

Instrument Decision

Notice Stage:

803901000

Notice Date:

September 01, 2011

Proposal Date:

July 11, 2011

Year:

2011

Instrument Type:

(EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)

Off Instrument Name:

Posted By:

Company Name:

530 St. Clair West Inc.

Site Address:

Location Other:

Proponent Name:

Proponent Address:

530 St. Clair avenue West, Toronto Ontario, Canada M6C 1A2

Comment Period:

URL:

Decision Posted:

Exception Posted:

Section:

Act 1:

Act 2:

Site Location Map:

Site Location Details:

530 St. Clair Avenue West Toronto CITY OF TORONTO

33	3 of 3	SSE/35.8	156.8 / -1.08	530 St. Clair West Inc. 530 St. Clair Ave W Toronto ON M6C 0A2	CA
Certificate #:		3517-8KZNVH			
Application Year:		2011			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:		8/25/2011 Air Approved			
34	1 of 4	SE/36.8	156.7 / -1.16	PHARMA PLUS DRUGS LTD 518 ST. CLAIR AVENUE WEST TORONTO ON M6C 1A1	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:		ON1553341 92,93,97 6031 PHARMACIES		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:		261 PHARMACEUTICALS			
Waste Class: Waste Class Desc:		312 PATHOLOGICAL WASTES			
34	2 of 4	SE/36.8	156.7 / -1.16	PHARMA PLUS DRUGS LTD. 31-695 518 ST. CLAIR AVE. WEST, TORONTO C/O 5935 AIRPORT RAOD STE. 500 MISSISSAUGA ON M6C 1A2	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:		ON1553341 94,95,96 6031 PHARMACIES		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:		261 PHARMACEUTICALS			
Waste Class: Waste Class Desc:		312 PATHOLOGICAL WASTES			
34	3 of 4	SE/36.8	156.7 / -1.16	PHARMA PLUS DRUGS LTD. 518 ST. CLAIR AVENUE WEST TORONTO ON M6C 1A1	GEN
Generator No: Status: Approval Years: Contam. Facility:		ON1553341 98,99,00 		PO Box No: Country: Choice of Contact: Co Admin:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
MHSW Facility: SIC Code: 6031 SIC Description: PHARMACIES Detail(s) Waste Class: 261 Waste Class Desc: PHARMACEUTICALS Waste Class: 312 Waste Class Desc: PATHOLOGICAL WASTES					
34	4 of 4	SE/36.8	156.7 / -1.16	PHARMA (OUT OF BUSINESS) 518 ST. CLAIR AVENUE WEST TORONTO ON M6C 1A2	GEN
Generator No: ON1553341 Status: Approval Years: 01 Contam. Facility: MHSW Facility: SIC Code: 6031 SIC Description: PHARMACIES Detail(s) Waste Class: 261 Waste Class Desc: PHARMACEUTICALS Waste Class: 312 Waste Class Desc: PATHOLOGICAL WASTES					
35	1 of 1	NE/32.0	158.2 / 0.30	1500 Bathurst St Toronto ON M5P3L3	EHS
Order No: 20150218036 Status: C Report Type: Standard Report Report Date: 24-FEB-15 Date Received: 18-FEB-15 Previous Site Name: Lot/Building Size: Total 2,144.8 m ² Additional Info Ordered: City Directory Nearest Intersection: Municipality: City of Toronto Client Prov/State: QC Search Radius (km): .25 X: -79.419064 Y: 43.684088					
36	1 of 10	NE/32.0	158.2 / 0.30	1500 Bathurst Street Toronto ON M5P 3L3	EHS
Order No: 20050317008 Status: C Report Type: Report Date: 3/18/2005 Date Received: 3/17/2005 Previous Site Name: Lot/Building Size: Additional Info Ordered: Nearest Intersection: Just north of Bathurst Street & St. Clair Ave. Municipality: Toronto Client Prov/State: ON Search Radius (km): 0.25 X: -79.418946 Y: 43.684332					
36	2 of 10	NE/32.0	158.2 / 0.30	Dr. DeMiglio, Fava,Litvack 1500 Bathurst St. Unit 2 Toronto ON M3H 2X8	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	ON5400813 2012 621210 Offices of Dentists			PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	312 PATHOLOGICAL WASTES				
<u>36</u>	3 of 10	NE/32.0	158.2 / 0.30	Dr. DeMiglio, Fava,Litvack 1500 Bathurst St. Unit 2 Toronto ON	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	ON5400813 2013 621210 OFFICES OF DENTISTS			PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	312 PATHOLOGICAL WASTES				
<u>36</u>	4 of 10	NE/32.0	158.2 / 0.30	Dr. DeMiglio, Fava,Litvack 1500 Bathurst St. Unit 2 Toronto ON M3H 2X8	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	ON5400813 2016 No No 621210 OFFICES OF DENTISTS			PO Box No: Country: Canada Choice of Contact: CO_ADMIN Co Admin: Linda Tran Phone No Admin: 4166533441 Ext.	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	312 PATHOLOGICAL WASTES				
<u>36</u>	5 of 10	NE/32.0	158.2 / 0.30	1500 BATHURST HOLDINGS LTD. 1500 BATHURST ST TORONTO ON M5P3L3	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	ON3629890 2015 No No 531310 REAL ESTATE PROPERTY MANAGERS			PO Box No: Country: Canada Choice of Contact: CO_OFFICIAL Co Admin: Phone No Admin:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Detail(s)</u>					
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
36	6 of 10	NE/32.0	158.2 / 0.30	Dr. DeMiglio, Fava,Litvack 1500 Bathurst St. Unit 2 Toronto ON M3H 2X8	GEN
Generator No:		ON5400813		PO Box No:	
Status:				Country:	Canada
Approval Years:		2015		Choice of Contact:	CO_ADMIN
Contam. Facility:		No		Co Admin:	Linda Tran
MHSW Facility:		No		Phone No Admin:	4166533441 Ext.
SIC Code:		621210			
SIC Description:		OFFICES OF DENTISTS			
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
36	7 of 10	NE/32.0	158.2 / 0.30	Dr. DeMiglio, Fava,Litvack 1500 Bathurst St. Unit 2 Toronto ON M3H 2X8	GEN
Generator No:		ON5400813		PO Box No:	
Status:				Country:	Canada
Approval Years:		2014		Choice of Contact:	CO_ADMIN
Contam. Facility:		No		Co Admin:	Linda Tran
MHSW Facility:		No		Phone No Admin:	4166533441 Ext.
SIC Code:		621210			
SIC Description:		OFFICES OF DENTISTS			
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
36	8 of 10	NE/32.0	158.2 / 0.30	Cromwell Management Inc. 1500 Bathurst Street Toronto ON M5P 3L3	GEN
Generator No:		ON5863488		PO Box No:	
Status:				Country:	Canada
Approval Years:		2014		Choice of Contact:	CO_OFFICIAL
Contam. Facility:		No		Co Admin:	Jason Slidders
MHSW Facility:		No		Phone No Admin:	905-793-9800 Ext.
SIC Code:		562990			
SIC Description:		ALL OTHER WASTE MANAGEMENT SERVICES			
<u>Detail(s)</u>					
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
36	9 of 10	NE/32.0	158.2 / 0.30	Dr. Pavelic,Litvack 1500 Bathurst St. Unit 2 Toronto ON M3H 2X8	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Generator No: ON5400813 Status: Registered Approval Years: As of Dec 2018 Contam. Facility: MHSW Facility: SIC Code: SIC Description:					
PO Box No: Country: Canada Choice of Contact: Co Admin: Phone No Admin:					
<u>Detail(s)</u>					
Waste Class: 312 P Waste Class Desc: Pathological wastes					
36	10 of 10	NE/32.0	158.2 / 0.30	Dr. Pavelic, Litvack 1500 Bathurst St. Unit 2 Toronto ON M3H 2X8	GEN
Generator No: ON5400813 Status: Registered Approval Years: As of Oct 2019 Contam. Facility: MHSW Facility: SIC Code: SIC Description:					
PO Box No: Country: Canada Choice of Contact: Co Admin: Phone No Admin:					
<u>Detail(s)</u>					
Waste Class: 312 P Waste Class Desc: Pathological wastes					
37	1 of 2	NE/32.2	158.2 / 0.30	Dr. DeMiglio, Fava, Litvack 1500 Bathurst St. Unit 2 Toronto ON M3H 2X8	GEN
Generator No: ON5400813 Status: Approval Years: 2010 Contam. Facility: MHSW Facility: SIC Code: 621210 SIC Description: Offices of Dentists					
PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					
<u>Detail(s)</u>					
Waste Class: 312 Waste Class Desc: PATHOLOGICAL WASTES					
37	2 of 2	NE/32.2	158.2 / 0.30	Dr. DeMiglio, Fava, Litvack 1500 Bathurst St. Unit 2 Toronto ON M3H 2X8	GEN
Generator No: ON5400813 Status: Approval Years: 2011 Contam. Facility: MHSW Facility: SIC Code: 621210 SIC Description: Offices of Dentists					
PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					
<u>Detail(s)</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
38	1 of 1	SE/37.2	156.5 / -1.39	TORONTO ON	WWIS
Well ID:		6930668		Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:		Not Used		Date Received:	
Sec. Water Use:				9/26/2006	
Final Well Status:		Observation Wells		Selected Flag:	
Water Type:				Yes	
Casing Material:				Abandonment Rec:	
Audit No:		Z53711		Contractor:	
Tag:		A044331		7147	
Construction Method:				Form Version:	
Elevation (m):				3	
Elevation Reliability:				Owner:	
Depth to Bedrock:				Street Name:	
Well Depth:				528 ST. CLAIR AVENUE WEST	
Overburden/Bedrock:				County:	
Pump Rate:				YORK	
Static Water Level:				Municipality:	
Flowing (Y/N):				TORONTO CITY	
Flow Rate:				Site Info:	
Clear/Cloudy:				Lot:	
				Concession:	
				Concession Name:	
				Easting NAD83:	
				Northing NAD83:	
				Zone:	
				UTM Reliability:	
<u>Bore Hole Information</u>					
Bore Hole ID:		11695912		Elevation:	
DP2BR:				157.973678	
Spatial Status:				Elevrc:	
Code OB:		o		Zone:	
Code OB Desc:		Overburden		17	
Open Hole:				East83:	
Cluster Kind:				627431	
Date Completed:		9/8/2006		North83:	
Remarks:				4837903	
Elevrc Desc:				Org CS:	
Location Source Date:				UTM83	
Improvement Location Source:				UTMRC:	
Improvement Location Method:				3	
Source Revision Comment:				UTMRC Desc:	
Supplier Comment:				margin of error : 10 - 30 m	
				Location Method:	
				wwr	
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		933082868			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0.3			
Formation End Depth:		10.7			
Formation End Depth UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		933082869			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		10.7			
Formation End Depth:		12.2			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		933082866			
Layer:		1			
Color:		8			
General Color:		BLACK			
Mat1:					
Most Common Material:					
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		0.2			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		933082867			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		01			
Most Common Material:		FILL			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0.2			
Formation End Depth:		0.3			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933308439			
Layer:		2			
Plug From:		0.2			
Plug To:		7			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug ID:					
		933308438			
Layer:					
		1			
Plug From:					
		0			
Plug To:					
		0.2			
Plug Depth UOM:					
		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:					
		933308441			
Layer:					
		4			
Plug From:					
Plug To:					
		12.2			
Plug Depth UOM:					
		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:					
		933308440			
Layer:					
		3			
Plug From:					
		7			
Plug To:					
		12.2			
Plug Depth UOM:					
		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:					
		B			
Method Construction:					
		Other Method			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:					
		11700778			
Casing No:					
		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:					
		930892370			
Layer:					
		1			
Material:					
		5			
Open Hole or Material:					
		PLASTIC			
Depth From:					
		0			
Depth To:					
		7.6			
Casing Diameter:					
		5			
Casing Diameter UOM:					
		cm			
Casing Depth UOM:					
		m			
<u>Construction Record - Screen</u>					
Screen ID:					
		933421695			
Layer:					
		1			
Slot:					
		10			
Screen Top Depth:					
		7.6			
Screen End Depth:					
		12.2			
Screen Material:					
		5			
Screen Depth UOM:					
		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Diameter UOM:		cm			
Screen Diameter:		6.3			
<u>Water Details</u>					
Water ID:		934082178			
Layer:		1			
Kind Code:					
Kind:					
Water Found Depth:		10.7			
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		11760204			
Diameter:		10			
Depth From:		0			
Depth To:		12.2			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
39	1 of 1	W/38.3	158.5 / 0.60	10 To 32 Raglan Ave Toronto ON	EHS
Order No:		20141022043		Nearest Intersection:	
Status:		C		Municipality:	
Report Type:		RSC Report (Urban)		Client Prov/State:	ON
Report Date:		28-OCT-14		Search Radius (km):	.3
Date Received:		22-OCT-14		X:	-79.420183
Previous Site Name:				Y:	43.683653
Lot/Building Size:					
Additional Info Ordered:					
40	1 of 1	NE/35.6	157.7 / -0.14	ON	WWIS
Well ID:		7232885		Data Entry Status:	Yes
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	12/2/2014
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:				Abandonment Rec:	
Water Type:				Contractor:	7147
Casing Material:				Form Version:	8
Audit No:		C26950		Owner:	
Tag:		A160997		Street Name:	
Construction Method:				County:	YORK
Elevation (m):				Municipality:	YORK BOROUGH
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:		1005247971		Elevation:	159.038574
DP2BR:				Elevrc:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Spatial Status:				Zone:	17
Code OB:				East83:	627432
Code OB Desc:				North83:	4837997
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	11/19/2014			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

41	1 of 2	ENE/43.5	156.8 / -1.03	ON	WWIS
Well ID:		7269803		Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:		Dewatering		Date Received:	8/24/2016
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:		Dewatering		Abandonment Rec:	
Water Type:				Contractor:	1663
Casing Material:				Form Version:	7
Audit No:		Z186014		Owner:	
Tag:		A185250		Street Name:	1486 BATHURST STREET
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	PW3
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:	1006226149	Elevation:	158.53157
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	627451
Code OB Desc:		North83:	4837975
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	1/26/2016	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	1006246625
Layer:	7
Color:	2
General Color:	GREY

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		05			
Other Materials:		CLAY			
Mat3:					
Other Materials:					
Formation Top Depth:		53			
Formation End Depth:		59			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006246626			
Layer:		8			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		59			
Formation End Depth:		63			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006246620			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		28			
Other Materials:		SAND			
Mat3:		11			
Other Materials:		GRAVEL			
Formation Top Depth:		2			
Formation End Depth:		11			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006246621			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		05			
Other Materials:		CLAY			
Mat3:		11			
Other Materials:		GRAVEL			
Formation Top Depth:		11			
Formation End Depth:		18			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:		1006246619			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		01			
Most Common Material:		FILL			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		2			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006246622			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		28			
Other Materials:		SAND			
Mat3:					
Other Materials:					
Formation Top Depth:		18			
Formation End Depth:		33			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006246623			
Layer:		5			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		05			
Other Materials:		CLAY			
Mat3:					
Other Materials:					
Formation Top Depth:		33			
Formation End Depth:		50			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006246624			
Layer:		6			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		28			
Other Materials:		SAND			
Mat3:		74			
Other Materials:		LAYERED			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation Top Depth:	50				
Formation End Depth:	53				
Formation End Depth UOM:	ft				
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1006246640				
Layer:	1				
Plug From:	0				
Plug To:	40				
Plug Depth UOM:	ft				
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1006246641				
Layer:	2				
Plug From:	40				
Plug To:	62				
Plug Depth UOM:	ft				
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:	2				
Method Construction:	Rotary (Convent.)				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	1006246617				
Casing No:	0				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	1006246630				
Layer:	2				
Material:	1				
Open Hole or Material:	STEEL				
Depth From:	59				
Depth To:	63				
Casing Diameter:	5				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				
<u>Construction Record - Casing</u>					
Casing ID:	1006246629				
Layer:	1				
Material:	1				
Open Hole or Material:	STEEL				
Depth From:	-2				
Depth To:	42				
Casing Diameter:	5				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Screen</u>					
Screen ID:	1006246631				
Layer:	1				
Slot:	16				
Screen Top Depth:	42				
Screen End Depth:	59				
Screen Material:	1				
Screen Depth UOM:	ft				
Screen Diameter UOM:	inch				
Screen Diameter:	6				
<u>Results of Well Yield Testing</u>					
Pump Test ID:	1006246618				
Pump Set At:	60				
Static Level:	37.88				
Final Level After Pumping:	45.88				
Recommended Pump Depth:	60				
Pumping Rate:	5				
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:	ft				
Rate UOM:	GPM				
Water State After Test Code:	1				
Water State After Test:	CLEAR				
Pumping Test Method:	0				
Pumping Duration HR:					
Pumping Duration MIN:	15				
Flowing:					
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:	1006246634				
Test Type:	Draw Down				
Test Duration:	3				
Test Level:	44.93				
Test Level UOM:	ft				
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:	1006246636				
Test Type:	Draw Down				
Test Duration:	5				
Test Level:	45.59				
Test Level UOM:	ft				
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:	1006246635				
Test Type:	Draw Down				
Test Duration:	4				
Test Level:	45.32				
Test Level UOM:	ft				
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:	1006246632				
Test Type:	Draw Down				
Test Duration:	1				
Test Level:	42.31				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1006246633			
Test Type:		Draw Down			
Test Duration:		2			
Test Level:		44.01			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1006246637			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		45.88			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		1006246628			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1006246627			
Diameter:		8.25			
Depth From:		0			
Depth To:		62			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

41	2 of 2	ENE/43.5	156.8 / -1.03	ON	WWIS
Well ID:	7302770			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	1/8/2018
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Abandoned-Other			Abandonment Rec:	Yes
Water Type:				Contractor:	1663
Casing Material:				Form Version:	7
Audit No:	Z272518			Owner:	
Tag:	A185250			Street Name:	1486 BATHURST STREET
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Bore Hole ID:	1006951688			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627451
Code OB Desc:				North83:	4837975
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	10/16/2017			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	1007071773				
Layer:	3				
Plug From:	35				
Plug To:	62				
Plug Depth UOM:	ft				
 <u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	1007071771				
Layer:	1				
Plug From:	0				
Plug To:	30				
Plug Depth UOM:	ft				
 <u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	1007071772				
Layer:	2				
Plug From:	30				
Plug To:	35				
Plug Depth UOM:	ft				
 <u>Pipe Information</u>					
Pipe ID:	1007071763				
Casing No:	0				
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:	1007071768				
Layer:	2				
Material:	1				
Open Hole or Material:	STEEL				
Depth From:	59				
Depth To:	62				
Casing Diameter:	5				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Casing</u>					
Casing ID:		1007071767			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		-2			
Depth To:		42			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1007071769			
Layer:		1			
Slot:		16			
Screen Top Depth:		42			
Screen End Depth:		59			
Screen Material:		8			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6			
<u>Water Details</u>					
Water ID:		1007071766			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1007071765			
Diameter:		5			
Depth From:		30			
Depth To:		62			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

42	1 of 2	E/44.0	156.4 / -1.48	ON	WWIS
Well ID:	7269804			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Dewatering			Date Received:	8/24/2016
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Dewatering			Abandonment Rec:	
Water Type:				Contractor:	1663
Casing Material:				Form Version:	7
Audit No:	Z186012			Owner:	
Tag:	A185251			Street Name:	1486 BATHURST STREET
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	PW4
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:				Northing NAD83: Zone: UTM Reliability:	
<u>Bore Hole Information</u>					
Bore Hole ID:	1006226152			Elevation:	158.355545
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627455
Code OB Desc:				North83:	4837964
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	1/21/2016			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1006246645				
Layer:	2				
Color:	6				
General Color:	BROWN				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:	2				
Formation End Depth:	4				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1006246647				
Layer:	4				
Color:	6				
General Color:	BROWN				
Mat1:	08				
Most Common Material:	FINE SAND				
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:	27				
Formation End Depth:	32				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1006246650				
Layer:	7				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color:		2			
General Color:		GREY			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		05			
Other Materials:		CLAY			
Mat3:		74			
Other Materials:		LAYERED			
Formation Top Depth:		58			
Formation End Depth:		63			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006246648			
Layer:		5			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		32			
Formation End Depth:		34			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006246651			
Layer:		8			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		28			
Other Materials:		SAND			
Mat3:		06			
Other Materials:		SILT			
Formation Top Depth:		63			
Formation End Depth:		68			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006246649			
Layer:		6			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		05			
Other Materials:		CLAY			
Mat3:		74			
Other Materials:		LAYERED			
Formation Top Depth:		34			
Formation End Depth:		58			
Formation End Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006246646			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		28			
Other Materials:		SAND			
Mat3:		11			
Other Materials:		GRAVEL			
Formation Top Depth:		4			
Formation End Depth:		27			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006246644			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		01			
Most Common Material:		FILL			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		2			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006246670			
Layer:		1			
Plug From:		0			
Plug To:		42			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006246671			
Layer:		2			
Plug From:		42			
Plug To:		66			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pipe ID:		1006246642			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006246655			
Layer:		2			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		63			
Depth To:		66			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		1006246654			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		-2			
Depth To:		45			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1006246656			
Layer:		1			
Slot:		16			
Screen Top Depth:		45			
Screen End Depth:		63			
Screen Material:		1			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1006246643			
Pump Set At:		65			
Static Level:		38.04			
Final Level After Pumping:		56.67			
Recommended Pump Depth:					
Pumping Rate:		10			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		0			
Pumping Duration HR:		1			
Pumping Duration MIN:					
Flowing:					
<u>Draw Down & Recovery</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Test Detail ID:		1006246662			
Test Type:		Draw Down			
Test Duration:		10			
Test Level:		53.69			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1006246660			
Test Type:		Draw Down			
Test Duration:		4			
Test Level:		50.7			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1006246663			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		54.97			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1006246664			
Test Type:		Draw Down			
Test Duration:		20			
Test Level:		55.33			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1006246665			
Test Type:		Draw Down			
Test Duration:		25			
Test Level:		55.56			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1006246658			
Test Type:		Draw Down			
Test Duration:		2			
Test Level:		48.55			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1006246659			
Test Type:		Draw Down			
Test Duration:		3			
Test Level:		49.79			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1006246667			
Test Type:		Draw Down			
Test Duration:		60			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Level:		56.67			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1006246657			
Test Type:		Draw Down			
Test Duration:		1			
Test Level:		45.72			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1006246661			
Test Type:		Draw Down			
Test Duration:		5			
Test Level:		51.49			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1006246666			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		55.89			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		1006246653			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1006246652			
Diameter:		8.5			
Depth From:		0			
Depth To:		66			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

<u>42</u>	2 of 2	E/44.0	156.4 / -1.48	ON	WWIS
Well ID:		7302769		Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	
Sec. Water Use:				Selected Flag:	
Final Well Status:		Abandoned-Other		Abandonment Rec:	
Water Type:				Contractor:	
Casing Material:				Form Version:	
Audit No:		Z272517		Owner:	
Tag:		A185251		Street Name:	
Construction Method:				County:	
Elevation (m):				Municipality:	
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:				Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	
<u>Bore Hole Information</u>					
Bore Hole ID:		1006951685	Elevation:		
DP2BR:			Elevrc:		
Spatial Status:			Zone:		
Code OB:			17		
Code OB Desc:			East83:		
Open Hole:			627455		
Cluster Kind:			North83:		
Date Completed:		10/16/2017	4837964		
Remarks:			Org CS:		
Elevrc Desc:			UTM83		
Location Source Date:			UTMRC:		
Improvement Location Source:			4		
Improvement Location Method:			UTMRC Desc:		
Source Revision Comment:			margin of error : 30 m - 100 m		
Supplier Comment:			Location Method:		
			digit		
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1007071738			
Layer:		2			
Plug From:		30			
Plug To:		35			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1007071739			
Layer:		3			
Plug From:		35			
Plug To:		66			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1007071737			
Layer:		1			
Plug From:		0			
Plug To:		30			
Plug Depth UOM:		ft			
<u>Pipe Information</u>					
Pipe ID:		1007071729			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing ID: 1007071734					
Layer: 2					
Material: 1					
Open Hole or Material: STEEL					
Depth From: 63					
Depth To: 66					
Casing Diameter: 5					
Casing Diameter UOM: inch					
Casing Depth UOM: ft					
<u>Construction Record - Casing</u>					
Casing ID: 1007071733					
Layer: 1					
Material: 1					
Open Hole or Material: STEEL					
Depth From: -2					
Depth To: 45					
Casing Diameter: 5					
Casing Diameter UOM: inch					
Casing Depth UOM: ft					
<u>Construction Record - Screen</u>					
Screen ID: 1007071735					
Layer: 1					
Slot: 16					
Screen Top Depth: 45					
Screen End Depth: 63					
Screen Material: 8					
Screen Depth UOM: ft					
Screen Diameter UOM: inch					
Screen Diameter: 6					
<u>Water Details</u>					
Water ID: 1007071732					
Layer: 1					
Kind Code: 8					
Kind: Untested					
Water Found Depth:					
Water Found Depth UOM: ft					
<u>Hole Diameter</u>					
Hole ID: 1007071731					
Diameter: 5					
Depth From: 30					
Depth To: 66					
Hole Depth UOM: ft					
Hole Diameter UOM: inch					

43

1 of 2

E/42.7

156.2 / -1.69

TORONTO ON

WWIS

Well ID: 7176489**Construction Date:****Primary Water Use:** Not Used**Sec. Water Use:** Dewatering**Final Well Status:** Dewatering**Water Type:****Data Entry Status:****Data Src:****Date Received:** 2/10/2012**Selected Flag:** Yes**Abandonment Rec:** Yes**Contractor:** 1663

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Casing Material:				Form Version:	7
Audit No:	Z131427			Owner:	
Tag:	A042142			Street Name:	500 ST CLAIR AVE.
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
 <u>Bore Hole Information</u>					
Bore Hole ID:	1003691012			Elevation:	158.147628
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627459
Code OB Desc:				North83:	4837939
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	10/26/2011			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	1004066970				
Layer:	1				
Plug From:	9.26				
Plug To:	21.19				
Plug Depth UOM:	m				
 <u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:	2				
Method Construction:	Rotary (Convent.)				
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:	1004066960				
Casing No:	0				
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:	1004066965				
Layer:	1				
Material:	1				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Open Hole or Material:					
Depth From:		STEEL			
Depth To:		0			
Casing Diameter:		9.15			
Casing Diameter UOM:		6.25			
Casing Depth UOM:		cm			
		m			
<u>Construction Record - Screen</u>					
Screen ID:		1004066966			
Layer:		1			
Slot:					
Screen Top Depth:		9.15			
Screen End Depth:		21.19			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1004066961			
Pump Set At:					
Static Level:		10.04			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:		LPM			
Water State After Test Code:		0			
Water State After Test:					
Pumping Test Method:		0			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		N			
<u>Water Details</u>					
Water ID:		1004066964			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1004066963			
Diameter:		5.5			
Depth From:		9.26			
Depth To:		21.19			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
43	2 of 2	E/42.7	156.2 / -1.69	TORONTO ON	WWIS
Well ID:	7176492			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Not Used			Date Received:	2/10/2012

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Dewatering			Abandonment Rec:	Yes
Water Type:				Contractor:	1663
Casing Material:				Form Version:	7
Audit No:	Z131430			Owner:	
Tag:	A042142			Street Name:	500 ST. CLAIRE AVE.
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1003690441			Elevation:	158.147628
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627459
Code OB Desc:				North83:	4837939
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	10/26/2011			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1004067052				
Layer:	1				
Plug From:	9.33				
Plug To:	22.41				
Plug Depth UOM:	m				
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:	2				
Method Construction:	Rotary (Convent.)				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	1004067042				
Casing No:	0				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Casing ID:		1004067047			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		0			
Depth To:		9.3			
Casing Diameter:		6.125			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
 <u>Construction Record - Casing</u>					
Casing ID:		1004067048			
Layer:		2			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		8.3			
Depth To:		9.3			
Casing Diameter:		5			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
 <u>Construction Record - Screen</u>					
Screen ID:		1004067049			
Layer:		1			
Slot:					
Screen Top Depth:		9.3			
Screen End Depth:		22.41			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6			
 <u>Results of Well Yield Testing</u>					
Pump Test ID:		1004067043			
Pump Set At:					
Static Level:		10.62			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:		LPM			
Water State After Test Code:		0			
Water State After Test:					
Pumping Test Method:		0			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		N			
 <u>Water Details</u>					
Water ID:		1004067046			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:					
Water Found Depth UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Hole Diameter</u>					
Hole ID:		1004067045			
Diameter:		5.5			
Depth From:		9.33			
Depth To:		22.41			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>44</u>	1 of 1	E/44.6	155.9 / -2.00	ON	WWIS
Well ID:	7176482			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring and Test Hole			Date Received:	2/10/2012
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Monitoring and Test Hole			Abandonment Rec:	Yes
Water Type:				Contractor:	1663
Casing Material:				Form Version:	7
Audit No:	Z131416			Owner:	
Tag:	A042142			Street Name:	500 ST. CLAIR AVE.
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1003690426			Elevation:	158.138366
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627461
Code OB Desc:				North83:	4837940
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	10/26/2011			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1004066628				
Layer:	1				
Plug From:	9.07				
Plug To:	21.34				
Plug Depth UOM:	m				
<u>Method of Construction & Well Use</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Method Construction ID:					
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1004066619			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1004066623			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		13.72			
Casing Diameter:		5.08			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1004066624			
Layer:		1			
Slot:		10			
Screen Top Depth:		13.72			
Screen End Depth:		21.34			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.25			
<u>Hole Diameter</u>					
Hole ID:		1004066621			
Diameter:		5.08			
Depth From:		9.07			
Depth To:		21.34			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<u>45</u>	1 of 1	ESE/45.5	155.8 / -2.06	TORONTO ON	WWIS
Well ID:		7176488	Data Entry Status:		
Construction Date:			Data Src:		
Primary Water Use:		Not Used	Date Received:		2/10/2012
Sec. Water Use:			Selected Flag:		Yes
Final Well Status:		Dewatering	Abandonment Rec:		Yes
Water Type:			Contractor:		1663
Casing Material:			Form Version:		7
Audit No:		Z131426	Owner:		
Tag:		A042142	Street Name:		500 ST CLAIR AVE.
Construction Method:			County:		YORK
Elevation (m):			Municipality:		TORONTO CITY
Elevation Reliability:			Site Info:		
Depth to Bedrock:			Lot:		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:			Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:		
<u>Bore Hole Information</u>					
Bore Hole ID:	1003690435			Elevation:	158.055618
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627460
Code OB Desc:				North83:	4837927
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	10/26/2011			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	1004066877				
Layer:	1				
Plug From:	8.43				
Plug To:	16.16				
Plug Depth UOM:	m				
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:	2				
Method Construction:	Rotary (Convent.)				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	1004066868				
Casing No:	0				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	1004066873				
Layer:	1				
Material:	1				
Open Hole or Material:	STEEL				
Depth From:	0				
Depth To:	9.15				
Casing Diameter:	6.25				
Casing Diameter UOM:	cm				
Casing Depth UOM:	m				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Screen</u>					
Screen ID:	1004066874				
Layer:	1				
Slot:					
Screen Top Depth:	9.15				
Screen End Depth:	16.16				
Screen Material:					
Screen Depth UOM:	m				
Screen Diameter UOM:	cm				
Screen Diameter:	6				
<u>Results of Well Yield Testing</u>					
Pump Test ID:	1004066869				
Pump Set At:					
Static Level:	9.5				
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:	m				
Rate UOM:	LPM				
Water State After Test Code:	0				
Water State After Test:					
Pumping Test Method:	0				
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:	N				
<u>Water Details</u>					
Water ID:	1004066872				
Layer:	1				
Kind Code:	8				
Kind:	Untested				
Water Found Depth:					
Water Found Depth UOM:	m				
<u>Hole Diameter</u>					
Hole ID:	1004066871				
Diameter:	5.5				
Depth From:	8.43				
Depth To:	16.16				
Hole Depth UOM:	m				
Hole Diameter UOM:	cm				
<u>46</u>	1 of 6	ESE/45.5	155.8 / -2.03	500 St. Clair West Inc. 500 St. Clair Avenue West, Toronto, Ontario Toronto ON	RSC
RSC ID:	24102			Cert Date:	6-Jun-07
RA No:				Cert Prop Use No:	No CPU
RSC Type:				Intended Prop Use:	Residential
Curr Property Use:	Commercial			Qual Person Name:	Murray Goldman
Ministry District:	TORONTO			Stratified (Y/N):	
Filing Date:	10-Aug-07			Audit (Y/N):	
Date Ack:				Entire Leg Prop. (Y/N):	No
Date Returned:				Accuracy Estimate:	21 to 100 meters
Restoration Type:				Telephone:	416-9629080x220

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Soil Type: Criteria: CPU Issued Sect 1686: Asmt Roll No: Prop ID No (PIN): Property Municipal Address: Mailing Address: Latitude & Latitude: UTM Coordinates: Consultant: Filing Owner: Legal Desc:	No			Fax: 416-9625841 Email: mail@goldmangroup.com	
		10468-0555 (LT), 10468-0556 (LT), 10468-0557 (LT), 10468-0559 (LT). 500 St. Clair Avenue West, Toronto, Ontario 500 St. Clair Avenue West, Toronto, Ontario 43.68110840N 79.41878870W (converted from UTM) NAD83 17-627450-4837670 PIN 10468-0555(LT) Lot 2 and Part of Lot 3, Block B, Registered Plan 875 (York); More particularly described as Part 1 on Deposited Plan 66R-22372, City of Toronto. Subject to an Easement as in Instrument No. AT 1303620. PIN 10468-0556(LT) Part of Lots 3 and 4, Block B, Registered Plan 875 (York); More particularly described as Part 2 on Deposited Plan 66R-22372. City of Toronto. Subject to an Easement as in Instrument No. AT 1303620. PIN 10468-0557(LT) Part of Lot 4, Block B, Registered Plan 875 (York); More particularly described as Part 3 on Deposited Plan 66R-22372. City of Toronto. Subject to an Easement as in Instrument No. AT 1303620. PIN 10468-0559(LT) Lot 1, Block B, Registered Plan 875 (York); More particularly described as Part 1 on Deposited Plan 66R-22490. City of Toronto This RSC applies to the portion of property described as follows: PART OF PIN 10468-0559 (LT) Being Part of Lot 1, Part of Block B, Plan 875 and Plan 66R-22490, designated as Part 5, on Plan 66R-22933, City of Toronto PART OF PIN 10468-0555 (LT) Being Part of Lots 2 and 3, Part of Block B, Plan 875, designated as Part 6, Plan 66R-22933, City of Toronto PART OF PIN 10468-0556 (LT) Being Part of Lots 3 and 4, Part of Block B, Plan 875, designated as Part 9, Plan 66R-22933, City of Toronto. Measurement Method: Interpolation from a map Applicable Standards: Full Depth Site Conditions Standard, with Nonpotable Ground Water, Coarse Textured Soil, for Residential/Parkland/Institutional property use RSC PDF:			

<u>46</u>	2 of 6	ESE/45.5	155.8 / -2.03	500 St. Clair West Inc. 500 St. Clair Avenue West, Toronto, Ontario Toronto ON	RSC
RSC ID: RA No: RSC Type: Curr Property Use: Ministry District: Filing Date: Date Ack: Date Returned: Restoration Type: Soil Type: Criteria: CPU Issued Sect 1686: Asmt Roll No: Prop ID No (PIN): Property Municipal Address: Mailing Address: Latitude & Latitude: UTM Coordinates: Consultant: Filing Owner: Legal Desc:	15907	Commercial TORONTO 23-Apr-07		Cert Date: 13-Mar-07 Cert Prop Use No: No CPU Intended Prop Use: Residential Qual Person Name: Murray Goldman Stratified (Y/N): Audit (Y/N): Entire Leg Prop. (Y/N): No Accuracy Estimate: 21 to 100 meters Telephone: 416-9629080x220 Fax: 416-9625841 Email: mail@goldmangroup.com	
	No	10468-0555 (LT), 10468-0556 (LT), 10468-0557 (LT), 10468-0559 (LT). 500 St. Clair Avenue West, Toronto, Ontario 500 St. Clair Avenue West, Toronto, Ontario 43.68110840N 79.41878870W (converted from UTM) NAD83 17-627450-4837670 PIN 10468-0555(LT) Lot 2 and Part of Lot 3, Block B, Registered Plan 875 (York); More particularly described as Part 1 on Deposited Plan 66R-22372, City of Toronto. Subject to an Easement as in Instrument No. AT 1303620. PIN 10468-0556(LT) Part of Lots 3 and 4, Block B, Registered Plan 875 (York); More particularly described as Part 2 on Deposited Plan 66R-22372. City of Toronto. Subject to an Easement as in Instrument No. AT 1303620. PIN 10468-0557(LT) Part of Lot 4, Block B, Registered Plan 875 (York); More particularly described as Part 3 on Deposited Plan 66R-22372. City of Toronto. Subject to an Easement as in Instrument No. AT 1303620. PIN 10468-0559(LT) Lot 1, Block B, Registered Plan 875 (York); More particularly described as Part 1 on Deposited Plan 66R-22490. City of Toronto This RSC applies to the portion of property described as follows: PART OF PIN 10468-0559 (LT) Being Part of Lot 1, Part of Block B, Plan 875 and Plan 66R-22490, designated as Part 5, on Plan 66R-22933, City of Toronto PART OF PIN 10468-0555 (LT) Being Part of Lots 2 and 3, Part of Block B, Plan 875, designated as Part 6, Plan 66R-22933, City of Toronto PART OF PIN 10468-0556 (LT) Being Part of Lots 3 and 4, Part of Block B, Plan 875, designated as Part 9, Plan 66R-22933, City of Toronto.			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Measurement Method: Applicable Standards: RSC PDF:		Interpolation from a map Full Depth Site Conditions Standard, with Nonpotable Ground Water, Coarse Textured Soil, for Residential/Parkland/Institutional property use			
46	3 of 6	ESE/45.5	155.8 / -2.03	500 St. Clair West Inc. 500 St. Clair Avenue West, Toronto, Ontario ON	RSC
RSC ID: 37905 RA No: RSC Type: Curr Property Use: Commercial Ministry District: TORONTO Filing Date: 13-Dec-07 Date Ack: Date Returned: Restoration Type: Soil Type: Criteria: CPU Issued Sect 1686: No Asmt Roll No: Prop ID No (PIN): 10468-0555 (LT), 10468-0556 (LT), 10468-0557 (LT), 10468-0559 (LT). Property Municipal Address: 500 St. Clair Avenue West, Toronto, Ontario Mailing Address: 55 St. Clair Avenue West, Suite 240, Toronto, Ontario Latitude & Longitude: 43.68151520N 79.41890210W (converted from UTM) UTM Coordinates: NAD83 17-627440-4837715 Consultant: Filing Owner: Legal Desc: Entire Property: PIN 10468-0555(LT) Lot 2 and Part of Lot 3, Block B, Registered Plan 875 (York); More particularly described as Part 1 on Deposited Plan 66R-22372, City of Toronto. Subject to an Easement as in Instrument No. AT 1303620. PIN 10468-0556(LT) Part of Lots 3 and 4, Block B, Registered Plan 875 (York); More particularly described as Part 2 on Deposited Plan 66R-22372. City of Toronto. Subject to an Easement as in Instrument No. AT 1303620. PIN 10468-0557(LT) Part of Lot 4, Block B, Registered Plan 875 (York); More particularly described as Part 3 on Deposited Plan 66R-22372. City of Toronto. Subject to an Easement as in Instrument No. AT 1303620. PIN 10468-0559(LT) Lot 1, Block B, Registered Plan 875 (York); More particularly described as Part 1 on Deposited Plan 66R-22490. City of Toronto. RSC Property: PART OF PIN 10468-0559 (LT) Being Part of Lot 1, Part of Block B, Plan 875 and Plan 66R-22490, designated as Part 2, on Plan 66R-22933, City of Toronto PART OF PIN 10468-0555 (LT) Being Part of Lots 2 and 3, Part of Block B, Plan 875, designated as Part 1, Plan 66R-22933, City of Toronto		Cert Date: 23-Oct-07 Cert Prop Use No: No CPU Intended Prop Use: Residential Qual Person Name: Murray Goldman Stratified (Y/N): Audit (Y/N): Entire Leg Prop. (Y/N): No Accuracy Estimate: 21 to 100 meters Telephone: 416-9629080x220 Fax: 416-9625841 Email: mail@goldmangroup.com			
Measurement Method: Applicable Standards: RSC PDF:		Interpolation from a map Full Depth Site Conditions Standard, with Nonpotable Ground Water, Coarse Textured Soil, for Residential/Parkland/Institutional property use			
46	4 of 6	ESE/45.5	155.8 / -2.03	500 St. Clair West Inc. 500 St. Clair Avenue West Toronto CITY OF TORONTO ON	EBR
EBR Registry No: 010-3777 Ministry Ref No: 4067-7EWPES Notice Type: Instrument Decision Notice Stage: Notice Date: November 12, 2008 Proposal Date: June 09, 2008 Year: 2008 Instrument Type: (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air) Off Instrument Name: Posted By: Company Name: 500 St. Clair West Inc. Site Address: Location Other: Proponent Name:		Decision Posted: Exception Posted: Section: Act 1: Act 2: Site Location Map:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Proponent Address: 55 St. Clair Avenue West , Suite 240, Toronto Ontario, Canada M4V 2Y7 Comment Period: URL: Site Location Details: 500 St. Clair Avenue West Toronto CITY OF TORONTO					
46	5 of 6	ESE/45.5	155.8 / -2.03	500 St. Clair West Inc. 500 St. Clair Ave W Toronto ON	CA
Certificate #: 4721-7HWQ6K Application Year: 2008 Issue Date: 11/5/2008 Approval Type: Air Status: Approved Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:					
46	6 of 6	ESE/45.5	155.8 / -2.03	500 St. Clair West Inc. 500 St. Clair Ave W Toronto ON M4V 2Y7	ECA
Approval No: 4721-7HWQ6K Approval Date: 2008-11-05 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Toronto Approval Type: ECA-AIR Project Type: AIR Address: 500 St. Clair Ave W Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/4067-7EWPES-14.pdf					
MOE District: Metro Toronto City: Longitude: -79.41838 Latitude: 43.683257999999995 Geometry X: Geometry Y:					
47	1 of 1	E/46.3	155.8 / -2.06	TORONTO ON	WWIS
Well ID: 7176490 Construction Date: Primary Water Use: Not Used Sec. Water Use: Final Well Status: Dewatering Water Type: Casing Material: Audit No: Z131428 Tag: A042142 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:					
Data Entry Status: Data Src: Date Received: 2/10/2012 Selected Flag: Yes Abandonment Rec: Yes Contractor: 1663 Form Version: 7 Owner: Street Name: 500 ST CLAIR AVE. County: YORK Municipality: TORONTO CITY Site Info: Lot: Concession:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:				Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	
<u>Bore Hole Information</u>					
Bore Hole ID:	1003690438			Elevation:	158.081558
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627462
Code OB Desc:				North83:	4837932
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	10/26/2011			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	1004066981				
Layer:	1				
Plug From:					
Plug To:					
Plug Depth UOM:	m				
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:	2				
Method Construction:	Rotary (Convent.)				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	1004066971				
Casing No:	0				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	1004066977				
Layer:	1				
Material:	1				
Open Hole or Material:	STEEL				
Depth From:	0				
Depth To:	9.15				
Casing Diameter:	6.25				
Casing Diameter UOM:	cm				
Casing Depth UOM:	m				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Screen</u>					
Screen ID:		1004066978			
Layer:		1			
Slot:					
Screen Top Depth:		9.15			
Screen End Depth:		21.34			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1004066972			
Pump Set At:					
Static Level:		10.02			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:		LPM			
Water State After Test Code:		0			
Water State After Test:					
Pumping Test Method:		0			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		N			
<u>Water Details</u>					
Water ID:		1004066976			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1004066975			
Diameter:		5.5			
Depth From:		9.15			
Depth To:		21.34			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		1004066974			
Diameter:		6			
Depth From:		8.66			
Depth To:		9.15			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<hr/>					
48	1 of 1	SE/48.0	155.9 / -1.99	TORONTO ON	WWIS
Well ID:	6927945			Data Entry Status:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Observation Wells Water Type: Casing Material: Audit No: Z09788 Tag: A009724 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:				Data Src: 1 Date Received: 7/21/2004 Selected Flag: Yes Abandonment Rec: Contractor: 7201 Form Version: 3 Owner: Street Name: 510 ST. CLAIR AVENUE WEST County: YORK Municipality: TORONTO CITY Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	
<u>Bore Hole Information</u>					
Bore Hole ID: 11180471 DP2BR: Spatial Status: Code OB: o Code OB Desc: Overburden Open Hole: Cluster Kind: Date Completed: 7/8/2004 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:				Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: 9 UTMRC Desc: unknown UTM Location Method: na	
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID: 932991587 Layer: 2 Color: 6 General Color: BROWN Mat1: 28 Most Common Material: SAND Mat2: 06 Other Materials: SILT Mat3: 08 Other Materials: FINE SAND Formation Top Depth: 1.8 Formation End Depth: 12.5 Formation End Depth UOM: m					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID: 932991586 Layer: 1 Color: 6 General Color: BROWN Mat1: 05					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Most Common Material:		CLAY			
Mat2:		06			
Other Materials:		SILT			
Mat3:		28			
Other Materials:		SAND			
Formation Top Depth:		0			
Formation End Depth:		1.8			
Formation End Depth UOM:		m			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933263344			
Layer:		1			
Plug From:		0			
Plug To:		29			
Plug Depth UOM:		m			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11188990			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930853346			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		30			
Casing Diameter:		2			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
 <u>Construction Record - Screen</u>					
Screen ID:		933411142			
Layer:		1			
Slot:					
Screen Top Depth:		30			
Screen End Depth:		40			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		2.5			
 <u>Hole Diameter</u>					
Hole ID:		11314554			
Diameter:		8.25			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth From:		0			
Depth To:		40			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
49	1 of 1	ESE/51.2	155.8 / -2.06	TORONTO ON	WWIS
Well ID:	7176493			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Not Used			Date Received:	2/10/2012
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Dewatering			Abandonment Rec:	Yes
Water Type:				Contractor:	1663
Casing Material:				Form Version:	7
Audit No:	Z131431			Owner:	
Tag:	A042142			Street Name:	500 ST CLAIRE AVE.
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1003691018			Elevation:	157.986251
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627465
Code OB Desc:				North83:	4837924
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	10/26/2011			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1004067071				
Layer:	1				
Plug From:	8.9				
Plug To:	20.73				
Plug Depth UOM:	m				
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:	B				
Method Construction:	Other Method				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1004067062			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1004067067			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		8.9			
Depth To:		9.5			
Casing Diameter:		6.25			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1004067068			
Layer:		1			
Slot:					
Screen Top Depth:		9.45			
Screen End Depth:		20.73			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1004067063			
Pump Set At:					
Static Level:		9.85			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:		LPM			
Water State After Test Code:		0			
Water State After Test:					
Pumping Test Method:		0			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		N			
<u>Water Details</u>					
Water ID:		1004067066			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:					
Water Found Depth UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Hole Diameter</u>					
Hole ID:		1004067065			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>50</u>	1 of 1	SW/51.0	157.8 / -0.03	538 St Clair Ave W Toronto ON M6C 1A4	EHS
Order No:	20190207162			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	14-FEB-19			Search Radius (km):	.25
Date Received:	07-FEB-19			X:	-79.420038
Previous Site Name:				Y:	43.683097
Lot/Building Size:					
Additional Info Ordered:					
<u>51</u>	1 of 2	SW/55.4	157.9 / 0.03	538 ST. CLAIR AVENUE WEST TORONTO ON M6C 1A4	HINC
External File Num:	FS INC 0801-00129				
Fuel Occurrence Type:	Fire				
Date of Occurrence:	1/7/2008				
Fuel Type Involved:	Fuel Oil				
Status Desc:	Completed - No Action Required				
Job Type Desc:	Incident/Near-Miss Occurrence (FS)				
Oper. Type Involved:	Commercial (e.g. restaurant, business unit, etc)				
Service Interruptions:	No				
Property Damage:	No				
Fuel Life Cycle Stage:	Utilization				
Root Cause:					
Reported Details:	Facility type is not specified.				
Fuel Category:	Unknown				
Occurrence Type:	Incident				
Affiliation:	Emergency Services (Fire, Police,etc)				
County Name:	Toronto				
Approx. Quant. Rel:					
Nearby body of water:					
Enter Drainage Syst.:					
Approx. Quant. Unit:					
Environmental Impact:					
<u>51</u>	2 of 2	SW/55.4	157.9 / 0.03	909537 ONTARIO INC. O/A CROSS TOWN HARDWARE 538 ST. CLAIR AVENUE WEST TORONTO ON M6C1A4	PES
Detail Licence No:				Operator Box:	
Licence No:	11158			Operator Class:	
Status:				Operator No:	
Approval Date:				Operator Type:	
Report Source:	Legacy Licenses (Excluding TS)			Oper Area Code:	416
Licence Type:	Retail Vendor Class 03			Oper Phone No:	6531709
Licence Type Code:	21			Operator Ext:	
Licence Class:	03			Operator Lot:	
Licence Control:				Oper Concession:	
Latitude:				Operator Region:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link:					
Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:					
52	1 of 1	ENE/59.2	157.0 / -0.87	ON	WWIS
Well ID: 7217967 Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Water Type: Casing Material: Audit No: C20968 Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:					
Data Entry Status: Yes Data Src: Date Received: 3/20/2014 Selected Flag: Yes Abandonment Rec: Yes Contractor: 6607 Form Version: 8 Owner: Street Name: County: YORK Municipality: YORK BOROUGH Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
<u>Bore Hole Information</u>					
Bore Hole ID: 1004723108 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 7/17/2013 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
Elevation: 158.871643 Elevrc: Zone: 17 East83: 627455 North83: 4838006 Org CS: UTM83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: wwr					
53	1 of 1	E/65.0	155.4 / -2.52	Toronto ON	WWIS
Well ID: 7311568 Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: 0 Water Type: Casing Material: Audit No: Z255644					
Data Entry Status: Data Src: Date Received: 5/25/2018 Selected Flag: Yes Abandonment Rec: Contractor: 6607 Form Version: 7 Owner:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Tag:	A232728			Street Name:	1515 BATHURST ST
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole ID:	1007060575	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	627476
Code OB Desc:		North83:	4837967
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	5/6/2016	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Materials Interval

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007278736			
Layer:		1			
Plug From:		0			
Plug To:		0.3			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007278737			
Layer:		2			
Plug From:		0.3			
Plug To:		8.8			
Plug Depth UOM:		m			
<u>Pipe Information</u>					
Pipe ID:		1007278728			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1007278733			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		9.1			
Casing Diameter:		5.1			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1007278734			
Layer:		1			
Slot:		10			
Screen Top Depth:		9.1			
Screen End Depth:		12.2			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.4			
<u>Water Details</u>					
Water ID:		1007278732			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:		10.3			
Water Found Depth UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Hole Diameter</u>					
Hole ID:		1007278731			
Diameter:		21			
Depth From:		0			
Depth To:		12.2			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
54	1 of 1	E/66.2	155.4 / -2.52	ON	WWIS
Well ID:	7239053			Data Entry Status:	Yes
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	3/30/2015
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:				Abandonment Rec:	Yes
Water Type:				Contractor:	7383
Casing Material:				Form Version:	8
Audit No:	C18570			Owner:	
Tag:				Street Name:	
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1005317804			Elevation:	158.158233
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627477
Code OB Desc:				North83:	4837968
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	6/26/2014			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
55	1 of 1	E/71.0	155.2 / -2.69	Toronto ON	WWIS
Well ID:	7311567			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring			Date Received:	5/25/2018
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Observation Wells			Abandonment Rec:	
Water Type:				Contractor:	6607
Casing Material:				Form Version:	7
Audit No:	Z266991			Owner:	
Tag:	A243586			Street Name:	1467 BATHURST ST

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:	1007060520	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	627482
Code OB Desc:		North83:	4837968
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	5/1/2018	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	1007278716
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	06
Other Materials:	SILT
Mat3:	77
Other Materials:	LOOSE
Formation Top Depth:	0
Formation End Depth:	2
Formation End Depth UOM:	m

Overburden and Bedrock

Materials Interval

Formation ID:	1007278717
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	06
Other Materials:	SILT
Mat3:	77
Other Materials:	LOOSE
Formation Top Depth:	2
Formation End Depth:	18.9
Formation End Depth UOM:	m

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007278727			
Layer:		3			
Plug From:		15			
Plug To:		15.6			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007278725			
Layer:		1			
Plug From:		0			
Plug To:		0.6			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007278726			
Layer:		2			
Plug From:		0.6			
Plug To:		1.5			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1007278715			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1007278721			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		15.9			
Casing Diameter:		5.1			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1007278722			
Layer:		1			
Slot:		10			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Screen Top Depth:		15.9			
Screen End Depth:		18.9			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.4			
<u>Water Details</u>					
Water ID:		1007278720			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:		10			
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1007278718			
Diameter:		36			
Depth From:		0			
Depth To:		13.7			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		1007278719			
Diameter:		21			
Depth From:		13.7			
Depth To:		18.9			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<hr/>					
56	1 of 1	ESE/69.3	154.7 / -3.22	1486 BATHURST INC. ON	EASR
Approval No:	R-009-4593863303			SWP Area Name:	Toronto
Status:	REGISTERED			MOE District:	Metro Toronto
Date:	2017-03-27			Municipality:	
Record Type:	EASR			Latitude:	43.683333329999996
Link Source:	MOFA			Longitude:	-79.41833333
Project Type:	Water Taking - Construction Dewatering			Geometry X:	
Full Address:				Geometry Y:	
Approval Type:	EASR-Water Taking - Construction Dewatering				
Full PDF Link:	http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2032821				
<hr/>					
57	1 of 4	SSE/76.7	156.5 / -1.36	SKETCHLEY CLEANERS 521 ST. CLAIR AVE. W. TORONTO ON M6C 1A1	GEN
Generator No:	ON0240400			PO Box No:	
Status:				Country:	
Approval Years:	86,87,88,89,90			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	9721				
SIC Description:	POWER LAUND./CLEANERS				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Detail(s)</u>					
Waste Class:		241			
Waste Class Desc:		HALOGENATED SOLVENTS			
57	2 of 4	SSE/76.7	156.5 / -1.36	SKETCHLEY (SEE & USE ON1533005) 35-025 521 ST. CLAIR AVE. W. TORONTO ON M6C 1A1	GEN
Generator No:		ON0240400		PO Box No:	
Status:				Country:	
Approval Years:		92,93,94,95,96,97		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		9721			
SIC Description:		POWER LAUND./CLEANER			
<u>Detail(s)</u>					
Waste Class:		241			
Waste Class Desc:		HALOGENATED SOLVENTS			
57	3 of 4	SSE/76.7	156.5 / -1.36	SKETCHLEY CLEANERS (SEE & USE ON1533005) 521 ST. CLAIR AVENUE WEST TORONTO ON M6C 1A1	GEN
Generator No:		ON0240400		PO Box No:	
Status:				Country:	
Approval Years:		98		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		9721			
SIC Description:		POWER LAUND./CLEANERS			
<u>Detail(s)</u>					
Waste Class:		241			
Waste Class Desc:		HALOGENATED SOLVENTS			
57	4 of 4	SSE/76.7	156.5 / -1.36	EMBASSY CLEANERS INC. 35-025 O/A SKETCHLEY CLEANERS, 521 ST. CLAIR AVE. W., C/O 290 OLD WESTON RD. TORONTO ON M6C 1A1	GEN
Generator No:		ON1533005		PO Box No:	
Status:				Country:	
Approval Years:		92,93,94,95,96,97,98		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		9721			
SIC Description:		POWER LAUND./CLEANER			
<u>Detail(s)</u>					
Waste Class:		241			
Waste Class Desc:		HALOGENATED SOLVENTS			
58	1 of 1	S/75.7	156.8 / -1.09	523 - 531 St. Clair Avenue West Toronto ON	EHS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Supplier Comment:					
61	1 of 1	N/76.7	159.8 / 1.97	ON	WWIS
Well ID: 7316085		Data Entry Status: Yes			
Construction Date:		Data Src:			
Primary Water Use:		Date Received: 8/3/2018			
Sec. Water Use:		Selected Flag: Yes			
Final Well Status:		Abandonment Rec:			
Water Type:		Contractor: 7241			
Casing Material:		Form Version: 7			
Audit No: Z291900		Owner:			
Tag: A254455		Street Name:			
Construction Method:		County: YORK			
Elevation (m):		Municipality: YORK BOROUGH			
Elevation Reliability:		Site Info:			
Depth to Bedrock:		Lot:			
Well Depth:		Concession:			
Overburden/Bedrock:		Concession Name:			
Pump Rate:		Easting NAD83:			
Static Water Level:		Northing NAD83:			
Flowing (Y/N):		Zone:			
Flow Rate:		UTM Reliability:			
Clear/Cloudy:					
Bore Hole Information					
Bore Hole ID: 1007240334		Elevation:			
DP2BR:		Elevrc:			
Spatial Status:		Zone: 17			
Code OB:		East83: 627390.21			
Code OB Desc:		North83: 4838047.44			
Open Hole:		Org CS: N27e			
Cluster Kind:		UTMRC: 4			
Date Completed: 7/25/2018		UTMRC Desc: margin of error : 30 m - 100 m			
Remarks:		Location Method: wwr			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
62	1 of 12	SSE/79.6	156.5 / -1.34	SHOPPERS DRUG MART S. DINOFF DRUGS 523 ST. CLAIR AVENUE WEST TORONTO ON M6C 1A1	GEN
Generator No: ON1501557		PO Box No:			
Status:		Country:			
Approval Years: 95,96,97,98		Choice of Contact:			
Contam. Facility:		Co Admin:			
MHSW Facility:		Phone No Admin:			
SIC Code: 6031					
SIC Description: PHARMACIES					
Detail(s)					
Waste Class: 261					
Waste Class Desc: PHARMACEUTICALS					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
62	2 of 12	SSE/79.6	156.5 / -1.34	Hale Motors Ltd 523 St Clair Ave W Toronto ON M6C 1A1	TANK
Permit Date: Permit Type: User Type: Installation Type: Installation Size: Installation Config.: No. Tanks Installed: Units of Measure: Value/Tank (\$): Capacity(gal): Reference: Location Desc:		1923 To install Gasoline service station Gasoline tank & pump 500 1 x 500 gallon gasoline tank and pump 1 Imperial gallons 500 TCM 1923 A: 245 es Vaughan Rd 150's of St Clair Ave W			
62	3 of 12	SSE/79.6	156.5 / -1.34	Hale Motors Ltd 523 St Clair Ave W Toronto ON M6C 1A1	TANK
Permit Date: Permit Type: User Type: Installation Type: Installation Size: Installation Config.: No. Tanks Installed: Units of Measure: Value/Tank (\$): Capacity(gal): Reference: Location Desc:		1923 To install Gasoline service station Free air & water standard Free air & water standard on curb TCM 1923 A: 490-1 28' s of gasoline pump			
62	4 of 12	SSE/79.6	156.5 / -1.34	SHOPPERS DRUG MART #0836 (ST. CLAIR & BATHURST) 523 ST. CLAIR AVE W TORONTO ON M6C 1A1	PES
Detail Licence No: Licence No: Status: Approval Date: Report Source: Licence Type: Licence Type Code: Licence Class: Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link:		Limited Vendor 23 Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:			
62	5 of 12	SSE/79.6	156.5 / -1.34	S. DANOFF DRUGS LIMITED / SHOPPERS DRUG MART # 836	PES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
				523 ST CLAIR AVE W TORONTO ON M6C 1A1	
Detail Licence No:				Operator Box:	
Licence No:				Operator Class:	
Status:				Operator No:	
Approval Date:				Operator Type:	
Report Source:				Oper Area Code:	
Licence Type:	Vendor			Oper Phone No:	
Licence Type Code:				Operator Ext:	
Licence Class:				Operator Lot:	
Licence Control:				Oper Concession:	
Latitude:				Operator Region:	
Longitude:				Operator District:	
Lot:				Operator County:	
Concession:				Op Municipality:	
Region:				Post Office Box:	
District:				MOE District:	
County:				SWP Area Name:	
Trade Name:					
PDF Link:					
62	6 of 12	SSE/79.6	156.5 / -1.34	S. DANOFF DRUGS LIMITED / SHOPPERS DRUG MART # 836 523 ST CLAIR AVE W TORONTO ON M6C 1A1	PES
Detail Licence No:	23-01-15783-0			Operator Box:	
Licence No:				Operator Class:	
Status:				Operator No:	
Approval Date:				Operator Type:	
Report Source:				Oper Area Code:	
Licence Type:	LIMITED			Oper Phone No:	
Licence Type Code:				Operator Ext:	
Licence Class:				Operator Lot:	
Licence Control:				Oper Concession:	
Latitude:				Operator Region:	
Longitude:				Operator District:	
Lot:				Operator County:	
Concession:				Op Municipality:	
Region:				Post Office Box:	
District:				MOE District:	
County:				SWP Area Name:	
Trade Name:					
PDF Link:					
62	7 of 12	SSE/79.6	156.5 / -1.34	Nart Drugs Inc. 523 St.Clair Avenue West Toronto ON M6C1A1	GEN
Generator No:	ON3447304			PO Box No:	
Status:				Country:	Canada
Approval Years:	2016			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	
MHSW Facility:	No			Phone No Admin:	
SIC Code:	446110				
SIC Description:	446110				
<u>Detail(s)</u>					
Waste Class:	261				
Waste Class Desc:	PHARMACEUTICALS				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
62	8 of 12	SSE/79.6	156.5 / -1.34	S. Dinoff Drugs Limited 523 ST. CLAIR AVE. W. Toronto ON M6C 1A1	GEN
Generator No:		ON3750218	PO Box No:		
Status:			Country:		Canada
Approval Years:		2015	Choice of Contact:		CO_ADMIN
Contam. Facility:		No	Co Admin:		Nastran Najafi-Fard
MHSW Facility:		No	Phone No Admin:		416-493-1220 Ext.3218
SIC Code:		446110			
SIC Description:		446110			
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
Waste Class:		261			
Waste Class Desc:		PHARMACEUTICALS			
62	9 of 12	SSE/79.6	156.5 / -1.34	Nart Drugs Inc. 523 St.Clair Avenue West Toronto ON M6C1A1	GEN
Generator No:		ON3447304	PO Box No:		
Status:		Registered	Country:		Canada
Approval Years:		As of Dec 2018	Choice of Contact:		
Contam. Facility:			Co Admin:		
MHSW Facility:			Phone No Admin:		
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		261 A			
Waste Class Desc:		Pharmaceuticals			
Waste Class:		261 B			
Waste Class Desc:		Pharmaceuticals			
Waste Class:		312 P			
Waste Class Desc:		Pathological wastes			
62	10 of 12	SSE/79.6	156.5 / -1.34	SHOPPERS DRUG MART #0836 (ST. CLAIR & BATHURST) 523 ST. CLAIR AVE W TORONTO ON M6C1A1	PES
Detail Licence No:			Operator Box:		
Licence No:		12998	Operator Class:		
Status:			Operator No:		
Approval Date:			Operator Type:		
Report Source:		Legacy Licenses (Excluding TS)	Oper Area Code:		416
Licence Type:		Limited Vendor	Oper Phone No:		5381155
Licence Type Code:		23	Operator Ext:		
Licence Class:		01	Operator Lot:		
Licence Control:			Oper Concession:		
Latitude:			Operator Region:		
Longitude:			Operator District:		
Lot:			Operator County:		
Concession:			Op Municipality:		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Region: District: County: Trade Name: PDF Link:			Post Office Box: MOE District: SWP Area Name:		
62	11 of 12	SSE/79.6	156.5 / -1.34	S. DANOFF DRUGS LIMITED / SHOPPERS DRUG MART # 836 523 ST CLAIR AVE W TORONTO ON M6C1A1	PES
Detail Licence No: Licence No: 15783 Status: Approval Date: Report Source: Legacy Licenses (Excluding TS) Licence Type: Limited Vendor Licence Type Code: 23 Licence Class: 01 Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link:			Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: 416 Oper Phone No: 5381155 Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:		
62	12 of 12	SSE/79.6	156.5 / -1.34	Nart Drugs Inc. 523 St.Clair Avenue West Toronto ON M6C1A1	GEN
Generator No: ON3447304 Status: Registered Approval Years: As of Oct 2019 Contam. Facility: MHSW Facility: SIC Code: SIC Description:			PO Box No: Country: Canada Choice of Contact: Co Admin: Phone No Admin:		
<u>Detail(s)</u>					
Waste Class: 261 B Waste Class Desc: Pharmaceuticals					
Waste Class: 261 A Waste Class Desc: Pharmaceuticals					
Waste Class: 312 P Waste Class Desc: Pathological wastes					
63	1 of 1	WNW/74.0	158.9 / 0.99	40 Raglan Ave Toronto ON M6C2L2	EHS
Order No: 20170424048 Status: C Report Type: Standard Express Report Report Date: 24-APR-17 Date Received: 24-APR-17			Nearest Intersection: Municipality: TORONTO Client Prov/State: ON Search Radius (km): .25 X: -79.420392		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Previous Site Name:				Y:	43.684203
Lot/Building Size:					
Additional Info Ordered:		City Directory			
64	1 of 1	WNW/74.0	158.9 / 0.99	Some Property Company 40 Raglan Avenue Toronto ON M6C 2L2	GEN
Generator No:		ON8897072		PO Box No:	
Status:				Country:	
Approval Years:		04		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		721191			
SIC Description:		Bed and Breakfast			
65	1 of 3	ESE/80.8	154.6 / -3.30	TORONTO CITY BATHURST ST./ST. CLAIR AVE.W. TORONTO CITY ON	CA
Certificate #:		3-1074-95-			
Application Year:		95			
Issue Date:		8/3/1995			
Approval Type:		Municipal sewage			
Status:		Approved			
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:					
Contaminants:					
Emission Control:					
65	2 of 3	ESE/80.8	154.6 / -3.30	NORTHEAST CORNER OF BATHURST STREET & ST. CLAIR AVENUE WEST TORONTO ON	HINC
External File Num:		FS INC 0611-03858			
Fuel Occurrence Type:		Pipeline Strike			
Date of Occurrence:		11/13/2006			
Fuel Type Involved:		Natural Gas			
Status Desc:		Completed - Causal Analysis(End)			
Job Type Desc:		Incident/Near-Miss Occurrence (FS)			
Oper. Type Involved:		Construction Site (pipeline strike)			
Service Interruptions:		Yes			
Property Damage:		No			
Fuel Life Cycle Stage:		Transmission, Distribution and Transportation			
Root Cause:		Root Cause: Equipment/Material/Component:No	Procedures:No	Maintenance:No	Design:No
		Management:No	Human Factors:Yes	Training:No	
Reported Details:					
Fuel Category:		Gaseous Fuel			
Occurrence Type:		Incident			
Affiliation:		Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.)			
County Name:		Toronto			
Approx. Quant. Rel:					
Nearby body of water:					
Enter Drainage Syst.:					
Approx. Quant. Unit:					
Environmental Impact:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
65	3 of 3	ESE/80.8	154.6 / -3.30	Toronto Transit Commission Bathurst and St. Clair Toronto ON	SPL
Ref No: 4147-AGDV94 Site No: NA Incident Dt: 2016/12/06 Year: Incident Cause: Incident Event: Leak/Break Contaminant Code: 27 Contaminant Name: COOLANT N.O.S. Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: Nature of Impact: Receiving Medium: Receiving Env: Land MOE Response: No Dt MOE Arvl on Scn: MOE Reported Dt: 2016/12/06 Dt Document Closed: Incident Reason: Equipment Failure Site Name: Intersection<UNOFFICIAL> Site County/District: Site Geo Ref Meth: Incident Summary: TTC: Bus coolant leak to catch basin; contained & cleaning Contaminant Qty: 0 other - see incident description		Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Miscellaneous Industrial Agency Involved: Nearest Watercourse: Site Address: Bathurst and St. Clair Site District Office: Site Postal Code: Site Region: Site Municipality: Toronto Site Lot: Site Conc: Northing: 4837905 Easting: 627483 Site Geo Ref Accu: Site Map Datum: SAC Action Class: Watercourse Spills Source Type:			
66	1 of 2	E/85.7	154.6 / -3.26	CROSS-TOWN AUTO SERVICE 1467 BATHURST ST YORK ON M5P3G8	RST
Headcode: 1186800 Headcode Desc: Service Stations-Gasoline, Oil & Natural Gas Phone: 4166584580 List Name: Description:					
66	2 of 2	E/85.7	154.6 / -3.26	1467 Bathurst Street Toronto ON	EHS
Order No: 20170331011 Status: C Report Type: Standard Report Report Date: 05-APR-17 Date Received: 31-MAR-17 Previous Site Name: Lot/Building Size: Additional Info Ordered: Fire Insur. Maps and/or Site Plans		Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -79.418084 Y: 43.683469			
67	1 of 31	E/85.7	154.6 / -3.26	373854 ONTARIO LTD 1467 BATHURST ST TORONTO ON M5P3G8	PRT
Location ID: 15174 Type: retail Expiry Date: 1995-05-31 Capacity (L): 0					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Licence #:		0076421759			
67	2 of 31	E/85.7	154.6 / -3.26	CROSSTOWN CAR WASH ANP 1467 BATHURST ST TORONTO ON M5P3G8	PRT
Location ID:		15174			
Type:		retail			
Expiry Date:		1995-07-31			
Capacity (L):		0			
Licence #:		0076402445			
67	3 of 31	E/85.7	154.6 / -3.26	ARCTURUS ENVIRONMENTAL LIMITED 1467 BATHURST STREET TORONTO CITY ON M5P 3G8	CA
Certificate #:		8-3394-96-			
Application Year:		96			
Issue Date:		3/11/1997			
Approval Type:		Industrial air			
Status:		Cancelled			
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:		BIOFILTER TREATMENT SYS. AT PETRO-CANADA			
Contaminants:					
Emission Control:					
67	4 of 31	E/85.7	154.6 / -3.26	PETRO-CANADA, ENVIRONMENTAL RETAIL SALES 1467 BATHURST ST., RET. OUTLET TORONTO CITY ON M5P 3G8	CA
Certificate #:		8-3028-99-			
Application Year:		99			
Issue Date:		6/10/1999			
Approval Type:		Industrial air			
Status:		Approved			
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:		BIOFILTER TREATMENT SYSTEM			
Contaminants:					
Emission Control:					
67	5 of 31	E/85.7	154.6 / -3.26	Petro Canada 1467 Bathurst Street Toronto ON	EBR
EBR Registry No:		IA9E0158		Decision Posted:	
Ministry Ref No:		8302899		Exception Posted:	
Notice Type:		Instrument Decision		Section:	
Notice Stage:		800474287		Act 1:	
Notice Date:		June 11, 1999		Act 2:	
Proposal Date:		February 04, 1999		Site Location Map:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Year: 1999 Instrument Type: (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air) Off Instrument Name: Posted By: Company Name: Petro Canada Site Address: Location Other: Proponent Name: Proponent Address: Central Region Business centre, 3275 Rebecca Street, Oakville Ontario, L6L 6N5 Comment Period: URL: Site Location Details: 1467 Bathurst Street Toronto					
67	6 of 31	E/85.7	154.6 / -3.26	Petro-Canada 1467 Bathurst Street Toronto ON M5P 3G8	GEN
Generator No: ON8437038 Status: Approval Years: 02,03,04,05,06,07,08 Contam. Facility: MHSW Facility: SIC Code: 447190 SIC Description: Other Gasoline Stations PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					
<u>Detail(s)</u>					
Waste Class: 251 Waste Class Desc: OIL SKIMMINGS & SLUDGES Waste Class: 150 Waste Class Desc: INERT INORGANIC WASTES Waste Class: 146 Waste Class Desc: OTHER SPECIFIED INORGANICS Waste Class: 221 Waste Class Desc: LIGHT FUELS					
67	7 of 31	E/85.7	154.6 / -3.26	CROSSTOWN AUTO SERVICE 1467 BATHURST ST TORONTO ON M5P 3G8	RST
Headcode: 01186800 Headcode Desc: SERVICE STATIONS-GASOLINE, OIL & NATURAL GAS Phone: 4166584580 List Name: Description:					
67	8 of 31	E/85.7	154.6 / -3.26	1162006 ONTARIO LTD CROSSTOWN CAR WASH & AUTO SERVICE 1467 BATHURST ST TORONTO ON M5P 3G8	FSTH
License Issue Date: 6/3/2002 Tank Status: Licensed Tank Status As Of: August 2007					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB		
Operation Type:		Retail Fuel Outlet					
Facility Type:		Gasoline Station - Full Serve					
--Details--							
Status:		Active					
Year of Installation:		1991					
Corrosion Protection:							
Capacity:		36370					
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline					
Status:		Active					
Year of Installation:		1991					
Corrosion Protection:							
Capacity:		36370					
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline					
Status:		Active					
Year of Installation:		1991					
Corrosion Protection:							
Capacity:		22730					
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline					
Status:		Active					
Year of Installation:		1991					
Corrosion Protection:							
Capacity:		27280					
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline					
Status:		Active					
Year of Installation:		1991					
Corrosion Protection:							
Capacity:		27280					
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline					
67	9 of 31	E/85.7	154.6 / -3.26	Petro-Canada 1467 Bathurst Street Toronto Ontario Toronto ON	EBR		
EBR Registry No:		IA04E0473		Decision Posted:			
Ministry Ref No:		5801-5XLRKS		Exception Posted:			
Notice Type:		Instrument Decision		Section:			
Notice Stage:		803006783		Act 1:			
Notice Date:		August 19, 2004		Act 2:			
Proposal Date:		April 02, 2004		Site Location Map:			
Year:		2004					
Instrument Type:		(EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)					
Off Instrument Name:							
Posted By:							
Company Name:		Petro-Canada					
Site Address:							
Location Other:							
Proponent Name:							
Proponent Address:		3275 Rebecca Street, Oakville Ontario, L6L 6N5					
Comment Period:							
URL:							
Site Location Details:							
1467 Bathurst Street Toronto Ontario Toronto							

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
67	10 of 31	E/85.7	154.6 / -3.26	1467 Bathurst street Toronto ON M5P 3G8	EHS
Order No: 20080811032 Status: C Report Type: Complete Report Report Date: 8/20/2008 Date Received: 8/11/2008 Previous Site Name: Lot/Building Size: Additional Info Ordered: Fire Insur. Maps And /or Site Plans		Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): 0.25 X: -79.418285 Y: 43.683514			
67	11 of 31	E/85.7	154.6 / -3.26	1516726 ONTARIO INC O/A GAS STN 1467 BATHURST ST TORONTO ON M5P 3G8	FSTH
License Issue Date: 2/26/2008 11:31:00 AM Tank Status: Licensed Tank Status As Of: December 2008 Operation Type: Retail Fuel Outlet Facility Type: Gasoline Station - Full Serve					
--Details--					
Status: Active Year of Installation: 1991 Corrosion Protection: Capacity: 36370 Tank Fuel Type: Liquid Fuel Single Wall UST - Gasoline					
Status: Active Year of Installation: 1991 Corrosion Protection: Capacity: 36370 Tank Fuel Type: Liquid Fuel Single Wall UST - Gasoline					
Status: Active Year of Installation: 1991 Corrosion Protection: Capacity: 22730 Tank Fuel Type: Liquid Fuel Single Wall UST - Gasoline					
Status: Active Year of Installation: 1991 Corrosion Protection: Capacity: 27280 Tank Fuel Type: Liquid Fuel Single Wall UST - Gasoline					
Status: Active Year of Installation: 1991 Corrosion Protection: Capacity: 27280 Tank Fuel Type: Liquid Fuel Single Wall UST - Gasoline					
Status: Active Year of Installation: 1991 Corrosion Protection: Capacity: 36370 Tank Fuel Type: Liquid Fuel Single Wall UST - Gasoline					
Status: Active Year of Installation: 1991 Corrosion Protection: Capacity: 36370					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline			
Status:		Active			
Year of Installation:		1991			
Corrosion Protection:					
Capacity:		22730			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline			
Status:		Active			
Year of Installation:		1991			
Corrosion Protection:					
Capacity:		27280			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline			
Status:		Active			
Year of Installation:		1991			
Corrosion Protection:					
Capacity:		27280			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline			
<hr/>					
67	12 of 31	E/85.7	154.6 / -3.26	Petro-Canada 1467 Bathurst Street Toronto ON M5P 3G8	CA
Certificate #:		2139-63XREM			
Application Year:		2004			
Issue Date:		8/18/2004			
Approval Type:		Air			
Status:		Approved			
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:					
Contaminants:					
Emission Control:					
<hr/>					
67	13 of 31	E/85.7	154.6 / -3.26	SUNCOR ENERGY PRODUCTS INC 1467 BATHURST ST TORONTO ON M5P 3G8	VAR
Incident No:		009502823-001			
Status:		Variance Approved			
Task Name:		FS-Variance Review			
Attribute:		Abandon UST			
<hr/>					
67	14 of 31	E/85.7	154.6 / -3.26	373854 ONTARIO LTD 1467 BATHURST ST TORONTO ON	EXP
Instance No:		10079798			
Instance ID:		11661			
Instance Type:		FS Facility			
Description:		FS Propane Cylr Handling Facility			
Status:		EXPIRED			
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:					
Expired Date:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
67	15 of 31	E/85.7	154.6 / -3.26	Petro-Canada 1467 Bathurst Street Toronto ON M5P 3G8	GEN
Generator No:	ON8437038			PO Box No:	
Status:				Country:	
Approval Years:	2009			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	447190				
SIC Description:	Other Gasoline Stations				
<u>Detail(s)</u>					
Waste Class:	251				
Waste Class Desc:	OIL SKIMMINGS & SLUDGES				
Waste Class:	146				
Waste Class Desc:	OTHER SPECIFIED INORGANICS				
Waste Class:	150				
Waste Class Desc:	INERT INORGANIC WASTES				
Waste Class:	221				
Waste Class Desc:	LIGHT FUELS				
67	16 of 31	E/85.7	154.6 / -3.26	Suncor Energy products partnership 1467 Bathurst Street Toronto ON M5P 3G8	GEN
Generator No:	ON8437038			PO Box No:	
Status:				Country:	
Approval Years:	2010			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	447190				
SIC Description:	Other Gasoline Stations				
<u>Detail(s)</u>					
Waste Class:	251				
Waste Class Desc:	OIL SKIMMINGS & SLUDGES				
Waste Class:	150				
Waste Class Desc:	INERT INORGANIC WASTES				
Waste Class:	146				
Waste Class Desc:	OTHER SPECIFIED INORGANICS				
Waste Class:	221				
Waste Class Desc:	LIGHT FUELS				
67	17 of 31	E/85.7	154.6 / -3.26	Suncor Energy products partnership 1467 Bathurst Street Toronto ON M5P 3G8	GEN
Generator No:	ON8437038			PO Box No:	
Status:				Country:	
Approval Years:	2011			Choice of Contact:	
Contam. Facility:				Co Admin:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
MHSW Facility:				Phone No Admin:	
SIC Code:	447190				
SIC Description:		Other Gasoline Stations			
 <u>Detail(s)</u>					
Waste Class:		150			
Waste Class Desc:		INERT INORGANIC WASTES			
Waste Class:		146			
Waste Class Desc:		OTHER SPECIFIED INORGANICS			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
<hr/>					
67	18 of 31	E/85.7	154.6 / -3.26	Suncor Energy products partnership 1467 Bathurst Street Toronto ON	GEN
Generator No:	ON8437038			PO Box No:	
Status:				Country:	
Approval Years:	2013			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	447190				
SIC Description:					
 <u>Detail(s)</u>					
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
Waste Class:		146			
Waste Class Desc:		OTHER SPECIFIED INORGANICS			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		150			
Waste Class Desc:		INERT INORGANIC WASTES			
<hr/>					
67	19 of 31	E/85.7	154.6 / -3.26	1516726 ONTARIO INC O/A GAS STN 1467 BATHURST ST TORONTO ON M5P 3G8	EXP
Instance No:	11287515				
Instance ID:					
Instance Type:	FS Liquid Fuel Tank				
Description:	FS Gasoline Station - Full Serve				
Status:	EXPIRED				
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:	FS Liquid Fuel Tank				
Expired Date:	10/15/2014 11:42:45 AM				
<hr/>					
67	20 of 31	E/85.7	154.6 / -3.26	1516726 ONTARIO INC O/A GAS STN 1467 BATHURST ST TORONTO ON M5P 3G8	EXP

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Instance No: 11287575 Instance ID: Instance Type: FS Liquid Fuel Tank Description: FS Gasoline Station - Full Serve Status: EXPIRED TSSA Program Area: Maximum Hazard Rank: Facility Type: FS Liquid Fuel Tank Expired Date: 10/15/2014 11:43:56 AM					
67	21 of 31	E/85.7	154.6 / -3.26	1516726 ONTARIO INC O/A GAS STN 1467 BATHURST ST TORONTO ON M5P 3G8	EXP
Instance No: 11287556 Instance ID: Instance Type: FS Liquid Fuel Tank Description: FS Gasoline Station - Full Serve Status: EXPIRED TSSA Program Area: Maximum Hazard Rank: Facility Type: FS Liquid Fuel Tank Expired Date: 10/15/2014 11:43:33 AM					
67	22 of 31	E/85.7	154.6 / -3.26	1516726 ONTARIO INC O/A GAS STN 1467 BATHURST ST TORONTO ON M5P 3G8	EXP
Instance No: 11287537 Instance ID: Instance Type: FS Liquid Fuel Tank Description: FS Gasoline Station - Full Serve Status: EXPIRED TSSA Program Area: Maximum Hazard Rank: Facility Type: FS Liquid Fuel Tank Expired Date: 10/15/2014 11:43:10 AM					
67	23 of 31	E/85.7	154.6 / -3.26	1516726 ONTARIO INC O/A GAS STN 1467 BATHURST ST TORONTO ON M5P 3G8	EXP
Instance No: 11008473 Instance ID: Instance Type: FS Liquid Fuel Tank Description: FS Gasoline Station - Full Serve Status: EXPIRED TSSA Program Area: Maximum Hazard Rank: Facility Type: FS Liquid Fuel Tank Expired Date: 10/15/2014 11:42:16 AM					
67	24 of 31	E/85.7	154.6 / -3.26	Suncor Energy products partnership 1467 Bathurst Street Toronto ON M5P 3G8	GEN
Generator No: ON8437038 Status: PO Box No: Country:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	2012 447190	Other Gasoline Stations		Choice of Contact: Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	221	LIGHT FUELS			
Waste Class: Waste Class Desc:	146	OTHER SPECIFIED INORGANICS			
Waste Class: Waste Class Desc:	150	INERT INORGANIC WASTES			
Waste Class: Waste Class Desc:	251	OIL SKIMMINGS & SLUDGES			
67	25 of 31	E/85.7	154.6 / -3.26	Suncor Energy Inc. 1467 Bathurst Street, City of Toronto CITY OF TORONTO ON	PTTW
EBR Registry No: Ministry Ref No: Notice Type: Notice Stage: Notice Date: Proposal Date: Year: Instrument Type: Off Instrument Name: Posted By: Company Name: Site Address: Location Other: Proponent Name: Proponent Address: Comment Period: URL:	012-6282 7402-A5BLLC Instrument Decision March 09, 2016 January 04, 2016 2016 (OWRA s. 34) - Permit to Take Water Suncor Energy Inc. 3275 Rebecca Street, Oakville Ontario, Canada L6L 6N5		Decision Posted: Exception Posted: Section: Act 1: Act 2: Site Location Map:		
Site Location Details:					
1467 Bathurst Street, City of Toronto CITY OF TORONTO					
67	26 of 31	E/85.7	154.6 / -3.26	Petro-Canada 1467 Bathurst Street Toronto ON L6L 6N5	ECA
Approval No: Approval Date: Status: Record Type: Link Source: SWP Area Name: Approval Type: Project Type: Address: Full Address:	2139-63XREM 2004-08-18 Approved ECA IDS Toronto ECA-AIR AIR 1467 Bathurst Street		MOE District: City: Longitude: Latitude: Geometry X: Geometry Y:	Metro Toronto -79.41727 43.683926	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Full PDF Link:		https://www.accessenvironment.ene.gov.on.ca/instruments/5801-5XLRKS-14.pdf			
67	27 of 31	E/85.7	154.6 / -3.26	Suncor Energy products partnership 1467 Bathurst Street Toronto ON M5P 3G8	GEN
Generator No: ON8437038		PO Box No:			
Status:		Country:		Canada	
Approval Years: 2015		Choice of Contact:		CO_ADMIN	
Contam. Facility: Yes		Co Admin:		Anita Langley	
MHSW Facility: No		Phone No Admin:		9057940168 Ext.	
SIC Code: 447190					
SIC Description: 447190					
Detail(s)					
Waste Class: 146					
Waste Class Desc: OTHER SPECIFIED INORGANICS					
Waste Class: 150					
Waste Class Desc: INERT INORGANIC WASTES					
Waste Class: 221					
Waste Class Desc: LIGHT FUELS					
Waste Class: 251					
Waste Class Desc: OIL SKIMMINGS & SLUDGES					
67	28 of 31	E/85.7	154.6 / -3.26	Suncor Energy products partnership 1467 Bathurst Street Toronto ON M5P 3G8	GEN
Generator No: ON8437038		PO Box No:			
Status:		Country:		Canada	
Approval Years: 2016		Choice of Contact:		CO_ADMIN	
Contam. Facility: Yes		Co Admin:		Anita Langley	
MHSW Facility: No		Phone No Admin:		9057940168 Ext.	
SIC Code: 447190					
SIC Description: 447190					
Detail(s)					
Waste Class: 221					
Waste Class Desc: LIGHT FUELS					
Waste Class: 146					
Waste Class Desc: OTHER SPECIFIED INORGANICS					
Waste Class: 150					
Waste Class Desc: INERT INORGANIC WASTES					
Waste Class: 251					
Waste Class Desc: OIL SKIMMINGS & SLUDGES					
67	29 of 31	E/85.7	154.6 / -3.26	Suncor Energy products partnership 1467 Bathurst Street Toronto ON M5P 3G8	GEN
Generator No: ON8437038		PO Box No:			
Status:		Country:		Canada	
Approval Years: 2014		Choice of Contact:		CO_ADMIN	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Contam. Facility: MHSW Facility: SIC Code: SIC Description:	Yes No 447190 447190			Co Admin: Phone No Admin:	Anita Langley 9057940168 Ext.
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	221 LIGHT FUELS				
Waste Class: Waste Class Desc:	251 OIL SKIMMINGS & SLUDGES				
Waste Class: Waste Class Desc:	150 INERT INORGANIC WASTES				
Waste Class: Waste Class Desc:	146 OTHER SPECIFIED INORGANICS				
67	30 of 31	E/85.7	154.6 / -3.26	Suncor Energy products partnership 1467 Bathurst Street Toronto ON M5P 3G8	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	ON8437038 Registered As of Dec 2018			PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	Canada
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	150 L Inert organic wastes				
Waste Class: Waste Class Desc:	221 I Light fuels				
Waste Class: Waste Class Desc:	221 L Light fuels				
Waste Class: Waste Class Desc:	251 L Waste oils/sludges (petroleum based)				
67	31 of 31	E/85.7	154.6 / -3.26	Suncor Energy products partnership 1467 Bathurst Street Toronto ON M5P 3G8	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	ON8437038 Registered As of Oct 2019			PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	Canada
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	221 I Light fuels				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		221 L			
Waste Class Desc:		Light fuels			
Waste Class:		150 L			
Waste Class Desc:		Inert organic wastes			
Waste Class:		251 L			
Waste Class Desc:		Waste oils/sludges (petroleum based)			

68	1 of 1	SE/88.7	155.4 / -2.47	ON	WWIS
Well ID:	7202233			Data Entry Status:	Yes
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	5/29/2013
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:				Abandonment Rec:	
Water Type:				Contractor:	7215
Casing Material:				Form Version:	8
Audit No:	C21123			Owner:	
Tag:				Street Name:	
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
Bore Hole Information					
Bore Hole ID:	1004317452			Elevation:	157.228515
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627456
Code OB Desc:				North83:	4837858
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	12/11/2012			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

69	1 of 1	SE/88.0	154.8 / -3.03	503 St Clair Ave W Toronto ON M6C 1A1	TANK
Permit Date:	5/16/1936				
Permit Type:	BP A59608				
User Type:					
Installation Type:	FO tank				
Installation Size:					
Installation Config.:	FO tank				
No. Tanks Installed:	1				
Units of Measure:					
Value/Tank (\$):	200				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Capacity(gal):					
Reference:					
Location Desc:					
		CTA Building Permits			
		St Clair SW cor Bathurst St			

70	1 of 1	E/95.2	154.4 / -3.51	Toronto ON	WWIS
Well ID: 7248116					
Construction Date:					
Primary Water Use: Dewatering					
Sec. Water Use: Other					
Final Well Status: Dewatering					
Water Type:					
Casing Material:					
Audit No: Z200116					
Tag: A118554					
Construction Method:					
Elevation (m):					
Elevation Reliability:					
Depth to Bedrock:					
Well Depth:					
Overburden/Bedrock:					
Pump Rate:					
Static Water Level:					
Flowing (Y/N):					
Flow Rate:					
Clear/Cloudy:					
Data Entry Status:					
Data Src:					
Date Received: 9/14/2015					
Selected Flag: Yes					
Abandonment Rec:					
Contractor: 6875					
Form Version: 7					
Owner:					
Street Name: 1467 BATHURST STREET					
County: YORK					
Municipality: TORONTO CITY					
Site Info:					
Lot:					
Concession:					
Concession Name:					
Easting NAD83:					
Northing NAD83:					
Zone:					
UTM Reliability:					
Bore Hole Information					
Bore Hole ID: 1005683231					
DP2BR:					
Spatial Status:					
Code OB:					
Code OB Desc:					
Open Hole:					
Cluster Kind:					
Date Completed: 10/24/2014					
Remarks:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
Elevation: 157.876342					
Elevrc:					
Zone: 17					
East83: 627511					
North83: 4837950					
Org CS: UTM83					
UTMRC: 4					
UTMRC Desc: margin of error : 30 m - 100 m					
Location Method: wwr					
Overburden and Bedrock					
Materials Interval					
Formation ID: 1005715706					
Layer: 3					
Color: 6					
General Color: BROWN					
Mat1: 28					
Most Common Material: SAND					
Mat2: 06					
Other Materials: SILT					
Mat3: 85					
Other Materials: SOFT					
Formation Top Depth: 10					
Formation End Depth: 13.72					
Formation End Depth UOM: m					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1005715705			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		06			
Other Materials:		SILT			
Mat3:		73			
Other Materials:		HARD			
Formation Top Depth:		3			
Formation End Depth:		10			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1005715704			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:		85			
Other Materials:		SOFT			
Formation Top Depth:		0			
Formation End Depth:		3			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005715715			
Layer:		2			
Plug From:		6.1			
Plug To:		6.6			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005715714			
Layer:		1			
Plug From:		0			
Plug To:		6.1			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005715716			
Layer:		3			
Plug From:		6.6			
Plug To:		13.72			
Plug Depth UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:	I				
Method Construction:	Sonic				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	1005715703				
Casing No:	0				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	1005715709				
Layer:	1				
Material:	5				
Open Hole or Material:	PLASTIC				
Depth From:	0				
Depth To:	7.62				
Casing Diameter:	10.8				
Casing Diameter UOM:	cm				
Casing Depth UOM:	m				
<u>Construction Record - Screen</u>					
Screen ID:	1005715710				
Layer:	1				
Slot:	20				
Screen Top Depth:	7.62				
Screen End Depth:	13.72				
Screen Material:	5				
Screen Depth UOM:	m				
Screen Diameter UOM:	cm				
Screen Diameter:	11.1				
<u>Water Details</u>					
Water ID:	1005715708				
Layer:	1				
Kind Code:	8				
Kind:	Untested				
Water Found Depth:	10.25				
Water Found Depth UOM:	m				
<u>Hole Diameter</u>					
Hole ID:	1005715707				
Diameter:	21				
Depth From:	0				
Depth To:	13.72				
Hole Depth UOM:	m				
Hole Diameter UOM:	cm				
71	1 of 1	WSW/96.3	158.6 / 0.67	TORONTO ON	WWIS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well ID:	7299604			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring			Date Received:	11/21/2017
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Observation Wells			Abandonment Rec:	
Water Type:				Contractor:	7615
Casing Material:				Form Version:	7
Audit No:	Z262020			Owner:	
Tag:	A228807			Street Name:	542 ST CLAIR AVENUE WEST
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1006812272			Elevation:	157.544189
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627299
Code OB Desc:				North83:	4837874
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	10/9/2017			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1007046943				
Layer:	2				
Color:	6				
General Color:	BROWN				
Mat1:	28				
Most Common Material:	SAND				
Mat2:	06				
Other Materials:	SILT				
Mat3:					
Other Materials:					
Formation Top Depth:	8				
Formation End Depth:	35				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1007046942				
Layer:	1				
Color:	6				
General Color:	BROWN				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat1:		01			
Most Common Material:		FILL			
Mat2:		77			
Other Materials:		LOOSE			
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		8			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007046950			
Layer:		1			
Plug From:		1			
Plug To:		23			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1007046941			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1007046946			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.3			
Depth To:		25			
Casing Diameter:		2			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1007046947			
Layer:		1			
Slot:		10			
Screen Top Depth:		25			
Screen End Depth:		35			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2			
<u>Water Details</u>					
Water ID:		1007046945			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:	1				
Kind Code:	8				
Kind:	Untested				
Water Found Depth:	33				
Water Found Depth UOM:	ft				
<u>Hole Diameter</u>					
Hole ID:	1007046944				
Diameter:	6				
Depth From:	0				
Depth To:	35				
Hole Depth UOM:	ft				
Hole Diameter UOM:	inch				
72	1 of 1	WSW/95.7	158.0 / 0.13	TORONTO ON	WWIS
Well ID:	7299602			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring			Date Received:	11/21/2017
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Observation Wells			Abandonment Rec:	
Water Type:				Contractor:	7615
Casing Material:				Form Version:	7
Audit No:	Z262022			Owner:	
Tag:	A228804			Street Name:	542 ST CLAIR AVENUE WEST
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1006812266			Elevation:	157.426834
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627304
Code OB Desc:				North83:	4837868
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	10/9/2017			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1007046922				
Layer:	1				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color:		6			
General Color:		BROWN			
Mat1:		01			
Most Common Material:		FILL			
Mat2:		77			
Other Materials:		LOOSE			
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		9			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1007046923			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		06			
Other Materials:		SILT			
Mat3:					
Other Materials:					
Formation Top Depth:		9			
Formation End Depth:		35			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007046930			
Layer:		1			
Plug From:		1			
Plug To:		23			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1007046921			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1007046926			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.3			
Depth To:		25			
Casing Diameter:		2			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1007046927			
Layer:		1			
Slot:		10			
Screen Top Depth:		25			
Screen End Depth:		35			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2			
<u>Water Details</u>					
Water ID:		1007046925			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:		31.5			
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1007046924			
Diameter:		6			
Depth From:		0			
Depth To:		35			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
73	1 of 1	ENE/100.7	154.9 / -3.01	Toronto ON	WWIS
Well ID:		7285641		Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:		Monitoring		Date Received:	4/25/2017
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:		Observation Wells		Abandonment Rec:	
Water Type:				Contractor:	7147
Casing Material:				Form Version:	7
Audit No:		Z246130		Owner:	
Tag:		A216336		Street Name:	1515 BATHURST STREET
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:		1006384433		Elevation:	158.278854
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Code OB:				East83:	627505
Code OB Desc:				North83:	4837994
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	3/30/2017			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006706091			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0.2			
Formation End Depth:		13.7			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006642075			
Layer:		1			
Color:		2			
General Color:		GREY			
Mat1:					
Most Common Material:					
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		0.2			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006642082			
Layer:		1			
Plug From:		0			
Plug To:		0.3			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006642083			
Layer:		2			
Plug From:		0.3			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug To:		10.7			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006642085			
Layer:		4			
Plug From:					
Plug To:		13.7			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006642084			
Layer:		3			
Plug From:		10.7			
Plug To:		13.7			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006642074			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006642078			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		10.7			
Casing Diameter:		0.01			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1006642079			
Layer:		1			
Slot:					
Screen Top Depth:		10.7			
Screen End Depth:		13.7			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.2			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Water Details</u>					
Water ID:		1006642077			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:		10.7			
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1006642076			
Diameter:		16.5			
Depth From:		0			
Depth To:		13.7			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>74</u>	1 of 1	E/98.0	153.9 / -3.94	ON	WWIS
Well ID:	7318918			Data Entry Status:	Yes
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	9/11/2018
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:				Abandonment Rec:	
Water Type:				Contractor:	6607
Casing Material:				Form Version:	8
Audit No:	C31107			Owner:	
Tag:	A224194			Street Name:	
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1007291498			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627514
Code OB Desc:				North83:	4837949
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	8/4/2017			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>75</u>	1 of 2	W/95.3	159.8 / 1.97	NINE WOODLAWN AVENUE LIMITED 99 VAUGHAN ROAD	CA

365 erisinfo.com | Environmental Risk Information Services Order No: 20200114186

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627515
Code OB Desc:				North83:	4837943
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	6/24/2015			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1005715690			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:		85			
Other Materials:		SOFT			
Formation Top Depth:		0			
Formation End Depth:		3			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1005715692			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		06			
Other Materials:		SILT			
Mat3:		85			
Other Materials:		SOFT			
Formation Top Depth:		10			
Formation End Depth:		12.2			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1005715691			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		06			
Other Materials:		SILT			
Mat3:		73			
Other Materials:		HARD			
Formation Top Depth:		3			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth:	10				
Formation End Depth UOM:	m				
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1005715701				
Layer:	2				
Plug From:	6.1				
Plug To:	6.6				
Plug Depth UOM:	m				
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1005715702				
Layer:	3				
Plug From:	6.6				
Plug To:	12.2				
Plug Depth UOM:	m				
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1005715700				
Layer:	1				
Plug From:	0				
Plug To:	6.1				
Plug Depth UOM:	m				
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:	I				
Method Construction:	Sonic				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	1005715689				
Casing No:	0				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	1005715695				
Layer:	1				
Material:	5				
Open Hole or Material:	PLASTIC				
Depth From:	0				
Depth To:	6.1				
Casing Diameter:	5.08				
Casing Diameter UOM:	cm				
Casing Depth UOM:	m				
<u>Construction Record - Screen</u>					
Screen ID:	1005715696				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Layer:		1			
Slot:		20			
Screen Top Depth:		6.1			
Screen End Depth:		12.2			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		5.4			
 <u>Water Details</u>					
Water ID:		1005715694			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:		10.5			
Water Found Depth UOM:		m			
 <u>Hole Diameter</u>					
Hole ID:		1005715693			
Diameter:		12			
Depth From:		0			
Depth To:		12.2			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<hr/>					
<u>77</u>	1 of 1	E/103.2	154.6 / -3.25	ON	WWIS
Well ID:	7263017			Data Entry Status:	Yes
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	5/17/2016
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:				Abandonment Rec:	
Water Type:				Contractor:	7383
Casing Material:				Form Version:	8
Audit No:	C33496			Owner:	
Tag:	A203526			Street Name:	
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
 <u>Bore Hole Information</u>					
Bore Hole ID:	1005992435			Elevation:	158.129959
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627512
Code OB Desc:				North83:	4837980
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	9/3/2015			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
78	1 of 1	WSW/99.1	158.2 / 0.33	TORONTO ON	WWIS
<div> <div> Well ID: 7299603 Construction Date: Primary Water Use: Monitoring Sec. Water Use: Final Well Status: Observation Wells Water Type: Casing Material: Audit No: Z262021 Tag: A228805 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy: </div> <div> Data Entry Status: Data Src: Date Received: 11/21/2017 Selected Flag: Yes Abandonment Rec: Contractor: 7615 Form Version: 7 Owner: Street Name: 542 ST CLAIR AVENUE WEST County: YORK Municipality: TORONTO CITY Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability: </div> </div>					
<u>Bore Hole Information</u>					
<div> <div> Bore Hole ID: 1006812269 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 10/9/2017 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment: </div> <div> Elevation: 157.496871 Elevrc: Zone: 17 East83: 627297 North83: 4837872 Org CS: UTM83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: wwr </div> </div>					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
<div> <div> Formation ID: 1007046932 Layer: 1 Color: 6 General Color: BROWN Mat1: 01 Most Common Material: FILL Mat2: 77 Other Materials: LOOSE Mat3: Other Materials: Formation Top Depth: 0 </div> </div>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth:		10.5			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1007046933			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		06			
Other Materials:		SILT			
Mat3:					
Other Materials:					
Formation Top Depth:		10.5			
Formation End Depth:		35			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007046940			
Layer:		1			
Plug From:		1			
Plug To:		23			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1007046931			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1007046936			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.3			
Depth To:		25			
Casing Diameter:		2			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1007046937			
Layer:		1			
Slot:		10			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Top Depth:		25			
Screen End Depth:		35			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2			
<u>Water Details</u>					
Water ID:		1007046935			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:		33			
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1007046934			
Diameter:		6			
Depth From:		0			
Depth To:		35			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<hr/>					
79	1 of 1	NNW/104.7	159.8 / 1.90	39 Raglan Avenue Toronto ON	EHS
Order No:	20060119006			Nearest Intersection:	
Status:	C			Municipality:	Toronto
Report Type:	Custom Report			Client Prov/State:	ON
Report Date:	1/27/2006			Search Radius (km):	0.25
Date Received:	1/19/2006			X:	-79.420059
Previous Site Name:				Y:	43.684656
Lot/Building Size:					
Additional Info Ordered:					
<hr/>					
80	1 of 1	SSE/105.4	155.9 / -2.00	TORONTO ON	WWIS
Well ID:	7302185			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Test Hole			Date Received:	12/22/2017
Sec. Water Use:	Monitoring			Selected Flag:	Yes
Final Well Status:	Observation Wells			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z274312			Owner:	
Tag:	A234016			Street Name:	513 ST CLAIR AVE W
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Bore Hole Information</u>					
Bore Hole ID:	1006923809			Elevation:	156.864929
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627446
Code OB Desc:				North83:	4837836
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	11/30/2017			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1007099870				
Layer:	2				
Color:	6				
General Color:	BROWN				
Mat1:	06				
Most Common Material:	SILT				
Mat2:	28				
Other Materials:	SAND				
Mat3:					
Other Materials:					
Formation Top Depth:	3				
Formation End Depth:	35				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1007099869				
Layer:	1				
Color:	6				
General Color:	BROWN				
Mat1:	28				
Most Common Material:	SAND				
Mat2:	11				
Other Materials:	GRAVEL				
Mat3:					
Other Materials:					
Formation Top Depth:	0				
Formation End Depth:	3				
Formation End Depth UOM:	ft				
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	1007099879				
Layer:	2				
Plug From:	24				
Plug To:	0				
Plug Depth UOM:	ft				
<u>Annular Space/Abandonment</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Sealing Record</u>					
Plug ID:		1007099878			
Layer:		1			
Plug From:		35			
Plug To:		24			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1007099868			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1007099873			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		25			
Casing Diameter:		2			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1007099874			
Layer:		1			
Slot:		.10			
Screen Top Depth:		25			
Screen End Depth:		35			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.25			
<u>Hole Diameter</u>					
Hole ID:		1007099871			
Diameter:		8			
Depth From:		0			
Depth To:		35			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

81

1 of 1

WNW/99.3

159.8 / 1.97

TORONTO ON

WWIS

Well ID: 7223712
Construction Date:

Data Entry Status:
Data Src:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Primary Water Use:	Test Hole			Date Received:	7/14/2014
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7215
Casing Material:				Form Version:	7
Audit No:	Z146186			Owner:	
Tag:	A162678			Street Name:	109 VAUGHAN RD
Construction Method:				County:	YORK
Elevation (m):				Municipality:	YORK BOROUGH
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:	1004923087	Elevation:	159.870056
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	627286
Code OB Desc:		North83:	4838016
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	6/30/2014	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	1005218676
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	01
Most Common Material:	FILL
Mat2:	77
Other Materials:	LOOSE
Mat3:	
Other Materials:	
Formation Top Depth:	0
Formation End Depth:	3
Formation End Depth UOM:	ft

Overburden and Bedrock Materials Interval

Formation ID:	1005218679
Layer:	4
Color:	2
General Color:	GREY
Mat1:	28
Most Common Material:	SAND

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2:		91			
Other Materials:		WATER-BEARING			
Mat3:					
Other Materials:					
Formation Top Depth:	32				
Formation End Depth:	45				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1005218677			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		28			
Other Materials:		SAND			
Mat3:		85			
Other Materials:		SOFT			
Formation Top Depth:	3				
Formation End Depth:	18				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1005218678			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		06			
Other Materials:		SILT			
Mat3:					
Other Materials:					
Formation Top Depth:	18				
Formation End Depth:	32				
Formation End Depth UOM:	ft				
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1005218689			
Layer:		3			
Plug From:		34			
Plug To:		45			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1005218688			
Layer:		2			
Plug From:		2			
Plug To:		34			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Plug ID:		1005218687			
Layer:		1			
Plug From:		0			
Plug To:		2			
Plug Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		1005218675			
Casing No:		0			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		1005218683			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		35			
Casing Diameter:		2			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		1005218684			
Layer:		1			
Slot:		10			
Screen Top Depth:		35			
Screen End Depth:		45			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2			
 <u>Hole Diameter</u>					
Hole ID:		1005218680			
Diameter:		15			
Depth From:		0			
Depth To:		25			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
 <u>Hole Diameter</u>					
Hole ID:		1005218681			
Diameter:		9			
Depth From:		25			
Depth To:		45			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
82	1 of 1	ESE/101.9	153.8 / -4.05	ON	WWIS
Well ID: 7318919				Data Entry Status: Yes	
Construction Date:				Data Src:	
Primary Water Use:				Date Received: 9/11/2018	
Sec. Water Use:				Selected Flag: Yes	
Final Well Status:				Abandonment Rec:	
Water Type:				Contractor: 6607	
Casing Material:				Form Version: 8	
Audit No: C32771				Owner:	
Tag:				Street Name:	
Construction Method:				County: YORK	
Elevation (m):				Municipality: TORONTO CITY	
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID: 1007291501				Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone: 17	
Code OB:				East83: 627510	
Code OB Desc:				North83: 4837899	
Open Hole:				Org CS: UTM83	
Cluster Kind:				UTMRC: 4	
Date Completed: 5/24/2018				UTMRC Desc: margin of error : 30 m - 100 m	
Remarks:				Location Method: wwr	
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
83	1 of 12	SE/104.3	154.7 / -3.16	1486 Bathurst Inc. 1466 Bathurst Street, City of Toronto CITY OF TORONTO ON	PTTW
EBR Registry No: 012-6624				Decision Posted:	
Ministry Ref No: 5728-A6LKTT				Exception Posted:	
Notice Type: Instrument Decision				Section:	
Notice Stage:				Act 1:	
Notice Date: July 25, 2016				Act 2:	
Proposal Date: February 01, 2016				Site Location Map:	
Year: 2016					
Instrument Type: (OWRA s. 34) - Permit to Take Water					
Off Instrument Name:					
Posted By:					
Company Name: 1486 Bathurst Inc.					
Site Address:					
Location Other:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Proponent Name: Proponent Address: 10 Kodiak Crescent, Toronto Ontario, Canada M3J 3G5 Comment Period: URL:					
Site Location Details: 1466 Bathurst Street, City of Toronto CITY OF TORONTO					
83	2 of 12	SE/104.3	154.7 / -3.16	Dr Abelsohn 1466 Bathurst Str, #205 Toronto ON M5R3S3	GEN
Generator No: ON3913633 Status: Approval Years: 2016 Contam. Facility: No MHSW Facility: No SIC Code: 621110 SIC Description: OFFICES OF PHYSICIANS					
PO Box No: Country: Canada Choice of Contact: CO_ADMIN Co Admin: Pat DiCicco Phone No Admin: 4164838111 Ext.					
<u>Detail(s)</u>					
Waste Class: 312 Waste Class Desc: PATHOLOGICAL WASTES					
83	3 of 12	SE/104.3	154.7 / -3.16	DMKCorp 1466 Bathurst st suite 303 Toronto ON M5C3J3	GEN
Generator No: ON5413157 Status: Approval Years: 2016 Contam. Facility: No MHSW Facility: No SIC Code: 621110 SIC Description: OFFICES OF PHYSICIANS					
PO Box No: Country: Canada Choice of Contact: CO_OFFICIAL Co Admin: Cheska Ventura Phone No Admin: 4166545437 Ext.					
<u>Detail(s)</u>					
Waste Class: 312 Waste Class Desc: PATHOLOGICAL WASTES					
83	4 of 12	SE/104.3	154.7 / -3.16	Dr. C. Borgono 1466 Bathurst Street, Suite 306 Toronto ON M5R 3S3	GEN
Generator No: ON6487862 Status: Approval Years: 2016 Contam. Facility: No MHSW Facility: No SIC Code: 621110 SIC Description: OFFICES OF PHYSICIANS					
PO Box No: Country: Canada Choice of Contact: CO_OFFICIAL Co Admin: Phone No Admin:					
<u>Detail(s)</u>					
Waste Class: 312 Waste Class Desc: PATHOLOGICAL WASTES					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
83	5 of 12	SE/104.3	154.7 / -3.16	Dr Abelsohn 1466 Bathurst Str, #205 Toronto ON M5R3S3	GEN
Generator No:	ON3913633			PO Box No:	
Status:				Country:	Canada
Approval Years:	2015			Choice of Contact:	CO_ADMIN
Contam. Facility:	No			Co Admin:	Pat DiCicco
MHSW Facility:	No			Phone No Admin:	4164838111 Ext.
SIC Code:	621110				
SIC Description:	OFFICES OF PHYSICIANS				
<u>Detail(s)</u>					
Waste Class:	312				
Waste Class Desc:	PATHOLOGICAL WASTES				
83	6 of 12	SE/104.3	154.7 / -3.16	Dr. C. Borgono 1466 Bathurst Street, Suite 306 Toronto ON M5R 3S3	GEN
Generator No:	ON6487862			PO Box No:	
Status:				Country:	Canada
Approval Years:	2015			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	
MHSW Facility:	No			Phone No Admin:	
SIC Code:	621110				
SIC Description:	OFFICES OF PHYSICIANS				
<u>Detail(s)</u>					
Waste Class:	312				
Waste Class Desc:	PATHOLOGICAL WASTES				
83	7 of 12	SE/104.3	154.7 / -3.16	Dr. C. Borgono 1466 Bathurst Street, Suite 306 Toronto ON M5R 3S3	GEN
Generator No:	ON6487862			PO Box No:	
Status:				Country:	Canada
Approval Years:	2014			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	
MHSW Facility:	No			Phone No Admin:	
SIC Code:	621110				
SIC Description:	OFFICES OF PHYSICIANS				
<u>Detail(s)</u>					
Waste Class:	312				
Waste Class Desc:	PATHOLOGICAL WASTES				
83	8 of 12	SE/104.3	154.7 / -3.16	Dr. C. Borgono 1466 Bathurst Street, Suite 306 Toronto ON M5R 3S3	GEN
Generator No:	ON6487862			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Dec 2018			Choice of Contact:	
Contam. Facility:				Co Admin:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
MHSW Facility: SIC Code: SIC Description:				Phone No Admin:	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:		312 P Pathological wastes			
83	9 of 12	SE/104.3	154.7 / -3.16	DMKCorp 1466 Bathurst st suite 303 Toronto ON M5C3J3	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:		ON5413157 Registered As of Jun 2017		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	Canada
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:		312 P Pathological wastes			
83	10 of 12	SE/104.3	154.7 / -3.16	Dr. Abelsohn Abelsohn 205-1466 Bathurst Str Toronto ON M5R 3S3	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:		ON3913633 Registered As of Dec 2018		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	Canada
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:		312 P Pathological wastes			
83	11 of 12	SE/104.3	154.7 / -3.16	Dr. Abelsohn Abelsohn 205-1466 Bathurst Str Toronto ON M5R 3S3	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:		ON3913633 Registered As of Oct 2019		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	Canada
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:		312 P Pathological wastes			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
83	12 of 12	SE/104.3	154.7 / -3.16	Dr. C. Borgono 1466 Bathurst Street, Suite 306 Toronto ON M5R 3S3	GEN
Generator No:		ON6487862	PO Box No:		
Status:		Registered	Country:		Canada
Approval Years:		As of Oct 2019	Choice of Contact:		
Contam. Facility:			Co Admin:		
MHSW Facility:			Phone No Admin:		
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		312 P			
Waste Class Desc:		Pathological wastes			
84	1 of 7	SE/104.4	154.7 / -3.16	DYNACARE LABORATORIES 30-883 PARK-MED LABORATORIES LIMITED 1466 BATHURST ST., BASEMENT TORONTO ON M5R 3S3	GEN
Generator No:		ON0245620	PO Box No:		
Status:			Country:		
Approval Years:		92,93,94,95,96,97	Choice of Contact:		
Contam. Facility:			Co Admin:		
MHSW Facility:			Phone No Admin:		
SIC Code:		8681			
SIC Description:		MEDICAL LABORATORIES			
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
84	2 of 7	SE/104.4	154.7 / -3.16	DYNACARE LABORATORIES LIMITED PARK-MED LABORATORIES LIMITED 1466 BATHURST STREET, BASEMENT TORONTO ON M5R 3S3	GEN
Generator No:		ON0245620	PO Box No:		
Status:			Country:		
Approval Years:		98	Choice of Contact:		
Contam. Facility:			Co Admin:		
MHSW Facility:			Phone No Admin:		
SIC Code:		8681			
SIC Description:		MEDICAL LABORATORIES			
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
84	3 of 7	SE/104.4	154.7 / -3.16	1466 Bathurst Street Toronto ON M5R 3S3	EHS
Order No:		20121101010	Nearest Intersection:		
Status:		C	Municipality:		
Report Type:		Standard Report	Client Prov/State:		ON
Report Date:		02-NOV-12	Search Radius (km):		.25

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Date Received: 01-NOV-12 Previous Site Name: Lot/Building Size: Additional Info Ordered:					
				X: -79.41851 Y: 43.682839	
84	4 of 7	SE/104.4	154.7 / -3.16	Dr. C. Borgono 1466 Bathurst Street, Suite 306 Toronto ON M5R 3S3	GEN
Generator No: ON6487862 Status: Approval Years: 2010 Contam. Facility: MHSW Facility: SIC Code: 621110 SIC Description: Offices of Physicians					
PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					
<u>Detail(s)</u>					
Waste Class: 312 Waste Class Desc: PATHOLOGICAL WASTES					
84	5 of 7	SE/104.4	154.7 / -3.16	Dr. C. Borgono 1466 Bathurst Street, Suite 306 Toronto ON M5R 3S3	GEN
Generator No: ON6487862 Status: Approval Years: 2011 Contam. Facility: MHSW Facility: SIC Code: 621110 SIC Description: Offices of Physicians					
PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					
<u>Detail(s)</u>					
Waste Class: 312 Waste Class Desc: PATHOLOGICAL WASTES					
84	6 of 7	SE/104.4	154.7 / -3.16	Dr. C. Borgono 1466 Bathurst Street, Suite 306 Toronto ON M5R 3S3	GEN
Generator No: ON6487862 Status: Approval Years: 2012 Contam. Facility: MHSW Facility: SIC Code: 621110 SIC Description: Offices of Physicians					
PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					
<u>Detail(s)</u>					
Waste Class: 312 Waste Class Desc: PATHOLOGICAL WASTES					
84	7 of 7	SE/104.4	154.7 / -3.16	Dr. C. Borgono 1466 Bathurst Street, Suite 306 Toronto ON	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<div> <div> Generator No: ON6487862 Status: Approval Years: 2013 Contam. Facility: MHSW Facility: SIC Code: 621110 SIC Description: OFFICES OF PHYSICIANS </div> <div> PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin: </div> </div>					
<u>Detail(s)</u>					
Waste Class: 312 Waste Class Desc: PATHOLOGICAL WASTES					
85	1 of 1	SSW/102.2	157.2 / -0.63	535 St. Clair Avenue West Toronto ON	EHS
<div> <div> Order No: 20160126056 Status: C Report Type: Custom Report Report Date: 29-JAN-16 Date Received: 26-JAN-16 Previous Site Name: Lot/Building Size: Additional Info Ordered: </div> <div> Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -79.420097 Y: 43.68258 </div> </div>					
86	1 of 1	WSW/106.5	158.7 / 0.86	TORONTO ON	WWIS
<div> <div> Well ID: 7299605 Construction Date: Primary Water Use: Monitoring Sec. Water Use: Final Well Status: Observation Wells Water Type: Casing Material: Audit No: Z262019 Tag: A228808 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy: </div> <div> Data Entry Status: Data Src: Date Received: 11/21/2017 Selected Flag: Yes Abandonment Rec: Contractor: 7615 Form Version: 7 Owner: Street Name: 542 ST CLAIR AVENUE WEST County: YORK Municipality: TORONTO CITY Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability: </div> </div>					
<u>Bore Hole Information</u>					
<div> <div> Bore Hole ID: 1006812275 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 10/9/2017 Remarks: Elevrc Desc: </div> <div> Elevation: 157.641921 Elevrc: Zone: 17 East83: 627284 North83: 4837880 Org CS: UTM83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: wwr </div> </div>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1007046953			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		06			
Other Materials:		SILT			
Mat3:					
Other Materials:					
Formation Top Depth:		4.5			
Formation End Depth:		35			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1007046952			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		01			
Most Common Material:		FILL			
Mat2:		77			
Other Materials:		LOOSE			
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		4.5			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1007046960			
Layer:		1			
Plug From:		1			
Plug To:		23			
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1007046951			
Casing No:		0			
Comment:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1007046956			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.3			
Depth To:		25			
Casing Diameter:		2			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1007046957			
Layer:		1			
Slot:		10			
Screen Top Depth:		25			
Screen End Depth:		35			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2			
<u>Water Details</u>					
Water ID:		1007046955			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:		32			
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1007046954			
Diameter:		6			
Depth From:		0			
Depth To:		35			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<hr/>					
87	1 of 1	WSW/105.3	158.3 / 0.45	542 St Clair Ave W Toronto ON M6C1A5	EHS
Order No:	20170804018			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	10-AUG-17			Search Radius (km):	.25
Date Received:	04-AUG-17			X:	-79.420692
Previous Site Name:				Y:	43.682909
Lot/Building Size:					
Additional Info Ordered:					
<hr/>					
88	1 of 1	ENE/110.3	154.8 / -3.08	TORONTO ON	WWIS
Well ID:	6928027			Data Entry Status:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Construction Date:				Data Src:	1
Primary Water Use:				Date Received:	7/21/2004
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Observation Wells			Abandonment Rec:	
Water Type:				Contractor:	6607
Casing Material:				Form Version:	3
Audit No:	Z15861			Owner:	
Tag:	A010804			Street Name:	1467 BATHURST STREET
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:	11180552	Elevation:	158.154052
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:	o	East83:	627516
Code OB Desc:	Overburden	North83:	4837991
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	3
Date Completed:	7/14/2004	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	932991813
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	06
Other Materials:	SILT
Mat3:	08
Other Materials:	FINE SAND
Formation Top Depth:	8
Formation End Depth:	11.5
Formation End Depth UOM:	m

Overburden and Bedrock

Materials Interval

Formation ID:	932991812
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	28

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Most Common Material:		SAND			
Mat2:		06			
Other Materials:		SILT			
Mat3:		09			
Other Materials:		MEDIUM SAND			
Formation Top Depth:		0			
Formation End Depth:		8			
Formation End Depth UOM:		m			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932991814			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		28			
Other Materials:		SAND			
Mat3:					
Other Materials:					
Formation Top Depth:		11.5			
Formation End Depth:		13.7			
Formation End Depth UOM:		m			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933263478			
Layer:		1			
Plug From:		0			
Plug To:		0.15			
Plug Depth UOM:		m			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933263479			
Layer:		2			
Plug From:		0.15			
Plug To:		6.9			
Plug Depth UOM:		m			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11189071			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing ID: 930853435					
Layer: 1					
Material: 5					
Open Hole or Material: PLASTIC					
Depth From: 0					
Depth To: 7.6					
Casing Diameter: 5					
Casing Diameter UOM: cm					
Casing Depth UOM: m					
<u>Construction Record - Screen</u>					
Screen ID: 933411206					
Layer: 1					
Slot: 020					
Screen Top Depth: 7.6					
Screen End Depth: 13.7					
Screen Material: 5					
Screen Depth UOM: m					
Screen Diameter UOM: cm					
Screen Diameter: 6.4					
<u>Water Details</u>					
Water ID: 934057494					
Layer: 1					
Kind Code: 5					
Kind: Not stated					
Water Found Depth: 10.7					
Water Found Depth UOM: m					
<u>Hole Diameter</u>					
Hole ID: 11314658					
Diameter: 21					
Depth From: 0					
Depth To: 13.7					
Hole Depth UOM: m					
Hole Diameter UOM: cm					
89	1 of 2	SSW/105.4	156.8 / -1.10	TORONTO HEALTH CARE GROUP 64 VAUGHAN ROAD TORONTO ON M6G 2N4	GEN
Generator No: ON2246300					
Status:					
Approval Years: 97,98,99,00,01					
Contam. Facility:					
MHSW Facility:					
SIC Code: 8661					
SIC Description: CHIRO./OSTEOPATHS					
<u>Detail(s)</u>					
Waste Class: 264					
Waste Class Desc: PHOTOPROCESSING WASTES					
89	2 of 2	SSW/105.4	156.8 / -1.10	Rowell [L O] 64 Vaughan Rd Toronto ON M6G 2N4	TANK

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Permit Date:		7/3/1915			
Permit Type:		BP			
User Type:		Garage			
Installation Type:		Public garage			
Installation Size:					
Installation Config.:		Public garage			
No. Tanks Installed:					
Units of Measure:					
Value/Tank (\$):		8000			
Capacity(gal):					
Reference:		CTA Building permits			
Location Desc:		64-6 Vaughan Rd			

90	1 of 1	WSW/106.7	157.9 / 0.06	TORONTO ON	WWIS
Well ID:	7299601			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring			Date Received:	11/21/2017
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Observation Wells			Abandonment Rec:	
Water Type:				Contractor:	7615
Casing Material:				Form Version:	7
Audit No:	Z262023			Owner:	
Tag:	A228812			Street Name:	542 ST CLAIR AVENUE WEST
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1006812263			Elevation:	157.201995
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627297
Code OB Desc:				North83:	4837859
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	10/9/2017			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1007046576				
Layer:	2				
Color:	6				
General Color:	BROWN				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat1:		06			
Most Common Material:		SILT			
Mat2:		28			
Other Materials:		SAND			
Mat3:					
Other Materials:					
Formation Top Depth:		5			
Formation End Depth:		15			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1007046575			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		01			
Most Common Material:		FILL			
Mat2:		77			
Other Materials:		LOOSE			
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		5			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1007046577			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		06			
Other Materials:		SILT			
Mat3:					
Other Materials:					
Formation Top Depth:		15			
Formation End Depth:		35			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007046584			
Layer:		1			
Plug From:		1			
Plug To:		23			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					
<u>Pipe Information</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Pipe ID:		1007046574			
Casing No:		0			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		1007046580			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.3			
Depth To:		25			
Casing Diameter:		2			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		1007046581			
Layer:		1			
Slot:		10			
Screen Top Depth:		25			
Screen End Depth:		35			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2			
 <u>Water Details</u>					
Water ID:		1007046579			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:		33			
Water Found Depth UOM:		ft			
 <u>Hole Diameter</u>					
Hole ID:		1007046578			
Diameter:		6			
Depth From:		0			
Depth To:		35			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<hr/>					
91	1 of 1	WNW/105.7	159.8 / 1.97	ON	WWIS
Well ID:	7167768			Data Entry Status:	Yes
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	8/24/2011
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:				Abandonment Rec:	
Water Type:				Contractor:	6607
Casing Material:				Form Version:	5
Audit No:	M02486			Owner:	
Tag:	A088128			Street Name:	
Construction Method:				County:	YORK
Elevation (m):				Municipality:	YORK BOROUGH

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:				Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	
<u>Bore Hole Information</u>					
Bore Hole ID:	1003555125			Elevation:	159.982162
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627292
Code OB Desc:				North83:	4838034
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	3
Date Completed:	12/7/2009			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
92	1 of 1	SSW/105.5	157.2 / -0.63	O&Y CB Richard Ellis 535 St. Clair Avenue West Toronto ON M6C 1A3	GEN
Generator No:	ON1969906			PO Box No:	
Status:				Country:	
Approval Years:	03,04			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
93	1 of 1	WSW/108.6	158.3 / 0.46	542 St Clair Ave W Toronto ON M6C1A5	EHS
Order No:	20150821035			Nearest Intersection:	
Status:	C			Municipality:	Toronto
Report Type:	Custom Report			Client Prov/State:	ON
Report Date:	28-AUG-15			Search Radius (km):	.25
Date Received:	21-AUG-15			X:	-79.420748
Previous Site Name:				Y:	43.682918
Lot/Building Size:					
Additional Info Ordered:	City Directory				
94	1 of 1	E/110.1	153.9 / -3.95	TORONTO ON	WWIS
Well ID:	7116402			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring			Date Received:	12/15/2008
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Observation Wells			Abandonment Rec:	
Water Type:				Contractor:	6032
Casing Material:				Form Version:	7

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Audit No:	Z82264			Owner:	
Tag:	A068187			Street Name:	1467 BATHURST ST.
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
 <u>Bore Hole Information</u>					
Bore Hole ID:	1001909190			Elevation:	157.953659
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627526
Code OB Desc:				North83:	4837950
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	3
Date Completed:	12/4/2008			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1002018076				
Layer:	3				
Color:	6				
General Color:	BROWN				
Mat1:	10				
Most Common Material:	COARSE SAND				
Mat2:	11				
Other Materials:	GRAVEL				
Mat3:	66				
Other Materials:	DENSE				
Formation Top Depth:	25				
Formation End Depth:	30				
Formation End Depth UOM:	ft				
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1002018078				
Layer:	5				
Color:	6				
General Color:	BROWN				
Mat1:	10				
Most Common Material:	COARSE SAND				
Mat2:	06				
Other Materials:	SILT				
Mat3:	66				
Other Materials:	DENSE				
Formation Top Depth:	37				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth:		40			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1002018075			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		08			
Other Materials:		FINE SAND			
Mat3:		66			
Other Materials:		DENSE			
Formation Top Depth:		10			
Formation End Depth:		25			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1002018077			
Layer:		4			
Color:		8			
General Color:		BLACK			
Mat1:		10			
Most Common Material:		COARSE SAND			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:		77			
Other Materials:		LOOSE			
Formation Top Depth:		30			
Formation End Depth:		37			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1002018074			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		10			
Most Common Material:		COARSE SAND			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:		79			
Other Materials:		PACKED			
Formation Top Depth:		0			
Formation End Depth:		10			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002018080			
Layer:		1			
Plug From:		0			
Plug To:		1			
Plug Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002018081			
Layer:		2			
Plug From:		1			
Plug To:		24			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1002018073			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002018083			
Layer:					
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1002018084			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
<u>Hole Diameter</u>					
Hole ID:		1002018079			
Diameter:		10			
Depth From:		0			
Depth To:		40			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
95	1 of 3	WSW/109.3	158.3 / 0.46	Imperial Oil Co Ltd 542 St Clair Ave W	TANK

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Toronto ON M6C 1A5					
Permit Date: Permit Type: User Type: Installation Type: Installation Size: Installation Config.: No. Tanks Installed: Units of Measure: Value/Tank (\$): Capacity(gal): Reference: Location Desc:		9/27/1929 BP A25774 Gasoline service station Gasoline tank 1 x gasoline tank 1 600 CTA Building permits ns St Clair Ave W nw cor Vaughan			
95	2 of 3	WSW/109.3	158.3 / 0.46	Imperial Oil Co Ltd 542 St Clair Ave W Toronto ON M6C 1A5	TANK
Permit Date: Permit Type: User Type: Installation Type: Installation Size: Installation Config.: No. Tanks Installed: Units of Measure: Value/Tank (\$): Capacity(gal): Reference: Location Desc:		8/23/1929 BP A20901 Gasoline service station Service station Rebuild 3000 CTA Building permits ns St Clair Ave W nw cor Vaughan			
95	3 of 3	WSW/109.3	158.3 / 0.46	McColl Bros Ltd 542 St Clair Ave W Toronto ON M6C 1A5	TANK
Permit Date: Permit Type: User Type: Installation Type: Installation Size: Installation Config.: No. Tanks Installed: Units of Measure: Value/Tank (\$): Capacity(gal): Reference: Location Desc:		5/13/1929 BP A22157 Gasoline service station Service station Service station 9000 CTA Building permits ns St Clair Ave W w Vaughan Rd			
96	1 of 1	SSE/114.5	155.7 / -2.15	TORONTO ON	WWIS
Well ID: Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Water Type: Casing Material: Audit No:		7042841 Not Used Observation Wells Z64651		Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner:	
				4/18/2007 Yes 6607 3	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Tag:	A053585			Street Name:	510 ST CLAIR AVE WEST
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:	11765266	Elevation:	156.664749
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:	o	East83:	627438
Code OB Desc:	Overburden	North83:	4837824
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	3
Date Completed:	2/15/2007	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	933098249
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	84
Other Materials:	SILTY
Mat3:	11
Other Materials:	GRAVEL
Formation Top Depth:	0
Formation End Depth:	9.1
Formation End Depth UOM:	m

Annular Space/Abandonment

Sealing Record

Plug ID:	933317476
Layer:	1
Plug From:	0
Plug To:	5.9
Plug Depth UOM:	m

Method of Construction & Well

Use

Method Construction ID:
Method Construction Code: 6

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11772956			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930898296			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		6			
Casing Diameter:		5.1			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		933424074			
Layer:		1			
Slot:		10			
Screen Top Depth:		6			
Screen End Depth:		9.1			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.4			
<u>Water Details</u>					
Water ID:		934085469			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		6			
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		11851635			
Diameter:		15			
Depth From:		0			
Depth To:		9.1			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>97</u>	1 of 1	ESE/107.9	153.9 / -4.02	501 St. Clair Avenue West Toronto ON	EHS
Order No:		20130405031		Nearest Intersection:	
Status:		C		Municipality:	
Report Type:		Custom Report		Client Prov/State:	ON
Report Date:		16-APR-13		Search Radius (km):	.3
Date Received:		05-APR-13		X:	0
Previous Site Name:				Y:	0

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Lot/Building Size: Additional Info Ordered: Fire Insur. Maps and/or Site Plans; Topographic Maps					
98	1 of 1	E/111.7	153.8 / -4.06	ON	WWIS
<div> <div> Well ID: 7293750 Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Water Type: Casing Material: Audit No: C38144 Tag: A227573 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy: </div> <div> Data Entry Status: Yes Data Src: Date Received: 8/30/2017 Selected Flag: Yes Abandonment Rec: Contractor: 7464 Form Version: 8 Owner: Street Name: County: YORK Municipality: TORONTO CITY Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability: </div> </div>					
<u>Bore Hole Information</u>					
<div> <div> Bore Hole ID: 1006715665 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 8/2/2017 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment: </div> <div> Elevation: 157.945587 Elevrc: Zone: 17 East83: 627528 North83: 4837944 Org CS: UTM83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: wwr </div> </div>					
99	1 of 1	WNW/109.0	159.8 / 1.97	ON	WWIS
<div> <div> Well ID: 7218323 Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Water Type: Casing Material: Audit No: C24790 Tag: A118414 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: </div> <div> Data Entry Status: Yes Data Src: Date Received: 3/24/2014 Selected Flag: Yes Abandonment Rec: Contractor: 6988 Form Version: 8 Owner: Street Name: County: YORK Municipality: YORK BOROUGH Site Info: Lot: Concession: </div> </div>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:				Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	
<u>Bore Hole Information</u>					
Bore Hole ID:	1004725156			Elevation:	159.813461
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627274
Code OB Desc:				North83:	4838015
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	4/15/2013			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
100	1 of 3	WNW/109.2	159.8 / 1.97	109 Vaughan Road Limited Partnership 109 VAUGHAN YORK YORK ON	EASR
Approval No:	R-009-1616923643			SWP Area Name:	
Status:	Registered			MOE District:	
Date:	2016-07-28			Municipality:	
Record Type:				Latitude:	
Link Source:				Longitude:	
Project Type:	Water Taking - Construction Dewatering			Geometry X:	
Full Address:				Geometry Y:	
Approval Type:					
Full PDF Link:	http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2023470				
100	2 of 3	WNW/109.2	159.8 / 1.97	109 Vaughan Rd Toronto ON M6C2L9	EHS
Order No:	20160718211			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	25-JUL-16			Search Radius (km):	.25
Date Received:	18-JUL-16			X:	-79.420962
Previous Site Name:				Y:	43.684147
Lot/Building Size:					
Additional Info Ordered:	Aerial Photos				
100	3 of 3	WNW/109.2	159.8 / 1.97	109 Vaughan Road York ON M6C 2L9	EHS
Order No:	20190412064			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	18-APR-19			Search Radius (km):	.25
Date Received:	12-APR-19			X:	-79.420962
Previous Site Name:				Y:	43.684147
Lot/Building Size:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Additional Info Ordered:					
101	1 of 1	E/117.2	153.9 / -3.94	Toronto ON	WWIS
Well ID: 7286529		Data Entry Status:			
Construction Date:		Data Src:			
Primary Water Use: Test Hole		Date Received: 5/11/2017			
Sec. Water Use: Monitoring		Selected Flag: Yes			
Final Well Status: 0		Abandonment Rec:			
Water Type:		Contractor: 7241			
Casing Material:		Form Version: 7			
Audit No: Z254216		Owner:			
Tag: A217208		Street Name: 1467 BATHURST STREET			
Construction Method:		County: YORK			
Elevation (m):		Municipality: TORONTO CITY			
Elevation Reliability:		Site Info:			
Depth to Bedrock:		Lot:			
Well Depth:		Concession:			
Overburden/Bedrock:		Concession Name:			
Pump Rate:		Easting NAD83:			
Static Water Level:		Northing NAD83:			
Flowing (Y/N):		Zone:			
Flow Rate:		UTM Reliability:			
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID: 1006443510		Elevation: 158.037994			
DP2BR:		Elevrc:			
Spatial Status:		Zone: 17			
Code OB:		East83: 627527			
Code OB Desc:		North83: 4837979			
Open Hole:		Org CS: UTM83			
Cluster Kind:		UTMRC: 4			
Date Completed: 4/13/2014		UTMRC Desc: margin of error : 30 m - 100 m			
Remarks:		Location Method: wwr			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID: 1006710034					
Layer: 1					
Color: 6					
General Color: BROWN					
Mat1: 28					
Most Common Material: SAND					
Mat2: 11					
Other Materials: GRAVEL					
Mat3:					
Other Materials:					
Formation Top Depth: 0					
Formation End Depth: 38					
Formation End Depth UOM: ft					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006710035			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		08			
Other Materials:		FINE SAND			
Mat3:		91			
Other Materials:		WATER-BEARING			
Formation Top Depth:		38			
Formation End Depth:		45			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006710044			
Layer:		2			
Plug From:		1			
Plug To:		34			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006710045			
Layer:		3			
Plug From:		34			
Plug To:		45			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006710043			
Layer:		1			
Plug From:		0			
Plug To:		1			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006710033			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Casing ID:		1006710038			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		35			
Casing Diameter:		2			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		1006710039			
Layer:		1			
Slot:		10			
Screen Top Depth:		35			
Screen End Depth:		45			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.25			
 <u>Hole Diameter</u>					
Hole ID:		1006710036			
Diameter:		6.25			
Depth From:		0			
Depth To:		45			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

102	1 of 8	WNW/111.7	159.8 / 1.97	109 VAUGHAN ROAD, TORONTO, ON M6C 2L9 Toronto ON	RSC
<hr/>					
RSC ID:	214027			Cert Date:	
RA No:				Cert Prop Use No:	
RSC Type:	Phase 1 and 2 RSC			Intended Prop Use:	Residential
Curr Property Use:	Commercial			Qual Person Name:	CORY OSTROWKA
Ministry District:	Toronto District Office			Stratified (Y/N):	
Filing Date:	2014/08/07			Audit (Y/N):	
Date Ack:				Entire Leg Prop. (Y/N):	
Date Returned:				Accuracy Estimate:	
Restoration Type:				Telephone:	
Soil Type:				Fax:	
Criteria:				Email:	
CPU Issued Sect					
1686:					
Asmt Roll No:	1914011070009000000004				
Prop ID No (PIN):	10468-0444 (LT)				
Property Municipal Address:	109 VAUGHAN ROAD, TORONTO, ON M6C 2L9				
Mailing Address:					
Latitude & Latitude:					
UTM Coordinates:					
Consultant:					
Filing Owner:	109 VAUGHAN ROAD INC.				
Legal Desc:					
Measurement Method:					
Applicable Standards:					
RSC PDF:	https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=37069&fileName=BROWNFIELDS-E.pdf				

Document(s) Detail

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<p>Document Heading: Supporting Documents Document Name: Phase Two Conceptual Site Model.pdf Document Type: Phase 2 Conceptual Site Model Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=37075&fileName=Phase+Two+Conceptual+Site+Model.pdf</p> <p>Document Heading: Supporting Documents Document Name: APEC Table.pdf Document Type: Area(s) of Potential Environmental Concern Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=37068&fileName=APEC+Table.pdf</p> <p>Document Heading: Supporting Documents Document Name: Transfer.PDF Document Type: Copy of any deed(s), transfer(s) or other document(s) Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=37071&fileName=Transfer.PDF</p> <p>Document Heading: Supporting Documents Document Name: Legal Survey.pdf Document Type: A Current plan of Survey Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=37074&fileName=Legal+Survey.pdf</p> <p>Document Heading: Supporting Documents Document Name: CertofStatus.pdf Document Type: Certificate of Status Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=38013&fileName=CertofStatus.pdf</p> <p>Document Heading: Supporting Documents Document Name: Current and Past Property Uses Table.pdf Document Type: Table of Current and Past Property Use Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=37067&fileName=Current+and+Past+Property+Uses+Table.pdf</p> <p>Document Heading: Supporting Documents Document Name: Lawyer Letter.pdf Document Type: Lawyer's letter consisting of a legal description of the property Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=37066&fileName=Lawyer+Letter.pdf</p>					
102	2 of 8	WNW/111.7	159.8 / 1.97	109 Vaughan Road Limited Partnership 109 VAUGHAN RD YORK ON M6C 2L9	EASR
<p>Approval No: R-009-1616923643 Status: REGISTERED Date: 2017-03-10 Record Type: EASR Link Source: MOFA Project Type: Water Taking - Construction Dewatering Full Address: Approval Type: EASR-Water Taking - Construction Dewatering Full PDF Link: http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2032134</p> <p>SWP Area Name: Toronto MOE District: Metro Toronto Municipality: YORK Latitude: 43.68416667 Longitude: -79.42083333 Geometry X: Geometry Y:</p>					
102	3 of 8	WNW/111.7	159.8 / 1.97	109 VAUGHAN ROAD, TORONTO, ON M6C 2L9 Toronto ON	RSC
<p>RSC ID: 223358 RA No: RSC Type: Phase 1 and 2 RSC Curr Property Use: Commercial</p> <p>Cert Date: Cert Prop Use No: Intended Prop Use: Residential Qual Person Name: RENATO PASQUALONI</p>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Ministry District: Filing Date: Date Ack: Date Returned: Restoration Type: Soil Type: Criteria: CPU Issued Sect 1686: Asmt Roll No: Prop ID No (PIN): Property Municipal Address: Mailing Address: Latitude & Latitude: UTM Coordinates: Consultant: Filing Owner: Legal Desc: Measurement Method: Applicable Standards: RSC PDF:	Toronto District Office 2017/06/12			Stratified (Y/N): Audit (Y/N): Entire Leg Prop. (Y/N): Accuracy Estimate: Telephone: Fax: Email:	
		1914011070009000000004 10468-0444 (LT) 109 VAUGHAN ROAD, TORONTO, ON M6C 2L9			
		109 VAUGHAN ROAD INC.			
		https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=79955&fileName=BROWNFIELDSE.pdf			
<u>Document(s) Detail</u>					
Document Heading:		Supporting Documents			
Document Name:		Property Certificate.PDF			
Document Type:		Copy of any deed(s), transfer(s) or other document(s)			
Document Link:		https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=79952&fileName=Property+Certificate.PDF			
Document Heading:		Supporting Documents			
Document Name:		LawyersLetter.pdf			
Document Type:		Lawyer's letter consisting of a legal description of the property			
Document Link:		https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=79975&fileName=LawyersLetter.pdf			
Document Heading:		Supporting Documents			
Document Name:		CPTable.pdf			
Document Type:		Table of Current and Past Property Use			
Document Link:		https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=82040&fileName=CPTable.pdf			
Document Heading:		Supporting Documents			
Document Name:		APECTable.pdf			
Document Type:		Area(s) of Potential Environmental Concern			
Document Link:		https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=82088&fileName=APECTable.pdf			
Document Heading:		Supporting Documents			
Document Name:		PhaseTwo.pdf			
Document Type:		Phase 2 Conceptual Site Model			
Document Link:		https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=82089&fileName=PhaseTwo.pdf			
Document Heading:		Supporting Documents			
Document Name:		109 Vaughan Road Inc.pdf			
Document Type:		Certificate of Status			
Document Link:		https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=79954&fileName=109+Vaughan+Road+Inc.pdf			
Document Heading:		Supporting Documents			
Document Name:		City Letter.pdf			
Document Type:		A copy of No Objection Statement from municipality			
Document Link:		https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=79954&fileName=109+Vaughan+Road+Inc.pdf			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
attachmentId=79963&fileName=City+Letter.pdf					
Document Heading:		Supporting Documents			
Document Name:		Survey.pdf			
Document Type:		A Current plan of Survey			
Document Link:		https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=82041&fileName=Survey.pdf			
102	4 of 8	WNW/111.7	159.8 / 1.97	Quantum Murray LP 109 Vaughan Road Toronto ON M6C 4A2	GEN
Generator No:		ON5289549		PO Box No:	
Status:				Country: Canada	
Approval Years:		2015		Choice of Contact: CO_OFFICIAL	
Contam. Facility:		No		Co Admin: Paul Smith	
MHSW Facility:		No		Phone No Admin: 4162536000 Ext.355	
SIC Code:		493110			
SIC Description:		GENERAL WAREHOUSING AND STORAGE			
<u>Detail(s)</u>					
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
102	5 of 8	WNW/111.7	159.8 / 1.97	109 Vaughan Rd. LP 109 Vaughan Rd Toronto ON M6C 2L9	GEN
Generator No:		ON8237794		PO Box No:	
Status:				Country: Canada	
Approval Years:		2015		Choice of Contact: CO_ADMIN	
Contam. Facility:		No		Co Admin: Renato Pasqualoni	
MHSW Facility:		No		Phone No Admin: 9057120510 Ext.	
SIC Code:		531111			
SIC Description:		LESSORS OF RESIDENTIAL BUILDINGS AND DWELLINGS (EXCEPT SOCIAL HOUSING PROJECTS)			
<u>Detail(s)</u>					
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
102	6 of 8	WNW/111.7	159.8 / 1.97	109 Vaughan Rd. LP 109 Vaughan Rd Toronto ON M6C 2L9	GEN
Generator No:		ON8237794		PO Box No:	
Status:				Country: Canada	
Approval Years:		2016		Choice of Contact: CO_ADMIN	
Contam. Facility:		No		Co Admin: Renato Pasqualoni	
MHSW Facility:		No		Phone No Admin: 9057120510 Ext.	
SIC Code:		531111			
SIC Description:		LESSORS OF RESIDENTIAL BUILDINGS AND DWELLINGS (EXCEPT SOCIAL HOUSING PROJECTS)			
<u>Detail(s)</u>					
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
102	7 of 8	WNW/111.7	159.8 / 1.97	109 Vaughan Rd. LP 109 Vaughan Road Toronto ON M6C 2L9	GEN
Generator No:	ON5175129			PO Box No:	
Status:				Country:	Canada
Approval Years:	2014			Choice of Contact:	CO_ADMIN
Contam. Facility:	No			Co Admin:	Courtney Gilbert
MHSW Facility:	No			Phone No Admin:	4168662357 Ext.
SIC Code:	453999				
SIC Description:	ALL OTHER MISCELLANEOUS STORE RETAILERS (EXCEPT BEER AND WINE-MAKING SUPPLIES STORES)				
<u>Detail(s)</u>					
Waste Class:	251				
Waste Class Desc:	OIL SKIMMINGS & SLUDGES				
102	8 of 8	WNW/111.7	159.8 / 1.97	Van Kirk Developments Inc. 109 Vaughan Road Toronto ON M6C 2L9	GEN
Generator No:	ON5242026			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Dec 2018			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:	150 L				
Waste Class Desc:	Inert organic wastes				
103	1 of 4	WNW/111.9	159.8 / 1.97	CANADA CLEANING SUPPLIES LTD. 109 VAUGHAN RD TORONTO ON M6C 2L9	SCT
Established:	1955				
Plant Size (ft²):	500				
Employment:	3				
<u>--Details--</u>					
Description:	INDUSTRIAL & PERSONAL SERVICE PAPER				
SIC/NAICS Code:	5113				
Description:	CHEMICALS & ALLIED PRODUCTS, N.E.C.				
SIC/NAICS Code:	5169				
103	2 of 4	WNW/111.9	159.8 / 1.97	AMBERHUE ENTERPRISES INCORPORA 109 Vaughan St Unit 301 Toronto ON M6C 2L9	SCT
Established:	0000				
Plant Size (ft²):	0				
Employment:	0				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
--Details--					
Description:		Jewellery and Silverware Manufacturing			
SIC/NAICS Code:		339910			
103	3 of 4	WNW/111.9	159.8 / 1.97	Amberhue Enterprises Incorporated 109 Vaughan Rd Unit 301 Toronto ON M6C 2L9	SCT
Established: Plant Size (ft²): Employment:					
103	4 of 4	WNW/111.9	159.8 / 1.97	109 Vaughan Rd Toronto ON M6C 2L9	EHS
Order No:		20130404025		Nearest Intersection:	
Status:		C		Municipality:	
Report Type:		Custom Report		Client Prov/State:	
Report Date:		10-APR-13		Search Radius (km):	
Date Received:		04-APR-13		X:	
Previous Site Name:				Y:	
Lot/Building Size:					
Additional Info Ordered:					
104	1 of 1	WSW/120.0	158.9 / 1.00	80 Vaughan Rd Toronto ON M6C2L7	EHS
Order No:		20151104031		Nearest Intersection:	
Status:		C		Municipality:	
Report Type:		Standard Report		Client Prov/State:	
Report Date:		05-NOV-15		Search Radius (km):	
Date Received:		04-NOV-15		X:	
Previous Site Name:				Y:	
Lot/Building Size:					
Additional Info Ordered:		Topographic Maps			
105	1 of 1	E/116.0	153.2 / -4.65	ON	WWIS
Well ID:		7314244		Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	
Sec. Water Use:				Selected Flag:	
Final Well Status:				Abandonment Rec:	
Water Type:				Contractor:	
Casing Material:				Form Version:	
Audit No:		Z248105		Owner:	
Tag:		A232623		Street Name:	
Construction Method:				County:	
Elevation (m):				Municipality:	
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Bore Hole Information</u>					
Bore Hole ID:	1007143337			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627530
Code OB Desc:				North83:	4837917
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	4/23/2018			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

106	1 of 1	WNW/113.8	159.8 / 1.97	Toronto ON	WWIS
Well ID:	7221550			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Test Hole			Date Received:	6/9/2014
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7215
Casing Material:				Form Version:	7
Audit No:	Z175696			Owner:	
Tag:	A159757			Street Name:	109 VAUGHAN RD
Construction Method:				County:	YORK
Elevation (m):				Municipality:	YORK BOROUGH
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

<u>Bore Hole Information</u>					
Bore Hole ID:	1004818329			Elevation:	159.698837
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627267
Code OB Desc:				North83:	4838012
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	5/20/2014			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

<u>Overburden and Bedrock</u>					
--------------------------------------	--	--	--	--	--

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:		1005173985			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		5			
Formation End Depth:		15			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1005173987			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		33			
Formation End Depth:		48			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1005173984			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		01			
Most Common Material:		FILL			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		5			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1005173986			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		34			
Other Materials:		TILL			
Mat3:					
Other Materials:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation Top Depth:		15			
Formation End Depth:		33			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005173997			
Layer:		2			
Plug From:		37			
Plug To:		2			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005173996			
Layer:		1			
Plug From:		48			
Plug To:		37			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1005173983			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1005173991			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		38			
Depth To:		0			
Casing Diameter:		2			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		1005173992			
Layer:		2			
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Screen</u>					
Screen ID:	1005173993				
Layer:	1				
Slot:	10				
Screen Top Depth:	48				
Screen End Depth:	38				
Screen Material:	5				
Screen Depth UOM:	ft				
Screen Diameter UOM:	inch				
Screen Diameter:	2				
<u>Hole Diameter</u>					
Hole ID:	1005173988				
Diameter:	9				
Depth From:	48				
Depth To:	25				
Hole Depth UOM:	ft				
Hole Diameter UOM:	inch				
<u>Hole Diameter</u>					
Hole ID:	1005173989				
Diameter:	15				
Depth From:	25				
Depth To:	0				
Hole Depth UOM:	ft				
Hole Diameter UOM:	inch				
<u>107</u>	1 of 2	SSW/116.8	156.9 / -0.98	St. Clair Printing & Design 56 Vaughn Rd Toronto ON M6G 2N4	SCT
Established:	9/1/1981				
Plant Size (ft²):	600				
Employment:					
<u>--Details--</u>					
Description:	Other Printing				
SIC/NAICS Code:	323119				
Description:	Quick Printing				
SIC/NAICS Code:	323114				
Description:	Digital Printing				
SIC/NAICS Code:	323115				
Description:	Business Service Centres				
SIC/NAICS Code:	561430				
<u>107</u>	2 of 2	SSW/116.8	156.9 / -0.98	St. Clair Printing & Design 56 Vaughan Rd Toronto ON M6G 2N4	SCT
Established:	01-JUL-81				
Plant Size (ft²):	600				
Employment:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
--Details--					
Description:		Business Service Centres			
SIC/NAICS Code:		561430			
Description:		Other Printing			
SIC/NAICS Code:		323119			
Description:		Quick Printing			
SIC/NAICS Code:		323114			
Description:		Digital Printing			
SIC/NAICS Code:		323115			
<hr/>					
108	1 of 6	SSW/117.0	156.9 / -0.97	HILLCREST PRO HARDWARE 60 VAUGHAN ROAD TORONTO ON M6G 2N4	PES
Detail Licence No:	23-01-10994-0			Operator Box:	
Licence No:	10994			Operator Class:	
Status:				Operator No:	
Approval Date:				Operator Type:	
Report Source:				Oper Area Code:	
Licence Type:	Limited Vendor			Oper Phone No:	
Licence Type Code:	23			Operator Ext:	
Licence Class:	01			Operator Lot:	
Licence Control:	0			Oper Concession:	
Latitude:				Operator Region:	3
Longitude:				Operator District:	1
Lot:				Operator County:	62
Concession:				Op Municipality:	
Region:	3			Post Office Box:	
District:	1			MOE District:	
County:	69			SWP Area Name:	
Trade Name:					
PDF Link:					
<hr/>					
108	2 of 6	SSW/117.0	156.9 / -0.97	HILLCREST PRO HARDWARE 60 VAUGHAN RD TORONTO ON M6G 2N4	PES
Detail Licence No:				Operator Box:	
Licence No:				Operator Class:	
Status:				Operator No:	
Approval Date:				Operator Type:	
Report Source:				Oper Area Code:	
Licence Type:	Limited Vendor			Oper Phone No:	
Licence Type Code:	23			Operator Ext:	
Licence Class:				Operator Lot:	
Licence Control:				Oper Concession:	
Latitude:				Operator Region:	
Longitude:				Operator District:	
Lot:				Operator County:	
Concession:				Op Municipality:	
Region:				Post Office Box:	
District:				MOE District:	
County:				SWP Area Name:	
Trade Name:					
PDF Link:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
108	3 of 6	SSW/117.0	156.9 / -0.97	HILLCREST PRO HARDWARE 60 VAUGHAN RD TORONTO ON M6G 2N4	PES
Detail Licence No:				Operator Box:	
Licence No:				Operator Class:	
Status:				Operator No:	
Approval Date:				Operator Type:	
Report Source:				Oper Area Code:	
Licence Type:	Vendor			Oper Phone No:	
Licence Type Code:				Operator Ext:	
Licence Class:				Operator Lot:	
Licence Control:				Oper Concession:	
Latitude:				Operator Region:	
Longitude:				Operator District:	
Lot:				Operator County:	
Concession:				Op Municipality:	
Region:				Post Office Box:	
District:				MOE District:	
County:				SWP Area Name:	
Trade Name:					
PDF Link:					
108	4 of 6	SSW/117.0	156.9 / -0.97	HILLCREST HOME HARDWARE 60 VAUGHAN RD TORONTO ON M6G 2N4	PES
Detail Licence No:				Operator Box:	
Licence No:				Operator Class:	
Status:				Operator No:	
Approval Date:				Operator Type:	
Report Source:				Oper Area Code:	
Licence Type:	Vendor			Oper Phone No:	
Licence Type Code:				Operator Ext:	
Licence Class:				Operator Lot:	
Licence Control:				Oper Concession:	
Latitude:				Operator Region:	
Longitude:				Operator District:	
Lot:				Operator County:	
Concession:				Op Municipality:	
Region:				Post Office Box:	
District:				MOE District:	
County:				SWP Area Name:	
Trade Name:					
PDF Link:					
108	5 of 6	SSW/117.0	156.9 / -0.97	HILLCREST HOME HARDWARE 60 VAUGHAN RD TORONTO ON M6G2N4	PES
Detail Licence No:				Operator Box:	
Licence No:	10994			Operator Class:	
Status:				Operator No:	
Approval Date:				Operator Type:	
Report Source:	Legacy Licenses (Excluding TS)			Oper Area Code:	416
Licence Type:	Limited Vendor			Oper Phone No:	6569700
Licence Type Code:	23			Operator Ext:	
Licence Class:	01			Operator Lot:	
Licence Control:	0			Oper Concession:	
Latitude:				Operator Region:	3
Longitude:				Operator District:	1
Lot:				Operator County:	62

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Concession: Region: 3 District: 1 County: 69 Trade Name: PDF Link:					
Op Municipality: Post Office Box: MOE District: SWP Area Name:					
108	6 of 6	SSW/117.0	156.9 / -0.97	HILLCREST HOME HARDWARE 60 VAUGHAN RD TORONTO ON M6G2N4	PES
Detail Licence No: Licence No: 10994 Status: Approval Date: Report Source: Legacy Licenses (Excluding TS) Licence Type: Retail Vendor Class 03 Licence Type Code: 21 Licence Class: 03 Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link:					
Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: 416 Oper Phone No: 6569700 Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:					
109	1 of 1	WNW/117.7	159.8 / 1.97	TORONTO ON	WWIS
Well ID: 7273827 Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: 0 Water Type: Casing Material: Audit No: Z232861 Tag: A213484 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:					
Data Entry Status: Data Src: Date Received: 10/25/2016 Selected Flag: Yes Abandonment Rec: Contractor: 7238 Form Version: 7 Owner: Street Name: 109 VAUGHAN RD County: YORK Municipality: YORK BOROUGH Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
<u>Bore Hole Information</u>					
Bore Hole ID: 1006277129 DP2BR: Spatial Status: Code OB: Code OB Desc:					
Elevation: 159.348236 Elevrc: Zone: 17 East83: 627257 North83: 4837998					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	10/6/2016			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006448069			
Layer:		4			
Color:					
General Color:					
Mat1:		28			
Most Common Material:		SAND			
Mat2:		06			
Other Materials:		SILT			
Mat3:		91			
Other Materials:		WATER-BEARING			
Formation Top Depth:		35			
Formation End Depth:		42			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006448068			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		30			
Formation End Depth:		35			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006448067			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		10			
Formation End Depth:		30			
Formation End Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006448066			
Layer:		1			
Color:					
General Color:					
Mat1:		01			
Most Common Material:		FILL			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		10			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006448076			
Layer:		2			
Plug From:		1			
Plug To:		29			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006448077			
Layer:		3			
Plug From:		29			
Plug To:		42			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006448075			
Layer:		1			
Plug From:		0			
Plug To:		1			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006448065			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing ID: 1006448072					
Layer: 1					
Material: 7					
Open Hole or Material: OTHER					
Depth From: 0					
Depth To: 31					
Casing Diameter: 2					
Casing Diameter UOM: inch					
Casing Depth UOM: ft					
<u>Construction Record - Screen</u>					
Screen ID: 1006448073					
Layer: 1					
Slot: 10					
Screen Top Depth: 31					
Screen End Depth: 41					
Screen Material: 7					
Screen Depth UOM: ft					
Screen Diameter UOM: inch					
Screen Diameter: 2.25					
<u>Hole Diameter</u>					
Hole ID: 1006448070					
Diameter: 6.25					
Depth From: 0					
Depth To: 42					
Hole Depth UOM: ft					
Hole Diameter UOM: inch					
110	1 of 1	WNW/118.4	159.8 / 1.97	ON	WWIS
Well ID: 7228309					
Construction Date:					
Primary Water Use:					
Sec. Water Use:					
Final Well Status:					
Water Type:					
Casing Material:					
Audit No: C26179					
Tag: A157239					
Construction Method:					
Elevation (m):					
Elevation Reliability:					
Depth to Bedrock:					
Well Depth:					
Overburden/Bedrock:					
Pump Rate:					
Static Water Level:					
Flowing (Y/N):					
Flow Rate:					
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID: 1005137902					
DP2BR:					
Spatial Status:					
Code OB:					
Code OB Desc:					
Elevation: 159.314758					
Elevrc:					
Zone: 17					
East83: 627256					
North83: 4837997					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Open Hole: Cluster Kind: Date Completed: 8/26/2014 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:				Org CS: UTMRC: UTMRC Desc: Location Method:	UTM83 4 margin of error : 30 m - 100 m wwr

111 1 of 1 NNE/119.4 157.8 / -0.04 TORONTO ON WWIS

Well ID:	6928864	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:	Not Used	Date Received:	4/20/2005
Sec. Water Use:		Selected Flag:	Yes
Final Well Status:	Observation Wells	Abandonment Rec:	
Water Type:		Contractor:	7147
Casing Material:		Form Version:	3
Audit No:	Z25512	Owner:	
Tag:	A025105	Street Name:	1500 BATHURST STREET
Construction Method:		County:	YORK
Elevation (m):		Municipality:	YORK BOROUGH
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	11327833	Elevation:	158.771438
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:	o	East83:	627443
Code OB Desc:	Overburden	North83:	4838086
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	3/24/2005	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	933037563
Layer:	1
Color:	2
General Color:	GREY
Mat1:	
Most Common Material:	
Mat2:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		0.2			
Formation End Depth UOM:		m			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		933037564			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0.2			
Formation End Depth:		8.6			
Formation End Depth UOM:		m			
 <u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933267752			
Layer:		4			
Plug From:					
Plug To:		8.6			
Plug Depth UOM:		m			
 <u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933267753			
Layer:		1			
Plug From:		0			
Plug To:		0.2			
Plug Depth UOM:		m			
 <u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933267754			
Layer:		2			
Plug From:		0.2			
Plug To:		5			
Plug Depth UOM:		m			
 <u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933267755			
Layer:		3			
Plug From:		5			
Plug To:		8.6			
Plug Depth UOM:		m			
 <u>Method of Construction & Well</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Use</u>					
Method Construction ID:					
Method Construction Code:		B			
Method Construction:		Other Method			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11342688			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930872820			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		5.5			
Casing Diameter:		5			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		933412392			
Layer:		1			
Slot:		010			
Screen Top Depth:		5.5			
Screen End Depth:		8.6			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.3			
<u>Hole Diameter</u>					
Hole ID:		11548980			
Diameter:		10			
Depth From:		0			
Depth To:					
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>112</u>	1 of 1	E/126.3	153.5 / -4.40	1467 Bathurst Street Toronto ON	EHS
Order No:		20170615061		Nearest Intersection:	
Status:		C		Municipality:	
Report Type:		RSC Report (Urban)		Client Prov/State: ON	
Report Date:		21-JUN-17		Search Radius (km): .3	
Date Received:		15-JUN-17		X: -79.417605	
Previous Site Name:				Y: 43.683763	
Lot/Building Size:					
Additional Info Ordered:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
113	1 of 1	SSW/123.5	156.9 / -0.98	Accurate Upholstery 54 Vaughan Rd Toronto ON M6G 2N4	SCT
Established:		01-NOV-98			
Plant Size (ft²):		1500			
Employment:					
--Details--					
Description:		Reupholstery and Furniture Repair			
SIC/NAICS Code:		811420			
114	1 of 1	S/127.4	156.0 / -1.92	Stauntons Ltd 44 Vaughan Rd Toronto ON M6G 2N4	TANK
Permit Date:		11/6/1926			
Permit Type:		BP A1180			
User Type:		Manufactures of wallpaper?			
Installation Type:		Fuel oil tank			
Installation Size:					
Installation Config.:		1 x fuel oil tank			
No. Tanks Installed:		1			
Units of Measure:					
Value/Tank (\$):		35			
Capacity(gal):					
Reference:		CTA Building permits			
Location Desc:					
115	1 of 1	ESE/125.3	153.4 / -4.47	TORONTO ON	WWIS
Well ID:		6930170		Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:		Not Used		Date Received:	
Sec. Water Use:				5/12/2006	
Final Well Status:		Observation Wells		Selected Flag:	
Water Type:				Yes	
Casing Material:				Abandonment Rec:	
Audit No:		Z46142		Contractor:	
Tag:		A041531		7147	
Construction Method:				Form Version:	
Elevation (m):				3	
Elevation Reliability:				Owner:	
Depth to Bedrock:				Street Name:	
Well Depth:				499 ST.CLAIR AVE WEST	
Overburden/Bedrock:				County:	
Pump Rate:				YORK	
Static Water Level:				Municipality:	
Flowing (Y/N):				TORONTO CITY	
Flow Rate:				Site Info:	
Clear/Cloudy:				Lot:	
				Concession:	
				Concession Name:	
				Easting NAD83:	
				Northing NAD83:	
				Zone:	
				UTM Reliability:	
Bore Hole Information					
Bore Hole ID:		11558970		Elevation:	
DP2BR:				156.607406	
Spatial Status:				Elevrc:	
Code OB:		o		Zone:	
Code OB Desc:		Overburden		17	
Open Hole:				East83:	
				627527	
				North83:	
				4837880	
				Org CS:	
				UTM83	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Cluster Kind:				UTMRC:	3
Date Completed:		4/13/2006		UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	WWF
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		933060045			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		6.2			
Formation End Depth:		11.6			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		933060044			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		06			
Most Common Material:		SILT			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0.3			
Formation End Depth:		6.2			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		933060043			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		01			
Most Common Material:		FILL			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0.2			
Formation End Depth:		0.3			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:		933060042			
Layer:		1			
Color:		8			
General Color:		BLACK			
Mat1:					
Most Common Material:					
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		0.2			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933294791			
Layer:		3			
Plug From:		5.8			
Plug To:		11.6			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933294789			
Layer:		1			
Plug From:		0			
Plug To:		0.2			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933294792			
Layer:		4			
Plug From:					
Plug To:		11.6			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933294790			
Layer:		2			
Plug From:		0.2			
Plug To:		5.8			
Plug Depth UOM:		m			
<u>Pipe Information</u>					
Pipe ID:		11568577			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Casing ID:		930881303			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		6.1			
Casing Diameter:		5			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
 <u>Construction Record - Screen</u>					
Screen ID:		933419157			
Layer:		1			
Slot:		010			
Screen Top Depth:		6.1			
Screen End Depth:		11.6			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.3			
 <u>Hole Diameter</u>					
Hole ID:		11691093			
Diameter:		10			
Depth From:		0			
Depth To:		11.6			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

116	1 of 1	ESE/128.7	152.9 / -5.02	ON	WWIS
<hr/>					
Well ID:	7314247			Data Entry Status:	Yes
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	7/6/2018
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:				Abandonment Rec:	
Water Type:				Contractor:	6607
Casing Material:				Form Version:	7
Audit No:	Z223823			Owner:	
Tag:	A232624			Street Name:	
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
 <u>Bore Hole Information</u>					
Bore Hole ID:	1007143357			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627541
Code OB Desc:				North83:	4837908

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Open Hole: Cluster Kind: Date Completed: 4/26/2018 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
Org CS: UTM83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: wwr					
117	1 of 1	W/132.6	159.8 / 1.97	94 Vaughan Road Toronto ON M6C 2M1	EHS
Order No: 20030905004 Status: C Report Type: Basic Report Report Date: 9/15/03 Date Received: 9/5/03 Previous Site Name: Lot/Building Size: Additional Info Ordered: Title Search					
Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): 0.25 X: -79.421261 Y: 43.683603					
118	1 of 1	NW/133.9	159.8 / 1.97	ON	BORE
Borehole ID: 639365 OGF ID: 215539762 Status: Type: Borehole Use: Geotechnical/Geological Investigation Completion Date: NOV-1963 Static Water Level: Primary Water Use: Not Used Sec. Water Use: Total Depth m: 7.3 Depth Ref: Ground Surface Depth Elev: Drill Method: Power auger Orig Ground Elev m: 30.1 Elev Reliabil Note: DEM Ground Elev m: 160 Concession: Location D: Survey D: Comments:					
Inclin FLG: No SP Status: Initial Entry Surv Elev: No Piezometer: No Primary Name: Municipality: Lot: Township: Latitude DD: 43.684761 Longitude DD: -79.42062 UTM Zone: 17 Easting: 627295 Northing: 4838073 Location Accuracy: Accuracy: Not Applicable					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID: 218488058 Top Depth: 0 Bottom Depth: .2 Material Color: Material 1: Soil Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: SOIL.					
Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:					
Geology Stratum ID: 218488061 Top Depth: 5.2 Mat Consistency: Dense Material Moisture:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Bottom Depth:	7.3			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Gravel			Geologic Period:	
Material 4:				Depositional Gen:	glacial
Gsc Material Description:					
Stratum Description:	TILL,SILT,GRAVEL. BROWN,GLACIAL,VERY DENSE. 000050030012006000170076 GLACIAL.				
<hr/>					
Geology Stratum ID:	218488059			Mat Consistency:	Loose
Top Depth:	.2			Material Moisture:	
Bottom Depth:	3.7			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Fill			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:				Depositional Gen:	fill
Gsc Material Description:					
Stratum Description:	FILL,SILT,SAND. BROWN,LOOSE.				
<hr/>					
Geology Stratum ID:	218488060			Mat Consistency:	Dense
Top Depth:	3.7			Material Moisture:	
Bottom Depth:	5.2			Material Texture:	Medium
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	glacial
Gsc Material Description:					
Stratum Description:	SAND-MEDIUM. BROWN,GLACIAL,VERY DENSE.				
<hr/>					
<u>Source</u>					
<hr/>					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:	H			Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Details:	File: TOR1B.txt RecordID: 073290 NTS_Sheet: 30M11E				
Confiden 1:	Logged by professional. Exact and complete description of material and properties.				
<hr/>					
<u>Source List</u>					
<hr/>					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Originators:	Geological Survey of Canada				

119	1 of 1	ESE/133.8	153.0 / -4.83	Toronto ON	WWIS
Well ID: Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Water Type: Casing Material: Audit No: Tag:	7221446 Monitoring Observation Wells			Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name:	6/5/2014 Yes 6032 7 499 ST. CLAIR AVE WEST

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:				County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	YORK TORONTO CITY
<u>Bore Hole Information</u>					
Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:	1004807877 5/29/2014			Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	156.488616 17 627534 4837875 UTM83 4 margin of error : 30 m - 100 m wwr
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials: Mat3: Other Materials: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	1005169980 1 6 BROWN 28 SAND 66 DENSE 0 7 ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials: Mat3: Other Materials: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	1005169984 5 2 GREY 05 CLAY 06 SILT 66 DENSE 77 85 ft				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1005169981			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:					
Most Common Material:					
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		7			
Formation End Depth:		10			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1005169982			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Other Materials:					
Mat3:		66			
Other Materials:		DENSE			
Formation Top Depth:		10			
Formation End Depth:		70			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1005169983			
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		06			
Other Materials:		SILT			
Mat3:		66			
Other Materials:		DENSE			
Formation Top Depth:		70			
Formation End Depth:		77			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005169991			
Layer:		1			
Plug From:		0			
Plug To:		0.5			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Sealing Record</u>					
Plug ID:		1005169992			
Layer:		2			
Plug From:		0.5			
Plug To:		23			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1005169979			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1005169987			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:					
Casing Diameter:		1.8			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1005169988			
Layer:		1			
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2			
<u>Hole Diameter</u>					
Hole ID:		1005169985			
Diameter:		8			
Depth From:		0			
Depth To:		35			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<hr/>					
120	1 of 1	N/137.5	159.8 / 1.97	1520 Bathurst St Toronto ON M5P3H3	EHS
Order No:	20170127082			Nearest Intersection:	
Status:	C			Municipality:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Report Type:	Custom Report			Client Prov/State:	ON
Report Date:	03-FEB-17			Search Radius (km):	.25
Date Received:	27-JAN-17			X:	-79.419446
Previous Site Name:				Y:	43.685068
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans				

121	1 of 1	E/138.9	152.9 / -5.02	Toronto ON	WWIS
Well ID:	7286528			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Test Hole			Date Received:	5/11/2017
Sec. Water Use:	Monitoring			Selected Flag:	Yes
Final Well Status:	0			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z254215			Owner:	
Tag:	A220294			Street Name:	1467 BATHURST STREET
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:	1006443507	Elevation:	158.001129
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	627551
Code OB Desc:		North83:	4837974
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	4/13/2017	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	1006710022
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	06
Other Materials:	SILT
Mat3:	91
Other Materials:	WATER-BEARING

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation Top Depth:		35			
Formation End Depth:		45			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006710021			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		35			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006710032			
Layer:		3			
Plug From:		34			
Plug To:		45			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006710031			
Layer:		2			
Plug From:		1			
Plug To:		34			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006710030			
Layer:		1			
Plug From:		0			
Plug To:		1			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006710020			
Casing No:		0			
Comment:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006710025			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		35			
Casing Diameter:		2			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1006710026			
Layer:		1			
Slot:		10			
Screen Top Depth:		35			
Screen End Depth:		45			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.25			
<u>Hole Diameter</u>					
Hole ID:		1006710023			
Diameter:		6.25			
Depth From:		0			
Depth To:		45			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<hr/>					
<u>122</u>	1 of 1	SW/134.0	157.5 / -0.40	547-551 St Clair Avenue West Toronto ON M6C 1A3	EHS
Order No:	20111017051			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Custom Report			Client Prov/State:	ON
Report Date:	10/18/2011			Search Radius (km):	0.25
Date Received:	10/17/2011 6:40:04 PM			X:	-79.420678
Previous Site Name:				Y:	43.682509
Lot/Building Size:					
Additional Info Ordered:	City Directory				
<hr/>					
<u>123</u>	1 of 7	WSW/136.9	157.8 / -0.03	Golden Fingers Dental Laboratory 550 St Clair Ave W Toronto ON M6C 1A5	SCT
Established:					
Plant Size (ft²):					
Employment:					
<u>--Details--</u>					
Description:	Medical Equipment and Supplies Manufacturing				
SIC/NAICS Code:	339110				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
123	2 of 7	WSW/136.9	157.8 / -0.03	Provincial Dental Laboratories 550 St Clair Ave W Suite 201 Toronto ON M6C 1A5	SCT
Established:		2000			
Plant Size (ft²):					
Employment:		2			
--Details--					
Description:		Medical Equipment and Supplies Manufacturing			
SIC/NAICS Code:		339110			
123	3 of 7	WSW/136.9	157.8 / -0.03	Golden Fingers Dental Lab 550 St Clair Ave W Unit 204 Toronto ON M6C 1A5	SCT
Established:		01-AUG-93			
Plant Size (ft²):		1000			
Employment:					
--Details--					
Description:		Medical Equipment and Supplies Manufacturing			
SIC/NAICS Code:		339110			
Description:		Medical Equipment and Supplies Manufacturing			
SIC/NAICS Code:		339110			
123	4 of 7	WSW/136.9	157.8 / -0.03	Dr Bernarda Rosales Verzonilla Dentistry Prof Corp 550 St Clair Ave W Suite 203 Toronto ON M6C 1A5	GEN
Generator No:		ON3907905		PO Box No:	
Status:				Country:	Canada
Approval Years:		2015		Choice of Contact:	CO_OFFICIAL
Contam. Facility:		No		Co Admin:	
MHSW Facility:		No		Phone No Admin:	
SIC Code:		621210			
SIC Description:		OFFICES OF DENTISTS			
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
123	5 of 7	WSW/136.9	157.8 / -0.03	Dr Bernarda Rosales Verzonilla Dentistry Prof Corp 550 St Clair Ave W Suite 203 Toronto ON M6C 1A5	GEN
Generator No:		ON3907905		PO Box No:	
Status:				Country:	Canada
Approval Years:		2016		Choice of Contact:	CO_OFFICIAL
Contam. Facility:		No		Co Admin:	
MHSW Facility:		No		Phone No Admin:	
SIC Code:		621210			
SIC Description:		OFFICES OF DENTISTS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
123	6 of 7	WSW/136.9	157.8 / -0.03	Dr Bernarda Rosales Verzonilla Dentistry Prof Corp 550 St Clair Ave W Suite 203 Toronto ON M6C 1A5	GEN
Generator No:	ON3907905			PO Box No:	
Status:				Country:	Canada
Approval Years:	2014			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	
MHSW Facility:	No			Phone No Admin:	
SIC Code:	621210				
SIC Description:	OFFICES OF DENTISTS				
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
123	7 of 7	WSW/136.9	157.8 / -0.03	Dr Bernarda Rosales Verzonilla Dentistry Prof Corp 550 St Clair Ave W Suite 203 Toronto ON M6C 1A5	GEN
Generator No:	ON3907905			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Dec 2018			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		148 C			
Waste Class Desc:		Misc. wastes and inorganic chemicals			
Waste Class:		312 P			
Waste Class Desc:		Pathological wastes			
124	1 of 1	ESE/136.3	153.0 / -4.83	Toronto ON	WWIS
Well ID:	7171659			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring and Test Hole			Date Received:	11/15/2011
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z138760			Owner:	
Tag:	A122354			Street Name:	1443 BATHURST ST
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:				Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	WKQ-004153
<u>Bore Hole Information</u>					
Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:	1003606713 8/26/2011			Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	156.47496 17 627533 4837868 UTM83 3 margin of error : 10 - 30 m wwr
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials: Mat3: Other Materials: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	1004060600 2 6 BROWN 28 SAND 15 30 ft				
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials: Mat3: Other Materials: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	1004060599 1 6 BROWN 01 FILL 0 15 ft				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1004060601			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		30			
Formation End Depth:		40.75			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004060610			
Layer:		2			
Plug From:		1			
Plug To:		28			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004060611			
Layer:		3			
Plug From:		28			
Plug To:		40.75			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004060609			
Layer:		1			
Plug From:		0			
Plug To:		1			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1004060598			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Casing ID:		1004060604			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		30.75			
Casing Diameter:		2			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		1004060605			
Layer:		1			
Slot:		10			
Screen Top Depth:		30.75			
Screen End Depth:		40.75			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.25			
 <u>Hole Diameter</u>					
Hole ID:		1004060602			
Diameter:		5.75			
Depth From:		0			
Depth To:		40.75			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

125	1 of 1	E/140.9	152.9 / -4.98	Toronto ON	WWIS
<hr/>					
Well ID:	7286531			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Test Hole			Date Received:	5/11/2017
Sec. Water Use:	Monitoring			Selected Flag:	Yes
Final Well Status:	0			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z254220			Owner:	
Tag:	A205863			Street Name:	1467 BATHURST STREET
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
 <u>Bore Hole Information</u>					
Bore Hole ID:	1006443516			Elevation:	158.001739
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627554
Code OB Desc:				North83:	4837970

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	4/11/2017			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006710060			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		28			
Other Materials:		SAND			
Mat3:		05			
Other Materials:		CLAY			
Formation Top Depth:		0			
Formation End Depth:		15			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006710061			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		15			
Formation End Depth:		35			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006710071			
Layer:		3			
Plug From:		24			
Plug To:		35			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006710070			
Layer:		2			
Plug From:		1			
Plug To:		24			
Plug Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006710069			
Layer:		1			
Plug From:		0			
Plug To:		1			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006710059			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006710064			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		25			
Casing Diameter:		2			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1006710065			
Layer:		1			
Slot:		10			
Screen Top Depth:		25			
Screen End Depth:		35			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.25			
<u>Hole Diameter</u>					
Hole ID:		1006710062			
Diameter:		6.25			
Depth From:		0			
Depth To:		35			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
126	1 of 1	WSW/139.9	158.3 / 0.42	Dr Bernarda Rosales Verzonilla Dentistry Prof Corp	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
				550 St Clair Ave W Suite 203 Toronto ON M6C 1A5	
Generator No:	ON3907905			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Oct 2019			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
 <u>Detail(s)</u>					
Waste Class:	148 C				
Waste Class Desc:	Misc. wastes and inorganic chemicals				
Waste Class:	312 P				
Waste Class Desc:	Pathological wastes				
127	1 of 1	ESE/138.3	153.1 / -4.73	501 St Clair Avenue Toronto ON	EHS
Order No:	20170803117			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Custom Report			Client Prov/State:	ON
Report Date:	11-AUG-17			Search Radius (km):	.25
Date Received:	03-AUG-17			X:	-79.417779
Previous Site Name:				Y:	43.682773
Lot/Building Size:					
Additional Info Ordered:					
128	1 of 1	W/140.7	159.8 / 1.97	98 Vaughan Rd Toronto ON M6C2M1	EHS
Order No:	20171011044			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Express Report			Client Prov/State:	ON
Report Date:	11-OCT-17			Search Radius (km):	.25
Date Received:	11-OCT-17			X:	-79.421467
Previous Site Name:				Y:	43.683656
Lot/Building Size:					
Additional Info Ordered:					
129	1 of 1	SE/140.5	153.6 / -4.25	TORONTO ON	WWIS
Well ID:	6930156			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	5/5/2006
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Observation Wells			Abandonment Rec:	
Water Type:				Contractor:	6607
Casing Material:				Form Version:	3
Audit No:	Z46609			Owner:	
Tag:	A040994			Street Name:	499 ST. CLAIR
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:				Easting NAD83: Northing NAD83: Zone: UTM Reliability:	
<u>Bore Hole Information</u>					
Bore Hole ID:	11558956			Elevation:	156.638183
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:	o			East83:	627503
Code OB Desc:	Overburden			North83:	4837827
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	3
Date Completed:	4/13/2006			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	933051419				
Layer:	2				
Color:	6				
General Color:	BROWN				
Mat1:	28				
Most Common Material:	SAND				
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:	3				
Formation End Depth:	12.1				
Formation End Depth UOM:	m				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	933051418				
Layer:	1				
Color:	6				
General Color:	BROWN				
Mat1:	28				
Most Common Material:	SAND				
Mat2:	11				
Other Materials:	GRAVEL				
Mat3:					
Other Materials:					
Formation Top Depth:	0				
Formation End Depth:	3				
Formation End Depth UOM:	m				
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	933291730				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:	1				
Plug From:	0				
Plug To:	6				
Plug Depth UOM:	m				
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:	6				
Method Construction:	Boring				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	11568563				
Casing No:	1				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	930878395				
Layer:	1				
Material:	5				
Open Hole or Material:	PLASTIC				
Depth From:	0				
Depth To:	6				
Casing Diameter:	5.1				
Casing Diameter UOM:	cm				
Casing Depth UOM:	m				
<u>Construction Record - Screen</u>					
Screen ID:	933418213				
Layer:	1				
Slot:	020				
Screen Top Depth:	6				
Screen End Depth:	12.1				
Screen Material:	5				
Screen Depth UOM:	m				
Screen Diameter UOM:	cm				
Screen Diameter:	6.4				
<u>Water Details</u>					
Water ID:	934075004				
Layer:	1				
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	9.1				
Water Found Depth UOM:	m				
<u>Hole Diameter</u>					
Hole ID:	11691078				
Diameter:	21				
Depth From:	0				
Depth To:	12.1				
Hole Depth UOM:	m				
Hole Diameter UOM:	cm				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
130	1 of 3	SE/144.2	154.8 / -3.12	Supertest Petroleum Corp Ltd 21 Vaughan Rd Toronto ON M6G 2N2	TANK
Permit Date:		4/24/1930			
Permit Type:		BP A29208			
User Type:		Gasoline service station			
Installation Type:		Gasoline tank			
Installation Size:					
Installation Config.:		5 x gasoline tanks			
No. Tanks Installed:		5			
Units of Measure:					
Value/Tank (\$):		2200			
Capacity(gal):					
Reference:		CTA Building permits			
Location Desc:		Bathurst St jct Vaughan Rd			
130	2 of 3	SE/144.2	154.8 / -3.12	Supertest Petroleum Corp Ltd 21 Vaughan Rd Toronto ON M6G 2N2	TANK
Permit Date:		2/20/1930			
Permit Type:		BP A28266			
User Type:		Gasoline service station			
Installation Type:		Service station			
Installation Size:					
Installation Config.:		Service station			
No. Tanks Installed:					
Units of Measure:					
Value/Tank (\$):		13000			
Capacity(gal):					
Reference:		CTA Building permits			
Location Desc:		Bathurst St nw cor Vaughan Rd			
130	3 of 3	SE/144.2	154.8 / -3.12	Bathurst Vaughan Mall Limited 21 Vaughan Road, Suite 114 Toronto ON M6G 2N2	GEN
Generator No:		ON8698345		PO Box No:	
Status:				Country: Canada	
Approval Years:		2016		Choice of Contact: CO_OFFICIAL	
Contam. Facility:		No		Co Admin:	
MHSW Facility:		No		Phone No Admin:	
SIC Code:		531120			
SIC Description:		LESSORS OF NON-RESIDENTIAL BUILDINGS (EXCEPT MINI-WAREHOUSES)			
Detail(s)					
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
131	1 of 1	ESE/145.0	152.8 / -5.03	Toronto ON	WWIS
Well ID:		7171660		Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:		Monitoring and Test Hole		Date Received: 11/15/2011	
Sec. Water Use:		0		Selected Flag: Yes	
Final Well Status:		Test Hole		Abandonment Rec:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z138764			Owner:	
Tag:	A122445			Street Name:	1443 BATHURST ST
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	WKQ-004153
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:	1003606715	Elevation:	156.364257
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	627543
Code OB Desc:		North83:	4837868
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	3
Date Completed:	8/29/2011	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	1004060718
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	
Formation Top Depth:	15
Formation End Depth:	30
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	1004060717
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	01
Most Common Material:	FILL
Mat2:	
Other Materials:	
Mat3:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		15			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1004060719			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		30			
Formation End Depth:		40			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004060729			
Layer:		3			
Plug From:		28			
Plug To:		40			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004060727			
Layer:		1			
Plug From:		0			
Plug To:		1			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004060728			
Layer:		2			
Plug From:		1			
Plug To:		28			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1004060716			
Casing No:		0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Comment: Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1004060722			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		30			
Casing Diameter:		2			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1004060723			
Layer:		1			
Slot:		10			
Screen Top Depth:		30			
Screen End Depth:		40			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.25			
<u>Hole Diameter</u>					
Hole ID:		1004060720			
Diameter:		5.75			
Depth From:		0			
Depth To:		40			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<hr/>					
<u>132</u>	1 of 1	W/145.9	159.8 / 1.97	100 vaughan road York ON M6C 2M1	EHS
Order No:	20181004016			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Custom Report			Client Prov/State:	ON
Report Date:	11-OCT-18			Search Radius (km):	.2
Date Received:	04-OCT-18			X:	-79.421533
Previous Site Name:				Y:	43.683815
Lot/Building Size:					
Additional Info Ordered:					
<hr/>					
<u>133</u>	1 of 1	WNW/145.2	159.8 / 1.97	119 Vaughan Road Toronto ON	SPL
Ref No:	4714-9BHTG3			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	2013/09/13			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	Dumping			Sector Type:	Container/Drum/Tote
Incident Event:				Agency Involved:	
Contaminant Code:	41			Nearest Watercourse:	
Contaminant Name:	PAINT AND PIGMENT WASTES			Site Address:	119 Vaughan Road
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Contaminant UN No 1: Environment Impact: Not Anticipated Nature of Impact: Surface Water Pollution Receiving Medium: Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: 2013/09/13 Dt Document Closed: Incident Reason: Deliberate Act Site Name: You Save Coin Laundry<UNOFFICIAL> Site County/District: Site Geo Ref Meth: Incident Summary: Toronto: white paint dumped into catch basin, clineg Contaminant Qty: 0 other - see incident description					
Site Region: Site Municipality: Toronto Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Land Spills Source Type:					
134	1 of 1	WNW/146.3	159.8 / 1.97	ON	WWIS
Well ID: 7218865 Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Water Type: Casing Material: Audit No: C23876 Tag: A157239 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:					
Data Entry Status: Yes Data Src: Date Received: 4/2/2014 Selected Flag: Yes Abandonment Rec: Contractor: 6607 Form Version: 8 Owner: Street Name: County: YORK Municipality: YORK BOROUGH Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
<u>Bore Hole Information</u>					
Bore Hole ID: 1004729258 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 3/19/2014 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
Elevation: 159.375534 Elevrc: Zone: 17 East83: 627234 North83: 4838018 Org CS: UTM83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: wwr					

135	1 of 1	WSW/152.5	158.7 / 0.78	Toronto ON	WWIS
Well ID:	7136612	Data Entry Status:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Construction Date:				Data Src:	
Primary Water Use:	Monitoring and Test Hole			Date Received:	12/21/2009
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Monitoring and Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z108797			Owner:	
Tag:	A092428			Street Name:	78 VAUGHAN RD.
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1002903570			Elevation:	157.450363
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627236
Code OB Desc:				North83:	4837876
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	12/1/2009			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1003096732				
Layer:	1				
Color:	6				
General Color:	BROWN				
Mat1:	28				
Most Common Material:	SAND				
Mat2:	01				
Other Materials:	FILL				
Mat3:	66				
Other Materials:	DENSE				
Formation Top Depth:	0				
Formation End Depth:	4				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1003096733				
Layer:	2				
Color:	6				
General Color:	BROWN				
Mat1:	28				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Most Common Material:		SAND			
Mat2:					
Other Materials:					
Mat3:		66			
Other Materials:		DENSE			
Formation Top Depth:		4			
Formation End Depth:		17			
Formation End Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003096737			
Layer:		3			
Plug From:		6			
Plug To:		17			
Plug Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003096735			
Layer:		1			
Plug From:		0			
Plug To:		1			
Plug Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003096736			
Layer:		2			
Plug From:		1			
Plug To:		6			
Plug Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		1003096731			
Casing No:		0			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		1003096739			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		7			
Casing Diameter:		0.75			
Casing Diameter UOM:		inch			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1003096740			
Layer:		1			
Slot:		10			
Screen Top Depth:		7			
Screen End Depth:		17			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1			
<u>Hole Diameter</u>					
Hole ID:		1003096734			
Diameter:		10.92			
Depth From:		0			
Depth To:		17			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<hr/>					
136	1 of 1	ESE/148.9	152.6 / -5.29	497 St. Clair Avenue West Toronto ON M5P 1N6	EHS
Order No:	20190813193			Nearest Intersection:	
Status:	C			Municipality:	Toronto
Report Type:	RSC Report (Urban)			Client Prov/State:	ON
Report Date:	20-AUG-19			Search Radius (km):	.3
Date Received:	13-AUG-19			X:	-79.417408
Previous Site Name:	Residential			Y:	43.683081
Lot/Building Size:	770 m2				
Additional Info Ordered:					
<hr/>					
137	1 of 1	W/149.4	159.8 / 1.97	100 Vaughan Rd Toronto ON M6C2M1	EHS
Order No:	20131022026			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Site Report			Client Prov/State:	ON
Report Date:	23-OCT-13			Search Radius (km):	.001
Date Received:	22-OCT-13			X:	-79.421578
Previous Site Name:				Y:	43.683797
Lot/Building Size:					
Additional Info Ordered:					
<hr/>					
138	1 of 1	W/149.5	159.8 / 1.97	TSP Canada Towers Inc. 100 Hayes Road Vaughan, Regional Municipality of York L2V 1L9 CITY OF VAUGHAN ON	EBR
EBR Registry No:	011-8789			Decision Posted:	
Ministry Ref No:	2285-967NYJ			Exception Posted:	
Notice Type:	Instrument Decision			Section:	
Notice Stage:	804870358			Act 1:	
Notice Date:	October 31, 2016			Act 2:	
Proposal Date:	April 11, 2013			Site Location Map:	
Year:	2013				
Instrument Type:	(EPA Part II.1-air) - Environmental Compliance Approval (project type: air)				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Off Instrument Name: Posted By: Company Name: TSP Canada Towers Inc. Site Address: Location Other: Proponent Name: Proponent Address: 100 Hayes Road, Thorold Ontario, Canada L2V 1L9 Comment Period: URL: Site Location Details: 100 Hayes Road Vaughan, Regional Municipality of York L2V 1L9 CITY OF VAUGHAN					
139	1 of 1	W/149.5	159.8 / 1.97	100 VAUGHAN RD TORONTO ON	EHS
Order No: 20101019003 Status: C Report Type: Site Report Report Date: 10/20/2010 Date Received: 10/19/2010 9:13:42 AM Previous Site Name: Lot/Building Size: Additional Info Ordered:		Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): 0.25 X: -79.421248 Y: 43.683821			
140	1 of 1	E/151.8	152.3 / -5.54	Toronto ON	WWIS
Well ID: 7286530 Construction Date: Primary Water Use: Test Hole Sec. Water Use: Monitoring Final Well Status: 0 Water Type: Casing Material: Audit No: Z254235 Tag: A221684 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:		Data Entry Status: Data Src: Date Received: 5/11/2017 Selected Flag: Yes Abandonment Rec: Contractor: 7241 Form Version: 7 Owner: Street Name: 1467 BATHURST STREET County: YORK Municipality: TORONTO CITY Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:			
<u>Bore Hole Information</u>					
Bore Hole ID: 1006443513 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 4/12/2017		Elevation: 157.861663 Elevrc: Zone: 17 East83: 627568 North83: 4837946 Org CS: UTM83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Remarks:			Location Method:		WWF
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006710048			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		10			
Other Materials:		COARSE SAND			
Mat3:		91			
Other Materials:		WATER-BEARING			
Formation Top Depth:		37			
Formation End Depth:		45			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006710047			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		06			
Other Materials:		SILT			
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		37			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006710057			
Layer:		2			
Plug From:		1			
Plug To:		34			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006710056			
Layer:		1			
Plug From:		0			
Plug To:		1			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Plug ID:		1006710058			
Layer:		3			
Plug From:		34			
Plug To:		45			
Plug Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		2			
Method Construction Code:		Rotary (Convent.)			
Method Construction:					
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		1006710046			
Casing No:		0			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		1006710051			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		35			
Casing Diameter:		2			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		1006710052			
Layer:		1			
Slot:		10			
Screen Top Depth:		35			
Screen End Depth:		45			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.25			
 <u>Hole Diameter</u>					
Hole ID:		1006710049			
Diameter:		6.25			
Depth From:		0			
Depth To:		45			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<hr/>					
141	1 of 2	SE/150.2	152.8 / -5.09	ON	WWIS
Well ID:	7268121			Data Entry Status:	Yes
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	8/2/2016

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:				Abandonment Rec:	
Water Type:				Contractor:	6926
Casing Material:				Form Version:	8
Audit No:	C32603			Owner:	
Tag:				Street Name:	
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
 <u>Bore Hole Information</u>					
Bore Hole ID:	1006182894			Elevation:	156.50914
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627522
Code OB Desc:				North83:	4837831
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	4/20/2016			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<hr/>					
141	2 of 2	SE/150.2	152.8 / -5.09	ON	WWIS
Well ID:	7261505			Data Entry Status:	Yes
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	4/18/2016
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:				Abandonment Rec:	
Water Type:				Contractor:	6926
Casing Material:				Form Version:	8
Audit No:	C32212			Owner:	
Tag:	A178191			Street Name:	
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
 <u>Bore Hole Information</u>					
Bore Hole ID:	1005931921			Elevation:	156.50914

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 1/27/2016 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
Elevrc: Zone: 17 East83: 627522 North83: 4837831 Org CS: UTM83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: wwr					
142	1 of 1	E/150.6	151.9 / -6.01	ON	WWIS
Well ID: 7314245 Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Water Type: Casing Material: Audit No: Z223821 Tag: A241333 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:					
Data Entry Status: Yes Data Src: Date Received: 7/6/2018 Selected Flag: Yes Abandonment Rec: Contractor: 6607 Form Version: 7 Owner: Street Name: County: YORK Municipality: TORONTO CITY Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
<u>Bore Hole Information</u>					
Bore Hole ID: 1007143351 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 4/24/2018 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
Elevation: Elevrc: Zone: 17 East83: 627565 North83: 4837916 Org CS: UTM83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: wwr					
143	1 of 1	NW/149.3	159.8 / 1.97	125 Vaughan Road York ON M6C 2L9	EHS
Order No: 20180611172 Status: C Report Type: Custom Report					
Nearest Intersection: Municipality: Client Prov/State: ON					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Report Date: 18-JUN-18 Date Received: 11-JUN-18 Previous Site Name: Lot/Building Size: Additional Info Ordered:					
Search Radius (km): .2 X: -79.421025 Y: 43.684703					
144	1 of 1	E/153.8	152.0 / -5.85	ON	WWIS
Well ID: 7314246 Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Water Type: Casing Material: Audit No: Z223822 Tag: A241332 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:					
Data Entry Status: Yes Data Src: Date Received: 7/6/2018 Selected Flag: Yes Abandonment Rec: Contractor: 6607 Form Version: 7 Owner: Street Name: County: YORK Municipality: TORONTO CITY Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
Bore Hole Information					
Bore Hole ID: 1007143354 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 4/25/2018 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
Elevation: Elevrc: Zone: 17 East83: 627570 North83: 4837934 Org CS: UTM83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: wwr					
145	1 of 1	SSW/153.3	156.3 / -1.53	Enbridge Gas Distribution Inc. 16 Ellsworth Ave. Toronto ON M6G 2K3	SPL
Ref No: 0774-8L4J5A Site No: Incident Dt: 8/26/2011 Year: Incident Cause: Discharge or Emission to Air Incident Event: Contaminant Code: 35 Contaminant Name: NATURAL GAS, COMPRESSED (METHANE) Contaminant Limit 1: Contam Limit Freq 1:					
Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Pipeline Agency Involved: Nearest Watercourse: Site Address: 16 Ellsworth Ave. Site District Office: Site Postal Code:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Contaminant UN No 1: Environment Impact: Confirmed Nature of Impact: Air Pollution Receiving Medium: Receiving Env: MOE Response: Referral to others Dt MOE Arvl on Scn: MOE Reported Dt: 8/26/2011 Dt Document Closed: Incident Reason: Spill Site Name: Residence<UNOFFICIAL> Site County/District: Site Geo Ref Meth: Incident Summary: Enbridge, TSSA FSB: 0.5" Service Strike, Nat Gas to Atm Contaminant Qty: 0 other - see incident description					
Site Region: Site Municipality: Toronto Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Air Spills - Gases and Vapours Source Type:					

146	1 of 1	SSW/153.4	156.3 / -1.53	16 Ellsworth Avenue , Toronto ON	PINC
Incident ID: 2806192 Incident No: 649440 Type: FS-Pipeline Incident Status Code: Pipeline Damage Reason Est Fuel Occurrence Tp: Pipeline Strike Fuel Type: Natural Gas Tank Status: RC Established Task No: 3457613 Spills Action Centre: 0774-8L4J5A Method Details: E-mail Fuel Category: Natural Gas Date of Occurrence: 8/26/2011 0:00 Occurrence Start Date: 2011/08/26 Operation Type: Private Dwelling Pipeline Type: Service / Riser Distribution Pipeline Regulator Type: Service Regulator (up to 60 psi intake) Summary: 16 Ellsworth Avenue , Toronto - 1/2" Pipeline Hit Reported By: Gino Sisera - Enbridge Affiliation: Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.) Occurrence Desc: Gas service to shallow 9". Contractor had ALA Damage Reason: Excavation practices not sufficient Notes: Gas service 9" to shallow. Contractor had ALA agreement to excavate up to 12"					
Health Impact: No Environment Impact: No Property Damage: No Service Interrupt: No Enforce Policy: Yes Public Relation: No Pipeline System: Depth: 9 Pipe Material: Plastic PSIG: 55 Attribute Category: FS-Perform P-line Inc Invest Regulator Location: Outside					

147	1 of 1	ESE/154.7	152.7 / -5.14	1443 BATHURST STREET, TORONTO, ON M5R 3J2 Toronto ON	RSC
RSC ID: 224109 RA No: RSC Type: Phase 1 and 2 RSC Curr Property Use: Commercial Ministry District: Toronto District Office Filing Date: 2018/01/08 Date Ack: Date Returned: Restoration Type: Soil Type: Criteria: CPU Issued Sect 1686: Asmt Roll No: 19-04-05-3-440-00600, 19-04-05-3-440-00406,					
Cert Date: Cert Prop Use No: Intended Prop Use: Residential Qual Person Name: CARLA REYNOLDS Stratified (Y/N): Audit (Y/N): Entire Leg Prop. (Y/N): Accuracy Estimate: Telephone: Fax: Email:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Prop ID No (PIN):		19-04-05-3-440-00300 21224-0156 (LT), 21224-0158 (LT), 21224-0157 (LT), 21224-0159 (LT)			
Property Municipal Address:		1451 BATHURST STREET, TORONTO, ON M5R 3J2, 1445 BATHURST STREET, TORONTO, ON M5R 3J2, 1443 BATHURST STREET, TORONTO, ON M5R 3J2, 501 ST. CLAIR AVENUE WEST, TORONTO, ON M5P 1N6			
Mailing Address:					
Latitude & Latitude:					
UTM Coordinates:					
Consultant:					
Filing Owner:		501 ST. CLAIR AVENUE WEST LTD.			
Legal Desc:					
Measurement Method:					
Applicable Standards:					
RSC PDF:		https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=90198&fileName=BROWNFIELDS-E.pdf			
<u>Document(s) Detail</u>					
Document Heading:		Supporting Documents			
Document Name:		603311_Deeds and Transfers.pdf			
Document Type:		Copy of any deed(s), transfer(s) or other document(s)			
Document Link:		https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=90192&fileName=603311_Deeds+and+Transfers.pdf			
Document Heading:		Supporting Documents			
Document Name:		603311_Survey.pdf			
Document Type:		A Current plan of Survey			
Document Link:		https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=90189&fileName=603311_Survey.pdf			
Document Heading:		Supporting Documents			
Document Name:		603311 Phase Two CSM_Nov2017.pdf			
Document Type:		Phase 2 Conceptual Site Model			
Document Link:		https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=90194&fileName=603311+Phase+Two+CSM_Nov2017.pdf			
Document Heading:		Supporting Documents			
Document Name:		603311_APEC Table.pdf			
Document Type:		Area(s) of Potential Environmental Concern			
Document Link:		https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=90197&fileName=603311_APEC+Table.pdf			
Document Heading:		Supporting Documents			
Document Name:		Certificate of Status_Nov2017.pdf			
Document Type:		Certificate of Status			
Document Link:		https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=90188&fileName=Certificate+of+Status_Nov2017.pdf			
Document Heading:		Supporting Documents			
Document Name:		603311_Lawyer Letter.pdf			
Document Type:		Lawyer's letter consisting of a legal description of the property			
Document Link:		https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=90193&fileName=603311_Lawyer+Letter.pdf			
Document Heading:		Supporting Documents			
Document Name:		603311_Current and Past Uses_Nov2017.pdf			
Document Type:		Table of Current and Past Property Use			
Document Link:		https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=90196&fileName=603311_Current+and+Past+Uses_Nov2017.pdf			
<hr/>					
148	1 of 5	SW/153.6	156.9 / -0.98	LABCARE INC. 553 ST.CLAIR AVENUE WEST TORONTO ON M6C 1A3	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Generator No: ON0245160 Status: Approval Years: 01,02,03,04,05,06,07,08 Contam. Facility: MHSW Facility: SIC Code: 8681 SIC Description: MEDICAL LABORATORIES PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					
<u>Detail(s)</u>					
Waste Class: 312 Waste Class Desc: PATHOLOGICAL WASTES					
148	2 of 5	SW/153.6	156.9 / -0.98	LABCARE INC. 553 ST.CLAIR AVENUE WEST TORONTO ON M6C 1A3	GEN
Generator No: ON0245160 Status: Approval Years: 2009 Contam. Facility: MHSW Facility: SIC Code: 621510 SIC Description: Medical and Diagnostic Laboratories PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					
<u>Detail(s)</u>					
Waste Class: 312 Waste Class Desc: PATHOLOGICAL WASTES					
148	3 of 5	SW/153.6	156.9 / -0.98	LABCARE INC. 553 ST.CLAIR AVENUE WEST TORONTO ON M6C 1A3	GEN
Generator No: ON0245160 Status: Approval Years: 2010 Contam. Facility: MHSW Facility: SIC Code: 621510 SIC Description: Medical and Diagnostic Laboratories PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					
<u>Detail(s)</u>					
Waste Class: 312 Waste Class Desc: PATHOLOGICAL WASTES					
148	4 of 5	SW/153.6	156.9 / -0.98	LABCARE INC. 553 ST.CLAIR AVENUE WEST TORONTO ON M6C 1A3	GEN
Generator No: ON0245160 Status: Approval Years: 2011 Contam. Facility: MHSW Facility: SIC Code: 621510 SIC Description: Medical and Diagnostic Laboratories PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
148	5 of 5	SW/153.6	156.9 / -0.98	LABCARE INC. 553 ST.CLAIR AVENUE WEST TORONTO ON M6C 1A3	GEN
Generator No:	ON0245160			PO Box No:	
Status:				Country:	
Approval Years:	2012			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	621510				
SIC Description:	Medical and Diagnostic Laboratories				
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
149	1 of 2	SE/163.9	154.1 / -3.81	DMKCorp 1440 Bathurst St Toronto ON M5R 3J3	GEN
Generator No:	ON2922138			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Dec 2018			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		312 P			
Waste Class Desc:		Pathological wastes			
149	2 of 2	SE/163.9	154.1 / -3.81	DMKCorp 1440 Bathurst St Toronto ON M5R 3J3	GEN
Generator No:	ON2922138			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Oct 2019			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		312 P			
Waste Class Desc:		Pathological wastes			
150	1 of 1	E/162.5	151.8 / -6.07	TORONTO ON	WWIS
Well ID:	6928269			Data Entry Status:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Construction Date:				Data Src:	1
Primary Water Use:	Not Used			Date Received:	10/27/2004
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Observation Wells			Abandonment Rec:	
Water Type:				Contractor:	7147
Casing Material:				Form Version:	3
Audit No:	Z14024			Owner:	
Tag:	A017376			Street Name:	497 ST. CLAIR AVE. WEST
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	11180116			Elevation:	155.441635
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:	x			East83:	627578
Code OB Desc:	Unknown type in the lower layers(s)			North83:	4837923
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	3
Date Completed:	8/18/2004			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932992581				
Layer:	3				
Color:					
General Color:					
Mat1:					
Most Common Material:					
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:	17				
Formation End Depth:					
Formation End Depth UOM:	m				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932992580				
Layer:	2				
Color:					
General Color:					
Mat1:	28				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Most Common Material:		SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0.2			
Formation End Depth:		17			
Formation End Depth UOM:		m			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932992579			
Layer:		1			
Color:		2			
General Color:		GREY			
Mat1:		01			
Most Common Material:		FILL			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		0.2			
Formation End Depth UOM:		m			
 <u>Annular Space/Abandonment</u> <u>Sealing Record</u>					
Plug ID:		933263967			
Layer:		1			
Plug From:		0			
Plug To:		0.2			
Plug Depth UOM:		m			
 <u>Annular Space/Abandonment</u> <u>Sealing Record</u>					
Plug ID:		933263970			
Layer:		4			
Plug From:					
Plug To:		17			
Plug Depth UOM:		m			
 <u>Annular Space/Abandonment</u> <u>Sealing Record</u>					
Plug ID:		933263968			
Layer:		2			
Plug From:		0.2			
Plug To:		7.3			
Plug Depth UOM:		m			
 <u>Annular Space/Abandonment</u> <u>Sealing Record</u>					
Plug ID:		933263969			
Layer:		3			
Plug From:		7.3			
Plug To:		17			
Plug Depth UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		B			
Method Construction:		Other Method			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11188635			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930853693			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		7.9			
Casing Diameter:		5			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		933411359			
Layer:		1			
Slot:		10			
Screen Top Depth:		7.9			
Screen End Depth:		11			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.3			
<u>Hole Diameter</u>					
Hole ID:		11314899			
Diameter:		10			
Depth From:		0			
Depth To:		17			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<u>151</u>	1 of 1	NNE/162.4	158.3 / 0.38	31 Tichester Road Toronto ON	EHS
Order No:	20151029034			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Custom Report			Client Prov/State:	ON
Report Date:	03-NOV-15			Search Radius (km):	.25
Date Received:	29-OCT-15			X:	-79.418814
Previous Site Name:				Y:	43.685263
Lot/Building Size:					
Additional Info Ordered:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
152	1 of 1	ESE/164.3	151.9 / -5.93	150 Hilton Avenue Toronto ON M5R 3E9	EHS
Order No:		20190726051		Nearest Intersection:	
Status:		C		Municipality: toronto	
Report Type:		Standard Report		Client Prov/State: ON	
Report Date:		01-AUG-19		Search Radius (km): .25	
Date Received:		26-JUL-19		X: -79.417296	
Previous Site Name:				Y: 43.68291	
Lot/Building Size:					
Additional Info Ordered:		Fire Insur. Maps and/or Site Plans			
153	1 of 1	E/170.0	152.4 / -5.52	ON	WWIS
Well ID:		7289079		Data Entry Status: Yes	
Construction Date:		Data Src:			
Primary Water Use:		Date Received: 6/26/2017			
Sec. Water Use:		Selected Flag: Yes			
Final Well Status:		Abandonment Rec:			
Water Type:		Contractor: 7464			
Casing Material:		Form Version: 8			
Audit No:		Owner:			
Tag:		Street Name:			
Construction Method:		County: YORK			
Elevation (m):		Municipality: TORONTO CITY			
Elevation Reliability:		Site Info:			
Depth to Bedrock:		Lot:			
Well Depth:		Concession:			
Overburden/Bedrock:		Concession Name:			
Pump Rate:		Easting NAD83:			
Static Water Level:		Northing NAD83:			
Flowing (Y/N):		Zone:			
Flow Rate:		UTM Reliability:			
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:		1006575486		Elevation: 157.354995	
DP2BR:		Elevrc:			
Spatial Status:		Zone: 17			
Code OB:		East83: 627577			
Code OB Desc:		North83: 4837996			
Open Hole:		Org CS: UTM83			
Cluster Kind:		UTMRC: 4			
Date Completed:		4/17/2017		UTMRC Desc: margin of error : 30 m - 100 m	
Remarks:		Location Method: wwr			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
154	1 of 1	WSW/173.4	158.7 / 0.78	TORONTO ON	WWIS
Well ID:		6929553		Data Entry Status:	
Construction Date:		Data Src:			
Primary Water Use:		Not Used		Date Received: 11/16/2005	
Sec. Water Use:		Selected Flag: Yes			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Final Well Status:	Observation Wells			Abandonment Rec:	
Water Type:				Contractor:	6607
Casing Material:				Form Version:	3
Audit No:	Z38176			Owner:	
Tag:	A031699			Street Name:	11 KENWOOD AVENUE
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:	11328522	Elevation:	157.175765
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:	o	East83:	627215
Code OB Desc:	Overburden	North83:	4837873
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	9/23/2005	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	933039531
Layer:	1
Color:	2
General Color:	GREY
Mat1:	28
Most Common Material:	SAND
Mat2:	11
Other Materials:	GRAVEL
Mat3:	
Other Materials:	
Formation Top Depth:	0
Formation End Depth:	0.1
Formation End Depth UOM:	m

Overburden and Bedrock Materials Interval

Formation ID:	933039532
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	06
Other Materials:	SILT

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3:					
Other Materials:					
Formation Top Depth:		0.1			
Formation End Depth:		7.5			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		933039533			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		7.5			
Formation End Depth:		9.1			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933281005			
Layer:		1			
Plug From:		0			
Plug To:		0.3			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933281003			
Layer:		3			
Plug From:		5.4			
Plug To:		6.1			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933281004			
Layer:		2			
Plug From:		0.3			
Plug To:		5.4			
Plug Depth UOM:		m			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11343377			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Casing No:	1				
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:	930873523				
Layer:	1				
Material:	5				
Open Hole or Material:	PLASTIC				
Depth From:	0				
Depth To:	6.1				
Casing Diameter:	5.2				
Casing Diameter UOM:	cm				
Casing Depth UOM:	m				
 <u>Construction Record - Screen</u>					
Screen ID:	933415473				
Layer:	1				
Slot:	10				
Screen Top Depth:	6.1				
Screen End Depth:	9.1				
Screen Material:	5				
Screen Depth UOM:	m				
Screen Diameter UOM:	cm				
Screen Diameter:	6.4				
 <u>Hole Diameter</u>					
Hole ID:	11549632				
Diameter:	21				
Depth From:	0				
Depth To:	9.1				
Hole Depth UOM:	m				
Hole Diameter UOM:	cm				
<hr/>					
155	1 of 27	ENE/170.9	154.1 / -3.76	ST. MICHAEL'S COLLEGE SCHOOL 1515 BATHURST STREET TORONTO ON M5P 3H4	CA
Certificate #:	8-3101-98-				
Application Year:	98				
Issue Date:	3/12/1998				
Approval Type:	Industrial air				
Status:	Approved				
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:	CAFETERIA KITCHEN EXHAUST EQUIPMENT				
Contaminants:	Odour/Fumes				
Emission Control:	Mist Eliminator,				
<hr/>					
155	2 of 27	ENE/170.9	154.1 / -3.76	METRO TORONTO SEPARATE SCHOOL BD. ST. MICHAELS COLLEGE SCHOOL 1515 BATHURST STREET TORONTO ON M5P 3H4	GEN
Generator No:	ON0121824			PO Box No:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<div><div><div>Status:</div><div>Approval Years:</div><div>Contam. Facility:</div><div>MHSW Facility:</div><div>SIC Code:</div><div>SIC Description:</div></div><div>86,87,88</div><div>8511</div><div>ELEMT./SECON. EDUC.</div></div> <div><div>Country:</div><div>Choice of Contact:</div><div>Co Admin:</div><div>Phone No Admin:</div></div>					
<div>Detail(s)</div> <div><div>Waste Class:</div><div>Waste Class Desc:</div></div> <div>148</div> <div>INORGANIC LABORATORY CHEMICALS</div> <div><div>Waste Class:</div><div>Waste Class Desc:</div></div> <div>212</div> <div>ALIPHATIC SOLVENTS</div> <div><div>Waste Class:</div><div>Waste Class Desc:</div></div> <div>252</div> <div>WASTE OILS & LUBRICANTS</div>					
155	3 of 27	ENE/170.9	154.1 / -3.76	METRO TORONTO(SEE & USE ON1188100) ST. MICHAELS COLLEGE SCHOOL 1515 BATHURST STREET TORONTO ON M5P 3H4	GEN
<div><div><div>Generator No:</div><div>Status:</div><div>Approval Years:</div><div>Contam. Facility:</div><div>MHSW Facility:</div><div>SIC Code:</div><div>SIC Description:</div></div><div>ON0121824</div><div>89,90</div><div>8511</div><div>ELEMT./SECON. EDUC.</div></div> <div><div>PO Box No:</div><div>Country:</div><div>Choice of Contact:</div><div>Co Admin:</div><div>Phone No Admin:</div></div>					
<div>Detail(s)</div> <div><div>Waste Class:</div><div>Waste Class Desc:</div></div> <div>148</div> <div>INORGANIC LABORATORY CHEMICALS</div> <div><div>Waste Class:</div><div>Waste Class Desc:</div></div> <div>212</div> <div>ALIPHATIC SOLVENTS</div> <div><div>Waste Class:</div><div>Waste Class Desc:</div></div> <div>252</div> <div>WASTE OILS & LUBRICANTS</div>					
155	4 of 27	ENE/170.9	154.1 / -3.76	METROPOLITAN (SEE & USE ON1188100)26-191 ST. MICHAELS COLLEGE SCHOOL 1515 BATHURST STREET TORONTO ON M5P 3H4	GEN
<div><div><div>Generator No:</div><div>Status:</div><div>Approval Years:</div><div>Contam. Facility:</div><div>MHSW Facility:</div><div>SIC Code:</div><div>SIC Description:</div></div><div>ON0121824</div><div>92,93,94,95,96,97</div><div>8511</div><div>ELEMT./SECON. EDUC.</div></div> <div><div>PO Box No:</div><div>Country:</div><div>Choice of Contact:</div><div>Co Admin:</div><div>Phone No Admin:</div></div>					
155	5 of 27	ENE/170.9	154.1 / -3.76	METROPOLITAN SEPARATE(SEE&USE ON1188100) ST. MICHAELS COLLEGE SCHOOL 1515 BATHURST STREET TORONTO ON M5P 3H4	GEN
<div><div>Generator No:</div><div>ON0121824</div><div>PO Box No:</div></div>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Status: Approval Years: 98 Contam. Facility: MHSW Facility: SIC Code: 8511 SIC Description: ELEM.T./SECON. EDUC.					
Country: Choice of Contact: Co Admin: Phone No Admin:					
155	6 of 27	ENE/170.9	154.1 / -3.76	ST. MICHAEL'S COLLEGE SCHOOL ARENA 1515 BATHURST STREET TORONTO ON M5P 3H4	GEN
Generator No: ON1188100 Status: Approval Years: 89 Contam. Facility: MHSW Facility: SIC Code: 0000 SIC Description: *** NOT DEFINED ***					
PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					
<u>Detail(s)</u>					
Waste Class: 148 Waste Class Desc: INORGANIC LABORATORY CHEMICALS					
Waste Class: 212 Waste Class Desc: ALIPHATIC SOLVENTS					
Waste Class: 252 Waste Class Desc: WASTE OILS & LUBRICANTS					
155	7 of 27	ENE/170.9	154.1 / -3.76	ST. MICHAEL'S COLLEGE SCHOOL 34-566 1515 BATHURST STREET TORONTO ON M5P 3H4	GEN
Generator No: ON1188100 Status: Approval Years: 92,93,94,95,96,97,98 Contam. Facility: MHSW Facility: SIC Code: 8511 SIC Description: ELEM.T./SECON. EDUC.					
PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					
<u>Detail(s)</u>					
Waste Class: 148 Waste Class Desc: INORGANIC LABORATORY CHEMICALS					
Waste Class: 212 Waste Class Desc: ALIPHATIC SOLVENTS					
Waste Class: 213 Waste Class Desc: PETROLEUM DISTILLATES					
Waste Class: 252 Waste Class Desc: WASTE OILS & LUBRICANTS					
Waste Class: 263 Waste Class Desc: ORGANIC LABORATORY CHEMICALS					
Waste Class: 145 Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
155	8 of 27	ENE/170.9	154.1 / -3.76	ST. MICHAEL'S COLLEGE HIGH SCHOOL 1515 BATHURST STREET TORONTO ON M5P 3H4	GEN
Generator No:		ON1188100	PO Box No:		
Status:			Country:		
Approval Years:		99,00,01	Choice of Contact:		
Contam. Facility:			Co Admin:		
MHSW Facility:			Phone No Admin:		
SIC Code:		8511			
SIC Description:		ELEM./SECON. EDUC.			
<u>Detail(s)</u>					
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			

155	9 of 27	ENE/170.9	154.1 / -3.76	ST. MICHAEL'S COLLEGE SCHOOL 1515 BATHURST STREET TORONTO ON M5P 3H4	GEN
Generator No:		ON1188100	PO Box No:		
Status:			Country:		
Approval Years:		02,03,04,05	Choice of Contact:		
Contam. Facility:			Co Admin:		
MHSW Facility:			Phone No Admin:		
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
155	10 of 27	ENE/170.9	154.1 / -3.76	St Michaels College 1515 Bathurst St Toronto ON M5P 3H4	TANK
Permit Date:		4/17/1950			
Permit Type:					
User Type:		School			
Installation Type:		1 x 500 gall FO USTs			
Installation Size:					
Installation Config.:		1 x 500 gall FO USTs			
No. Tanks Installed:		1			
Units of Measure:					
Value/Tank (\$):		0			
Capacity(gal):		500			
Reference:		York Township General Purposes Committee 17 Apr 1950			
Location Desc:		Bathurst St			
155	11 of 27	ENE/170.9	154.1 / -3.76	St. Michael's College School 1515 Bathurst St Toronto ON M5P 3H4	CA
Certificate #:		9353-7SXQG9			
Application Year:		2009			
Issue Date:		6/17/2009			
Approval Type:		Air			
Status:		Approved			
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:					
Contaminants:					
Emission Control:					
155	12 of 27	ENE/170.9	154.1 / -3.76	ST. MICHAEL'S COLLEGE SCHOOL 1515 BATHURST STREET TORONTO ON M5P 3H4	GEN
Generator No:		ON1188100		PO Box No:	
Status:				Country:	
Approval Years:		2009		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		611110			
SIC Description:		Elementary and Secondary Schools			
Detail(s)					
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class: 252 Waste Class Desc: WASTE OILS & LUBRICANTS Waste Class: 263 Waste Class Desc: ORGANIC LABORATORY CHEMICALS					
155	13 of 27	ENE/170.9	154.1 / -3.76	ST. MICHAEL'S COLLEGE SCHOOL 1515 BATHURST STREET TORONTO ON M5P 3H4	GEN
Generator No: ON1188100 Status: Approval Years: 2011 Contam. Facility: MHSW Facility: SIC Code: 611110 SIC Description: PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					
<u>Detail(s)</u>					
Waste Class: 212 Waste Class Desc: ALIPHATIC SOLVENTS Waste Class: 263 Waste Class Desc: ORGANIC LABORATORY CHEMICALS Waste Class: 148 Waste Class Desc: INORGANIC LABORATORY CHEMICALS Waste Class: 145 Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES Waste Class: 252 Waste Class Desc: WASTE OILS & LUBRICANTS Waste Class: 213 Waste Class Desc: PETROLEUM DISTILLATES					
155	14 of 27	ENE/170.9	154.1 / -3.76	ST. MICHAEL'S COLLEGE SCHOOL 1515 BATHURST STREET TORONTO ON M5P 3H4	GEN
Generator No: ON1188100 Status: Approval Years: 2012 Contam. Facility: MHSW Facility: SIC Code: 611110 SIC Description: Elementary and Secondary Schools PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					
<u>Detail(s)</u>					
Waste Class: 252 Waste Class Desc: WASTE OILS & LUBRICANTS Waste Class: 212 Waste Class Desc: ALIPHATIC SOLVENTS Waste Class: 263 Waste Class Desc: ORGANIC LABORATORY CHEMICALS Waste Class: 213					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
155	15 of 27	ENE/170.9	154.1 / -3.76	ST. MICHAEL'S COLLEGE SCHOOL 1515 BATHURST STREET TORONTO ON	GEN
Generator No:		ON1188100		PO Box No:	
Status:				Country:	
Approval Years:		2013		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		611110			
SIC Description:		ELEMENTARY AND SECONDARY SCHOOLS			
<u>Detail(s)</u>					
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
155	16 of 27	ENE/170.9	154.1 / -3.76	St. Michaels College School 1515 Bathurst St. Toronto ON	GEN
Generator No:		ON9249254		PO Box No:	
Status:				Country:	
Approval Years:		2013		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		611620			
SIC Description:		ATHLETIC INSTRUCTION			
<u>Detail(s)</u>					
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
155	17 of 27	ENE/170.9	154.1 / -3.76	St. Michael's College School 1515 Bathurst St	ECA

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Toronto ON M5P 3H4					
Approval No: Approval Date: Status: Record Type: Link Source: SWP Area Name: Approval Type: Project Type: Address: Full Address: Full PDF Link:	9353-7SXQG9 2009-06-17 Approved ECA IDS Toronto ECA-AIR AIR 1515 Bathurst St https://www.accessenvironment.ene.gov.on.ca/instruments/4351-7RTLNK-14.pdf			MOE District: City: Longitude: Latitude: Geometry X: Geometry Y:	Metro Toronto -79.41753 43.684784
155	18 of 27	ENE/170.9	154.1 / -3.76	St. Michaels College School 1515 Bathhurst St. Toronto ON M5P3H4	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	ON9249254 2016 No No 611620 ATHLETIC INSTRUCTION			PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	Canada CO_OFFICIAL
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	148 INORGANIC LABORATORY CHEMICALS				
Waste Class: Waste Class Desc:	263 ORGANIC LABORATORY CHEMICALS				
155	19 of 27	ENE/170.9	154.1 / -3.76	ST. MICHAEL'S COLLEGE SCHOOL 1515 BATHURST STREET TORONTO ON M5P 3H4	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	ON1188100 2016 No No 611110 ELEMENTARY AND SECONDARY SCHOOLS			PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	Canada CO_OFFICIAL
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	213 PETROLEUM DISTILLATES				
Waste Class: Waste Class Desc:	263 ORGANIC LABORATORY CHEMICALS				
Waste Class: Waste Class Desc:	145 PAINT/PIGMENT/COATING RESIDUES				
Waste Class: Waste Class Desc:	252 WASTE OILS & LUBRICANTS				
Waste Class:	148				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
155	20 of 27	ENE/170.9	154.1 / -3.76	ST. MICHAEL'S COLLEGE SCHOOL 1515 BATHURST STREET TORONTO ON M5P 3H4	GEN
Generator No:		ON1188100		PO Box No:	
Status:				Country:	Canada
Approval Years:		2015		Choice of Contact:	CO_OFFICIAL
Contam. Facility:		No		Co Admin:	
MHSW Facility:		No		Phone No Admin:	
SIC Code:		611110			
SIC Description:		ELEMENTARY AND SECONDARY SCHOOLS			
<u>Detail(s)</u>					
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
155	21 of 27	ENE/170.9	154.1 / -3.76	St. Michaels College School 1515 Bathhurst St. Toronto ON M5P3H4	GEN
Generator No:		ON9249254		PO Box No:	
Status:				Country:	Canada
Approval Years:		2015		Choice of Contact:	CO_OFFICIAL
Contam. Facility:		No		Co Admin:	
MHSW Facility:		No		Phone No Admin:	
SIC Code:		611620			
SIC Description:		ATHLETIC INSTRUCTION			
<u>Detail(s)</u>					
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
155	22 of 27	ENE/170.9	154.1 / -3.76	ST. MICHAEL'S COLLEGE SCHOOL 1515 BATHURST STREET TORONTO ON M5P 3H4	GEN
Generator No:		ON1188100		PO Box No:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Status: Approval Years: 2014 Contam. Facility: No MHSW Facility: No SIC Code: 611110 SIC Description: ELEMENTARY AND SECONDARY SCHOOLS					
				Country: Canada Choice of Contact: CO_OFFICIAL Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
155	23 of 27	ENE/170.9	154.1 / -3.76	St. Michaels College School 1515 Bathhurst St. Toronto ON M5P3H4	GEN
Generator No: ON9249254 Status: Approval Years: 2014 Contam. Facility: No MHSW Facility: No SIC Code: 611620 SIC Description: ATHLETIC INSTRUCTION					
				PO Box No: Country: Canada Choice of Contact: CO_OFFICIAL Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
155	24 of 27	ENE/170.9	154.1 / -3.76	ST. MICHAEL'S COLLEGE SCHOOL 1515 BATHURST STREET TORONTO ON M5P 3H4	GEN
Generator No: ON1188100 Status: Registered Approval Years: As of Dec 2018 Contam. Facility: MHSW Facility: SIC Code: SIC Description:					
				PO Box No: Country: Canada Choice of Contact: Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class:		145 I			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Desc:		Wastes from the use of pigments, coatings and paints			
Waste Class:		213 I			
Waste Class Desc:		Petroleum distillates			
Waste Class:		252 L			
Waste Class Desc:		Waste crankcase oils and lubricants			
155	25 of 27	ENE/170.9	154.1 / -3.76	St. Michaels College School 1515 Bathhurst St. Toronto ON M5P3H4	GEN
Generator No:		ON9249254		PO Box No:	
Status:		Registered		Country: Canada	
Approval Years:		As of Dec 2018		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		148 C			
Waste Class Desc:		Misc. wastes and inorganic chemicals			
Waste Class:		148 R			
Waste Class Desc:		Misc. wastes and inorganic chemicals			
Waste Class:		263 I			
Waste Class Desc:		Misc. waste organic chemicals			
155	26 of 27	ENE/170.9	154.1 / -3.76	ST. MICHAEL'S COLLEGE SCHOOL 1515 BATHURST STREET TORONTO ON M5P 3H4	GEN
Generator No:		ON1188100		PO Box No:	
Status:		Registered		Country: Canada	
Approval Years:		As of Oct 2019		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		252 L			
Waste Class Desc:		Waste crankcase oils and lubricants			
Waste Class:		213 I			
Waste Class Desc:		Petroleum distillates			
Waste Class:		145 I			
Waste Class Desc:		Wastes from the use of pigments, coatings and paints			
155	27 of 27	ENE/170.9	154.1 / -3.76	St. Michaels College School 1515 Bathhurst St. Toronto ON M5P3H4	GEN
Generator No:		ON9249254		PO Box No:	
Status:		Registered		Country: Canada	
Approval Years:		As of Oct 2019		Choice of Contact:	
Contam. Facility:				Co Admin:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
MHSW Facility: SIC Code: SIC Description:				Phone No Admin:	
<u>Detail(s)</u>					
Waste Class:		263 I			
Waste Class Desc:		Misc. waste organic chemicals			
Waste Class:		331 I			
Waste Class Desc:		Waste compressed gases including cylinders			
Waste Class:		148 C			
Waste Class Desc:		Misc. wastes and inorganic chemicals			
Waste Class:		148 R			
Waste Class Desc:		Misc. wastes and inorganic chemicals			

156	1 of 1	NW/174.1	159.8 / 1.97	ON	BORE
Borehole ID:	639367			Inclin FLG:	No
OGF ID:	215539764			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	NOV-1963			Municipality:	
Static Water Level:	1.2			Lot:	
Primary Water Use:	Not Used			Township:	
Sec. Water Use:				Latitude DD:	43.685079
Total Depth m:	11.9			Longitude DD:	-79.42086
Depth Ref:	Ground Surface			UTM Zone:	17
Depth Elev:				Easting:	627275
Drill Method:	Power auger			Northing:	4838108
Orig Ground Elev m:	30.3			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	160				
Concession:					
Location D:					
Survey D:					
Comments:					

Borehole Geology Stratum

Geology Stratum ID:	218488068	Mat Consistency:	Dense
Top Depth:	5.8	Material Moisture:	
Bottom Depth:	11.9	Material Texture:	Medium
Material Color:		Non Geo Mat Type:	
Material 1:	Sand	Geologic Formation:	
Material 2:	Silt	Geologic Group:	
Material 3:		Geologic Period:	
Material 4:		Depositional Gen:	glacial
Gsc Material Description:			
Stratum Description:	SAND-MEDIUM,SILT. GLACIAL,VERY DENSE, AGE GLACIAL. 009 00005006000800800019007200037 **Note: Many records provided by the department have a truncated [Stratum Description] field.		
Geology Stratum ID:	218488066	Mat Consistency:	Loose
Top Depth:	.2	Material Moisture:	
Bottom Depth:	2.4	Material Texture:	
Material Color:	Brown	Non Geo Mat Type:	
Material 1:	Fill	Geologic Formation:	
Material 2:	Silt	Geologic Group:	
Material 3:	Sand	Geologic Period:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Material 4: Gsc Material Description: Stratum Description:		FILL,SILT,SAND. BROWN,LOOSE.		Depositional Gen: fill	
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218488067 2.4 5.8 Brown Till Silt Gravel			Mat Consistency: Dense Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: glacial	
		TILL,SILT,GRAVEL. BROWN,GLACIAL,VERY DENSE, AGE GLACIAL, WATER STABLE AT 95.6 FEET.			
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218488065 0 .2 Soil			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
		SOIL.			
<u>Source</u>					
Source Type: Source Orig: Source Date: Confidence: Observatio: Source Name: Source Details: Confiden 1:	Data Survey Geological Survey of Canada 1956-1972 H Urban Geology Automated Information System (UGAIS) File: TOR1B.txt RecordID: 073310 NTS_Sheet: 30M11E Logged by professional. Exact and complete description of material and properties.			Source Appl: Spatial/Tabular Source Iden: 1 Scale or Res: Varies Horizontal: NAD27 Verticalda: Mean Average Sea Level	
<u>Source List</u>					
Source Identifier: Source Type: Source Date: Scale or Resolution: Source Name: Source Originators:	1 Data Survey 1956-1972 Varies Urban Geology Automated Information System (UGAIS) Geological Survey of Canada			Horizontal Datum: NAD27 Vertical Datum: Mean Average Sea Level Projection Name: Universal Transverse Mercator	
<hr/>					
<u>157</u>	1 of 1	SE/173.5	152.6 / -5.30	1435 Bathurst St Toronto ON M5R3J2	EHS
Order No: Status: Report Type: Report Date: Date Received: Previous Site Name: Lot/Building Size: Additional Info Ordered:	20161110003 C Standard Report 16-NOV-16 10-NOV-16 			Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -79.417665 Y: 43.682389	
<hr/>					
<u>158</u>	1 of 1	W/179.2	158.9 / 1.01	TORONTO ON	WWIS
Well ID:	7111315			Data Entry Status:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Construction Date:				Data Src:	
Primary Water Use:	Test Hole			Date Received:	9/12/2008
Sec. Water Use:	Not Used			Selected Flag:	Yes
Final Well Status:	Observation Wells			Abandonment Rec:	
Water Type:				Contractor:	7147
Casing Material:				Form Version:	7
Audit No:	Z87558			Owner:	
Tag:	A074046			Street Name:	11 KENWOOD AVENUE
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1001798089			Elevation:	157.773223
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627202
Code OB Desc:				North83:	4837895
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	3
Date Completed:	8/21/2008			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1001867389				
Layer:	4				
Color:	6				
General Color:	BROWN				
Mat1:	06				
Most Common Material:	SILT				
Mat2:	28				
Other Materials:	SAND				
Mat3:					
Other Materials:					
Formation Top Depth:	5.5				
Formation End Depth:	8.2				
Formation End Depth UOM:	m				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1001867388				
Layer:	3				
Color:	6				
General Color:	BROWN				
Mat1:	28				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Most Common Material:		SAND			
Mat2:		06			
Other Materials:		SILT			
Mat3:					
Other Materials:					
Formation Top Depth:		3.1			
Formation End Depth:		5.5			
Formation End Depth UOM:		m			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1001867387			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Other Materials:					
Mat3:		08			
Other Materials:		FINE SAND			
Formation Top Depth:		1.2			
Formation End Depth:		3.1			
Formation End Depth UOM:		m			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1001867386			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		01			
Most Common Material:		FILL			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		1.2			
Formation End Depth UOM:		m			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1001867393			
Layer:		3			
Plug From:					
Plug To:		8.2			
Plug Depth UOM:		m			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1001867392			
Layer:		2			
Plug From:		0.2			
Plug To:					
Plug Depth UOM:		m			
 <u>Annular Space/Abandonment</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Sealing Record</u>					
Plug ID:		1001867394			
Layer:		4			
Plug From:					
Plug To:		8.2			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1001867391			
Layer:		1			
Plug From:		0			
Plug To:		0.2			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		B			
Method Construction:		Other Method			
Other Method Construction:		SPT			
<u>Pipe Information</u>					
Pipe ID:		1001867385			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1001867396			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		5.1			
Casing Diameter:		3.2			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1001867397			
Layer:		1			
Slot:					
Screen Top Depth:		5.1			
Screen End Depth:		8.2			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.3			
<u>Hole Diameter</u>					
Hole ID:		1001867390			
Diameter:		5			
Depth From:		0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth To:		8.2			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
159	1 of 1	SW/173.8	156.7 / -1.17	York ON	WWIS
Well ID:	7302726			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring			Date Received:	1/4/2018
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Observation Wells			Abandonment Rec:	
Water Type:				Contractor:	7147
Casing Material:				Form Version:	7
Audit No:	Z271275			Owner:	
Tag:	A223445			Street Name:	557 ST CLAIR AVENUE WEST
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1006948812			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627277
Code OB Desc:				North83:	4837786
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	12/2/2017			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1007069311				
Layer:	3				
Color:					
General Color:					
Mat1:	06				
Most Common Material:	SILT				
Mat2:	28				
Other Materials:	SAND				
Mat3:					
Other Materials:					
Formation Top Depth:	1.5				
Formation End Depth:	4.9				
Formation End Depth UOM:	m				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1007069309			
Layer:		1			
Color:					
General Color:					
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		0.8			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1007069310			
Layer:		2			
Color:					
General Color:					
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:					
Other Materials:					
Formation Top Depth:		0.8			
Formation End Depth:		1.5			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1007069312			
Layer:		4			
Color:					
General Color:					
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		4.9			
Formation End Depth:		5.8			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007069320			
Layer:		2			
Plug From:		0.3			
Plug To:		1			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug ID:					
		1007069321			
Layer:					
		3			
Plug From:					
		1			
Plug To:					
		5.8			
Plug Depth UOM:					
		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:					
		1007069319			
Layer:					
		1			
Plug From:					
		0			
Plug To:					
		0.3			
Plug Depth UOM:					
		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:					
		1007069322			
Layer:					
		4			
Plug From:					
		0			
Plug To:					
		5.8			
Plug Depth UOM:					
		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
		6			
Method Construction Code:					
		Boring			
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:					
		1007069308			
Casing No:					
		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:					
		1007069315			
Layer:					
		1			
Material:					
		5			
Open Hole or Material:					
		PLASTIC			
Depth From:					
		0			
Depth To:					
		1.2			
Casing Diameter:					
		5			
Casing Diameter UOM:					
		cm			
Casing Depth UOM:					
		m			
<u>Construction Record - Screen</u>					
Screen ID:					
		1007069316			
Layer:					
		1			
Slot:					
Screen Top Depth:					
		1.2			
Screen End Depth:					
		5.8			
Screen Material:					
		5			
Screen Depth UOM:					
		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Diameter UOM: cm Screen Diameter: 6.3 Hole Diameter Hole ID: 1007069313 Diameter: 11.4 Depth From: 0 Depth To: 5.8 Hole Depth UOM: m Hole Diameter UOM: cm					
160	1 of 11	WSW/180.7	158.0 / 0.09	BUDGET RENT A CAR 556 ST CLAIR AV W TORONTO ON M6C 1A5	PRT
Location ID: 15623 Type: private Expiry Date: Capacity (L): 45460.00 Licence #: 0001042232					
160	2 of 11	WSW/180.7	158.0 / 0.09	BUDGET RENT A CAR O/A BRL REALTY 05-702 556 ST. CLAIR AVE. WEST, TORONTO C/O 5905 CAMPUS ROAD MISSISSAUGA ON M6C 1A5	GEN
Generator No: ON0386613 Status: Approval Years: 92,93,94,95,96,97,98 Contam. Facility: MHSW Facility: SIC Code: 9921 SIC Description: AUTO./TRUCK RENTAL PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					
Detail(s) Waste Class: 251 Waste Class Desc: OIL SKIMMINGS & SLUDGES					
160	3 of 11	WSW/180.7	158.0 / 0.09	556 St. Clair Avenue West Toronto ON M6C 1A5	EHS
Order No: 20040916038 Status: C Report Type: Complete Report Report Date: 9/27/04 Date Received: 9/16/04 Previous Site Name: Lot/Building Size: Additional Info Ordered: Fire Insur. Maps and/or Site Plans; Aerials Photos and/or Topographical Maps; Title Search Nearest Intersection: Bathurst/St. Clair Municipality: Client Prov/State: ON Search Radius (km): 0.25 X: -79.421043 Y: 43.682765					
160	4 of 11	WSW/180.7	158.0 / 0.09	McColl Bros Ltd 556 St Clair Ave W Toronto ON M6C 1A5	TANK
Permit Date: 8/1/1929 Permit Type: BP A24361 User Type: Gasoline service station					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Installation Type: Installation Size: Installation Config.: No. Tanks Installed: Units of Measure: Value/Tank (\$): Capacity(gal): Reference: Location Desc:		Gasoline tanks 2 x gasoline tanks 2 1500 CTA Building permits 556 St Clair Ave W			
160	5 of 11	WSW/180.7	158.0 / 0.09	McColl Bros Ltd 556 St Clair Ave W Toronto ON M6C 1A5	TANK
Permit Date: Permit Type: User Type: Installation Type: Installation Size: Installation Config.: No. Tanks Installed: Units of Measure: Value/Tank (\$): Capacity(gal): Reference: Location Desc:		8/12/1931 BP A38696 Gasoline service station Gasoline tank Gasoline tank 1 95 CTA Building Permits Index 556 St Clair Ave W			
160	6 of 11	WSW/180.7	158.0 / 0.09	McColl Bros Ltd 556 St Clair Ave W Toronto ON M6C 1A5	TANK
Permit Date: Permit Type: User Type: Installation Type: Installation Size: Installation Config.: No. Tanks Installed: Units of Measure: Value/Tank (\$): Capacity(gal): Reference: Location Desc:		10/24/1931 BP A40192 Gasoline service station gasoline tank gasoline tank 1 300 CTA Building Permits Index 556 St Clair Ave W			
160	7 of 11	WSW/180.7	158.0 / 0.09	BUDGET RENT A CAR 556 ST CLAIR AV W TORONTO ON M6C 1A5	FSTH
License Issue Date: Tank Status: Tank Status As Of: Operation Type: Facility Type: --Details-- Status: Year of Installation: Corrosion Protection: Capacity: Tank Fuel Type:		11/26/1990 Licensed August 2007 Private Fuel Outlet Gasoline Station - Self Serve Active 1984 Liquid Fuel Single Wall UST - Gasoline			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
160	8 of 11	WSW/180.7	158.0 / 0.09	BML Group 556 St. Clair Avenue West Toronto ON M6C 1A5	GEN
Generator No:		ON4898616	PO Box No:		
Status:			Country:		
Approval Years:		06	Choice of Contact:		
Contam. Facility:			Co Admin:		
MHSW Facility:			Phone No Admin:		
SIC Code:		238910			
SIC Description:		Site Preparation Contractors			
<u>Detail(s)</u>					
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
160	9 of 11	WSW/180.7	158.0 / 0.09	Budgetcar Inc. 556 St. Clair Ave West Toronto ON M6C 1A5	GEN
Generator No:		ON5736008	PO Box No:		
Status:			Country:		
Approval Years:		06	Choice of Contact:		
Contam. Facility:			Co Admin:		
MHSW Facility:			Phone No Admin:		
SIC Code:		532111			
SIC Description:		Passenger Car Rental			
<u>Detail(s)</u>					
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
160	10 of 11	WSW/180.7	158.0 / 0.09	BUDGET RENT A CAR 556 ST CLAIR AV W TORONTO ON M6C 1A5	FSTH
License Issue Date:		11/26/1990			
Tank Status:		Licensed			
Tank Status As Of:		December 2008			
Operation Type:		Private Fuel Outlet			
Facility Type:		Gasoline Station - Self Serve			
<u>--Details--</u>					
Status:		Active			
Year of Installation:		1984			
Corrosion Protection:					
Capacity:		45460			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline			
160	11 of 11	WSW/180.7	158.0 / 0.09	BUDGET RENT A CAR 556 ST CLAIR AV W TORONTO ON M6C 1A5	FST
Instance No:		11020261			
Cont Name:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Instance Type:		FS Liquid Fuel Tank			
Fuel Type:		Gasoline			
Status:		Active			
Capacity:		45460			
Tank Material:		Steel			
Corrosion Protection:		Impressed Current			
Tank Type:		Single Wall UST			
Install Year:		1984			
Parent Facility Type:		Fuels Safety Private Fuel Outlet - Self Serve			
Facility Type:		FS Liquid Fuel Tank			
161	1 of 6	SSE/185.9	154.9 / -2.94	26 Vaughan Road Toronto ON M6G 2C4	EHS
Order No:		20020215001		Nearest Intersection:	St. Clair Ave and Vaughan Road
Status:		C		Municipality:	Toronto
Report Type:		Basic Report		Client Prov/State:	ON
Report Date:		2/20/02		Search Radius (km):	0.25
Date Received:		2/15/02		X:	-79.41866
Previous Site Name:				Y:	43.681827
Lot/Building Size:					
Additional Info Ordered:					
161	2 of 6	SSE/185.9	154.9 / -2.94	VAUGHAN MEDICAL LABS 26 VAUGHAN RD. TORONTO ON M6G 2C4	GEN
Generator No:		ON0248000		PO Box No:	
Status:				Country:	
Approval Years:		86,87,88		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		8683			
SIC Description:		COMB. MED./RAD. LAB.			
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
161	3 of 6	SSE/185.9	154.9 / -2.94	MED-HEALTH LABORATORIES LIMITED 26 VAUGHAN RD. TORONTO ON M6G 2C4	GEN
Generator No:		ON0248000		PO Box No:	
Status:				Country:	
Approval Years:		89,90		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		8683			
SIC Description:		COMB. MED./RAD. LAB.			
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
161	4 of 6	SSE/185.9	154.9 / -2.94	MED-(OUT OF BUS) 40-025 26 VAUGHAN RD.	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
TORONTO ON M6G 2C4					
Generator No:	ON0248000			PO Box No:	
Status:				Country:	
Approval Years:	92,93,96,97			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	8683				
SIC Description:		COMB. MED./RAD. LAB.			
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
161	5 of 6	SSE/185.9	154.9 / -2.94	MED-HEALTH LABORATORIES LIMITED 40-025 26 VAUGHAN RD. TORONTO ON M6G 2C4	GEN
Generator No:	ON0248000			PO Box No:	
Status:				Country:	
Approval Years:	94,95			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	8683				
SIC Description:		COMB. MED./RAD. LAB.			
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
161	6 of 6	SSE/185.9	154.9 / -2.94	MED-HEALTH LABS LTD. (OUT OF BUSINESS) 26 VAUGHAN ROAD TORONTO ON M6G 2C4	GEN
Generator No:	ON0248000			PO Box No:	
Status:				Country:	
Approval Years:	98			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	8683				
SIC Description:		COMB. MED./RAD. LAB.			
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
162	1 of 1	NNW/186.8	159.8 / 1.97	65, 67, 69, 71, 73, 75, 77, 79, 81, 83 Raglan Avenue York ON M6C 2K7	EHS
Order No:	20180705120			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	12-JUL-18			Search Radius (km):	.25
Date Received:	05-JUL-18			X:	-79.420169
Previous Site Name:				Y:	43.685401
Lot/Building Size:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Additional Info Ordered:		Fire Insur. Maps and/or Site Plans; Topographic Maps			
163	1 of 1	NW/185.2	159.8 / 1.97	129 Vaughan Road York ON M6C 2L9	EHS
Order No:	20190620195		Nearest Intersection:		
Status:	C		Municipality:		
Report Type:	Standard Express Report		Client Prov/State:	ON	
Report Date:	20-JUN-19		Search Radius (km):	.25	
Date Received:	20-JUN-19		X:	-79.421286	
Previous Site Name:			Y:	43.684969	
Lot/Building Size:					
Additional Info Ordered:		Fire Insur. Maps and/or Site Plans; City Directory			
164	1 of 1	WSW/189.9	157.8 / -0.11	St. Clair Copy & Printing Co. 558 St Clair Ave W Toronto ON M6C 1A5	SCT
Established:	1981				
Plant Size (ft²):	600				
Employment:					
--Details--					
Description:	Quick Printing				
SIC/NAICS Code:	323114				
Description:	Digital Printing				
SIC/NAICS Code:	323115				
Description:	Other Printing				
SIC/NAICS Code:	323119				
Description:	Business Service Centres				
SIC/NAICS Code:	561430				
165	1 of 1	SW/188.9	156.8 / -1.04	ON	WWIS
Well ID:	7270713		Data Entry Status:	Yes	
Construction Date:			Data Src:		
Primary Water Use:			Date Received:	9/8/2016	
Sec. Water Use:			Selected Flag:	Yes	
Final Well Status:			Abandonment Rec:		
Water Type:			Contractor:	7215	
Casing Material:			Form Version:	8	
Audit No:	C30590		Owner:		
Tag:	A189530		Street Name:		
Construction Method:			County:	YORK	
Elevation (m):			Municipality:	TORONTO CITY	
Elevation Reliability:			Site Info:		
Depth to Bedrock:			Lot:		
Well Depth:			Concession:		
Overburden/Bedrock:			Concession Name:		
Pump Rate:			Easting NAD83:		
Static Water Level:			Northing NAD83:		
Flowing (Y/N):			Zone:		
Flow Rate:			UTM Reliability:		
Clear/Cloudy:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Bore Hole Information</u>					
Bore Hole ID:	1006236025			Elevation:	155.222488
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627244
Code OB Desc:				North83:	4837795
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	8/27/2015			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
166	1 of 1	SW/190.3	156.8 / -1.04	575 - 579 St. Clair Avenue West Toronto ON	EHS
Order No:	20171218056			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	21-DEC-17			Search Radius (km):	.25
Date Received:	18-DEC-17			X:	-79.421369
Previous Site Name:				Y:	43.682294
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans				
167	1 of 1	SW/190.3	156.8 / -1.04	Quantus Holdings 575 St.Clair Ave. West. Toronto ON M6C 1A3	GEN
Generator No:	ON7378870			PO Box No:	
Status:				Country:	Canada
Approval Years:	2015			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	Agnes Wietrzynski
MHSW Facility:	No			Phone No Admin:	416-410-7222 Ext.243
SIC Code:	551113				
SIC Description:	HOLDING COMPANIES				
<u>Detail(s)</u>					
Waste Class:	251				
Waste Class Desc:	OIL SKIMMINGS & SLUDGES				
168	1 of 1	WSW/195.8	158.3 / 0.39	11 Kenwood Avenue Toronto ON	EHS
Order No:	20050914001			Nearest Intersection:	St. Clair Avenue West
Status:	C			Municipality:	
Report Type:	Basic Report			Client Prov/State:	ON
Report Date:	9/22/2005			Search Radius (km):	0.25
Date Received:	9/14/2005			X:	-79.421913
Previous Site Name:				Y:	43.682897
Lot/Building Size:					
Additional Info Ordered:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
169	1 of 1	SW/191.8	156.8 / -1.04	575 St Clair Ave W Toronto ON M6C1A3	EHS
Order No: 20180108098				Nearest Intersection:	
Status: C				Municipality:	
Report Type: Standard Report				Client Prov/State:	ON
Report Date: 15-JAN-18				Search Radius (km):	.25
Date Received: 08-JAN-18				X:	-79.421316
Previous Site Name:				Y:	43.682232
Lot/Building Size:					
Additional Info Ordered:					
170	1 of 1	NW/193.8	159.8 / 1.97	129, 133, 135, 137, 139, 141 Vaughan Rd York ON M6C 2L9	EHS
Order No: 20180927057				Nearest Intersection:	
Status: C				Municipality:	
Report Type: Standard Report				Client Prov/State:	ON
Report Date: 03-OCT-18				Search Radius (km):	.25
Date Received: 27-SEP-18				X:	-79.42133
Previous Site Name:				Y:	43.685045
Lot/Building Size:					
Additional Info Ordered: Fire Insur. Maps and/or Site Plans					
171	1 of 1	SSE/202.9	154.8 / -3.08	Toronto ON	WWIS
Well ID: 7120164				Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use: Monitoring				Date Received:	3/10/2009
Sec. Water Use:				Selected Flag:	Yes
Final Well Status: Test Hole				Abandonment Rec:	
Water Type:				Contractor:	6607
Casing Material:				Form Version:	5
Audit No: M03062				Owner:	
Tag: A078537				Street Name:	1486 BATHURST ST.
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID: 1002747052				Elevation:	155.419357
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627416
Code OB Desc:				North83:	4837751
Open Hole:				Org CS:	UTM83
Cluster Kind: This is a record from cluster log sheet				UTMRC:	3
Date Completed: 9/3/2008				UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Improvement Location Method: Source Revision Comment: Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002747056			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:		BORING			
<u>Pipe Information</u>					
Pipe ID:		1002747057			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002747059			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		13.5			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002747058			
Layer:					
Slot:					
Screen Top Depth:		13.5			
Screen End Depth:		15			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002747060			
Pump Set At:					
Static Level:		9.3			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002747054			
Diameter:		21			
Depth From:					
Depth To:		15			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002030604			Elevation:	155.102539
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627436
Code OB Desc:				North83:	4837731
Open Hole:	N			Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	9/3/2008			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1002747064			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:		77			
Other Materials:		LOOSE			
Formation Top Depth:		9.6			
Formation End Depth:		12			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1002747063			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		28			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Most Common Material:		SAND			
Mat2:		06			
Other Materials:		SILT			
Mat3:		77			
Other Materials:		LOOSE			
Formation Top Depth:		0			
Formation End Depth:		9.6			
Formation End Depth UOM:		m			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002747066			
Layer:		1			
Plug From:		0			
Plug To:		0.3			
Plug Depth UOM:		m			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002747067			
Layer:		2			
Plug From:		0.3			
Plug To:		8.7			
Plug Depth UOM:		m			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		1002747061			
Casing No:		0			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		1002747069			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		12			
Casing Diameter:		5.1			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
 <u>Construction Record - Screen</u>					
Screen ID:		1002747070			
Layer:		1			
Slot:		20			
Screen Top Depth:					
Screen End Depth:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Material:	5				
Screen Depth UOM:	m				
Screen Diameter UOM:	cm				
Screen Diameter:	6.4				
<u>Results of Well Yield Testing</u>					
Pump Test ID:	1002747062				
Pump Set At:					
Static Level:	9.2				
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:	m				
Rate UOM:					
Water State After Test Code:	0				
Water State After Test:					
Pumping Test Method:	0				
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Water Details</u>					
Water ID:	1002747068				
Layer:	1				
Kind Code:	5				
Kind:	Not stated				
Water Found Depth:	9				
Water Found Depth UOM:	m				
<u>Hole Diameter</u>					
Hole ID:	1002747065				
Diameter:	21				
Depth From:	0				
Depth To:	12				
Hole Depth UOM:	m				
Hole Diameter UOM:	cm				
<u>Bore Hole Information</u>					
Bore Hole ID:	1002747043			Elevation:	155.148925
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627412
Code OB Desc:				North83:	4837741
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	9/3/2008			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug ID:		1002747047			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:		BORING			
<u>Pipe Information</u>					
Pipe ID:		1002747048			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002747050			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		9			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002747049			
Layer:					
Slot:					
Screen Top Depth:		9			
Screen End Depth:		12			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002747051			
Pump Set At:					
Static Level:		9.3			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pumping Duration MIN: Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002747045			
Diameter:		21			
Depth From:					
Depth To:		12			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<u>172</u>	1 of 1	NW/204.4	159.8 / 1.97	ON	BORE
Borehole ID:	639368			Inclin FLG:	No
OGF ID:	215539765			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	NOV-1963			Municipality:	
Static Water Level:	1.5			Lot:	
Primary Water Use:	Not Used			Township:	
Sec. Water Use:				Latitude DD:	43.685394
Total Depth m:	14.9			Longitude DD:	-79.420851
Depth Ref:	Ground Surface			UTM Zone:	17
Depth Elev:				Easting:	627275
Drill Method:	Power auger			Northing:	4838143
Orig Ground Elev m:	30.4			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	160				
Concession:					
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	218488069			Mat Consistency:	Loose
Top Depth:	0			Material Moisture:	
Bottom Depth:	2.7			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Fill			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:				Depositional Gen:	fill
Gsc Material Description:					
Stratum Description:	FILL,SILT,SAND. LOOSE.				
Geology Stratum ID:	218488070			Mat Consistency:	Dense
Top Depth:	2.7			Material Moisture:	
Bottom Depth:	3.5			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	glacial
Gsc Material Description:					
Stratum Description:	TILL,SILT. BROWN, GLACIAL, VERY DENSE, AGE GLACIAL, WATER STABLE AT 95.0 FEET.				
Geology Stratum ID:	218488072			Mat Consistency:	Dense
Top Depth:	4.3			Material Moisture:	
Bottom Depth:	8.5			Material Texture:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<div> <div> Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: </div> <div> Brown Till Silt Sand Gravel TILL,SILT,SAND, GRAVEL. BROWN,GLACIAL,VERY DENSE, AGE GLACIAL. </div> </div> <div> <div> Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: </div> <div> 218488071 3.5 4.3 Sand Silt SAND-MEDIUM,SILT. FLUVIO-GLACIAL,VERY DENSE, AGE GLACIAL. </div> </div> <div> <div> Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: </div> <div> 218488073 8.5 14.9 Brown Sand Silt Gravel SAND,SILT,GRAVEL. BROWN,GLACIAL,VERY DENSE, AGE GLACIAL. 010 00000008000900600014006800 **Note: Many records provided by the department have a truncated [Stratum Description] field. </div> </div>					
<div> <div> Source Type: Source Orig: Source Date: Confidence: Observatio: Source Name: Source Details: Confiden 1: </div> <div> Data Survey Geological Survey of Canada 1956-1972 H Urban Geology Automated Information System (UGAIS) File: TOR1B.txt RecordID: 073320 NTS_Sheet: 30M11E Logged by professional. Exact and complete description of material and properties. </div> </div> <div> <div> Source Appl: Source Iden: Scale or Res: Horizontal: Verticalda: </div> <div> Spatial/Tabular 1 Varies NAD27 Mean Average Sea Level </div> </div>					
<div> <div> Source Identifier: Source Type: Source Date: Scale or Resolution: Source Name: Source Originators: </div> <div> 1 Data Survey 1956-1972 Varies Urban Geology Automated Information System (UGAIS) Geological Survey of Canada </div> </div> <div> <div> Horizontal Datum: Vertical Datum: Projection Name: </div> <div> NAD27 Mean Average Sea Level Universal Transverse Mercator </div> </div>					
173	1 of 3	SE/203.1	152.8 / -5.03	TORONTO PUBLIC LIBRARY 1431 BATHURST STREET TORONTO ON M5R 3J2	GEN
<div> <div> Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description: </div> <div> ON1855617 94,95,96,97,98,99,00,01 8541 LIBRARY SERVICES </div> </div> <div> <div> PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin: </div> <div> PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin: </div> </div>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
173	2 of 3	SE/203.1	152.8 / -5.03	Toronto Public Library 1431 Bathurst Street Toront ON M5R 3J2	GEN
Generator No:	ON3814834			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Dec 2018			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		251 L			
Waste Class Desc:		Waste oils/sludges (petroleum based)			
173	3 of 3	SE/203.1	152.8 / -5.03	1214592 Ontario Limited 1431 Bathurst St Toronto ON M5R3J2	GEN
Generator No:	ON8389837			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Oct 2019			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		146 T			
Waste Class Desc:		Other specified inorganic sludges, slurries or solids			
174	1 of 1	SE/204.7	152.6 / -5.32	ON	WWIS
Well ID:	7287659			Data Entry Status:	Yes
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	6/5/2017
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:				Abandonment Rec:	
Water Type:				Contractor:	7215
Casing Material:				Form Version:	8
Audit No:	C37452			Owner:	
Tag:	A223843			Street Name:	
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1006504664			Elevation:	156.099243
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627557
Code OB Desc:				North83:	4837789
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	4/26/2017			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
175	1 of 2	NW/212.5	159.8 / 1.97	PAINTER 100 RAGLAN AVE. LANE WAY BEHIND. MOTOR VEHICLE (OPERATING FLUID) TORONTO CITY ON M6C 2L3	SPL
Ref No:	127019			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	5/28/1996			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	OTHER CAUSE (N.O.S.)			Sector Type:	
Incident Event:				Agency Involved:	
Contaminant Code:				Nearest Watercourse:	
Contaminant Name:				Site Address:	
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:	POSSIBLE			Site Municipality:	01106
Nature of Impact:	Water course or lake			Site Lot:	
Receiving Medium:	WATER			Site Conc:	
Receiving Env:				Northing:	
MOE Response:				Easting:	YORK WORKS
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	5/28/1996			Site Map Datum:	
Dt Document Closed:				SAC Action Class:	
Incident Reason:	INTENTIONAL/PLANNED			Source Type:	
Site Name:					
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	UNKNOWN PAINTER- RESIDENTREPORTS PAINTERS DUMPING PAINT INTO CATCH BASIN.				
Contaminant Qty:					
175	2 of 2	NW/212.5	159.8 / 1.97	100 Raglan Avenue Toronto ON M6C 2L3	EHS
Order No:	20060119007			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Custom Report			Client Prov/State:	ON
Report Date:	1/27/2006			Search Radius (km):	0.25
Date Received:	1/19/2006			X:	-79.420576
Previous Site Name:				Y:	43.685251
Lot/Building Size:					
Additional Info Ordered:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
176	1 of 2	S/214.1	154.6 / -3.31	13 Hocken Avenue Toronto ON M6G 2K1	SPL
<div> <div> Ref No: 5847-7FLR26 Site No: Incident Dt: Year: Incident Cause: Discharge or Emission to Air Incident Event: Contaminant Code: 35 Contaminant Name: NATURAL GAS (METHANE) Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: Confirmed Nature of Impact: Air Pollution Receiving Medium: Receiving Env: MOE Response: No Field Response Dt MOE Arvl on Scn: MOE Reported Dt: 6/14/2008 Dt Document Closed: Incident Reason: Process upset Site Name: Plastic Service<UNOFFICIAL> Site County/District: Site Geo Ref Meth: Incident Summary: TSSA/MOE - 13 Hocken Avenue Contaminant Qty: </div> <div> Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Other Agency Involved: Nearest Watercourse: Site Address: Site District Office: Toronto - District Site Postal Code: Site Region: Site Municipality: Toronto Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Air Spills - Gases and Vapours Source Type: </div> </div>					
176	2 of 2	S/214.1	154.6 / -3.31	13 HOCKEN AVENUE TORONTO ON M6G 2K1	HINC
<div> <div> External File Num: FS INC 0806-02947 Fuel Occurrence Type: Pipeline Strike Date of Occurrence: 6/14/2008 Fuel Type Involved: Natural Gas Status Desc: Completed - Causal Analysis(End) Job Type Desc: Incident/Near-Miss Occurrence (FS) Oper. Type Involved: Construction Site (pipeline strike) Service Interruptions: Yes Property Damage: No Fuel Life Cycle Stage: Transmission, Distribution and Transportation Root Cause: Root Cause: Equipment/Material/Component:No Procedures:No Maintenance:No Design:No Training:No Management:Yes Human Factors:Yes </div> <div> Reported Details: Fuel Category: Gaseous Fuel Occurrence Type: Incident Affiliation: Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.) County Name: Toronto Approx. Quant. Rel: Nearby body of water: Enter Drainage Syst.: Approx. Quant. Unit: Environmental Impact: </div> </div>					
177	1 of 1	NNE/211.3	158.8 / 0.88	ON	BORE
Borehole ID:	647354			Inclin FLG:	No

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
OGF ID:	215547735			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	NOV-1966			Municipality:	
Static Water Level:				Lot:	
Primary Water Use:	Not Used			Township:	
Sec. Water Use:				Latitude DD:	43.685729
Total Depth m:	10.1			Longitude DD:	-79.418982
Depth Ref:	Ground Surface			UTM Zone:	17
Depth Elev:				Easting:	627425
Drill Method:	Power auger			Northing:	4838183
Orig Ground Elev m:	159			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	158				
Concession:					
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	218518669			Mat Consistency:	Compact
Top Depth:	4.4			Material Moisture:	
Bottom Depth:	6.7			Material Texture:	Medium
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Clay			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SAND-MEDIUM,SILT, CLAY. BROWN,COMPACT,LAYERED.				
Geology Stratum ID:	218518667			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	1.8			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Fill			Geologic Formation:	
Material 2:	Sand			Geologic Group:	
Material 3:	Silt			Geologic Period:	
Material 4:	Clay			Depositional Gen:	fill
Gsc Material Description:					
Stratum Description:	FILL,SAND,SILT,CLAY.BROWN.				
Geology Stratum ID:	218518668			Mat Consistency:	Soft
Top Depth:	1.8			Material Moisture:	
Bottom Depth:	4.4			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Fill			Geologic Formation:	
Material 2:	Sand			Geologic Group:	
Material 3:	Clay			Geologic Period:	
Material 4:	Gravel			Depositional Gen:	fill
Gsc Material Description:					
Stratum Description:	FILL,SAND,CLAY, GRAVEL. BROWN,SOFT.				
Geology Stratum ID:	218518670			Mat Consistency:	Dense
Top Depth:	6.7			Material Moisture:	
Bottom Depth:	10.1			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:	Gravel			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	TILL,SILT,SAND, GRAVEL. BROWN,FLUVIO-GLACIAL, VERY DENSE,AGE POST-GLACIAL.				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
0006000600145025 **Note: Many records provided by the department have a truncated [Stratum Description] field.					
Source					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:	H			Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Details:	File: TOR2.txt RecordID: 153800 NTS_Sheet: 30M05G				
Confiden 1:	Logged by professional. Exact and complete description of material and properties.				
Source List					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Originators:	Geological Survey of Canada				
178	1 of 1	WNW/212.4	159.8 / 1.97	Housing Services Inc. 130 VAUGHAN RD YORK ON M6C 3Z6	EASR
Approval No:	R-002-7917376472			SWP Area Name:	Toronto
Status:	REGISTERED			MOE District:	Metro Toronto
Date:	2012-04-03			Municipality:	YORK
Record Type:	EASR			Latitude:	43.684784
Link Source:	MOFA			Longitude:	-79.42193999999999
Project Type:	Standby Power System			Geometry X:	
Full Address:				Geometry Y:	
Approval Type:	EASR-Standby Power System				
Full PDF Link:	http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=945				
179	1 of 1	WSW/215.9	156.7 / -1.17	585 St. Clair Avenue Toronto ON	EHS
Order No:	20160217052			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	23-FEB-16			Search Radius (km):	.25
Date Received:	17-FEB-16			X:	-79.421644
Previous Site Name:				Y:	43.682172
Lot/Building Size:					
Additional Info Ordered:					
180	1 of 1	SE/220.4	153.4 / -4.49	Supertest Petroleum Corp Ltd 1432 Bathurst St Toronto ON M5R 3J3	TANK
Permit Date:	4/20/1934				
Permit Type:	BP A50560				
User Type:	Gasoline service station				
Installation Type:	gasoline service station alteration & addition				
Installation Size:					
Installation Config.:	gasoline service station alteration & addition				
No. Tanks Installed:	1				
Units of Measure:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Value/Tank (\$):		40			
Capacity(gal):					
Reference:		CTA Building Permits			
Location Desc:		1432 Bathurst St			
181	1 of 1	SE/220.7	153.0 / -4.85	Connable R 161 Melgund Rd Toronto ON	TANK
Permit Date:		12/29/1915			
Permit Type:		BP 19751			
User Type:					
Installation Type:		Gasoline tank, install			
Installation Size:					
Installation Config.:		1 x Gasoline tank			
No. Tanks Installed:		1			
Units of Measure:					
Value/Tank (\$):		276			
Capacity(gal):					
Reference:		CTA Building permits			
Location Desc:					
182	1 of 1	NW/221.7	159.8 / 1.97	147 Vaughan Rd Toronto ON M6C2L9	EHS
Order No:		20180220067		Nearest Intersection:	
Status:		C		Municipality:	
Report Type:		Standard Express Report		Client Prov/State:	ON
Report Date:		20-FEB-18		Search Radius (km):	.25
Date Received:		20-FEB-18		X:	-79.421481
Previous Site Name:				Y:	43.685282
Lot/Building Size:					
Additional Info Ordered:					
183	1 of 1	SSE/228.1	154.0 / -3.87	16 Vaughan Rd Toronto ON M6G 2N1	TANK
Permit Date:		10/27/1932			
Permit Type:		BP A45165			
User Type:					
Installation Type:		FO tanks			
Installation Size:					
Installation Config.:		FO tanks			
No. Tanks Installed:		2			
Units of Measure:					
Value/Tank (\$):		100			
Capacity(gal):					
Reference:		CTA Building Permits			
Location Desc:		16-18 Vaughan Rd			
184	1 of 1	SSE/229.3	154.3 / -3.56	16 & 18 Vaughan Road Toronto ON M6G 2N1	EHS
Order No:		20190617161		Nearest Intersection:	
Status:		C		Municipality:	
Report Type:		Standard Report		Client Prov/State:	ON
Report Date:		24-JUN-19		Search Radius (km):	.25
Date Received:		17-JUN-19		X:	-79.418473
Previous Site Name:				Y:	43.68151

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Lot/Building Size: Additional Info Ordered:					
185	1 of 1	SSE/229.4	154.3 / -3.56	Philann Coin Laundry Limited 16 - 18 Vaughan Road, Toronto, Ontario M5R 3J3 ON M5R 3J3	RSC
<div> <div> RSC ID: 113547 RA No: RSC Type: Curr Property Use: Commercial Ministry District: TORONTO Filing Date: 21-Jun-11 Date Ack: Date Returned: Restoration Type: Soil Type: Criteria: CPU Issued Sect 1686: No Asmt Roll No: 19-04-05-3-470-0540-0000-0 5 Prop ID No (PIN): 21261 0532 (LT) Property Municipal Address: 16 - 18 Vaughan Road, Toronto, Ontario M5R 3J3 Mailing Address: 18 ARLSTAN DR, TORONTO, ON, M3H 4V8 Latitude & Longitude: 43.68143280N 79.41880500W (converted from UTM) UTM Coordinates: NAD83 17-627448-4837706 Consultant: Filing Owner: Legal Desc: ALL OF LOTS 57 AND 58, PLAN 821, WYCHWOOD BRACONDALE DOVERCOURT, CITY OF TORONTO, BEING ALL OF PIN NUMBER 21261 0532 (LT) Measurement Method: Digitized from a satellite image Applicable Standards: ESA Phase 1 RSC PDF: </div> <div> Cert Date: 8-Mar-11 Cert Prop Use No: No CPU Intended Prop Use: Commercial Qual Person Name: Hania Mincer Stratified (Y/N): Audit (Y/N): Entire Leg Prop. (Y/N): No Accuracy Estimate: 6 to 10 meters Telephone: 416-6380781 Fax: 416-6336989 Email: smincer@rogers.com </div> </div>					
186	1 of 1	S/226.0	154.2 / -3.65	Toronto ON	WWIS
<div> <div> Well ID: 7132483 Construction Date: Primary Water Use: Monitoring Sec. Water Use: Final Well Status: Test Hole Water Type: Casing Material: Audit No: M05645 Tag: A088178 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy: </div> <div> Data Entry Status: Data Src: Date Received: 10/23/2009 Selected Flag: Yes Abandonment Rec: Contractor: 6607 Form Version: 5 Owner: Street Name: 524 ST CLAIR AVE W -534 County: YORK Municipality: TORONTO CITY Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability: </div> </div>					
<u>Bore Hole Information</u>					
<div> <div> Bore Hole ID: 1002759440 DP2BR: </div> <div> Elevation: 153.997955 Elevrc: </div> </div>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Spatial Status:				Zone:	17
Code OB:				East83:	627385
Code OB Desc:				North83:	4837700
Open Hole:		N		Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:		9/2/2009		UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1003246144			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		66			
Other Materials:		DENSE			
Mat3:					
Other Materials:					
Formation Top Depth:		3.3			
Formation End Depth:		9.14			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1003246143			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		06			
Other Materials:		SILT			
Mat3:		66			
Other Materials:		DENSE			
Formation Top Depth:		0			
Formation End Depth:		3.3			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1003246145			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		06			
Other Materials:		SILT			
Mat3:		66			
Other Materials:		DENSE			
Formation Top Depth:		9.14			
Formation End Depth:		11.2			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003246147			
Layer:		1			
Plug From:		0			
Plug To:		0.3			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003246149			
Layer:		3			
Plug From:		7.9			
Plug To:		11.2			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003246148			
Layer:		2			
Plug From:		0.3			
Plug To:		7.9			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1003246141			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1003246151			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		11.2			
Casing Diameter:		5.1			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1003246152			
Layer:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Slot:		10			
Screen Top Depth:					
Screen End Depth:					
Screen Material:	5				
Screen Depth UOM:	m				
Screen Diameter UOM:	cm				
Screen Diameter:	6.4				
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1003246142			
Pump Set At:					
Static Level:	9.1				
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:	m				
Rate UOM:					
Water State After Test Code:	0				
Water State After Test:					
Pumping Test Method:	0				
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1003246146			
Diameter:	21				
Depth From:	0				
Depth To:	11.2				
Hole Depth UOM:	m				
Hole Diameter UOM:	cm				
<u>Bore Hole Information</u>					
Bore Hole ID:	1003246123			Elevation:	153.714691
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627370
Code OB Desc:				North83:	4837701
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	9/1/2009			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1003246127			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:		BORING			
<u>Pipe Information</u>					
Pipe ID:		1003246128			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1003246130			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		8.2			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1003246129			
Layer:					
Slot:					
Screen Top Depth:		8.2			
Screen End Depth:		11.2			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1003246131			
Pump Set At:					
Static Level:		9.1			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole ID:		1003246125			
Diameter:		21			
Depth From:					
Depth To:		11.2			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1003246132			Elevation:	153.960433
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627371
Code OB Desc:				North83:	4837713
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	9/1/2009			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003246136			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:		BORING			
<u>Pipe Information</u>					
Pipe ID:		1003246137			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1003246139			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		8.2			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Screen</u>					
Screen ID:		1003246138			
Layer:					
Slot:					
Screen Top Depth:		8.2			
Screen End Depth:		11.2			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1003246140			
Pump Set At:					
Static Level:		9.1			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1003246134			
Diameter:		21			
Depth From:					
Depth To:		11.2			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

187	1 of 1	SE/225.4	151.9 / -5.97	Toronto ON	WWIS
Well ID:	7269663			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Test Hole			Date Received:	8/23/2016
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7215
Casing Material:				Form Version:	7
Audit No:	Z230099			Owner:	
Tag:	A201690			Street Name:	499 ST. CLAIR AVENUE WEST
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Bore Hole Information</u>					
Bore Hole ID:	1006223302			Elevation:	156.088226
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627567
Code OB Desc:				North83:	4837770
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	3/11/2016			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1006242705				
Layer:	3				
Color:	2				
General Color:	GREY				
Mat1:	28				
Most Common Material:	SAND				
Mat2:					
Other Materials:					
Mat3:	91				
Other Materials:	WATER-BEARING				
Formation Top Depth:	20				
Formation End Depth:	22				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1006242704				
Layer:	2				
Color:	6				
General Color:	BROWN				
Mat1:	28				
Most Common Material:	SAND				
Mat2:					
Other Materials:					
Mat3:	91				
Other Materials:	WATER-BEARING				
Formation Top Depth:	15				
Formation End Depth:	20				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1006242703				
Layer:	1				
Color:	6				
General Color:	BROWN				
Mat1:	28				
Most Common Material:	SAND				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		15			
Formation End Depth UOM:		ft			
 <u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006242712			
Layer:		1			
Plug From:		22			
Plug To:		11			
Plug Depth UOM:		ft			
 <u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006242713			
Layer:		2			
Plug From:		11			
Plug To:		1			
Plug Depth UOM:		ft			
 <u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006242714			
Layer:		3			
Plug From:		1			
Plug To:		0			
Plug Depth UOM:		ft			
 <u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		1006242702			
Casing No:		0			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		1006242708			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		12			
Depth To:		0			
Casing Diameter:		2			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Screen</u>					
Screen ID:	1006242709				
Layer:	1				
Slot:	10				
Screen Top Depth:	22				
Screen End Depth:	12				
Screen Material:	5				
Screen Depth UOM:	ft				
Screen Diameter UOM:	inch				
Screen Diameter:	2				
<u>Hole Diameter</u>					
Hole ID:	1006242706				
Diameter:	9				
Depth From:	22				
Depth To:	0				
Hole Depth UOM:	ft				
Hole Diameter UOM:	inch				
<hr/>					
<u>188</u>	1 of 1	NW/228.1	159.8 / 1.97	147 Vaughan Road Toronto ON	EHS
Order No:	20161101113			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Express Report			Client Prov/State:	ON
Report Date:	01-NOV-16			Search Radius (km):	.25
Date Received:	01-NOV-16			X:	-79.421718
Previous Site Name:				Y:	43.685204
Lot/Building Size:					
Additional Info Ordered:	City Directory				
<hr/>					
<u>189</u>	1 of 1	SE/235.0	152.6 / -5.29	Reynolds [E W] 49 Melgund Rd Toronto ON M5R 2A1	TANK
Permit Date:	1/3/1927				
Permit Type:	BP A2181				
User Type:					
Installation Type:	Fuel oil tank				
Installation Size:					
Installation Config.:	1 x fuel oil tank				
No. Tanks Installed:	1				
Units of Measure:					
Value/Tank (\$):	50				
Capacity(gal):					
Reference:	CTA Building permits				
Location Desc:					
<hr/>					
<u>190</u>	1 of 1	SSE/240.1	153.8 / -4.10	Na-Me-Res (Native Men's Reserve) 14 Vaughan Road Toronot ON	GEN
Generator No:	ON9095891			PO Box No:	
Status:				Country:	
Approval Years:	2013			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC Code:	624220				
SIC Description:					
<u>Detail(s)</u>					
Waste Class:	221				
Waste Class Desc:	LIGHT FUELS				
191	1 of 1	E/242.6	148.9 / -9.00	ON	BORE
Borehole ID:	652081			Inclin FLG:	No
OGF ID:	215552433			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	MAR-1969			Municipality:	
Static Water Level:	0.9			Lot:	
Primary Water Use:	Not Used			Township:	
Sec. Water Use:				Latitude DD:	43.684251
Total Depth m:	18.3			Longitude DD:	-79.416291
Depth Ref:	Ground Surface			UTM Zone:	17
Depth Elev:				Easting:	627645
Drill Method:	Power auger			Northing:	4838023
Orig Ground Elev m:	154			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	155				
Concession:					
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	218535031			Mat Consistency:	Soft
Top Depth:	15.5			Material Moisture:	
Bottom Depth:	16.5			Material Texture:	
Material Color:	Black			Non Geo Mat Type:	
Material 1:	Peat			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	peat
Gsc Material Description:					
Stratum Description:	PEAT. BLACK,SOFT.				
Geology Stratum ID:	218535032			Mat Consistency:	Hard
Top Depth:	16.5			Material Moisture:	
Bottom Depth:	18.3			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Clay			Geologic Period:	
Material 4:	Sand			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	TILL,SILT,CLAY,SAND.HARD.				
Geology Stratum ID:	218535030			Mat Consistency:	
Top Depth:	5.5			Material Moisture:	
Bottom Depth:	15.5			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Fill			Geologic Formation:	
Material 2:	Brick fragments			Geologic Group:	
Material 3:	Wood Fragments			Geologic Period:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Material 4:	Sand			Depositional Gen:	fill
Gsc Material Description:					
Stratum Description:	FILL,BRICK,WOOD,SANDWATER STABLE AT 502.3 FEET.				
Geology Stratum ID:	218535029			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	5.5			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Fill			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:	Gravel			Depositional Gen:	fill
Gsc Material Description:					
Stratum Description:	FILL,SILT,SAND, GRAVEL.				
<hr/>					
Source					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:	H			Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Details:	File: TOR3.txt RecordID: 227420 NTS_Sheet: 30M11E				
Confiden 1:	Logged by professional. Exact and complete description of material and properties.				
<hr/>					
Source List					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Originators:	Geological Survey of Canada				
<hr/>					
192	1 of 7	WSW/241.4	157.7 / -0.17	RUSSELL CLEANERS A 600449 ONTARIO LTD. 574-576 ST. CLAIR AVENUE WEST TORONTO ON M6C 1A6	GEN
Generator No:	ON0408600			PO Box No:	
Status:				Country:	
Approval Years:	86,87,88,89,90			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	9721				
SIC Description:	POWER LAUND./CLEANERS				
<hr/>					
Detail(s)					
Waste Class:	241				
Waste Class Desc:	HALOGENATED SOLVENTS				
<hr/>					
192	2 of 7	WSW/241.4	157.7 / -0.17	RUSSELL CLEANERS 574-576 ST. CLAIR AVENUE WEST TORONTO ON M6C 1A6	GEN
Generator No:	ON0408600			PO Box No:	
Status:				Country:	
Approval Years:	92,93,97,98,99,00,01,02,03,04,05,06,07,08			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC Code:	9721				
SIC Description:		POWER LAUND./CLEANER			
<u>Detail(s)</u>					
Waste Class:	241				
Waste Class Desc:		HALOGENATED SOLVENTS			
192	3 of 7	WSW/241.4	157.7 / -0.17	RUSSELL CLEANERS 33-078 A 600449 ONTARIO LTD. 574-576 ST. CLAIR AVENUE WEST TORONTO ON M6C 1A6	GEN
Generator No:	ON0408600			PO Box No:	
Status:				Country:	
Approval Years:	94,95,96			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	9721				
SIC Description:		POWER LAUND./CLEANER			
<u>Detail(s)</u>					
Waste Class:	241				
Waste Class Desc:		HALOGENATED SOLVENTS			
192	4 of 7	WSW/241.4	157.7 / -0.17	600449 Ontario Ltd. 574-576 ST. CLAIR AVENUE WEST TORONTO ON	GEN
Generator No:	ON0408600			PO Box No:	
Status:				Country:	
Approval Years:	2009			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	812320				
SIC Description:		Dry Cleaning and Laundry Services (except Coin-Operated)			
<u>Detail(s)</u>					
Waste Class:	241				
Waste Class Desc:		HALOGENATED SOLVENTS			
192	5 of 7	WSW/241.4	157.7 / -0.17	600449 Ontario Ltd. 574-576 ST. CLAIR AVENUE WEST TORONTO ON	GEN
Generator No:	ON0408600			PO Box No:	
Status:				Country:	
Approval Years:	2010			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	812320				
SIC Description:		Dry Cleaning and Laundry Services (except Coin-Operated)			
<u>Detail(s)</u>					
Waste Class:	241				
Waste Class Desc:		HALOGENATED SOLVENTS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
192	6 of 7	WSW/241.4	157.7 / -0.17	600449 Ontario Ltd. 574-576 ST. CLAIR AVENUE WEST TORONTO ON	GEN
<div> <div> Generator No: ON0408600 Status: Approval Years: 2011 Contam. Facility: MHSW Facility: SIC Code: 812320 SIC Description: Dry Cleaning and Laundry Services (except Coin-Operated) </div> <div> PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin: </div> </div>					
<u>Detail(s)</u>					
Waste Class:		241			
Waste Class Desc:		HALOGENATED SOLVENTS			
192	7 of 7	WSW/241.4	157.7 / -0.17	600449 Ontario Ltd. 574-576 ST. CLAIR AVENUE WEST TORONTO ON M6C 1A6	GEN
<div> <div> Generator No: ON0408600 Status: Approval Years: 2012 Contam. Facility: MHSW Facility: SIC Code: 812320 SIC Description: Dry Cleaning and Laundry Services (except Coin-Operated) </div> <div> PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin: </div> </div>					
<u>Detail(s)</u>					
Waste Class:		241			
Waste Class Desc:		HALOGENATED SOLVENTS			
193	1 of 1	WSW/240.6	156.7 / -1.21	595 St Clair Ave W Toronto ON M6C1A3	EHS
<div> <div> Order No: 20170824050 Status: C Report Type: Standard Report Report Date: 29-AUG-17 Date Received: 24-AUG-17 Previous Site Name: Lot/Building Size: Additional Info Ordered: Fire Insur. Maps and/or Site Plans </div> <div> Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -79.422017 Y: 43.682159 </div> </div>					
194	1 of 4	WSW/243.4	157.9 / 0.01	600449 Ontario Ltd. 574-576 ST. CLAIR AVENUE WEST TORONTO ON	GEN
<div> <div> Generator No: ON0408600 Status: Approval Years: 2013 Contam. Facility: MHSW Facility: SIC Code: 812320 SIC Description: DRY CLEANING AND LAUNDRY SERVICES (EXCEPT COIN-OPERATED) </div> <div> PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin: </div> </div>					
<u>Detail(s)</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Waste Class:		241			
Waste Class Desc:		HALOGENATED SOLVENTS			
<hr/>					
194	2 of 4	WSW/243.4	157.9 / 0.01	600449 Ontario Ltd. 574-576 ST. CLAIR AVENUE WEST TORONTO ON M6C 1A6	GEN
Generator No:		ON0408600		PO Box No:	
Status:				Country:	Canada
Approval Years:		2015		Choice of Contact:	CO_ADMIN
Contam. Facility:		No		Co Admin:	ELIZABETH FARRENKOPF
MHSW Facility:		No		Phone No Admin:	416-651-8159 Ext.
SIC Code:		812320			
SIC Description:		DRY CLEANING AND LAUNDRY SERVICES (EXCEPT COIN-OPERATED)			
<hr/>					
<u>Detail(s)</u>					
Waste Class:		241			
Waste Class Desc:		HALOGENATED SOLVENTS			
<hr/>					
194	3 of 4	WSW/243.4	157.9 / 0.01	600449 Ontario Ltd. 574-576 ST. CLAIR AVENUE WEST TORONTO ON M6C 1A6	GEN
Generator No:		ON0408600		PO Box No:	
Status:				Country:	Canada
Approval Years:		2014		Choice of Contact:	CO_ADMIN
Contam. Facility:		No		Co Admin:	ELIZABETH FARRENKOPF
MHSW Facility:		No		Phone No Admin:	416-651-8159 Ext.
SIC Code:		812320			
SIC Description:		DRY CLEANING AND LAUNDRY SERVICES (EXCEPT COIN-OPERATED)			
<hr/>					
<u>Detail(s)</u>					
Waste Class:		241			
Waste Class Desc:		HALOGENATED SOLVENTS			
<hr/>					
194	4 of 4	WSW/243.4	157.9 / 0.01	Russell Cleaners 574-576 St Clair Ave W Toronto ON M6C1A6	CDRY
<hr/>					
Legal Name of Company:					
<hr/>					
<u>Waste Quantity by Year</u>					
Reporting Year:		2014			
Quantity of PERC (kg):		-			
Total Waste Water (kg):		-			
Total Waste Water (L):		-			
Total Residue (kg):		-			
Total Residue (L):		-			
Total Mix (kg):		-			
Total Mix (L):		-			
Request for Confidentiality:		No			
Reason for Confidentiality:					
<hr/>					
Reporting Year:		2013			
Quantity of PERC (kg):		60.56			
Total Waste Water (kg):		23			
Total Waste Water (L):		-			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Total Residue (kg):	0				
Total Residue (L):	-				
Total Mix (kg):	-				
Total Mix (L):	75				
Request for Confidentiality:	No				
Reason for Confidentiality:					
Reporting Year:	2012				
Quantity of PERC (kg):	117.774				
Total Waste Water (kg):	0				
Total Waste Water (L):	-				
Total Residue (kg):	0				
Total Residue (L):	35				
Total Mix (kg):	0				
Total Mix (L):	-				
Request for Confidentiality:	No				
Reason for Confidentiality:					
Reporting Year:	2008				
Quantity of PERC (kg):	-				
Total Waste Water (kg):	0				
Total Waste Water (L):	-				
Total Residue (kg):	22				
Total Residue (L):	-				
Total Mix (kg):	80				
Total Mix (L):	-				
Request for Confidentiality:	No				
Reason for Confidentiality:					
Reporting Year:	2007				
Quantity of PERC (kg):	-				
Total Waste Water (kg):	0				
Total Waste Water (L):	-				
Total Residue (kg):	0				
Total Residue (L):	-				
Total Mix (kg):	-				
Total Mix (L):	80				
Request for Confidentiality:	No				
Reason for Confidentiality:	N/A				
Reporting Year:	2005				
Quantity of PERC (kg):	1				
Total Waste Water (kg):	0				
Total Waste Water (L):	-				
Total Residue (kg):	20				
Total Residue (L):	-				
Total Mix (kg):	0				
Total Mix (L):	-				
Request for Confidentiality:	No				
Reason for Confidentiality:	N/A				
Reporting Year:	2004				
Quantity of PERC (kg):	117.67				
Total Waste Water (kg):	0				
Total Waste Water (L):	-				
Total Residue (kg):	20				
Total Residue (L):	-				
Total Mix (kg):	205				
Total Mix (L):	-				
Request for Confidentiality:	No				
Reason for Confidentiality:	N/A				
<hr/>					
195	1 of 1	NW/244.7	159.8 / 1.97	ON	BORE

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Borehole ID:	639369			Inclin FLG:	No
OGF ID:	215539766			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	NOV-1963			Municipality:	
Static Water Level:				Lot:	
Primary Water Use:	Not Used			Township:	
Sec. Water Use:				Latitude DD:	43.685756
Total Depth m:	9.1			Longitude DD:	-79.420966
Depth Ref:	Ground Surface			UTM Zone:	17
Depth Elev:				Easting:	627265
Drill Method:	Power auger			Northing:	4838183
Orig Ground Elev m:	30.5			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	160				
Concession:					
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	218488077			Mat Consistency:	Dense
Top Depth:	4.4			Material Moisture:	
Bottom Depth:	7.3			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Gravel			Geologic Period:	
Material 4:				Depositional Gen:	glacial
Gsc Material Description:					
Stratum Description:	TILL,SILT,GRAVEL. BROWN,GLACIAL,VERY DENSE, AGE GLACIAL.				
Geology Stratum ID:	218488076			Mat Consistency:	Dense
Top Depth:	3.2			Material Moisture:	
Bottom Depth:	4.4			Material Texture:	Medium
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:	Gravel			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	glacial
Gsc Material Description:					
Stratum Description:	SAND-MEDIUM,GRAVEL. BROWN,FLUVIO-GLACIAL, VERY DENSE,AGE GLACIAL.				
Geology Stratum ID:	218488074			Mat Consistency:	Loose
Top Depth:	0			Material Moisture:	
Bottom Depth:	2.7			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Fill			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	fill
Gsc Material Description:					
Stratum Description:	FILL,SILT. BROWN,LOOSE.				
Geology Stratum ID:	218488078			Mat Consistency:	Dense
Top Depth:	7.3			Material Moisture:	
Bottom Depth:	9.1			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	glacial
Gsc Material Description:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Stratum Description:		SAND,SILT. GLACIAL,VERY DENSE. 011 009 00000009000900610010509000145100002401 **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:	218488075			Mat Consistency:	Dense
Top Depth:	2.7			Material Moisture:	
Bottom Depth:	3.2			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	glacial
Gsc Material Description:					
Stratum Description:		TILL,SILT. BROWN,GLACIAL,VERY DENSE, AGE GLACIAL.			
Source					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:	H			Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Details:	File: TOR1B.txt RecordID: 073330 NTS_Sheet: 30M11E				
Confiden 1:	Logged by professional. Exact and complete description of material and properties.				
Source List					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Originators:	Geological Survey of Canada				
196	1 of 2	SW/241.4	155.0 / -2.91	Enbridge Gas Distribution Inc. 56 Ellsworth Ave. Toronto ON M6G 2K3	SPL
Ref No:	8572-8GSJDC			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	5/12/2011			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	Discharge or Emission to Air			Sector Type:	
Incident Event:				Agency Involved:	
Contaminant Code:	35			Nearest Watercourse:	
Contaminant Name:	NATURAL GAS (METHANE)			Site Address:	56 Ellsworth Ave.
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:	Confirmed			Site Municipality:	Toronto
Nature of Impact:	Air Pollution			Site Lot:	
Receiving Medium:				Site Conc:	
Receiving Env:				Northing:	
MOE Response:	No Field Response			Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	5/12/2011			Site Map Datum:	
Dt Document Closed:	10/14/2011			SAC Action Class:	TSSA - Fuel Safety Branch
Incident Reason:	Error- Operator error			Source Type:	
Site Name:	Residential<UNOFFICIAL>				
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	TSSA FSB: 1/2" plastic line strike to atm.				
Contaminant Qty:	0 other - see incident description				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
196	2 of 2	SW/241.4	155.0 / -2.91	56 Ellsworth Avenue, Toronto ON	PINC
<div> <div> Incident ID: 2747162 Incident No: 590596 Type: FS-Pipeline Incident Status Code: Pipeline Damage Reason Est Fuel Occurrence Tp: Pipeline Strike Fuel Type: Natural Gas Tank Status: RC Established Task No: 3342710 Spills Action Centre: 8572-8GSJDC Method Details: E-mail Fuel Category: Natural Gas Date of Occurrence: 5/12/2011 0:00 Occurrence Start Date: 2011/05/13 Operation Type: Construction Site (including excavation) Pipeline Type: Service / Riser Distribution Pipeline Regulator Type: Service Regulator (up to 60 psi intake) Summary: 56 Ellsworth Avenue, Toronto - 1/2" Pipeline Hit Reported By: Marcel Mallia - Enbridge Gas Affiliation: Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.) Occurrence Desc: Damage Reason: Excavation practices not sufficient Notes: </div> <div> Health Impact: No Environment Impact: No Property Damage: Yes Service Interrupt: Yes Enforce Policy: Yes Public Relation: No Pipeline System: Depth: Pipe Material: Plastic PSIG: 60 Attribute Category: FS-Perform P-line Inc Invest Regulator Location: Outside </div> </div>					
197	1 of 2	WSW/249.6	157.9 / 0.01	Solutions Health Care Associates 578 St Clair Ave West Toronto ON M6C 1A6	GEN
<div> <div> Generator No: ON3508076 Status: Registered Approval Years: As of Dec 2018 Contam. Facility: MHSW Facility: SIC Code: SIC Description: </div> <div> PO Box No: Country: Canada Choice of Contact: Co Admin: Phone No Admin: </div> </div>					
<u>Detail(s)</u>					
<div> Waste Class: 312 P Waste Class Desc: Pathological wastes </div>					
197	2 of 2	WSW/249.6	157.9 / 0.01	Solutions Health Care Associates 578 St Clair Ave West Toronto ON M6C 1A6	GEN
<div> <div> Generator No: ON3508076 Status: Registered Approval Years: As of Oct 2019 Contam. Facility: MHSW Facility: SIC Code: SIC Description: </div> <div> PO Box No: Country: Canada Choice of Contact: Co Admin: Phone No Admin: </div> </div>					
<u>Detail(s)</u>					
<div> Waste Class: 312 P </div>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Desc:		Pathological wastes			
198	1 of 1	NNE/245.1	157.5 / -0.42	14 Tichester Road Toronto Ontario York ON M5P 1P1	EHS
Order No:		20190102042		Nearest Intersection:	
Status:		C		Municipality:	
Report Type:		Standard Report		Client Prov/State: ON	
Report Date:		07-JAN-19		Search Radius (km): .25	
Date Received:		02-JAN-19		X: -79.418082	
Previous Site Name:				Y: 43.685872	
Lot/Building Size:					
Additional Info Ordered:		Fire Insur. Maps and/or Site Plans			
199	1 of 1	N/250.4	159.8 / 1.97	1545 Bathurst Street Toronto ON M5P 3H6	EHS
Order No:		20111014019		Nearest Intersection:	
Status:		C		Municipality:	
Report Type:		Custom Report		Client Prov/State: ON	
Report Date:		10/20/2011		Search Radius (km): 0.25	
Date Received:		10/14/2011 11:54:50 AM		X: -79.419319	
Previous Site Name:				Y: 43.686091	
Lot/Building Size:					
Additional Info Ordered:					
200	1 of 1	E/252.0	148.9 / -9.00	ON	BORE
Borehole ID:		652080		Inclin FLG: No	
OGF ID:		215552432		SP Status: Initial Entry	
Status:				Surv Elev: No	
Type:		Borehole		Piezometer: No	
Use:		Geotechnical/Geological Investigation		Primary Name:	
Completion Date:		MAR-1969		Municipality:	
Static Water Level:		0.9		Lot:	
Primary Water Use:		Not Used		Township:	
Sec. Water Use:				Latitude DD: 43.683887	
Total Depth m:		10.7		Longitude DD: -79.416052	
Depth Ref:		Ground Surface		UTM Zone: 17	
Depth Elev:				Easting: 627665	
Drill Method:		Power auger		Northing: 4837983	
Orig Ground Elev m:		154		Location Accuracy:	
Elev Reliabil Note:				Accuracy: Not Applicable	
DEM Ground Elev m:		152			
Concession:					
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:		218535027		Mat Consistency:	
Top Depth:		2.1		Material Moisture:	
Bottom Depth:		9.4		Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:		Fill		Geologic Formation:	
Material 2:		Brick fragments		Geologic Group:	
Material 3:		Wood Fragments		Geologic Period:	
Material 4:		Sand		Depositional Gen: fill	
Gsc Material Description:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Stratum Description:		FILL,BRICK,WOOD,SANDWATER STABLE AT 502.8 FEET.			
Geology Stratum ID:	218535026			Mat Consistency:	
Top Depth:	.3			Material Moisture:	
Bottom Depth:	2.1			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Fill			Geologic Formation:	
Material 2:	Sand			Geologic Group:	
Material 3:	Silt			Geologic Period:	
Material 4:	Gravel			Depositional Gen:	fill
Gsc Material Description:					
Stratum Description:		FILL,SAND,SILT, GRAVEL.			
Geology Stratum ID:	218535028			Mat Consistency:	
Top Depth:	9.4			Material Moisture:	
Bottom Depth:	10.7			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:	Clay			Depositional Gen:	
Gsc Material Description:					
Stratum Description:		TILL,SILT,SAND,CLAY.			
Geology Stratum ID:	218535025			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	.3			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Stones			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		STONES.			
Source					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:	H			Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Details:	File: TOR3.txt RecordID: 227410 NTS_Sheet: 30M11E				
Confiden 1:	Logged by professional. Exact and complete description of material and properties.				
Source List					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Originators:	Geological Survey of Canada				

201	1 of 1	WSW/251.2	156.7 / -1.22	597 St Clair Ave W Toronto ON M6C1A3	EHS
Order No:	20160223117			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Custom Report			Client Prov/State:	ON
Report Date:	29-FEB-16			Search Radius (km):	.25
Date Received:	23-FEB-16			X:	-79.422168

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Previous Site Name: Lot/Building Size: Additional Info Ordered:				Y: 43.682149	
202	1 of 1	N/251.6	159.8 / 1.97	1545 Bathurst Toronto ON	EHS
Order No:	20170912175		Nearest Intersection:		
Status:	C		Municipality:	TORONTO	
Report Type:	Standard Report		Client Prov/State:	QC	
Report Date:	19-SEP-17		Search Radius (km):	.25	
Date Received:	12-SEP-17		X:	-79.419041	
Previous Site Name:			Y:	43.686097	
Lot/Building Size:					
Additional Info Ordered:	Title Searches; City Directory; Aerial Photos				
203	1 of 1	SSW/250.6	153.3 / -4.59	Toronto ON	WWIS
Well ID:	7187628		Data Entry Status:		
Construction Date:			Data Src:		
Primary Water Use:	Monitoring		Date Received:	9/21/2012	
Sec. Water Use:			Selected Flag:	Yes	
Final Well Status:	Observation Wells		Abandonment Rec:		
Water Type:			Contractor:	7472	
Casing Material:			Form Version:	7	
Audit No:	Z151889		Owner:		
Tag:	A132766		Street Name:	1138 BATHURST ST	
Construction Method:			County:	YORK	
Elevation (m):			Municipality:	TORONTO CITY	
Elevation Reliability:			Site Info:		
Depth to Bedrock:			Lot:		
Well Depth:			Concession:		
Overburden/Bedrock:			Concession Name:		
Pump Rate:			Easting NAD83:		
Static Water Level:			Northing NAD83:		
Flowing (Y/N):			Zone:		
Flow Rate:			UTM Reliability:		
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1004159842		Elevation:	152.482513	
DP2BR:			Elevrc:		
Spatial Status:			Zone:	17	
Code OB:			East83:	627315	
Code OB Desc:			North83:	4837684	
Open Hole:			Org CS:	UTM83	
Cluster Kind:			UTMRC:	4	
Date Completed:	7/27/2012		UTMRC Desc:	margin of error : 30 m - 100 m	
Remarks:			Location Method:	wwr	
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Formation ID:		1004423855			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		06			
Other Materials:		SILT			
Mat3:		66			
Other Materials:		DENSE			
Formation Top Depth:		13.7			
Formation End Depth:		17.4			
Formation End Depth UOM:		m			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		1004423853			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		05			
Other Materials:		CLAY			
Mat3:		01			
Other Materials:		FILL			
Formation Top Depth:		0			
Formation End Depth:		3			
Formation End Depth UOM:		m			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		1004423856			
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		28			
Other Materials:		SAND			
Mat3:		34			
Other Materials:		TILL			
Formation Top Depth:		17.4			
Formation End Depth:		30.5			
Formation End Depth UOM:		m			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		1004423854			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		06			
Other Materials:		SILT			
Mat3:		01			
Other Materials:		FILL			
Formation Top Depth:		3			
Formation End Depth:		13.7			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004423863			
Layer:		1			
Plug From:		0			
Plug To:		26.6			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004423864			
Layer:		2			
Plug From:		26.6			
Plug To:		30.1			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1004423852			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1004423859			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		27.3			
Casing Diameter:		5.2			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1004423860			
Layer:		1			
Slot:		10			
Screen Top Depth:		27.3			
Screen End Depth:		30.3			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.4			
<u>Hole Diameter</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole ID: 1004423857 Diameter: 10.16 Depth From: 0 Depth To: 30.5 Hole Depth UOM: m Hole Diameter UOM: cm					
204	1 of 1	W/254.3	159.8 / 1.97	52 Kenwood Avenue Toronto ON	SPL
Ref No: 8158-AED4F2 Site No: NA Incident Dt: 10/2/2016 Year: Incident Cause: Incident Event: Leak/Break Contaminant Code: 15 Contaminant Name: TRANSFORMER OIL (N.O.S.) Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: Nature of Impact: Receiving Medium: Receiving Env: Land MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: 10/2/2016 Dt Document Closed: Incident Reason: Equipment Failure Site Name: Overhead Transformer<UNOFFICIAL> Site County/District: Site Geo Ref Meth: Incident Summary: Toronto Hydro: 2 L possible PCB transformer oil to grd; cntd & clng Contaminant Qty: 2 L					
Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Miscellaneous Industrial Agency Involved: Nearest Watercourse: Site Address: 52 Kenwood Avenue Site District Office: Site Postal Code: Site Region: Site Municipality: Toronto Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Land Spills Source Type:					
205	1 of 1	SE/260.4	152.9 / -4.99	ON	WWIS
Well ID: 7313577 Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Water Type: Casing Material: Audit No: Z278787 Tag: A223538 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:					
Data Entry Status: Yes Data Src: Date Received: 6/26/2018 Selected Flag: Yes Abandonment Rec: Contractor: 7147 Form Version: 7 Owner: Street Name: County: YORK Municipality: TORONTO CITY Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:					

Bore Hole Information

533 erisinfo.com | Environmental Risk Information Services Order No: 20200114186

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
RSC PDF:					
207	1 of 2	E/263.5	149.6 / -8.24	LOBLAWS SUPERMARKETS LIMITED 480 ST. CLAIR AVENUE WEST TORONTO ON L1T 3B7	PES
Detail Licence No: Licence No: Status: Approval Date: Report Source: Licence Type: Licence Type Code: Licence Class: Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link:	Vendor			Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:	
207	2 of 2	E/263.5	149.6 / -8.24	LOBLAWS SUPERMARKETS LIMITED 480 ST. CLAIR AVENUE WEST TORONTO ON M5P1N6	PES
Detail Licence No: Licence No: Status: Approval Date: Report Source: Licence Type: Licence Type Code: Licence Class: Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link:	08567 Legacy Licenses (Excluding TS) Retail Vendor Class 03 21 03			Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:	416 6532129
208	1 of 1	NNW/270.3	159.8 / 1.97	ON	BORE
Borehole ID: OGF ID: Status: Type: Use: Completion Date: Static Water Level: Primary Water Use: Sec. Water Use: Total Depth m:	639039 215539436 Borehole Geotechnical/Geological Investigation OCT-1963 Not Used 6.1			Inclin FLG: SP Status: Surv Elev: Piezometer: Primary Name: Municipality: Lot: Township: Latitude DD: Longitude DD:	No Initial Entry No No 43.68611 -79.420522

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth Ref: Depth Elev: Drill Method: Orig Ground Elev m: Elev Reliabil Note: DEM Ground Elev m: Concession: Location D: Survey D: Comments:	Ground Surface Power auger 30.7 160			UTM Zone: Easting: Northing: Location Accuracy: Accuracy:	17 627300 4838223 Not Applicable
<u>Borehole Geology Stratum</u>					
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218486792 4 6.1 Brown Till Silt Sand			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	Dense glacial
TILL,SILT,SAND. BROWN,GLACIAL,VERY DENSE, AGE GLACIAL. 011 0000001000130083LOOSE.					
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218486791 0 4 Brown Fill Silt Clay Sand			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	Loose fill
FILL,SILT,CLAY,SAND.BROWN,LOOSE.					
<u>Source</u>					
Source Type: Source Orig: Source Date: Confidence: Observatio: Source Name: Source Details: Confiden 1:	Data Survey Geological Survey of Canada 1956-1972 H Urban Geology Automated Information System (UGAIS) File: TOR1B.txt RecordID: 070020 NTS_Sheet: 30M11E Logged by professional. Exact and complete description of material and properties.			Source Appl: Source Iden: Scale or Res: Horizontal: Verticalda:	Spatial/Tabular 1 Varies NAD27 Mean Average Sea Level
<u>Source List</u>					
Source Identifier: Source Type: Source Date: Scale or Resolution: Source Name: Source Originators:	1 Data Survey 1956-1972 Varies Urban Geology Automated Information System (UGAIS) Geological Survey of Canada			Horizontal Datum: Vertical Datum: Projection Name:	NAD27 Mean Average Sea Level Universal Transverse Mercator
209	1 of 1	ENE/266.8	149.9 / -8.02	St Michael's College Dump Toronto ON M5P	ANDR
Legal Description: Location Description: Municipality:	York Con 3 FB Lot 25 S pt N of St Michaels college grounds on St Clair York Township				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Current Municipality:		Toronto City			
RM:		Toronto City			
Facility:		Dump			
Date Active:		1911-50s			
Date Begun:		1930s			
Date Complete:		1950s			
Area (Ha):		3.422			
Landfill Type:		open faced dump			
Group Name:		Castle Frank Brook			
Operated By:		Toronto DSC			
Serial:		YTP35			
NTS:		30M11			
Diameter (m):					

Historical Summary:

St Michael's College Dump In August 1912 the City of Toronto was about to begin fixing a broken conduit "under the large fill-in of St Clair Avenue", replacing it with a larger and more expensive conduit with an arched, not flat, roof. The work was expected to take about 4 months to complete [Canadian Municipal Journal August 1912 p. 315]. Lawyers for St Basil's Novitiate write re condition of Heath St adjacent to St Basil's (York Township Council Minutes 30 Sep 1918). William Brant writes re nuisance at 1514, 1516, 1518 Bathurst St (York Township Council Minutes 8 Oct 1920). Complaints of rats coming from the dump on the East side of Bathurst St and affecting the properties at 1520-4 Bathurst St, Mr W T Rogers complainant. Referred to Engineer (York Township General Purposes Committee 31 Mar 1933). Works Commissioner Falls reports re rats at 1520 Bathurst St: the dump in question is an ash and refuse dump operated by the City of Toronto on the property of the Novitiate Society, and he feels the city should fix the problem (York Township General Purposes Committee 31 Mar 1933). St Clair Dump Photography of 1935 shows the dump on the ne corner of St Clair and Bathurst in winter. Dumped area clearly a ravine, almost filled but with some space left (CTA Photo Street Cleaning 540); Arch 1375, December 12, 1935). Novitiate and St Michael's College are in the process of constructing a sewer to bury a watercourse [Castle Frank Brook] and want to extend their sewer under the line of the Heath St road allowance, as yet unbuilt. Wish to negotiate a deal on this to share costs. Works Commissioner to report (York Township Council Minutes 17 Feb 1947). Culvert on Novitiate Property: Township and owner agree to terms (York Township General Purposes Committee Minutes 31 Mar 1947). Extensive dumping of material on to of the trestles and pipes of the new Heath St extension now under construction. Water main will have to be repaired (York Township General Purposes Committee 20 Nov 1950). Heath St watermain foundations have sunk, need repair (York Township General Purposes Committee 4 Dec 1950). Snow dump, St Michael's College, St Clair W In January 1957 the superintendent of DSC Northern Division reported that, unlike previous years, he was now being denied the opportunity to dump snow at the north end of St Michael's college on St. Clair Avenue West. The area was now sodded and new leadership at the College hesitated to give its customary permission to dump snow. However the DSC obtained the necessary permission (CTA RG8 Box 88 File 10). The ravine north of St Clair, east of Bathurst was identified in August 1950 as a potential site for the disposal of some of the excavation spoil from TTC subway construction (Toronto Star August 29 1950 p. 4). 1947 Air Photo Map Extensive ground disturbance marked [CTA: 1947 Air Photo Map (Photographic Survey Corp Ltd)]

Waste Type: snow & ice, ashes & rubbish
UTM X Nad 27: 627612.81
UTM Y Nad 27: 4837901.55
UTM Zone: 17

210	1 of 1	WSW/270.6	157.8 / -0.09	596 & 598 St. Clair Avenue West Toronto ON	EHS
Order No:		20120315012		Nearest Intersection:	
Status:		C		Municipality:	
Report Type:		Custom Report		Client Prov/State:	
Report Date:		3/21/2012 11:37:51 AM		Search Radius (km):	
Date Received:		3/15/2012 11:35:03 AM		X:	
Previous Site Name:				Y:	
Lot/Building Size:					
Additional Info Ordered:					
211	1 of 1	WSW/272.6	156.7 / -1.18	601 St Clair Ave W Toronto ON M6C 1A3	EHS
Order No:		20031030009		Nearest Intersection:	
Status:		C		Municipality:	
Report Type:		Basic Report		Client Prov/State:	
Report Date:		11/10/03		Search Radius (km):	
Date Received:		10/30/03		X:	
				Y:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Previous Site Name:				Y:	43.6822
Lot/Building Size:					
Additional Info Ordered:		Title Search; Aerials Photos and/or Topographical Maps			
212	1 of 1	SSW/270.9	152.8 / -5.08	ESPEL INC. 59 HOCKEN AVE TORONTO ON M6G 2K1	SCT
Established:		1982			
Plant Size (ft²):		6700			
Employment:		10			
--Details--					
Description:		ELECTRIC AND GAS WELDING AND SOLDERING EQUIPMENT			
SIC/NAICS Code:		3548			
213	1 of 1	N/278.8	159.8 / 1.97	TORONTO CITY - DRAWING# R-814 BATHURST ST./MONTCLAIR AVE. TORONTO CITY ON	CA
Certificate #:		7-0143-92-			
Application Year:		92			
Issue Date:		3/13/1992			
Approval Type:		Municipal water			
Status:		Approved			
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:					
Contaminants:					
Emission Control:					
214	1 of 1	N/279.5	159.8 / 1.97	Toronto Transit Commission Southbound Bathurst Street at Mount Clair Toronto ON	SPL
Ref No:		1460-7UUG5V		Discharger Report:	
Site No:				Material Group:	
Incident Dt:				Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:				Sector Type:	Motor Vehicle
Incident Event:				Agency Involved:	
Contaminant Code:				Nearest Watercourse:	
Contaminant Name:		Ethylene glycol		Site Address:	
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:		Confirmed		Site Municipality:	Toronto
Nature of Impact:		Soil Contamination		Site Lot:	
Receiving Medium:				Site Conc:	
Receiving Env:				Northing:	
MOE Response:				Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:		8/12/2009		Site Map Datum:	
Dt Document Closed:				SAC Action Class:	Land Spills
Incident Reason:				Source Type:	
Site Name:		Southbound Bathurst Street at Mount Clair<UNOFFICIAL>			
Site County/District:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<div>Site Geo Ref Meth:</div> <div>Incident Summary:</div> <div>Contaminant Qty:</div> <div>TTC: 15 L antifreeze to catchbasin</div> <div>15 L</div>					
215	1 of 1	E/280.0	150.4 / -7.44	St Clair Fill	ANDR
Toronto ON M5P					
Legal Description:		York Con 2 FB			
Location Description:		Where St Clair Ave W passes over Castle Frank Brook, E of Bathurst			
Municipality:		Toronto City			
Current Municipality:		Toronto City			
RM:		Toronto City			
Facility:		Fill			
Date Active:		1911-13			
Date Begun:					
Date Complete:		1911			
Area (Ha):					
Landfill Type:		open faced fill			
Group Name:		Castle Frank Brook			
Operated By:		Toronto C			
Serial:		TOR626			
NTS:		30M11			
Diameter (m):					
Historical Summary:					
St Clair Fill The conduit under the St Clair Fill has collapsed and is to be replaced in Fall 1912 with a more substantial arched one. The job will take 4 months (Canadian Municipal Journal 1912 VIII.8: 315). The extension of the Civic Car line in West Toronto is being contemplated. The contract to construct the bridge of St Clair over the gap has been let, construction to be complete this spring (Toronto Star 1 Apr 1913 p. 4).					
Waste Type:					
UTM X Nad 27:		627680			
UTM Y Nad 27:		4837761			
UTM Zone:		17			
216	1 of 17	NW/278.2	159.8 / 1.97	Imperial Oil Limited. 171 Vaughan Road Toronto, Ont ON	GEN
Generator No:		ON3460794		PO Box No:	
Status:				Country:	
Approval Years:		03,04		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
216	2 of 17	NW/278.2	159.8 / 1.97	Cheatley's Service Station 171 Vaughan Rd Toronto ON M6C 2L9	TANK
Permit Date:		1932			
Permit Type:					
User Type:		Gasoline service station			
Installation Type:		gas station			
Installation Size:					
Installation Config.:		gas station			
No. Tanks Installed:					
Units of Measure:					
Value/Tank (\$):					
Capacity(gal):					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Reference:		York Township General Purposes Committee Minutes 24 Feb 1932			
Location Desc:		169 Vaughan Rd			
216	3 of 17	NW/278.2	159.8 / 1.97	British American Oil Co Ltd 171 Vaughan Rd Toronto ON M6C 2L9	TANK
Permit Date:		1949			
Permit Type:					
User Type:		Gasoline service station			
Installation Type:		gasoline service station			
Installation Size:					
Installation Config.:		gas station			
No. Tanks Installed:		1			
Units of Measure:					
Value/Tank (\$):		0			
Capacity(gal):					
Reference:		York Township Council Minutes 7 Nov 1949			
Location Desc:		Vaughan & Maplewood			
216	4 of 17	NW/278.2	159.8 / 1.97	Imperial Oil 171 Vaughan Road Toronto ON M6C 2L9	GEN
Generator No:		ON3460794		PO Box No:	
Status:				Country:	
Approval Years:		05,06		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		447190			
SIC Description:		Other Gasoline Stations			
<u>Detail(s)</u>					
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
216	5 of 17	NW/278.2	159.8 / 1.97	Rose of Sharon (Ontario) Retirement Community 165 and 171 Vaughan Road, Toronto Ontario Toronto ON	RSC
RSC ID:		3465		Cert Date:	
RA No:				21-Jun-06	
RSC Type:				Cert Prop Use No:	
Curr Property Use:		Commercial		No CPU	
Ministry District:		TORONTO		Intended Prop Use:	
Filing Date:		14-Jul-06		Residential	
Date Ack:				Qual Person Name:	
Date Returned:				John Yoon	
Restoration Type:				Stratified (Y/N):	
Soil Type:				Yes	
Criteria:				Audit (Y/N):	
CPU Issued Sect		No		Entire Leg Prop. (Y/N):	
1686:				Yes	
Asmt Roll No:				Accuracy Estimate:	
Prop ID No (PIN):				21 to 100 meters	
Property Municipal Address:		165 and 171 Vaughan Road, Toronto Ontario			
Mailing Address:		Suite 500, 920 YONGE ST, TORONTO, ON, M4W 3C7			
Latitude & Latitude:		43.68232130N 79.42185850W (converted from UTM)			
UTM Coordinates:		NAD83 17-627200-4837800			
Consultant:					
		roseofsharon@jetechno.com			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Filing Owner: Legal Desc: Part of Lots 24 and 25, Block "F" Plan 875, designated as Parts 15, 18, 19, 20, 21 and 22 on Reference Plan 64R-14087, City of York, Municipality of Metropolitan Toronto AND Lot 26 and part of Lot 25 Block "F" Plan 875, City of York, Municipality of Metropolitan Toronto, more particularly described as, ALL AND SINGULAR that certain parcel of tract of land and premises situate lying and being in Borough of York, in the County of York and Province of Ontario, being composed of Lot 26 and part of Lot 25 in Block "F" according to a plan filed in the Registry Office for the East and West Riding of the County of York as Number 875, the boundaries of the said parcel of land being described as follows: COMMENCING at a point in the easterly limit of Vaughan Road where the same is intersected by a line drawn parallel to the northerly limit of Lot 23 according to the said plan, and passing through the north-westerly angle of the rear part of the brick dwelling house standing in June 1944, and still standing, upon the lands lying immediately to the south of the lands herein described, the said point of intersection being distant Forty Feet Six and Three quarter Inches (40' 6 3/4") more or less measured northerly along the said easterly limit from the northerly limit of Lot 32 according to said plan. THENCE easterly along the said parallel line One Hundred and Twenty-nine Feet (129') more or less to the point of intersection with the westerly limit of a lane in rear of the said lots, the last mentioned point of intersection being distant Sixty-six feet Eleven and Three-quarter inches (66' 11 3/4") more or less measured southerly on a course parallel with said easterly limit of Vaughan Road from the northerly limit of the lands included within the limits of the said Registered Plan 875; THENCE northerly along the easterly limits of the said Lots 25 and 26 being along the westerly limit of the said land, a distance of Forty-six Feet Eleven and Three-quarter Inches (46' 11 3/4") to an angle in the easterly limit of the last named lot; THENCE north-westerly along the north-easterly limit of the last named lot, being along the south-westerly limit of the said lane, Twenty Feet Eight and One-quarter Inches (20' 8 1/4") more or less to the north-easterly angle of the said Lot 26; THENCE westerly along the northerly limit of the said Lot 26 being along the southerly limit of Maplewood Avenue (formerly High Street) One Hundred and Twenty-four Feet (124') more or less to the easterly limit of Vaughan Road aforesaid; THENCE southerly along the last mentioned limit of Sixty-seven Feet One and Three-quarter inches (67' 1 3/4") more or less to the point of commencement. SUBJECT to the right to the owner or owners from time to time of the lands lying immediately to the south of said lands herein described, to maintain in its present position the eaves and cornice on the northerly side of the and rear part of the said brick dwelling house, which eaves or cornice project One Foot Four inches (1'4") more or less over the said lands herein described. Measurement Method: Interpolation from a map Applicable Standards: Full Depth Site Conditions Standard, with Nonpotable Ground Water, Coarse Textured Soil, for Residential/Parkland/Institutional property use RSC PDF:					

216	6 of 17	NW/278.2	159.8 / 1.97	Imperial Oil(c/o Monisha Nandi) 171 Vaughan Road Toronto ON M6C 2L9	GEN
Generator No:	ON3460794			PO Box No:	
Status:				Country:	
Approval Years:	07,08			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	447190				
SIC Description:	Other Gasoline Stations				
Detail(s)					
Waste Class:	221				
Waste Class Desc:	LIGHT FUELS				
Waste Class:	251				
Waste Class Desc:	OIL SKIMMINGS & SLUDGES				

216	7 of 17	NW/278.2	159.8 / 1.97	Imperial Oil Limited 171 Vaughan Road Toronto ON	GEN
Generator No:	ON3460794			PO Box No:	
Status:				Country:	
Approval Years:	2009			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	447190				
SIC Description:	Other Gasoline Stations				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Detail(s)</u>					
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
<u>216</u>	8 of 17	NW/278.2	159.8 / 1.97	Imperial Oil Limited 171 Vaughan Road Toronto ON	GEN
Generator No:	ON3460794			PO Box No:	
Status:				Country:	
Approval Years:	2010			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	447190				
SIC Description:	Other Gasoline Stations				
<u>Detail(s)</u>					
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
<u>216</u>	9 of 17	NW/278.2	159.8 / 1.97	Imperial Oil Limited 171 Vaughan Road Toronto ON	GEN
Generator No:	ON3460794			PO Box No:	
Status:				Country:	
Approval Years:	2011			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	447190				
SIC Description:	Other Gasoline Stations				
<u>Detail(s)</u>					
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
<u>216</u>	10 of 17	NW/278.2	159.8 / 1.97	Imperial Oil Limited 171 Vaughan Road Toronto ON M6C 2L9	GEN
Generator No:	ON3460794			PO Box No:	
Status:				Country:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	2012 447190 Other Gasoline Stations			Choice of Contact: Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	251 OIL SKIMMINGS & SLUDGES				
Waste Class: Waste Class Desc:	221 LIGHT FUELS				
Waste Class: Waste Class Desc:	252 WASTE OILS & LUBRICANTS				
216	11 of 17	NW/278.2	159.8 / 1.97	Imperial Oil 171 Vaughan Road Toronto ON	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	ON3460794 2013 447190 			PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	221 LIGHT FUELS				
Waste Class: Waste Class Desc:	251 OIL SKIMMINGS & SLUDGES				
Waste Class: Waste Class Desc:	252 WASTE OILS & LUBRICANTS				
216	12 of 17	NW/278.2	159.8 / 1.97	Rose of Sharon (Ontario) Retirement Community 165-171 Vaughan Rd Toronto ON	ECA
Approval No: Approval Date: Status: Record Type: Link Source: SWP Area Name: Approval Type: Project Type: Address: Full Address: Full PDF Link:	6919-7CNNYR 2008-03-14 Approved ECA IDS Toronto ECA-AIR AIR 165-171 Vaughan Rd https://www.accessenvironment.ene.gov.on.ca/instruments/3874-784P4X-14.pdf			MOE District: City: Longitude: Latitude: Geometry X: Geometry Y:	Metro Toronto -79.42163 43.685837
216	13 of 17	NW/278.2	159.8 / 1.97	Imperial Oil 171 Vaughan Road Toronto ON M6C 2L9	GEN
Generator No:	ON3460794			PO Box No:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Status: Approval Years: 2015 Contam. Facility: No MHSW Facility: No SIC Code: 447190 SIC Description: 447190					
				Country: Canada Choice of Contact: CO_ADMIN Co Admin: Nicole Bradley Phone No Admin: 519-652-0099 Ext.4301	
<u>Detail(s)</u>					
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
216	14 of 17	NW/278.2	159.8 / 1.97	Imperial Oil 171 Vaughan Road Toronto ON M6C 2L9	GEN
Generator No: ON3460794 Status: Approval Years: 2016 Contam. Facility: No MHSW Facility: No SIC Code: 447190 SIC Description: 447190					
				PO Box No: Country: Canada Choice of Contact: CO_ADMIN Co Admin: Sandra Carrelas Phone No Admin: 519-652-0099 Ext.4128	
<u>Detail(s)</u>					
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
216	15 of 17	NW/278.2	159.8 / 1.97	Imperial Oil 171 Vaughan Road Toronto ON M6C 2L9	GEN
Generator No: ON3460794 Status: Approval Years: 2014 Contam. Facility: No MHSW Facility: No SIC Code: 447190 SIC Description: 447190					
				PO Box No: Country: Canada Choice of Contact: CO_ADMIN Co Admin: Grant Pettypiece Phone No Admin: 905-695-3217 Ext.3633	
<u>Detail(s)</u>					
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		252			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Desc:		WASTE OILS & LUBRICANTS			
216	16 of 17	NW/278.2	159.8 / 1.97	Imperial Oil 171 Vaughan Road Toronto ON M6C 2L9	GEN
Generator No: ON3460794		PO Box No:		Canada	
Status: Registered		Country:			
Approval Years: As of Dec 2018		Choice of Contact:			
Contam. Facility:		Co Admin:			
MHSW Facility:		Phone No Admin:			
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		221 I			
Waste Class Desc:		Light fuels			
Waste Class:		221 L			
Waste Class Desc:		Light fuels			
Waste Class:		251 L			
Waste Class Desc:		Waste oils/sludges (petroleum based)			
Waste Class:		252 L			
Waste Class Desc:		Waste crankcase oils and lubricants			
216	17 of 17	NW/278.2	159.8 / 1.97	Imperial Oil 171 Vaughan Road Toronto ON M6C 2L9	GEN
Generator No: ON3460794		PO Box No:		Canada	
Status: Registered		Country:			
Approval Years: As of Oct 2019		Choice of Contact:			
Contam. Facility:		Co Admin:			
MHSW Facility:		Phone No Admin:			
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		252 L			
Waste Class Desc:		Waste crankcase oils and lubricants			
Waste Class:		251 L			
Waste Class Desc:		Waste oils/sludges (petroleum based)			
Waste Class:		221 L			
Waste Class Desc:		Light fuels			
Waste Class:		221 I			
Waste Class Desc:		Light fuels			
217	1 of 1	NNW/283.7	160.1 / 2.19	Toronto ON	WWIS
Well ID: 7258477		Data Entry Status:			
Construction Date:		Data Src:			
Primary Water Use: Test Hole		Date Received:		3/1/2016	
Sec. Water Use:		Selected Flag:		Yes	
Final Well Status: Test Hole		Abandonment Rec:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water Type: Casing Material: Audit No: Z199458 Tag: A174946 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:				Contractor: 6988 Form Version: 7 Owner: Street Name: 105 RAGLAN AVE County: YORK Municipality: YORK BOROUGH Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	
<u>Bore Hole Information</u>					
Bore Hole ID: 1005895257 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 10/30/2015 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:				Elevation: 160.281723 Elevrc: Zone: 17 East83: 627314 North83: 4838241 Org CS: UTM83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: wwr	
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID: 1005998249 Layer: 1 Color: 6 General Color: BROWN Mat1: 06 Most Common Material: SILT Mat2: 28 Other Materials: SAND Mat3: Other Materials: Formation Top Depth: 0 Formation End Depth: 9.1 Formation End Depth UOM: m					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID: 1005998256 Layer: 1 Plug From: 0.3 Plug To: 5.8 Plug Depth UOM: m					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Plug ID:		1005998257			
Layer:		2			
Plug From:		5.8			
Plug To:		9.1			
Plug Depth UOM:		m			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		1005998248			
Casing No:		0			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		1005998252			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		6.1			
Casing Diameter:		5.1			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
 <u>Construction Record - Screen</u>					
Screen ID:		1005998253			
Layer:		1			
Slot:		10			
Screen Top Depth:		6.1			
Screen End Depth:		9.1			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6			
 <u>Hole Diameter</u>					
Hole ID:		1005998250			
Diameter:		10.2			
Depth From:		0			
Depth To:		9.1			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

218	1 of 2	SE/280.4	152.7 / -5.15	1415 Bathurst St Toronto ON M5R3H8	EHS
Order No:	20171121118			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Report Date: 28-NOV-17 Date Received: 21-NOV-17 Previous Site Name: Lot/Building Size: Additional Info Ordered:					
Search Radius (km): .25 X: -79.417228 Y: 43.681414					
218	2 of 2	SE/280.4	152.7 / -5.15	1415 Bathurst Street Toronto ON M5R 3H8	EHS
Order No: 20180418086 Status: C Report Type: Standard Report Report Date: 24-APR-18 Date Received: 18-APR-18 Previous Site Name: Lot/Building Size: Additional Info Ordered: Fire Insur. Maps and/or Site Plans; Title Searches; City Directory					
Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -79.417254 Y: 43.681456					
219	1 of 7	SE/280.5	152.7 / -5.15	1415 Bathurst St Toronto ON M5R 3H8	TANK
Permit Date: 1923 Permit Type: Information User Type: Gasoline retail Installation Type: Gasoline tank and pump Installation Size: Installation Config.: 1 x gasoline tank and pump No. Tanks Installed: 1 Units of Measure: Value/Tank (\$): Capacity(gal): Reference: TCM 1923 A: 245 Location Desc:					
219	2 of 7	SE/280.5	152.7 / -5.15	Barber & Brownridge 1415 Bathurst St Toronto ON M5R 3H8	TANK
Permit Date: 6/17/1925 Permit Type: BP 88936 User Type: Gasoline retail? Installation Type: Gasoline tank Installation Size: Installation Config.: 1 x gasoline tank No. Tanks Installed: 1 Units of Measure: Value/Tank (\$): 400 Capacity(gal): Reference: CTA Building permits Location Desc:					
219	3 of 7	SE/280.5	152.7 / -5.15	Barber & Brownridge 1415 Bathurst St Toronto ON M5R 3H8	TANK
Permit Date: 5/13/1927 Permit Type: BP A4917 User Type: Gasoline retail? Installation Type: Gasoline tanks					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Installation Size: Installation Config.: 2 x Gasoline tanks No. Tanks Installed: 2 Units of Measure: Value/Tank (\$): 3000 Capacity(gal): Reference: CTA Building permits Location Desc: s of 1415 Bathurst St					
219	4 of 7	SE/280.5	152.7 / -5.15	Wychwood Garage 1415 Bathurst St Toronto ON M5R 3H8	TANK
Permit Date: 3/7/1934 Permit Type: BP A50167 User Type: Repair garage Installation Type: public garage alteration Installation Size: Installation Config.: public garage alteration No. Tanks Installed: 1 Units of Measure: Value/Tank (\$): 900 Capacity(gal): Reference: CTA Building Permits Location Desc: 1415 Bathurst St					
219	5 of 7	SE/280.5	152.7 / -5.15	Netron Inc. 1415 Bathurst St Suite 309 Toronto ON M5R 3H8	SCT
Established: 1981 Plant Size (ft²): 24000 Employment: 20 --Details-- Description: Software Publishers SIC/NAICS Code: 511210 Description: Computer Systems Design and Related Services SIC/NAICS Code: 541510					
219	6 of 7	SE/280.5	152.7 / -5.15	Sumach Press Inc. 1415 Bathurst St Suite 202 Toronto ON M5R 3H8	SCT
Established: 2000 Plant Size (ft²): Employment: 5 --Details-- Description: Book Publishers SIC/NAICS Code: 511130					
219	7 of 7	SE/280.5	152.7 / -5.15	City of Toronto 1415 Bathurst Rd Toronto ON	SPL

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Ref No: Site No: Incident Dt: Year: Incident Cause: Incident Event: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: Nature of Impact: Receiving Medium: Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: Dt Document Closed: Incident Reason: Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: Contaminant Qty:	5672-95KS4V 07-MAR-13 Leak/Break 15 MOTOR OIL Confirmed Soil Contamination; Surface Water Pollution 07-MAR-13 Unknown / N/A Parking lot<UNOFFICIAL> Oil leaking from pickup truck to lot and CB 0 other - see incident description	Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region: Site Municipality: Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type:	Motor Vehicle 1415 Bathurst Rd Toronto Watercourse Spills		
220	1 of 1	NNW/285.8	160.3 / 2.45	105 Raglan Ave Toronto ON M6C2K7	EHS
Order No: Status: Report Type: Report Date: Date Received: Previous Site Name: Lot/Building Size: Additional Info Ordered:	20161219131 C Standard Express Report 19-DEC-16 19-DEC-16 Additional Info Ordered:	Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -79.420509 43.686257		
221	1 of 1	NNW/285.8	160.3 / 2.45	Toronto Apartments 105 Raglan Ave. Toronto ON M6C 2K7	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	ON3186264 2015 No No 484221 BULK LIQUIDS TRUCKING, LOCAL	PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	Canada CO_OFFICIAL Amy Lau 905-841-8108 Ext.		
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	251 OIL SKIMMINGS & SLUDGES				
222	1 of 1	NNW/287.3	160.3 / 2.45	105 Raglan Ave Toronto ON	EHS
Order No: Status: Report Type:	20150914113 C Custom Report	Nearest Intersection: Municipality: Client Prov/State:	ON		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Report Date: 21-SEP-15 Search Radius (km): .25 Date Received: 14-SEP-15 X: -79.420494 Previous Site Name: Y: 43.686274 Lot/Building Size: Additional Info Ordered:					
223	1 of 1	NE/283.4	153.8 / -4.10	1 Tichester Dump Toronto ON M5P	ANDR
Legal Description: York Con 3 FB Lot 25 pt Location Description: former ravine of Castle Frank Brook at 1 Tichester Ave Municipality: York Township Current Municipality: Toronto City RM: Toronto City Facility: Dump Date Active: pre 1955 Date Begun: Date Complete: pre 1955 Area (Ha): Landfill Type: open faced dump Group Name: Castle Frank Brook Operated By: York Tp Serial: YTP43 NTS: 30M11 Diameter (m):					
Historical Summary: 1 Tichester Dump Feature article on municipal corruption in Canada. Story of a builder in 1955 acquiring a half acre of township land, which had been filled and required pile driving. The builder, Oaklyn Investments Co, offered \$20,000 for the land. The matter came before council April 4 1955, builder wanted to erect a 10 storey 100-unit apartment building with parking for 51 cars. This requires the township to waive the setback bylaw of 10 feet and allow construction within 30 inches of the sidewalk. OMB approves the scheme April 13, June 9 1955 the permit is issued for 12 stories and 117 suites. Retaining walls had to spill over onto adjoining parkland. Oaklyn paved an adjoining unopened road allowance, assigned it to parking and put up signs reserving the road allowance for tenant parking only. In 1956 York has the property appraised, including the road allowance which Oaklyn offers to purchase, at \$130,000, although they only paid \$20,000 for it. Oaklyn agrees to purchase the road allowance for \$10,500. A good article with various other examples of potential corruption (MacLean's Magazine March 10 1962). Bell Canada Telephone Directory 1956: Oaklyn Investments listed at 1 Tichester Lennox 4-9648. Tichester Apartments Ltd. listed in 1956 Toronto Yellow Pages at 30 Tichester Lennox 6-6816.					
Waste Type: UTM X Nad 27: 627550 UTM Y Nad 27: 4837987 UTM Zone: 17					
224	1 of 1	NW/286.1	159.8 / 1.97	15-17 Maplewood Avenue Toronto ON M6C 2M4	EHS
Order No: 20181127223 Nearest Intersection: Status: C Municipality: Report Type: Standard Report Client Prov/State: ON Report Date: 04-DEC-18 Search Radius (km): .25 Date Received: 27-NOV-18 X: -79.421813 Previous Site Name: Y: 43.685828 Lot/Building Size: Additional Info Ordered: City Directory					
225	1 of 1	SE/286.3	151.1 / -6.81	Enbridge Gas Distribution Inc. 108 Hilton Ave Toronto ON	SPL
Ref No: 6230-ADKP6L Discharger Report:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Site No:	NA			Material Group:	
Incident Dt:	9/7/2016			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:				Sector Type:	Unknown / N/A
Incident Event:	Leak/Break			Agency Involved:	
Contaminant Code:	35			Nearest Watercourse:	
Contaminant Name:	NATURAL GAS (METHANE)			Site Address:	108 Hilton Ave
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:				Site Municipality:	Toronto
Nature of Impact:				Site Lot:	
Receiving Medium:				Site Conc:	
Receiving Env:	Air			Northing:	
MOE Response:				Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	9/7/2016			Site Map Datum:	
Dt Document Closed:				SAC Action Class:	TSSA - Fuel Safety Branch - Hydrocarbon Fuel Release/Spill
Incident Reason:	Operator/Human Error			Source Type:	
Site Name:	Enbridge: 1/2 " gasline<UNOFFICIAL>				
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	TSSA/Enbridge: 1/2 " plastic gasline damage				
Contaminant Qty:	0 other - see incident description				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		1001626317			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		84			
Other Materials:		SILTY			
Mat3:					
Other Materials:					
Formation Top Depth:		10			
Formation End Depth:		12.2			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		1001626316			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		5			
Formation End Depth:		10			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		1001626315			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		01			
Most Common Material:		FILL			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		5			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment</u> <u>Sealing Record</u>					
Plug ID:		1001626320			
Layer:		2			
Plug From:		0.3			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug To:		8.5			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1001626319			
Layer:		1			
Plug From:		0			
Plug To:		0.3			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1001626314			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1001626322			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		9.2			
Casing Diameter:		5			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1001626323			
Layer:		1			
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		0			
<u>Hole Diameter</u>					
Hole ID:		1001626318			
Diameter:		20			
Depth From:		0			
Depth To:		12.2			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
227	1 of 1	NW/289.3	159.8 / 1.97	171 Vaughan Rd Toronto On Toronto ON	EHS
Order No:		20151026115		Nearest Intersection:	
Status:		C		Municipality: Toronto	
Report Type:		Standard Report		Client Prov/State: ON	
Report Date:		02-NOV-15		Search Radius (km): .25	
Date Received:		26-OCT-15		X: -79.421914	
Previous Site Name:				Y: 43.685809	
Lot/Building Size:					
Additional Info Ordered:		City Directory; Aerial Photos			
228	1 of 1	WSW/293.1	157.8 / -0.08	155 Wychwood Avenue Toronto ON	EHS
Order No:		20140604037		Nearest Intersection:	
Status:		C		Municipality:	
Report Type:		Custom Report		Client Prov/State: ON	
Report Date:		12-JUN-14		Search Radius (km): .25	
Date Received:		04-JUN-14		X: -79.422985	
Previous Site Name:				Y: 43.68247	
Lot/Building Size:					
Additional Info Ordered:					
229	1 of 1	WSW/295.1	157.8 / -0.08	Watters Environmental Group Inc. 155 Wychwood Ave. Toronto ON M6C 2T1	GEN
Generator No:		ON8370509		PO Box No:	
Status:				Country: Canada	
Approval Years:		2016		Choice of Contact: CO_OFFICIAL	
Contam. Facility:		No		Co Admin:	
MHSW Facility:		No		Phone No Admin:	
SIC Code:		354489			
SIC Description:		354489			
<u>Detail(s)</u>					
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
230	1 of 1	W/295.6	159.8 / 1.97	183 Wychwood Avenue, Toronto ON	PINC
Incident ID:				Health Impact:	
Incident No:		805542		Environment Impact:	
Type:		FS-Pipeline Incident		Property Damage: N/A	
Status Code:		Pipeline Damage Reason Est		Service Interupt:	
Fuel Occurrence Tp:				Enforce Policy: N/A	
Fuel Type:				Public Relation:	
Tank Status:		RC Established		Pipeline System:	
Task No:		3824895		Depth:	
Spills Action Centre:				Pipe Material:	
Method Details:		E-mail		PSIG:	
Fuel Category:		N/A		Attribute Category: FS-Perform P-line Inc Invest	
Date of Occurrence:				Regulator Location:	
Occurrence Start Date:		2012/05/08			
Operation Type:					
Pipeline Type:					
Regulator Type:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Summary:		183 Wychwood Avenue, Toronto - 1/2" Pipeline Hit			
Reported By:		Jeff Stephens Jeff.Stephens@enbridge.com			
Affiliation:					
Occurrence Desc:					
Damage Reason:		Undetermined			
Notes:					

231	1 of 4	E/298.6	151.3 / -6.54	TORONTO ON	WWIS
Well ID:		7234981	Data Entry Status:		
Construction Date:			Data Src:		
Primary Water Use:		Monitoring	Date Received:		1/9/2015
Sec. Water Use:			Selected Flag:		Yes
Final Well Status:		Abandoned-Other	Abandonment Rec:		Yes
Water Type:			Contractor:		6875
Casing Material:			Form Version:		7
Audit No:		Z200266	Owner:		
Tag:			Street Name:		370 ST. CLAIR AVE W
Construction Method:			County:		YORK
Elevation (m):			Municipality:		TORONTO CITY
Elevation Reliability:			Site Info:		
Depth to Bedrock:			Lot:		
Well Depth:			Concession:		
Overburden/Bedrock:			Concession Name:		
Pump Rate:			Easting NAD83:		
Static Water Level:			Northing NAD83:		
Flowing (Y/N):			Zone:		
Flow Rate:			UTM Reliability:		
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:		1005273665	Elevation:		151.042388
DP2BR:			Elevrc:		
Spatial Status:			Zone:		17
Code OB:			East83:		627708
Code OB Desc:			North83:		4838004
Open Hole:			Org CS:		UTM83
Cluster Kind:			UTMRC:		4
Date Completed:		10/15/2014	UTMRC Desc:		margin of error : 30 m - 100 m
Remarks:			Location Method:		wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Annular Space/Abandonment Sealing Record

Plug ID:	1005506816
Layer:	1
Plug From:	0
Plug To:	11.55
Plug Depth UOM:	m

Annular Space/Abandonment Sealing Record

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug ID:		1005506818			
Layer:		2			
Plug From:		0			
Plug To:		2			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005506817			
Layer:		1			
Plug From:		1.5			
Plug To:		11.55			
Plug Depth UOM:		m			
<u>Pipe Information</u>					
Pipe ID:		1005506808			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1005506812			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:					
Casing Diameter:		5.08			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1005506813			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					
<u>Water Details</u>					
Water ID:		1005506811			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:		6.45			
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1005506810			
Diameter:					
Depth From:					
Depth To:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
231	2 of 4	E/298.6	151.3 / -6.54	TORONTO ON	WWIS
Well ID: 7266676				Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use: Monitoring				Date Received:	7/18/2016
Sec. Water Use:				Selected Flag:	Yes
Final Well Status: Abandoned-Other				Abandonment Rec:	Yes
Water Type:				Contractor:	6875
Casing Material:				Form Version:	7
Audit No: Z227484				Owner:	
Tag:				Street Name:	370 ST. CLAIR AVE W-ST CLAIR STATION
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID: 1006142222				Elevation:	151.042388
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627708
Code OB Desc:				North83:	4838004
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed: 6/27/2016				UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID: 1006157873					
Layer: 1					
Plug From: 0					
Plug To: 3					
Plug Depth UOM: m					
<u>Pipe Information</u>					
Pipe ID: 1006157865					
Casing No: 0					
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Casing ID:		1006157869			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:					
Casing Diameter:		3.81			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
 <u>Construction Record - Screen</u>					
Screen ID:		1006157870			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					
 <u>Hole Diameter</u>					
Hole ID:		1006157867			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<hr/>					
<u>231</u>	3 of 4	E/298.6	151.3 / -6.54	TORONTO ON	WWIS
Well ID:	7266675			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring			Date Received:	7/18/2016
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Abandoned Monitoring and Test Hole			Abandonment Rec:	Yes
Water Type:				Contractor:	6875
Casing Material:				Form Version:	7
Audit No:	Z227483			Owner:	
Tag:				Street Name:	370 ST CLAIR AVE W-ST CLAIR STATION
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
 <u>Bore Hole Information</u>					
Bore Hole ID:	1006142219			Elevation:	151.042388
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	627708

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Code OB Desc:				North83:	4838004
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:		6/27/2016		UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006157823			
Layer:		1			
Plug From:		0			
Plug To:		3			
Plug Depth UOM:		m			
<u>Pipe Information</u>					
Pipe ID:		1006157815			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006157819			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:					
Casing Diameter:		5.08			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1006157820			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					
<u>Hole Diameter</u>					
Hole ID:		1006157817			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
231	4 of 4	E/298.6	151.3 / -6.54	TORONTO ON	WWIS
<div> <div> Well ID: 7266674 Construction Date: Primary Water Use: Monitoring Sec. Water Use: Final Well Status: Abandoned Monitoring and Test Hole Water Type: Casing Material: Audit No: Z227482 Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy: </div> <div> Data Entry Status: Data Src: Date Received: 7/18/2016 Selected Flag: Yes Abandonment Rec: Yes Contractor: 6875 Form Version: 7 Owner: Street Name: 70 ST CLAIR AVE WEST- ST CLAIR STATION County: YORK Municipality: TORONTO CITY Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability: </div> </div>					
<u>Bore Hole Information</u>					
<div> <div> Bore Hole ID: 1006142197 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 6/27/2016 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment: </div> <div> Elevation: 151.042388 Elevrc: Zone: 17 East83: 627708 North83: 4838004 Org CS: UTM83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: wwr </div> </div>					
<u>Annular Space/Abandonment Sealing Record</u>					
<div> <div> Plug ID: 1006157814 Layer: 1 Plug From: 0 Plug To: 3 Plug Depth UOM: m </div> </div>					
<u>Pipe Information</u>					
<div> <div> Pipe ID: 1006157806 Casing No: 0 Comment: Alt Name: </div> </div>					
<u>Construction Record - Casing</u>					
<div> <div> Casing ID: 1006157810 Layer: 1 Material: 5 </div> </div>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Open Hole or Material:					
Depth From:		PLASTIC			
Depth To:					
Casing Diameter:		5.08			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1006157811			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					
<u>Hole Diameter</u>					
Hole ID:		1006157808			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
232	1 of 1	SE/298.6	152.8 / -5.07	TORONTO TRANSIT COMMISSION NORTHBOUND ON BATHURST ST AT VAUGHAN RD. MOTOR VEHICLE (OPERATING FLUID) TORONTO CITY ON	SPL
Ref No:		168810		Discharger Report:	
Site No:				Material Group:	
Incident Dt:		6/11/1999		Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:		OTHER CONTAINER LEAK		Sector Type:	
Incident Event:				Agency Involved:	
Contaminant Code:				Nearest Watercourse:	
Contaminant Name:				Site Address:	
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:		POSSIBLE		Site Municipality:	1106
Nature of Impact:		Water course or lake		Site Lot:	
Receiving Medium:		LAND / WATER		Site Conc:	
Receiving Env:				Northing:	
MOE Response:				Easting:	WORKS
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:		6/11/1999		Site Map Datum:	
Dt Document Closed:				SAC Action Class:	
Incident Reason:		UNKNOWN		Source Type:	
Site Name:					
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:		TTC- 88L COOLANT TO RD FROM BUS. 2 L WENT TO CB. CLEANED.			
Contaminant Qty:					
233	1 of 19	E/299.6	151.6 / -6.31	LOBLAWS INC #1212 396 ST. CLAIR AVE W	PES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
TORONTO ON M5P3N3					
Detail Licence No: Licence No: 11623 Status: Approval Date: Report Source: Legacy Licenses (Excluding TS) Licence Type: Limited Vendor Licence Type Code: 23 Licence Class: 01 Licence Control: 0 Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link:				Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: 416 Oper Phone No: 6515166 Operator Ext: Operator Lot: Oper Concession: Operator Region: 3 Operator District: Operator County: 62 Op Municipality: Post Office Box: MOE District: SWP Area Name:	
233	2 of 19	E/299.6	151.6 / -6.31	Loblaws Supermarkets Inc.<UNOFFICIAL> 396 St. Clair Ave. West Toronto ON M5P 3N3	SPL
Ref No: 5030-6HBL6Z Site No: Incident Dt: 10/18/2005 Year: Incident Cause: Cooling System Leak Incident Event: Contaminant Code: Contaminant Name: REFRIGERANT GAS, N.O.S. Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: Not Anticipated Nature of Impact: Air Pollution Receiving Medium: Air Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: 10/19/2005 Dt Document Closed: Incident Reason: Equipment Failure Site Name: Loblaws Supermarket<UNOFFICIAL> Site County/District: Site Geo Ref Meth: Incident Summary: Spill: release of 181.6kg of refrigerant Contaminant Qty:				Discharger Report: 0 Material Group: Gases/Particulate Health/Env Conseq: Client Type: Sector Type: Other Agency Involved: Nearest Watercourse: Site Address: Site District Office: Toronto Site Postal Code: Site Region: Site Municipality: Toronto Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Air Spills - Gases and Vapours Source Type:	
233	3 of 19	E/299.6	151.6 / -6.31	Loblaws<UNOFFICIAL> 396 St Clair Ave West FOREST HILL MARKET (LOBLAWS)<UNOFFICIAL> Toronto ON M5P 3N3	SPL
Ref No: 1224-6SJGD7 Site No: Incident Dt: 8/7/2006 Year: Incident Cause: Discharge or Emission to Air Incident Event:				Discharger Report: Material Group: Gases/Particulates Health/Env Conseq: Client Type: Sector Type: Other Agency Involved:	

563 erisinfo.com | Environmental Risk Information Services Order No: 20200114186

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<div> <div> Licence Type: Licence Type Code: Licence Class: Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link: </div> <div>Vendor</div> <div> Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name: </div> </div>					
233	6 of 19	E/299.6	151.6 / -6.31	396 St. Clair Ave. W Toronto ON M5P 3N3	EHS
<div> <div> Order No: Status: Report Type: Report Date: Date Received: Previous Site Name: Lot/Building Size: Additional Info Ordered: </div> <div> 20130111154 C Custom Report 23-JAN-13 09-JAN-13 </div> <div> Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y: </div> <div> ON .25 -79.415869 43.683771 </div> </div>					
233	7 of 19	E/299.6	151.6 / -6.31	Enbridge Gas Distribution Inc. 396 St Clair Ave W Toronto ON	SPL
<div> <div> Ref No: Site No: Incident Dt: Year: Incident Cause: Incident Event: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: Nature of Impact: Receiving Medium: Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: Dt Document Closed: Incident Reason: Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: Contaminant Qty: </div> <div> 7567-922KP7 14-NOV-12 Leak/Break 35 NATURAL GAS (METHANE) Confirmed Air Pollution Referral to others 14-NOV-12 13-DEC-12 Operator/Human Error Loblaws<UNOFFICIAL> Loblaws - Roof Gas Supply Line Break 0 other - see incident description </div> <div> Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region: Site Municipality: Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type: </div> <div> Valve/Fitting/Piping 396 St Clair Ave W Toronto TSSA - Fuel Safety Branch - Hydrocarbon Fuel Release/Spill </div> </div>					
233	8 of 19	E/299.6	151.6 / -6.31	Loblaw Companies Limited 396 St Clair Ave W Toronto ON	SPL

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Ref No: Site No: Incident Dt: Year: Incident Cause: Incident Event: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: Nature of Impact: Receiving Medium: Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: Dt Document Closed: Incident Reason: Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: Contaminant Qty:	5315-9E4T3Y 2013/12/05 Leak/Break n/a REFRIGERANT GAS R12 Not Anticipated Air Pollution 2013/12/05 Material Failure - Poor Design/Substandard Material Loblaws <UNOFFICIAL>	Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region: Site Municipality: Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type:	Valve/Fitting/Piping 396 St Clair Ave W Toronto Air Spills - Gases and Vapours		

233	9 of 19	E/299.6	151.6 / -6.31	Loblaws Company Limited 396 St. Clair Ave West Toronto ON M4P 3N3	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	ON3239344 2016 No No 445110 SUPERMARKETS AND OTHER GROCERY (EXCEPT CONVENIENCE) STORES	PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	Canada CO_OFFICIAL Craig Hudak 9055957544 Ext.		
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	331 WASTE COMPRESSED GASES				
Waste Class: Waste Class Desc:	252 WASTE OILS & LUBRICANTS				
Waste Class: Waste Class Desc:	145 PAINT/PIGMENT/COATING RESIDUES				
Waste Class: Waste Class Desc:	269 NON-HALOGENATED PESTICIDES				
Waste Class: Waste Class Desc:	261 PHARMACEUTICALS				
Waste Class: Waste Class Desc:	146 OTHER SPECIFIED INORGANICS				
Waste Class: Waste Class Desc:	242 HALOGENATED PESTICIDES				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		262			
Waste Class Desc:		DETERGENTS/SOAPS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
Waste Class:		112			
Waste Class Desc:		ACID WASTE - HEAVY METALS			
Waste Class:		122			
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
233	10 of 19	E/299.6	151.6 / -6.31	MyFamilyMD-West 396 St. Clair Ave. W. Loblaws on the Mezzanine Toronto ON M5P 3N3	GEN
Generator No:	ON5600578			PO Box No:	
Status:				Country:	Canada
Approval Years:	2016			Choice of Contact:	CO_ADMIN
Contam. Facility:	No			Co Admin:	Jeff B Baker
MHSW Facility:	No			Phone No Admin:	416-928-9343 Ext.
SIC Code:	621110				
SIC Description:	OFFICES OF PHYSICIANS				
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
233	11 of 19	E/299.6	151.6 / -6.31	MyFamilyMD-West 396 St. Clair Ave. W. Loblaws on the Mezzanine Toronto ON M5P 3N3	GEN
Generator No:	ON5600578			PO Box No:	
Status:				Country:	Canada
Approval Years:	2015			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	Jeff B Baker
MHSW Facility:	No			Phone No Admin:	416-928-9343 Ext.
SIC Code:	621110				
SIC Description:	OFFICES OF PHYSICIANS				
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
233	12 of 19	E/299.6	151.6 / -6.31	Loblaw Company Limited 396 St. Clair Ave West Toronto ON M4P 3N3	GEN
Generator No:	ON3239344			PO Box No:	
Status:				Country:	Canada
Approval Years:	2015			Choice of Contact:	CO_OFFICIAL

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Contam. Facility: MHSW Facility: SIC Code: SIC Description:	No No 445110			Co Admin: Phone No Admin: SUPERMARKETS AND OTHER GROCERY (EXCEPT CONVENIENCE) STORES	
<u>Detail(s)</u>					
Waste Class:		262			
Waste Class Desc:		DETERGENTS/SOAPS			
Waste Class:		261			
Waste Class Desc:		PHARMACEUTICALS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
Waste Class:		146			
Waste Class Desc:		OTHER SPECIFIED INORGANICS			
Waste Class:		269			
Waste Class Desc:		NON-HALOGENATED PESTICIDES			
Waste Class:		331			
Waste Class Desc:		WASTE COMPRESSED GASES			
Waste Class:		122			
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		112			
Waste Class Desc:		ACID WASTE - HEAVY METALS			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			

233	13 of 19	E/299.6	151.6 / -6.31	MyFamilyMD-West 396 St. Clair Ave. W. Loblaw's on the Mezzanine Toronto ON M5P 3N3	GEN
------------	-----------------	----------------	----------------------	---	------------

Generator No:	ON5600578	PO Box No:	
Status:		Country:	Canada
Approval Years:	2014	Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No	Co Admin:	Jeff B Baker
MHSW Facility:	No	Phone No Admin:	416-928-9343 Ext.
SIC Code:	621110		
SIC Description:	OFFICES OF PHYSICIANS		

Detail(s)

Waste Class:	312
Waste Class Desc:	PATHOLOGICAL WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
233	14 of 19	E/299.6	151.6 / -6.31	LOBLAWS INC. 396 St. Clair Ave West Toronto ON M5P 3N3	GEN
Generator No:		ON3239344	PO Box No:		
Status:		Registered	Country: Canada		
Approval Years:		As of Dec 2018	Choice of Contact:		
Contam. Facility:			Co Admin:		
MHSW Facility:			Phone No Admin:		
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		148 I			
Waste Class Desc:		Misc. wastes and inorganic chemicals			
Waste Class:		112 C			
Waste Class Desc:		Acid solutions - containing heavy metals			
Waste Class:		122 C			
Waste Class Desc:		Alkaline slutions - containing other metals and non-metals (not cyanide)			
Waste Class:		145 I			
Waste Class Desc:		Wastes from the use of pigments, coatings and paints			
Waste Class:		145 L			
Waste Class Desc:		Wastes from the use of pigments, coatings and paints			
Waste Class:		146 T			
Waste Class Desc:		Other specified inorganic sludges, slurries or solids			
Waste Class:		148 A			
Waste Class Desc:		Misc. wastes and inorganic chemicals			
Waste Class:		212 I			
Waste Class Desc:		Aliphatic solvents and residues			
Waste Class:		212 L			
Waste Class Desc:		Aliphatic solvents and residues			
Waste Class:		242 L			
Waste Class Desc:		Halogenated pesticides and herbicides			
Waste Class:		242 T			
Waste Class Desc:		Halogenated pesticides and herbicides			
Waste Class:		252 L			
Waste Class Desc:		Waste crankcase oils and lubricants			
Waste Class:		261 A			
Waste Class Desc:		Pharmaceuticals			
Waste Class:		261 B			
Waste Class Desc:		Pharmaceuticals			
Waste Class:		261 I			
Waste Class Desc:		Pharmaceuticals			
Waste Class:		261 L			
Waste Class Desc:		Pharmaceuticals			
Waste Class:		262 L			
Waste Class Desc:		Detergents and soaps			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		263 A			
Waste Class Desc:		Misc. waste organic chemicals			
Waste Class:		263 C			
Waste Class Desc:		Misc. waste organic chemicals			
Waste Class:		263 L			
Waste Class Desc:		Misc. waste organic chemicals			
Waste Class:		269 L			
Waste Class Desc:		Organic non-halogenated pesticide and herbicide wastes			
Waste Class:		269 T			
Waste Class Desc:		Organic non-halogenated pesticide and herbicide wastes			
Waste Class:		312 P			
Waste Class Desc:		Pathological wastes			
Waste Class:		331 I			
Waste Class Desc:		Waste compressed gases including cylinders			
Waste Class:		331 L			
Waste Class Desc:		Waste compressed gases including cylinders			

233	15 of 19	E/299.6	151.6 / -6.31	MyFamilyMD-West 396 St. Clair Ave. W. Loblaws on the Mezzanine Toronto ON M5P 3N3	GEN
Generator No:	ON5600578			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Dec 2018			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					

Detail(s)

Waste Class:	312 P				
Waste Class Desc:	Pathological wastes				

233	16 of 19	E/299.6	151.6 / -6.31	396 St. Clair Ave. West Toronto ON	SPL
Ref No:	8788-AZAJ3D			Discharger Report:	
Site No:	NA			Material Group:	
Incident Dt:	2018/05/30			Health/Env Conseq:	2 - Minor Environment
Year:				Client Type:	
Incident Cause:				Sector Type:	Miscellaneous Industrial
Incident Event:	Leak/Break			Agency Involved:	
Contaminant Code:	38			Nearest Watercourse:	
Contaminant Name:	FREON (CFC)			Site Address:	396 St. Clair Ave. West
Contaminant Limit 1:				Site District Office:	Toronto - District
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:	1078			Site Region:	Central
Environment Impact:				Site Municipality:	Toronto
Nature of Impact:				Site Lot:	
Receiving Medium:				Site Conc:	
Receiving Env:	Air			Northing:	
MOE Response:	No			Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	2018/05/31			Site Map Datum:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Dt Document Closed: Incident Reason: Equipment Failure Site Name: Loblaws<UNOFFICIAL> Site County/District: Site Geo Ref Meth: Incident Summary: Loblaws: 82 kg freon (R-507) to atm. Contaminant Qty: 82 kg					
SAC Action Class: Source Type: Air Spills - Gases and Vapours Other					
233	17 of 19	E/299.6	151.6 / -6.31	DFR<UNOFFICIAL> 396 St. Clair Ave. W. Toronto ON	SPL
Ref No: 0022-B59HK9 Site No: NA Incident Dt: 2018/10/04 Year: Incident Cause: Incident Event: Leak/Break Contaminant Code: 38 Contaminant Name: REFRIGERANT GAS, N.O.S. Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: 1078 Environment Impact: Nature of Impact: Receiving Medium: Receiving Env: Air MOE Response: No Dt MOE Arvl on Scn: MOE Reported Dt: 2018/10/05 Dt Document Closed: 2018/11/08 Incident Reason: Equipment Failure Site Name: Loblaws<UNOFFICIAL> Site County/District: Site Geo Ref Meth: Incident Summary: Display Fixtures Refrigeration: 240 lbs. of R507 to air/repared Contaminant Qty: 108.862 kg					
Discharger Report: Material Group: Health/Env Conseq: 2 - Minor Environment Client Type: Corporation Sector Type: Miscellaneous Communal Agency Involved: Nearest Watercourse: Site Address: 396 St. Clair Ave. W. Site District Office: Toronto - District Site Postal Code: Site Region: Central Site Municipality: Toronto Site Lot: Site Conc: Northing: 4837984.94 Easting: 627729.48 Site Geo Ref Accu: Site Map Datum: NAD83 SAC Action Class: Air Spills - Gases and Vapours Source Type: Valve/Fitting/Piping					
233	18 of 19	E/299.6	151.6 / -6.31	LOBLAWS INC. 396 St. Clair Ave West Toronto ON M5P 3N3	GEN
Generator No: ON3239344 Status: Registered Approval Years: As of Oct 2019 Contam. Facility: MHSW Facility: SIC Code: SIC Description:					
PO Box No: Country: Canada Choice of Contact: Co Admin: Phone No Admin:					
<u>Detail(s)</u>					
Waste Class: 262 L Waste Class Desc: Detergents and soaps					
Waste Class: 145 I Waste Class Desc: Wastes from the use of pigments, coatings and paints					
Waste Class: 212 L Waste Class Desc: Aliphatic solvents and residues					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class: Waste Class Desc:		122 C		Alkaline slutions - containing other metals and non-metals (not cyanide)	
Waste Class: Waste Class Desc:		331 L		Waste compressed gases including cylinders	
Waste Class: Waste Class Desc:		145 L		Wastes from the use of pigments, coatings and paints	
Waste Class: Waste Class Desc:		312 P		Pathological wastes	
Waste Class: Waste Class Desc:		242 T		Halogenated pesticides and herbicides	
Waste Class: Waste Class Desc:		261 I		Pharmaceuticals	
Waste Class: Waste Class Desc:		263 C		Misc. waste organic chemicals	
Waste Class: Waste Class Desc:		269 T		Organic non-halogenated pesticide and herbicide wastes	
Waste Class: Waste Class Desc:		112 C		Acid solutions - containing heavy metals	
Waste Class: Waste Class Desc:		242 L		Halogenated pesticides and herbicides	
Waste Class: Waste Class Desc:		331 I		Waste compressed gases including cylinders	
Waste Class: Waste Class Desc:		261 L		Pharmaceuticals	
Waste Class: Waste Class Desc:		263 A		Misc. waste organic chemicals	
Waste Class: Waste Class Desc:		261 B		Pharmaceuticals	
Waste Class: Waste Class Desc:		261 A		Pharmaceuticals	
Waste Class: Waste Class Desc:		263 L		Misc. waste organic chemicals	
Waste Class: Waste Class Desc:		148 A		Misc. wastes and inorganic chemicals	
Waste Class: Waste Class Desc:		148 I		Misc. wastes and inorganic chemicals	
Waste Class: Waste Class Desc:		212 I		Aliphatic solvents and residues	
Waste Class: Waste Class Desc:		269 L		Organic non-halogenated pesticide and herbicide wastes	
Waste Class: Waste Class Desc:		252 L		Waste crankcase oils and lubricants	
Waste Class: Waste Class Desc:		146 T		Other specified inorganic sludges, slurries or solids	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
233	19 of 19	E/299.6	151.6 / -6.31	MyFamilyMD 396 St. Clair Ave. W. Loblaws on the Mezzanine Toronto ON M5P 3N3	GEN
Generator No:		ON5600578	PO Box No:		
Status:		Registered	Country: Canada		
Approval Years:		As of Oct 2019	Choice of Contact:		
Contam. Facility:			Co Admin:		
MHSW Facility:			Phone No Admin:		
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		312 P			
Waste Class Desc:		Pathological wastes			
234	1 of 3	SE/299.4	152.9 / -5.02	The Printing House Ltd. 1403 Bathurst St Toronto ON M5R 3H8	SCT
Established:		9/1/1961			
Plant Size (ft²):		30000			
Employment:					
<u>--Details--</u>					
Description:		Other Printing			
SIC/NAICS Code:		323119			
Description:		Business Service Centres			
SIC/NAICS Code:		561430			
Description:		Document Preparation Services			
SIC/NAICS Code:		561410			
Description:		Business Service Centres			
SIC/NAICS Code:		561430			
Description:		Digital Printing			
SIC/NAICS Code:		323115			
234	2 of 3	SE/299.4	152.9 / -5.02	TPH The Printing House Limited 1403 Bathurst St Toronto ON M5R 3H8	SCT
Established:		01-SEP-61			
Plant Size (ft²):		30000			
Employment:					
<u>--Details--</u>					
Description:		Business Service Centres			
SIC/NAICS Code:		561430			
Description:		Other Printing			
SIC/NAICS Code:		323119			
Description:		Document Preparation Services			
SIC/NAICS Code:		561410			
Description:		Digital Printing			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC/NAICS Code:		323115			
Description:		Business Service Centres			
SIC/NAICS Code:		561430			
234	3 of 3	SE/299.4	152.9 / -5.02	Brobst Forestry Co 1403 Bathurst St Toronto ON M5R 3H8	TANK
Permit Date:		12/4/1928			
Permit Type:		BP A19188			
User Type:		Tree experts?			
Installation Type:		Gasoline tank			
Installation Size:					
Installation Config.:		1 x gasoline tank			
No. Tanks Installed:		1			
Units of Measure:					
Value/Tank (\$):		200			
Capacity(gal):					
Reference:		CTA Building permits			
Location Desc:					
235	1 of 1	NW/300.4	159.8 / 1.97	Rose of Sharon (Ontario) Retirement Community 165-171 Vaughan Rd Toronto ON	CA
Certificate #:		6919-7CNNYR			
Application Year:		2008			
Issue Date:		3/14/2008			
Approval Type:		Air			
Status:		Approved			
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:					
Contaminants:					
Emission Control:					
236	1 of 1	ESE/299.7	149.0 / -8.91	121 Hilton Ave Toronto ON M5R 3E8	TANK
Permit Date:		1/24/1933			
Permit Type:		BP A46075			
User Type:					
Installation Type:		FO tanks			
Installation Size:					
Installation Config.:		FO tanks			
No. Tanks Installed:		2			
Units of Measure:					
Value/Tank (\$):		50			
Capacity(gal):					
Reference:		CTA Building Permits			
Location Desc:		121 Hilton Ave			
237	1 of 1	NE/299.4	153.4 / -4.52	MarketPlace Associates 10 Tichester Rd Suite 605 Toronto ON M5P 3M4	SCT

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Established:		01-NOV-01			
Plant Size (ft²):					
Employment:					
--Details--					
Description:		All Other Wholesaler-Distributors			
SIC/NAICS Code:		418990			
Description:		Wholesale Trade Agents and Brokers			
SIC/NAICS Code:		419120			
Description:		Industrial Machinery, Equipment and Supplies Wholesaler-Distributors			
SIC/NAICS Code:		417230			
Description:		Chemical (except Agricultural) and Allied Product Wholesaler-Distributors			
SIC/NAICS Code:		418410			
Description:		Wholesale Trade Agents and Brokers			
SIC/NAICS Code:		419120			

Unplottable Summary

Total: **50** Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
CA	Suncor Energy Products Inc.	Various Addresses	Toronto ON	
CA	TORONTO CITY ST. CLAIR AVE. WEST LA-1144	LANE 36.6 M N. OR ST. CLAIR AV	TORONTO CITY ON	
CA	Suncor Energy Products Inc.	Various Addresses	Toronto ON	
CA	Suncor Energy Products Inc.	Various Addresses	Toronto ON	
CA	Suncor Energy Products Inc.		Toronto ON	
CA	CITY	LONSMOUNT DR.	TORONTO ON	
CA	CITY	VAUGHAN RD.	YORK CITY ON	
CA	TORONTO CITY DR. #ST.-138	ST. CLAIR AVENUE WEST	TORONTO CITY ON	
CA	YORK CITY	BATHURST ST/RAGLAN AVE.	YORK CITY ON	
CA	SUPPORTIVE HSG.COALITION OF METRO TORONT	ST. CLAIR AVENUE WEST	TORONTO CITY ON	
CA	CITY	ST.CLAIR AVE.W.	TORONTO ON	
CA	TORONTO CITY DR. B-528	BATHURST STREET	TORONTO CITY ON	
CONV	LOBLAWS SUPERMARKETS LIMITED		ON	
ECA	Suncor Energy Products Inc.	Various Addresses	Toronto ON	M2P 2C5
ECA	Suncor Energy Products Inc.	Various Addresses	Toronto ON	M2P 2C5
ECA	Suncor Energy Products Inc.	Various Addresses	Toronto ON	M2P 2C5
ECA	Suncor Energy Products Inc.	Various Addresses	Toronto ON	N0N 1M0

ECA	City of Toronto	Bathurst St (from London Street to Dupont Street), on Vaughan Road (from St. Clair Avenue West to Bathurst Street)	Toronto ON	M5V 3C6
GEN	TORONTO, CITY OF	WYCHWOOD BARNS (TTC PARKING LOT) HELENA AVE. & ST. CLAIR AVE.	TORONTO ON	M5V 3C6
GEN	TRANSCANADA PIPELINES LIMITED	TCPL COMPRESSOR STATION #112 C/O P.O. BOX 54-COMMERCE COURT WEST	TORONTO ON	M5L 1C2
GEN	TORONTO, CITY OF	WYCHWOOD BARNS (TTC PARKING LOT) HELENA AVE. & ST. CLAIR AVE.	TORONTO ON	
GEN	PETRO-CANADA PRODUCTS INC. 30-624	GREATER TORONTO AREA NO.1 C/O 5140 YONGE ST. SUITE 200	TORONTO ON	M2N 6L6
GEN	TORONTO, CITY OF	WYCHWOOD BARNS (TTC PARKING LOT) HELENA AVE. & ST. CLAIR AVE.	TORONTO ON	
GEN	TORONTO, CITY OF	WYCHWOOD BARNS (TTC PARKING LOT) HELENA AVE. & ST. CLAIR AVE.	TORONTO ON	
GEN	TORONTO, CITY OF	WYCHWOOD BARNS (TTC PARKING LOT) HELENA AVE. & ST. CLAIR AVE.	TORONTO ON	
GEN	TORONTO, CITY OF	WYCHWOOD BARNS (TTC PARKING LOT) HELENA AVE. & ST. CLAIR AVE.	TORONTO ON	
GEN	TORONTO, CITY OF	WYCHWOOD BARNS (TTC PARKING LOT) HELENA AVE. & ST. CLAIR AVE.	TORONTO ON	
GEN	TORONTO, CITY OF	WYCHWOOD BARNS (TTC PARKING LOT) HELENA AVE. & ST. CLAIR AVE.	TORONTO ON	M5V 3C6
GEN	TORONTO, CITY OF	WYCHWOOD BARNS (TTC PARKING LOT) HELENA AVE. & ST. CLAIR AVE.	TORONTO ON	M5V 3C6
GEN	TORONTO, CITY OF	WYCHWOOD BARNS (TTC PARKING LOT) HELENA AVE. & ST. CLAIR AVE.	TORONTO ON	M5V 3C6
GEN	TORONTO, CITY OF	WYCHWOOD BARNS (TTC PARKING LOT) HELENA AVE. & ST. CLAIR AVE.	TORONTO ON	M5V 3C6
GEN	TRANSCANADA PIPELINES LTD.	TCPL COMPRESSOR STN. #211, PTLT.14, GORE C/O P.O.BOX 54, COMMERCE COURT N.	TORONTO ON	M5L 1C2
SPL		BATHURST PRICE CHOPPER, \	TORONTO CITY ON	
SPL	PETRO-CANADA	SERVICE STATION	TORONTO CITY ON	
SPL	ESSO PETROLEUM CANADA	TANK TRUCK (CARGO)	TORONTO CITY ON	
SPL	CANADA PACKERS	TORONTO PLANT [ST. CLAIR AVENUE]	TORONTO CITY ON	
SPL	ESSO PETROLEUM CANADA	TANK TRUCK (CARGO)	TORONTO CITY ON	
SPL	ESSO PETROLEUM	SERVICE STATION	TORONTO CITY ON	

SPL	ESSO PETROLEUM CANADA	SERVICE STATION	TORONTO CITY ON
SPL	IMPERIAL OIL	ESSO SERVICE STATION	TORONTO CITY ON
SPL	PETRO-CANADA	SERVICE STATION	TORONTO CITY ON
SPL	ESSO PETROLEUM CANADA	SERVICE STATION	TORONTO CITY ON
SPL	PETRO-CANADA	SERVICE STATION	TORONTO CITY ON
SPL	PETRO-CANADA	SERVICE STATION	TORONTO CITY ON
SPL	ESSO PETROLEUM	TANK TRUCK (CARGO)	TORONTO CITY ON
SPL	CANADA PACKERS	TORONTO PLANT [ST. CLAIR AVENUE]	TORONTO CITY ON
SPL	IMPERIAL OIL	ESSO SERVICE STATION	TORONTO CITY ON
SPL	Loblaws Companies Limited		Toronto ON
SPL	PETRO-CANADA	UNDERGROUND FUEL TANK SERVICE STATION	TORONTO CITY ON
SRDS	IMPERIAL OIL LIMITED		TORONTO ON

Unplottable Report

Site: *Suncor Energy Products Inc.*
Various Addresses Toronto ON

Database:
CA

Certificate #: 8949-7TTGB5
Application Year: 2009
Issue Date: 7/10/2009
Approval Type: Industrial Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: *TORONTO CITY ST. CLAIR AVE. WEST LA-1144*
LANE 36.6 M N. OR ST. CLAIR AV TORONTO CITY ON

Database:
CA

Certificate #: 3-0710-86-
Application Year: 86
Issue Date: 6/12/1986
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: *Suncor Energy Products Inc.*
Various Addresses Toronto ON

Database:
CA

Certificate #: 0652-6J6LL3
Application Year: 2006
Issue Date: 5/30/2006
Approval Type: Industrial Sewage Works
Status: Revoked and/or Replaced
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: *Suncor Energy Products Inc.*
Various Addresses Toronto ON

Database:
CA

Certificate #: 0652-6J6LL3

Application Year: 2006
Issue Date: 11/20/2006
Approval Type: Industrial Sewage Works
Status: Revoked and/or Replaced
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **Suncor Energy Products Inc.**
Toronto ON

Database:
CA

Certificate #: 0845-6FHK5G
Application Year: 2007
Issue Date: 12/10/2007
Approval Type: Industrial Sewage Works
Status: Revoked and/or Replaced
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **CITY**
LONSMOUNT DR. TORONTO ON

Database:
CA

Certificate #: 3-0446-85-006
Application Year: 85
Issue Date: 7/17/85
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **CITY**
VAUGHAN RD. YORK CITY ON

Database:
CA

Certificate #: 3-0293-85-006
Application Year: 85
Issue Date: 5/23/85
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: TORONTO CITY DR. #ST.-138
ST. CLAIR AVENUE WEST TORONTO CITY ON

Database:
CA

Certificate #: 3-1585-86-
Application Year: 86
Issue Date: 11/3/1986
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: YORK CITY
BATHURST ST/RAGLAN AVE. YORK CITY ON

Database:
CA

Certificate #: 3-0646-95-
Application Year: 95
Issue Date: 6/14/1995
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: SUPPORTIVE HSG.COALITION OF METRO TORONT
ST. CLAIR AVENUE WEST TORONTO CITY ON

Database:
CA

Certificate #: 3-0326-91-
Application Year: 91
Issue Date: 1/24/1992
Approval Type: Municipal sewage
Status: Approved in 1992
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: CITY
ST.CLAIR AVE.W. TORONTO ON

Database:
CA

Certificate #: 3-0045-85-006
Application Year: 85
Issue Date: 3/20/85
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:

Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: TORONTO CITY DR. B-528
BATHURST STREET TORONTO CITY ON

Database:
CA

Certificate #: 3-2214-87-
Application Year: 87
Issue Date: 1/12/1988
Approval Type: Municipal sewage
Status: Approved in 1988
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: LOBLAWS SUPERMARKETS LIMITED
ON

Database:
CONV

File No:
Crown Brief No: 02-0108-0749
Court Location:
Publication City:
Publication Title:
Act:
Act(s):
First Matter:
Second Matter:
Investigation 1:
Investigation 2:
Penalty Imposed:
Description: STORE AND DISPLAY PESTICIDE IN MANNER LIKELY TO BRING IT INTO CONTACT WITH FOOD.
Background:
URL:

Location:
Region: CENTRAL REGION
Ministry District: YORK-DURHAM

Additional Details

Publication Date:
Count: 1
Act: PA
Regulation: 914
Section: 125(C)
Act/Regulation/Section: PA 914 125(C)
Date of Offence:
Date of Conviction:
Date Charged: 3/24/2003
Charge Disposition: FINED
Fine: \$7000
Synopsis:

Site: Suncor Energy Products Inc.
Various Addresses Toronto ON M2P 2C5

Database:
ECA

Approval No: 0652-6J6LL3
Approval Date: 2006-05-30
Status: Revoked and/or Replaced
Record Type: ECA

MOE District:
City:
Longitude:
Latitude:

Link Source: IDS
SWP Area Name:
Approval Type: ECA-INDUSTRIAL SEWAGE WORKS
Project Type: INDUSTRIAL SEWAGE WORKS
Address: Various Addresses
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/1830-6FMRFJ-14.pdf>

Geometry X:
Geometry Y:

Site: **Suncor Energy Products Inc.**
Various Addresses Toronto ON M2P 2C5

Database:
ECA

Approval No: 8949-7TTGB5
Approval Date: 2009-07-10
Status: Revoked and/or Replaced
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-INDUSTRIAL SEWAGE WORKS
Project Type: INDUSTRIAL SEWAGE WORKS
Address: Various Addresses
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/9228-7TSPA7-14.pdf>

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: **Suncor Energy Products Inc.**
Various Addresses Toronto ON M2P 2C5

Database:
ECA

Approval No: 0652-6J6LL3
Approval Date: 2006-11-20
Status: Revoked and/or Replaced
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-INDUSTRIAL SEWAGE WORKS
Project Type: INDUSTRIAL SEWAGE WORKS
Address: Various Addresses
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/6541-6UVJYR-14.pdf>

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: **Suncor Energy Products Inc.**
Various Addresses Toronto ON N0N 1M0

Database:
ECA

Approval No: 8949-7TTGB5
Approval Date: 2015-04-16
Status: Revoked and/or Replaced
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-INDUSTRIAL SEWAGE WORKS
Project Type: INDUSTRIAL SEWAGE WORKS
Address: Various Addresses
Full Address:
Full PDF Link:

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: **City of Toronto**
Bathurst St (from London Street to Dupont Street), on Vaughan Road (from St. Clair Avenue West to Bathurst Street) Toronto ON M5V 3C6

Database:
ECA

Approval No: 1796-7DTRL3
Approval Date: 2008-04-21
Status: Approved
Record Type: ECA
Link Source: IDS
MOE District:
City:
Longitude:
Latitude:
Geometry X:

SWP Area Name:
Approval Type:
Project Type:
Address:
Full Address:
Full PDF Link:

Geometry Y:
 ECA-Municipal Drinking Water Systems
 Municipal Drinking Water Systems
 Bathurst St (from London Street to Dupont Street), on Vaughan Road (from St. Clair Avenue West to Bathurst Street)

Site: TORONTO, CITY OF
 WYCHWOOD BARNES (TTC PARKING LOT) HELENA AVE. & ST. CLAIR AVE. TORONTO ON M5V 3C6

Database:
 GEN

Generator No: ON0146278
Status: Registered
Approval Years: As of Oct 2019
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No:
Country: Canada
Choice of Contact:
Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 312 P
Waste Class Desc: Pathological wastes

Waste Class: 148 B
Waste Class Desc: Misc. wastes and inorganic chemicals

Waste Class: 263 I
Waste Class Desc: Misc. waste organic chemicals

Waste Class: 145 I
Waste Class Desc: Wastes from the use of pigments, coatings and paints

Waste Class: 331 I
Waste Class Desc: Waste compressed gases including cylinders

Waste Class: 261 A
Waste Class Desc: Pharmaceuticals

Waste Class: 148 C
Waste Class Desc: Misc. wastes and inorganic chemicals

Waste Class: 263 B
Waste Class Desc: Misc. waste organic chemicals

Waste Class: 252 L
Waste Class Desc: Waste crankcase oils and lubricants

Waste Class: 145 L
Waste Class Desc: Wastes from the use of pigments, coatings and paints

Waste Class: 242 A
Waste Class Desc: Halogenated pesticides and herbicides

Site: TRANSCANADA PIPELINES LIMITED
 TCPL COMPRESSOR STATION #112 C/O P.O. BOX 54-COMMERCE COURT WEST TORONTO ON M5L 1C2

Database:
 GEN

Generator No: ON0174613
Status:
Approval Years: 86,87,88,89
Contam. Facility:
MHSW Facility:
SIC Code: 4611
SIC Description: GAS PIPELINE TRANS.

PO Box No:
Country:
Choice of Contact:
Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 251
Waste Class Desc: OIL SKIMMINGS & SLUDGES

Waste Class: 212
Waste Class Desc: ALIPHATIC SOLVENTS

Site: TORONTO, CITY OF
WYCHWOOD BARN (TTC PARKING LOT) HELENA AVE. & ST. CLAIR AVE. TORONTO ON

Database:
GEN

Generator No: ON0146278
Status:
Approval Years: 01,02,03,04,05,06,07,08
Contam. Facility:
MHSW Facility:
SIC Code: 8373
SIC Description: ENVIRON. ADMIN.

PO Box No:
Country:
Choice of Contact:
Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 112
Waste Class Desc: ACID WASTE - HEAVY METALS

Waste Class: 121
Waste Class Desc: ALKALINE WASTES - HEAVY METALS

Waste Class: 145
Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Waste Class: 147
Waste Class Desc: CHEMICAL FERTILIZER WASTES

Waste Class: 148
Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class: 212
Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class: 213
Waste Class Desc: PETROLEUM DISTILLATES

Waste Class: 221
Waste Class Desc: LIGHT FUELS

Waste Class: 242
Waste Class Desc: HALOGENATED PESTICIDES

Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

Waste Class: 261
Waste Class Desc: PHARMACEUTICALS

Waste Class: 263
Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Waste Class: 264
Waste Class Desc: PHOTOPROCESSING WASTES

Waste Class: 269
Waste Class Desc: NON-HALOGENATED PESTICIDES

Waste Class: 331
Waste Class Desc: WASTE COMPRESSED GASES

Waste Class: 312

Waste Class Desc: PATHOLOGICAL WASTES

Site: PETRO-CANADA PRODUCTS INC. 30-624
GREATER TORONTO AREA NO.1 C/O 5140 YONGE ST. SUITE 200 TORONTO ON M2N 6L6

Database:
GEN

Generator No:	ON1327000	PO Box No:	
Status:		Country:	
Approval Years:	92,93,94,95,96,97,98	Choice of Contact:	
Contam. Facility:		Co Admin:	
MHSW Facility:		Phone No Admin:	
SIC Code:	2549		
SIC Description:	OTHER MILLWORK IND.		

Detail(s)

Waste Class: 221
Waste Class Desc: LIGHT FUELS

Site: TORONTO, CITY OF
WYCHWOOD BARN (TTC PARKING LOT) HELENA AVE. & ST. CLAIR AVE. TORONTO ON

Database:
GEN

Generator No:	ON0146278	PO Box No:	
Status:		Country:	
Approval Years:	2013	Choice of Contact:	
Contam. Facility:		Co Admin:	
MHSW Facility:		Phone No Admin:	
SIC Code:	562110		
SIC Description:	WASTE COLLECTION		

Detail(s)

Waste Class: 221
Waste Class Desc: LIGHT FUELS

Waste Class: 263
Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Waste Class: 213
Waste Class Desc: PETROLEUM DISTILLATES

Waste Class: 112
Waste Class Desc: ACID WASTE - HEAVY METALS

Waste Class: 261
Waste Class Desc: PHARMACEUTICALS

Waste Class: 147
Waste Class Desc: CHEMICAL FERTILIZER WASTES

Waste Class: 148
Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

Waste Class: 242
Waste Class Desc: HALOGENATED PESTICIDES

Waste Class: 145
Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Waste Class: 264
Waste Class Desc: PHOTOPROCESSING WASTES

Waste Class: 212
Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class: 269
Waste Class Desc: NON-HALOGENATED PESTICIDES

Waste Class: 331
Waste Class Desc: WASTE COMPRESSED GASES

Waste Class: 121
Waste Class Desc: ALKALINE WASTES - HEAVY METALS

Waste Class: 312
Waste Class Desc: PATHOLOGICAL WASTES

Site: TORONTO, CITY OF
 WYCHWOOD BARN (TTC PARKING LOT) HELENA AVE. & ST. CLAIR AVE. TORONTO ON

Database:
 GEN

Generator No:	ON0146278	PO Box No:
Status:		Country:
Approval Years:	2009	Choice of Contact:
Contam. Facility:		Co Admin:
MHSW Facility:		Phone No Admin:
SIC Code:	562110	
SIC Description:	Waste Collection	

Detail(s)

Waste Class: 112
Waste Class Desc: ACID WASTE - HEAVY METALS

Waste Class: 121
Waste Class Desc: ALKALINE WASTES - HEAVY METALS

Waste Class: 145
Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Waste Class: 147
Waste Class Desc: CHEMICAL FERTILIZER WASTES

Waste Class: 148
Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class: 212
Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class: 213
Waste Class Desc: PETROLEUM DISTILLATES

Waste Class: 221
Waste Class Desc: LIGHT FUELS

Waste Class: 242
Waste Class Desc: HALOGENATED PESTICIDES

Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

Waste Class: 261
Waste Class Desc: PHARMACEUTICALS

Waste Class: 263
Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Waste Class: 264
Waste Class Desc: PHOTOPROCESSING WASTES

Waste Class: 269
Waste Class Desc: NON-HALOGENATED PESTICIDES

Waste Class: 312
Waste Class Desc: PATHOLOGICAL WASTES

Waste Class: 331
Waste Class Desc: WASTE COMPRESSED GASES

Site: TORONTO, CITY OF
WYCHWOOD BARNES (TTC PARKING LOT) HELENA AVE. & ST. CLAIR AVE. TORONTO ON

Database:
GEN

Generator No: ON0146278
Status:
Approval Years: 2010
Contam. Facility:
MHSW Facility:
SIC Code: 562110
SIC Description: Waste Collection

PO Box No:
Country:
Choice of Contact:
Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 148
Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class: 221
Waste Class Desc: LIGHT FUELS

Waste Class: 212
Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class: 121
Waste Class Desc: ALKALINE WASTES - HEAVY METALS

Waste Class: 312
Waste Class Desc: PATHOLOGICAL WASTES

Waste Class: 261
Waste Class Desc: PHARMACEUTICALS

Waste Class: 145
Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Waste Class: 331
Waste Class Desc: WASTE COMPRESSED GASES

Waste Class: 263
Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

Waste Class: 112
Waste Class Desc: ACID WASTE - HEAVY METALS

Waste Class: 242
Waste Class Desc: HALOGENATED PESTICIDES

Waste Class: 264
Waste Class Desc: PHOTOPROCESSING WASTES

Waste Class: 213
Waste Class Desc: PETROLEUM DISTILLATES

Waste Class: 269
Waste Class Desc: NON-HALOGENATED PESTICIDES

Waste Class: 147
Waste Class Desc: CHEMICAL FERTILIZER WASTES

Site: TORONTO, CITY OF
WYCHWOOD BARN (TTC PARKING LOT) HELENA AVE. & ST. CLAIR AVE. TORONTO ON

Database:
GEN

Generator No:	ON0146278	PO Box No:
Status:		Country:
Approval Years:	2011	Choice of Contact:
Contam. Facility:		Co Admin:
MHSW Facility:		Phone No Admin:
SIC Code:	562110	
SIC Description:	Waste Collection	

Detail(s)

Waste Class:	261
Waste Class Desc:	PHARMACEUTICALS
Waste Class:	242
Waste Class Desc:	HALOGENATED PESTICIDES
Waste Class:	264
Waste Class Desc:	PHOTOPROCESSING WASTES
Waste Class:	269
Waste Class Desc:	NON-HALOGENATED PESTICIDES
Waste Class:	112
Waste Class Desc:	ACID WASTE - HEAVY METALS
Waste Class:	212
Waste Class Desc:	ALIPHATIC SOLVENTS
Waste Class:	331
Waste Class Desc:	WASTE COMPRESSED GASES
Waste Class:	148
Waste Class Desc:	INORGANIC LABORATORY CHEMICALS
Waste Class:	121
Waste Class Desc:	ALKALINE WASTES - HEAVY METALS
Waste Class:	213
Waste Class Desc:	PETROLEUM DISTILLATES
Waste Class:	147
Waste Class Desc:	CHEMICAL FERTILIZER WASTES
Waste Class:	145
Waste Class Desc:	PAINT/PIGMENT/COATING RESIDUES
Waste Class:	252
Waste Class Desc:	WASTE OILS & LUBRICANTS
Waste Class:	312
Waste Class Desc:	PATHOLOGICAL WASTES
Waste Class:	263
Waste Class Desc:	ORGANIC LABORATORY CHEMICALS
Waste Class:	221
Waste Class Desc:	LIGHT FUELS

Site: TORONTO, CITY OF
WYCHWOOD BARN (TTC PARKING LOT) HELENA AVE. & ST. CLAIR AVE. TORONTO ON

Database:
GEN

Generator No:	ON0146278	PO Box No:
Status:		Country:

Approval Years:	2012	Choice of Contact:
Contam. Facility:		Co Admin:
MHSW Facility:		Phone No Admin:
SIC Code:	562110	
SIC Description:	Waste Collection	

Detail(s)

Waste Class:	213
Waste Class Desc:	PETROLEUM DISTILLATES
Waste Class:	331
Waste Class Desc:	WASTE COMPRESSED GASES
Waste Class:	148
Waste Class Desc:	INORGANIC LABORATORY CHEMICALS
Waste Class:	221
Waste Class Desc:	LIGHT FUELS
Waste Class:	121
Waste Class Desc:	ALKALINE WASTES - HEAVY METALS
Waste Class:	252
Waste Class Desc:	WASTE OILS & LUBRICANTS
Waste Class:	242
Waste Class Desc:	HALOGENATED PESTICIDES
Waste Class:	264
Waste Class Desc:	PHOTOPROCESSING WASTES
Waste Class:	269
Waste Class Desc:	NON-HALOGENATED PESTICIDES
Waste Class:	263
Waste Class Desc:	ORGANIC LABORATORY CHEMICALS
Waste Class:	147
Waste Class Desc:	CHEMICAL FERTILIZER WASTES
Waste Class:	145
Waste Class Desc:	PAINT/PIGMENT/COATING RESIDUES
Waste Class:	212
Waste Class Desc:	ALIPHATIC SOLVENTS
Waste Class:	261
Waste Class Desc:	PHARMACEUTICALS
Waste Class:	112
Waste Class Desc:	ACID WASTE - HEAVY METALS
Waste Class:	312
Waste Class Desc:	PATHOLOGICAL WASTES

Site: TORONTO, CITY OF
WYCHWOOD BARNES (TTC PARKING LOT) HELENA AVE. & ST. CLAIR AVE. TORONTO ON M5V 3C6

Database:
GEN

Generator No:	ON0146278	PO Box No:	
Status:		Country:	Canada
Approval Years:	2016	Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No	Co Admin:	
MHSW Facility:	Yes	Phone No Admin:	
SIC Code:	562110		
SIC Description:	WASTE COLLECTION		

Detail(s)

Waste Class:	212
Waste Class Desc:	ALIPHATIC SOLVENTS
Waste Class:	112
Waste Class Desc:	ACID WASTE - HEAVY METALS
Waste Class:	213
Waste Class Desc:	PETROLEUM DISTILLATES
Waste Class:	242
Waste Class Desc:	HALOGENATED PESTICIDES
Waste Class:	264
Waste Class Desc:	PHOTOPROCESSING WASTES
Waste Class:	269
Waste Class Desc:	NON-HALOGENATED PESTICIDES
Waste Class:	261
Waste Class Desc:	PHARMACEUTICALS
Waste Class:	263
Waste Class Desc:	ORGANIC LABORATORY CHEMICALS
Waste Class:	147
Waste Class Desc:	CHEMICAL FERTILIZER WASTES
Waste Class:	145
Waste Class Desc:	PAINT/PIGMENT/COATING RESIDUES
Waste Class:	221
Waste Class Desc:	LIGHT FUELS
Waste Class:	312
Waste Class Desc:	PATHOLOGICAL WASTES
Waste Class:	148
Waste Class Desc:	INORGANIC LABORATORY CHEMICALS
Waste Class:	331
Waste Class Desc:	WASTE COMPRESSED GASES
Waste Class:	121
Waste Class Desc:	ALKALINE WASTES - HEAVY METALS
Waste Class:	252
Waste Class Desc:	WASTE OILS & LUBRICANTS

Site: TORONTO, CITY OF
WYCHWOOD BARN (TTC PARKING LOT) HELENA AVE. & ST. CLAIR AVE. TORONTO ON M5V 3C6

Database:
GEN

Generator No:	ON0146278	PO Box No:	
Status:		Country:	Canada
Approval Years:	2015	Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No	Co Admin:	
MHSW Facility:	Yes	Phone No Admin:	
SIC Code:	562110		
SIC Description:	WASTE COLLECTION		

Detail(s)

Waste Class:	212
Waste Class Desc:	ALIPHATIC SOLVENTS

Waste Class:	213
Waste Class Desc:	PETROLEUM DISTILLATES
Waste Class:	112
Waste Class Desc:	ACID WASTE - HEAVY METALS
Waste Class:	121
Waste Class Desc:	ALKALINE WASTES - HEAVY METALS
Waste Class:	261
Waste Class Desc:	PHARMACEUTICALS
Waste Class:	147
Waste Class Desc:	CHEMICAL FERTILIZER WASTES
Waste Class:	331
Waste Class Desc:	WASTE COMPRESSED GASES
Waste Class:	145
Waste Class Desc:	PAINT/PIGMENT/COATING RESIDUES
Waste Class:	148
Waste Class Desc:	INORGANIC LABORATORY CHEMICALS
Waste Class:	221
Waste Class Desc:	LIGHT FUELS
Waste Class:	264
Waste Class Desc:	PHOTOPROCESSING WASTES
Waste Class:	312
Waste Class Desc:	PATHOLOGICAL WASTES
Waste Class:	252
Waste Class Desc:	WASTE OILS & LUBRICANTS
Waste Class:	263
Waste Class Desc:	ORGANIC LABORATORY CHEMICALS
Waste Class:	242
Waste Class Desc:	HALOGENATED PESTICIDES
Waste Class:	269
Waste Class Desc:	NON-HALOGENATED PESTICIDES

Site: TORONTO, CITY OF
WYCHWOOD BARN (TTC PARKING LOT) HELENA AVE. & ST. CLAIR AVE. TORONTO ON M5V 3C6

Database:
GEN

Generator No:	ON0146278	PO Box No:	
Status:		Country:	Canada
Approval Years:	2014	Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No	Co Admin:	
MHSW Facility:	Yes	Phone No Admin:	
SIC Code:	562110		
SIC Description:	WASTE COLLECTION		

Detail(s)

Waste Class:	331
Waste Class Desc:	WASTE COMPRESSED GASES
Waste Class:	147
Waste Class Desc:	CHEMICAL FERTILIZER WASTES
Waste Class:	212
Waste Class Desc:	ALIPHATIC SOLVENTS

Waste Class:	263
Waste Class Desc:	ORGANIC LABORATORY CHEMICALS
Waste Class:	145
Waste Class Desc:	PAINT/PIGMENT/COATING RESIDUES
Waste Class:	312
Waste Class Desc:	PATHOLOGICAL WASTES
Waste Class:	148
Waste Class Desc:	INORGANIC LABORATORY CHEMICALS
Waste Class:	213
Waste Class Desc:	PETROLEUM DISTILLATES
Waste Class:	252
Waste Class Desc:	WASTE OILS & LUBRICANTS
Waste Class:	121
Waste Class Desc:	ALKALINE WASTES - HEAVY METALS
Waste Class:	221
Waste Class Desc:	LIGHT FUELS
Waste Class:	112
Waste Class Desc:	ACID WASTE - HEAVY METALS
Waste Class:	264
Waste Class Desc:	PHOTOPROCESSING WASTES
Waste Class:	269
Waste Class Desc:	NON-HALOGENATED PESTICIDES
Waste Class:	242
Waste Class Desc:	HALOGENATED PESTICIDES
Waste Class:	261
Waste Class Desc:	PHARMACEUTICALS

Site: TORONTO, CITY OF
WYCHWOOD BARNES (TTC PARKING LOT) HELENA AVE. & ST. CLAIR AVE. TORONTO ON M5V 3C6

Database:
GEN

Generator No:	ON0146278	PO Box No:	
Status:	Registered	Country:	Canada
Approval Years:	As of Dec 2018	Choice of Contact:	
Contam. Facility:		Co Admin:	
MHSW Facility:		Phone No Admin:	
SIC Code:			
SIC Description:			

Detail(s)

Waste Class:	145 I
Waste Class Desc:	Wastes from the use of pigments, coatings and paints
Waste Class:	145 L
Waste Class Desc:	Wastes from the use of pigments, coatings and paints
Waste Class:	148 B
Waste Class Desc:	Misc. wastes and inorganic chemicals
Waste Class:	148 C
Waste Class Desc:	Misc. wastes and inorganic chemicals
Waste Class:	242 A
Waste Class Desc:	Halogenated pesticides and herbicides

Waste Class: 252 L
Waste Class Desc: Waste crankcase oils and lubricants

Waste Class: 261 A
Waste Class Desc: Pharmaceuticals

Waste Class: 263 B
Waste Class Desc: Misc. waste organic chemicals

Waste Class: 263 I
Waste Class Desc: Misc. waste organic chemicals

Waste Class: 312 P
Waste Class Desc: Pathological wastes

Waste Class: 331 I
Waste Class Desc: Waste compressed gases including cylinders

Site: **TRANSCANADA PIPELINES LTD.**
TCPL COMPRESSOR STN. #211, PTLT.14,GORE C/O P.O.BOX 54, COMMERCE COURT N. TORONTO ON M5L 1C2

Database:
GEN

Generator No: ON0174632
Status:
Approval Years: 88,89,90
Contam. Facility:
MHSW Facility:
SIC Code: 4611
SIC Description: GAS PIPELINE TRANS.

PO Box No:
Country:
Choice of Contact:
Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 212
Waste Class Desc: ALIPHATIC SOLVENTS

Site: **BATHURST PRICE CHOPPER, \ TORONTO CITY ON**

Database:
SPL

Ref No: 123601
Site No:
Incident Dt: 2/12/1996
Year:
Incident Cause:
Incident Event:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact:
Nature of Impact:
Receiving Medium: AIR
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 2/13/1996
Dt Document Closed:
Incident Reason:
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary:
Contaminant Qty:

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: 01106
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

Site: **PETRO-CANADA**
SERVICE STATION TORONTO CITY ON

Database:
SPL

Ref No:	136013	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	1/9/1997	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	PIPE/HOSE LEAK	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	POSSIBLE	Site Municipality:	01106
Nature of Impact:	Multi Media Pollution	Site Lot:	
Receiving Medium:	LAND	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	1/9/1997	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	
Incident Reason:	ERROR	Source Type:	
Site Name:			
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	PETRO-CANADA: SERVICE STN150L OF GASOLINE TO SNOW & GROUND		
Contaminant Qty:			

Site: **ESSO PETROLEUM CANADA**
TANK TRUCK (CARGO) TORONTO CITY ON

Database:
SPL

Ref No:	59567	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	11/8/1991	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	OTHER CONTAINER LEAK	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	NOT ANTICIPATED	Site Municipality:	01106
Nature of Impact:		Site Lot:	
Receiving Medium:	LAND	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	11/9/1991	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	
Incident Reason:	EQUIPMENT FAILURE	Source Type:	
Site Name:			
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	ESSO PETROLEUM: 4L GASOLINE BACKFLOW WHEN DUMP VALVE MALFUNCTIONED		
Contaminant Qty:			

Site: **CANADA PACKERS**
TORONTO PLANT [ST. CLAIR AVENUE] TORONTO CITY ON

Database:
SPL

Ref No:	54228	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	7/17/1991	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	OTHER CONTAINER LEAK	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	

Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	POSSIBLE	Site Municipality:	01106
Nature of Impact:	Water course or lake	Site Lot:	
Receiving Medium:	LAND / WATER	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	7/17/1991	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	
Incident Reason:	ERROR	Source Type:	
Site Name:			
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	CANADA PACKERS: 45L FATTYACID/ WATER EMULSION LEAKTO SEWER FROM TANK		
Contaminant Qty:			

Site: **ESSO PETROLEUM CANADA**
TANK TRUCK (CARGO) TORONTO CITY ON

Database:
SPL

Ref No:	48558	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	4/4/1991	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	CONTAINER OVERFLOW	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	NOT ANTICIPATED	Site Municipality:	01106
Nature of Impact:		Site Lot:	
Receiving Medium:	LAND	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	4/4/1991	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	
Incident Reason:	ERROR	Source Type:	
Site Name:			
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	ESSO-10 LITRES FURNACE OIL TO GRND,TRUCK OVER FILLED,CLEANED-UP		
Contaminant Qty:			

Site: **ESSO PETROLEUM**
SERVICE STATION TORONTO CITY ON

Database:
SPL

Ref No:	4934	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	1/16/1988	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	CONTAINER OVERFLOW	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:		Site Municipality:	1106
Nature of Impact:		Site Lot:	
Receiving Medium:	LAND	Site Conc:	
Receiving Env:		Northing:	

MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 1/16/1988
Dt Document Closed:
Incident Reason: EQUIPMENT FAILURE
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: ESSO SERVICE STATION - 18 L GASOLINE TO GROUND
Contaminant Qty:

Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

Site: **ESSO PETROLEUM CANADA**
SERVICE STATION TORONTO CITY ON

Database:
SPL

Ref No: 122134
Site No:
Incident Dt: 12/30/1995
Year:
Incident Cause: VALVE/FITTING LEAK OR FAILURE
Incident Event:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: NOT ANTICIPATED
Nature of Impact:
Receiving Medium: LAND
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 12/30/1995
Dt Document Closed:
Incident Reason: EQUIPMENT FAILURE
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: ESSO:20L GASOLINE LEAKED TO GROUND FROM LEAKING PUMP.CLEANED UP.
Contaminant Qty:

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: 1106
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

Site: **IMPERIAL OIL**
ESSO SERVICE STATION TORONTO CITY ON

Database:
SPL

Ref No: 110205
Site No:
Incident Dt: 2/18/1995
Year:
Incident Cause: VALVE/FITTING LEAK OR FAILURE
Incident Event:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: NOT ANTICIPATED
Nature of Impact:
Receiving Medium: LAND
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 2/20/1995
Dt Document Closed:
Incident Reason: MATERIAL FAILURE
Site Name:
Site County/District:
Site Geo Ref Meth:

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: 1106
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

Incident Summary:
Contaminant Qty:

IMPERIAL OIL: 8-12 L GAS CONTAINED UNDER PUMP CAVITY

Site: PETRO-CANADA
SERVICE STATION TORONTO CITY ON

Database:
SPL

Ref No: 80004
Site No:
Incident Dt: 12/17/1992
Year:
Incident Cause: VALVE/FITTING LEAK OR FAILURE
Incident Event:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: NOT ANTICIPATED
Nature of Impact:
Receiving Medium: LAND
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 12/17/1992
Dt Document Closed:
Incident Reason: GASKET/JOINT
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: PETRO-CANADA - 5 LITRE GASOLINE SPILL DURING UNLOADING OF FUEL TRUCK
Contaminant Qty:

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: 01106
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

Site: ESSO PETROLEUM CANADA
SERVICE STATION TORONTO CITY ON

Database:
SPL

Ref No: 44046
Site No:
Incident Dt: 11/17/1990
Year:
Incident Cause: OTHER CONTAINER LEAK
Incident Event:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: NOT ANTICIPATED
Nature of Impact:
Receiving Medium: LAND
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 11/17/1990
Dt Document Closed:
Incident Reason: EQUIPMENT FAILURE
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: ESSO SERVICE STATION-20 LOF GASOLINE TO PAVEMENT.
Contaminant Qty:

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: 01106
Site Lot:
Site Conc:
Northing:
Easting: FIRE DEPT
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

Site: PETRO-CANADA
SERVICE STATION TORONTO CITY ON

Database:
SPL

Ref No:	35893	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	6/6/1990	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	VALVE/FITTING LEAK OR FAILURE	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	NOT ANTICIPATED	Site Municipality:	01106
Nature of Impact:		Site Lot:	
Receiving Medium:	LAND / WATER	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	6/7/1990	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	
Incident Reason:	EQUIPMENT FAILURE	Source Type:	
Site Name:			
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	PETRO-CANADA SERVICE STA.100 L GAS TO ASHPHALT; GAS FILTER BLEW.		
Contaminant Qty:			

Site: PETRO-CANADA
SERVICE STATION TORONTO CITY ON

Database:
SPL

Ref No:	33377	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	4/19/1990	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	PIPE/HOSE LEAK	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:		Site Municipality:	01106
Nature of Impact:		Site Lot:	
Receiving Medium:	LAND	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	4/19/1990	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	
Incident Reason:	OVERSTRESS/OVERPRESSURE	Source Type:	
Site Name:			
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	PETRO CANADA-10 L DIESEL FUEL TO PAVEMENT.		
Contaminant Qty:			

Site: ESSO PETROLEUM
TANK TRUCK (CARGO) TORONTO CITY ON

Database:
SPL

Ref No:	28792	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	12/12/1989	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	PIPE/HOSE LEAK	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Name:		Site Address:	

Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:		Site Municipality:	01106
Nature of Impact:		Site Lot:	
Receiving Medium:	LAND	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	MCCR
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	12/12/1989	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	
Incident Reason:	EQUIPMENT FAILURE	Source Type:	
Site Name:			
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	ESSO PETROLEUM - 50 L OF VARSOL TO CEMENT WHILE OFF-LOADING TANK TRUCK.		
Contaminant Qty:			

Site: CANADA PACKERS
TORONTO PLANT [ST. CLAIR AVENUE] TORONTO CITY ON

Database:
SPL

Ref No:	8658	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	8/29/1988	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	PROCESS UPSET	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:		Site Municipality:	1106
Nature of Impact:		Site Lot:	
Receiving Medium:	AIR	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	8/29/1988	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	
Incident Reason:	ERROR	Source Type:	
Site Name:			
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	CAN. PACKERS - SO2 TO AIRFOR 5 MINUTES.		
Contaminant Qty:			

Site: IMPERIAL OIL
ESSO SERVICE STATION TORONTO CITY ON

Database:
SPL

Ref No:	14737	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	2/9/1989	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	CONTAINER OVERFLOW	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:		Site Municipality:	01106
Nature of Impact:		Site Lot:	
Receiving Medium:	LAND	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	

Dt MOE Arvl on Scn:
MOE Reported Dt: 2/13/1989
Dt Document Closed:
Incident Reason: ERROR
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: ESSO SERVICE STATION
Contaminant Qty:

Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

Site: Loblaws Companies Limited
Toronto ON

Database:
SPL

Ref No: 0677-965VBM
Site No:
Incident Dt: 25-MAR-13
Year:
Incident Cause: Collision/Accident
Incident Event:
Contaminant Code: 15
Contaminant Name: TRANSMISSION OIL
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: Confirmed
Nature of Impact: Soil Contamination; Surface Water Pollution
Receiving Medium:
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 25-MAR-13
Dt Document Closed:
Incident Reason: Unknown / N/A
Site Name: Hwy 401 collectors EB at Hwy 400<UNOFFICIAL>
Site County/District:
Site Geo Ref Meth:
Incident Summary: Loblaws TT, 20 L transmission fluid to Hwy 401 and drain
Contaminant Qty: 20 L

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type: Truck - Transport/Hauling
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: Toronto
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class: Highway Spills (usually highway accidents)
Source Type:

Site: PETRO-CANADA
UNDERGROUND FUEL TANK SERVICE STATION TORONTO CITY ON

Database:
SPL

Ref No: 19573
Site No:
Incident Dt: 9/27/1988
Year:
Incident Cause: ABOVE-GROUND TANK LEAK
Incident Event:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: POSSIBLE
Nature of Impact:
Receiving Medium: LAND
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 9/27/1988
Dt Document Closed:
Incident Reason: NEGLIGENCE (APPARENT)
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: BACKENTRY - PETRO-CANADA 65 000-75 000 LTRS FUEL FROM UNDERGROUND TANK

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: 01106
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

Contaminant Qty:

Site: **IMPERIAL OIL LIMITED**
 TORONTO ON

Database:
SRDS

Company Code:
Works ID:
SIC:
SIC1:
SIC1 Desc:
SIC2:
SIC2 Desc:
SIC3:
SIC3 Desc:
Body of Water:
Terminal Stream:
SIC Desc:
Mailing Address:
Corp Address:

Sector:
Region:
District:
UTM Zone:
UTM Easting:
UTM Northing:
UTM Precision:
Minor Basin:
Major Basin:
Report Year: 1990-1994

Appendix: Database Descriptions

*Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. **Note:** Databases denoted with " * " indicates that the database will no longer be updated. See the individual database description for more information.*

Abandoned Aggregate Inventory:

Provincial [AAGR](#)

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.*

Government Publication Date: Sept 2002*

Aggregate Inventory:

Provincial [AGR](#)

The Ontario Ministry of Natural Resources maintains a database of all active pits and quarries. The database provides information regarding the registered owner/operator, location name, operation type, approval type, and maximum annual tonnage.

Government Publication Date: Up to Sep 2019

Abandoned Mine Information System:

Provincial [AMIS](#)

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

Government Publication Date: 1800-Oct 2018

Anderson's Waste Disposal Sites:

Private [ANDR](#)

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1860s-Present

Aboveground Storage Tanks:

Provincial [AST](#)

Historical listing of aboveground storage tanks made available by the Department of Natural Resources and Forestry. Includes tanks used to hold water or petroleum. This dataset has been retired as of September 25, 2014 and will no longer be updated.

Government Publication Date: May 31, 2014

Automobile Wrecking & Supplies:

Private [AUWR](#)

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

Government Publication Date: 1999-Jul 31, 2019

Borehole:

Provincial [BORE](#)

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

Government Publication Date: 1875-Jul 2018

Certificates of Approval:

Provincial CA

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

Government Publication Date: 1985-Oct 30, 2011*

Dry Cleaning Facilities:

Federal CDRY

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of tetrachloroethylene to the environment from dry cleaning facilities.

Government Publication Date: Jan 2004-Dec 2017

Commercial Fuel Oil Tanks:

Provincial CFOT

Locations of commercial underground fuel oil tanks. This is not a comprehensive or complete inventory of commercial fuel tanks in the province; this listing is a copy of records of registered commercial underground fuel oil tanks obtained under Access to Public Information.

Note that the following types of tanks do not require registration: waste oil tanks in apartments, office buildings, residences, etc.; aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2017

Chemical Register:

Private CHEM

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

Government Publication Date: 1999-Jul 31, 2019

Compressed Natural Gas Stations:

Private CNG

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

Government Publication Date: Dec 2012 - Nov 2019

Inventory of Coal Gasification Plants and Coal Tar Sites:

Provincial COAL

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.*

Government Publication Date: Apr 1987 and Nov 1988*

Compliance and Convictions:

Provincial CONV

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

Government Publication Date: 1989-Nov 2019

Certificates of Property Use:

Provincial CPU

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

Government Publication Date: 1994-Nov 30, 2019

Drill Hole Database:

Provincial DRL

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

Government Publication Date: 1886 - Sep 2019

Environmental Activity and Sector Registry:

Provincial

EASR

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval). Please see our ECA database.

Government Publication Date: Oct 2011-Dec 31, 2019

Environmental Registry:

Provincial

EBR

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

Government Publication Date: 1994-Nov 30, 2019

Environmental Compliance Approval:

Provincial

ECA

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

Government Publication Date: Oct 2011-Dec 31, 2019

Environmental Effects Monitoring:

Federal

EEM

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

Government Publication Date: 1992-2007*

ERIS Historical Searches:

Private

EHS

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

Government Publication Date: 1999-Oct 31, 2019

Environmental Issues Inventory System:

Federal

EIIS

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

Government Publication Date: 1992-2001*

Emergency Management Historical Event:

Provincial

EMHE

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

Government Publication Date: Dec 31, 2016

Environmental Penalty Annual Report:

Provincial

EPAR

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change. These reports provide information on environmental penalties for land or water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

Government Publication Date: Jan 1, 2011 - Dec 31, 2018

List of Expired Fuels Safety Facilities:

Provincial

EXP

List of facilities and tanks for which there was once a fuel registration. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province; this listing is a copy of previously registered tanks and facilities obtained under Access to Public Information. Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc; includes tanks which have been removed from the ground.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2017

Federal Convictions:

Federal

FCON

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

Government Publication Date: 1988-Jun 2007*

Contaminated Sites on Federal Land:

Federal

FCS

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government.

Government Publication Date: Jun 2000-Nov 2019

Federal Identification Registry for Storage Tank Systems (FIRSTS):

Federal

FED TANKS

A list of federally regulated Storage tanks from the Federal Identification Registry for Storage Tank Systems (FIRSTS). FIRSTS is Environment and Climate Change Canada's database of storage tank systems subject to the Storage Tank for Petroleum Products and Allied Petroleum Products Regulations. The main objective of the Regulations is to prevent soil and groundwater contamination from storage tank systems located on federal and aboriginal lands. Storage tank systems that do not have a valid identification number displayed in a readily visible location on or near the storage tank system may be refused product delivery.

Government Publication Date: May 31, 2018

Fisheries & Oceans Fuel Tanks:

Federal

FOFT

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

Government Publication Date: 1964-Sep 2018

Fuel Storage Tank:

Provincial

FST

List of registered private and retail fuel storage tanks. This is not a comprehensive or complete inventory of private and retail fuel storage tanks in the province; this listing is a copy of registered private and retail fuel storage tanks, obtained under Access to Public Information.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2017

Fuel Storage Tank - Historic:

Provincial

FSTH

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

Government Publication Date: Pre-Jan 2010*

Ontario Regulation 347 Waste Generators Summary:

Provincial

GEN

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

Government Publication Date: 1986-Oct 31, 2019

Greenhouse Gas Emissions from Large Facilities:

Federal

GHG

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO₂ eq).

Government Publication Date: 2013-Dec 2017

TSSA Historic Incidents:

Provincial

HINC

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

Government Publication Date: 2006-June 2009*

Indian & Northern Affairs Fuel Tanks:

Federal

IAFT

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

Government Publication Date: 1950-Aug 2003*

Fuel Oil Spills and Leaks:

Provincial

INC

Listing of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC). This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province; this listing is a copy of incidents reported to the SAC, obtained under Access to Public Information. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2017

Landfill Inventory Management Ontario:

Provincial

LIMO

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the ministry compiles new and updated information. The inventory will include small and large landfills. Additionally, each year the ministry will request operators of the larger landfills complete a landfill data collection form that will be used to update LIMO and will include the following information from the previous operating year. This will include additional information such as estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills will include information such as site owner, site location and certificate of approval # and status.

Government Publication Date: Feb 28, 2019

Canadian Mine Locations:

Private

MINE

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

Government Publication Date: 1998-2009*

Mineral Occurrences:

Provincial

MNR

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

Government Publication Date: 1846-Jan 2019

National Analysis of Trends in Emergencies System (NATES):

Federal

NATE

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

Government Publication Date: 1974-1994*

Non-Compliance Reports:

Provincial

NCPL

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

Government Publication Date: Dec 31, 2017

National Defense & Canadian Forces Fuel Tanks:

Federal

NDFT

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

Government Publication Date: Up to May 2001*

National Defense & Canadian Forces Spills:

Federal

NDSP

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

Government Publication Date: Mar 1999-Apr 2018

National Defence & Canadian Forces Waste Disposal Sites:

Federal

NDWD

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

Government Publication Date: 2001-Apr 2007*

National Energy Board Pipeline Incidents:

Federal

NEBI

Locations of pipeline incidents from 2008 to present, made available by the Canada Energy Regulator (CER) - previously the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

Government Publication Date: 2008-Sep 30, 2019

National Energy Board Wells:

Federal

NEBP

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date.

Government Publication Date: 1920-Feb 2003*

National Environmental Emergencies System (NEES):

Federal

NEES

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets 'or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

Government Publication Date: 1974-2003*

National PCB Inventory:

Federal

NPCB

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

Government Publication Date: 1988-2008*

National Pollutant Release Inventory:

Federal

NPRI

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances.

Government Publication Date: 1993-May 2017

Oil and Gas Wells:

Private

OGWE

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at www.nickles.com.

Government Publication Date: 1988-Aug 31, 2019

Ontario Oil and Gas Wells:

Provincial

OOGW

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

Government Publication Date: 1800-Jun 2019

Inventory of PCB Storage Sites:

Provincial

OPCB

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

Government Publication Date: 1987-Oct 2004; 2012-Dec 2013

Orders:

Provincial

ORD

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

Government Publication Date: 1994-Nov 30, 2019

Canadian Pulp and Paper:

Private

PAP

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014

Parks Canada Fuel Storage Tanks:

Federal

PCFT

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

Government Publication Date: 1920-Jan 2005*

Pesticide Register:

Provincial

PES

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

Government Publication Date: 1988-Dec 2019

Pipeline Incidents:

Provincial

PINC

List of pipeline incidents (strikes, leaks, spills). This is not a comprehensive or complete inventory of pipeline incidents in the province; this listing in an historical copy of records previously obtained under Access to Public Information. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2017

Private and Retail Fuel Storage Tanks:

Provincial

PRT

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

Government Publication Date: 1989-1996*

Permit to Take Water:

Provincial

PTTW

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all PTTW's on the registry such as OWRA s. 34 - Permit to take water.

Government Publication Date: 1994-Nov 30, 2019

Ontario Regulation 347 Waste Receivers Summary:

Provincial

REC

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

Government Publication Date: 1986-2016

Record of Site Condition:

Provincial

RSC

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up.

RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09).

Government Publication Date: 1997-Sept 2001, Oct 2004-Nov 2019

Retail Fuel Storage Tanks:

Private

RST

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

Government Publication Date: 1999-Jul 31, 2019

Scott's Manufacturing Directory:

Private

SCT

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

Government Publication Date: 1992-Mar 2011*

Ontario Spills:

Provincial

SPL

This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X.

Government Publication Date: 1988-Jun 2019

Wastewater Discharger Registration Database:

Provincial

SRDS

Information under this heading is combination of the following 2 programs. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment maintained a database of all direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation; Mining; Petroleum Refining; Organic Chemicals; Inorganic Chemicals; Pulp & Paper; Metal Casting; Iron & Steel; and Quarries. All sampling information is now collected and stored within the Sample Result Data Store (SRDS).

Government Publication Date: 1990-Dec 31, 2017

Anderson's Storage Tanks:

Private

TANK

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1915-1953*

Transport Canada Fuel Storage Tanks:

Federal

TCFT

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

Government Publication Date: 1970-Aug 2018

Variances for Abandonment of Underground Storage Tanks:

Provincial

[VAR](#)

Listing of variances granted for storage tank abandonment. This is not a comprehensive or complete inventory of tank abandonment variances in the province; this listing is a copy of tank abandonment variance records previously obtained under Access to Public Information. In Ontario, registered underground storage tanks must be removed within two years of disuse; if removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2017

Waste Disposal Sites - MOE CA Inventory:

Provincial

[WDS](#)

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

Government Publication Date: 2011-Dec 31, 2019

Waste Disposal Sites - MOE 1991 Historical Approval Inventory:

Provincial

[WDSH](#)

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30st, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

Government Publication Date: Up to Oct 1990*

Water Well Information System:

Provincial

[WWIS](#)

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

Government Publication Date: Feb 28, 2019

Definitions

Database Descriptions: This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

Detail Report: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

Distance: The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

Direction: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

Elevation: The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

Executive Summary: This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

Map Key: The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

Unplottables: These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.